


Diamond Drill Report for drill holes
DC06-01 through 19

Deaty Creek Property
Shebandowan Belt

Thunder Bay Mining Division, Ontario
Province of Ontario



G. Heggie
July 18, 2006

2.32774

East West Resource Corporation
402-905 W Pender St.
Vancouver B.C., V6C 1L6

Mega Uranium Ltd.
Suite 2810, 130 King St. West
Toronto, Ontario M5X 1A9

Table of Contents

Introduction

Property Location

Previous Work

Property Geology

Dates and Figures

QAQC

Results:

DC06-01

DC06-02

DC06-03

DC06-04

DC06-05

DC06-06 & 06B

DC06-08

DC06-09

DC06-10

DC06-11

DC06-12

DC06-13

DC06-14

DC06-15

DC06-16

DC06-17

DC06-18

DC06-19

Conclusions and Recommendations

Analysis Methodology

Summary of Costs

Statement of Qualifications

References

Tables and Figures

Figure 1. Claim continuity map

Figure 2. Drill hole plan map

Appendix I Drill logs and sections for drill holes DC06-01 through DC06-19.

Appendix II Certificate of Analysis.

Introduction

This report is a summary of diamond drill work carried out on the Deaty Creek Property which is held by East West Resource Corporation (1158A Russell Street, Thunder Bay, Ont. P7B 5N2) and Mega Uranium Ltd. (Suite 2810, 130 King Street West, Toronto, Ontario. M5X 1A9) and is written for the purpose of assessment. The winter 2006 drill program was designed to test a series of geophysical anomalies (airborne EM, ground IP and magnetic) as well as to follow up on mineralization and anomalies assays discovered during field mapping and mechanical stripping.

Property location

The claims are located 34 km south of Kashabowie, Ontario. Access to the claims can be achieved by turning off Highway 11, south down Highway 802 then turning south after 6 km on to the Burchell Rd. Turn west onto the Waverly Road after 15 km. At 10.75 km a gravel river fording occurs. Further access is possible by drill roads, quad trails and logging roads located beyond the fording.

Previous Work

1992: Noranda Exploration Company Limited carried out a diamond drill program consisting of three drill holes (DC92-05, 06 and 07 a total of 429m). The holes were drilled to test geological and geophysical targets outline previously. Anomalous gold was encountered the first drill hole (DC92-05) with 1.14 ppm Au over 1.0m: Smith, 1992).

1992: Noranda Exploration Company Limited completed 8.9km of infill IP/Resistively survey.

1991: Noranda Exploration Company Limited carried out a diamond drill program completing 4 drill holes (totalling 500m) and geological mapping at 1:5000 scale. Targets were selected to test IP anomalies and resistivity lows. Anomalous gold were encountered in drill hole DC91-01 and DC91-03 which was drilled 200m to the east (Bellinger, 1991).

1991: Noranda Exploration Company Limited carried out a magnetometer Survey on their Deaty's Creek Option. A total of 29km of total field magnetics were completed to map lithology and structure and screen IP responses related to iron formation and magnetite alteration. Results from the survey defined a number of area with high magnetite and magnetic trends at three orientations (090, 040 and 070: Gingerich, 1991a).

1991: Noranda Exploration Company Ltd. carried out a IP/resistivity survey over 17km. The survey delineated two dominant northeast (045 to 070) IP trends (Ginerich, 1991b).

1991: Noranda Exploration Company Limited carried out a DIGHEM airborne geophysical survey (magnetics, electromagnetic and VLF) over three claim blocks with a

total of 783 kilometres of flight lines. The survey resulted in a number of bed rock conductors being identified (McConnell, 1991).

1990: Noranda Exploration Company Limited carried out prospecting, mapping and IP/Resistivity surveys (total of 17km). With reported gold from sulfidized altered diorite.

1987: Wolf River Resources Ltd. Carried out an induced polarization geophysical survey and limited trenching. A number of rock and soil geochemistry anomalies were pursued, but no significant gold or base metal mineralization was located (Cavey, 1987).

1984: Wolf River Resources Ltd. Carried out grid cutting (27.7km) geochemical soil and rock sampling, geological mapping and prospecting and airborne geophysical VLF-HEM electromagnetic and magnetic survey, south and south east of Hamlin Lake extending towards McGinnis Lake. Phase I of exploration outlined four targets which were of interest, these were 1) felsic volcanics and diorite intrusive band extending across the property, 2) felsic volcanic unit with quartz veining which contained elevated gold, 3) mineralized quartz veins within the granite, 4) blind EM anomalies (Dumouchel, 1984).

1983: Wolf River Resources Ltd. Carried out an airborne electromagnetic, VLF and total field magnetic survey over their Powell Lake Property (occurring south to south east of Hamlin Lake). The survey identified a number of magnetic features and EM conductors (Wolf River Resources Ltd. 1984).

1972: Falconbridge carried out a diamond drill program extending from the current Deaty Creek Property south west between Hamlin and McGinnis Lake consisting of 17 drill holes (holes 72-15 to 72-17 occur on current property: Falconbridge, 1972 Poirier, 1995). Drill holes intersected a sequence of tuffaceous rhyolites to dacites with units of pelitic metasediments with drill holes ending in granite and gabbros. No assays were reported.

1970: Falconbridge carried out a ground geophysical survey (magnetic and AFMAG) on the south west portion of the current property. The survey resulted in the identification of a number of magnetic features and potential bedrock conductors (Falconbridge, 1970).


1966: Cominco carried out a regional diamond drill program with one drill hole occurring along the western margin of the current claim group (DDH DI-1). The drill hole intersected felsic volcanics, graphite, graphite intercalated with felsic volcanics. No analysis were reported.

1965: Consolidated Mining & Smelting Co. Ltd. carried out an airborne geophysical survey consisting of EM and magnetics over most of the current claim group. Flight lines were at 1/8 mile with 1016 miles for the total survey. The magnetometer survey resolved intermediate to mafic metavolcanic lithologies and a number of magnetic lows correlating to felsic intrusives.

East West Resource Corp. & Mega Uranium Ltd.

Claim Continuity Map
Hamlin-Deaty-Burchell Properties

1:65 000



1957: MacLeod-Cockshutt Gold Mines Ltd. carried out geological mapping, EM survey, trenching and diamond drilling. No significant gold assays and low copper were reported (Maybank, 1957).

Property Geology

The Deaty Creek Property is found within the Shebandowan Greenstone belt which contains extensive metavolcanics and metasediments. These units are cross cut and intruded by a number of intrusive bodies (Harris, 1970). Within the property area geology is dominated by felsic volcanics in the northern part, ranging from massive homogenous units to well defined volcanic breccias. Within the sequence of felsic volcanics are narrow interflow metasediments and interflow iron formation were observed. The southern portion of the property appears to be dominated by metasediments and gabbroic intrusions. Transition from felsic to metasediments appears to be gradational with intercalating occurring along with an increase in narrow ultramafic bodies (intrusive or extrusive). Feldspar porphyry and quartz feldspar porphyry are observed throughout the property. Mineralization observed on the property consists of disseminated chalcopyrite (MacLeod-Cockshutt Occurrence) and gold mineralization identified by Noranda (1991-1992).

Dates and Figures

Field work started with the mobilization of Falcon Drilling Ltd. (Prince George, B.C.) at the beginning of January. Drilling commenced on drill hole DC06-01 on January 12, 2006. Drilling 18 drill holes was completed on March 30, 2006. With the drill being demobilized off of the property a couple of days later. Core was logged continuously during the duration of drilling and was completed by mid April. This report was completed in July, 2006.

QAQC

Supervision of the drilling program was carried out by R. Middleton. Core logging was carried out by G. Heggie, L. Rajnovich, R. Middleton and J.R. Johnson. Field support, including drill site location was done by, D. Kakeeway, M. King, A. Richardson, G. Heggie and R. Middleton. Core was transported to a secure facility (East West Resource Corporation field office, 1158A Russell Street) in Thunder Bay. Where core was logged and sample intervals determined by G. Heggie, L. Rajnovich, J.R. Johnson and R. Middleton which were then sawn and taken to ALS Chemex in Thunder Bay. Samples underwent primary crushing in Thunder Bay with pulps sent to Vancouver for complete analysis. Blind standards were inserted into the 2006 sample submissions approximately every 40th sample with a minimum of one sample per submission.

Results

Drill logs along with cross sections and Certificates of Analysis from sampled intervals are provided in the Appendices.

Table 1: Summary of drill hole locations and depth. Easting and Northing are in NAD83 Zone 15

Drill Hole	Length (m)	Easting	Northing	Dip	Azimuth
DC06-01	227.1	667973	5374929	-45	340
DC06-02	272.2	667861	5374901	-60	340
DC06-03	89.4	668124	5374808	-55	160
DC06-04	257.5	667719	5374499	-45	160
DC06-05	191.4	667481	5374290	-45	160
DC06-06	42.7	667426	5374426	-45	160
DC06-06b	335.3	667426	5374426	-45	160
DC06-08	13.7	666877	5374748	-45	160
DC06-09	199.7	666989	5374370	-45	160
DC06-10	96.0	666907	5374110	-45	160
DC06-11	243.0	666680	5374071	-45	160
DC06-12	74.7	666530	5373901	-45	160
DC06-13	120.1	665452	5373688	-45	160
DC06-14	145.2	666457	5373878	-45	160
DC06-15	117.4	666672	5373933	-45	160
DC06-16	93.0	666495	5373922	-45	160
DC06-17	154.5	667415	5373222	-45	160
DC06-18	128.0	667536	5373395	-45	340
DC06-19	82.0	667727	5374467	-45	160

Drill targets were selected based dominantly on ground geophysics (both induced polarization (IP) and magnetics) with primary follow up carried out by localized trenching/stripping and sampling. Drilling was then implemented to further test potential targets.

DC06-01 (667973E, 5374929N NAD83 Zone 15; Claim 1249600) was drilled at a dip of -45° and an azimuth of 340° . The drill hole collared in a feldspar porphyry followed by a series of mafic volcanics, intermediate tuffs, rhyolites and syenitic units. Mineralization consists of anomalous copper and molybdenite sporadically throughout the hole and anomalous to elevated gold occurring in the first 140 metres of the drill hole. This includes a 21.0 metre interval with a weighted average of 0.50 g/tonne (47.0 to 68.0 metres: including 3.0 metres of 1.23 g/tonne), 4.0 metres of 1.07 g/tonne (113.5 to 117.5 metres) and 5.0m of 0.51 g/tonne (127.0 to 132.0 metres).

DC06-02 (667861E, 5374901N NAD83 Zone 15; Claim 1249600) was drilled at a dip of -60° and an azimuth of 340° . The drill hole was collared in a rhyolite/rhyolite breccia followed by alternating quartz-feldspar porphyry and rhyolite/rhyolite breccia units. Mineralization consisted of anomalous copper and molybdenite occurring sporadically

throughout the drill hole. Significant gold values were encountered in the drill hole including 1.0 metre of 4.26 g/tonne (33.5 metres).

DC06-03 (667124E, 5374808N NAD83 Zone 15; Claim 1249600) was drilled at a dip of -55° and an azimuth of 160° . Drill hole was collared in a breccia unit followed by a gabbro and mafic to ultramafic volcanics. The drill hole then contains a series of alternating units of quartz-feldspar porphyry, porphyry, mafic to ultramafic volcanics, mafic volcanics, breccias, tuffaceous units and syenite ending in a gabbro at 89.4m. Mineralization observed in the drill hole consisted of anomalous copper and silver throughout the drill hole (100 to 1600ppm Cu), anomalous (60-250ppm Mo) molybdenum with sporadic high values (300 ppm to 3540ppm Mo).

DC06-04 (667719E, 5374499N NAD83 Zone 15; Claim 1249600) was drilled at a dip of -45° and an azimuth of 160° . The drill hole was collared in a rhyolite with thin units of feldspar porphyry crosscutting. Thin interflow metasediment units were observed from 114.6m to 116.0m, 125.7 to 130.9m and 133.3 to 139.8m. The lithology then changes to diorites with ultramafic intrusives, with a late stage ferro-feldspar porphyry cross cutting. The drill hole ended in ultramafic lithologies. Mineralization observed in the drill hole consisted of anomalous gold from the interval of 79.65m to 89.0m with one sampling containing 5.50 ppm Au over 1 metre with next two adjacent sample containing between 0.8 to 2.42 ppm Au. Gold appeared to be hosted in a sheared mafic lithologies (perhaps metasediments) with fine disseminated pyrite. Anomalous copper, silver and molybdenum is also observed throughout the drill hole.

DC06-05 (667481E, 5374290N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45° . The drill hole was collared into felsic volcanics with a thin mafic intrusive occurring from 9.5 to 15.5m. A 7 metre interval of chert-magnetite was then intersected from 80.3 to 87.4m followed by more felsic volcanics and tuffaceous metavolcanics. Ultramafics were intersected at 129.2m followed by a gabbro intrusion which the drill hole ended in. Mineralization consisted of anomalous gold in one sample from the mafic intrusive (0.8ppm) and anomalous copper throughout the drill hole with sporadic molybdenite values.

DC06-06 (667426E, 5374426N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45° . The drill hole was collared into a gabbro followed by felsic volcanics which the hole was stopped in due to complications with casing. Anomalous copper was observed throughout the drill hole. One sample taken from the gabbro returned elevated molybdenite (214ppm).

DC06-06B (667426E, 5374426N NAD83 Zone 15; Claim 1249600) was drilled from the same set up as drill hole DC06-06 at an azimuth of 160° and a plunge of -45° . The drill hole was collared into gabbro followed by felsic volcanics with intercalated felsic intrusives and feldspar porphyries. A change to mafic volcanics with intercalated feldspar porphyry and diorites with periodic tuffaceous units starting at 97.86m to 182.83m. After which the drill hole is dominated by felsic lithologies (rhyolites, feldspar porphyry, felsic intrusive, quartz feldspar porphyry) to the end of the drill hole at 335.5m. Mineralization

consists of anomalous copper throughout the drill hole (300 to 1200 ppm), sporadic molybdenite is also observed throughout the drill hole. Anomalous gold (>500 ppb) occur periodically throughout the drill hole.

DC06-08 (666877E, 5374748N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was stopped at 13.7m due to complications putting casing down through the overburden.

DC06-09 (666989E, 5374370N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into felsic volcanics and dominated by variably altered felsic volcanics. Feldspar porphyry was intersected at 160.9m to 189.7m with a thin unit of felsic volcanics followed by feldspar porphyry from 199.7 to the end of the drill hole. Mineralization consisted of anomalous gold from 68 to 84m with one sample returning a value of 5.98 ppm Au over one metre. Anomalous copper and silver (up to 3360ppm Cu, 2.1 ppm Ag) were also observed throughout the drill hole.

DC06-10 (666907E, 5374110N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into porphyry with a thin sheared ultramafic unit occurring at 20.1m followed by more porphyry till volcanics are intersected at the bottom of the drill hole. Mineralization observed in the drill hole consisted of elevated gold in the altered porphyry (2.49 ppm Au over 1 metre) with anomalous copper also observed.

DC06-11 (666680E, 5374071N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into felsic volcanics with a narrow diorite intrusive occurring at 51.6 to 53.4m. A thin unit of tuffaceous metavolcanics (iron formation) was intersected at 54.0 to 56.1m followed by more felsic volcanics with feldspar porphyry occurring at 104.5 to 209.0m with the hole ending at 243.2m in felsic volcanics. Mineralization consisted of anomalous copper values associated with elevated silver throughout the drill hole with sporadic molybdenum values (1510ppm Mo from a ~10cm quartz vein).

DC06-12 (666530E, 5373901N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into felsic volcanics with a thin lamprophyre intersected at 34.45m. Feldspar porphyry occurs at 55.3m which the drill hole was stopped in. Mineralization consists of anomalous copper and molybdenite with elevated silver occurring with high copper values.

DC06-13 (665452E, 5373688N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into a rhyolite fragmental to 66.1m followed by basalt till 118.0m followed by intermediate volcanics which the drill hole was stopped in at 120.0m. Mineralization consists of elevated molybdenite and copper being observed in carbonate and quartz veining.

DC06-14 (665457E, 5373878N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into felsic volcanics with a thin unit of tuffaceous metasediments (iron formation) occurring at 40.15 to 41.35m and a feldspar porphyry intersected at 140.75m which the drill hole was stopped in at 145.2m. Mineralization consisted of anomalous copper (up to 6790 ppm Cu) commonly occurring with elevated silver values. Molybdenite also sporadically occurs with one narrow veinlet observed (883 ppm Mo over 0.25m).

DC06-15 (666672E, 5373933N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into a thin unit tuffaceous metasediments followed by feldspar porphyry at 8.5m then into felsic volcanics at 40.65m to the end of the drill hole with a 6 metre interval of iron formation occurring from 68.0 to 74.0m. Mineralization consisted of anomalous copper values throughout the drill hole, commonly with elevated silver and molybdenite values.

DC06-16 (666495E, 5373922N NAD83 Zone 15; Claim 3017845) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into felsic volcanics and was stopped in felsic volcanics at 93.0m. Mineralization consisted of anomalous copper values and anomalous molybdenite.

DC06-17 (667415E, 5373222N NAD83 Zone 15; Claim 4203461) was drilled at an azimuth of 160° and a plunge of -45°. The drill hole was collared into metasediments which dominated the drill hole. An intrusive gabbroic unit was encountered at 83.75 to 92.0m with metasediments continuing to 100.35m varying in composition from graphite, semi-massive sulfides and cherts however dominated by fine grained mudstones. This is followed by a feldspar porphyry to 128.95m with the drill hole ending in a gabbro at 154.5m. Mineralization observed in the drill hole consists of elevated copper in the semi-massive sulfides contained within the metasediments along with elevated zinc and silver in a number of other sections.

DC06-18 (667536E, 5373395N NAD83 Zone 15; Claim 4203461) was drilled at an azimuth of 340° and a plunge of -45°. The drill hole was collared into a thin unit of mafic volcanics followed by a homogeneous sequence of metasediments to 110.81m where a thin gabbroic unit was intersected followed by mafic volcanics which the drill hole was stopped in at 128.0m. No samples were taken from this drill hole.

DC06-19 (667727E, 5374467N NAD83 Zone 15; Claim 1249600) was drilled at an azimuth of 160° and a plunge of -45°. This drill hole was drilled in front of drill hole DC06-04 to test the mineralization observed in that drill hole. The drill hole was collared into felsic volcanics with variable silicification and alteration to 23.15m when a mafic volcanic was observed. This is followed by a tuffaceous volcanic unit and additional felsic volcanics before an ultramafic was observed at 52.1m. A similar sequence of this is then observed again (felsic volcanics, tuffaceous mafic volcanics, ultramafic). The drill hole was stopped in felsic volcanics at 82.0m. Mineralization observed in the drill hole did not duplicate the large widths of elevated gold values observed in drill hole DC06-04. One sample at the top of the drill hole returned the highest value (2.23ppm Au over

0.8m), a number of other intervals contained elevated values (100 to 300 ppb Au). Copper occurs in a number of samples both altered felsic volcanics, quartz carbonate veining and ultramafic lithologies. These commonly contain visible chalcopyrite and commonly have associated elevated silver values (1.3 to 2 ppm Ag).

Conclusions and Recommendations

Drilling on the Deaty Creek Property has resolved a number of geophysical targets (induced polarization and magnetic anomalies). Targets which were intersected were dominated by disseminated pyrite (IP targets) and zones of extensive magnetite alteration and possible chert-iron formations (magnetic targets). Gold mineralization was observed in drill holes DC06-01, DC06-02, DC06-04, DC06-09, DC06-10 and DC06-19 and anomalous copper, molybdenum and silver were observed in all of the drill holes. However a definitive geophysical signature for mineralization was not resolved as mineralization appears variable in its setting. Follow-up drilling on gold mineralization observed in DC06-04 with drill hole DC06-19 only produced anomalous gold values. Indicating a potentially more complex structural control on gold mineralization. Follow up drilling is recommended to further understand the extent of gold mineralization. Additional field work (trenching, sampling and structural mapping) may be warranted to further the geological understanding in each target areas.

Analysis Methodology

Core intervals were laid out by J. Johnson, A. Shute, R. Middleton and L. Rajnovich. Core was then split in half by diamond core saw with the top half of the core packaged in sample bags and sent to ALS Chemex in Thunder Bay for primary crushing and where then forwarded to Vancouver for complete analysis. Samples were analysed for gold by Au-AA21 or Au-AA23, copper, nickel, zinc, lead and other metals and elements were analysed by ME-ICP41 and whole rock analysis was carried out by ME-XRF06 and ME-ICP81 on select samples.

Summary of Cost

Item	Description	units	Amount
Drilling	Falcon Drilling	2924m	\$333,113.00
Mobilization/demob.	LTL Contracting& other	80 days	\$135,938.00
Geologist		164 days	\$ 40,347.00
Field Crew		183 days	\$ 30,945.00
Assay	ALS Chemex		\$ 36,977.00
Fuel (dyed diesel)	Pye Brothers Fuel		\$ 8,300.00
Propane	Superior Propane		\$ 3,006.00
Accommodations	Kashabowie Enterprises		\$ 30,586.00
Core Boxes			\$ 2,876.00
Core Rack Rental			\$ 2,204.00
Truck Rental		90 days	\$ 4,950.00
Skidoo Rental	3 ski-doos	70 days	\$ 9,800.00
ATV Rental	2 ATV's	30 days	\$ 2,400.00
Gas (regular)		90 days	\$ 5,400.00
Core Shack		70 days	\$ 4,000.00
Consumables			\$ 4,391.00
Report and Map production			\$ 250.00
Total			\$655,483.00

References

- Bellinger W., 1991. Noranda Exploration company Ltd. 1990 Summary Report Deaty's Creek Option. NTS 52B 7NW and 52B 10SE. Northwestern Ontario Division. Project 2287. February 21, 1991.
- Ca'vey, G. 1987. Report on Geophysical Surveys and Trenching Powell Lake Area, Thunder Bay Mining Division, Ontario. For Wolf River Resources. February 2, 1987.
- Consolidated Mining and Smelting Co. Ltd., 1965. Report on airborne magnetometer survey of the Moss Township Area, Ontario, for Consolidated Mining and Smelting Co. Ltd.
- Dumouchel, J. 1984. Report on the Property of Wolf River Resources Ltd. Powell Lake Area, District of Thunder Bay, Ontario. December 3, 1984.
- Falconbridge, 1972. Diamond drill logs with sections and drill hole location maps. DDH's (13) H-series, DDH's (16) 643-series.
- Falconbridge, 1970. Report of Geophysical assessment work Windblown-McGinnis-Discovery Lakes Area, Thunder Bay Mining Division, Ontario.
- Gingerich, J., 1991a. Noranda Exploration Company Ltd. Report on Magnetometer Survey Deaty's Creek Option. West Shebandowan Area NTS 52B 10SE, 52B 7NW. Northwestern Ontario Division. Project No. 2287. January 31, 1991.
- Gingerich, J., 1991b. Noranda Exploration Company Ltd. Report on IP/Resistivity Report, Deaty's Creek Option. West Shebandowan Area NTS 52B 10SE, 52B 7NW. Northwestern Ontario Division. Project No. 2287. January 07, 1991.
- Harris, F.R. 1970. Geology of the Moss Lake Area. Ontario Department of Mines and Northern Affairs. Geological Report 85, Maps 2203 and 2204.
- Maybank, W. 1957. Report on a Geological Reconnaissance survey on properties held by MacLeod-Cockshutt Gold Mines Ltd. and Kenogamisis Gold Mines Ltd. Discovery Lake Area. Thunder Bay District, Ontario. July 19, 1957.
- McConnell, D.L., 1991. DIGHEM IV Survey for Mr. David Petrunka, West Shebandowan Area. NTS 52B/7-10.
- Smith, A. 1992. Hemlo Gold Mines Inc. Report on 1992 Diamond Drilling Deaty's Creek Option/Challenger Minerals, West Shebandowan Area. NTS 52B 10SE, 52B 7NW. Prepared by Noranda Exploration Company Ltd. September 14, 1992.
- Wolf River Resources Ltd. 1984. Report on Combined Helicopter-Born Magnetic and Electromagnetic Survey, Powell Lake Area, Ontario. February 1984.



Statement of Qualifications

I, Geoff J. Heggie declare that, I graduated from Lakehead University with a Masters of Science, Geology in 2005 and University of Saskatchewan with a B.Sc. Honours degree in geology in 2002.

Employed during the summers of

2000 – Saskatchewan Geological Survey, La Ronge, Saskatchewan. Mineralized core collection program.

2001 – Saskatchewan Geological Survey, Uranium City, Saskatchewan. Geological mapping.

2002 – Claude Resources, Northern Saskatchewan and Manitoba, Gold exploration through geological mapping.

2003 – Lakehead University, Thunder Bay, Ontario. Lake Nipigon geochemical sampling program.

2004 – Novawest Resource Corp. and Cascadia International Resources, Northern Quebec, Ni-Cu-PGE exploration, dominantly core logging.

2005 – to present; contract geology

I am a geologist and have been employed as a contract geologist since June 2004, My address is 368 Otto Street, Thunder Bay, Ontario, P7A 2V7.

I wrote this report and completed it on July 16, 2006.

I am not aware of any material fact or material changes with respect to the subject matter of this report which is not reflected in this report, the omission of which would make this report misleading.

Dated at Thunder Bay, Ontario on: July 18/2006.



Geoff Heggie
Contract Geologist
East West Resource Corp. & Mega Uranium Ltd.

I, Robert S. Middleton, am a graduate of the Provincial Institute of Mining (Hailybury, Ontario) (1965) – Mining Diploma; Michigan Technological University 1968, B.S. Applied Geophysics, 1969 M.S. Applied Geophysics.

Attended University of Toronto 1970 – Ph.D Geological program.

Employed during the summers of:

1964 – Keevil Mining Group – Geophysical Engineering and Surveys Ltd. Gaspé geochemistry.

1965 – Selco Exploration – NW Ontario (Magnetics) and NE Quebec (EM, Mag, Gravity, Mining Regs.)

1966 – Selco Exploration – NE Ontario (Geological Mapping)

1967 – Calumet & Hecla Mining – Keweenaw (IP (drill hole) surface and underground) and Michigan (Mag and drill hole IP)

Employed Ontario Dept. of Mines, 1968-1971, Mag, Geology, Gravity, Mining Regs.

Employed Barringer Research Ltd., 1971-1974, Airborne Geophysics, Consulting, Ground Geophysics

Employed Rosario Resources Corp., 1974-1980, Timmins, Honduras, Nicaragua, Dominican Republic

Employed Newmont Exploration of Canada, 1982-1983, Quebec, Ontario, Newfoundland, NWT. Manager of Exploration, RC and diamond drill projects, geophysics.

Consulting Based from Timmins, 1983-1990, various Au/ base metal projects in Manitoba, Quebec, Ontario, USA, Scotland. RC drilling and numerous diamond drill programs.

Management Various junior mining companies, 1990-present, VMS, Cu, Zn, Au, diamonds, Cu-Ni-PGE, Cross Lake discovery, Zn/Ag/Cu near Timmins

Member of Ontario Association of Professional Engineers, Geological Association of Canada, Canadian

Institute of Mining and Metallurgy, Association of Exploration Geochemists, Society of Economic

Geologists, Society of Geology Applied to Ore Deposits.

Special Assignments:

Uganda – Evaluation of Kilembi Proterozoic Cu, Ni, Co

Siberia – Diamonds and Kimberlites

1995 NWT – Valuations of Lac de Gras area projects

Kyrgyzstan – Gold deposit evaluation

Exploration Manager East West Resource Corporation, 1992-present.

R.S. Middleton, P.Eng.

I, Lucy G. N. Rajnovich, of 6655 Townline Road, Thunder Bay, Ontario, Canada, hereby certify that:

I graduated from Lakehead University with a BSc Earth Science in 2004 and a BSc. Geology in 2005.

Employed during the summers of:

2001 – Ontario Geological Survey, Shining Tree, ON, Junior Asst. I, Kemp-Burrows-Mond Townships

2002 – Ontario Geological Survey, Matachewan, ON, Junior Asst. II, Cairo Township.

2002 – Ontario Geological Survey, Timmins, ON, Junior Asst. II, Deloro Township.

2003 – North American Palladium, Metals Exploration Division, Thunder Bay, ON, Geological Asst.

2004 – To present, Geologist.

I am a geologist and have been employed as a Geologist by East West Resource Corp. and Mega Uranium Ltd.

Lucy G. N. Rajnovich

Geologist East West Resource Corp. and Mega Uranium Ltd.

Appendix I
Drill Logs and Cross-Sections

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-01

UTM Zone 15V (NAD 83)

mE: 667973

mN: 5374929

Grid: 59+00E

1+50S

DDH direction: az: 340°

plunge: - 45 °

Hole length: 227.1m

Casing length: 18.2m

Casing: Casing left

Claim Number: 1249600

Other:

Drilled by: Falcon Drilling

Logged by: R. Middleton

Signed:



Page 1 of 8

Started: Jan. 12/06

Finished: Jan. 16/06

On: Jan. 16/06

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 753601 through 753699

Anomalous Cu and Mo values sporadically through the hole.

High to anomalous Au values within the first 140m of the hole including (weighted averages) 21.0m of 0.50g/tonne (47.0-68.0m; including 3.0m of 1.23g/tonne), 4.0m (113.5-117.5m) of 1.07g/tonne and 5.0m (127.0-132.0m) of 0.51g/tonne.

0.00 – 18.30m	CASING
18.30 – 46.02m	<p>FELDSPAR PORPHYRY</p> <p>Creamy yellow saused feldspar crystals 5mm with some grey quartz eyes, grey brown matrix, chlorite zoning in some feldspar crystals, Reddish hematite overprinting 19.8m to 22.8m and 31.7m to 38.1m. Bright green epidote and dark chlorite crosscutting starts at 34.7m to 38.1m. Pyrite along fractures and joints throughout 5% pyrite. Fault sand 24.4m to 25.9m badly broken to 30.5m. Dark green chlorite starts at 33.22m with disseminated pyrite. Occasional narrow veinlets of red hematite cutting porphyry. Joints 60-90 ° CA. Quartz at 25.6m and 27.1m in broken ground.</p>
46.02 – 60.65m	<p>MAFIC VOLCANICS</p> <p>Shearing at 40 ° CA on contact, possible mafic volcanic of fine grained diorite. Speckled, dark green to black with local maroon-brown alteration 5-8% pyrite in veinlets and disseminated throughout. Red orange alteration or injection starts at 56.4m. Red orange felsic (alteration) cuts diorite. Brecciated contact at 61.5m.</p>
63.00 – 73.50m	<p>TUFF to INTERMEDIATE VOLCANIC</p> <p>Tuff mafic to intermediate volcanic, dark green chlorite altered and 10% pyrite coarse grained. Reddish alteration of small fragments, shearing at 40 ° CA.</p>
73.50 – 75.00m	<p>RHYOLITE</p> <p>Grey pink</p>
75.00 – 75.60m	<p>SYENITE</p> <p>Felsic brick red fine grained, siliceous earthy green epidote carrying magnetite and pyrite-possible clasts of epidotized material.</p>
75.60 – 76.50m	RHYOLITE

	Grey pink
76.50 – 79.50m	SYENITE Brick red fine grained felsic with epidote clasts
79.50 – 80.1m	PORPHYRY or CRYSTAL TUFF Porphyry of crystal tuff altered red.
80.01 – 80.60m	MAFIC TO INTERMEDIATE VOLCANIC Dark green mafic to intermediate, chloritized shear, lower contact sharp, brick red felsic syenite
80.60 – 81.00m	SYENITE Brick red felsic dyke, same as above brick red material sharp upper contact at 50-55 ° CA, lower contact at 80 ° CA.
81.00 – 83.95m	BRECCIA Brecciated nit red-pink matrix, dark green fragments 2cm lower contact at 80 ° CA.
83.95 – 86.70m	SYENITE Red brick felsic cut by minor quartz.
86.70 – 88.80m	PORPHYRITIC VOLCANIC Brown red altered matrix, white rounded feldspar cut by red rock 30 ° CA cut b red rock contact. Appears as low angle bands or section in red rock 86.5m -10 ° CA.
88.80 – 80.1m	RHYOLITE Sharp irregular contact at 88.8 with pink felsic.
	89.1 to 89.35 epidote-magnetite-pyrite 89.35 to 90.0m hydrothermal breccia of rhyolite

90 to 92.1 pink to red felsic rhyolite white altered fractures

92.1 to 92.8 epidote and magnetite and pyrite cuts pink rhyolite, alternating chlorite magnetite zones these after within rhyolite. 80% chlorite epidote pyrite to 95.5 fragments 2-3cm of pink rhyolite in dark chlorite at 94.6 to 94.8m. Becoming dominantly pink rhyolite starting at 95.5m with .25 to 0.5m zones of epidote massive and veins up to 5cm of rock.

149.5 to 149.9m Grey black interflow tuff 60 ° CA, quartz veins

172.21 – 189.75m

DIORITE

Light grey to pink in colour, fine grained (<2m) equigranular, uniform texture, appears homogenous in composition. Minor shearing throughout unit. Extensive cross cutting alteration veins dominantly epidote ~ 1cm to 3 cm in width commonly low angle to ° CA ~10 – 40 ° CA, commonly contain pyrite, minor quartz and associated with alteration. Top and bottom contacts appear to be sharp possibly brecciated (epidote altered)

Alteration

Extensive epidote veining and minor quartz and silicification

Mineralization

Pyrite occurs in epidote veinlets and narrow fractures (<2mm width).

189.75 – 227.10m

RHYOLITE

White-pink to brick pink in colour, colour transitions are gradational. Fine grained to very fine grained (<1mm) with periodic intervals of quartz phenocrysts ~1-2mm. Unit is uniform in texture (with minor brecciated intervals) Weak foliation throughout unit.

207 to 214.5 rhyolite becomes fine grained (~1-2mm) appears similar to diorite. Interval exhibits increased epidote alteration and pyrite mineralization as fine disseminations and narrow veinlets.

Unit becomes fine grained and uniform below to bottom of drill hole, with increase in narrow pyrite veinlets.

Alteration

Minor epidote appears restricted to narrow veinlets and fragments (inclusions of different lithologies)

Mineralization

Minor to trace pyrite occurs throughout, appears controlled by fracture surfaces and narrow alteration veins and patches of epidote alteration.

227.10m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753601	DC06-01	35.00	35.50	0.50	Pink feldspar porphyry strong epidote banding tr. Sulfide	<0.2	55	1	15	0.013
753602	DC06-01	36.60			Porphyry					
753603	DC06-01	45.00	46.00	1.00	Epidote altered porphyry trace sulfide	<0.2	64	13	14	0.025
753604	DC06-01	46.00	47.00	1.00	Mafic volcanic, fine sulfide	0.2	58	2	32	0.043
753605	DC06-01	47.00	48.00	1.00	Mafic volcanic, fine sulfide	0.4	90	<1	31	0.594
753606	DC06-01	48.00	49.00	1.00	Mafic volcanic, fine sulfide	0.2	87	5	34	0.307
753607	DC06-01	49.00	50.00	1.00	Mafic volcanic, fine sulfide	<0.2	45	7	42	0.096
753608	DC06-01	50.00	51.00	1.00	Mafic volcanic, increase quartz brecciation and hematite alteration	0.3	86	6	35	0.115
753609	DC06-01	51.00	52.00	1.00	Mafic volcanic, increase quartz brecciation and hematite alteration	0.4	166	5	38	0.294
753610	DC06-01	52.00	53.00	1.00	Mafic volcanic, increase quartz brecciation and hematite alteration	0.4	207	30	15	0.315
753611	DC06-01	53.00	54.00	1.00	Strong shearing to mylonite fine sulfide	0.4	141	6	23	0.077
753612	DC06-01	54.00	55.00	1.00	weak shearing increasing silicification minor brecciation	<0.2	69	8	23	0.032
753613	DC06-01	55.00	56.00	1.00	Weak shearing increasing silicification minor brecciation and narrow hematite veins.	<0.2	32	69	22	0.021
753614	DC06-01	56.00	57.00	1.00	Weak shearing increasing silicification minor brecciation and narrow hematite veins.	<0.2	83	4	19	0.357
753615	DC06-01	57.00	58.00	1.00	Weak shearing increasing silicification minor brecciation and narrow hematite veins.	0.3	86	26	19	0.241
753616	DC06-01	58.00	59.00	1.00	Weak shearing increasing silicification minor brecciation and narrow hematite veins.	<0.2	101	2	26	0.386
753617	DC06-01	59.00	60.00	1.00	Silicified strong brecciation and hematite along fractures	0.3	96	3	35	1.53
753618	DC06-01	60.00	61.00	1.00	Silicified strong brecciation and hematite along fractures	0.2	153	28	26	1.375
753619	DC06-01	62.30								
753620	DC06-01	64.00	65.00	1.00	Mafic Volcanic moderate shearing 5-10% pyrite	0.5	224	<1	31	1.855
753621	DC06-01	65.00	66.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite	0.2	126	1	28	0.425
753622	DC06-01	66.00	67.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	0.2	69	<1	35	0.487
753623	DC06-01	67.00	68.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	0.2	130	32	26	0.964

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753624	DC06-01	68.00	69.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	<0.2	25	<1	21	0.089
753625	DC06-01	69.00	70.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	<0.2	209	1	21	0.117
753626	DC06-01	70.00	71.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	0.3	136	10	18	0.374
753627	DC06-01	71.00	72.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	0.2	146	2	13	0.304
753628	DC06-01	72.00	73.00	1.00	Mafic Volcanic moderate shearing 2-5% pyrite with pink banding	<0.2	305	4	7	0.14
753629	DC06-01	73.00	74.00	1.00	Intermediate to felsic volcanic strong pink/red alteration (banding)	<0.2	186	1	9	0.088
753630	DC06-01	77.00	78.00	1.00	Strong pink colouration fine pyrite throughout	0.3	217	3	13	0.078
753631	DC06-01	78.00	79.00	1.00	Strong pink colouration fine pyrite throughout	0.3	277	2	20	0.142
753632	DC06-01	92.00	92.50	0.50	90% epidote with fine pyrite	0.4	175	26	12	0.254
753633	DC06-01	92.50	93.00	0.50	Epidote and pink alteration, fine pyrite	0.2	78	2	12	0.208
753634	DC06-01	93.00	93.50	0.50	Strong pink alteration, fine pyrite	0.3	90	2	13	0.084
753635	DC06-01	93.50	94.00	0.50	mafic volcanics blotchy sulfides	0.5	905	2	19	0.823
753636	DC06-01	94.00	94.50	0.50	mafic volcanics blotchy sulfides	<0.2	59	1	49	0.364
753637	DC06-01	94.50	95.00	0.50	mafic volcanics blotchy sulfides	0.2	29	<1	56	0.457
753638	DC06-01	95.00	95.50	0.50	Pink altered quartz porphyry, fine pyrite	0.2	103	1	54	0.508
753639	DC06-01	95.50	96.00	0.50	Pink altered quartz porphyry, fine pyrite	<0.2	13	5	16	0.086
753640	DC06-01	96.00	97.00	1.00	Pink altered quartz porphyry, fine pyrite	<0.2	37	2	20	0.063
753641	DC06-01	97.00	98.00	1.00	Pink altered quartz porphyry, fine pyrite	0.6	58	1	23	0.072
753642	DC06-01	98.00	99.00	1.00	increasing abundance of epidote, fine pyrite	0.2	207	1	15	0.041
753643	DC06-01	99.00	100.00	1.00	increasing abundance of epidote, fine pyrite	0.3	84	2	13	0.02
753644	DC06-01	100.00	101.00	1.00	Massive epidote, fine pyrite	0.2	198	5	19	0.024
753645	DC06-01	101.00	102.00	1.00	Massive epidote, fine pyrite	0.4	457	4	12	0.056
753646	DC06-01	102.00	103.00	1.00	Massive epidote, fine pyrite	0.4	270	12	12	0.035
753647	DC06-01	103.00	104.00	1.00	Massive epidote, fine pyrite	0.3	202	2	12	0.023
753648	DC06-01	110.50	111.00	0.50	Mafic volcanics 2-5% pyrite in veinlets and disseminated	0.2	64	<1	37	0.093
753649	DC06-01	111.00	111.50	0.50	Mafic volcanics with variable pink alteration	0.3	132	<1	39	0.098
753650	DC06-01	111.50	112.00	0.50	Mafic volcanics with variable pink alteration	<0.2	16	<1	23	0.038
753651	DC06-01	112.00	112.50	0.50	Fragments of quartz porphyry with pink alteration	0.2	407	<1	20	0.107
753652	DC06-01	112.50	113.00	0.50	Fragments of quartz porphyry with pink alteration	<0.2	10	<1	11	0.021
753653	DC06-01	113.00	113.50	0.50	Porphyry with rhyolite fragments	<0.2	28	1	10	0.204
753654	DC06-01	113.50	114.00	0.50	Porphyry with rhyolite fragments	0.4	149	1	15	0.614
753655	DC06-01	114.00	114.50	0.50	Porphyry with rhyolite fragments	0.7	123	<1	14	1.22
753656	DC06-01	114.50	115.00	0.50	Porphyry with rhyolite fragments	0.4	178	<1	19	1.07
753657	DC06-01	115.00	115.50	0.50	Porphyry with rhyolite fragments	0.2	40	<1	15	0.358
753658	DC06-01	115.50	116.00	0.50	Porphyry with rhyolite fragments	1.4	71	<1	16	4.12


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753659	DC06-01	116.00	116.50	0.50	Rhyolite strong pink colouration	<0.2	10	1	13	0.095
753660	DC06-01	116.50	117.00	0.50	Rhyolite strong pink colouration	0.8	289	1	24	0.851
753661	DC06-01	117.00	117.50	0.50	Rhyolite strong pink colouration	0.6	302	18	15	0.251
753662	DC06-01	117.50	118.00	0.50	Rhyolite strong pink colouration	<0.2	20	2	6	0.021
753663	DC06-01	118.00	118.50	0.50	Rhyolite strong pink colouration	0.2	29	2	12	0.026
753664	DC06-01	118.50	119.00	0.50	Rhyolite strong pink colouration	0.3	165	9	22	0.057
753665	DC06-01	119.00	119.50	0.50	Rhyolite strong pink colouration	0.8	927	23	10	0.156
753666	DC06-01	119.50	120.00	0.50	Abundant pyrite in veins and epidote	0.8	583	3	27	0.095
753667	DC06-01	122.00	123.00	1.00	rhyolite (pink) with grey siliceous and pyrite section	1.2	515	2	17	0.45
753668	DC06-01	127.00	128.00	1.00	pink rhyolite wit epidote veining minor pyrite	0.2	85	1	20	0.263
753669	DC06-01	128.00	129.00	1.00	pink rhyolite wit epidote veining minor pyrite	0.3	216	7	13	0.145
753670	DC06-01	129.00	130.00	1.00	pink rhyolite wit epidote veining minor pyrite	0.4	90	<1	16	0.254
753671	DC06-01	130.00	131.00	1.00	pink rhyolite wit epidote veining minor pyrite	0.3	275	23	15	1.14
753672	DC06-01	131.00	132.00	1.00	pink rhyolite wit epidote veining minor pyrite	0.2	57	1	14	0.723
753673	DC06-01	139.00	140.00	1.00	pink rhyolite increasing epidote content (~50%)	<0.2	79	<1	18	0.189
753674	DC06-01	140.00	141.00	1.00	pink rhyolite increasing epidote content (~50%)	0.3	37	2	15	0.053
753675	DC06-01	61.00	62.00	1.00	Strong pink altered with epidote veining and fine pyrite	0.2	208	3	19	0.775
753676	DC06-01	62.00	63.00	1.00	Strong pink altered with epidote veining and fine pyrite	<0.2	34	6	5	0.145
753677	DC06-01	63.00	64.00	1.00	Mafic volcanic fine pyrite in bands and euhedral	<0.2	30	1	25	0.083
753679	DC06-01	43.25	43.75	0.50	Feldspar porphyry ~1cm wide pyrite vein	<0.2	30	2	14	0.012
753680	DC06-01	74.00	75.00	1.00	Felsic volcanic sulfide veinlets	<0.2	69	<1	6	0.023
753681	DC06-01	75.00	76.00	1.00	Felsic volcanic sulfide veinlets	<0.2	102	1	14	0.015
753682	DC06-01	76.00	77.00	1.00	Felsic volcanic sulfide veinlets increasing red colouration	<0.2	219	110	10	0.036
753683	DC06-01	86.00	87.00	1.00	Strong pink colouration fine pyrite	<0.2	56	8	9	0.049
753684	DC06-01	89.00	90.00	1.00	Brecciated felsic with fine pyrite	<0.2	28	<1	13	0.018
753685	DC06-01	160.00	161.00	1.00	pink rhyolite with epidote veining and sulfide	<0.2	144	2	14	0.019
753686	DC06-01	166.00	167.00	1.00	pink rhyolite with epidote veining and sulfide	0.4	378	7	16	0.019
753687	DC06-01	168.90	169.90	1.00	pink rhyolite with epidote veining and sulfide	0.8	627	1	17	0.077
753688	DC06-01	173.50	174.25	0.75	Intermediate volcanics fine sulfide and stringers	0.3	248	1	12	0.049
753689	DC06-01	176.00	177.00	1.00	Epidote and pyrite alteration veins in diorite	<0.2	188	1	20	0.013
753690	DC06-01	181.50	182.00	0.50	Epidote and pyrite alteration veins in diorite	0.6	683	3	19	0.041
753691	DC06-01	204.00	205.00	1.00	sulfide veinlets (pyrite) in rhyolite	<0.2	83	1	30	0.017
753692	DC06-01	208.00	209.00	1.00	fine sulfide in rhyolite	0.6	437	2	37	0.046
753693	DC06-01	209.00	210.00	1.00	fine sulfide in rhyolite	0.2	306	2	28	0.027


Drill Hole DC06-01

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753694	DC06-01	210.00	211.00	1.00	Fine sulfide with moderate epidote alteration	<0.2	168	24	33	0.042
753695	DC06-01	211.00	212.00	1.00	Pyrite veinlet in rhyolite	0.3	215	11	27	0.031
753696	DC06-01	212.00	213.00	1.00	pyrite veinlets in rhyolite	0.8	530	1	21	0.077
753697	DC06-01	213.00	214.00	1.00	fine disseminated and pyrite veinlets	0.2	241	20	22	0.06
753698	DC06-01	214.00	215.00	1.00	fine disseminated and pyrite veinlets	0.2	239	1	24	0.05

SSE Drill Hole DC06-01, -45°(dip) 340°(az), 227.1m

NNW



East West Resource Corp. & Mega Uranium Ltd.
Deaty Creek Property
DC06-01 Section
30m 
July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-02

UTM Zone 15V (NAD 83) mE: 667861

mN: 5374901

Grid: 58+00E

1+25S

DDH direction: az: 340° plunge: - 60 °

Hole length: 272.2m

Casing length: 19.2m

Casing: Casing left

Claim Number: 1249600

Other:

Drilled by: Falcon Drilling

Logged by: L. Rajnovich

Signed:



Page 1 of 12

Started: Jan. 16/06

Finished: Jan. 21/06

On: Jan. 20/06

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 753701 through 753899

Anomalous Cu and Mo values sporadically through the hole.

High to anomalous Au values scattered through the drill hole including 1.0m of 4.26g/tonne (33.5m).

DC-06-2 LOG

0m to 19.20m

Casing (Overburden)

19.20m to 24.58m

RHYOLITE / RHYOLITE BRECCIA

This unit is very fine grained and brick red to epidote green in colour. Black chlorite is visible along fracture planes and the fracture planes are 20° to CA. Pods of epidote are observed randomly throughout the unit, approximately 5%. Pods of bleached rhyolite containing specs of black chlorite are also visible. This unit is magnetic and contains veinlets of magnetite and local pods of pyrrhotite. Quartz veinlets containing magnetite are also within this unit, 2%.

24.58m to 32.06m

QUARTZ-FELDSPAR PORPHYRY

This unit is coarse grained and contains a mixture of brick red to green to pink colours. Local clasts of pink rhyolite occur in this unit. Blue quartz-eyes are visible, approximately 10%. Disseminated pyrite is observed throughout the unit, 10%, and the feldspars in this unit have been epidotized. Quartz, chlorite, and potassically altered veinlets occur throughout the unit as well, approximately 5-7%.

29.45m to 32.06m: This section of the unit is slightly more bleached, and the shearing observed is parallel to the CA.

32.06m to 33.62m

RHYOLITE / RHYOLITE BRECCIA

This unit is the same as observed before, but the epidote pods contain 10% pyrite here and more epidote with pyrite is observed in the last 60cm of this unit.

33.62m to 39.95m

ALTERED RHYOLITE BRECCIA

This unit is fine grained and green to brick red in colour. It contains 15-20% disseminated ad cubic pyrite. Brick red veinlets are observed parallel to the CA and 30° to the CA. Quartz veinlets and black

chlorite veinlets are visible throughout the unit as well. Magnetite specs, approximately 5% are observed and this unit has been epidotized throughout. Brick red rhyolite clasts, 2-7cm are visible in this unit.

39.95m to 44.54m

ALTERED RHYOLITE

This unit is pink to brick red in colour and fine grained. It is non-magnetic and contains local epidote veinlets and epidote pods with pyrite, and veinlets of pyrite, 2-5%. Blue quartz-eyes are observed throughout the unit, approximately 10%, and they range in size from 2-4mm. Potassically altered veinlets are visible throughout the unit and local clasts of rhyolite without blue quartz eyes is observed.

39.98m to 40.25m: Milky white, vuggy quartz vein containing black chlorite, fine grained disseminated pyrite.

44.54m to 53.14m

QUARTZ-FELDSPAR PORPHYRY

This unit is medium grained and dark green to red to brick red in colour. Blue quartz-eyes are observed throughout, approximately 10%, and veinlets of pyrite/magnetite occur, 5-7%, 40° and 30° to CA. Local areas of this unit are more brick red than others.

53.14m to 54.87m

ALTERED RHYOLITE

This unit is very fine grained and medium grey to cream in colour. Blue quartz-eye are observed throughout, 2-3%, as well as quartz-eyes, 5%. Potassically altered veinlets, trace pyrite, and local quartz veinlets with pyrite are visible.

54.87m to 58.25m

ALTERED RHYOLITE BRECCIA

This unit is very fine grained and creamy pink-red in colour. This is sheared 30° to CA and contains local pods of epidote/black chlorite. Local pods of rhyolite with quartz-eyes and brick red potassically altered veinlets, 30° to CA, are also visible.

58.25m to 59.64m

INTERMEDIATE INTRUSION

This unit is fine to medium grained and dark grey in colour. It contains 2-5% clasts of rhyolite, 2-3cm in size. Veinlets of pyrite and brick red potassic are also visible.

59.64m to 78.07m

ALTERED RHYOLITE BRECCIA

This unit is very fine grained and pink to brick red to green to creamy grey in colour. Veinlets of pyrite, brick red potassic, and epidote are observed. Clasts of rhyolite, bleached rhyolite, and epidote pods are visible. Local pods of epidote with magnetite and pyrite are present.

71.66m to 72.87m: This area is green to grey to black in colour with 15-20% pyrite. It contains bleached pieces and there is abundant magnetite veining. Brick red potassic veinlets and quartz veinlets, 20° to CA are also observed.

78.07m to 84.12m

QUARTZ-FELDSPAR PORPHYRY

This unit is medium grained and pink in colour. It is non-magnetic and contains 30% quartz-eyes. Quartz veinlets, 10%, and local blue quartz-eyes are observed. Black chlorite veinlets and local epidote alteration and bleaching are visible. Trace to 5% disseminated and pods of pyrite are present.

84.12m to 92.20m

BRECCIA

This unit contains quartz-feldspar porphyry clasts and quartz-eye rhyolite clasts. Blue quartz-eyes are observed in local area only, 10%, and it is pink to dark grey in colour. Pyrite veinlets are observed throughout, 5%, and epidote alteration has occurred.

91.65m: Molybdenum vein, 2-4mm wide, 30° to CA, is observed.

92.20m to 147.50m

ALTERED FELSIC VOLCANICS

This unit is fine grained and pink to green in colour. Veinlets of black chlorite, epidote, quartz, and pyrite are all observed, each approximately 5%. The shearing is parallel to the CA and magnetite with epidote veinlets/pods with pyrite is visible. Disseminated, veinlets, and cubic pyrite, 10%, are present.

109m: Brick red with bright epidote green colour starts.

101.25m to 101.48m: Porphyry dyke, dark grey/pink in colour, medium grained, contacts with unit are 60° to CA, no visible sulphides.

127.75m to 127.80m: Quartz vein, contacts 50° to CA.

127.80m to 128.21m: Porphyry dyke, medium grained, dark grey, sheared 40° to CA, no sulphides.

128.21m to 128.28m: Quartz vein, contacts 65° to CA.

130.47m to 130.70m: Quartz vein with 5-7% pyrite, 20° to CA, 1 cm wide.

143.15m to 147.50m: Unit becomes more bleached looking, brick red veinlets, 10%, with epidote pods, quartz veinlets.

147.50m to 153.22m

BRECCIA

This unit is pink, brick red and green in colour. Quartz veinlets, pyrite veinlets and chlorite veinlets occur 30° to CA. Clasts of felsic volcanics and chert are present, and the unit has been epidotized and sericitized. Clasts are 2-5mm up to ~5cm in size.

153.22m to 185.22m

ALTERED FELSIC VOLCANICS

This unit is the same as observed above. It also contains local brecciation.

167.10m to 174.35m: The presence of chalcopyrite in veinlets with trace magnetite is observed. Quartz veinlets, 2-5%, local pyrite/magnetite veins, 10%, bleaching, sericitization, potassic alterations, and brick red veinlets throughout, 10%, are visible.

185.22m to 186.72m

INTERMEDIATE INTRUSION

This unit is fine to medium grained and dark grey/pink in colour. It is sheared 60° to CA and contains quartz veinlets, 2%. Clasts of dark grey with potassically altered feldspars, 5%, 1 cm to 5-6cm wide. It is slightly magnetic and has sharp contact at the top and bottom, 60° to CA. There are no visible sulphides and it is chloritized.

186.18m to 186.62m: Unit is slightly more sheared.

186.62m to 186.72m: Quartz vein with chlorite, sharp contacts, 60° to CA, trace pyrite.

186.72m to 223.31m

ALTERED FELSIC VOLCANICS

This unit is the same as observed before. Local quartz veining, 60° to CA, and pods/veins of epidote, pyrite, and magnetite are observed.

203.73m: Volcanics gradually become pink from creamy grey. Slightly more quartz veining with pyrite parallel to CA, some quartz veins are smoky grey in colour.

206.10m to 206.70m: Altered unit, bleached white/pink. Very crumbly in places, some breccia pieces observed, magnetite veining through this part of the unit as well.

223.31m to 227.21m

BRECCIA

This unit is very siliceous and clasts of epidote, chert, and rhyolite from the above rhyolite member are visible. Disseminated, veinlets, and cubic pyrite, 10%, with magnetite observed.

227.21m to 246.24m

ALTERED FELSIC VOLCANICS

This unit is fine grained and creamy white/green in colour. It contains minor quartz veins with traces of pyrite and chlorite, some 60° to CA, some 75° to CA. Epidote pods with pyrite/magnetite, 10%, are visible, as well as quartz veinlets throughout, 20%. Local brecciation is observed. Some quartz veins have caused the contacts with the felsic unit to be a reddish brown colour. Brick red veinlets, 5%, are also present.

238.12m to 238.33m: Quartz vein, milky white, trace to 2% pyrite, chlorite, contacts 35° to CA.

246.24m to 272.20m

BRECCIA

This unit contains clasts of chert and rhyolite that is pink to brick red in colour. Clots/pods/veinlets of pyrite/magnetite are observed, 10-15%. Veinlets of brick red, epidote, and magnetite are also present. This unit has been chloritized, and blue quartz-eyes are visible. The unit is sheared parallel to the CA.

257.55m: Unit is more bleached to a light/grey with creamy grey clasts of rhyolite and chert. Disseminated veinlets of pyrite occur but the presence of epidote pods/clots is gone.

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753701	DC06-02	21.81	23.00	1.19		0.3	374	14	16	0.035
753702	DC06-02	23.00	24.00	1.00		0.4	174	16	15	0.023
753703	DC06-02	24.00	25.00	1.00		0.6	156	32	11	0.077
753704	DC06-02	25.00	26.00	1.00		<0.2	41	5	13	0.015
753705	DC06-02	26.00	26.50	0.50		0.3	131	5	19	0.024
753706	DC06-02	26.50	27.50	1.00		0.3	44	92	9	0.011
753707	DC06-02	27.50	28.50	1.00		0.3	23	4	8	0.024
753708	DC06-02	28.50	29.50	1.00		0.2	211	18	27	0.147
753709	DC06-02	29.50	30.50	1.00		<0.2	20	2	5	0.049

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753710	DC06-02	30.50	31.50	1.00		<0.2	69	12	8	0.110
753711	DC06-02	31.50	32.10	0.60		<0.2	58	4	6	0.022
753712	DC06-02	32.10	33.00	0.90		0.4	277	28	8	0.210
753713	DC06-02	33.00	33.50	0.50		1.9	1095	152	13	0.349
753714	DC06-02	33.50	34.00	0.50		2.6	887	2	15	1.340
753715	DC06-02	34.00	34.50	0.50		2.2	2250	9	20	7.180
753716	DC06-02	34.50	35.50	1.00		1.2	597	7	13	2.750
753717	DC06-02	35.50	36.50	1.00		1.7	2940	3	13	0.561
753718	DC06-02	36.50	37.00	0.50		1.6	2600	13	20	0.427
753719	DC06-02	37.00	37.50	0.50		4.1	2860	8	29	0.948
753720	DC06-02	37.50	38.00	0.50		1.5	1575	7	21	0.446
753721	DC06-02	38.00	38.50	0.50		0.9	1240	11	19	0.261
753722	DC06-02	38.50	39.50	1.00		0.4	362	5	20	0.142
753723	DC06-02	39.50	39.95	0.45		<0.2	296	4	23	0.117
753724	DC06-02	39.95	41.00	1.05		<0.2	47	45	9	0.024
753725	DC06-02	41.00	42.00	1.00		<0.2	83	4	8	0.015
753726	DC06-02	42.00	43.00	1.00		0.3	22	1	10	0.021
753727	DC06-02	43.00	44.00	1.00		<0.2	39	4	12	0.035
753728	DC06-02	44.00	44.55	0.55		0.2	61	3	11	0.026
753729	DC06-02	44.55	45.50	0.95		0.3	255	5	22	0.038
753730	DC06-02	45.50	46.50	1.00		<0.2	297	<1	26	0.150
753731	DC06-02	46.50	47.50	1.00		0.2	167	35	26	0.074
753732	DC06-02	47.50	48.50	1.00		0.2	215	5	26	0.070
753733	DC06-02	48.50	49.50	1.00		<0.2	287	3	44	0.092
753734	DC06-02	49.50	50.50	1.00		<0.2	57	14	41	0.272
753735	DC06-02	50.50	51.50	1.00		0.3	381	41	34	0.147
753736	DC06-02	51.50	52.50	1.00		0.2	264	67	29	0.143
753737	DC06-02	52.50	53.15	0.65		<0.2	85	2	21	0.026
753738	DC06-02	53.15	54.00	0.85		<0.2	17	<1	6	0.009
753739	DC06-02	54.00	55.00	1.00		<0.2	50	29	7	0.017
753740	DC06-02	55.00	56.00	1.00		<0.2	177	6	12	0.027
753741	DC06-02	56.00	57.00	1.00		<0.2	198	22	14	0.042
753742	DC06-02	57.00	58.00	1.00		<0.2	76	8	7	0.034
753743	DC06-02	58.00	59.00	1.00		<0.2	446	9	15	0.193

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753744	DC06-02	59.00	60.00	1.00		<0.2	111	2	16	0.148
753745	DC06-02	60.00	61.00	1.00		<0.2	255	2	14	0.061
753746	DC06-02	61.00	62.00	1.00		0.2	567	3	12	0.097
753747	DC06-02	62.00	63.00	1.00		0.2	342	2	11	0.174
753748	DC06-02	63.00	64.00	1.00		0.2	115	8	8	0.045
753749	DC06-02	64.00	65.00	1.00		<0.2	198	14	7	0.038
753750	DC06-02	65.00	66.00	1.00		0.6	239	1	9	0.026
753751	DC06-02	66.00	67.00	1.00		0.6	123	6	5	0.012
753752	DC06-02	67.00	68.00	1.00		0.7	251	44	5	1.200
753753	DC06-02	68.00	69.00	1.00		0.4	159	1	4	0.185
753754	DC06-02	69.00	70.00	1.00		0.4	274	10	4	0.124
753755	DC06-02	70.00	71.00	1.00		<0.2	278	2	5	0.077
753756	DC06-02	71.00	71.66	0.66		0.9	641	10	6	0.061
753757	DC06-02	71.66	72.87	1.21		0.5	644	1	12	0.099
753758	DC06-02	72.87	73.50	0.63		<0.2	50	3	5	0.019
753759	DC06-02	73.50	74.00	0.50		0.2	442	<1	9	0.047
753760	DC06-02	74.00	74.50	0.50		0.3	190	1	18	0.030
753761	DC06-02	74.50	75.00	0.50		0.2	416	7	13	0.054
753762	DC06-02	75.00	75.50	0.50		<0.2	183	1	7	0.028
753763	DC06-02	75.50	76.00	0.50		0.2	280	1	11	0.031
753764	DC06-02	76.00	76.50	0.50		0.2	142	23	18	0.046
753765	DC06-02	76.50	77.00	0.50		<0.2	121	2	10	0.023
753766	DC06-02	77.00	78.00	1.00		<0.2	33	2	9	0.010
753767	DC06-02	78.00	79.20	1.20		<0.2	14	8	9	0.049
753768	DC06-02	79.20	80.00	0.80		<0.2	10	3	3	0.005
753769	DC06-02	80.00	81.00	1.00		<0.2	6	1	2	0.008
753770	DC06-02	81.00	82.00	1.00		<0.2	6	2	4	0.006
753771	DC06-02	82.00	83.00	1.00		<0.2	55	17	10	0.010
753772	DC06-02	83.00	84.00	1.00		<0.2	4	3	7	0.005
753773	DC06-02	84.00	85.00	1.00		<0.2	85	4	17	0.013
753774	DC06-02	85.00	86.00	1.00		0.2	151	30	20	0.020
753775	DC06-02	86.00	87.00	1.00		0.3	351	2	20	0.039
753776	DC06-02	87.00	88.00	1.00		<0.2	22	2	18	0.006
753777	DC06-02	88.00	89.00	1.00		0.3	36	3	15	0.020

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753778	DC06-02	89.00	90.00	1.00		<0.2	49	2	10	0.016
753779	DC06-02	90.00	91.00	1.00		<0.2	75	1	9	0.013
753780	DC06-02	91.00	92.00	1.00		<0.2	131	130	30	0.024
753781	DC06-02	92.00	93.00	1.00		<0.2	73	3	4	0.013
753782	DC06-02	93.00	94.00	1.00		<0.2	82	2	7	0.035
753783	DC06-02	94.00	95.00	1.00		<0.2	46	1	5	0.026
753784	DC06-02	95.00	96.00	1.00		0.2	185	1	10	0.224
753785	DC06-02	96.00	97.00	1.00		0.2	73	4	5	0.036
753786	DC06-02	97.00	98.00	1.00		<0.2	123	52	14	0.045
753787	DC06-02	98.00	99.00	1.00		0.2	101	5	18	0.041
753788	DC06-02	99.00	100.00	1.00		<0.2	143	6	18	0.052
753789	DC06-02	100.00	101.25	1.25		<0.2	70	5	11	0.037
753790	DC06-02	101.25	101.48	0.23		<0.2	24	<1	65	<0.005
753791	DC06-02	101.48	102.00	0.52		<0.2	38	1	10	0.018
753792	DC06-02	102.00	103.00	1.00		0.2	131	1	8	0.078
753793	DC06-02	103.00	104.00	1.00		<0.2	114	1	12	0.052
753794	DC06-02	104.00	105.00	1.00		<0.2	140	11	15	0.229
753795	DC06-02	105.00	106.00	1.00		<0.2	66	4	10	0.064
753796	DC06-02	106.00	107.00	1.00		0.2	178	2	11	0.051
753797	DC06-02	107.00	108.00	1.00		<0.2	58	6	12	0.016
753798	DC06-02	108.00	109.00	1.00		<0.2	110	4	16	0.025
753799	DC06-02	109.00	110.00	1.00		<0.2	186	8	13	0.055
753800	DC06-02	110.00	111.00	1.00		0.2	163	12	14	0.051
753801	DC06-02	111.00	112.00	1.00		0.2	297	3	10	0.098
753802	DC06-02	112.00	113.00	1.00		1.2	460	2	11	1.540
753803	DC06-02	113.00	114.00	1.00		<0.2	68	6	8	0.112
753804	DC06-02	114.00	115.00	1.00		<0.2	166	1	13	0.066
753805	DC06-02	115.00	116.00	1.00		0.2	105	2	22	0.078
753806	DC06-02	116.00	117.00	1.00		0.2	239	2	15	0.085
753807	DC06-02	117.00	118.00	1.00		<0.2	229	2	11	0.086
753808	DC06-02	118.00	119.00	1.00		<0.2	125	4	16	0.088
753809	DC06-02	119.00	120.00	1.00		0.5	69	4	12	0.071
753810	DC06-02	120.00	121.00	1.00		0.7	75	2	12	0.052
753811	DC06-02	121.00	122.00	1.00		0.2	270	<1	14	0.187

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753812	DC06-02	122.00	123.00	1.00		0.5	345	13	10	0.326
753813	DC06-02	123.00	124.00	1.00		0.3	165	1	9	0.129
753814	DC06-02	124.00	125.00	1.00		0.2	323	3	12	0.064
753815	DC06-02	125.00	126.00	1.00		0.2	267	3	12	0.143
753816	DC06-02	126.00	127.00	1.00		0.3	227	4	9	0.368
753817	DC06-02	127.00	127.75	0.75		0.3	696	1	14	0.263
753818	DC06-02	127.75	128.28	0.53		<0.2	22	4	54	0.006
753819	DC06-02	128.28	129.00	0.72		0.4	493	1	7	0.102
753820	DC06-02	129.00	130.00	1.00		0.4	528	3	10	0.080
753821	DC06-02	130.38	131.07	0.69		0.3	236	8	12	0.099
753822	DC06-02	131.86	132.60	0.74		0.4	378	<1	18	0.058
753823	DC06-02	133.51	134.38	0.87		0.5	341	1	13	0.093
753824	DC06-02	135.53	136.28	0.75		0.5	73	2	9	0.037
753825	DC06-02	137.41	138.61	1.20		0.7	140	2	22	0.204
753826	DC06-02	139.57	140.65	1.08		0.7	739	81	19	0.445
753827	DC06-02	144.89	145.16	0.27						
753828	DC06-02	147.49	148.60	1.11		0.5	469	10	21	0.118
753829	DC06-02	149.88	150.66	0.78		<0.2	237	5	37	0.063
753830	DC06-02	152.26	153.23	0.97		<0.2	157	7	15	0.051
753831	DC06-02	154.42	155.00	0.58		0.6	573	71	9	0.081
753832	DC06-02	155.82	156.56	0.74		0.6	417	3	10	0.192
753833	DC06-02	160.05	160.65	0.60		0.2	41	1	6	0.019
753834	DC06-02	160.65	161.35	0.70		<0.2	143	2	17	0.037
753835	DC06-02	161.50	162.00	0.50		0.3	144	1	15	0.084
753836	DC06-02	166.98	167.49	0.51		<0.2	349	<1	6	0.089
753837	DC06-02	169.43	170.18	0.75		<0.2	64	1	16	0.034
753838	DC06-02	170.18	170.86	0.68		<0.2	216	1	17	0.058
753839	DC06-02	174.17	174.74	0.57		<0.2	164	1	6	0.036
753840	DC06-02	176.00	177.07	1.07		0.3	66	<1	13	0.058
753841	DC06-02	180.16	181.10	0.94		<0.2	207	1	14	0.131
753842	DC06-02	182.15	183.20	1.05		<0.2	265	3	14	0.053
753843	DC06-02	185.62	185.75	0.13						
753844	DC06-02	186.31	186.71	0.40		<0.2	15	<1	72	<0.005
753845	DC06-02	189.00	189.56	0.56		<0.2	70	3	7	0.023


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753846	DC06-02	191.42	191.64	0.22						
753847	DC06-02	194.50	195.00	0.50		<0.2	41	1	13	0.014
753848	DC06-02	197.50	198.00	0.50		<0.2	42	1	9	0.016
753849	DC06-02	200.02	200.77	0.75		<0.2	157	9	12	0.024
753850	DC06-02	204.35	205.00	0.65		<0.2	132	1	14	0.024
753851	DC06-02	205.00	205.68	0.68		<0.2	75	1	13	0.052
753852	DC06-02	205.68	206.10	0.42		<0.2	120	1	16	0.047
753853	DC06-02	206.10	206.70	0.60		<0.2	89	3	16	0.012
753854	DC06-02	206.70	207.45	0.75		<0.2	72	1	12	0.024
753855	DC06-02	208.00	209.00	1.00		0.2	415	<1	20	0.047
753856	DC06-02	210.34	211.00	0.66		<0.2	142	1	15	0.293
753857	DC06-02	215.00	215.50	0.50		<0.2	112	<1	20	0.081
753858	DC06-02	218.00	218.50	0.50		0.2	368	<1	25	0.049
753859	DC06-02	223.31	224.00	0.69		0.4	481	<1	15	0.080
753860	DC06-02	224.00	224.50	0.50		<0.2	88	1	11	0.025
753861	DC06-02	224.50	225.00	0.50		<0.2	127	1	10	0.013
753862	DC06-02	225.00	225.50	0.50		0.2	156	1	10	0.017
753863	DC06-02	225.50	226.00	0.50		<0.2	73	<1	10	0.011
753864	DC06-02	226.00	226.50	0.50		<0.2	47	1	8	0.005
753865	DC06-02	226.50	227.22	0.72		0.3	29	1	8	0.016
753867	DC06-02	227.69	228.57	0.88		<0.2	196	1	24	0.022
753868	DC06-02	230.23	230.88	0.65		0.2	260	<1	20	0.074
753869	DC06-02	236.10	236.65	0.55		0.2	166	1	16	0.018
753870	DC06-02	238.00	238.80	0.80		0.2	71	7	11	0.011
753871	DC06-02	239.10	239.83	0.73		<0.2	142	1	17	0.037
753872	DC06-02	240.06	240.21	0.15						
753873	DC06-02	243.00	243.50	0.50		<0.2	154	1	17	0.018
753874	DC06-02	245.74	246.25	0.51		<0.2	15	1	10	0.009
753875	DC06-02	246.25	246.74	0.49		0.3	166	1	17	0.057
753876	DC06-02	246.74	247.50	0.76		<0.2	57	2	15	0.058
753877	DC06-02	247.50	248.00	0.50		<0.2	63	1	18	0.029
753878	DC06-02	248.00	248.50	0.50		0.4	17	3	14	0.039
753879	DC06-02	248.50	249.00	0.50		0.4	106	<1	15	0.052
753880	DC06-02	249.00	249.50	0.50		0.2	74	<1	14	0.011

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753881	DC06-02	249.50	250.00	0.50		0.3	169	<1	21	0.021
753882	DC06-02	250.00	250.50	0.50		<0.2	46	<1	13	0.007
753883	DC06-02	250.50	251.00	0.50		<0.2	45	1	14	0.007
753884	DC06-02	251.00	251.50	0.50		0.3	319	<1	24	0.021
753885	DC06-02	251.50	252.00	0.50		<0.2	60	<1	19	0.009
753886	DC06-02	252.00	252.50	0.50		0.2	43	1	28	0.072
753887	DC06-02	252.50	253.00	0.50		0.3	379	1	23	0.119
753888	DC06-02	253.00	253.50	0.50		0.2	9	1	14	0.028
753889	DC06-02	253.50	254.00	0.50		0.2	13	1	17	0.019
753890	DC06-02	254.00	255.00	1.00		<0.2	14	1	23	0.013
753891	DC06-02	255.00	256.00	1.00		<0.2	10	2	25	0.008
753892	DC06-02	256.00	257.00	1.00		<0.2	28	<1	24	0.006
753893	DC06-02	257.00	257.50	0.50		0.4	4	<1	18	<0.005
753896	DC06-02	260.18	260.41	0.23						
753894	DC06-02	266.00	267.00	1.00		<0.2	12	<1	12	0.006
753897	DC06-02	270.81	270.91	0.10						
753895	DC06-02	271.50	272.20	0.70		0.2	1	<1	18	<0.005

SSE

Drill Hole DC06-02, -60°(dip) 340°(az), 227.2m

NNW



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-02 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-03

UTM Zone 15V (NAD 83)

mE: 667124

mN: 5374808

Grid: 60+00E

3+25S

DDH direction: az: 160°

plunge: - 55 °

Hole length: 89.0m

Casing length: 16.8m

Casing: Casing left

Claim Number: 1249600

Other:

Drilled by: Falcon Drilling

Logged by: L. Rajnovich

Signed:



Page 1 of 12

Started: Jan. 22/06

Finished: Jan. 24/06

On: Jan. 21-27/06

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Anomalous copper values through the entire hole (100-1600ppm). Anomalous (60-250ppm) molybdenum values through the hole with sporadic high values (300ppm; 3540ppm)

DC-06-3 Log

0.00m to 16.76m

CASING (OVERBURDEN)

16.76m to 22.50m

VERY BROKEN CORE, RUBBLY, GRAVEL, BRECCIA.

22.50m to 30.72m

BRECCIA

Very fine grained, brick-red to pink/dark grey, clasts of brick-red rhyolite, chloritized matrix, 2-4% disseminated pyrite, quartz and black chlorite veinlets, 10%, non-magnetic, few quartz-eyes.

24.10m to 24.30m: small altered area with purple Fe-staining, cubic pyrite, carbonated, 3-4%.

23.33m to 29.08m: breccia isn't as brick-red here, bright brick-red veining, 10%.

29.08m to 30.00m: 5-10% pyrite, magnetic.

30.72m to 31.70m

GABBRO

Medium grained, green/blue/red, brick-red veinlets throughout, 15%, non-magnetic, chloritized, epidotized, hematite alteration along veinlets, trace pyrite.

31.70m to 32.08m

MAFIC TO ULTRAMAFIC VOLCANICS

Very chloritized, smooth, greasy, talc slip planes, very fine grained, epidote at contact with rhyolite below.

32.08m to 32.46m

BRECCIA

Very fine grained, pink to brick-red, hematite veinlets throughout, pink-red colour. Clasts of rhyolite, 2mm to 3mm.

32.37m to 32.43m: local unit of breccia, dark grey to green-pink, veinlets of pyrite/magnetite, epidote alteration, clasts of chert and rhyolite, 2mm to 1cm.

32.46m to 35.88m

BRECCIA

Very siliceous, very fine grained, grey colour, brick-red hematite veinlets throughout, veinlets of pyrite and disseminated, 10%, 55-60° to CA. Trace chalcopyrite, trace to 2% magnetite with pyrite veinlets.

34.21m to 34.32m: unit of breccia, lighter pink grey, pyrite, trace magnetite.

34.32m to 34.47m: rhyolite unit with 5-10% pyrite at contact with unit above, strongly magnetic, contact at top 30° to CA, bottom 50° to CA.

35.59m to 35.62m: mafic volcanics with banded pyrite at contact with top unit. 70° to CA at top, 50° to CA at bottom, strongly magnetic.

35.88m to 36.32m

QUARTZ-FELDSPAR PORPHYRY

Medium grained, pink to medium grey, quartz veinlets, 30° to CA. Quartz-eyes 2-3%, 2-3mm, local pyrite veinlets.

36.32m to 36.48m

PORPHYRY

Stretched fragments, 2-5mm to 1.2cm fragments stretched to 1-4cm. 60° to 70° to CA, trace pyrite.

36.48m to 36.78m

QUARTZ FELDSPAR PORPHYRY

Same as before. Slightly more brick-red colour, trace to 1% blue quartz eyes, local interbedded unit of mafic volcanics, very magnetic, pyrite, epidote, sheared 60° to CA.

36.78m to 37.25m

MAFIC TO ULTRAMAFIC VOLCANICS

Strongly magnetic, very fine to fine grained, pyrite blebs and veinlets, 60° to CA, 10%. Brick-red hematite veinlets, 60° to CA throughout.

36.94m to 37.00m: small unit of quartz feldspar porphyry, 60° to CA, very chloritized, greasy talc slip planes.

37.25m to 37.76m

QUARTZ FELDSPAR PORPHYRY

Medium grained, medium pink grey, local blue quartz eyes, 2-4mm, pods (possibly breccia pieces) strongly magnetic and epidotized, quartz veinlets, 5%.

37.76m to 38.82m

MAFIC TO ULTRAMAFIC VOLCANICS

Chloritized, epidotized, sheared 60° to CA, brick-red veinlets throughout, parallel to CA, pyrite veinlets parallel to CA, 10%, pyrite blebs, 5-7%.

38.82m to 38.97m

FELDSPAR PORPHYRY

Quartz vein (38.88 to 38.93m) with molybdenum, 10%, 50° to CA, 2-5% pyrite. Porphyry same as before except no quartz eyes, epidote vein, 25° to CA, 2mm wide.

38.97m to 39.36m

MAFIC TO ULTRAMAFIC VOLCANICS

Same as before.

39.36m to 39.67m

QUARTZ FELDSPAR PORPHYRY

Fine to medium grained, bright pink-red colour, feldspar veinlets, albitized, epidotized veinlets, some area not as pink, contact are 60° to CA, quartz veinlets, 3mm, 50° to CA. Local blue quartz eyes.

39.67m to 39.73m

Transition between fine to medium grained Q.F.P. and a medium to coarse grained Q.F.P.
Bright red-pink colour, local blue quartz eyes.

39.73m to 42.67m

QUARTZ FELDSPAR PORPHYRY

Medium to coarse grained, grey-pink colour, disseminated and veinlets of pyrite, strongly magnetic to magnetic, bright-red hematite veinlets 60° to CA, and random. Local quartz veins, 1/2cm to 5cm, trace to 2% pyrite, chlorite, local blue quartz eyes.

42.67m to 42.95m

MAFIC VOLCANICS

Strongly magnetic, hematite alteration, 5-7%, chloritized, quartz vein, 1/2cm, clear colour, 70° to CA, pyrite veinlets with magnetite veins along cleavage, 60° to CA, few quartz pods.

42.95m to 43.90m

BRECCIA

Rhyolite breccia, pink to grey, very fine grained, veinlets of pyrite, 60° and 50° to CA, some disseminated pyrite, 2-3%, breccia pieces are rhyolite, very siliceous, few local porphyroblasts, hematized.

43.90m to 45.22m

TUFF TO LAPILLI TUFF

Very magnetic, pyrite veinlets throughout, 15%, 60° to CA, hematized and epidotized veinlets, quartz eyes, 2-4mm, 5-7%, most clear, some blue. Chloritized, quartz vein, ½ cm, quartz pods, local.

45.22m to 46.98m

BRECCIA

Same as before.

45.23m to 45.34m: quartz veining with epidote, 30%, and brecciated rhyolite pieces.

46.17m to 46.21m: pyrite veining with magnetite, 10-15%.

46.98m to 47.80m	TUFF	Fine to medium grained, strongly magnetic, hematized veinlets, quartz eyes, some blue, 2-3%, 2-4%mm, 60° to CA. 10% pyrite veinlets parallel to shearing 60° to CA, chloritized, epidote veinlets, 5%, very siliceous, local rhyolite pods.
47.80m to 47.96m	MAFIC TO ULTRAMAFIC VOLCANICS	Hematized specs/blebs, fine grained, dark green blue colour, contact at 60° to CA.
47.96m to 48.57m	LAPILLI TUFF	Very fine grained, strongly magnetic, contacts 60° to CA, hematized 2-3cm at top and bottom of unit. Quartz veining, at top of unit, 5cm, pyrite veinlets, 10%.
48.57m to 49.63m	QUARTZ FELDSPAR PORPHYRY	Medium grained, grey-pink-green in colour, strongly magnetic, hematized, epidotized with veinlets, local quartz veinlets, blue quartz eye towards bottom of unit, trace disseminated pyrite.
49.63m to 52.89m	RHYOLITE	Very siliceous, hematized veinlets, hematite and epidote, trace to 2% pyrite, veinlets and disseminated. Abundant fracturing and quartz veinlets. 49.63m to 50.00m: pink in colour here.
52.89m to 53.04m	QUARTZ FELDSPAR PORPHYRY	Same as before from 48.57m to 49.63m, strongly magnetic.

53.04m to 53.33m

QUARTZ FELDSPAR PORPHYRY

Strongly magnetic, dark brick-red colour, chloritized, hematized, pyrite veinlets, 10%, 60° to CA. Epidote veinlets, local quartz veinlets, trace blue quartz eyes.

53.33m to 53.42m

RHYOLITE

Bands, few look grey, few look pink, contact 60° and 80° to CA. Contact between both 30° to CA, epidote veinlets throughout, quartz veinlets, trace pyrite.

53.42m to 54.42m

MAFIC TO ULTRAMAFIC VOLCANICS

Dark green blue, fine grained, magnetic, quartz veins + veinlets throughout, 10%, hematized veinlets, epidote veinlets, pyrite veinlets, 2-3%, all veinlets are 50° to CA, and some random.

54.42m to 54.70m

QUARTZ FELDSPAR PORPHYRY

One large pod/piece of rhyolite at top of unit, mixed in. Same as before.

54.70m to 54.82m

ALTERED QUARTZ FELDSPAR PORPHYRY

Dark reddish grey black, contact with lower unit of rhyolite faulted, offset 2-3places, trace pyrite.

54.82m to 55.01m

RHYOLITE

Magnetite + pyrite veining/veinlets, 10%. Fractured, local hematization, local epidotization.

55.01m to 55.34m

RHYOLITE

Fractured, pink in colour, local grey rhyolite strips/bands.

55.34m to 60.35m

QUARTZ FELDSPAR PORPHYRY

Green to pink to grey to dark grey in colour.

55.34m to 56.57m: as seen before, blue quartz eyes, magnetic, hematized and epidotized.

56.57m to 56.66m: slightly more sheared, finer grained.

56.66m to 58.88m: lighter grey in colour, hematized and epidotized, pyrite veinlets, quartz pods/veins, magnetic unit.

58.88m to 60.35m: local area of hematite altered veining, local epidote veinlets, blue quartz eyes, 5-7%, dark green to dark brick-red colour.

60.35m to 61.04m

RHYOLITE

Very siliceous, very fractures, pyrite veinlets, 5%, hematite veinlets.

60.76m to 61.04m: slightly more pink in colour.

61.04m to 61.08m

MAGNETITE WITH BRECCIATED RHYOLITE FRAGMENTS

Molybdenum along slip planes, 5%, pyrite 15%, 1-2% quartz eyes.

61.08m to 63.81m

QUARTZ FELDSPAR PORPHYRY

Same as lighter grey quartz feldspar porphyry above, blue quartz eyes, some sections look like rhyolite, hematite veinlets, epidote veinlets.

63.81m to 63.05m

ALTERED VOLCANICS

Dark brick red green colour, some brecciated pieces in darker green/black area, 5% disseminated pyrite.

63.05m to 63.25m

CARBONATE VEIN

Carbonate vein with chlorite veinlets, trace py, sheared 60° to CA, pods/veinlets of reddish hematite alteration.

63.25m to 65.15m

MAFIC TO ULTRAMAFIC VOLCANICS

Strongly sheared, quartz/carbonate veinlets (60° to CA) along every cleavage plane, looks banded. Trace pyrite, cubic, magnetic, chloritized.

64.13m to 64.47m: small unit with brecciated rhyolite pieces, locally magnetic only, hematized, epidotized.

65.15m to 67.87m

SYENITE

Fine grained, red-brown colour, epidote veinlets, chloritized, carbonate along fracture planes, quartz veinlets local, trace to 2% pyrite, contact at top 60° to CA.

67.87m to 77.45m

MYLONITE/BRECCIA ZONE

Unit looks banded in places, intensely sheared, very fractured, pink to green to black in colour, hematized, epidote veinlets throughout. Local pyrite rich area, 10%, hematized and epidotized, local yellowish mineral along fracture planes, could be wolframite (?), local molybdenum along fracture planes, yellowish mineral sometimes present with moly. Local brown-purple Fe-staining, black chlorite along fractures too.

77.45m to 79.50m

QUARTZ/RHYOLITE BRECCIA

Local carbonate, trace to 2% pyrite, pink rhyolite, local chloritized pods.

79.50m to 80.52m

FELSIC VOLCANICS (ALTERED)

Very fine grained, 15-20% pyrite, brick-red-pink to green grey colour, brecciated.

80.52m to 89.40m

GABBRO

Epidotized, hematized, medium grained, local pods/clasts of granodiorite. Epidote and hematite veinlets throughout, magnetic, sheared 60° to CA, chloritized, trace to 2% pyrite veinlets.

89.40m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
754101	DC06-03	22.81	23.40	0.59	Breccia with pyrite, 2-3%	0.3	68	71	19	0.015
754102	DC06-03	23.40	24.00	0.60	Breccia with pyrite, 2-3%	0.4	196	328	17	0.027
754103	DC06-03	28.00	28.55	0.55	Breccia with pyrite, 2-3%	0.2	69	76	11	0.024
754104	DC06-03	29.05	30.35	1.30	Breccia with pyrite, 2-3%	1.3	639	103	38	0.124
754105	DC06-03	30.95	31.10	0.15	gabbro					
754106	DC06-03	32.08	32.46	0.38	Breccia	1.3	539	93	25	0.04
754107	DC06-03	32.46	33.00	0.54	Breccia	0.7	418	29	15	0.025
754108	DC06-03	33.00	34.00	1.00	Breccia	0.6	280	155	15	0.024
754109	DC06-03	34.00	35.00	1.00	Breccia	0.8	459	52	23	0.023
754110	DC06-03	35.00	35.89	0.89	Breccia	0.6	419	147	21	0.02
754111	DC06-03	35.89	36.83	0.94	Quartz-feldspar porphyry	0.2	88	8	26	<0.005
754112	DC06-03	36.83	37.25	0.42	Mafic to Ultramafic volcanics	0.5	430	116	101	0.008
754113	DC06-03	37.25	37.76	0.51	Quartz-feldspar porphyry	0.5	272	46	42	0.027
754114	DC06-03	37.76	38.82	1.06	Quartz-feldspar porphyry	0.5	357	9	79	0.012
754115	DC06-03	38.82	38.98	0.16	Quartz-feldspar porphyry with quartz vein containing 10% molybdenite	1	85	3640	20	0.097
754116	DC06-03	38.98	39.36	0.38	Mafic to Ultramafic volcanics	0.4	263	46	87	0.023
754117	DC06-03	39.36	40.00	0.64	Quartz-feldspar porphyry	0.3	203	168	30	0.02
754118	DC06-03	40.00	41.35	1.35	Quartz-feldspar porphyry	0.2	79	21	24	0.03
754119	DC06-03	41.35	42.13	0.78	Quartz-feldspar porphyry	1.1	1160	306	50	0.069
754120	DC06-03	42.13	42.66	0.53	Quartz-feldspar porphyry	0.5	175	14	14	0.022
754121	DC06-03	42.66	42.94	0.28	Mafic volcanics	1.9	1655	94	46	0.091


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
754122	DC06-03	42.94	43.90	0.96	Breccia	0.6	320	23	15	0.027
754123	DC06-03	43.90	44.65	0.75	Tuff	1.1	989	17	40	0.044
754124	DC06-03	44.65	45.22	0.57	Tuff	1.2	967	66	50	0.098
754125	DC06-03	45.22	46.19	0.97	Rhyolite to Rhyolite Breccia	0.3	263	16	23	0.017
754126	DC06-03	46.19	47.00	0.81	Rhyolite to Rhyolite Breccia	0.6	625	13	26	0.032
754127	DC06-03	47.00	47.79	0.79	Tuff	0.8	708	25	52	0.032
754128	DC06-03	47.79	47.98	0.19	Mafic to Ultramafic volcanics					
754129	DC06-03	47.98	48.56	0.58	Lapilli Tuff	1.1	541	397	38	0.063
754130	DC06-03	49.23	49.38	0.15	Quartz-feldspar porphyry	0.2	197	18	27	0.012
754131	DC06-03	49.65	51.00	1.35	Rhyolite	0.2	45	19	15	0.006
754132	DC06-03	51.00	52.00	1.00	Rhyolite	0.2	40	43	24	0.008
754133	DC06-03	52.00	53.03	1.03	Rhyolite and Quartz-feldspar porphyry	0.2	123	18	25	0.013
754134	DC06-03	53.03	53.32	0.29	Quartz-feldspar porphyry	0.8	566	7	86	0.081
754135	DC06-03	53.41	54.42	1.01	Mafic to Ultramafic volcanics	0.3	502	24	90	0.023
754136	DC06-03	54.81	55.33	0.52	Rhyolite	0.5	283	28	25	0.021
754137	DC06-03	55.33	56.66	1.33	Rhyolite	0.5	475	14	30	0.058
754138	DC06-03	56.66	57.89	1.23	Quartz-feldspar porphyry	0.3	533	45	22	0.012
754139	DC06-03	57.89	59.00	1.11	Quartz-feldspar porphyry	0.6	663	14	27	0.02
754140	DC06-03	59.00	60.35	1.35	Quartz-feldspar porphyry	0.9	522	75	54	0.029
754142	DC06-03	60.35	61.04	0.69	Rhyolite	0.6	222	374	22	0.037
754143	DC06-03	61.04	62.00	0.96	Quartz-feldspar porphyry with vein of mag (30%) and molybdenite (5%)	0.7	538	205	39	0.034
754144	DC06-03	62.00	62.85	0.85	Quartz-feldspar porphyry	0.2	96	49	40	0.028
754145	DC06-03	65.46	65.60	0.14	Syenite					
754146	DC06-03	65.60	66.00	0.40	Syenite	0.4	578	124	29	0.01
754147	DC06-03	66.00	67.00	1.00	Syenite	0.2	1525	71	33	0.01
754148	DC06-03	67.00	67.83	0.83	Syenite	0.3	626	40	22	0.008
754149	DC06-03	67.83	69.00	1.17	Mylonite/Breccia, folded with pyrite	0.2	464	37	22	0.005
754150	DC06-03	69.00	70.00	1.00	Mylonite/Breccia, folded with pyrite	0.4	1435	37	26	0.007
754251	DC06-03	70.00	71.00	1.00	Mylonite/Breccia, folded with pyrite	0.6	1740	82	25	0.016
754252	DC06-03	71.00	72.00	1.00	Mylonite/Breccia, folded with pyrite	0.2	449	28	20	0.01
754253	DC06-03	72.00	73.00	1.00	Mylonite/Breccia, folded with pyrite	0.4	857	27	12	0.02
754254	DC06-03	73.00	74.04	1.04	Mylonite/Breccia, folded with pyrite	0.6	1075	32	14	0.018
754255	DC06-03	74.04	75.00	0.96	Mylonite/Breccia, folded with pyrite	0.5	635	132	26	0.016
754256	DC06-03	75.00	76.00	1.00	Mylonite/Breccia, folded with pyrite	0.3	384	43	13	0.008
754257	DC06-03	76.00	76.75	0.75	Mylonite/Breccia, folded with pyrite	0.2	305	84	14	0.007


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
754258	DC06-03	76.75	77.48	0.73	Mylonite/Breccia, folded with pyrite	0.3	606	88	20	0.01
754259	DC06-03	77.48	78.01	0.53	Quartz/Rhyolite breccia	0.3	222	67	9	0.009
754260	DC06-03	78.01	79.00	0.99	Quartz/Rhyolite breccia	0.4	813	39	10	0.016
754261	DC06-03	79.00	79.42	0.42	Quartz/Rhyolite breccia	0.2	62	54	15	0.01
754262	DC06-03	79.92	80.50	0.58	Felsic volcanics with 10-15% up to 20% pyrite	0.8	1495	252	33	0.049
754263	DC06-03	80.50	81.00	0.50	Gabbro	0.5	102	29	86	0.015
754264	DC06-03	81.00	81.30	0.30	Gabbro	<0.2	150	5	96	0.005
754265	DC06-03	81.30	82.00	0.70	Gabbro	0.3	148	1	69	0.005
754267	DC06-03	88.75	88.87	0.12	Gabbro					

NNW

Drill Hole DC06-03, -55°(dip) 160°(az), 89.0m

SSE



East West Resource Corp. & Mega Uranium Ltd.	
Deaty Creek Property	
DC06-03 Section	
30m 	July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-04

UTM Zone 15V (NAD 83)

mE: 667719

mN: 5374499

Grid: L55+00E

4+50S

DDH direction: az: 160°

plunge: - 45 °

Hole length: 257.5m

Stopped by:

Casing length: 12.0m

Casing: Casing left


Claim Number: 1249600

Other:

Drilled by: Falcon Drilling

Logged by: G. Heggie

Signed:



Page 1 of 12

Started: Jan. 24/06

Finished: Jan. 29/06

On: Jan. 29/06

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B754151 through B754243

Results

Anomalous gold values were returned from the interval 79.65m to 89.0 with one sample containing 5.50 ppm Au over 1 metre with next two adjacent samples containing between 0.8 to 2.42 ppm Au. In addition sporadic anomalous copper and molybdenum values occur through the drill hole.

0.00 – 12.0m	CASING
12.00 – 24.20m	<p>RHYOLITE Pink to pink grey in colour, fine grained (<1mm). Variable in texture and appearance, strong banded appearance with localized brecciation possibly primary (fragmental) late stage brecciation and alteration consisting of quartz magnetite and epidote with fine disseminated and stringer pyrite. ~10 to 15 cm wide magnetite veins occur in the top 2.5m of the drill hole, appear to crosscut rhyolite, appear later cross cut by sulfide veins.</p> <p style="margin-left: 40px;">Alteration Minor epidote occurs along fractures and veins. Magnetite veinlets crosscut unit up to 15cm wide. Minor quartz veining.</p> <p style="margin-left: 40px;">Mineralization Fine disseminated and sulfide veinlets occur throughout unit. Commonly associated with magnetite/quartz/epidote, periodically cross cutting. Quartz vein ~2cm wide occurs at 20.3m appears to contain grey metallic mineral (molbdenite), with lesser pyrite.</p>
24.20 – 29.10m	<p>FELDSPAR PORPHYRY Medium pink/red in colour. Generally fine to medium grained (1-2mm) appears equigranular and homogenous in composition. Feldspar phenocrysts exhibit replacement by epidote. Unit is extensively broken and fractured, with numerous narrow veins crosscutting. Sharp contact occurs at top and bottom of unit. Possible fault breccia at ~26m.</p> <p style="margin-left: 40px;">Alteration Epidote alteration of feldspar phenocrysts.</p> <p style="margin-left: 40px;">Mineralization Fine to medium disseminated pyrite occurs throughout unit.</p>
29.10 – 37.15m	RHYOLITE

Light pink to white in colour, fine grained (<1mm). Unit appears homogeneous but extensively cross cut by fractures and alteration veinlets. Small amygdules occur at 32m.

Alteration

Extensive veining (Quartz hematite) cross cut unit.

Mineralization

Minor fine disseminated pyrite occurs in the unit.

37.15 – 39.60m

FELDSPAR PORPHYRY

As pervious

Mineralization

Fine disseminated pyrite occurs throughout unit.

39.60– 47.30m

RHYOLITE

Pink in colour, fine grained, homogeneous in composition. Texture appears brecciated with numerous narrow fractures and veins with calcite and quartz vein fill. Unit becomes grayer down hole (function of alteration) and increase in shear intensity between 43m to 43.7m.

46.5m to 47.3m fault breccia zone. Fragments of wall rock with fine grained chlorite.

Alteration

Quartz/carbonate veining with variable amount of chlorite in veins.

Mineralization

Trace disseminated pyrite occurs with periodic disseminated veins of pyrite.

47.30 – 114.57m

FELSIC VOLCANICS

White to light grey in colour. Fine grained to very fine grained appears homogeneous in composition but variable in appearance (banding/striping throughout). Unit appears very siliceous (cherty appearance) over

some sections. Magnetite begins to occur as fine disseminations and as massive veins and pods. Core exhibits a fish scale texture starting at ~59 m to 67m. Increase in magnetite content below 73m (massive sections ~5cm wide).

Possible chert zones 72 to 76.5m, continual disseminated pyrite, felsic volcanics become pink in colour below 76.5m. Variable crystal size up to 3mm occurs in narrow sections.

Increased shearing occurs at 77.95m to 79.0m, 79.7m to 80.3m correlates with increase in magnetite content. 82.05 to 86.9m strongly sheared zone ~50 ° CA to 60 ° CA. Fine pyrite occurs throughout section parallel to foliation. Minor carbonate veins. (increased shearing or different unit? Possible metasediments, appears to contain micro folding and abundant magnetite.)

Below 86.9m unit becomes homogeneous fine grained, grey in colour, to pink/peach.

17.65m to 107.87m fine grained lamprophyre dyke.

Alteration

Extensive silicification of unit. Periodic magnetite, vein controlled or primary in nature (fine disseminated)

Mineralization

Fine disseminated pyrite occurs throughout unit. Small veins (1-2cm) of disseminated pyrite also occurs (56m to 57.5m) forming nodules. Fine disseminated pyrite occurs in narrow veinlets and fractures.

114.57 – 116.00m

METASEDIMENTS

Dark green/black in colour, fine grained with medium sized fragments (~4-7mm). Appears homogeneous in texture possibly has been intruded into by the above rhyolite (at top contact). Unit has fine grained magnetite throughout (high magnetic susceptibility).

Alteration

Minor veining.

Mineralization

Coarse pyrite occurs controlled by fractures

116.00 – 125.72m

RHYOLITE

Pink to white/grey in colour, generally fine grained with coarse sections (~2mm). Texture is variable from homogenous and uniform to fragmental in appearance. Variable silicification (possible chert) occurs in the unit.

Alteration

Extensive micro veining occurs throughout unit, calcite/quartz, variable silicification in zones, with and without magnetite (massive) 123.8m

Mineralization

Pyrite occurs dominantly along fractures and the highly siliceous zones.

125.72 – 130.95m

METASEDIMENTS: Tuffaceous metasediments

Dark green in colour, fine grained with coarser fragments (up to 1cm), variable in texture from massive fine grained to well foliated lapilli tuffs, foliation at 55 ° CA. Sharp contacts at top and bottom of unit. Fine magnetite occurs throughout unit (moderate to high magnetic susceptibility).

Alteration

Variable shearing throughout unit, minor veining, appears folded.

Mineralization

Pyrite occurs in narrow bands parallel to foliation.

130.95 – 133.30m

RHYOLITE

As pervious

Mineralization

Minor pyrite and magnetite along fractures.

- 133.30 – 139.80m **TUFFACEOUS METASEDIMENTS**
As pervious: sharp contact at top of unit.
- Mineralization**
Abundant pyrite parallel to foliation.
- 139.80 – 140.80m **SYENITE DYKE**
Brick red in colour, very fine grained. Sharp contacts at top and bottom. Uniform texture. Extensive brecciation and micro fracturing has occurred. Narrow (~2cm) wide dyke occurs below. Top contact at 50 ° CA. No visible sulfides.
- 140.80 – 152.00m **META VOLCANICS**
Dark green to green-grey pink in colour, generally fine grained, but variable in texture and composition, from mafic tuffs to gabbro/diorite equigranular texture to banded intermediate, and massive dark green units. Appears related to the above unit. Foliation at 35 ° CA. Bottom contact is obscured by broken core.
- Alteration**
Extensive micro veining and fracturing (carbonate) pink colouration becomes dominant.
- Mineralization**
Minor sulfide occurs in massive green sections
- 152.00 – 174.90m **FELSIC VOLCANICS**
Pink in colour appears, fine grained generally homogeneous with some sections exhibiting banding/foliation at 55 ° CA, commonly associated with pyrite. Core is extensively broken and fractured.
Quartz veins crosscut at 158.7m (~10cm wide), 158.9m (~20cm wide), 159.3m (~10cm wide).
Badly broken core continues to end of unit. Periodic zones of sulfides occur as narrow disseminated veinlets of pyrite.
- Alteration**

Pink alteration appears pervasive.

Mineralization

Periodic sulfide bands occur, molybdenite is visible on slip planes in a rubble section between 161.8m to 162.5m.

174.90 – 184.00m

METAVOLCANICS to FELSIC VOLCANICS

Unit appears to be a hybrid of the two units, dominantly dark green to black in colour but contains sections of pink alteration/inclusions. Variable in texture from blocky fragmental to tuffaceous in nature, unit appears to have a moderate foliation. Narrow dykes intrude into metavolcanics (178.5 to 179.5m). Magnetite appears to increase in abundance in the darker coloured units.

Alteration

Minor veining throughout unit. Extensive alteration appears to permeate unit.

Mineralization

Minor sulfide occurs throughout unit.

184.00 – 187.24m

DIORITE

Medium grey/ pink in colour, appears fine to medium grained (~2mm) unit appears equigranular with shear elongation of crystals. Appears homogenous in composition narrow granite dyke cross cuts at 186.4m

Alteration

Extensive veining and fracturing cross cuts unit with variable amounts of epidote throughout unit.

Mineralization

Fine pyrite occurs throughout unit as fine disseminations.

187.24 – 196.80m

ULTRAMAFIC INTRUSIVE

Dark green in colour, appears coarse grained (~3-4mm) amphibole/pyroxene crystals surrounded by fine grained magnetite. Weak foliation throughout unit. Appears homogenous in composition, cross cut by granite dykes (190.2 and 192.1m).

Missing core between 194 to 197m

Alteration

Minor veining and shearing

Mineralization

None visible.

196.80 – 204.10m

FERRO-FELDSPAR PORPHYRY

Pink to dark green in colour. Dominated by coarse elongate phenocrysts of feldspar (up to 2cm long). Sub parallel, exhibiting zoning, surrounded by a matrix of fine grained magnetite and hornblende. Appears to be inter-related to the above ultramafic with gradational transitions.

199.97 to 200.95m cross cutting granite dyke, sharp basal contact, ambiguous top contact.

Alteration

Magnetite matrix primary or secondary? alignment of phenocrysts, minor to trace veining.

Mineralization

None visible.

204.10 – 212.00m

ULTRAMAFIC TO MAFIC INTRUSIVE

As previous unit. Contains areas of increased feldspar content. Narrow zones of felsic (pink) material occurs periodically, appears to have intruded into the unit below

Alteration

Minor quartz/carbonate veining crosscuts unit.

Mineralization

None visible to minor/trace pyrite.

212.00 – 257.50m

ULTRAMAFIC

Dark grey/green/black in colour, fine grained, uniform homogeneous in texture and composition, strong foliation to core. High to very high magnetic susceptibility (5000 to 10000). Core is soft and easily scratched (dominated by chlorite/serpentine/talc) ± biotite. Euhedral pyrite occurs periodically.

Later stage ultramafic to mafic dykes crosscut at

230.5 to 231.05m

231.75 to 232.2m

236.0 to 236.35m

237.95 to 238.35m

251.8 to 252.6m

Unit appears to remain homogenous in texture and composition, with high magnetic susceptibility (7000). Cross cutting units commonly have lower magnetic susceptibility (500)

Alteration

Extensive replacement of primary mineralogy to chlorite/serpentine/talc. Unit is cross cut by narrow <2mm wide calcite veins.

Mineralization

Trace euhedral pyrite. Trace sulfide occurs between 229 to 234m. Fine disseminated sulfide occur in dyke from 251.8 to 252.6m.

257.5m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754151	DC06-04	13.60	14.60	1.00	Rhyolite with magnetite alteration and sulfide	1.7	1200	1	38	0.107
B754152	DC06-04	14.60	15.60	1.00	Rhyolite with sulfide stringers	0.3	313	1	21	0.028
B754153	DC06-04	15.60	16.60	1.00	Rhyolite with sulfide stringers	0.5	176	11	26	0.077
B754154	DC06-04	19.80	20.30	0.50	Rhyolite fine disseminated sulfide	<0.2	252	27	22	0.02
B754155	DC06-04	20.30	20.50	0.20	Quartz vein with moly/silver	0.3	36	1695	8	0.051
B754156	DC06-04	20.50	21.00	0.50	Rhyolite fine disseminated sulfide					0.018
B754157	DC06-04	26.00	27.00	1.00	Porphyry fine disseminated pyrite					0.097
B754158	DC06-04	38.00	39.00	1.00	Porphyry fine disseminated pyrite					0.014
B754159	DC06-04	44.00	45.00	1.00	Rhyolite fine disseminated sulfide					0.069
B754160	DC06-04	50.00	51.00	1.00	Felsic volcanics fine pyrite					0.046
B754161	DC06-04	51.00	52.00	1.00	Felsic volcanics fine pyrite					0.085
B754162	DC06-04	52.00	53.00	1.00	Felsic volcanics fine pyrite					0.037
B754163	DC06-04	53.00	54.00	1.00	Felsic volcanics fine pyrite					0.059
B754164	DC06-04	54.00	55.00	1.00	Felsic volcanics fine pyrite					0.053
B754165	DC06-04	55.00	56.00	1.00	Felsic volcanics fine pyrite					0.066
B754166	DC06-04	56.00	57.00	1.00	Large blebby pyrite	2	1875	45	13	0.148
B754167	DC06-04	57.00	58.00	1.00	Large blebby pyrite	1.8	1450	46	276	0.18
B754183	DC06-04	58.00	59.00	1.00	Felsic volcanics fine pyrite	0.8	748	75	21	0.075
B754168	DC06-04	59.00	60.00	1.00	Felsic volcanics fine pyrite					0.021
B754182	DC06-04	60.00	61.00	1.00	Felsic volcanics fine pyrite	0.4	440	24	8	0.041
B754169	DC06-04	61.00	62.00	1.00	Felsic volcanics fine pyrite					0.076
B754170	DC06-04	62.00	63.00	1.00	Felsic volcanics fine pyrite					0.088
B754171	DC06-04	63.00	64.00	1.00	Felsic volcanics fine pyrite					0.154
B754172	DC06-04	64.00	65.00	1.00	Felsic volcanics fine pyrite					0.042
B754173	DC06-04	65.00	66.00	1.00	Felsic volcanics fine pyrite					0.071
B754174	DC06-04	66.00	67.00	1.00	Felsic volcanics fine pyrite					0.064
B754175	DC06-04	69.00	70.00	1.00	Felsic volcanics fine pyrite					0.043
B754176	DC06-04	70.00	71.00	1.00	Felsic volcanics fine pyrite					0.081
B754177	DC06-04	71.00	72.00	1.00	Silicified felsic volcanics with magnetite veins and blebs	0.5	1220	81	18	0.053
B754178	DC06-04	72.00	73.00	1.00	Silicified felsic volcanics with magnetite veins and blebs	0.7	340	33	12	0.094
B754179	DC06-04	73.00	74.00	1.00	Silicified felsic volcanics with magnetite veins and blebs	1.2	953	78	24	0.083
B754180	DC06-04	74.00	75.00	1.00	Silicified felsic volcanics with magnetite veins and blebs	1.2	1365	83	31	0.146
B754181	DC06-04	75.00	76.00	1.00	Silicified felsic volcanics with magnetite veins and blebs	0.8	767	60	18	0.07
B754184	DC06-04	76.00	77.00	1.00	Chert with magnetite fine sulfide	0.7	554	40	21	0.043


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754185	DC06-04	77.00	77.90	0.90	Pink Rhyolite	<0.2	173	12	9	0.011
B754186	DC06-04	77.90	79.25	1.35	Dark grey fine grained sheared with magnetite	0.4	342	14	52	0.017
B754187	DC06-04	79.25	79.65	0.40	Pink rhyolite fine sulfide	0.3	68	17	9	0.018
B754188	DC06-04	79.65	80.40	0.75	Dark grey fine grained sheared with magnetite	0.7	848	18	44	0.164
B754189	DC06-04	80.40	81.00	0.60	Rhyolite with sulfide stringers	0.3	313	43	12	0.104
B754190	DC06-04	81.00	82.05	1.05	Rhyolite with sulfide stringers	0.6	373	22	10	0.265
B754192	DC06-04	82.05	83.00	0.95	Dark grey fine grained sheared with magnetite	0.5	215	22	56	0.871
B754193	DC06-04	83.00	84.00	1.00	Dark grey fine grained sheared with magnetite	1	425	147	70	1.265
B754194	DC06-04	84.00	85.00	1.00	Dark grey fine grained sheared with magnetite	1.1	503	7	65	5.5
B754195	DC06-04	85.00	86.00	1.00	Dark grey fine grained sheared with magnetite	0.7	428	28	49	1.22
B754196	DC06-04	86.00	87.00	1.00	Dark grey fine grained sheared with magnetite	0.6	516	13	62	2.42
B754197	DC06-04	87.00	88.00	1.00	Rhyolite vine controlled sulfide	0.4	184	13	20	0.056
B754198	DC06-04	88.00	89.00	1.00	Rhyolite vine controlled sulfide	0.6	206	437	14	0.164
B754199	DC06-04	115.00	116.00	1.00	Tuffaceous metasediments with pyrite	0.5	571	47	46	0.076
B754200	DC06-04	118.50	119.00	0.50	Rhyolite with pyrite bands	1.7	1105	24	27	0.102
B754201	DC06-04	122.35	123.00	0.65	Felsic volcanics stringer sulfide with magnetite (chert)	0.8	1265	9	22	0.067
B754202	DC06-04	123.00	124.10	1.10	Felsic volcanics stringer sulfide with magnetite (chert)	0.8	703	23	18	0.049
B754203	DC06-04	124.10	125.00	0.90	Felsic volcanics minor sulfide	0.4	193	9	12	0.021
B754204	DC06-04	126.00	127.00	1.00	Tuffaceous metasediments with pyrite	0.4	993	21	27	0.105
B754205	DC06-04	127.00	128.00	1.00	Tuffaceous metasediments with pyrite	0.5	722	3	23	0.032
B754206	DC06-04	128.00	129.00	1.00	Tuffaceous metasediments with pyrite	0.9	1190	8	19	0.077
B754207	DC06-04	129.00	130.00	1.00	Tuffaceous metasediments with pyrite	1	880	23	20	0.053
B754208	DC06-04	130.00	131.00	1.00	Tuffaceous metasediments with pyrite	<0.2	243	32	36	0.014
B754209	DC06-04	132.00	133.30	1.30	Felsic volcanics pyrite along fractures	0.8	652	8	14	0.043
B754210	DC06-04	133.30	134.00	0.70	Tuffaceous metasediments with pyrite	1.1	2450	42	20	0.074
B754211	DC06-04	134.00	135.00	1.00	Tuffaceous metasediments with pyrite	1.7	1510	190	28	0.087
B754212	DC06-04	135.00	136.00	1.00	Tuffaceous metasediments with pyrite	1.3	682	2	27	0.051
B754213	DC06-04	136.00	137.00	1.00	Tuffaceous metasediments with pyrite	1.4	1060	6	18	0.055
B754214	DC06-04	137.00	138.00	1.00	Tuffaceous metasediments with pyrite	0.9	1360	25	27	0.049
B754215	DC06-04	138.60			Tuffaceous metasediments					
B754216	DC06-04	140.00			Syenite					
B754217	DC06-04	148.00	148.50	0.50	Metavolcanics fine sulfide	1	1420	13	30	0.027
B754218	DC06-04	153.00	154.00	1.00	Felsic Volcanics	0.2	366	24	17	0.011
B754219	DC06-04	154.00	155.00	1.00	Felsic Volcanics	<0.2	189	47	13	0.01

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754220	DC06-04	155.00	156.00	1.00	Felsic Volcanics	0.5	437	70	22	0.022
B754221	DC06-04	158.00	158.70	0.70	Quartz vein	<0.2	567	26	13	0.01
B754222	DC06-04	158.70	159.65	0.95	Broken felsic volcanics	0.2	52	12	5	<0.005
B754223	DC06-04	159.65	161.00	1.35	Broken felsic volcanics possible molybdenite	<0.2	141	26	11	0.009
B754224	DC06-04	161.00	162.00	1.00	Broken felsic volcanics	0.3	1025	162	15	0.03
B754225	DC06-04	162.00	163.00	1.00	Broken felsic volcanics	0.3	243	23	21	0.016
B754226	DC06-04	163.00	164.00	1.00	Broken felsic volcanics	0.5	111	8	30	0.011
B754227	DC06-04	164.00	165.00	1.00	Broken felsic volcanics	0.3	115	10	30	0.012
B754228	DC06-04	165.00	166.00	1.00	Broken felsic volcanics	0.4	315	6	58	0.02
B754229	DC06-04	166.00	167.00	1.00	Broken felsic volcanics sulfide veinlet	0.3	326	6	63	0.016
B754230	DC06-04	167.00	168.00	1.00	Broken felsic volcanics sulfide veinlet	0.9	459	4	110	0.022
B754231	DC06-04	168.00	169.00	1.00	Broken felsic volcanics	0.6	453	1	62	0.021
B754232	DC06-04	169.00	170.00	1.00	Broken felsic volcanics sulfide veinlet	0.7	384	2	74	0.017
B754233	DC06-04	170.00	171.00	1.00	Broken felsic volcanics	0.7	298	6	90	0.019
B754234	DC06-04	171.00	172.00	1.00	Broken felsic volcanics	0.4	306	12	116	0.022
B754235	DC06-04	172.00	173.00	1.00	Broken felsic volcanics	0.4	132	6	79	0.016
B754236	DC06-04	173.00	174.00	1.00	Broken felsic volcanics	0.3	124	8	114	0.011
B754237	DC06-04	174.00	174.95	0.95	Broken felsic volcanics	0.4	81	7	108	0.015
B754238	DC06-04	189.00								
B754239	DC06-04	213.25	213.75	0.50	Ultramafics with narrow sulfide band in felsic dyke	0.2	36	1	70	<0.005
B754240	DC06-04	223.00			Fine grained ultramafics					
B754242	DC06-04	229.60	230.60	1.00	ultramafic with sulfide blebs	0.2	35	<1	101	
B754243	DC06-04	254.10			Ultramafic					

Drill Hole DC06-04, -45°(dip) 160°(az), 257.5m

NNW

SSE



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-04 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-05

UTM Zone 15V (NAD 83) mE: 667481
 mN: 5374290
 Grid: L52+00E
 5+50S

Drilled by: Falcon Drilling

Page 1 of 8

Started: Jan. 29/6

Finished: Feb. 2/06

DDH direction: az: 160° plunge: - 45 °
Hole length: 191.4m Stopped by:

Logged by: G. Heggie

On: Feb. 2/06

Signed:



Casing length: 1.5m
Casing: Casing left
Claim Number: 1249600
Other:

Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B754351 through B754430

Results

Anomolous copper through the drill hole as well as sporadic molybdenum values (100-200ppm). In addition a 1.6m wide intersection of 0.80ppm gold occurs at 14.0m.

0.00 – 1.50m	CASING
1.50 – 9.50m	<p>FELSIC VOLCANICS Medium to dark grey in colour, fine grained <1mm. Uniform texture. Appears homogenous in composition. Top 9m is extensively broken core. Weak foliation throughout unit. Low magnetic susceptibility.</p> <p>Alteration: Minor veining occurs throughout unit commonly narrow <1mm. Fractures are rusty in the top 2m.</p> <p>Mineralization: Trace pyrite occurs in unit.</p>
9.50 – 15.54m	<p>MAFIC INTRUSIVE Black in colour, fine to medium grained (1-2m) appears equigranular in texture. Small ~2mm quartz phenocrysts occur throughout unit. Weak to moderate foliation at ~40 ° CA. High magnetic susceptibility throughout unit. Fine magnetite visible.</p> <p>11.45 to 13.30m felsic volcanics as above, sharp contacts at top and bottom at 60 ° CA.</p> <p>Alteration: Minor veining crosscuts unit.</p> <p>Mineralization: Fine disseminations of pyrite occurs throughout unit (2-3%)</p>
15.54 – 80.30m	<p>FELSIC VOLCANICS As pervious: quartz phenocrysts appear periodically (27.7m), possible thin interflow occurs at 18m contains fine disseminated pyrite, 38.0m ~20cm wide, 64.9 to 65.3m. Unit becomes increasingly siliceous below 41 -46m contains fine disseminated pyrite 46.3 to 51.5m tuffaceous metasediments, dark green to black in colour, quartz phenocrysts throughout unit, moderate foliation at ~65 ° CA, sharp contacts at top and bottom of unit.</p> <p>Increase in silicification below 54.5m along with increase in fine disseminated pyrite. Possible chert layering at 76m bedding at 70 ° CA.</p>

Alteration: Minor veining throughout unit, variable silicification of felsic unit

Mineralization: Molybdenite appears on slip veins at ~27.5m in a rubble zone, fine pyrite occurs between 41 to 45m and 54.5 to 81m.

80.30 – 87.40m

CHERT MAGNETITE

White pink in colour, very fine grained, homogenous in appearance, contains bands and veins of magnetite, periodically small pods

Alteration: Complete silicification of unit.

Mineralization: Fine disseminated pyrite occurs throughout unit.

87.40 – 94.70m

FELSIC VOLCANICS

Dark pink-grey to black in colour. Appears to be felsic in composition with quartz phenocrysts throughout. High magnetic susceptibility throughout unit, appears fine disseminated to semi-massive. Two zones of intense magnetite 88.3 to 90.0m and 94.5m (appears to be the same unit as observed in DC06-04 at 114.57m to 116.0m called metasediments). Bottom of unit appears to be a fault contact ~15cm wide at 40 ° CA.

Alteration: Magnetite may be introduced as an alteration mineral variable silicification.

Mineralization: Fine disseminated pyrite occurs disseminated throughout unit. Minor pyrite occurs along veinlets.

94.70 – 120.90m

FELSIC VOLCANICS

Pink to beige/green in colour. Fine grained <1mm. Appears uniform in composition and texture. Unit is extensively fractured (appear late stage). Quartz vein occurs in narrow fractures. Unit becomes darker in colour below 115m appears felsic in nature, foliation at 40 ° CA (119m)

Faults occur at 111.85m at 30 ° CA
 112.2m at 30 ° CA
 113.0m at 50 ° CA.

Alteration: Bleaching occurs along all micro fractures.

Mineralization: Trace disseminated sulfide, minor sulfide veining occurs.

120.90 – 129.20m

TUFFACEOUS METAVOLCANICS

Dark green in colour, fine grained, strong foliation throughout unit, appears to have fragments (lapilli) in some sections possible quartz phenocrysts. Bottom contact is faulted. High magnetic susceptibility throughout unit.

Alteration: Strong chlorite/talc alteration, strong foliation, (greasy feel to core).

Mineralization: Minor euhedral pyrite throughout unit.

129.20 – 134.85m

ULTRAMAFIC

Dark green in colour, fine grained appears homogenous and uniform, unit has a weak foliation and appears to be broken with small brittle fractures now in filled with calcite. Lower magnetic susceptibility (~200). Unit appears undeformed/ unaltered relative to unit on either side.

Alteration: Brittle fracturing and carbonate veining.

Mineralization: None visible.

134.85 – 139.45m

ULTRAMAFIC

Appears similar to unit at 12.9 to 129.2. Dark green/grey in colour, strong foliation. May be fragmental in origin (vague variable fragments). Fine magnetite occurs throughout unit (high magnetic susceptibility).

Alteration: Strong foliation, strong alteration, veining occurs throughout.

Mineralization: Trace disseminated pyrite occurs throughout unit.

139.45 – 191.40m

GABBRO INTRUSION

Black and white pepper with pink alteration of feldspar in medium grained sections, dark grey to black in finer grained sections appears generally uniform. Periodic xenoliths of ultramafic occurs (commonly 30cm). Unit appears fractured and crosscut by narrow quartz/carbonate veins (pink in colour) generally low magnetic susceptible.

147.7 to 153.6m Pink rhyolite (possible altered chert) crosscuts unit, fine grained exhibits foliation in some sections at 50 ° CA. Possible narrow banded iron formation (magnetite) at 152.9m. Possible molybdenite on slip planes in unit.

Narrow fault occurs at 157.9m

Alteration: Extensive veining and fractures throughout unit

Mineralization: Minor to trace pyrite.

191.40m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754351	DC06-05	8.50	9.50	1.00	Felsic volcanics	<0.2	40	7	11	0.007
B754352	DC06-05	9.50	11.00	1.50	Mafic intrusive fine sulfide	0.4	463	90	25	0.062
B754353	DC06-05	11.00	11.45	0.45	Mafic intrusive fine sulfide	<0.2	442	16	29	0.032
B754354	DC06-05	11.45	12.00	0.55	Felsic volcanics	<0.2	31	4	16	<0.005
B754355	DC06-05	12.00	13.30	1.30	Felsic volcanics	0.2	27	7	11	<0.005
B754356	DC06-05	13.30	14.00	0.70	Mafic intrusive fine sulfide	0.4	335	9	29	0.034
B754357	DC06-05	14.00	15.55	1.55	Mafic intrusive fine sulfide	0.6	435	46	22	0.801
B754358	DC06-05	15.55	16.50	0.95	Felsic volcanics	<0.2	79	144	7	0.018
B754359	DC06-05	24.70			Felsic volcanics					

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754360	DC06-05	34.00	35.00	1.00	Felsic volcanics fine sulfide	0.2	200	41	11	0.026
B754361	DC06-05	35.00	36.00	1.00	Felsic volcanics fine sulfide	0.2	194	53	11	0.016
B754362	DC06-05	38.00	39.00	1.00	Felsic volcanics fine sulfide	0.4	546	14	16	0.045
B754363	DC06-05	39.00	40.00	1.00	Felsic volcanics fine sulfide	<0.2	67	16	7	0.015
B754364	DC06-05	40.00	41.00	1.00	increase in silicification fine disseminated pyrite	0.5	529	76	10	0.034
B754365	DC06-05	41.00	42.00	1.00	increase in silicification fine disseminated pyrite	1.7	2400	23	14	0.099
B754366	DC06-05	42.00	43.00	1.00	increase in silicification fine disseminated pyrite	<0.2	110	25	5	0.009
B754367	DC06-05	43.00	44.00	1.00	increase in silicification fine disseminated pyrite	0.4	178	93	7	0.029
B754368	DC06-05	44.00	45.00	1.00	increase in silicification fine disseminated pyrite	<0.2	57	33	5	0.009
B754369	DC06-05	45.00	46.30	1.30	Felsic volcanics	0.3	75	75	6	0.005
B754370	DC06-05	46.30	47.00	0.70	Tuffaceous volcanics fine sulfide	<0.2	157	18	28	0.011
B754371	DC06-05	53.50	54.30	0.80	felsic volcanics	0.2	140	20	6	0.006
B754372	DC06-05	54.30	55.00	0.70	increase in silicification fine disseminated pyrite	0.5	646	38	5	0.02
B754373	DC06-05	55.00	56.00	1.00	increase in silicification fine disseminated pyrite	0.5	546	217	4	0.022
B754374	DC06-05	56.00	57.00	1.00	increase in silicification fine disseminated pyrite	0.8	727	37	8	0.034
B754375	DC06-05	57.00	58.00	1.00	increase in silicification fine disseminated pyrite	0.2	188	17	3	0.007
B754376	DC06-05	58.00	59.00	1.00	increase in silicification fine disseminated pyrite	0.2	226	29	4	0.01
B754377	DC06-05	59.00	60.00	1.00	Felsic volcanics fine pyrite	0.4	160	18	4	0.007
B754378	DC06-05	60.00	61.00	1.00	Felsic volcanics fine pyrite	0.3	513	5	10	0.006
B754379	DC06-05	61.00	62.00	1.00	Felsic volcanics fine pyrite	0.2	111	23	3	<0.005
B754380	DC06-05	62.00	63.00	1.00	Felsic volcanics fine pyrite	0.2	103	14	2	0.007
B754381	DC06-05	63.00	64.00	1.00	Felsic volcanics fine pyrite	0.2	96	11	2	0.011
B754382	DC06-05	64.00	64.85	0.85	Metasediments with felsic volcanics	<0.2	49	5	3	<0.005
B754383	DC06-05	64.85	66.00	1.15	Felsic volcanics fine sulfide	0.5	584	9	10	0.032
B754384	DC06-05	66.00	67.00	1.00	Felsic volcanics fine sulfide	0.3	468	13	9	0.011
B754385	DC06-05	67.00	68.00	1.00	Felsic volcanics fine sulfide	<0.2	103	6	3	<0.005
B754386	DC06-05	68.00	69.00	1.00	Felsic volcanics fine sulfide	0.5	821	9	10	0.019
B754387	DC06-05	69.00	70.00	1.00	Felsic volcanics fine sulfide	0.6	643	27	5	0.02
B754388	DC06-05	70.00	71.00	1.00	Felsic volcanics fine sulfide	0.6	677	20	11	0.033
B754389	DC06-05	71.00	72.00	1.00	Molybdenite in shear in felsic volcanics	0.5	475	77	9	0.019
B754390	DC06-05	72.00	73.00	1.00	Felsic volcanics fine pyrite	0.5	269	21	10	0.008
B754392	DC06-05	73.00	74.00	1.00	Felsic volcanics fine pyrite	0.5	632	13	6	0.023
B754393	DC06-05	74.00	75.00	1.00	Felsic volcanics fine pyrite	0.4	249	11	7	0.211

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754394	DC06-05	75.00	76.00	1.00	Felsic volcanics fine pyrite	0.5	661	172	17	0.051
B754395	DC06-05	76.00	77.00	1.00	Felsic volcanics fine pyrite	0.5	721	20	16	0.025
B754396	DC06-05	77.00	77.70	0.70	Felsic volcanics fine pyrite	0.9	872	33	12	0.028
B754397	DC06-05	77.70	78.15	0.45	Metasediments fine pyrite with quartz vein	0.4	5	<1	101	<0.005
B754398	DC06-05	78.15	79.00	0.85	Felsic volcanics fine pyrite	0.2	225	34	14	<0.005
B754399	DC06-05	79.00	80.30	1.30	Felsic volcanics fine pyrite	0.7	442	37	11	0.028
B754400	DC06-05	80.30	81.00	0.70	Chert magnetite	0.2	889	28	9	0.011
B754401	DC06-05	81.00	82.00	1.00	Chert magnetite	0.3	444	26	8	0.017
B754402	DC06-05	82.00	83.00	1.00	Chert magnetite	0.3	214	22	3	0.008
B754403	DC06-05	83.00	84.00	1.00	Chert magnetite	0.3	305	11	3	0.015
B754404	DC06-05	84.00	85.00	1.00	Chert magnetite	0.5	293	36	8	0.021
B754405	DC06-05	85.00	86.00	1.00	Chert magnetite	0.7	373	81	7	0.025
B754406	DC06-05	86.00	87.00	1.00	Chert magnetite	0.6	355	47	5	0.024
B754407	DC06-05	87.00	88.00	1.00	Chert magnetite with 1/2 felsic volcanics	0.5	397	31	13	0.014
B754408	DC06-05	88.00	89.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.5	931	6	22	0.023
B754409	DC06-05	89.00	90.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.5	632	24	31	0.018
B754410	DC06-05	90.00	91.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.2	157	8	9	<0.005
B754411	DC06-05	91.00	92.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.2	307	16	14	0.007
B754412	DC06-05	92.00	93.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.2	245	5	11	0.009
B754413	DC06-05	93.00	94.00	1.00	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.3	386	16	15	0.014
B754414	DC06-05	94.00	94.80	0.80	Quartz phenocryst felsic volcanic disseminated pyrite and magnetite	0.7	552	23	53	0.067
B754415	DC06-05	94.80	96.00	1.20	Felsic volcanic with periodic veining of sulfide	0.3	172	102	10	0.032
B754416	DC06-05	103.00	104.00	1.00	Felsic volcanic with periodic veining of sulfide	0.4	324	57	11	0.038
B754417	DC06-05	104.00	105.00	1.00	Felsic volcanic with periodic veining of sulfide	<0.2	86	8	5	0.011
B754418	DC06-05	105.00	106.00	1.00	Felsic volcanic with periodic veining of sulfide	0.2	102	63	8	0.025
B754419	DC06-05	116.00	117.00	1.00	Felsic volcanic with periodic veining of sulfide	0.3	174	80	17	0.019
B754420	DC06-05	117.00	118.00	1.00	Felsic volcanic with periodic veining of sulfide	0.2	196	32	28	0.011
B754421	DC06-05	122.00	123.00	1.00	Mafic to ultramafic fine pyrite	0.6	488	67	42	0.02
B754422	DC06-05	135.00	136.00	1.00	Mafic to ultramafic fine pyrite	0.2	82	150	19	<0.005
B754423	DC06-05	147.00	148.00	1.00	Metavolcanics fine pyrite	0.2	350	37	20	0.006
B754424	DC06-05	148.00	149.00	1.00	Metavolcanics fine pyrite	0.2	70	79	11	0.005
B754425	DC06-05	149.00	150.00	1.00	Metavolcanics fine pyrite	0.2	21	36	7	0.005
B754426	DC06-05	150.00	151.00	1.00	Metavolcanics fine pyrite	<0.2	188	46	18	<0.005


Drill Hole DC06-05

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754427	DC06-05	151.00	152.00	1.00	Metavolcanics fine pyrite	<0.2	300	48	17	0.007
B754428	DC06-05	152.00	153.00	1.00	Metavolcanics fine pyrite	0.4	1110	56	18	0.011
B754429	DC06-05	153.00	153.60	0.60	Metavolcanics fine pyrite	0.3	1100	49	56	0.01
B754430	DC06-05	153.60	155.00	1.40	Gabbro	<0.2	229	11	8	<0.005

NNW

Drill Hole DC06-05, -45°(dip) 160°(az), 191.4m

SSE



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-05 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-06

UTM Zone 15V (NAD 83)

mE: 667426

Drilled by: Falcon Drilling

mN: 5374426

Page 1 of 3

Started: Feb. 3/6

Grid: L52+00E

Finished: Feb. 8/06

5+50S

DDH direction: az: 160°

plunge: - 45 °

Logged by: L. Rajnovich

On: Feb. 4/06

Hole length: 42.9m

Stopped by:

Signed:

Casing length: 7.0m

Casing: Casing left

Claim Number: ~~1249600~~

Other:



Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 754268 through 754286.

Results

Elevated copper values (200-700ppm) within the drill hole as well as a single 1.1m interval (18.8m) with anomalous molybdenum (214ppm).

DC-06-6 Log

0.00m to 7.01m **CASING (OVERBURDEN)**

7.01m to 13.45m **GRAVEL, BOULDERS OF PORPHYRY, GABBRO, MAFIC VOLCANICS**

13.45m to 31.15m **GABBRO**

This unit is fine grained and blue green in colour. It contains local pyrite/quartz veins, ½ cm, which is offset by hematized veinlets, both 30° to CA. The unit is locally non-magnetic and has been chloritized, and hematized. Pyrite veinlets, 2-4%. Some pyrite/quartz veins 90° to CA, contain brownish-red hematite.

18.80m to 19.84m: Blue-green-pinkish colour.

19.25m to 19.57m: pink veining/alteration, 5-10% disseminated pyrite, magnetite.

23.10m to 24.26m: abundant quartz veinlets + disseminated pyrite, 10%.

24.26m to 24.60m: small altered area with white to purple alteration, carbonated, could be fluorite causing purple colour. When scratched, purple areas are relatively medium soft.

23.10m to 31.15m: abundant 15-20%, randomly oriented quartz veinlets, hematized veinlets, pyrite veins and veinlets, 3-5%.

31.15m to 31.40m **WHITE TO PURPLISH ALTERED AREA**

Small area of white to purplish alteration, carbonated. One chunk of rhyolite from unit below mixed in.

31.40m to 42.90m **ALTERED FELSIC VOLCANICS**

This unit is fine grained, pink to grey to creamy grey in colour and hematized, bleached, epidotized. It contains irregular patches/pods of pink felsic volcanics and hematized veinlets, some brick-red in colour, some pink, 10%, 70° to 80° to CA. This unit contains local pods of epidote with pyrite and magnetite, local bleached areas that are not magnetic, local units that are darker with pyrite veinlets and magnetite and one local brecciated unit (2-4cm), and local quartz veins (1/2 cm).


42.90m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
754268	DC06-06	13.45	13.64	0.19	Gabbro	0.5	698	9	33	0.032
754269	DC06-06	15.26	15.39	0.13	Gabbro					
754270	DC06-06	16.00	17.00	1.00	Gabbro	0.3	303	1	31	0.015
754271	DC06-06	17.00	18.00	1.00	Gabbro	0.3	279	6	31	0.01
754272	DC06-06	18.00	18.78	0.78	Gabbro	0.3	214	3	27	0.015
754273	DC06-06	18.78	19.88	1.10	Gabbro	1	341	214	32	0.028
754274	DC06-06	23.00	23.76	0.76	Gabbro	0.3	458	56	29	0.023
754275	DC06-06	24.29	24.60	0.31	altered area with white purplish alteration	0.3	206	11	13	0.008
754276	DC06-06	27.95	28.10	0.15	Gabbro					
754277	DC06-06	31.40	32.00	0.60	Altered felsic volcanics	0.3	423	4	12	0.016
754278	DC06-06	32.60	33.23	0.63	Altered felsic volcanics	0.4	576	69	12	0.017
754279	DC06-06	33.86	34.51	0.65	Altered felsic volcanics	0.3	658	12	10	0.016
754280	DC06-06	37.00	37.74	0.74	Altered felsic volcanics	0.2	181	22	7	0.008
754281	DC06-06	37.74	38.45	0.71	Altered felsic volcanics	0.3	273	47	13	0.01
754282	DC06-06	38.45	39.55	1.10	Altered felsic volcanics	0.3	490	15	8	0.017
754283	DC06-06	39.55	40.22	0.67	Altered felsic volcanics	0.3	370	61	18	0.014
754284	DC06-06	40.22	40.80	0.58	Altered felsic volcanics	0.2	236	2	7	0.016
754285	DC06-06	41.29	42.00	0.71	Altered felsic volcanics	<0.2	314	19	11	0.02
754286	DC06-06	42.00	42.90	0.90	Altered felsic volcanics	<0.2	188	39	6	0.011

Drill Hole DC06-06b, -45°(dip) 160°(az), 335.3m
Drill Hole DC06-06, -45°(dip) 160°(az), 42.9m

SSE



East West Resource Corp. & Mega Uranium Ltd.

Deaty Creek Property

DC06-06b Section

30m

July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-06B

UTM Zone 15V (NAD 83)

mE: 667426

Drilled by: Falcon Drilling

Page 1 of 23

mN: 5374426

Started: Feb. 3/6

Finished: Feb. 8/06

Grid: L52+00E

5+50S

DDH direction: az: 160°

plunge: - 45 °

Logged by: L. Rajnovich

On: Feb. 4/06

Hole length: 335.3m

Signed:

Casing length: 10.7m

Casing: Casing left

Claim Number: 1249600

Other:



Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 754288 through 754300; 754551 through 754700; 756101 through 756150; 755251 through 755295.

Results

There are elevated copper values (200-1600ppm) through most of the drill hole as well as sporadic anomalous molybdenum values (100-800ppm) and gold values.

DC-06-6B Log

0.00m to 10.66m

CASING (OVERBURDEN)

10.66m to 31.31m

GABBRO

Fine grained, blue green colour, quartz veins, hematized veinlets, mostly 60° to CA, some 80° to CA, chloritized.

19.51m to 19.75m: pink altered zone with molybdenite veins, 5%, 10% disseminated pyrite, contacts 90° to CA.

23.00m to 31.31m: gabbro slightly more altered here, periodic white to purplish area, carbonated, trace pyrite and chunks of altered gabbro mixed in. Local areas contain specs of carbonate throughout.

31.31m to 46.66m

FELSIC VOLCANICS

31.31m to 53.59

Altered Felsic Volcanics

Top of unit looks banded/mylonitized, presence of light pink appears as irregular bands/veins/veinlets. Local areas of 10cm wide pink felsic volcanics, could be clasts. Veinlets of pyrite, 2-3%, 50° to CA, veinlets of hematite, magnetic.

35.90m to 40.25m

Altered Felsic Volcanics

Appearance of epidote begins as veinlets with pyrite and magnetite. Unit is fine grained with blebs/brecciated pieces throughout, ½ cm up to 2-3cm pieces. Veinlets of hematite cutting epidote veinlets down the length of core axis and random orientations. Some areas look like swirls of bleached alteration, pyrite veins, ½ cm, 2-3%, quartz pods are local, magnetic.

40.25m to 46.66m

Altered Rhyolite

Unit becomes less pink altered and looks more pale yellow grey/bleached. Fine grained with local blebs/brecciated pieces. Quartz veins, ½ cm, local only, local evidence of faulting, offset 1cm, local areas have pinkish alteration only. Hematized veinlets 3-4%, 20° and 50° to CA, local clasts 8-10cm of rhyolite, bleached. This unit is very fine grained, bleached veinlets are observed as well and veinlets of pyrite, 2-3%, 20-30° to CA.

46.66m to 50.62m

ALTERED FELSIC INTRUSIVE

Fine grained, light cream grey to medium grey, veinlets of quartz, hematite, epidote. Local ½ to 3cm quartz veins, milky white, black chlorite along fractures, local areas look brecciated, locally magnetic, epidotized, bleached.

50.62m to 53.39m

ALTERED RHYOLITE

Very fine grained, creamy beige colour, local quartz eyes/blebs. Brick-red hematite veinlets, 40° and 50° to CA. Bleached veinlets are cream white colour, local carbonate veinlets.

52.60m: unit gradually becomes creamy grey colour. Pyrite veinlets/pods, 2-3%, 50° to CA, contact at top of unit is 60° to CA.

53.39m to 56.37m

ALTERED FELSIC INTRUSIVE

Same unit as above, magnetic, contact at bottom, 40° to CA.

56.37m to 66.15m

ALTERED RHYOLITE

Very fine grained, creamy beige to creamy grey to medium grey to pink in colour. Brick-red hematite veinlets, 10° and 50° to CA, epidote veinlets, some areas look like large clasts, 50cm. Other areas look

brecciated and mixed, could be breccia unit. Local evidence of faulting, offset 1cm, pyrite as disseminated and veinlets, and patches, 2-5%, sharp contacts between what looks to be clasts, 40° to CA. Contact at bottom of unit, 70° to CA. Unit becomes very mottled looking by the end at 66.15m. Mixture of bleached pieces with darker grey, some hematized veinlets, 60° to CA.

63.42m to 63.74m: Pink hematized altered area, trace to 2% pyrite, one quartz pod, no sulphides.

66.15m to 97.59m

FELDSPAR PORPHYRY

Medium to coarse grained, epidotized feldspars, hematized also. Veinlets of epidote, hematite 5%, 5% pyrite, non-magnetic, chloritized, veinlets and pods, hematite veinlets are cutting epidote veinlets, possible molybdenum on cleavage plane @ 72.50m. Hematization of porphyry comes and goes, as does bleaching alteration. Carbonate and quartz veins local, ½ cm, some along length of core axis, other 50°-60° to CA. Pyrite as disseminated and veins/veinlets, 5%, some more concentrated as veins/blebs in areas, locally only. Local magnetite pods/veins, ½ -1 ½ cm, 1%.

86.88m to 90.50m: 2-3% blue mineral as specs, and along veinlets with pyrite, possibly azurite. Irregular occurrences, not consistent over length.

97.59m to 97.86m

ALTERED FELDSPAR PORPHYRY

Fine to medium grained, brown red grey colour, porphyries are not as obvious here but still occur. Contact with unit below, 50° to CA. Pyrite veinlets, 3%.

97.86m to 98.68m

MAFIC VOLCANICS

Fine grained, blue green colour, highly chloritized, soft when scratched, intensely carbonated as veins/veinlets, white purplish area as seen above, very soft as well. Contact at bottom, irregular pattern, pyrite veinlets, 5-7% as blebs as well.

98.68m to 99.87m **ALTERED FELDSPAR PORPHYRY**
This unit is the same as above. Irregular veins/pods of chloritized/carbonated mafic volcanics, 5%.

99.87m to 102.91m **FELDSPAR PORPHYRY**
This unit is the same as observed from 66.15m to 97.59m.
100.92m to 101.15m: carbonated/chloritized mafic volcanics, same as before.

102.91m to 103.24m **MAFIC VOLCANICS**
This unit is the same as before plus veinlets, blebs of hematization.

103.24m to 104.35m **ALTERED FELDSPAR PORPHYRY**
This unit is the same as observed from 98.68m to 99.87m.

104.35m to 105.14m **MAFIC VOLCANICS**
This unit is the same as observed from 102.91m to 103.24m.

105.14m to 105.56m **ALTERED FELDSPAR POPRHYRY**
Same as before, contact at top, 45° to CA.

105.56m to 107.77m **ALTERED DIORITE**
Fine grained, green-yellow-grey colour, hematization, epidotization, bleached veinlets, 20° to 90° to CA, dark blue green veins/veinlets, random orientations.

106.72m to 106.94m: hematized area, brown purple colour.

107.77m to 109.60m

MAFIC VOLCANICS

Chloritized, carbonate veinlets with hematization, 2-4%, contact between volcanics and diorite at top is melded and gradual, not visibly sharp. Trace disseminated pyrite.

109.60m to 124.35m

ALTERED DIORITE

Fine to medium grained, grey to green to yellow to brownish in colour. Several phase changes occur in this unit, each one gradually into the other. Lots of epidotization, lots of hematization starting ~ 119.85m. Epidote veins/veinlets, 40-90° to CA, quartz veins, some milky white, some clear, 50° to CA, pyrite found in both milky white and clear veins. Carbonate veinlets throughout, 5-7%, local epidote/magnetite/pyrite pods, 3-6cm. Chloritized, bleaching occurs toward bottom of unit. Hematite veinlets, parallel to CA, and 40° to CA.

124.35m to 128.25m

TUFF

Medium grained with some coarse grains as well, randomly located. Epidotized and hematized. Quartz vein (1/2 cm) containing magnetite 15% and pyrite, 2-3% and oriented parallel to the CA. Local areas are slightly stronger hematized than others and pyrite veinlets occur 40° to CA, 2-3%. Epidote, hematite, quartz veinlets as well, and contact at top is 90° to CA.

128.25m to 128.43m

MAFIC VOLCANICS

Blue black colour, very fine grained, epidote, hematite, carb/quartz veinlets, 60° to CA, trace pyrite.

128.43m to 128.88m

ALTERED FELSIC INTRUSIVE

Hematized veinlets throughout, epidote veinlets, trace pyrite.

128.88m to 129.19m	<p>ALTERED DIORITE</p> <p>Medium grained, blue green, epidotized, hematized, epidote veining. Trace pyrite veinlets, 60° to CA, contact at bottom, 70° to CA.</p>
129.19m to 132.46m	<p>ALTERED FELSIC INTRUSIVE</p> <p>Same as from 128.43m to 128.88m, some areas are more hematized, trace chalcopyrite at 132.28, veins of pyrite with chalcopyrite, 60° to CA.</p>
132.46m to 133.34m	<p>MAFIC VOLCANICS</p> <p>Same as before, intensely chloritized and carbonated, sheared 60° to CA.</p>
133.34m to 136.16m	<p>ALTERED FELSIC INTRUSIVE</p> <p>Same as before.</p>
136.16m to 137.64m	<p>MAFIC VOLCANICS</p> <p>Contact at bottom 60° to CA, same as before, some local quartz vein (1/2-1cm), 80° to CA, quart/carb vein (1 ½ cm, 50° to CA), small quartz vein/faulted zone at 136.50m</p>
137.64m to 144.11m	<p>ALTERED FELSIC INTRUSIVE</p> <p>Becomes finer grained ~ 140.10m, same as 133.34m to 136.16m.</p>
144.11m to 146.48m	<p>MAFIC VOLCANICS</p> <p>Same as before, very chloritized, carb veins/veinlets throughout, very broken up core, sheared 60° to CA, contact with below, 45° to CA, magnetic.</p>

146.48m to 150.97m

ALTERED FELSIC INTRUSIVE

Hematized, medium grained, grey-pinkish, could be diorite but too altered now, quartz veins 60° to CA, 1/2cm, trace py, one 80° to CA, chloritized, black chlorite along fracture planes, contact with below 60° to CA, carb veinlets closer to contact with mafic below.

150.97m to 152.85m

MAFIC VOLCANICS

Same as before, very broken up, sheared 60° to Ca, magnetic.

152.85m to 165.07m

ALTERED DIORITE

Same as from 109.60m to 124.35m, hematite veinlets parallel to CA, quartz veinlets 60° to CA, epidote veinlets 40° to 70° to CA, trace pyrite veinlets.

165.07m to 166.96m

ALTERED LAPILLI TUFF

Fine grained, light grey colour, hematite veinlets throughout, 60°, 30° to CA, epidote veinlets, bleaching around some hematite veinlets, trace pyrite veinlets 80° to CA.

166.96m to 168.76m

ALTERED DIORITE

Same as before, lots of epidote alteration, magnetite veins, 2-3%.

168.76m to 170.70m

RHYOLITE

Very fine grained, grey in colour, very siliceous, few pyrite veinlets, 70° to Ca, some hematite veinlets, 2-4%, 60° to CA, carb/quartz veinlets, 2-3%, 70° to CA.

170.70m to 170.93m

FELDSPAR PORPHYRY

Light grey white in colour, medium grained, trace pyrite veinlets, 60° to CA, carb and chlorite along fracture planes.

170.93m to 172.58m

RHYOLITE

Same as above, slightly more bleaching, trace pyrite veinlets, 20° to CA.

172.58m to 175.91m

QUARTZ-EYE FELDSPAR PORPHYRY

Fine to medium grained, grey colour, siliceous, hematized, hematite veinlets, 40° to CA, quartz-eyes, 1-2mm, 1-3%, blue in colour, blue quartz veining (1/2cm), 2-3%, 60° to CA, trace pyrite, disseminated, local, contact at bottom, 25° to CA.

175.91m to 177.14m

ALTERED FELSIC VOLCANICS

Irregular patches/veins of bleaching, fine grained, some bleached pieces look like clasts, this could be a small unit of breccia. Epidote, hematite, and carbonate veinlets, 70° and 60° to CA, top/bottom contact, 25°/60° to CA, chlorite veinlets too, trace to 2% pyrite, cubes and disseminated.

177.14m to 182.83m

MAFIC VOLCANICS

Intensely chloritized, carbonate veins/veinlets, 3%, sheared 60° to CA, hematite with some carb veins, some without, occasionaly (3-5cm) tuff units, local only.

178.15m to 178.28m: tuff, medium to coarse grained, black-pinkish in colour, contacts at top and bottom, 50° to CA, quartz/carb veins/veinlets 2%, trace pyrite.

178.80m to 179.09m: altered felsic volcanics, hematized, bleached, carb veinlets with hematite, 50° to CA, contacts 60° to CA.

182.82m to 183.34m

LAMPROPHYRE

Medium grained, chloritized, biotite-rich, contacts 90°/70° to CA, no sulphides.

183.34m to 184.80m

CHLORITIZED TUFF

Chloritized, medium to coarse grained, carb veinlets, 2-3%, slight hematization, sheared 60° to CA, top/bottom contacts, 70°/60° to CA, small 2-4cm hematized section at top.

184.80m to 189.51m

FELSIC INTRUSIVE

Fine to medium grained, light to dark grey, epidotized, hematite veinlets, 60° to CA, carb/quartz veinlets 50° to CA, epidote veinlets, 55° to CA, trace pyrite along veinlets and disseminated.

189.51m to 199.78m

ALTERED FELSIC VOLCANICS

Fine grained, epidotized, hematized, trace specs/blebs chalcopyrite, molybdenum in quartz veinlets, 1-2%, carb veinlets, quartz veinlets, 2-3%, some phase changes and slight increases and decreases occur over this unit, trace pyrite veinlets.

199.78m to 201.86m

QUARTZ FELDSPAR PORPHYRY

Medium grained, blue quartz eye, 5%, hematized, bleached, epidotized.

201.86m to 203.04m

ALTERED FELSIC INTRUSIVE

Same as observed above.

203.04m to 205.26m

ALTERED FELSIC VOLCANICS

Bleached, hematized, veins, patches, blebs of pyrite, 5-7%, trace blebs chalcopyrite, carbonate veins 60° to CA, fine grained, grey to pinkish, white alteration specs throughout, contacts 50° to CA.

205.26m to 215.45m

QUARTZ FELDSPAR PORPHYRY

Same as before. Slightly more bleached, blue quartz eyes, 2-3%, quartz vein ½ cm, 60° to CA, contacts 50°/55° to CA, pyrite veinlets, 2%, white alteration specs throughout. This unit fades back into a darker grey pinkish where there is more hematization than epidotization of feldspar, trace to 2% pyrite veinlets.

206.45m to 208.35m: intense bleaching, specs/blebs of mint green alteration, could be fuchsite (Cr-mica).

215.45m to 221.70m

ALTERED FELSIC VOLCANICS

Combined bleaching and hematized throughout the unit. Fine grained, cream grey to pinkish red, bleached veinlets and hematite veinlets throughout, 10%, 70° and 50° to CA, 2-5% pyrite veinlets, local blue quartz eyes, contacts at 50°/85° to CA, trace disseminated pyrite.

221.70m to 222.40m

ALTERED FELSIC INTRUSIVE

Fine to medium grained, dark grey pinkish, hematized, hematite veinlets 30° to CA, contacts 85°/30° to CA, trace disseminated pyrite.

222.40m to 233.83m

ALTERED FELSIC VOLCANICS

Cream grey green to pink, lots of bleaching, hematization and epidotization throughout the unit.

222.40m to 233.83m: light grey green bleached, epidotized, hematized veinlets, 60° to CA, carbonate veinlets, core looks mottled, epidote veins/veinlets with pyrite, 5%.

230.46m to 232.13m: darker grey pink colour, white alteration specs, 2-5% disseminated pyrite, 2-3% pyrite veinlets.

232.13m to 234.98m: creamy white to pink, white alteration specs, quartz veins (1/2cm) 30° to CA, hematized and bleached veinlets, 20° to Ca, contacts 70°/40° to CA.

233.83m to 234.98m

QUARTZ-EYE RHYOLITE

Very fine grained, hematized, blue and clear quartz eyes, trace py.

234.98m to 247.37m

ALTERED FELSIC VOLCANICS

Dark grey/pink in colour, medium grained, epidotized, hematized, veinlets of both, pyrite veinlets, 60°, 20° to CA, magnetite veining.

236.40m: unit transitions into a more hematized than epidotized rock. Slightly finer grained, epidote veins with pyrite, 30° to CA, carbonate with pyrite in places too, transition zone looks banded, pink hematite bands, very subtle. Shearing looks 20° to CA in places.

240.31m: unit becomes finer grained and pinkish in colour, trace quartz-eyes, blue and clear, unit looks intrusive but is finer grained in some areas, but there is not distinct contacts visible.

247.37m to 249.95m

MAFIC VOLCANICS

Intensely chloritized, carb veinlets, 2-4%, 60° to CA, hematite veinlets, 45° to CA, broken core between 240.25m and 249.95m, non-magnetic, trace pyrite.

249.95m to 252.15m

ALTERED FELSIC VOLCANICS

Fine grained, 2-4% porphyroblasts, hematized, epidotized, magnetite veinlets, 50° to CA, chlorite, hematite, epidote veinlets, 2-4% pyrite veinlets, one carb/quartz vein (1cm), 20° to CA, chlorite in vein, pyrite, 2%.

252.15m to 254.39m

MAFIC VOLCANICS

Same as before, broken core at 252.10m to 252.15m and 252.85m to 252.95m.

254.39m to 255.12m

HEMATIZED MAFIC TO INTERMEDIATE VOLCANICS

1-3% chalcopyrite in veinlets, 45° to CA, disseminated pyrite, 5-7% throughout, veins of pyrite, 60° and 30° to CA, non-magnetic, carb veins (1/2cm) 60° to CA.

255.12m to 258.32m

ALTERED FELSIC VOLCANICS

Fine grained, chloritized, epidotized, blue green grey colour, veinlets of epidote, hematite, carb, 60° to Ca, 70° also. Local carb patches/blobs, 2-3cm, pyrite veinlets.

256.70m: unit becomes medium grained and slight more epidotized, probably another unit of volcanics but contact is gradual over 10cm.

258.32m to 263.15m

ALTERED FELSIC VOLCANICS

Bleached, intensely veined by epidote and hematite, some quartz veins with pyrite, 2%, 60° to CA, other pyrite veinlets 60° to CA.

263.15m to 267.92m

ALTERED RHYOLITE

Very fine grained, very siliceous, white carb specs throughout, local blue and clear quartz eyes, hematite veinlets, quartz/carb veinlets, 60° to CA, 2-5% pyrite, veinlets and disseminated.

267.92m to 275.84m

ALTERED FELSIC VOLCANICS

Fine grained, blue quartz eyes, 5%, 2-4mm, hematized, trace to 2% pyrite towards top, local 5% pyrite towards middle, trace chalcopyrite, contacts at top and bottom, 90° to Ca, local patches change from hematized to darker grey.

275.84m to 276.40m

BRECCIA

Intensely bleached felsic pieces, yellow cream tan, very fine grained, silica matrix, trace pyrite, contacts have mint green mineral, fuchsite (?), 60° to CA, few hematite veinlets.

276.40m to 277.40m

RHYOLITE

Grey in colour, very fine grained, 2-4% disseminated pyrite, chlorite veinlets, fractures throughout, 10%.

277.40m to 283.34m

ALTERED FELSIC VOLCANICS

Same as before, lots of pyrite veinlets from 281.40m to 281.55m, 30° to CA.

283.34m to 385.21m

ALTERED QUARTZ-EYE FELDSPAR PORPHYRY

Hematized throughout, veinlets, 50° to CA, blue quartz eye, 10%, 2-4mm, 5-7% pyrite veinlets, 60° to CA, 50° to CA also, few epidotized porphyroblasts.

283.34m to 384.16m: more bleached here.

285.21m to 286.94m

RHYOLITE

Light grey, 5-6% pyrite veinlets, hematite, molybdenum along fractures, 1-2%.

286.94m to 287.41m

SILICA RICH UNIT/BRECCIA

10cm disseminated pyrite bands at 287.96m, molybdenum along fractures, 5%, contacts 60°/60° to CA.

287.41m to 294.90m

MAGNETITE/SILICA/RHYOLITE BRECCIA

Veins, pods (5-7cm) of magnetite, silica veins/pods 50° to CA, disseminated pyrite and veinlets throughout, 10%, hematized to pink/brick red in places, clear/smoky grey silica/quartz, very fractured core, fault zone.

294.90m to 296.35m

QUARTZ-EYE FELDSPAR PORPHYRY

Hematized, medium grained, same as above. 2-3% molybdenum on fractures at bottom contact with lower unit, 30° to CA, blue quartz-eyes, 10%, 2-3mm, 10-15% disseminated pyrite.

296.35m to 298.15m

QUARTZ-EYE FELDSPAR PORPHYRY/BRECCIA

Epidote veining with pyrite, local bleaching, very broken up core.

298.15m to 311.15m

ALTERED FELSIC VOLCANICS

Medium grey, fine to medium grained, pyrite veinlets, 10%, very broken up core, hematized, epidotized, bleached veins (1 – 1 1/2cm) with epidote and hematite and pyrite and magnetite, 30° to CA. Phases of colour changes throughout unit, blue grey to bleached, to blue green pink. Epidote veinlets with pyrite, 60°, 20°, 40° to CA, pyrite/epidote/magnetite pods, local only, 3%.

305.45m to 306.85m: unit is bleached, cream grey colour.

310.15m to 311.00m: 10% py, strong magnetite/epidote veining/breccia, carbonate veinlets, 60°, 30° to CA, core is very broken up in places, chlorite along fracture planes.

311.15m to 311.80m

QUARTZ-EYE FELDSPAR PORPHYRY

Very broken-up white/pink cream colour, quartz-eye 3-4mm, 5%, 2-3% pyrite veinlets.

311.80m to 313.06m

ALTERED FELSIC VOLCANICS

Dark grey to bleached in places, fine grained, siliceous. Fractured throughout, veinlets of carb, epidote, hematite, quartz, pyrite, 60° to CA, local porphyroblasts.

312.50m to 313.06m: very siliceous.

313.06m to 324.97m

ALTERED FELSIC VOLCANICS

Fine grained, dark grey to green to pink as alteration phase over unit. Carb veins 30° to CA with pyrite, hematite, epidote. This unit is very fractured/broken up in places. Local darker units within, no visible contacts, but contain 15% pyrite veinlets/blebs, local siliceous clasts, diorite clasts, this could be large breccia. Local areas of brick-red colour, one large package of altered felsic volcanic units. Strong magnetite veining towards the bottom of unit.

315.70m to 315.85m: syenite dyke.

317.80m to 320.40m: strong bleaching.

324.97m to 326.20m

RHYOLITE

Strong magnetite veining, blue quartz-eyes, 2%, local only, pink in colour, very fine grained, pyrite veinlets, 10%, random, very broken up core towards bottom of unit.

326.20m to 329.30m

ALTERED FELSIC VOLCANICS

Hematized at top of unit, contact irregular. Magnetite vein (1cm) 30° to CA, unit transitions into strongly carbonated, chloritized, very soft, very broken up core from 327.25m to 328.80m.

329.30m to 330.20m

SYENITE

Medium grained, pink/dark grey in colour, hematite veining, 70° to CA, carb veining with quartz, black chlorite and trace pyrite, 40° to CA, contacts are 40°/45° at top and bottom, trace to 2% disseminated/blebs pyrite.

330.20m to 335.49m

ALTERED FELSIC TO INTERMEDIATE TUFF

Very soft when scratched, feels very smooth and talcy to the touch, sheared 60° to CA, intense carbonation, local cubes pyrite, 2-3mm, blue green colour, chloritized, porphyroblasts, 20%, 2-4mm, stretched with shearing, soapstone (?).

335.49m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Au ppm	Ag ppm	Cu ppm	Mo ppm	Zn ppm
754288	DC06-6B	19.00	19.50	0.50	Gabbro with py	0.022	0.4	830	6	34
754289	DC06-6B	19.50	20.00	0.50	Gabbro with pink altered zone containing 10% py and 5% molybdenite	0.042	0.7	879	558	29
754290	DC06-6B	20.00	21.00	1.00	Gabbro with py	0.026	0.4	719	18	30
754291	DC06-6B	27.36	28.00	0.64	Gabbro with py	0.018	0.3	326	12	28
754292	DC06-6B	33.00	34.00	1.00	Altered felsic volcanics, 2-3% py	0.057	0.7	785	168	8
754293	DC06-6B	34.00	35.00	1.00	Altered felsic volcanics, 2-3% py	0.023	0.4	742	24	10
754294	DC06-6B	35.00	35.90	0.90	Altered felsic volcanics, 2-3% py	0.024	0.4	630	42	11
754295	DC06-6B	35.90	37.00	1.10	Altered felsic volcanics with epidote + 2-3% py	0.025	0.4	722	19	23
754296	DC06-6B	37.00	38.00	1.00	Altered felsic volcanics with epidote + 2-3% py	0.015	0.4	487	22	18
754297	DC06-6B	38.00	39.00	1.00	Altered felsic volcanics with epidote + 2-3% py	0.031	0.4	692	23	12
754298	DC06-6B	39.00	40.00	1.00	Altered felsic volcanics with epidote + 2-3% py	0.013	0.2	275	21	10
754299	DC06-6B	40.00	41.00	1.00	Altered rhyolite, bleached, 2-3% py	0.015	<0.2	119	2	11
754300	DC06-6B	41.00	42.00	1.00	Altered rhyolite, bleached, 2-3% py	0.013	<0.2	90	55	12
754551	DC06-6B	42.00	43.00	1.00	Altered rhyolite, bleached, 2-3% py	0.005	<0.2	122	4	12
754552	DC06-6B	43.00	44.00	1.00	Altered rhyolite, bleached, 2-3% py	0.006	<0.2	58	111	13
754553	DC06-6B	44.00	45.00	1.00	Altered rhyolite, bleached, 2-3% py	0.006	<0.2	91	54	15
754554	DC06-6B	47.00	48.00	1.00	Altered diorite	0.023	0.3	376	36	9
754555	DC06-6B	48.00	49.00	1.00	Altered diorite	0.030	0.4	511	20	13
754556	DC06-6B	49.00	50.00	1.00	Altered diorite	0.028	0.3	659	6	19
754557	DC06-6B	50.00	50.62	0.62	Altered diorite	0.021	0.4	510	9	18
754558	DC06-6B	52.00	52.61	0.61	Altered rhyolite	0.005	<0.2	67	3	4
754559	DC06-6B	52.61	53.60	0.99	Altered rhyolite with 2-3% py	0.012	<0.2	165	2	6
754560	DC06-6B	53.60	54.38	0.78	Altered diorite	0.037	0.3	559	81	19
754561	DC06-6B	54.38	55.45	1.07	Altered diorite	0.042	0.7	497	25	17
754562	DC06-6B	55.45	56.38	0.93	Altered diorite	0.032	0.4	382	13	17
754563	DC06-6B	56.38	57.00	0.62	Altered rhyolite	0.015	<0.2	198	5	8
754564	DC06-6B	57.00	58.00	1.00	Altered rhyolite	0.025	0.2	402	5	13
754565	DC06-6B	58.00	58.66	0.66	Altered rhyolite	0.013	0.2	359	1	4
754566	DC06-6B	65.00	66.15	1.15	Altered rhyolite	0.009	<0.2	186	6	11
754567	DC06-6B	66.15	67.00	0.85	Feldspar porphyry, 5% py	0.013	<0.2	445	3	20
754568	DC06-6B	72.00	73.00	1.00	Feldspar porphyry, 5% py	0.006	<0.2	153	3	19
754569	DC06-6B	79.25	80.45	1.20	Feldspar porphyry, 5% py	0.046	<0.2	370	38	17
754570	DC06-6B	80.45	81.13	0.68	Feldspar porphyry, 5% py	0.020	0.3	242	19	18
754571	DC06-6B	85.00	86.00	1.00	Feldspar porphyry, 5% py	0.049	0.3	464	52	22

Ticket	Hole	From (m)	To (m)	Interval	Description	Au ppm	Ag ppm	Cu ppm	Mo ppm	Zn ppm
754572	DC06-6B	86.00	86.86	0.86	Feldspar porphyry, 5% py	0.021	0.2	267	8	21
754573	DC06-6B	86.86	87.45	0.59	Feldspar porphyry, 5% py	0.032	0.4	563	15	19
754574	DC06-6B	87.45	88.00	0.55	Feldspar porphyry, 5% py	0.042	0.4	782	16	18
754575	DC06-6B	88.00	89.00	1.00	Feldspar porphyry, 5% py	0.014	0.2	368	8	22
754576	DC06-6B	89.00	90.00	1.00	Feldspar porphyry, 5% py	0.023	0.3	382	2	19
754577	DC06-6B	90.00	91.00	1.00	Feldspar porphyry, 5% py	0.020	0.5	465	31	17
754579	DC06-6B	91.00	92.00	1.00	Feldspar porphyry, 5% py	0.013	0.3	271	13	17
754580	DC06-6B	92.00	93.00	1.00	Feldspar porphyry, 5% py	0.022	0.4	423	13	17
754581	DC06-6B	93.00	94.00	1.00	Feldspar porphyry, 5% py	0.030	0.4	483	10	17
754582	DC06-6B	94.00	95.00	1.00	Feldspar porphyry, 5% py	0.031	0.4	633	76	18
754583	DC06-6B	95.00	96.00	1.00	Feldspar porphyry, 5% py	0.030	0.4	574	17	19
754584	DC06-6B	96.00	97.00	1.00	Feldspar porphyry, 5% py	0.063	0.4	744	4	21
754585	DC06-6B	97.00	97.86	0.86	Altered feldspar porphyry with 3% py	0.173	0.4	677	69	21
754586	DC06-6B	97.86	98.69	0.83	mafic volcanics 5-7% py	0.754	0.6	1270	91	48
754587	DC06-6B	98.69	99.42	0.73	Altered feldspar porphyry	0.170	0.2	406	35	20
754588	DC06-6B	99.42	100.00	0.58	Feldspar porphyry, 5% py	0.835	0.3	446	21	23
754589	DC06-6B	100.00	101.00	1.00	mafic volcanics with py	0.046	0.2	236	18	20
754590	DC06-6B	101.00	102.00	1.00	mafic volcanics with py	0.028	0.2	202	8	23
754591	DC06-6B	104.35	105.15	0.80	mafic volcanics with py	0.060	0.5	465	71	50
754592	DC06-6B	110.05	110.18	0.13	altered diorite with py					
754593	DC06-6B	119.00	120.00	1.00	altered diorite with py	0.013	<0.2	179	15	16
754594	DC06-6B	120.00	121.00	1.00	altered diorite with py	0.017	0.3	229	37	14
754595	DC06-6B	121.00	122.00	1.00	altered diorite with py	0.026	0.2	356	51	15
754596	DC06-6B	122.00	123.00	1.00	altered diorite with py	0.073	0.8	557	47	15
754597	DC06-6B	123.00	124.35	1.35	altered diorite with py	0.013	0.2	347	12	12
754598	DC06-6B	124.35	125.40	1.05	tuff 2-3% py	0.008	<0.2	108	4	23
754599	DC06-6B	125.40	126.39	0.99	tuff 2-3% py	0.006	<0.2	93	26	25
754652	DC06-6B	126.16	126.82	0.66	mafic volcanics	0.031	0.4	502	42	28
754600	DC06-6B	128.90	129.19	0.29	Altered diorite, trace py	0.026	0.4	436	6	35
754651	DC06-6B	133.62	134.62	1.00	altered felsic intrusive	0.012	<0.2	111	4	18
754653	DC06-6B	152.00	153.00	1.00	Altered diorite, trace py	0.040	0.4	139	102	57
754654	DC06-6B	155.00	156.00	1.00	Altered diorite, trace py	0.005	<0.2	52	4	22
754655	DC06-6B	161.00	162.00	1.00	Altered diorite, trace py	0.045	<0.2	156	3	32
754656	DC06-6B	165.22	166.00	0.78	altered lapilli tuff, trace py	0.010	0.3	36	9	7

Ticket	Hole	From (m)	To (m)	Interval	Description	Au ppm	Ag ppm	Cu ppm	Mo ppm	Zn ppm
754657	DC06-6B	167.00	168.00	1.00	Altered diorite, trace py	0.011	0.2	425	34	16
754658	DC06-6B	173.00	174.00	1.00	quartz-eye feldspar porphyry, 2-4% disseminated py	0.012	<0.2	56	45	5
754659	DC06-6B	183.79	183.94	0.15	Felsic intrusive, trace py					
754660	DC06-6B	188.46	188.64	0.18	Felsic intrusive, trace py					
754661	DC06-6B	189.51	190.35	0.84	Altered felsic volcanics, trace py	0.017	0.2	361	238	23
754662	DC06-6B	190.35	191.45	1.10	Altered felsic volcanics, trace py	0.007	0.2	84	182	30
754663	DC06-6B	191.45	192.58	1.13	Altered felsic volcanics, trace py	0.008	<0.2	157	40	25
754664	DC06-6B	192.58	194.00	1.42	Altered felsic volcanics, trace py	0.006	0.2	145	102	29
754665	DC06-6B	197.00	198.00	1.00	Altered felsic volcanics, trace py	0.005	<0.2	126	5	36
754666	DC06-6B	198.00	199.00	1.00	Altered felsic volcanics, trace py	0.007	<0.2	180	10	32
754667	DC06-6B	199.00	199.79	0.79	Altered felsic volcanics, trace py	0.010	<0.2	274	21	32
754668	DC06-6B	199.79	201.00	1.21	quartz feldspar porphyry	0.005	<0.2	59	17	11
754669	DC06-6B	201.00	201.92	0.92	quartz feldspar porphyry	<0.005	<0.2	47	8	20
754670	DC06-6B	201.92	203.04	1.12	altered felsic intrusive	0.010	<0.2	160	63	20
754671	DC06-6B	203.04	204.00	0.96	Altered felsic volcanics, 5-7% py veinlets, blebs	0.142	0.6	411	117	9
754672	DC06-6B	204.00	205.00	1.00	Altered felsic volcanics, 5-7% py veinlets, blebs	0.151	0.5	719	68	9
754673	DC06-6B	205.00	206.00	1.00	quartz feldspar porphyry, 2% py	0.035	0.2	117	22	9
754674	DC06-6B	206.00	207.00	1.00	quartz feldspar porphyry, 2% py, with intense bleaching	0.032	0.3	171	127	9
754675	DC06-6B	207.00	207.19	0.19	quartz feldspar porphyry, 2% py, with intense bleaching	0.007	<0.2	113	9	6
754677	DC06-6B	207.89	209.00	1.11	quartz feldspar porphyry, 2% py	0.016	0.3	247	15	15
754678	DC06-6B	212.00	213.00	1.00	quartz feldspar porphyry, 2% py	0.018	0.2	106	24	17
754679	DC06-6B	213.00	214.00	1.00	quartz feldspar porphyry, 2% py	0.009	<0.2	97	12	19
754680	DC06-6B	214.00	215.00	1.00	quartz feldspar porphyry, 2% py	0.015	0.2	234	17	17
754681	DC06-6B	215.00	216.00	1.00	Altered felsic volcanics, 2-3% py	0.016	0.2	278	13	9
754682	DC06-6B	216.00	217.00	1.00	Altered felsic volcanics, 2-3% py	0.006	<0.2	64	7	5
754683	DC06-6B	217.00	218.00	1.00	Altered felsic volcanics, 2-3% py	<0.005	<0.2	38	10	6
754684	DC06-6B	218.00	219.00	1.00	Altered felsic volcanics, 2-3% py	0.007	0.2	109	41	10
754685	DC06-6B	219.00	220.00	1.00	Altered felsic volcanics, 2-3% py	0.042	0.5	969	29	17
754686	DC06-6B	220.00	221.00	1.00	Altered felsic volcanics, 2-3% py	0.026	0.2	406	20	19
B754687	DC06-6B	221.00	221.70	0.70	Altered felsic volcanics, 2-3% py	0.005	<0.2	85	35	12
B754688	DC06-6B	222.40	223.36	0.96	Altered felsic volcanics, 5% py	0.006	<0.2	184	6	13
B754689	DC06-6B	223.36	224.50	1.14	Altered felsic volcanics, 5% py	0.010	<0.2	144	66	9
B754690	DC06-6B	228.00	229.00	1.00	Altered felsic volcanics, 5% py	0.045	0.5	809	48	21
B754691	DC06-6B	230.47	231.33	0.86	altered felsic volcanics, 2-5% disseminated py, 2-3% py veinlets, darker pink	0.028	0.3	351	65	12

Ticket	Hole	From (m)	To (m)	Interval	Description	Au ppm	Ag ppm	Cu ppm	Mo ppm	Zn ppm
B754692	DC06-6B	231.33	232.12	0.79	altered felsic volcanics, 2-5% disseminated py, 2-3% py veinlets, darker pink	0.035	0.3	297	19	8
B754693	DC06-6B	232.12	233.00	0.88	altered felsic volcanics, creamy white to pink	0.008	<0.2	20	14	<2
B754694	DC06-6B	233.00	233.83	0.83	altered felsic volcanics, creamy white to pink	<0.005	<0.2	13	27	<2
B754695	DC06-6B	233.83	235.00	1.17	Quartz eye rhyolite, trace py	0.006	<0.2	13	17	3
B754696	DC06-6B	235.00	236.00	1.00	altered felsic volcanics with py	0.046	0.4	874	95	24
B754697	DC06-6B	236.00	237.00	1.00	altered felsic volcanics with py	0.019	0.2	308	16	27
B754698	DC06-6B	237.00	238.00	1.00	altered felsic volcanics with py	0.021	<0.2	345	7	18
B754699	DC06-6B	238.00	239.00	1.00	altered felsic volcanics with py	0.021	<0.2	201	10	27
B754700	DC06-6B	239.00	240.00	1.00	altered felsic volcanics with py	0.103	0.4	164	12	26
B756101	DC06-6B	240.00	241.00	1.00	altered felsic volcanics with py	0.024	0.2	238	12	8
B756102	DC06-6B	241.00	242.00	1.00	altered felsic volcanics with py	0.005	<0.2	20	7	2
B756103	DC06-6B	242.00	243.00	1.00	altered felsic volcanics with py	0.011	0.2	47	23	7
B756104	DC06-6B	243.00	244.00	1.00	altered felsic volcanics with py	0.013	<0.2	124	18	16
B756105	DC06-6B	244.00	245.00	1.00	altered felsic volcanics with py	0.009	<0.2	76	122	20
B756106	DC06-6B	245.00	246.00	1.00	altered felsic volcanics with py	0.050	1	369	110	36
B756107	DC06-6B	246.00	247.37	1.37	altered felsic volcanics with py	0.054	0.5	330	22	11
B756108	DC06-6B	250.95	252.10	1.15	Altered felsic volcanics, 2-4% py	0.016	0.2	288	39	18
B756109	DC06-6B	254.39	255.12	0.73	hematized mafic to int. volcanics, 5-7% disseminated py	0.098	0.8	681	759	31
B756110	DC06-6B	255.12	256.00	0.88	altered felsic volcanics with py	<0.005	<0.2	42	4	22
B756111	DC06-6B	256.00	257.00	1.00	altered felsic volcanics with py	0.032	0.3	58	9	29
B756112	DC06-6B	257.00	258.00	1.00	altered felsic volcanics with py	0.080	0.6	777	2	29
B756113	DC06-6B	258.00	259.00	1.00	altered felsic volcanics, 2% py in quartz veins	0.348	0.9	1470	4	19
B756114	DC06-6B	259.00	260.00	1.00	altered felsic volcanics, 2% py in quartz veins	0.076	0.3	465	4	16
B756115	DC06-6B	260.00	261.00	1.00	altered felsic volcanics, 2% py in quartz veins	0.027	<0.2	196	6	19
B756116	DC06-6B	261.00	262.00	1.00	altered felsic volcanics, 2% py in quartz veins	0.110	0.3	283	4	19
B756117	DC06-6B	262.00	263.15	1.15	altered felsic volcanics, 2% py in quartz veins	0.114	0.3	316	4	16
B756118	DC06-6B	263.15	264.00	0.85	Altered rhyolite, 2-5% py, veinlets and disseminated	0.017	<0.2	129	63	7
B756119	DC06-6B	264.00	265.00	1.00	Altered rhyolite, 2-5% py, veinlets and disseminated	0.011	<0.2	74	98	8
B756120	DC06-6B	265.00	266.00	1.00	Altered rhyolite, 2-5% py, veinlets and disseminated	0.011	<0.2	108	10	8
B756121	DC06-6B	266.00	267.00	1.00	Altered rhyolite, 2-5% py, veinlets and disseminated	0.009	<0.2	80	9	7
B756122	DC06-6B	267.00	267.93	0.93	Altered rhyolite, 2-5% py, veinlets and disseminated	0.006	<0.2	39	15	10
B756123	DC06-6B	267.93	269.00	1.07	altered felsic volcanics, trace to 2% py, trace cpy	0.006	<0.2	13	25	8
B756124	DC06-6B	269.00	270.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	<0.005	<0.2	5	9	5
B756125	DC06-6B	270.00	271.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	0.020	0.3	293	3	18


Ticket	Hole	From (m)	To (m)	Interval	Description	Au ppm	Ag ppm	Cu ppm	Mo ppm	Zn ppm
B756127	DC06-6B	271.00	272.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	0.015	0.3	205	5	14
B756128	DC06-6B	272.00	273.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	0.011	<0.2	124	32	15
B756129	DC06-6B	273.00	274.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	0.053	0.4	391	15	18
B756130	DC06-6B	274.00	275.00	1.00	altered felsic volcanics, trace to 2% py, trace cpy	0.114	0.4	224	34	16
B756131	DC06-6B	275.00	275.85	0.85	altered felsic volcanics, trace to 2% py, trace cpy	0.051	0.3	294	76	14
B756132	DC06-6B	275.85	276.39	0.54	breccia, trace py	0.032	0.2	506	23	7
B756133	DC06-6B	276.39	277.36	0.97	rhyolite, 2-4% disseminated py	0.012	<0.2	40	51	5
B756134	DC06-6B	277.36	278.00	0.64	altered felsic volcanics, lots of py veinlets	0.022	0.2	91	56	22
B756135	DC06-6B	278.00	279.00	1.00	altered felsic volcanics, lots of py veinlets	0.014	0.2	43	20	26
B756136	DC06-6B	279.00	280.00	1.00	altered felsic volcanics, lots of py veinlets	0.012	0.2	68	22	29
B756137	DC06-6B	280.00	281.00	1.00	altered felsic volcanics, lots of py veinlets	0.010	<0.2	51	21	20
B756138	DC06-6B	281.00	282.00	1.00	altered felsic volcanics, lots of py veinlets	0.057	1.4	1120	59	38
B756139	DC06-6B	282.00	283.34	1.34	altered felsic volcanics, lots of py veinlets	0.039	0.3	457	17	26
B756140	DC06-6B	283.34	284.17	0.83	altered quartz-eye feldspar porphyry, 5-7% py veinlets, bleached	<0.005	<0.2	15	3	10
B756141	DC06-6B	284.17	285.21	1.04	altered quartz-eye feldspar porphyry, 5-7% py veinlets	0.015	0.2	79	4	31
B756142	DC06-6B	285.21	286.00	0.79	rhyolite, 5-6% py veinlets, molybdenite 1-2%	0.012	0.3	342	24	32
B756143	DC06-6B	286.00	286.95	0.95	rhyolite, 5-6% py veinlets, molybdenite 1-2%	0.016	0.4	378	24	10
B756144	DC06-6B	286.95	287.40	0.45	silica-rich unit at start of breccia, molybdenite 5% along fractures, 10cm disseminated py band.	0.025	0.7	952	27	23
B756145	DC06-6B	287.40	288.00	0.60	breccia, disseminated py and veinlets	0.016	0.4	738	11	60
B756146	DC06-6B	288.00	289.00	1.00	breccia, disseminated py and veinlets	0.017	0.6	897	20	88
B756147	DC06-6B	289.00	290.00	1.00	breccia, disseminated py and veinlets	0.025	0.5	806	16	55
B756148	DC06-6B	290.00	291.00	1.00	breccia, disseminated py and veinlets	0.022	0.5	669	26	16
B756149	DC06-6B	291.00	292.00	1.00	breccia, disseminated py and veinlets	0.028	0.6	884	70	21
B756150	DC06-6B	292.00	293.00	1.00	breccia, disseminated py and veinlets	0.041	0.7	523	62	8
B755251	DC06-6B	293.00	294.00	1.00	breccia, disseminated py and veinlets	0.013	0.2	238	25	9
B755252	DC06-6B	294.00	294.90	0.90	breccia, disseminated py and veinlets	0.019	0.3	439	29	23
B755253	DC06-6B	294.90	295.64	0.74	Quartz-eye feldspar porphyry, 2-3% molybdenite on fractures, 10-15% disseminated py	0.019	0.3	841	10	26
B755254	DC06-6B	295.64	296.35	0.71	Quartz-eye feldspar porphyry, 2-3% molybdenite on fractures, 10-15% disseminated py	0.022	0.4	875	25	34
B755255	DC06-6B	296.35	297.00	0.65	quartz-eye feldspar porphyry/breccia	0.029	0.6	859	119	16
B755256	DC06-6B	297.00	298.00	1.00	quartz-eye feldspar porphyry/breccia	0.015	0.3	422	5	15
B755257	DC06-6B	298.00	299.00	1.00	altered felsic volcanics, 10% py veinlets	0.020	0.4	459	5	20
B755258	DC06-6B	299.00	300.00	1.00	altered felsic volcanics, 10% py veinlets	0.015	<0.2	227	4	18
B755259	DC06-6B	300.00	301.00	1.00	altered felsic volcanics, 10% py veinlets	0.017	0.2	182	14	20
B755260	DC06-6B	301.00	302.00	1.00	altered felsic volcanics, 10% py veinlets	0.023	0.3	358	8	21

NNW

Drill Hole DC06-06b, -45°(dip) 160°(az), 335.3m

Drill Hole DC06-06, -45°(dip) 160°(az), 42.9m

SSE



East West Resource Corp. & Mega Uranium Ltd.

Deaty Creek Property

DC06-06b Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-08

UTM Zone 15V (NAD 83)

mE: 666877

Drilled by: Falcon Drilling

mN: 5374748

Page 1 of 1

Started: Feb. 9/6

Grid: 48+00E

Finished: Feb. 10/06

2+00S

DDH direction: az: 160°

plunge: - 45 °

Logged by:

On:

Hole length: 13.7m

Signed:



Casing length: 13.7m

Casing: Casing pulled

Claim Number: 1249600

Other:

Hole was stopped due to difficult overburden. Core barrel lost downhole.

DRILL LOG

0 – 13.7m Overburden
13.7m End of Hole

Drill Hole DC06-08, -45°(dip) 160°(az), 13.7m

NNW

SSE

Casing



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-08 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-09

UTM Zone 15V (NAD 83)

mE: 666989

Drilled by: Falcon Drilling

Page 1 of 9

mN: 5374370

Started: Feb. 10/06

Finished: Feb. 13/06

Grid: 48+00E

3+00S

DDH direction: az: 160 °

plunge: - 45 °

Logged by: G. Heggie

On: Feb. 13-20/06

Hole length: 240.5m


Casing length: 3.65m

Casing: Casing left

Claim Number: 1249600

Other:

Signed:



Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B754432 through B754450, B756001 through B756057, and B761385 through B761398.

Results

Anomalous gold was returned from an interval 68 metres to 84 metres, with one sample (1m) returning a value of 5.98 ppm gold.

Anomalous copper and silver values were also observed throughout the drill hole, Cu up to 3360 pm, and 2.1 ppm Ag.

- 0.00 – 3.65m **CASING**
- 3.65 – 9.10m **FELSIC VOLCANICS**
Light beige/brown in colour. Fine grained with coarser quartz phenocrysts (~2-3mm), texture is variable from homogenous to banded/brecciated. Low magnetic susceptibility, weak foliation throughout unit.
Alteration: Moderate epidote alteration throughout the unit, commonly restricted to fractures and veins.
Mineralization: Fine disseminated pyrite occurs throughout unit with additional pyrite along fractures and veins. Veins appear to be vuggy.
- 9.10 – 15.80m **ALTERED FELSIC VOLCANICS**
Dark brown/red in colour uniform blotchy texture. Quartz phenocrysts occur throughout unit commonly containing a blue tint to them. Unit has a very high magnetic susceptibility (1000-5000). Numerous narrow veins of pyrite and quartz cross cut. (same unit as observed in DC06-04 and DC06-05, originally called metaseds.)
Alteration: Pervasive epidote occurs throughout the unit. Magnetite occurs throughout the unit.
Mineralization: Fine disseminated pyrite occurs throughout, elevated concentrations in narrow veinlets of pyrite.
- 15.80 – 37.65m **FELSIC VOLCANICS**
Light beige/brown in colour. Fine grained with medium phenocrysts of quartz occurring down to 23.2m (no longer apparent below this). Core appears to be extensively cross cut by narrow fractures partially in filled with quartz. Weak to moderate foliation at 55 ° CA (21m).
Alteration: Bleaching occurs along fractures, epidote alteration decreases down hole (very little below 23m)
Mineralization: Pyrite occurs periodically in veins.

- 37.65 – 53.15m **FELSIC VOLCANICS (pink altered)**
 Light pink/white in colour, appears generally fine grained with abundant phenocrysts of quartz throughout unit (~2mm). Texture appears to be brecciated then moderately sheared at low angle to core axis. Numerous quartz veins occur throughout unit commonly low angle <10 ° CA, appear vuggy. Core is moderately broken.
- Alteration:** Increase of alteration through the unit relative to above unit. Pink potassic alteration, increase of epidote abundance along fractures.
- Mineralization:** Fine pyrite occurs throughout unit, appears dominantly restricted to fractures and veins. Sulfide (pyrite) abundance appears to increase down hole towards bottom of unit.
- 53.15 – 58.50m **FELSIC VOLCANICS**
 Light beige /white/green felsic volcanics as pervious (15.8 to 37.65). Appears to be felsic breccia with variable fragment size (monolithic). Numerous narrow fractures cross cut commonly bleached. Top and bottom contacts are sharp.
- Alteration:** Epidote appears pervasive throughout unit along fractures. Magnetite occurs associated with narrow quartz vein at 53.5m
- Mineralization:** Pyrite in narrow fracture veins occur throughout unit.
- 58.50 – 78.80m **FELSIC VOLCANICS (pink altered)**
 As pervious unit (37.65 to 53.15m). Increase in magnetite content in narrow veins below 62m. variable silicification occurs also in narrow zones. Magnetite decreases in abundance below 64m. Unit appears to remain constant, increase in quartz phenocrysts (possibly in filled vesicles)
- 67.9 to 69.15m heavily silicified zone (possibly chert) however appears crosscutting. Abundant fine stringer magnetite throughout unit, trace chalcopyrite.
- Below silicified zone felsic becomes increasingly broken and fractured with numerous narrow intervals exhibiting fault breccias and silicification along fractures. Sulfides increase in abundance.

Alteration: Pervasive epidote, strong pink colouration, variable silicification, moderate shearing. Extensive fracturing and partial vein fill.

Mineralization: Pyrite increases in abundance, commonly associated with magnetite in narrow veins and fractures, trace chalcopyrite. Pyrite found in fractures and faults commonly with vein fill. Chalcopyrite periodically occurs (72.9m) in veins with magnetite.

78.8 – 87.70m

FAULT ZONE

Appears to contain rafts of the pervious lithology between zones of fault breccia. Top fault contact at 20-30 ° CA, bottom contact at 50 ° CA. Magnetite and pyrite occur throughout. Felsic dykes (hydrothermal microcline) occurs of ~1m. Small offset of quartz veins appear to be sinstral.

87.70 – 88.40m

MAFIC DYKE: (tuffaceous metasediments?)

Fine to medium grained. Dark green in colour moderate foliation at 55 ° CA, appears to be uniform in composition and texture. Texture appears to be dominated by slightly sheared phenocrysts of feldspar ~90% of unit.

88.40 – 95.30m

FELSIC VOLCANICS (pink altered)

As pervious. Decease in brecciation of core. Moderate foliation at 45 ° CA. Quartz phenocryst occur throughout.

Narrow fault occurs at 90.8m ~15cm wide at 40 ° CA with sinstral offset.

Moderate shearing at 60 ° CA (89m).

Bottom contact appears faulted

Alteration: Extensive quartz veining and quartz flooding, moderate shearing.

Mineralization: Fine disseminated pyrite occurs throughout unit.

95.30 – 148.80m

FELSIC VOLCANICS

Light beige/green in colour, fine grained appear similar to pervious units above, homogenous in composition. Weak foliation throughout unit. Unit is extensively fractured and broken (partially in filled with quartz and clays minor sulfide). Epidote becomes increasingly abundant down hole, dominantly found in veins and vein networks. Mineral lineation on slip plane (molybdenite) at 45-50 ° CA. Periodic amygdules occur in the unit commonly containing epidote.

Narrow zones of pink alteration occurs at 134m contains narrow vein of pyrite and chalcopyrite

Bottom contact appears to be transitional in nature.

Alteration: Moderate epidote alteration occurs throughout unit, most intense from 109 to 117m. Narrow fractures exhibit bleaching and silicification. Core is badly broken

Mineralization: Pyrite occurs throughout, restricted to narrow alteration veins and epidote altered sections. Molybdenite occurs periodically along slip surfaces and shear planes, commonly with quartz, but not always.

148.80 – 160.90m

FELSIC VOLCANICS

Dark grey in colour, fine grained with medium phenocrysts of quartz (1-2m) throughout unit. Generally appears homogenous in composition. Numerous zones exhibiting variable textures (brecciated versus massive). Pink alteration is common adjacent to veins and veinlets. Core is moderately broken. Foliation is weak to moderate at 50 to 60 ° CA.

158.10m thin lamprophyre dyke occurs ~15cm wide.

Alteration: Alteration appears associated with narrow fractures and veins. A zone of silicification occurs at the top of the unit (149 to 150m).

Mineralization: Pyrite occurs throughout the unit, appears restricted to veins and shear zones.

160.90 – 189.70m

FELDSPAR PORPHYRY

Pink maroon in colour, fine grained matrix with coarse phenocrysts of feldspar (~4mm) throughout unit (~25-30%). Weak foliation throughout unit. Magnetite periodically appears in the unit.

Alteration: Feldspar phenocrysts exhibit epidote alteration. Brecciation and veining occurs throughout unit.

Mineralization: Trace disseminated pyrite occurs throughout. Minor pyrite occurs in veins and fractures.

189.7 – 199.70m

FELSIC VOLCANICS

Grey to pink in colour, fine grained with coarser quartz phenocrysts. Appears to be a fragmental/brecciated. Magnetite occurs as fine disseminations and massive veins. Sections appear very siliceous (possibly chert magnetite).

Alteration: Epidote occurs throughout unit along fractures

Mineralization: Fine pyrite occurs throughout, pyrite also occurs in veins with trace chalcopyrite.

199.70 – 240.50m

FELDSPAR PORPHYRY

As pervious: possible increase in shear intensity, pronounced lineation in phenocrysts parallel to foliation.

Alteration: Epidote appears pervasive in replacement of feldspar crystals and along fractures.

Mineralization: Pyrite occurs throughout unit as fine disseminations.

240.50m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B754432	DC06-09	6.00	7.00	1.00	Felsic volcanics fine pyrite and epidote	<0.2	130	12	7	0.009
B754433	DC06-09	7.00	8.00	1.00	Felsic volcanics fine pyrite and epidote	<0.2	44	2	7	0.008
B754434	DC06-09	8.00	9.00	1.00	Felsic volcanics fine pyrite and epidote	<0.2	15	55	7	0.005
B754435	DC06-09	9.00	10.00	1.00	Felsic volcanics fine pyrite and epidote	0.2	95	3	12	0.041
B754436	DC06-09	10.00	11.00	1.00	Magnetic felsic volcanics, fine disseminated pyrite	0.3	293	6	24	0.022
B754437	DC06-09	11.00	12.00	1.00	Magnetic felsic volcanics, fine disseminated pyrite	0.3	530	2	29	0.024
B754438	DC06-09	12.00	13.00	1.00	Magnetic felsic volcanics, fine disseminated pyrite	0.4	592	10	20	0.044
B754439	DC06-09	13.00	14.00	1.00	Magnetic felsic volcanics, fine disseminated pyrite	0.3	305	17	23	0.028
B754440	DC06-09	14.00	15.00	1.00	Magnetic felsic volcanics, fine disseminated pyrite	<0.2	244	4	24	0.029
B754441	DC06-09	15.00	15.80	0.80	Magnetic felsic volcanics, fine disseminated pyrite	0.2	653	6	33	0.041
B754442	DC06-09	15.80	17.00	1.20	Felsic volcanics fine pyrite	<0.2	14	5	5	<0.005
B754443	DC06-09	17.00	18.00	1.00	Felsic volcanics fine pyrite	0.2	223	10	7	0.011
B754444	DC06-09	28.00	29.00	1.00	Pyrite in veins in felsic volcanic	0.2	332	13	11	0.011
B754445	DC06-09	29.50	29.75	0.25	Pyrite in veins in felsic volcanic	0.6	1165	43	10	0.024
B754446	DC06-09	37.00	38.00	1.00	Pyrite in veins in felsic volcanic	0.2	275	70	7	0.011
B754447	DC06-09	44.00	45.00	1.00	quartz vein in felsic volcanic	<0.2	34	27	5	0.01
B754448	DC06-09	48.00	49.00	1.00	Pyrite disseminated in pink altered felsic volcanic	0.2	338	191	7	0.03
B754449	DC06-09	49.00	50.00	1.00	Pyrite disseminated in pink altered felsic volcanic	0.2	280	7	5	0.02
B754450	DC06-09	50.00	51.00	1.00	Pyrite disseminated in pink altered felsic volcanic	0.2	149	168	3	0.009
B756001	DC06-09	51.00	52.00	1.00	Pyrite disseminated in pink altered felsic volcanic	0.2	219	27	4	0.007
B756002	DC06-09	52.00	52.60	0.60	Pyrite disseminated in pink altered felsic volcanic	0.2	196	238	5	0.008
B756003	DC06-09	52.60	53.25	0.65	Pyrite disseminated in pink altered felsic volcanic, Molybdenite in vein	0.3	608	99	5	0.018
B756004	DC06-09	53.25	53.75	0.50	Quartz vein in felsic volcanic with chalcopyrite	0.2	404	125	13	0.016
B756005	DC06-09	57.00	58.00	1.00	felsic volcanic with quartz vein	0.3	493	42	9	0.017
B756006	DC06-09	58.00	59.00	1.00	Felsic volcanic	0.2	221	76	9	0.01
B756007	DC06-09	59.00	60.00	1.00	Pink altered felsic volcanic fine pyrite	0.3	224	111	5	0.011
B756008	DC06-09	60.00	61.00	1.00	Pink altered felsic volcanic fine pyrite	0.4	705	39	7	0.018
B756009	DC06-09	61.00	61.40	0.40	Pink altered felsic volcanic fine pyrite	0.2	176	5	11	0.029
B756010	DC06-09	61.40	62.00	0.60	Pink altered felsic volcanic fine pyrite	0.6	668	57	7	0.034
B756011	DC06-09	62.00	63.00	1.00	Pink altered felsic volcanic fine pyrite, possible chert wit magnetite	0.6	1235	62	8	0.041
B756012	DC06-09	63.00	64.00	1.00	Pink altered felsic volcanic fine pyrite, increase in magnetite content in veins	0.4	505	67	7	0.012
B756013	DC06-09	64.00	65.00	1.00	Pink altered felsic volcanic fine pyrite	0.3	238	21	11	0.012
B756014	DC06-09	65.00	66.00	1.00	Pink altered felsic volcanic fine pyrite	0.2	155	91	7	0.018
B756015	DC06-09	66.00	67.00	1.00	Pink altered felsic volcanic fine pyrite	0.9	581	180	16	0.021

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B756016	DC06-09	67.00	67.90	0.90	Pink altered felsic volcanic fine pyrite	0.5	648	37	12	0.04
B756017	DC06-09	67.90	69.15	1.25	Chert/quartz vein with magnetite trace chalcopyrite	1.9	3360	265	15	0.187
B756018	DC06-09	69.15	70.00	0.85	Pink altered felsic volcanic with variable pyrite	0.6	240	21	<2	0.094
B756019	DC06-09	70.00	71.00	1.00	Pink altered felsic volcanic with variable pyrite	0.5	314	17	14	0.072
B756020	DC06-09	71.00	72.00	1.00	Pink altered felsic volcanic with variable pyrite	0.4	410	30	13	0.105
B756021	DC06-09	72.00	73.00	1.00	Pink altered felsic volcanic with variable pyrite, trace chalcopyrite	1.4	2090	34	10	0.312
B756023	DC06-09	73.00	74.00	1.00	Pink altered felsic volcanic with variable pyrite	0.6	541	20	5	0.079
B756024	DC06-09	74.00	75.00	1.00	Pink altered felsic volcanic with variable pyrite	1.9	2180	161	17	0.278
B756025	DC06-09	75.00	76.00	1.00	Pink altered felsic volcanic with variable pyrite	2.1	2150	126	19	0.259
B756026	DC06-09	76.00	77.00	1.00	Pink altered felsic volcanic with variable pyrite	0.6	659	28	23	0.256
B761385		77.00	78.00	1.00	Pink felsic volcanic	0.5	613	38	12	0.437
B761386		78.00	79.00	1.00	Pink felsic volcanic	0.3	393	6	6	0.116
B761387		79.00	80.00	1.00	Pink felsic volcanic	0.6	637	7	7	0.243
B761388		80.00	81.00	1.00	Pink felsic volcanic	0.7	713	16	6	0.075
B756027	DC06-09	81.00	82.00	1.00	Pink altered felsic volcanic with variable pyrite, fault zone	0.7	891	10	19	0.075
B756028	DC06-09	82.00	83.00	1.00	Pink altered felsic volcanic with variable pyrite, fault zone	1.1	1480	12	15	0.521
B756029	DC06-09	83.00	84.00	1.00	Pink altered felsic volcanic with variable pyrite, fault zone	2	1360	41	22	5.98
B761389		84.00	85.00	1.00	Pink felsic volcanic	0.4	308	21	8	0.393
B761390		85.00	86.00	1.00	Pink felsic volcanic	0.3	176	5	6	0.848
B761391		86.00	87.00	1.00	Pink felsic volcanic	0.3	165	16	10	0.167
B761392		87.00	88.00	1.00	Pink felsic volcanic	0.2	93	7	32	0.018
B761393		88.00	89.00	1.00	Tuffaceous unit with chert	<0.2	142	19	38	<0.005
B761394		89.00	90.00	1.00	Pink felsic volcanic	0.2	194	30	4	0.008
B761395		90.00	91.00	1.00	Pink felsic volcanic	0.4	378	30	4	0.018
B761396		91.00	92.00	1.00	Pink felsic volcanic	0.8	731	16	3	0.018
B761397		92.00	93.00	1.00	Pink felsic volcanic	0.4	686	70	4	0.013
B756030	DC06-09	93.00	94.00	1.00	Pink altered felsic volcanic with variable pyrite	0.2	527	16	5	0.014
B756031	DC06-09	94.00	95.30	1.30	Pink altered felsic volcanic with variable pyrite	0.2	380	54	8	0.06
B756032	DC06-09	103.00	104.00	1.00	Quartz vein with molybdenite low angle	0.3	264	254	5	0.014
B756033	DC06-09	110.00	111.00	1.00	Epidote altered felsic volcanics, fine pyrite	0.2	415	38	10	0.011
B756034	DC06-09	111.00	112.00	1.00	Epidote altered felsic volcanics, fine pyrite	0.2	581	42	10	0.016
B756035	DC06-09	112.00	113.00	1.00	Epidote altered felsic volcanics, fine pyrite	0.4	941	30	11	0.028
B756036	DC06-09	113.00	114.00	1.00	Epidote altered felsic volcanics, fine pyrite	<0.2	392	9	11	0.009


Drill Hole DC06-09

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B756037	DC06-09	114.00	115.00	1.00	Epidote altered felsic volcanics, fine pyrite	<0.2	257	19	8	0.009
B756038	DC06-09	115.00	116.00	1.00	Epidote altered felsic volcanics, fine pyrite, molybdenite on slip planes	0.3	590	101	15	0.016
B756039	DC06-09	116.00	117.00	1.00	Epidote altered felsic volcanics, fine pyrite	0.2	259	29	9	0.022
B756040	DC06-09	131.00		-131.00	Felsic volcanic					
B756041	DC06-09	132.60	133.20	0.60	Felsic volcanic with pyrite and quartz vein	0.5	614	107	6	0.011
B756042	DC06-09	134.00	134.50	0.50	Pink altered felsic volcanics with pyrite chalcopyrite vein	1.7	4230	49	9	0.072
B756043	DC06-09	142.00	143.00	1.00	Felsic volcanic pyrite in fractures	0.3	454	18	12	0.039
B756044	DC06-09	167.15	168.15	1.00	Pyrite veins in porphyry	0.4	529	43	11	0.127
B756045	DC06-09	189.00	189.75	0.75	Feldspar porphyry	0.3	401	81	11	0.029
B756046	DC06-09	189.75	191.00	1.25	Felsic volcanic with magnetite trace chalcopyrite	0.5	894	19	8	0.041
B756047	DC06-09	191.00	192.00	1.00	Felsic volcanic with magnetite fine and vein pyrite	0.3	626	15	6	0.019
B756048	DC06-09	192.00	193.00	1.00	Felsic volcanics with magnetite	0.4	569	20	5	0.02
B756049	DC06-09	193.00	194.00	1.00	Felsic volcanics with magnetite	0.2	251	16	6	0.012
B756050	DC06-09	194.00	195.00	1.00	Felsic volcanics with magnetite	0.3	508	22	13	0.037
B756051	DC06-09	195.00	196.00	1.00	Felsic volcanics with magnetite	0.3	485	99	7	0.027
B756052	DC06-09	196.00	197.00	1.00	Felsic volcanics with magnetite	0.6	1130	7	11	0.064
B756053	DC06-09	197.00	198.00	1.00	Felsic volcanics with magnetite	0.8	1225	17	9	0.075
B756054	DC06-09	198.00	199.00	1.00	Felsic volcanics with magnetite	0.6	880	28	8	0.078
B756055	DC06-09	199.00	199.70	0.70	Felsic volcanics with magnetite	0.3	435	61	3	0.031
B756056	DC06-09	199.70	201.00	1.30	Feldspar porphyry fine pyrite	0.3	487	24	11	0.094
B756057	DC06-09	208.00	209.00	1.00	Feldspar porphyry trace chalcopyrite	0.2	377	97	9	0.025

Drill Hole DC06-09, -45°(dip) 160°(az), 240.5m

NNW

SSE



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-09 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-10

UTM Zone 15V (NAD 83) mE: 666907

mN: 5374110

Grid: 48+00E

3+00S

DDH direction: az: 160° plunge: - 45 °

Hole length: 96.0mm

Casing length: 9.0m


Casing: Casing left

Claim Number: 1249600

Other:

Drilled by: Falcon Drilling

Logged by: J. Johnson

Signed: 

Page 1 of 4

Started: Feb.24/06

Finished: Feb. 25/06

On: April 11/06

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B762101 through B762120.

Results

Anomalous gold was returned from the sporadic samples taken between 24 m and 53 m, with one sample (1m) returning a value of 2.49 ppm gold. There were few incidences of anomalous copper values (<1420ppm).

0.0 9.0 **CASING**

9.0 20.10m **PORPHYRY**

The unit has a sharp lower contact and consists of altered feldspar porphyry with minor quartz. The crystals are 1-3mm in size and generally rounded to sub rounded in shape with rare euhedral crystals present. The feldspars are partially to fully epidotized. A red to pink alteration is present through much of the unit. Chlorite is present along the fractures, commonly with sulphides. Areas of alteration cause the unit to become grey in colour with the phenocrysts 'faded'/washed out, such areas may represent near full assimilation of xenoliths. Rare occurrences of xenoliths are found. Much of the core is broken.

Alteration: Moderate epidote alteration of the feldspars through the unit, chlorite along fractures, and red (hematite or potassic) alteration through the unit that is locally variable in intensity.

Mineralization: Sulphide specks through the unit with additional sulphides along fractures and as veinlets.

20.10 21.75 **ULTRAMAFIC (?) SHEARED**

Unit has sharp contacts that are partially obscured by broken core. The unit is strongly sheared at 50° to the core axis, is black in colour with chlorite wisps and abundant biotite alteration

Alteration: Chlorite wisps and prevalent biotite.

Mineralization: None visible.

21.75 26.65 **PORPHYRY, ALTERED**

The unit has sharp upper and lower contacts with the upper contact in a 5cm wide fault breccia. The unit has an almost banded appearance with areas of pink to orange, red and grey colouration (alteration). The phenocrysts are 1-3mm in size. From 25m to the end of the unit there is prevalent red alteration with chlorite bands, alteration along fractures and small shear zones with sulphide blebs and magnetite.

Alteration: Variable amounts of red/pink/orange alteration (hematite or potassic) and epidote alteration.

Mineralization: Disseminated to blebs of sulphides.

26.65 94.00

PORPHYRY

Unit has sharp upper and lower contacts. The unit is sheared, fine grained and grey in colour to 27.30m with the phenocrysts slowly increasing in visibility. The unit is grey in colour with feldspar and minor quartz phenocrysts 1-4mm in size. A fabric is visible at ~50° to the core axis. Small areas of shearing with alteration occur as do quartz/carbonate veinlets. Xenoliths varying in size from 1-15mm, in various stages of assimilation, occur and appear to be mafic volcanic in nature. As the end of the unit is approached the alteration increases as does the amount of fracturing and veinlets of epidote alteration.

Alteration: Epidote alteration is common, minor amounts of red alteration (hematite or potassic).

Mineralization: Trace sulphides and sulphides associated with fractures and alteration veinlets.

94.00 96.01

VOLCANICS

Unit has a sharp upper contact. The unit is grey to dark grey in colour with blue quartz eyes common. The unit is massive with rare occurrences of chlorite alteration and patches of tan colouration.

Alteration: Minor chlorite alteration.

Mineralization: Trace to disseminated sulphides sporadically occurs, often associated with fractures.

96.01m


END OF HOLE


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Cu %	Au ppm
762101	DC06-10	11.40	11.60	0.20	Porphyry with 1 cm quartz vein+sulphides, chlorite veinlets	0.2	272	48		0.093
762102	DC06-10	19.10	19.20	0.10	WR-Porphyry, red		158			
762103	DC06-10	19.90	20.10	0.20	Porphyry, 1 cm quartz vein with sulphides (trace chalcopyrite).	0.2	115	6		0.018
762104	DC06-10	20.10	21.10	1.00	Sheared ultramafic(?).	<0.2	37	5		0.005
762105	DC06-10	21.10	21.25	0.15	WR-Sheared ultramafic(?).		10			<0.005
762106	DC06-10	21.25	21.75	0.50	Sheared ultramafic(?).	<0.2	47	4		0.011
762107	DC06-10	21.75	22.25	0.50	Red altered sheared, former porphyry, disseminated sulphides.	0.4	225	45		0.091
762108	DC06-10	22.25	23.25	1.00	Red altered sheared, former porphyry, disseminated sulphides.	0.4	157	69		0.087
762109	DC06-10	23.25	24.60	1.35	Red altered sheared, former porphyry, disseminated sulphides.	0.3	308	35		0.089
762110	DC06-10	24.60	25.65	1.05	Red altered sheared, former porphyry, chlorite and magnetite veinlets, disseminated sulphides.	0.5	486	132		0.217
762111	DC06-10	25.65	26.65	1.00	Red altered sheared, former porphyry, chlorite and magnetite veinlets, disseminated sulphides.	0.6	230	34		2.490
762112	DC06-10	26.65	27.30	0.65	Sheared fined grained, grey porphyry contact, disseminated sulphides.	0.3	248	3		0.079
762113	DC06-10	34.35	34.45	0.10	Grey porphyry with 2cm quartz vein+sulphides.	0.5	516	2		0.128
762114	DC06-10	34.75	34.90	0.15	WR-Grey porphyry, 1-4mm feldspars, rare quartz crystals.		54			
762115	DC06-10	46.35	47.10	0.75	Porphyry, red, xenoliths partially assimilated, ~3% sulphides.	1.0	1415	82		0.134
762116	DC06-10	52.60	52.75	0.15	10cm vein/xenolith with 20% sulphides within the porphyry.	0.8	1210	59		0.213
762117	DC06-10	61.70	62.20	0.50	Porphyry, red alteration with a 1 cm and 2cm quartz vein+chlorite+trace sulphides.	0.3	383	28		0.021
762118	DC06-10	67.20	67.90	0.70	Porphyry with xenoliths, red alteration, chlorite and disseminated sulphides.	0.4	317	26		0.041
762119	DC06-10	Standard			51P	2.4	7040	2		0.417
762120	DC06-10	94.90	95.00	0.10	WR-Volcanic, grey felsic.					

Drill Hole DC06-10, -45°(dip) 160°(az), 96m

NNW

SSE



East West Resource Corp. & Mega Uranium Ltd.	
Deaty Creek Property	
DC06-10 Section	
30m 	July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-11

UTM Zone 15V (NAD 83)

mE: 666680

Drilled by: Falcon Drilling

mN: 5374071

Page 1 of 6

Started: Feb. 14/06

Grid: 44+00E

Finished: Feb. 17/06

4+50S

DDH direction: az: 160°

plunge: - 45 °

Logged by: G. Heggie

On: Feb. 23-24/06

Hole length: 243.2m

Signed:

Casing length: 13.5m

Casing: Casing left

Claim Number: 3017845

Other:

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B761315 through B761363.

Results

Anomalous copper (>200ppm) was returned from the drill hole with a few incidences of highly anomalous values (>1000ppm). In addition sporadic anomalous molybdenum values occur, including 1510ppm from an ~10cm quartz vein.

0.00 – 13.50m	CASING
13.50 – 29.80m	FELSIC VOLCANICS Light beige/green in colour, generally fine grained, homogenous composition and uniform texture. Sections appear brecciated (late stage). Numerous fault zones occur at 26.7m. Weak foliation throughout unit. Core is moderately broken. Narrow fault zone with ~5cm wide zone of fault gouge. Pink alteration occurs in fractures away from fault. Alteration: Minor epidote and magnetite occurs pervasively throughout unit. Bleaching occurs along fracture margins. Mineralization: Pyrite periodically occurs, commonly along fracture margins.
29.80 – 51.60m	PINK FELSIC VOLCANICS Light pink in colour, fine grained with medium (2-3mm) quartz phenocrysts and feldspar throughout. Variable texture from massive sections to brecciated and fragmental sections. Moderate foliation throughout unit at 50 ° CA. ~35 to 36m sand seam occurs, fine grained with occasional coarse pebble. Low angle quartz vein occurs from 31.5 to 32.1m appears vuggy with trace sulfide. Core exhibits late stage faulting and brecciation (narrow extension gaps) and fault breccias. Alteration: Epidote alteration of feldspar phenocrysts in some units. Bleaching associated with narrow veins and fractures. Magnetite occurs along fractures. Mineralization: Minor pyrite occurs throughout unit commonly along fractures but also as fine disseminations. Trace chalcopyrite occurs.
51.60 – 53.45m	DIORITE

Red /black in colour, medium grained (1-3mm) with feldspar phenocryst occurring in the top 40cm (51.6 to 52.0m) fine grained homogenous below. Weak to moderate foliation at ~ 60 ° CA. Minor quartz veining crosscuts. No visible sulfide.

53.45 – 54.00m

PINK FELSIC VOLCANICS

As previous: Strong pink colouration, quartz phenocrysts

54.00 – 56.10m

TUFFACEOUS METASEDIMENTS (iron formation)

Dark green in colour, generally fine grained (~1mm or less). Appears massive with narrow intervals with small garnets occurring periodically. High magnetic susceptibility (10000+). Pyrite occurs periodically and commonly as euhedral crystals. Some sections contain quartz phenocryst? (fragments: fragmental unit interbedded?)

Alteration: Garnet present, core is soft (chlorite/talc/amphiboles) primary mineralogy?

Mineralization: Pyrite occurs throughout commonly as euhedral crystals.

56.10 – 79.00m

FELSIC VOLCANICS

Appears similar to other felsic volcanics, slightly darker in colour. Probably a felsic fragmental, fragments are obscured, quartz phenocrysts/amygdules occur throughout unit. Moderate shearing at 45 ° CA. Top contact is very sharp. Unit appears homogenous in composition but variable in texture. Alteration appears to increase down hole (62m) increase in magnetite.

72.35 to 72.80m Cherty magnetite rich interval

Alteration: Alteration appears to increase down hole. Increase in magnetite content. Pink hematitic alteration appears more abundant between 60-64m.

Mineralization: Pyrite increases in abundance below 67m.

79.00 – 104.50m

ALTERED FELSIC VOLCANIC

Dark grey/black with pink striping. Generally fine grained with medium grained quartz phenocrysts in some felsic intervals. Texture s variable, dominated by wedges of pink felsic volcanics (with quartz phenocrysts) in a matrix of magnetite and chlorite alteration network. Foliation is variable from moderate to strong, appears to change orientation from 0 to 60 ° CA. Core is cross cut by narrow quartz veining. Unit becomes very siliceous at the bottom (100 to 104.5m)

Alteration: Extensive magnetite alteration, minor epidote

Mineralization: Pyrite occurs throughout, most abundant between 88 to 96m, trace chalcopyrite occurs periodically.

104.50 – 209.00m

FELDSPAR PORPHYRY

Brown to burgundy in colour. Fine grained with medium to coarse phenocrysts of feldspar (~2mm up to 4mm). Homogenous in composition. Uniform texture (variable shearing in some sections). Appears massive. Xenolith/wall rock inclusions occur from 117.3 to 118.7m (xenoliths do not appear to be felsic volcanics).

169.16m badly broken quartz vein (sand and gravel sized pieces) appears to contain minor sulfide and possible molybdenite, unknown width.

Alteration: Epidote appears pervasive throughout unit along fractures and replacive for phenocrysts. Minor coarse quartz veining. Magnetite periodically occurs in narrow cross cutting veins.

Mineralization: Pyrite occurs along fractures associated with quartz veining and epidote.

209.00 – 243.20m

FELSIC VOLCANICS

As pervious: Light pink white in colour, fine grained with medium phenocryst of quartz throughout. Homogenous in composition. Variable texture from massive to brecciated. Unit is extensively cross cut by narrow fractures and veins. Core has the appearance of being bleached in some sections. Variable foliation from weak to not visible.

216.6 to 217.3 mafic dyke 20 ° CA (top), 90 ° CA (bottom)

218.6 to 219.3m mafic dyke 35 ° CA (top), 50 ° CA bottom
 224.85 to 225.10m lamprophyre dyke at 80-90 ° CA top and bottom
 Magnetite alteration zone occurs at 233 ~40cm wide.

Alteration: Bleaching along fractures and veins. Magnetite occurs periodically as zones (disseminated) and as magnetite veins cross cutting.

Mineralization: Minor pyrite occurs periodically

243.2m

END OF HOLE


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761315	DC06-11	20.90			Felsic Volcanic					
B761316	DC06-11	25.00	25.25	0.25	Quartz vein in felsic volcanic	<0.2	539	19	7	0.015
B761317	DC06-11	31.45	32.10	0.65	Quartz vein in felsic volcanic	<0.2	153	42	8	0.009
B761318	DC06-11	46.00	47.00	1.00	Felsic volcanic minor patchy pyrite	<0.2	89	7	5	<0.005
B761319	DC06-11	47.00	48.00	1.00	Felsic volcanic minor patchy pyrite	<0.2	223	91	6	0.011
B761320	DC06-11	48.00	49.00	1.00	Felsic volcanic minor patchy pyrite	0.2	653	36	11	0.027
B761321	DC06-11	49.00	50.00	1.00	Felsic volcanic minor patchy pyrite	<0.2	472	21	14	0.016
B761322	DC06-11	53.00	53.90	0.90	Diorite with minor felsic volcanics	<0.2	76	3	41	<0.005
B761323	DC06-11	53.90	55.00	1.10	Tuffaceous metasediments fine pyrite and garnet	0.2	200	1	60	0.007
B761324	DC06-11	55.00	56.10	1.10	Tuffaceous metasediments fine pyrite and garnet	0.2	238	1	43	<0.005
B761325	DC06-11	56.10	57.00	0.90	Felsic volcanics minor pyrite	<0.2	97	5	15	0.006
B761326	DC06-11	66.90	68.00	1.10	Felsic volcanics minor pyrite	0.3	347	17	19	0.023
B761327	DC06-11	68.00	69.00	1.00	Felsic volcanics minor pyrite	0.5	720	20	21	0.024
B761328	DC06-11	69.00	70.00	1.00	Felsic volcanics minor pyrite	0.2	180	28	17	0.01
B761329	DC06-11	70.00	71.20	1.20	Felsic volcanics minor pyrite	0.2	287	6	29	0.011
B761330	DC06-11	71.20	72.30	1.10	Felsic volcanics minor pyrite	<0.2	86	5	15	<0.005
B761331	DC06-11	72.30	73.30	1.00	Felsic volcanics minor pyrite	0.4	722	17	38	0.02
B761332	DC06-11	75.00			Felsic volcanics quartz phenocrysts					
B761333	DC06-11	79.00	80.00	1.00	Magnetite altered felsic volcanics with pyrite trace chalcopyrite	0.8	2040	20	32	0.058
B761334	DC06-11	80.00	81.00	1.00	Magnetite altered felsic volcanics with pyrite	0.2	457	22	25	0.034
B761335	DC06-11	81.00	82.00	1.00	Magnetite altered felsic volcanics with pyrite	<0.2	311	10	32	0.013
B761336	DC06-11	82.00	83.00	1.00	Magnetite altered felsic volcanics with pyrite	<0.2	214	108	27	0.023

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761337	DC06-11	83.00	84.00	1.00	Magnetite altered felsic volcanics with pyrite	<0.2	79	6	15	0.017
B761338	DC06-11	84.00	85.00	1.00	Magnetite altered felsic volcanics with pyrite	<0.2	329	6	22	0.058
B761339	DC06-11	85.00	86.00	1.00	Magnetite altered felsic volcanics with pyrite	0.2	221	1	23	0.031
B761340	DC06-11	86.00	87.00	1.00	Magnetite altered felsic volcanics with pyrite	<0.2	389	7	26	0.036
B761341	DC06-11	87.00	88.00	1.00	Magnetite altered felsic volcanics with pyrite	0.3	665	10	26	0.033
B761342	DC06-11	88.00	89.00	1.00	Magnetite altered felsic volcanics with pyrite	0.5	1115	14	36	0.063
B761343	DC06-11	89.00	90.00	1.00	Magnetite altered felsic volcanics with pyrite	0.5	985	313	33	0.047
B761344	DC06-11	90.00	91.00	1.00	Magnetite altered felsic volcanics with pyrite	0.6	1130	54	31	0.036
B761345	DC06-11	91.00	92.00	1.00	Magnetite altered felsic volcanics with pyrite	1.3	2170	30	37	0.044
B761346	DC06-11	92.00	93.00	1.00	Magnetite altered felsic volcanics with pyrite	0.6	1195	12	27	0.03
B761347	DC06-11	93.00	94.00	1.00	Magnetite altered felsic volcanics with pyrite	1	1880	16	51	0.045
B761348	DC06-11	94.00	95.00	1.00	Magnetite altered felsic volcanics with pyrite	0.2	662	9	19	0.028
B761349	DC06-11	95.00	96.00	1.00	Magnetite altered felsic volcanics with pyrite	0.6	752	13	29	0.046
B761350	DC06-11	96.00	97.00	1.00	Magnetite altered felsic volcanics with pyrite	1	1585	15	27	0.073
B761351	DC06-11	97.00	98.00	1.00	Magnetite altered felsic volcanics with pyrite	0.9	1370	18	24	0.061
B761352	DC06-11	98.00	99.00	1.00	Magnetite altered felsic volcanics with pyrite	1.1	653	35	26	0.04
B761353	DC06-11	99.00	100.00	1.00	Magnetite altered felsic volcanics with pyrite	0.4	414	27	25	0.019
B761354	DC06-11	100.00	101.00	1.00	Magnetite altered felsic volcanics with pyrite	0.2	149	12	29	0.008
B761356	DC06-11	101.00	102.00	1.00	Magnetite altered felsic volcanics with pyrite	0.3	264	19	12	0.014
B761357	DC06-11	102.00	103.00	1.00	Magnetite altered felsic volcanics with pyrite	0.6	969	18	23	0.037
B761358	DC06-11	103.00	104.00	1.00	Magnetite altered felsic volcanics with pyrite	1.1	1720	21	21	0.087
B761359	DC06-11	104.00	104.50	0.50	Magnetite altered felsic volcanics with pyrite	0.3	425	63	24	0.027
B761360	DC06-11	169.16			Broken quartz vein, unknown width (~10cm ??)	0.4	120	1510	5	0.008
B761361	DC06-11	217.30	218.60	1.30	Felsic volcanics with fine pyrite	0.2	279	126	6	0.01
B761362	DC06-11	222.00	223.00	1.00	Felsic volcanics with fine pyrite	<0.2	159	16	10	0.008
B761363	DC06-11	243.00			Felsic volcanics					

Drill Hole DC06-11, -45°(dip) 160°(az), 243.2m

NNW

SSE



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-11 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-12

UTM Zone 15V (NAD 83)

mE: 666530

Drilled by: Falcon Drilling

mN: 5373901

Page 1 of 4

Started: Feb. 18/06

Finished: Feb. 19/06

Grid: 42+00E

5+50S

DDH direction: az: 160°

plunge: - 45 °

Logged by: G. Heggie

On: Feb. 20-21/06

Hole length: 74.7

Signed:

Casing length: 4.0m



Casing: Casing left

Claim Number: 3017845

Other:

Core: all BQ trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples B756058 through B7561314.

Results

Anomalous copper (>500ppm) with sporadically anomalous molybdenum (>100ppm) values occurred.

0.00 – 4.00m	CASING
4.00 – 34.45m	<p>VARIABLY ALTERED FELSIC VOLCANICS Light pink to black in colour, generally fine grained with periodic medium grained phenocrysts of quartz. Texture is variable from sections (~40cm) of unaltered felsic volcanics to total replacement of felsic lithology by magnetite, epidote and pyrite. Magnetic susceptibility is very high, but variable. Foliation is weak to moderate but variable from low angle to ~60 ° CA. Felsic remnants have gradational alteration zones along margins. Unit becomes very siliceous below 33.25m, possible chert and magnetite, felsic clots are observed in some sections.</p> <p>Alteration: Extensive magnetite alteration, pervasive flooding and replacement, only wisps of felsic lithology visible in some sections. Moderate epidote occurs throughout.</p> <p>Mineralization: Pyrite occurs throughout.</p>
34.45 – 36.35m	<p>LAMPROPHYRE Dark green/pink in colour, fine grained with medium phenocrysts of biotite/amphibole. Moderate foliation throughout. Uniform texture. Sharp contacts at top and bottom of unit. Pink alteration appears pervasive throughout unit.</p>
36.35 – 55.30m	<p>VARIABLY ALTERED FELSIC VOLCANICS As pervious: Strong magnetic susceptibility in altered sections. Towards bottom of unit sections appear very siliceous (Chert?) 39.8 to 40.45m, 41.15 to 42.45m (last contains trace chalcopyrite).</p> <p>Alteration: Extensive magnetite alteration, moderate epidote alteration, variable silicification.</p> <p>Mineralization: Pyrite occurs throughout unit in stringer veins commonly with epidote and magnetite, trace chalcopyrite occurs periodically, trace molybdenite on slip planes.</p>
55.30 – 74.67m	FELDSPAR PORPHYRY

Pink to pink/grey in colour, fine grained with coarse (~2-4m) phenocrysts of feldspar. Sharp contacts at top with narrow wall rock fragments of felsic volcanics and magnetite (56.15 to 56.85m) bottom contact of xenoliths chilled/sheared. Unit is uniform in texture and homogenous in composition. Low magnetic susceptibility. Weak shearing/foiliation throughout unit.

Alteration: Epidote replaces feldspar phenocrysts and as vein alteration.

Mineralization: Trace disseminated pyrite.

74.70m

END OF HOLE


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B756058	DC06-12	4.00	5.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.6	703	25	22	0.012
B756059	DC06-12	5.00	6.00	1.00	Altered Felsic volcanics with magnetite and pyrite	1	1210	23	34	0.019
B756060	DC06-12	6.00	7.00	1.00	Altered Felsic volcanics with magnetite and pyrite	1.1	1380	12	26	0.015
B756061	DC06-12	7.00	8.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	611	15	19	0.016
B756062	DC06-12	8.00	9.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.8	1350	8	20	0.027
B756063	DC06-12	9.00	10.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	426	3	16	0.011
B756064	DC06-12	10.00	11.00	1.00	Altered Felsic volcanics with magnetite and pyrite	<0.2	172	12	15	0.01
B756065	DC06-12	11.00	12.00	1.00	Altered Felsic volcanics with magnetite and pyrite	<0.2	283	28	24	0.011
B756066	DC06-12	12.00	13.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	907	11	36	0.035
B756067	DC06-12	13.00	14.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.7	1770	24	28	0.062
B756068	DC06-12	14.00	15.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.6	1655	79	23	0.053
B756069	DC06-12	15.00	16.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.6	1795	59	22	0.047
B756070	DC06-12	16.00	17.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.2	371	36	17	0.018
B756071	DC06-12	17.00	18.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.2	347	32	17	0.019
B756072	DC06-12	18.00	19.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.6	751	49	22	0.023
B756073	DC06-12	19.00	20.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.9	1620	18	26	0.045
B756074	DC06-12	20.00	21.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.9	1240	10	24	0.044
B756075	DC06-12	21.00	22.00	1.00	Altered Felsic volcanics with magnetite and pyrite	<0.2	208	11	9	0.009
B756076	DC06-12	22.00	23.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	438	303	16	0.027
B756077	DC06-12	23.00	24.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.3	439	29	12	0.019
B756078	DC06-12	24.00	25.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.3	475	73	26	0.034
B756079	DC06-12	25.00	26.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	609	18	25	0.019

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B756080	DC06-12	26.00	27.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.7	1540	22	21	0.032
B756081	DC06-12	27.00	28.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	738	7	18	0.024
B756082	DC06-12	28.00	29.00	1.00	Altered Felsic volcanics with magnetite and pyrite	1	2140	70	19	0.041
B756083	DC06-12	29.00	30.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.8	1280	70	18	0.033
B756084	DC06-12	30.00	31.00	1.00	Altered Felsic volcanics with magnetite and pyrite	1	2380	57	19	0.048
B756085	DC06-12	31.00	32.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.2	181	24	10	0.009
B756086	DC06-12	32.00	33.00	1.00	Altered Felsic volcanics with magnetite and pyrite	1	1290	21	30	0.028
B756087	DC06-12	33.00	34.45	1.45	Altered Felsic volcanics with magnetite and pyrite, cherty	0.4	1035	61	16	0.022
B756088	DC06-12	35.10			Lamprophyre					
B756089	DC06-12	36.35	37.00	0.65	Altered Felsic volcanics with magnetite and pyrite	0.8	1730	15	38	0.026
B756090	DC06-12	37.00	38.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	291	10	38	0.014
B756091	DC06-12	38.00	39.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.3	223	7	23	0.01
B756092	DC06-12	39.00	39.80	0.80	Altered Felsic volcanics with magnetite and pyrite	0.3	396	65	24	0.011
B756093	DC06-12	39.80	40.45	0.65	Altered Felsic volcanics with magnetite and pyrite, cherty	0.4	824	35	11	0.013
B756094	DC06-12	40.45	41.15	0.70	Altered Felsic volcanics with magnetite and pyrite	<0.2	87	7	10	0.005
B756095	DC06-12	41.15	42.00	0.85	Altered Felsic volcanics with magnetite and pyrite, cherty	0.3	728	91	4	0.017
B756096	DC06-12	42.00	42.45	0.45	Altered Felsic volcanics with magnetite and pyrite	0.2	657	64	4	0.012
B756097	DC06-12	42.45	43.00	0.55	Altered Felsic volcanics with magnetite and pyrite, cherty tr. Chalcopyrite	0.2	211	20	16	0.007
B756099	DC06-12	43.00	44.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.2	222	8	16	0.011
B756100	DC06-12	44.00	45.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	575	31	33	0.022
B761301	DC06-12	45.00	46.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.3	422	20	21	0.014
B761302	DC06-12	46.00	47.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.6	926	45	25	0.021
B761303	DC06-12	47.00	48.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	619	38	31	0.018
B761304	DC06-12	48.00	49.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	815	23	37	0.02
B761305	DC06-12	49.00	50.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.5	1050	49	42	0.017
B761306	DC06-12	50.00	51.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	699	30	35	0.017
B761307	DC06-12	51.00	52.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	679	42	23	0.015
B761308	DC06-12	52.00	53.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.4	605	36	30	0.01
B761309	DC06-12	53.00	54.00	1.00	Altered Felsic volcanics with magnetite and pyrite	0.8	1530	61	42	0.021
B761310	DC06-12	54.00	55.30	0.00	Altered Felsic volcanics with magnetite and pyrite	1.4	3390	102	41	0.042
B761311	DC06-12	55.30	56.15	0.00	Porphyry	0.3	518	20	24	0.014
B761312	DC06-12	56.15	56.85	0.00	Altered Felsic volcanics with magnetite and pyrite	1.5	4160	110	36	0.08
B761313	DC06-12	56.85	58.00	0.00	Porphyry	<0.2	177	4	18	0.071
B761314	DC06-12	61.30			Porphyry					

Drill Hole DC06-12, -45°(dip) 160°(az), 74.4m

NNW

SSE



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-12 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-13

UTM Zone 15V (NAD 83) mE: 665452

mN: 5373688

Grid: 31+00E

3+75N

DDH direction: az: 160° plunge: - 45 °

Hole length: 120m

Casing length: 10m

Casing: Casing left

Claim Number: 3017845

Other:

Drilled by: Falcon Drilling

Logged by: R. Middleton

Signed: *R. Middleton*

Page 1 of 4

Started: Feb. 10/06

Finished: Feb. 12/06

On: Feb. 13-14/06

Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 753351 through 753377.

Results:

Elevated copper values (100-900ppm) along with elevated molybdenum values (10-100ppm) with two samples returning anomalous values at 44.5m of 491ppm over 1.0m and 225ppm over 0.4m.

0.00 – 10.00m	CASING: sand
10.00 – 66.10m	<p>RHYOLITE FRAGMENTAL Highly altered quartz sericite sections of serquinite yellowish, cream coloured with chlorite alteration throughout with pyrite. Dark chlorite ~25% of core. Occasional quartz carbonate veins at low angle (10-30 ° CA). Schistosity cleavage planes 55 ° CA.</p> <p>27 to 40.8m Massive yellow cream rhyolite quartz eyes. Occasional 0.3m pink over printing colouration. Brittle fracturing with quartz injection. Pyrite –chlorite veining 0.5cm 40-45 ° CA and irregular 1 cm patches of pyrite-chlorite.</p> <p>40.8m Brecciated rhyolite, more epidote alteration with chlorite and pyrite. Grey carbonate pyrite vein 1 cm at 41.9m 15 ° CA, 30 ° CA at 43.6m. Similar quartz-grey carbonate pyrite at 44.5m to 45.85m at 35 ° CA. Footwall is highly epidotized rhyolite. Rhyolite flow top breccia and hydro fracture breccia 0.3m pink mylonite breccia 47.24m to 48.00m. Magnetite veinlets start below 46 subtle. Magnetite pyrite –chlorite alteration becomes prevalent after 54.2 to 56.0m, 61.8 to 61.9m. Micro sheared at 40 ° CA.</p>
66.1 – 118.0m	<p>BASALT Medium green massive sections and dark green (iron thoeliite) areas. Amygdules in sections (perhaps former pillow margins) all stretched 90 ° CA.</p> <p>66.15 to 67.10m dark green-black mafic volcanics</p> <p>67.1 to 84.7m agglomerate zones with felsic clasts p to 5cm zoned margins, dark green matrix.</p> <p>84.7 to 87.2m light green mafic no fragments</p> <p>87.2 to 118m Black basalt contact at 75 ° CA with lighter green above, multiple calcite veins and pyrite stringers</p> <p>90.5 to 93.5m Dark green massive green unit, carbonate spots (1mm) possible leucoxene basalt</p> <p>96.5 to 97.9m stretched amygdules</p> <p>99.8 to 100.5m flow top breccias shearing at 45 ° CA.</p> <p>112.05m 2cm quartz vein and pyrite</p>

112.5m 2cm quartz carbonate vein.

118.0 – 120.7m

INTERMEDIATE VOLCANIC

Intermediate to felsic, massive volcanic, massive grey green in colour, minor quartz veinlets.

120.0m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753351	DC06-13	17.50	17.85	0.35	Brecciated, 1cm carbonate vein	<0.2	72	89	24	0.013
753353	DC06-13	34.00	35.00	1.00	rhyolite + small clots of pyrite, 0.5cm	0.3	189	25	5	0.011
753354	DC06-13	35.00	36.00	1.00	pyrite veinlets 30 degrees to CA, pinkish rhyolite	0.4	351	7	14	0.014
753352	DC06-13	35.70	33.80	1.00	quartz eye rhyolite, 30 degrees to CA					
753355	DC06-13	42.80	43.80	1.00	Pyrite veins cutting epidote altered rhyolite + 1 cm carbonate veins	0.7	812	29	24	0.022
753356	DC06-13	44.50	45.85	1.00	grey carbonate vein, 35-45 degrees to CA, pyrite, chlorite, 5cm quartz vein	0.5	297	491	18	0.034
753357	DC06-13	45.85	46.20	0.35	epidote + Pyrite altered rhyolite	0.2	116	225	16	0.018
753358	DC06-13	46.20	46.45	0.35	epidotized rhyolite					
753359	DC06-13	47.45	48.05	0.60	mylonite pink + magnetite + pyrite	0.3	279	6	22	0.027
753360	DC06-13	48.05	48.95	0.60	fractured rhyolite, chlorite + pyrite in fractures, pyrite veinlets	0.2	260	2	24	0.015
753361	DC06-13	54.10	54.90	0.80	pyrite, magnetite, chlorite 50% of rhyolite	0.3	782	1	46	0.016
753362	DC06-13	55.00	56.00	0.80	50% pyrite, magnetite, chlorite	<0.2	227	1	56	0.008
753363	DC06-13	57.00	58.00	1.00	epidote pyrite alteration	0.2	242	1	19	0.006
753364	DC06-13	58.00	58.60	1.00	epidote pyrite alteration	0.2	265	1	16	0.01
753365	DC06-13	60.10	60.60	0.50	pyrite, magnetite	0.6	663	3	15	0.026
753366	DC06-13	61.50	62.00	0.50	pyrite, magnetite, and maroon shear	0.8	842	15	31	0.022
753367	DC06-13	62.00	62.30	0.30	shear with magnetite, chlorite, lower contact 80 degrees to CA	<0.2	166	10	28	0.007
753368	DC06-13	62.30	63.30	0.30	epidote, magnetite, 20% pyrite	0.5	783	4	27	0.022
753369	DC06-13	63.30	64.00	0.70	epidote, magnetite, 20% pyrite	0.7	878	2	18	0.025
753370	DC06-13	64.00	65.00	0.70	epidote, magnetite, 20% pyrite	0.4	509	2	16	0.023
753371	DC06-13	65.00	66.15	1.15	epidote, magnetite, 20% pyrite, contact with basalt	0.5	897	2	19	0.028
753372	DC06-13	70.25	70.50	1.15	pyrite bands 50 degrees to CA	0.2	79	26	43	0.012
753373	DC06-13	81.70	82.20	0.50	pyrite bands 45 degrees to CA, next to fragments	<0.2	338	18	37	0.015


Drill Hole DC6-13


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
753374	DC06-13	84.65	85.10	0.50	45 degree contact, light green + pyrite	0.2	383	3	23	0.014
753378	DC06-13	85.20	86.20	1.00	narrow quartz vein with pyrite	<0.2	205	4	29	0.01
753375	DC06-13	88.00	89.00	1.00	dark + calcite + pyrite veins	0.2	254	12	35	0.016
753376	DC06-13	89.00	89.50	1.00	dark + calcite + pyrite veins	0.3	244	7	26	0.14
753377	DC06-13	112.00	112.50	0.50	quartz veins + pyrite	0.5	406	12	44	0.046

Drill Hole DC06-13, -45°(dip) 160°(az), 120.9m

NNW

SSE



East West Resource Corp. & Mega Uranium Ltd.
Deaty Creek Property
DC06-13 Section
30m 
July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-14

UTM Zone 15V (NAD 83)

mE: 665457

Drilled by: Falcon Drilling

Page 1 of 4

mN: 5373878

Started: Feb. 19/06

Finished: Feb. 21/06

Grid: 41+00E

5+50N

DDH direction: az: 160°


plunge: - 45 °

Logged by: G. Heggie

On: Feb. 26/06

Hole length: 145.2m

Signed:



Casing length: 25.0m

Casing: Casing left

Claim Number: 3017845

Other:

Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 761364 through 761383.

Results:

Elevated (100-900ppm) copper values along with anomalous (2000-7000ppm) copper values that correlate with anomalous gold values (0.13-0.29ppm) and anomalous silver (0.9-2.2ppm). In addition elevated molybdenum values (20-160ppm) occur with one sample returning an anomalous value of 883ppm over 0.25m at 52.75m.

0.00 – 25.00m	CASING
25.00 – 36.10m	FELSIC VOLCANICS Dark grey to pink in colour, medium grained (1-3mm) with quartz phenocrysts (~3mm). Uniform texture, appears homogenous in composition. Weak to no foliation present. High magnetic susceptibility throughout unit. Unit is fractured and broken. Numerous narrow veins cross cut unit (magnetite and epidote). Bleaching occurs along fractures. Bottom contact appears faulted at 60 ° CA. Alteration: Epidote occurs pervasively throughout unit. Magnetite occurs as fine disseminations and as alteration veins. Bleaching found along narrow fractures. Mineralization: Minor fine pyrite occurs throughout unit.
36.10 – 40.15m	FELSIC VOLCANICS Pink-white in colour, fine grained with some sections containing quartz phenocrysts. Weak to moderate foliation throughout unit at 45-50 ° CA. Texture appears variable from fragmental in nature to massive sections. Composition overall appears uniform. Narrow faults occur at 38.5m ~2cm wide at 50 ° CA, and 39.10m (~1cm wide) at 30 ° CA. Alteration: Minor epidote, magnetite occurs along veins and fractures, bleaching along fractures. Mineralization: Fine pyrite occurs throughout unit commonly associated with fractures.
40.15 – 41.35m	TUFFACEOUS METASEDIMENTS (iron formation) Dark green in colour, very fine grained. Appears massive with thin magnetite forming a visible foliation. Magnetite occurs as fine disseminated and wispy layers. Top contact appears sheared. Bottom contact appears irregular (intrusive) Mineralization: Euhedral pyrite occurs periodically.


- 41.35 – 140.75m **FELSIC VOLCANICS**
Variable in colour from light pink to grey/green in colour. Generally fine grained with medium phenocrysts of quartz. Texture appears consistent with narrow intervals of tuffaceous material (as above) forming 2-5cm wide zones. Weak foliation throughout unit.
- 43.95 to 44.05m narrow lamprophyre dyke sharp contacts at top and bottom of unit.
- Below 52 unit becomes very homogenous and uniform pink colouration with quartz phenocrysts (intrusive?) Weak to moderate foliation continues.
- Unit becomes bleached white below 136m. Possible effects of metamorphism from underlying feldspar porphyry.
- Alteration:** Pink (potassic) alteration appears to increase down hole, below 50m. Wide zones of chlorite alteration occurs at 51 to 52m containing fine pyrite.
- Mineralization:** Pyrite occurs but primarily restricted to tuffaceous stringers. Molybdenite occurs along a vein at 53m with minor quartz. Extensive bleaching and pyritization with minor magnetite occurs between 76.55 to 77.3m with rapid transitions at contacts. Increasing magnetite below 109m in 30cm wide zones with pyrite and trace chalcopyrite (appears to be an alteration effect).
- 140.75 – 145.20m **FELDSPAR PORPHYRY**
Light pink/beige/maroon in colour, fine grained with medium (~3-4mm) phenocrysts of feldspar throughout. Uniform texture, appears homogenous in composition. Two xenoliths occur in the top 1.5m of the porphyry
- Alteration:** Epidote alteration of feldspar.
- Mineralization:** None visible.
- 145.20m **END OF HOLE**

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761364	DC06-14	38.00	39.00	1.00	Pink altered felsic volcanics with pyrite strong pink alteration	<0.2	132	21	7	0.011
B761365	DC06-14	40.15	41.00	0.85	Tuffaceous metasediments minor pyrite	0.2	251	4	72	0.014
B761366	DC06-14	41.00	41.45	0.45	Tuffaceous metasediments minor pyrite	<0.2	224	8	41	0.017
B761367	DC06-14	45.50	46.50	1.00	Felsic volcanic with tuffaceous wisps and pyrite	0.9	1995	24	39	0.128
B761368	DC06-14	52.75	53.00	0.25	Felsic volcanic with narrow molybdenite vein	0.2	57	883	7	0.016
B761369	DC06-14	76.00	76.55	0.55	Pink felsic volcanic trace pyrite	<0.2	166	9	3	0.014
B761370	DC06-14	76.55	77.30	0.75	Pyrite and magnetite altered felsic volcanic	2.2	6790	57	2	0.284
B761371	DC06-14	77.30	78.00	0.70	Pink felsic volcanic	<0.2	122	32	3	0.006
B761372	DC06-14	81.00			Pink felsic volcanic					
B761373	DC06-14	108.00	109.00	1.00	Pink felsic volcanic	<0.2	72	10	4	<0.005
B761374	DC06-14	109.00	110.00	1.00	Magnetite altered felsic volcanic	0.2	317	119	7	0.012
B761375	DC06-14	110.00	111.00	1.00	Magnetite altered felsic volcanic	2.1	3920	100	16	0.257
B761376	DC06-14	111.00	112.00	1.00	Magnetite altered felsic volcanic trace chalcopyrite	1.4	2920	29	11	0.109
B761377	DC06-14	112.00	113.00	1.00	Magnetite altered felsic volcanic	<0.2	510	48	12	0.017
B761378	DC06-14	113.00	114.00	1.00	Magnetite altered felsic volcanic	0.2	487	34	15	0.02
B761379	DC06-14	114.00	115.00	1.00	Pink magnetic felsic volcanic fine disseminated pyrite	0.2	928	29	11	0.024
B761380	DC06-14	115.00	116.00	1.00	Pink magnetic felsic volcanic fine disseminated pyrite	0.2	749	8	14	0.032
B761381	DC06-14	116.00	117.00	1.00	Pink magnetic felsic volcanic fine disseminated pyrite	<0.2	427	21	12	0.015
B761382	DC06-14	117.00	118.00	1.00	Pink magnetic felsic volcanic fine disseminated pyrite	0.2	239	156	9	0.012
B761383	DC06-14	122.00	123.00	1.00	Pink magnetic felsic volcanic fine disseminated pyrite	<0.2	236	24	9	0.008

NNW

Drill hole: DC06-14, -45° (dip), 160° (az), 145.2m total depth

SSE



East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-15

UTM Zone 15V (NAD 83)

mE: 666672

Drilled by: Falcon Drilling

mN: 5373933

Page 1 of 5

Started: Feb. 21/06

Grid: 43+00E

Finished: Feb. 23/06

5+67N

DDH direction: az: 160°

plunge: - 45 °

Logged by: G. Heggie

On: March 16, 21/06

Hole length: 117.4m


Signed:

Casing length: 6.0m

Casing: Casing left

Claim Number: 3017845

Other:



Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 761851 through 761894.

Results:

Anomalous copper (<3000ppm) and molybdenum (<350ppm) values occur through the drill hole. Anomalous gold values of 0.10-0.52ppm sporadically occur within the iron formation and the overlying felsic volcanics.

0.00 – 6.00m

CASING

6.00 – 8.50m

TUFFACEOUS METASEDIMENTS

Dark green to black in colour, generally fine grained with coarse quartz porphyroblasts. Homogenous in composition uniform texture, moderate to strong foliation at 70-80 ° CA. Minor veining crosscuts unit. High abundance of amphiboles throughout unit (hornblende).

Alteration: Strong shearing with minor veining.

Mineralization: Trace sulfide.

8.50 – 40.65m

FELDSPAR PORPHYRY

Dark brown to burgundy colour overall, some variability to pink in some sections. Appears homogenous in composition, fine grained matrix with medium to coarse feldspar phenocrysts (2-4mm). Moderately altered by epidote. Phenocrysts make up ~40-60% volume of the unit. Weak to moderate foliation throughout unit.

Alteration: Epidote altered feldspar phenocrysts. Minor veining. Extensive fractures break up the unit. Biotite appears to occur throughout.

Mineralization: Minor pyrite is found throughout unit.

40.65 – 68.00m

ALTERED FELSIC VOLCANICS

Variable in texture and appearance, appears to be quartz porphyritic felsic volcanic. Light pink in colour with moderate shearing at 6-70 ° CA, with variable zones of silicification and magnetite crosscutting the unit, appears cherty in some sections. Poor and irregular foliation throughout silicified zones (appears to be alteration as quartz phenocrysts are still observed in silicified sections). Contacts between units are both gradational and sharp. Chlorite and actinolite/tremolite appear common in magnetite zones

Alteration: Silicification and magnetite alteration in zones crosscutting with chlorite and amphibole.

Mineralization: Stringer pyrite occurs through altered sections.

68.00 – 74.00m

IRON FORMATION

Dark green to black in colour, generally fine grained with medium grained sections. Composition and texture are variable from massive magnetite/gunerite to siliceous intervals with small garnet present. Appears to be fragments (felsic) with quartz phenocrysts/amygdules. Very high magnetic susceptibility. Bottom and top contacts appear to be inter-digitating.

Alteration: Minor fracture veining with epidote, possible silicification of zones, garnet occurs periodically

Mineralization: Minor pyrite throughout unit.

74.00 – 117.40m

FELSIC VOLCANICS

Medium grey/pink to light grey green in colour, top contact appears inter-digitating. Unit becomes very homogenous below. Fine grained homogenous composition and uniform texture. Unit is badly broken. Minor veining crosscuts unit. Below 92m unit becomes light grey/yellow and translucent in colour (silicification/sericite alteration).

Unit becomes darker in colour below 105m and changing to pink in colour at bottom of drill hole.

Alteration: Minor veining, variable silicification and sericite alteration.

Mineralization: trace pyrite occurs throughout unit. Molybdenite occurs in fractures between 94 to end of hole.

117.40m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761851	DC06-15	40.65	42.00	1.35	Altered felsic volcanics fine pyrite	0.4	1355	16	20	0.043
B761852	DC06-15	42.00	43.00	1.00	Altered felsic volcanics fine pyrite	0.4	864	26	18	0.041
B761853	DC06-15	43.00	44.00	1.00	Felsic volcanics fine pyrite	<0.2	365	64	12	0.018
B761854	DC06-15	44.00	45.00	1.00	Altered felsic volcanics fine pyrite	0.2	292	25	9	0.029
B761855	DC06-15	49.00	50.00	1.00	Altered felsic volcanics fine pyrite	0.7	1775	31	24	0.074
B761856	DC06-15	50.00	51.00	1.00	Altered felsic volcanics fine pyrite	<0.2	301	18	11	0.021
B761857	DC06-15	53.00	54.00	1.00	Altered felsic volcanics fine pyrite	<0.2	444	52	23	0.029
B761858	DC06-15	56.00	57.00	1.00	Altered felsic volcanics fine pyrite	0.3	336	59	21	0.018
B761859	DC06-15	57.00	58.00	1.00	Altered felsic volcanics fine pyrite	0.3	430	26	21	0.017
B761860	DC06-15	58.00	59.00	1.00	Altered felsic volcanics fine pyrite	0.5	1195	17	30	0.045
B761861	DC06-15	59.00	60.00	1.00	Altered felsic volcanics fine pyrite	0.5	1340	106	15	0.028
B761862	DC06-15	60.00	61.00	1.00	Altered felsic volcanics fine pyrite	0.4	1330	24	25	0.042
B761863	DC06-15	61.00	62.00	1.00	Altered felsic volcanics fine pyrite	1.9	2950	347	29	0.089
B761864	DC06-15	62.00	63.00	1.00	Altered felsic volcanics fine pyrite	0.2	337	6	15	0.021
B761865	DC06-15	63.00	64.00	1.00	Altered felsic volcanics fine pyrite	0.2	530	93	28	0.169
B761866	DC06-15	64.00	65.00	1.00	Altered felsic volcanics fine pyrite	<0.2	180	16	11	0.063
B761867	DC06-15	65.00	66.00	1.00	Altered felsic volcanics fine pyrite	<0.2	109	34	13	0.113
B761868	DC06-15	66.00	67.00	1.00	Altered felsic volcanics fine pyrite	<0.2	80	13	20	0.068
B761869	DC06-15	67.00	68.00	1.00	Altered felsic volcanics fine pyrite	<0.2	123	4	32	0.218
B761870	DC06-15	68.00	69.00	1.00	Fe-Formation	<0.2	125	104	34	0.116
B761871	DC06-15	69.00	70.00	1.00	Fe-Formation	<0.2	105	32	26	0.028
B761872	DC06-15	70.00	71.00	1.00	Fe-Formation	<0.2	74	11	25	0.02
B761873	DC06-15	71.00	72.00	1.00	Fe-Formation	<0.2	327	8	28	0.04
B761874	DC06-15	72.00	73.00	1.00	Fe-Formation	0.2	333	8	49	0.518
B761875	DC06-15	73.00	74.00	1.00	Fe-Formation	0.3	231	1	40	0.075
B761876	DC06-15	74.00	75.00	1.00	Felsic volcanics	0.2	367	36	30	0.042
B761877	DC06-15	75.00	76.00	1.00	Felsic volcanics	<0.2	301	24	27	0.024
B761878	DC06-15	76.00	77.00	1.00	Felsic volcanics	0.3	507	52	24	0.018
B761879	DC06-15	77.00	78.00	1.00	Felsic volcanics	<0.2	290	41	21	0.011
B761880	DC06-15	78.00	79.00	1.00	Felsic volcanics	0.3	708	122	16	0.028
B761881	DC06-15	79.00	80.00	1.00	Felsic volcanics	<0.2	70	28	6	<0.005

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761882	DC06-15	94.00	95.00	1.00	Altered felsic volcanics with molybdenite in veins	<0.2	13	66	2	<0.005
B761883	DC06-15	95.00	96.00	1.00	Altered felsic volcanics with molybdenite in veins	<0.2	57	81	2	<0.005
B761884	DC06-15	96.00	97.00	1.00	Altered felsic volcanics with molybdenite in veins	0.3	81	18	2	<0.005
B761885	DC06-15	97.00	98.00	1.00	Altered felsic volcanics with molybdenite in veins	<0.2	75	176	3	<0.005
B761886	DC06-15	110.00	111.00	1.00	Altered felsic volcanics with molybdenite in veins	0.2	278	190	5	0.008
B761887	DC06-15	111.00	112.00	1.00	Altered felsic volcanics with molybdenite in veins	0.2	280	31	3	<0.005
B761888	DC06-15	112.00	113.00	1.00	Altered felsic volcanics with molybdenite in veins	0.2	394	120	5	0.009
B761889	DC06-15	113.00	114.00	1.00	Altered felsic volcanics with molybdenite in veins	0.2	247	249	4	0.01
B761890	DC06-15	114.00	115.00	1.00	Pink felsic volcanic, molybdenite on fractures	0.4	1115	136	6	0.024
B761892	DC06-15	115.00	116.00	1.00	Pink felsic volcanic, molybdenite on fractures	0.2	471	216	2	0.015
B761893	DC06-15	116.00	117.00	1.00	Pink felsic volcanic, molybdenite on fractures	<0.2	317	40	<2	0.008
B761894	DC06-15	117.00	117.40	0.40	Pink felsic volcanic, molybdenite on fractures	0.3	943	51	3	0.022

NNW

Drill hole: DC06-15, -45° (dip), 160° (az), 117.42m total depth

SSE

Casing
Tuffaceous
Metasediments



Feldspar Porphyry

Altered Felsic Volcanics

Iron Formation

Felsic Volcanics

10 m



East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-16

UTM Zone 15V (NAD 83)

mE: 666495

Drilled by: Falcon Drilling

mN: 5373922

Page 1 of 3

Started: Feb. 26/06

Finished: Feb. 27/06

Grid: 41+75E

5+25S

DDH direction: az: 160°

plunge: - 45 °

Logged by: G. Heggie

On: March 22, 25/06

Hole length: 93.0m


Signed:

Casing length: 15.3m

Casing: Casing left

Claim Number: 3017845

Other:



Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 761901 through 761918.

Results:

Anomalous copper (100-1500ppm) and molybdenum (<20-160ppm) values occur in the sporadic sampling.

0.00 – 15.30m	<p>CASING</p>
15.30 – 19.10m	<p>PORPHYRITIC FELSIC VOLCANICS Mottled appearance grey/pink in colour, appears medium grained (~2-3mm). Uniform equigranular texture with coarser quartz phenocrysts. Unit has weak foliation. Appears massive but badly broken.</p> <p>Alteration: Epidote occurs replacing feldspar phenocrysts, along fractures and in veins. Minor veining throughout unit.</p> <p>Mineralization: Pyrite occurs along fractures and alteration veins.</p>
19.10 – 24.90m	<p>FELSIC VOLCANICS Uniform pink/grey in colour, fine grained texture, appears homogenous in composition. Weak foliation throughout unit. Extensive fractures crosscut unit.</p> <p>Alteration: Hematite occurs along fracture surfaces. Epidote occurs along fractures throughout unit, variable magnetite in veins.</p> <p>Mineralization: Pyrite appears restricted to fractures and veins.</p>
24.90 – 93.00m	<p>PORPHYRITIC FELSIC VOLCANICS As pervious: sections appear to be fragmental in nature, variable from coarse fragmentals to tuffaceous sections. Magnetite bands (possible iron formation) occur at 32.8m (~20cm wide) and 33.15m (~5cm wide) at 55 ° CA. Foliation appears variable and low angle to core axis.</p> <p>40.5 to 43.5m intermediate to mafic intrusive. Medium grained with feldspar rich phases and finer biotite and amphibole rich core. Sharp contacts at top and bottom of unit.</p> <p>71.0 to 74.5m magnetite breccia: felsic volcanic fragments (~1-3cm) surrounded by a matrix of magnetite</p> <p>88.0 ~30cm wide fault zone with fault breccia.</p>

Alteration: Epidote occurs throughout unit, commonly in veins and patches. Grey patchy alteration mineral increases in abundance down hole (chlorite/carbonate) Magnetite begins to appear as an alteration feature below 82m with irregular shaped zones of magnetite occurring.

Mineralization: Pyrite occurs throughout unit.

93.00m


END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761901	DC06-16	23.00	24.00	1.00	Felsic volcanic fine pyrite	0.2	446	13	2	0.019
B761902	DC06-16	24.00	25.00	1.00	Felsic volcanic fine pyrite	0.3	554	161	3	0.069
B761903	DC06-16	25.00	26.00	1.00	Porphyritic felsic volcanic fine pyrite	0.3	1415	46	12	0.047
B761904	DC06-16	32.60	33.40	0.80	Porphyritic felsic volcanics with magnetite bands	<0.2	848	85	24	0.061
B761905	DC06-16	39.00	40.00	1.00	Porphyritic felsic volcanic fine pyrite	<0.2	327	10	16	0.069
B761906	DC06-16	40.00	40.50	0.50	Porphyritic felsic volcanic fine pyrite	<0.2	122	10	19	0.005
B761907	DC06-16	47.20			Porphyritic felsic volcanics					
B761908	DC06-16	70.00	71.00	1.00	Felsic volcanics	<0.2	223	114	9	0.009
B761909	DC06-16	71.00	72.00	1.00	Magnetite breccia	0.2	460	16	11	0.016
B761910	DC06-16	72.00	73.00	1.00	Magnetite breccia	0.2	342	4	15	0.008
B761911	DC06-16	73.00	74.00	1.00	Magnetite breccia	0.2	419	17	10	0.025
B761912	DC06-16	74.00	75.00	1.00	Felsic volcanics	<0.2	126	15	6	0.012
B761913	DC06-16	82.50	83.10	0.60	felsic volcanics with magnetite alteration	0.2	527	129	16	0.02
B761914	DC06-16	85.00	86.00	1.00	felsic volcanics with magnetite alteration	0.2	678	30	12	0.016
B761915	DC06-16	86.00	87.00	1.00	felsic volcanics with magnetite alteration	<0.2	782	13	18	0.026
B761916	DC06-16	88.00	89.00	1.00	Fault zone	<0.2	491	29	9	0.009
B761918	DC06-16	90.40			Felsic volcanics					

NNW

Drill hole: DC06-16, -45° (dip), 160° (az), 93.00 m total depth

SSE



East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-17

UTM Zone 15V (NAD 83)

mE: 667415

Drilled by: Falcon Drilling

mN: 5373222

Page 1 of 4
Started: March 20/06
Finished: March 24/06

Grid:

DDH direction: az: 160°

plunge: - 45 °


Logged by: G. Heggie

On: April 12/06

Hole length: 154.5m

Signed:

Casing length: 3.00m



Casing: Casing left

Claim Number: 4203461

Other:

Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 761919 through 761946.

Results:

Anomalous copper (100-600ppm; one sample 3610ppm over 0.5m) values occur. Anomalous (20-200ppm) values occur within the drill hole with the highest values located within the graphite units, some of the anomalous copper values correspond with the graphite layers also.

0.00 – 3.00m	<p>CASING</p>
3.00 – 83.75m	<p>METASEDIMENTS Light grey/green in colour. Generally fine grained, appears homogenous in composition. Very uniform equigranular texture. Narrow intervals exhibit fragmental texture other wise massive in appearance. Moderate to weak foliation at 45-50 ° CA. Abundant biotite and dark amphibole throughout unit (commonly acicular). Garnet occurs as small crystals between 28 to 31m with the core being slightly darker green over the interval. Additional garnet rich zones occur between 39-40m and 41.0 to 41.5m.</p> <p>51.0 to 51.5m narrow mafic dyke crosscuts, chilled margins at top and bottom 66.66 to 66.90m feldspar porphyry dyke 68.0 to 68.5m coarse fragmental in appearance Possible bedding at 80m at 60 ° CA.</p> <p>Alteration: Minor quartz carbonate veining crosscuts unit.</p> <p>Mineralization: Fine disseminated pyrite occurs periodically. Sulphide zone occurs at 44.70 to 45.20m as sulphide stringers (pyrite and pyrrhotite).</p>
83.75 – 92.00m	<p>GABBRO Medium grey in colour, fine to medium grained with medium grained phenocrysts (~2-3mm) of feldspar and pyroxene?. Overall uniform equigranular texture. With moderate foliation. Appears homogenous in composition. Appears to contain xenoliths of metasediments</p> <p>Alteration: Minor veining cross cuts unit. Moderate foliation.</p> <p>Mineralization: None visible</p>
92.00 – 100.35m	<p>METASEDIMENTS Light grey/green in colour, fine grained but variable in composition from graphite, sulfide, chert, and dominated by fine grained mudstones. Core angles are variable and appear to rotate around the core.</p>

Alteration: Minor veining crosscuts unit.

Mineralization: Pyrite and pyrrhotite occurs as narrow stringers and lenses associated with chert and graphite.

100.35 – 128.95m

FELDSPAR PORPHYRY

Light grey with coarse white phenocryst of feldspar (oligoclase?). Uniform porphyritic texture with abundant subhedral feldspar phenocrysts, ranging in size from 2mm to 2cm. Moderate foliation throughout unit with alignment of phenocrysts. Unit contains xenoliths (small xenolith at 102m ~10cm) with a much larger wall rock fragment occurring from 116 to 119m dominated by garnetiferous metasediments and minor pyrite and pyrrhotite. Diffuse contacts at top and bottom of xenolith.

Alteration: Feldspars appear off white in colour (green/yellow) garnet appears to occur in some sections of the porphyry (small crystals <3mm) in proximity to xenolith. Minor veining crosscuts unit.

Mineralization: None visible

128.95 – 154.5m

GABBRO

Medium to dark grey in colour. Appears medium grained with a uniform equigranular texture of feldspar and amphibole (pyroxene?). Unit appears to be related to the above porphyry. Variable shearing from weak to strong. Minor veining crosscuts unit. Increase in feldspar phenocrysts down hole.

Alteration: Brown/red alteration mineral occurs as fine matrix (biotite/garnet?) probably biotite.

Mineralization: None visible

154.5m


END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Pb ppm	S%	Zn ppm	Au ppm
B761919	DC06-17	14.00			Metasediments							
B761920	DC06-17	28.00	29.00	1.00	Metasediments with garnet and pyrite	<0.2	81	<1	<2	0.07	25	<0.005
B761921	DC06-17	29.00	30.00	1.00	Metasediments with garnet and pyrite	<0.2	142	<1	<2	0.33	37	0.005
B761922	DC06-17	30.00	31.00	1.00	Metasediments with garnet and pyrite	<0.2	109	<1	<2	0.32	40	0.006
B761923	DC06-17	32.90			Metasediments							
B761924	DC06-17	39.00	40.00	1.00	Metasediments with garnet and pyrite	<0.2	192	<1	2	0.46	19	<0.005
B761925	DC06-17	40.00	41.00	1.00	Metasediments with garnet and pyrite	<0.2	106	<1	<2	0.07	36	<0.005
B761926	DC06-17	41.00	42.00	1.00	Metasediments with garnet and pyrite	<0.2	211	<1	<2	0.26	53	<0.005
B761927	DC06-17	44.00	44.70	0.70	Metasediments	<0.2	116	<1	<2	0.11	8	<0.005
B761928	DC06-17	44.70	45.20	0.50	Sulphide zone pyrrhotite and pyrite	1.8	3610	1	8	6.48	42	0.006
B761929	DC06-17	45.20	46.00	0.80	Metasediments	<0.2	115	<1	<2	0.46	64	<0.005
B761930	DC06-17	92.00	93.00	1.00	Metasediments	<0.2	53	<1	3	0.56	65	<0.005
B761931	DC06-17	93.00	93.35	0.35	graphite and pyrite	0.7	658	6	7	8.51	160	0.022
B761932	DC06-17	93.35	94.35	1.00	Metasediments	0.2	61	<1	4	0.97	95	<0.005
B761933	DC06-17	94.35	95.30	0.95	Chert with pyrite and graphite	0.3	237	4	3	4.33	138	0.042
B761934	DC06-17	95.30	96.40	1.10	Metasediments	0.2	48	<1	<2	0.27	31	<0.005
B761935	DC06-17	96.40	97.15	0.75	graphite and pyrite	0.9	332	2	8	4.2	168	0.006
B761936	DC06-17	97.15	98.00	0.85	metasediments	0.3	128	1	7	1.12	55	<0.005
B761937	DC06-17	98.00	99.25	1.25	Metasediments	0.2	56	<1	<2	0.36	20	<0.005
B761938	DC06-17	99.25	99.65	0.40	graphite	0.5	436	3	6	4.59	202	<0.005
B761939	DC06-17	99.65	100.35	0.70	Metasediments	<0.2	106	<1	3	0.71	49	<0.005
B761940	DC06-17	100.35	101.00	0.65	Porphyry	<0.2	124	<1	<2	0.52	40	<0.005
B761941	DC06-17	115.00	115.90	0.90	Porphyry	<0.2	47	<1	4	0.12	30	<0.005
B761942	DC06-17	115.90	116.70	0.80	Altered Porphyry	<0.2	123	3	4	1.78	37	<0.005
B761943	DC06-17	116.70	117.70	1.00	garnet metasediments	<0.2	40	<1	4	0.18	47	<0.005
B761944	DC06-17	117.70	118.70	1.00	garnet metasediments	0.2	232	<1	3	2.12	45	<0.005
B761945	DC06-17	118.70	119.12	0.42	Metasediments	<0.2	101	<1	3	0.15	44	<0.005
B761946	DC06-17	119.12	120.00	0.88	Porphyry	<0.2	72	<1	<2	0.06	18	<0.005

NNW

Drill hole: DC06-17, -45° (dip), 160° (az), 154.5 m total depth

SSE



East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-18

UTM Zone 15V (NAD 83)

mE: 667536

Drilled by: Falcon Drilling

mN: 5373395

Page 1 of 3
Started: March 25/06
Finished: March 28/06

Grid:

DDH direction: az: 340°

plunge: - 45 °

Logged by: L. Rajnovich

Hole length: 128.0m


Signed:

Casing length: 3.5m

Casing: Casing left

Claim Number: 4203461

Other:



Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

None.

DC-06-18 Log

0.00m to 3.50m

CASING (OVERBURDEN)

3.50m to 4.71m

MAFIC VOLCANICS

This unit is fine grained, dark blue grey in colour, and contains veinlets of pyrite that are parallel to shearing at 50° to CA. There are rusty fractures and local quartz veinlets and feldspar veins occur, ½ cm, 50° to CA.

4.71m to 85.98m

METASEDIMENTS

This unit is very siliceous. It is hard to tell whether the sediments were siliceous when they were deposited or if the sediments have been silicified. Local 1m areas are banded (1/2 cm widths) and exhibit white and brown colours. This unit is also very fine grained, and contains pyrite along most fracture planes. This unit is moderately fractured and is sheared 50° to CA. Top directions could not be determined due to poor sorting. Local units in sediments are fine to medium grained as opposed to very fine grained everywhere else. Minor quartz veinlets occur 2%, and local bleaching occurs randomly to 10-15cm sections down the hole, 3%.

10.25m to 10.60m: porphyry dyke, medium grained, no sulphides.

14.77m to 15.13m: mafic, chloritized unit with carbonate/feldspar veinlets.

15.26m to 16.75m: Uniform, dark grey black layer, pyrite along fracture planes.

28.15m to 28.26m: Biotite-rich area.

28.26m to 28.33m: Quartz vein, 40° to CA, no sulphides.

28.55m to 28.85m: metasediments are mixed with quartz veining, irregular orientation, carbonate present, very light grey sediments, very siliceous.

43.08m: 2 cm quartz vein, 40° to CA, no sulphides.

50.41m: 1 cm quartz vein, 60° to CA, no sulphides.

55.05m: quartz pod, no sulphides.

55.08m: 2-3cm quartz vein, no sulphides.

59.07m: 3-4cm quartz vein, no sulphides.

85.98m to 110.81m

CHLORITIZED METASEDIMENTS

This unit is fine grained, dark green blue in colour, and sheared 50° to CA. Local bleached veinlets, 2-4%, pyrite along fracture planes, 5%, and some local mottled areas occur with light green and dark blue green colour mixed. Also, local 5-7cm bleached areas occur ~ 107m to 107.5m.

110.81m to 117.75m

GABBRO

This unit is fine to medium grained, massive, and contains some sulphides.

113.72m to 115.20m: more medium grained here and bleached feldspar.

117.75m to 128.00m

MAFIC VOLCANICS

This unit is very fine grained, chloritized, and blue green in colour. Several bleached veinlets occur, 10%, at 60° to CA. 2-3% pyrite/chalcopyrite is observed at 126.95m in a small quartz vein, 50° to CA. Local quartz veinlets also occur. This unit is sheared 50° to CA.


128.00m

END OF HOLE

Drill Hole DC06-18, -45°(dip) 340°(az), 128m

S

N



East West Resource Corp. &
Mega Uranium Ltd.

Deaty Creek Property

DC06-18 Section

30m



July 14/06

East West Resource Corp. & Mega Uranium., Deaty Property.

Log of DDH: DC06-19

UTM Zone 15V (NAD 83)

mE: 667727

mN: 5374467

Drilled by: Falcon Drilling

Page 1 of 8

Started: March 28/06

Finished: March 29/06

DDH direction: az: 160°

plunge: - 45 °

Hole length: 82.0m

Casing length: 5.2m


Casing: Casing left

Claim Number: 1249600

Other:

Logged by: G. Heggie

Signed:



On: March 30/06

Core: all BQ thin wall trays stored at East West Resource Corp. Field Office

Samples:

Geochemical samples 761951 through 762035.

Results:

Anomalous copper (100-600ppm; sporadic samples with 1000-6800ppm) values occur. Anomalous molybdenum (20-300ppm; two occurrences of 514 and 528ppm over 1.0m and 0.3m respectively) values occur within the drill hole. There are elevated zinc values (10-50ppm) through the drill hole. In addition sporadic anomalous gold values occur through the hole, the highest value is 2.2ppm located over 0.8m at the top of the hole (5.2m) with the two metres below having 0.60ppm and 0.29ppm. Anomalous gold values continuing to 23 metres.

- 0.00 – 5.2m **CASING**
- 5.20 – 12.00m **FELSIC VOLCANICS**
 Light pink to grey in colour, generally fine grained and uniform in texture. Appears to be massive with moderate foliation at 60 ° CA. Uniform homogenous composition. Interval from 8.7m to 9.8m appears to be more tuffaceous in nature finer grained dark green. Bottom contact appears gradational with increase in silicification and bleaching.
- Alteration:** Strong pink colouration throughout unit, minor veining crosscuts unit. Rare narrow veins occur containing drussy quartz carbonate and chalcopyrite.
- Mineralization:** Fine disseminated pyrite occurs throughout unit. Molybdenite occurs on slip planes at 9.2m.
- 12.00 – 23.15m **SILICIFIED FELSIC VOLCANICS to SILICEOUS METASEDIMENTS**
 Light grey to white in colour, fine grained, variable in texture from massive sections to intervals appearing fragmental in nature, to quartz phenocrysts, to magnetite layers and tuffaceous metasediments. Unit is variable in texture but extensively silicified and bleached (unit appears cherty in some sections). Magnetite bands occur at 18.0 to 18.5m with narrow intervals throughout of disseminated magnetite. Magnetite occurs at bottom contact of unit.
 Possible bedding at 16.0m at 60 ° CA.
- Alteration:** Extensive silicification, minor veining.
- Mineralization:** Fine disseminated pyrite occurs throughout with some pyrite occurring in narrow veins/fractures.
- 23.15 – 34.60m **MAFIC VOLCANIC: MAFIC INTRUSIVE**
 Medium green in colour, appears fine grained (~2mm) and equigranular with a uniform homogenous composition. Contact at top is sharp but sheared. Bottom contact is also sharp with unit underneath exhibiting extensive shearing. Moderate veining throughout unit. (appears to be carbonate).

Alteration: Carbonate veining crosscuts unit. Variable shearing (none to moderate in sections).

Mineralization: Pyrite occurs throughout unit, trace chalcopyrite occurs in carbonate vein at 27.5m.

34.60 – 35.90m

TUFFACEOUS VOLCANIC

Dark green to black in colour, fine grained, uniform strong foliation at ~70 ° CA. Abundant fine carbonate lenses occur throughout unit with ~2cm wide carbonate vine occurring at 35.5m with pyrite and chalcopyrite in it.

Alteration: Strong shearing and carbonate veinlets

Mineralization: Possibly same unit which contained elevated gold in drill hole DC06-04. Fine disseminated pyrite throughout.

35.90 – 52.10m

FELSIC VOLCANIC

Appears similar to unit at top of the drill hole, pink grey in colour, fine to medium grained, variable textures from homogenous to patchy fragmentals to cherty in narrow sections.

Tuffaceous units occur at 36.7 to 38.0m, 38.8 to 39.30m, 39.5 to 40.1m, 41.5 to 42.0m and 49.0m to 50.8m appear dark green/grey in colour, with fine fragments, moderate foliation at 60 ° CA, with units exhibiting sharp contacts at top and bottom (magnetite band occurs at 48.9m). Possible bedding at 52m at 60 ° CA.

Alteration: Moderate foliation throughout tuffaceous sections, strong pink colouration throughout unit, variable silicification. Bottom of unit is possibly contact metamorphosed. Carbonate veining occurs in tuffaceous sections.

Mineralization: Fine disseminated pyrite occurs in tuffaceous sections. Molybdenite occurs along slip planes.

52.10 – 54.65m

ULTRAMAFIC

Dark green in colour, generally fine grained to medium (1-2mm) appears equigranular in texture, homogenous in composition. Unit exhibits extensive alteration and veining (actinolite/tremolite). Sharp contacts (intrusive) at top and bottom of unit (possible metamorphic haloes above and below).

Alteration: Extensive alteration to chlorite, actinolite, tremolite, calcite veining and moderate shearing.

Mineralization: Thin networked chalcopyrite vein occurs near top contact, no other visible sulfide.

54.65 – 73.25m

FELSIC VOLCANICS

As pervious:

Tuffaceous units occur at 54.9 o 56.9m, 58.8 to 61.3m.

Strong banded appearance in felsics below 66.0m at 60 ° CA. Texture varies from massive to fragmental in appearance. Unit becomes white and very siliceous below 69.5m.

Alteration: Brecciation of core in some sections, moderate veining crosscuts unit.

Mineralization: Disseminated pyrite occurs in tuffaceous sections. Minor pyrite along fractures. Chalcopyrite occurs along fractures at 72.9m and at bottom contact.

73.25 – 73.70m

TUFFACEOUS MAFIC VOLCANIC

Dark green/burgundy in colour, appears fine to medium grained, moderate to strong shearing at 50 ° CA. Appears fragmental overall. Magnetite occurs disseminated through the unit.

Alteration: Moderate to strong shearing, abundant quartz carbonate veining.

Mineralization: Fine disseminated pyrite and chalcopyrite occur throughout unit and in elevated abundance in narrow veins.

73.70 – 80.55m

ULTRAMAFIC

Appears similar to pervious ultramafic.

Alteration: Carbonate and quartz veining crosscuts unit. Variable shearing.

Mineralization: Minor pyrite in veins.

80.55 – 82.00m

FELSIC VOLCANICS

Light pink to burgundy in colour, fine grained, appears uniform in texture, homogenous composition

Alteration: Minor veining.**Mineralization:** Trace pyrite.

82.00m

END OF HOLE

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B762010	DC06-19	5.20	6.00	0.80		0.4	264	36	22	2.23
B762011	DC06-19	6.00	7.00	1.00		<0.2	186	215	16	0.6
B762012	DC06-19	7.00	8.00	1.00		0.2	143	102	19	0.29
B761951	DC06-19	8.00	9.00	1.00	Felsic volcanics	0.5	255	222	19	0.181
B761952	DC06-19	9.00	10.00	1.00	Felsic volcanics molybdenite on slip plane	0.8	240	264	22	0.15
B761953	DC06-19	10.00	11.00	1.00	Felsic Volcanics	0.2	250	62	23	0.071
B761954	DC06-19	11.00	12.00	1.00	Felsic Volcanics	0.5	310	56	38	0.63
B761955	DC06-19	12.00	13.00	1.00	Felsic Volcanics	<0.2	76	22	30	0.022
B761956	DC06-19	13.00	14.00	1.00	increasing silicification of felsic volcanic	0.4	240	30	10	0.081
B761957	DC06-19	14.00	15.00	1.00	Silicified felsic volcanic with carbonate vein and chalcopyrite	0.8	346	103	13	0.114
B761958	DC06-19	15.00	16.00	1.00	Silicified felsic volcanic	0.4	366	22	16	0.077
B761959	DC06-19	16.00	17.00	1.00	Silicified felsic volcanic	0.8	706	46	43	0.139
B761960	DC06-19	17.00	18.00	1.00	Silicified felsic volcanic	0.4	371	32	25	0.062
B761961	DC06-19	18.00	18.50	0.50	Silicified felsic volcanic magnetite band	0.2	777	96	16	0.12
B761962	DC06-19	18.50	19.00	0.50	Silicified felsic volcanic	0.2	122	29	3	0.032
B761963	DC06-19	19.00	20.00	1.00	Silicified felsic volcanic	0.3	153	45	7	0.03
B761964	DC06-19	20.00	21.00	1.00	Silicified felsic volcanic	0.2	103	18	3	0.046
B761965	DC06-19	21.00	22.00	1.00	Silicified felsic volcanic	<0.2	83	28	5	0.038
B761966	DC06-19	22.00	22.65	0.65	Silicified felsic volcanic	<0.2	68	19	3	0.017
B761967	DC06-19	22.65	23.15	0.50	Silicified felsic volcanic magnetite band with sulfide	0.4	721	143	11	0.207
B761968	DC06-19	23.15	24.00	0.85	Mafic Volcanic	0.2	541	22	40	0.087


Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761969	DC06-19	24.00	25.00	1.00	Mafic Volcanic	<0.2	353	24	25	0.018
B762013	DC06-19	25.60	25.75	0.15	mafic, possible diorite					0.011
B761970	DC06-19	27.25	27.50	0.25	Mafic volcanic with carbonate vein with chalcopyrite and pyrite	<0.2	248	1	15	0.014
B762014	DC06-19	30.00	31.00	1.00		<0.2	221	7	20	0.02
B762015	DC06-19	31.00	32.00	1.00		0.4	477	1	19	0.05
B762016	DC06-19	32.00	33.00	1.00		0.3	478	9	26	0.056
B762017	DC06-19	33.00	34.00	1.00		0.4	515	3	30	0.061
B761971	DC06-19	34.00	34.60	0.60	Mafic volcanic with carbonate vein with chalcopyrite and pyrite	0.3	176	8	32	0.088
B761972	DC06-19	34.60	35.00	0.40	Sheared tuff	0.5	516	14	50	0.176
B761973	DC06-19	35.00	35.40	0.40	Sheared tuff	0.2	225	14	42	0.059
B761974	DC06-19	35.40	35.50	0.10	3 cm wide carbonate vein with chalcopyrite and pyrite	0.4	2370	3	36	0.057
B761975	DC06-19	35.50	35.80	0.30	Sheared tuff	<0.2	238	27	55	0.019
B761976	DC06-19	35.80	37.00	1.20	Felsic volcanic	0.8	690	64	35	0.171
B761977	DC06-19	37.00	38.05	1.05	tuffaceous unit	0.3	427	6	41	0.119
B761978	DC06-19	38.05	38.65	0.60	Felsic volcanic	0.3	384	6	14	0.043
B761979	DC06-19	38.65	39.30	0.65	tuffaceous unit	<0.2	163	4	44	0.024
B761980	DC06-19	39.30	39.65	0.35	Felsic volcanic pyrite bleb	0.2	262	7	16	0.027
B762018	DC06-19	39.65	40.15	0.50		<0.2	153	4	32	0.013
B762019	DC06-19	40.15	40.90	0.75		0.2	485	4	19	0.056
B762020	DC06-19	40.90	42.05	1.15		0.5	302	16	47	0.058
B762035	DC06-19	42.05	42.50	0.45		<0.2	21	7	12	<0.005
B762021	DC06-19	42.50	43.00	0.50		0.4	507	67	37	0.061
B762022	DC06-19	43.00	44.00	1.00		0.3	30	40	7	0.014
B762023	DC06-19	44.00	45.00	1.00		0.2	22	5	8	0.01
B762024	DC06-19	45.00	46.00	1.00		<0.2	33	28	9	0.021
B762025	DC06-19	46.00	47.00	1.00		<0.2	21	5	6	0.014
B762026	DC06-19	47.00	48.00	1.00		0.2	36	18	6	0.017
B761981	DC06-19	48.00	49.00	1.00	Felsic volcanic magnetite band at bottom	0.5	273	272	16	0.051
B761982	DC06-19	49.00	50.00	1.00	tuffaceous unit	0.9	1980	55	43	0.141
B761983	DC06-19	50.00	50.80	0.80	tuffaceous unit	0.3	470	9	41	0.045
B761984	DC06-19	50.80	52.10	1.30	Felsic volcanics	0.7	963	42	21	0.107

Ticket	Hole	From (m)	To (m)	Interval	Description	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Au ppm
B761985	DC06-19	52.10	52.35	0.25	Ultramafic with chalcopyrite	1.3	3000	21	35	0.371
B761986	DC06-19	52.35	53.00	0.65	Ultramafic	<0.2	71	4	45	0.015
B761987	DC06-19	53.00	54.00	1.00	Ultramafic	<0.2	378	41	49	0.024
B761988	DC06-19	54.00	54.65	0.65	Ultramafic	<0.2	438	2	31	0.041
B761989	DC06-19	54.65	54.95	0.30	Felsic volcanic	<0.2	59	8	12	0.008
B761990	DC06-19	54.95	56.00	1.05	tuffaceous unit	0.6	401	19	41	0.041
B761992	DC06-19	56.00	56.85	0.85	tuffaceous unit	0.6	386	13	34	0.036
B761993	DC06-19	56.85	58.00	1.15	Felsic volcanic	0.5	433	149	20	0.053
B761994	DC06-19	58.00	58.75	0.75	Felsic volcanic	0.2	212	7	19	0.021
B761995	DC06-19	58.75	60.00	1.25	tuffaceous unit	<0.2	569	25	25	0.026
B762027	DC06-19	60.00	61.25	1.25		0.5	1060	37	31	0.06
B761996	DC06-19	61.25	62.00	0.75	Felsic volcanic	<0.2	114	86	6	0.014
B762028	DC06-19	62.00	63.00	1.00		0.2	152	55	8	0.026
B762029	DC06-19	63.00	64.00	1.00		0.4	437	514	10	0.07
B762030	DC06-19	64.00	65.00	1.00		<0.2	64	50	4	0.019
B762031	DC06-19	65.00	66.00	1.00		<0.2	125	24	8	0.015
B761997	DC06-19	66.00	67.00	1.00	Felsic volcanic	0.5	394	34	13	0.027
B761998	DC06-19	67.00	68.00	1.00	Felsic volcanic	0.3	571	21	13	0.026
B762032	DC06-19	68.00	69.00	1.00		0.2	154	71	8	0.03
B762033	DC06-19	69.00	70.00	1.00		<0.2	31	33	5	0.01
B761999	DC06-19	70.00	71.00	1.00	Felsic volcanic	<0.2	101	26	4	0.009
B762000	DC06-19	71.00	72.00	1.00	Felsic volcanic	0.2	142	80	6	0.021
B762001	DC06-19	72.00	72.50	0.50	Felsic volcanic	<0.2	165	63	5	0.024
B762002	DC06-19	72.50	73.25	0.75	Felsic volcanic with chalcopyrite	1.4	6850	193	10	0.439
B762003	DC06-19	73.25	73.70	0.45	Tuffaceous mafic volcanic	1.9	6250	107	46	0.393
B762004	DC06-19	73.70	74.70	1.00	Ultramafic	0.2	778	18	24	0.047
B762005	DC06-19	74.70	75.00	0.30	Ultramafic with quartz veining	0.4	443	528	23	0.041
B762034	DC06-19	76.00	76.30	0.30		<0.2	224	2	21	
B762006	DC06-19	78.25	79.25	1.00	Ultramafic	0.3	177	49	28	0.021
B762007	DC06-19	79.25	79.25	0.00	quartz veining in ultramafic	2	3630	97	21	0.329
B762008	DC06-19	79.75	80.55	0.80	Ultramafic	0.6	615	49	25	0.036
B762009	DC06-19	80.55	81.55	1.00	Felsic volcanic	<0.2	334	60	12	0.012

NNW

Drill hole: DC06-19, -45° (dip), 160° (az), 82.00m total depth

SSE



Appendix II
Assay Certificates



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 30-JAN-2006
Account: NMZ

CERTIFICATE TB06005044

Project: DC06-01
P.O. No.:
This report is for 99 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 20-JAN-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EAST WEST RESOURCES
ATTN: BOB MIDDLETON
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
B753601		0.82	<0.2	1.20	<2	<10	40	<0.5	<2	0.60	<0.5	13	20	55	2.24	<10
B753602		0.27														
B753603		1.75	<0.2	1.24	3	<10	60	<0.5	<2	1.82	<0.5	9	19	64	2.13	<10
B753604		1.52	0.2	2.78	3	<10	100	<0.5	<2	0.91	<0.5	37	73	58	4.97	10
B753605		1.94	0.4	2.65	4	<10	110	<0.5	11	1.30	<0.5	28	71	90	5.43	10
B753606		1.51	0.2	2.90	<2	<10	130	0.5	3	1.60	<0.5	25	67	87	5.53	10
B753607		1.76	<0.2	3.32	2	<10	150	0.6	<2	1.06	<0.5	9	93	45	5.20	10
B753608		1.85	0.3	2.57	<2	<10	100	0.5	<2	2.66	<0.5	16	67	86	4.35	10
B753609		1.66	0.4	2.64	3	<10	70	0.5	<2	2.43	<0.5	30	67	166	5.38	10
B753610		1.66	0.4	1.22	<2	<10	70	<0.5	<2	1.92	<0.5	25	22	207	3.06	<10
B753611		1.54	0.4	1.84	<2	<10	60	<0.5	<2	0.92	<0.5	21	42	141	3.49	10
B753612		1.56	<0.2	2.09	<2	<10	70	<0.5	<2	0.73	<0.5	18	41	69	3.10	10
B753613		1.75	<0.2	2.10	<2	<10	70	<0.5	<2	1.44	<0.5	14	49	32	2.65	10
B753614		1.72	<0.2	1.63	<2	<10	50	<0.5	<2	0.65	<0.5	24	25	83	2.64	10
B753615		1.96	0.3	1.56	<2	<10	50	<0.5	<2	0.89	<0.5	20	36	86	2.63	10
B753616		1.54	<0.2	1.82	2	<10	40	<0.5	<2	0.86	<0.5	18	38	101	3.16	10
B753617		1.91	0.3	2.05	<2	<10	20	<0.5	<2	0.83	<0.5	19	51	96	3.49	10
B753618		1.74	0.2	1.54	<2	<10	20	<0.5	<2	0.83	<0.5	18	48	153	3.20	10
B753619		0.20														
B753620		1.96	0.5	2.78	12	<10	50	0.7	<2	0.20	<0.5	23	11	224	14.7	10
B753621		2.37	0.2	2.50	6	<10	50	0.8	<2	0.25	<0.5	3	<1	126	10.75	10
B753622		1.82	0.2	2.67	8	<10	30	0.6	<2	0.25	<0.5	9	10	69	13.20	10
B753623		1.62	0.2	2.30	6	<10	50	0.5	<2	0.24	<0.5	32	<1	130	11.30	10
B753624		1.71	<0.2	1.97	<2	<10	60	<0.5	<2	0.21	<0.5	5	<1	25	6.83	10
B753625		1.85	<0.2	2.29	15	<10	50	0.7	<2	0.35	<0.5	18	21	209	9.56	10
B753626		1.96	0.3	1.86	4	<10	40	0.5	<2	0.13	<0.5	23	<1	136	9.67	10
B753627		1.70	0.2	1.47	14	<10	50	<0.5	<2	0.22	<0.5	6	19	146	5.38	10
B753628		1.87	<0.2	0.99	25	<10	50	<0.5	<2	0.12	<0.5	25	<1	305	5.77	<10
B753629		1.91	<0.2	0.92	15	<10	60	<0.5	<2	0.20	<0.5	21	20	186	4.26	<10
B753630		1.84	0.3	0.74	<2	<10	70	<0.5	<2	4.69	<0.5	34	47	217	4.87	10
B753631		1.74	0.3	1.21	4	<10	30	<0.5	2	1.52	<0.5	40	65	277	5.51	10
B753632		1.12	0.4	1.26	5	<10	50	<0.5	2	2.42	<0.5	37	25	175	6.67	10
B753633		0.95	0.2	0.89	2	<10	30	<0.5	<2	1.62	<0.5	15	19	78	2.95	<10
B753634		0.94	0.3	0.94	<2	<10	30	<0.5	<2	1.32	<0.5	14	6	90	3.01	10
B753635		1.05	0.5	1.30	6	<10	30	<0.5	5	0.59	<0.5	42	16	905	8.17	10
B753636		1.09	<0.2	2.69	<2	<10	130	0.6	<2	1.53	<0.5	26	1	59	9.96	10
B753637		0.93	0.2	2.94	<2	<10	90	0.6	<2	2.10	<0.5	20	7	29	9.04	10
B753638		0.92	0.2	2.91	2	<10	30	0.6	<2	1.51	<0.5	35	1	103	11.10	10
B753639		0.80	<0.2	0.97	<2	<10	20	<0.5	<2	0.74	<0.5	6	16	13	1.97	10
B753640		1.91	<0.2	1.16	<2	<10	10	<0.5	<2	1.14	<0.5	8	6	37	2.84	10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
B753601		<1	0.13	<10	0.95	622	1	0.03	6	530	2	0.58	<2	1	52	0.08
B753602																
B753603		<1	0.52	10	1.02	322	13	0.03	24	640	<2	0.53	<2	2	61	0.11
B753604		1	1.82	30	2.68	409	2	0.03	114	1510	<2	1.45	<2	3	70	0.20
B753605		1	1.62	20	2.51	488	<1	0.04	98	1470	<2	1.79	<2	3	74	0.21
B753606		1	1.84	30	2.72	617	5	0.03	91	1430	<2	1.50	<2	3	92	0.22
B753607		3	2.51	30	3.06	772	7	0.04	115	1550	2	0.59	<2	4	97	0.26
B753608		1	1.71	30	2.46	697	6	0.04	76	1530	4	0.75	<2	3	89	0.21
B753609		2	1.30	30	2.66	1090	5	0.02	120	1560	3	1.82	<2	3	77	0.20
B753610		<1	0.66	10	1.06	511	30	0.02	49	830	4	1.87	2	3	31	0.13
B753611		1	0.68	10	1.91	368	6	0.04	35	760	<2	1.20	<2	3	38	0.20
B753612		2	0.93	10	2.09	373	8	0.04	36	700	<2	0.71	<2	3	39	0.22
B753613		<1	0.88	10	2.14	425	69	0.04	33	700	<2	0.43	<2	3	47	0.22
B753614		1	0.38	10	1.63	339	4	0.03	35	660	<2	0.71	<2	3	39	0.17
B753615		1	0.46	10	1.53	342	26	0.03	42	710	<2	0.78	<2	3	41	0.17
B753616		<1	0.41	10	1.95	518	2	0.03	47	700	<2	0.79	<2	3	47	0.19
B753617		1	0.14	10	2.32	660	3	0.03	49	700	<2	0.74	<2	3	55	0.18
B753618		<1	0.07	10	1.53	461	28	0.02	45	700	2	1.22	<2	2	47	0.15
B753619																
B753620		2	0.31	10	1.42	1450	<1	0.01	9	70	2	5.76	<2	2	18	0.06
B753621		2	0.35	10	1.35	1215	1	0.01	1	60	<2	2.94	<2	2	19	0.06
B753622		<1	0.28	10	1.58	1455	<1	0.01	4	50	2	3.14	<2	2	17	0.05
B753623		<1	0.32	10	1.18	1085	32	0.01	6	80	<2	4.77	<2	3	18	0.06
B753624		<1	0.51	10	0.89	656	<1	0.01	1	80	<2	0.27	<2	1	21	0.07
B753625		<1	0.21	10	0.86	776	1	0.01	1	50	2	3.42	<2	3	23	0.06
B753626		<1	0.25	10	0.74	502	10	0.01	1	90	<2	3.80	<2	2	12	0.04
B753627		<1	0.27	20	0.52	274	2	0.02	3	60	<2	2.16	2	2	21	0.04
B753628		1	0.28	10	0.31	126	4	0.01	2	70	<2	4.15	<2	1	11	0.03
B753629		<1	0.25	10	0.32	134	1	0.03	3	90	<2	2.79	<2	2	18	0.04
B753630		1	0.12	10	0.61	548	3	0.02	17	550	3	3.54	<2	6	54	0.13
B753631		1	0.08	10	1.14	454	2	0.03	29	700	3	3.14	<2	8	53	0.15
B753632		1	0.25	<10	0.50	296	26	0.03	28	730	3	4.12	<2	4	57	0.14
B753633		1	0.12	<10	0.54	285	2	0.02	18	300	<2	1.48	<2	2	29	0.07
B753634		1	0.10	10	0.58	301	2	0.04	24	210	<2	1.36	<2	2	28	0.07
B753635		2	0.08	<10	0.89	528	2	0.01	29	260	<2	5.15	<2	1	26	0.07
B753636		<1	1.02	10	2.01	1555	1	0.01	20	180	<2	1.83	<2	1	40	0.12
B753637		2	0.56	10	2.50	1925	<1	0.01	14	210	<2	1.46	<2	1	55	0.13
B753638		2	0.19	10	2.27	1700	1	<0.01	23	200	2	2.54	<2	1	54	0.11
B753639		1	0.06	10	0.69	344	5	0.04	17	280	<2	0.32	<2	3	37	0.10
B753640		<1	0.05	10	0.78	420	2	0.05	9	250	<2	0.38	<2	3	49	0.10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
B753641		1.78	0.6	0.92	2	<10	10	<0.5	<2	1.22	<0.5	15	25	58	3.17	10
B753642		1.56	0.2	1.20	<2	<10	30	<0.5	<2	1.30	<0.5	23	22	207	3.61	10
B753643		1.78	0.3	0.81	3	<10	20	<0.5	2	2.19	<0.5	14	48	84	2.71	<10
B753644		2.11	0.2	1.43	<2	<10	10	<0.5	4	2.16	<0.5	22	31	198	4.51	10
B753645		2.00	0.4	1.01	4	<10	10	<0.5	2	2.13	<0.5	46	44	457	6.00	<10
B753646		1.94	0.4	1.13	3	<10	10	<0.5	<2	2.46	<0.5	48	29	270	5.22	10
B753647		1.72	0.3	1.07	<2	<10	10	<0.5	<2	2.09	<0.5	26	46	202	3.60	10
B753648		1.05	0.2	2.84	<2	<10	70	<0.5	3	1.16	<0.5	31	34	64	8.53	10
B753649		1.08	0.3	3.57	4	<10	100	0.5	<2	3.13	<0.5	17	44	132	7.04	10
B753650		0.98	<0.2	2.02	<2	<10	60	<0.5	<2	0.60	<0.5	23	19	16	4.02	10
B753651		0.82	0.2	1.98	<2	<10	50	<0.5	<2	0.43	<0.5	13	11	407	4.97	10
B753652		0.97	<0.2	1.05	<2	<10	30	<0.5	<2	0.40	<0.5	4	20	10	1.56	10
B753653		0.86	<0.2	1.01	3	<10	30	<0.5	6	0.94	<0.5	2	3	28	1.82	10
B753654		0.85	0.4	1.47	<2	<10	30	<0.5	2	0.35	<0.5	7	28	149	3.65	10
B753655		0.86	0.7	1.18	<2	<10	40	<0.5	<2	0.34	<0.5	12	4	123	3.27	10
B753656		0.93	0.4	1.27	<2	<10	40	<0.5	3	0.84	<0.5	24	30	178	4.15	10
B753657		0.70	0.2	1.23	4	<10	50	<0.5	3	0.62	<0.5	8	3	40	2.73	10
B753658		0.77	1.4	1.22	<2	<10	50	<0.5	3	0.72	<0.5	10	25	71	2.76	10
B753659		0.95	<0.2	0.93	<2	<10	40	<0.5	<2	1.05	<0.5	5	2	10	1.74	10
B753660		0.95	0.8	0.78	<2	<10	30	<0.5	7	1.64	<0.5	26	43	289	4.42	10
B753661		0.82	0.6	0.56	<2	<10	50	<0.5	2	0.78	<0.5	34	6	302	4.30	<10
B753662		0.85	<0.2	0.37	<2	<10	20	<0.5	<2	0.71	<0.5	7	61	20	1.46	<10
B753663		0.86	0.2	0.46	<2	<10	30	<0.5	<2	1.30	<0.5	8	11	29	2.03	<10
B753664		0.90	0.3	0.66	5	<10	40	<0.5	5	1.76	<0.5	32	57	165	5.56	10
B753665		1.05	0.8	0.52	23	<10	40	<0.5	4	1.32	<0.5	58	5	927	9.05	<10
B753666		0.81	0.8	0.76	6	<10	40	<0.5	4	1.16	<0.5	83	53	583	8.94	10
B753667		1.72	1.2	0.85	<2	<10	40	<0.5	2	2.08	<0.5	27	22	515	6.80	<10
B753668		1.85	0.2	1.24	2	<10	30	<0.5	24	2.64	<0.5	5	53	85	2.45	10
B753669		1.75	0.3	0.76	3	<10	50	<0.5	<2	1.80	<0.5	6	29	216	3.73	<10
B753670		1.69	0.4	0.95	3	<10	40	<0.5	<2	1.57	<0.5	5	56	90	2.31	<10
B753671		1.59	0.3	0.95	<2	<10	50	<0.5	<2	1.14	<0.5	33	36	275	3.76	<10
B753672		1.85	0.2	1.05	2	<10	50	<0.5	<2	1.62	<0.5	5	49	57	1.76	<10
B753673		1.77	<0.2	1.40	2	<10	30	<0.5	<2	2.13	<0.5	4	29	79	2.24	10
B753674		1.70	0.3	1.56	<2	<10	10	<0.5	<2	2.29	<0.5	1	65	37	2.36	10
B753675		1.90	0.2	1.33	2	<10	30	<0.5	<2	0.93	<0.5	18	37	208	3.42	10
B753676		1.25	<0.2	0.61	2	<10	40	<0.5	<2	0.56	<0.5	7	79	34	1.65	<10
B753677		1.87	<0.2	2.22	<2	<10	70	0.5	<2	0.27	<0.5	6	3	30	7.63	10
B753678		0.08	2.6	1.66	2	<10	420	0.5	3	1.29	<0.5	6	7	7280	3.24	10
B753679		0.88	<0.2	1.41	<2	<10	70	<0.5	<2	1.27	<0.5	9	36	30	2.29	10
B753680		1.68	<0.2	0.51	3	<10	50	<0.5	<2	0.20	<0.5	11	6	69	1.94	<10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
B753641		2	0.04	10	0.68	360	1	0.02	8	190	3	1.06	<2	3	35	0.06
B753642		1	0.09	<10	0.60	292	1	0.03	20	520	2	1.82	<2	3	55	0.13
B753643		1	0.06	<10	0.53	284	2	0.03	21	690	2	1.21	<2	4	32	0.11
B753644		1	0.03	<10	0.84	354	5	0.02	9	840	<2	2.16	<2	3	64	0.12
B753645		1	0.04	<10	0.53	269	4	0.01	53	590	3	3.20	2	3	61	0.11
B753646		<1	0.03	<10	0.60	330	12	0.01	36	570	<2	3.02	<2	4	72	0.12
B753647		<1	0.04	<10	0.63	374	2	0.02	19	640	<2	1.40	<2	4	59	0.12
B753648		2	0.44	<10	2.37	781	<1	0.01	43	380	2	4.28	<2	1	77	0.23
B753649		2	1.42	<10	2.71	1085	<1	0.01	45	290	<2	1.14	<2	2	83	0.26
B753650		2	0.63	10	1.58	438	<1	0.01	48	260	<2	0.89	2	2	58	0.17
B753651		2	0.62	10	1.37	414	<1	0.01	21	130	<2	1.48	3	2	36	0.10
B753652		1	0.33	10	0.66	197	<1	0.02	6	130	<2	0.14	<2	1	27	0.05
B753653		1	0.25	10	0.66	196	1	0.03	6	140	<2	0.38	<2	2	31	0.07
B753654		1	0.25	10	1.00	279	1	0.02	8	110	5	1.12	2	2	41	0.07
B753655		1	0.22	10	0.73	238	<1	0.02	13	70	2	1.20	2	2	40	0.06
B753656		2	0.20	10	0.90	306	<1	0.03	18	90	2	1.70	<2	1	39	0.06
B753657		1	0.22	10	0.75	242	<1	0.04	19	80	<2	0.48	<2	2	46	0.07
B753658		<1	0.22	20	0.86	259	<1	0.04	32	90	2	0.64	3	2	37	0.07
B753659		<1	0.22	20	0.62	229	1	0.04	39	90	<2	0.21	<2	3	34	0.06
B753660		2	0.15	10	0.49	274	1	0.03	16	80	3	2.43	<2	2	37	0.05
B753661		1	0.18	10	0.23	166	18	0.03	7	70	5	2.62	<2	2	32	0.04
B753662		<1	0.13	10	0.10	108	2	0.04	2	80	<2	0.63	<2	2	22	0.05
B753663		<1	0.12	10	0.21	188	2	0.03	<1	80	2	0.85	<2	2	27	0.06
B753664		2	0.13	10	0.40	301	9	0.02	4	80	<2	3.73	<2	2	34	0.05
B753665		1	0.21	10	0.15	204	23	0.01	9	70	<2	5.50	<2	1	31	0.03
B753666		<1	0.13	10	0.40	277	3	0.01	10	70	4	6.04	<2	1	41	0.03
B753667		1	0.19	<10	0.47	346	2	0.01	120	570	<2	3.64	<2	3	38	0.13
B753668		1	0.19	10	0.66	328	1	0.03	21	690	2	0.79	<2	7	61	0.20
B753669		1	0.18	<10	0.36	248	7	0.04	17	690	<2	2.78	<2	4	38	0.19
B753670		<1	0.14	<10	0.49	279	<1	0.05	15	720	<2	0.59	<2	4	48	0.21
B753671		1	0.18	10	0.49	324	23	0.05	22	770	<2	2.33	<2	5	40	0.21
B753672		<1	0.19	<10	0.43	301	1	0.04	15	760	<2	0.28	<2	4	59	0.20
B753673		1	0.09	<10	0.64	358	<1	0.05	11	760	<2	0.28	<2	4	80	0.20
B753674		1	0.04	<10	0.59	330	2	0.03	8	700	<2	0.22	<2	4	86	0.20
B753675		2	0.13	10	1.00	387	3	0.03	22	820	<2	1.30	<2	5	55	0.21
B753676		<1	0.13	10	0.22	172	6	0.04	10	450	<2	0.46	<2	4	34	0.16
B753677		1	0.50	20	1.06	1020	1	0.02	7	60	<2	0.77	<2	2	25	0.07
B753678		1	0.58	10	1.13	477	2	0.15	9	1950	8	0.23	<2	6	100	0.07
B753679		1	0.54	10	1.04	335	2	0.06	8	560	2	0.45	<2	2	72	0.12
B753680		1	0.20	20	0.19	98	<1	0.03	3	70	<2	1.11	<2	1	14	0.04



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - A
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
B753681		1.54	<0.2	0.83	2	<10	50	<0.5	<2	0.27	<0.5	21	53	102	3.42	10
B753682		1.86	<0.2	0.73	5	<10	70	<0.5	<2	0.51	<0.5	21	5	219	3.25	<10
B753683		1.96	<0.2	0.77	<2	<10	30	<0.5	<2	1.40	<0.5	48	47	56	3.31	10
B753684		1.82	<0.2	1.00	<2	<10	20	<0.5	<2	0.67	<0.5	14	10	28	2.87	10
B753685		1.70	<0.2	1.12	<2	<10	30	<0.5	4	2.44	<0.5	4	62	144	2.25	<10
B753686		1.70	0.4	1.23	<2	<10	30	<0.5	<2	1.62	<0.5	8	38	378	3.16	<10
B753687		1.70	0.8	1.19	<2	<10	30	<0.5	3	1.98	<0.5	23	73	627	4.00	10
B753688		1.27	0.3	1.46	3	<10	120	<0.5	<2	1.04	<0.5	16	26	248	3.29	10
B753689		1.77	<0.2	1.74	2	<10	40	<0.5	3	1.18	<0.5	8	67	188	3.81	10
B753690		0.91	0.6	1.40	<2	<10	30	<0.5	5	2.10	<0.5	13	48	683	4.35	10
B753691		1.79	<0.2	0.97	<2	<10	10	0.5	2	1.16	<0.5	12	81	83	3.74	10
B753692		2.00	0.6	1.72	5	<10	10	<0.5	2	1.12	<0.5	42	56	437	7.77	10
B753693		1.82	0.2	1.38	4	<10	10	<0.5	2	1.72	<0.5	19	87	306	5.04	10
B753694		1.98	<0.2	1.48	2	<10	10	<0.5	<2	2.91	<0.5	16	50	168	4.28	10
B753695		1.82	0.3	1.30	<2	<10	20	<0.5	2	2.23	<0.5	18	85	215	4.79	10
B753696		1.85	0.8	1.16	<2	<10	30	<0.5	4	1.24	<0.5	33	48	530	7.70	10
B753697		1.71	0.2	1.13	3	<10	30	<0.5	3	2.10	<0.5	20	82	241	5.57	10
B753698		1.98	0.2	1.36	2	<10	40	<0.5	3	1.54	<0.5	21	41	239	4.44	10
B753699		0.08	2.3	1.63	<2	<10	400	0.5	3	1.20	<0.5	8	7	7220	3.10	10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - B
 Total # Pages: 4 (A - F)
 Finalized Date: 30-JAN-2006
 Account: NMZ

Project: DC06-01

CERTIFICATE OF ANALYSIS TB06005044

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
B753681		1	0.20	20	0.52	178	1	0.04	4	80	<2	1.67	<2	2	25	0.06
B753682		1	0.23	10	0.35	154	110	0.02	2	80	<2	1.66	<2	2	28	0.04
B753683		2	0.12	10	0.55	249	8	0.05	107	320	<2	2.07	2	4	35	0.11
B753684		<1	0.10	10	0.64	288	<1	0.05	31	280	<2	0.61	<2	4	33	0.11
B753685		<1	0.13	<10	0.61	297	2	0.06	16	770	<2	0.78	<2	5	65	0.19
B753686		1	0.09	<10	0.69	285	7	0.05	13	770	<2	1.68	2	5	62	0.20
B753687		1	0.09	<10	0.88	320	1	0.06	19	730	<2	2.24	<2	5	41	0.17
B753688		<1	0.34	<10	0.91	268	1	0.04	17	830	<2	1.31	<2	4	47	0.15
B753689		<1	0.18	<10	1.41	363	1	0.06	32	800	<2	1.22	2	5	52	0.20
B753690		1	0.26	<10	1.13	378	3	0.07	28	770	2	2.23	<2	5	49	0.22
B753691		<1	0.06	10	0.70	412	1	0.07	22	460	3	1.74	2	7	36	0.14
B753692		<1	0.04	10	1.30	559	2	0.06	61	720	<2	4.91	<2	6	57	0.20
B753693		1	0.04	10	1.07	458	2	0.07	35	770	4	2.90	<2	6	67	0.21
B753694		<1	0.05	<10	1.26	548	24	0.07	38	720	3	2.16	<2	6	64	0.19
B753695		1	0.14	10	1.10	431	11	0.07	41	770	3	3.19	2	7	55	0.19
B753696		<1	0.12	10	0.77	309	1	0.07	52	760	3	6.25	<2	6	49	0.17
B753697		<1	0.08	10	0.78	416	20	0.07	38	830	2	3.27	<2	5	54	0.18
B753698		<1	0.24	10	0.75	371	1	0.06	42	760	<2	2.16	<2	5	50	0.21
B753699		<1	0.59	10	1.06	458	2	0.16	10	1840	3	0.24	<2	6	92	0.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 4-FEB-2006
Account: NMZ

CERTIFICATE TB06006204

Project: DC-06-2

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 27-JAN-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 4-FEB-2006
 Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B753761		1.39	0.054	0.2	0.87	2	<10	40	<0.5	2	2.21	<0.5	58	22	416	6.28
B753762		0.64	0.028	<0.2	0.85	<2	<10	40	<0.5	<2	1.71	<0.5	18	18	183	3.32
B753763		1.06	0.031	0.2	1.09	5	<10	20	<0.5	<2	1.53	<0.5	23	20	280	3.40
B753764		1.01	0.046	0.2	1.10	<2	<10	10	<0.5	<2	3.36	<0.5	30	22	142	4.66
B753765		1.00	0.023	<0.2	1.24	2	<10	20	<0.5	2	2.31	<0.5	14	20	121	2.82
B753766		1.86	0.010	<0.2	0.98	<2	<10	40	<0.5	<2	2.13	<0.5	4	21	33	1.54
B753767		2.19	0.049	<0.2	0.71	<2	<10	40	<0.5	<2	2.12	<0.5	3	23	14	1.04
B753768		1.41	0.005	<0.2	0.43	<2	<10	50	<0.5	<2	1.32	<0.5	1	5	10	0.65
B753769		1.69	0.008	<0.2	0.33	<2	<10	40	<0.5	<2	1.44	<0.5	1	5	6	0.47
B753770		1.72	0.006	<0.2	0.34	<2	<10	50	<0.5	<2	0.77	<0.5	1	7	6	0.44
B753771		1.81	0.010	<0.2	0.56	<2	<10	40	<0.5	<2	0.77	<0.5	4	5	55	1.26
B753772		1.63	0.005	<0.2	0.52	<2	<10	50	<0.5	<2	0.95	<0.5	2	7	4	0.95
B753773		1.69	0.013	<0.2	0.69	3	<10	30	<0.5	<2	0.85	<0.5	10	8	85	2.24
B753774		1.76	0.020	0.2	1.07	<2	<10	10	<0.5	<2	0.81	<0.5	31	8	151	4.04
B753775		1.85	0.039	0.3	0.99	<2	<10	10	<0.5	<2	0.58	<0.5	34	7	351	5.14
B753776		1.77	0.006	<0.2	0.75	<2	<10	20	<0.5	<2	0.64	<0.5	5	10	22	2.10
B753777		1.74	0.020	0.3	0.88	4	<10	10	<0.5	<2	0.40	<0.5	10	8	36	2.70
B753778		1.71	0.016	<0.2	0.44	<2	<10	30	<0.5	<2	0.72	<0.5	6	7	49	1.43
B753779		1.14	0.013	<0.2	0.43	<2	<10	30	<0.5	<2	0.69	<0.5	8	7	75	1.25
B753780		1.98	0.024	<0.2	1.22	3	<10	40	<0.5	<2	2.51	<0.5	17	23	131	3.44
B753781		1.70	0.013	<0.2	0.57	<2	<10	80	<0.5	<2	3.53	<0.5	8	15	73	1.13
B753782		1.66	0.035	<0.2	0.73	2	<10	70	<0.5	<2	2.41	<0.5	7	15	82	1.23
B753783		1.86	0.026	<0.2	0.71	2	<10	80	<0.5	<2	2.77	<0.5	7	12	46	0.96
B753784		1.74	0.224	0.2	0.81	<2	<10	60	<0.5	6	3.70	<0.5	24	16	185	2.27
B753785		2.07	0.036	0.2	0.69	<2	<10	60	<0.5	<2	2.97	<0.5	7	15	73	0.93
B753786		1.57	0.045	<0.2	0.98	2	<10	40	<0.5	<2	2.04	<0.5	13	27	123	2.04
B753787		1.87	0.041	0.2	1.00	<2	<10	30	<0.5	<2	1.24	<0.5	14	24	101	1.79
B753788		1.85	0.052	<0.2	1.22	<2	<10	30	<0.5	<2	1.70	<0.5	15	32	143	2.71
B753789		2.32	0.037	<0.2	1.00	2	<10	40	<0.5	2	1.18	<0.5	10	24	70	1.62
B753790		0.39	<0.005	<0.2	2.83	<2	<10	30	<0.5	<2	3.60	<0.5	22	212	24	3.49
B753791		0.92	0.018	<0.2	0.89	<2	<10	50	<0.5	<2	1.76	<0.5	13	32	38	1.65
B753792		1.82	0.078	0.2	0.92	<2	<10	50	<0.5	<2	1.00	<0.5	17	18	131	1.84
B753793		1.79	0.052	<0.2	0.95	<2	<10	50	<0.5	<2	0.91	<0.5	19	26	114	1.78
B753794		1.83	0.229	<0.2	1.06	<2	<10	50	<0.5	<2	1.89	<0.5	15	25	140	2.37
B753795		1.72	0.064	<0.2	0.96	<2	<10	50	<0.5	6	1.51	<0.5	10	26	66	1.46
B753796		1.83	0.051	0.2	0.87	2	<10	40	<0.5	<2	1.24	<0.5	16	20	178	2.55
B753797		1.75	0.016	<0.2	0.84	<2	<10	50	<0.5	<2	1.61	<0.5	8	25	58	1.61
B753798		1.72	0.025	<0.2	1.00	<2	<10	60	<0.5	2	5.59	<0.5	16	27	110	3.08
B753799		1.88	0.055	<0.2	0.96	2	<10	70	<0.5	3	2.31	<0.5	25	27	186	3.17
B753800		1.76	0.051	0.2	1.00	<2	<10	30	<0.5	2	1.85	<0.5	21	25	163	3.08



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 4-FEB-2006
 Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B753761		<10	<1	0.13	<10	0.38	238	7	0.03	27	570	<2	4.34	<2	3	44
B753762		<10	<1	0.13	<10	0.24	179	1	0.02	14	540	<2	1.78	<2	3	49
B753763		<10	<1	0.09	<10	0.42	239	1	<0.01	15	500	<2	1.71	<2	3	56
B753764		<10	<1	0.06	<10	0.67	409	23	0.02	17	530	3	3.19	<2	4	51
B753765		<10	1	0.10	<10	0.54	309	2	0.01	14	570	<2	1.34	<2	4	56
B753766		<10	<1	0.20	<10	0.38	241	2	0.03	7	600	<2	0.26	<2	4	42
B753767		<10	1	0.16	<10	0.27	210	8	0.05	9	590	<2	0.23	<2	5	35
B753768		<10	<1	0.18	10	0.08	113	3	0.04	2	150	<2	0.23	<2	1	24
B753769		<10	<1	0.16	20	0.08	113	1	0.03	1	120	<2	0.16	<2	1	16
B753770		<10	1	0.15	10	0.08	81	2	0.05	2	100	<2	0.09	<2	1	15
B753771		<10	<1	0.11	10	0.33	144	17	0.04	7	160	<2	0.40	<2	1	20
B753772		<10	<1	0.13	10	0.26	136	3	0.04	6	100	<2	0.25	<2	1	21
B753773		<10	<1	0.05	10	0.47	232	4	0.04	9	100	<2	0.83	<2	2	23
B753774		10	<1	0.03	10	0.82	410	30	0.03	16	90	<2	1.84	2	2	35
B753775		10	<1	0.03	10	0.83	370	2	0.03	9	80	<2	2.70	<2	2	26
B753776		10	<1	0.04	10	0.59	261	2	0.05	7	100	<2	0.53	<2	2	23
B753777		10	<1	0.06	10	0.70	254	3	0.05	18	90	<2	1.12	<2	3	20
B753778		<10	<1	0.09	10	0.30	128	2	0.05	5	70	<2	0.59	<2	2	10
B753779		<10	<1	0.09	10	0.30	125	1	0.05	2	80	<2	0.47	<2	2	9
B753780		10	<1	0.15	10	1.02	400	130	0.04	6	500	<2	1.46	<2	5	28
B753781		<10	<1	0.33	10	0.14	242	3	0.04	5	820	<2	0.85	<2	4	42
B753782		<10	<1	0.37	10	0.21	176	2	0.03	7	850	<2	0.63	<2	4	35
B753783		<10	<1	0.36	10	0.16	180	1	0.03	7	880	<2	0.47	<2	4	45
B753784		<10	<1	0.29	<10	0.30	236	1	0.03	16	800	<2	1.64	<2	4	53
B753785		<10	<1	0.32	10	0.17	186	4	0.04	9	850	<2	0.46	<2	5	41
B753786		<10	<1	0.20	<10	0.49	188	52	0.05	17	780	<2	1.06	<2	5	44
B753787		<10	<1	0.21	<10	0.53	156	5	0.04	15	710	2	0.73	<2	4	41
B753788		<10	<1	0.15	<10	0.78	223	6	0.05	19	770	<2	1.34	<2	4	49
B753789		<10	1	0.24	<10	0.51	136	5	0.04	12	770	<2	0.77	<2	4	48
B753790		10	<1	0.44	30	3.67	578	<1	0.03	145	1420	<2	0.06	<2	8	56
B753791		<10	<1	0.22	10	0.50	160	1	0.04	10	810	<2	0.84	<2	4	50
B753792		<10	<1	0.29	<10	0.33	110	1	0.02	10	810	<2	1.16	<2	3	42
B753793		<10	<1	0.37	<10	0.37	112	1	0.02	12	790	<2	1.06	<2	3	37
B753794		<10	1	0.19	<10	0.53	217	11	0.04	12	810	<2	1.35	<2	4	49
B753795		<10	<1	0.25	<10	0.36	156	4	0.04	8	840	<2	0.63	<2	4	43
B753796		<10	1	0.19	<10	0.38	193	2	0.03	26	730	<2	1.38	<2	3	39
B753797		<10	<1	0.20	<10	0.40	219	6	0.03	10	750	<2	0.50	<2	4	36
B753798		<10	1	0.20	10	0.53	613	4	0.03	12	830	2	1.48	<2	5	78
B753799		<10	<1	0.23	<10	0.46	319	8	0.02	18	810	<2	1.70	<2	4	41
B753800		<10	<1	0.15	<10	0.50	292	12	0.01	18	700	<2	1.34	<2	4	42



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 4-FEB-2006
Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B753761		0.14	<10	<10	39	<10	13
B753762		0.12	<10	<10	26	<10	7
B753763		0.12	<10	<10	28	<10	11
B753764		0.13	<10	<10	38	<10	18
B753765		0.14	<10	<10	32	<10	10
B753766		0.15	<10	<10	32	<10	9
B753767		0.16	<10	<10	34	<10	9
B753768		0.05	<10	<10	3	<10	3
B753769		0.04	<10	<10	2	<10	2
B753770		0.04	<10	<10	1	<10	4
B753771		0.03	<10	<10	2	<10	10
B753772		0.04	<10	<10	2	<10	7
B753773		0.05	<10	<10	3	<10	17
B753774		0.06	<10	<10	4	<10	20
B753775		0.04	<10	<10	5	<10	20
B753776		0.05	<10	<10	4	<10	18
B753777		0.04	<10	<10	6	<10	15
B753778		0.03	<10	<10	3	<10	10
B753779		0.02	<10	<10	3	<10	9
B753780		0.05	<10	<10	35	<10	30
B753781		0.13	<10	<10	25	<10	4
B753782		0.13	<10	<10	26	<10	7
B753783		0.14	<10	<10	23	<10	5
B753784		0.13	<10	<10	30	<10	10
B753785		0.14	<10	<10	26	<10	5
B753786		0.17	<10	<10	41	<10	14
B753787		0.18	<10	<10	38	<10	18
B753788		0.18	<10	<10	47	<10	18
B753789		0.17	<10	<10	31	<10	11
B753790		0.21	<10	<10	87	<10	65
B753791		0.18	<10	<10	34	<10	10
B753792		0.14	<10	<10	25	<10	8
B753793		0.18	<10	<10	29	<10	12
B753794		0.20	<10	<10	42	<10	15
B753795		0.19	<10	<10	37	<10	10
B753796		0.15	<10	<10	30	<10	11
B753797		0.16	<10	<10	31	<10	12
B753798		0.15	<10	<10	41	<10	16
B753799		0.14	<10	<10	34	<10	13
B753800		0.17	<10	<10	42	<10	14



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 4-FEB-2006
 Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B753801		1.93	0.098	0.2	0.99	<2	<10	20	<0.5	3	1.80	<0.5	28	36	297	4.32
B753802		1.73	1.540	1.2	0.85	<2	<10	30	<0.5	<2	1.78	<0.5	13	24	460	2.22
B753803		1.86	0.112	<0.2	0.78	<2	<10	50	<0.5	<2	2.45	<0.5	6	27	68	1.66
B753804		1.74	0.066	<0.2	0.88	<2	<10	40	<0.5	<2	2.72	<0.5	11	21	166	2.30
B753805		1.46	0.078	0.2	1.20	3	<10	40	<0.5	<2	1.34	<0.5	10	42	105	3.52
B753806		1.75	0.085	0.2	0.91	<2	<10	40	<0.5	2	1.22	<0.5	20	24	239	3.34
B753807		1.78	0.086	<0.2	0.66	<2	<10	30	<0.5	<2	1.42	<0.5	16	34	229	3.32
B753808		1.64	0.088	<0.2	0.87	<2	<10	20	<0.5	<2	1.03	<0.5	10	28	125	2.49
B753809		2.07	0.071	0.5	0.76	<2	<10	30	<0.5	<2	1.14	<0.5	5	37	69	1.68
B753810		1.62	0.052	0.7	0.69	<2	<10	20	<0.5	<2	1.34	<0.5	4	24	75	1.58
B753811		1.74	0.187	0.2	0.78	<2	<10	20	<0.5	3	1.28	<0.5	15	33	270	3.34
B753812		1.83	0.326	0.5	0.65	<2	<10	30	<0.5	2	1.56	<0.5	14	17	345	3.59
B753813		1.65	0.129	0.3	0.83	<2	<10	30	<0.5	3	1.46	<0.5	17	33	165	3.34
B753814		1.75	0.064	0.2	0.89	<2	<10	30	<0.5	3	2.16	<0.5	21	18	323	4.78
B753815		1.70	0.143	0.2	0.57	<2	<10	30	<0.5	2	1.43	<0.5	15	31	267	2.85
B753816		1.77	0.368	0.3	0.57	<2	<10	30	<0.5	2	1.26	<0.5	9	17	227	2.48
B753817		1.34	0.263	0.3	0.71	3	<10	40	<0.5	<2	1.93	<0.5	15	32	696	4.92
B753818		0.95	0.006	<0.2	2.10	4	<10	10	<0.5	<2	4.19	<0.5	19	155	22	3.26
B753819		1.15	0.102	0.4	0.60	3	<10	60	<0.5	5	2.50	<0.5	36	30	493	5.48
B753820		2.54	0.080	0.4	0.87	<2	<10	40	<0.5	4	1.63	<0.5	32	18	528	5.55
B753866		0.08	0.743	2.2	1.94	<2	10	40	0.5	2	0.96	<0.5	18	13	7180	4.41



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 4-FEB-2006
 Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
B753801		<10	<1	0.08	<10	0.42	251	3	0.01	27	610	<2	2.55	<2	3	51
B753802		<10	<1	0.16	<10	0.39	229	2	0.02	9	750	<2	1.12	<2	4	39
B753803		<10	1	0.17	<10	0.28	230	6	0.02	5	810	<2	0.70	<2	4	47
B753804		<10	<1	0.15	10	0.48	313	1	0.03	9	690	<2	0.91	<2	5	43
B753805		10	1	0.14	<10	0.83	366	2	0.01	17	570	<2	1.32	2	5	31
B753806		<10	<1	0.18	<10	0.55	271	2	0.01	17	620	<2	1.84	<2	5	25
B753807		<10	<1	0.13	<10	0.33	185	2	0.02	23	660	<2	2.09	<2	4	28
B753808		<10	<1	0.11	<10	0.58	247	4	0.02	9	620	<2	1.18	<2	5	28
B753809		<10	1	0.13	<10	0.42	206	4	0.02	11	730	<2	0.60	<2	5	31
B753810		<10	<1	0.12	<10	0.34	192	2	0.02	12	750	<2	0.50	<2	5	36
B753811		<10	<1	0.10	<10	0.35	188	<1	0.01	23	600	<2	2.30	<2	3	45
B753812		<10	<1	0.22	<10	0.24	168	13	0.01	24	750	<2	2.53	<2	3	31
B753813		<10	<1	0.18	<10	0.36	177	1	0.01	22	780	2	2.28	<2	4	38
B753814		10	<1	0.16	<10	0.46	245	3	0.01	32	750	2	3.03	<2	4	43
B753815		<10	<1	0.16	<10	0.22	154	3	0.03	23	640	2	1.94	<2	3	30
B753816		<10	<1	0.16	<10	0.18	128	4	0.02	21	760	<2	1.80	<2	3	37
B753817		<10	1	0.16	<10	0.39	209	1	0.02	41	730	<2	4.21	<2	4	51
B753818		10	1	0.04	20	2.57	637	4	0.03	109	1240	<2	0.02	<2	7	67
B753819		<10	<1	0.21	<10	0.22	198	1	0.02	28	720	2	4.33	<2	3	56
B753820		<10	<1	0.16	<10	0.34	199	3	0.02	35	690	<2	3.82	<2	3	43
B753866		10	<1	0.23	10	1.68	732	4	0.15	12	1710	4	0.09	<2	11	75



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 4-FEB-2006

Account: NMZ

Project: DC-06-2

CERTIFICATE OF ANALYSIS TB06006204

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B753801		0.16	<10	<10	36	<10	10
B753802		0.17	<10	<10	38	<10	11
B753803		0.16	<10	<10	33	<10	8
B753804		0.16	<10	<10	41	<10	13
B753805		0.15	<10	<10	52	<10	22
B753806		0.13	<10	<10	44	<10	15
B753807		0.14	<10	<10	37	<10	11
B753808		0.14	<10	<10	47	<10	16
B753809		0.14	<10	<10	44	<10	12
B753810		0.17	<10	<10	44	<10	12
B753811		0.12	<10	<10	32	<10	14
B753812		0.13	<10	<10	28	<10	10
B753813		0.13	<10	<10	29	<10	9
B753814		0.11	<10	<10	37	<10	12
B753815		0.12	<10	<10	28	<10	12
B753816		0.13	<10	<10	26	<10	9
B753817		0.11	<10	<10	33	<10	14
B753818		0.14	<10	<10	74	<10	54
B753819		0.10	<10	<10	24	10	7
B753820		0.11	<10	<10	32	<10	10
B753866		0.25	<10	<10	235	<10	48



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 23-MAR-2006
Account: NMZ

CERTIFICATE TB06018877

Project: DC06-02 II

P.O. No.:

This report is for 78 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 7-MAR-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 23-MAR-2006
 Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
B753821	1.31	0.099	0.3	1.22	3	<10	70	<0.5	8	1.30	<0.5	28	25	236	4.98	
B753822	0.87	0.058	0.4	1.47	<2	<10	30	<0.5	4	1.01	<0.5	18	24	378	5.86	
B753823	1.53	0.093	0.5	1.01	2	<10	30	<0.5	5	1.02	<0.5	13	24	341	3.55	
B753824	1.32	0.037	0.5	0.79	4	<10	30	<0.5	<2	1.16	<0.5	6	18	73	1.61	
B753825	2.12	0.204	0.7	1.40	<2	<10	30	<0.5	4	2.28	<0.5	10	23	140	3.39	
B753826	1.79	0.445	0.7	1.07	<2	<10	60	<0.5	3	1.38	<0.5	22	32	739	5.95	
B753827	0.43															
B753828	1.79	0.118	0.5	1.45	<2	<10	50	<0.5	7	1.45	<0.5	20	47	469	5.61	
B753829	1.40	0.063	<0.2	2.42	2	<10	40	<0.5	<2	2.02	<0.5	14	50	237	5.52	
B753830	1.64	0.051	<0.2	0.92	<2	<10	20	<0.5	3	2.01	<0.5	20	51	157	4.15	
B753831	1.09	0.081	0.6	0.93	2	<10	90	<0.5	5	1.95	<0.5	19	21	573	3.76	
B753832	1.86	0.192	0.6	0.97	5	<10	60	<0.5	9	2.23	<0.5	36	19	417	4.89	
B753833	1.02	0.019	0.2	0.83	<2	<10	60	<0.5	<2	0.99	<0.5	3	17	41	0.83	
B753834	1.18	0.037	<0.2	0.95	<2	<10	40	<0.5	<2	1.69	<0.5	13	25	143	2.02	
B753835	0.90	0.084	0.3	0.82	<2	<10	20	<0.5	<2	1.70	<0.5	17	21	144	2.27	
B753836	0.86	0.089	<0.2	0.51	<2	<10	30	<0.5	<2	0.95	<0.5	4	14	349	0.80	
B753837	1.47	0.034	<0.2	1.08	3	<10	30	<0.5	<2	1.12	<0.5	11	23	64	1.90	
B753838	1.21	0.058	<0.2	0.83	<2	<10	30	<0.5	2	0.77	<0.5	37	20	216	3.80	
B753839	0.98	0.036	<0.2	0.56	<2	<10	40	<0.5	<2	1.53	<0.5	6	24	164	1.11	
B753840	1.86	0.058	0.3	0.67	3	<10	30	<0.5	<2	1.09	<0.5	6	19	66	1.26	
B753841	1.38	0.131	<0.2	0.76	<2	<10	40	<0.5	<2	1.24	<0.5	13	24	207	2.88	
B753842	2.04	0.053	<0.2	0.81	<2	<10	40	<0.5	<2	0.95	<0.5	18	27	265	2.52	
B753843	0.21															
B753844	0.69	<0.005	<0.2	4.05	4	<10	10	0.5	3	5.27	<0.5	32	588	15	4.36	
B753845	0.95	0.023	<0.2	0.50	<2	<10	50	<0.5	<2	2.67	<0.5	8	19	70	1.74	
B753846	0.40															
B753847	1.01	0.014	<0.2	0.93	3	<10	40	<0.5	<2	0.88	<0.5	17	20	41	1.77	
B753848	0.85	0.016	<0.2	0.67	<2	<10	30	<0.5	<2	0.82	<0.5	27	15	42	1.57	
B753849	1.34	0.024	<0.2	0.61	<2	<10	50	<0.5	<2	1.95	<0.5	14	27	157	2.97	
B753850	1.10	0.024	<0.2	0.73	<2	<10	20	<0.5	<2	0.89	<0.5	28	17	132	1.95	
B753851	1.11	0.052	<0.2	0.59	<2	<10	70	<0.5	<2	1.85	<0.5	5	20	75	1.74	
B753852	0.84	0.047	<0.2	0.57	<2	<10	30	<0.5	<2	3.06	<0.5	23	29	120	4.06	
B753853	1.06	0.012	<0.2	0.73	<2	<10	20	<0.5	<2	1.57	<0.5	5	52	89	2.39	
B753854	1.12	0.024	<0.2	0.72	<2	<10	50	<0.5	<2	1.97	<0.5	8	18	72	1.90	
B753855	1.82	0.047	0.2	1.05	<2	<10	90	<0.5	3	1.39	<0.5	19	26	415	4.98	
B753856	1.14	0.293	<0.2	1.08	<2	<10	80	<0.5	2	3.34	<0.5	32	17	142	3.21	
B753857	0.90	0.081	<0.2	0.99	<2	<10	30	<0.5	<2	1.59	<0.5	33	25	112	3.43	
B753858	0.78	0.049	0.2	1.08	4	<10	40	<0.5	<2	0.73	<0.5	10	24	368	3.36	
B753859	1.24	0.080	0.4	1.02	<2	<10	40	<0.5	8	1.78	<0.5	75	20	481	7.15	
B753860	0.91	0.025	<0.2	0.76	<2	<10	50	<0.5	2	1.72	<0.5	17	21	88	3.05	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 23-MAR-2006
 Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B753821		<10	<1	0.24	10	0.54	202	8	0.03	22	670	4	3.70	<2	6	37
B753822		10	<1	0.16	10	0.77	208	<1	0.02	32	700	<2	4.08	<2	5	48
B753823		<10	1	0.20	10	0.36	151	1	0.03	29	820	3	2.45	2	4	52
B753824		<10	<1	0.17	<10	0.28	139	2	0.04	14	810	3	0.81	<2	4	38
B753825		10	<1	0.13	<10	0.78	355	2	0.04	20	750	<2	1.54	2	5	65
B753826		10	1	0.19	10	0.58	308	81	0.05	43	700	4	4.35	<2	5	39
B753827																
B753828		10	<1	0.12	10	1.01	354	10	0.04	26	780	4	4.08	<2	6	46
B753829		10	1	0.10	<10	1.78	669	5	0.03	30	720	<2	1.46	<2	6	64
B753830		<10	<1	0.07	<10	0.57	267	7	0.07	17	700	3	3.28	<2	7	36
B753831		<10	<1	0.26	10	0.20	216	71	0.05	40	700	4	2.38	<2	4	66
B753832		10	<1	0.22	10	0.33	226	3	0.03	80	680	<2	4.31	<2	5	69
B753833		<10	<1	0.24	10	0.18	86	1	0.07	8	740	<2	0.24	<2	5	41
B753834		<10	<1	0.14	10	0.40	188	2	0.07	37	720	4	1.34	<2	5	51
B753835		<10	<1	0.09	<10	0.40	201	1	0.05	34	660	<2	1.62	<2	5	45
B753836		<10	<1	0.17	10	0.12	72	<1	0.05	8	700	<2	0.50	<2	4	27
B753837		10	<1	0.15	10	0.68	201	1	0.05	15	720	<2	0.90	<2	7	39
B753838		<10	<1	0.13	10	0.45	153	1	0.05	15	710	2	2.21	<2	4	34
B753839		<10	<1	0.19	10	0.19	116	1	0.08	6	620	<2	0.78	<2	5	27
B753840		<10	<1	0.14	<10	0.26	124	<1	0.06	7	650	<2	0.69	<2	4	34
B753841		<10	<1	0.14	10	0.34	145	1	0.06	25	680	<2	1.92	<2	4	48
B753842		<10	<1	0.15	10	0.40	141	3	0.05	20	750	<2	1.94	<2	4	44
B753843																
B753844		10	<1	0.02	40	5.80	950	<1	0.02	256	1000	4	0.06	<2	12	138
B753845		<10	<1	0.18	10	0.16	207	3	0.06	9	750	2	1.52	<2	5	41
B753846																
B753847		<10	<1	0.26	<10	0.30	108	1	0.07	35	710	2	0.91	<2	4	34
B753848		<10	<1	0.15	10	0.20	76	1	0.07	29	740	<2	1.28	<2	4	30
B753849		<10	<1	0.13	10	0.25	198	9	0.07	22	650	<2	2.20	<2	5	39
B753850		<10	<1	0.17	<10	0.24	112	1	0.05	20	720	3	1.40	<2	4	39
B753851		<10	<1	0.12	10	0.26	178	1	0.06	11	630	<2	0.98	<2	4	42
B753852		<10	<1	0.08	10	0.30	317	1	0.06	29	950	<2	2.29	<2	5	41
B753853		<10	<1	0.05	10	0.37	203	3	0.08	16	810	<2	0.31	<2	7	37
B753854		<10	<1	0.16	10	0.26	193	1	0.05	11	730	<2	0.96	<2	5	43
B753855		<10	<1	0.31	10	0.32	170	<1	0.06	24	630	<2	3.13	<2	5	38
B753856		<10	<1	0.37	10	0.26	257	1	0.04	25	720	2	2.37	<2	5	52
B753857		10	<1	0.17	10	0.37	185	<1	0.08	26	650	<2	2.83	<2	7	52
B753858		<10	<1	0.21	10	0.35	143	<1	0.07	26	640	<2	1.72	<2	5	35
B753859		10	<1	0.16	<10	0.26	192	<1	0.05	28	520	3	5.55	<2	5	52
B753860		<10	<1	0.17	10	0.18	137	1	0.08	16	680	<2	2.14	<2	5	30



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 23-MAR-2006
 Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B753861		0.82	0.013	<0.2	0.78	3	<10	30	<0.5	<2	1.55	<0.5	8	30	127	2.03
B753862		0.86	0.017	0.2	0.88	<2	<10	30	<0.5	<2	1.12	<0.5	11	21	156	2.09
B753863		0.76	0.011	<0.2	0.83	2	<10	30	<0.5	<2	1.97	<0.5	5	19	73	1.46
B753864		0.80	0.005	<0.2	0.71	<2	<10	30	<0.5	<2	1.54	<0.5	3	21	47	1.07
B753865		1.68	0.016	0.3	0.86	3	<10	50	<0.5	<2	4.70	<0.5	8	28	29	2.28
B753866		Not Recvd														
B753867		1.62	0.022	<0.2	1.42	5	<10	50	<0.5	2	2.05	<0.5	32	27	196	4.62
B753868		1.07	0.074	0.2	1.24	3	<10	60	<0.5	<2	1.36	<0.5	10	26	260	3.82
B753869		0.97	0.018	0.2	1.20	<2	<10	40	<0.5	<2	0.83	<0.5	12	23	166	2.53
B753870		1.37	0.011	0.2	0.69	2	<10	30	<0.5	<2	1.13	<0.5	9	37	71	2.10
B753871		1.46	0.037	<0.2	1.09	<2	<10	40	<0.5	<2	0.83	<0.5	15	27	142	2.76
B753872		0.27														
B753873		0.80	0.018	<0.2	0.84	<2	<10	50	<0.5	<2	1.12	<0.5	6	21	154	1.18
B753874		0.73	0.009	<0.2	0.63	<2	<10	50	<0.5	<2	1.53	<0.5	6	19	15	0.78
B753875		0.82	0.057	0.3	0.78	6	<10	40	<0.5	5	0.65	<0.5	55	7	166	3.33
B753876		1.27	0.058	<0.2	1.04	3	<10	40	<0.5	4	0.48	<0.5	16	4	57	4.06
B753877		0.85	0.029	<0.2	1.32	2	<10	30	<0.5	2	0.59	<0.5	8	4	63	4.35
B753878		0.85	0.039	0.4	1.10	<2	<10	20	<0.5	2	1.41	<0.5	8	3	17	3.62
B753879		0.88	0.052	0.4	1.56	<2	<10	40	<0.5	3	0.38	<0.5	9	2	106	5.22
B753880		0.80	0.011	0.2	1.49	<2	<10	20	<0.5	<2	0.50	<0.5	4	2	74	4.21
B753881		0.88	0.021	0.3	2.40	2	<10	20	<0.5	<2	0.56	<0.5	8	1	169	6.76
B753882		0.75	0.007	<0.2	1.57	<2	<10	40	<0.5	<2	0.41	<0.5	4	2	46	3.84
B753883		0.75	0.007	<0.2	1.40	<2	<10	40	0.5	<2	1.11	<0.5	3	4	45	3.46
B753884		0.82	0.021	0.3	2.60	2	<10	20	<0.5	<2	0.43	<0.5	7	1	319	8.63
B753885		0.75	0.009	<0.2	1.81	<2	<10	30	<0.5	<2	0.44	<0.5	3	2	60	4.32
B753886		0.88	0.072	0.2	1.86	4	<10	10	<0.5	4	1.12	<0.5	10	2	43	7.58
B753887		0.82	0.119	0.3	1.42	2	<10	30	<0.5	3	0.58	<0.5	6	2	379	5.33
B753888		0.82	0.028	0.2	0.99	<2	<10	30	<0.5	<2	0.50	<0.5	5	2	9	2.56
B753889		0.84	0.019	0.2	1.08	<2	<10	30	<0.5	<2	0.86	<0.5	4	2	13	2.10
B753890		1.56	0.013	<0.2	1.19	<2	<10	20	<0.5	<2	0.34	<0.5	3	1	14	2.20
B753891		1.53	0.008	<0.2	1.18	<2	<10	20	<0.5	<2	0.47	<0.5	2	2	10	1.79
B753892		1.56	0.006	<0.2	1.24	<2	<10	30	<0.5	<2	0.32	<0.5	2	2	28	1.78
B753893		0.81	<0.005	0.4	1.15	<2	<10	30	<0.5	<2	0.19	<0.5	1	2	4	1.41
B753894		1.50	0.006	<0.2	1.01	<2	<10	20	<0.5	<2	0.97	<0.5	2	2	12	1.12
B753895		1.13	<0.005	0.2	1.07	<2	<10	40	<0.5	<2	0.37	<0.5	2	2	1	1.16
B753896		0.38														
B753897		0.15														
B753898		0.07	0.708	2.5	2.07	<2	<10	40	0.5	<2	1.07	<0.5	17	13	6490	4.58



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - D

Total # Pages: 3 (A - F)

Finalized Date: 23-MAR-2006

Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B753861 B753862 B753863 B753864 B753865		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B753866 B753867 B753868 B753869 B753870																
B753871 B753872 B753873 B753874 B753875		0.02	0.16	0.03	0.04	1.54	99.49	<1	451	29.3	6.3	100	1.69	41	3.01	1.77
B753876 B753877 B753878 B753879 B753880																
B753881 B753882 B753883 B753884 B753885																
B753886 B753887 B753888 B753889 B753890																
B753891 B753892 B753893 B753894 B753895																
B753896 B753897 B753898		0.01 0.01	0.02 0.03	0.01 0.02	0.02 0.03	1.91 1.65	98.35 99.34	<1 <1	222 211	59.2 67.9	1.1 1.7	10 10	1.56 1.40	8 <5	8.05 8.71	5.17 5.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - E

Total # Pages: 3 (A - F)

Finalized Date: 23-MAR-2006

Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
B753861 B753862 B753863 B753864 B753865		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B753866 B753867 B753868 B753869 B753870																
B753871 B753872 B753873 B753874 B753875		0.92	17.8	3.22	3.0	0.64	12.6	0.21	2	5.6	14.9	18	<5	3.50	59.8	3.11
B753876 B753877 B753878 B753879 B753880																
B753881 B753882 B753883 B753884 B753885																
B753886 B753887 B753888 B753889 B753890																
B753891 B753892 B753893 B753894 B753895																
B753896 B753897 B753898		1.48 1.80	18.8 20.2	7.37 8.32	9.4 9.4	1.73 1.88	26.4 30.9	0.75 0.83	<2 <2	12.6 13.9	29.9 34.0	8 10	<5 <5	7.22 8.28	58.7 65.6	7.09 7.93



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - F
 Total # Pages: 3 (A - F)
 Finalized Date: 23-MAR-2006
 Account: NMZ

Project: DC06-02 II

CERTIFICATE OF ANALYSIS TB06018877

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B753861 B753862 B753863 B753864 B753865		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5
B753866 B753867 B753868 B753869 B753870															
B753871 B753872 B753873 B753874 B753875		1	238	0.4	0.49	1.50	<0.5	0.21	0.31	169	7	17.8	1.53	32	117.5
B753876 B753877 B753878 B753879 B753880															
B753881 B753882 B753883 B753884 B753885															
B753886 B753887 B753888 B753889 B753890															
B753891 B753892 B753893 B753894 B753895															
B753896 B753897 B753898		2 3	113.5 150.0	1.0 1.1	1.26 1.44	4.89 5.31	<0.5 <0.5	0.67 0.74	0.99 1.06	5 5	4 3	46.6 52.2	5.17 5.38	21 24	359 352



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 17-FEB-2006
Account: NMZ

CERTIFICATE TB06008499

Project: DC-06-3
P.O. No.:
This report is for 66 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 3-FEB-2006.

The following have access to data associated with this certificate:


MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 17-FEB-2006
 Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
B754101		1.16	0.3	1.13	<2	<10	20	<0.5	<2	2.26	<0.5	5	74	68	2.55	10
B754102		1.26	0.4	1.22	5	<10	30	<0.5	<2	2.10	<0.5	14	30	196	2.27	10
B754103		1.23	0.2	0.88	2	<10	30	<0.5	<2	1.20	<0.5	17	124	69	1.72	<10
B754104		2.69	1.3	2.13	<2	<10	30	<0.5	3	2.04	<0.5	18	10	639	8.52	10
B754105		0.39														
B754106		0.75	1.3	0.90	7	<10	10	<0.5	2	0.99	<0.5	31	23	539	3.02	<10
B754107		1.20	0.7	0.48	3	<10	50	<0.5	<2	0.36	<0.5	25	33	418	2.46	<10
B754108		1.94	0.6	0.55	3	<10	40	<0.5	2	0.21	<0.5	24	25	280	2.44	<10
B754109		1.74	0.8	0.71	4	<10	10	<0.5	<2	0.22	<0.5	30	23	459	3.81	<10
B754110		2.04	0.6	0.62	<2	<10	10	<0.5	<2	0.22	<0.5	11	27	419	3.45	<10
B754111		1.69	0.2	0.88	6	<10	10	<0.5	<2	0.32	<0.5	5	24	88	2.55	10
B754112		1.24	0.5	3.48	3	<10	<10	<0.5	<2	0.36	<0.5	6	6	430	19.8	10
B754113		1.10	0.5	1.50	3	<10	10	<0.5	<2	0.39	<0.5	10	28	272	6.52	10
B754114		2.46	0.5	3.88	<2	<10	<10	<0.5	<2	0.51	<0.5	10	6	357	22.9	10
B754115		0.41	1.0	0.93	<2	<10	<10	<0.5	2	0.60	<0.5	18	12	85	11.25	<10
B754116		1.02	0.4	3.48	3	<10	<10	<0.5	<2	0.70	<0.5	17	6	263	11.10	10
B754117		1.45	0.3	1.29	2	<10	10	<0.5	<2	0.59	<0.5	13	12	203	3.45	10
B754118		2.63	0.2	1.13	5	<10	10	<0.5	<2	0.78	<0.5	6	11	79	2.95	10
B754119		1.89	1.1	1.73	<2	<10	<10	<0.5	<2	0.72	<0.5	48	9	1160	10.35	10
B754120		0.88	0.5	0.62	<2	<10	<10	<0.5	<2	0.83	<0.5	10	13	175	3.08	<10
B754121		0.66	1.9	1.88	8	<10	<10	<0.5	2	0.75	<0.5	89	7	1655	15.5	10
B754122		1.50	0.6	0.63	<2	<10	<10	<0.5	2	0.72	<0.5	18	18	320	3.02	<10
B754123		1.52	1.1	1.23	<2	<10	10	<0.5	2	0.68	<0.5	61	7	989	9.66	10
B754124		1.39	1.2	2.12	2	<10	<10	<0.5	4	0.69	<0.5	75	29	967	12.40	10
B754125		1.70	0.3	0.79	4	<10	10	<0.5	<2	0.63	<0.5	19	46	263	3.22	<10
B754126		1.62	0.6	0.86	<2	<10	<10	<0.5	2	0.45	<0.5	42	18	625	4.58	10
B754127		1.69	0.8	1.71	<2	<10	<10	<0.5	2	0.58	<0.5	53	38	708	7.42	10
B754128		0.45														
B754129		1.25	1.1	1.09	2	<10	<10	<0.5	3	0.50	<0.5	39	32	541	6.50	10
B754130		0.41	0.2	0.88	2	<10	10	<0.5	<2	0.65	<0.5	16	11	197	8.17	10
B754131		2.96	0.2	0.41	<2	<10	10	<0.5	<2	0.62	<0.5	7	22	45	1.46	<10
B754132		1.97	0.2	0.62	<2	<10	<10	<0.5	<2	0.40	<0.5	12	19	40	1.88	<10
B754133		2.06	0.2	0.69	<2	<10	<10	<0.5	<2	0.45	<0.5	21	26	123	3.36	<10
B754134		0.93	0.8	2.66	6	<10	<10	<0.5	3	1.35	<0.5	69	28	566	12.35	10
B754135		2.46	0.3	3.47	2	<10	<10	<0.5	<2	4.72	<0.5	38	753	502	9.26	10
B754136		1.18	0.5	0.87	2	<10	10	<0.5	2	1.20	<0.5	20	19	283	3.40	10
B754137		2.48	0.5	1.13	5	<10	<10	<0.5	<2	1.03	<0.5	37	12	475	9.73	10
B754138		2.46	0.3	0.57	2	<10	10	<0.5	<2	0.96	<0.5	44	22	533	5.46	<10
B754139		2.27	0.6	0.89	<2	<10	<10	<0.5	2	2.23	<0.5	54	9	663	8.37	10
B754140		2.90	0.9	1.61	<2	<10	10	<0.5	3	2.14	<0.5	59	8	522	11.20	10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 17-FEB-2006
 Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
B754101		<1	0.13	20	1.24	487	71	0.02	20	250	2	0.41	<2	6	29	0.12
B754102		<1	0.11	10	1.47	407	328	0.03	17	210	4	0.41	<2	4	20	0.09
B754103		<1	0.21	10	0.66	417	76	0.04	64	440	2	0.19	<2	12	15	0.21
B754104		<1	0.15	10	2.16	970	103	0.02	13	310	6	2.47	<2	5	23	0.15
B754105																
B754106		<1	0.05	10	0.87	280	93	0.06	67	220	3	0.85	<2	5	47	0.10
B754107		<1	0.04	<10	0.46	172	29	0.04	27	100	2	1.00	<2	4	51	0.10
B754108		<1	0.02	<10	0.54	162	155	0.04	16	70	3	0.85	<2	4	71	0.08
B754109		<1	0.02	10	0.73	240	52	0.04	19	110	3	1.94	<2	4	22	0.09
B754110		<1	0.02	<10	0.61	233	147	0.04	21	130	3	1.26	<2	4	22	0.11
B754111		<1	0.05	10	0.80	520	8	0.05	14	120	3	0.42	<2	4	25	0.12
B754112		<1	0.02	20	3.09	2800	116	0.01	9	130	5	1.40	3	3	51	0.08
B754113		<1	0.04	20	1.32	1025	46	0.05	8	180	3	1.98	<2	4	43	0.13
B754114		<1	0.02	20	3.22	3400	9	0.01	7	190	8	1.84	<2	3	62	0.11
B754115		<1	0.03	10	0.81	720	3640	0.04	83	120	5	0.98	<2	2	29	0.08
B754116		<1	0.02	10	3.47	1590	46	0.01	9	250	3	1.89	2	2	73	0.14
B754117		<1	0.05	10	1.28	448	168	0.05	15	320	2	0.61	<2	5	36	0.18
B754118		<1	0.05	10	1.08	368	21	0.05	9	270	2	0.38	<2	4	28	0.15
B754119		<1	0.03	10	1.90	693	306	0.03	14	190	4	2.44	<2	3	33	0.12
B754120		<1	0.02	<10	0.66	313	14	0.04	4	150	<2	1.10	<2	3	38	0.07
B754121		<1	0.02	10	2.11	781	94	0.02	11	180	7	3.32	<2	3	19	0.11
B754122		<1	0.03	10	0.68	277	23	0.03	7	120	<2	1.10	<2	2	31	0.07
B754123		<1	0.04	20	1.30	472	17	0.03	15	140	4	1.49	<2	2	49	0.09
B754124		<1	0.03	20	2.32	770	66	0.04	51	190	4	2.99	<2	2	43	0.10
B754125		<1	0.02	10	0.87	321	16	0.04	20	100	3	0.40	<2	3	34	0.08
B754126		<1	0.02	10	0.94	306	13	0.03	29	90	2	1.22	<2	3	21	0.07
B754127		<1	0.02	10	1.92	618	25	0.03	39	120	3	1.62	<2	3	35	0.09
B754128																
B754129		<1	0.03	10	1.14	469	397	0.02	26	120	3	1.76	2	3	47	0.10
B754130		<1	0.04	20	0.85	373	18	0.03	2	260	<2	0.18	3	2	48	0.14
B754131		<1	0.03	10	0.41	209	19	0.02	5	130	<2	0.30	<2	3	56	0.07
B754132		<1	0.03	10	0.70	240	43	0.01	8	120	<2	0.40	<2	3	17	0.07
B754133		<1	0.03	<10	0.78	280	18	0.01	7	150	<2	0.50	<2	3	14	0.06
B754134		<1	0.03	20	2.63	870	7	0.03	35	250	2	3.32	3	7	44	0.10
B754135		<1	0.02	<10	3.90	1725	24	0.01	188	210	<2	0.56	3	9	50	0.18
B754136		<1	0.02	10	0.85	412	28	0.04	16	110	<2	0.80	<2	4	44	0.12
B754137		<1	0.03	10	1.00	518	14	0.04	4	320	<2	1.06	<2	2	72	0.13
B754138		<1	0.02	10	0.62	311	45	0.02	7	110	<2	0.53	<2	2	27	0.06
B754139		<1	0.03	10	0.90	527	14	0.04	5	250	<2	1.21	<2	2	55	0.10
B754140		<1	0.03	10	1.64	689	75	0.04	11	350	<2	1.14	<2	4	61	0.14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - C
 Total # Pages: 3 (A - F)
 Finalized Date: 17-FEB-2006
 Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-AA23	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.005	SiO2 % 0.01	Al2O3 % 0.01	Fe2O3 % 0.01	CaO % 0.01	MgO % 0.01	Na2O % 0.01	K2O % 0.01	Cr2O3 % 0.01	TiO2 % 0.01
B754141		<10	<10	239	<10	49	0.729									
B754142		<10	<10	37	<10	22	0.037									
B754143		<10	<10	43	<10	39	0.034									
B754144		<10	<10	28	<10	40	0.028									
B754145								56.72	15.00	7.64	4.89	4.58	4.32	2.53	0.02	0.57
B754146		<10	<10	94	<10	29	0.010									
B754147		<10	<10	105	<10	33	0.010									
B754148		<10	<10	81	<10	22	0.008									
B754149		<10	<10	100	<10	22	0.005									
B754150		<10	<10	80	<10	26	0.007									
B754251		<10	<10	128	<10	25	0.016									
B754252		<10	<10	249	<10	20	0.010									
B754253		<10	<10	142	<10	12	0.020									
B754254		<10	<10	77	<10	14	0.018									
B754255		<10	<10	100	<10	26	0.016									
B754256		<10	<10	63	<10	13	0.008									
B754257		<10	<10	64	<10	14	0.007									
B754258		<10	<10	80	<10	20	0.010									
B754259		<10	<10	30	<10	9	0.009									
B754260		<10	<10	31	<10	10	0.016									
B754261		<10	<10	42	<10	15	0.010									
B754262		<10	<10	69	<10	33	0.049									
B754263		<10	<10	81	<10	86	0.015									
B754264		<10	<10	210	<10	96	0.005									
B754265		<10	<10	148	<10	69	0.005									
B754267								47.93	13.03	9.62	9.07	9.55	2.79	1.69	0.05	0.89



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - D
 Total # Pages: 3 (A - F)
 Finalized Date: 17-FEB-2006
 Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B754141 B754142 B754143 B754144 B754145		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B754146 B754147 B754148 B754149 B754150		0.09	0.18	0.04	0.05	2.37	98.99	<1	431	32.1	27.0	130	1.54	66	2.33	1.42
B754251 B754252 B754253 B754254 B754255																
B754256 B754257 B754258 B754259 B754260																
B754261 B754262 B754263 B754264 B754265																
B754267		0.18	1.10	0.12	0.18	2.68	98.88	<1	1815	342	31.8	460	1.32	7	6.79	2.85



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - E
 Total # Pages: 3 (A - F)
 Finalized Date: 17-FEB-2006
 Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
B754141 B754142 B754143 B754144 B754145		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B754146 B754147 B754148 B754149 B754150		0.93	17.2	2.87	1.7	0.48	15.0	0.22	11	3.1	16.0	38	<5	3.90	95.0	3.04
B754251 B754252 B754253 B754254 B754255																
B754256 B754257 B754258 B754259 B754260																
B754261 B754262 B754263 B754264 B754265																
B754267		5.80	20.7	18.25	4.7	1.06	148.5	0.27	<2	7.5	170.5	212	5	43.3	52.1	26.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - F

Total # Pages: 3 (A - F)

Finalized Date: 17-FEB-2006

Account: NMZ

Project: DC-06-3

CERTIFICATE OF ANALYSIS TB06008499

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B754141 B754142 B754143 B754144 B754145		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5
B754146 B754147 B754148 B754149 B754150		1	422	0.2	0.42	1.52	<0.5	0.21	0.44	167	3	13.8	1.38	41	85.4
B754251 B754252 B754253 B754254 B754255															
B754256 B754257 B754258 B754259 B754260															
B754261 B754262 B754263 B754264 B754265															
B754267		1	1195	0.2	1.79	5.51	<0.5	0.31	1.28	186	2	30.6	1.92	146	225



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 15-FEB-2006

Account: NMZ

CERTIFICATE TB06008494

Project: DC06-04

P.O. No.:

This report is for 93 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 4 (A - G)
 Finalized Date: 15-FEB-2006
 Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B754151		2.24	0.107	1.7	2.59	4	<10	10	<0.5	4	1.46	<0.5	82	21	1200	20.4
B754152		2.18	0.028	0.3	1.70	<2	<10	20	<0.5	<2	1.22	<0.5	24	60	313	5.11
B754153		2.09	0.077	0.5	1.85	5	<10	30	<0.5	4	1.28	<0.5	20	37	176	6.37
B754154		0.99	0.020	<0.2	2.00	<2	<10	20	<0.5	<2	0.55	<0.5	15	19	252	4.01
B754155		0.52	0.051	0.3	0.71	<2	<10	50	<0.5	<2	0.26	<0.5	9	20	36	1.40
B754156		0.78	0.018													
B754157		2.05	0.097													
B754158		2.57	0.014													
B754159		2.22	0.069													
B754160		1.61	0.046													
B754161		1.82	0.085													
B754162		1.97	0.037													
B754163		1.75	0.059													
B754164		1.89	0.053													
B754165		2.33	0.066													
B754166		2.23	0.148	2.0	0.53	25	<10	10	<0.5	2	0.17	<0.5	79	48	1875	17.9
B754167		1.91	0.180	1.8	0.26	14	<10	10	<0.5	2	0.21	0.7	61	18	1450	10.45
B754168		1.61	0.021													
B754169		2.23	0.076													
B754170		1.93	0.088													
B754171		1.66	0.154													
B754172		1.80	0.042													
B754173		2.70	0.071													
B754174		2.13	0.064													
B754175		2.50	0.043													
B754176		1.93	0.081													
B754177		1.86	0.053	0.5	0.76	<2	<10	10	<0.5	<2	0.63	<0.5	50	12	1220	17.4
B754178		1.62	0.094	0.7	0.40	<2	<10	<10	<0.5	<2	0.73	<0.5	28	58	340	3.46
B754179		2.13	0.083	1.2	0.79	<2	<10	10	<0.5	<2	2.36	<0.5	65	32	953	21.3
B754180		1.90	0.146	1.2	0.54	5	<10	10	<0.5	<2	0.44	<0.5	80	52	1365	15.5
B754181		2.17	0.070	0.8	0.35	3	<10	10	<0.5	<2	0.38	<0.5	50	20	767	13.45
B754182		2.01	0.041	0.4	0.22	3	<10	<10	<0.5	<2	0.40	<0.5	21	55	440	5.11
B754183		2.18	0.075	0.8	0.49	2	<10	10	<0.5	<2	0.31	<0.5	28	20	748	4.05
B754184		1.90	0.043	0.7	1.04	<2	<10	20	<0.5	<2	1.03	<0.5	44	33	554	9.64
B754185		1.70	0.011	<0.2	0.73	<2	<10	10	<0.5	<2	1.19	<0.5	7	9	173	1.98
B754186		2.85	0.017	0.4	2.62	2	<10	30	<0.5	<2	1.70	<0.5	12	14	342	12.45
B754187		0.69	0.018	0.3	0.85	<2	<10	30	<0.5	<2	1.31	<0.5	6	4	68	1.90
B754188		1.70	0.164	0.7	3.34	<2	<10	50	0.5	<2	2.33	<0.5	19	8	848	17.4
B754189		1.14	0.104	0.3	0.71	<2	<10	10	<0.5	<2	2.11	<0.5	17	8	313	3.09
B754190		2.15	0.265	0.6	0.60	<2	<10	20	<0.5	<2	1.58	<0.5	19	39	373	2.34



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 4 (A - G)
 Finalized Date: 15-FEB-2006
 Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
B754151		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B754152		10	<1	0.12	10	1.32	387	1	0.04	82	450	8	5.33	2	34
B754153		10	2	0.17	10	1.64	307	11	0.03	58	760	7	1.60	<2	72
B754154		10	1	0.14	10	1.94	248	27	0.05	38	420	6	3.19	<2	51
B754155		<10	1	0.15	10	0.58	95	1695	0.03	18	820	<2	0.84	<2	49
B754156										14	370	3	0.53	<2	14
B754157															
B754158															
B754159															
B754160															
B754161															
B754162															
B754163															
B754164															
B754165															
B754166		<10	<1	0.09	<10	0.31	133	45	0.02	101	120	5	>10.0	<2	7
B754167		<10	1	0.06	<10	0.20	101	46	0.02	93	70	7	6.09	<2	6
B754168															
B754169															
B754170															
B754171															
B754172															
B754173															
B754174															
B754175															
B754176															
B754177		10	<1	0.06	<10	0.75	240	81	0.03	120	80	2	1.01	<2	9
B754178		<10	<1	0.03	<10	0.41	158	33	0.02	35	40	3	1.70	<2	7
B754179		10	1	0.05	<10	0.77	414	78	0.03	78	70	8	1.51	<2	13
B754180		10	<1	0.12	<10	0.51	225	83	0.02	102	120	9	2.31	<2	10
B754181		<10	1	0.07	<10	0.35	158	60	0.02	72	40	2	1.88	<2	8
B754182		<10	<1	0.06	<10	0.20	106	24	0.02	31	90	5	0.96	<2	11
B754183		<10	1	0.07	<10	0.51	164	75	0.02	58	130	2	1.52	2	10
B754184		10	1	0.58	10	1.02	236	40	0.04	38	210	5	1.94	<2	16
B754185		<10	1	0.22	10	0.72	241	12	0.05	3	250	<2	0.61	2	14
B754186		10	2	1.42	20	2.30	971	14	0.03	6	230	8	1.51	<2	27
B754187		<10	1	0.47	20	0.57	440	17	0.05	6	370	4	0.57	<2	20
B754188		10	<1	1.78	10	3.18	988	18	0.04	8	270	9	3.36	<2	31
B754189		<10	<1	0.18	<10	0.87	331	43	0.02	21	110	3	1.60	<2	21
B754190		<10	1	0.26	<10	0.59	191	22	0.03	39	120	<2	1.46	<2	28



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - G
Total # Pages: 4 (A - G)
Finalized Date: 15-FEB-2006
Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	PGM-ICP23	
		Pt ppm 0.005	Pd ppm 0.001
B754151 B754152 B754153 B754154 B754155			
B754156 B754157 B754158 B754159 B754160			
B754161 B754162 B754163 B754164 B754165			
B754166 B754167 B754168 B754169 B754170			
B754171 B754172 B754173 B754174 B754175			
B754176 B754177 B754178 B754179 B754180			
B754181 B754182 B754183 B754184 B754185			
B754186 B754187 B754188 B754189 B754190			



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 4 (A - G)
 Finalized Date: 15-FEB-2006
 Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B754191		0.08	0.061	0.9	1.00	110	<10	160	1.3	8	0.33	<0.5	60	336	477	31.6
B754192		2.14	0.871	0.5	2.93	<2	<10	10	0.8	<2	7.47	<0.5	54	1200	215	7.51
B754193		2.44	1.265	1.0	3.98	<2	<10	40	1.0	2	8.63	<0.5	55	1470	425	7.74
B754194		2.42	5.50	1.1	3.92	2	<10	70	1.2	<2	11.05	<0.5	88	1400	503	7.84
B754195		2.27	1.220	0.7	3.15	4	<10	30	1.1	<2	10.10	<0.5	128	1500	428	7.33
B754196		2.20	2.42	0.6	4.26	8	<10	50	0.7	2	5.41	<0.5	78	1175	516	9.03
B754197		2.03	0.056	0.4	1.14	7	<10	40	<0.5	<2	0.34	<0.5	45	46	184	4.49
B754198		2.08	0.164	0.6	0.56	6	<10	10	<0.5	<2	0.33	<0.5	27	22	206	2.94
B754199		2.33	0.076	0.5	4.28	8	<10	<10	<0.5	<2	2.40	<0.5	72	6	571	16.7
B754200		1.12	0.102	1.7	2.53	2	<10	<10	0.6	3	1.70	<0.5	57	4	1105	6.96
B754201		0.84	0.067	0.8	1.33	<2	<10	<10	<0.5	<2	1.34	<0.5	116	11	1265	10.25
B754202		2.44	0.049	0.8	0.94	5	<10	<10	<0.5	2	1.45	<0.5	67	33	703	10.25
B754203		2.01	0.021	0.4	0.70	2	<10	10	<0.5	<2	1.75	<0.5	16	20	193	1.77
B754204		2.06	0.105	0.4	2.15	7	<10	<10	<0.5	<2	3.41	<0.5	68	747	993	6.43
B754205		2.34	0.032	0.5	2.94	4	<10	<10	<0.5	<2	2.20	<0.5	167	1665	722	10.95
B754206		2.55	0.077	0.9	3.34	7	<10	<10	<0.5	2	3.85	<0.5	210	2110	1190	14.2
B754207		2.48	0.053	1.0	3.08	2	<10	<10	<0.5	3	2.70	<0.5	170	1805	880	10.60
B754208		2.31	0.014	<0.2	3.61	4	<10	<10	<0.5	<2	2.99	<0.5	53	1640	243	5.90
B754209		2.60	0.043	0.8	0.81	<2	<10	<10	<0.5	<2	2.05	<0.5	44	74	652	4.44
B754210		1.64	0.074	1.1	1.56	6	<10	10	<0.5	3	2.34	<0.5	164	1385	2450	14.6
B754211		2.39	0.087	1.7	2.23	6	<10	10	<0.5	13	1.65	<0.5	201	1315	1510	11.25
B754212		2.60	0.051	1.3	2.66	2	<10	<10	<0.5	<2	1.48	<0.5	176	1560	682	12.15
B754213		2.73	0.055	1.4	2.61	3	<10	<10	<0.5	3	1.70	<0.5	226	2060	1060	11.95
B754214		2.12	0.049	0.9	3.23	<2	<10	<10	<0.5	<2	3.54	<0.5	114	1655	1360	10.50
B754215		0.71														
B754216		0.55														
B754217		1.15	0.027	1.0	1.94	<2	<10	<10	<0.5	<2	0.99	<0.5	51	895	1420	3.96
B754218		2.25	0.011	0.2	1.01	3	<10	10	<0.5	<2	0.58	<0.5	13	64	366	2.39
B754219		1.44	0.010	<0.2	0.95	3	<10	10	<0.5	<2	0.55	<0.5	10	39	189	2.17
B754220		2.05	0.022	0.5	1.32	<2	<10	10	<0.5	2	0.68	<0.5	18	65	437	3.81
B754221		1.37	0.010	<0.2	0.96	4	<10	10	<0.5	<2	0.45	<0.5	8	31	567	2.31
B754222		1.89	<0.005	0.2	0.36	<2	<10	10	<0.5	<2	0.48	<0.5	4	47	52	0.88
B754223		1.93	0.009	<0.2	0.97	<2	<10	10	<0.5	<2	0.65	<0.5	8	42	141	2.19
B754224		1.84	0.030	0.3	1.26	6	<10	10	<0.5	<2	1.29	<0.5	12	41	1025	6.23
B754225		0.62	0.016	0.3	1.50	<2	<10	10	<0.5	<2	1.08	<0.5	13	54	243	3.82
B754226		1.36	0.011	0.5	1.62	5	<10	10	<0.5	<2	0.60	<0.5	18	70	111	3.29
B754227		1.56	0.012	0.3	1.42	<2	<10	10	<0.5	<2	0.62	<0.5	14	44	115	3.01
B754228		1.35	0.020	0.4	2.06	2	<10	10	<0.5	<2	0.76	<0.5	26	53	315	4.52
B754229		2.51	0.016	0.3	2.10	<2	<10	10	<0.5	<2	0.76	<0.5	19	59	326	4.12
B754230		1.97	0.022	0.9	2.17	<2	<10	10	<0.5	3	0.87	<0.5	24	111	459	4.72



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - B

Total # Pages: 4 (A - G)

Finalized Date: 15-FEB-2006

Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B754191	<10	1	0.18	20	0.27	809	384	0.06	476	350	191	0.03	10	5	18
B754192	10	<1	1.20	<10	4.39	880	22	0.01	307	140	10	1.09	<2	19	106
B754193	10	<1	1.91	<10	5.66	1025	147	0.01	458	110	4	1.14	<2	26	117
B754194	10	<1	2.10	<10	5.53	1210	7	0.01	468	40	<2	3.59	<2	25	175
B754195	10	<1	1.76	<10	4.73	1170	28	0.01	418	90	<2	2.58	<2	22	138
B754196	10	<1	2.03	<10	5.41	1075	13	0.01	358	150	<2	3.77	<2	29	86
B754197	10	<1	0.46	10	1.30	177	13	0.02	81	180	<2	2.74	<2	4	6
B754198	<10	<1	0.16	<10	0.62	142	437	0.01	46	100	3	2.05	<2	2	5
B754199	20	<1	0.02	20	4.33	1215	47	<0.01	29	210	<2	2.17	<2	5	41
B754200	20	<1	0.02	20	2.92	567	24	0.02	21	230	3	3.26	<2	7	14
B754201	10	<1	0.01	<10	1.54	403	9	0.01	132	100	<2	1.48	<2	3	23
B754202	10	<1	0.01	<10	1.08	340	23	<0.01	73	70	3	1.34	<2	2	19
B754203	<10	<1	0.13	<10	0.63	205	9	0.03	58	380	<2	0.62	2	3	23
B754204	10	<1	0.08	<10	2.67	837	21	0.04	214	170	<2	0.98	<2	6	36
B754205	10	<1	0.07	<10	3.49	1350	3	0.01	629	140	<2	2.64	<2	2	21
B754206	10	1	0.07	<10	4.26	1320	8	0.01	623	140	<2	3.78	<2	3	40
B754207	10	<1	0.06	<10	4.64	809	23	0.01	570	170	<2	2.51	<2	2	35
B754208	10	<1	0.05	<10	6.69	863	32	0.01	465	230	2	0.18	2	7	47
B754209	10	<1	0.02	<10	0.98	311	8	0.02	47	150	<2	1.07	<2	5	22
B754210	10	<1	0.24	<10	2.10	629	42	0.03	350	150	<2	1.81	<2	4	21
B754211	10	1	0.33	<10	2.93	824	190	0.03	487	180	2	3.95	3	5	15
B754212	10	<1	0.11	<10	3.13	1095	2	0.02	588	130	<2	3.53	<2	3	13
B754213	10	<1	0.11	<10	3.32	900	6	0.01	575	120	<2	3.68	4	2	18
B754214	10	<1	0.10	<10	4.99	848	25	0.01	533	160	8	1.54	<2	6	41
B754215															
B754216															
B754217	10	<1	0.03	<10	2.61	432	13	0.01	277	150	<2	0.53	<2	2	6
B754218	10	<1	0.04	10	1.14	188	24	0.04	27	780	<2	0.42	<2	3	30
B754219	10	<1	0.06	10	1.04	144	47	0.04	21	480	<2	0.46	<2	3	34
B754220	10	<1	0.03	10	1.44	230	70	0.04	36	770	3	1.46	<2	5	57
B754221	10	<1	0.04	<10	0.99	124	26	0.05	20	440	2	0.60	<2	3	16
B754222	<10	<1	0.02	<10	0.38	71	12	0.03	9	160	<2	0.08	<2	1	7
B754223	10	<1	0.03	<10	1.01	134	26	0.05	19	400	<2	0.60	<2	4	16
B754224	10	<1	0.05	<10	1.16	230	162	0.03	16	310	9	3.65	<2	2	30
B754225	10	<1	0.04	20	1.44	259	23	0.03	35	680	<2	1.29	<2	5	74
B754226	10	<1	0.05	10	1.68	263	8	0.04	40	870	4	0.79	<2	5	54
B754227	10	<1	0.08	10	1.32	198	10	0.04	39	670	3	0.88	<2	5	76
B754228	10	<1	0.05	10	2.09	308	6	0.03	32	720	3	1.77	<2	5	83
B754229	10	<1	0.05	10	2.12	325	6	0.03	34	960	<2	1.26	<2	4	87
B754230	10	<1	0.06	10	2.35	338	4	0.04	49	760	47	1.60	<2	7	93



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - G
Total # Pages: 4 (A - G)
Finalized Date: 15-FEB-2006
Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23
		Pt ppm 0.005	Pd ppm 0.001
B754191 B754192 B754193 B754194 B754195			
B754196 B754197 B754198 B754199 B754200			
B754201 B754202 B754203 B754204 B754205			
B754206 B754207 B754208 B754209 B754210			
B754211 B754212 B754213 B754214 B754215			
B754216 B754217 B754218 B754219 B754220			
B754221 B754222 B754223 B754224 B754225			
B754226 B754227 B754228 B754229 B754230			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - C

Total # Pages: 4 (A - G)

Finalized Date: 15-FEB-2006

Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %
B754231		0.21	<10	<10	95	<10	62									
B754232		0.20	<10	<10	79	<10	74									
B754233		0.20	<10	<10	75	<10	90									
B754234		0.17	<10	<10	55	<10	116									
B754235		0.14	<10	<10	40	<10	79									
B754236		0.16	<10	<10	53	<10	114									
B754237		0.19	<10	<10	83	<10	108									
B754238								40.08	7.83	14.96	12.55	12.66	0.84	3.20	0.06	1.53
B754239		0.07	<10	<10	83	<10	70									
B754240								37.41	3.31	16.36	3.04	29.04	0.42	0.84	0.39	0.21
B754241		0.25	<10	<10	231	<10	47									
B754242		0.10	<10	<10	73	<10	101									
B754243								35.98	3.05	16.77	2.68	30.74	0.53	0.08	0.39	0.15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - D

Total # Pages: 4 (A - G)

Finalized Date: 15-FEB-2006

Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B754231 B754232 B754233 B754234 B754235		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B754236 B754237 B754238 B754239 B754240		0.24	2.05	0.13	0.32	1.71	98.16	<1	3140	337	55.0	350	6.54	90	7.84	3.13
B754241 B754242 B754243		0.18	0.02	0.01	0.01	8.67	99.92	<1	112.0	12.4	125.0	3110	7.14	19	1.00	0.66
B754241 B754242 B754243		0.17	0.02	0.01	<0.01	9.50	100.05	<1	14.4	6.0	127.5	2820	3.26	9	0.63	0.47



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - E
 Total # Pages: 4 (A - G)
 Finalized Date: 15-FEB-2006
 Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
B754231 B754232 B754233 B754234 B754235		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B754236 B754237 B754238 B754239 B754240		6.62	15.4	22.4	2.9	1.18	145.5	0.25	<2	5.7	185.0	111	<5	44.3	112.0	30.8
B754241 B754242 B754243		0.34	4.7	1.08	0.7	0.21	6.6	0.07	<2	1.7	5.6	1105	6	1.39	24.1	1.11
		0.29	3.9	0.64	0.5	0.14	3.3	0.07	<2	0.7	2.3	997	<5	0.58	3.7	0.55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 4 - F
Total # Pages: 4 (A - G)
Finalized Date: 15-FEB-2006
Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	PGM-ICP23
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm	Au ppm
B754231 B754232 B754233 B754234 B754235		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5	0.001
B754236 B754237 B754238 B754239 B754240		2	1500	0.2	2.20	6.23	<0.5	0.29	0.76	304	2	33.1	1.86	160	81.5	
B754241 B754242 B754243		1	128.0	0.1	0.17	0.53	<0.5	0.09	0.21	41	2	6.5	0.58	111	22.6	
		<1	102.5	<0.1	0.09	0.46	<0.5	0.06	0.15	34	2	4.5	0.46	88	14.9	0.004



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - G

Total # Pages: 4 (A - G)

Finalized Date: 15-FEB-2006

Account: NMZ

Project: DC06-04

CERTIFICATE OF ANALYSIS TB06008494

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23
		Pt ppm 0.005	Pd ppm 0.001
B754231 B754232 B754233 B754234 B754235			
B754236 B754237 B754238 B754239 B754240			
B754241 B754242 B754243		<0.005	0.005



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 3-MAR-2006
Account: NMZ

CERTIFICATE TB06011326

Project: DC06-05A
P.O. No.:
This report is for 41 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 9-FEB-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DRY-22	Drying - Maximum Temp 60C
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 3-MAR-2006
 Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR																
B754351		1.77	0.007	<0.2	0.55	<2	<10	30	<0.5	<2	0.19	<0.5	8	3	40	0.49
B754352		2.63	0.062	0.4	1.85	3	<10	30	<0.5	2	0.73	<0.5	32	2	463	9.18
B754353		0.76	0.032	<0.2	1.84	<2	<10	30	<0.5	<2	0.76	<0.5	15	2	442	10.30
B754354		0.97	<0.005	<0.2	0.66	3	<10	30	<0.5	<2	0.14	<0.5	6	4	31	0.84
B754355		2.55	<0.005	0.2	0.88	3	<10	30	<0.5	<2	0.18	<0.5	6	3	27	0.89
B754356		1.57	0.034	0.4	2.07	2	<10	30	<0.5	<2	1.77	<0.5	15	1	335	11.35
B754357		2.71	0.801	0.6	1.78	<2	<10	20	<0.5	2	2.08	<0.5	33	2	435	10.05
B754358		1.38	0.018	<0.2	1.16	7	<10	10	<0.5	<2	2.78	<0.5	16	1	79	1.23
B754359		0.43														
B754360		1.95	0.026	0.2	1.51	2	<10	20	<0.5	<2	1.54	<0.5	29	3	200	3.04
B754361		1.82	0.016	0.2	1.39	4	<10	20	<0.5	<2	1.68	<0.5	26	4	194	2.86
B754362		1.91	0.045	0.4	1.51	8	<10	20	<0.5	2	1.30	<0.5	44	4	546	5.06
B754363		1.60	0.015	<0.2	1.16	2	<10	30	<0.5	<2	0.72	<0.5	19	4	67	1.52
B754364		1.38	0.034	0.5	1.03	<2	<10	30	<0.5	<2	0.42	<0.5	23	7	529	3.12
B754365		1.91	0.099	1.7	0.94	<2	<10	20	<0.5	2	0.53	<0.5	15	10	2400	1.77
B754366		1.70	0.009	<0.2	0.60	<2	<10	20	<0.5	<2	0.27	<0.5	9	12	110	1.08
B754367		1.52	0.029	0.4	0.68	2	<10	20	<0.5	2	0.29	<0.5	17	8	178	2.04
B754368		1.12	0.009	<0.2	0.48	2	<10	20	<0.5	<2	0.35	<0.5	6	12	57	1.01
B754369		2.24	0.005	0.3	1.08	6	<10	40	<0.5	4	0.59	<0.5	7	5	75	1.24
B754370		1.37	0.011	<0.2	5.13	9	<10	60	<0.5	2	0.38	<0.5	22	4	157	5.65
B754371		1.41	0.006	0.2	1.28	<2	<10	20	<0.5	<2	0.78	<0.5	16	11	140	1.65
B754372		1.61	0.020	0.5	1.03	4	<10	30	<0.5	<2	0.64	<0.5	33	12	646	2.15
B754373		1.67	0.022	0.5	0.44	4	<10	10	<0.5	2	0.16	<0.5	33	14	546	1.82
B754374		1.44	0.034	0.8	0.57	3	<10	10	<0.5	2	0.30	<0.5	31	12	727	3.01
B754375		1.71	0.007	0.2	0.32	4	<10	10	<0.5	<2	0.19	<0.5	6	16	188	1.07
B754376		2.11	0.010	0.2	0.28	2	<10	10	<0.5	<2	0.11	<0.5	7	17	226	1.06
B754377		1.41	0.007	0.4	0.50	<2	<10	10	<0.5	2	0.30	<0.5	11	10	160	1.62
B754378		1.41	0.006	0.3	1.06	5	<10	20	<0.5	<2	0.60	<0.5	18	7	513	2.11
B754379		1.64	<0.005	0.2	0.36	2	<10	10	<0.5	<2	0.21	<0.5	3	10	111	0.64
B754380		1.63	0.007	0.2	0.29	<2	<10	10	<0.5	<2	0.20	<0.5	3	12	103	0.74
B754381		0.87	0.011	0.2	0.25	<2	<10	10	<0.5	2	0.35	<0.5	3	14	96	0.88
B754382		1.49	<0.005	<0.2	0.38	3	<10	10	<0.5	<2	0.25	<0.5	3	7	49	0.65
B754383		1.86	0.032	0.5	0.86	2	<10	10	<0.5	2	0.48	<0.5	33	8	584	2.93
B754384		1.90	0.011	0.3	0.79	<2	<10	20	<0.5	<2	0.61	<0.5	17	7	468	1.63
B754385		1.70	<0.005	<0.2	0.29	2	<10	10	<0.5	<2	0.25	<0.5	4	14	103	0.79
B754386		1.55	0.019	0.5	1.10	5	<10	20	<0.5	6	1.01	<0.5	34	7	821	3.46
B754387		1.93	0.020	0.6	0.54	5	<10	10	<0.5	2	0.62	<0.5	37	13	643	2.78
B754388		1.56	0.033	0.6	0.46	2	<10	20	<0.5	2	0.41	<0.5	21	23	677	3.05
B754389		1.64	0.019	0.5	0.46	5	<10	20	<0.5	<2	0.38	<0.5	13	13	475	1.85
B754390		1.89	0.008	0.5	0.98	<2	<10	30	<0.5	<2	0.46	<0.5	8	8	269	1.63



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - B
Total # Pages: 3 (A - F)
Finalized Date: 3-MAR-2006
Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
B754351		<10	<1	0.48	20	0.53	63	7	<0.01	3	190	<2	0.06	<2	1	4
B754352		10	<1	0.68	10	1.78	652	90	<0.01	9	190	<2	1.50	<2	3	15
B754353		10	<1	0.69	<10	1.81	852	16	<0.01	6	140	<2	1.22	<2	4	18
B754354		<10	<1	0.36	20	0.45	128	4	0.02	3	210	4	0.11	<2	1	5
B754355		<10	<1	0.47	20	0.59	154	7	0.03	2	290	<2	0.06	<2	2	6
B754356		10	<1	0.65	<10	1.94	1430	9	<0.01	6	160	<2	1.79	<2	4	22
B754357		10	<1	0.90	10	1.82	974	46	<0.01	14	150	<2	3.15	<2	4	33
B754358		<10	<1	0.66	20	1.20	315	144	<0.01	5	190	<2	0.30	<2	1	40
B754359																
B754360		10	<1	0.58	30	1.50	246	41	0.04	6	360	<2	0.83	<2	5	22
B754361		10	<1	0.65	20	1.26	249	53	0.04	8	340	<2	0.79	<2	4	22
B754362		10	<1	0.74	10	1.50	273	14	0.04	7	350	<2	1.72	<2	4	20
B754363		<10	<1	0.67	10	1.14	116	16	0.03	5	350	<2	0.45	<2	2	11
B754364		<10	<1	0.69	10	1.10	111	76	0.02	12	200	<2	0.51	<2	2	16
B754365		10	<1	0.66	10	1.10	107	23	0.02	18	140	<2	0.66	<2	3	11
B754366		<10	<1	0.39	10	0.63	75	25	0.03	8	140	<2	0.24	<2	2	13
B754367		<10	<1	0.20	10	0.72	104	93	0.02	14	110	<2	0.60	<2	2	28
B754368		<10	<1	0.23	10	0.49	80	33	0.03	7	190	<2	0.26	<2	2	24
B754369		<10	<1	0.75	10	1.10	114	75	0.03	4	300	<2	0.27	<2	3	13
B754370		20	1	3.82	20	5.57	289	18	0.01	7	400	<2	0.40	<2	9	11
B754371		10	<1	0.91	10	1.30	114	20	0.02	18	260	2	0.48	<2	2	14
B754372		<10	<1	0.67	10	0.83	106	38	0.02	39	330	<2	1.15	<2	3	11
B754373		<10	<1	0.27	10	0.34	52	217	0.02	36	180	2	1.44	<2	2	8
B754374		<10	<1	0.24	<10	0.45	93	37	0.02	54	160	<2	2.43	<2	2	8
B754375		<10	<1	0.14	<10	0.28	53	17	0.02	19	120	<2	0.66	<2	1	8
B754376		<10	<1	0.14	<10	0.19	39	29	0.02	15	80	<2	0.75	<2	1	9
B754377		<10	<1	0.26	10	0.38	55	18	0.03	15	100	<2	1.20	<2	1	10
B754378		10	<1	0.40	10	1.04	140	5	0.02	10	80	<2	0.80	<2	2	11
B754379		<10	<1	0.21	10	0.27	45	23	0.04	5	80	<2	0.31	<2	1	10
B754380		<10	<1	0.15	<10	0.16	43	14	0.02	5	40	<2	0.43	<2	1	8
B754381		<10	<1	0.13	<10	0.18	51	11	0.01	5	50	<2	0.57	<2	1	14
B754382		<10	<1	0.17	10	0.28	53	5	0.04	4	40	<2	0.24	<2	1	12
B754383		<10	<1	0.41	10	0.84	125	9	0.02	12	60	<2	1.81	<2	2	10
B754384		<10	<1	0.44	20	0.70	107	13	0.04	10	80	<2	0.78	<2	2	13
B754385		<10	<1	0.15	10	0.23	44	6	0.03	6	50	<2	0.42	<2	1	11
B754386		10	<1	0.61	10	1.00	146	9	0.03	29	120	<2	2.34	<2	3	16
B754387		<10	<1	0.23	10	0.39	96	27	0.03	42	110	2	1.66	<2	2	18
B754388		<10	<1	0.18	<10	0.26	98	20	0.02	46	150	3	1.99	<2	2	23
B754389		<10	<1	0.23	<10	0.34	94	77	0.01	17	70	2	1.28	<2	1	19
B754390		10	<1	0.65	10	0.69	104	21	0.03	12	80	2	0.98	<2	2	11



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 3-MAR-2006
 Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
B754391		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
		0.08	0.063	0.6	0.92	101	<10	150	1.2	8	0.28	<0.5	54	299	468	26.7



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 3-MAR-2006
 Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
B754391		<10	<1	0.17	10	0.24	708	359	0.03	425	310	168	0.02	8	4	18



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - D
 Total # Pages: 3 (A - F)
 Finalized Date: 3-MAR-2006
 Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B754391		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - F
 Total # Pages: 3 (A - F)
 Finalized Date: 3-MAR-2006
 Account: NMZ

Project: DC06-05A

CERTIFICATE OF ANALYSIS TB06011326

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B754391		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 19-FEB-2006
This copy reported on 21-FEB-2006
Account: NMZ

CERTIFICATE TB06011358

Project: DC06-05B
P.O. No.:
This report is for 40 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-FEB-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 19-FEB-2006
 Account: NMZ

Project: DC06-05B

CERTIFICATE OF ANALYSIS TB06011358

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B754392		1.84	0.023	0.5	0.50	5	<10	20	<0.5	<2	0.30	<0.5	9	23	632	2.26
B754393		1.49	0.211	0.4	0.35	<2	<10	20	<0.5	<2	0.25	<0.5	6	13	249	0.86
B754394		1.27	0.051	0.5	0.47	<2	<10	30	<0.5	<2	0.32	<0.5	17	26	661	5.46
B754395		1.71	0.025	0.5	0.31	<2	<10	40	<0.5	<2	0.34	<0.5	19	14	721	3.91
B754396		1.33	0.028	0.9	0.32	3	<10	40	<0.5	<2	0.53	<0.5	19	38	872	3.17
B754397		0.82	<0.005	0.4	3.89	<2	<10	630	1.9	<2	5.88	<0.5	27	306	5	4.49
B754398		1.30	<0.005	0.2	0.41	<2	<10	60	<0.5	<2	0.33	<0.5	8	43	225	1.35
B754399		2.43	0.028	0.7	0.25	<2	<10	40	<0.5	<2	0.36	<0.5	21	19	442	3.19
B754400		1.24	0.011	0.2	0.22	<2	<10	10	<0.5	<2	0.17	<0.5	30	36	889	11.20
B754401		1.66	0.017	0.3	0.14	<2	<10	<10	<0.5	<2	0.13	<0.5	34	17	444	12.70
B754402		1.91	0.008	0.3	0.08	<2	<10	10	<0.5	<2	0.07	<0.5	11	44	214	1.57
B754403		1.12	0.015	0.3	0.08	<2	<10	10	<0.5	<2	0.09	<0.5	14	17	305	1.85
B754404		1.81	0.021	0.5	0.11	<2	<10	10	<0.5	<2	0.08	<0.5	14	44	293	3.62
B754405		1.87	0.025	0.7	0.12	<2	<10	10	<0.5	<2	0.11	<0.5	17	18	373	4.27
B754406		1.67	0.024	0.6	0.15	4	<10	10	<0.5	<2	0.12	<0.5	19	45	355	3.49
B754407		1.75	0.014	0.5	0.43	3	<10	10	<0.5	<2	0.85	<0.5	12	12	397	2.39
B754408		1.47	0.023	0.5	1.19	2	<10	10	<0.5	<2	1.69	<0.5	14	15	931	9.49
B754409		1.68	0.018	0.5	1.70	<2	<10	10	<0.5	<2	1.62	<0.5	13	4	632	10.90
B754410		1.89	<0.005	0.2	0.42	<2	<10	10	<0.5	<2	0.65	<0.5	3	24	157	1.28
B754411		1.81	0.007	0.2	0.98	<2	<10	20	<0.5	<2	0.79	<0.5	9	5	307	3.43
B754412		1.96	0.009	0.2	0.73	2	<10	10	<0.5	<2	0.76	<0.5	5	15	245	2.37
B754413		1.25	0.014	0.3	0.74	<2	<10	10	<0.5	<2	0.93	<0.5	7	8	386	3.32
B754414		1.50	0.067	0.7	2.55	<2	<10	10	0.5	<2	2.50	<0.5	13	20	552	10.65
B754415		2.06	0.032	0.3	0.92	<2	<10	10	<0.5	<2	1.94	<0.5	17	72	172	1.98
B754416		1.80	0.038	0.4	0.89	<2	<10	10	<0.5	<2	0.89	<0.5	21	55	324	2.62
B754417		1.60	0.011	<0.2	0.57	<2	<10	10	<0.5	<2	1.20	<0.5	11	42	86	1.19
B754418		1.81	0.025	0.2	0.68	2	<10	10	<0.5	<2	0.89	<0.5	19	55	102	2.03
B754419		1.68	0.019	0.3	1.04	<2	<10	20	<0.5	<2	0.79	<0.5	9	3	174	2.24
B754420		1.80	0.011	0.2	0.97	4	<10	20	<0.5	<2	0.54	<0.5	5	11	196	1.54
B754421		1.72		0.6	3.93	<2	<10	40	<0.5	<2	3.92	<0.5	57	859	488	8.44
B754422		1.82	<0.005	0.2	2.30	<2	<10	10	<0.5	<2	4.02	<0.5	65	1615	82	6.21
B754423		1.81	0.006	0.2	1.58	4	<10	10	<0.5	<2	1.06	<0.5	22	366	350	3.14
B754424		1.54	0.005	0.2	0.62	<2	<10	10	0.5	<2	0.48	<0.5	4	24	70	1.66
B754425		1.02	0.005	0.2	0.32	<2	<10	10	<0.5	<2	0.27	<0.5	3	11	21	1.08
B754426		2.87	<0.005	<0.2	0.86	<2	<10	<10	<0.5	<2	1.00	<0.5	18	230	188	4.07
B754427		1.57	0.007	<0.2	0.90	<2	<10	<10	<0.5	<2	1.03	<0.5	46	252	300	5.63
B754428		2.23	0.011	0.4	1.00	<2	<10	<10	<0.5	<2	0.89	<0.5	47	214	1110	5.84
B754429		1.52	0.010	0.3	2.78	<2	<10	10	<0.5	<2	0.93	<0.5	65	617	1100	8.29
B754430		2.32	<0.005	<0.2	1.02	<2	<10	<10	<0.5	<2	1.18	<0.5	10	92	229	1.71
B754431		0.07	0.436	1.9	1.52	<2	<10	380	0.5	<2	1.20	<0.5	7	14	6860	3.11



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 19-FEB-2006
 Account: NMZ

Project: DC06-05B

CERTIFICATE OF ANALYSIS TB06011358

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B754392		<10	<1	0.31	<10	0.49	64	13	0.01	12	50	<2	1.89	<2	1	8
B754393		<10	<1	0.23	<10	0.34	62	11	0.01	10	80	<2	0.45	<2	1	17
B754394		<10	<1	0.22	<10	0.45	105	172	0.02	25	80	<2	1.47	<2	2	15
B754395		<10	<1	0.06	<10	0.32	97	20	0.01	28	90	<2	1.60	<2	2	21
B754396		<10	<1	0.04	10	0.37	100	33	0.01	34	80	<2	1.44	<2	2	18
B754397		10	2	1.96	140	5.26	879	<1	0.01	230	5620	5	0.01	<2	13	242
B754398		<10	<1	0.06	10	0.47	119	34	0.02	23	210	<2	0.48	<2	2	15
B754399		<10	<1	0.04	<10	0.25	94	37	0.01	38	90	<2	1.30	<2	2	10
B754400		<10	<1	0.06	<10	0.20	102	28	0.01	53	90	4	0.88	<2	1	4
B754401		<10	<1	0.02	<10	0.15	102	26	<0.01	69	30	3	0.89	4	1	2
B754402		<10	<1	0.03	<10	0.06	38	22	<0.01	37	30	<2	0.90	<2	1	1
B754403		<10	<1	0.03	<10	0.05	41	11	<0.01	40	30	<2	1.20	<2	1	1
B754404		<10	<1	0.03	<10	0.09	59	36	<0.01	67	50	6	1.29	<2	1	2
B754405		<10	<1	0.04	<10	0.09	68	81	<0.01	73	50	3	1.63	<2	2	4
B754406		<10	<1	0.05	<10	0.11	61	47	<0.01	75	30	<2	1.81	<2	1	3
B754407		<10	<1	0.16	10	0.37	126	31	0.02	28	170	3	1.34	<2	2	16
B754408		10	<1	0.41	10	1.25	422	6	0.02	12	170	3	2.16	2	3	22
B754409		10	<1	0.51	10	1.82	671	24	0.01	13	170	5	2.00	<2	3	24
B754410		<10	<1	0.05	10	0.40	134	8	0.03	6	170	<2	0.45	<2	3	15
B754411		10	<1	0.36	10	0.95	229	16	0.02	10	250	<2	0.65	<2	2	13
B754412		<10	<1	0.16	10	0.65	189	5	0.03	5	240	2	1.26	<2	2	12
B754413		<10	<1	0.08	10	0.72	265	16	0.03	6	220	2	1.44	<2	3	12
B754414		10	<1	0.11	30	2.61	1120	23	0.01	14	1410	8	2.37	<2	9	26
B754415		<10	<1	0.23	10	0.65	204	102	0.03	44	830	<2	0.97	<2	12	29
B754416		<10	1	0.13	<10	0.61	130	57	0.04	24	570	<2	1.81	<2	8	37
B754417		<10	1	0.12	10	0.34	98	8	0.04	19	510	<2	0.59	<2	11	26
B754418		<10	<1	0.11	10	0.46	104	63	0.04	37	480	2	1.06	<2	10	29
B754419		10	<1	0.20	20	0.92	152	80	0.02	5	310	4	0.71	<2	3	12
B754420		<10	<1	0.28	20	0.85	110	32	0.02	3	310	4	0.39	<2	3	9
B754421		10	1	1.35	<10	5.99	946	67	0.01	233	180	6	1.07	<2	15	40
B754422		<10	<1	0.46	<10	5.46	819	150	<0.01	349	110	4	0.46	5	14	35
B754423		10	<1	0.16	10	1.99	373	37	0.04	80	280	4	0.17	<2	10	23
B754424		10	<1	0.03	20	0.59	174	79	0.05	6	260	3	0.17	<2	5	23
B754425		<10	<1	0.06	10	0.26	107	36	0.05	3	150	9	0.20	<2	3	12
B754426		<10	<1	0.05	10	0.96	305	46	0.07	80	220	2	0.20	<2	6	28
B754427		<10	<1	0.04	<10	1.03	326	48	0.05	131	200	3	1.42	2	5	24
B754428		10	<1	0.06	<10	1.16	259	56	0.06	89	220	<2	2.12	<2	4	22
B754429		10	<1	0.61	<10	3.52	510	49	0.02	184	250	<2	1.34	2	4	12
B754430		<10	<1	0.09	<10	0.93	197	11	0.05	21	290	<2	0.06	<2	4	30
B754431		10	<1	0.57	10	1.06	448	3	0.14	10	1820	6	0.22	<2	6	89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 19-FEB-2006

Account: NMZ

Project: DC06-05B

CERTIFICATE OF ANALYSIS TB06011358

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	PGM-ICP23	PGM-ICP23	PGM-ICP23
		Ti	Ti	U	V	W	Zn	Au	Pt	Pd
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2	0.001	0.005	0.001
B754392		0.03	<10	<10	13	<10	6			
B754393		0.02	<10	<10	8	<10	7			
B754394		0.03	<10	<10	48	<10	17			
B754395		0.02	<10	<10	24	<10	16			
B754396		0.02	<10	<10	22	<10	12			
B754397		0.28	<10	<10	99	<10	101			
B754398		0.04	<10	<10	19	<10	14			
B754399		0.02	<10	<10	25	<10	11			
B754400		0.01	<10	<10	149	<10	9			
B754401		0.01	<10	<10	242	<10	8			
B754402		<0.01	<10	<10	13	<10	3			
B754403		<0.01	<10	<10	14	<10	3			
B754404		0.01	<10	<10	39	<10	8			
B754405		0.01	<10	<10	59	<10	7			
B754406		0.01	<10	<10	21	<10	5			
B754407		0.02	<10	<10	18	<10	13			
B754408		0.06	<10	<10	14	<10	22			
B754409		0.07	<10	<10	21	<10	31			
B754410		0.04	<10	<10	8	<10	9			
B754411		0.07	<10	<10	12	<10	14			
B754412		0.05	<10	<10	8	<10	11			
B754413		0.05	<10	<10	14	<10	15			
B754414		0.10	<10	<10	66	<10	53			
B754415		0.14	<10	<10	71	<10	10			
B754416		0.19	<10	<10	72	<10	11			
B754417		0.17	<10	<10	80	<10	5			
B754418		0.17	<10	<10	106	<10	8			
B754419		0.11	<10	<10	9	<10	17			
B754420		0.10	<10	<10	5	<10	28			
B754421		0.23	<10	<10	168	<10	42	0.020	<0.005	0.010
B754422		0.02	<10	<10	99	<10	19			
B754423		0.25	<10	<10	109	10	20			
B754424		0.17	<10	<10	21	<10	11			
B754425		0.09	<10	<10	11	<10	7			
B754426		0.19	<10	<10	70	10	18			
B754427		0.15	<10	<10	70	10	17			
B754428		0.16	<10	<10	59	10	18			
B754429		0.30	<10	<10	131	<10	56			
B754430		0.16	<10	<10	40	<10	8			
B754431		0.07	<10	<10	123	<10	43			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 7-MAR-2006

Account: NMZ

CERTIFICATE TB06014956

Project: DC-06-6
P.O. No.:
This report is for 20 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 20-FEB-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - F)
 Finalized Date: 7-MAR-2006
 Account: NMZ

Project: DC-06-6

CERTIFICATE OF ANALYSIS TB06014956

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
B754268		1.83	0.5	2.59	2	<10	30	<0.5	<2	1.23	<0.5	48	125	698	5.16	10
B754269		0.27														
B754270		2.37	0.3	2.77	<2	<10	110	<0.5	<2	1.30	<0.5	38	116	303	5.38	10
B754271		2.18	0.3	2.25	<2	<10	100	<0.5	<2	1.50	<0.5	37	98	279	5.39	10
B754272		1.39	0.3	1.94	<2	<10	80	<0.5	<2	1.83	<0.5	32	79	214	5.53	10
B754273		2.22	1.0	2.36	<2	<10	130	<0.5	<2	2.42	<0.5	44	133	341	6.81	10
B754274		1.76	0.3	3.68	8	<10	70	<0.5	<2	3.75	<0.5	30	214	458	5.85	10
B754275		0.58	0.3	2.33	4	<10	20	<0.5	<2	18.4	<0.5	14	17	206	4.80	<10
B754276		0.24														
B754277		1.16	0.3	1.72	<2	<10	100	<0.5	<2	1.99	<0.5	20	55	423	3.11	10
B754278		1.34	0.4	1.37	<2	<10	130	<0.5	<2	1.04	<0.5	33	13	576	5.05	<10
B754279		1.33	0.3	1.18	<2	<10	110	<0.5	<2	1.16	<0.5	27	8	658	2.85	<10
B754280		1.29	0.2	0.97	<2	<10	60	<0.5	<2	1.07	<0.5	12	39	181	1.98	10
B754281		1.32	0.3	1.18	6	<10	40	<0.5	<2	1.13	<0.5	21	29	273	3.22	<10
B754282		2.37	0.3	1.29	<2	<10	110	<0.5	<2	1.63	<0.5	21	118	490	2.53	10
B754283		1.42	0.3	2.01	<2	<10	60	<0.5	<2	2.46	<0.5	23	44	370	5.11	10
B754284		1.40	0.2	0.87	<2	<10	30	<0.5	<2	1.47	<0.5	9	35	236	1.67	<10
B754285		1.29	<0.2	1.52	<2	<10	40	<0.5	<2	1.03	<0.5	19	43	314	2.47	10
B754286		1.65	<0.2	0.97	3	<10	30	<0.5	<2	1.15	<0.5	10	42	188	1.50	<10
B754287		0.07	2.0	1.70	<2	<10	30	<0.5	<2	0.87	<0.5	13	10	5630	3.86	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - B

Total # Pages: 2 (A - F)

Finalized Date: 7-MAR-2006

Account: NMZ

Project: DC-06-6

CERTIFICATE OF ANALYSIS TB06014956

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	0.01	
B754268		<1	0.33	<10	2.87	551	9	0.07	45	570	4	1.53	2	8	20	0.30
B754269																
B754270		<1	1.21	<10	2.67	520	1	0.07	48	570	3	1.28	2	7	23	0.32
B754271		<1	0.91	<10	2.29	508	6	0.07	49	590	5	1.08	4	7	24	0.29
B754272		<1	0.70	<10	2.07	490	3	0.09	38	610	4	0.66	2	9	22	0.29
B754273		<1	1.38	<10	2.45	576	214	0.07	57	490	7	2.12	3	12	28	0.35
B754274		<1	1.45	<10	3.64	698	56	0.05	72	500	5	0.79	7	11	29	0.29
B754275		<1	0.76	<10	3.31	1705	11	0.02	14	280	4	0.7	4	10	139	0.12
B754276																
B754277		<1	1.19	10	1.14	277	4	0.04	44	570	<2	0.83	2	9	20	0.22
B754278		1	0.90	10	0.60	238	69	0.01	29	510	2	1.01	4	4	15	0.16
B754279		<1	0.57	10	0.51	202	12	0.01	30	470	3	0.79	3	3	19	0.14
B754280		<1	0.36	10	0.44	138	22	0.05	31	600	3	0.76	<2	4	23	0.17
B754281		<1	0.22	10	0.79	205	47	0.04	97	510	2	0.88	<2	4	32	0.16
B754282		<1	0.50	<10	0.58	164	15	0.05	163	620	2	0.96	4	7	31	0.26
B754283		<1	0.51	10	1.51	346	61	0.04	49	480	3	1.25	5	4	31	0.17
B754284		<1	0.27	10	0.32	103	2	0.06	12	630	4	0.40	3	4	29	0.10
B754285		<1	0.34	10	0.95	130	19	0.06	35	740	4	1.01	3	4	39	0.14
B754286		<1	0.20	10	0.36	72	39	0.08	17	1040	4	0.60	3	4	35	0.12
B754287		<1	0.18	10	1.42	669	4	0.12	9	1510	7	0.09	<2	10	65	0.23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 20-FEB-2006

This copy reported on 21-FEB-2006

Account: NMZ

CERTIFICATE TB06012728

Project: DC-06-6B

P.O. No.:

This report is for 29 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 16-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 20-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06012728

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
B756139		2.76	0.3	2.12	<2	<10	30	<0.5	<2	1.30	<0.5	15	4	457	11.05	10
B756140		1.32	<0.2	0.79	<2	<10	20	<0.5	<2	0.57	<0.5	3	19	15	0.86	<10
B756141		1.85	0.2	1.87	2	<10	60	<0.5	<2	1.08	<0.5	7	6	79	6.37	10
B756142		0.81	0.3	0.63	<2	<10	20	<0.5	<2	0.65	<0.5	10	57	342	1.83	<10
B756143		1.72	0.4	0.29	<2	<10	10	<0.5	<2	0.21	<0.5	10	12	378	1.09	<10
B756144		0.75	0.7	0.47	3	<10	<10	<0.5	2	0.32	<0.5	23	38	952	7.65	10
B756145		1.10	0.4	0.91	4	<10	10	<0.5	<2	0.37	<0.5	32	19	738	6.91	10
B756146		1.60	0.6	1.00	<2	<10	10	<0.5	<2	0.50	<0.5	42	36	897	5.50	10
B756147		1.50	0.5	0.72	<2	<10	20	<0.5	<2	0.56	<0.5	36	21	806	7.43	10
B756148		2.04	0.5	0.41	3	<10	10	<0.5	<2	0.34	<0.5	24	40	669	3.65	<10
B756149		0.96	0.6	0.51	<2	<10	10	<0.5	<2	0.52	<0.5	37	15	884	3.60	<10
B756150		1.93	0.7	0.18	3	<10	10	<0.5	<2	0.21	<0.5	24	42	523	3.92	<10
B755251		1.75	0.2	0.28	4	<10	10	<0.5	<2	0.56	<0.5	9	13	238	1.87	<10
B755252		1.70	0.3	0.31	<2	<10	<10	<0.5	<2	0.61	<0.5	21	43	439	8.28	<10
B755253		0.99	0.3	0.96	<2	<10	10	<0.5	<2	1.60	<0.5	40	10	841	11.45	10
B755254		1.57	0.4	2.19	<2	<10	50	<0.5	<2	0.50	<0.5	33	13	875	9.93	10
B755255		1.16	0.6	0.91	<2	<10	10	<0.5	<2	0.54	<0.5	38	12	859	5.05	10
B755256		1.92	0.3	1.10	2	<10	10	<0.5	<2	0.99	<0.5	38	32	422	2.47	10
B755257		1.89	0.4	1.40	<2	<10	10	<0.5	4	1.20	<0.5	48	84	459	4.08	10
B755258		2.11	<0.2	1.27	<2	<10	10	<0.5	<2	1.50	<0.5	33	56	227	2.47	10
B755259		1.89	0.2	1.32	2	<10	10	<0.5	<2	1.61	<0.5	27	49	182	2.49	<10
B755260		1.94	0.3	1.35	9	<10	<10	<0.5	<2	1.20	<0.5	34	56	358	3.41	10
B755261		1.59	0.3	1.38	<2	<10	<10	<0.5	<2	1.82	<0.5	32	59	495	3.28	10
B755262		2.44	0.4	1.28	4	<10	<10	<0.5	<2	1.99	<0.5	30	97	371	6.30	10
B755263		1.78	0.4	1.98	4	<10	10	<0.5	2	1.25	<0.5	43	238	417	4.33	10
B755264		1.80	<0.2	1.40	2	<10	10	<0.5	<2	2.25	<0.5	13	288	109	1.73	<10
B755265		1.41	<0.2	1.18	<2	<10	10	<0.5	<2	0.98	<0.5	20	409	131	1.63	<10
B755266		2.08	<0.2	1.16	<2	<10	10	<0.5	<2	0.96	<0.5	14	153	97	1.66	<10
B755295		0.08	2.2	2.00	2	10	40	0.5	5	1.03	<0.5	16	12	6900	4.63	10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 20-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06012728

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B756139	1	0.68	10	1.98	1270	17	0.03	9	290	8	1.00	<2	5	31	0.18
B756140	1	0.30	20	0.61	230	3	0.03	7	300	2	0.03	2	2	14	0.12
B756141	<1	0.60	20	1.76	827	4	0.04	9	330	6	0.63	2	6	43	0.20
B756142	1	0.10	10	0.71	227	24	0.02	29	570	3	0.45	<2	3	21	0.10
B756143	<1	0.10	10	0.25	79	24	0.02	14	130	2	0.69	<2	2	6	0.05
B756144	<1	0.04	10	0.50	148	27	0.02	27	100	4	1.20	<2	2	7	0.06
B756145	1	0.15	10	0.92	229	11	0.03	38	180	10	1.86	2	5	11	0.11
B756146	<1	0.19	20	0.92	221	20	0.03	51	370	7	2.17	<2	6	16	0.12
B756147	1	0.20	10	0.58	154	16	0.04	50	210	7	1.74	<2	5	14	0.11
B756148	1	0.05	10	0.37	111	26	0.03	28	100	4	1.58	<2	3	7	0.06
B756149	<1	0.06	<10	0.54	155	70	0.02	17	120	2	1.56	<2	2	7	0.06
B756150	<1	0.04	<10	0.14	68	62	0.01	45	80	<2	1.30	<2	2	4	0.03
B755251	<1	0.10	10	0.18	79	25	0.02	20	170	<2	0.47	<2	1	6	0.03
B755252	<1	0.06	10	0.28	109	29	<0.01	72	90	7	0.76	<2	3	8	0.04
B755253	<1	0.23	10	0.86	235	10	0.03	55	310	3	0.78	2	4	26	0.12
B755254	<1	1.28	10	2.08	309	25	0.04	27	340	<2	1.93	<2	5	22	0.21
B755255	<1	0.20	10	0.98	201	119	0.01	26	160	4	2.33	<2	3	18	0.08
B755256	<1	0.30	10	1.10	205	5	0.03	16	250	2	0.93	<2	3	26	0.13
B755257	<1	0.28	10	1.43	262	5	0.05	39	420	2	1.22	<2	6	26	0.18
B755258	<1	0.19	<10	1.24	266	4	0.05	22	420	<2	0.54	<2	5	25	0.17
B755259	<1	0.16	<10	1.26	292	14	0.06	25	500	3	0.48	<2	5	27	0.17
B755260	<1	0.09	<10	1.31	286	8	0.06	23	450	<2	0.73	<2	5	27	0.17
B755261	<1	0.09	<10	1.31	279	3	0.06	22	480	<2	1.28	<2	6	27	0.16
B755262	<1	0.12	<10	1.25	306	2	0.04	43	400	<2	0.74	<2	6	26	0.18
B755263	1	0.38	<10	2.06	310	19	0.04	77	510	3	1.41	<2	6	35	0.21
B755264	<1	0.13	<10	1.47	273	13	0.03	45	420	<2	0.21	<2	6	28	0.19
B755265	<1	0.19	<10	1.18	179	28	0.04	64	410	2	0.21	2	6	31	0.19
B755266	<1	0.17	<10	1.30	218	2	0.04	31	360	2	0.20	<2	4	21	0.18
B755295	<1	0.23	10	1.77	757	4	0.14	13	1790	4	0.09	<2	12	79	0.24



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 20-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06012728

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-AA23
		TI	U	V	W	Zn	Au
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.005
B756139		<10	<10	30	<10	26	0.039
B756140		<10	<10	9	<10	10	<0.005
B756141		<10	<10	27	<10	31	0.015
B756142		<10	<10	29	<10	32	0.012
B756143		<10	<10	15	<10	10	0.016
B756144		<10	<10	67	<10	23	0.025
B756145		<10	<10	54	<10	60	0.016
B756146		<10	<10	45	<10	88	0.017
B756147		<10	<10	57	<10	55	0.025
B756148		<10	<10	30	<10	16	0.022
B756149		<10	<10	26	<10	21	0.028
B756150		<10	<10	45	<10	8	0.041
B755251		<10	<10	33	<10	9	0.013
B755252		<10	<10	51	<10	23	0.019
B755253		<10	<10	31	<10	26	0.019
B755254		10	<10	28	<10	34	0.022
B755255		<10	<10	27	<10	16	0.029
B755256		<10	<10	16	10	15	0.015
B755257		<10	<10	84	10	20	0.020
B755258		<10	<10	67	<10	18	0.015
B755259		<10	<10	66	10	20	0.017
B755260		<10	<10	76	<10	21	0.023
B755261		<10	<10	82	<10	23	0.036
B755262		<10	<10	169	<10	25	0.062
B755263		<10	<10	110	10	33	0.047
B755264		<10	<10	90	<10	21	0.015
B755265		<10	<10	96	<10	16	0.016
B755266		<10	<10	54	<10	15	0.006
B755295		<10	<10	224	<10	43	0.701



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 20-MAR-2006

Account: NMZ

CERTIFICATE TB06018857

Project: DC06-06B I

P.O. No.:

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-MAR-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 20-MAR-2006
 Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B754288		0.93	0.022	0.4	2.27	4	<10	130	<0.5	<2	1.26	<0.5	33	118	830	5.82
B754289		0.83	0.042	0.7	1.98	4	<10	130	<0.5	<2	1.92	<0.5	55	158	879	6.88
B754290		1.83	0.026	0.4	2.45	<2	<10	120	<0.5	<2	1.64	<0.5	64	137	719	5.29
B754291		1.12	0.018	0.3	3.90	<2	<10	120	<0.5	<2	3.91	<0.5	29	238	326	6.50
B754292		1.80	0.057	0.7	0.60	<2	<10	80	<0.5	<2	0.63	<0.5	30	9	785	3.77
B754293		1.87	0.023	0.4	0.68	<2	<10	60	<0.5	<2	0.90	<0.5	36	8	742	4.10
B754294		1.67	0.024	0.4	0.76	<2	<10	60	<0.5	<2	0.98	<0.5	29	9	630	5.00
B754295		2.06	0.025	0.4	1.94	<2	<10	70	<0.5	<2	1.84	<0.5	54	129	722	5.67
B754296		1.73	0.015	0.4	1.45	<2	<10	50	<0.5	<2	1.17	<0.5	26	73	487	4.71
B754297		1.76	0.031	0.4	1.11	<2	<10	70	<0.5	<2	1.25	<0.5	36	100	692	3.57
B754298		1.60	0.013	0.2	1.14	<2	<10	50	<0.5	<2	1.52	<0.5	18	34	275	2.88
B754299		1.64	0.015	<0.2	1.45	4	<10	20	<0.5	<2	0.99	<0.5	11	38	119	2.00
B754300		1.90	0.013	<0.2	1.60	<2	<10	30	<0.5	<2	1.56	<0.5	12	33	90	2.34
B754551		1.66	0.005	<0.2	1.44	2	<10	20	<0.5	<2	1.76	<0.5	11	32	122	2.04
B754552		1.61	0.006	<0.2	1.68	3	<10	30	<0.5	<2	1.24	<0.5	11	48	58	2.06
B754553		1.73	0.006	<0.2	1.72	2	<10	30	<0.5	<2	1.00	<0.5	13	47	91	2.37
B754554		1.67	0.023	0.3	1.12	<2	<10	10	<0.5	<2	1.22	<0.5	23	186	376	2.98
B754555		1.80	0.030	0.4	1.52	<2	<10	10	<0.5	<2	1.23	<0.5	40	220	511	4.35
B754556		1.89	0.028	0.3	1.62	4	<10	10	<0.5	<2	1.28	<0.5	29	284	659	5.08
B754557		1.28	0.021	0.4	1.62	2	<10	<10	<0.5	<2	1.09	<0.5	29	190	510	4.36
B754558		0.97	0.005	<0.2	0.62	2	<10	10	<0.5	<2	0.99	<0.5	4	31	67	0.71
B754559		1.72	0.012	<0.2	0.79	<2	<10	10	<0.5	<2	0.92	<0.5	12	44	165	1.35
B754560		1.23	0.037	0.3	2.02	<2	<10	10	<0.5	<2	1.64	<0.5	37	236	559	6.15
B754561		2.04	0.042	0.7	1.86	5	<10	10	<0.5	2	1.45	<0.5	37	240	497	6.66
B754562		1.77	0.032	0.4	1.75	4	<10	10	<0.5	<2	1.19	<0.5	32	285	382	7.75
B754563		1.19	0.015	<0.2	1.02	<2	<10	20	<0.5	<2	1.13	<0.5	17	92	198	1.94
B754564		1.71	0.025	0.2	1.37	5	<10	20	<0.5	<2	0.67	<0.5	22	67	402	2.76
B754565		1.13	0.013	0.2	0.65	2	<10	20	<0.5	<2	0.67	<0.5	9	33	359	1.58
B754566		2.16	0.009	<0.2	1.63	2	<10	40	<0.5	<2	0.99	<0.5	16	63	186	1.88
B754567		1.70	0.013	<0.2	2.59	3	<10	100	<0.5	<2	1.18	<0.5	27	15	445	4.08
B754568		1.74	0.006	<0.2	2.64	4	<10	70	<0.5	<2	1.47	<0.5	20	27	153	3.39
B754569		2.34	0.046	<0.2	2.39	<2	<10	70	<0.5	<2	1.59	<0.5	28	35	370	4.33
B754570		1.21	0.020	0.3	2.59	6	<10	90	<0.5	<2	1.11	<0.5	29	25	242	3.91
B754571		1.75	0.049	0.3	2.59	5	<10	90	<0.5	<2	1.36	<0.5	28	24	464	3.63
B754572		1.63	0.021	0.2	2.43	5	<10	70	<0.5	<2	1.10	<0.5	31	21	267	3.36
B754573		1.08	0.032	0.4	2.30	3	<10	90	<0.5	<2	1.21	<0.5	38	21	563	3.54
B754574		1.08	0.042	0.4	1.86	7	<10	50	<0.5	<2	1.50	<0.5	39	20	782	3.25
B754575		1.55	0.014	0.2	2.29	<2	<10	100	<0.5	<2	1.33	<0.5	25	22	368	3.34
B754576		1.96	0.023	0.3	2.12	2	<10	100	<0.5	<2	1.12	<0.5	28	22	382	3.27
B754577		1.68	0.020	0.5	2.00	3	<10	70	<0.5	<2	1.15	<0.5	25	22	465	3.68



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 20-MAR-2006
 Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
B754288		10	<1	1.30	<10	2.26	458	6	0.05	49	580	<2	0.92	<2	9	20
B754289		10	<1	1.29	<10	2.04	483	558	0.05	55	370	2	2.94	<2	13	22
B754290		10	<1	1.32	<10	2.38	467	18	0.07	56	580	<2	1.16	<2	9	23
B754291		10	<1	2.89	<10	3.50	672	12	0.04	65	550	<2	1.12	<2	33	27
B754292		<10	<1	0.39	10	0.19	116	168	0.01	36	480	<2	1.22	<2	2	10
B754293		<10	<1	0.43	10	0.32	163	24	0.01	32	440	<2	1.12	<2	2	16
B754294		<10	<1	0.39	10	0.38	174	42	0.02	38	350	<2	1.60	<2	3	21
B754295		10	<1	0.64	<10	1.50	354	19	0.03	145	540	<2	1.98	<2	5	41
B754296		<10	<1	0.41	10	1.06	243	22	0.04	75	500	<2	1.57	<2	4	39
B754297		<10	<1	0.33	<10	0.68	158	23	0.03	147	560	<2	1.48	2	5	30
B754298		<10	<1	0.26	10	0.66	172	21	0.05	49	490	2	0.81	<2	3	39
B754299		<10	<1	0.29	10	1.08	136	2	0.04	30	550	<2	0.35	<2	4	37
B754300		<10	<1	0.26	10	1.22	172	55	0.05	35	550	<2	0.32	<2	4	33
B754551		<10	<1	0.24	10	1.07	159	4	0.04	35	540	<2	0.38	<2	4	30
B754552		10	<1	0.58	10	1.32	144	111	0.06	39	520	<2	0.31	<2	4	32
B754553		10	<1	0.51	10	1.43	164	54	0.05	45	510	<2	0.48	<2	4	31
B754554		<10	<1	0.13	<10	0.58	109	36	0.06	102	650	<2	1.61	<2	7	37
B754555		<10	<1	0.10	<10	1.00	152	20	0.05	168	650	<2	2.29	2	6	35
B754556		<10	<1	0.09	<10	1.00	181	6	0.06	134	660	12	0.87	<2	8	48
B754557		<10	<1	0.06	<10	1.12	193	9	0.05	83	630	4	1.13	<2	6	41
B754558		<10	<1	0.13	10	0.26	72	3	0.07	14	830	2	0.23	<2	5	23
B754559		<10	<1	0.14	10	0.46	86	2	0.06	25	1220	2	0.71	<2	5	28
B754560		10	1	0.12	<10	1.46	264	81	0.04	162	790	3	2.24	<2	6	50
B754561		10	<1	0.08	<10	1.39	234	25	0.04	201	720	<2	3.56	<2	7	45
B754562		10	1	0.12	<10	1.32	210	13	0.05	135	660	4	3.57	<2	7	38
B754563		<10	<1	0.18	10	0.68	125	5	0.04	77	570	<2	0.93	<2	6	30
B754564		10	1	0.31	10	0.99	154	5	0.06	45	510	3	0.92	<2	5	35
B754565		<10	<1	0.14	10	0.30	78	1	0.05	13	850	2	0.51	<2	3	25
B754566		<10	<1	0.64	10	1.19	114	6	0.05	49	560	2	0.42	<2	5	39
B754567		10	1	1.00	10	2.23	251	3	0.04	20	720	<2	1.20	<2	3	55
B754568		10	<1	0.62	10	2.51	276	3	0.04	25	750	2	0.31	<2	3	68
B754569		10	<1	0.95	10	2.22	271	38	0.05	33	740	3	0.91	<2	4	66
B754570		10	1	1.36	10	2.38	266	19	0.04	28	720	2	1.21	<2	4	63
B754571		10	<1	0.94	10	2.33	308	52	0.04	26	750	2	0.90	<2	3	72
B754572		10	1	0.60	10	2.28	290	8	0.04	25	740	3	0.95	<2	3	78
B754573		10	<1	0.83	10	2.19	291	15	0.04	26	720	2	1.56	<2	3	75
B754574		10	<1	0.48	10	1.97	280	16	0.03	24	720	<2	1.54	<2	2	55
B754575		10	1	0.75	10	2.17	344	8	0.05	21	770	4	0.85	<2	3	74
B754576		10	1	0.84	10	1.98	292	2	0.05	19	740	<2	1.18	<2	3	77
B754577		10	1	0.58	10	1.97	272	31	0.05	21	840	3	1.56	<2	4	77



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-MAR-2006
 Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B754288		0.31	<10	<10	210	<10	34
B754289		0.32	<10	<10	307	<10	29
B754290		0.27	<10	<10	166	<10	30
B754291		0.43	<10	<10	237	<10	28
B754292		0.11	<10	<10	25	<10	8
B754293		0.13	<10	<10	24	<10	10
B754294		0.12	<10	<10	35	<10	11
B754295		0.28	<10	<10	99	<10	23
B754296		0.22	<10	<10	70	<10	18
B754297		0.22	<10	<10	62	<10	12
B754298		0.13	<10	<10	35	<10	10
B754299		0.15	<10	<10	33	<10	11
B754300		0.14	<10	<10	31	<10	12
B754551		0.13	<10	<10	32	<10	12
B754552		0.16	<10	<10	46	<10	13
B754553		0.16	<10	<10	45	<10	15
B754554		0.14	<10	<10	86	<10	9
B754555		0.15	<10	<10	94	<10	13
B754556		0.19	<10	<10	140	<10	19
B754557		0.16	<10	<10	119	<10	18
B754558		0.09	<10	<10	26	<10	4
B754559		0.09	<10	<10	37	<10	6
B754560		0.18	<10	<10	138	<10	19
B754561		0.18	<10	<10	137	<10	17
B754562		0.18	<10	<10	167	<10	17
B754563		0.13	<10	<10	52	<10	8
B754564		0.15	<10	<10	60	<10	13
B754565		0.07	<10	<10	28	<10	4
B754566		0.18	<10	<10	47	<10	11
B754567		0.22	<10	<10	70	<10	20
B754568		0.22	<10	<10	87	<10	19
B754569		0.22	<10	<10	124	<10	17
B754570		0.21	<10	<10	93	<10	18
B754571		0.21	<10	<10	86	<10	22
B754572		0.18	<10	<10	74	<10	21
B754573		0.19	<10	<10	78	<10	19
B754574		0.14	<10	<10	67	<10	18
B754575		0.20	<10	<10	74	<10	22
B754576		0.19	<10	<10	72	<10	19
B754577		0.18	<10	<10	94	<10	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - A

Total # Pages: 3 (A - C)

Finalized Date: 20-MAR-2006

Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B754578		0.10	0.727	2.6	2.29	8	<10	40	0.6	<2	1.14	<0.5	16	12	7440	5.07
B754579		1.77	0.013	0.3	2.11	4	<10	90	<0.5	<2	0.75	<0.5	23	22	271	3.58
B754580		1.62	0.022	0.4	2.19	6	<10	70	<0.5	<2	0.98	<0.5	23	20	423	3.50
B754581		1.80	0.030	0.4	2.22	3	<10	90	<0.5	<2	0.81	<0.5	32	23	483	3.91
B754582		1.97	0.031	0.4	2.20	2	<10	100	<0.5	<2	0.74	<0.5	33	26	633	3.56
B754583		1.96	0.030	0.4	2.30	4	<10	110	<0.5	<2	0.75	<0.5	32	24	574	3.66
B754584		1.74	0.063	0.4	2.49	3	<10	80	<0.5	<2	0.89	<0.5	43	41	744	4.09
B754585		1.10	0.173	0.4	2.67	<2	<10	90	<0.5	<2	1.63	<0.5	27	19	677	3.93
B754586		1.44	0.754	0.6	4.53	10	<10	100	<0.5	<2	6.35	<0.5	72	1060	1270	8.07
B754587		1.35	0.170	0.2	2.28	8	<10	80	<0.5	<2	2.24	<0.5	35	23	406	3.76



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-MAR-2006
Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B754578		10	<1	0.25	10	1.91	844	4	0.17	12	1990	5	0.09	<2	13
B754579		10	1	0.77	10	1.98	238	13	0.05	20	760	<2	1.44	<2	3
B754580		10	2	0.62	10	2.06	255	13	0.06	20	790	<2	1.45	<2	3
B754581		10	<1	0.89	10	2.06	220	10	0.05	24	760	<2	1.86	<2	3
B754582		10	<1	1.18	10	1.92	224	76	0.06	23	690	2	1.32	<2	3
B754583		10	1	1.22	10	2.06	239	17	0.05	21	740	<2	1.28	<2	3
B754584		10	1	1.08	10	2.22	254	4	0.06	29	760	3	1.76	<2	3
B754585		10	1	1.34	10	2.31	295	69	0.07	29	830	3	1.10	<2	5
B754586		10	1	3.32	10	5.11	864	91	0.03	320	450	3	2.21	<2	16
B754587		10	<1	1.34	10	2.07	325	35	0.06	25	750	<2	1.28	<2	6



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-MAR-2006
 Account: NMZ

Project: DC06-06B I

CERTIFICATE OF ANALYSIS TB06018857

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B754578		0.27	<10	<10	244	<10	48
B754579		0.20	<10	<10	75	<10	17
B754580		0.20	<10	<10	73	<10	17
B754581		0.20	<10	<10	76	<10	17
B754582		0.21	<10	<10	86	<10	18
B754583		0.21	<10	<10	82	<10	19
B754584		0.20	<10	<10	80	<10	21
B754585		0.20	<10	<10	86	<10	21
B754586		0.30	<10	<10	273	10	48
B754587		0.21	<10	<10	102	<10	20



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 28-FEB-2006
Account: NMZ

CERTIFICATE TB06013991

Project: DC-06-6B

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 17-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - F)
 Finalized Date: 28-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06013991

Sample Description	Method Analyte Units LOA	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
B755267		2.05	3.8	1.19	<2	<10	10	<0.5	<2	1.09	<0.5	23	121	204	2.07	<10
B755268		2.53	0.3	1.23	<2	<10	10	<0.5	<2	1.13	<0.5	22	121	337	2.20	<10
B755269		2.25	1.3	1.33	<2	<10	10	<0.5	2	1.16	<0.5	59	120	730	4.67	10
B755270		1.05	0.3	1.38	<2	<10	10	<0.5	<2	1.06	<0.5	34	66	251	3.26	10
B755271		1.55	<0.2	1.00	<2	<10	20	<0.5	<2	0.78	<0.5	12	24	176	1.33	10
B755272		1.24	<0.2	0.63	<2	<10	10	<0.5	<2	0.58	<0.5	5	13	18	0.75	<10
B755273		2.05	0.2	1.49	<2	<10	10	<0.5	2	4.38	<0.5	51	219	321	5.45	10
B755274		1.80	0.3	1.26	<2	<10	10	<0.5	<2	1.53	<0.5	35	142	179	3.56	10
B755275		1.20														
B755276		0.25	0.2	0.80	<2	<10	30	<0.5	<2	0.91	<0.5	6	24	34	1.53	10
B755277		1.95	<0.2	0.64	<2	<10	10	<0.5	<2	0.79	<0.5	5	40	24	1.17	<10
B755278		1.92	0.8	2.26	<2	<10	<10	<0.5	3	1.52	<0.5	71	1	1160	16.0	10
B755279		1.06	<0.2	0.94	<2	<10	20	<0.5	<2	0.95	<0.5	12	158	169	1.44	10
B755280		1.61	<0.2	0.75	<2	<10	10	<0.5	<2	0.83	<0.5	10	163	93	1.16	<10
B755281		2.02	0.3	0.73	<2	<10	10	<0.5	<2	0.94	<0.5	10	176	51	1.02	<10
B755282		1.79	0.3	0.66	<2	<10	<10	<0.5	<2	1.33	<0.5	15	169	187	1.84	<10
B755283		1.83	0.4	2.10	<2	<10	10	<0.5	<2	2.29	<0.5	27	230	493	6.04	10
B755284		2.34	0.2	1.45	<2	<10	<10	<0.5	<2	1.64	<0.5	20	90	279	2.71	<10
B755285		2.20	0.4	2.55	<2	<10	20	<0.5	<2	2.80	<0.5	38	199	411	5.53	10
B755286		0.08	2.4	2.15	<2	10	40	0.5	2	1.03	<0.5	17	12	7080	4.65	10
B755287		1.88	1.6	1.93	2	<10	20	<0.5	2	3.01	<0.5	41	160	1145	7.67	10
B755288		2.42	0.5	0.60	<2	<10	<10	<0.5	<2	0.94	<0.5	18	47	500	2.87	<10
B755289		1.37	<0.2	4.99	<2	<10	10	<0.5	<2	4.38	<0.5	54	924	135	6.74	10
B755290		2.19	0.5	4.32	3	<10	10	0.6	3	3.24	<0.5	42	785	269	5.74	10
B755291		1.74	0.3	4.41	<2	<10	<10	0.7	<2	4.40	<0.5	55	1850	378	6.20	10
B755292		1.29	<0.2	2.54	<2	<10	80	<0.5	<2	2.00	<0.5	24	215	61	3.49	10
B755293		0.55														
B755294		1.85	<0.2	2.64	<2	<10	10	<0.5	<2	5.10	<0.5	45	1750	49	6.16	<10



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - F)
 Finalized Date: 28-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06013991

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
B755267		<1	0.14	<10	1.26	230	4	0.05	40	370	<2	0.55	<2	4	20	0.17
B755268		<1	0.16	<10	1.30	244	4	0.06	33	450	<2	0.56	<2	5	20	0.18
B755269		<1	0.14	<10	1.33	264	2	0.06	86	420	2	2.82	<2	5	22	0.15
B755270		<1	0.10	10	1.43	261	18	0.04	83	460	<2	1.00	<2	5	31	0.12
B755271		<1	0.40	20	1.08	136	7	0.04	19	320	2	0.27	<2	4	12	0.12
B755272		<1	0.25	10	0.70	96	6	0.03	13	210	<2	0.06	<2	3	9	0.08
B755273		<1	0.20	<10	1.43	432	20	0.05	82	520	<2	1.76	<2	8	41	0.18
B755274		<1	0.12	<10	1.11	252	6	0.06	45	510	2	0.88	<2	7	33	0.18
B755275																
B755276		<1	0.07	30	0.78	229	3	0.04	11	630	2	0.09	<2	2	24	0.08
B755277		<1	0.09	10	0.63	184	4	0.03	9	210	<2	0.13	<2	3	17	0.08
B755278		<1	0.03	10	2.44	941	10	0.02	13	230	3	2.17	<2	2	29	0.07
B755279		<1	0.22	10	0.79	184	7	0.05	35	400	<2	0.30	<2	8	26	0.20
B755280		<1	0.20	<10	0.57	123	20	0.05	58	500	2	0.25	<2	9	20	0.20
B755281		<1	0.14	<10	0.54	108	13	0.05	62	520	2	0.19	<2	8	21	0.18
B755282		<1	0.11	<10	0.55	145	12	0.04	59	480	<2	0.57	<2	9	17	0.13
B755283		<1	0.26	<10	2.15	446	38	0.04	176	480	<2	1.80	<2	13	30	0.15
B755284		<1	0.07	<10	1.37	312	26	0.05	40	380	2	0.66	<2	6	25	0.15
B755285		1	0.85	<10	2.57	493	41	0.04	63	480	<2	0.93	<2	12	33	0.22
B755286		1	0.23	10	1.79	753	4	0.16	14	1850	6	0.10	<2	12	85	0.24
B755287		<1	0.29	10	1.96	492	45	0.03	228	480	3	1.08	<2	11	42	0.17
B755288		<1	0.02	10	0.70	186	22	0.03	26	140	<2	0.80	<2	3	15	0.06
B755289		<1	0.03	10	7.72	957	50	0.01	347	340	<2	0.13	<2	26	52	0.23
B755290		<1	0.05	<10	7.03	806	28	0.01	310	370	3	0.25	<2	17	37	0.17
B755291		1	0.03	<10	7.81	914	55	0.01	533	290	<2	0.15	<2	18	50	0.12
B755292		1	0.72	30	3.95	484	5	0.04	80	1480	2	0.23	<2	8	60	0.18
B755293																
B755294		<1	0.17	<10	5.29	871	20	0.01	336	120	2	0.04	<2	15	50	0.09



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - D

Total # Pages: 2 (A - F)

Finalized Date: 28-FEB-2006

Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06013991

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B755267 B755268 B755269 B755270 B755271		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B755272 B755273 B755274 B755275 B755276		0.04	0.09	0.02	0.01	2.00	98.96	<1	106.0	23.0	48.3	320	1.33	242	5.23	3.50
B755277 B755278 B755279 B755280 B755281																
B755282 B755283 B755284 B755285 B755286																
B755287 B755288 B755289 B755290 B755291																
B755292 B755293 B755294		0.09	0.30	0.06	0.05	4.48	99.78	<1	439	66.6	39.7	330	8.70	31	3.14	1.64



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - E

Total # Pages: 2 (A - F)

Finalized Date: 28-FEB-2006

Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06013991

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
B755267 B755268 B755269 B755270 B755271		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B755272 B755273 B755274 B755275 B755276		1.01	15.5	4.30	4.7	1.14	10.4	0.53	22	5.7	13.3	55	<5	3.11	64.5	3.53
B755277 B755278 B755279 B755280 B755281																
B755282 B755283 B755284 B755285 B755286																
B755287 B755288 B755289 B755290 B755291																
B755292 B755293 B755294		1.64	16.2	5.26	3.1	0.59	28.5	0.20	5	5.2	34.2	77	5	8.86	69.4	6.28



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - F
 Total # Pages: 2 (A - F)
 Finalized Date: 28-FEB-2006
 Account: NMZ

Project: DC-06-6B

CERTIFICATE OF ANALYSIS TB06013991

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B755267 B755268 B755269 B755270 B755271		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5
B755272 B755273 B755274 B755275 B755276		3	186.5	0.4	0.70	1.40	<0.5	0.48	0.44	198	13	28.1	3.07	38	177.0
B755277 B755278 B755279 B755280 B755281															
B755282 B755283 B755284 B755285 B755286															
B755287 B755288 B755289 B755290 B755291															
B755292 B755293 B755294		1	530	0.3	0.59	4.47	<0.5	0.20	1.36	126	5	15.2	1.22	56	114.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 16-MAR-2006

Account: NMZ

CERTIFICATE TB06018856

Project: DC06-06B II
P.O. No.:
This report is for 52 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 6-MAR-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 16-MAR-2006
 Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B754687		1.47	0.005	<0.2	0.88	2	<10	50	<0.5	<2	1.24	<0.5	7	55	85	1.48
B754688		1.65	0.006	<0.2	1.04	<2	<10	50	<0.5	<2	0.83	<0.5	21	89	184	1.94
B754689		2.37	0.010	<0.2	0.98	2	<10	30	<0.5	<2	0.61	<0.5	20	89	144	2.08
B754690		1.83	0.045	0.5	1.90	<2	<10	40	<0.5	<2	0.71	<0.5	32	124	809	3.93
B754691		1.42	0.028	0.3	0.96	<2	<10	50	<0.5	<2	0.35	<0.5	27	10	351	4.08
B754692		1.40	0.035	0.3	0.65	<2	<10	80	<0.5	<2	1.20	<0.5	18	7	297	1.72
B754693		1.96	0.008	<0.2	0.18	<2	<10	10	<0.5	<2	0.99	<0.5	3	4	20	0.39
B754694		1.60	<0.005	<0.2	0.19	<2	<10	10	<0.5	<2	0.85	<0.5	2	5	13	0.29
B754695		2.02	0.006	<0.2	0.32	<2	<10	20	<0.5	<2	0.94	<0.5	4	7	13	0.62
B754696		1.78	0.046	0.4	1.91	<2	<10	20	0.5	<2	1.49	<0.5	58	6	874	12.15
B754697		1.66	0.019	0.2	1.93	<2	<10	40	<0.5	<2	1.27	<0.5	43	6	308	11.75
B754698		2.00	0.021	<0.2	1.44	<2	<10	50	<0.5	<2	0.97	<0.5	31	5	345	6.74
B754699		1.84	0.021	<0.2	1.96	<2	<10	60	<0.5	<2	1.35	<0.5	26	8	201	10.55
B754700		2.07	0.103	0.4	2.06	<2	<10	50	<0.5	<2	1.38	<0.5	39	238	164	9.02
B756101		1.77	0.024	0.2	0.72	<2	<10	40	<0.5	<2	0.89	<0.5	20	101	238	2.68
B756102		1.71	0.005	<0.2	0.28	<2	<10	40	<0.5	<2	1.06	<0.5	4	6	20	0.53
B756103		2.32	0.011	0.2	0.61	<2	<10	20	<0.5	<2	1.04	<0.5	11	47	47	1.50
B756104		1.89	0.013	<0.2	1.24	<2	<10	10	<0.5	<2	0.99	<0.5	34	125	124	3.66
B756105		1.69	0.009	<0.2	1.72	<2	<10	20	<0.5	<2	1.46	<0.5	30	119	76	4.47
B756106		1.61	0.050	1.0	2.56	<2	<10	30	<0.5	<2	1.96	<0.5	57	44	369	9.72
B756107		2.56	0.054	0.5	0.73	2	<10	10	<0.5	<2	1.64	<0.5	22	34	330	4.01
B756108		2.16	0.016	0.2	1.80	<2	<10	40	<0.5	<2	1.88	<0.5	19	9	288	3.24
B756109		1.38	0.098	0.8	3.26	4	<10	130	0.6	<2	2.18	<0.5	45	744	681	6.07
B756110		1.69	<0.005	<0.2	2.37	2	<10	70	<0.5	<2	1.30	<0.5	25	388	42	3.24
B756111		2.05	0.032	0.3	2.88	<2	<10	90	<0.5	<2	1.36	<0.5	25	564	58	3.60
B756112		2.05	0.080	0.6	3.29	<2	<10	70	<0.5	<2	1.10	<0.5	43	743	777	4.52
B756113		2.14	0.348	0.9	1.74	<2	<10	20	<0.5	<2	1.04	<0.5	36	330	1470	3.97
B756114		1.93	0.076	0.3	1.73	4	<10	10	<0.5	<2	1.14	<0.5	38	233	465	3.58
B756115		1.80	0.027	<0.2	2.21	2	<10	10	<0.5	<2	1.51	<0.5	31	177	196	3.36
B756116		2.19	0.110	0.3	2.05	3	<10	10	<0.5	<2	1.46	<0.5	26	176	283	3.18
B756117		2.30	0.114	0.3	1.92	<2	<10	20	<0.5	<2	1.24	<0.5	29	236	316	3.58
B756118		1.80	0.017	<0.2	0.85	<2	<10	10	<0.5	<2	0.65	<0.5	10	24	129	1.47
B756119		2.05	0.011	<0.2	1.02	<2	<10	30	<0.5	<2	0.74	<0.5	9	27	74	1.38
B756120		1.92	0.011	<0.2	1.08	2	<10	30	<0.5	<2	0.71	<0.5	10	10	108	1.55
B756121		1.73	0.009	<0.2	1.19	<2	<10	30	<0.5	<2	0.90	<0.5	8	6	80	1.24
B756122		2.01	0.006	<0.2	1.77	<2	<10	70	<0.5	<2	0.67	<0.5	4	4	39	2.18
B756123		1.99	0.006	<0.2	1.48	<2	<10	30	<0.5	<2	0.98	<0.5	3	3	13	1.26
B756124		1.81	<0.005	<0.2	1.38	<2	<10	40	<0.5	<2	0.27	<0.5	2	3	5	0.92
B756125		2.30	0.020	0.3	2.06	<2	<10	60	<0.5	<2	0.90	<0.5	9	2	293	6.41
B756126		0.09	0.724	2.6	2.22	<2	<10	40	0.6	3	1.08	<0.5	18	12	7130	4.79



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - B

Total # Pages: 3 (A - C)

Finalized Date: 16-MAR-2006

Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B754687		<10	<1	0.25	10	0.70	147	35	0.03	41	360	<2	0.26	<2	4	28
B754688		<10	<1	0.24	<10	0.67	118	6	0.04	87	490	2	0.34	<2	5	59
B754689		<10	<1	0.29	<10	0.59	98	66	0.04	76	550	<2	0.42	<2	5	33
B754690		10	<1	0.53	<10	1.53	190	48	0.04	75	490	2	0.57	<2	5	36
B754691		10	<1	0.49	10	0.70	146	65	0.02	16	190	<2	0.60	<2	2	17
B754692		<10	<1	0.23	10	0.40	138	19	0.02	9	260	2	0.39	<2	2	15
B754693		<10	<1	0.09	10	0.04	54	14	0.04	5	180	<2	0.18	<2	1	12
B754694		<10	<1	0.07	10	0.04	38	27	0.04	5	190	<2	0.14	<2	1	12
B754695		<10	<1	0.12	10	0.14	62	17	0.04	5	260	<2	0.27	<2	1	10
B754696		10	<1	0.48	20	1.83	549	95	0.03	24	260	3	1.12	<2	4	27
B754697		10	<1	0.75	20	1.79	629	16	0.03	10	220	<2	0.64	<2	1	29
B754698		10	<1	0.77	10	1.28	429	7	0.04	7	160	2	0.77	<2	2	22
B754699		10	<1	0.90	10	1.73	750	10	0.02	12	210	<2	0.58	<2	1	27
B754700		10	<1	0.73	<10	1.69	523	12	0.03	83	480	<2	0.79	<2	7	36
B756101		<10	<1	0.18	10	0.46	146	12	0.04	35	280	2	0.61	<2	3	23
B756102		<10	<1	0.13	10	0.08	73	7	0.03	4	180	<2	0.23	<2	1	13
B756103		<10	1	0.15	10	0.32	113	23	0.03	52	270	<2	0.19	<2	3	19
B756104		10	1	0.19	<10	0.81	227	18	0.04	89	440	<2	0.47	3	7	30
B756105		10	1	0.25	<10	1.32	325	122	0.03	69	410	<2	0.54	<2	8	27
B756106		10	2	0.47	10	2.38	709	110	0.02	54	290	3	1.22	<2	6	24
B756107		<10	1	0.07	10	0.64	234	22	0.04	29	420	2	0.83	3	5	17
B756108		10	1	0.51	10	1.67	315	39	0.05	12	980	2	0.33	2	5	44
B756109		10	1	2.53	<10	3.31	525	759	0.04	117	200	4	2.96	2	12	21
B756110		<10	1	1.14	<10	2.30	368	4	0.06	63	380	<2	0.08	<2	6	23
B756111		10	1	1.53	<10	2.87	395	9	0.04	104	400	<2	0.17	2	7	20
B756112		10	1	1.28	<10	3.16	448	2	0.03	148	430	<2	0.24	<2	7	27
B756113		<10	<1	0.32	<10	1.37	224	4	0.05	96	600	<2	0.44	<2	6	30
B756114		<10	1	0.16	<10	1.25	181	4	0.07	44	640	<2	0.73	2	8	42
B756115		<10	<1	0.32	<10	1.72	271	6	0.12	44	600	2	0.60	2	10	40
B756116		10	1	0.35	<10	1.73	259	4	0.07	49	590	3	0.35	3	8	31
B756117		10	1	0.41	10	1.40	201	4	0.10	60	620	<2	0.71	3	11	33
B756118		<10	1	0.30	10	0.67	111	63	0.08	17	160	<2	0.43	2	5	10
B756119		10	1	0.38	20	0.78	131	98	0.07	14	160	2	0.30	2	3	12
B756120		10	1	0.40	10	0.79	103	10	0.07	12	210	2	0.46	<2	3	16
B756121		<10	1	0.51	20	0.81	102	9	0.08	9	240	<2	0.25	2	3	13
B756122		10	1	1.02	30	1.17	154	15	0.06	4	270	2	0.34	<2	3	16
B756123		10	2	0.74	20	0.85	205	25	0.04	5	240	<2	0.13	2	2	12
B756124		<10	1	0.80	20	0.78	107	9	0.04	2	200	<2	0.08	<2	2	10
B756125		10	<1	0.93	20	1.76	614	3	0.02	4	230	3	1.14	2	3	19
B756126		10	1	0.25	10	1.76	804	5	0.15	13	1840	8	0.10	2	13	84



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 16-MAR-2006
Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B754687		0.12	<10	<10	41	<10	12
B754688		0.22	<10	<10	69	<10	13
B754689		0.20	<10	<10	69	<10	9
B754690		0.26	<10	<10	117	<10	21
B754691		0.10	10	<10	21	<10	12
B754692		0.07	<10	<10	9	<10	8
B754693		0.02	<10	<10	2	<10	<2
B754694		0.03	<10	<10	2	<10	<2
B754695		0.04	<10	<10	5	<10	3
B754696		0.13	<10	<10	48	<10	24
B754697		0.15	<10	<10	15	<10	27
B754698		0.11	<10	<10	13	<10	18
B754699		0.16	<10	<10	16	<10	27
B754700		0.26	<10	<10	143	<10	26
B756101		0.12	<10	<10	54	<10	8
B756102		0.04	<10	<10	3	<10	2
B756103		0.11	<10	<10	32	<10	7
B756104		0.19	<10	<10	101	<10	16
B756105		0.20	<10	<10	108	<10	20
B756106		0.16	<10	<10	70	<10	36
B756107		0.11	<10	<10	46	<10	11
B756108		0.18	<10	<10	98	<10	18
B756109		0.33	<10	<10	278	20	31
B756110		0.28	<10	<10	111	<10	22
B756111		0.32	<10	<10	182	<10	29
B756112		0.29	<10	<10	173	<10	29
B756113		0.23	<10	<10	142	<10	19
B756114		0.27	<10	<10	159	10	16
B756115		0.32	<10	<10	146	<10	19
B756116		0.27	<10	<10	143	<10	19
B756117		0.31	<10	<10	160	10	16
B756118		0.09	<10	<10	31	<10	7
B756119		0.10	<10	<10	22	<10	8
B756120		0.10	<10	<10	13	<10	8
B756121		0.11	<10	<10	10	<10	7
B756122		0.15	<10	<10	6	<10	10
B756123		0.07	<10	<10	5	<10	8
B756124		0.06	<10	<10	3	<10	5
B756125		0.14	<10	<10	6	<10	18
B756126		0.27	<10	<10	248	<10	47



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 16-MAR-2006
 Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B756127		1.98	0.015	0.3	2.29	2	<10	60	<0.5	<2	0.50	<0.5	7	3	205	6.69
B756128		2.46	0.011	<0.2	2.18	4	<10	40	<0.5	<2	1.04	<0.5	6	3	124	7.03
B756129		2.02	0.053	0.4	2.16	<2	<10	40	<0.5	<2	0.63	<0.5	10	3	391	7.65
B756130		2.00	0.114	0.4	2.00	<2	<10	30	<0.5	<2	1.18	<0.5	8	3	224	6.46
B756131		1.87	0.051	0.3	1.67	4	<10	30	<0.5	<2	0.90	<0.5	11	4	294	5.75
B756132		1.03	0.032	0.2	0.76	3	<10	30	<0.5	<2	0.67	<0.5	21	72	506	0.78
B756133		1.93	0.012	<0.2	0.48	<2	<10	20	<0.5	<2	0.48	<0.5	4	6	40	0.68
B756134		1.22	0.022	0.2	1.40	<2	<10	50	<0.5	<2	0.84	<0.5	5	6	91	1.79
B756135		1.30	0.014	0.2	1.33	2	<10	30	<0.5	<2	0.74	<0.5	3	4	43	2.01
B756136		1.96	0.012	0.2	1.53	<2	<10	20	<0.5	<2	0.70	<0.5	3	4	68	3.12
B756137		2.06	0.010	<0.2	1.46	<2	<10	30	<0.5	<2	0.52	<0.5	3	3	51	2.90
B756138		2.18	0.057	1.4	3.28	3	<10	80	<0.5	13	0.95	<0.5	20	2	1120	17.4



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 16-MAR-2006
 Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ge ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B756127		10	1	0.96	20	1.59	493	5	0.07	6	310	3	0.86	2	4
B756128		10	<1	0.74	20	1.71	748	32	0.08	5	290	4	0.52	<2	5
B756129		10	1	0.98	20	1.61	768	15	0.06	3	270	2	0.73	<2	4
B756130		10	<1	0.68	20	1.52	675	34	0.04	5	290	2	2.07	2	4
B756131		10	1	0.67	20	1.36	405	76	0.07	5	240	3	2.05	2	4
B756132		<10	1	0.35	10	0.33	124	23	0.08	32	300	<2	0.26	<2	6
B756133		<10	1	0.20	10	0.32	108	51	0.06	6	80	2	0.20	<2	2
B756134		10	1	0.81	20	1.24	306	56	0.09	4	440	2	0.41	<2	4
B756135		10	<1	0.51	20	0.98	329	20	0.09	3	290	<2	0.39	<2	4
B756136		10	1	0.51	20	1.16	501	22	0.08	4	280	2	0.35	<2	4
B756137		10	1	0.65	20	1.06	450	21	0.09	3	240	2	0.24	<2	4
B756138		10	<1	1.81	20	2.58	1800	59	0.04	6	290	7	2.32	5	4



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 16-MAR-2006
Account: NMZ

Project: DC06-06B II

CERTIFICATE OF ANALYSIS TB06018856

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B756127		0.19	<10	<10	9	<10	14
B756128		0.20	<10	<10	11	<10	15
B756129		0.21	<10	<10	14	<10	18
B756130		0.17	<10	<10	19	<10	16
B756131		0.17	<10	<10	14	<10	14
B756132		0.08	<10	<10	47	<10	7
B756133		0.03	<10	<10	10	<10	5
B756134		0.11	<10	<10	46	<10	22
B756135		0.14	<10	<10	17	<10	26
B756136		0.16	<10	<10	10	<10	29
B756137		0.14	<10	<10	8	<10	20
B756138		0.23	<10	<10	15	<10	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 7-MAR-2006

Account: NMZ

CERTIFICATE TB06014957

Project: DC06-09

P.O. No.:

This report is for 18 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 20-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - F)
 Finalized Date: 7-MAR-2006
 Account: NMZ

Project: DC06-09

CERTIFICATE OF ANALYSIS TB06014957

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B756027		1.17	0.075	0.7	0.77	<2	<10	20	<0.5	3	2.14	<0.5	84	29	891	7.32
B756028		2.03	0.521	1.1	0.70	2	<10	30	<0.5	2	1.73	<0.5	76	33	1480	5.65
B756029		2.62	5.98	2.0	0.89	4	<10	30	<0.5	5	3.58	<0.5	68	7	1360	5.84
B756030		2.17	0.014	0.2	0.75	<2	<10	50	<0.5	2	1.48	<0.5	10	23	527	1.26
B756031		2.98	0.060	0.2	1.02	<2	<10	30	<0.5	2	2.31	<0.5	9	4	380	1.72
B756032		2.08	0.014	0.3	0.80	<2	<10	20	<0.5	3	1.71	<0.5	11	29	264	1.38
B756033		2.14	0.011	0.2	1.13	<2	<10	20	<0.5	<2	1.74	<0.5	20	25	415	1.97
B756034		1.96	0.016	0.2	1.09	<2	<10	10	<0.5	<2	1.64	<0.5	24	47	581	2.00
B756035		2.19	0.028	0.4	1.09	<2	<10	10	<0.5	<2	1.68	<0.5	25	30	941	3.52
B756036		2.04	0.009	<0.2	1.20	<2	<10	20	<0.5	2	1.33	<0.5	16	41	392	1.71
B756037		2.18	0.009	<0.2	0.99	<2	<10	20	<0.5	<2	1.38	<0.5	16	25	257	2.22
B756038		1.72	0.016	0.3	1.19	<2	<10	10	<0.5	2	0.97	<0.5	29	47	590	4.81
B756039		2.04	0.022	0.2	0.92	<2	<10	20	<0.5	2	0.95	<0.5	14	20	259	1.80
B756040		0.29														
B756041		1.33	0.011	0.5	1.02	<2	<10	30	<0.5	<2	2.03	<0.5	18	23	614	1.67
B756042		1.03	0.072	1.7	1.03	<2	<10	40	<0.5	4	2.11	<0.5	35	34	4230	3.02
B756043		2.13	0.039	0.3	1.41	<2	<10	20	<0.5	3	1.43	<0.5	23	28	454	2.24
B756044		2.20	0.127	0.4	1.39	3	<10	50	<0.5	3	0.99	<0.5	15	15	529	2.77



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - F)
 Finalized Date: 7-MAR-2006
 Account: NMZ

Project: DC06-09

CERTIFICATE OF ANALYSIS TB06014957

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
B756027		<10	<1	0.29	10	0.33	210	10	0.05	37	590	7	3.08	<2	3	23
B756028		<10	<1	0.33	10	0.22	201	12	0.04	23	540	4	3.47	<2	2	18
B756029		<10	<1	0.24	10	0.59	418	41	0.02	19	220	4	3.79	<2	3	20
B756030		<10	<1	0.31	10	0.26	131	16	0.04	4	220	2	0.93	<2	1	15
B756031		<10	<1	0.20	10	0.77	235	54	0.03	11	220	<2	0.98	<2	1	18
B756032		<10	<1	0.16	10	0.25	121	254	0.09	23	690	<2	1.13	<2	4	32
B756033		<10	<1	0.14	10	0.55	182	38	0.07	22	680	3	1.22	<2	3	41
B756034		<10	<1	0.09	<10	0.49	149	42	0.08	49	630	2	1.09	<2	4	48
B756035		<10	<1	0.08	<10	0.47	174	30	0.07	32	570	<2	1.46	<2	4	45
B756036		<10	<1	0.10	10	0.42	145	9	0.08	36	880	2	0.79	<2	5	51
B756037		<10	<1	0.09	<10	0.31	135	19	0.09	41	740	2	0.81	<2	4	44
B756038		<10	<1	0.07	<10	0.44	184	101	0.06	38	540	4	1.08	<2	3	48
B756039		<10	<1	0.08	10	0.31	113	29	0.08	14	590	2	1.02	<2	3	39
B756040																
B756041		<10	1	0.16	10	0.31	127	107	0.08	41	720	2	1.20	<2	5	52
B756042		<10	<1	0.19	10	0.37	172	49	0.09	34	690	3	2.29	<2	4	41
B756043		<10	<1	0.11	10	0.56	192	18	0.08	35	730	<2	0.88	<2	4	50
B756044		10	1	0.47	10	0.83	135	43	0.08	9	500	<2	1.40	<2	2	68



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 7-MAR-2006
Account: NMZ

CERTIFICATE TB06015394

Project: DC06-09B

P.O. No.:

This report is for 58 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 23-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 7-MAR-2006
 Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B754432	2.76	0.009	<0.2	0.74	2	<10	30	<0.5	<2	0.65	<0.5	8	32	130	1.42
B754433	1.59	0.008	<0.2	0.76	<2	<10	20	<0.5	<2	0.39	<0.5	4	5	44	1.14
B754434	1.67	0.005	<0.2	0.82	<2	<10	30	<0.5	<2	0.40	<0.5	4	27	15	1.34
B754435	1.72	0.041	0.2	1.15	<2	<10	30	<0.5	<2	0.51	<0.5	7	6	95	2.72
B754436	2.11	0.022	0.3	1.83	<2	<10	20	<0.5	<2	0.81	<0.5	17	26	293	5.54
B754437	1.90	0.024	0.3	2.06	<2	<10	20	<0.5	<2	2.05	<0.5	27	2	530	8.78
B754438	2.13	0.044	0.4	1.76	<2	<10	40	<0.5	<2	0.98	<0.5	21	31	592	6.68
B754439	1.49	0.028	0.3	1.96	<2	<10	50	<0.5	<2	1.52	<0.5	28	5	305	7.18
B754440	1.97	0.029	<0.2	2.11	4	<10	100	<0.5	<2	1.29	<0.5	24	18	244	6.63
B754441	1.52	0.041	0.2	2.09	<2	<10	30	<0.5	<2	2.10	<0.5	37	4	653	9.70
B754442	2.04	<0.005	<0.2	0.64	<2	<10	30	<0.5	<2	0.66	<0.5	2	30	14	0.82
B754443	1.79	0.011	0.2	0.72	<2	<10	10	<0.5	<2	1.32	<0.5	17	18	223	1.90
B754444	1.69	0.011	0.2	0.66	5	<10	20	<0.5	<2	1.21	<0.5	13	41	332	1.21
B754445	0.58	0.024	0.6	0.55	3	<10	10	<0.5	<2	1.13	<0.5	42	12	1165	3.24
B754446	1.75	0.011	0.2	0.73	<2	<10	20	<0.5	<2	0.79	<0.5	12	40	275	1.94
B754447	1.54	0.010	<0.2	0.39	<2	<10	30	<0.5	<2	1.59	<0.5	5	11	34	1.02
B754448	1.53	0.030	0.2	0.61	8	<10	30	<0.5	<2	0.68	<0.5	14	44	338	2.44
B754449	1.75	0.020	0.2	0.43	<2	<10	20	<0.5	<2	0.89	<0.5	11	5	280	2.05
B754450	1.61	0.009	0.2	0.41	7	<10	40	<0.5	<2	0.76	<0.5	8	56	149	2.45
B756001	1.54	0.007	0.2	0.40	<2	<10	10	<0.5	<2	0.87	<0.5	11	7	219	3.03
B756002	1.08	0.008	0.2	0.63	<2	<10	20	<0.5	<2	1.36	<0.5	7	32	196	1.84
B756003	1.03	0.018	0.3	0.50	2	<10	20	<0.5	<2	0.69	<0.5	7	11	608	1.46
B756004	0.97	0.016	0.2	1.18	7	<10	30	<0.5	<2	1.03	<0.5	22	61	404	4.10
B756005	1.95	0.017	0.3	0.87	<2	<10	10	<0.5	<2	0.85	<0.5	21	24	493	3.12
B756006	1.70	0.010	0.2	0.92	2	<10	20	<0.5	<2	1.14	<0.5	9	36	221	2.01
B756007	1.82	0.011	0.3	0.40	<2	<10	10	<0.5	<2	1.27	<0.5	15	5	224	2.16
B756008	1.94	0.018	0.4	0.65	<2	<10	20	<0.5	<2	1.13	<0.5	17	38	705	2.64
B756009	0.75	0.029	0.2	0.86	<2	<10	10	<0.5	<2	1.19	<0.5	13	17	176	2.07
B756010	1.10	0.034	0.6	0.55	4	<10	30	<0.5	<2	1.22	<0.5	38	46	668	4.59
B756011	1.78	0.041	0.6	0.37	2	<10	10	<0.5	<2	1.63	<0.5	32	4	1235	5.72
B756012	1.64	0.012	0.4	0.53	<2	<10	20	<0.5	<2	1.78	<0.5	19	46	505	3.02
B756013	1.82	0.012	0.3	0.97	<2	<10	20	<0.5	<2	0.95	<0.5	14	15	238	2.61
B756014	1.75	0.018	0.2	0.98	2	<10	40	<0.5	<2	1.42	<0.5	16	28	155	1.84
B756015	1.56	0.021	0.9	1.55	<2	<10	40	<0.5	<2	3.45	<0.5	43	17	581	4.24
B756016	1.57	0.040	0.5	0.83	<2	<10	10	<0.5	<2	2.07	<0.5	28	27	648	2.40
B756017	2.24	0.187	1.9	0.57	2	<10	10	<0.5	<2	1.25	<0.5	77	17	3360	10.20
B756018	1.50	0.094	0.6	0.35	2	<10	30	<0.5	<2	2.43	<0.5	11	12	240	0.62
B756019	1.72	0.072	0.5	1.02	<2	<10	60	<0.5	<2	3.03	<0.5	22	18	314	1.72
B756020	1.66	0.105	0.4	0.68	<2	<10	20	<0.5	<2	2.72	<0.5	39	23	410	2.21
B756021	1.80	0.312	1.4	0.58	2	<10	30	<0.5	<2	2.40	<0.5	71	15	2090	3.15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-MAR-2006
Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B754432		<10	<1	0.14	10	0.34	89	12	0.04	11	330	<2	0.69	<2	3	29
B754433		<10	<1	0.15	10	0.49	106	2	0.03	6	220	<2	0.31	<2	1	23
B754434		<10	<1	0.21	10	0.44	110	55	0.05	8	250	2	0.49	2	2	28
B754435		<10	<1	0.26	10	0.87	213	3	0.03	7	240	<2	0.85	3	1	30
B754436		10	<1	0.28	10	1.48	660	6	0.03	10	250	4	1.54	2	1	44
B754437		10	<1	0.37	10	1.88	1185	2	0.02	8	230	<2	2.28	<2	1	32
B754438		10	<1	0.52	10	1.42	589	10	0.04	12	220	<2	1.71	3	2	42
B754439		10	<1	0.40	10	1.66	700	17	0.03	13	260	<2	1.68	2	2	55
B754440		10	<1	0.61	10	1.72	673	4	0.03	14	270	<2	1.30	3	2	56
B754441		10	<1	0.24	10	1.93	899	6	0.02	15	240	4	2.02	2	1	44
B754442		<10	<1	0.20	10	0.29	106	5	0.05	10	230	3	0.17	<2	1	25
B754443		<10	<1	0.09	<10	0.35	126	10	0.04	20	660	<2	1.08	4	3	31
B754444		<10	<1	0.15	10	0.26	110	13	0.06	23	650	4	0.61	<2	4	22
B754445		<10	<1	0.09	<10	0.34	104	43	0.03	54	680	5	2.94	2	2	13
B754446		<10	<1	0.11	10	0.32	110	70	0.05	16	380	3	1.04	3	3	31
B754447		<10	<1	0.13	10	0.15	128	27	0.03	11	470	3	0.29	<2	2	18
B754448		<10	<1	0.11	10	0.32	116	191	0.04	9	210	3	1.34	2	1	27
B754449		<10	<1	0.07	10	0.23	117	7	0.03	7	170	<2	1.04	3	1	22
B754450		<10	<1	0.11	10	0.14	100	168	0.04	6	180	<2	0.79	<2	1	20
B756001		<10	<1	0.06	10	0.20	112	27	0.02	7	170	<2	0.88	3	1	18
B756002		<10	<1	0.13	10	0.27	134	238	0.04	8	240	<2	0.74	<2	2	28
B756003		<10	<1	0.10	10	0.23	79	99	0.03	10	310	<2	0.58	2	2	22
B756004		10	<1	0.17	10	0.63	142	125	0.06	38	970	3	1.00	2	5	41
B756005		<10	<1	0.07	<10	0.47	156	42	0.03	36	650	<2	1.48	<2	3	41
B756006		<10	<1	0.13	10	0.45	140	76	0.05	13	570	<2	0.85	<2	4	41
B756007		<10	<1	0.07	10	0.24	142	111	0.02	4	260	<2	1.52	<2	1	21
B756008		<10	<1	0.15	10	0.26	128	39	0.04	8	330	<2	1.45	<2	3	34
B756009		<10	<1	0.10	10	0.50	168	5	0.02	17	500	2	0.59	<2	4	47
B756010		<10	<1	0.14	10	0.21	152	57	0.04	10	330	3	2.43	<2	3	34
B756011		<10	<1	0.07	<10	0.22	164	62	0.02	7	170	2	2.05	<2	2	22
B756012		<10	<1	0.14	10	0.25	160	67	0.04	11	340	2	1.17	<2	3	36
B756013		<10	<1	0.16	10	0.69	149	21	0.02	16	430	2	0.92	<2	3	43
B756014		<10	<1	0.28	10	0.56	148	91	0.04	16	330	3	0.64	<2	3	55
B756015		10	1	0.29	20	1.15	305	180	0.06	21	940	3	2.51	<2	6	58
B756016		<10	<1	0.13	10	0.71	210	37	0.04	26	560	2	1.01	<2	5	28
B756017		<10	<1	0.17	<10	0.44	168	265	0.02	96	250	4	2.21	<2	4	18
B756018		<10	<1	0.21	10	0.05	115	21	0.04	6	910	2	0.47	<2	2	30
B756019		<10	1	0.50	10	0.47	219	17	0.04	9	730	7	1.06	<2	5	44
B756020		<10	<1	0.24	10	0.44	198	30	0.03	14	570	5	1.54	<2	3	40
B756021		<10	<1	0.27	10	0.18	147	34	0.06	30	740	9	2.12	<2	4	37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 7-MAR-2006
Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
B754432		0.06	<10	<10	14	<10	7
B754433		0.03	<10	<10	2	<10	7
B754434		0.04	<10	<10	2	<10	7
B754435		0.06	<10	<10	4	<10	12
B754436		0.10	<10	<10	5	<10	24
B754437		0.10	<10	<10	12	<10	29
B754438		0.11	<10	<10	6	<10	20
B754439		0.12	<10	<10	9	<10	23
B754440		0.14	<10	<10	5	<10	24
B754441		0.10	<10	<10	16	<10	33
B754442		0.03	<10	<10	3	<10	5
B754443		0.06	<10	<10	25	<10	7
B754444		0.07	<10	<10	22	<10	11
B754445		0.04	<10	<10	16	<10	10
B754446		0.07	<10	<10	16	<10	7
B754447		0.05	<10	<10	10	<10	5
B754448		0.03	<10	<10	7	<10	7
B754449		0.02	<10	<10	4	<10	5
B754450		0.02	<10	<10	9	<10	3
B756001		0.02	<10	<10	10	<10	4
B756002		0.03	<10	<10	6	<10	5
B756003		0.05	<10	<10	12	<10	5
B756004		0.12	<10	<10	78	<10	13
B756005		0.07	<10	<10	40	<10	9
B756006		0.08	<10	<10	30	<10	9
B756007		0.03	<10	<10	4	<10	5
B756008		0.06	<10	<10	15	<10	7
B756009		0.09	<10	<10	28	<10	11
B756010		0.07	<10	<10	18	10	7
B756011		0.03	<10	<10	19	10	8
B756012		0.07	<10	<10	18	<10	7
B756013		0.08	<10	<10	19	<10	11
B756014		0.07	<10	<10	5	<10	7
B756015		0.13	<10	<10	30	<10	16
B756016		0.09	<10	<10	25	<10	12
B756017		0.04	<10	<10	49	<10	15
B756018		0.09	<10	<10	11	<10	<2
B756019		0.11	<10	<10	32	<10	14
B756020		0.07	<10	<10	22	<10	13
B756021		0.03	<10	<10	25	<10	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 7-MAR-2006
Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B756022		0.08	0.440	2.5	1.58	<2	<10	400	0.5	2	1.22	<0.5	7	13	7110	3.17
B756023		1.82	0.079	0.6	0.40	4	<10	30	<0.5	<2	2.64	<0.5	19	16	541	1.25
B756024		1.77	0.278	1.9	0.88	5	<10	40	<0.5	2	3.01	<0.5	98	24	2180	6.99
B756025		1.94	0.259	2.1	1.01	3	<10	30	<0.5	2	4.04	<0.5	126	31	2150	8.08
B756026		1.79	0.256	0.6	1.47	4	<10	50	<0.5	<2	3.03	<0.5	27	44	659	3.62
B756045		1.45	0.029	0.3	1.36	2	<10	90	<0.5	<2	1.03	<0.5	14	10	401	2.23
B756046		2.80	0.041	0.5	0.67	2	<10	40	<0.5	<2	1.51	<0.5	29	17	894	8.95
B756047		1.82	0.019	0.3	0.38	<2	<10	20	<0.5	<2	0.78	<0.5	21	27	626	5.59
B756048		2.07	0.020	0.4	0.41	<2	<10	20	<0.5	<2	0.85	<0.5	18	12	569	3.24
B756049		2.24	0.012	0.2	0.63	<2	<10	20	<0.5	<2	1.05	<0.5	14	28	251	5.37
B756050		1.58	0.037	0.3	1.14	<2	<10	30	<0.5	2	2.00	<0.5	32	17	508	7.32
B756051		2.20	0.027	0.3	0.61	<2	<10	20	<0.5	<2	0.98	<0.5	23	47	485	5.06
B756052		2.26	0.064	0.6	0.98	<2	<10	40	<0.5	2	1.18	<0.5	54	26	1130	8.41
B756053		1.99	0.075	0.8	0.37	4	<10	10	<0.5	<2	0.86	<0.5	61	45	1225	6.10
B756054		2.21	0.078	0.6	0.72	<2	<10	60	<0.5	2	1.14	<0.5	37	16	880	4.69
B756055		1.54	0.031	0.3	0.28	2	<10	30	<0.5	<2	0.45	<0.5	13	52	435	2.29
B756056		2.71	0.094	0.3	1.46	<2	<10	90	<0.5	<2	1.19	<0.5	20	7	487	2.88
B756057		1.90	0.025	0.2	1.18	2	<10	40	<0.5	<2	1.75	<0.5	13	21	377	2.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-MAR-2006
Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B756022		10	<1	0.56	10	1.09	460	2	0.14	9	1930	8	0.25	<2	6	95
B756023		<10	<1	0.24	10	0.07	154	20	0.03	4	780	8	0.76	<2	2	37
B756024		<10	<1	0.45	10	0.46	229	161	0.05	36	750	15	5.44	<2	4	44
B756025		<10	<1	0.56	10	0.76	325	126	0.03	42	710	17	5.44	<2	5	64
B756026		10	<1	0.73	10	1.05	306	28	0.06	26	840	5	1.68	<2	6	52
B756045		<10	<1	0.75	10	0.81	138	81	0.03	5	770	<2	0.28	<2	2	56
B756046		10	<1	0.30	10	0.27	178	19	0.04	23	390	<2	1.29	<2	3	41
B756047		<10	<1	0.20	10	0.24	114	15	0.03	5	90	2	1.11	<2	1	18
B756048		<10	<1	0.22	10	0.24	112	20	0.04	3	70	<2	1.98	<2	1	19
B756049		10	<1	0.31	10	0.49	197	16	0.02	12	80	2	0.83	<2	1	25
B756050		10	<1	0.47	10	0.79	282	22	0.04	52	410	<2	2.60	<2	3	41
B756051		<10	<1	0.17	10	0.29	106	99	0.04	34	610	<2	1.00	<2	3	37
B756052		10	<1	0.40	<10	0.55	178	7	0.06	34	570	<2	1.94	<2	4	36
B756053		<10	<1	0.14	10	0.28	136	17	0.02	17	60	<2	3.05	<2	1	18
B756054		<10	1	0.31	10	0.34	149	28	0.04	17	380	<2	1.94	<2	2	30
B756055		<10	<1	0.11	10	0.17	85	61	0.01	5	110	<2	1.41	<2	1	15
B756056		10	<1	0.75	10	0.88	164	24	0.06	7	560	<2	1.21	<2	2	54
B756057		10	<1	0.21	10	0.96	161	97	0.03	7	610	<2	0.53	<2	2	61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 7-MAR-2006
Account: NMZ

Project: DC06-09B

CERTIFICATE OF ANALYSIS TB06015394

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B756022		0.07	<10	<10	121	10	44
B756023		0.02	<10	<10	12	<10	5
B756024		0.06	<10	10	59	<10	17
B756025		0.09	<10	<10	52	<10	19
B756026		0.10	<10	<10	51	<10	23
B756045		0.10	<10	<10	19	<10	11
B756046		0.09	<10	<10	39	<10	8
B756047		0.03	<10	<10	11	<10	6
B756048		0.03	<10	<10	7	<10	5
B756049		0.04	<10	<10	9	<10	6
B756050		0.11	<10	<10	47	<10	13
B756051		0.13	<10	<10	54	<10	7
B756052		0.15	<10	<10	51	10	11
B756053		0.03	<10	<10	14	<10	9
B756054		0.09	<10	<10	33	<10	8
B756055		0.02	<10	<10	5	<10	3
B756056		0.12	<10	<10	26	<10	11
B756057		0.09	<10	<10	31	<10	9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 1-MAY-2006
Account: NMZ

CERTIFICATE TB06031156

Project: DC06-10A

P.O. No.:

This report is for 19 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 12-APR-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - A

Total # Pages: 2 (A - F)

Finalized Date: 1-MAY-2006

Account: NMZ

Project: DC06-10A

CERTIFICATE OF ANALYSIS TB06031156

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B762101		0.44	0.093	0.2	1.42	<2	<10	40	<0.5	<2	1.52	<0.5	26	17	272	4.40
B762102		0.24														
B762103		0.39	0.018	0.2	1.08	<2	<10	90	<0.5	<2	1.77	<0.5	9	12	115	2.39
B762104		1.94	0.005	<0.2	4.45	4	10	340	1.3	<2	4.35	<0.5	31	455	37	5.33
B762105		0.37	<0.005													
B762106		0.95	0.011	<0.2	3.72	2	<10	240	0.9	<2	3.75	<0.5	27	383	47	4.75
B762107		1.02	0.091	0.4	1.11	<2	<10	40	<0.5	<2	1.79	<0.5	17	16	225	2.19
B762108		1.88	0.087	0.4	1.34	<2	<10	80	<0.5	<2	1.75	<0.5	16	13	157	2.41
B762109		1.94	0.089	0.3	1.34	<2	<10	60	<0.5	<2	1.71	<0.5	23	8	308	2.24
B762110		2.16	0.217	0.5	1.55	2	<10	30	<0.5	<2	1.62	<0.5	33	15	486	5.82
B762111		1.69	2.49	0.6	2.30	<2	<10	30	<0.5	<2	3.68	<0.5	30	7	230	8.80
B762112		1.12	0.079	0.3	1.18	<2	<10	20	<0.5	<2	1.89	<0.5	15	9	248	2.49
B762113		0.18	0.128	0.5	1.50	2	<10	80	<0.5	<2	0.95	<0.5	13	11	516	2.41
B762114		0.33														
B762115		1.48	0.134	1.0	1.18	<2	<10	20	<0.5	<2	1.58	<0.5	49	18	1415	4.25
B762116		0.37	0.213	0.8	1.59	3	<10	60	<0.5	<2	0.84	<0.5	55	18	1210	3.21
B762117		1.12	0.021	0.3	1.19	<2	<10	30	<0.5	<2	2.15	<0.5	14	10	383	1.96
B762118		1.03	0.041	0.4	1.37	2	<10	30	<0.5	<2	2.49	<0.5	14	20	317	2.21
B762119		0.08	0.417	2.4	1.61	2	<10	400	0.5	2	1.24	<0.5	8	12	7040	3.15



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - F)
 Finalized Date: 1-MAY-2006
 Account: NMZ

Project: DC06-10A

CERTIFICATE OF ANALYSIS TB06031156

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
B762101		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B762102		10	1	0.57	10	1.10	179	48	0.06	12	450	<2	1.58	<2	3
B762103		10	<1	0.39	10	0.87	198	6	0.06	10	420	<2	0.75	<2	4
B762104		20	1	2.59	20	5.38	940	5	0.02	196	1700	<2	0.07	<2	17
B762105															
B762106		10	1	1.78	20	4.43	793	4	0.02	137	1540	<2	0.01	<2	15
B762107		<10	<1	0.39	10	0.92	180	45	0.03	11	570	<2	0.66	<2	2
B762108		10	<1	0.46	10	1.09	217	69	0.05	13	580	<2	0.79	<2	3
B762109		10	<1	0.47	10	0.96	192	35	0.05	8	550	<2	0.37	<2	2
B762110		10	1	0.29	10	1.42	274	132	0.02	16	560	<2	1.24	<2	2
B762111		10	<1	0.20	<10	2.19	493	34	0.02	13	490	<2	1.05	<2	3
B762112		<10	<1	0.37	10	0.96	230	3	0.01	10	600	<2	0.94	<2	1
B762113		10	<1	0.61	10	0.98	164	2	0.07	10	580	<2	0.47	<2	2
B762114															
B762115		10	<1	0.12	<10	1.09	224	82	0.03	15	480	<2	2.91	<2	2
B762116		10	<1	0.51	10	1.36	213	59	0.03	15	540	<2	1.00	<2	2
B762117		<10	<1	0.29	10	0.84	194	28	0.05	8	510	<2	0.57	<2	2
B762118		10	<1	0.22	10	1.15	250	26	0.03	10	510	<2	0.51	<2	2
B762119		10	<1	0.58	10	1.07	470	2	0.14	12	1900	5	0.23	<2	6



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - E
 Total # Pages: 2 (A - F)
 Finalized Date: 1-MAY-2006
 Account: NMZ

Project: DC06-10A

CERTIFICATE OF ANALYSIS TB06031156

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu	Ga	Gd	Hf	Ho	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
B762101 B762102 B762103 B762104 B762105		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B762106 B762107 B762108 B762109 B762110		0.74	20.0	2.01	2.6	0.28	14.0	0.14	5	2.8	13.5	13	<5	3.48	76.5	2.37
B762111 B762112 B762113 B762114 B762115		1.32	17.6	4.41	3.4	0.57	19.8	0.20	9	4.4	23.0	282	<5	5.66	150.0	4.79
B762116 B762117 B762118 B762119		0.62	20.3	2.05	2.5	0.27	14.4	0.13	2	3.1	13.7	12	<5	3.56	61.6	2.38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 15-MAR-2006
Account: NMZ

CERTIFICATE TB06016742

Project: DC06-11
P.O. No.:
This report is for 49 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 28-FEB-2006.

The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - D
 Total # Pages: 3 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl ppm 0.5	Tm ppm 0.01	U ppm 0.05	V ppm 5	W ppm 1	Y ppm 0.5	Yb ppm 0.03	Zn ppm 5	Zr ppm 0.5	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10
B761315		<0.5	0.46	0.58	159	7	40.5	3.36	26	126.0					
B761316											0.015	<0.2	0.91	<2	<10
B761317											0.009	<0.2	0.61	<2	<10
B761318											<0.005	<0.2	0.84	2	<10
B761319											0.011	<0.2	0.89	<2	<10
B761320											0.027	0.2	1.12	3	<10
B761321											0.016	<0.2	1.33	<2	<10
B761322											<0.005	<0.2	2.46	<2	<10
B761323											0.007	0.2	3.91	2	<10
B761324											<0.005	0.2	3.82	2	<10
B761325											0.006	<0.2	1.62	<2	<10
B761326											0.023	0.3	1.86	3	<10
B761327											0.024	0.5	1.94	<2	<10
B761328											0.010	0.2	1.62	<2	<10
B761329											0.011	0.2	1.86	<2	<10
B761330											<0.005	<0.2	1.08	<2	<10
B761331											0.020	0.4	2.60	<2	<10
B761332		<0.5	0.71	1.78	<5	2	40.5	4.86	20	433					
B761333											0.058	0.8	2.32	<2	<10
B761334											0.034	0.2	1.62	<2	<10
B761335											0.013	<0.2	2.09	<2	<10
B761336											0.023	<0.2	1.72	<2	<10
B761337											0.017	<0.2	0.69	3	<10
B761338											0.058	<0.2	1.10	5	<10
B761339											0.031	0.2	1.38	3	<10
B761340											0.036	<0.2	1.28	5	<10
B761341											0.033	0.3	1.38	<2	<10
B761342											0.063	0.5	1.80	2	<10
B761343											0.047	0.5	1.55	<2	<10
B761344											0.036	0.6	1.42	3	<10
B761345											0.044	1.3	1.93	<2	<10
B761346											0.030	0.6	1.38	4	<10
B761347											0.045	1.0	2.43	<2	<10
B761348											0.028	0.2	0.79	<2	<10
B761349											0.046	0.6	1.48	<2	<10
B761350											0.073	1.0	1.13	8	<10
B761351											0.061	0.9	1.06	10	<10
B761352											0.040	1.1	1.36	3	<10
B761353											0.019	0.4	1.36	8	<10
B761354											0.008	0.2	1.12	7	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - E

Total # Pages: 3 (A - F)

Finalized Date: 15-MAR-2006

Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
	LOR	0.5	2	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1
B761315		<0.5	<2	0.83	<0.5	11	23	539	1.66	<10	1	0.16	10	0.37	90	19
B761316		<0.5	<2	0.33	<0.5	15	24	153	1.79	<10	<1	0.08	10	0.37	104	42
B761317		<0.5	<2	0.57	<0.5	3	4	89	1.64	<10	<1	0.34	10	0.25	134	7
B761318		<0.5	<2	0.58	<0.5	6	4	223	3.07	<10	<1	0.35	10	0.37	198	91
B761319		<0.5	<2	0.42	<0.5	8	4	653	4.23	<10	<1	0.36	10	0.66	276	36
B761320		<0.5	<2	0.89	<0.5	9	4	472	6.70	<10	<1	0.49	20	0.77	359	21
B761321		<0.5	<2	1.91	<0.5	14	173	76	4.78	10	1	0.29	20	2.76	939	3
B761322		0.5	<2	0.30	<0.5	10	<1	200	16.2	10	<1	1.03	30	2.97	2540	1
B761323		<0.5	<2	0.29	<0.5	18	1	238	13.65	10	<1	0.83	30	3.04	1850	1
B761324		<0.5	<2	0.55	<0.5	5	4	97	2.88	10	<1	0.48	30	1.48	506	5
B761325		<0.5	<2	0.44	<0.5	11	4	347	6.28	10	<1	1.05	20	1.48	549	17
B761326		<0.5	<2	0.40	<0.5	17	13	720	9.08	10	<1	1.02	20	1.53	665	20
B761327		<0.5	<2	0.28	<0.5	9	3	180	5.23	10	<1	0.80	20	1.22	497	28
B761328		<0.5	<2	0.30	<0.5	11	4	287	7.37	10	<1	1.03	20	1.32	593	6
B761329		<0.5	<2	0.70	<0.5	4	5	86	2.27	10	<1	0.59	20	0.74	402	5
B761330		1.1	<2	3.35	<0.5	12	1	722	19.7	<10	<1	1.91	10	2.23	2530	17
B761331		0.8	<2	1.83	<0.5	20	3	2040	15.5	<10	2	1.39	10	1.70	1915	20
B761332		0.7	<2	2.74	<0.5	20	3	457	11.10	<10	<1	1.13	10	1.23	1660	22
B761333		0.7	<2	1.31	<0.5	6	2	311	11.00	10	<1	1.42	20	1.54	1385	10
B761334		0.5	<2	2.40	<0.5	8	1	214	10.15	10	<1	1.04	20	1.30	1535	108
B761335		<0.5	<2	1.56	<0.5	9	3	79	4.49	10	<1	0.20	20	0.61	1040	6
B761336		<0.5	<2	1.54	<0.5	21	3	329	7.85	<10	<1	0.66	20	0.89	961	6
B761337		0.6	<2	1.54	<0.5	22	2	221	7.81	10	<1	0.70	20	1.00	979	1
B761338		0.5	10	2.03	<0.5	28	2	389	9.57	10	<1	0.81	20	1.09	1095	7
B761339		<0.5	<2	2.14	<0.5	40	1	665	10.25	<10	<1	1.03	20	1.12	1140	10
B761340		<0.5	<2	2.73	<0.5	49	1	1115	13.35	10	<1	1.17	20	1.59	1545	14
B761341		0.6	<2	3.36	<0.5	46	2	985	16.9	10	<1	1.14	10	1.32	1685	313
B761342		<0.5	<2	3.03	<0.5	94	5	1130	12.50	10	<1	0.81	10	1.35	1555	54
B761343		<0.5	<2	2.52	<0.5	195	3	2170	24.1	<10	<1	0.53	10	1.85	1945	30
B761344		0.5	<2	1.87	<0.5	120	3	1195	11.80	<10	<1	0.52	20	1.28	1285	12
B761345		0.6	<2	3.44	<0.5	94	5	1880	23.7	10	<1	1.77	10	2.12	2230	16
B761346		<0.5	<2	1.78	<0.5	36	11	662	6.54	<10	<1	0.35	20	0.78	811	9
B761347		<0.5	2	2.51	<0.5	47	8	752	18.8	10	<1	0.89	10	1.50	1525	13
B761348		0.5	2	1.46	<0.5	70	1	1585	16.0	10	<1	0.56	10	1.07	1115	15
B761349		<0.5	2	1.86	<0.5	60	<1	1370	17.8	<10	<1	0.64	10	0.94	1130	18
B761350		<0.5	54	0.95	<0.5	22	2	653	9.89	10	1	0.73	10	1.27	904	35
B761351		<0.5	<2	0.89	<0.5	24	5	414	9.36	10	1	0.91	10	1.16	804	27
B761352		<0.5	3	0.86	<0.5	19	<1	149	23.4	<10	<1	0.72	10	1.12	989	12
B761353		<0.5	3	0.86	<0.5	19	<1	149	23.4	<10	<1	0.72	10	1.12	989	12



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - A

Total # Pages: 3 (A - F)

Finalized Date: 15-MAR-2006

Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method Analyte Units LOR	WEI-21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	
B761355		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
B761356		0.07														
B761357		1.79														
B761358		1.99														
B761359		1.88														
B761360		0.80														
B761361		0.16														
B761362		2.07														
B761363		1.99														
B761363		0.47	84.52	6.80	1.09	0.78	0.82	1.32	1.77	<0.01	0.13	<0.01	0.02	0.01	0.02	1.17



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
B761355 B761356 B761357 B761358 B761359		0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
B761360 B761361 B761362 B761363		98.45	<1	174.0	37.1	2.4	10	1.54	<5	3.37	1.94	0.64	10.6	3.64	6.0	0.65



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - C

Total # Pages: 3 (A - F)

Finalized Date: 15-MAR-2006

Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm
B761355 B761356 B761357 B761358 B761359		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
B761360 B761361 B761362 B761363		15.9	0.27	8	7.6	18.2	10	<5	4.43	66.5	3.76	2	75.9	0.7	0.58	3.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - D
Total # Pages: 3 (A - F)
Finalized Date: 15-MAR-2006
Account: NMZ

Project: DC06-11

CERTIFICATE OF ANALYSIS TB06016742

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl ppm 0.5	Tm ppm 0.01	U ppm 0.05	V ppm 5	W ppm 1	Y ppm 0.5	Yb ppm 0.03	Zn ppm 5	Zr ppm 0.5	Au ppm 0.005	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10
B761355											0.742	2.3	1.91	7	10	40
B761356											0.014	0.3	0.53	3	<10	50
B761357											0.037	0.6	1.00	<2	<10	70
B761358											0.087	1.1	0.91	5	<10	50
B761359											0.027	0.3	1.37	2	<10	120
B761360											0.008	0.4	0.38	<2	<10	30
B761361											0.010	0.2	0.43	6	<10	40
B761362											0.008	<0.2	0.90	6	<10	40
B761363		<0.5	0.27	0.77	5	5	18.6	1.82	11	212						



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 6-MAR-2006

Account: NMZ

CERTIFICATE TB06016717

Project: DC06-12

P.O. No.:

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 27-FEB-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
DRY-22	Drying - Maximum Temp 60C
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - F)
 Finalized Date: 6-MAR-2006
 Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06016717

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B756058		1.89	0.012	0.6	1.38	<2	<10	40	<0.5	<2	0.36	<0.5	12	16	703	10.55
B756059		2.11	0.019	1.0	1.96	7	<10	40	0.7	3	0.78	<0.5	29	1	1210	15.3
B756060		2.02	0.015	1.1	2.77	11	<10	20	0.6	3	0.54	<0.5	51	13	1380	16.5
B756061		1.68	0.016	0.5	1.29	6	<10	30	0.5	<2	0.90	<0.5	33	3	611	8.45
B756062		1.89	0.027	0.8	1.82	8	<10	70	0.5	2	0.38	<0.5	31	21	1350	7.97
B756063		1.84	0.011	0.4	1.11	4	<10	60	0.5	<2	0.30	<0.5	27	2	426	7.49
B756064		1.75	0.010	<0.2	1.01	3	<10	40	0.6	<2	0.58	<0.5	6	38	172	5.99
B756065		1.98	0.011	<0.2	1.43	6	<10	50	0.8	<2	0.63	<0.5	13	3	283	10.85
B756066		2.00	0.035	0.5	2.34	11	<10	80	0.9	2	2.19	<0.5	28	15	907	17.5
B756067		2.16	0.062	0.7	1.66	9	<10	40	0.8	<2	1.79	<0.5	27	1	1770	14.8
B756068		1.97	0.053	0.6	1.58	7	<10	40	0.8	2	0.84	<0.5	23	22	1655	15.3
B756069		1.94	0.047	0.6	1.34	<2	<10	20	0.7	2	1.16	<0.5	19	2	1795	13.4
B756070		1.92	0.018	0.2	1.29	<2	<10	30	0.6	<2	0.81	<0.5	8	34	371	9.88
B756071		1.93	0.019	0.2	1.20	<2	<10	30	0.6	<2	0.54	<0.5	7	3	347	9.14
B756072		2.03	0.023	0.6	1.56	<2	<10	40	0.8	<2	0.64	<0.5	9	24	751	12.05
B756073		1.68	0.045	0.9	1.51	<2	<10	40	0.8	2	1.22	<0.5	22	1	1620	17.3
B756074		1.92	0.044	0.9	1.86	<2	<10	70	0.7	<2	0.62	<0.5	21	25	1240	13.25
B756075		1.54	0.009	<0.2	0.62	<2	<10	30	<0.5	<2	0.52	<0.5	3	4	208	2.10
B756076		1.79	0.027	0.5	1.09	<2	<10	10	0.5	<2	1.93	<0.5	9	37	438	7.56
B756077		1.79	0.019	0.3	0.76	<2	<10	10	<0.5	<2	0.53	<0.5	5	3	439	5.51
B756078		1.99	0.034	0.3	1.82	<2	<10	40	0.7	<2	0.83	<0.5	9	20	475	12.05
B756079		1.97	0.019	0.5	1.50	<2	<10	40	0.7	<2	0.75	<0.5	12	1	609	15.0
B756080		1.75	0.032	0.7	0.84	<2	<10	10	0.5	<2	0.66	<0.5	14	11	1540	13.1
B756081		1.84	0.024	0.5	1.10	<2	<10	20	<0.5	<2	0.69	<0.5	8	5	738	7.25
B756082		2.13	0.041	1.0	0.73	3	<10	20	<0.5	<2	0.39	<0.5	30	22	2140	12.60
B756083		2.09	0.033	0.8	0.90	<2	<10	30	0.5	<2	0.67	<0.5	18	5	1280	12.20
B756084		1.80	0.048	1.0	0.83	<2	<10	30	0.5	<2	0.37	<0.5	22	36	2380	10.50
B756085		1.28	0.009	0.2	0.69	2	<10	20	<0.5	<2	0.45	<0.5	7	10	181	3.79
B756086		2.00	0.028	1.0	1.42	2	<10	20	0.7	<2	1.06	<0.5	37	17	1290	17.5
B756087		2.59	0.022	0.4	0.67	3	<10	20	<0.5	<2	1.78	<0.5	16	9	1035	10.85
B756088		0.30														
B756089		1.23	0.026	0.8	1.48	3	<10	20	0.6	<2	0.78	<0.5	22	18	1730	11.50
B756090		1.93	0.014	0.4	1.66	<2	<10	10	0.6	<2	0.59	<0.5	8	20	291	13.60
B756091		1.84	0.010	0.3	1.13	3	<10	10	0.7	<2	0.60	<0.5	5	5	223	11.40
B756092		1.46	0.011	0.3	1.02	<2	<10	10	0.7	<2	1.21	<0.5	8	31	396	12.40
B756093		1.32	0.013	0.4	0.50	<2	<10	10	0.6	<2	1.02	<0.5	14	7	824	10.85
B756094		1.24	0.005	<0.2	0.60	<2	<10	20	<0.5	<2	0.53	<0.5	2	21	87	2.65
B756095		1.24	0.017	0.3	0.13	2	<10	10	<0.5	<2	0.34	<0.5	6	10	728	4.81
B756096		0.76	0.012	0.2	0.11	<2	<10	<10	<0.5	<2	1.30	<0.5	4	30	657	6.90
B756097		0.98	0.007	0.2	1.05	<2	<10	30	<0.5	<2	0.94	<0.5	4	5	211	5.67



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 6-MAR-2006
 Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06016717

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B756058		<10	<1	0.46	10	1.08	731	25	0.01	4	100	<2	4.20	<2	1	23
B756059		10	<1	0.60	10	1.56	1080	23	0.01	3	70	3	4.32	<2	2	22
B756060		10	<1	0.19	10	1.75	1275	12	0.01	2	80	<2	5.86	<2	2	27
B756061		<10	<1	0.30	10	0.91	731	15	0.02	4	70	<2	2.94	<2	1	26
B756062		<10	<1	0.63	10	0.88	783	8	0.01	3	80	<2	3.57	<2	1	35
B756063		<10	<1	0.28	10	0.71	689	3	0.01	1	90	<2	2.38	<2	1	24
B756064		10	<1	0.23	20	0.69	607	12	0.04	3	90	<2	0.73	<2	1	38
B756065		10	<1	0.50	10	1.14	916	28	0.02	2	80	<2	0.73	<2	1	32
B756066		10	<1	1.15	10	2.02	1450	11	0.01	3	100	<2	2.13	<2	1	43
B756067		10	<1	0.69	10	1.55	1060	24	0.01	1	80	2	1.65	<2	1	41
B756068		<10	1	0.82	20	1.37	671	79	0.01	3	70	<2	1.34	<2	1	38
B756069		10	<1	0.78	10	1.24	629	59	0.01	<1	70	<2	1.05	<2	1	35
B756070		10	<1	0.70	20	1.00	553	36	0.03	2	80	<2	0.68	<2	1	38
B756071		10	<1	0.56	20	1.01	567	32	0.02	<1	90	<2	0.50	<2	1	33
B756072		10	<1	0.61	20	1.29	700	49	0.02	1	80	<2	1.24	<2	1	38
B756073		10	<1	0.78	10	1.42	865	18	0.01	1	60	<2	2.52	<2	1	23
B756074		10	<1	1.08	10	1.30	732	10	0.02	2	70	<2	2.65	3	1	33
B756075		<10	<1	0.24	20	0.40	286	11	0.04	<1	80	<2	0.26	<2	2	18
B756076		10	<1	0.16	10	1.02	713	303	0.04	2	90	2	0.77	<2	2	30
B756077		<10	<1	0.20	20	0.60	456	29	0.04	1	90	<2	0.57	<2	1	25
B756078		<10	<1	0.90	10	1.37	916	73	0.01	<1	90	<2	0.47	<2	1	43
B756079		<10	<1	0.95	10	1.16	925	18	0.01	<1	80	<2	0.78	2	1	24
B756080		10	<1	0.34	10	0.71	651	22	0.02	1	90	<2	0.98	<2	1	24
B756081		10	<1	0.29	20	0.73	574	7	0.04	2	100	<2	0.93	<2	1	42
B756082		<10	<1	0.29	10	0.64	505	70	0.02	4	80	<2	1.64	<2	1	21
B756083		<10	<1	0.30	10	0.65	581	70	0.04	3	90	<2	1.02	<2	1	35
B756084		10	<1	0.37	10	0.72	513	57	0.02	4	90	<2	1.47	<2	1	25
B756085		10	<1	0.18	20	0.44	365	24	0.05	2	150	<2	0.84	<2	2	32
B756086		10	<1	0.19	10	1.34	1055	21	0.01	3	100	<2	3.11	<2	1	54
B756087		<10	<1	0.20	<10	0.62	577	61	0.02	4	70	<2	1.44	<2	1	43
B756088																
B756089		10	<1	0.08	20	1.42	758	15	0.04	7	80	14	0.92	<2	2	102
B756090		10	<1	0.06	20	1.58	1375	10	0.02	6	70	5	0.85	<2	1	60
B756091		<10	<1	0.11	10	1.00	952	7	0.02	5	40	<2	0.76	<2	1	45
B756092		10	<1	0.10	10	1.08	977	65	0.02	5	50	<2	0.74	<2	1	38
B756093		<10	<1	0.13	<10	0.51	570	35	0.01	7	30	<2	0.87	<2	1	17
B756094		10	<1	0.10	10	0.47	541	7	0.04	2	90	<2	0.16	<2	2	32
B756095		<10	<1	0.02	<10	0.14	279	91	<0.01	3	10	2	0.35	<2	<1	5
B756096		<10	<1	0.01	<10	0.13	417	64	0.01	3	30	3	0.22	<2	<1	6
B756097		10	<1	0.24	10	0.73	670	20	0.07	2	100	<2	0.31	<2	2	57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - A
Total # Pages: 3 (A - F)
Finalized Date: 6-MAR-2006
Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06016717

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B756098		0.07	0.769	2.1	1.93	5	<10	30	0.5	<2	1.00	<0.5	15	12	6410	4.39
B756099		1.83	0.011	0.2	0.75	<2	<10	20	<0.5	<2	0.44	<0.5	4	20	222	5.99
B756100		1.87	0.022	0.5	1.61	<2	<10	20	0.5	<2	1.12	<0.5	14	3	575	15.6
B761301		1.87	0.014	0.3	0.92	2	<10	30	<0.5	<2	0.85	<0.5	7	14	422	7.33
B761302		1.80	0.021	0.6	1.35	<2	<10	70	0.7	<2	1.06	<0.5	17	5	926	15.1
B761303		1.88	0.018	0.4	1.47	4	<10	50	0.8	<2	1.88	<0.5	15	20	619	16.1
B761304		1.91	0.020	0.5	1.38	2	<10	40	0.7	<2	1.38	<0.5	19	4	815	20.6
B761305		2.24	0.017	0.5	1.75	<2	<10	60	0.8	2	1.26	<0.5	16	20	1050	21.7
B761306		1.75	0.017	0.4	1.44	2	<10	50	0.7	<2	1.37	<0.5	20	3	699	22.9
B761307		1.97	0.015	0.4	1.09	3	<10	40	0.5	2	1.74	<0.5	14	27	679	12.25



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 3 (A - F)
 Finalized Date: 6-MAR-2006
 Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06016717

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
B756098		10	<1	0.21	10	1.66	710	4	0.15	12	1700	4	0.09	<2	11
B756099		<10	<1	0.14	10	0.65	581	8	0.03	1	90	<2	0.32	<2	1
B756100		10	<1	0.16	10	1.42	1175	31	0.02	5	120	2	1.43	<2	1
B761301		<10	<1	0.21	10	0.89	708	20	0.02	3	90	<2	0.73	<2	1
B761302		10	<1	0.56	10	1.30	1040	45	0.02	6	90	3	1.74	<2	1
B761303		<10	<1	0.48	10	1.38	1190	38	0.02	9	70	<2	1.52	<2	1
B761304		10	<1	0.31	20	1.48	1155	23	0.02	7	90	2	2.04	<2	1
B761305		<10	<1	0.49	20	1.70	1245	49	0.02	8	110	4	1.38	<2	1
B761306		<10	<1	0.46	10	1.46	1140	30	0.02	9	120	2	1.52	<2	1
B761307		<10	<1	0.19	10	0.96	797	42	0.02	6	80	5	0.90	<2	1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 15-MAR-2006

Account: NMZ

CERTIFICATE TB06017702

Project: DC06-12
 P.O. No.:
 This report is for 7 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 2-MAR-2006.
 The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
 1158-A RUSSELL ST
 THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 2 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06017702

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %
		0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
B761308		0.06	<10	<10	29	<10	30									
B761309		0.06	<10	<10	28	10	42									
B761310		0.07	<10	<10	50	<10	41									
B761311		0.13	<10	<10	54	<10	24									
B761312		0.05	<10	<10	50	<10	36									
B761313		0.15	<10	<10	38	<10	18									
B761314								63.10	17.05	5.47	4.39	1.92	4.00	2.00	0.01	0.40



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - D
 Total # Pages: 2 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06017702

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B761308 B761309 B761310 B761311 B761312		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B761313 B761314		0.03	0.14	0.06	0.05	1.37	99.99	<1	449	33.0	9.4	20	2.08	75	1.41	0.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - E

Total # Pages: 2 (A - F)

Finalized Date: 15-MAR-2006

Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06017702

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Eu ppm 0.03	Ga ppm 0.1	Gd ppm 0.05	Hf ppm 0.2	Ho ppm 0.01	La ppm 0.5	Lu ppm 0.01	Mo ppm 2	Nb ppm 0.2	Nd ppm 0.1	Ni ppm 5	Pb ppm 5	Pr ppm 0.03	Rb ppm 0.2	Sm ppm 0.03
B761308 B761309 B761310 B761311 B761312																
B761313 B761314		0.72	20.2	2.11	2.6	0.28	15.9	0.13	14	3.2	15.1	12	<5	3.85	80.3	2.53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - F
Total # Pages: 2 (A - F)
Finalized Date: 15-MAR-2006
Account: NMZ

Project: DC06-12

CERTIFICATE OF ANALYSIS TB06017702

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B761308 B761309 B761310 B761311 B761312		1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5
B761313 B761314		1	599	0.2	0.28	1.82	<0.5	0.12	0.50	87	3	9.1	0.90	21	95.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 7-MAR-2006
Account: NMZ

CERTIFICATE TB06015395

Project: DC06-13
P.O. No.:
This report is for 28 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 23-FEB-2006.
The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DRY-22	Drying - Maximum Temp 60C
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - F)
 Finalized Date: 7-MAR-2006
 Account: NMZ

Project: DC06-13

CERTIFICATE OF ANALYSIS TB06015395

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B755351		0.60	0.013	<0.2	1.03	3	<10	20	<0.5	<2	2.61	<0.5	14	3	72	2.40
B755352		0.37														
B755353		1.73	0.011	0.3	0.41	<2	<10	30	<0.5	<2	2.25	<0.5	3	3	189	1.41
B755354		1.83	0.014	0.4	0.54	<2	<10	30	<0.5	<2	2.05	<0.5	5	4	351	2.34
B755355		1.76	0.022	0.7	1.22	<2	<10	10	<0.5	<2	2.67	<0.5	29	54	812	3.64
B755356		2.58	0.034	0.5	0.90	<2	<10	20	<0.5	<2	11.15	<0.5	33	48	297	4.07
B755357		0.59	0.018	0.2	0.94	<2	<10	10	<0.5	<2	2.99	<0.5	16	54	116	2.29
B755358		0.54														
B755359		1.19	0.027	0.3	0.95	<2	<10	20	<0.5	<2	2.57	<0.5	27	19	279	3.61
B755360		1.53	0.015	0.2	1.17	<2	<10	20	<0.5	<2	1.52	<0.5	14	14	260	2.38
B755361		1.86	0.016	0.3	1.98	<2	<10	20	<0.5	<2	0.55	<0.5	43	15	782	6.82
B755362		1.88	0.008	<0.2	2.61	<2	<10	40	<0.5	<2	1.40	<0.5	28	11	227	5.33
B755363		1.60	0.006	0.2	1.09	<2	<10	50	<0.5	<2	1.49	<0.5	19	12	242	2.61
B755364		1.06	0.010	0.2	1.11	<2	<10	20	<0.5	<2	2.00	<0.5	24	10	265	3.06
B755365		0.76	0.026	0.6	0.87	<2	<10	10	<0.5	<2	1.06	<0.5	40	19	663	4.12
B755366		0.89	0.022	0.8	1.54	5	<10	70	<0.5	<2	2.76	<0.5	38	39	842	5.19
B755367		0.50	0.007	<0.2	1.64	3	<10	70	<0.5	<2	1.00	<0.5	12	13	166	3.23
B755368		1.92	0.022	0.5	1.56	5	<10	30	<0.5	<2	2.82	<0.5	38	52	783	6.04
B755369		1.30	0.025	0.7	1.02	<2	<10	10	<0.5	<2	2.04	<0.5	33	39	878	6.23
B755370		1.88	0.023	0.4	1.16	<2	<10	<10	<0.5	<2	2.45	<0.5	36	40	509	4.58
B755371		2.19	0.028	0.5	1.05	3	<10	10	<0.5	<2	2.43	<0.5	50	43	897	6.63
B755372		0.41	0.012	0.2	3.24	5	<10	190	<0.5	<2	1.34	<0.5	29	121	79	5.89
B755373		0.83	0.015	<0.2	3.04	<2	<10	140	<0.5	<2	2.25	<0.5	42	131	338	6.00
B755374		0.38	0.014	0.2	2.18	<2	<10	50	<0.5	<2	1.60	<0.5	30	42	383	3.91
B755375		1.68	0.016	0.2	2.82	<2	<10	110	<0.5	<2	3.00	<0.5	24	123	254	4.69
B755376		0.92	0.140	0.3	2.48	<2	<10	70	<0.5	<2	5.76	<0.5	23	104	244	5.16
B755377		0.94	0.046	0.5	2.87	<2	<10	110	<0.5	<2	2.14	<0.5	29	135	406	6.12
B755378		1.70	0.010	<0.2	2.34	<2	<10	50	<0.5	<2	0.87	<0.5	26	19	205	3.67



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 1
 Finalized Date: 15-MAR-2006
 Account: NMZ

CERTIFICATE TB06017700

Project: DC06-14
 P.O. No.:
 This report is for 21 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-MAR-2006.
 The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-31d	Pulverize Split - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
 1158-A RUSSELL ST
 THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 2 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-14

CERTIFICATE OF ANALYSIS TB06017700

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B761364		2.17	0.011	<0.2	0.75	<2	<10	40	<0.5	<2	0.86	<0.5	8	28	132	2.10
B761365		1.78	0.014	0.2	4.37	<2	<10	50	0.7	<2	0.54	<0.5	21	<1	251	19.3
B761366		0.87	0.017	<0.2	2.67	4	<10	60	0.5	<2	1.21	<0.5	15	3	224	7.33
B761367		1.91	0.128	0.9	2.65	6	<10	60	0.5	2	1.04	<0.5	49	1	1995	14.1
B761368		0.40	0.016	0.2	0.50	<2	<10	20	<0.5	<2	0.40	<0.5	4	5	57	0.84
B761369		0.85	0.014	<0.2	0.34	2	<10	20	<0.5	<2	0.35	<0.5	8	7	166	1.62
B761370		1.43	0.284	2.2	0.59	9	<10	20	0.8	<2	1.06	0.5	234	2	6790	12.1
B761371		1.12	0.006	<0.2	0.28	5	<10	20	<0.5	<2	0.43	<0.5	3	6	122	0.97
B761372		0.34														
B761373		2.18	<0.005	<0.2	0.37	2	<10	40	<0.5	<2	0.54	<0.5	3	5	72	0.51
B761374		1.46	0.012	0.2	0.54	3	<10	30	<0.5	<2	0.67	<0.5	5	8	317	1.21
B761375		1.35	0.257	2.1	0.98	3	<10	40	<0.5	<2	0.66	<0.5	40	5	3920	7.91
B761376		2.02	0.109	1.4	0.78	2	<10	30	<0.5	<2	0.46	<0.5	28	6	2920	4.18
B761377		1.97	0.017	<0.2	0.93	<2	<10	30	<0.5	<2	0.47	<0.5	14	7	510	4.91
B761378		2.06	0.020	0.2	1.03	<2	<10	20	<0.5	<2	0.56	<0.5	22	7	487	7.68
B761379		2.01	0.024	0.2	0.87	<2	<10	30	<0.5	<2	0.78	<0.5	17	7	928	5.93
B761380		1.96	0.032	0.2	1.08	<2	<10	20	<0.5	2	0.77	<0.5	28	10	749	5.82
B761381		2.12	0.015	<0.2	0.81	<2	<10	20	<0.5	<2	0.53	<0.5	14	8	427	2.66
B761382		2.31	0.012	0.2	0.71	<2	<10	30	<0.5	<2	0.54	<0.5	8	8	239	1.70
B761383		2.04	0.008	<0.2	0.74	<2	<10	20	<0.5	<2	0.41	<0.5	6	10	236	2.16
B761384		0.07	0.436	2.3	1.65	4	<10	420	0.5	<2	1.28	<0.5	7	14	7350	3.30



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 2 (A - F)
 Finalized Date: 15-MAR-2006
 Account: NMZ

Project: DC06-14

CERTIFICATE OF ANALYSIS TB06017700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
B761364		<10	1	0.21	10	0.36	161	21	0.07	20	600	<2	0.24	<2	6	32
B761365		20	<1	0.87	20	3.59	2600	4	0.01	40	80	<2	0.49	<2	2	49
B761366		10	1	0.65	10	1.85	1280	8	0.02	14	70	<2	0.27	<2	1	68
B761367		20	<1	1.34	20	2.40	771	24	0.04	24	120	4	2.92	<2	2	56
B761368		<10	<1	0.17	20	0.21	92	883	0.06	5	90	2	0.16	<2	1	24
B761369		<10	<1	0.24	20	0.06	63	9	0.05	5	60	<2	0.32	<2	1	8
B761370		10	<1	0.28	20	0.17	152	57	0.03	8	100	8	9.18	<2	2	16
B761371		<10	<1	0.17	20	0.05	61	32	0.07	3	60	<2	0.12	<2	1	9
B761372																
B761373		<10	<1	0.26	20	0.08	69	10	0.04	1	70	<2	0.13	<2	1	11
B761374		<10	<1	0.26	20	0.23	130	119	0.05	2	80	2	0.15	<2	1	14
B761375		10	<1	0.45	20	0.59	244	100	0.05	9	80	<2	0.84	<2	2	33
B761376		10	<1	0.27	20	0.42	162	29	0.06	9	90	<2	0.58	<2	2	28
B761377		10	<1	0.20	20	0.59	213	48	0.06	4	80	2	0.17	<2	2	36
B761378		10	1	0.15	20	0.79	284	34	0.06	5	100	<2	0.34	<2	3	29
B761379		10	<1	0.16	20	0.53	222	29	0.06	2	120	2	0.39	<2	2	39
B761380		10	<1	0.12	20	0.77	286	8	0.06	3	60	<2	0.66	<2	2	43
B761381		10	<1	0.15	20	0.54	194	21	0.06	3	60	2	0.38	<2	2	26
B761382		10	<1	0.17	20	0.35	142	156	0.06	2	80	<2	0.46	<2	2	30
B761383		10	<1	0.17	20	0.42	158	24	0.06	<1	70	<2	0.36	<2	2	27
B761384		10	<1	0.58	10	1.11	489	3	0.16	12	1930	8	0.30	<2	6	94



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 1
Finalized Date: 19-APR-2006
Account: NMZ

CERTIFICATE TB06027046

Project: DC06-15
P.O. No.:
This report is for 44 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 31-MAR-2006.
The following have access to data associated with this certificate:


MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 19-APR-2006
 Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B761851	2.17	0.043	0.4	1.60	2	<10	50	<0.5	<2	1.21	<0.5	23	3	1355	8.89
B761852	2.04	0.041	0.4	1.74	<2	<10	40	<0.5	<2	1.44	<0.5	25	20	864	15.2
B761853	1.94	0.018	<0.2	1.13	<2	<10	50	<0.5	<2	1.00	<0.5	8	4	365	3.23
B761854	1.60	0.029	0.2	0.81	<2	<10	40	<0.5	<2	0.38	<0.5	7	24	292	2.29
B761855	1.46	0.074	0.7	2.04	<2	<10	70	0.7	2	1.96	<0.5	16	<1	1775	18.8
B761856	1.73	0.021	<0.2	1.27	<2	<10	60	<0.5	<2	0.95	<0.5	6	16	301	5.36
B761857	1.81	0.029	<0.2	1.45	<2	<10	60	0.5	<2	1.32	<0.5	12	3	444	10.95
B761858	1.51	0.018	0.3	1.02	<2	<10	10	0.6	<2	1.91	<0.5	12	22	336	13.20
B761859	2.21	0.017	0.3	1.42	<2	<10	30	0.7	<2	1.40	<0.5	9	4	430	15.0
B761860	1.83	0.045	0.5	1.72	<2	<10	50	0.6	<2	1.18	<0.5	16	24	1195	18.0
B761861	1.91	0.028	0.5	0.81	<2	<10	30	<0.5	<2	0.53	<0.5	10	7	1340	8.85
B761862	1.81	0.042	0.4	1.29	<2	<10	30	<0.5	2	1.49	<0.5	11	21	1330	16.7
B761863	1.23	0.089	1.9	1.53	<2	<10	30	0.5	2	1.76	<0.5	13	8	2950	15.6
B761864	0.89	0.021	0.2	0.74	<2	<10	20	0.6	2	2.17	<0.5	3	22	337	9.23
B761865	1.55	0.169	0.2	1.34	<2	<10	20	0.6	2	2.40	<0.5	5	1	530	17.9
B761866	1.83	0.063	<0.2	0.95	<2	<10	40	<0.5	<2	1.05	<0.5	3	26	180	3.91
B761867	1.36	0.113	<0.2	1.16	<2	<10	40	<0.5	<2	1.45	<0.5	4	4	109	4.58
B761868	1.96	0.068	<0.2	1.39	2	<10	30	0.5	<2	0.88	<0.5	6	14	80	7.04
B761869	2.02	0.218	<0.2	1.96	<2	<10	60	0.6	<2	2.05	<0.5	6	2	123	10.85
B761870	1.90	0.116	<0.2	1.91	<2	<10	50	0.6	<2	1.76	<0.5	4	15	125	11.60
B761871	2.07	0.028	<0.2	1.36	<2	<10	30	<0.5	2	1.02	<0.5	5	4	105	15.3
B761872	2.07	0.020	<0.2	1.36	<2	<10	40	0.6	<2	1.38	<0.5	4	10	74	18.6
B761873	2.01	0.040	<0.2	1.97	3	<10	60	0.7	<2	0.83	<0.5	8	2	327	11.25
B761874	2.08	0.518	0.2	2.57	<2	<10	60	1.4	<2	0.94	<0.5	5	3	333	21.9
B761875	1.81	0.075	0.3	2.10	<2	<10	110	0.5	<2	0.78	<0.5	7	5	231	8.85
B761876	1.58	0.042	0.2	1.68	<2	<10	60	<0.5	<2	0.72	<0.5	10	14	367	13.05
B761877	1.95	0.024	<0.2	1.34	<2	<10	50	<0.5	<2	0.45	<0.5	8	8	301	8.54
B761878	1.82	0.018	0.3	0.97	3	<10	40	<0.5	<2	0.78	<0.5	30	30	507	7.39
B761879	1.54	0.011	<0.2	0.65	<2	<10	40	<0.5	<2	0.27	<0.5	10	14	290	2.88
B761880	1.84	0.028	0.3	0.64	2	<10	40	<0.5	<2	0.24	<0.5	16	41	708	5.33
B761881	2.14	<0.005	<0.2	0.51	<2	<10	40	<0.5	<2	0.21	<0.5	3	18	70	1.02
B761882	1.80	<0.005	<0.2	0.20	<2	<10	40	<0.5	<2	0.16	<0.5	1	49	13	0.32
B761883	1.70	<0.005	<0.2	0.22	<2	<10	40	<0.5	<2	0.25	<0.5	1	14	57	0.41
B761884	1.94	<0.005	0.3	0.24	<2	<10	40	<0.5	<2	0.23	<0.5	2	43	81	0.48
B761885	1.69	<0.005	<0.2	0.22	<2	<10	30	<0.5	<2	0.17	<0.5	1	14	75	0.46
B761886	1.69	0.008	0.2	0.53	<2	<10	20	<0.5	<2	0.71	<0.5	8	42	278	1.18
B761887	1.88	<0.005	0.2	0.52	<2	<10	30	<0.5	<2	0.67	<0.5	10	11	280	1.15
B761888	1.74	0.009	0.2	0.62	<2	<10	30	<0.5	<2	0.59	<0.5	23	41	394	1.88
B761889	1.79	0.010	0.2	0.54	2	<10	30	<0.5	<2	0.56	<0.5	19	12	247	2.01
B761890	1.52	0.024	0.4	0.66	<2	<10	40	<0.5	<2	0.51	<0.5	22	46	1115	3.27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 19-APR-2006
 Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
B761851		10	<1	1.06	20	1.28	332	16	0.06	20	140	5	1.78	<2	2	36
B761852		10	1	1.14	20	1.48	434	26	0.03	17	120	11	3.00	<2	2	37
B761853		10	<1	0.63	20	0.80	247	64	0.06	12	100	2	0.76	2	1	20
B761854		10	<1	0.27	20	0.56	191	25	0.07	6	60	<2	0.80	<2	1	10
B761855		10	<1	1.44	20	1.83	1020	31	0.03	6	90	18	1.66	<2	2	30
B761856		10	1	0.66	30	0.99	524	18	0.08	3	80	2	0.72	<2	2	27
B761857		10	<1	0.86	20	1.35	1055	52	0.04	5	120	7	1.86	<2	2	26
B761858		<10	1	0.34	10	1.04	1285	59	0.01	8	70	8	1.44	<2	1	29
B761859		10	1	0.59	10	1.33	1245	26	0.03	5	90	9	1.16	<2	1	30
B761860		10	<1	0.68	10	1.62	1425	17	0.02	8	170	8	1.34	2	2	36
B761861		10	<1	0.31	10	0.76	629	106	0.04	8	70	3	0.50	<2	1	24
B761862		10	1	0.48	10	1.30	1365	24	0.03	4	100	11	0.53	2	2	34
B761863		10	<1	0.39	10	1.64	1750	347	0.02	11	90	8	0.97	<2	2	34
B761864		<10	<1	0.19	10	0.74	991	6	0.05	5	80	3	1.27	<2	1	31
B761865		10	1	0.39	10	1.39	1410	93	0.01	10	70	11	0.70	<2	2	35
B761866		10	<1	0.47	20	0.71	505	16	0.07	4	80	2	0.50	2	2	23
B761867		10	<1	0.63	20	0.80	524	34	0.04	10	80	3	0.67	<2	1	29
B761868		10	<1	0.61	30	1.03	863	13	0.03	8	60	<2	0.69	<2	1	21
B761869		10	<1	0.81	20	1.62	2030	4	0.04	17	100	4	0.94	<2	2	43
B761870		10	<1	0.98	20	1.61	2070	104	0.03	10	80	12	0.47	<2	1	48
B761871		10	<1	0.52	10	1.07	1865	32	0.05	12	70	7	0.34	3	1	27
B761872		<10	<1	0.60	10	1.05	1950	11	0.05	4	80	11	0.58	<2	1	21
B761873		10	1	0.66	20	1.41	1860	8	0.04	14	100	6	1.38	<2	1	46
B761874		10	<1	0.86	20	2.12	2540	8	0.05	11	60	17	1.16	4	1	23
B761875		10	<1	0.96	20	1.57	1725	1	0.03	11	60	12	0.97	<2	1	41
B761876		10	<1	0.89	20	1.63	1320	36	0.04	15	70	12	1.20	2	2	25
B761877		10	<1	0.77	20	1.18	931	24	0.05	14	50	4	0.78	<2	1	29
B761878		<10	1	0.67	10	0.86	676	52	0.04	23	40	4	0.80	<2	1	22
B761879		<10	<1	0.37	10	0.52	227	41	0.05	11	70	<2	1.12	<2	1	12
B761880		<10	<1	0.36	10	0.57	210	122	0.04	14	80	3	1.68	<2	1	15
B761881		<10	<1	0.27	10	0.35	102	28	0.05	10	60	<2	0.20	<2	1	13
B761882		<10	<1	0.11	10	0.07	44	66	0.03	3	30	<2	0.05	<2	<1	10
B761883		<10	<1	0.12	10	0.06	52	81	0.02	3	30	<2	0.15	<2	<1	11
B761884		<10	<1	0.14	10	0.04	54	18	0.02	2	20	<2	0.24	<2	<1	7
B761885		<10	<1	0.11	10	0.06	52	176	0.03	1	30	<2	0.17	<2	<1	5
B761886		<10	<1	0.23	10	0.30	125	190	0.02	4	60	2	0.63	<2	1	14
B761887		<10	<1	0.23	10	0.29	124	31	0.02	4	70	2	0.47	<2	1	14
B761888		<10	<1	0.20	10	0.35	141	120	0.02	8	50	2	0.89	2	1	23
B761889		<10	<1	0.20	10	0.32	124	249	0.02	5	60	<2	0.61	2	1	21
B761890		<10	<1	0.31	10	0.37	118	136	0.02	7	60	<2	0.62	<2	1	24



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 19-APR-2006
 Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
B761851		0.08	<10	<10	8	<10	20
B761852		0.05	<10	<10	27	<10	18
B761853		0.06	<10	<10	6	<10	12
B761854		0.04	<10	<10	5	<10	9
B761855		0.05	<10	<10	16	<10	24
B761856		0.06	10	<10	8	<10	11
B761857		0.07	10	<10	27	<10	23
B761858		0.04	10	<10	131	<10	21
B761859		0.05	<10	<10	23	<10	21
B761860		0.08	<10	<10	16	<10	30
B761861		0.04	<10	<10	16	<10	15
B761862		0.05	10	<10	21	10	25
B761863		0.06	<10	<10	35	<10	29
B761864		0.04	10	<10	9	<10	15
B761865		0.04	10	<10	12	<10	28
B761866		0.06	<10	<10	7	<10	11
B761867		0.07	<10	<10	14	<10	13
B761868		0.04	<10	<10	2	<10	20
B761869		0.12	10	<10	21	<10	32
B761870		0.08	10	<10	17	10	34
B761871		0.06	10	<10	9	<10	26
B761872		0.05	<10	<10	9	10	25
B761873		0.09	<10	<10	8	<10	28
B761874		0.05	10	<10	14	<10	49
B761875		0.07	<10	<10	4	<10	40
B761876		0.05	<10	<10	36	<10	30
B761877		0.05	<10	<10	11	<10	27
B761878		0.03	<10	<10	12	<10	24
B761879		0.03	<10	<10	4	<10	21
B761880		0.03	<10	<10	11	<10	16
B761881		0.03	<10	<10	3	<10	6
B761882		0.01	<10	<10	1	<10	2
B761883		0.01	<10	<10	1	<10	2
B761884		<0.01	<10	<10	1	<10	2
B761885		0.01	<10	<10	1	<10	3
B761886		0.01	<10	<10	3	<10	5
B761887		0.02	<10	<10	3	<10	3
B761888		0.02	<10	<10	5	<10	5
B761889		0.02	<10	<10	8	<10	4
B761890		0.02	<10	<10	9	<10	6



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 19-APR-2006
 Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B761891		0.08	0.707	2.3	2.08	<2	10	40	0.5	<2	1.09	<0.5	16	12	6910	4.76
B761892		1.50	0.015	0.2	0.49	<2	<10	40	<0.5	<2	0.52	<0.5	7	12	471	1.14
B761893		1.90	0.008	<0.2	0.32	<2	<10	40	<0.5	<2	0.51	<0.5	7	51	317	1.09
B761894		0.90	0.022	0.3	0.49	2	<10	50	<0.5	<2	0.42	<0.5	14	11	943	1.49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 19-APR-2006
Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
B761891		10	<1	0.24	10	1.80	782	3	0.15	13	1830	12	0.10	<2	12	79
B761892		<10	<1	0.24	10	0.14	71	216	0.03	5	70	3	0.43	<2	1	20
B761893		<10	<1	0.16	10	0.11	72	40	0.03	4	50	3	0.35	<2	1	13
B761894		<10	<1	0.24	10	0.20	83	51	0.02	5	60	2	0.49	<2	1	19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - C

Total # Pages: 3 (A - C)

Finalized Date: 19-APR-2006

Account: NMZ

Project: DC06-15

CERTIFICATE OF ANALYSIS TB06027046

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
B761891		0.26	<10	<10	226	<10	50
B761892		0.02	<10	<10	8	<10	2
B761893		0.01	<10	<10	6	<10	<2
B761894		0.02	<10	<10	6	<10	3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 19-APR-2006

Account: NMZ

CERTIFICATE TB06027386

Project: DC06-16
 P.O. No.:
 This report is for 18 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 31-MAR-2006.

The following have access to data associated with this certificate:

MAPLE	BOB MIDDLETON	TWEST - GENERAL WEB ACCO
-------	---------------	--------------------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
 1158-A RUSSELL ST
 THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 2 (A - F)
 Finalized Date: 19-APR-2006
 Account: NMZ

Project: DC06-16

CERTIFICATE OF ANALYSIS TB06027386

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Ti	Ti	U	V	W	Zn	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2
		%	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
		0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
B761901		0.14	<10	<10	32	<10	2									
B761902		0.13	<10	<10	30	<10	3									
B761903		0.09	<10	<10	8	<10	12									
B761904		0.09	<10	<10	12	<10	24									
B761905		0.09	<10	<10	2	<10	16									
B761906		0.08	<10	<10	4	<10	19	74.51	12.47	1.83	1.60	0.45	3.37	3.10	<0.01	0.24
B761907																
B761908		0.06	<10	<10	10	<10	9									
B761909		0.05	<10	<10	9	<10	11									
B761910		0.06	<10	<10	4	<10	15									
B761911		0.06	<10	<10	7	<10	10									
B761912		0.05	<10	<10	7	<10	6									
B761913		0.06	<10	<10	10	<10	16									
B761914		0.06	<10	<10	5	<10	12									
B761915		0.06	<10	<10	5	<10	18									
B761916		0.06	<10	<10	6	10	9									
B761917		0.07	<10	<10	127	<10	44									
B761918								73.43	12.76	3.57	0.40	0.60	1.70	4.67	<0.01	0.27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - D

Total # Pages: 2 (A - F)

Finalized Date: 19-APR-2006

Account: NMZ

Project: DC06-16

CERTIFICATE OF ANALYSIS TB06027386

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm
B761901 B761902 B761903 B761904 B761905		0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03
B761906 B761907 B761908 B761909 B761910		0.01	0.03	0.02	0.03	1.43	99.09	<1	322	78.3	1.8	10	0.71	20	7.65	4.48
B761911 B761912 B761913 B761914 B761915																
B761916 B761917 B761918		<0.01	0.01	0.01	0.06	1.41	98.89	<1	594	71.9	1.9	10	1.62	32	9.12	5.62



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - E

Total # Pages: 2 (A - F)

Finalized Date: 19-APR-2006

Account: NMZ

Project: DC06-16

CERTIFICATE OF ANALYSIS TB06027386

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
B761901 B761902 B761903 B761904 B761905		0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03
B761906 B761907 B761908 B761909 B761910		1.26	20.2	7.90	10.1	1.52	35.7	0.53	3	15.8	39.0	<5	<5	9.59	77.8	8.48
B761911 B761912 B761913 B761914 B761915																
B761916 B761917 B761918		1.42	23.7	8.35	10.8	1.87	32.7	0.84	7	16.1	36.7	<5	<5	8.99	138.0	8.26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - F
Total # Pages: 2 (A - F)
Finalized Date: 19-APR-2006
Account: NMZ

Project: DC06-16

CERTIFICATE OF ANALYSIS TB06027386

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
B761901 B761902 B761903 B761904 B761905	1	0.1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03	5	0.5
B761906 B761907 B761908 B761909 B761910	2	155.0	1.2	1.27	6.14	<0.5	0.59	1.44	<5	6	42.6	3.71	15	385	
B761911 B761912 B761913 B761914 B761915															
B761916 B761917 B761918	4	85.9	1.3	1.44	6.01	<0.5	0.82	1.60	<5	6	49.2	5.38	12	415	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 6-MAY-2006

Account: NMZ

CERTIFICATE TB06033593

Project: DC06-17

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 19-APR-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - C
 Total # Pages: 2 (A - F)
 Finalized Date: 6-MAY-2006
 Account: NMZ

Project: DC06-17

CERTIFICATE OF ANALYSIS TB06033593

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Ti %	TI ppm	U ppm	V ppm	W ppm	Zn ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %
B761919		0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
B761920		0.19	<10	<10	48	<10	25	50.96	14.19	11.75	10.41	6.56	2.30	0.37	0.02	0.88
B761921		0.17	<10	<10	56	<10	37									
B761922		0.21	<10	<10	67	<10	40									
B761923								50.48	14.33	12.75	10.16	6.91	2.13	0.15	0.02	0.91
B761924		0.13	<10	<10	35	<10	19									
B761925		0.21	<10	<10	63	<10	36									
B761926		0.25	<10	<10	105	<10	53									
B761927		0.17	<10	<10	18	<10	8									
B761928		0.09	<10	<10	36	<10	42									
B761929		0.17	<10	<10	42	<10	64									
B761930		0.15	<10	<10	53	<10	65									
B761931		0.08	<10	<10	25	<10	160									
B761932		0.13	<10	<10	41	<10	95									
B761933		0.09	<10	<10	30	<10	138									
B761934		0.16	<10	<10	39	<10	31									
B761935		0.12	<10	<10	41	<10	168									
B761936		0.16	<10	<10	49	<10	55									
B761937		0.16	<10	<10	31	<10	20									
B761938		0.09	<10	<10	39	<10	202									
B761939		0.17	<10	<10	54	<10	49									
B761940		0.15	<10	<10	60	<10	40									
B761941		0.12	<10	<10	59	<10	30									
B761942		0.10	<10	<10	52	<10	37									
B761943		0.21	<10	<10	109	<10	47									
B761944		0.09	<10	<10	39	<10	45									
B761945		0.24	<10	<10	112	<10	44									
B761946		0.14	<10	<10	49	<10	18									
B761947		0.07	<10	<10	120	<10	41									
B762120								83.22	7.03	1.61	1.15	1.03	2.06	1.07	<0.01	0.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 1

Finalized Date: 2-MAY-2006

Account: NMZ

CERTIFICATE TB06028443

Project: DC06-19

P.O. No.:

This report is for 85 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 5-APR-2006.

The following have access to data associated with this certificate:

MAPLE

BOB MIDDLETON

TWEST - GENERAL WEB ACCO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS81	38 element fusion ICP-MS	ICP-MS
Au-AA23	Au 30g FA-AA finish	AAS

To: EAST WEST RESOURCES
1158-A RUSSELL ST
THUNDER BAY ON P7B 5N2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - A
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B761951		1.66	0.181	0.5	1.88	3	<10	20	0.5	<2	3.20	<0.5	18	64	255	3.20
B761952		1.99	0.150	0.8	2.05	4	<10	20	0.5	<2	5.77	<0.5	18	52	240	3.33
B761953		1.79	0.071	0.2	2.08	5	<10	30	<0.5	<2	1.83	<0.5	16	89	250	3.55
B761954		1.30	0.630	0.5	1.40	4	<10	10	<0.5	<2	0.78	<0.5	23	62	310	3.55
B761955		1.70	0.022	<0.2	0.71	4	<10	30	<0.5	<2	0.17	<0.5	7	10	76	2.38
B761956		1.55	0.081	0.4	0.37	4	<10	70	<0.5	2	0.16	<0.5	18	40	240	1.80
B761957		2.16	0.114	0.8	0.41	3	<10	50	<0.5	<2	0.10	<0.5	25	12	346	3.26
B761958		1.97	0.077	0.4	0.58	5	<10	30	<0.5	<2	0.61	<0.5	23	34	366	2.73
B761959		2.00	0.139	0.8	1.38	3	<10	30	<0.5	<2	1.49	<0.5	26	7	706	5.34
B761960		2.18	0.062	0.4	0.60	4	<10	30	<0.5	<2	0.95	<0.5	27	31	371	3.90
B761961		1.13	0.120	0.2	0.35	4	<10	10	<0.5	<2	0.40	0.9	58	17	777	25.4
B761962		0.89	0.032	0.2	0.12	2	<10	10	<0.5	<2	0.09	<0.5	12	54	122	1.36
B761963		2.06	0.030	0.3	0.34	5	<10	10	<0.5	<2	0.52	<0.5	10	15	153	2.15
B761964		1.76	0.046	0.2	0.12	<2	<10	10	<0.5	<2	0.09	<0.5	9	45	103	1.28
B761965		1.66	0.038	<0.2	0.20	<2	<10	10	<0.5	<2	0.25	<0.5	7	11	83	1.26
B761966		1.04	0.017	<0.2	0.13	3	<10	10	<0.5	<2	0.24	<0.5	6	48	68	0.89
B761967		0.86	0.207	0.4	0.43	5	<10	10	<0.5	2	0.76	0.7	72	88	721	14.0
B761968		1.48	0.087	0.2	3.58	5	<10	20	<0.5	<2	4.02	<0.5	60	860	541	6.93
B761969		1.89	0.018	<0.2	2.19	5	<10	30	<0.5	<2	2.87	<0.5	31	1025	353	4.02
B761970		0.46	0.014	<0.2	1.06	<2	<10	20	<0.5	3	1.80	<0.5	10	634	248	1.82
B761971		1.05	0.088	0.3	2.21	<2	<10	20	<0.5	<2	2.09	<0.5	38	958	176	4.16
B761972		0.60	0.176	0.5	3.85	3	<10	20	<0.5	3	5.57	<0.5	46	1605	516	7.46
B761973		0.74	0.059	0.2	3.69	6	<10	20	<0.5	<2	4.29	<0.5	73	1710	225	6.10
B761974		0.12	0.057	0.4	2.72	<2	<10	20	<0.5	7	4.93	<0.5	35	906	2370	6.51
B761975		0.46	0.019	<0.2	4.23	2	<10	30	0.5	<2	4.04	<0.5	41	1265	238	6.31
B761976		1.95	0.171	0.8	1.95	9	<10	30	<0.5	2	2.45	<0.5	51	39	690	7.06
B761977		2.09	0.119	0.3	2.40	5	<10	30	<0.5	<2	2.37	<0.5	28	9	427	11.30
B761978		0.98	0.043	0.3	0.69	2	<10	20	<0.5	<2	1.21	<0.5	24	53	384	3.64
B761979		1.22	0.024	<0.2	2.22	5	<10	20	<0.5	<2	2.12	<0.5	35	4	163	13.90
B761980		0.65	0.027	0.2	0.73	3	<10	10	<0.5	<2	1.41	<0.5	30	47	262	4.49
B761981		1.71	0.051	0.5	0.68	<2	<10	20	<0.5	<2	0.43	<0.5	28	8	273	8.77
B761982		1.74	0.141	0.9	3.13	10	<10	80	<0.5	<2	3.38	<0.5	45	10	1980	13.20
B761983		1.39	0.045	0.3	3.03	10	<10	80	0.5	<2	1.61	<0.5	14	4	470	12.25
B761984		2.47	0.107	0.7	1.08	2	<10	30	<0.5	2	0.85	<0.5	45	106	963	4.85
B761985		0.49	0.371	1.3	2.38	4	<10	40	<0.5	<2	1.80	<0.5	91	573	3000	10.30
B761986		1.16	0.015	<0.2	3.86	2	<10	80	<0.5	<2	1.06	<0.5	39	882	71	6.61
B761987		1.87	0.024	<0.2	4.35	<2	<10	70	<0.5	<2	1.10	<0.5	42	1155	378	6.17
B761988		1.52	0.041	<0.2	2.49	4	<10	50	<0.5	<2	1.11	<0.5	44	580	438	5.14
B761989		0.51	0.008	<0.2	1.07	2	<10	20	<0.5	2	0.94	<0.5	14	34	59	2.37
B761990		2.04	0.041	0.6	3.54	<2	<10	30	0.5	2	0.46	<0.5	29	10	401	13.55



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - B
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B761951		10	<1	0.56	10	1.93	376	222	0.04	50	370	<2	1.27	<2	4	68
B761952		<10	1	0.62	10	2.37	729	264	0.03	53	330	<2	1.48	<2	2	164
B761953		10	1	0.38	10	1.99	338	62	0.05	50	410	<2	0.68	<2	5	28
B761954		10	1	0.13	10	1.42	313	56	0.04	34	300	3	1.56	<2	5	10
B761955		<10	1	0.13	10	0.62	291	22	0.05	6	120	<2	0.58	<2	1	6
B761956		<10	1	0.06	<10	0.32	95	30	0.03	26	120	2	1.03	<2	1	16
B761957		<10	<1	0.09	<10	0.33	120	103	0.03	35	70	2	1.59	<2	1	7
B761958		<10	1	0.21	10	0.46	159	22	0.03	37	130	<2	1.95	<2	1	11
B761959		<10	<1	0.58	10	1.00	293	46	0.03	26	140	4	3.98	<2	2	17
B761960		<10	<1	0.21	10	0.56	165	32	0.04	20	80	<2	2.79	<2	2	31
B761961		<10	<1	0.09	<10	0.31	166	96	0.03	86	60	<2	0.93	<2	2	22
B761962		<10	1	0.04	<10	0.09	40	29	0.02	27	60	<2	0.84	<2	1	33
B761963		<10	1	0.12	<10	0.23	110	45	0.03	23	150	<2	0.89	<2	1	27
B761964		<10	1	0.04	<10	0.09	41	18	0.02	14	50	<2	0.93	<2	1	18
B761965		<10	<1	0.06	<10	0.16	67	28	0.02	13	50	<2	0.75	<2	1	8
B761966		<10	<1	0.03	<10	0.11	55	19	0.02	10	50	<2	0.54	<2	1	12
B761967		<10	1	0.08	<10	0.44	163	143	0.02	112	70	<2	2.42	<2	4	16
B761968		10	1	0.66	<10	4.27	816	22	0.04	166	230	<2	1.41	<2	17	41
B761969		10	2	0.68	<10	2.69	514	24	0.05	108	150	<2	0.63	<2	9	24
B761970		<10	1	0.18	<10	1.37	288	1	0.07	62	140	<2	0.10	<2	6	19
B761971		10	1	0.73	<10	2.98	518	8	0.05	75	150	<2	1.36	<2	7	21
B761972		10	1	1.25	<10	5.64	1030	14	0.03	144	130	<2	1.63	2	30	72
B761973		10	2	1.66	<10	5.86	887	14	0.02	283	130	<2	1.39	3	26	74
B761974		10	1	1.27	<10	4.04	860	3	0.03	170	140	<2	1.84	<2	15	50
B761975		10	1	2.00	<10	6.13	929	27	0.02	248	150	<2	0.51	<2	24	71
B761976		10	1	0.55	10	1.88	675	64	0.05	31	170	<2	3.16	<2	5	31
B761977		10	1	0.48	20	2.47	1220	6	0.04	12	150	<2	1.75	<2	4	32
B761978		<10	<1	0.08	<10	0.74	408	6	0.05	17	110	<2	1.54	<2	4	18
B761979		10	2	0.42	10	2.29	1215	4	0.06	6	340	<2	0.75	<2	2	42
B761980		<10	<1	0.08	10	0.81	518	7	0.07	16	110	<2	1.27	<2	2	21
B761981		10	<1	0.30	10	0.71	250	272	0.03	14	70	<2	0.60	<2	3	9
B761982		10	1	2.08	30	2.93	1410	55	0.06	13	180	<2	1.83	<2	5	56
B761983		10	<1	1.60	20	2.83	1385	9	0.04	7	190	<2	1.61	<2	4	38
B761984		10	<1	0.41	10	1.06	356	42	0.05	71	220	3	1.73	<2	8	32
B761985		10	<1	1.16	10	2.66	689	21	0.05	260	210	<2	0.75	<2	6	37
B761986		10	<1	2.73	<10	4.06	806	4	0.03	226	190	<2	0.04	<2	4	13
B761987		10	<1	2.37	<10	5.10	838	41	0.02	279	150	<2	0.09	<2	4	10
B761988		10	<1	1.35	<10	2.62	671	2	0.04	150	190	<2	0.21	<2	5	29
B761989		10	<1	0.20	10	0.91	341	8	0.04	41	290	<2	0.52	<2	7	37
B761990		10	<1	0.57	10	3.02	1835	19	0.01	15	300	<2	3.33	<2	3	35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - D

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B761951 B761952 B761953 B761954 B761955		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01
B761956 B761957 B761958 B761959 B761960																
B761961 B761962 B761963 B761964 B761965																
B761966 B761967 B761968 B761969 B761970																
B761971 B761972 B761973 B761974 B761975																
B761976 B761977 B761978 B761979 B761980																
B761981 B761982 B761983 B761984 B761985																
B761986 B761987 B761988 B761989 B761990		3.83	0.18	0.56	0.22	0.05	<0.01	0.02	2.76	98.25	<1	117.0	6.1	68.7	1320	12.40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 2 - E

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm
B761951 B761952 B761953 B761954 B761955		5	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01	2	0.2	0.1	5	5
B761956 B761957 B761958 B761959 B761960																
B761961 B761962 B761963 B761964 B761965																
B761966 B761967 B761968 B761969 B761970																
B761971 B761972 B761973 B761974 B761975																
B761976 B761977 B761978 B761979 B761980																
B761981 B761982 B761983 B761984 B761985																
B761986 B761987 B761988 B761989 B761990		65	1.84	1.22	0.42	12.2	1.41	1.1	0.40	2.6	0.19	14	1.3	4.0	347	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 2 - F
Total # Pages: 4 (A - G)
Finalized Date: 2-MAY-2006
Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm
B761951 B761952 B761953 B761954 B761955		0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03
B761956 B761957 B761958 B761959 B761960																
B761961 B761962 B761963 B761964 B761965																
B761966 B761967 B761968 B761969 B761970																
B761971 B761972 B761973 B761974 B761975																
B761976 B761977 B761978 B761979 B761980																
B761981 B761982 B761983 B761984 B761985																
B761986 B761987 B761988 B761989 B761990		0.77	199.5	1.18	2	21.6	0.1	0.28	0.28	0.5	0.18	0.16	184	1	12.3	1.22



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 2 - G
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81
		Zn ppm 5	Zr ppm 0.5
B761951 B761952 B761953 B761954 B761955			
B761956 B761957 B761958 B761959 B761960			
B761961 B761962 B761963 B761964 B761965			
B761966 B761967 B761968 B761969 B761970			
B761971 B761972 B761973 B761974 B761975			
B761976 B761977 B761978 B761979 B761980			
B761981 B761982 B761983 B761984 B761985			
B761986 B761987 B761988 B761989 B761990		70	37.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 3 - A
Total # Pages: 4 (A - G)
Finalized Date: 2-MAY-2006
Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
B761991		0.07	0.434	2.2	1.65	2	<10	400	0.5	2	1.18	<0.5	8	13	7170	3.10
B761992		1.56	0.036	0.6	2.59	<2	<10	20	<0.5	3	0.68	<0.5	25	10	386	11.35
B761993		2.11	0.053	0.5	1.05	2	<10	10	<0.5	2	0.71	<0.5	36	38	433	7.41
B761994		1.19	0.021	0.2	1.14	5	<10	10	<0.5	2	1.67	<0.5	15	15	212	3.83
B761995		2.11	0.026	<0.2	1.78	3	<10	10	<0.5	2	2.44	<0.5	39	9	569	8.70
B761996		1.23	0.014	<0.2	0.27	<2	<10	10	<0.5	2	0.38	<0.5	12	9	114	1.58
B761997		1.72	0.027	0.5	1.33	2	<10	20	<0.5	2	1.44	<0.5	67	53	394	3.86
B761998		1.93	0.026	0.3	1.35	3	<10	20	<0.5	3	1.53	<0.5	66	40	571	3.76
B761999		1.77	0.009	<0.2	0.30	2	<10	10	<0.5	2	0.67	<0.5	6	37	101	0.65
B762000		1.73	0.021	0.2	0.29	<2	<10	10	<0.5	2	0.37	<0.5	7	13	142	1.09
B762001		0.96	0.024	<0.2	0.20	5	<10	10	<0.5	2	0.22	<0.5	5	12	165	0.66
B762002		0.93	0.439	1.4	0.40	<2	<10	<10	<0.5	13	1.50	<0.5	20	65	6850	2.86
B762003		0.91	0.393	1.9	3.29	4	<10	30	<0.5	<2	4.09	<0.5	89	538	6250	11.80
B762004		1.82	0.047	0.2	2.56	3	<10	20	<0.5	2	2.93	<0.5	62	1700	778	7.11
B762005		0.65	0.041	0.4	2.51	4	<10	30	<0.5	<2	3.13	<0.5	52	1375	443	6.66
B762006		1.93	0.021	0.3	3.00	<2	<10	10	<0.5	2	2.58	<0.5	37	1105	177	4.28
B762007		0.91	0.329	2.0	1.82	<2	<10	<10	<0.5	3	3.26	<0.5	49	395	3630	5.59
B762008		1.55	0.036	0.6	3.45	5	<10	10	<0.5	<2	2.59	<0.5	70	1775	615	8.48
B762009		1.80	0.012	<0.2	0.90	<2	<10	10	<0.5	2	1.21	<0.5	7	18	334	1.56
B762010		1.46	2.23	0.4	1.91	3	<10	30	<0.5	2	2.72	<0.5	18	92	264	2.85
B762011		2.07	0.600	<0.2	1.67	3	<10	20	<0.5	2	3.18	<0.5	21	59	186	2.86
B762012		1.85	0.290	0.2	1.80	6	<10	30	<0.5	2	3.66	<0.5	16	78	143	2.95
B762013		0.39	0.011													
B762014		1.85	0.020	<0.2	1.39	<2	<10	20	<0.5	2	1.72	<0.5	33	646	221	3.09
B762015		1.72	0.050	0.4	1.14	<2	<10	20	<0.5	5	1.15	<0.5	34	585	477	2.54
B762016		1.38	0.056	0.3	1.74	9	<10	20	<0.5	5	1.88	<0.5	46	841	478	6.04
B762017		1.57	0.061	0.4	2.03	5	<10	20	<0.5	5	2.54	<0.5	33	657	515	4.11
B762018		0.98	0.013	<0.2	1.97	2	<10	20	<0.5	2	2.05	<0.5	25	20	153	12.10
B762019		1.30	0.056	0.2	1.05	<2	<10	10	<0.5	<2	2.47	<0.5	30	9	485	2.82
B762020		2.21	0.058	0.5	2.62	3	<10	30	<0.5	<2	1.79	<0.5	38	20	302	11.30
B762021		0.81	0.061	0.4	1.54	<2	<10	<10	<0.5	<2	2.27	<0.5	43	6	507	8.38
B762022		1.54	0.014	0.3	0.32	<2	<10	10	<0.5	<2	0.51	<0.5	7	54	30	1.27
B762023		1.46	0.010	0.2	0.33	4	<10	<10	<0.5	<2	0.29	<0.5	4	9	22	0.93
B762024		1.65	0.021	<0.2	0.38	2	<10	10	<0.5	<2	0.23	<0.5	5	44	33	1.10
B762025		1.63	0.014	<0.2	0.25	2	<10	10	<0.5	<2	0.13	<0.5	2	9	21	0.61
B762026		1.46	0.017	0.2	0.31	3	<10	10	<0.5	<2	0.16	<0.5	4	38	36	0.84
B762027		2.25	0.060	0.5	2.09	4	<10	20	<0.5	<2	2.72	<0.5	68	15	1060	8.99
B762028		1.67	0.026	0.2	0.25	<2	<10	10	<0.5	<2	0.17	<0.5	13	39	152	1.79
B762029		1.67	0.070	0.4	0.31	4	<10	10	<0.5	2	0.23	<0.5	35	11	437	5.80
B762030		1.62	0.019	<0.2	0.17	4	<10	10	<0.5	<2	0.13	<0.5	15	51	64	1.24



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 3 - B
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
B761991		<10	1	0.59	10	1.07	473	2	0.15	10	1870	4	0.24	<2	6	96
B761992		10	<1	0.24	10	2.46	1410	13	0.03	11	280	<2	2.03	<2	5	28
B761993		10	<1	0.10	10	1.18	384	149	0.02	23	110	2	1.09	<2	5	19
B761994		10	<1	0.18	10	1.17	412	7	0.04	16	80	<2	0.79	<2	5	27
B761995		10	<1	0.19	20	1.91	733	25	0.03	8	310	<2	0.45	<2	4	42
B761996		<10	<1	0.04	10	0.24	114	86	0.03	12	60	<2	0.40	<2	1	19
B761997		10	<1	0.50	20	1.30	235	34	0.03	161	320	<2	1.12	<2	7	42
B761998		10	<1	0.42	10	1.26	239	21	0.05	140	320	<2	0.95	<2	9	29
B761999		<10	<1	0.09	10	0.27	80	26	0.01	18	70	<2	0.28	<2	1	14
B762000		<10	<1	0.09	<10	0.28	94	80	<0.01	27	60	<2	0.43	<2	1	24
B762001		<10	<1	0.05	<10	0.20	61	63	<0.01	37	60	<2	0.23	<2	1	26
B762002		<10	<1	0.03	10	0.48	188	193	0.02	220	70	2	1.16	<2	2	15
B762003		10	<1	0.92	20	3.89	866	107	0.02	657	350	<2	0.96	<2	29	44
B762004		10	<1	0.74	10	3.27	752	18	0.05	224	110	<2	0.17	<2	5	33
B762005		10	<1	1.66	<10	3.23	661	528	0.02	168	180	<2	0.39	<2	4	35
B762006		10	1	0.44	<10	4.12	615	49	0.02	143	160	<2	0.29	<2	4	27
B762007		10	<1	0.13	10	2.50	471	97	0.01	280	240	2	1.08	<2	8	42
B762008		10	<1	0.30	<10	5.48	736	49	0.01	513	180	<2	0.40	<2	3	34
B762009		10	<1	0.09	10	0.85	182	60	0.04	11	360	<2	0.25	<2	3	35
B762010		10	<1	0.81	10	1.90	302	36	0.04	55	410	<2	0.46	<2	5	76
B762011		10	<1	0.56	10	1.80	294	215	0.02	49	380	<2	0.79	<2	4	78
B762012		10	<1	0.40	10	1.95	382	102	0.04	48	350	<2	0.64	<2	5	84
B762013																
B762014		<10	<1	0.50	<10	1.89	361	7	0.08	64	130	<2	0.41	<2	9	18
B762015		10	<1	0.40	<10	1.54	311	1	0.05	61	160	<2	0.88	<2	6	12
B762016		10	<1	0.65	<10	2.23	473	9	0.08	84	160	<2	1.58	<2	11	23
B762017		10	<1	0.67	<10	2.55	525	3	0.04	73	140	<2	1.42	<2	7	22
B762018		10	<1	0.43	10	1.69	988	4	0.07	7	270	<2	0.22	<2	3	72
B762019		10	1	0.09	10	0.98	637	4	0.05	8	380	<2	1.01	<2	4	39
B762020		10	<1	0.61	10	2.61	1110	16	0.05	16	280	2	1.32	<2	6	49
B762021		10	1	0.04	10	1.72	833	67	0.04	15	250	10	1.92	<2	6	27
B762022		<10	1	0.08	<10	0.26	136	40	0.05	5	130	2	0.48	<2	2	15
B762023		<10	<1	0.06	<10	0.33	121	5	0.03	4	120	<2	0.29	<2	2	7
B762024		<10	<1	0.09	<10	0.32	117	28	0.05	6	120	<2	0.41	<2	2	9
B762025		<10	<1	0.07	<10	0.20	72	5	0.04	3	150	<2	0.19	<2	2	9
B762026		<10	1	0.08	<10	0.25	82	18	0.05	6	150	<2	0.33	<2	2	6
B762027		10	1	0.22	30	2.37	654	37	0.04	48	590	<2	1.59	<2	7	44
B762028		<10	<1	0.04	10	0.23	91	55	0.03	18	40	<2	0.59	<2	1	18
B762029		<10	1	0.07	<10	0.28	127	514	0.03	57	60	<2	1.41	<2	1	12
B762030		<10	1	0.04	<10	0.16	57	50	0.02	31	40	<2	0.92	<2	1	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 3 - G

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LQR	ME-MS81	ME-MS81
		Zn ppm 5	Zr ppm 0.5
B761991 B761992 B761993 B761994 B761995			
B761996 B761997 B761998 B761999 B762000			
B762001 B762002 B762003 B762004 B762005			
B762006 B762007 B762008 B762009 B762010			
B762011 B762012 B762013 B762014 B762015		69	23.2
B762016 B762017 B762018 B762019 B762020			
B762021 B762022 B762023 B762024 B762025			
B762026 B762027 B762028 B762029 B762030			



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - A
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B762031		1.56	0.015	<0.2	0.78	4	<10	20	<0.5	2	1.10	<0.5	15	13	125	1.27
B762032		1.67	0.030	0.2	0.74	<2	<10	10	<0.5	<2	1.84	<0.5	21	26	154	1.14
B762033		1.77	0.010	<0.2	0.54	<2	<10	20	<0.5	<2	0.70	<0.5	6	12	31	0.70
B762034		0.62		<0.2	2.33	<2	<10	20	<0.5	<2	1.43	<0.5	29	1045	224	3.43
B762035		0.79	<0.005	<0.2	0.81	4	<10	10	<0.5	<2	1.10	<0.5	2	9	21	1.21



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - B
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
B762031		<10	<1	0.28	10	0.69	157	24	0.05	38	220	<2	0.42	<2	2	24
B762032		<10	1	0.17	10	0.63	166	71	0.05	48	460	<2	0.41	<2	5	29
B762033		<10	1	0.17	10	0.39	88	33	0.06	22	240	<2	0.22	<2	1	12
B762034		10	<1	0.70	<10	2.81	445	2	0.05	126	120	<2	0.16	<2	3	13
B762035		10	1	0.11	10	0.64	272	7	0.11	5	340	<2	0.06	<2	5	15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - C

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm	Pt ppm	Pd ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %
		0.01	10	10	1	10	2	0.001	0.005	0.001	0.01	0.01	0.01	0.01	0.01	0.01
B762031		0.05	<10	<10	18	<10	8									
B762032		0.07	<10	<10	23	<10	8									
B762033		0.03	<10	<10	13	<10	5									
B762034		0.15	<10	<10	77	<10	21				48.53	7.15	12.79	9.46	14.47	0.53
B762035		0.20	<10	<10	14	10	12				66.23	15.94	1.99	2.00	1.16	6.10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - D

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOK	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B762031		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	1	0.5	0.5	0.5	10	0.01
B762032																
B762033																
B762034		1.19	0.34	0.39	0.18	0.03	<0.01	<0.01	3.52	98.59						
B762035		2.43	<0.01	0.55	0.03	0.08	0.02	0.03	1.86	98.41	<1	233	42.4	3.0	30	0.83



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
 402-905 W PENDER ST
 VANCOUVER BC V6C 1L6

Page: 4 - E
 Total # Pages: 4 (A - G)
 Finalized Date: 2-MAY-2006
 Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Cu ppm 5	Dy ppm 0.05	Er ppm 0.03	Eu ppm 0.03	Ga ppm 0.1	Gd ppm 0.05	Hf ppm 0.2	Ho ppm 0.01	La ppm 0.5	Lu ppm 0.01	Mo ppm 2	Nb ppm 0.2	Nd ppm 0.1	Ni ppm 5	Pb ppm 5
B762031 B762032 B762033 B762034 B762035		21	5.85	3.46	1.38	20.1	5.44	10.4	1.18	18.6	0.50	8	12.1	21.9	12	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES

402-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page: 4 - F

Total # Pages: 4 (A - G)

Finalized Date: 2-MAY-2006

Account: NMZ

Project: DC06-19

CERTIFICATE OF ANALYSIS TB06028443

		ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
Sample Description	Method Analyte Units LOR	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V	W	Y	Yb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
B762031		0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5	1	0.5	0.03
B762032																
B762033																
B762034																
B762035		5.34	71.3	5.11	1	142.5	0.9	0.99	3.45	<0.5	0.51	0.96	25	16	31.8	3.25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EAST WEST RESOURCES
402-905 W PENDER ST
VANCOUVER BC V6C 1L6

Page: 4 - G
Total # Pages: 4 (A - G)
Finalized Date: 2-MAY-2006
Account: NMZ

Project: DC06-19


CERTIFICATE OF ANALYSIS TB06028443

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81
		Zn ppm 5	Zr ppm 0.5
B762031			
B762032			
B762033			
B762034			
B762035		23	413

Legend

- Drill Hole: Drill hole Number, dip/azimuth, total depth (m)
- Road: [Symbol]
- Swamp: [Symbol]
- Induced Polarization Response:
 - Strong: [Dark Grey Box]
 - Moderate: [Light Grey Box]

0 200 400
meters
UTM NAD 83 Zone 15



East West Resource Corp. & Mega Uranium Ltd.
 Diamond Drill Hole Location Map
 Deaty Creek Property
 2006 Diamond Drilling
 July 11, 2006