GM 46031

RESERVE DE MINERAI SUR LES CLAIMS FAISANT PARTIE DE LA DEMANDE DE BAIL MINIER PAR LES MINES BELMORAL LTEE

Documents complémentaires

Additional Files

Licence

License

LES MINES BELMORAL LTÉE

RÉSERVES DE MINERAI SUR LES CLAIMS FAISANT PARTIE DE LA DEMANDE DE BAIL MINIER PAR LES MINES BELMORAL LTÉE

Par

LAN VU, M. Sc. A.
CHEF GÉOLOGUE

et

RICHARD DIONNE, ING. P.
CHEF INGÉNIEUR

Le 12 mars 1987

PLAN

Introduction

Géologie Générale

Géologie et Réserves de Minerai du Bloc 132

Conclusion

INTRODUCTION:

Le terrain couvert par l'application pour un bail est situé dans la partie nord-nord est du Canton Bourlamaque. Il comprend le Bloc 132 qui couvre une partie des claims 349316-3, -4 et 5, 349402-5, 349406-1, 349407-1 et 350302-1 (Figure 1). La surface totale est 81.504 ha. Le terrain est contigu au bail minier 703 à l'ouest.

GÉOLOGIE GÉNÉRALE:

Le Bloc 132 couvert par l'application est situé à l'intérieur du batholite de Bourlamaque qui est une intrusion majeure recoupant les roches volcaniques du groupe de Malartic.

Le batholite de Bourlamaque est composé surtout de diorite et de diorite quartzifère avec une minéralogie caractérisée par l'assemblage albite, quartz, chlorite, epidote, micas blancs et leucoxène. Le métamorphisme est de faciés schiste vert semblable à celui des laves avoisinantes. En plus ces roches intrusives possèdent des analogies géochimiques avec des laves encaissantes. Il en est déduit que le batholite est une intrusion sub volcanique de composition calco alcaline avec affinité partielle tholéiitique, mise en place dans une séquence de métavolcanites. Le batholite même est recoupé par plusieurs dykes mélanocrates de directions et pendages variables.

Toute la minéralisation aurifère connue dans le batholite est reliée aux zones de cisaillement qui consistent en une quartz-diorite fortement cisaillée et altérée en chlorite, carbonate et séricite. Ces zones ont une direction généralement est-ouest et un pendage de 65^{o} - 75^{o} vers le sud. La largeur varie de quelques centimètres à une dizaine de mètres. L'or est trouvé surtout dans des veines de quartz avec de la pyrite, des quantités minimes de chalcopyrite et de la tourmaline.

GÉOLOGIE ET RÉSERVES DE MINERAI DU BLOC 132:

Toute la minéralisation aurifère de valeur économique sur le Bloc 132 faisant partie de la demande de bail minier est située dans une zone fortement cisaillée variant de un mètre à une quinzaine de mètres. Cette zone est considérée comme l'extension vers l'est de la structure principale de la Mine Ferderber. L'or est étroitement associé à la pyrite des veines de quartz et cette relation permet aux géologues de la mine d'estimer la teneur du minerai suivant le pourcentage de pyrite visible à l'oeil nu: le minerai titre environ une once d'or à la tonne pour chaque 10% de pyrite.

La Figure 1 montre la trace de la zone de cisaillement principale à l'intérieur du Bloc 132 projetée au niveau 800. Elle a une direction N70°E avec un pendage de 65° vers le S.E. Cette zone a été découverte en janvier 1986 suite au programme de forage d'exploration de surface.

La Figure 2 représente une projection de la structure minéralisée sur un plan vertical est-ouest (section longitudinale) et indique que les blocs commencent à 650' de la surface et à environ 1700' à l'est de la limite du bail minier 703. Les données disponibles par forage souterrain permettent d'établir ses réserves à 86,683 tonnes indiquées ayant une teneur de 0.223 oz. Au/ton et donnent un autre 154,019 tonnes possibles avec une teneur de 0.114 oz. Au/ton.

À environ 250' de la surface et 1100' à l'est du bail minier 703, il y a un bloc de minerai qui contient 18,886 tonnes indiquées d'une teneur de 0.259 oz. Au/ton. Ce bloc est situé dans une structure subsidiare parallèle d'une vingtaine de mètres au sud de la structure principale et est considéré comme faisant partie de la zone principale de Ferderber. La Figure 1 indique la trace de la zone de cisaillement sud projetée au niveau 350 et en général cette structure possède les mêmes caractéristiques géologiques que la zone principale.

CONCLUSION:

Les réserves totales sur le Bloc 132 faisant partie de la demande de bail minier peuvent être résumées comme suit:

Minerai indiqué:	86,683 T.	0.223 oz. Au/Ton)	structure
Minerai possible:	154,019 T.	0.114 oz. Au/Ton)	principale
Minerai indiqué:	18,886 T.	0.259 oz. Au/Ton)	structure sud
Total:	259,588 T.	0.161 oz. Au/Ton	

Soit, 41,794 onces d'or.

En assumant un prix de $500.00 Can. par once, ceci donne une valeur totale de $20,897,000.

Lan Vu, M.Sc.A.
Chef géologue
LES MINES BELMORAL LTÉE

Richard Dionne, ing.
Chef ingénieur
LES MINES BELMORAL LTÉE

INGÉNIEUR
RICHARD DIONNE
16781
QUÉBEC



LÉGENDE

- ● Poteau et tuyau ou repère métallique
- □ Poteau de claim
- ▪ Station d'opération
- ⊙ arbre piqué

Échelle 1 5000

mètres 100 0 100 200 300 mètres

N.B Les mesures inscrites sur ce document sont en mètres (S I)

Les azimuts astronomiques sont par rapport à la ligne centrale du Canton de Bourlamaque, soit le méridien de référence

Dossier : 19696/41-A, sec. 5

Vérifié par: Date:

Ministère de l'Énergie et des Ressources
Direction générale du Domaine territorial
Original conservé aux archives du service de l'Arpentage
Québec, le 27 avril 1986

Directeur

Seul le Service de l'Arpentage est autorisé à émettre des copies authentiques de ce document.

BLOC 132

Partie des CLAIMS 349316-3, -4 et 5 349402-5

349406-1 349407-1 et 350302-1.

CANTON de BOURLAMAQUE

(ABITIBI-EST)

Figure I

Val d'Or, le 23 avril 1986

par : Jacques Sylvestre arpenteur-géomètre

```
!
!
!
!
!       MINERALS
!
!
!
au      "gold"
bt      "biotite"
ca      "calcite"
c       "carbonates"
cpy     "chalcopyrite"
ch      "chert"
chl     "chlorite"
ep      "epidote"
fds     "feldspar"
gm      "green muscovite"
hb      "hornblende"
hem     "hematite"
po      "pyrrhotite"
py      "pyrite"
qtz     "quartz"
ser     "sericite"
sil     "silice"
sul     "sulphides"
tour    "tourmaline"
VG      "visible gold"
!
!
!
cpy1    "_% chalcopyrite"
cpy2    "_to_% chalcopyrite"
py1     "_% pyrite"
py2     "_to_% pyrite"
sul     "_% sulphides"
!
!
!
!
!
!       ALTERATIONS
!
!
!
!
!
alt     "alteration"
altd    "altered"
!
```

```
car     "carbonatized"
clo     "chloritized"
epi     "epidotized"
hed     "hematized"
kpar    "potassium alt'n"
ser     "sericitized"
sil     "silicified"
!
!
carn    "carbonatization"
clon    "chloritization"
epin    "epidotization"
hen     "hematization"
sern    "sericitization"
siln    "silicification"
!
!
hea     "hematite alteration"
chlc    "chloritic"
r       "blurred"
rhyc    "rhyolitic"
s       "siliceous"
serc    "sericitic"
!
!
wcar    "weakly carbonatized"
mcar    "moderaly carbonatized"
hcar    "highly carbonatized"
!
wclo    "weakly chloritized"
mclo    "moderaly chloritized"
hclo    "highly chloritized"
!
wepi    "weakly epidotized"
mepi    "moderaly epidotized"
hepi    "highly epidotized"
!
wser    "weakly sericitized"
mser    "moderaly sericitized"
hser    "highly sericitized"
!
wsil    "weakly  silicified"
msil    "moderely silicified"
hsil    "highly silicified"
!
!
!
!
!
!       GRAIN SIZES + FORMS
```

```
!
!
!
apha    "aphanitic"
coag    "coarse grained"
fig     "fine grained"
meg     "medium grained"
fmg     "fine to medium grained"
mcg     "medium to coarse grained"
!
phen    "phenocryst"
phe1    " %phenocryst"
!
euh     "euhedral"
sub     "subhedral"
anh     "anhedral"
!
inc     "inches"
feet    "feet"
foot    "foot"
!
cm      "centimeter"
met     "meter"
mm      "millimeter"
!
suba    "sub angular"
!
!
!
!
!       STRUCTURE
!
!
!
!
!
brec    "breccia"
brcd    "brecciated"
FG      "fault gouge"
flt     "fault"
fol     "foliation"
fold    "folded"
foli    "foliated"
fol1    "foliation @   degrees to core axis"
frac    "fracture"
frad    "fractured"
frjt    "fracture-joint"
MS      "mud seam"
sch     "schistosity"
schd    "schistosed"
```

```
dy      "dike"
sh      "shear"
shd     "sheared"
shzn    "shear zone"
!
2shd    "sheared granodiorite"
!
!
wsh     "weak shear"
msh     "medium shear"
hsh     "high shear"
esh     "extreme shear"
!
wshd    "weakly sheared"
mshd    "moderely sheared"
hshd    "highly sheared"
esh     "extremely sheared"
!
wmsh    "weakly to moderately sheared"
mhsh    "moderately to highly sheared"
mesh    "moderately to extremely sheared"
!
!
qv      "quartz vein"
cv      "carbonate vein"
tv      "tourmaline vein"
!
cvt     "carbonate veinlet"
qvt     "quartz veinlet"
tvt     "tourmaline veinlet"
!
qcv     "quartz-carbonate vein"
cqv     "carbonate-quartz vein"
qtv     "quartz-tourmaline vein"
tqv     "tourmaline-quartz vein"
!
qctv    "quartz-carbonate-tourmaline vein"
cqtv    "carbonate-quartz-tourmaline vein"
!
qtvt    "quartz-tourmaline veinlet"
tqvt    "tourmaline-quartz veinlet"
qcvt    "quartz-carbonate veinlet"
cqvt    "carbonate-quartz veinlet"
!
qs      "quartz stringer"
cs      "carbonate stringer"
ts      "tourmaline stringer"
ss      "sericite stringer"
cs      "chlorite stringer"
!
```

```
cas     "carbonate-quartz stringer"
acts    "quartz-carbonate-tourmaline stringer"
atcs    "quartz-tourmaline-carbonate stringer"
!
actb    "quartz-carbonate-tourmaline breccia"
atcb    "quartz-tourmaline-carbonate breccia"
atb     "quartz-tourmaline breccia"
tab     "tourmaline-quartz breccia"
!
!
athr    "quartz threads"
cthr    "carbonate threads"
tthr    "tourmaline threads"
ethr    "epidote threads"
!
v       "vein"
vm      "vein material"
vt      "veinlet"
str     "stringer"
thr     "threads"
!
!
ca      "contact angle @ _ degrees to core axis"
ca2     "contact angle between _ and _ degrees to core axis"
sha     "sheared @ _ degrees to core axis"
sha2    "sheared between _ and _ degrees to core axis"
!
!
!
!
!
!       COLORS
!
!
!
!
!
bla     "black"
blue    "blue"
gre     "green"
grev    "grev"
pink    "pink"
red     "red"
whi     "white"
yel     "yellow"
oran    "orange"
!
!
blui    "blueish"
grai    "grevish"
```

```
orai    "orangish"
mil     "milky"
pini    "pinkish"
redi    "redish"
yeli    "yellowish"
!
!
buff    "buff"
dark    "dark"
lit     "light"
leu     "leucocratic"
mela    "melanocratic"
meso    "mesocratic"
rus     "rustly"
smo     "smoky"
!
!
col     "color"
colo    "coloration"
cold    "colored"
mott    "mottled"
!
!
!
!
!
!       GENERAL CODE
!
!
!
!
!
a       "abundant"
alt     "alteration"
and     "and"
as      "as"
at      "at"
b       "barren"
bc      "broken core"
bd      "banded"
bds     "bands"
blck    "blocky" "(highly fractured core)"
bv      "bv"
xl      "crystal"
coa     "coarse"
con     "contact"
core    "core"
cut     "cut"
cutd    "cutted"
diss    "disseminated"
```

eoh	"end of hole at ___ feet"
err	"erratic"
eve	"eve"
fw	"few"
fine	"fine"
flat	"flat"
for	"for"
frag	"fragments"
from	"from"
fseg	"felsic segregation"
gen	"generally"
gr	"grain"
hard	"hard"
hom	"homogeneous"
in	"in"
inj	"injection"
incl	"inclusion"
lam	"lamination"
lamd	"laminated"
lc	"lost core due to grinding"
lg	"large"
litt	"little"
loc	"local"
locy	"locally"
low	"low"
lth	"less than"
lseg	"leucocratic segregation"
mat	"matrix"
mn	"minor"
mod	"moderate"
mseg	"melanocratic segregation"
mss	"massive"
mth	"more than"
mx	"mineral"
mzn	"mineralization"
nam	"no apparent mineralization"
no	"no"
not	"not"
nsm	"no significant mineralization"
oc	"occasional"
occy	"occasionally"
of	"of"
on	"on"
or	"or"
ovb	"overburden"
path	"patches"
plle	"parallele"
poo	"poor"
por	"porphyritic"
pos	"possible"
posy	"possibly"

```
prb       "probable"
sa        "same as"
saa       "same as above"
sand      "sand"
sct       "section"
sctt      "scattered"
seg       "segregation"
shrp      "sharp"
sm        "some"
spck      "specks"
sprs      "sparse"
stra      "straight"
th        "than"
the       "the"
to        "to"
typ       "typical"
tr        "trace"
tw        "toward"
very      "very"
well      "well"
!
!
UC        "upper contact"
LC        "lower contact"
!
!
%         "%"
?         "?"
(         "("
)         ")"
&         "and"
+ -       "[+ -]"
!
!
!
!
!         MODIFIERS
!
!
!
!
!
!
!


!
```

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER S-157

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 272.0'

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE FINISHED 5/7/87

CO-ORDINATES COLLAR

LAT N— DEP E—

TO COLLAR

BEARING

ANGLE +53°

DIP TESTS (TRUE DIPS)

AT 100' -51° o

AT 200' -51° o

AT o

PLOTTED ON PLANS

GEOLOGICAL 1" = 20'

DRILL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION
0	112.6	Massive & typical FP, medium - to coarse grained, 50% strong sericitic/chloritic/colloidal FT, 47% hub, 3% QZ vns. tr. carb.
		24.5 - 29.3 Rhyolite dyke, slightly carb'd, dark
		26.2 - 27.3 QZ vein @ 70° C.A., barren
		42.9 - 43.4 FP porphyry dike, 5% FP phenos in coarse grained mass
		69.3 - 71.0 25° porphyry dike, @ 55° C.A., angular FP
		73.0 - 74.0 25° porphyry dike, @ 45° C.A., angular FP
		76.0 - 112.6 W- H red alt'd, N- chlorit'd, H- broken
		88.8 - 89.0 clay gouge fault zone
		96.4 - 102.0 Massive basic dike, M. carb'd
112.6	138.1	Sheared FP
		W- to M. sch'd 20%, @ 5 - 50° C.A. chlorite, medium elongated grains, H- red alt'd, slightly carb'd, occas. W- chlorit'd, H- broken
		131.0 - 136.4 30% crushed, schisted
		123.0 - 123.5 QZ - carb - tourm vein, barren
		136.4 - 137.3 Dyke core
138.1	156.5	Massive FP, medium - coarse grained, H- red [illegible] 5% FP (red colored)
156.5	229.1	Massive [illegible] 45° [illegible]
		174.6 Basic dike, broken & [illegible]
		190.7 - [illegible] red bleached
		226.0 - [illegible] slightly [illegible]
229.1	246.6	Sheared FP
		M- [illegible] 40° C.A., medium [illegible]
		[illegible] well sericit'd
		331.1 - 335.0 [illegible] QZ - tourm veining, [illegible]
		well sericit'd

I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
9010	24.5	27.3		tr				
11	27.3	29.3		tr				
9012	112.6	116.2		tr				
13	116.2	119.3		tr				
14	119.3	123.0		tr				
15	123.0	126.1		tr				
16	126.1	129.4		tr				
17	129.4	133.0		tr				
18	133.0	136.4		tr				
19	137.3	140.8		tr				
9020	229.1	231.8		tr				
21	231.8	233.1	1.3	0.09				
22	233.1	235.0	1.9	0.62				
23	235.0	[illegible].0		tr				
24	[illegible].0	245.0		0.01				
25	245.0	246.6		tr				
	[illegible]	231.8	[illegible]	[illegible]				

BELMORAL MINES LIMITED

PROPERTY: Belmoral

HOLE NUMBER: 5-157

SHEET NUMBER: 2

DIAMOND DRILL RECORD

TOTAL DEPTH:

WORKING PLACE:

SECTION:

LOGGED BY: M.D.

DATE FINISHED:

CO-ORDINATES COLLAR

LAT. N– DEP. E–

TO COLLAR:

BEARING:

ANGLE:

DIP TESTS (TRUE DIPS)

AT: °

AT: °

AT: °

PLOTTED ON PLANS:

GEOLOGICAL 1" = =20'

DRILL 1" = =20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
246.6	256.0	Massive 2Dx, medium - coarse grains, M- bleached, slightly carb'd, barren									
256.0	267.8	Sheared zone	9026	256.0	260.0		tr				
		M-Sh'd 2Dg @ 50° C.A., medium - fine elongated grains w-bleached, slightly carb'd, w-silicified generally barren except in small qz.-carb vein (1-2cm)	27	260.0	265.0		tr				
		266.8 – 267.8 w-sh'd basic dike, 2% carb veinlets	28	265.0	267.8		tr				
267.8	272.0	Massive basic dike, tr. carb, small veinlets									
		269.8 - 270.3 Massive 2Dg, medium grained, incipient carb'n									
		E.O.H. @ 272.0									
		N.B. Water vein @ 136'									

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER 5-158

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 261.0

WORKING PLACE

SECTION 16000E @ 16050E

LOGGED BY M.D.

DATE FINISHED 17/6/84

CO-ORDINATES COLLAR

LAT. N- 11507.00 DEP. E- 16010.50

TO COLLAR DCA0.50

BEARING 169°

ANGLE +41

DIP TESTS (TRUE DIPS)

AT 100' 37.20°

AT 200' 38.00°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' Section 20 Section 10

DRILL 1" = 20'

DOUBLE PROJECTION FACTEUR: 0.989

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	78.8	Massive & typical granodiorite, medium grained, 50% creamy F-m, 45% hnb, 5% qz, loc. dark segregation (>50% hnb)									
		27.0 - 30.0 M-blurred	9123	27.0	27.8		tr				
		27.0 - 27.8 Qz vein, @ 80° C.A., barren									
		36.0 - 36.4 F-m porphyritic dike, 5-10% F-m phenocrysts									
		73.8 - 78.8 W-blurred / W-orange alt'd	9124	78.8	82.3		0.01				
78.8	78.9	Clay gouge fault zone, 20% gravel	25	83.0	85.5		tr				
78.9	99.3	Massive but H-broken 2Dg, medium grained, 90% broken, barren	26	86.4	89.1		tr				
			27	89.1	92.1		tr				
		82.3 - 83.0 Lost core	28	93.0	96.0		tr		RPT	RPT	
		85.5 - 86.4 Lost core	29	96.0	79.3		tr		0.06	0.02	
		92.1 - 93.0 Lost core	30	99.3	103.0		0.02				
		93.0 - 99.3 H-blurred, w-carb'd	31	103.0	104.6	1.6	0.01		L.V	9.5'	0.6% py
99.3	108.8	Sheared zone	32	104.6	108.8		0.01				
		M-Sh'd 2Dc, @ 60° C.A., medium elongated grains, w-blurred, slightly carb'd, loc. diss'd tr. py	33	108.8	113.0		tr				
		103.5 - 104.3 Qz-tourm vein, irregular contacts, 1% py blebs, tr. cpy	34	113.0	116.0		0.01				
			35	116.0	118.0		0.02				
108.8	118.0	Massive but H-broken 2Dg, medium grained, w-blurred, slightly carb'd, w-orange alt'd, w-sericit'd	9136	187.0	190.7		0.01				
		114.4 - 115.5 M-Sh'd 2Dc, medium elongated grains, tr. py									
118.0	119.4	Massive basic dike, black, incipient carb'n, barren									
119.4	195.2	Massive & typical 2Dg, medium grained, 50% light green colored F-m, 47% hnb, 3% qz, tr. carb.									
		157.6 - 158.2 Massive basic dike, dark grey-green, crypto-cx									
		164.5 - 165.1 Massive basic dike, as above									
		165.8 - 172.3 Massive basic dike, @ 30° C.A., 10% 2Dg inclusions, grey green, w-chlorit'd									
		187.0 - 190.7 Minor sheared zone M-Sh'd 2Dc, @ 40° C.A., medium elongated grains, barren, w-blurred, slightly carb'd									
		190.7 - 195.2 W-M blurred, slightly carb'd									

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER S-158

DIAMOND DRILL RECORD

SHEET NUMBER 2

TOTAL DEPTH 261.0'

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N– DEP. E–

TO COLLAR

BEARING

ANGLE

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

DRILL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION
195.2	213.5	Sheared zone
		W - sh'd zone @ 60° c.a., medium elongated grains, M. bleached, slightly carb'd, w-sericit'd, loc. diss'd fr. of py (small cubic cx)
		207.1 - 208.0 Qz - tourm - carb vein, 45° c.a., sericite patches 5% py cx
		208.8 - 210.4 Qz - tourm vein, tr. carb., chlorite sericite streaks with tr. py on
213.5	261.0	Massive & typical zone, medium grained, 50% creamy FP, 46% hnb, 4% qz, tr. epidote in FP, tr. carb.
		245.0 - 247.8 W - sh'd 1cm pro phyre dike, dark grey ground mass, finely crystalline, 5% biotite pheno cx not in the shear strike, w-carb'd
		E.O.H. @ 261.0
		Rem: Water vein @ 121'

I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.
9137	195.2	199.0		0.01			
38	199.0	204.0		Tr			
39	204.0	206.2	2.2'	0.28			
40	206.2	208.2	2.0'	0.04	0.17		42
41	208.2	211.2		Tr			
42	211.2	213.5		0.06			

BELMORAL MINES LIMITED

PROPERTY: Belmoral

HOLE NUMBER: S-160

DIAMOND DRILL RECORD

SHEET NUMBER: 1

TOTAL DEPTH: 324.0'

WORKING PLACE:

SECTION:

LOGGED BY: M.D.

DATE FINISHED: 2/8/84

CO-ORDINATES COLLAR

LAT. N– ..... DEP. E– .....

TO COLLAR:

BEARING: 135°

ANGLE: +55°

DIP TESTS (TRUE DIPS)

AT: ..... °

AT: ..... °

AT: ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20':

DRILL 1" = 20':

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	116.0	Massive & typical granodiorite, medium grained, 50-60% creamy subhedral - euhedral Fs, 40-45% hnb, 5% qz, tr. carb, loc. red colored zones (hematite (local))									
		0 - 8.0 W-blurred	9314	25.8	26.7		0.01				
		23.0 - 29.0 M-blurred, slightly carb'd									
		25.8 - 26.7 qz vein, 50° c.a., tr. tourm, barren									
		95.0 - 96.0 Lost core	9315	116.0	120.7		tr				
		96.0 - 102.0 H-Broken zone, w-epidot'd	16	120.7	123.0		tr				
		102.0 - 116.0 H-blurred zone, w-carb'd, w-chlorit'd, M-H red olt'd, M-broken	17	123.0	125.4		tr				M-sh'd 2Dc
			18	125.4	130.0		tr				
116.0	139.6	Sheared zone.	19	130.0	133.2		tr				
		W-sh'd 2Dc @ 25° c.a. with loc. horizontal d.f., M-blurred, slightly carb'd, medium elongated grains, occ. dis'd py, w-chlorit'd & sericit'd, w-red olt'd	20	133.2	138.2		tr				
			21	138.2	139.6		tr				
		130.0 - 133.2 W-sh'd basic dike, greenish, M-carb'd barren, well chlorit'd									
			9322	246.0	248.6		tr				
		138.2 - 139.6 W-sh'd basic dike, partly brecciated, M-carb'd, H-chlorit'd, barren	23	248.6	250.5	1.9	1.18				1.0-1.5%
			24	250.5	255.0		TR				
		138.7 - ... clay gouge fault zone	25	255.0	260.0		TR				
139.6	246.0	Massive & typical 2Dg, medium grained, 50% light green Fs with tr. epidote, 45% hnb, 5% qz, tr. chlorite	26	260.0	264.1	4.1	0.01				
			27	264.1	266.0	1.9	0.66				2% py
		139.6 - 147.7 W-blurred 2Dg	28	266.0	268.0		tr				
		147.7 - 150.0 Massive basic dike, grey-green, tr. carb.	29	268.0	271.8		tr				
		169.3 - 170.3 Massive basic dike @ 55° c.a., tr. carb.									
		178.5 - 179.0 As above									
		183.1 - 183.6 As above									
246.0	271.8	230.3 - 246.0 Bleached 2Dg Sheared zone		Ave	248.6	- 250.5	= 1.9'	@	1.18		
		W-sh'd 2Dg with small M-sh'd zone @ 50° c.a., medium elongated grains, M-blurred, w-carb'd, w-chlorit'd & sericit'd, loc. tr.-2.0% py blebs in replacements zones			264.1	- 266.0	= 1.9'	@	0.66		
						0.4					
		248.6 - 250.5 Breccia 2Dg, 20% fragments qz-carb with tourm., 1.0-1.5% py blebs, replacement zone			248.6	- 266.0	= 17.4'	@	0.203		
		264.4 - 265.8 Breccia 2Dg, stockworked with 5% qz-carb vein fragments, H-sericit'd, 2% py blebs									
		269.0 - 270.6 W-sh'd basic dike, w-carb'd, 1% py cubes									

B 2256

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER 5-160

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH.....

WORKING PLACE.....

SECTION.....

LOGGED BY M.D.

DATE FINISHED 2/8/84

CO-ORDINATES COLLAR

LAT. N– ..... DEP. E– .....

TO COLLAR.....

BEARING.....

ANGLE.....

DIP TESTS (TRUE DIPS)

AT.....'.....°

AT.....'.....°

AT.....'.....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = = 20'.....

.....

.....

DRILL 1" = = 20'.....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAM NO
271.8	324.0	Massive & typical 2Dc, medium grained, 50% light green w-epidot'd FM, 45% bnb, 5% qz, occ. tr. carb., tr. chlorite in bnb								
		296.1 - 302.6 W-sh'd 2Dc, very w- foliated & micro-fractured, bottom								
		296.6 - 298.7 More or less massive basic dike w-carb with 3-4% qz & carb grains								
		E.O.H. @ 324.0								
		N.B. Water vein @ 110'								

BELMORAL MINES LIMITED

PROPERTY: Belmoral

HOLE NUMBER: 5-161

SHEET NUMBER: 2

DIAMOND DRILL RECORD

TOTAL DEPTH:

WORKING PLACE:

SECTION:

LOGGED BY:

DATE FINISHED:

CO-ORDINATES COLLAR

LAT. N – DEP. E –

TO COLLAR:

BEARING:

ANGLE:

DIP TESTS (TRUE DIPS)

AT '°

AT '°

AT '°

PLOTTED ON PLANS:

GEOLOGICAL 1" = = 20'

DRILL 1" = = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
208.7	213.7	Massive 2Dc, coarse grained, M-blurred, w-carb'd tr. epidote 0, 5-10% Qz (w-silicified)									
213.7	219.0	Sheared zone w-sh'd 2Dc @ 40° c.A., medium grained, M-blurred, slightly carb'd, loc. chlorite + silicified with Qz-tourm patches, on the shear → 10% py massive 215.7 - 219.0 Silicified 2Dc 218.3 - 219.0 Qz-carb-tourm vein, 1% py on joint									
219.0	233.6	Massive 2Dg, medium grained, small porphyritic texture, M-blurred, incipient carb'd									
233.6	245.0	Sheared zone w-sh'd 2Dc @ 45° c.A. loc. 65° c.A. @ the end, blurred, slightly carb'd, tr. epidote & w-silicified in sheared zones									
245.0	273.0	Massive & typical 2Dc, medium - coarse grained, loc. small porphyritic texture, tr. epidote, 5% FM, 4% bnb Qz, tr. carb near fractures									
		E.O.H. @ 273.0'									
		N.B. Water vein @ 138' & @ 235'									

BELMORAL MINES LIMITED

PROPERTY: Bell Lumsden

HOLE NUMBER: S-16-1

SHEET NUMBER: 1

DIAMOND DRILL RECORD

TOTAL DEPTH: 273.0'

WORKING PLACE:

SECTION:

LOGGED BY: M.D.

DATE FINISHED: 9/8/84

CO-ORDINATES COLLAR

LAT. N– 11507.50 DEP. E–16013.50

TO COLLAR: 356

BEARING: 154°

ANGLE: +50°

DIP TESTS (TRUE DIPS)

AT. 100' 42° o

AT. ' o

AT. ' o

(ANALYSES)

FACTEUR : 0.956

PLOTTED ON PLANS:

GEOLOGICAL 1" = = 20'

DRILL 1" = = 20'

Double projection.

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	107.7	Massive & typical granodiorite, medium – loc. coarse grained, 50% creamy FP, 5% qz, 45% hnbl, tr. epidote occ. tr. carb., loc. porphyritic texture									
		20.7 - 22.0 Lost core									
		23.9 - 24.5 Smoky & barren qz vein, sericite streaks									
		24.7 - 28.6 Bleached									
		37.8 - 38.9 FP porphyry dike, 10% subedral FP phenocr in green M-chlorit'd ground mass; @ 55° C.A.	9371	87.5	92.7		tr				
		73.0 - 101.5 Frequent orange spots alt'n									
		87.5 - 92.7 fault zone, H-ted alt'd, H-broken									
		89.5 - 91.5 chlorite schist, F-s-histed									
		H-chlorit'd, 20% small qz veins	9372	107.7	111.1		tr				
			73	111.1	113.5		tr				
		89.8 - ... Clay gouge	74	113.5	116.0		0.01		L.V.		
		101.5 - 104.2 Massive basic dike, M-chlorit'd, M-broken	75	116.0	122.0		0.01				
		104.2 - 107.7 Bleached 30%, W-carb'd, H-ted alt'd	76	122.0	125.4		0.01				
107.7	125.4	Sheared zone									
		M-Sh'd 20%, @ 35-45° C.A., fine elongated grains, M-bleached, W-loc. M-carb'd, dark with occ. diss'd py, chlorit'd joints	9377	201.6	205.6		0.01				
		111.1 - 113.5 M-Sh'd basic dike, 10% // qz-carb veinlets	78	205.6	208.7		tr		LN.		
		black, W-schisted (blocky), low fr. py									
		116.5 - 117.0 M-Sh'd basic dike, black, small folding	9379	208.7	213.7		tr				
125.4	183.5	Massive leucocratic 2%: medium-coarse grained, 60-85% creamy buff light green epidot'd FP, 15-40% segregated bnb, 5% qz, incipient carb'n	380	213.7	215.7	2.0	0.04				
		125.4 - 135.0 W-orange alt'd	81	215.7	217.3	1.6	1.22		1.02 / 5.3'		15% py
		166.3 - 167.1 Massive basic dike, dark grey, fr. chlorite contain one 2" brown qz vein	82	217.3	219.0	1.7	4.64				15% py
			83	219.0	221.0		0.03				
183.5	201.6	Massive leucocratic 2%, medium grained, 50% creamy FP, 5% qz, 45% carb, occ. fr. carb, tr. epidote	9384	233.6	237.0		tr				w. quartz
201.6	208.7	Sheared zone	85	237.0	241.0		0.01		L.V.		
		M-Sh'd 2%, @ 30° C.A., medium elongated grains, M-bleached, W-carb'd, disp'd py grains	86	241.0	245.0		0.01				
				Ave	213.7	219.0	= 5.3' @ 1.0				

LES MINES BELMORAL LTEE

PROPERTY Belmoral

HOLE NUMBER S-164

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 247.0'

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE LOGGED 27/8/84

DATE FINISHED 28/8/84

CO-ORDINATES COLLAR

LAT.N— 11509.00 DEP.E— 16018.00

ELEVATION

AZIMUTH 134°

DIP +43°

DIP TESTS (TRUE DIPS)

AT ....°

AT ....°

AT ....°

PLOTTED ON PLANS:

GEOLOGICAL 1"=20' Zones

L

BOREHOLE INCLINATION

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVG	II SAMPLE NO.	REM.
0	195.0	Massive & typical granodiorite, medium grained 50% creamy FP, 45% hnb, 5% Qz, loc. w. orange alt'd									
		1.8 - 2.5 Blurred									
		7.7 - 11.2 Blurred									
		22.0 - 32.5 Blurred									
		34.7 - 35.6 FP porphyry dike, @ 60° C.A., 10% 2 mm FP phenocrysts in grey intermediate ground mass									
		70.4 - 80.0 W-orange alt'd	9525	93.2	96.8			tr			
		80.0 - 86.0 M-blurred, H-orange alt'd, slightly carb'd	26	96.8	101.0			tr			
*		93.2 - 106.8 M-blurred, H-orange alt'd, slightly carb'd, barren except one place @ 104.0 → tr. py, w-chlorit'd M-H broken	27	101.0	103.5		0.	01			
			28	103.5	105.2		0.	02			
			29	105.2	106.8		0.	01			
		95.6 - 95.7 Clay gouge South zone									
*		115.2 - 131.0 M-blurred, M-orange alt'd, slightly carb'd loc. small sh'd zone 5 pts, occ. tr. py	9530	115.2	120.0		0.	01			
		124.3 - 125.6 Pegmatite dike, 15% Qz, 85% orange silicates (FP & KFP ??), barren, @ 65° C.A.	31	120.0	124.3		0.	33			
			32	124.3	126.9			tr			
			33	126.9	131.0		0.	01			
		125.6 - 126.6 Pegmatitic zone, FP ≥ 5mm, 10% carb veins									
		186.5 - 195.0 Blurred, tr. hematite, w-carb'd	9534	195.0	197.4	2.4	0.	36			
195.0	232.0	Shear zone	35	197.4	202.0	4.6	0.	32			
		195.0 - 206.4 W-sh'd zone, @ 20-25° C.A., medium along grains M-blurred, W-carb'd, tr. cavities from alt'd tr. py	36	202.0	206.4			tr			
			37	206.4	211.0		0.	01			
			38	211.0	216.0			tr			
		195.2 - 197.4 Qz vein, 10% zone fabric, 1% dark inclusions, barren	39	216.0	219.5		0.	51			
			40	219.5	224.5		0.	01			
		202.0 - 203.0 Lost core	41	224.5	227.0			tr			
		206.4 - 232.0 W-sh'd basic dike, loc. more or less massive, w-chlorit'd, 2-3% Qz & carb grains in the sheared zone & defined by grains	42	227.0	230.0			tr			
			43	230.0	232.0			tr			
		220.0 - 220.6 W-sh'd zone inclusions									
		230.0 - 232.0 W-sh'd zone @ 30° C.A, barren, w-blurred, w-carb'd			Ave	195.0 - 197.4				2.4 @ 0.36	
232.0	247.0	Massive & typical zone, medium grained, 5% FP, 45% hnb, 50% Qz				195.0 - 202.0				7.0 @ 0.14	
		E.O.H. @ 247.0		N½	N½ zone	vein		134'			

LES MINES BELMORAL LTEE

PROPERTY Belmoral

HOLE NUMBER 5-165

SHEET NUMBER 1

TOTAL DEPTH 199.0

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE LOGGED 28/8/84

DATE FINISHED 31/8/84

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— 11509.00 DEP.E— 16018.00

ELEVATION 754

AZIMUTH 134°

DIP +34

DIP TESTS (TRUE DIPS)

AT 170 35° o

AT o

AT o

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

SINGLE ORIENTATION

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	115.0	Massive granodiorite, more or less typical, small porphyritic texture zones, medium grained, 45-50% FM, 45-50% hnb, 5% Qz, (10°) /ic w-brecciated zones between 22° & 40° C.A. filling									
		2.3 - 5.0 Bleached, w-carb'd									
		7.5 - 12.6 Bleached, w-carb'd (15°)									
		20.0 - 32.7 w-bleached, w-carb'd	9544	86.4	91.4		0. 01				
		32.7 - 53.4 Massive basic dike, w-carb'd (32.5°)	45	91.4	94.1		tr				
		62.0 - 98.0 w-brecciated 22°, Qz filling in 22° fractures (70°), w-m orange alt'n, loc. fr. carb.	46	94.1	98.0		tr				
		86.5 - 98.0 M-bleached, incipient carb'n, loc. micro-fractured with angular cx, barren									
		92.3 - 92.6 Clay gouge fault zone	9547	113.0	115.0		0. 01				
		92.6 - 92.7 Brecciated qz-carb vein, 40% H-chloritic'd basic material, barren	48	115.0	118.0	3.0	0. 04				0.6%
			49	118.0	119.6	1.6	0. 20				
			50	119.6	122.0		0. 02				
		109.8 - 115.0 M-bleached 22°, w-carb'd, w-orange alt'd	51	122.0	126.7		0. 01				
115.0	126.7	Sheared zone									
		115.0 - 118.0 Qz-carb. fuchsite vein, 2% fuchsite, tr. - loc. 0.6% fg blebs particularly @ 116.0'	9552	176.4	180.4		tr				
		118.0 - 119.6 w-ch'd basic dike, black, NO carb, disc'd tr. fg	53	180.4	184.0		tr				
			54	184.0	186.2		tr				
		119.6 - 126.7 w-sh'd 22°, @ 45° C.A., w-brecciated with Qz filling & basic dike patches, w-schisted, low tr. fg	55	186.2	190.0		0. 02				
			56	190.0	191.5		tr				0.3% inclusion
			57	191.5	194.2		tr				
126.7	127.9	Massive basic dike, M-carb'd, grey-green, barren	58	194.2	196.6		tr				
127.9	186.2	Massive & typical zone, medium grained, 5% creamy FM, 45% hnb, 5% Qz, tr. carb, tr orange alt'n	59	196.6	199.0		0. 01				
		127.9 - 132.0 M-bleached, M-orange alt'd									
		173.0 - 186.2 w-bleached, slightly carb'd									
w-sh'd zone →		176.4 - 180.4 w-sh'd 22°, @ 50° C.A., barren		Ave 115.0 - 119.6 = 4.6' @ 0.09%							
186.2	199.0	Sheared zone									
		w-sh'd 22°, @ 20-30° C.A., medium elongated grains, w-bleached, w-carb'd, isolated fg grains (tr.)		Note: w-fuchsite vein @ 137'							
		188.4 - 194.2 Qz-fuchsite-carb vein, 5% FOG patches or inclusions, 10% fuchsite, low disc'd tr. fg		E.O.H. @ 199.0							

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER S-166

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 260.0'

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE FINISHED 20/7/84

CO-ORDINATES COLLAR

LAT. N- 11503.50 DEP. E- 16000.00 AT °

TO COLLAR AT °

BEARING 180° AT °

ANGLE +41°

DIP TESTS (TRUE DIPS)

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' 1:40

DRILL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
2	74.9	Massive & typical granodiorite, massive grained, 5% subhedral - euhedral Fm, 45°, irr's, 5% qz, bx. carb. 1.8 - 5.4 Hab segregation, 45° to b.h									
		18.7 - 21.7 Blurred zone									
		23.0 - 26.7 Blurred zone	9643	106.1	108.5	2.4	0.01	1.01	0.16/		
		25.2 - 25.7 wh.to milky qz vein, barren, broken	44	108.5	112.3	3.8	0.02				
		60.9 - 61.8 Massive Fm porphyry dike, 10% Fm phen ex in greenish basic hybrid matrix, @ 70° c.A.									
		66.2 - 74.9 W - bracciated zone, w - orange alt'd	9645	202.5	204.5	2.3	0.02				
74.9	112.3	H - broken zone (fault zone)	46	204.5	206.1	1.6	0.40				
		Massive zone, medium - coarse grained, H - broken with	47	206.1	207.0	0.9	1.92	0.25/1.1			2% by
		numerous micro - fractures, W - m orange alt'd, chlorit'd	48	207.0	209.2	2.2	0.05				
		on joints fractures, barren	49	209.2	210.8	1.6	0.06				0.7% by
		74.9 - 75.5 qz vein, milky white, barren	50	210.8	214.1	3.3	0.01		0.14/245		0.5% by
		80.1 - 81.0 Lost core	51	214.1	215.5	1.4	0.10				
		83.8 - 84.7 Lost core	52	215.5	217.7	2.2	0.01				
		92.0 - 93.0 Lost core	53	217.7	219.8	2.1	0.02				
		94.0 - 95.0 Lost core	54	219.8	223.0	3.2	0.06	0.21			
		97.0 - 98.0 Lost core	55	223.0	225.4	2.4	0.20				1.8"
		106.1 - 106.8 W - sheared basic dike, dark grey, incipient carb'n	56	225.4	227.0	1.6	0.02				
		106.8 - 112.3 W - Sheared zone @ 70° c.A., very blocky, w chlorit'd melanocratic, slightly carb'd, barren									
		110.4 - 111.3 Sc - carb vein, tr. hematite, barren									
112.3	123.4	Massive zone, medium - coarse grained, W - blurred, slightly carb'd, W - orange alt'd		Ave	204.5 - 215.5 =				1.0 @		0.250
		112.8 - 113.5 Massive basic dike, dark grey, incipient carb'n			219.8 - 225.4 =				5.6 @		0.120
		120.9 - 122.1 Massive basic dike, grey green, W - carb'd									
123.4	202.5	Massive & typical zone, medium grained, 50% chloritic Fm, 45% hab, 5% qz, tr. carb. tr. epidote			Zone → 24.5' @ 0.145						
		192.0 - 202.5 W - blurred, w - silicified, incipient carb'n		15%	204.5 - 219.8 =		15.3'@ 0.184				
202.5	227.0	Sheared zone		Oc	204.5 - 225.4 =		20.9'@ 0.166				
		202.5 - 203.3 M. sh'd zone @ 60° c.A., fine elongated grains, W - blurred, slightly carb'd, tr fg									
		203.3 - 204.5 M. sh'd basic dike, M. chlorit'd, 40% qz - carb - tourm. vein & veinlets, trace fg py									

1256

BELMORAL MINES LIMITED

PROPERTY Belmoral

HOLE NUMBER S-166

DIAMOND DRILL RECORD

SHEET NUMBER 2

TOTAL DEPTH 260.0

WORKING PLACE

SECTION

LOGGED BY M.D.

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N— DEP. E—

TO COLLAR

BEARING

ANGLE +41°

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = = 20'

DRILL 1" = = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAM NO
		204.5 - 219.8 Qz - carb - tourm vein, mineralized contact (flowing), 5-6% tourm, loc. tr. hematite, 5% py & basic inclusions, 1% sericite streaks loc. tr - 1.0% py								
		214.1 - 215.1 W - sh'd 2Dc, M - chl. it'd & ser. it'd tr. py								
		219.8 - 223.0 W - sh'd 2Dc @ 60° c.a., medium elongated grains M. bleached, slightly carb'd, tr. py								
		223.0 - 225.4 Milky white Qz vein, 5% tourm, 1.5% massive py, 0.5% irregular chip blebs								
		225.4 - 227.0 W sh'd 2Dc, medium grains, M - bleached barren								
227.0	248.0	Massive 2Dc, medium grained, loc. W - sheared, M - bleached incipient carb'd								
		238.6 - 244.2 W - sh'd 2Dc, @ 60° c.a., medium grains, loc. disid'd tr. py, mylonocratic								
248.0	260.0	Massive & typical 2Dc, medium grained, 5% blue Qz tr. epidote								
		E.O.H. @ 260.0'								

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER 5-173

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 295.0'

WORKING PLACE

SECTION

LOGGED BY J. FORTIN

DATE LOGGED 29/10/85

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11530N DEP.E— 16023

ELEVATION 9545

AZIMUTH 145°

DIP -57° FOR PLOT USE -58.3°

DIP TESTS (TRUE DIPS)

AT 180° 60°.o

AT .....o

AT .....o

PLOTTED ON PLANS:

GEOLOGICAL 1"=20' SECTION 1+00N, 1+50E

CONS 1"=20', 1+00E

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM
0	0.8	CASING									
0.8	2.9	GRANODIORITE - TYPICAL									
2.9	7.0	GRANODIORITE - BLURRED									
		5.0-5.1 QTZ STRINGER @ 70°CA, BARREN									
7.0	9.2	GRANODIORITE - TYPICAL									
9.2	11.6	GRANODIORITE - BLURRED									
11.6	13.3	GRANODIORITE - TYPICAL									
13.3	16.6	GRANODIORITE - BLURRED									
16.6	20.0	GRANODIORITE - TYPICAL									
20.0	22.0	GRANODIORITE - BLURRED									
22.0	22.4	FELDSPAR PORPHYRY DYKE @ 80°CA, 5% PHENOS									
22.4	25.5	GRANODIORITE - TYPICAL									
25.5	28.0	GRANODIORITE - MOD. PINK ALT'N									
28.0	32.5	GRANODIORITE - TYPICAL, WEAK PINK ALT'N									
32.5	39.2	GRANODIORITE - BLURRED, LOCAL WEAK PINK ALT'N									
39.2	60.8	GRANODIORITE - TYPICAL, WEAK PINK ALT'N									
60.8	72.5	GRANODIORITE - BLURRED, HIGH PINK ALT'N									
72.5	82.7	WEAK BRECCIATION - FRACTURE ZONE, MASSIVE GRANODIORITE, WEAK PINK ALT'N									
		WITH 1% MILKY-CHERTY GREEN QTZ FILLING FRACTURES									
82.7	84.0	SHEAR ZONE - ? - WEAK TO MOD SHEARED SOFT @ 60°CA, HIGH PINK									
		ALT'N, 5% CARB STREAKS, BARREN									
84.0	98.7	BRECCIA - FRACTURE ZONE - MASSIVE TO WEAKLY SHEARED SOFT WEAK									
		PINK ALT'N, 7-10% CHERTY GREEN QTZ FILLING FRACTURES (0.5"-5")									
98.7	99.0	QTZ CHLORITE VEIN @ 60°CA - TYPICAL SHEAR ZONE TYPE BARREN	3637	98.7	99.2						
99.0	99.2	FAULT GOUGE @ 60-70°CA ?									
99.2	103.5	GRANODIORITE - HIGH PINK ALT'N, EXTREMELY BLOCKY									
		100.8-101.6 - LOST CORE									
103.5	125.0	GRANODIORITE - WEAK PINK ALT'N, EXTREMELY BLOCKY									

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER S-170

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY ST. FORTIN

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1"=20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
125.0	127.7	GRANODIORITE- MASSIVE, BRECCIATED, BLURRED, HIGH PINK ALT'N, 5% FRACTURE FILLING QTZ (SOME WITH KBT INCLUSIONS)									
127.7	132.6	BASIC DYKE- DARK GREEN, MASSIVE, CHLORITIZED @ 70°CA, TR. DISS. PY									
132.6	134.9	GRANODIORITE- HIGH PINK ALT'N									
134.9	136.3	BASIC DYKE - GRADING FROM MASSIVE TO HIGHLY SHEARED @ 30-50°CA AND CARB'D									
136.3	140.0	WEAKLY TO LOCALLY MOD SHEARED SDT @ 40°CA, BLURRED									
140.0	144.1	SHEARED BASIC DYKE @ 40°CA, HIGHLY CL'D, WEAKLY CARB'D, BLOCKY									
144.1	147.0	WEAKLY SHEARED SDT @ 45°CA, BLURRED, BLOCKY									
147.0	155.0	GRANODIORITE- BLURRED, MOD PINK ALT'N									
155.0	157.0	BASIC DYKE @ 45°CA, MASSIVE,									
157.0	159.0	GRANODIORITE- BLURRED, HIGH PINK ALT'N									
159.0	170.0	GRANODIORITE HIGHLY EPIDOTIZED									
170.0	204.3	FELDSPAR PORPHYRY DYKE - 1% FELSIC PHENOS (2-3mm) IN A FINE BROWN MASS OF 40% LATH SHAPED FELDSPAR AND 60% CHLORITE, EPIDOTIZED, FIRST CONTACT @ 25°CA, 203.0-205.0 HIGHLY BLOCKEN CORE									
204.3	208.6	GRANODIORITE- TYPICAL, BLOCKY									
208.6	213.5	BASIC DYKE @ 50°CA, AS 170-204.3 BUT NO PHENO'S									
213.5	227.3	GRANODIORITE- BLURRED, DARK REDDISH GRAY COLOUR, WELL CHLORITIZED + CARB'D, SOME CARB IS BLOOD RED COLOUR (HEMATITE), ALSO MOD. PINK ALT'N									
227.3	239.2	SHEAR ZONE - MOD TO HIGHLY SHEARED SDT @ 30-70°CA, BLURRED, TR. DISS. PY	3638	227.3	227.8		0	02			
		229.1-229.3 - QTZ STRINGER @ 70°CA, BARREN	3639	227.8	230.7	0.9'	3	90			
		229.8-230.7 - QTZ VEIN @ 65°CA, 15% PARTLY DIGESTED SDT, 5-6% PY	3640	230.7	232.1	1.4'	0	44		5.2 @ 0.5/0	
		230.7-232.1 - BRECCIA. 70% SDT IN A CARB + SILICEOUS MATRIX, TR. PY, SOME SDT IS ALT'D TO A BRIGHT CRIMSON RED	3641	232.1	235.0	2.9'	0	08			
			3642	235.0	239.3		0	005			

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER 5-170

SHEET NUMBER 3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY J. FORTIN

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
239.3	241.6	GRANODIORITE - BLURRED, EXTREMELY BLOCKY									
241.6	264.0	GRANODIORITE - TYPICAL, LOCALLY WEAKLY EPIDO									
264.0	267.2	GRANODIORITE - BLURRED									
267.2	281.0	SHEAR ZONE:	3643	267.2	269.2		0 02				
		M30 SHEARED GDT @ 50°CA, BLUE-GRAY, WEAKLY CARB'D, TR PY	3644	269.2	272.2		0 01				
		269.2-269.4, 271.9-272.1 - QTZ TOUR STRGRS @ 80+60°CA, TR PY	3645	272.2	276.2		0 005				
		276.2--280.1 - QTZ TOUR VEIN C 50°CA, 8-10% MASSIVE	3646	276.2	280.1	3.9'	0 75	←	3.9	@ 0.75	
		PY-CPY(1-2%) BANDS	3647	280.1	281.0		TR				
		277.0-277.2-SHEARED GDT BAND, TR PY.									
281.0	284.9	GRANODIORITE - BLURRED									
284.9	295.0	GRANODIORITE - TYPICAL									
		295.0 - E.O.H.									

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER 5-172

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 292.0

WORKING PLACE

SECTION

LOGGED BY J. FORTIN

DATE LOGGED 7 NOV 85

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11529N DEP.E— 1807E

ELEVATION 9545'

AZIMUTH 175°

DIP -54°

DIP TESTS (TRUE DIPS)

AT 240' 55°30' o

AT o

AT o

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
0	3.0	GRANODIORITE- TYPICAL									
3.0	16.2	GRANODIORITE- BLURRED									
		12.1-13.5 - QTZ VEIN @ 65° CA, BARREN	3663	12.1	13.5		TR				
16.2	19.5	GRANODIORITE - TYPICAL									
19.5	22.3	GRANODIORITE - BLURRED									
22.3	30.6	GRANODIORITE- TYPICAL									
		23.0-23.2 - FELDSPAR PORPHYRY DYKE, BARREN CONTACTS, 5% PHENO'S									
30.6	35.7	GRANODIORITE- BLURRED, WEAK TO MOD. PINK ALT'N									
		32.3-32.4 - QTZ STKWK @ 70°CA, 5% MASSIVE PYRITE	3664	32.1	32.6		005				
35.7	39.5	GRANODIORITE - TYPICAL									
39.5	45.4	GRANODIORITE- BLURRED, WEAK PINK ALT'N									
45.4	63.5	GRANODIORITE - TYPICAL									
		51.4-52.4- PORPHYRITIC, 35% FELSPAR PHENO'S, 5% FRESH HORNBLENDE, 1-2% OPALESCENT QTZ IN A CHLORITIC MATRIX									
		55.9-56.1- BRECCIA TYPE VEIN, GREEN CHERTY, 15% GDT FRAGMENTS BARREN									
63.5	77.0	GRANODIORITE- BLURRED, HIGH PINK ALT'N									
		73.5-74.3 - BRECCIA WITH 20% CHERTY-GREEN STRINGERS									
77.0	85.0	GRANODIORITE- TYPICAL, LOCALLY WEAK PINK ALT'N, BLOCKY									
85.0	88.7	GRANODIORITE- BLURRED, HIGH PINK ALT'N									
88.7	94.2	BRECCIA-TYPE VEIN, 12-15% GDT FRAGMENTS IN A DARK GREEN CHERTY QTZ MATRIX BARREN	3665	88.7	94.2		TR				
94.2	102.0	GRANODIORITE- BLURRED, HIGH PINK ALT'N									
102.0	114.0	GRANODIORITE - WEAK PINK ALT'N									
114.0	118.0	GRANODIORITE- BLURRED, HIGH PINK ALT'N									
118.0	133.2	SHEAR ZONE + VEIN MATERIAL	3666	118.0	119.5	1.5	TR				
		118.0-119.5- SHEARED BASIC DYKE @ 15-40°CA, CARB'N, TR. PY	3667	119.5	123.0	3.5	01				
		119.5-125.0 - MOD. SHEARED GDT @ 35-40°CA, BLURRED, TRPY	3668	123.0	125.0	2.0	TR				
		125.0-128.0 - QTZ-TOUR VEIN - 60°CA, BARREN	3669	125.0	128.0	3.0	TR		15-2'e	0.006	
		128.0-131.4 - 60% QTZ CARB VEINS IN CHLORITE SCHIST, BARREN	3670	128.0	131.4	3.4	015				
		131.4-133.2- WEAKLY SHEARED GDT @ 40° CA.	3671	131.4	133.2	1.8	TR				

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER E-172

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH

DIP

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
133.2	169.0	GRANODIORITE - BLURRED, HIGH PINK ALTN, PINK IS MORE BLOOD RED TO PURPLISH THAN USUAL.									
169.0	177.3	GRANODIORITE - LEUCOCRATIC, WEAKLY EPIDD									
177.3	184.6	GRANODIORITE - BLURRED, MOD. PINK ALTN									
184.6	194.7	GRANODIORITE - LEUCOCRATIC TO TYPICAL, WEAK PINK ALTN									
194.7	204.0	GRANODIORITE - BLURRED, HIGH PINK ALTN, DARK RED-GRAY									
204.0	208.7	GRANODIORITE - TIPICAL, WEAKLY EPIDOTIZED									
208.7	217.8	GRANODIORITE - BLURRED, WEAK PINK ALTN									
217.8	231.6	SHEAR ZONE + VEIN MATERIAL	3672	217.8	221.0		01				
		- WEAKLY TO MOD. SHEARED GOTO 40-45° CA, BLURRED, WEAK PINK ALTN, TR. PY	3673	221.0	223.0		005				
		223.0 - 229.6 - QTZ - TOUR VEIN @ 35-40° CA, 3-4% MASSIVE FINE PY. BLOTCHES + SUITE ASSOCIATED CPY.	3674	223.0	224.8	1.8	01				
			3675	224.8	228.0	3.2	37		6.6 @ 0.677		PY
			3676	228.0	229.6	1.6	2 60				PY +
		229.6 - 230.0 - CONTORTED (FOLDED)	3677	229.6	231.6		01				
231.6	237.8	GRANODIORITE - BLURRED									
237.8	241.6	SHEAR ZONE - WEAKLY TO MOD. SHEARED GOTO 35° CA, BLURRED, WEAK PINK ALTN, BARREN	3678	237.8	241.6		005				
		239.2 - 239.7 - BARREN QTZ CHLORITE VEIN									
241.6	264.0	GRANODIORITE - BLURRED									
264.0	279.0	SHEAR ZONE - MOD TO LOCALLY HIGHLY SHEARED GOTO @ 35-40° CA, BLURRED CARBO, TR. DISS PY	3679	264.0	266.5	2.5	TR				
			3680	266.5	272.2	5.7	005		1.5 @ 0.004		
		272.2-274.3 - CARB VEIN WITH MINOR QTZ, WAVY CONTACTS, TR PY.	3681	272.2	274.3	2.1	005				
			3682	274.3	279.0	4.7	005				
279.0	284.6	GRANODIORITE - BLURRED									
284.6	292.0	GRANODIORITE - TYPICAL									
		292.0 E.O.H									

LES MINES BELMORAL LTEE

PROPERTY BELMORAL

HOLE NUMBER 5-176

SHEET NUMBER 1

TOTAL DEPTH 261.0'

WORKING PLACE

SECTION

LOGGED BY J. FORTIN

DATE LOGGED 5 NOV. 85

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— 11530N DEP.E— 16023

ELEVATION 9543

AZIMUTH 146°

DIP +48°

DIP TESTS (TRUE DIPS)

AT 200' 50.2°

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

SECTION 1"=20', 1"=40'

LONG 1"=20', 1"=40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	4.7	GRANODIORITE - TYPICAL									
4.7	24.4	GRANODIORITE - BLURRED									
		7.4-7.5 - QTZ TOUR STRS @ 65°CA BARREN									
		14.2-17.5 - QTZ VEIN @ 50°CA, BARREN, 30% LOST CORE	3659	14.2	17.5		0 005				
		21.3-21.8 - SHEARED BASIC DYKE @ 75°CA									
24.4	57.7	GRANODIORITE - TYPICAL, LOCAL INCIPIENT PINK ALT'N									
		40.5-40.8 - QTZ VEINLET @ 40°CA, BARREN									
		47.3-47.7 - " " "									
57.7	63.8	GRANODIORITE - BLURRED, MOD. PINK ALT'N, LOCALLY WEAKLY SHEARED @ 50°CA									
63.8	76.7	GRANODIORITE - TYPICAL - WEAK PINK ALT'N									
76.7	93.5	BRECCIA ZONE 15% FRACTURE FILLING CARB. + CHERTY QTZ WITH SOFT INCLUSIONS, IN SOFT (WEAK PINK ALT'N) 86.5-89.5 - LOST CORE									
93.5	103.3	GRANODIORITE - WEAK PINK ALT'N, BLOCKY									
103.3	108.0	GRANODIORITE - BLURRED, HIGH PINK ALT'N									
108.0	121.6	SHEAR ZONE									
		108.0-110.0 - WEAKLY SHEARED BASIC DYKE @ 50°CA, TR. PY	3648	108.0	111.4		0 01				
		110.0-111.4 - WEAKLY SHEARED SOFT @ 55°CA, BLURRED, HIGH	3649	111.4	114.5	3.1	0 055				
		PINK ALT'N, TR. PY	3650	114.5	117.1	2.6	TR				
		111.4-117.1 - QTZ VEIN @ 65°CA, BARREN	3651	117.1	121.6		0 01				
		117.1-119.0 - MOD. SHEARED SOFT @ 55° CA, HIGH PINK ALT'N, TR. PY.									
		119.0-120.0 - SHEARED BASIC DYKE, BARREN									
		120.0-121.6 - MOD SHEARED SOFT @ 40°CA, BLURRED, TR. PY									
121.6	155.0	GRANODIORITE - BLURRED									
		146.0-152.3 - MOD. PINK ALT'N									
155.0	164.0	FELDSPAR PORPHYRY DYKE @ 70°CA, 3-4% ZONED PHENOCRYSTS									
164.0	168.0	LOST CORE									

3.1 @ 57'@ 0.030

LES MINES BELMORAL LTEE

PROPERTY Belmoral

HOLE NUMBER 5-176

SHEET NUMBER 2

TOTAL DEPTH 261.0'

DIAMOND DRILL RECORD

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH

DIP

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
168.0	187.3	GRANODIORITE- BLURRED, HIGH PINK ALTN, LOCALLY TENDING TO BE MELANOCRATIC AND WELL CLD									
187.3	197.5	GRANODIORITE- AS 168.0-187.3 BUT WEAKLY SHEARED @ 50°CA, TR PY	3652	187.3	192.5		TR				
197.5	219.0	GRANODIORITE- BLURRED, WEAK PINK ALTN, CARB'N, LOCALLY CARBONATE HAS BLOOD RED COLOUR (HEMATITE?), BLOCKY	3653	192.5	197.5		0 045				
219.0	229.2	GRANODIORITE- TYPICAL									
229.2	232.6	GRANODIORITE- BLURRED, INCIPIENT FOLIATION @ 50°CA, CARB'D									
232.6	240.0	SHEAR ZONE + VEIN MATERIAL	3654	232.7	233.9	1.2	1 15				
		232.6-232.7 (233.7) WEAKLY SHEARED GOTO @ 50°CA, BLURRED	3655	233.9	235.2	1.3	0 20		4.1 @ 0.412		
		232.7-236.8 (233.7-236.8) QTE TOUR VEIN @ 45-50°CA 1-1.5% PY AND ASSOCIATED CPY	3656	235.2	236.0	0.8	0 01				
		236.8-240.0 - WEAKLY SHEARED GOTO 50°CA, BLURRED	3657	236.0	236.8	0.8	0 05				
240.0	245.0	GRANODIORITE- BLURRED	3658	236.8	240.0	0.2	TR				
245.0	256.0	GRANODIORITE- TYPICAL									
256.0	261.0	GRANODIORITE- BLURRED									
		257.3-257.5 - QTE STRGR. BARREN @ 90°CA									
		258.8-259.0 - " " "									
		261.0 E. O. H.									

LES MINES BELMORAL LTEE

PROPERTY FERRUM DEK

HOLE NUMBER 90-24

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 586

WORKING PLACE 800

SECTION 16904E

LOGGED BY JEAN J.

DATE LOGGED SEPT 27

DATE FINISHED SEPT 29-91

CO-ORDINATES COLLAR

LAT. N— 11631.00 DEP. E— 16904E

ELEVATION

AZIMUTH 180°

DIP FLAT

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

SECT LONGT 1"=40'

PLAN GOOL 1"=20'

1"=40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	58.2	GRANODIORITE, MASSIVE, MEDIUM TO LOCALLY MELANOCRATIC, MODERATE CHLORITIZED									
		HORN BLENDE, MAFIC SEGREGATION (10-20), BARREN									
58.2	70	MAFIC DIKE, GREENISH, FINE GRAINED, MASSIVE BUT [illegible] 60-70,									
		59.3-61.2 MASSIVE GRANODIORITE, 5% QTZ-CALC STKS (J 2-6"), WEAKLY QTZ-TO.	9368	58.2	59.3	1.1	TR				—
70	144.6	GRANODIORITE, MASSIVE, ± TYPICAL, BARREN	9369	61.2	64	2.8	TR				—
144.6	148	BLURRED GRANODIORITE, MASSIVE, MODERATE CHLORITIZED, NO VISIBLE SULPHIDE	9370	144.6	147	3.4	TR				—
148	187.2	MODERATE SHEAR ZONE @ 70°CA, LOCALLY SLIGHTLY SHEARED, MINOR									
		MAFIC MATERIAL + MILKY QTZ VEIN, MINOR MINERALIZATION									
		148-152.8 M-SHEARED GRANODIORITE [illegible], MODERATE CHLORITIZED, 5%	9371	148	150	2.0	TR				PyTR
		QTZ-CALC STKS.	9372	150	151.3	1.3	TR				PyTR
		152.8-157.5 BLURRED GRANODIORITE, MASSIVE-WEAKLY SHEARED (UNDEFORMED)	9373	151.3	152.8	1.5	TR				Py ≤ .5%
		CHLORITIZED, LOCALLY SERICITIZED, DISSEMINATED Py ≤ 1%, SOME CPY									
		SPLASHES.	9374	152.8	154.6	1.8	TR				Py ≤ 2%
		155-155.7 QTZ STKS, 5% CPY.	9375	154.6	156	1.4	0	01			Py 1%, CPY.S
		156-156.4 MILKY QTZ VEIN, Py @ 156.4	9376	156	157.5	1.5	0	04			Py ≤ 2%
		156.9-157.5 MILKY QTZ VEIN, CPY @					1		0.01 1/392		
		157.5-162.7 BLURRED GRANODIORITE AS (152.8-157.5), WEAKLY-MOD SHEARED, SCATTER-	9377	157.5	159	1.5	TR				TR Py & CPY
		RED Py & CPY ≤ 1.5%, 10% IRREGULAR QTZ STKS, CHLORITIZED	9378	159	160	1.0	TR				Py TR
		160-161.7 MILKY-GREYISH QTZ VEIN,									
		15% CHLORITE LAYERS, Py TR	9379	160	161.7	1.7	0	01			Py TR
		161.7-162.7 10% QTZ-CALC STKS,	9380	161.7	162.7	1.0	TR				Py 02%
		162.7-168.7 MILKY-GREYISH QTZ VEIN,									
		10% CHLORITE SEAMS, TOUR									
		1-2%, Py.	9381	162.7	163.7	1.0	0	01			Py .05%
			9382	163.7	165.7	2.0	TR				Py TR
		-60% CHLORITE, SEAMS, 30% QTZ	9383	165.7	166.7	1.0	0	01	0.04 1/6		Py 0.5%
			9384	166.7	167.7	1.0	0	03			Py TR
			9385	167.7	168.7	1.0	0	07			Py ≤ 1%
		168.7-175 BLURRED GRANODIORITE AS (152.8-157.5), MOD SHEARED, CHLORITIZED									
		TO 170.3-171.9 MASSIVE 171.9-172.4, SCATTERED FINE	9386	168.7	170.3	1.6	0	03			Py ≤ 1%
		170.3-3 QTZ VEIN @ [illegible] 5% TOUR,									
		[illegible]	9387	170.3	171.9	1.6	TR				Py 01%
			9388	171.9	172.4	0.5	TR				Py TR
		-30% QTZ VEINLETS	9389	172.4	173.4	1.0	0	02			Py 2%

LOGS

1690 0E

to

1760 0E

ZONE PRINCIPALE

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-221

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

PLAN GEOL 1"=20' H-10

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		173.4-174.1 MILKY QTZ VEIN, 5% FELDSPAR INCLUSIONS, PyTR	9390	173.1	174.1	0.7	TR				PyTr
		- FINE SCATTERED Py	9391	174.1	175	0.9	0.02				Py 1%
		175-180.5 MILKY TO SLIGHTLY GREYISH QTZ VEIN, BRECCIATED (178.9-180.5)	9392	175	176	1.0	0.02				Py 0.1%
		- 2% FELDSPAR, 1% CHLORITE	9393	176	177.5	1.5	0.02				Py 0.5%
		- FINE Py ALONG CHLORITIC JOINTS	9394	177.5	178.9	1.4	0.09	0.34	0.15		Py 0.5%
		- BRECCIATED	9395	178.9	180.5	1.6	0.05				Py 1.5%
		180.5-181.1 BLURRED GRANODIORITE, W-M SHEARED, 20% QTZ VEINLETS.	9396	180.5	181.1	0.6	TR				Py 0.2%
		181.1-183.2 QTZ VEIN MILKY TO SLIGHTLY GREYISH, 5% FELDSPAR INCLUSIONS, 5% CHLORITE LINERS WITH FINE Py.	9397	181.1	183.2	2.1	TR				Py TR
		183.2-187.2 BLURRED GRANODIORITE, MODERATELY SHEARED @ 60°CA, VERY WELL CHLORITIZED 184.2-187.2, BRECCIATED (186-186.4), FINE SCATTERED Py, LOW CARBONATIZATION.	9398	183.2	184.2	1.0	0.05				Py 1%
			9399	184.2	187.2	3.0	0.03				Py 0.2%
187.2	195.7	BLURRED GRANODIORITE, MASSIVE, OCCASIONALLY 1-2 Py SPECKS.	9400	187.2	191.7	4.5	TR				
		191.7-192.5 LIGHTLY SMOKY QTZ VEIN, 20% IRREGULAR CHLORITE INCLUSIONS, UPPER CONTACT C 10°CA	9401	191.7	192.5	0.8	TR				
195.7	256	GRANODIORITE, MASSIVE, SLIGHTLY EPIDOTIZED, CHLORITIZED HORN, BARE	9402	192.5	195.7	3.2	TR				
		GRANODIORITE, MASSIVE, SLIGHTLY EPIDOTIZED, CHLORITIZED HORNBLENDE, ± TYPICAL									
		221.6-222.3 BASIC DIKE, FINE GRAINED, MASSIVE.									
		245.7-246.5 QTZ-TOURMALINE, CONTACT C 10°CA, 2cm WIDTH, BARREN									
256		END OF HOLE									

EC-273

LES MINES BELMORAL LTEE

PROPERTY FLADERBEC

HOLE NUMBER B-215

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 220'

WORKING PLACE 8045-7

SECTION 18+12E

LOGGED BY J. BRAULT

DATE LOGGED OCT-06-86

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11631.50 DEP.E— 1690 E

ELEVATION 7250

AZIMUTH 180°

DIP +42°

DIP TESTS (TRUE DIPS)

AT 200' +41° o

AT o

AT o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1"=40'

SECT. LINE 2 inches = 10'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
0	136	GRANODIORITE, MASSIVE, TYPICAL, CHLORITIZED HORNBLENDE, FRACTURED-5, 2-5% BLUE QTZ EYES, 9-11 FELSIC SEGREGATION											
		C-1 LOST CORE											
		20-23 BLOCKY											
		94.7-95.5 QTZ VN, MASSIVE, FINE GRAINED, SHARP CONTACT @ 60° CA											
		119.7-123.1 SLIGHTLY SHEARED @ 20-30°CA, NO MINERALIZATION.	9403	119.7	123.1	3.4	0	03					
		134-136 SLIGHTLY ALTERED											
136	141.5	WEAKLY-MEDIUM SHEAR ZONE @ 60°CA, MAINLY MASSIVE GRANITIC (GRANODIORITE + BASIC DIKE, ASSOCIATED 138.8-139.20, NO SIGNIFICANT MINERALIZATION	9404	136	138.8	2.2	0	01					3% 0.1%
			9405	138.8	140	1.2	0	01			1.1/5.5		—
			9406	140	141.5	1.5	0	01					Py TR
141.5	142.5	GRANODIORITE, COARSE GRAINED, SLIGHTLY SHEARED @ 60°CA	9407	141.5	142.5	1.0	TR						—
142.5	220	GRANODIORITE, MASSIVE TYP COARSELY CRYSTALLINE, SOME SLIGHTLY ALTERED SECTIONS, SOME MAFICS SCHLIEREN'S.											
		176.2-179.7 BASIC DIKE, FINE GRAINED, SLIGHTLY SHEARED @ 40°CA, CHLORITIZED, SOME FINE PYR.	9408	176.2	179.7	3.5	TR						PY TR
		194-195.5 AND 199-200 MINOR ALTERATIONS											
		209.6-210.2 QTZ VEIN, GLASSY, 5% CHLORITE, 2% CALCITE, COMPOSITE SULFIDE.	9409	209.6	210.2	0.6	TR						—
220		END OF HOLE											

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER B-226

SHEET NUMBER 1/3

DIAMOND DRILL RECORD

TOTAL DEPTH 291'

WORKING PLACE 800 E/T

SECTION 163+??

LOGGED BY J. BRAULT

DATE LOGGED OCT-06-86

DATE FINISHED OCT 06 86

CO-ORDINATES COLLAR

LAT. N— 1163.50 DEP. E— 1690— E

ELEVATION 924.6

AZIMUTH 180°

DIP -32°

DIP TESTS (TRUE DIPS)

AT 300' -31.00°

AT ....°

AT ....°

PLOTTED ON PLANS:

GEOLOGICAL 1"=20' 1"=40'

SCRIBED BY [illegible]

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	206.5	GRANODIORITE, MINOR [illegible], GENERALLY MASSIVE, TYPICAL, BLOCKY 0-5, BARREN.									
		5-7 LOST CORE									
		15-17 LOST CORE SECTION									
		65-66 LOST CORE									
		659-681 MICROPORPHYRY MAFIC DIKE, MASSIVE, 2-3% FELDSPAR PHENOCRYSTS.									
		703-712 MICROPORPHYRY MAFIC DIKE AS 659-681.									
		718-755 MICROPORPHYRY MAFIC DIKE AS 659-681, BARREN									
		78-79 FRACTURED AND [illegible]									
		87.5-89.5 WEAKLY SHEAR ZONE @ 40°, 1% QTZ-CARB STKS,	9410	87.5	89.5	2.0	0 01				—
		91.5-92.5 WEAKLY SHEAR ZONE @ 40°, 5% QTZ-CARB STKS	9411	91.5	92.5	1.0	TR				—
		178-178½ FELSIC DIKE, MINOR PY, CONTACT 35°CA									
206.5	221.4	BLURRED GRANODIORITE, GREYISH, MASSIVE, MODERATE CHLORITIZED, MINOR CARBONATIZED, 210.7-211.1 QTZ-CARB DIKE, 1% TOURMALINE, CONTACT @ 60°CA.									
			9412	219	221.4	2.4	TR				—
221.4	226.7	WEAKLY SHEAR ZONE @ 55°CA, MAINLY BLURRED GRANODIORITE + QTZ VEIN MATERIAL, WELL CHLORITIZED, 1% FINE CARB STKS	9413	221.4	222.4	1.0	TR				By TR
		222.4-224.4 SILICIFIED QTZ VEIN, MILKY, (222-65°) 10% Py (FINE) SULPHIDES, SOME Py STRINGERS (NEAR UPPER CONTACT),	9414	222.4	223.4	1.0	1 54		5.3 @ 0.296		Py 1%
		BUT (TRACE) BARREN TO LOWER CONTACT)	9415	223.4	224.4	1.0	0 01		SHEAR		Py TR
		SEALING (224°).	9416	224.4	226.7	2.3	0 01				Py TR
226.7	278.8	GRANODIORITE AS (0-206.5) BUT [illegible] SOME EPIDOTIZED PATCHES									
		WEAKLY SHEARED @ (264-265.2) @ 20°, CHLORITIZED.	9417	264	265.2	1.2	TR				—
278.8	283.6	BLURRED DIORITE, GREY/GREEN, MASSIVE, CHLORITIZED, RARE PEBBLES, SOME QTZ-CARB STKS.									
283.6	366	WEAKLY SHEAR ZONE @ 45-55°, [illegible], CHLORITIZED									
		[illegible] 293's									

LPC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER F-226

SHEET NUMBER 1/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
283.6	366	MAIN SHEAR ZONE WEAKLY TO MODERATE @ 50-60°A, 1/2% HAIRLY MILKY QTZ VEIN + BLURRED PY.									
		283.6-301.3 BLURRED 20%, MELANOCRAT, WEAKLY SHEARED, SOME QTZ-FELDS VEINS TOWARD END SECTION, SILICIFIED (S) (6% 8-301.3), LOT MASSIVE (293.8-297.1) WITH SCATTERED FINE PY = 0.5%.	9457	283.6	287.9	4.3	Tr				—
			9458	287.9	288.9	1.0	0	01			Py T
			9459	288.9	292.8	3.9	Tr				—
			9460	292.8	297.1	4.3	0	02	L.V. 0.2		Py 0.5
		298.3-299 AND 297.5-300.2 QTZ-FELD VEIN F BRECCIATED, CHLO AND SERICITIZED TOWARD END SECTION.	9461	297.1	301.3	4.2	0	01			Py Tr
		301.3-366.5 MASSIVE MILKY QTZ VEIN, TOURMALIZED, SOME MAFIC INCLUSION									
		-DETAILS- 301.3-315 MILKY QTZ VEIN, LOCALLY TOURMALIZED, SOME FELDSPAR INCLUSION (BRECCIATED), LOW PY, SOME MAGNETITE + SERICITE IN FILLED FRACTURES, 306.1-306.5 FELSIC DIKE.	9462	301.3	303.3	2.0	0	01			Py 0.2%
			9463	303.3	305.1	1.8	0	01			Py Tr
			9464	305.1	306.1	1.0	0	02			Py 1%
			9465	306.1	308.6	2.5	Tr				Py Tr
			9466	308.6	310.9	2.3	0	04	.04 .03		Py 1%
			9467	310.9	315	5.1	0	02			Py Tr
		315-318.3 MAFIC MATERIAL ((MAFIC DIKE (315-316.5) + BLURRED 20%, W-MOD) SHEARED, MINOR FINE PY.	9468	315	316.5	1.5	Tr				Py 0.1%
		316.5-316.9 70% QTZ VEIN									
		317.8-318 QTZ VEINLET	9469	316.5	318.3	1.8	0	01			Py 0.5%
		318.3-325.2 QTZ VEIN AS (301.3-315), MINOR PY.	9470	318.3	319.2	0.9	0	02			Py Tr
			9471	319.2	320.2	1.0	Tr				Py Tr
			9472	320.2	325.2	5.0	0	02			—
		325.2-328.7 MAFIC (ALTERED) AS (315-318.3) BLURRED 20%, MODERATELY SHEARED, 30% QTZ VEINLETS, PY 0.5%, LOCALLY CHLORITIZED + SERICITIZED									
		328.7-330.6 QTZ-TOUR VEIN, SCATTERED PY NEAR CONTACT, PY 0.5%	9473	325.2	328.7	3.5	0	02			Py 0.5%
			9474	328.7	330.6	1.9	0	01			Py 0.5%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-226

SHEET NUMBER 3/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
		330.6-332.8											
			9494	330.3	332.3	2.2	0	01					
		- 10% TOUR, DISSEMINATED				0.7	TR						
						2.0	0	01					
						1.5	TR						
						1.5	0	01					
				2386		1.5	TR						
						2.0	0	01					
						1.0	0	01					
						1.0	TR						
						3.0	TR						
						1.0	TR						
		- 5%				1.5	0	01					
						1.5	TR						
		- 10% DISSEMINATED				1.5	TR						
						1.0	TR						
						1.0	TR						
						1.0	TR						
						3.0	0	03					
		- 5%				2.1	TR						
						1.1	TR						
		- 30%				1.0	TR						
						2.5	TR						
						2.9	0	01					

273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-230

SHEET NUMBER 1/3

DIAMOND DRILL RECORD

TOTAL DEPTH 177'

WORKING PLACE

SECTION 1705OE

LOGGED BY J.BRAULT

DATE LOGGED OCT 30-86

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH 180°

DIP -45°

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	133	GRANODIORITE, MASSIVE, HARD, SILICIFIED, 30-45% FELDSPAR, 40-55% WELL CHLORITIZED HORNBLENDE, COARSE GRAINED, BARREN, MINOR EPIDOTIZED ZONES, SOME QTZ-CA-b VEINS AND MAFIC SEGREGATION									
		13-14 LOST CORE									
		20-23 FRACTURED + BLOCKY									
		29.5-30.2 GLASSY QTZ VEIN, 20% MAFIC MATERIAL INCLUSION (CHLORITIZED HORNBLENDE).	9705	29.5	30.2	0.7					
		36.4-37 QTZ-CA-b VEINS + EPIDOTIZED BANDS. (36.4-36.7)									
		59-59.3 MAFIC DIKE, GREENISH, FINE GRAINED, MASSIVE.									
		65-67 SLIGHTLY FOLIATED @ 40°CA.									
		88.6-89.2 CHLORITE.									
		96-102 MINOR PINK DIKE									
		102-102.8 FELSIC SEGREGATION, EPIDOTIZED.									
		102.8-103.6 MAFIC SEGREGATION									
133	135	SLIGHTLY CHLORITED GRANODIORITE, MASSIVE									
135	177.3	MAIN SILVER ZONE WEAKLY TO MODERATE @ 60-65°CA.									
		135-143.8 CHLORITED GRANODIORITE MASSIVE AND LOCALLY WEAKLY SHEARED, MODERATE CHLORITIZED, LOW CARBONATIZATION, SOME FINE PY SPECKS.									
		134-135 MASSIVE	9676	134	135	1.0	0 07				PyTR
		135-137.5 WEAKLY SHEARED	9677	135	137.5	2.5	0 01				Py 0.1%
		137.5-140 MASSIVE	9678	137.5	140	2.5	0 01				PyTR
		140-143.8 DEPY WEAKLY SHEARED, FRACTURED 142-143.8	9679	140	143.8	3.8	0 01				PyTR
		143.8-144.8 50% SMOKY QTZ VEINLETS, WITH CHLORITE-SERICITE SCHIST									
		FINE Py 0.5%	9680	143.8	144.8	1.0	TR				Py 0.5%
		144.8-145.9 BASIC DIKE, W-M SHEARED @ 70°CA, 10% QTZ-CA-b VEINS, HIGHLY CARBONATED	9681	144.8	145.9	1.1	0 01				PyTR
		145.9-147 40-50% SMOKY QTZ VNS + CARBONATE, + CHLORITE, SOME FELDSPAR PHENOCRYSTS UP TO 1.5cm, CHLORITIC SCHIST MATRIX									
		Py 0.5%	9682	145.9	147	1.1	0 03				Py 0.5%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-230

SHEET NUMBER 2/3

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		147-177.3 SMOKY QTZ VEIN, GLASSY, SLIGHTLY — MODERATE GREYISH, SOME FINE TOURMALINE STRS, LOCALLY WELL MINERALIZED PyHPy, SOME BARREN SECTION (SOME SERICITIC, GREYISH)									
		(a) BLURRED FELDSPAR INCLUSIONS									
		- LARGE Py SPLASHES (VERY FINE Py), Py 5%, Cpy 2%, 30% CHLORITE + CARBONATE.	9683	147	148.7	1.7	0 86				Py 5%, Cpy
		148.7-149.4 BLURRED 2Dq INCLUSIONS, M-SHEARED & FOLIATED, SILICEOUS, 20% QTZ STRS	9684	148.7	149.4	0.7	0 04				Py 0.5%
		FINE SCATTERED Py 0.5%									
		149.4-151.3 HIGHLY ALTERED 2Dq INCLUSIONS, WELL SHEARED, 30% GREYISH QTZ, WELL CHLOR+SERICITIZED (IF MORE SHEARED = SCHIST),									Py 1-2%
		SCATTERED FINE Py 1-2%	9685	149.4	151.3	2.1	0 03				Py 1-2%
		- 20% 2Dq INCLUSION PINKISH/ SERICITIZED WITH FINE TOURMALINE STRS, Py 2%	9686	151.3	153	1.7	0 28				Py 2%
		- LARGE Py SPLASHES.	9687	153	154	1.0	0 74			Py	2-3%
		- 10% CHLORITE SCHIST, Py 1-1.5%	9688	154	155	1.0	0 06				Py 1-1.5%
		- 40% QTZ + 80% VERY HIGHLY CHLORITIZED INCLUSIONS, Py 0.5%	9689	155	156.5	1.5	0 94				Py 0.5%
		-	9690	156.5	157.5	1.0	0 12				Py 1%
		- 2% TOUR LAYERS	9691	157.5	158.5	1.0	TR				Py TR
		158.5-159.2 HIGHLY CHLORITIZED INCLUSIONS, W-M SHEARED & FOLIATED, SERICITIZED, 30% QTZ STRS.	9692	158.5	159.2	0.7	0 13				Py 0.5%
		- 40% SERICITIZED INCLUSIONS WITH 4% Py SPECKS	9693	159.2	161.7	2.5	0 02				Py 2%
		161.7-163.3 BASIC DIKE (WEAKLY SHEARED) POSSIBLE MAFIC BLURRED 2Dq, WELL CHLORITIZED, Py 0.5%	9694	161.7	163.3	1.6	0 01				Py 0.5%
		- BARREN SILICEOUS QTZ.	9695	163.3	165.0	1.7	TR				Py TR
		- 50% SERICITIZED INCLUSIONS (FELSIC)	9696	165	167.1	2.1	TR				
		BARREN QTZ 168-172.9	9697	167.1	168	0.9	0 12				Py 1%
			9698	168	172.2	2.0	TR				
			9699	172.2	172.9	0.9	C 04				Py 0.5%
			9700	172.9	175.5	2.6	TR				Py TR
		VERY FINE Py IN FELSIC INCLUSIONS, 5% TOUR	9701	175.5	177.3	1.8	0 12				Py 1-2%
177.3	178	BLURRED [illegible] 60.65°	9702	177.3	178	0.7	TR	[illegible]			Py 1%
178	181.2	[illegible]	9703	178	181.2	3.2	TR	[illegible]			
181.2	181.9	[illegible]	9704	181.2	181.9	0.6	TR	[illegible]			

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER F-230

SHEET NUMBER 3/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
181.8	197	SILICIFIED FLOW, CHLORITIC, MASSIVE, SILICEOUS, MINOR SHEARED SECTION → WEAKLY SHEARED (181.8-183.6) @ 65-70° CA, SOME PY (BLEBBY)	9718	181.8	183.6	1.8	0	01			PyO.5%
		— SOME SAUSSURITIZED FELDSPAR	9719	183.6	185.7	2.2	0	01			PyO.5%
			9720	185.8	187.3	1.5	TR				PyTR
		192.3-195 BASIC DIKE, SLIGHTLY SHEARED @ 40° CA, FINE GRAINED 5% QTZ-CHL VEINLETS	9721	192.3	195	2.8	TR				PyTR
197	255	GRANODIORITE, MASSIVE TYPICAL. LARGE BIOTITE, CHLO-HORNBLENDE									
		197-217 SLIGHTLY SILICIFIED									
		220.5-221 DIORITE DIKE, FINE GRAINED CONTACT @ 60°									
		234.7-235 BASIC DIKE, MASSIVE VARIETY									
		241.3-241.5' MAFIC INCLUSION, 10-20% HORNBLENDE									
255		END OF HOLE									

LES MINES BELMORAL LTEE

PROPERTY MINE FOR FENCE

HOLE NUMBER 8-231

SHEET NUMBER 1/1

TOTAL DEPTH 220'

WORKING PLACE 800 E

SECTION 6

LOGGED BY [illegible]

DATE LOGGED [illegible]

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— 11671.00 DEP.E— 17805E

ELEVATION

AZIMUTH 180°

DIP + 35°

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
0	125.8	GRANODIORITE MASSIVE, T TYPICAL, COARSE GRAINED 1-4mm,											
		40-50% CRYSTALLINE HORNBLENDE, 40-45% SUB-ANGULAR FELDSPAR GRAINS, 5-8% QTZ,											
		BARREN, MINOR QTZ-CARB STRS, MINOR EPIDOTIZED BANDS 1-3cm,											
		11-13 LOST CORE											
		43.8-44.6 MAFIC DIKE MASSIVE, SHARP CONTACT @ 65°CA.											
125.8	127	BLURRED GRANODIORITE, MAFIC, SLIGHTLY SHEARED, EQUI, MOD. CARBONATIZED, FINE PY	9705	125.8	127	1.2	TR						PyTR
127	136	BLURRED GRANO--, [illegible]ISH, MASSIVE, SLIGHT-/ CARBONATIZED, SILICEOUS + EPIDOTIZED	9707	133	135	2.0	0	01					Py 2.5%
			9708	135	136	1.0	TR						
136	151.5	MAIN SHEAR ZONE, SLIGHTLY TO MODERATELY SHEARED @ 70°CA,											
		136-140.6 BLURRED GRANODIORITE DARK 5-10% FINE FELDSPAR-QTZ STRS, CHLORITIZED											
		WELL BANDED, SOME PY SHEARS	9709	136	138	2.0	0	01					Py 2%
		140.6-144.2 MODERATE SHEAR DETAILS ↓	9710	138	140.6	2.6	0	01					Py 1%
		140.6-141.8 GLASSY-SMOKY QTZ VEIN, FEW											
		TOURMALINE SPECKS, UPPER CONTACT											
		C 70°CA.	9711	140.6	141.8	1.2	TR						PyTR
		141.8-144.2 40-55% QTZ VEINLETS 1-4",									3.6'	0.16	
		GREYISH, 30-40% ALTERED GRANODIORITE											
		WITH SCATTERED FELDSPAR, CHLORITE SCHIST											
		SLIGHTLY MINERALIZED [SOME PY	9712	141.8	142.9	1.1	0	53					Py 4.5%
		SPLASHES (1-4mm) FINE PY]	9713	142.9	144.2	1.3	0	02					Py 0.5-1%
		144.2-151.5 SLIGHTLY SHEAR ZONE											
		146-146.2 MAFIC DARK GRANODIORITE + MAFIC MATERIALS FINE GRAINED, CHLORITIZED, MOD CARBONATIZED											
			9714	144.2	146.2	2.0	0	01					[illegible]
		146.2-151.5 SIMILAR TO MAFIC DIKE, W-SHEARED, FINE GRAINED,											
		5-M CARBONATIZED, [illegible] ALTERED SEDI	9715	146.2	149.2	3.0	0	01					Py TR-1%
		-5% QTZ-CTK	9716	149.2	151.5	2.3	TR						Py TR
151.5	155	BLURRED DIQ, MASSIVE, SOME EPIDOTIZED FELDSPAR, BARREN	9717	151.5	155	3.5	TR						—
155	220	GRANODIORITE, MASSIVE, COARSELY CRYSTALLINE TYPICAL, BARREN											
		167-169 MAFIC SEGREGATION											
220		END OF HOLE											

LPC-273

LES MINES BELMORAL LTEE

PROPERTY: FE VERGER

HOLE NUMBER: B-225

SHEET NUMBER: 1/3

DIAMOND DRILL RECORD

TOTAL DEPTH: 506'

WORKING PLACE: 800 LEVEL

SECTION: 17050E

LOGGED BY: J BRAULT

DATE LOGGED: NOV 06-86

DATE FINISHED:

CO-ORDINATES COLLAR

LAT.N—: DEP.E—: 17050E

ELEVATION:

AZIMUTH: 180°

DIP: -32°

DIP TESTS (TRUE DIPS)

AT: °

AT 300': -30°

AT 500': -26°30

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20': 1" = 40'

	CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM
	0	198.9	GRANODIORITE - DIORITE, MASSIVE, COARSE GRAINED, VERY/ WELL CHLORITIZED HORNBLENDE, MINOR QTZ-FDS VEINLETS, 40-60% FELDS, 30-40% HBN, 2-3% BLUE QUARTZ EYES, SOME ENCLOSED MAFIC XENOLITHS, LOCALLY FRACTURED									
			54-55.2 ANGULAR BRECCIATION, SECONDARY QTZ VEINLETS 30%, F-M GRAINED.	9742	54	55.2	1.2	TR				—
			152-154 MAFIC SEGREGATION "SIMILAR TO GABBRO"									
			175.7-181.2 MAFIC DYKE, APHANITIC MASSIVE TO VERY SLIGHTLY SHEARED TOWARD END SECTION. 5% IRREGULAR QTZ-CARB VEINLETS	9743	175.7	181.2	5.5	TR				—
	198.9	226.2	BLURRED GRANODIORITE, GREY, MASSIVE, MOD CHLORITIZED, LOW SILICIFICATION,									
	226.2	229.5	VERY/ SLIGHTLY BL 2DG AS 198.9-226.2 @ 40-50°CA, 5-7% BLUE QTZ EYES, SOME LEUCOXENE GRAIN	9744	226.2	229.5	3.3	0	02			
1ST SHEAR	229.5	242.6	SHEAR ZONE MODERATE TO LOCALLY SLIGHTLY SHEARED, MAINLY BLURRED 2DG + SOME BRECCIATED QTZ VEINS AND QTZ VEIN.									
			229.5-230.3 80% GRANULAR QTZ VEIN, 10% SERICITIZED 2DG, 5% TOUR, 4% FELSPAR INCLUSIONS, Py 1%	9745	229.5	230.3	0.8	0	13			Py 1%
			230.3-242.6 BLURRED 2DG, FINE GRAINED, W-MOD SHEARED @ 50-60°CA,	9746	230.3	231.2	0.9	TR				Py TR
			231.2-232.4 10% FINE QTZ STR+LENSES, 1% FINE Py, WELL CHLO, LOW CARB.	9747	231.2	232.4	1.2	0	01			Py 1%
			232.4-234.7 QTZ-CARB-FELS-BRECCIA, 10% CALCITE, MOD/ CHLORITIZED TOWARD END SECTION, SERICITE, Py TR	9748	232.4	234.7	2.3	0	10	13.1' @ 0.0266		Py TR
			234.7-237.3 BLURRED 2DG, MASSIVE, SILICIFIED, FEW FINE SCATTERED Py	9749	234.7	236.1	1.4	0	01			Py 0.2%
				9750	236.1	237.3	1.2	0	01			Py 0.5%
			237.3-240.8 W-M SHEARED @ 50°CA.	9751	237.3	240.8	3.5	0	02			
			240.8-242 QTZ VEIN, GLASSY, 5% TOUR MAINLY TOWARD END SECTION, Py 0.2%	9752	240.8	242	1.2	TR				Py 0.2%
	242.6	254.4	BLURRED GRANODIORITE AS 198.9-226.2.									
	254.4	278	GRANODIORITE AS 0-198.9, 270.3-[illegible] MAFIC SEGREGATION LIKE GABBRO.									
	278	316	BLURRED 2DG AS (198.9-226.2)									
2ND SHEAR	316	412.5	[illegible]-MODERATE SHEAR ZONE @ 50-60°CA MAINLY BLURRED 2DG + QTZ VEINS.									
			316-318.5 MAFIC MATERIALS AS LIKE, CHLORITIZED AND LOW [illegible]	9753	316	318.5	2.5	0	03			
			318.5-320.7 QTZ VEIN, MILKY, GREEN	9754	318.5	320.7	2.2	0	02			
			320.7-321.7 MASSIVE 2DG. 10% [illegible]	9755	320.7	321.7	1.0	0	03			Py 1%

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-232

SHEET NUMBER 2/3

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO	REM.
		321.7 - 325.6 80% QTZ VEIN, 20% MAFICS INCLUSIONS.	9756	321.7	325.6	3.9	0.01				—
		325.6 - 330.6 SLIGHTLY SHEARED BLURRED 2DQ, SCATTERED Py 1%	9757	325.6	330.6	5.0	0.01				Py 1%
		330.6 - 349.6 MILKY QTZ VEIN, 5% TOUR, 5-10% BLURRED 2DQ INCLUSIONS SERICITIZED, SOME FELDSPAR INCLUSIONS, SOME ARSENIC Py TR	9758	330.6	331.6	1.0	0.05				Py 1%
			9759	331.6	332.6	1.0	0.01				TR
			9760	332.6	335.6	3.0	TR				—
		10% TOUR	9761	335.6	337.2	1.6	0.01				TR
			9762	337.2	338.8	1.6	0.01				TR
		338.8 - 339.6 BLURRED 2DQ, W SHEARED	9763	338.8	339.6	0.8	TR				—
			9764	339.6	341	1.4	TR				—
			9765	341	343.6	2.6	TR				—
		5% FELDS, 5% TOUR	9766	343.6	346.5	2.9	0.01				Py TR
		-30% QTZ-FELD-TOUR VEINLETS	9767	346.5	348.8	2.3	0.01				Py TR
		(FINE-MODERATE GRAINED)	9768	348.8	349.6	0.8	TR				—
		349.6 - 362.5 BLURRED 2DQ, VERY DARK WELL CHLORITIZED, SOME UNDULATED LAYERS, W-M SHEARED, SOME Py SPECKS,	9769	349.6	354.6	5.0	TR				TR
		356-356.5 MILKY QTZ.	9770	354.6	359.6	5.0	0.03				TR
		- 30% QTZ-FELDS.	9771	359.6	360.2	0.6	TR				0.2%
			9772	360.2	362.5	2.3	TR				
		362.5-366.5 BLURRED 2DQ AS 349.6-362.5 BUT COARSE GRAINED-PORPHYRIC	9773	362.5	366.5	4.0	TR				
		366.5-371 AS 349.6-362.5	9774	366.5	371	3.5	0.03				
		371-373.7 40% QTZ VEIN, 20% FELDSPAR, Py ≤ 0.5%, VERY FINE	9775	371	373.7	2.7	TR				Py .5%
		373.7-383.8 MILKY TO LOCALLY SLIGHTLY SMOKY QTZ VEIN, 10% SERICITIZED BLURRED 2DQ INCLUSION, 5% TOURMALINE, Py TR ASSOCIATED WITH TOURM	9776	373.7	375.7	2.0	TR				Py .5%
			9777	375.7	377.6	1.9	TR				—
			9778	377.6	378.6	1.0	TR				Py 0.2%
			9779	378.6	380.5	1.9	TR				Py 0.2%
			9780	380.5	383.8	3.3	TR				—
		note 373.1									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-232

SHEET NUMBER 3/3

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
		3838-3895 SLIGHTLY-MOD SHEARED GRANODIORITE, FINE GRAINED, 15% QTZ VEIN, SOME TOURMALINE SPECKS, PyTR	9781	3885	386	2.2	0 03				PyTR
			9782	386	3885	3.5	0 01				PyTR
		389.5-392 GLASSY-MILKY QTZ VEIN, TOURMALINE FELTED SPECKS, PYRITIZED TOWARD UPPER CONTACT.	9783	3875	391	1.5	0 30	1.5' @ 0.30			1/2%
			9784	391	392	1.0	TR				PyTR
		392-394 BLURRED 2Dq, CONTACT @ 10°CA, SILICIFIED, SLIGHTLY SHEARED @ 10°CA. FINE SCATTERED Py & CPY.	9785	392	394	2.0	0 01				Py 0.2%
		394-396 GLASSY-MILKY QTZ VEIN, C/ FELDSPAR, TOUR TRACE, Py TR (1% 394-394.2).	9786	394	396	2.0	0 06	2' @ 0.06			PyTR
		396-403 BLURRED 2Dq, VI-VII SHEARED @ 30-40°CA, SOME WELL CHLORITIC & SERICITIC, MEDIUM GRAINED TO PORPHYRITIC.	9787	396	398	2.0	0 03				PyTR
		397.3-398 GLASSY-MILKY QTZ VEIN, BARREN	9788	398	403	5.0	TR				PyTR
		403-403.4 BASIC DYKE, VII SHEARED @ 30°CA, HIGHLY CHLORITIC.									
		403-404.8 MASSIVE BLURRED 2Dq.	9789	403	404.8	1.8	TR				—
		404.8-411 POSSIBLY BASALTIC FINE GRAINED, WELL CHLO + CARB, 30% IRREGULAR QTZ VEINLETS, TOUR + FELDS	9790	404.8	407.5	2.7	0 01				—
		VI SHEARED 70° TO 85°CA.	9791	407.5	411	3.5	TR				—
		411-412.5 70% QTZ VEIN, 29% SHEARED BLURRED 2Dq 1% Py	9792	411	412.5	1.5	TR				Py 1%
412.5	414.2	MASSIVE BL 2Dq, SILICIFIED, SCATTERED Py 1%, 413.6-413.9 QTZ VEIN.	9793	412.5	414.2	1.7	0 02				Py 1%
414.2	422.3	BLURRED 2Dq, GREYISH SLIGHTLY SHEARED @ 35-50°CA, CHLORITIZED, CARBONATIZED	9794	414.2	419.2	5.0	TR				Py .1%
			9795	419.2	422.3	3.1	TR				
422.3	433	BLURRED 2Dq, GREYISH, MASSIVE, 1-2% QTZ-CARB STRS., SILICIFIED, BLUE QTZ EYES									
433	441.8	WEAKLY-MOD SHEAR ZONE @ 50-55°CA, MAINLY BL-2Dq, WELL CHLO, LOW CARBONATIZED.	9796	433	437	4.0	TR				—
		437-441.8 90% QTZ VEIN, 7% 2Dq INCLUSIONS, 3% TOUR + FELDSPAR, BARREN	9797	437	441.8	4'8	TR				—

EC-273

DIAMOND DRILL RECORD

HOLE NUMBER 8-232

SHEET NUMBER 4/4

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION
441.8	443.2	BASIC DIKE, MASSIVE
443.2	448.2	MASSIVE BLURRED ZPG, CORSE GRAINED TO FINE, 20% C-Z VEINS (BARREN) C 100°
448.2	456.5	BASIC DIKE + BLURRED ZPG INCLUSION (REMNANT), WEAKLY SHEARED C 30-35°
		O, WELL CHLORITIZED, CALCITIZED.
456.5	506	BLURRED ZPG, MASSIVE, SILICIFIED, SOME QTZ-CARB STKS & 1% *
		461.8-465.1 BASIC DIKE, MASSIVE, VERY FINE GRAINED,
		UPPER CONTACT C 30°, LOWER CONTACT
		CHILLED
		* ± BLURRED TOWARD END SECTION
		500-501 CHLORITE-QTZ-CARBONATE // TO CA.
506		END OF HOLE

I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO	REM
9798	441.8	443.2	1.4	0.01				—
9799	443.2	448.2	5.0	Tr				—
9800	448.2	451.6	3.4	Tr				PyTR
9801	451.6	456.5	4.9	Tr				PyTR

LES MINES BELMORAL LTEE

PROPERTY MINE FEDERICK

HOLE NUMBER B-221

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	5	GRANODIORITE, MASSIVE, TYPICAL.									
5	89.7	GRANODIORITE – DIORITE, MASSIVE, [illegible]									
		10-12 [illegible]	2082	10	12	2.0					
		64.6-67 [illegible]									
		[illegible]									
89.7	98.4	BLURRED [illegible]									
		TILT -92.4 DOWN, 50% LOST CORE	2083	91.7	92.4	0.7					
98.4	120.2	GRANODIORITE [illegible], SOME [illegible]									
120.2	130.4	BECOMING [illegible], (SOME CORE LOSS 122.2 - 129)									
130.4		GRANODIORITE AS (98.4-120.2).									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER E-234

TOTAL DEPTH 340'

DIAMOND DRILL RECORD

SHEET NUMBER -15°

WORKING PLACE .....

CO-ORDINATES COLLAR

DIP TESTS (TRUE DIPS)

PLOTTED ON PLANS:

SECTION .....

LAT.N— ..... DEP.E— .....

AT 200' -15.0°

GEOLOGICAL 1" = 20' .....

LOGGED BY .....

ELEVATION .....

AT 320' -15.0°

DATE LOGGED NOV-17-86

AZIMUTH .....

AT .....°

DATE FINISHED .....

DIP .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0											
192.2	350	[illegible]									
		202.3-248.5 MILKY QTZ VEIN, LOCALLY TOURMALIZED UP TO 10%, SOME SHEARED MAFIC INCLUSIONS MATERIALS WITH CHLORITIC SERICITE SCHIST LAYERS UP TO 30% FELDSPAR INCLUSIONS, 5% CHLORITE									
		- 10% FELD, 5% CHLO TR	9040	202	203.2	1.2	0 01				Py TR
			9041	203.2	204.2	1.0	0 01				—
		- 20% FELD, TOUR 7%	9042	204.2	205.6	1.4	TR				—
		- 20% FELD, TOUR 10% CHLO 2% Py TR	9043	205.6	207.6	2.0	TR				Py TR
		- CHLO + FELD 20%	9044	207.6	208.5	0.9	0 02				—
			9045	208.5	209.5	1.0	0 01				Py 0.5%
			9046	209.5	210.5	1.0	0 04				Py 01%
		- 5% SER, FELD 5%, TOUR 5%	9047	210.5	211.9	1.4	0 01				Py 0.3%
			9048	211.9	212.9	1.0	0 01				Py 0.5%
		- FELDS 30%, TOUR 2%, Py 0.3%	9049	212.9	213.9	1.0	0 01				Py 0.3%
		- TOUR 5%	9050	213.9	216.1	2.2	TR				—
		- TOUR 5%, FELD 15%, SER 5%	9051	216.1	218	1.9	0 01				Py 0.2%
			9052	218	221	3.0	TR				—
			9053	221	223.5	2.5	0 01				—
		MINERALIZED ZONE VERY FINE Py [TOUR 5% Py 1%	9054	223.5	224.5	1.0	0 88	3.36	0.28	0.168 oz	Py 1%
		3-5% Py 2%	9055	224.5	225.5	1.0	0 02				Py 0.2%
		1% Py 2%	9056	225.5	226.8	1.3	0 02				Py 0.2%
			9057	226.8	228.1	1.3	TR				Py TR
		- 5% MAFICS INCL, [illegible] + Py	9058	228.1	229.1	1.0	0 03				0.3%
			9059	229.1	229.8	0.7	TR				—
		- FELDS 5% INCLUSIONS	9060	229.8	231	1.3	0 04				Py TR

LFC-273

'LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-234

SHEET NUMBER .....

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
		231-235.7 MAFIC VOLCANICS, CM-THINLY [illegible]									
		30% QTZ, Py 1% WITH SERICITE	9061	231	235.7	1.7					1% Py Tr
			9062	235.7	237	1.3					Tr
			9063	237	242	5.0					—
		5% SERICITIZED FELDS	9064	242	243.2	1.2					Py 1%
			9065	243.2	248	4.8					—
		5% TOURMALINE (FRACTURE FILLING)	9066	248	250.8	2.8					Py Tr
		CHLORITE SCHIST 20% →	9067	250.8	252.8	2.0					Py 5%

LES MINES BELMORAL LTEE

PROPERTY [illegible]

HOLE NUMBER 8-235

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH 207

WORKING PLACE

SECTION 17+10E

LOGGED BY JKRAUT

DATE LOGGED NOV 17

DATE FINISHED NOV 14

CO-ORDINATES COLLAR

LAT.N— DEP.E— 17+10E

ELEVATION

AZIMUTH 180°

DIP +18°

DIP TESTS (TRUE DIPS)

AT 200 +20°.30

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

SECT LOWER 1"=40'

1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	132	[illegible]									
		[illegible]									
		SILTY (CONTORTED), MINOR EPIDOTIZED BANDS, 15% QTZ [illegible]	9902	[illegible]	[illegible]	[illegible]	TR				—
		64.2-65.1 MASIC DYKE, MODERATE CHL/CHLO, 1% QTZ	9903	64.2	65.1	0.9	TR				PyTR
		65.1-66 QTZ VEIN, MILKY, PYRITIZED [illegible]	9904	65.1	66	0.9	TR	0.01			PyTR
		119-120.2 [illegible]	[illegible]	[illegible]	[illegible]	1.2	TR				TR
		[illegible]	9978	140	143.5	3.5	0 03				TR
143.5	169	SHEAR ZONE, SLIGHTLY TO MODERATE [illegible] @ 50° TO [illegible]									
		L/ UP TO 70°, MAINLY BLEACHED SiO2 + MINERALIZED QTZ VEIN									
		143.5-151.7 W-MOD SHEARED BL 20% WELL CHLO, SOMETIMES SERICITIZED MAINLY	9979	143.5	144.5	1.0	0 01				PyTR
		NEAR FOOTWALL CONTACT, W-MOD CARB, SOME QTZ VEINLETS,									
		LENSOYDAL SPECKS, SCATTERED PY (FINE) TOWARD END SECTION									
		144.5-144.9 QTZ VEIN	9980	144.5	145.7	1.2	0 01				Py 0.2%
		- FRACTURED, POSSIBLY 20% LOST CORE	9981	145.7	148	2.3	0 01				PyTR
			9982	148	150	2.0	0 02				Py 0.1%
		- 5% IRR.. QTZ STKG.	9983	150	151	1.0	0 01				Py 1-1.5%
			9984	151	151.7	0.7	0 03				Py 1%
		151.7-164.4 MINERALIZED QTZ VEIN, SLIGHTLY SMOKY, 2% [illegible] (LARGEST SULPHIDES ± 1cm) IN [illegible] SECTION BUT									
		• [illegible] SECTIONS, [illegible]									
		METRIC INTERVENE, 1% FINE TOURMALINE STKG (SOME FINE PY ALONG TOURMALINE STKG CONTACTS.	9985	151.7	152.7	1.0	0 28				Py 2-3% Cpy 1-2%
		- FRACTURED, POSSIBLY 40% LOST CORE	9986	152.7	154	1.3	0 22				Py 0.5%
			9987	154	155	1.0	0 04				PyTR
			9988	155	156	1.0	0 03	→ 0.196	9.3		PyTR
			9989	156	157	1.0	0 03				Py 0.5%
			9990	157	158	1.0	0 42				Py 4-5% Cpy 1-2%
			9991	158	159	1.0	0 20				Py 1-1.5%
			9992	159	160	1.0	0 02				Py 0.5%
			9993	160	161.6	1.6	0 01				PyTR
			9994	161.6	162.3	0.7	0 01				Py 0.3%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY MINE FENDERSON

HOLE NUMBER 8-235

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE	II SAMPLE NO.	REM.
		162.3-163 BLUR ADG, INCLUSIONS, W-M SHEARED & SOFT.	9995	162.3	163	0.7	0	03					TR
		— 10% PYRO, →	9996	163	164.4	1.4	0	05					Py 0.3-5%
		164.4-169 SHEARED BL 20% AS 143.5-151.7, 2-3% QTZ-CARB STRS.	9997	164.4	165.4	1.0	0	01					Py 0.1%
		— 10% QTZ STRS.	9998	165.4	166.4	1.0	0	01					TR
		166.4-167.6 SHEARED 20% MASSIVE.	9999	166.4	167.6	1.2	0	01					—
			10000	167.6	168	1.4	TR						Py TR
169	174.3	BLURRED 20% AS 132.2-143.5											
174.3	217	GRANODIORITE, MASSIVE TYPICAL, SLIGHTLY PORPHYRITIC (195-203), SOME GRANITIC QTZ STRS.											
		196-197.8 BASIC DYKE, MASSIVE, APHANITIC.											
		197.8-204.2 GRANITE DYKE AS 196-197.8.											
		204.2-204.5 BASIC DYKE.											
217		E.O.H											

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-14

SHEET NUMBER 1/-

TOTAL DEPTH 214

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH 180°

DIP FLAT

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1"=20' 1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO	REM
0	138.4	GRANODIORITE, MASSIVE, HARD, TYPICAL, WELL EQUIGRANULAR, SOME EPIDOTE BANDS 5%, MINOR QTZ-CARB STR.									
		11.4-14 INTENSELY SHEARED, CDG, @ 80°CA, SILICIFIED, CHLORITE? 13.8-14.0.	9036	11.4	14	2.6					
		14-15.7 BLEACHED.									
		15-23.3 BLEACHED, 23.3-23.7 QTZ VEIN, FELDSPAR, PyTr	9037	23.3	23.7	0.4					
		51.2-51.8 FELSIC SEGREGATION	9038	51.2	51.8	0.6					
		74.2-75.9 LAMP DIKE, APHANITIC, WELL CHLORITIZED, 5% CARBONATE, W SHEARED @ 70°CA.	9039	74.2	75.9	1.7					
		113-119.2 MAFIC MATERIAL (BASIC DIKE) WEAKLY-MODERATELY SHEARED @ 50°CA, 113-113.5 50% QTZ-CARB STR.	9005	113	114.8	1.8	TR				—
		114.8-116.3 80% QTZ-CARB VEINLETS, 60% CHLORITE	9006	114.8	116.3	1.5	TR				—
		116.3-116.8 CDG INCLUSION	9007	116.3	116.8	0.5	TR				—
		116.8-118.4 QTZ-CARB VEIN, 10% CHLORITE	9008	116.8	118.4	1.6	TR				—
			9009	118.4	119.2	0.8	TR				—
138.4	161.5	GRANODIORITE ± BLEACHED, GREY-GREENISH, MASSIVE BUT [WEAKLY SHEARED @ 55°-60°CA (158.2-162.5)]	9010	159.2	161.5		0	01			—
161.5	191.5	MAIN SHEAR ZONE, MODERATELY SHEARED @ 55°CA, LOCALLY BRECCIATED, MAINLY MAFIC MATERIAL + QTZ VEINS, WELL SERICITIZED & CDG INCLUSIONS									
		160.5-161.4 MODERATELY SHEARED CL-CDG, SERICITIZED, Py.	9011	161.5	162.5	0.9	0	06			Py 1%
		162.5-168.9 QTZ VEIN SLIGHTLY SMOKY TO MILKY, 5% FELDS. INCLUSIONS, 10-15% WELL SERICITIZED +CHLO, CDG SHEARED INCLUSIONS, TOURMALINED @ 2%, MINERALIZED TOWARD FOOTWALL CONTACT	9012	162.5	163.2	1.3	TR				Py 0.5%
			9013	163.8	164.8	1.0	0	03			Py 0.5%
			9014	164.8	166.1	1.3	0	46			Py 1-2%
		166.1-167 BLEACHED CDG INCLUSION: MSHEARED	9015	166.1	167	0.9	0	01			Py 1%
		- MAFIC INCLUSIONS 10%	9016	167	168.9	1.9	0	02			Py 2%
		168.9-169.2 TO 166.1-167, MSHEARED, FOLDED	9017	168.9	169.9	1.0	0	01			—
		169.9-171.5 QTZ-CARB-FELD-TOURMALINE VEINING, FINE SCATT Py FLOOR CONTACT @ 21	9018	169.9	171.5	1.6	0	04			Py 0.5%

5' @ 0.142

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-236

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
		171.5-172.7 QTZ VEIN, 10% FELDSP 10% CHLORITE	9019	171.5	172.7	1.2	0.01				TR
		172.7-175.5 BLURR-- 20Q INCLUSION, M SHEARED @ 60°CA, WELL CHLO + CARB, SOME QTZ EYES, 5% QTZ-CARB STR; PyTR	9020	172.7	175.5	2.8	TR				TR
		175.5-185.7 QTZ VEIN, MILKY, GLASSY 5-20%									
		SERICITIZED FELDSPAR, TOUR 5%	9021	175.5	177.2	1.7	0.04				Py 0.1%
			9022	177.2	178.7	1.6	0.04	0.04/4.3'			Py 0.5%
		- 60% SERICITIZED FELDS;	9023	178.7	179.7	1.0	0.04				Py 0.3%
			9024	179.7	180.6	0.9	0.02				
		180.6-181.2 BLUR-- 20Q INCLUSION AS (172.7-175.5)	9025	180.6	181.2	0.6	TR				—
			9026	181.2	182.7	1.5	TR				—
		- 20% SERICITE, 5% FELDS									
		SCATTERED Py 2%	9027	182.7	184	1.3	0.10				Py 2%
		184.8-185.2 BLUR-- 20Q INCLUSIONS	9028	184	185.7	1.7	0.01				—
		185.7-189.1 BLURRED 20Q, SLIGHTLY SHEARED @ 55°CA, LOCALLY SERICITIZED, SOME Py SPECKS.	9029	185.7	189.1	3.4	0.01				PyTR
		189.1-189.8 60% QTZ VEINLETS	9030	189.1	189.8	0.7	TR				Py 0.2%
		189.8-191.5 BLURRED 20Q, MOD SHEARED @ 70°CA, WELL CHLO + CARB,	9031	189.8	191	1.2	TR				
		191-191.5 QTZ VEIN SLIGHTLY SMOKY, TOUR TR, CHLORITE 5%, SOME Py SPECKS	9032	191	191.5	0.5	0.04				Py 0.5
191.5	202	BLURRED 20Q, SLIGHTLY SHEARED (191.5-197.4) @ 50-60°CA, FINE Py (191.5-192.5)	9033	191.5	192.5	1.0	TR				Py 1-2%
			9034	192.5	196	3.5	TR				TR
			9035	196	197.4	1.4	TR				TR
202	214	GRANODIORITE, MAS., TYP, SLIGHTLY EPIDOTIZED									
214		E.O.H									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY

DIAMOND DRILL RECORD

HOLE NUMBER B-240

SHEET NUMBER 1/1

TOTAL DEPTH 171

WORKING PLACE 600 EST

SECTION

LOGGED BY V. Bonnet

DATE LOGGED Nov 86-86

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E— 17050E

ELEVATION

AZIMUTH 160

DIP +18°

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

SECT LONGT 1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
0	125	GRANODORITE - DIORITE, MASSIVE, M-COARSE GRAINED TYPICAL, LOCALLY FRACTURED, BARREN, SOME EPIDOTIZED ZONES.									
		23-34 ± BLURRED.									
		49.2 - 50 BASIC DIKE, MASSIVE, FINE GRAINED, CONTACT C 60°Q.									
		86-93.7 ± BLURRED, GREYISH, SOME DARK INCLUSIONS, ALTERED & MODERATELY FILLED WITH EPIDOTE.	9802	88.7	737	5.0	TR				
125	1285	BLURRED 2QR, GREYISH, MASSIVE	9803	125	1285	3.5	TR				
1285	152.9	SHEAR ZONE, S-M SHEARED C 70°Q, BLURRED 2QR + QTZ VEIN,									
		1285-130.4 BLURRED 2QR, S-M SHEARED C 70°Q, CHLORITIZED, Py TR	9804	1285	130.4	1.9	TR				Py TR
		130.4-145.5 MINERALIZED QTZ VEIN, SMOKY									
		2-3% SULPHIDES IN ALL SECTION									
		BUT LOCALLY BARREN, 1% CHLORITE ALTERATION.									
		130.4-131.2 → 50% QTZ, 50% 2QR, Py 0.5% →	9805	130.4	131.2	0.8	0	01			Py 0.5%
			9806	131.2	132.8	0.6	0	14			Py 2-5%
			9807	132.8	134	1.2	0	02	C&T		Py 1%
		MINERALIZED ZONE MAINLY Py+CPy	9808	134	135.3	1.3	TR				TR
		IN LARGE SPLASHES (0.1-2cm) VERY FINE.	9809	135.3	136.7	1.4	TR		15.1	1C 0.467	Py 0.2%
			9810	136.7	138.7	1.0	3	00			CPy 3% Py 5%
			9811	138.7	139.7	1.0	0	04			Py 1-15% CPy 5%
			9812	139.7	141.5	1.8	1	74	T	1.14oz	CPy 5% Py 15%
			9813	141.5	142.5	1.0	0	26			Py 2%
			9814	142.5	143.7	1.2	1	20			Py 5-6% CPy 1%
		FINE-COARSE GRAINED	9815	143.7	145.5	1.8	TR				—
		145.5-153.9 BLURRED 2QR, MOD SHEARED C 70°Q, 5% QTZ VEINLETS ≤ 2cm,	9816	145.5	147	1.5	0	02			Py TR
		WELL CHLORITIZED. -20% QTZ VEINLETS →	9617	147	149.5	2.5	0	02			Py TR
			9618	149.5	151.2	1.7	TR				
			9619	151.2	153.9	1.7	0	01			Py 1%
153.9	160	MAFIC MATERIAL (DARK 2QR-GABBRO) 5°-70° SHEARED, CHLORITIZED, LOW CARB, Py TR									
160	171	GRANODIORITE MASSIVE, SLIGHTLY-MOD SHEARED, WEAK CARB.									
		168.7-169.6 MAFIC DIKE									
171		END OF HOLE									

LFC-273

LOG II

LES MINES BELMORAL LTEE

PROPERTY Footwall

DIAMOND DRILL RECORD

HOLE NUMBER 8-242

SHEET NUMBER

TOTAL DEPTH 282'

WORKING PLACE 570

SECTION 14+00E

LOGGED BY J.BRAULT

DATE LOGGED DEC 09-86

DATE FINISHED DEC 03-86

CO-ORDINATES COLLAR

LAT. N— DEP. E—

ELEVATION

AZIMUTH 180

DIP -45

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
0	13.5	MSS 2DQ, TYP, CC FOL, B									
13.5	19.3	MDK, MSS, FIG, BUT W FLD @ 10°CA, B									
19.3	71.7	MSS 2DQ, PM TYP, MELA - MESO SM M SEG OCC EPIDZ BDS, SM CQS, B.									
		48.6-53.0 M SEG, DRK MSS, FMG, FRD STR, RUS FU LITHIC, B.									
71.7	102	MSS 2DQ, TYP, COAG, SM M SEG, OCC EPID PODS, B.									
102	112	BC 2DQ, GRY, MSS, WCLO + WCAR, MN QCS, B									
		106.6-107.3 FOL SEG, MSS, B.									
		107.3-109.5 M DK, MSS, PYR, MCLO, 5% QV, B	8620	107.3	107.5	0.2	0 25				
		109-108.6 FOL SEG, MSS, Py TR									
112	138.7	MSS 2DQ AS 19.3-71.7									
		135-135.7 M DK, MSS, 2-3% PHEN, B									
138.7	162.5	BC 2DQ, MASS (138.7-147.8), COAG, [illegible] CA 70°									
		FROM 147.8-151.6, MASS (151.6-161.5),									
		161.5-162.5 [illegible] CA 70°	8602	153	153.5	0.5	0 01				
		153-153.3 QV, B									
			8625	161.5	162.5	1.0					
162.5	198.8	SH ZN, WMSH @ SH2 65-70°									
		MAINLY QV [illegible]									
		MST [illegible]									
		162.5-161.5 [illegible]	[illegible]			0.5	2 70				
			[illegible]	163	164.5	1.5	0 01				
		164.5-197.5									
		194.9-196.1 [illegible] INCL, WSH, Py TR	[illegible]			1.0	0 01				
		MINCL, MSER,	[illegible]			1.4	0 04		11.1'@	0.171	
		165.5-167 IS [illegible]	[illegible]	166.5	167.0	0.5	0 01				
		—	[illegible]	167.4	168.6	1.2	0 16				
		—	[illegible]			1.0	[illegible]				
		—	[illegible]			2.0	[illegible]				
		—	[illegible]		197.5	1.0	0 22				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-242

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
		- TOUR 3%, Py 1%	8612	172.6	173.6	1.0	0.30				Py 1%
		- TOUR 15%, M SHD INCL 20%, MSER, FD	8613	173.6	175.7	2.1	0.01				Py 0.5%
		- TOUR 15%, M SHD INCL 20%, MSER, FD	8614	175.7	176	1.7	0.01				TR
		176-177 M SHD INCL, MSER	8615	176	177	1.0	0.02				Py 0.3%
		- TOUR 3%, Py 0.5%	8616	177	178	1.0	0.01				Py 0.5%
		178-180 BLCK, PCS LOST 30%.	8617	178	179	1.0	0.01				Py 0.5%
		B	8618	179	180	1.0	TR				—
			8619	180	183	3.0	TR				—
		- 20% SH BL 2DQ INCL, MSER	8620	183	184	1.0	.12				Py 1%
			8621	184	185	1.0	.10				Py 0.5%
		185-186.8 BL 2DQ INCL, MSH CA 70°, MCLO, MSER, SCTT Py	8622	185	186.8	1.8					Py 1%
		- TOUR 5%, FD 5%, 20% SH BL									
		2DQ INCL, MSER	8623	186.8	188.3	1.5					Py 0.5%
			8624	188.3	191.5	3.2					—
			8626	191.5	193	1.5					
			8627	193	196	3					
		196-197.8 SMK Q	8628	196	197	1					
		@ 50°CA	8629	197	197.8	.8					Cpy 2% Py 0.5%
		197.8-198.8 WMSH BL 2DQ, 10% SMK QS, SCTT Py	8630	197.8	198.8	1.0					Py 0.2%
198.8	206.6	BL 2DQ, MASS TO LOCC WSH, MCLO,	8631	198.8	202	3.2					
		201.5-202 BLCK									
206.6	229	2DQ, MASS, I TYP, SIMILAR TO (QTZ DIO), COAG, S.									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY ... FENGLOBER

HOLE NUMBER ... F-79-5

SHEET NUMBER ... 1/3

TOTAL DEPTH ... 253'

WORKING PLACE ...

SECTION ... 17+00E

LOGGED BY ...

DATE LOGGED ...

DATE FINISHED ...

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— ... DEP.E— 17050E

ELEVATION ...

AZIMUTH ... 180°

DIP ... -18°

DIP TESTS (TRUE DIPS)

AT 200' -16°30

AT 400' -18°00

AT ... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

SEC LONGT 1"=40

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
0	165.3	GRANODIORITE - DIORITE, MEDIUM GRAINED, MASS, FRACTURED, MEDIUM-COARSE GRAINED, GREY-WHITE, FELDSPAR, QUARTZ, BIOTITE, CHLORITE, EPIDOTE, 5% PY, ALTERATION, WEAK CHLORITIZATION										Py ↓
		103.6-107.2 BASIC DIKE, GREENISH, MATRIX, AMPHIBOLE,									
165.3	174.7	BLURRED 2ND, GREYISH, SILICIFIED, 2% CARB-QTZ STRINGERS, MASSIVE BUT SLIGHTLY SHEARED @ 50°A (172.6-174.7)	9855	172.6	174.7	2.2	TR				—
174.7	259.5	MAIN SHEAR ZONE, MODERATE @ 50 TO 60° A; MAINLY QTZ VEIN LOCALLY MINERALIZED + ALTERED MAFIC MATERIAL.									
		174.7-186.2 MAFIC MATERIAL HIGHLY CHLORITIZED + SERICITIZED BLURRED 2ND INCLUSIONS, 20-30% GREYISH QTZ STRINGER-LETS, SOME TOURMALINE INCLUSIONS, FINE SCATTERED Py Tr TO 2%.	9856	174.7	176	1.3	0 02				Py 0.1%
		-70% QTZ →	9857	176	177	1.0	0 02				Py 1%
		- FINE SCATTERED Py	9858	177	178.5	1.5	0 04				Py 1%
		- 50% QTZ-FELD VEINLETS.	9859	178.5	179.5	1.0	0 02				Py 0.5%
		179.5-181 80% GREYISH QTZ VEIN,	9860	179.5	181	1.5	0 27				Py ≤ 5%
		- 40% QTZ + 50% SERICITIZED MAFIC MATERIAL	9861	181	181.8	0.8	0 01				Py 0.5%
		- 90% SERICITIZED (SILICIFIED) MAFIC MATERIAL	9862	181.8	183	1.2	Tr				Py 1-1.5%
			9863	183	185	2.0	0 02				Py 1-2%
		185-186.2 QTZ-TOUR BRECCIA	9864	185	186.2	1.2	0 01				Py 0.1%
		186.2-189.8 GREYISH QTZ VEIN, MINERALIZED WITH FINE Py PATCHES	9865	186.2	187.8	1.6	0.18				Py 2-3%
		- 50% MAFIC MATERIAL →	9866	187.8	188.8	1.0	0.32				Py 1-2%
		TOUR 2% →	9867	188.8	189.8	1.0	0 02				Py 0.1%
		189.8-253 MILKY QTZ VEIN, MAINLY BARREN, 2-3% FRACTURE-JOINTS FILLED WITH SERICITE - TOURMALINE, SOME MAFIC INCLUSIONS (CITE*C)									
			9868	189.8	191.8	2.0	Tr				Tr
			9869	191.8	192.8	1.0	0 32				Py 1%
			9870	192.8	194.3	1.5	0 01				Tr
			9871	194.3	196.5	2.2	0 01				Tr
		*196.5-200.2 MAFIC SEDIMENTATION OR DIKE (HIGHLY ALTERED)									
		M-SHEARED @ 50°A, SCATTERED Py WITH SERICITE	9872	196.5	200	3.5	Tr				Tr
		-60% QTZ VEIN →	9873	200	201	1.0	0 01				Tr
		HIGHLY SERICITIZED →	9874	201	202.2	1.2	0 01				Py 2-3%
			9875	202.2	203.8	1.6	Tr				Tr
			9876	203.8	205.8	2.0	Tr				—

0.3 @ 0.115

18' @ 0.085

13.5' @ 0.106

(44.7' @ 0.11)

E-245

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER .....

SHEET NUMBER .....

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO	REM.
			9877	205.8	206.3	0.5	0.22				Py 1%
			9878	206.3	211.3	5.0	TR				—
			9879	211.3	215.1	3.8	TR				—
			9880	215.1	215.7	0.6	0.03				Py 0.2%
			9881	215.7	219.2	3.5	TR				—
			9882	219.2	221.2	2.0	0.01				—
		221.2-225.3 MINERALIZED ZONE, FINE Py SPLASHES & CPy STRINGERS	9883	221.2	222.2	1.0	0.03				Py 0.3% Cpy 0.2%
			9884	222.2	223.2	1.0	1.80		2'C 1.66 oz		Py 10%
			9885	223.2	224.2	1.0	1.52		4.1'C 0.828		Py 3-6%
		225.3-228 BLURRED 2QG, MASSIVE, SILICIFIED SCATTERED Py	9886	224.2	225.3	1.1	0.04				Py 0.5% CPy TR
			AVE.	179.5	224.2	44.7	0.11				
			9887	225.3	229		0.02				Py 1%
		229-230.8 50% QTZ + 45% MASSIVE MASSIVE MYLONITIC SILICIFIED 40-70°CA, Py 1-2%	9888	229	230.8		0.04				Py 1-2%
		BARREN SECTION — Tour 2% →	9889	230.8	232.8		TR				—
		Tour 1% →	9890	232.8	234.8		TR				—
			9891	234.8	239.8		0.01				—
			9892	239.8	244.8		TR				—
		Tour 3-4%	9893	244.8	249.8		0.02				—
			9894	249.8	251		TR				Py TR
			9895	251	253		0.01				—
		253-255.5 BLURRED 2QG, MYLONITIC SHEARED @ 50-70°CA, LOCALLY CHLORITIC 30% QTZ-VEINLETS, Py TR	9896	253	255.5		0.01				TR
		255.5-257.5 BLURRED 2QG, SILICIFIED SHEARED @ 70°CA, WELL CARB+ CHLO. Py TR	9897	255.5	257.0		TR				TR
		257.0-257.5 QTZ VEIN (20% MAFIC INCLUSIONS 5% Py)	9898	257	257.5						Py 4%
		257.5-259.5 MAFIC MATERIAL W-MYLONITIZED (FORMER 2QG) GREENISH, 5% QTZ LENS, Py 0.5-1%	9899	257.5	259.5						Py 0.5-1%
		@ 259.5									
259.5	262.7	MAFIC MATERIAL MAINLY ALTERED SHEARED 2QG.	9911	259.5	262.7						—
262.7	270.2	WEAKLY SHEAR ZONE @ 50°A, MAINLY MAFIC MATERIAL (FORMER 2QG) AND BLURRED 2QG, WELL CHLO AND CARB, (263.2-263.5) QTZ VEINLETS, 267-268	9912	262.7	263.7						
			9913	267	268						
			9914	268	270.2						

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-243

SHEET NUMBER 3/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
270.2	297.4	BLURRED GRANODIORITE, DARK GABBROIC, SOMETIMES SLIGHTLY SHEARED, 2-3% QTZ-CARB STRS;									
		277.3 - 279 SHEARED MAFIC DIKE, APHANITIC, 25% QTZ-CARB.	9915	277.3	279	2 3					
297.4	304.3	GRANODIORITE (FELSIC SEGREGATION) 60-85% FELDSPAR, SLIGHTLY EPIDOTIZED,									
304.3	388.6	GRANODIORITE - DIORITE, MASSIVE, I TYPICAL, MINOR MAFIC SEGREGATION.									
		307.6-308.8 MAFIC DIKE [illegible]									
388.6	389	MAFIC DIKE, CONTACT @ 60°CA, [illegible]									
		363.2 - 365.2 SLIGHTLY FOLIATED @ 50-60°CA									
		365.2 - 365.6 MAFIC DIKE, MASSIVE.									
389		E O H									

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-244

SHEET NUMBER I

DIAMOND DRILL RECORD

TOTAL DEPTH 209' 170'

WORKING PLACE .....

SECTION .....

LOGGED BY d

DATE LOGGED DEC 09

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH 180°

DIP +18°

DIP TESTS (TRUE DIPS)

AT 200' +19°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO	REM.
0	44	BL 2DQ (Q'Z VN) MSS, COAG, TYP. B LOCC W EPI.									
		23-29.8 B DK, FIG (HORNFLS), MSS, B.									
44	97.3	BL 2DQ, MSS, LOCC W FOL @ 30°CA, SOME EPI STKS, MINOR PYR FRAM									
		60.5-65.2 BL 2DQ, W FOL 60.5-63.5 FINE EPI STKS. B									
		80.5-82.7 FEL DK, EPI, // TOCA,									
		86.6-87.9 3 DK, GREEN, APHA, 10% QCS,	8654	86.6	87.9		TR				
		87.9-92 BL 2DQ, MSS, [QV 88.8-89, SO-90.5 B DK, E.									
		95-96.8 STFOL @ 60°CA, 96.8-97.3 B DK, 5% PHEN FD, CONTACT @ 75°CA.									
143.8	170	SH ZN, WMSH @ 60°CA, MAINLY BL 2DQ + QV.									
		143.8-154.7 BL 2DQ, MEG, W TO MSHD @ 60°CA, MCLO, LOC									
		SER, NSM.									
		143.8-144.7 QV, MI, 20% SH M INCL									
		M SER	8645	143.8	144.7	.9	TR				—
		149-151 F - SOME Py SPECKS	8646	151	154.7	3.7	0 03				Py TR
		154.7-168.3 MAIN QV, MI TO LOC SMK,									
		SOME M INCL.									
		MAFIC MAY BE 20% MSER,	8647	154.7	155.7	1	0 03				Py 0.2%
			8648	155.7	157	1.3	0 01		5.5 @ 0.038		Py TR
		20% TOUR STRS, 10% SER, Py 1%	8649	157	158		0 07				Py 1%
			8650	158	159	1.0	TR				—
			8651	159	160	1.0	0 01		0.015/24.1'		Py TR
		160-160.9 MAFIC BL 2DQ INCL, MSHD @ 60°CA, MCLO + SER,	8652	160	160.8	1.8	TR				Py TR
		[15% MSHD 2DQ, M TO MSER Py] →	8653	160.8	162.9	2.1	TR				Py 0.5%
			8654	162.9	165.8	2.9	TR				—
			8655	165.8	168.3	2.5	TR				Py 0.1%
		168.3-170 AS 143.8-154.7, LOT WSHD. B.	8656	168.3	170	1.7	0 02				—
170	174	BL 2DQ, MSS, COAG, 2-4% QC INJECTIONS.									
174	193	BL 2DQ MSS, TYP.									
		191-193 W BL 2DQ, SOME PYR FRAM									
		EOH									

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-144

DIAMOND DRILL RECORD

SHEET NUMBER .....

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
97.3	120.2	ADQ, MSS, ± 7%p, MESO – MGLA, OCC W EPI, B.									
120.2	143.8	BL ADQ, MSS, GREY/GN, COAG, B.									
		128.7-130.3 B DK, APHA, GREEN, M CLO, WSH E 80°CA.									

EC-273

LES MINES BELMORAL LTEE

PROPERTY FERDASES

HOLE NUMBER B-245

SHEET NUMBER 1/1

TOTAL DEPTH 188

WORKING PLACE 800

SECTION 17200+10E

LOGGED BY JERRY

DATE LOGGED NOV 25-86

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— DEP. E—

ELEVATION

AZIMUTH 180°

DIP +36°

DIP TESTS (TRUE DIPS)

AT 186' +36.5° o

AT o

AT o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' 1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	13.2	2Dg, MASSIVE, TYPICAL, CARBON									
13.2	24	MAFIC SEGREGATION (2Dg), SLIGHTLY FOLIATED OR SHEARED @ 20-30°CA, FINE-M GRAINED, SOME QTZ-CARBONATE ± EPIDOTE STRINGERS	8565	13.2	18.5	5.3	TR				
24	37	2Dg, MEDIUM-COARSE GRAINED, LOCALLY AS DIORITE, CHLORITIZED, 31-32 BLOCKY									
37	140	2Dg, MASSIVE, AS 0-18.2 SOME EPIDOTIZED BANDS									
		54.5-55.7 MAFIC DIKE, PORPHYRITIC, 20% QTZ-CALCITE, W-SHEARED @ 80°CA.	8566	54.5	55.7	1.2	0 01				
		55.7-57 MILKY QTZ VEIN, CONTACT @ 70°U, 5% CHLO, 10% CARB	8567	55.7	57	1.3	0 01				
		59-60.3 MAFIC SEGREGATION + BLURRED.									
		60.3-61.5 MAFIC DIKE, AS 54.5-55.7	8568	60.3	61.5	1.2	0 01				
		81.7-82.6 BLURRED									
		86-90 MAFIC SEGREGATION.									
140	144	BLURRED 2Dg, MASSIVE, SLIGHTLY FOLIATED TOWARD END SECTION.	8569	142	144	2.0	0 01				
144	152.5	MAIN SHEAR ZONE SLIGHTLY TO MODERATE @ 70-80°CA. MAINLY QTZ VEIN + MAFIC MATERIAL (DIKE OR ALTERED BL 2Dg) FINE-MOD GRAINED									
		144-145.2 WEAKLY GREYISH QTZ VEIN, 3% WEAKLY SHEARED INCLUSIONS CHLO+SERICITIZED,	8570	144	145.2	1.2	TR				
		145.2-147 MAFIC MATERIAL, W-SHEARED, @ 70°CA	8571	146	147	1.0	0 02				
			8576	145.2	146	0.8	TR				
		147-151.3 VERY SLIGHTLY WHITE-GREYISH QTZ VEIN, WELL PYRITIZED (148-149.2) (LARGE Py	8572	147	148	1.0	0 01				CPY TR
		SPLASHES FRACTURED), CPY TR	8573	148	149.2	1.2	2 60	0.37 1/2 3			5-8%
			8574	149.2	151.3	2.1	0 02				TR
		151.3-152.5 AS 145.2-147 [151.3-151.8]	8575	151.3	152.5	1.2	0 01				TR
152.5	156.7	BLURRED 2Dg AS (140-144), SHEARED, MINOR PINK CPY'N.						5.5' @ 0.448			
156.7	188	2Dg MASSIVE, TYP.									
		170.9-171 BASIC DIKE									
		182.6-183 BASIC DIKE, FINE GRAINED, CHILL CONTACT @ 55°U,									
		LOWER CONTACT @ 10°U.									
		182.2-182.9 BASIC DIKE,									
188		EOH									

FC-270

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-246

SHEET NUMBER 1

TOTAL DEPTH 361'

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH 180°

DIP -27°

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
0	108	GRANODIORITE, [illegible]	SAMPLES MISSING										
		11-12.8	[illegible]	11	12.8	1.8	TR						2% Py
		13.3-14.1 [illegible], FINE GRAINED, CHLORITIZED, [illegible]	[illegible]	13.3	14.1	0.8	TR						
		62.2-65 VEIN SILICIFICATION, FINE GRAINED, SOME QTZ EYES, LOCALLY SILICIFIED											
		73.8-74 SMALL CHLORITIZED SHEAR											
		77-96 SOME MINOR APLITIC SEGREGATIONS											
		96-99 LOCAL FELSIC SEGREGATIONS.											
108	131.8	BLURRED ZONE, MASSIVE, COARSE GRAINED, LOCALLY FOLIATED (111.5-113.4), QTZ-CARB VEINLET @ 113.3	8503	111.5	113.4	1.9	0	02					
		118.1-119.8 GLASSY-MILKY QTZ VEIN, UPPER LOWER CONTACTS @ 50°, BLURRED 2DG INCLUSIONS WITH Py.											
		SOME Cpy SPLASHES WITH CHLORITE	8504	118.1	119.8	1.8	0	01					Py 0.2% Cpy 0.2%
		- SILICIFIED BLEACHED, Py TR	8505	119.8	121.3	1.5	TR						Py TR
		121.3-122.9 QTZ-CARB VEIN, 20% CHLORITE, SCATTERED Py+Cpy.	8506	121.3	122.9	1.6	TR						Py 0.5% Cpy 1%
		122.9-125 SLIGHTLY FOLIATED @ 45°	8507	122.9	125	2.1	0	01					
121.8	159	GRANODIORITE, MASSIVE, AS ABOVE, LOCALLY SLIGHTLY FOLIATED											
159	165.5	BLURRED ZONE											
		SHEAR 165-182.7											
		WEAK SHEAR, 60° @ 180.6-182.7.		181.3	182.7	1.4	0	06					Py 1%
182.7	206	GRANODIORITE, [illegible], LOCALLY (SIMILAR TO ABOVE), SOME BLUE QTZ EYES,											

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-246

SHEET NUMBER I

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
		Box 8											
168.5	182.7	WEAKLY SHEAR ZONE @ 30-40° CA, MAINLY BLURRED 2Qz, CHLOR SERICITIZED.	9069	168.5	170	1.5	TR						PyTr
		170-170.1 QTZ STRS, Py 5%	9070	170	170.4	0.4	0	16					Py 1%
			9071	170.4	171.6	1.2	TR						PyTr
		171.6-172 50% GREYISH QTZ VEIN	9072	171.6	172	0.4	0	02					Py 0.5%
			9073	172	173.3	1.3	TR						—
		173.3-173.8 QTZ VEIN, CONTACT @ 40°CA, PyTr	9074	173.3	173.8	0.5	0	01					PyTr
			9075	173.8	174.8	1.0	TR						
		176-181.3 QTZ VEIN, MILKY, TOURMALIZED + SERICI-TIZED NEAR CONTACTS, TOUR 2%	9081	174.8	176	1.2	0	01					Pyn 1%
			9076	176	176.7	0.7	TR						Py 0.1%
			9077	176.7	177.3	0.6	0	01					PyTr
		MINERALIZED ZONE →	9078	177.3	178.4	1.1	0	66	5.3¢	0.148			Py 2% Cpy 5
		SERICITE 2%	9079	178.4	180	1.6	0	01					PyTr
		TOUR 30%,	9080	180	181.3	1.3	0	03					Py 0.5%
	190	I Typ Qtz											
181	182	VG SHEAR											

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-246

SHEET NUMBER I

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH 180°

DIP -270

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
		1st Shear OK									
		168-182.8 W SHEAR - 3L-20%									
		175.7 — 181.3 QTZ VEIN MILKY, SOME % CARB,									
		@ 190 ± 7%									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-246

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
206	226	SHEAR ZONE, WEAKLY TO LOCALLY MODERATE SHEARED @ 15°U.											
		206-207.6 BASIC DIKE OR BASIC BLURRED 2Dy, SLIGHTLY SHEARED, SOME BLUE QTZ EYES	8509	206	207.6		TR						—
		207.6-210.9 BLURRED 2Dy, DARK, PyTR.	8510	207.6	210.9		0	01					PyTR
		210.9-213 50% QTZ VEIN, FRACTURED, BLOCKY, POSSIBLY 30% LOST CORE, VERY FINE Py TR.	8511	210.9	213		0	01					PyTR°
		213-214 LOST CORE											
		214-219.2 BASIC DIKE, SLIGHTLY SHEARED @ 60°CA, WELL CHLORITIZED AND CARBONATIZED FINE SUITABLE Py	8512	214	216	2.0	TR						Py .2%
			8513	216	219.2	3.2	TR						PyTR
		219.2-222.6 QTZ-TOUR VEIN, 10% TOUR, SOME FELD AND CHLORITE INCLUSIONS, SCATTERED Py ≤ 0.3%	8514	219.2	220.6	1.4	TR						Py 0.3%
			8515	220.6	221.6	1.0	0	01					—
			8516	221.6	222.6	1.0	0	01					Py 0.3%
		—10% QTZ STR, W-SHEARED	8517	222.6	223.5	0.9	0	01					Py 0.3%
		223.5-226 W-MOD SHEARED (2Dy BL), CHLORITIZED	8518	223.5	225	1.5	0	02					Py 05%
			8519	225	226	1.0	TR						PyTR
~~226~~	~~233.3~~	~~BLURRED 2Dy MASSIVE~~	8520	226	228	2.0	TR						—
228	233.3	BLURRED 2Dy, MASSIVE.											
236	257.1	GRANODIORITE, MASSIVE, TYPICAL, SOME MAFIC SEGREGATION.											"
257.1	267	BLURRED 2Dy, MASSIVE, WELL CHLORITIZED, BARREN.	8521	203	267		0	01					
267	338	MAIN SHEAR ZONE (SLIGHTLY TO MODERATE @ 55-60°CA (MAFIC MATERIAL)), MAINLY QTZ VEIN WITH MAFIC MATERIAL.											
		267-268.6 MAFIC MATERIALS, HIGHLY CHLO, LOW CARB, SCATTERED Py 0.5%, VEINLETS QTZ 20%	8522	267	268.6	1.6	0	01					PyE 0.5%
		268.6-270.3 MILKY QTZ VEINS, 20% SHEARED MAFICS INCLUSIONS.	8523	268.6	270.3	1.7	TR						"
		270.3-272.5 MAFICS MATERIALS (HIGHLY ALT 2Dy), W SHEARED, QTZ STRS 2-5%, PyTR	8524	270.3	272.5	2.2	TR						PyTR

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-246

SHEET NUMBER 3

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		272.5-287.3 MILKY QTZ VEINS, WITH ZONE MAFIC INCLUSIONS, OCCASIONALLY TOURMALIZED, 5% MINOR PYRITIZATION	8525	272.5	274.4		TR				Py TR
		- TOUR 5%, CHLO 5%, Py 2%	@ 6	274.4	275.4		0 01				Py 2%
			7	275.4	276.4		0 01				Py TR
		- 1% Py w/ CHLORITE 30%	8	276.4	277.4		0 02				Py 1%
			9	277.4	279.3		TR				Py TR
		279.3-281.7 SHEARED MAFIC INCLUSION (M SHEARED), 10% QTZ VEINLETS	8530	279.3	281.7		0 02				Py 0.1%
		- FELDS 20%	1	281.7	283.1		0 01				Py 0.2%
		- 30% CHLORITE SCHIST	2	283.1	284.1		0 02				Py 0.2%
		- 20% SHEARED MAFIC INCLUSIONS.	3	284.1	287.3		TR				Py TR
		287.3-308.1 SHEARED MAFIC MATERIAL, MAINLY ALTERED BL ZN, SOMETIME SILICIFIED (OCCASIONALLY WITH FELSIC SEGREGATION) ZONE QTZ VEINS	8534	287.3	290		TR				Py TR
			8535	290	290.9		TR			2 0.5%	~~Py TR~~
		290.9-291.8 SILICIFIED ZONE, WELL SERICITIZED (FELSIC INCLUSION) SCATTERED Py 5%	8536	290.9	291.8	.9	0 12				Py 5%
			8537	291.8	293.1	1.3	TR		.064/3.8'		Py 0.2%
		293.1-293.2 MILKY QTZ VEIN	8538	293.1	294.7	1.6	0 09				
			8539	294.7	296.4		0 01				
		296.4-297.7 QTZ VEIN, GLASSY, 30% SERICITIZED FELSIC INCLUSIONS, Py 0.1%	8540	296.4	297.7		0 01				Py 0.1%
		297.7-299.7 AS 290.9-291.8,	8541	297.7	298.7		0 01				Py 0.1%
		- WELL SERICITIZED	8542	298.7	299.7		0 02				Py 1%
			8543	299.7	301.2		0 01				Py TR
		301.2-304.7 30% QTZ VEINLETS - STRS, I SERICITIZED	8544	301.2	304.7		0 01				Py TR
			8545	304.7	306.1		0 02				Py TR
		306.1-308.9 QTZ VEIN, 20% BDG, SOME SERICITIZED	8546	306.1	306.9		0 01				—
			8547	306.9	308.1		0 02				
		308.1-336 MILKY QTZ VEIN, 5-7% SHEARED									"
		FELDSPER MAFIC INCLUSIONS Py STRINGERS.	8548	308.1	309.4		0 01				Py TR
		20% MAFIC INCL	8549	309.4	311		0 01				Py 1%
		TOUR 5%	50	311	312.3		TR				—
			1	312.3	315.6		0 01				—
		TOUR 5%	2	315.6	319.5		0 01				—
		10% M-INCL	8553	319.5	320.9		TR				Py 0.5%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER F-216

SHEET NUMBER 4

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
			8554	320.6	322		TR				—
		10% SERICITE INCL.	8555	322	325		TR				0.1%
			8556	325	327		TR				—
		TOUR 5%, 8% SERICITE INCL.	8557	327	329.2		TR				Py 0.3%
			8558	329.2	329.2		TR				—
		10% SERICITE INCL.	8559	329.2	330.6		0 02				Py 0.5%
			8560	330.6	332.3		0 01				Py 0.1%
			8561	332.3	334		TR				—
		30% BLUR QTZ INCL. SILICIFIED	8562	334	336		TR				—
		336-338 WEAKLY SHEARED 210° BL; FRACTURED.	8563	336	338		TR				—
338	343	BLURRED QTZ VERY SLIGHTLY SHEARED-FOLIATED.	8564	338	343		TR				—
343	346.3	BLURRED QTZ, MASSIVE, SOME CARBONATE ALT'N									
346.3	361	GRANODIORITE, MASSIVE, TYPICAL									
361		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-247

SHEET NUMBER I

DIAMOND DRILL RECORD

TOTAL DEPTH 214

WORKING PLACE .....

SECTION .....

LOGGED BY J. BRAULT

DATE LOGGED DEC-02-86

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	32	GRANODIORITE, MASSIVE, COARSE GRAINED, MESOCRAT, ± TYP.									
32	38	SLIGHTLY FOLIATED BL DIKE @ 45°, SOME EQ INCLUSIONS, 35-36 BLOCKY									
38	52.5	GRANODIORITE, MASSIVE, MAFIC-MELANOCRAT, ± BLURRED.									
52.5	161.1	GRANODIORITE, ± SIMILAR TO 0-32, LOCALLY MELANOCRAT									
		54-55.6 BASIC DIKE, MASSIVE, 2-4% QTZ-CAB INJECTION, PyTR	8060	54	55.6	1.6	TR				
		63.3-63.7 BASIC DIKE									
		75.5-76.6 BASIC DIKE									
		91-94 SLIGHTLY FOLIATED @ 30°									
		157-158 BASIC DIKE FOLIATED @ 30-35° QTZ-CAB VEINLET.									
161.1	169	BLURRED 2D$_2$, DARK, MESOCRAT MASSIVE TO SLIGHTLY FOLIATED (NOT BLURRED) @ 45°, 2-3% TENSION FRACTURES FILLED WITH QTZ.	8061	161.1	163	1.9	0	01			PyTR
169	171	BLURRED 2D$_2$, MASSIVE, COARSE GRAINED	8062	163	165	2.0	TR				
			8063	165	167	2.0	TR				
			8064	167	169	2.0	0	01			
169	171	BLURRED 2D$_2$, MASSIVE COARSE GRAINED.									
171	194.7	GRANODIORITE, MASSIVE, TYPICAL, SLIGHTLY EPIDOTIZED									
		180.7-182 BASIC DIKE, MASSIVE, AMPHIBOLITE									
		186.5-188.5 BASIC DIKE									
		188.5-190 FAULT SEGMENTATION									
		191.9-193 BASIC DIKE, MASSIVE, AMPHIBOLITE									
194.7	214	GRANODIORITE, MASSIVE, MESOCRATIC, TYP.									
		END									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-248

SHEET NUMBER 1

TOTAL DEPTH 512

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— DEP. E—

ELEVATION

AZIMUTH 180

DIP −36°

DIP TESTS (TRUE DIPS)

AT °

AT 200' −34°

AT 500' −37°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM
0	4	GRANODIORITE, MASSIVE, CORRSE/ CRYSTALLINE.									
4	176	GRANODIORITE, MASSIVE ± TYPICAL, SOME SECTION OF DIORITE,									
		12-13 MAFIC SEGREGATION,	8577	12	13	1.0	0 01				
		34.1-35.3 BLURRED, SLIGHTLY FOLIATED @ 60°C, 5% QTZ STRS	8578	34.1	35.3	1.2	0 01				
		50.9-51.4 STRONGLY FRACTURED									
		79-82 MAFIC SEGREGATION, 2-3% QTZ-CARB STRS.									
		139-140.2 MAFIC SEGREGATION									
		140.2-176 LOCALLY FRACTURED & SILICIFIED									
		150-150.7 MAFIC DIKE, GREENISH, APHANITIC, 30%									
		QTZ-CARB STRS; SLIGHTLY SHEARED @ 30°	8579	150	150.7	0.7	TR				
176	187.9	BLURRED 2Dg, MASSIVE, ±									
187.9	189.7	MAFIC SEGREGATION,									
189.7	190.3	SIMILAR TO FELSIC DIKE, CONTACT @ 70°.	8580	189.7	190.3	0.60	TR				Py TR
190.3	193.3	SLIGHTLY-MOD SHEAR ZONE, MAINLY ACTIVE IN 2Dg & QTZ-CARB									
		STRS, 20% CALCITE, [COARSE SECTIONS BRECCIATED BY (191.5-191) 5-3%], SE-	8581	190.3	191.5	1.20	0 32				Py 3-4%
		RICITIZED,	8582	191.5	192.1	0.60	0 01				Py TR
			8598	192.1	193.3	1.2	TR		3' @ 0.13		Py TR
193.3	197.6	GRANODIORITE, MASSIVE, RELATIVELY, SOME JOINTS FILLED WITH CHLORITE.									
197.6	208.3	MAFIC SEGREGATION & DIORITE-GABBRO.									
208.3	233	2Dg, MASSIVE, ± [illegible] (227-233)									
233	251.5	BLURRED [illegible], SLIGHTLY FOLIATED [illegible] @ 45°C, TIME TO									
		COARSE GRAINED, Py TR									
251.5	257.3	SHEAR ZONE, [illegible]									
		251.5-257.3 [illegible]									
		251.5- [illegible]	8583	251.5	252	.5	0 05				Py TR
			8584	252	257.3	5.3	TR				Py TR
		257.3-266.4 [illegible] 2Dg, 4 QTZ VEINS,									
		HYDRIZED	8585	257.3	258.3	1.0	0 01				
		[illegible]	8586	258.3	259	.7	TR				Py TR
		[illegible]	8587	259	260	1	TR				Py TR
		CO-CARB QTZ VEINLETS, [illegible]	8588	260	266	1.6	TR				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-248

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
		261.6-263.5 ~1% QTZ STRINGERS, SOME Py	8588	261.6	263.5	1.9	0	01					Py 1%
		263.5-264.8 QTZ VEIN	8589	263.5	264.8	1.3	0	01					Py & As Py
		264.8-266.4 QTZ VEIN	8591	264.8	266.4	1.6	0	01					Py TR
		266.4-268.0 BL 2Py, MASSIVE	8592	266.4	268.0	1.6	0	01					Py TR
		268.0-271.8 MILKY QTZ LENS, 2 BRECCIATED											
		QTZ VEINS 15° to CA, 5% Py ANALYSE	8593	268.0	269	1.0	TR						Py ≤ 0.5%
		FINELY											
			8594	269	269.8	0.8	0	01					Py TR
		TOUR S/	8595	269.8	270.8	1.0	TR						Py Tr
		TOUR S/. WITH 2% FINELY	8596	270.8	271.8	1.0	0	02					Py ≤ 2%
		271.8-274 SLIGHTLY SHEARED BL 2Py, MOD BANDED, ZONE PYSPARKS	8597	271.8	274	2.2	TR						Py ≤ 0.5%
274	276	BL 2Py, SLIGHTLY SHEARED	8599	274	276	2.0	TR						
276	291	BLURRED 2Py, MASSIVE (MAFIC 283-290.5 SEGREGATION).						—					
291	304	GRANODIORITE - DIORITE (COARSE GRAINED - PORPHYRITIC), 20-40% FELDS.											
		300.3-301.8 BASIC DIKE, MASSIVE, FINE GRAINED											
304	322.6	BLURRED 2Py + MAFIC SEGREGATION, DARK, SIMILAR (276-291).											
		318-319.5 BASIC SEGREGATION.											
322.6	384	GRANODIORITE, MASSIVE, COARSE GRAINED - PORPHYRITIC & TYPICAL, BARREN											
		355-355.5 BLOCKY											
		365.5-366 [illegible]											
		376-377 WELL BROKEN											
384	392	BL 2Py [illegible]											
392	419	BL 2Py [illegible]											
		SECTION											
419	422.7	BL 2Py TO MOD SER [illegible]	9084	419	422.7	3.7	0	01					Py TR
422.7	474.7	MAIN SHEAR ZONE SLIGHTLY TO MODERATE @ 35° [illegible]											
		LARGE BRECCIATED SECTION, MAINLY BL 2Py + MAFIC [illegible]											
		TENDS TO [illegible]											
		ZONE [illegible]											
		468.9-[illegible]	9085	422.7	474.7	2.0	TR						Py Tr

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8

SHEET NUMBER 3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO.	REM.
		424.7-429 [illegible] 425.3-428 [illegible] QTZ-TOUR-CARB BRECCIA,											
		428-429 [illegible] Log @ 0-20°CA, WEAK CARBONATIZED											
		429-432.3 W-MOD SHEARED BL [illegible], 10-20% [illegible] STKS, SOME CALCITE STKS.		429	432.3	3.3	TR						
		432.3-433.3 [illegible]		432.3	433.3	1.0	0	01					
		433.3-443.4 60-70% QTZ-FELD-TOUR-CARB BRECCIA, 10-30% CHLORITIC SHEARS [illegible] SOME FINE MASSIVE		433.3	435	1.7	TR						Py
				435	436	1.0	TR						Py 0.5%
				436	437.8	1.8	TR						
				437.8	438.8	1.0	TR						
				438.8	439.4	0.8	TR						
				437.8	439.4	1.6	0	03					Py 0.1%
				439.4	440.4	1.0	TR						Tr
		440.4-445.3 VERY SLIGHTLY SHEARED BL SDS, OCCASIONALLY MASSIVE, SOME Py SPECKS.		440.4	445.3	4.9	TR						Py Tr
		445.3-446.7 AS 429-433.3 (Py 2% -> 446.7-[illegible])		445.3	446.7		0	01					Py 0.1%
		446.7-447.5 SLIGHTLY SH BL 2Ds, @ 60°CA.		446.7	447.5		0	01					Py 1%
		447.5-460.6 QTZ-TOUR-FELD-CARB BRECCIA, [illegible] LENSES, [illegible]											
				447.5	448.4	1.2	TR						Py 0.2%
				448.7	450	1.3	TR						
				450	451.7	1.7	0	01					
				451.7	453.0	1.3	0	02					Py 1%
		SERICITIC [illegible] ->		[illegible]	[illegible]	1.9	TR						
				[illegible]	[illegible]	3.0	TR						
				[illegible]	[illegible]	.9	TR						Py Tr
				[illegible]	[illegible]	2.2	0	01					Py Tr
		460.6-469.4 WEAKLY-MODERATE SHEARED 20-40°CA, [illegible] 461.7-462.8 STKS		460.6	461.7	1.1	TR						
				461.7	462.8	1.1	TR						
				462.8	465.6	2.8	0	03					
				465.6	469.4	3.8	TR						
		469.4-470.4 BL 2Ds, MASSIVE,		469.4	470.4	1.0	TR						

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER .....

SHEET NUMBER .....

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		470.1 - 471.6 BL 2Bg, [illegible] WSh @ 30°									
		471.6 - 471.7 BL 2Bg, [illegible] 30° CA, [illegible]	8055	470.1	471.6	1.2	0 01				
			8056	471.6	[illegible]	3.1	TR				—
471.7	494	BL 2Bg, MASSIVE, [illegible] SLIGHTLY FOLIATED									
		474.7 - 479.8 L.	[illegible]	474.7	479.8	5.1	0 02				
		491.8 - 494.5 SLIGHTLY SHEARED C 20°									
		493.5 - 494.5 20% [illegible]	[illegible]8	494.4	495		TR				—
			[illegible]59	493.5	494.5		0 01				4% TR
		494 - [illegible] WSh @ 40° 32.									
494	507	[illegible]									
[illegible]	[illegible]	[illegible]									
[illegible]		[illegible]									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-249

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE 17350E

SECTION .....

LOGGED BY J BRAULT

DATE LOGGED DEC 09

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH 180°

DIP 0° + 35

DIP TESTS (TRUE DIPS)

AT 180' + 3°30

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	30.8	2DQ (QTZ DIO), MSS, COAG, TYP, B, MN M SEG.									
30.8	33	M SEG (ALTD 2DQ), [BL 2DQ 30.8-40.2], 50% QVT 30.8-32, W SH @ 50°CA,	8642	30.8	32		Tr				—
			8643	32	33		Tr				—
33	74	2DQ, MSS, MCG, ± TYP, SOME QS, B, SOME EAR FLD, 71.3-72 M DK, FIG, UNDER CONTACT AT 70°CA.									
74	91.2	BL 2DQ, FMG, MSS, GYSH, WCLO, WCAR, B 81.4-81.2 M DK, FIG, 3.									
91.2	146.4	2DQ (QTZ DIO), MSS, COAG, TYP, MEDI 81.2-87 [MCAG, W FLD @ 45° 91-96], 114.1-115 M DK, GRSH, 2% FD PHEN, 2-136.6-139 M DK, GRSH, 5% FD PHEN B									
146.4	150.6	BL 2DQ, MSS, COAG TO P, GRYH, CLO, B									
150.6	164.4	SHEAR ZONE SLIGHTLY @ 40°CA, W MIND,									
		150.6 - 151.4 BL 2DQ, W SH @ 40°CA, PyTR, LIGHTLY	8644	150.6	151.4		Tr				PyTR
		MIND ZONE → 151.3-163.8 SMK QV, & GRYH BLUS, PY 2% ALL SET [illegible] MINOR WSER, WCHO, MN TOUR STRS, SOME LARGE PY SPLASHES UP TO 1CM (VERY FINE, LOC ARSENICAL), SAME FOR									
		CNT, OCC PY TOURMALINE AND SECTION → -20% M MATERIALS → -50% M MATERIALS	8632	151.4	153	1.6	0	12			PyTR, CPy TR
			8633	153	154.4	1.4	0	08			PY 0.5%
			8634	154.4	155.5	1.1	2	.66			PY 10%
			8635	155.5	157	1.5	0	37			PY 0.5%
			8636	157	158.5	1.5	0	06			PyTR CPY 0.5%
		158.1-159.2 PY 3%	8637	158.5	159.5	1.0	2	50	12.4 C	0.424	PY 15%
			8638	159.5	160.5	1.0	0	04			PyTR
			8639	160.5	161	0.5	0	11			CPY 2% PyTR
			8640	161	162.3	1.3	0	01			PyTR
			8641	162.3	163.3	1.0	TR	-			CPY 2-3% PY 1% PY 0.5%
164.4	167.9	BL 2DQ AS (154-156.6).									
167.9	209	2DQ QTZ DIO, MSS, COAG, TYP, L. 206.8-208.4 M DK, GRSH, 5% FD PHEN B									
		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-250

SHEET NUMBER 1/2

TOTAL DEPTH

WORKING PLACE 7000E

SECTION 11330E

LOGGED BY JEAN

DATE LOGGED DEC-11-86

DATE FINISHED DEC-10-86

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— DEP. E—

ELEVATION

AZIMUTH 180°

DIP

DIP TESTS (TRUE DIPS)

AT 215 -1° o

AT o

AT o

PLOTTED ON PLANS

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	123	2Dg (97% DIORITE), MSS, COAG, B, SM M SEG, OCC SM EPDZ BDS.									
		10-13.1 M SEG, POS M JK, MSS, FIG, B									
		50-54.8 W FLD @ 70°CA									
123	131.1	BL 2Dg, MSS, GYSH, B									
131.1	135.3	SH ZN W SHD @ 40°A									
		131.1-134.4 QVT 50%, 50% WMSH BL 2Dg INCL, SCTT Py.	8658	131.1	133	1.9	TR				
			8659	133	134.4	1.4	0 01				Py 0.2%
		134.4-135.3 WSHD BL 2Dg, Sm Py spk	8660	134.4	135.3	0.9	TR				Py 0.2%
135.3	140.1	BL 2Dg, MSS, COAG, TYP. SM Py spk (135.3-138.3)	8661	135.3	138.3	3.0	TR				Py TR
140	146.5	2Dg, MSS, TYP									
146.5	156.5	BL 2Dg, MSS, AS (135.3-140.1), SM QCS									
156.5	187.4	2DQ ± BL, DARK, MSS, MEDO—MGA, W-MCLO, B.									
187.4	193.2	BL 2Dg, W FOL @ 50-60°CA, M-COAG, MCLO, B									
193.2	245.8	MAIN SHZN W-MSHD @ 50-70°CA.									
		193.2-195.4 W-MSHD BL 2Dg, SM Py Spck,	8662	193.2	194.1	0.9	0 02				TR
			8663	194.1	195.4	1.3	TR				TR
		195.4-208.8 QV, Mi, 10-20% SHD BL 2Dg INCL, MCLO, MSER, 10% FD INCL, SM TOUR STRG, NSM IN ALL SCT.									
		-TOUR 5%, 10/SPK	8664	195.4	196.4	1.0	0 01				Py 0.5%
			8665	196.4	198.1	1.7	TR				
		198.1-199.1 MSHD BL 2Dg INCL, HSER, SCTT Py	8666	198.1	199.1	1.0	0 01				Py 0.5%
			8667	199.1	200	0.9	0 03				
		-20% MSHD BL 2Dg INCL, HSER, Py*	8668	200	201.5	1.5	0 01				Py 0.5, TR
		201.5-207.8 → 40% QVT, 20% FD, 40% M INCL MCLO + MSER	8669	201.5	203.5	2.0	TR				TR
Py ASSOCIATED W/ HH SER.			8670	203.5	206.5	3.0	0 01				TR
			8671	206.5	207.8	1.3	0 01				TR
		- TOUR 5%.	8672	207.8	208.8	1.0	TR				—
		208.8-211 W-MSHD BL 2Dg INCL, MCLO, MSER, Py TR	8673	208.8	211	2.2	0 01				
		211-222.4 QV, Mi, AS (195.4-208.8).									
		- 40% HSER BL 2Dg INCL, MSHD. Py	8674	211	212.3	1.3	0 24				Py 2%
		- TOUR 5%, SER 2% WITH Py.	8675	212.3	213.9	1.6	TR				Py TR

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 5-79-33

SHEET NUMBER ... 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP —

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		211 – 222.4 (SUITE)	8676	213.9	216.4	2.5	0.01				—
			8677	216.4	221.4	5.0	0.01				—
			8678	221.4	222.4	1.0	TR	L.V.			TR
		222.4-226.4 BL 2Dg INCL, MSS TO WSHD ∈ 70° CA	8679	222.4	224	1.6	TR	9.0 13	50.-		—
		224-225.4 QV, 15% HSER 2Dg INCL FD							52.6		
		10%, TOUR S/., PY 1% (FINE)	8680	224	225.4	1.4	0.01				PY 1%
		– 20% QVT, SCTT PY, 0.4%	8681	225.4	226.4	1.0	0.05				PY 0.4%
		226.4-232.3 BL 2Dg, MSS, SILD, COAG	8682	226.4	229.4	3.0	TR				TR
			8683	229.4	232.3	2.9	TR				TR
		232.3-234.2 BL 2Dg, WSHD, MEG, 10% QVT,	8684	232.3	234.2	1.9	0.01				TR
		234.2-245.8 QV, MI, B, SM M INCL	8685	234.2	236.4	2.2	TR				TR
		– 20% FER 2Dg INCL	8686	236.4	238.6	2.2	TR				PY 0.1%
		24	8687	238.6	241.8	3.2	TR				—
		241.8-242.6 2Dg INCL, DOSS LK, 3% QVT, WSHD.	8688	241.8	242.6	0.8	TR				—
			8689	242.6	245.8	3.2	0	02			—
235.8	239	BL 2DQ, MSS, OCC FLD, SILD, CHLO + SPRS									
6.59	288	NOT SHARP CONTACT WITH 2Dg MSS, OCC FLD TW UPPER SCT,									
		SM M SEG OR DK B									
		2695-270.8 E DIKE, FIG, B.									
288		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-251

SHEET NUMBER 1/5

TOTAL DEPTH 350

WORKING PLACE

SECTION 17350E

LOGGED BY J Beaulé

DATE LOGGED Dec 13

DATE FINISHED Dec 12

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— DEP. E—

ELEVATION

AZIMUTH 180

DIP -24°

DIP TESTS (TRUE DIPS)

AT 200 -23°

AT 300 -23° 30'

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	154.5	2Dg, MSS, TYP, MESO, OCC WITH PK ALT, MINOR EPDZ BDS,									
		9.5-14.1 M SEG, FIG, POS. 2K.									
		52.8-58.1 M SEG W FLDC 70% MEG,									
		~~58~~ 58.1-60.8 M DK, AHAN, B.									
		86.6-87.7 BL									
		90-91.4 EPDZ SCT.									
		134-136.6 EPDZ SCT.									
		143.2-144.9 BL 2DQ,									
		147-154.5 BECOMING W BL TW ENS SCT.									
154.5	161.8	BL 2DQ, MSS, GYSH, COAG, 2-4% CARB INJECTION.									
161.8	184	SH ZN, W-MSHD @ 40° TO 75° CA.									
		161.8-163.8 BL 2Dg, MAFIC, CHLO + CARB,	8725	161.8	163.8	2.0	0 01				
		163.8-170.2 QV, MKY TO W SMO TOUR UP TO 5%, 1-5% CHLO SCST, SM SER INCL. TOUR 10%	8726	163.8	164.8	1.0	0 02				Py TR
		TOUR 5%	8727	164.8	165.9	1.1	0 03				Py TR
			8728	165.9	166.5	0.6	0 08	→ 6.4 @ 0.36			Py 0.5% Sph 1%
			8729	166.5	167.9	1.4	TR				Py TR
		SM LARGE Py SPECKS (FINE)	8730	167.9	168.9	1.0	1 96				Py 1-3%
			8731	168.9	170.2	1.3	0 18				Py TR
		170.2-175.9 BL 2Dg, M SHD @ 60° CA, MEG, M CHLO, SM Py SPCK									
		173.1-174.5 FELSIC DK, (RHYOLITE?), GYSH,	8732	170.2	173.1	2.9	0 01	22.2 @ 0.18			Py TR
		FINE SCT Py.	8733	173.1	174.5	1.4	0 04				Py 0.2%
		174.5-175.9 40% UNDULATED QVT, 10% FD, Py TR	8734	174.5	175.9	1.4	0 02				Py TR
		175.9-177.4 POSS F. DK, 80% CHLO, 10% QVT, 10% FD-CS, M S40 @ 45°	8735	175.9	177.4	1.6	0 01				
		177.4-189 BL 2DQ AS 170.2-175.9.									
		177.4-179 40% QVT, M SER, SM LARGE Py spck	8736	177.4	179	1.6	0 11				Py 1%
			8737	179	180.5	1.5	TR				
		180.5-181 QV, TOUR 2%, Py TR	8738	180.5	181	0.5	0 02				Py TR
			8739	181	184	3.0	T 2				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-251

SHEET NUMBER 2/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" : 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
184	197.5	BL 5DQ, MSS TO W FOLIATED, COAG, M CHLO, B.									
197.5	204	BL 2DQ, MESO TO LOC LEUCO —.									
204	215.3	BL 2DQ AS 184-197.5									
215.3	224.2	SH ZN, W SHD @ 45-50°, MAINLY BL 2DQ, MEG, M CLO, M CAR.	8740	215.3	217.6	2.3	0 0.6				—
		217.6-218.9 BRE, 50% QC BRE WITH SER BL 2DQ INCL, 10% CLO, 2-3% LARGE Py SPLASHES.	8741	217.6	218.9	1.3	0 0.6	2.3' @ SH			Py 2.3%
			8742	218.9	219.8	0.9	0 0.1				Py 1%
			8743	219.8	222.2	2.4	Tr				
		222.2-223.6 80% C FDQ BRE, FRAG UP TO 3CM, CLO MATRIX, FW Py	8744	222.2	223.6	1.4	-				Py 0.3%
224.2	227	BL 2DQ.									
227	244	2DQ, MSS, ± TYP, W CLO HORNBLENDE.									
244	248	2DQ, ± BL, MSS.									
248	249.9	2DQ, BL, W FOL @ 30°CA.									
249.9	305.2	MAW SH ZN, W-MSHD @ 40°CA.									
		249.9-251.7 BL 2DQ, FIG-MEG, M CLO, OCC CAR,	8745	249.9	251.7	1.8	Tr				
		251.7-305.2. QV, MKY, OCC TOUR 3-4%, SM FD INCL, OCC SER BL 2DQ INCL OR SCHIST									
		TOUR 10%, CLO 5%	8746	251.7	254.4	2.7	0 0.2				Py Tr
			8747	254.4	257.1	2.7	Tr				"
			8748	257.1	258.5	1.4	Tr				"
		SOME Py SPECKS { 10% SER SCHIST; 40% SER BL 2DQ	8749	258.5	260.3	1.8	0 0.1				Py 0.1%
			8750	260.3	261.8	1.5	0 0.1				Py 0.1%
			8751	261.8	263.2	1.4	Tr	LV	55.3		Py 0.1%
			8752	263.2	266	2.8	Tr				—
		266-267 BL 2DQ INCL, SER, (FELSIC), SCTT Py.	8753	266	267	1.0	0 0.6				Py 3%
			8754	267	268.3	1.3	Tr				Py 0.1%
		3 {	8755	268.3	273.3	5.0	Tr				—
			8756	273.3	278.3	5.0	Tr				—
			8757	278.3	279.1	0.8	Tr				—
		TOUR 3%	8758	279.1	281.2	2.1					Py 0.1
		241.2-243.6 AS 266-267	8759	281.2	282.2	1.0					Py 0.2%
			8760	282.2	283.6	1.4					Tr

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-251 Suite

TOTAL DEPTH 350

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		ASSAY OZs GOLD PER TON II		AVE.	II SAMPLE NO.	REM.
	305.2	VEINE SUITE -20/ SER,	8790	283.6	284.6	1.0	Tr						Py 0.1/
			8791	284.6	287.7	3.1	Tr						—
			8792	287.7	289	1.3	Tr						Py 0.1/
			8793	289	294	5.0	0	01					
			8794	294	299	5.0	Tr						
			8795	299	300.9	1.9	Tr						
		Smoky Qtz { Tour up to 20/	8796	300.9	303.5	2.6	Tr						Py Tr
			8797	303.5	305.2	1.7	0	02					Py 0.1/
305.2	306.3	BL RDQ, M Fois. 300/											
306.3	317	BL 2 DQ, MSS Syn.											
317	350	2 DQ, MSS. Typ.											
350		EOH											

LES MINES BELMORAL LTEE

PROPERTY

HOLE NUMBER B-252

SHEET NUMBER

DIAMOND DRILL RECORD

TOTAL DEPTH 216

WORKING PLACE

SECTION

LOGGED BY JERAULT

DATE LOGGED DEC 11-86

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH

DIP

DIP TESTS (TRUE DIPS)

AT 210' +52°

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION
0	75	QDg, MSS, CoAG, CHLO HORN, B, OCC EPZD, SM MSEG.
		30.2-31.6 MSEG AND W FOLD @ 60°CA.
		33.1-333 Q VT, B.
		51.3-52.1 MSEG, FIG, F.
		53-55 EXT F, POSS 4% LC.
75	82	ALT 2DQ, MSS, M EPZD, W ALT'N, B
82	85	2DQ, TYP. MSS.
85	90	± BL 2Dg, MSS, M-CoAG, B.
90	100	BLg, MSS, ± TYP
100	114	ALT 2Dg, BL, MSS, B.
114	166.5	BDg AS 0-75, 60T OCC W BL, B,
		138.3-139.6 M Dk, 2-3% FD PHEN, APHAN, B.
166.5	173.5	BL 2Dg, MSS 60T POSS VERY W SHD @ 70°CA, 5% CALC INTER-TIONS,
		170-172 15% QV, B,
173.5	216	2Dg, MSS, CoAG, TYP., 203.1-204.5 MSEG, B.
216		EOH

I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM
8690	166.5	170	3.5	0.03				
8691	170	172	2.0	0.01		1.170		
8692	172	173.5	1.5	TR				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY ..... F

HOLE NUMBER B-25-1

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 222

WORKING PLACE .....

SECTION .....

LOGGED BY ..... JBR

DATE LOGGED ..... FEB 07

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— 17500E

ELEVATION .....

AZIMUTH 120

DIP ..... 0°

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20' ..... 1"= 20'

..... 1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO	REM.
0	95.3	~~ZQR, MS, MED TO COARSE, TYP., MN M SGG,~~									
		39.2-40 BLK, RPHA, C.									∞
95.3	106.2	~~BL SHD, MSS, FOR TO GNEISS, M-H CHL (105.2-106.2), C~~									
106.2	117.6	~~BL ZQD, MSS, FOR, SER INCL~~									
		116.4-117 Mi QV, F, G.	8177	115	117.6	2.6	Tr				—
117.6	120.3	117.6-120.3 SIMILAR TO ~~BLK~~, GREENISH, APHA,									
		CHLO, 5-8% IRR CAR INCL.	8178	117.6	120.3	2.7	Tr				—
120.3	126	BL ZQD, MSS, ZYP, M CHL M-H, M CARB, CySH.	8179	120.3	126	5.7	0	01			—
126	127.4	MAIN SH EW, W TO M SHD E 50-60°SW,									
		MANY SM ~~LARGE~~ BL ZQD INCL + QV.									
		126-127.4 W-M SHD BL ZQD, F, WEATHERED, 5% QVT, CHLO SER.	8180	126	127.4	1.4	0	01			—
		127.4-133.4 Q T C FELD V + BRE,									
		10-15% M-H SER INCL, + CHL,									
		MNLZ	8181	127.4	128.4	1.0	0	56	5' 0.13		Py 1-3%
			8182	128.4	129.4	1.0	0	07			Cy 0.5%
			8183	129.4	130.4	1.0	0	01			Py 0.2%
		130.4-133.4 BRE, SCTY Py	8184	130.4	131.4	1.0	0	01			Py 0.5-1%
			8185	131.4	132.4	1.0		TR			Py TR
			8186	132.4	133.4	1.0	0	01			Py 2-3%
		133.4-135.3 W SHD BL ZQD ~~= (126-127.4)~~	8187	133.4	135.3	2.0	0	02			Py 1%
		135.3-142 BL ZQD, MSS TO LOC FOL, COARG, W SHD 141.1-142)	8188	135.3	138	2.7	Tr				—
			8189	138	141.1	3.1	Tr				—
			8190	141.1	142	0.9	Tr				Py 0.5%
		142-181.4 QV, Mi, WITH SM									
		LARGE BL ZQD (W SHD) INCL,									
		10% TOUR	8191	142	143.5	1.5	Tr				—
		C - 60% BL ZQD INCL PINK Py	8192	143.5	145	1.5	Tr				3%
		~~SCTY~~ 2 - 40% BL ZQD INCL, W SHD	8193	145	146	1.0	Tr				Py 1-2%
		* Sandy Py (SCTY Py									
			8194	146	147	1.0	Tr				Py 0.5 CPY TR
			8195	147	148	1.0	Tr				Py 2-3%
		148.0-148.5 BL ZQD, SCTY Py	8196	148	148.5	.5	3	21			Py 1-2%
							1	99			
			8197	148.5	151	2.5	Tr		.008/5	2-3	TR
			8198	151	152	1.0	0	10			0.1%
			8199	152	153	1.0	Tr				Tr

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER E-84-54

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
		153-158.5 BL 2UQ, WSHD & 50-55°CA, R-5% QC STR, MCHLO+AR, STR.									
		158.5- 161.5 QU	8282	153	156	3.0	Tr				TR
			8283	156	158.5	2.5	Tr				
		Tour 10%,	8284	158.5	159.5	1.0	Tr				Gy Tr
		Tour 5%	8285	159.5	161.5	2.0	Tr				—
		5% CHLO	8286	161.5	163	1.5	Tr				Tr
			8287	163	164	1.0	Tr				0.1
			8288	164	165.2	1.2	Tr				Rx 0.2
			8289	165.2	167.1	1.9	Tr				Tr
		167.1- 170.5 FINE GR GRAIN PARC (5 min)	8290	167.1	168.5	1.4	Tr				Rx 0.5%
			8291	168.5	169.5	1.0					≤ .8
			8292	169.5	170.5	1.0					.2
			8293	170.5	173.4	2.9	Tr				.02
			8294	173.4	175	1.6	Tr				Tr.
			8295	175	176.5	1.5	Tr				.4%
			8296	176.5	180.5	4.0	Tr				Tr
		Tour 10%, SER 20%	8297	180.5	181.4	.9	Tr				4%
		181.4-183.5 BL 2UQ, WSHD, MCAR, CHL+SER, MEG.	8298	181.4	183.5	2.1	Tr				
		183.5-187 BL 2UQ WSHD, CARB.	8299	183.5	187	3.5	Tr				
		187-188.2 QU, SMK, 10% CHL	8300	187	188.2	1.2	Tr				Tr
			5300	188	189.1	1.1	Tr				
189.1	194.1	BL 2UQ, WSHD (UPPER CONTACT) TO MES, F/G TO CARB,									
194.1	201.6	BL 2UQ, MSS, 6%PY. B	9101	189.1	194.1	5.0	Tr				—
201.6	223	2UQ, MSS, CARB, TYP. P.									
223		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FEATHERSTON

DIAMOND DRILL RECORD

HOLE NUMBER B-255

SHEET NUMBER 1/2

TOTAL DEPTH 184

WORKING PLACE

SECTION

LOGGED BY J BEAULE

DATE LOGGED 21 FEB 87

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N— 11811 N DEP. E— 17502 E

ELEVATION

AZIMUTH 180

DIP +19°

DIP TESTS (TRUE DIPS)

AT 160' + 18°

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

LONGT 1"=40

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	102	2DQ, MSS, TYP, COAG, 65% F, 30% CHLO H, FW Q EYES, B. LOC MN 22.5-23 B DK, APHA, Σ.	M SEC								
102	105	BL RDQ, GYSH, MSS, DARK.	9165	102	105		TR				
105	160.8	SH ZN, W TO LOC M SHD C 60-75°CA, MAINLY M MAT + BL 2DQ + QV.									
		105-106.5 B DK, APHA, MSC TO WSHD, CHL+ URD, SM BL 2DQ INCL, 5-8% QC INT.	9166	105	106.5		TR				
		106.5 BL 2DQ, MSHD, MEG, TO OCC COAG WELL CHL+SER BANDS, SM QC STR, LOC SM FINE Py SEC.	9167	106.5	109.9		TR				
		109.9-111.7 B&L AS 105-106.5	9168	109.9	111.7		TR				
		111.2-112.9 QV, Mi, 1% TOUR, SM Py SPLOSHES, TW END SET.	9169	111.7	112.9	1.2	0 08		0.068 / 9.1		Py 0.5%
			9170	112.9	114	1.1	0 02				
		114-114.2 QCT VT									
		115.5-115.7 QC VT, FINELY PYRITIZED	9171	114	115.7	1.7	0 01				Py 0.1%
		115.7-117.4 30% Mi QVT	9172	115.7	117.4	1.7	0 18				Py 0.1%
		118 B-119.8 E BLK, POSS LG, FRACTURE FILL WITH MUD (FG)	9173	117.4	119.8	2.4	0 01				Py TR
			9174	119.8	120.8	1.0	0 16				Py 0.2%
160.8	125	BL RDQ, COAG, MSS TO OCC Σ FOLIATED, M CHLO+CARB,	9175	120.8	125		TR				Py TR
125	127.8	BL 2DQ, MSC TO LOC FOL C 50°CA, M CHLO+CARB, SM Py SPCK	9176	125	127.8		TR				TR
127.8	164.2	SH ZN, W TO LOC M SHD C 70°CA, MAINLY BL 2DQ + QV.									
		127.8-128.3 BL RDQ, MEG, MSHD M CHLO+CARB + SER, FINE SCTT Py									
		127.8-128.2 QTC BREC	9177	127.8	129		TR				Py 0.1%
		129-130.1 QV, 20% BL 2DQ (W SHD), 15% FT CAR INCL. 2% TOUR	9178	129	130.1		TR				Py 0.2%
			9179	130.1	132.2	2.1	0 01				—
		-30% QFC INCL, WELL SER ETC.	9180	132.2	133.5	1.3	0 01				Py 0.5%
		133.5-135.1 BL 2DQ MSS.	9181	133.5	135.1	1.6	TR				Py 0.2%
		135.1-137.7 60% QV, 30% SER INCL, 10% CHLO BDS, 1% Py, ALL WITH SER ± BREC	9182	135.1	137.7	2.6	0 01				Py 1%
		137.7-138.9 90% QV WITH 10% T, SM COAG Py SPCK, ± BREC	9183	137.7	138.9	1.2	0 16				Py 2%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER E-255

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE	II SAMPLE NO.	REM.
		138.9-164.3 MI QV, 2-4% T, SM M INCL.											
			9184	138.9	142.6	3.7	Tr						—
			9185	142.6	142.9	.3	Tr						Py 0.5%
			9186	142.9	146	3.1	Tr						Tr
			7	146	151	5	Tr						—
		-10% T, CPY Tr	8	151	152	1	0	02					CPY Tr
		152-153.4 M INCL, W SHD C 60°A, AA - FIG, 5% QTZ VT,	9	152	153.4	1.4	Tr	Tr					Py 0.2%
			0	153.4	153.9	0.5	0	02					CPY 1%
			1	153.9	156.8	2.9	Tr	Tr					—
			2	156.8	157.3	0.5	0	15					Py 1-2%
			3	157.3	162.3	5	Tr						
		161.3-163.3 F, BLK, [illegible] 5% CC, B.	4	162.3	164.3	2	Tr						
		164.3-166.3 DARK GRY Q	5	164.3	166.3	2	Tr						
~~166.~~			6	166.3	171	4.7	Tr						
164.3	171	BL 2DQ MSS, SIL, M K SPAR ALT, B											
171	175.8	2DQ MSS TYP.											
175.8	184	B DK, MSS, (MICA, PORPHYRY) 2-5% FPHEN, B, UPPER CONC C 35-40°A, B											
184		EOH.											

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-256

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED 15-02

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		131.3 - 133.6 BL ZVQ, INCL, W SZD,	9152	131.3	132.2	0.9	0.01				2%
			9153	132.2	133.6	1.4	TR				—
		133.6-135.2 QV, MI, 1% TO	9154	133.6	135.2	1.6	TR				—
		135.2-136.6 BL ZVQ, MSS TO FOL, CONG	9155	135.2	136.6	1.4	TR				TR
		136.6 - 137.4 QV MI	9156	136.6	137.4	0.8	TR				—
		137.4 - 145.8 BL ZVQ, CONG, + FOL @ 60°CA, AND MSS.	9157	137.4	142.7	5.3	TR				TR
		142.7 - 151 SHRD W QZ VL									
		142.7 - 143.6 BL SHRD 10% QVT, SCHT BL 2%, SER.	9158	142.7	143.6	0.9	TR				
		143.6 - 145.8 BL [illegible]	9159	143.6	145.8	2.2	TR				
		145.8-146.5 QTV, [illegible]	9160	145.8	147.9	2.1	0.02		5.2 @ 0.33		TR
		147.9-150.4 MI TO 1 SMT QV, AVG 2% F, POSS 10/CC.	9161	147.9	150.4	2.5	0.68				[illegible]
			9162	150.4	151	0.6	0.01				TR
151	158.5	BL ZVQ, MSS, TYP, CONG, SIL, GYSH	9163	151	155	4.0	TR				
			9164	155	157.5	3.5	TR				
158.5	205	ZVQ, MSS, TYP, MINOR MSEG, B.									
205		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FENDERBER

HOLE NUMBER F-256

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 305

WORKING PLACE 17500E

SECTION 17500E

LOGGED BY JBR

DATE LOGGED 15-02-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E— 17500E

ELEVATION

AZIMUTH 180°

DIP +39°

DIP TESTS (TRUE DIPS)

AT 190 +38°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	83.5	OVB, MSS, COAG, TYP, 60-70% F, 30-35% CHL M, 2-3% BLK QZ, SM SDDZ BDS.									
		TR-1% M SEG (FIG.									
83.5	94.2	BL OVB, MSS, COAG									
		86.9-87.7 BLK, W SHD, 60% CHL, 5% QC STR, 20% BL OVB, INCL	9133	86.9	87.7	0.8	TR				—
94.2	109.7	SH ZN, W SHD @ 65°CA, MAINLY M HAT SIMILAR TO BLK, FIB, GREENISH, CHLO + M CARB, 2-3% C STR, SM PY SPKS.									—
		94.2-95.9 W SHD, 20% QVT	9134	94.2	95.7	1.7	TR				—
			9135	95.7	99	3.1	TR				—
			9136	99	104	5.0	TR				—
			9137	104	109.7	5.7	TR				—
109.7	113	BL OVB, GYSH, MEG, CHLO + CARB, MSS	9141	109.7	113	3.3	TR				—
113	151	MAIN SH ZN, W TO LOC M SHD @ 40-60°CA,									
		113-119' BL OVB, W SHD, SM SER TR.	9138	113	116	3.0	0	01			—
		116-117.5 15% QTU WITH F + CAR, FINE PY INCL	9139	116	117.5	1.5	0	22			TR-1%
			9140	117.5	119	1.5	0	01	4.2'e	0.116	TR
		119-120.2 QVT + F 6C%, ± M TOCA, 40% BL OVB INCL, WITH COARSE PY SMEARS.	9142	119	120.2	1.2	0	12			2-6%
		120.2-122.2 BL OVB, COAG, FOL @ 60°CA, SM CPY INJ TW ENE SET.	9143	120.2	122.2	2.0	TR		15.3'e	0.197	1% TR
		122.2-131.3 (131.5) MI QV, SM BL OVB INCL (SH) SER, 1-2% T, LOC WEAK MYRMEKITIC (PSEUDOMORPH)	9144	122.2	123.9	0.7	0	10			PY 0.3
			9145	123.9	123.9	1.0	0	70			PY 3-6%
		— 30% BL OVB, SHD M SER	9146	123.9	125	1.1	0	36			PY 2%
			9147	125	126	1.0	TR		3.1'e	0.277	—
		— 5% T	9148	126	127	1.0	0	44			1-2%
		— T 2-3% 10% T, 4% PY BL OVB INCL, ABUNDANT	9149	127	128.1	1.1	0	74			2-5%
			9150	128.1	129.9	1.8	0	01			—
		— 40% BL OVB INCL, M-MSS INCL	9151	129.9	131.3	1.4	0	06			1% PY

LES MINES BELMORAL LTEE

PROPERTY F

HOLE NUMBER 82-25V

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY JORAULT

DATE LOGGED 8-1-82

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	77.3	200 MSS CORE TYP F									
77.3	102	BLK, MSS, FIS, B									
77.3	102	200 AS (B-77.3) BLK MSS.									
102	109	BL 200 MSS MEG. B									
109	115.2	MAFIC DIKE, M OL, GREENISH, MSS TO SC WSHG, 1-2% QC STR, SM EPOZ STR.	2542	109	115.2	6.2					—
115.2		200 MSS [illegible]									

C-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER B-257

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 290'

WORKING PLACE 800E

SECTION 17500

LOGGED BY JBR

DATE LOGGED 26-03-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11811 N DEP.E— 17502 E

ELEVATION

AZIMUTH 180°

DIP -16°

DIP TESTS (TRUE DIPS)

AT 290' -15° ESTIMATION

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" 20' 1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0											
MUDLINE 141.7	148	200, MSS COAG ± TYP, 1% EPOZ									
148	1585	BL 20Q GYSH, MSS, SIL, 5% QC STR,									
		166.5-158.5 W SHD @ 50°CA.	11069	156.5	158.5	2.0	0 01				
158.5	187	SH ZONE W TO M SHD @ 30-60° + BREC									
		MAINLY QV + BL 20Q									
		158.5-172 QV, Mi, 5-8% TUT, SM									
		SER INCL, ERR MINZ.									
		168-172 → BREC 20% T	11070	158.5	159	0.5	0 02				
			11071	159	162.8	3.8	0 01				
		20% T, 5% CAL, 2-3% Py	11072	162.8	164.1	1.3	0 18				
		164.1-165.1 BL 20Q INCL, M-H SHEARED, H SER, F, POSS LC, FINE SULF Py	11073	164.1	165.1	1.0	0 01				
			11074	165.1	167	1.9	0 04				
			11075	167	168	1.0	0 03				
		20% SER DIST, 1% SULF Py	11076	168	169	1.0	0 09				
		5% SER CHLO CHIST	11077	169	170	1.0	0 05				
		30% TOUR, 10% SER SCHIST	11078	170	171	1.0	0 02				
		20% CARB, 20% TOUR	11079	171	172	1.0	0 07				
		172-187 BL 20Q, M-COAG, M-MSHD @ 50-60° SA									
		M CHLOT SM SER SCH, MOD, FEW Py STR.	11080	172	174	2.0	Tr				
			11081	174	177.5	3.5	Tr				
		177.5-178.3 QV, 5% FLOOR INCL, FINE	11082	177.5	178.3	0.8	0 02				
			11083	178.3	180.3	2.0	Tr				
		180.3-181.3 30% QFUT, SM Py splashes	11084	180.3	181.3	1.0	0 05				
		10% QVT →	11085	181.3	184	2.7	0 01				
		184-186.3 60% QVT, 1% MASSIVE Py	11086	184	186.3	2.3	0 01				
			11087	186.3	187	0.7	Tr				
187	196	BL 20Q, MSS, Typ. B									
		195.4-195.6 QVT, 5% Py	11088	195.4	196	0.6	0 01				

UFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER .....

SHEET NUMBER 8-257 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED 25-03

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM
		191.5-193.2 FOK									
196	235.7	SH ZN W TO M SHD @ 60°CA,									
		MAINLY Mi QV + BL ZOQ.									
		196-198.1 W-M SHD ZOQ, MEG, CHLO/SER,	11089	196	197	1.0	Tr				0.2%
		197.3-197.6 QTVT	11090	197	198.1	1.1	0.01				0.2%
		198.1-201.1 QTFV, BREC,	11091	198.1	199.6	1.5	Tr				0.1%
			11092	199.6	201.1	1.5	Tr				-0.2
		201.1-204.2 BL ZOQ, MSHD, MEG, CHLO/SER, SM @ INCL.	11093	201.1	204.2	3.1	0.01				—
		204.2-210.3 QV, Mi, 10-20% F INCL.									
		BREC TW END CIT, 20%	11094	204.2	205.7	1.5	0.02				Tr-.2
		SER INCL. PyTR	11095	205.7	210.3	4.6	0.01				Tr
		210.3-212.3 M INCL, MSHD, 20% QVT, M CHL	11096	210.3	212.3	2.0	Tr				Tr
		212.3-232.2 Mi-QV WITH F INCL.									
		2% TOUR, BREC 215.6-219.5									
			11097	212.3	214.4	2.1	Tr				.1-.2
		214.4-215.8 80% INCL Poss Dike?, 20% QVT. MSHD.	11098	214.4	215.8	1.4	Tr				.1
			11099	215.8	216.5	0.7	Tr				Tr
			11100	216.5	217.5	1.0	Tr				Tr
			11101	217.5	218.5	1.0	Tr				.02
			11102	218.5	219.5	1.0	Tr				Tr
			11103	219.5	221.5	2.0	Tr				Tr
			11104	221.5	222.3	0.8	Tr				0.4%
			11105	222.3	227.2	4.9	Tr				Tr
			11106	227.2	232.2	5.0	Tr				Tr
		232.2-235.7 BL ZOQ M SHD @ 55°CA, CHLO,		~~232.2~~	~~234.8~~						
		233.7-234.1 QVT	11107	232.2	234.8	2.6	Tr				
		234.8-235.7 Chlo/SER, PyTR	11108	234.8	235.7	1.9	Tr				Py Tr
235.7	253	BL ZOQ MSS, BUT VERY W SHD 225.7-246, SM QVT,	11109	235.7	240.7	5.0	Tr				
			11110	240.7	245.7	5.0	0.02				
			11111	245.7	249.6	3.9	Tr				
253	290	ZOQ. MSS TYP. B.									
290	—	EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY PER LERBER

HOLE NUMBER B-258

SHEET NUMBER 1/3

DIAMOND DRILL RECORD

TOTAL DEPTH 484

WORKING PLACE

SECTION

LOGGED BY BRAULT

DATE LOGGED DEC 15

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N— DEP. E— 17600°

ELEVATION

AZIMUTH 180

DIP -35°

DIP TESTS (TRUE DIPS)

AT o

AT o

AT o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	117.2	2DQ, MSS, (F 2-21) [illegible] SM QCS									
		8-D [illegible]									
		10-14 LC									
		39-39.5 M EPDZ.									
		54.6-65.8 BL 2DQ, MSS [illegible]									
		78.4-79.2 MSEG simi TO D10,									
		83.6-84.4 MSEG (simi TO D10)									
117.2	124.8	2DQ, AS 0-117.2 WITH [illegible] MSEG, INC LOC BE,									
		118.3-119.2 BRE, 80° CA.	8335	118.3	119.2						
124.8	140	BL 2DQ, WITH SM MSEG [illegible]									
		138.140 QC STR 5°CA, 1cm WIDE,									
		BRE SM EPDZ STR.	8816	138	140						
149	209.6	2DQ, MSS, ± TYP, W EPDZ, [illegible]									
209.6		BL 2DQ, MSS, 6/DH									

P-2

SC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-253 Surface

SHEET NUMBER 2/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED Aug 21-82

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT 285' -34½°

AT .....°

AT 450' -33½°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO	REM.
	209.5	209, MSS COAG ± TYP									
209.5	232.5	BL 2UQ, COAG-MED, GYSH, ± CHLO + WCAG, BECOMING W FOLIATED @ 45°									
232.5	259	SH ZN W TO LOC MSHD @ 50°, MAINLY @ 2UQ + QV	8854	232.5	235.5	3.0	0 01				—
		233.5-237.4 W-MSHD 2DQ, MED.	8855	235.5	238.4	2.9	0 01				—
		237.4-257 QV, MI, OCC SM BL SH 2DQ INCL WITH Py Spk, 2-5% FINE TOUR STR, LOC SER	8856	238.4	241.4	2.0	0 01				Py TR
			8857	241.4	244.8	3.4	TR				Py TR
		60% M SEG,	8858	244.8	245.8	1.0	0 01				Py 0.5%
		TOUR 10%	8859	245.8	248	2.5	TR				
			8860	248	251.4	3.4	0 01				
			8861	251.4	254	2.6	TR				Py TR
		254-257 LC									
			8862	257	259	2.0	TR				
259	270	BL 2UQ AS (209.5-232.5)									
270	357.9	2DQ MSS COAG, ± TYP, CHLO HORN, SM EPDZ BANDS,									
		273.7-274 SM QTZ VT.									
357.9	391.5	BL 2DQ, MSS COAG, LOC ± SER, [2DQ ± TYP 372-378.5], SM QCS.									"
		362.3-362.7 QCVT.									
391.5	410.2	BL 2DQ W FOL @ 20°CA, LOC W SHZ, MED-COAG, SM QCTS	8863	401.2	406.2	5.0	TR				TR
			8864	406.2	410.2	4.0	0 02				TR
410.2	434.6	SH ZN W TO M SHD @ 30 TO 50°CA, MAINLY @ 2DQ + CHLO SER									
		+ QCT BRE VEIN									
			8865	410.2	410.7	0.5	0 01				TR
		410.7-412.6 QCT BRE	8866	410.7	412.6	1.9	0 01				TR
		50% QCT VT,	8867	412.6	414	1.4	0 03				
		414-415.9 POSS B DK, MG, CARB + CHLO	8868	414	415.9	1.9	TR				
		415.9-417.5 QCT BRE, SM Py Spk	8869	415.9	417.5	1.6	TR				Py 0.1%
		417.5-423.5 BL 2DQ GYSH, ± FOL @ 5-10°CA, SM Py Spk	8870	417.5	420.3	2.8	0 01				Py 0.1%
		-10% QS	8871	420.3	423.8	3.5	TR				Py TR
		SOME Py SPK	8872	423.8	425.5	1.7	0 01				Py 1%
		-30% QT (CHLO VT,	8873	425.5	426	0.5	TR				Py 0.5%
		426-427.3 QCT BRE	8874	426	427.3	1.3	0 01				Py TR
		-50% QFVT	8875	427.3	429.2	1.9	0 02				Py TR

L4/21.8'

L4/38.4'

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-228

SHEET NUMBER 3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED Dec 21-86

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		429.2-430 8 TOUR-Q-C VEIN, FINE SCH Py	8876	429.2	430 8	1.6	Tr				Py, Tr
		430 8- 431.6 BOS B DIKE, VEIN, ADHA, 5-10% CS, HOD ALTD + CARB + U SX	8877	430.8	4335	2.7	Tr				Py Tr
			8878	4335	431.6	1.1	0.01				
431.6	440	BL 2DQ, GYSX, MEG-COARG, W FOL @ 30-40°CA, (FIG 431.6-435)	8879	431.6	439.6	5.0	Tr				
440	481	BL 2DQ, GLISH, MSS, COARG, 475.4-476 DK GR, GRANUL, ADHA, B									
481		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FENDER

HOLE NUMBER D-262

SHEET NUMBER 1/2

TOTAL DEPTH 273

WORKING PLACE 200 E

SECTION 17600E

LOGGED BY J BRAULT

DATE LOGGED JAN 21-87

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT.N— 11851N DEP.E— 17600

ELEVATION

AZIMUTH 180°

DIP FLAT

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1": 20'

1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	131.1	20Q, TUF MSS, COAG, COARSELY LAMINATED, 50-65% F, 30-40% HORN, FW @ 0.2%C' OCC WITH MN M SEG, OCC EPIZ BDS, B, SM QS 11-88 CLCK									
131.1	137.4	BL 20Q, GYSH, MSS, MEG, MCARB, B.									
137.4	196.1	MAIN SHZN, °W TO M @ 60°W									
		137.4-145.1 BDK, GESH, (*) FIG, 10% CHLO MATRIX, 5-15% IKR C OR OCC Q INJECTIONS, POSS BL 20Q INCL (MEG), B.	8333	137.4	142.4	5.0	TR				—
			8334	142.4	145.1	2.7	TR				—
		145.1-146.7 BL 20Q, GYSH, MEG, W SHZ @ 60°CL, SM Py TR	8335	145.1	146.1	1.6	TR				TR
		146.7-193.8 MIQV, OCC WITH SER BL 2DQ INCL, 3-5% IKR TOUR STR, 3-5% H SER SCHIST WITH Py, OCC WITH SCTT Py									
		80% BL 2DQ SHD	8336	146.7	148.9	2.2	0	02			Py 0.3%
		30% SER BL 2DQ INCL	8337	148.9	151	2.1	0	01			Py 0.2%
			8338	151	152.5	1.5	0	04			≤ 1%
		20% M INCL, SER	8339	152.5	153.5	1.0	1	32			≤ 2%
			8340	153.5	158.5	5.0	TR				—
			8341	158.5	160.6	2.1	TR				TR
		50% M INCL, SER	8342	160.6	162.7	2.1	0	01			≤ 1%
			8343	162.7	165.2	2.5	TR				TR
			8344	165.2	167.3	2.1	0	08			≤ 0.8%
			8345	167.3	168.3	1.0	TR				≤ 0.5%
			8346	168.3	171.6	3.3	TR				—
			8347	171.6	173.8	2.2	0	01			≤ 0.5%
			8348	173.8	175.8	5.0	0	01			≤ 0.5%
		20% MINOR, H SER	8349	175.8	177.3	1.5	0	01			≤ 0.5%
			8350	177.3	182.3	5.0	TR				TR
			8351	182.3	186.6	4.3	0	02			TR
		50% SCHIST	8352	186.6	188.4	1.8	TR				≤ 0.5%
			8353	188.4	189.3	0.9	0	01		Py 0.5%	1% Py
			8354	189.3	190.5	1.2	0	01			≤ 0.5%
		60% CHLORITIC SCHIST	8355	190.5	192.8	2.3	0	01			≤ 1%
		BRECCIATED, 10% TOUR	8356	192.8	193.8	1.0	TR				≤ 1%

0.212 oz/ton

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-262

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
		193.8 - 196.7 BL 2DQ, W SHD @ 40°, PyTR	8357	193.2	196.7	2.9	TR				TR
196.7	207.6	BL 2DQ, MSS, TYP, COAG, OCC W FOLIATED, C, LOC HEMATIZED, M CARB,	8358	196.7	202.1	5.5	0 01				
207.6	223	2DQ, MSS, COAG, TYP, OCC W EPID, C									
223		END									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-263

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 206

WORKING PLACE 800E

SECTION 17600

LOGGED BY JBR

DATE LOGGED JAN 21 87

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N— 11944 DEP. E— 17600

ELEVATION

AZIMUTH 180°

DIP +19

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
0	117.2	20% MSS, COAG, TYP, SM ↕ SEG, MN ENVR BANDS W ↕ SPACE A LT'N 53-63, B.									
		80.1 - 81.4 ↕ INC, GESH, AHA, 40% QC VT ± BRE,	8359	80.1	81.4	1.3	Tr				—
117.2	123.6	BL 20Q, GYSH, MSS, HARD, CHLO + CARB, SM C STR,									
		118.9 - 120.2 BLK, W SHD @ 30°C, GESH, 5-10% CARB INJ —, B	8360	118.9	120.2	1.3	Tr				—
123.6	165.5	SHZN W TOM SHZN @ 70°, LOC CONCORTED.	8361	120.2	123.6	3.4	Tr				Tr
		123.6 - 126.2 BL 20Q OR DK, FIG, GYSH, CHLO↑SER, 15% QC STR, FW SCTT Py	8362	123.6	126.2	2.6	Tr				Py 0.1
		126.2 - 152.5 MI QV, WITH UP TO 20% BL 20Q ↕ SER INCL, 1-3% TOUR STR, SM Py SPECK NOT IN ALL SECTION.									
			8363	126.2	127.6	1.0	0	05			Py 1%
		127.6 - 128.7 BL 20Q INCL, W SHD, COAG, Py TR	8364	127.6	128.7	1.1	Tr				Tr
		40% 20Q INCL, SER,	8365	128.7	129.7	1.0	0	03			Py 0.5%
		10% SER SCHIST, ± BRE	8366	129.7	130.9	1.2	0	01			Py 0.5%
		TOUR 20%	8367	130.9	131.9	1.0	0	10			Py 1%
			8368	131.9	133.4	1.5	0	03			Py trPy T
			8369	133.4	134.7	1.3	0	01			Tr
		134.7 - 139.3 70% ↕ SER BL 20Q INCL WITH DISS Py	8370	134.7	136	1.3	0	01			Py 0.5%
		- 50% Q	8371	136	137	1.0	0	04			Py 0.5%
		MX ASS WITH SER MAINLY 30% Q	8372	137	138	1.0	0	11			Py 2-3%
		30% Q	8373	138	139.3	1.3	0	03			Py 1%
		B SECTION	8374	139.3	142	2.7	0	01			Tr
			8375	142	143	1.0	0	01			Tr
			8376	143	143.4	0.4	Tr				Py 0.5%
			8377	143.4	148.4	5.0	Tr				—
		60% 20Q BL INCL, COAG	8378	148.4	151.5	3.1	Tr				Tr
		20% SER INCL, Py 0.5%	8379	151.5	152.5	1.0	0	01			Py 0.5%
		152.5 - 165.5 BL 20Q, W SHD @ 65° CA, MEG TO COAG, DCC FEG, M CHLO + SER, CARB	8380	152.5	156.5	4.0	0	01			
		156.5 - 157.5 LC									
		157.5 - 159 90% QV, W CHLORITE	8381	157.5	159	1.5	0	01			Py Tr
			8382	159	162.8	3.8	0	01			Py 0.5%
		162.8 - 163 AND 163.5 - 165.5 SMOKY QV	8383	162.8	164.3	1.5	0	01			Py Tr
			8384	164.3	165.5	1.2	0	02			—

FC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8263

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
165.5	172.0	BL 2QZ, GYSH, MSS, COAG, TYP CHLO + CARB, B. SM CARB STR	9375	165.5	170.5	5	NL				—
172	206	2+2 MSS, COAG, 60/F, 35/H, FW QEYES, MN MSEG,									
		VEGH W EARZ (172-185) AND TYP (185-206). B									
		200-202 BL, + MSEG.									
206		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-264

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
		— 10'/M INCL, 10'/TOUR	8259	211.8	216.4		TR				TR
		216.4-219.2 BC 2DQ INCL, WSHD, LOC ± ARE, 80'/ QC STR + UT, SPARSE SCTTR/.	8260	216.4	219.2		0 01				TR
				219.2							
			8261	219.2	220.2		0 01				R.S.S
			8262	220.2	222.6		TR				—
		By ASS WITH SEC	8263	222.6	223.6		0.04				By ASS
			8264	223.6	226		TR				—
			8265	226	227		0 01				TR
227-	230.7	BC 2DQ, GYSH, WSHD C 30-45° CC/C/ARE.	8266	227	230.7		TR				
230.7	236.5	BC 2DQ MSS CONG B.									
236.5	301	2DQ, MSS, CONG, TR/B, BLCK 238-241.									
		241-249 LOST CORE.									
		249.7-250.6 MSS									
301		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERBER

HOLE NUMBER 8-264

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED Feb 03

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH

DIP

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	126.9	ADQ, MSS, COAG, ± 7%, M CHLO H, OCC E, SM MSEG, B.									
		91.6-92.5 MSEG									
		102.8-111.3 BL ADQ, OCC W FOL C 50°	8235	108.8	111.3		0 02				
126.9	143	ADQ, (MORE MAFIC THAN 0-126.9), DARK, MESO-MELA, FW EPDZ STR.									
		TO MEG									
143	154.6	B UK OCC WITH PHEN, SM ALGING, APHA, CHLO-CARB, W SHD	8236	143	145	2.0	TR				
154.6	158.8	B UK, GREENISH, APHA, 10% IRR CARB INJ, W SHD @ 50° A	8237	154.6	158.8	4.2	TR				
158.8	160	BL ADQ, GYSH, W SHD @ 50°A, M CHLO+CARB+SER, SCTT Py	8238	158.8	160		TR				
160	174	BL ADQ, GYSH, MSS, COAG, CHLO+CARB, S,									
174	227	SH ZN, W TO M SHD @ 50°A., MANY BL ADQ+QV.									
		~174-175.9 W BL ADQ,	8239	174	175.9		TR				Py TR
		~175.9-177.9 W TO M BL ADQ, 2-4% QSTR, FW Py Spck	8240	175.9	177.9		TR				Py TR
		177.9-227 QV, MI, 2-4% SMALL TOUR STR, SM BL ADQ INCL, OCC WELL SER ADQ, OCC SCTT Py.									
		@ OCC WITH 10-20% FELD INCL. 20% MH SER INCL WITH Py	8241	177.9	179.7		TR				Py 0.1%
		179.7-181.8 BL ADQ INCL, MSS, M CHLO+SER, FW Py	8242	179.7	181.8		0 01				Py 0.1%
			8243	181.8	182.8		TR				Py TR
		30% BL ADQ, H SER INCL →	8244	182.8	184.2		0 01				Py 1%
		184.2-186.3 AS 179.7-181.8	8245	184.2	186.3		0 01				TR
			8246	186.3	187.3		TR				Py 0.2%
			8247	187.3	188.8		TR				—
			8248	189.8	191		TR				Py 0.3%
		15% SER	8249	191	193.1		0 01				Py 1%
		193.1-194.3 BL ADQ INCL, W-M SHD, SCTT Py	8250	193.1	194.3		TR				Py 1%
			8251	194.3	195.8		TR				TR
		195.8-198.2 AS 193.1-194.3, 20% QCF STR,	8252	195.8	198.2		TR				TR
			8253	198.2	199.3		0 03				Py 1-2%
			8254	199.3	202.5		0 01				TR
		202.5-203.8 70% BL ADQ INCL, MSS,	8255	202.5	203.8		TR				Py 0.5%
			8256	203.8	205.8		TR				Py TR
			8257	205.8	210.8		TR				TR
			8258	210.8	211.8		0 07				Py 2-4%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FORDHAM

HOLE NUMBER 8-266

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 295

WORKING PLACE 150 MAIN

SECTION 12250E

LOGGED BY NAR

DATE LOGGED 28-01

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 10550N DEP.E— 12250E

ELEVATION

AZIMUTH 229°

DIP 0°

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
0	38	BDQ, MSS, HARD, CORG, I TYP, 20% F, 40% CHL H, FW & STR, LOC GN & EPID.									
		12-13 LC									
38	56.7	SHZN, W SHD & 45-50°A, [illegible] MSS,									
		F, INJECTED BY IRR QC V, M K-SPAR ALT.	8217	38	40	2.0	TR				—
		40-43 LC									
		43-56.7 20% IRR QC V.	8218	43	48	5.0	TR				—
			8219	48	50	2.0	TR				—
			8220	50	53	3.0	TR				—
			8221	53	56.7	3.7	TR				—
56.7	60	BC 2BQ, MSS, M K-SPAR ALT' F.									
60	118	2BQ, MSS, I TYP, F, LOC BLCK, IRR QC STR A									
118	139	BC 2BQ, GYSN, SIL, B, ARG, MSS.									
139	151	BC 2BQ (±).					—				
151	203	BC 2BQ, GYSN,									
		183-192 2BQ, TYP.									
203	219	2BQ, MSS, I TYP.									
219	269	BC 2BQ, MSS, TYP.									
		253.8-257 30% QC CHL BRC. IN SMALL FT.	8222	253.8	257	3.2	TR				
269	287	2BQ, MSS, LOC I W BC.									
287	295	W SHD 2N & 30-40°A.									
		287-295 BC 2BQ, MEG, NICHOLS CORE	8223	287	290	3.0	TR				
			8224	290	293	3.0	TR				
			8225	293	295	2.0	0	01			
295		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERVRAER

HOLE NUMBER B-270

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 651

WORKING PLACE

SECTION 17600

LOGGED BY J. BRAULT

DATE LOGGED FEV

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 1184N DEP.E— 17690E

ELEVATION

AZIMUTH 180

DIP -48°

DIP TESTS (TRUE DIPS)

AT 150 ° -48°

AT 400 ° -48°

AT 600 ° -44°

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

SECTIONS 1"=40' → VERTICAL LONGITUDINAL

1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM.
0	146.2	2DQ, MSS, COAG, TYP, FW MSEG, 50-60% F, 30-5C/CHL H, 5-C/BOBYC, CARB ALONG FOL-LINE,									
		G5-69 M SEG (AC SHEARED)									
		112-114 M SEG 20/CHL H.									
146.2	181.4	MAFIC 2DQ, (LARGE M SEG) MOD 50-60/CHLO									
		1/2" QC STR,									
		168.4-168.7 SIMILAR TO ABV, REDUC, 5/CSTR, MINOR SHD & 2DQ.	8266			1.0	TR				
		-2 VARS NOT	8268	178	181.4	3.4	TR				
181.4	233	2DQ, MOD CHL (5-10%)									
		191.7-198.8 M SEG (AC SHEARED), 10/BLUE QTZ,									
		198.8-200.1 QTZ VN SHD @ 60°CA	8269	198.8	200.1	1.3	TR				
443	449.8	2DQ, MSS (C-146?). (LOC 2DQ 2FT 40°, SMEARED MINERALS,	LOC								
		SHD 428 AT 20°									
		20°-30°									
		428-431 ± QC.									
		340-342 ± QC									
449.8	459.5	BL 2DQ GYSH, MSS, COAG, LOC W FOL, 2% CARBING.	8279	454.5	459.5	5.0	TR				TR
459.5	476.6	SH ZONE (NO QTZ VEIN)									
		MAINLY BL 2DQ, W TO M SHD @ 20-30°CA, M CHLO & CARB, LOC H SER (ALTN WITH P), 1-3/QC STR.	8270	459.5	462	2.5	TR				—
			8271	462	463.5	1.5	TR				—
		463.5-465 W SHD, W SER, 5% FINE PY, MEG, SM SHEARED	8272	463.5	465	1.5	TR		0.01 1/13.1'		PyTR
			8273	465	466	1.0	TR				Py 0.5
			8274	466	467	1.0	TR				Py 1%
			8275	467	468.2	1.2	0	15			Py 2-3%
			8276	468.2	469.5	1.3	0	01			Py 0.5%
476.6	476.5	BL 2DQ AS (449.8-459.5), 2-3/CSTR, 3	8277	469.5	473.6	3.1	0	01			TR
					477.5	3.9	TR				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-270

SHEET NUMBER 8/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO	REM
476.5	615	2DQ AS 198.8-419.1, occ w EPDZ FLD,									
		496.3-497.6 MSEG, 20% HORN, 10% FELD, POSS 2% BT									
		1.0" Sharp CONTACT									
		527.6-532.8 M DK GRYSH, SILICOUS, RARE,									
		HARD, 2-4% FLD PHEN. UPR CON @									
		15°CA, LOW CONTACT @ 20°CA									
		APPROX EOH									
		[illegible]									
OC 651		EOH									

CC-273

LES MINES BELMORAL LTEE

PROPERTY FERGUSON

HOLE NUMBER B-271

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 769'

WORKING PLACE 800

SECTION 17350

LOGGED BY J.BRUNET

DATE LOGGED 7-4-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11765.5 DEP.E— 17350

ELEVATION

AZIMUTH 180

DIP -45°

DIP TESTS (TRUE DIPS)

AT 0 -44°

AT 500 -41°

AT 700 -41°

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

LONGT=1"=40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
0	324	200, MSS, ± TYP, 60% F, 30-35% H, 5% QTZ'S, 5-14 ENE, BLCK.									
		57-62 MSEG, FIG-MOG, 2 (WSHD @ 60°CA, 57-59)	11255	57	59		0 01				—
		169-171 BL									
		169.5-169.7 QC VT									
		196-199.6 MSEG ± FOL.									
		284-287 FELDSPAR DIKE, MSS, 5% F phen, 3% C STR, B									
324	345.3	BL 20Q, CONG TO POR, MSS, ±SER, TYP.	11256	341	345.3		TR				
345.3	360.5	SH ZN W TO MOD SHD @ [illegible]°CA,									
		345.3-348.3 BL 20Q, MSHD, MEG, MCHL+SER,	11257	345.3	346.6	1.3	0 01				
		10% QSTR	11258	346	347.3	1.7	0 02				
		348.3-352.7 QTC BREC, FRAG ≤ 3cm,	11246	348.3	350.3	2					
		2-3% SER SHRT, OCC VUGGY							LV 1/8.3'		
		FINE PY ALONG FRAG CONTACT	11259	350.3	351.3	1	0 02				0.5%
			11260	351.3	352.7	1.4	0 01				TR
		352.7-355.5 MSHD, 40% CHL+SER SHRT (TALC)	11261	352.7	354	1.3	0 06				0.2%
			11262	354	355.5	1.1	0 01				—
		355.5-356.8 QVN, 10% CHL+SER SHRT	11263	355.5	356.8	1.0	0 01				TR
		356.8-360.5 BL 20Q, DARK, W-MSHD, 5% QTZ, MCHL+CARB	11264	356.8	360.5	3.7	0 02				—
360.5	368.3	BL 20Q, MSS (WSHD 360.5-364), STR CONG TO POR, B.	11265	360.5	364	3.5	0 01				—
368.3	561	20Q, MSS, ± TYP, 40-60% F+D, 30% CHL HORN, FW QEYES, B.									
		402-402.4 QVT B									
		475-487 BL 20Q TYP									
		524.8-529 BL 20Q TYP									
		536-538 QV, B,									
561	582	BL 20Q, MSS TYP, 5% QVT W FOL TO ENDSET									
		574- W FOL, CONG									
582	588	SH ZN MOD TO STR SHD (582-588) @ 30-40°CA, F, ONY									
		MSHD 584-588, MAINLY BL 20Q, M SER + CHL ±ONY	11267	582	584		0 01				
		FRACTURE-ST	11268	584	586		0 01				
588	590.7	BL 20Q AS 561-582, W FOL,									
590.7		BL 20Q, MSS, COAG,	11269	588	590.7		0 01				

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER ...

SHEET NUMBER ...

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED 7/4/87

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
559	604	QL ZVQ MSS TO CHL GN 30°CA, 2% DC STR	11271	559	604	5.0	0 01				TR
604	614	SH ZN W-M SHD C 50-60/									
		604-608.4 BL ZVQ, 3-5% QC UT.									
		605.5-606.3 QTZ BRX C	72	604	606.3	3.3	TR				03%
		608.4-612.7 QTZ BRX C LOCAL WISPY CHL, 5% FUCH.	73	606.3	608.4	2.1	0 01				05%
			74	608.4	611	2.6	0 02				
			75	611	612.7	1.7	0 06				
		612.7-614 BL ZVQ, 1% FUCH DISS.	76	612.7	614	1.3	TR				TR
614	619	QL ZVQ, PEG, W-MOD SER MSS. C	77	614	619	5	0 02				—
			78	619	624	5	TR				—
		624.8-625.3 QV, 5% C FORC	79	624	625.3	1.3	TR				—
		624.7-631.1	80	625.3	631.1	5.8	0 02				—
		631.1-632.2 QC V, 20% QL ZVQ INCL.	81	631.1	632.2	1.1					—
		645-648 10% Q STR + VT									
648	653.2	W SH ZN MAINLY SER QL ZVQ	11282	648	653.2						
653.2	744	QL ZVQ, MSS, COAL-POR, GYSN.									
		657-658.7 F + CLAY IN JOINT FRACTURES	11283	657	658.7						
		701-712.6 BDK, MSS, FIL (SIMILAR TO ABOVE) CHL, SOME QCINJ. B.									
		720.4-722.6 BDK AS 701-712.6 BUT WSHZ 10%	11284	720	723.6						
744	789	ZVQ, MSS, TYP, 5-10% QL EYES, D									
789		EOH									

LES MINES BELMORAL LTEE

PROPERTY TERRIBERRY

DIAMOND DRILL RECORD

HOLE NUMBER 8-272

SHEET NUMBER 1/2

TOTAL DEPTH 794

WORKING PLACE 800

SECTION 17050E

LOGGED BY J. BERRY

DATE LOGGED 2-04-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11672N DEP.E— 17050E

ELEVATION

AZIMUTH 180°

DIP -40°

DIP TESTS (TRUE DIPS)

AT 500' ° -41°

AT 700' ° -41

AT 900' ° -41°

PLOTTED ON PLANS

GEOLOGICAL 1"= 20'

S-T CONT 1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO	REM
0		2UQ, MSS, COAG, 60-65/ F, 30-35/ CHL, SM BL QE, LOC ± W EADZ. SM QC STR									
		30-42 F									
		77-83.6 BL 2DQ.									
		111-112 MSEG									
		187.5-189.5 BL SM QC STR									
189.5	223	2UQ, MSS, COAG, 40-60/ F, 30-50/ CHL, FW QE, SM @ 202 CONT.									
		@ 213.4- LGR, CHLOR ANX, 3/ C STR, B.									
223.4	263	2UQ, MSS, COAG, 40-60/ F, 30-50/ CHL, FW QE, SM MSEG, B.									
263	287.2	BL 2UQ, TYP, MSS 700 W STR, MEG-COAG.									
		276-279 MINOR SPZN, WEAKLY IRR QC STR+VT, WITH	11211	271	276	5.0					TR
		SCTD PY, F, POSS 5/ LC, CHLOR SER	11203	276	277	1.0	TR				0.2/.
		MSHD @ 202 40/ QT STR →	11204	277	278	1.0	0	19	3E.07		1/+2/
		50/ LC →	11210	278	279	1.0	0	02			TR
			11212	279	284	5.0					TR
287.2	473	2UQ, MSS, COAG, WEADZ. B									
		294-306 SHEARED BLK, MSS, 3/ SUBANG F, 2% QC STR B, CHL.									
		319-324 FELSIC DEG,									
		330?- 330.9-334.7 MINOR LG [illegible] @ 50° C									
		365.0-367.2 AS 330.9-334.7 @ 30° CA, VNLC, @ 10°C - CONT/.									
473	495.6	BC 2DQ, MSS, TYP. B.									
495.6	528	SH ZONE WTOM SAD @ 60°C									
		MOSTLY BC 2DQ + MINOR QC BREC.									
		495.6-505.6 BL 2DQ, WEAK SHD, MOD CHL+SER, 5/ QC STR+VT, 15/ QCVT	11213	495.6	500.6	5.0	TR				TR
			11214	500.6	502.7	2.1	1/2				0.1/.
			11215	502.7	505.6	4.9	1/2				TR
		505.6-522 2DQ, ARG-FIG, MOD, MOD CHL, 2/ QCT BREC.	11216	505.6	508.1	2.5	1/2				TR
			11217	508.1	510.5	2.4	TR				TR
		510.5-513.5 QCT BREC, 5/ CHL INCL, MAM FRAG ∠ 3mm	11218	510.5	513.5	3.0	1/2				TR
		20/ QC VT	11219	513.5	517	3.5	1/2				TR
		517-520.5 QC BREC, FRAG ∠ 2cm, 10/ CHL	11220	517	520.5	3.5	1/2				TR
		25/ QC VT	11221	520.5	522	1.5	TR				TR

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 82-12

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO	REM.
		522-524 BL 200 MSS, TP	11[illegible]	522	524.3	2.3	Tr				—
		524.3-526.7 CTQV e 5%, 20% QTZ									
		2-3% PY	11[illegible]	[illegible]	[illegible]	2.4	Tr				Tr
			11[illegible]	526.7	528	1.3	Tr				—
528	529.3	Poss BL, MSS to WSH.									
529.3	555.	BL 200, CONG, MSS, TP.									
		536.6-538.5 1-2% PY, ARG-FIL, WSH/BL @ 60°	11[illegible]	536.6	[illegible]	1.9	Tr				Tr
			11[illegible]	546	547.3	1.3	0.01				0.3%
		549.1-550.4 BDR, ARG, WSH @ 60°									
555.1	568.2	34 2N W-M SHD @ 45-55°, MAINLY ARGT	11[illegible]7	[illegible]	[illegible]	1.0	0.01				2%
		555.1-562 MAINLY BDR, GREEN, ARG-FIL, 10-15/QC STR in									
		ALL DIR.	11[illegible]8	555.1	558.9	3.9	Tr				—
		20/QC STR →	11[illegible]29	558	561	2.0	Tr				—
			11[illegible]30	561	566	5.0	Tr				—
			11[illegible]31	566	568.2	2.2	Tr				—
568.2	573	BL 200 MSS, CONG, 10/BL QTZ, SIL, B.									
573	794	200, MSS, CONG, LEV, TP B									
[illegible]		[illegible] BL									
		782-789 BL									
794		EOH									

EC-273

LES MINES BELMORAL LTEE

PROPERTY FERVERBET

HOLE NUMBER 8-274

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 353'

WORKING PLACE 700 EST

SECTION 17600

LOGGED BY NSR

DATE LOGGED NOV.28-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11851 DEP.E— 17600

ELEVATION

AZIMUTH 180°

DIP -26°

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20' S.T (CONT 1"=40'

1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	I	II	II	AVE	II SAMPLE NO	REM
0	126	2DQ, MSS, MOD, TYP, 50-60% F, 20-40% CHLO MX, SER, DISS, N.V. MSEG, OCC [illegible], FW QCS, B, OCC [illegible].											
Bmx	126	2DQ, MSS, TYP.											
		123-125 F AND BLK.											
126	164.3	BL 2DQ, LOC ± CL, MEG, MESO TOMELA, M CHLO, SM QC STR, SM ELPZ RIB											
		159-159.2 QVT.											
		159.2-162.5 BOX, GESN, FIG-MEG, CHLO+CARB, LOC W SUL @ 30°CA.	8954	159.2	162.5	3.3	TR						
164.3	179	2DQ, LOC ± TYP, CHLO WISPY DARK SECTIONS, 50% GDDZ F, 40% CHLO MRX, 5-7% BQE'SET, 3-5% C STRS, ± .											
179	200.2	BL 2DQ (MSE 179-195), FOL @ 50-65°CA, CORE, SM QC INJECTIONS.											
		195 [illegible] LOC SIL [illegible] CARB.											
200.2	279	MAIN SHZN W TO MOD, SHD @ 40°CA.											
		200.2-203.1 BL 2DQ MSEG, CORE, CHLO+CARB, SM QCS, FW Py SPKL	8955	200.2	203.1	2.9	TR						Py TR
		203.1-204.7 BL 2DQ, M-MSEG, MEG, M CHLO+SER, MOR, 5-10% QTC S, SCTT Py SPKL.	8956	203.1	204.7	1.6	0	01					
		204.7-[illegible].9 QV, MI, LOC WISP 2-5% TOUR, 5-10% BL 2DQ (MSE) INCL, M-H CHLO+SER WITH Py, 3-4% IRR CAL STR OR VT,											
		TOUR 1%, Py 0.5%	8957	204.7	205.7	1.0	TR						0.5
		TOUR 2-3%, Py 0.7-1%	8958	205.7	207.4	1.7	TR						0.7-1
		208.3-208.8 CHLO VT.	8959	207.4	210.4	3.0	TR						TR
			8960	210.4	212.2	1.8	TR						TR
			8961	212.2	212.7	0.5	TR						Py 0.7%
		212.7-214.6 60% BL 2DQ M-MSEG INCL, SCTT FINE Py, TOUR 5%	8962	212.7	214.6	1.9	0	10					
			8963	214.6	216.3	1.7	TR			0.027/	782'		—
		TOUR 5%	8964	[illegible].3	[illegible].3	1.0	[illegible]	[illegible]					Py 5%
			8965	[illegible]	[illegible].3	5.0	TR						—
			[illegible]	[illegible].3	224.8	2.5	TR						—
		224.9-230.2 LOC ± BOX, 10% CAL [illegible] YELLOW, 10% TOUR	[illegible]	[illegible].8	[illegible].3	1.5	0	01					Py 0.5%
			8968	[illegible].3	[illegible].1	1.8	TR						Py 0.5
			8969	238.1	239.2	2.1	0	01					

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER B-274

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION
		W-M SHD
		230.2-233.7 BL 2DQ INCL, FIG, SIL, MEDR, 10/ QC INCL,
		-30/ BL 2DQ INCL, M-H CHL+SER
		-60/ " " " " +PY
		-3/. BL 2DQ INCL, MSHD, CHL+SER
		248.3-257 50-60/. M INCL (CHLO, BL 2DQ W-MSHD), CAR, TOUR
		TOUR 5/.
		TOUR 20/
		266.9-268 M-H SHD @ 25-40°CA, 20/. Q VT,
		268-279.8 BL 2DQ, FIG-MEG, MICHLO+CARB, CORE [illegible]
		278-279 BDK, DARK GEN, M SHD @ 10-20°CA, 20/.
		IRR CARB INJ, APHA.
		275.3-276.8 BLCK+F
279	285	BL 2DQ, GY/SV, COAG, TYP B
285	353	2DQ, MSS, COAG, TYP, SM M SEG, B.
		302-305.5 2DQ BDS
353		EOH

I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
8970	230.2	233.7	3.5	TR				
8971	233.7	235.5	1.8	0.02				5-30/
8972	235.5	236.9	1.4	0.50				PY 1-2%
8973	236.9	241.9	5.0	TR				-/TR
8974	241.9	246.6	4.7	TR				PY TR-1%
8975	246.6	248.3	1.7	TR				1/0.3%
8976	248.3	253.3	5.0	0.02				PY TR
8977	253.3	255	1.7	TR				PY 1%
8978	255	257	2.0	0.01				TR
8979	257	262	5.0	0.01				—
8980	262	265.9	3.9	0.01				—
8981	265.9	266.9	1.0	0.02				PY 0.5%
8982	266.9	268	2.9	TR				-/TR
8983	268	274	6.0	TR				
8984	274	278	4.0	TR				
8985	278	279	1.0	TR				

LFC-279

LES MINES BELMORAL LTEE

PROPERTY FELDBER

HOLE NUMBER 8-275

SHEET NUMBER

DIAMOND DRILL RECORD

TOTAL DEPTH 204

WORKING PLACE 7-53-150

SECTION 17600E

LOGGED BY JBR

DATE LOGGED 86-01-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11851N DEP.E— 17600E

ELEVATION

AZIMUTH 180

DIP +37°

DIP TESTS (TRUE DIPS)

AT ..... °

AT ..... °

AT ..... °

PLOTTED ON PLANS

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZS GOLD PER TON I	ASSAY OZS GOLD PER TON II	ASSAY OZS GOLD PER TON AVE	II SAMPLE NO	REM.
0	113	2DQ, MSS, CONG, TYP WITH SM SCT I TYP, 50-70% F, 30-40% CHLO HORN, 1-5% B QLVES, LOC I WEAK 32-34 M SEG 39-42 M SEG 59-59.7 M SEG MEG, 64-64.5 B DK, FIG, GREENISH B. 79.3-81 M SEG + 20% QUT.									
113	116.5	BC 2DQ SLSH, MSS, CONG, B.									
116.5	135.9	SH 2H, W TO OCC M SHD @ 90°A.									
		116.5-118.3 B DK W-M SHD @ 90°A, ADVN, 1% IRR QC INJ.	8395	116.5	118.3	1.8	0	01			
		118.3-120.3 BC 2QV INC, MSS, MEGB, M CARB,	8396	118.3	120.3	2.0	0	01			
		~~118.3-120.3~~ DDK AS 116.5-118.3 120.3-123	8397	120.3	123	2.7	TR				
		123-126 QCV, OCC ± BRE, SMK, MSH → 10% CARB, 10% CHLO+SER.	8398	123	124	1.0	0	10			REV.
			8399	124	125	1.0	0	07	0.077/5.1'		TR
			8400	125	126	1.0	0	03			TR
		126-134.7 BC 2DQ, MSS TO OCC W / QUARTZ @ 60-70°A, M CHLO+SER, M CAR, MEG TO CONG, SCTT PY 127.8-128.7 60% SMOKY QT UT, SCTT PY	8401	126	127.8	1.8	0	06			PY, VN
			8402	127.8	128.7	1.0	0	14			PY, CPY
			8403	128.7	134.7	6.0	TR				PY, TR
		134.7-135.9 QCV LOC ± BRE, 20% C, 1% CHLO	8404	134.7	135.9	1.2	0	01			VN
135.9	145.1	BC 2QQ, MSS, CONG, SVSH, W C, M CHLO, B.	8405	135.9	140.9	5.0	TR				
			8406	140.9	145.1	4.2	TR				
145.1	149.4	SH 2H W SH2 @ 70-80°CA									
		145.1-146.7 BC 2QQ, SVSH, CHLO M C, SCTT PY	8407	145.1	146.7	1.6	0	02			
		146.7-149.4 QV, SMK, 20% MINC CHLO+SER 2-3% PY+							0.113/4.3		
		occ BX	8408	146.7	147.9	1.2	0	08			PY+-1
			8409	147.9	149.4	1.5	0	24			PY 1-3% CPY, CBN
149.4	155.7	BC [illegible] MSS 60% OR FOL, SVSH, [illegible] 6% INC.	8410	149.4	153.4	4.0	TR				
			8411	153.4	155.7	2.3	TR				
155.7	204	[illegible] Typ. B									
+ 0.1		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY Tennant

DIAMOND DRILL RECORD

HOLE NUMBER 8-276

SHEET NUMBER

TOTAL DEPTH 178

WORKING PLACE 5025

SECTION 17600E

LOGGED BY J. Scott

DATE LOGGED 04-01-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 5025 DEP.E— 17600E

ELEVATION

AZIMUTH 180

DIP +56°

DIP TESTS (TRUE DIPS)

AT °

AT °

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

1"= 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I		II		AVE.	II SAMPLE NO	REM.
0	116.6	2DQ (QTZ DIO), MSS, CONG, WELL XTALINE, TYP, MN BL SCT AND MSEG, SM G STR, B, LOC I 4DDZ 04-87 F,											
		103.4-103.8 QDK, GYSH, ANHD, B											
		106.6-108 BL 2DQ + MSEG.											
116.6	122.5	BL 2DQ, GYSH, TYP, MSS	8994	121	122.5	1.5	TR						—
122.5	134.8	IN 2N W TO OCC M SHD @ 50°↓											
		MAINLY BL 2DQ, GYSH, FG TO MSG, 2-5% QC STR, M CHLO + CARB	8995	122.5	124.5	2.0	TR						TR
		124.5-124.7 QCVT,	8996	124.5	127.1	2.6	0	01					TR
			8997	127.1	129.6	2.5	TR				LV/	1603	TR
		129.6-129.9 QCVT, SMK,	8998	129.6	131.4	1.8	TR						TR
			8999	131.4	133	1.6	TR						5% PY
			9000	133	134.8	1.8	0	02					TR, TR
134.8	137	BL 2DQ AS 116.6-122.5, P	8201	134.8	137	2.2	0	01					
137	152.5	2DQ, ± TYP, MSS, CONG, MED DZ, SM MSEG, 1% QC STR.											
152.5	163	BL 2DQ											
		154.5-156.6 W SHD @ 2DQ, F, 5% QSTR	8202	154.5	156.6	2.1	TR						
			8203	156.6	161.6	5.0	TR						
163	198	2DQ ± TYP, MSS, CONG, LO 4DDZ NEAR UPPER CONTACT, TYP TW END SCT.											
198		EOH											

JFC-273

LES MINES BELMORAL LTEE

PROPERTY Fellowler

HOLE NUMBER B-278

SHEET NUMBER 13

DIAMOND DRILL RECORD

TOTAL DEPTH 509

WORKING PLACE 800

SECTION 17600E

LOGGED BY J Brault

DATE LOGGED Feb 04

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11851 DEP.E— 17600

ELEVATION

AZIMUTH 180

DIP -38°

DIP TESTS (TRUE DIPS)

AT 300' ° -36°

AT 500 ° -33°

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

1"=40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	149.5	200, MSS COAG, TR. 50-70% F, 30-40% C̄ Ø FVL OR NOT B LEVÉS, COAG 60° OCC MEG, MSEG SPOT, 1% Ø STR, B.									
149.5	192	MAFIC DYKE (LARGE MSEG), 1-2% SMALL EPDZ STR INT. 167.8-170.2 B INT, GREEN, MAFIC-MEG, 1-2% QC INT, W SVD.	8280	167.8	170.2						
192	240.4	200, LOC ± W BL, MSS COAG, 2% non P2									

LES MINES BELMORAL LTEE

PROPERTY

HOLE NUMBER 8-278

SHEET NUMBER 213

TOTAL DEPTH 509

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED

DATE FINISHED

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT N— 1135N DEP. E— 7202E

ELEVATION

AZIMUTH 180

DIP -38

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS

GEOLOGICAL 1" = 20'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
SURFACE	0	[illegible]									
240.4	244.4	BL 20Q, Typ. 6%FM.									
244.4	248.3	W SHD BL 20Q @ 50°CA, MEG TO COAG,	7139	244.4	245.6	1.2	Tr				—
		245.6-246.3 Q FLD C BKE, SCTT Py	8140	245.6	246.3	0.7	0	0.02	3.9		2%
			8141	246.3	248.3	2.0	Tr				—
248.3	264.6	BL 20Q, MSS AS (240.4-244.4)	8142	248.3	251.1		Tr				—
		251.1-252 20% QC VG, SM Py	8143	251.1	252		Tr				Tr
264.6	274.6	20Q, MSS, F Typ.	8144	252	264		Tr				—
274.6	287.3	BL 20Q, MSS LGT LOC CW FOL, COAG, B.									
287.3	304	SH EN, W TO LOC M SHD C 40°CA, MNLY BL 20Q, M-CHLT SER, SM QC OR QF VT. SM QINCL.	7145	287.3	288.8		Tr				
		288.8-291 M SHDN, M-H SER, FIG,	8146	288.8	289.8		01				By 0.5
			8147	289.8	291		01				By 1%
		291-299.5 W SHD-, MEG-COAG	8148	291	293.2		01		1.1		
		-SM Py	8149	293.2	294.6		Tr				Py 0.5%
			8150	294.6	299.5		Tr				
		299.5-300.3 30% C VT, 5% T, H SER, 1-2% SCTT Py	8151	299.5	300.3		Tr				Py 1-2%
			8152	300.3	304		01	02	1.7		
304	311.5	BL 20Q MSS TO W SHD	7153	304	309		Tr				
311.5	374	20Q, MSS, F Typ., SM QC STR,	8154	309	311.5		01				
		342.2-343.8 BL									
374	381	BL 20Q.									
381	439.1	MN SH EN W TO LOC M SHD C 50°CA, MNLY MASS WT + QV.									
		381-387.7 BL 20Q, W-M SHD C [illegible], M CHLO + M QR, SM QTC VT.	7155	381	384		001				
		384-387.7 20% QC VT,	8156	384	387.7		001				
		387.7-423.6 QV, Mi, (391.8-403.8) QT BKE + FOL,	8157	387.7	391.4		Tr				
		TD=25°, [illegible] →	8158	391.4	394.4		Tr				Tr
			8159	394.4	396.4		001				
			7160	396.4	397.4		Tr				Tr
			8161	397.4	401.8		To				

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 8-78

SHEET NUMBER 3/3

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO	REM.
		401.8-408.3 AI MAT SIMILAR TO SCHIST, M SHD, FIG, 20% QC VT, B									
			8162	401.8	406.8		TR				
		408.3-412.7 50% M INCL, (GL ZOQ),	8163	406.8	408.3		TR				
		412.7-417.2 MI QV, B	8164	408.3	412.7		TR				
			8165	412.7	417.2		TR				
		417.2-419.6 BL ZOQ, W-M SHD, CHL+SER+SIL.	8166	417.2	419.6		TR				
		419.6-421.3 QV, 30% SER+CHLO	8167	[illegible]	421.3		0.01				PyTR
			[illegible]	421.3	422.2						PyTR
		422.2-423.6 QV, 6VSH, 30% ZOQ INCL,	[illegible]	[illegible]	423.6						
		[illegible]		[illegible]	[illegible]						
		[illegible]		[illegible]	[illegible]						
		[illegible]									
			8171	436.2	438.2						
436.1	441	BL ZOQ, F.									
441	509	ZOQ, MSS, ±TYP. B, LOCT BL									
		477.4-481 BL									
509		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FER DE BEC

HOLE NUMBER 8-279

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH 323

WORKING PLACE 700E

SECTION 17500E

LOGGED BY L'HEAULT

DATE LOGGED 31-05-87

DATE FINISHED -

CO-ORDINATES COLLAR

LAT.N— 11804N DEP.E— 17502

ELEVATION 9248

AZIMUTH 180°

DIP -28°

DIP TESTS (TRUE DIPS)

AT 200 -27° o

AT 320 -26° o

AT ... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 50'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM
0	70	2UQ, MSS, TYP, MEG-COAG, SM LOCAL M SEG									
70	81	B DK, MSS, FIG, GREENISH GRA, SOME FINE EPID STR, B,									
81	104	2UQ, MSS, LOC ± BL,									
		9 93.4-96.1 BDK OR MSEG, 5-7% DARK INCL.									
104	119.7	BL 2UQ, MSS, TYP. 2-5% IRR QC STR.									
		104-107 MSS TO W SHD, 1% C STR	11135	104	107	3.0	Tr				
		110.5-111.4 B DK, MSS, CHLO, 10% CARB INT, B,									
		116-116.6 85% QV, 20% MINCL	11136	116	116.6	0.6	Tr				
		1177-1185 QV, 10% MINCL B	11137	116.6	117.7	1.1	Tr				
			11138	117.7	118.5		Tr				
119.7	138	2UQ AS 0-70 BUT W EPHZ.									
138	153	BL 2UQ, MSS TO LOCALLY W SHD 20% OF SECTION, SM C INT									
			11145	145.2	147.2	2.0	Tr				Tr
			11146	147.2	149	1.8	Tr				Py 1-2%
		149-153 W SHD E 20-30° CA.	11147	149	153	4.0	Tr				Tr
153	188	2UQ, MSS, COAG TO POR, SM EPOZ BDS.									
188	195.6	BL 2UQ, MSS, TYP B.									
195.6	211.7	SH ZN W TO OCC M SH ZN E 60°CA. MAINLY BL 2UQ + QV.									
		195.6-207.2 W SHD BL 2UQ, 5% QC STR	11148	195.6	196.8	1.2	Tr				—
		WELL SERICITIZED →	11139	196.8	197.7	0.9	Tr				—
		197.7-198.7 60% QV + 40% H SER SHIST	11140	197.7	198.7	1.0	0.04				0.5%
			11141	198.7	199.6	0.9	Tr				0.1%
		199.6-203.6 QV + 5% T SCTTPy NEAR UPPER CONTACT.									
			11142	199.6	200.6	1.0	0.02				0.2%
			11143	200.6	201.6	1.0	Tr				Tr
			11144	201.6	203.6	2.0	Tr				—
			11145	203.6	204.4	0.8	0.02				—
		206.9-207.2 QV, W SER NEAR CONTACT	11150	204.4	207.2	2.8	Tr				Tr-0.1%
		207.2-211.7 BL 2UQ W SHD TO MASSIVE, MSS	11151	207.2	211.7	4.5	Tr				—
211.7	248.6	BL 2UQ, MSS COAG SM F SEG									
			11152	224.2	225.7	1.5	Tr				0.1
		225.7-227.1 FELSIC SEG	11153	225.7	227.1		Tr				Tr
			11154	248	248.6	0.6	Tr				Py 0.1%

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER E-279

SHEET NUMBER 2/2

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

DIAMOND DRILL RECORD

CO-ORDINATES COLLAR

LAT. N— ..... DEP. E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT .....°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO	REM.
248.6	255	B DK GREENISH MSS TO WKD WITH 5-10% BL ZND INCLUSION, SM QC STR, occ Pyspck.	11155	248.6	250.5	1.9	TR				TR
							1				
		250.5-251.5 20% QC INJECTION	11156	250.5	251.5	1.0	TR				Py. 5-1%
		- 5% QC STR	11157	251.5	255.5	4.0	TR				TR
255	261.7	BL ZDQ MSS. B									
261.7	265.7	BL ZDQ MSS TO WKD, MEG, M CARB, B.									
265.7	305	SH ZONE W SHDE 40°CA. MAINLY BL ZDQ + QV	11158	261.7	265.7	4.0	TR				TR
		265.7-277.7 BL ZDQ, W-SHD, 2-6% QC T STR.	9	266.7	270.7	4.0	TR				TR
			60	270.7	275.7	5.0	TR				TR
			11161	275.7	277.7	2.0	TR				TR
			11162	265.7	266.7	1.0	TR				0.27
		277.7-301 QV, MI, SM MINOR SER SILIST INCL. 2-5% MINCL.									
			11163	277.7	280	2.3	TR				0.1%
			11164	280	283.6	3.6	TR				TR
			11165	283.6	285.2	1.6	TR				TR
		285.2-286.4 BL ZDQ INC, SHD B	11166	285.2	286.4	1.2	TR				—
		-± BREC WK T.	11167	286.4	291.4	5.0	TR				—
		60% M INCL →	11168	291.4	296.4	5.0	TR				—
			11169	296.4	301	3.6	TR				—
		301-305 BL ZDQ MSHD 70°CA.	11170	301	305	4.0	TR				
305	312	BL ZDQ, COAG, B									
312	323	ZDQ, MSS, ± 7% P, LOC W GROZ.									
323		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERVE PBER

HOLE NUMBER 8-284

SHEET NUMBER

DIAMOND DRILL RECORD

TOTAL DEPTH 431

WORKING PLACE 800

SECTION 17502

LOGGED BY J. BRAULT

DATE LOGGED 24-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— 11804N DEP.E— 17502

ELEVATION

AZIMUTH 130

DIP -36°

DIP TESTS (TRUE DIPS)

AT 250 -35°

AT 400 -33.30

AT °

PLOTTED ON PLANS:

GEOLOGICAL 1"= 20'

Sol Compt 1"=40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE.	II SAMPLE NO.	REM.
0	171	200 MSS, T ZVD									
		75.6 BLK, MSS, [illegible] FIG.									
		77-82 ± BL									
		[illegible] BLK, [illegible] 20R, 4/ [illegible]									
		99-10[illegible] [illegible] B.									
		103.2-103.4 QVT, B									
171	203	BL ZDQ, MSS, M-H CHL, MCARB, 5% BOEYES.									
203	216.5	BL ZDQ MSS [illegible] @ 20-30°CA, M CHL + MCARB, [illegible]									
			11233	210.5	215.5	5.0	TR				TR
			11234	215.5	216.5	1.0	TR				01/
216.5	238	SH ZN W TO MSHD @ 45-60°CA. MAINLY BL ZDQ + QV									
		216.5-221.1 QV, MI, FINE T STR									
		ALONG CONTACT, UPP CONTACT									
		@ 20°CA, 2-5% TOUR,									
		SMPy SPCK	11235	216.5	217.5	1.0	0	10			0.2/
			11236	217.5	219	1.5	TR				TR
			11237	219	220	1.0	0	10			01/
			11238	220	221.1	1.1	1	20			2-4%
		221.1-238 BL ZDQ, ± M-W SHD ANDOR MSS.	11239	221.1	221.9	0.8	0	01	21.5 @ 0.103		1-2%
		221.9-222.6 QCT BREC	11240	221.9	222.6	0.7	TR				TR
			11241	222.6	227.6	5.0	0	02			TR
		- 5% QCT VT, MSHD →	11242	227.6	231.5	3.9	0	02			TR
		231.5-235 QCT BREC, 20% SERICITIZED									
		SLIGHT INCL, [illegible]	11243	231.5	235	3.5	0	06			TR
			11244	235	238	3.0	0	10	→ 0.078	9/6.5	0.1/
238	248	BC ZDQ, MSS TYP									
248	317	ZDQ, MSS, [illegible] (245-260), M CHL 40%, W [illegible] F-									
317	350	BL ZDQ MSS [illegible]									
350	383	SH DOME W-TO MSHD SZN [illegible] @ 25-30°CA									
		[illegible] ZDQ, [illegible] STR, W-M CHL + SER,	11245	350	355.2	5.2	TR				TR
		355.2-360.3 QCT BREC 60/, 30 VOL	11246	355.2	357.8	2.6	0	01			-
		SER SHGT + CHL	11247	357.8	360.3	2.5	0	01			-
			11248	360.3	365.3	5.0	TR				TR
			11249	365.3	[illegible]	1.1	0	01			TR

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER 84-11

SHEET NUMBER 1/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED 7/4

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO	REM.
		369.4 - 375 M-N DIKE	11250	369.4	371	1.6	TR				
		3 m/ 0.05	11251	371	375	4.0	0.02				
			11252	375	377.1	2.1	0.01				
			11253	377.1	383	5.9	TR				
383	396	BC ZONE									
396	431	ZONE MSS TYP. B, 418.5-420 6.2% FS, 8.									
431		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER: E-275

TOTAL DEPTH 204

SHEET NUMBER .....

DIAMOND DRILL RECORD

WORKING PLACE .....

CO-ORDINATES COLLAR

DIP TESTS (TRUE DIPS)

PLOTTED ON PLANS:

SECTION .....

LAT.N— ..... DEP.E— 17500E

AT ..... o

GEOLOGICAL 1" = 20' .....

LOGGED BY .....

ELEVATION .....

AT ..... o

DATE LOGGED 10-03-87

AZIMUTH .....

AT ..... o

DATE FINISHED .....

DIP .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE	II SAMPLE NO.	REM.
		CASING									
126	136.3	BL 2DQ, GRAY, MSS TO COARSELY FOL, COAG, CHLOR CARB, B									
136.3	156.5	SH ZN W TO ± M SHD @ 50°A									
		136.3-145.3 2DQ AND ± BL 2DQ MIXED, COAG TO MEG, W SHD;									
		SCTT Py, MCHLO + OCC SM SER SCHIST DOS. MSS → W SHD →	9582	136.3	140	3.7	TR				Py 1-2%
			9583	140	141	1.0	TR				Py 1-2%
		141-142.2 QTV, 40% BL 2DQ INCL									
		CHLOR SER,	9584	141	142.2	1.2	TR				0.1%
			9585	142.2	144.1	1.9	TR				0.3%
		144.1-145.3 QFVT 60%, 30% 2DQ	9586	144.1	145.3	1.2	0	08			
		INCL, SM Py SPKL (FINE)		~~145~~							1%
		145.3-146.3 2DQ, MSS, B	9587	145.3	146.3	1.0	TR				---
		146.3-151.2 ± BL2DQ + 2DQ, AS 136.3-142.3 (LOT MEG AND MSHD @									
		50°A) SM QVT. 147.7-147 QVT	9588	146.3	149.7	3.4	TR				---
		149.7-149.8 QC VT	9589	149.7	150.7	1.0	TR				0.1%
		150.7-151.2 20% QCSTR WELL SER + Py SPKL →	9590	150.7	151.2	0.5	0	02			5%
		151.2-156.5 QV, SMK, MINOR Py									
		SPKL, CPy TR, SM SER									
		SCHIST INCL	9591	151.2	152.2	1.0	0	02	0.076		0.2% Cpy
			9592	152.2	153.2	1.0	0	16			0.5%
			9593	153.2	154.2	1.0	0	05			TR
			9594	154.2	155.2	1.0	TR				.1%
			9595	155.2	156.5	1.3	TR				TR
156.5	168	BL 2DQ MSS, COAG, DARK, B.	9596	156.5	161.5	5.0	TR				
168	204	2DQ MSS ± TYP, SM MSEG, B.									
204		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FLINDERBAR

HOLE NUMBER B-285

SHEET NUMBER 1

DIAMOND DRILL RECORD

TOTAL DEPTH 204'

WORKING PLACE 17500

SECTION

LOGGED BY NBR

DATE LOGGED 5-03-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT.N— DEP.E—

ELEVATION

AZIMUTH 180°

DIP +59°

DIP TESTS (TRUE DIPS)

AT 200 +56°

AT .....°

AT .....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

1" = 40'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	81.9	2DQ, MSS, TYP, COAG, CHLO WSPN, MESO, OCC MINOR [illegible] CONT. B.									
81.9	94	BL 2DQ, MSS, B. CONT. B.B. BLACK									
94	126	54 ZN [illegible] TO OCC M SHEN @ 45°CA									
		94-96 BL 2DQ, M-COAG, W SHD, B	9511	94	96	2.0	TR				
		96-98.7 BLK, GREEN, [illegible], 5% QCVT 2% CSTR, APHC	9512	96	98.7		TR				
		98.7-103 BL 2DQ, MSS TO OCC [illegible], W-M CHLO B	9513	98.7	[illegible]		TR				
		103-105 B/W OR [illegible]	9514	103	105		TR				
		105-109 [illegible], MSS, COAG	9515	105	109		TR				
		109-110 BLK, 5% QCTR, CHLO, [illegible]	9516	109	110		TR				
		110-111.5 QCVT	9517	110	111.5		TR				
		111.5-121 BDK, GREEN, W SHD @ 60°CA, APHA TO OCC FIG, CHLO, 2-5% FINE CSTR.									
			9518	111.5	115.6		0.01				1% TR
			9519	115.6	119		TR				1-2%
			9520	119	121		TR				0.1%
		121-126 VERY W SHD BL 2DQ, COAG, SM QCVT, B.	9521	121	126		TR				

LES MINES BELMORAL LTEE

PROPERTY FERBERR

HOLE NUMBER [illegible]-89

SHEET NUMBER 2

DIAMOND DRILL RECORD

TOTAL DEPTH 197

WORKING PLACE

SECTION

LOGGED BY

DATE LOGGED 25-03-87

DATE FINISHED

CO-ORDINATES COLLAR

LAT. N— DEP. E— 1697E

ELEVATION

AZIMUTH 180

DIP + 25°

DIP TESTS (TRUE DIPS)

AT 190' +24°

AT °

AT °

PLOTTED ON PLANS

GEOLOGICAL 1" = 20'

LONGT 1" = 1/0'

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	ASSAY OZs GOLD PER TON II	ASSAY OZs GOLD PER TON AVE.	II SAMPLE NO.	REM.
0	55	2DQ, MSS TYP, XCUTTING, M-COAG, B, SM MSEG									
		0-13 F									
		12-13 LC									
55	64	BL 2DQ, MSS TO CONTACT EOL.									
		62-62.2 } BDK, GREEN, ANHY,									
		62.5-63.3 }									
55	147.5	2DQ, AS 0-55 W EPDZ TW END SCT.									
147.5	152.3	BL 2DQ, MSS, TYP, 3/CMB,									
		147.5-148 BLK, ANHY, W SHR @ 70°CA.									
152.3	161.3	SH 2N W TOMOD SHR @ 60-70°CA.									
		152.3-161.3 BL 2DQ, GREY/BRECMSE, W MLD,									
		10/QCSTR	11130	152.3	154						TR
			11131	154	157.3						TR
		157.3-158.1 QCBREC, F, NOFY	11132	157.3	158.1						—
			11133	158.1	161.3						
161.3	170	BL 2DQ AS (152.5-152.3)									
		166.4-166.6 2DK, ANHY W SHR	11134	166	166.6						
170	173.8	2DQ, DARK (MAFIC SEG) AS GABBRO									
173.8	197	2DQ MSS I TYP, I WEPDZ, M-COAG, B.									
197		EOH									

LFC-273

LES MINES BELMORAL LTEE

PROPERTY FERDERER

HOLE NUMBER 8-290

TOTAL DEPTH 362'

WORKING PLACE 700E

SECTION 16975E

LOGGED BY J BRAULT

DATE LOGGED 23 MARS 87

DATE FINISHED

DIAMOND DRILL RECORD

SHEET NUMBER 1/2

CO-ORDINATES COLLAR

LAT.N— 116625 DEP.E— 16975E

ELEVATION 9247

AZIMUTH 180°

DIP -18°

DIP TESTS (TRUE DIPS)

AT 306' — 18°45

AT ....°

AT ....°

PLOTTED ON PLANS:

GEOLOGICAL 1" = 20'

LINE 1+50 E

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZ. GOLD PER TON I	II	AVE	II SAMPLE NO	REM
0	199	20Q, MSS, Typ, MEG-COAG, MESO, 60-70% FLD, 30-35% M, FW BL QZ VNS									
		0-10 BLCK									
		10-12 LC									
		47-485 BLK, MSS, FIG, B									
		75-87 ± W BL 20Q, SM QC STR									
		175.9-186 MICROPORPHYRY DIKE, MSS, GREENISH, 2-4% F MIN. B.									
		196.8-199 BLK AS 47-485 @ 20°CA									
199	209.1	BL 20Q, MSS, COAG, Typ.									
209.1	217	SH ZN ±BL TO W SH ZN @ 60°CA									
		209.1-212.2 M MAT POSS BLK APHA, 20% QC STR, M CHLO, MSAD, PyTR	11001	209.1	212.2	3.1	0 05				TR
		212.2-217 BL 20Q, GRYSH, WSHD, CHLO+LOC SER, FW Py SPK	11002	212.2	215.6	3.4	TR				TR-.2%
			11003	215.6	217	1.4	TR				TR
217	238.5	BL 20Q AS (199-209.1). 1-2% IRR QC STR, ± W SHD TW ENDSET									
		(236-238.5)	11004	236	238.5	2.5	TR				
EL 9168	238.5	260.7	SH ZN W TO MSHZN @ 50-60°CA,								
		MAINLY M MAT + BL 20Q AND QV.									
		238.5-243 BL 20Q, W-MSHD, MEG TO COAG, PyTR	11005	238.5	243	4.5	TR				TR
		243-244.6 60% QF VEIN, 40% M. INCL.	11006	243	244.6	1.6	TR				TR
		244.6-246.6 W-MSHD BL 20Q, 5-10% CONNECTED, MCHLOT CAR, PyTR	11007	244.6	246.6	2.0	TR				TR
		246-258.2 QV WITH 10-20% M INCL OCC									
		M SER AND CHL (Py ASS with Shear)	11008	246.6	247.6	1.0	0 10				.2%
			11009	247.6	248.8	1.2	0 18				.2%
		- 50% M INCL	11010	248.8	250	1.2	0 01				TR
			11011	250	251.5	1.5	0 48				Py1-1.5%
			11012	251.5	252.6	1.1	TR				—
		- 40% M INCL, SER, Py 2-4%	11013	252.6	253.6	1.0	0 36				Py1-2%
			11014	253.6	254.6	1.0	TR				—
		Py ASS with CHL + SER	11015	254.6	255.6	1.0	0 50				.5%
		256.1-257 BL 20Q MSS	11016	255.6	257	1.4	0 01				—
		257.2	11017	257	258.2	1.2	TR				TR
		258.2-260.7 BL 20Q W SHD, COAG, 5% QSTR	11018	258.2	260.7	2.5	0 08				
EL 9158	260.7	276	BL 20Q, MSS, GYSH, BX, SCTT Py (274.1-276).								
			11019	274.1	276	1.1	0 22				Py2%

ge 0.012

LES MINES BELMORAL LTEE

PROPERTY .....

HOLE NUMBER E-290

SHEET NUMBER 2/2

DIAMOND DRILL RECORD

TOTAL DEPTH .....

WORKING PLACE .....

SECTION .....

LOGGED BY .....

DATE LOGGED .....

DATE FINISHED .....

CO-ORDINATES COLLAR

LAT.N— ..... DEP.E— .....

ELEVATION .....

AZIMUTH .....

DIP .....

DIP TESTS (TRUE DIPS)

AT ..... o

AT ..... o

AT ..... o

PLOTTED ON PLANS:

GEOLOGICAL 1": 20' .....

CORE FOOTAGE FROM	CORE FOOTAGE TO	DESCRIPTION	I SAMPLE NO.	FROM	TO	LENGTH	ASSAY OZs GOLD PER TON I	II	AVE	II SAMPLE NO.	REM
		276-322									
276	322	SH ZONE, MAINLY MI QV 75% WITH SM SHD MAFIC INCL, 2-4% T									
		276-277.2 40% SHD MINCL, MIN SER, SCTT Py	11020	276	277.2	1.2	0 34				1-2%
			1	277.2	281.7	4.5	TR			0.117	TR
			2	281.7	282.7	1.0	TR		1.9 oz		0.2%
		282.7-284.9 50% SHD HIGHLY SER 2DQ INCL, SCTT Py (282.7-283.9)	3	282.7	283.9	1.2	0 38				1-2%
			4	283.9	284.9	1.0	0 07				0.2%
			5	284.9	286	1.1	TR				TR
		-30% SER with 5% Py	6	286	287	1.0	0 34				1-2%
			7	287	288	1.0	TR				TR
			8	288	289.7	1.7	0 02				0.5%
			9	289.7	292.2	2.5	0 05				0.1%
			11030	292.2	295.7	3.5	TR				0.1%
			1	295.7	300.7	5.0	0 03				TR
			2	300.7	305.7	5.0	0 01				TR
			3	305.7	306.7	1.0	TR				—
		20% SER INCL	4	306.7	308.7	2.0	0 07				0.1
		25% SER INCL	5	308.7	310.7	2.0	0 02				0.2
		5% TOUR	6	310.7	312.7	2.0	TR				TR
		35% SER INCL (SCHIST)	11037	312.7	313.7	1.0	0 01				0.5%
			11038	313.7	316	2.3	0 06				TR
			11039	316	320.6	4.6	TR				TR
		50% SER, Py 1%	11040	320.6	322	1.4	0 08				0.4%
322	336.3	SH ZN MAINLY BL 2DQ + M MAT, W TOOCCM =HOE 40°CL,	11041	322	327	5.0	TR				TR
		15-20% QTZ VT. Py TR	11042	327	330	3.0	TR				TR
		330-336.3 MIQV	11043	330	331.1	1.1	0 03	1.8 oz			
		20% SERINCL	11044	331.1	331.8	0.7	0 07				Py 1%
			11045	331.8	335.4	3.6	TR				—
			11046	335.4	336.3	0.9	TR				Py 0.2%
336.3	347	BL 2DQ, GYSU, 1-3% IKR QC STR, W SHD 336.3-341	11047	336.3	341	4.7	TR				—
347	362	2DQ, MSS, COAG, ITYP, W EQTZ. D									
362		EOH									