

CISCO







Start with a simple, secure, and reliable IT network Discover a range of product, software and networking solutions ideal for SMBs

## START

# Cisco Start Catalog for Asia Pacific



Getting Started Start Portfolio Start Website For Partners

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers

Services

# • Cisco Start

Table of Contents	Start Portfolio	Start Website	For Partners
Getting Started	What's	s New	Feature Story
Cisco Start Portfolio Cisco Start Website What's in It for Partners		Products to Check Out t Our Promotions for Partners	The Best of Both Worlds
<b>Collaborate</b> Cisco Spark, soon Webex Team	c	Connect	
	5	Cisco SF/SG SV	witches
Cisco WebEx			
Cisco WebEx Cisco Business Edition 4000		Cisco Catalyst	
Cisco Business Edition 4000 Cisco IP Phone 7800/8800 Seri		Cisco Catalyst Cisco Catalys	Switches st 2960-CX/3560-CX Series
Cisco Business Edition 4000 Cisco IP Phone 7800/8800 Seri Cisco SPA300/500 Series IP Ph		Cisco Catalyst Cisco Catalys Cisco Catalys	Switches st 2960-CX/3560-CX Series st 2960-L Series
Cisco Business Edition 4000 Cisco IP Phone 7800/8800 Serie Cisco SPA300/500 Series IP Ph Cisco DX80		Cisco Catalyst Cisco Catalys Cisco Catalys Cisco Catalys Cisco Catalys	Switches st 2960-CX/3560-CX Series st 2960-L Series st 2960-X Series
Cisco Business Edition 4000 Cisco IP Phone 7800/8800 Serie Cisco SPA300/500 Series IP Ph Cisco DX80 Cisco Spark Room Kit Series	ones	Cisco Catalyst Cisco Catalys Cisco Catalys Cisco Catalys Cisco Catalys Cisco Catalys	Switches st 2960-CX/3560-CX Series st 2960-L Series st 2960-X Series st 3650/3850 Series
Cisco Business Edition 4000 Cisco IP Phone 7800/8800 Seri Cisco SPA300/500 Series IP Ph Cisco DX80	ones	Cisco Catalyst Cisco Catalys Cisco Catalys Cisco Catalys Cisco Catalys Cisco Catalys	Switches st 2960-CX/3560-CX Series st 2960-L Series st 2960-X Series

#### Compute

**Getting Started** 

Table of Contents

Cisco UCS C-Series Rack Servers Cisco Nexus 9348GC-FXP Switch Cisco Intersight

#### Secure

Cisco ASA 5500-X Series Cisco Firepower 2100 Series Cisco AnyConnect Secure Mobility Client Cisco Advanced Malware Protection for Endpoints Cisco Umbrella Cisco Meraki MX Cloud Managed Security Appliances Cisco Meraki Z Cloud Managed Teleworker Gateway Cisco Meraki MV Cloud Managed Security Cameras

#### Wireless

Cisco Wireless Access Points Cisco Aironet Access Points Cisco Wireless Controllers Cisco Meraki MR Cloud Managed Access Points Cisco Connected Mobile Experiences Cloud

#### Routers

Cisco RV Series Cisco ISR 800 Series Cisco ISR 1000 Series Cisco ISR 4000 Series

#### Services

Cisco Support Essentials Cisco Smart Net Total Care Cisco Software Support Service

**Getting Started** 

Start Portfolio Start Website For Partners

What's New

Feature Story

Collaborate

Compute


Secure

Connect

Services

Switches Wireless Routers

## Getting Started Cisco Start Portfolio



Getting Started Start Portfolio Start Website For Partners

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers

Services

## Getting Started Cisco Start Website

Cisco Start Website			Casa Dat x			0 - 0
			<ul> <li>C Secure I Impe//www.ciscs.com/i/in/wy.jp/ci</li> </ul>	co-start.html		\$
Visit our website for your country, si engines such as Google.	mply by typing "cisco start" on Cisco Start	the seach		Start 3MI Ingen Partie Panotos	Support Communy: Biggger things start here Successful runk businesses start with hard work and dedication: But bigger protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your protects in from the submody foundation that will meer first your business that will be a submody foundation that will meer first your business that will be a submody foundation that will be a sub	
			IDC E	xecutive Insights: SME	er Carl: 100 448 1627 art Portfolio Promotoris Resources and Support Let Us Hep Ss shift into high gear for 2018 heb hem hay alwad of the technology curve. Cicco recently invested in a custo uverg behaviour, ther business and If profities.	

#### Cisco Start Helpline by Country

Country	Website	Email	Direct Line 9 AM to 6 PM Local Time	Toll Free Number 9 AM to 6 PM Local Time
Australia	https://www.cisco.com/c/m/en_au/cisco-start.html	csg-au@cisco.com	61284463050	1800 134 349 (Press 5 then 2 then 1)
India	https://www.cisco.com/c/m/en_in/cisco-start.html	csg-in@cisco.com	918042501535	000 800 100 1364 (Press 7)
Indonesia	https://www.cisco.com/c/m/en_id/cisco-start.html	csg-id@cisco.com	622127546455	001 803 61 838 (Press 7)
Japan	http://www.cisco.com/jp/go/start	-	-	-
Korea	https://www.cisco.com/c/m/ko_kr/cisco-start.html	csg-kr@cisco.com	82234298295	0803 77 0880 (Press 5 then 2 then 1)
Malaysia	https://www.cisco.com/c/m/en_my/cisco-start.html	csg-my@cisco.com	60320811595	1800 88 1292 (Press 5 then 2 then 1)
New Zealand	https://www.cisco.com/c/m/en_au/cisco-start.html	csg-nz@cisco.com	6444982465	0800 291 129 (Press 5 then 2 then 1)
Philippines	https://www.cisco.com/c/m/en_ph/cisco-start.html	csg-ph@cisco.com	6328653411	1800 1441 0466 (Press 5 then 2 then 1)
Singapore	https://www.cisco.com/c/m/en_sg/cisco-start.html	csg-sg@cisco.com	6563177048	800 4481627 (Press 5 then 2 then 1)
Thailand	https://www.cisco.com/c/m/th_th/cisco-start.html	csg-th@cisco.com	6622637099	001 800 611 0754 (Press 7)
Vietnam	https://www.cisco.com/c/m/en_vn/cisco-start.html	csg-vn@cisco.com	84439746990	1800 585 809 (Press 5 then 2 then 1)









	Table of Contents	Start Portfolio	Start Web	bsite	For Partners	
Getting Started Start Portfolio Start Website For Partners	Increased Profitability     Earn rewards for ne	, ew business and high-volume s	sales. Find	Earn r	rebates when you help sell our produ	cts and grow the
What's New	discounts for our pro	-		midma		
Feature Story Collaborate Compute Secure Connect Switches Wireless Routers Services	<ul> <li>your sales by taking advanta high-volume product sales.</li> <li>NFR - Not for Resale (Regist Buy our products and softwand training.</li> <li>Deal Registration (Select C business, or partner with us</li> </ul>	bove partners – SKU based): age of increased SKU based dis cered & above partners – condition vare at discount to use for inter certified & above partners): Bri on presale deals. Get discount nting and teaming by registering	scounts for web ons apply): mal testing web ng in new advantage	track based s	centive Program (Registered & above p pecialisations and other conditions app owth areas and gain rebates to increase ur business.	ly): Sell our prod-
	ers and more.  Cisco Commercial Xcelerat	you sell our technologies, suppo te (Registered & above partner	rs - Com-	Partner Mark	et like you mean it. We help you reach r eting Central: Create more demand f	
	better recognize and reward mercial partners, the more y	co is enriching the incentive p d our Commercial partners. As rou invest in the Cisco partnersh , the more you will be rewarde	our Com- ip and de- ed for your	you need for s	locity: Learn new skills; connect with e success. ers: Use our brand to promote your suc	WEB

## Getting Started What's in It for Partners



• Big Bet or Quick Bets for Business Growth

**Getting Started** 

Start Portfolio Start Website

For Partners

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers

Services

## Getting Started What's in It for Partners



\*1 Entry into Partner Plus is by invite only and this journey can only help them meet the eligibility criteria, not guarantee an invite. Other criteria on bookings, YOY growth and commercial share of business need to be satisfied to be invited for the program.

## What's New 10 New Products to Check Out

	Products Promoti	ons	
Getting Started What's New	Cisco UCS C-Series M5 Rack Servers	Cisco Nexus 9348GC-FXP Switch	Cisco Intersight
Products Promotions			
Feature Story			
Collaborate	Cisco Meraki Z3 Cloud	Cisco Meraki MS120-48FP	
Compute	Managed Teleworker Gateway	Cloud Managed Switch	
Secure			Cisco 3504 Wireless Controller
Connect Switches Wireless Routers		<ul> <li>Cisco Meraki MR20</li> <li>Cloud Managed Access Point</li> </ul>	
Services	<ul> <li>Cisco Meraki MV12</li> <li>Cloud Managed Security Cameras</li> </ul>	returetor	Cisco ISR 1100 Series
		Cisco Meraki MR42E Cloud Managed Access Point	to + - So 25 and a
	Cisco 250 Series Smart Switches	Cisco 350 Series Managed Switches	Cisco 350X Series     Stackable Managed Switches

## What's New Find Out Our Promotions for Partners

#### Getting Started

- What's New Products
- Promotions
- Feature Story
- Collaborate
- Compute
- Secure
- Connect
- Switches
- Wireless
- Routers

#### **Products**

Centralized configuration, logging, monitoring and reporting are performed by the Management Center

#### **Promotions**

## Cisco Start Promotion Guide for Cisco Partners Q4 FY18

Increase your profitability and win competitive deals by taking advantage of short-term promotions. For details, download our full promotion guide, "Cisco Start Promotion Guide for Cisco Partners Q4 FY18."

## Download Available from Here!!



APJ Promo Sianme	NY ANZ ASEA	N NDIA	JAPAN	KOREA	How to Buy	
Cisco Next G	en Meeting Promo	tion Spark Roo	om Kit, Spa	ark Room k	Kit Plus	
	_					
Cisco Spark Re	Cisco Sp	ark Room Kit Plus	Region	Next Gon Meeting	g PP Code	
		· · · ·	ASEAN*	PP-FTBu-18042	7-04258	
- Jahrell	8 Tul		AU	PP-FTBu-18042	7-04282	
Inchi a pa			NZ	PP-FTBu-18042	7-04258	
Link of a sector w			INDIA	PP-FTBu-18042	7-04258	
-			JAPAN	PP-FTBu-18042		
0						
Ci	sco Spark Room Kit Series (Licens	ie")	KR	PP-FTBu-18042	7+04258	
A-SPK-SH-RMK	USD\$99 per month	Monthly or 1-, 2-, 3-,	* Exclude Vietni	9/77		
A-SPK-SH-NWK	(A-SPK-SH-RMK)	4-, or 5-year options	Click here to fir	d out how to order		
	Cisco Spark Room Kit Series					
Concernant N/	MSRP USD \$3.	000	- Paralysia		1000	
Spark Room Kit	(CS-KIT-MSRP-			lass superior confe ience starting from i		
Spark Room Kit	MSRP USD \$7.5	000		USD\$3,990!		
Plus 9 2018 Discussible de articules. Al r	(CS-KTPLUS-MSR			03053,990	22 >	
© 2018 Clock and/or its athlades. All o	den enstenni.	P-K3)	JAPAN	KOREA	Kan to Bay	
O 2018 Discussion in articular, Ma APJ Promo Summe	NY ANZ ASEA	P-IG)	JAPAN			
APJ Promo Summe     APJ Promo Summe     NGFW FPR 2	y ANZ ASEA	N ROA				
APJ Promo Summe NGFW FPR 2 10% more discou	y Auz Aser 110 seasonal pro int on appliance, 5% mo	W NGA motion re discount on lice	nses	KOREA	How to Buy	
APJ Homo Summe NGFW FPR 2 10% more discou	y ANZ ASEA	W NGA motion re discount on lice	INSES		How to Buy	
APJ Homo Summe NGFW FPR 2 10% more discou	ANZ ASEA	N ROA motion re discount on lice	INSES	KOREA	How to Buy	
APJ Homo Summe NGFW FPR 2 10% more discou	ANZ ASEA	N NOW motion re discount on lice	INSES Iy available on Fast Ti SKU t 10- NGPW- K9	kołłza rack Accelerator prom o quote: L-FPR21107	How to Buy notion	
APJ Promo Summe APJ Promo Summe NGFW FPR 2 10% more discou	ALZ ASEA	N ADA motion re discount on lice	NSES by available on Fast Ti SKU t 10- NGPW- K9 1110T-TMC-1Y	Inck Accelerator prom o quote:	How to Buy otton -TMC-3Y -TMC-5Y	
ADJ Frence Stateme ADJ Frence Stateme NGEW FPR 2 10% more discou Exceptional susta Invest Exceptional susta Invest	y ANZ ASEA	N NDK	INSES Ay available on Fast T SKU t 10- NGFW- K9 1107-TMC-1Y wintry ndle onea	Inck Accelerator promo o quote: L-FPR21107- L-FPR21107- Promotion PP-Fast-180129 PP-Fast-181029	How to Buy notion -TMC-3Y -TMC-5Y sode -0-33655 +-113152	
Att Home Summer     Att Home Summer     Att Home Summer     December 2	ALZ ASEA	N ADA motion re discount on lice Creation L+FPR21 L+FPR21 L+FPR21 L+FPR21 L+FPR21 L+FPR21 L+FPR21 L+FPR21	INSES by available on Fast TI SKU t 10- NGFW- K9 11107-TMC-1Y wurntry wurntry ada orea straila	koreza rack Accelerator prom o quote: L-FPR21107: Promotion ( PP-Fast-18012) PP-Fast-180120 PP-Fast-180120	How to Buy           otion           -TMC-3Y -TMC-5Y           sodio           +13152	
APJ Promo Summe APJ Promo Summe NGFW FPR 2 10% more discou Exceptional susta threat Exceptional susta threat	ANZ ASEA AS	N NCA motion re discount on lice	INSES by available on Fast TI SKU t 10- NGFW- K9 11 107 - TMC- 1Y autory autory and a crea articla Zealand	KCHEA mack Accelerator prom o quote: L=FPR21107- L=FPR21107- PP-Fast=180121 PP-Fast=180122 PP-Fast=180122 PP-Fast=180122	How to Buy	
APJ Promo Summe APJ Promo Summe NGFW FPR 2 10% more discou Exceptional susta threat Exceptional susta threat	y ANZ ASEA	NY NCA motion re discount on lice Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca Ca	Inses by available on Fast Tr SKU t 10- NG9W- K9 1110T-TMC-1Y writry mdia ones straila Zealand onesia	Inck Accelerator promo o quote: L-FPR21107- L-FPR21107 PP-Fast-18012 PP-Fast-18012 PP-Fast-180129 PP-Fast-180129 PP-Fast-180129 PP-Fast-170421	How to Buy	
APJ Preno Stateme     APJ Preno Stateme     APJ Preno Stateme     DOS more discou     Exceptional susta     Thread     Exceptional susta     Exceptional susta     Thread     Exceptional susta     Thread     Exceptional susta	ANZ ASEA AS	N ADA motion re discount on lice on EPR21 L-EPR2 A A New Sphout: Ma	INSES by available on Fast TI SKU t 10- NGFW- K9 11 107 - TMC- 1Y autory autory and a crea articla Zealand	KCHEA mack Accelerator prom o quote: L=FPR21107- L=FPR21107- PP-Fast=180121 PP-Fast=180122 PP-Fast=180122 PP-Fast=180122	How to Buy	

Thailand

PP-Fast-160730-113069

PP-Fast-170429-00999

(21)

	Only available	Country	FAST TRACK Promo Cod
	on FT	Australia	PP-Fast-150124-32368
st at attractive price	EAST TRACK	New Zealand	PP-Fast-150124-32371
E00/	Bundle SKU:	India	PP-Fast-150124-32347
<b></b> 50%	N9K-C9348- FX-B14O	Japan	PP-Fast-150124-32369
nd at half price Off	FX-D14Q	Korea	PP-Fast-150725-41553
		Indonesia	PP-Fast-150725-41512
Main Features		Malaysia	PP-Fast-150725-41552
Main Peatures		Philippines	PP-Fast-150124-32348
Supports full switching, VXLAN, ACI, reversible power, fans and PoE (software on roadmap)		Singapore	PP-Fast-150124-36968
A low cost, highly available device that can act as the core switch for		Thaland	PP-Fast-150725-41529
smaller environments		Vietnam	PP-Fast-150725-41548
Supports all of the highly available services like VPC, ISSU (software on roadmap), line rate encryption through Mackee: Offers simpler cabling and scaling both standsione or within an ACI environment, allowing for the same physical topology regardless of the logical networks deployed.	Notes.  Bundle includes two swiss at 50% off Base pricing based on A		nd switch within the bundle scounts
918 Electro antilist dis arbitules. Al rights reserves.			( 20 )

# sco Start Guest WIFI Bundle: 10 access points with 1 switch

ASEAN



## Feature Story The Best of Both Worlds

**Overview** 

#### Getting Started

What's New

**Feature Story** 

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

Services

How to Choose

Network as a Platform

Network as a Service

# The Best of Both Worlds

Whether you go with on-premises, cloud-managed, or hybrid, with Cisco you can build a network solution that is ideal for your application strategy, your IT staff's capabilities, and your business requirements.



Cisco On-premises & Cloud-managed Solutions

#### **Getting Started**

What's New

**Feature Story** 

Collaborate

Compute

Secure

Connect

Switches

Wireless

- Routers
- Services

## How to Choose between On-premises and Cloud-managed Solutions

How to Choose

Now Cisco offers both on-premises and cloud-managed solutions for network infrastructure;

On-premises: Catalyst, Aironet, ISR/ASA

The Best of Both Worlds

Cloud-managed: Meraki

**Overview** 

Feature Story

Which solution should we use? Here are questions to help you choose between on-premises and cloud-managed solutions.

#### Where will your applications live?

If you're not comfortable with moving applications to the cloud for the next 3 to 5 years or are restricted due to security and privacy guidelines, an on-premises solution may be the way to go.

On the other hand, if you want to simplify and centralize overall network management, if you're ready to move applications to the cloud, or if you have already set up some cloud services, Cisco Meraki cloud-managed solution might be best.

Do you have local IT support in most locations or are you struggling to scale your staff?

On-Premises: If your IT staff consists of technical experts who want a highly customizable network, consider an onpremises solution.

Cloud-Managed: If your IT staff is small or stretched thin and is looking for ways to simplify deployments, consider a cloud-managed approach.



Network as a Service

#### How do you buy IT solutions?

Network as a Platform

If you prefer to budget each project independently in a CapEx model, go with an on-premises deployment. If you'd rather pay for licenses and services over time in a renewable model through a subscription or OpExbased approach, cloud management is best.

#### How are you supporting mobile devices?

On-premises networks can be great when you need advanced features, whereas cloud-managed networks offer quick setup and visibility.

#### **On-Premises:**


- Cloud-Managed:
- Intelligent Caching
- Optimization Techniques
- Customized deployments
- What matters to you most? On-Premises:
  - Advanced Features
  - Dynamic Service Rollouts
  - Deep Visibility

#### Cloud-Managed:

- Ease of Use
- Security and Reliability
- Out-of-the-Box


- - Turnkey Installation
  - Networkwide Visibility
    - Management Simplicity

## Feature Story The Best of Both Worlds



Mobility Express App

## Feature Story The Best of Both Worlds



**Getting Started** 

What's New

Feature Story

#### Collaborate

- Spark
- WebEx
- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit
- SX10 Quick Set
- Spark Board

Compute

Secure

- Connect
- Switches
- Wireless
- Routers

Services

## Collaborate Collaboration

**Featured Products** 

#### Portfolio

# Cisco Spark Room Kit Series

Turn Your Flat Panel Display into a Smart Video Conferencing System and Bring More Intelligence and Usability to Your Small to Large-Sized Meeting Rooms



Collaborate

Collaboration

**Getting Started** 

What's New

Feature Story

#### Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800

SPA300/500

DX80

Spark Room Kit

SX10 Quick Set

SATU QUICK S

Spark Board

Compute

Secure


Connect

Switches

Wireless

Routers

Services



**Getting Started** 

What's New

Feature Story

Collaborate

Spark

DX80

Compute

Secure

Connect

Switches

Wireless

Routers

Services

WebEx

**Business Edition 4000** 


IP Phone 7800/8800

SPA300/500

Spark Room Kit

SX10 Quick Set Spark Board

## Collaborate - Collaboration Cisco Spark, soon Webex Teams



# ers to join meetings from their desk, a branch office, at home, or on the road. Designed for the Way You Do Business Messaging: The ability to exchange messages and share files with anoth-

The Cisco Spark service delivers a powerful set of communications services for all the ways you need to communicate. Maybe you're a startup business with an ad hoc solution, or you have an outdated key system or PBX and want to upgrade.

Perhaps you've already made the move to IP or deployed a cloud-based service and want to expand your capabilities even further. Cisco Spark will take your communications to the next level by providing the benefits of a complete business collaboration service for everyone in your company: one service, one experience, for everyone.

#### Messaging: The ability to exchange messages and share files with another person or a group of people. Message anyone. Choose someone from your company directory or simply enter anyone's email address and start messaging customers, partners, anyone you need to work with.

• Calling: Cisco Spark includes a cloud-based phone system. With Cisco Spark, you can make calls to any other Cisco Spark user in any company via SIP dialing, as well as calling regular landline and mobile phones via the PSTN\*1. You can make and receive calls from a phone connected to the Cisco Spark service in the office or from the Cisco Spark app on your mobile phone or desktop.

\*1 Cisco Spark service doesn't include PSTN services.

## Collaborate - Collaboration Cisco Spark, soon Webex Teams



Getting Started

What's New

Feature Story

Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800 SPA300/500

DX80

Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

Overview Features & Licenses	Why Spark?	Gallery		
Cisco Spark Named User Licenses				
Offer	Free	Business Messaging	Basic Meetings	Advanced Meetings
Product SKU*1	-	A-SPK-NU-M1	A-SPK-NU-M2	A-SPK-NU-M3
1:1 Video Calling with Screen Sharing	•	•	•	•
Max Participants per Meeting in Cisco Spark Spaces	3	3	25	25
Max Participants per Scheduled Meetings in Cisco Spark Spaces	-	-	25	25
Max Participants per Meeting Powered by Cisco WebEx video conferencing	-	-	-	200
Messaging	•	•	•	•
File Sharing	•	•	•	٠
End-to-End Content Encryption and In-Transit and Media Encryption	•	•	•	•
Pooled Storage per User	-	5 GB	5 GB	5 GB
Cisco WebEx Storage per Site (NBR, Documents)	-	-	-	10 GB
Cisco Spark Space Moderation	-	•	•	•
Compliance Exports	-	•	•	•
Mobile Calendar and Contacts Integration	•	•	•	٠
SSO and Directory Integration	-	•	•	•
Unlimited Integrations	-	•	•	•
Online Self-Service Support	•	•	•	•
Basic Technical Support Services	-	•	•	•
User Management	-	•	•	•
Cisco Spark Control Hub (Standard)	-	•	•	•

\*1 A-SPK-NAMED-USER is required.

Getting Started

What's New

Feature Story

Collaborate

Spark WebEx

DX80

Compute

Secure

Connect

Switches


Wireless Routers

IP Phone 7800/8800

SPA300/500

Spark Room Kit SX10 Quick Set Spark Board

## Collaborate - Collaboration Cisco Spark, soon Webex Teams



1

Other services

31

7 PORS

- ABC

2 3 ARC 205

5 6 B 9 TUV VDCVZ

0 #

8

**Getting Started** 

What's New

Feature Story

Collaborate

Spark

WebEx

DX80

Compute

Secure

Connect Switches


Wireless

Routers

SPA300/500

Spark Board

## Collaborate - Collaboration Cisco Spark, soon Webex Teams



 $\triangleleft$ 0 

Video Calling (Mobile)

0 Message Thread (Mobile)

(+) Send a message

 $\triangleleft$ 

File Preview (Mobile)

White Board (Mobile)

All whiteboards

#### **Getting Started**

What's New

Feature Story

#### Collaborate

Spark

- WebEx
- Business Edition 4000 IP Phone 7800/8800
- SPA300/500 DX80
- Spark Room Kit
- SX10 Quick Set
- Spark Board

Compute

Secure

Connect

- Switches
- Wireless
- Routers

Services

## Collaborate - Collaboration Cisco WebEx

#### Overview

## Meet with Anyone, Anywhere, on Any Device

#### Use People-Centric Web Conferencing Collaboration

Take advantage of industry-leading web conferencing capabilities to facilitate compelling, productive team meetings. With the **Cisco WebEx** online collaboration solutions, organizations of any size can:

- Promote collaboration with anyone globally, anywhere, anytime, on any device
- Increase productivity with an engaging, interactive web conferencing meeting experience
- Improve day-to-day efficiency and streamline meeting activities
- Save time and money by reducing the need to travel

#### Reduce Costs, Optimize Investments

Cisco WebEx web conferencing solutions help reduce costs and optimize IT resources. Delivered through the **Cisco WebEx Cloud**, these solutions are easy to implement and scale throughout your organization. Cisco WebEx solutions:

- Require no large, up-front investment, and offer a predictable cost and licensing model
- Offer quick global deployment and easy adoption for users inside or outside firewalls
- Help you cut costs on hardware, software, and maintenance
- Give you the time to focus on strategic business projects instead of conferencing operations
- Integrate web conferencing with existing Cisco investments such as Cisco Jabber, Cisco Spark, and Cisco TelePresence solutions

#### Meetings Available for Anyone at Any Time on Any Device

Whether you use Cisco Systems, Polycom, or other SIP or H.323 based video conferencing systems, you can easily connect to a WebEx meeting with the Cisco WebEx Meeting Center video conferencing.



Meet from Any Standards-based Video System



## Collaborate - Collaboration Cisco Business Edition 4000

Simple, Cloud-Managed Office Communications

The Cisco Business Edition 4000 (BE4000) is a dedicated voice appliance

**Platform Spec** 

Overview



#### Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

- **Business Edition 4000**
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

# for small to midsize businesses, providing IP telephony and voicemail services for up to 200 devices. Unlike competing solutions, it is completely cloud-managed, featuring simple and intuitive management capabilities that make it easy to deploy, manage, and use.

**Licenses & Accessories** 




#### Highlights

- Reduce the Cost of Communications. Lower call charges and consolidate networking overheads with an affordable IP phone system, optimized for small and midsize businesses
- Respond Quickly. Preconfigure and deploy a BE4000 system in less than one day
- Simplify Administration with intuitive cloud-hosted management for IT admins and end-user preferences
- Strengthen Relationships with reliable VoIP telephony, offering superior clarity that supports a host of calling features
- Be More Flexible with support for the latest Cisco IP phones for a range of use cases and budgets
- Invest with Confidence. Plan for technology migrations ahead of time, with flexible, term-based licensing plans and hardware investment protection as you migrate to cloud or hybrid collaboration with Cisco Spark

- High-Quality Telephony and Voicemail: Supports the latest Cisco IP Phone 7800 and 8800 Series phones, delivering wideband audio with superior clarity
- Comprehensive Calling Features: Call park, hold, and transfer, plus hunt groups, conference, auto attendant, and much more
- Quick to Deploy: Cisco partners can preconfigure settings and deploy a new system in less than a day
- Easy to Manage: A simple dashboard for administrators keeps key status information close to hand and makes everyday additions of users and phones a breeze
- Easy to Own: One-, three-, or five-year term-based license plans make it easy to plan for future investments and provide access to telephony features, the management portal, and award-winning 24x7 Cisco support
- Starting at Just 10 Users: Competitively priced solution for small-business budgets

## Collaborate - Collaboration Cisco Business Edition 4000



Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit
- SX10 Quick Set
- Spark Board

Compute

Secure

Connect

Switches

- Wireless
- Routers

Services





## Collaborate - Collaboration Cisco Business Edition 4000

WEB

Getting Started	
-----------------	--

What's New

Feature Story

#### Collaborate

- Spark
- WebEx
- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- DAOU
- Spark Room Kit
- SX10 Quick Set
- Spark Board

#### Compute

Secure

#### Connect

- Switches
- Wireless
- Routers
- Services

#### Cisco Business Edition 4000 Licenses

Overview

Product SKU	Description			
1-Year*1	3-Years*2	5-Years <sup>*3</sup> Description		
A-BE4K-1YR-SEAT	A-BE4K-3YR-SEAT	A-BE4K-5YR-SEAT	Per User License	
*1 A-BE4K-1YR-K9 is required. *2 A-BE4K-3YR-K9 is required *3 A-BE4K-5YR-K9 is required				

Platform Spec

Licenses & Accessories

#### Cisco T1/E1 Voice and WAN Network Interface Modules (NIMs)

Product SKU	Description
NIM-1MFT-T1/E1	Voice/WAN Module (1-port T1/E1)*1
NIM-2MFT-T1/E1	Voice/WAN Module (2-port T1/E1)*2
NIM-4MFT-T1/E1	Voice/WAN Module (4-port T1/E1)*3
	*1 PVDM4-32 is required. *2 PVDM4-64 is required. *3 PVDM4-128 is required.

#### Cisco Analog Voice Network Interface Modules (NIMs)

Product SKU	Description
NIM-2FXSP	Voice Module (2-port FXS)
NIM-4FXSP	Voice Module (4-port FXS)
NIM-2FXO	Voice Module (2-port FXO)
NIM-4FXO	Voice Module (4-port FXO)
NIM-2FXS/4FXOP	Voice Module (2-port FXS and 4-port FXO)
NIM-2BRI-NT/TE	Voice Module (2-port BRI)
NIM-4BRI-NT/TE	Voice Module (4-port BRI)

#### Cisco Packet Voice Digital Signal Processor Modules (PVDMs)

Product SKU	Description
PVDM4-32	High-density Voice DSP Module (16-channel)
PVDM4-64	High-density Voice DSP Module (32-channel)

## Collaborate - Collaboration Cisco IP Phone 7800/8800 Series



## Overview Portfolio Platform Spec Gallery

#### VoIP and Video Phones to Meet a Range of Needs

The Cisco IP Phones empower your business with a new collaboration experience that connects you with the right people, with the right information at the right time, so you can accelerate team performance and maximize your business results. The Cisco IP Phone portfolio includes an impressive range of user-friendly, full-featured VoIP and HD video phones that can meet the needs of your entire organization.



Cisco IP Phone 7800 Series Highlights

- Affordable Voice Communications Solution with costeffective, feature-rich models that can be flexibly deployed on-premises or in the cloud via Cisco Spark, along with multiplatform support with select Cisco approved third-party UC-as-a-Service (UCaaS) providers
- Superior Audio Experience with full wideband audio support on select models (handset, headset, and speaker) for crystal-clear audio performance
- Energy Efficient and Eco-Friendly with low power consumption, recyclable plastics in the hardware design and Cisco EnergyWise on most models deliversenergy savings
- Ease of Use with backlit displays to enhance viewing and navigation, headset and speakerphone support on most models for added flexibility, and ergonomically rounded keys for superior tactile experience

- Cisco IP Phone 8800 Series Highlights
- Affordable Entry to HD 720p Video, helping you bring teams closer together for faster decision making
- Enhance Collaboration with advanced VoIP features and crystal-clear audio performance
- Increase Productivity by importing contacts and call history from personal mobile devices to select 8800 Series phones. Even move audio during active calls between these devices!
- Expand Return on Investment with additional line and feature keys available through optional software features and new key expansion modules
- Gain Flexibility with a variety of deployment options, including on-premises, in the cloud with Cisco Spark, or through Cisco preapproved third-party UCaaS providers

- **Getting Started**
- What's New
- Feature Story

#### Collaborate

- Spark
- WebEx
- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit
- SX10 Quick Set
- Spark Board
- Compute
- Secure
- Connect
- Switches
- Wireless
- Routers
- Services

What's New

Feature Story

Collaborate Spark

WebEx

DX80

Compute

Secure

Connect

Switches

Wireless

Routers

## Collaborate - Collaboration Cisco IP Phone 7800/8800 Series



Services

Getting Started

What's New

Feature Story

Business Edition 400 IP Phone 7800/880

SPA300/500

Spark Room Kit SX10 Quick Set Spark Board

Collaborate Spark WebEx

DX80

Compute

Secure

Connect Switches Wireless Routers

## Collaborate - Collaboration Cisco IP Phone 7800/8800 Series

Overview		Portfo	olio		PI	atform	Spec			Galle	ery					
Cisco IP Phone	e 7800 Series															
Product SKU		Di	isplay			Audio		Line	Eth	ernet P	orts		Wireless	;	Call C	Control
Charcoal	White	Resolution	Color	HD Video	Wide band	Speaker phone	Headset Port	Keys	FE	GE	PoE Class	Wi-Fi	Blue tooth	DECT	BE4K	Spar
CP-7811-K9=		2.00 inch														
	-	3.28 inch 384 x 106	-	-	_*1	•	-	-	2	-	1	-	-	-	•	•
CP-7821-K9=	CP-7821-W-K9=															
		3.5 inch 396 x 162	-	-	•	•	•	2	2	-	1	-	-	-	•	•
CP-7832-K9=	CP-7832-W-K9=															
		384 x 128	-	-	•	•	-	-	1	-	2	-	-	-	-	•
CP-7841-K9=	CP-7841-W-K9=															
		3.5 inch 396 x 162	-	-	•	•	•	4	-	2	1	-	-	-	•	•
CP-7861-K9=	CP-7861-W-K9=															
		3.5 inch 396 x 162	-	-	•	•	•	16	2	-	1	-	-	-	•	•

Services

Getting Started

What's New

Feature Story

Collaborate Spark WebEx

Compute

Secure

Connect Switches Wireless Routers


Services

## Collaborate - Collaboration Cisco IP Phone 7800/8800 Series

	Overview		Portfolio Platform Spec						Gallery									
etting Started hat's New	Cisco IP Phor Product SKU	ne 8800 Series	D	isplay			Audio			Eth	ernet P	orts		Wireless	;	Call C	Control	
	Charcoal	White	Resolution	Color	HD Video	Wide band	Speaker phone	Headset Port	Line Keys	FE	GE	PoE Class	Wi-Fi	Blue tooth	DECT	BE4K	Spark	
ature Story b <b>llaborate</b> Spark WebEx	CP-8811-K9=	CP-8811-W-K9=	5 inch 800 x 480	-	-	•	•	•	5	-	2	2	-	-	_	•	•	
Business Edition 4000 IP Phone 7800/8800 SPA300/500 DX80	CP-8831-x-K9=	-	3.5 inch 396 x 162	-	-	•	•	-	1	-	1	3	-	-	•	•	-	
DX80 Spark Room Kit SX10 Quick Set Spark Board	CP-8841-K9=	CP-8841-W-K9=	5 inch 800 x 480	•	-	•	•	•	5	-	2	2	-	-	-	•	•	
mpute cure	CP-8845-K9=	CP-8845-W-K9=	5 inch 800 x 480	•	•	•	•	•	5	-	2	2	-	•	-	•	•	
nect vitches reless uters	CP-8851-K9=	CP-8851-W-K9=	5 inch 800 x 480	•	-	•	•	•	5	-	2	3	-	•	_	•	•	
vices	CP-8861-K9=	CP-8861-W-K9=	5 inch 800 x 480	•	-	•	•	•	5	-	2	4	11ac	•	-	•	•	
	CP-8865-K9=	CP-8865-W-K9=	5 inch 800 x 480	•	•	•	•	•	5	-	2	4	11ac	•	-	•	•	

## Collaborate - Collaboration Cisco IP Phone 7800/8800 Series





## Collaborate - Collaboration Cisco SPA300/500 Series IP Phones

#### Overview

Platform Spec

## Get Comprehensive Features in an Affordable IP Phone

The **Cisco SPA300/500 Series** is a line of full-featured VoIP (Voice-over-Internet Protocol) phones that provide voice communication over an IP network. They provide all the features of traditional business phones, such as call forwarding, redialing, speed dialing, transferring calls, conference calling, and accessing voice mail. Calls can be made or received with a handset, a headset, or a speaker.



#### Cisco SPA300 Series IP Phones Highlights

- Wideband audio for voice clarity and enhanced speaker quality
- Monochrome display (SPA303) for ease of use, aesthetics, and on-screen applications
- Direct connection to a hosted IP telephony service or an IP private branch exchange (PBX)
- Support for both Session Initiation Protocol (SIP) and Smart Phone Control Protocol (SPCP)
- Easy installation and highly secure remote provisioning, as well as menubased and web-based configuration

#### Cisco SPA500 Series IP Phones Highlights

- Wideband audio for exceptional voice clarity and enhanced speaker quality
- Monochrome backlit display or color display (SPA525G) for ease of use, aesthetics, and onscreen applications
- Direct connection to a hosted IP telephony service or an IP private branch exchange (PBX)
- Support for both Session Initiation Protocol (SIP) and Smart Phone Control Protocol (SPCP)
- Easy installation and highly secure remote provisioning, as well as menubased and web-based configuration
- Support for up to two SPA 500S or SPA500DS expansion modules

#### Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800

SPA300/500

DX80

Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

## Collaborate - Collaboration Cisco SPA300/500 Series IP Phones

	Ove	rview	Platform	Spec													
ing Started	Cisco SPA3	00 Series IP Phones															
t's New			Di	splay			Line	Etł	Ethernet Ports			Wireless			Call Control		
ure Story	Product SKU	Service (CSE) SKU	Resolution	Color	HD Video	Wide band	Speaker phone	Headset Port	Keys	FE	GE	PoE Class	Wi-Fi	Blue tooth	DECT	BE4K	Spark
aborate park /ebEx	SPA301-xx	CON-SMBS-SPA011xx	-	-	-	•	-	-	-	1	-	-	-	-	-	-	-
usiness Edition 4000 9 Phone 7800/8800 PA300/500 X80	SPA303-xx	CON-SMBS-SPA033xx	3 inch 128 x 63	-	-	•	•	•	3	2	-	-	-	-	-	-	-

Gettin

What'

Featur

Collab

Sp

We

Bu

IP

SP/

DX

Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

## Collaborate - Collaboration Cisco SPA300/500 Series IP Phones

	Ove	rview	Platform	Spec													
Getting Started	Cisco SPA5	00 Series IP Phones															
What's New	Product SKU	Service (CSE) SKU	Di	isplay				Line	Ethernet Ports				Wireless	\$ 	Call C	Control	
Feature Story	FIGURE		Resolution	Color	HD Video	Wide band	Speaker phone	Headset Port	Keys	FE	GE	PoE Class	Wi-Fi	Blue tooth	DECT	BE4K	Spark
Collaborate Spark WebEx	SPA501G	CON-SMBS-SPA0101G	-	-	-	•	•	•	8	2	-	2	-	-	-	-	-
Business Edition 4000 IP Phone 7800/8800 SPA300/500	SPA502G	-	3 inch 128 x 64	-	-	•	•	•	-	2	-	2	-	-	-	-	-
DX80 Spark Room Kit SX10 Quick Set	SPA504G	-	3 inch 128 x 64	-	-	•	•	•	4	2	-	2	-	-	-	-	-
Spark Board Compute	SPA508G	-	3 inch 128 x 64	-	-	•	•	•	8	2	-	2	-	-	-	-	-
Secure Connect Switches	SPA509G	CON-SMBS-SPA0909G	3 inch 128 x 64	-	-	•	•	•	12	-	2	2	-	-	-	-	-
Wireless Routers Services	SPA512G	CON-SMBS-SPA1212G	3 inch 128 x 64	-	-	•	•	•	-	-	2	2	-	-	-	-	-
	SPA514G	-	3 inch 128 x 64	-	-	•	•	•	4	2	-	2	-	-	-	-	-
	SPA525G2	CON-SMBS-SPA033xx	3.2 inch 320 x 240	•	-	•	•	•	5	2	-	2	11g	•	-	-	-

## Collaborate - Collaboration Cisco DX80



Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

- **Business Edition 4000**
- IP Phone 7800/8800

SPA300/500

DX80

Spark Room Kit SX10 Quick Set Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

# Overview

ew Platform Spec

Licenses & Accessories

Gallery

## All-in-One Desktop Collaboration

The **Cisco DX80** is all-in-one units designed to video-enable small collaboration spaces. This innovative set of multifunction touchscreen device suits people who spend a lot of time collaborating and want a no-compromise experience at their fingertips. Launch lifelike HD video meetings with any standards-based H.264 AVC device, including smartphones, Cisco TelePresence systems, and Cisco WebEx and Cisco Spark applications. Use it to replace your desktop IP phone. Integrate with your PC for content sharing and much more, all with a single, easy-touse device.



#### Highlights

- Dedicated, always-on HD video communication system
- IP phone that provides essential features for knowledge workers
- High-quality audio system for speakerphone
- 23-inch 16:9 screen that provides an engaging experience for video calls
- Multitouch capacitive touchscreen that provides an elegant and powerful user interface
- Self-provisioning device that is simple for users to take out of the box and start using quickly
- Easy "One-Button-To-Push" (OBTP) calling that integrates with common calendaring programs
- Flexible registration models on-premises and in the cloud

Getting Started

What's New

Feature Story

Collaborate Spark WebEx

## Collaborate - Collaboration Cisco DX80

Overview	Pla	tform Sp	bec	License	es & Acce	Gallery									
Cisco DX Series				_											
		Display			Video			Audio	GE	Wireless		С	Call Control		
Model	Resolution	PC Input	Touch Screen	Camera	Resolution	Content Sharing	Standards	Standards	Dorte	Wi-Fi	Blue tooth	SIP	H.323	Spark	
DX80	23-inch 1,920 x 1,080	Up to 1080p30	•	Integrated Up to 1080p30	Up to 1080p30	Up to 1080p5	H.263 H.263+ H.264 AVC	G.711a G.711mu G.722 G.722.1 G.729 G.729ab AAC-LD OPUS	2	11n	•	•	•	•	

#### DX80

## Spark Room Kit SX10 Quick Set Spark Board

SPA300/500

Business Edition 4000 IP Phone 7800/8800

#### opunt be

## Compute

#### Secure

#### Connect

Switches

- Wireless
- Routers

Services

#### Cisco DX80

Product SKU	Description
CS-DX80-K9=	For Spark Registration*1
CP-DX80-K9=	For VCS or Unified CM Registration
CP-DX80-NR-K9=	For VCS or Unified CM Registration (No Radio)

\*1 A-SPK-SH-RMS is required.

## WEB

Getting Started

What's New

Feature Story


Collaborate Spark WebEx

### Collaborate - Collaboration Cisco DX80

CP-DX80-VESA=

Cisco DX80 L	cense			
Product SKU*1	Description			
A-SPK-SH-RMS	Spark Registration (M	onthly or 1-, 2-, 3-, 4-, o	r 5-year options)	
	1	*1 A-	SPK-SH is required.	

- Business Edition 4000 IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit SX10 Quick Set
- Spark Board
- Compute
- Secure
- Connect
- Switches
- Wireless
- Routers
- Services



Cisco VESA Adapter and Wall Mount Kit





## Collaborate - Collaboration Cisco DX80

WEB



What's New

Feature Story

#### Collaborate

Spark

WebEx

- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit SX10 Quick Set Spark Board


Compute

Secure


Connect

- Switches
- Wireless
- Routers

Services







Licenses & Accessories

09 45

..



Gallery









### Collaborate - Collaboration **Cisco Spark Room Kit Series**

Overview

**Platform Spec** 

**Licenses & Accessories** 

Why Room Kit?

### Turn Your Flat Panel Display into a Smart Video Conferencing System

The Cisco Spark Room Kit Series is powerful collaboration solutions that integrate with flat panel displays to bring more intelligence and usability to your small to large-sized meeting rooms.

These newest integrator solutions deliver the unmatched video and audio experience that customers have come to expect from Cisco. In addition, new capabilities enable even smarter meetings, smarter presentations, and smarter room and device integrations - further removing the barriers to usage and deployment of video collaboration.

Highlights

- Powerful Collaboration Solutions: Integrate with flat panel displays to bring more intelligence and usability to your small to large-sized meeting rooms
- Smart Meetings: Intelligent, integrated cameras deliver intelligent viewing capabilities, such as automatic framing and speaker tracking (Room Kit & Room Kit Plus)
- Smart Presentations: Dual screens, dual content sources, wireless sharing, and 4K content make for great presentations
- Smart Integrations: People count for usage metrics and resource allocation; tight integrations with screens to enhance user interactions
- Registration Flexibility: Built for both on-premises and cloud deployment, protecting your investment







Gallery

What's New

Feature Story

**Getting Started** 

#### Collaborate

Spark

WebEx

- **Business Edition 4000**
- IP Phone 7800/8800

SPA300/500

- DX80
- Spark Room Kit

SX10 Quick Set Spark Board

Compute

Secure

Connect

Switches

Wireless

**Routers** 

Getting Started

What's New

Feature Story

Collaborate Spark WebEx

DX80

Compute

Secure

Connect

Services

Switches Wireless Routers

Business Edition 4000 IP Phone 7800/8800

SPA300/500

Spark Room Kit SX10 Quick Set Spark Board

### Collaborate - Collaboration Cisco Spark Room Kit Series

			Vid	leo		Audio		GE Ports		Wire	eless	С	all Contr	ol
Model	Camera	Output Resolution	Input Resolution	Content Sharing	Standards	Standards	LAN	Camera	Touch 10	Wi-Fi	Blue tooth	SIP	H.323	Spa
Spark Room Kit	Integrated Up to 5Kp60	Up to 4Kp60	Up to 4Kp30	Up to 4Kp30 (Local) 4Kp5 (Remote)	H.264 H.265	G.711 G.722 G.722.1 G.729 AAC-LD Opus	1	-	1	11ac	•	•	•	•
Spark Room Kit Plus	Quad Camera Up to 5Kp60	Up to 4Kp60	Up to 4Kp30	Up to 4Kp30 (Local) 4Kp5 (Remote)	H.264 H.265	G.711 G.722 G.722.1 G.729 AAC-LD Opus	1	1	1	11ac	•	•	•	•
Spark Room Kit Plus Precision 60 - REAR	Precision 60 Up to 5Kp60	Up to 4Kp60	Up to 4Kp30	Up to 4Kp30 (Local) 4Kp5 (Remote)	H.264 H.265	G.711 G.722 G.722.1 G.729 AAC-LD Opus	1	1	1	11ac	•	•	•	•

#### Cisco Spark Room Kit

Product SKU	Description
CS-KIT-MSRP-K9	For Spark Registration*1
CS-KIT-K9	For VCS or Unified CM Registration
CS-KIT-NR-K9	For VCS or Unified CM Registration (No Radio)
	*1 A-SPK-SH-RMK is required.

Cisco Spark Room Kit Plus						
Product SKU	Description					
CS-KITPLUS-MSRP-K9	For Spark Registration <sup>*1</sup>					
CS-KITPLUS-K9	For VCS or Unified CM Registration					
CS-KITPLUS-NR-K9	For VCS or Unified CM Registration (No Radio)					

#### Draduat SKU

Cisco Spark Room Kit Plus Precision 60

Product SKU	Description
CS-KITP60-MSRP-K9	For Spark Registration*1
CS-KITP60-K9	For VCS or Unified CM Registration
CS-KITP60-NR-K9	For VCS or Unified CM Registration (No Radio)

\*1 A-SPK-SH-RMK is required.

 $\mathbf{V}$ 

个)

### Collaborate - Collaboration Cisco Spark Room Kit Series

	Overview	Platform Spec	Licenses & Accessories	Why Room Kit?	Gallery
etting Started	Cisco Spark Room Serie	es Cameras Comparison: Choose	the Room Kit Optimized for Your Spa	ace	
/hat's New		Room Kit	Room Kit Plus	Ro	om Kit Plus P60
eature Story					
ollaborate Spark WebEx Business Edition 4000 IP Phone 7800/8800 SPA300/500 DX80 Spark Room Kit SX10 Quick Set Spark Board ompute ecure	Sample Scenario				
Wireless	Zoom	Optimal framing up to 5 m	Optimal framing up to 9 m	Ν	Manual framing
Routers	Camera Features	Speaker Tracking Best Overview PeopleCount	Speaker Tracking Best Overview PeopleCount		-
ervices	Video Resolution	1080p60*1	1080p60		1080p60
	Speakers	86 dB	90 dB (50 % "louder" than 86 dB	3)	-
	Content Sharing	1 x HDMI input (4Kp30)	2 x HDMI input (4Kp30)	2 x H	IDMI input (4Kp30)
	Microphone	2 x mic input + 1 internal	3 x mic input		3 x mic input

\*1 1080p30 with Speaker Tracking enabled.

### Collaborate - Collaboration Cisco Spark Room Kit Series

	Overview	Platform Spec	Licenses & Accessories	Why Room Kit?	Gallery
Getting Started	Cisco Spark Room	Kit Series License			
What's New	Product SKU*1	Description			
Feature Story	A-SPK-SH-RMK	Spark Registration (Monthly or 1-, 2-, 3-, 4-	, or 5-year options)		
Collaborate		*1 A-	SPK-SH is required.		
Spark WebEx	Cisco Spark Room	Kit Series Accessories			
Business Edition 4000	Product SKU	Description			
IP Phone 7800/8800	CTS-MIC-TABL20	Table Microphone 20			
SPA300/500 DX80	CAB-MIC20-EXT	Extension Cable for Table Microphone 20			
Spark Room Kit	CTS-MIC-CLNG-G2	Ceiling Microphone			
SX10 Quick Set	CAB-ETHRSHLD-10M	Shielded Cable for Ceiling Microphone (Non	-Plenum Rated)		
Spark Board	CAB-2HDMI-1.5M-GR	HDMI 2.0 Second Screen Certified Cable (1	.5 m)		
Compute	CAB-2HDMI-3M-GR	HDMI 2.0 Second Screen Certified Cable (3	m)		
Secure	CAB-PRES-2HDMI-GR	Presentation Certified Cable (8 m)			
Connect Switches	CS-KITPLUS-WMK	Wall Mount Kit for Codec Plus			

Wireless

Routers

Services



Getting Started

What's New

Feature Story

Collaborate Spark

WebEx

DX80

SPA300/500

Spark Room Kit SX10 Ouick Set Spark Board

Business Edition 4000 IP Phone 7800/8800

### Collaborate - Collaboration Cisco Spark Room Kit Series



# **Best Overview**

People Count

**Overview** 

Automatically detects meeting participants and provides ideal framing

Platform Spec



Auto-detects people in room

# Licenses & Accessories

Why Room Kit?

Gallery

#### Speaker Tracking

Detects and switches between active speakers and provides ideal framing



Auto-detects person speaking



Selects best framing

Selects best framing for speaker

#### Connect Switches


Compute

Secure

Wireless

- Routers


Services




Auto-counts people in room

### Collaborate - Collaboration Cisco Spark Room Kit Series





### Collaborate - Collaboration Cisco Spark Room Kit Series



Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800

SPA300/500

DX80

Spark Room Kit SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

V

## Collaborate - Collaboration Cisco TelePresence SX10 Quick Set



**Getting Started** 

What's New

Feature Story

#### Collaborate

Spark

WebEx

- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

### Overview

Platform Spec

Licenses & Accessories

Gallery

### Face-to-Face Collaboration in Small Workspaces

The **Cisco TelePresence SX10 Quick Set** is an all-in-one unit designed to video-enable your small collaboration spaces, offering great affordability for small-to-medium businesses just starting out with telepresence. With the SX10, you can also extend telepresence pervasively throughout your enterprise. The SX10 supports cloud registration to Cisco Spark Services for even faster and more cost effective deployment

This low-cost, high-quality unit combines camera and codec into a single, compact device that is mounted over your standard flat-panel display and connects through a discreet single-cable system for Power over Ethernet (PoE). High-definition video is enabled with 1080p30 resolution, while an industry-leadership wide-angle field of view provides the best overview even in small spaces. Support for Cisco Intelligent Proximity allows you to use your iOS and Android devices to wirelessly control the SX10 as well as receive shared content for richer collaboration. Wireless content sharing is also possible from your laptop or PC.



#### Highlights

- Optimal definition up to 1080p30 with content sharing at 1080p5
- Wide-angle 83° horizontal FOV with 5x zoom
- Supports Cisco Intelligent Proximity for content sharing to mobile devices and wireless sharing from laptops
- Wireless control of the system is also enabled with Cisco Intelligent Proximity
- Easily control room peripherals such as lights, room dividers, curtains, directly from the Cisco TelePresence Touch 10 (optional) through customizable API (requires external third-party control system processor)
- Ready-to-use unit with Power over Ethernet (PoE)
- Integrated microphone
- Energy efficient with low consumption (EU Class B)

### Collaborate - Collaboration Cisco TelePresence SX10 Quick Set

**Platform Spec** 



Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800

SPA300/500

DX80

Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure

Connect

Switches

Wireless

Routers

Services

			Vic	leo		Audio		FE Ports			eless	с	all Contr	all Control	
Model	Camera	Output Resolution	Input Resolution	Content Sharing	Standards	Standards	LAN	Camera	Touch 10	Wi-Fi	Blue tooth	SIP	H.323	Spark	
SX10 Quick Set	Integrated Up to 1080p30	Up to 1080p60	Up to 1080p30	Up to 1080p5	H.263 H.263+ H.264	G.711 G.711mu G.722 G.722.1 G.729 G.729ab AAC-LD Opus	1*1	-	-	-	-	•	•	•	

Licenses & Accessories

Gallery

\*1 Powered via 802.3af PoE.

#### Cisco TelePresence SX10 Quick Set

Overview

Product SKU	Description
CS-SX10N-MSRP-K9	For Spark Registration*1
CTS-SX10N-K9	For VCS or Unified CM Registration

\*1 A-SPK-SH-RMS is required.

# Collaborate - Collaboration

# Cisco TelePresence SX10 Quick Set

	Overview	Platform Spec	Licenses & Accessories
arted	Cisco TelePreseno	ce SX10 Quick Set License	
lew	Product SKU*1	Description	
ory	A-SPK-SH-RMS	Spark Registration (Monthly or 1-, 2-, 3-, 4	-, or 5-year options)
		*1 A	-SPK-SH is required.
	Cisco TelePreseno	ce SX10 Quick Set Accessories	
dition 4000	Product SKU	Description	
0/8800	CTS-MIC-TABL20	Table Microphone 20	
	CAB-PRESO-2HDMI	HDMI to HDMI Presentation Cable (8 m)	
	CAB-VGA-8M	VGA to VGA Presentation Cable (8 m)	
	CAB-HDMI-MULT-9M	HDMI to Multi Presentation Cable (9 m)	
	CS-TOUCH10=	Cisco TelePresence Touch 10 Control Devi	ce
	CTS-PWR-AIR-INJ5=	Power Injector for Cisco TelePresence Tour	ch 10
	BRKT-SX10-SMK	Screen Mount Kit	

Connect

Switches

Wireless

Routers

Services

## Collaborate - Collaboration Cisco TelePresence SX10 Quick Set

Overview



Getting Started

What's New

Feature Story

#### Collaborate

Spark WebEx Business Edition 4000 IP Phone 7800/8800 SPA300/500 DX80 Spark Room Kit SX10 Quick Set Spark Board

Compute

Secure

Connect

- Switches
- Wireless
- Routers

Services







Platform Spec

Licenses & Accessories

Gallery



**Getting Started** 

What's New

Feature Story

Collaborate

Spark

WebEx

DX80

Compute

Secure

Connect

Switches

Wireless

Routers

**Business Edition 4000** 

IP Phone 7800/8800

SPA300/500

Spark Room Kit

SX10 Quick Set

Spark Board

### Collaborate - Collaboration Cisco Spark Board

Overview

Platform Spec

Licenses & Accessories

Gallery

### All-in-One Device for Team Collaboration

The Cisco Spark Board, like no other, is a new team collaboration device that combines wireless presentation, digital whiteboarding, and video conferencing. It is a cloud- and touch-based system that securely connects teams and their content in physical rooms with virtual teams and meeting spaces. The Cisco Spark Board resides in physical meeting rooms but is connected to the Cisco Spark service to facilitate continuous workflow before and during the meeting, and even after everyone has left the physical room. Through the Cisco Spark app, team members both in the physical conference room and attending remotely can meet, message, call, and white board from anywhere through their Cisco Spark app-enabled device of choice.

#### Highlights

- Wireless Presentation: Share your presentation, locally in the room or remotely, without any need for wires, dongles, adapters, or typing in PIN codes.
- Digital Whiteboarding: Easily white board with the Cisco Spark Pen or your finger and automatically save content to a Cisco Spark virtual space; multiple people can white board — in the room or remotely on any Cisco Spark app-enabled device.
- Video Conferencing: Make your high-definition video or high-fidelity audio calls directly on the Cisco Spark Board.
- Continuous Workflow: Connect the Cisco Spark Board to a virtual Cisco Spark space and your whiteboard creations and other shared documents will live there persistently and securely, to be reviewed and edited by any member of the team from another Cisco Spark Board or any Cisco Spark app-enabled device



reddot design award best of the best 2017

## Collaborate - Collaboration Cisco Spark Board

		Display			Video		Video Aud		Audio	GE	Wire	eless	Call Control		ol
Model	Resolution	PC Input	Touch Screen	Camera	Resolution	Content Sharing	Standards	Standards	Ports	Wi-Fi	Blue tooth	SIP	H.323	Spar	
Spark Board 55	55-inch 1,920 x 1,080	Up to 1080p30	٠	Integrated Up to 4Kp60	Up to 1080p30	Up to 1080p30	H.263 H.263+ H.264	G.711 G.722 G.722.1 G.728 G.729 AAC-LD OPUS	1	11ac	•	_	-	•	
Spark Board 70	70-inch 1,920 x 1,080	Up to 1080p30	•	Integrated Up to 4Kp60	Up to 1080p30	Up to 1080p30	H.263 H.263+ H.264	G.711 G.722 G.722.1 G.728 G.729 AAC-LD OPUS	1	11ac	•	-	-	•	

#### Getting Started

What's New

Feature Story

#### Collaborate

- Spark
- WebEx
- Business Edition 4000
- IP Phone 7800/8800
- SPA300/500
- DX80
- Spark Room Kit
- SX10 Quick Set
- SATU QUICK SE
- Spark Board

### Compute

Secure

Connect

Switches

- Wireless
- Routers

Services

#### Cisco Spark Board 55

Product SKU	Description
SPARK-BOARD55-K9	For Spark Registration <sup>*1</sup>
	*1 A-SPK-SH-ND-BRD is required.

#### Cisco Spark Board 70

Product SKU	Description
SPARK-BOARD70-K9	For Spark Registration*1

\*1 A-SPK-SH-ND-BRD is required.



## Collaborate - Collaboration Cisco Spark Board

	Overview	Platform Spec	Licenses & Accessories	Gallery
Getting Started	Cisco Spark Board	d License		
What's New	Product SKU*1	Description		9
Feature Story	A-SPK-SH-ND-BRD	Spark Registration (Monthly or 1-, 2-, 3-, 4	-, or 5-year options)	Guitt
Collaborate		*1 A	-SPK-SH is required.	1 States
Spark WebEx	Cisco Spark Board	d Accessories		
Business Edition 4000	Product SKU	Description		
IP Phone 7800/8800	CS-BOARD55-FS	Floor Stand Kit for Spark Board 55		
SPA300/500 DX80	CS-BOARD55-WS	Wall Stand Kit for Spark Board 55		a constant
Spark Room Kit	CS-BOARD70-FS	Floor Stand Kit for Spark Board 70		
SX10 Quick Set Spark Board	CS-BOARD70-WS	Wall Stand Kit for Spark Board 70		0

Compute

Secure

Connect

Switches

Wireless

Routers

Services





Collaborate - Collaboration

#### Getting Started

What's New

Feature Story

#### Collaborate

Spark

WebEx

Business Edition 4000

IP Phone 7800/8800 SPA300/500

DX80

Spark Room Kit

SX10 Quick Set

Spark Board

Compute

Secure


Connect

Switches

Wireless

Routers

Services





### Compute Servers

Getting Started

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348 Intersight NEW

Secure

Connect

Switches

Wireless

Routers

Services

**Featured Products** 

# Cisco Nexus 9348GC-FXP Switch

Portfolio

Delivers Proven High Performance and Density, Low Latency, and Exceptional Power Efficiency in a 1 Rack Unit Form Factor



### • N9K-C9348GC-FXP

Cloud Scale	4-Core	24 GB	128 GB	40 MB	696 Gbps	Over 250
ASIC	CPU	Memory	SSD	Buffer	Bandwidth	mpps
48-port GE	4-port SFP28	2-port QSFP28				

 $(\mathbf{\Lambda})$ 

Cisco Start Catalog May, 2018	Compute Servers	
	Featured Products Portfolio	
Getting Started What's New Feature Story Collaborate Compute	Cisco Intersight Intelligent Cloud-Powered Management for Cisco UCS	•
UCS C-Series Nexus 9348 NEW Intersight NEW Secure Connect Switches Wireless Routers	Interview       Image: Section of the sec	
Services	132     • m 12       132     • starts 108       • starts 108     • starts 108       58     0       132     • starts 108       • starts 108     • starts 108	
	Image Cloud-based Manage UCSManage HyperFlexMonitoring Server AlertsMonitoring Monitoring Server HealthUser Customizable DashboardTagging & Basic SearchPolicy-based ManagersRemote Management & HCL Compliance & Check	

#### **Cisco Start Catalog** Compute May, 2018 Servers **Featured Products** Portfolio Getting Started What's New • • • • • • • • • • • Feature Story Collaborate 33 36 Compute UCS C-Series X Nexus 9348 Intersight NEW Cisco Nexus 9348GC-FXP Switch (||•) Secure Cloud Managed Computing Free Version Available!! Connect Cisco HyperFlex HX220c Edge M5 Switches Wireless Routers NEW Intersight (I) Cisco UCS C220 M5 Rack Server Services **7** 342 (I) Cisco UCS C240 M5 Rack Server disco Cisco Intersight $(\mathbf{I})$

**Getting Started** 

What's New

Feature Story

**UCS C-Series** 

Intersight NEW

Nexus 9348

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

Services

### Compute - Servers Cisco UCS C-Series Rack Servers

WEB

#### Overview

#### Positioning Map

Platform Spec

#### Spec

SmartPlay Rack Paks

Why UCS?

#### Superior Multilayered Protection

The **Cisco UCS C-Series Rack Servers** provide a rack-server entry point to Cisco UCS. With world-record-setting performance for 2- and 4-socket servers, Cisco UCS C-Series Rack Servers can integrate into Cisco UCS through a single set of cables. Cisco UCS C-Series Rack Servers provide a wide range of I/O, memory, internal disk, and solid-state disk (SSD) drive capacity, enabling you to easily match servers to workloads.

#### Highlights: Cisco UCS C-Series M5 Rack Servers

Designed to provide your computing infrastructure now and into the future, Cisco UCS C-Series M5 Rack Servers give you the benefits of the latest Intel Xeon Scalable processors:

- More Cores to accelerate parallelized virtualized and bare-metal workloads
- Larger Memory Capacity for better performance and larger in-memory databases
- Higher Memory Bandwidth to accelerate the flow of information to and from the CPU
- Ready for Intel 3D XPoint nonvolatile memory
- Up to 6 PCle GPU Accelerators for a smooth user experience in virtual desktop environments
- Cloud Managed by Cisco Intersight



Getting Started

What's New

Feature Story

Collaborate

**UCS C-Series** 

Intersight NEW

Nexus 9348


Compute

Secure

Connect Switches Wireless Routers

Services

### Compute - Servers Cisco UCS C-Series Rack Servers



All models support Cisco UCS Virtual Interface Card (VIC) in PCIe or MLOM form factor



### Compute - Servers Cisco UCS C-Series Rack Servers



	Overview		Pos	sitionir	ng Ma	p	F	Platfo	rm Spec	;	SmartP	lay Rac	k Pak	S		Why U	CS?	
Getting Started	Cisco UCS C-Series	M5 Ra	ack Servers	6														
What's New			Processor		Me	emory			Interr	nal Storage	e		PCle	Gen3		Po	rts	
eature Story	Product SKU		_	Max			2.5	3.5		Max Inter	nal Storage				mLOM			Rack
Collaborate		Sock- ets	Processor Supported	Cores per Socket	Slots	Max Memory	inch SFF Slots	inch LFF Slots	HDD	SSD	Self- Encrypted HDD/SDD	PCle NVMe	Slots	Max GPUs	Slots	10GB-T	Mgmt GE	Mount
ompute UCS C-Series	UCSC-C220-M5L	2	Intel Xeon Scalable	28	24	3 TB	-	4	48 TB	7.6 TB	24 TB	12.8 TB	2	1	1	2	1	1 RU
Nexus 9348	UCSC-C220-M5SX	2	Intel Xeon Scalable	28	24	3 TB	10	-	20 TB	76 TB	38 TB	15.2 TB	2	1	1	2	1	1 RU
Intersight <b>NEW</b>	UCSC-C220-M5SN	2	Intel Xeon Scalable	28	24	3 TB	10	-	-	-	-	76 TB	2	1	1	2	1	1 RU
ecure	UCSC-C240-M5S	2	Intel Xeon Scalable	28	24	3 TB	8 + 2	-	20 TB	76 TB	38 TB	76 TB	6	2	1	2	1	2 RU
onnect Switches	UCSC-C240-M5L	2	Intel Xeon Scalable	28	24	3 TB	2	12	168 TB	38 TB	79.6 TB	21.6 TB	6	2	1	2	1	2 RU
Vireless	UCSC-C240-M5SX	2	Intel Xeon Scalable	28	24	3 TB	24 + 2	-	52 TB	197.6 TB	98.8 TB	30.4TB	6	2	1	2	1	2 RU
Routers	UCSC-C240-M5SN	2	Intel Xeon Scalable	28	24	3 TB	24 + 2	-	32.0 TB	121.6 TB	60.8 TB	197.6 TB	6	2	1	2	1	2 RU

### Compute - Servers Cisco UCS C-Series Rack Servers

	Overview	Positioning Map	Platfor	rm Spec Sn	artPlay Rack Paks	W	hy UCS?					
ting Started	Cisco UCS C220 N	5 SFF Rack Server SmartPlay Rack P	aks									
at's New	Dra du et Cl/U		Bundle									
ture Story	Product SKU	Processor	Memory	RAID Controller	PCle Riser	Additional Storage	Power Supply					
aborate	UCS-SPR-C220M5-B1	1 x Intel Xeon Bronze 3106 8 Cores, 1.70 GHz, 11 MB L3, 85 W	1 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	1 x 770 W AC					
pute CS C-Series	UCS-SPR-C220M5-B2	2 x Intel Xeon Bronze 3106 8 Cores, 1.70 GHz, 11 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W AC					
exus 9348 =new= tersight =new=	UCS-SPR-C220M5-S1	1 x Intel® Xeon Silver 4110 8 Cores, 2.10 GHz, 11 MB L3, 85 W	1 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	1 x 770 W A0					
ure	UCS-SPR-C220M5-S2	2 x Intel® Xeon Silver 4110 8 Cores, 2.10 GHz, 11 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r -	32 GB SD Card	2 x 770 W A0					
nect itches	UCS-SPR-C220M5-EP1	2 x Intel Xeon Silver 4114 10 Cores, 2.20 GHz, 13.75 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W AC					
eless uters	UCS-SPR-C220M5-A1	2 x Intel Xeon Silver 4116 12 Cores, 2.10 GHz, 16.5 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W A0					
ces	UCS-SPR-C220M5-A2	2 x Intel Xeon Silver 4116 12 Cores, 2.10 GHz, 16.5 MB L3, 85 W	2 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W A0					
	UCS-SPR-C220M5-A3	2 x Intel Xeon Gold 5120 14 Cores, 2.20 GHz, 19.25 MB L3, 105 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W A0					
	UCS-SPR-C220M5-C1	2 x Intel Xeon Gold 5120 14 Cores, 2.20 GHz, 19.25 MB L3, 105 W	2 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W A0					
	UCS-SPR-C220M5-C2	2 x Intel Xeon Gold 6130 16 Cores, 2.10 GHz, 22 MB L3, 125 W	2 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controlle with 2 GB FBWC	r _	32 GB SD Card	2 x 770 W AC					

### Compute - Servers Cisco UCS C-Series Rack Servers



	Overview	Positioning Map	Platfor	m Spec Sma	artPlay Rack Paks	W	hy UCS?
Getting Started	Cisco UCS C240 M	5 SFF Rack Server SmartPlay Rack Pa	aks				
What's New				Bundle			
Peature Story	Product SKU	Processor	Memory	RAID Controller	PCle Riser	Additional Storage	Power Supply
Collaborate U	JCS-SPR-C240M5-B1	1 x Intel Xeon Bronze 3106 8 Cores, 1.70 GHz, 11 MB L3, 85 W	1 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1B 3 PCle Slots (x8, x8, x8)	32 GB SD Card	1 x 1,100 W AC
Compute UCS C-Series	JCS-SPR-C240M5-S1	1 x Intel® Xeon Silver 4110 8 Cores, 2.10 GHz, 11 MB L3, 85 W	1 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1B 3 PCIe Slots (x8, x8, x8)	32 GB SD Card	2 x 1,100 W AC
Nexus 9348 <b>Enew</b> Intersight <b>Enew</b>	JCS-SPR-C240M5-S2	2 x Intel® Xeon Silver 4110 8 Cores, 2.10 GHz, 11 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1 3 PCle Slots (x8, x16, x8)	32 GB SD Card	2 x 1,100 W AC
ecure u	JCS-SPR-C240M5-S3	2 x Intel Xeon Silver 4114 10 Cores, 2.20 GHz, 13.75 MB L3, 85 W	2 x 16 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1 3 PCIe Slots (x8, x16, x8)	32 GB SD Card	2 x 1,100 W AC
onnect Switches	JCS-SPR-C240M5-A1	1 x Intel Xeon Gold 5120 14 Cores, 2.20 GHz, 19.25 MB L3, 105 W	1 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1B 3 PCIe Slots (x8, x8, x8)	32 GB SD Card	1 x 1,100 W AC
Wireless Routers	JCS-SPR-C240M5-C1	2 x Intel Xeon Gold 5120 14 Cores, 2.20 GHz, 19.25 MB L3, 105 W	2 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1 3 PCIe Slots (x8, x16, x8)	32 GB SD Card	2 x 1,100 W AC
	JCS-SPR-C240M5-C2	2 x Intel Xeon Gold 6130 16 Cores, 2.10 GHz, 22 MB L3, 125 W	2 x 32 GB DDR4 2,666 MHz	12G SAS RAID Controller with 4 GB FBWC	Riser Card 1 3 PCle Slots (x8, x16, x8)	32 GB SD Card	2 x 1,100 W AC

### Compute - Servers Cisco UCS C-Series Rack Servers



	Overview	Positioni	ing Map	Platform Spec	SmartPlay Rack Pa	aks V	Vhy UCS?
g Started	Cisco UCS C220/2	40 M5 SFF Rack Server S	SmartPlay Rack I	Paks Accessories			
s New	Droduct Cotogon/togon/	Product SKU	Description			Compatib	le Models
e Story	Product Categorytegory	Product SKU	Product SKU Description				C240 M5 SFF
orate	DDR4 DIMM	UCS-MR-X16G2RS-H	16 GB, DDR4, 2,6	666 MHz RDIMM, PC4-21300, D	Dual Rank, x4, 1.2 v	•	•
ite		UCS-MR-X32G2RS-H	32 GB, DDR4, 2,6	666 MHz RDIMM, PC4-21300, D	Dual Rank, x4, 1.2 v	•	•
C-Series	SSD	UCS-SD150G61X-EV	150 GB, 6G SATA	A, SFF SSD		•	•
sight NEW		UCS-HD300G10K12N	300 GB, 12G SAS	S, 10K RPM, SFF HDD		•	•
		UCS-HD600G10K12N	600 GB, 12G SAS	S, 10K RPM, SFF HDD		•	•
	HDD	UCS-HD1T7K12N	1 TB, 12G SAS, 7	.2K RPM, SFF HDD		•	•
es		UCS-HD300G15K12N	300 GB, 12G SAS	S, 15K RPM, SFF HDD		•	•
SS S		UCSC-PCIE-IRJ45	Intel i350 Quad P	ort 1 GE Adapter		•	•
	PCle	N2XX-AIPCI01	Intel X520 Dual P	ort 10 GE SFP+ Adapter		•	•
	PCIE	UCSC-PCIE-C40Q-03	Cisco VIC 1385 D	oual Port 40 GE QSFP+, CNA, RI	DMA	•	•
		UCSC-PCIE-BD32GF	Broadcom LPe32	002 Dual-Port 32 GE FC, HBA		٠	•
	PCIe MLOM	UCSC-MLOM-C40Q-03	Cisco VIC 1387 D	oual Port 40 GE QSFP+, CNA, M	LOM	•	•
		UCSC-PCI-2A-240M5	Riser Card 2A, 3	x PCle Slots (x8, x16, x16) Supp	ports GPU	-	•
	PCle Riser 2	UCSC-PCI-2B-240M5	Riser Card 2B, 3 :	x PCle Slots (x8, x16, x8) Suppo	orts GPU + Rear NVMe	-	•
		UCSC-PCI-2C-240M5	Riser Card 2C, 3	x PCle Slots (x8, x8, x8) Suppor	ts Front + Rear NVMe	-	•

**Getting Started** 

What's New

Feature Story

**UCS C-Series** 

Intersight NEW

Collaborate

Compute


Secure

Connect Switches

> Wireless Routers

Services

### Compute - Servers **Cisco UCS C-Series Rack Servers**



**Getting Started** 


What's New

Feature Story

Collaborate

Compute

### Compute - Servers Cisco UCS C-Series Rack Servers



Secure

**UCS C-Series** 

Nexus 9348

Connect

Switches

Wireless

Routers

Services

### Compute - Servers Cisco UCS C-Series Rack Servers

**Overview** 



Why UCS?

Getting Started

What's New

Feature Story

Collaborate

Compute

UCS C-Series Nexus 9348 New Intersight New

Secure

- Connect
- Switches

Wireless

Routers

Services

Ability to Integrate into a Fully Managed Environment: Cisco UCS Manager & Cisco UCS Fabric Interconnects

Platform Spec


**Positioning Map** 

The **Cisco UCS Manager** integrates blade and rack servers into a single self-aware, self-integrating, unified system. It quickly and accurately configures computing, network, storage, and storage-access resources to increase compliance and reduce the chance of errors that can cause downtime. It uses a role- and policy-based approach that helps organizations more easily align policies and configurations with workloads, and it automates system configuration through a "create once, deploy many" approach. Cisco UCS Manager acts as a single point of management and monitoring for the entire system. It is embedded software that runs on the system's fabric interconnects, typically in a redundant, high-availability configuration. It can be accessed through an intuitive GUI, command-line interface (CLI), or XML API.

The **Cisco UCS Fabric Interconnects** provide a single point of connectivity and management for the entire system. Typically deployed as an active-active pair, the system's fabric interconnects integrate all components into a single, highly

available management domain controlled by Cisco UCS Manager. The fabric interconnects manage all I/O efficiently and securely at a single point, resulting in deterministic I/O latency regardless of a server or virtual machine's topological location in the system.

- Cisco UCS 6200 Series Fabric Interconnects support line-rate, lossless 10 Gigabit Ethernet and FCoE connectivity
- Cisco UCS 6200 Series Fabric Interconnects can be used to create Cisco UCS domains containing blade or rack servers
- Cisco UCS 6300 Series Fabric Interconnects support line-rate, lossless 40 Gigabit Ethernet and FCoE connectivity
- Cisco UCS 6324 Fabric Interconnects can be used to create a self-contained Cisco UCS Mini solution for branch offices and remote locations



**SmartPlay Rack Paks** 

### Compute - Servers Cisco Nexus 9348GC-FXP Switch

Overview Platform Spec

Licenses & Accessories

**Getting Started** 

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348 New Intersight New

Secure

Connect

Switches

Wireless

Routers

Services

### Gigabit Ethernet ToR Switch with Proven Performance and Density

The **Cisco Nexus 9348GC-FXP Switch** is a 1RU switch that supports 696 Gbps of bandwidth and over 250 mpps. The 48 1GBASE-T downlink ports on the switch can be configured to work as 100-Mbps, 1-Gbps ports. The 4 ports of SFP28 can be configured as 1/10/25-Gbps and the 2 ports of QSFP28 can be configured as 40- and 100-Gbps ports. The Cisco Nexus 9348GC-FXP Switch is ideal for big data customers that require a Gigabit Ethernet ToR switch with local switching.



#### Highlights

- Powered by Cisco Cloud Scale ASIC technology
- Support for Cisco NX OS Software and Cisco ACI (Application Centric Infrastructure) architecture
- High-performance, Layer 2 and 3 non-blocking architecture
- Easily deployed into either a hot-aisle or cold-aisle configuration
- Cisco Tetration Analytics Platform support with built-in hardware sensors for rich traffic flow telemetry and line-rate data collection
- Cisco Nexus Data Broker support for network traffic monitoring and analysis

- Robust hardware system specifications feature 4-core CPU, 24 GB of system memory, and respectively 128-GB SSD drive
- The 40-MB buffer supporting highly scalable data centers and big data applications
- 696 Gbps of bandwidth and over 250 mpps
- Fixed downlinks with 48 x 1 GE
- Fixed uplinks with 4 x 25 GE SFP28, 2 x 100 GE QSFP28



### Compute - Servers

### Cisco Nexus 9348GC-FXP Switch



 Overview
 Platform Spec
 Licenses & Accessories

 Cisco Nexus 9348GC-FXP Switch

	Switching		Downlinks	Upl	inks		Power	Supply		F	an	Deals
Product SKU	System Buffer	Capacity (Bandwidth)	GE	SFP/ SFP+/ SFP28	QSFP+/ QSFP28	Default PS	Dual PS	Port Side Exhaust	Port Side Intake	Port Side Exhaust	Port Side Intake	Rack Mount
N9K-C9348GC-FXP	40 MB	696 Gbps	48	4	2	350 W AC	•	•	•	•	•	1 RU

#### Cisco Nexus 9348GC-FXP Switch Bundle

	Bundle							
Product SKU	Switch		QSFP28					
N9K-C9348-FX-B14Q	2 x N9K-C9348GC-FXP	4 x QSFP-40G-SR-BD	-					
N9K-C9348-FX-B24C	2 x N9K-C9348GC-FXP	-	4 x QSFP-100G-SR4-S or QSFP-100G-PSM4-S					





- Getting Started
- What's New
- Feature Story
- Collaborate

#### Compute

- UCS C-Series Nexus 9348 New Intersight New
- Secure
- Connect
- Switches
- Wireless
- Routers
- Services

#### Getting Started

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348 Intersight

#### Secure

Connect

Switches

Wireless

Routers

Services

### Compute - Servers

Overview

### Cisco Nexus 9348GC-FXP Switch

Cisco Nexus 9348GC-FXP Switch Licenses for ACI					
Product SKU	Description				
ACI-ES-GF	ACI Essentials License				
ACI-AD-GF	ACI Advantage License				
ACI-SEC-GF	Security License				
ACI-STRG	Storage License				

Platform Spec

#### Licenses & Accessories

Cisco Nexus 9348GC-FXP Switch Accessories					
Product SKU	Description				
NXK-ACC-KIT-2P	Fixed Accessory Kit with 2-Post Rack Mount Kit				

#### Cisco Nexus 9348GC-FXP Switch Licenses for NX-OS

Product SKU	Description
NXOS-ES-GF	NX-OS Essentials License
NXOS-AD-GF	NX-OS Advantage License
NXOS-SEC-GF	Security License
NXOS-STRG-GF	Storage License
NXOS-NDB	Nexus Data Broker License



WEB

Overview

Compute - Servers

Cisco Intersight

#### Features & Licenses

Gallery

#### Adaptive Computing with Cloud-Powered Intelligence

The **Cisco Intersight** delivers a new era of computing for Cisco UCS and HyperFlex systems. This adaptive, cloud-powered management platform enables you to be anywhere and act everywhere. It delivers pervasive simplicity at a global level with connected technical support, so daily activities are easier for everyone.

Intersight provides actionable intelligence based on insights gained from analytics and best practices to enable faster, proactive operations. Intersight is an open platform that will be integrated with Cisco and third party tools and infrastructure to enable agile delivery, so IT can empower the business to respond quickly to change.

#### Highlights

#### Pervasive Simplicity

Use a GUI or API to meet the needs of your development teams.

Simplify the user experience with the capability to manage your infrastructure regardless of where it is installed.

#### Actionable Intelligence


Use best practices to enable faster, proactive operations.

Gain actionable insight for ongoing improvement and problem avoidance.

Agile Delivery

Respond quickly to new requests and manage the unpredictable.

Deploy edge clusters as quickly as you deploy virtual machines in your data center.



Getting Started

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348 New Intersight New

Secure

Connect

Switches

Wireless

Routers

Services

**Getting Started** 

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348

Secure

Connect

Switches

Wireless

Routers

Services

### Compute - Servers Cisco Intersight

Overview

#### **Features & Licenses**

Gallery

Editions

#### **Cisco Intersight Editions (Licenses)**

The **Cisco Intersight** uses a subscription-based license with multiple editions. Customers can purchase a Subscription duration of one, three, or five years and choose the Cisco UCS server volume tier they need for the selected subscription duration.

Each Cisco UCS server or Cisco HyperFlex system automatically includes a **Cisco Intersight Base** edition at **no additional cost** when the customer accesses the Cisco Intersight portal and claims the device. In addition, customers can purchase the **Cisco Intersight Essentials** edition using the Cisco ordering tool.

#### 🗕 Base

The Cisco Intersight Base offering is available at no cost to customers with platforms enabled to support Cisco Intersight. Enabled platforms are those Cisco UCS and Cisco HyperFlex systems with a Cisco Intersight device connector, including eligible Cisco UCS Manager, Cisco IMC, and Cisco HyperFlex software.

Cisco Intersight Base provides access to a portal that delivers centralized monitoring and basic inventory of managed systems, organizational capabilities including tagging and search, and the capability to launch native endpoint management interfaces including Cisco UCS Manager.

#### Essentials

The Cisco Intersight Essentials offering builds on the functions provided in the Base edition. It includes centralized setup and configuration capabilities through a policy engine, firmware management, compliance tool integration, and other features.

Cisco Intersight Essentials enables customers to centralize configuration management through a unified policy engine, determine compliance with the Cisco UCS Hardware Compatibility List (HCL), and initiate firmware updates. The Essentials edition provides a single interface for monitoring, management, and operations, with the capability to launch the virtual keyboard, video, and mouse (vKVM) console directly from Cisco Intersight.

24110110	2400	20001111010
Product SKU*1	-	DC-MGT-SAAS-EST-C
Free version, supports Cisco UCS and HyperFlex	•	•
Global monitoring of health and inventory status	•	•
User customizable dashboard	•	•
Tagging and basic search	•	•
Context launch of element managers	•	•
Policy-based configuration with service profiles	-	•
Remote management and vKVM	-	٠
Firmware management with scheduled updates	-	•
HCL compliance check and	_	

Base

\*1 DC-MGT-SAAS is required.



Essentials

# Compute - Servers

Cisco Intersight

**Overview** 

WEB

#### **Getting Started**

What's New

Feature Story

Collaborate

#### Compute

UCS C-Series Nexus 9348 New Intersight New

Secure

Connect

Switches

- Wireless
- Routers
- Services

Dubboeil				
Server Health Summary		Hgarflis Clube Heath Sammary	× Fubric Interconnect Health Summary	× Server Inventory
5 1	17	2	3 1	1
				- (
Hyperflex Duste Inventory	- A.	Pable biorcaleast biosthing	< Barner Vyrolen Statutery	× .
$\square$	THE .			9
$\left(\begin{array}{c}2\\2\end{array}\right)$	+ mpartin 2	( <u>4</u> ) • an •	* 110 t	WARROWTED
			23 · · · · · · · · · · · · · · · · · · ·	HyperFirst Variable, Dar
6 6	0	160 20 140	+ 10x5	
NUMBER D D	coverume.	160 20 140		/

**Features & Licenses** 

Gallery

- Customizable dashboard to show overall faults/health/inventory for all managed infrastructure
- Can create unique dashboards for individual Intersight users
- Can add/remove widgets as desired
- Can click on various widgets for more detailed information

New Instances have a	marily been added 1 area	-				
Sarest treeting 3	lerver Phillip					
Databa		Properties				
reall-	(Peelling III.)	Circle DCDC-C220 MFL				and then done that Tap time
Nama Server FD Vender	CIDE WOPCTINESSE WOPCTINESSE OCEC CIDE MRL Dece Systems Inc	Free Louise LB	1			Hauth Dealey
******		6756				
large hole	Dama Profes 1	Treaste .	72	Albummer Millus Villan Units		
Jaron Puella Dates	Cashiel	Enrico	24	Arts .		
and the second sec	1.000 100	Keeline Cares	24	velation	- 4	
Partnesse Uncome	5100	Total Memory (UR)	192.4	16400	ATTEPDOF-C128-44AE #989-6	OC1056A32
Parment Dates	100000000	Spreed (GPC)	82.8	Annual	\$100	

- Server name, model, serial number, and other basic properties are displayed
- Health overlay for front/back/top views can be turned on/off as needed
- Alarms/faults visible on right hand side
- Server actions available as well IMC cross-launch, vKVM, power operations, tagging

	G C Q Seat									23 Pu
0.	None .	mark i	Management IF	Made	CPU Caperity (240)	Marriery Gaussity (18)	SCS Suman	HK Charter	Same Profile	1 1000
PI			10.1.1.128	HIGGOC MIDX			1			
			10.1.1.109	48230C-64528		8.0				
			38.1.5.187	002390-66558	10					
	115-a)+(111mai	8	10.29 101.122	ICECC228-MR	81.8	182.0			Deno Pulla_1	
	1240-0241100100		10/25/131.134		10	10				
			172.26.335.26	0008-8005-944	10.0	256.0	00740513		arg-son/to-00F-0x811	0
			172.26.225.29	VE18-3030-64	1.16.0	236.5	00%06433		arg reat/1x 000-019111	0
	00001014	0	372-28-225-28	SC18-8200-644	62.0	216.2	00740813		arg-san/1+000-019-10	0
			172.38.225.29	UCSERCOLMY	-	126.0	OCTUCS 13		org-match-LEP-Hode-18	0
			172.24.225.29	10138-0208-044	52.8	256.0	073(54)		org-mat, \$2-507-Ch518	0
			172.28.225.28	HOLE ROOM ME	8.4	128.0	actues to			
			172.28.225.20	UC18-8200-MIL		128.0	00740633			
			172-28-225-26	(0100-8200-Mil	10.4	128.0	00740533			
	101-01914	*	10,29,321,345	0000 K240 M58	. 412	54.0	023-0011		org-rist/to-cariton 7-61	0
			10.24115.949	VEH RODO MI		344	122-0231		any must be withdown?	0

- Main server tab shows all servers managed by Cisco Intersight, and provides basic Health/Model/IP information
- Desired column details can be added/removed as user sees fit
- Clicking on any server name dials in to that server detailed server overview/inventory information

Reve features have recently love					
Sever insertery Severitude	9				
II follows the		Presenter 1			
Methodosed CMC		Tate	Committee to	Reduce	
CPUN		Kay identifians	12200	Antonitae Santa Desparan Insta	
Processor 2		Presing	Sumet 2	No. of Contract of	
E Adapters		Reserves			
Illinge     Controllers		CPU2 Staggardg Speed (Strag) Mandal	4 2.3 tms(0) Xeix(0) Gold \$145 CPU (J: 2.30GPU		
ER LUNY		Munitur of Treasts. Munitur of Lense	88		
		Number of Centre District	14		

- Detailed information for all server peripherals CPUs, memory, adapters, storage, etc.
- Can dial in to specific peripheral for additional component information
- Server actions tab available here as well

Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

### Secure Security

#### **Featured Products**



# ) Cisco Firepower 2100 Series

Gain Business Resiliency through Superior Security with Threat-Focused Next-Generation Firewall



### FPR2110-NGFW-K9

Dual Multicore CPU	2 Gbps FW + AVC Throughput	2 Gbps AVC + IPS Throughput	750 Mbps VPN Throughput	1,500 VPN Peers	Default AVC	Optional NGIPS	Optional AMP	Optional URL Filtering
12-port GE	4-port SFP	Firepower Device Manager						

Secure Security

#### **Featured Products**

Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

# **Cisco Advanced Malware Protection for Endpoints**

Replace Your Legacy Anti-Virus with Next-Generation Endpoint Security





## FP-AMP-LIC=

Powered by Talos	1.6 million Global Sensors	1.5 million Samples per Day	100 TB Data per Day	13 Billion Web Requests	24-Hour Operations	Windows	macOS	Linux Red Hat Enterprise	Linux CentOS	Android	iOS
------------------------	----------------------------------	-----------------------------------	---------------------------	-------------------------------	-----------------------	---------	-------	--------------------------------	-----------------	---------	-----

Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

Secure

Security

**Featured Products** 

# Cisco Meraki MX Cloud Managed Security Appliances

Comprehensive Security in a Single Box Secure a Site in Minutes, Right Out of the Box



## MX84-HW

500 Mbps	320 Mbps	250 Mbps	100	1 TB
FW	Adv. Security	VPN	VPN	Web
Throughput	Throughput	Throughput	Peers	Caching
Default	Optional	Optional	Optional	
AVC	NGIPS	AMP	URL Filtering	
2-port	8-port	2-port	USB	
GE-WAN	GE-LAN	SFP-LAN	for 4G	

## MX65W-HW

250 Mbps	200 Mbps	100 Mbps	50	
FW	Adv. Security	VPN	VPN	
Throughput	Throughput	Throughput	Peers	
Default	Optional	Optional	Optional	
AVC	NGIPS	AMP	URL Filtering	
2-port GE-WAN	8-port GE-LAN	2-port GE-LAN PoE+	11ac Wave 2 AP	USB for 4G

## Secure - Security Cisco ASA 5500-X Series



Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X Firepower 2100 AnyConnect
- AMP for Endpoints

Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

# Overview

## Positioning Map

Platform Spec

Licenses

## Superior Multilayered Protection


The **Cisco ASA 5500-X Series** is not only the world's most widely deployed, enterprise-class stateful firewall, but aloso the industry's first adaptive, threat-focused Next-Generation FireWall (NGFW). It provides comprehensive protection from known and advanced threats, including protection against targeted and persistent malware attacks. With Cisco ASA, you consolidate multiple security layers in a single platform, eliminating the cost of buying and managing multiple solutions. This integrated approach combines best-in-class security technology with multilayer protection integrated in a single device that's less costly than piecemeal security solutions.

## 

#### Highlights

- Site-to-site and remote access VPN and advanced clustering provide highly secure, high-performance access and high availability to help ensure business continuity.
- Granular Application Visibility and Control (AVC) supports more than 3,000 application-layer and risk-based controls that can launch tailored intrusion prevention system (IPS) threat detection policies to optimize security effectiveness.
- The industry-leading Cisco Firepower Next-Generation IPS (NGIPS) provides highly effective threat prevention and full contextual awareness of users, infrastructure, applications, and content to detect multivector threats and automate defense response.
- Cisco Advanced Malware Protection (AMP) provides industry-leading breach detection effectiveness, sandboxing, a low total cost of ownership, and superior protection value that helps you discover, understand, and stop malware and emerging threats missed by other security layers.
- Reputation- and category-based URL Filtering offer comprehensive alerting and control over suspicious web traffic and enforce policies on hundreds of millions of URLs in more than 80 categories.

## Secure - Security Cisco ASA 5500-X Series



Services

## Secure - Security Cisco ASA 5500-X Series



	Overview	Positio	oning Map		Platform	Spec	L	icense	S				
etting Started				Throughput		AVC S	essions						
hat's New	Product SKU	Service (CSE) SKU	FW	FW AVC	VPN	Concurrent	New Connections	VPN Peers	GE Ports	11n Wireless AP	Power Supply	Fanless	Rack Mount
ature Story			AVC	IPS	VEN	Sessions	per Second						
ollaborate	ASA5506-FTD-K9	CON-SMBS-ASAK506F	250 Mbps	125 Mbps	100 Mbps	20,000	3,000	50	8	-	External	•	_*1
ompute	ASA5506W-x-FTD-K9	CON-SMBS-ASAxxxxW	250 Mbps	125 Mbps	100 Mbps	20,000	3,000	50	8	•	External	•	_*1
cure	ASA5506H-FTD-K9	CON-SMBS-ASAD506H	250 Mbps	125 Mbps	100 Mbps	20,000	3,000	50	4	-	External	•	_*2
ASA 5500-X	ASA5508-FTD-K9	CON-SMBS-ASD5508F	450 Mbps	250 Mbps	175 Mbps	100,000	7,000	100	8	-	External	-	1 RU
Firepower 2100 AnyConnect	ASA5516-FTD-K9	CON-SMBS-ASA5K16F	850 Mbps	450 Mbps	250 Mbps	250,000	8,000	300	8	-	External	-	1 RU

\*1 Rack Mount Kit (ASA5506-RACK-MNT=) is required. Optional Wall Mount Kit (ASA5506-WALL-MNT=) is available.

\*2 Rack Mount Kit (ASA5506-RACK-MNT=) is required. Optional Wall Mount Kit (ASA5506-WALL-MNT=) and DIN Rail Mount Kit (ASA5506H-DIN-MNT=) are available.

uludu cisco	ASA 5506W-X	· · · · · O · · · · · · · · · · · · · ·
uluilu cisco	ASA 5506W-X	0       0
altala cisco		ASA 5510-X
uludu cisco		ASA 5568 X

#### Sec

Wł

Fea

AMP for Endpoints

Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

Getting Started

What's New

Feature Story

ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoin

Umbrella Meraki MX Meraki Z Meraki MV

Connect Switches Wireless Routers

Services

Collaborate

Compute

Secure

## Secure - Security Cisco ASA 5500-X Series

	s ships with the Cisco Firepower des Application Visibility and Co		-year, and 5-year subscriptions	below are available.
<ul> <li>tection (AMP) for Networks, a</li> <li>Application Visibility and C Supports more than 3,000</li> </ul>	control (AVC) application-layer and risk-based o on prevention system (IPS) threa	Provides h of users, i threats an added alo URL licens <b>Cisco Adv</b> Delivers in Cisco Thre the base censes. <b>URL Filter</b> Adds the risk level and	vanced Malware Protection (AMI nline network protection against eat Grid sandboxing. The AMP lic licenses, or bundled with NGIPS ing (URL) capability to filter more than 280 more than 82 categories. The he base licenses, or bundled wit	content to detect multivector The NGIPS licenses can b ed with AMP, or with AMP an <b>P) for Networks</b> It sophisticated malware an eenses can be added alone t S, or with NGIPS and URL li million top-level domains b URL licenses can be adde

Licenses	Characters Included in Product SKU	Next-Generation IPS (NGIPS)	Advanced Malware Protection (AMP)	URL Filtering (URL)
NGIPS License	Т	•	-	-
AMP License	AMP	-	•	-
URL License	URL	-	-	•
NGIPS & AMP License	ТМ	•	•	-
NGIPS & URL License	TC	•	-	•
NGIPS & AMP & URL License	TMC	•	•	•

## Secure - Security Cisco ASA 5500-X Series

$\frown$	tting	01	and the set
	TTINO	- Sta	rteo
ac	ung	Ota	T LOU

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

Overview	Position	ning Map	Platform Spec	Licenses	
Cisco Firepower TI	nreat Defense NGIPS Lic	enses for Cisco AS	A 5500-X Series		
Product SKU <sup>*1</sup>					
1-Year	3-Years	5-Years	Compatible Models		
L-ASA5506T-T-1Y	L-ASA5506T-T-3Y	L-ASA5506T-T-5Y	ASA 5506		
L-ASA5506WT-T-1Y	L-ASA5506WT-T-3Y	L-ASA5506WT-T-5	ASA 5506W		
L-ASA5506HT-T-1Y	L-ASA5506HT-T-3Y	L-ASA5506HT-T-5Y	ASA 5506H		
L-ASA5508T-T-1Y	L-ASA5508T-T-3Y	L-ASA5508T-T-5Y	ASA 5508		
L-ASA5516T-T-1Y	L-ASA5516T-T-3Y	L-ASA5516T-T-5Y	ASA 5516		

\*1 L-ASAxxxxT-T= is required (The "xxxx" corresponds to the supported models).

#### Cisco Firepower Threat Defense AMP Licenses for Cisco ASA 5500-X Series

Product SKU*1	Compatible Madela		
1-Year	3-Years	5-Years	Compatible Models
L-ASA5506T-AMP-1Y	L-ASA5506T-AMP-3Y	L-ASA5506T-AMP-5Y	ASA 5506
L-ASA5506WT-AMP-1Y	L-ASA5506WT-AMP-3Y	L-ASA5506WT-AMP-5Y	ASA 5506W
L-ASA5506HT-AMP-1Y	L-ASA5506HT-AMP-3Y	L-ASA5506HT-AMP-5Y	ASA 5506H
L-ASA5508T-AMP-1Y	L-ASA5508T-AMP-3Y	L-ASA5508T-AMP-5Y	ASA 5508
L-ASA5516T-AMP-1Y	L-ASA5516T-AMP-3Y	L-ASA5516T-AMP-5Y	ASA 5516

\*1 L-ASAxxxxT-AMP= is required (The "xxxx" corresponds to the supported models).

#### Cisco Firepower Threat Defense URL Licenses for Cisco ASA 5500-X Series

Product SKU*1			
1-Year	3-Years	5-Years	Compatible Models
L-ASA5506T-URL-1Y	L-ASA5506T-URL-3Y	L-ASA5506T-URL-5Y	ASA 5506
L-ASA5506WT-URL-1Y	L-ASA5506WT-URL-3Y	L-ASA5506WT-URL-5Y	ASA 5506W
L-ASA5506HT-URL-1Y	L-ASA5506HT-URL-3Y	L-ASA5506HT-URL-5Y	ASA 5506H
L-ASA5508T-URL-1Y	L-ASA5508T-URL-3Y	L-ASA5508T-URL-5Y	ASA 5508
L-ASA5516T-URL-1Y	L-ASA5516T-URL-3Y	L-ASA5516T-URL-5Y	ASA 5516

\*1 L-ASAxxxxT-URL= is required (The "xxxx" corresponds to the supported models).

## Secure - Security Cisco ASA 5500-X Series

$\sim$	(a) (1, b) (2, b)	- OI	arted
(	OTTIN	$\alpha \leq \tau$	arteo
U.	Cturr	y Ji	anco

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

Overview	Position	ng Map Platform Spec		License	
Cisco Firepower Threat Defense NGIPS & AMP Licenses for Cisco ASA 5500-X Series					
Product SKU <sup>*1</sup>			O a man a tilb la Marala la		
1-Year	3-Years	5-Years	Compatible Models		
L-ASA5506T-TM-1Y	L-ASA5506T-TM-3Y	L-ASA5506T-TM-5Y	ASA 5506		
L-ASA5506WT-TM-1Y	L-ASA5506WT-TM-3Y	L-ASA5506WT-TM-5Y	ASA 5506W		
L-ASA5506HT-TM-1Y	L-ASA5506HT-TM-3Y	L-ASA5506HT-TM-5Y	ASA 5506H		
L-ASA5508T-TM-1Y	L-ASA5508T-TM-3Y	L-ASA5508T-TM-5Y	ASA 5508		
L-ASA5516T-TM-1Y	L-ASA5516T-TM-3Y	L-ASA5516T-TM-5Y	ASA 5516		

\*1 L-ASAxxxxT-TM= is required (The "xxxx" corresponds to the supported models).

#### Cisco Firepower Threat Defense NGIPS & URL Licenses for Cisco ASA 5500-X Series

Product SKU*1				
1-Year	3-Years	5-Years	Compatible Models	
L-ASA5506T-TC-1Y	L-ASA5506T-TC-3Y	L-ASA5506T-TC-5Y	ASA 5506	
L-ASA5506WT-TC-1Y	L-ASA5506WT-TC-3Y	L-ASA5506WT-TC-5Y	ASA 5506W	
L-ASA5506HT-TC-1Y	L-ASA5506HT-TC-3Y	L-ASA5506HT-TC-5Y	ASA 5506H	
L-ASA5508T-TC-1Y	L-ASA5508T-TC-3Y	L-ASA5508T-TC-5Y	ASA 5508	
L-ASA5516T-TC-1Y	L-ASA5516T-TC-3Y	L-ASA5516T-TC-5Y	ASA 5516	

\*1 L-ASAxxxxT-TC= is required (The "xxxx" corresponds to the supported models).

#### Cisco Firepower Threat Defense NGIPS & AMP & URL Licenses for Cisco ASA 5500-X Series

•			
Product SKU <sup>*1</sup>	Compatible Models		
-Year 3-Years 5-Years			
L-ASA5506T-TMC-1Y	L-ASA5506T-TMC-3Y	L-ASA5506T-TMC-5Y	ASA 5506
L-ASA5506WT-TMC-1Y	L-ASA5506WT-TMC-3Y	L-ASA5506WT-TMC-5Y	ASA 5506W
L-ASA5506HT-TMC-1Y	L-ASA5506HT-TMC-3Y	L-ASA5506HT-TMC-5Y	ASA 5506H
L-ASA5508T-TMC-1Y	L-ASA5508T-TMC-3Y	L-ASA5508T-TMC-5Y	ASA 5508
L-ASA5516T-TMC-1Y	L-ASA5516T-TMC-3Y	L-ASA5516T-TMC-5Y	ASA 5516

\*1 L-ASAxxxxT-TMC= is required (The "xxxx" corresponds to the supported models).

## Secure - Security Cisco Firepower 2100 Series



#### Getting Started

What's New

- Feature Story
- Collaborate
- Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

## Overview

### Positioning Map

Platform Spec

Licenses

## Business Resiliency through Superior Threat Defense

The **Cisco Firepower 2100 Series** is the industry's first fully integrated, threat-focused Next-Generation FireWall (NGFW) with unified management. It delivers business resiliency through superior security with sustained performance – provides sustained network performance when threat inspection features are activated to keep your business running securely. And It is now simpler to manage for improved IT efficiency and a lower total cost of ownership.


The Firepower 2100 NGFWs sustain its throughput performance as threat services are added. They do this by uniquely incorporating an innovative dual multi-core CPU architecture that optimizes firewall, cryptographic, and threat inspection functions simultaneously. They won't become a network bottleneck or lose effectiveness like competitors when threat inspection is turned on. Now, achieving security doesn't come at the expense of network performance.

ababa cisco filleration stores	
sibuit - cosco resignation anoma	
cifecti - CIECO HIM 2148 HOME3	
CISCO CISCO THE COM STREET	

#### Highlights

- Stop more threats: Contain known and unknown malware with leading Cisco AMP and sandboxing.
- Gain more insight: Gain superior visibility into your environment with Cisco Firepower NGIPS. Automated risk rankings and impact flags identify priorities for your team.
- Detect earlier, act faster: The Cisco Annual Security Report identifies a 100-day median time from infection to detection, across enterprises. Cisco reduces this time to less than a day.
- Reduce complexity: Get unified management and automated threat correlation across tightly integrated security functions, including application firewalling, NGIPS, and AMP.
- Get more from your network: Enhance security, and take advantage of your existing investments, with optional integration of other Cisco and third-party networking and security solutions.

## Secure - Security Cisco Firepower 2100 Series



## Secure - Security Cisco Firepower 2100 Series



Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

- Switches
- Wireless
- Routers

Services

Overview Positioning Map Platform Spec Licenses											
			Throughput		AVC S	essions		Po	rts		
Product SKU	Service (CSE) SKU	FW AVC	FW AVC IPS	VPN	Concurrent Sessions	New Connections per Second	VPN Peers	GE	SFP	Power Supply	Rack Mount
FPR2110-NGFW-K9	-	2 Gbps	2 Gbps	250 Mbps	1,000,000	12,000	1,500	12	4	Internal	1 RU





## Secure - Security Cisco Firepower 2100 Series

Overview



Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

ASA 5500-X

- Firepower 2100
- AnyConnect
- AMP for Endpoints

Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

**Positioning Map** 

Product SKU <sup>*1</sup>			
1-Year	Compatible Models		
L-FPR2110T-T-1Y	L-FPR2110T-T-3Y	L-FPR2110T-T-5Y	Firepower 2110
		·	*1 L-FPR2110T-T= is required.

#### Cisco Firepower Threat Defense AMP Licenses for Cisco Firepower 2110

Product SKU*1	Compatible Medele			
1-Year 3-Years 5-Years			Compatible Models	
L-FPR2110T-AMP-1Y	L-FPR2110T-AMP-3Y	L-FPR2110T-AMP-5Y	Firepower 2110	
			*1 L-FPR2110T-AMP= is required.	

#### Cisco Firepower Threat Defense URL Licenses for Cisco Firepower 2110

Product SKU*1	O arrest at the Mandala			
1-Year 3-Years 5-Years			Compatible Models	
L-FPR2110T-URL-1Y	L-FPR2110T-URL-3Y	L-FPR2110T-URL-5Y	Firepower 2110	
			*1 L-FPR2110T-URL= is required.	

#### Cisco Firepower Threat Defense NGIPS & AMP Licenses for Cisco Firepower 2110

Product SKU <sup>*1</sup>	Compatible Madala			
1-Year 3-Years 5-Years			Compatible Models	
L-FPR2110T-TM-1Y	L-FPR2110T-TM-3Y	L-FPR2110T-TM-5Y	Firepower 2110	
			*1   EBB0110T TM :	

\*1 L-FPR2110T-TM= is required.

**Platform Spec** 

Licenses

#### Cisco Firepower Threat Defense NGIPS & URL Licenses for Cisco Firepower 2110

Product SKU*1				
1-Year 3-Years 5-Years			Compatible Models	
L-FPR2110T-TC-1Y	L-FPR2110T-TC-3Y	L-FPR2110T-TC-5Y	Firepower 2110	
			*1 L-EPP2110T-TC- is required	

\*1 L-FPR2110T-TC= is required.

#### Cisco Firepower Threat Defense NGIPS & AMP & URL Licenses for Cisco Firepower 2110

Product SKU <sup>*1</sup>	Compatible Models		
1-Year			
L-FPR2110T-TMC-1Y	L-FPR2110T-TMC-3Y	L-FPR2110T-TMC-5Y	Firepower 2110

\*1 L-FPR2110T-TMC= is required.

## Secure - Security Cisco AnyConnect Secure Mobility Client



#### Licenses **Overview** Features **Getting Started** Easy to Use, Highly Secure, Much More than a VPN What's New The industry-leading Cisco AnyConnect Secure Mobility Client is a modular Cisco AnyConnect clients are available across a broad set of platforms, endpoint software product. It not only provides VPN access through Seincluding Windows, macOS, Linux, iOS, Android, Windows Phone/Mobile, Feature Story cure Sockets Laver (SSL) and IPsec IKEv2 but also offers enhanced security BlackBerry, and ChromeOS. through various built-in modules. These modules provide services such as compliance through the VPN with Cisco ASA or through wired, wireless, and VPN with Cisco Identity Services Engine (ISE), web security along side Cisco Compute Cloud Web Security (CWS), network visibility into endpoint flows within Cisco Stealthwatch, or off-network roaming protection with Cisco Umbrella. Secure ASA 5500-X Firepower 2100 **AnyConnect** 0 Ŭ -**2**CWS AMP for Endpoints Θ Θ $(\mathbf{a})$ Umbrella Advanced Endpoint Threat Network Basic VPN VPN Compliance Protection Visibility Plugin Meraki MX Meraki Z Meraki MV **AnyConnect Features** Connect Switches Wireless Routers **Services** Integration with Other Cisco Solutions <u>ि</u> ISR/RV ASR/CSR CWS/WSA ASA ISE Catalyst/WC NetFlow Collectors AMP Umbrella

## Secure - Security Cisco AnyConnect Secure Mobility Client



	Overview	Features Licenses
Getting Started	Feature	Description
What's New Feature Story Collaborate	Unified Endpoint Compliance	The Cisco AnyConnect ISE Posture Module in Cisco ISE deployments provides unified endpoint posture checks and automated remediation across wired, wireless, and VPN environments. This module serves as the main source of endpoint posture checking for OS levels, latest antivirus/spyware/malware updates, application and hardware inventory and other endpoint checks to determine compliance state and strengthen endpoint security. For VPN only environments, the Cisco ASA provides endpoint posture using Cisco AnyConect Hostscan Module.
Compute Secure	Highly Secure Network Access	The Cisco AnyConnect Network Access Manager provides superior connectivity features. Administrators can control which networks or resources for endpoints to connect. It provides an IEEE 802.1X supplicant that can be provisioned as part of authentication, authorization, and accounting (AAA) capabilities along with some unique encryption technologies such as MACsec IEEE 802.1AE.
ASA 5500-X Firepower 2100 AnyConnect	Web Security	A built-in Cisco AnyConnect module implements web security either through the on-premise Cisco Web Security Appliance (WSA) or the cloud-based Cisco Cloud Web Security (CWS) offering. Combining web security with VPN access, administrators can provide comprehensive, highly secure mobility to all end users, which is vital for bring-your-own-device (BYOD) deployments. Enterprises have a choice of deployments to defend the network against web malware and to control and safeguard web usage.
AMP for Endpoints Umbrella	Network Visibility	The Cisco AnyConnect Network Visibility Module on Windows, macOS, Linux, and Samsung Knox-enabled devices gives administrators the ability to monitor endpoint application usage to uncover potential behavior anomalies and to make more informed network design decisions. Usage data can be shared with NetFlow analysis tools such as Cisco Stealthwatch.
Meraki MX Meraki Z Meraki MV	Off-Network Protection (DNS-Layer Security)	Cisco Umbrella Roaming is a cloud-delivered security service that protects devices when they are off the corporate network. Whether users turn off the VPN or forget to turn it on, Umbrella Roaming enforces security at the DNS layer to protect against malware, phishing, and command-and-control callbacks over any port or protocol.
Connect Switches Wireless	Mobile Device Support	Administrators need to support end-user productivity by providing personal mobile devices with remote access to the company network. Cisco AnyConnect services can be deployed on the most popular devices used by today's diverse workforce. Highly secure remote access can either be device-based or through select per-application VPN, which eliminates unapproved applications from accessing confidential business resources further reducing malware intrusion risks and bandwidth costs for remote access.
Routers Services	Servers and Platforms	Cisco AnyConnect services are used in conjunction with numerous Cisco head server platforms, including but not limited to the Cisco ASA (physical and virtual), Cisco Firepower Next-Generation Firewalls (physical and virtual/ASA and FTD operating systems), Cisco Identity Services Engine (ISE), Cisco Aggregation Services Routers (ASR), Cisco Cloud Web Security (CWS), and Cisco IOS software on Cisco ISR. Headend termination devices and cloud services, along with the associated service costs and support contracts, are purchased separately.

**Getting Started** 

What's New

Feature Story

ASA 5500-X

**AnyConnect** 

Umbrella

Meraki Z Meraki MV

Connect

Switches

Wireless

Routers

**Services** 

Meraki MX

Firepower 2100

AMP for Endpoints

Collaborate

Compute

Secure

## Secure - Security Cisco AnyConnect Secure Mobility Client



#### Overview

#### Features

#### Licenses

#### Cisco AnyConnect Licenses

The Cisco AnyConnect offers simplified licensing to meet the needs of the broad enterprise IT community as it adapts to growing end-user mobility demands. The current AnyConnect 4.x collapses the formerly complex AnyConnect licensing model into two simple tiers: the first is AnyConnect Plus and the second is AnyConnect Apex.

#### Oisco AnyConnect Plus License

Includes basic VPN services such as device and per-application VPN (including third-party IKEv2 remote access VPN headend support), trusted network detection, basic device context collection, and Federal Information Processing Standards (FIPS) compliance. AnyConnect Plus also includes other non-VPN services such as the AnyConnect Network Access Manager 802.1X supplicant, the Cisco Cloud Web Security (CWS) module, and the Cisco Umbrella Roaming module. Existing Any-Connect customers should think of AnyConnect Plus as similar to the previous AnyConnect Essentials.

#### Cisco AnyConnect Apex License

Includes more advanced services such as endpoint posture checks (Hostscan through ASA VPN, or ISE Posture through the Cisco Identity Services Engine), network visibility, next-generation VPN encryption (including Suite B), and clientless remote access VPN as well as all the capabilities of AnyConnect Plus. Existing AnyConnect customers should think of AnyConnect Apex as similar to previous AnyConnect Premium and Premium Shared Licenses.

AnyConnect Plus and Apex licenses offer a set of features and deployment flexibility to meet a wide range of your enterprise's requirements. For enterprises that want only AnyConnect for remote access use cases, there is also the **Cisco AnyConnect VPN Only License**.

Cisco AnyConnect Plus & Apex License Comparison		
	Plus	Apex
Device or System VPN (Including Cisco Phone VPN)	•	•
Third-Party IPsec IKEv2 Remote Access VPN Clients (Non-AnyConnect Client)	•	•
Per-Application VPN	•	•
Cloud Web Security and Web Security Appliance	•	•
Cisco Umbrella Roaming <sup>*1</sup>	•	•
Network Access Manager	•	•
AMP for Endpoints Enabler*2	•	•
Network Visibility Module	-	•
Unified Endpoint Compliance and Remediation (Posture)*3	-	•
Suite B or Next-Generation Encryption (Including Third-Party IPsec IKEv2 Remote VPN Clients)	-	•
Clientless (Browser-based) VPN Connectivity	-	•
ASA Multicontext-mode Remote Access	-	•
SAML authentication*4	-	•
*1 Cisco Umbrella Roaming	l icense is	required

1 Cisco Umbrella Roaming License is required.

\*2 Cisco AMP for Endpoints License is required.

\*3 Cisco ISE Apex License is required.

\*4 Cisco ASA 9.7.1 or later is required.

## Secure - Security Cisco AnyConnect Secure Mobility Client

Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV

Connect

Switches

Wireless

Routers

Services

#### **Overview** Cisco AnyConnect Plus Licenses Product SKU<sup>\*1 \*2</sup> User Range 1-Year 3-Years 5-Years L-AC-PLS-1Y-S1 L-AC-PLS-3Y-S1 L-AC-PLS-5Y-S1 25 to 99 L-AC-PLS-1Y-S2 L-AC-PLS-3Y-S2 L-AC-PLS-5Y-S2 100 to 249

L-AC-PLS-1Y-S3 L-AC-PLS-3Y-S3 L-AC-PLS-5Y-S3 250 to 499 \*1 Refer to the Ordering Guide for a full list of SKUs supporting over 500 users. \*2 L-AC-PLS-LIC= is required.

Features

Licenses

Product SKU*1 *2	Users
Perpetual	Users
AC-PLS-P-25-S	25
AC-PLS-P-50-S	50
AC-PLS-P-100-S	100
AC-PLS-P-250-S	250
AC-PLS-P-500-S	500

\*1 Refer to the Ordering Guide for a full list of SKUs supporting over 500 users. \*2 L-AC-PLS-P-G is required.

#### Cisco AnyConnect Apex Licenses

Product SKU <sup>*1 *2</sup>			
1-Year	3-Years	5-Years	User Range
L-AC-APX-1Y-S1	L-AC-APX-3Y-S1	L-AC-APX-5Y-S1	25 to 99
L-AC-APX-1Y-S2	L-AC-APX-3Y-S2	L-AC-APX -5Y-S2	100 to 249
L-AC-APX-1Y-S3	L-AC-APX-3Y-S3	L-AC-APX -5Y-S3	250 to 499

\*1 Refer to the Ordering Guide for a full list of SKUs supporting over 500 users. \*2 L-AC-APX-LIC= is required.

#### Cisco AnyConnect VPN Only Licenses

Product SKU <sup>+1 +2</sup> Perpetual	Simultaneous Connections
L-AC-VPNO-25=	25
L-AC-VPNO-50=	50
L-AC-VPNO-100=	100
L-AC-VPNO-250=	250
L-AC-VPNO-500=	500

\*1 Refer to the Ordering Guide for a full list of SKUs supporting over 500 users.

## Secure - Security Cisco Advanced Malware Protection for Endpoints



#### Overview

Licenses

AMP Everwhere

## Cloud-Managed Next-Generation Endpoint Security

The Cisco Advanced Malware Protection (AMP) for Endpoints is a cloud-managed endpoint security solution that provides the visibility, context, and control to prevent breaches, but also rapidly detect, contain, and remediate threats if they evade front-line defenses and get inside, all cost-effectively and without affecting operational efficiency.


- Prevent: Strengthen defenses using the best global threat intelligence and block malware in real time
- Detect: Continuously monitor and record all file activity to quickly detect stealthy malware
- Respond: Accelerate investigations and automatically remediate malware across PCs, Macs, Linux, servers and mobile devices (Android and iOS)

#### Threat Intelligence and Dynamic Malware Analysis


The Cisco AMP is built on an extensive collection of real-time threat intelligence and dynamic malware analytics supplied by the Cisco Talos Security Intelligence Group, and Cisco Threat Grid intelligence feeds. Organizations benefit from:

- 1.5 million incoming malware samples per day
- 1.6 million global sensors
- 100 terabytes of data per day
- 13 billion web requests
- Team of engineers, technicians, and researchers
- e 24-hour operations

Cisco AMP for Endpoints is managed through an easy-to-use, web-based console. It is deployed through AMP's lightweight endpoint connector, with no performance impact on users. Analysis is done in the cloud, not on the endpoint. The solution is offered as a subscription on endpoints, including coverage for Windows, Macs, Linux, servers and mobile devices (Android and iOS).



Managed through an easy-to-use, web-based console



## Getting Started

What's New

```
Feature Story
```

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints

Umbrella

Meraki MX

Meraki Z

Meraki MV

#### Connect

Switches

Wireless

Routers

Services

## Secure - Security Cisco Advanced Malware Protection for Endpoints

Overview



#### **Getting Started**

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

Cisco AMP fo	r Endpoints Conne	ector Licenses		
Product SKU*1 *2	Connector			
1-Year	3-Years	5-Years	Range	
FP-AMP-1Y-S1	FP-AMP-3Y-S1	FP-AMP-5Y-S1	50 to 99	
FP-AMP-1Y-S2	FP-AMP-3Y-S2	FP-AMP-5Y-S2	100 to 499	

\*1 Refer to the Ordering Guide for a full list of SKUs supporting over 500 users. \*2 FP-AMP-LIC= is required.

Licenses

## Cisco AMP Virtual Private Cloud Appliance

**AMP Everwhere** 


Product SKU*1	Max Connectors
FP-AMP-CLOUD-SW	10,000

\*1 FP-AMP-CLOUD-BUN and Cisco AMP for Endpoints Connector License are required.

Software Requirements				
Connector	Supported OS			
Cisco AMP Windows Connector	<ul> <li>Microsoft Windows 7</li> <li>Microsoft Windows 8 and 8.1</li> <li>Microsoft Windows 10</li> <li>Microsoft Windows Server 2008</li> <li>Microsoft Windows Server 2012</li> </ul>			
Cisco AMP Mac Connector	• Mac OS X 10.7 and later			
Cisco AMP Linux Connector	<ul> <li>Linux Red Hat Enterprise</li> <li>6.5, 6.6, 6.7, 6.8, 7.2, and 7.3</li> <li>Linux CentOS</li> <li>6.4, 6.5, 6.6, 6.7, 6.8, 7.2 and 7.3</li> </ul>			
Cisco AMP Mobile	<ul><li>Android version 2.1 and later</li><li>MDM supervised iOS version 11</li></ul>			

## Secure - Security Cisco Advanced Malware Protection for Endpoints





# Cisco Start Catalog<br/>May, 2018Secure - Security<br/>Cisco UmbrellaOverviewFeaturesLicensesPromotions

#### Getting Started

What's New

- Feature Story
- Collaborate
- Compute

#### Secure


- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

## The Fastest and Easiest Way to Protect All of Your Users in Minutes

The **Cisco Umbrella** is the industry's first **Secure Internet Gateway** that provides the first line of defense against threats on the internet wherever users go. Umbrella delivers complete visibility into internet activity across all locations, devices, and users, and blocks threats before they ever reach your network or endpoints. As a cloud-delivered, open platform, Umbrella integrates easily with your existing security stack and delivers live threat intelligence about current and emerging threats.

Because it is delivered from the cloud, there is no hardware to install or software to manually update. You can provision all on-network devices — including BYOD and IoT — in minutes and use your existing Cisco footprint — AnyConnect, Wireless Controller, Integrated Services Router (ISR), and so on — to quickly provision thousands of network egresses and roaming laptops. Additionally, with the Cisco Security Connector app, you can use the Umbrella extension to protect supervised iOS 11 devices.



Getting S

What's No

Feature S

Collabora

Compute

Secure ASA 5 Firepo AnyCo AMP f

Connect Switche Wireless Routers

Services

## Secure - Security Cisco Umbrella

	Ove	erview	Features	Licer	nses	Prom	otions		
g Started	Package			Roaming	Branch	WLAN	Professional	Insights	Platform
s New	Гаскауе				Dranch	VVLAIN	Professional		Plation
e Story	Best for			AnyConnect NGFW	ISR 4000	Wireless Controllers	Small Companies	Mid-sized Companies	Advanced Security Tea
orate		100 % Cloud Maintain	No Hardware to Install or Software to	•	•	•	•	•	•
te	Performance	100 % Uptim No Added Lat	e: Resolves 80 B+ Requests Daily with ency	•	•	•	•	•	•
			Malicious Destinations Enforced Con- ss 25 Data Centers	•	•	•	•	•	•
5500-X bower 2100		Add a New L vice, Anywhe	ayer of Predictive Security for Any De- re	•*1	●* <sup>3</sup>	•* <sup>3</sup>	•	•	•
Connect	Protection	Prevent Malw Any Port	vare, Phishing, and C2 Callbacks over	•	•	•	•	•	•
for Endpoints		Enforce Acce Categories	ptable Use Policies Using 60 Content	-	٠	•	•	•	•
orella aki MX		Block Malicio the DNS-Laye	us Domain Requests & IP Responses at er	•	٠	•	•	•	•
aki Z	Enforcement	Block Malicion the IP-Layer	us URL Paths & Direct IP Connections at	-	-	-	-	•	•
aki MV		Real-Time, Er uled Reports	terprise-Wide Activity Search & Sched-	•	٠	•	•	•	•
t nes	Visibility	Identify Targe Global Activity	eted Attacks by Comparing Local vs.	-	-	-	-	•	•
SS		Identify Cloud 1800+ Servic	d & IoT Usage Risks by Reporting on es	-	-	-	-	•	•
ſS		Custom Block Bypass Option	Allow Lists, Built-in Block Pages, and	•*2	•	•	•	•	•
S	Management		& Visibility per Internal Network or AD	-	● <sup>*4</sup>	● <sup>*5</sup>	-	•	•
		Retain Logs F S3 Bucket	orever by Integrating with Your Amazon	-	-	-	-	•	•
	Platform	API-based Int ty Block Lists	egrations to Enforce & Manage 3rd-par-	-	-	-	-	-	•
	Package Exclusive	-	onsole: Threat Intelligence on All Do- File Hashes	-	-	-	-	-	•

\*1 Off-network only. \*2 Only has allow list and 1 built-in block page. \*3 On-network only.

\*4 Only per internal network (no Active Directory). \*5 Per SSID, access point, AP group, and user group (no Active Directory).

Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

ASA 5500-X

- Firepower 2100
- AnyConnect
- AMP for Endpoints

Umbrella

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

## Secure - Security Cisco Umbrella

**Overview** 

Cisco Umbrella Roaming License				
Product SKU*1	Description			
UMB-ROAM	Umbrella Roaming per User License			
	*1 UMBRELLA-SUB is required.			

Features

#### Cisco Umbrella Branch Licenses

Product SKU	Description
UMB-BRAN-4221	Umbrella Branch License for Cisco ISR 4321
UMB-BRAN-4321	Umbrella Branch License for Cisco ISR 4321
UMB-BRAN-4331	Umbrella Branch License for Cisco ISR 4331
UMB-BRAN-4351	Umbrella Branch License for Cisco ISR 4351
UMB-BRAN-4431	Umbrella Branch License for Cisco ISR 4431
UMB-BRAN-4451	Umbrella Branch License for Cisco ISR 4451
	*1 LIMBRELLA-SUB is require

1 UMBRELLA-SUB is required.

#### Cisco Umbrella Professional License

**Promotions** 

Licenses

Product SKU*1	Description
UMB-PROFESSIONAL	Umbrella Professional per User License
	*1 UMBRELLA-SUB is required.

#### Cisco Umbrella Insights License

Product SKU*1	Description
UMB-INSIGHTS-K9	Umbrella Insights per User License
	*1 UMBRELLA-SUB is required.

#### Cisco Umbrella Platform License

Product SKU*1	Description
UMB-PLATFORM-K9	Umbrella Platform per User License

\*1 UMBRELLA-SUB is required.

#### Cisco Umbrella WLAN License

Product SKU*1	Description
UMB-WLAN	Umbrella WLAN per Access Point License
	*1 LIMBDELLA_SUB is required

1 UMBRELLA-SUB is required.



## Secure - Security Cisco Umbrella

**Promotions** 

## Promotion Prices & Trial

Overview



Getting Started

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV

Connect

- Switches
- Wireless
- Routers

Services

#### **OpenDNS OpenDNS** Umbrella Umbrella Home VIP Professional Home 14 Day Trial US\$ 38/year FREE US\$ 19.95/year FRFF Our classic, free service OpenDNS Home package Get start in 30 seconds Per user (10 to 90 users) with customizable filtering plus one year of usage stats No credit card or and optional white-list mode **Cisco Promotion Price** and identity theft protection phone call required

Licenses

#### Free Umbrella 14-Day Trial (https://signup.opendns.com/freetrial)

If you want to add an additional layer of DNS security to your router or firewall, try our free trial-you can set it up yourself in less than five minutes, no credit card or phone call required.

#### Umbrella Professional: Best for Small Companies (https://umbrella.cisco.com/products/small-teams)

Features

This is Cisco's direct sale promotion price via on-line credit card settlement. Cisco authorized distributors are also offering even more attractive promotion pricing for various umbrella packages. Actual purchase price will be determined between purchaser & reseller of your choice.



# Мау, 2018 С

#### **Getting Started**

What's New

- Feature Story
- Collaborate
- Compute

#### Secure

- ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers

Services

## Secure - Security Cisco Meraki MX Cloud Managed Security Appliances

#### Overview

Positioning Map

Platform Spec

Licenses & Accessories

## 100 % Centralized Cloud Management for Security, Networking, and Application Control

The Cisco Meraki MX Cloud Managed Security Appliances are ideal for organizations considering a Unified Threat Managment (UTM) solution, for distributed sites, campuses or datacenter VPN concentration. Since the MX is 100 % cloud managed, installation and remote management is simple. The MX has a comprehensive suite of network services, eliminating the need for multiple appliances. These services include SD-WAN capabilities, application-based firewalling, content filtering, web search filtering, SNORT based intrusion detection and prevention, Cisco Advanced Malware Protection (AMP), web caching, 4G cellular failover and more. Auto VPN and SD-WAN features are available on our hardware and virtual appliances, configurable in Amazon Web Services.



#### Highlights

- Identity-Based Firewall: Automatically assigns firewall and traffic shaping rules, VLAN tags, and bandwidth limits to enforce the right policies for each class of users
- Intrusion Prevention: Protects critical network resources from the latest security threats and vulnerabilities
- Auto VPN: Securely connects branch locations using mesh or hub-andspoke topologies. Provides simple VPN access into Amazon Web Services
- Content Filtering: Block undesirable web content across 70+ categories, and leverage cloud lookups to filter billions of URLs

- Advanced Malware Protection: Protect your network against malware using the latest threat intelligence, and identify previously unknown malicious files with retrospective detection
- High Availability & Failover: Provides device and connection integrity through multiple uplinks, warm spare failover, and self-healing VPN
- Application Visibility & Control: Identify which applications are being used, and then prioritize critical apps while limiting recreational apps
- Centralized Management: Seamlessly manage campus-wide Wi-Fi deployments and distributed multi-site networks from a single pane-of-glass

## Secure - Security Cisco Meraki MX Cloud Managed Security Appliances





Secure

Meraki MX Meraki Z Meraki MV

Connect Switches Wireless Routers

Services

## Secure - Security Cisco Meraki MX Cloud Managed Security Appliances



Licenses & Accessories **Overview Positioning Map Platform Spec** Getting Started WAN/ WAN Throughput LAN LAN Ports Wireless Concurrent Ports Web Power Rack What's New Recommended Ports Product SKU VPN Caching Clients Mount Supply Tunnels 4G Stateful Advanced GE 11ac VPN GE GE GE SFP Feature Story PoE+ AP LTE Firewall Security MX64-HW 50 250 Mbps 200 Mbps 100 Mbps 50 \_ 1 1 4 \_ \_ \_ \_\*2 External \_\*2 Collaborate \_\*2 MX64W-HW 200 Mbps \_\*2 50 250 Mbps 100 Mbps 50 \_ 1 1 4 -\_ ۲ External Compute \_\*2 \_\*2 MX65-HW 50 250 Mbps 200 Mbps 100 Mbps 50 \_ 2 \_ 8 2 \_ External \_ ASA 5500-X MX65W-HW 250 Mbps 200 Mbps 2 -8 2 \_\*2 \_\*2 50 100 Mbps 50 \_ -۲ External Firepower 2100 MX84-HW 200 500 Mbps 320 Mbps 100 2 8 2 \_\*2 1 RU 250 Mbps 1 TB \_ \_ \_ Internal AnyConnect AMP for Endpoints vMX100 \_ \_ 500 Mbps \_ \_ \_ \_ \_ \_ Umbrella

\*1 Cellular Modem is required.

\*2 Desktop or Wall mountable with included mount hardware.

## Secure - Security Cisco Meraki MX Cloud Managed Security Appliances

Overview

Getting	Started

What's New

- Feature Story
- Collaborate
- Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV
- Connect
- Switches
- Wireless
- Routers
- Services

Product SKU	rprise Licenses for Cis			
1-Year	3-Years	5-Years	Compatible Models	
LIC-MX64-ENT-1YR	LIC-MX64-ENT-3YR	LIC-MX64-ENT-5YR	MX64	
LIC-MX64W-ENT-1YR	LIC-MX64W-ENT-3YR	LIC-MX64W-ENT-5YR	MX64W	
LIC-MX65-ENT-1YR	LIC-MX65-ENT-3YR	LIC-MX65-ENT-5YR	MX65	
LIC-MX65W-ENT-1YR	LIC-MX65W-ENT-3YR	LIC-MX65W-ENT-5YR	MX65W	
LIC-MX84-ENT-1YR	LIC-MX84-ENT-3YR	LIC-MX84-ENT-5YR	MX84	

Positioning Map

Platform Spec

#### Cisco Meraki Advanced Security Licenses for Cisco Meraki MX Series

Product SKU		Compatible Madale	
1-Year	3-Years	5-Years	Compatible Models
LIC-MX64-SEC-1YR	LIC-MX64-SEC-3YR	LIC-MX64-SEC-5YR	MX64
LIC-MX64W-SEC-1YR	LIC-MX64W-SEC-3YR	LIC-MX64W-SEC-5YR	MX64W
LIC-MX65-SEC-1YR	LIC-MX65-SEC-3YR	LIC-MX65-SEC-5YR	MX65
LIC-MX65W-SEC-1YR	LIC-MX65W-SEC-3YR	LIC-MX65W-SEC-5YR	MX65W
LIC-MX84-SEC-1YR	LIC-MX84-SEC-3YR	LIC-MX84-SEC-5YR	MX84

#### Cisco Meraki Advanced Security Licenses for Cisco Meraki vMX100

Product SKU	Compatible					
1-Year	3-Years 5-Years					
LIC-VMX100-1YR	LIC-VMX100-3YR	LIC-VMX100-5YR	vMX100			

## Licenses & Accessories

#### Cisco Meraki License Comparison

	Enterprise	Advanced Security
Stateful Firewall	٠	•
Site to Site VPN	•	•
Client VPN	٠	•
Branch Routing	•	•
Link Bonding and Failover	٠	•
Application Control	•	•
Web Caching	٠	•
Content Filtering	-	•
Geo-based IP Firewall	-	٠
Google SafeSearch and YouTube for Schools	-	•
Intrusion Detection & Prevention (IDS/IPS)	-	•
Advanced Malware Protection (AMP)	-	•
Cisco Threat Grid <sup>*1</sup>	-	•

\*1 Cisco Threat Grid License is required.

#### Cisco Meraki 1000BASE Small Form-Factor Pluggable (SFP) Modules

SKU	Description	Max	Compatible Series							
SKU	Description	Distance	MX64	MX64W	MX65	MX65W	MX84	vMX100		
MA-SFP-1GB-TX	1000BASE-T SFP Module	100 m	-	-	-	-	•	-		
MA-SFP-1GB-SX	1000BASE-SX SFP Module	550 m	-	-	-	-	•	-		
MA-SFP-1GB-LX10	1000BASE-LX10 Module	10 km	-	-	-	-	•	-		



# VEB

#### Overview

Secure - Security

Platform Spec

Licenses & Accessories

#### Offering Fast, Reliable Connectivity for the Modern Teleworker

Cisco Meraki Z Cloud Managed Teleworker Gateway

The Cisco Meraki Z Cloud Managed Teleworker Gateway is an enterprise class firewall, VPN gateway and router. Each model offers five gigabit ethernet ports and wireless for connectivity. Each model is designed to securely extend the power of Meraki cloud managed networking to employees, IT staff, and executives working from home.

Using Meraki's proven and highly scalable Auto VPN technology, administrators can deploy network services including VoIP and remote endpoints with automatic, zero-touch provisioning. All models feature a high-performance stateful firewall, support for VLANs, inter-VLAN routing, and isolation to segregate corporate data from recreational traffic.



## Highlights

- Self-configuring, plug-and-play deployment
- Auto VPN for intelligent site-to-site VPN connectivity
- Layer 7 application traffic shaping and prioritization
- Layer 3 firewall to separate corporate data from personal traffic
- IEEE 802.1x port authentication for wired devices
- USB port for 3G/4G connectivity
- GE downlinks for printers, phones and other wired devices
- PoE output for VoIP phones and other powered devices

- Built-in IEEE 802.11n/ac-compatible wireless access point
- Up to 4 SSIDs with integrated enterprise security and personal/guest access
- Sleek, low profile design
- Optional desk stand

#### Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX Meraki Z Meraki MV
- Connect
- Switches
- Wireless
- Routers
- Services

Gett

Wha

Feat

Com

Secu

## Secure - Security Cisco Meraki Z Cloud Managed Teleworker Gateway

+

ectivity \*



	Overview	Р	latform Spec	License	s & Accessori	es						
Started		Description	Throu	ghput	WAN Ports	LAN	Ports		Wireless		Davage	Rack
New	Product SKU	Recommended Clients	Stateful Firewall	VPN	GE	GE	GE PoE+	11n AP	11ac AP	4G LTE	Power Supply	Moun
Story	Z3-HW New	5	100 Mbps	50 Mbps	1	3	1			•	External	_*2
te				*1 Declar							included mou	
)				*1 Deskto	p or Wall mountable	e with inclu	ided mount	hardware.	Vertical De	esk Stand	(MA-SIND-I)	) is availa
500-X												
wer 2100												
onnect	VPN Status, Teleworker - Luke Jone	es for the last day +										
or Endpoints												
lla	0 Usage			Telenohe	-Luke							
MX	75 bis 80 bis		Ban Francisco - Security									
i Z	25 5h 20.00 00.00 04.00	08.00 12.00 16.00		115								
i MV	Latency 90 ms	50% 00% HI			Auto Config	juring Site-	to-Site VPI	N				
	60 ms 30 ms 0 ma											
~~	20:00 00:00 04:00	08:00 12:00 16:00										

Switches

1 site-to-site peer 1 exported subnet 1 Non-Meraki peer

Meraki San Francisco - Security

352.1 KB 58 ms

0

Wireless

Routers

Services

Multi-Site Management via the Meraki Cloud

VPN Registry: Connected. This security appliance is able to

NAT type: Friendly. This security appliance is behind a VPN

prinect to multiple VPN registries using UDP port 9350.



Getting Started

What's New

Feature Story

Collaborate

## Secure - Security Cisco Meraki Z Cloud Managed Teleworker Gateway



Overview	Platfor	m Spec	nses & Accessories			
Cisco Meraki Enter	prise Licenses for Cisco	Meraki Z Series				
Product SKU					O aurora attibular. Marala la	
1-Year	3-Years	5-Years	7-Years	10-Years	Compatible Models	
LIC-Z3-ENT-1YR	LIC-Z3-ENT-3YR	LIC-Z3-ENT-5YR	LIC-Z3-ENT-7YR	LIC-Z3-ENT-10YR	Z3	

Compute

#### Secure

ASA 5500-X
Firepower 21
AnyConnect
AMP for Endp
Umbrella
NA

oints

Meraki MX

Meraki Z

Meraki MV

Connect

Switches

Wireless

Routers

Services

#### Cisco Meraki Vertical Desk Stand for Cisco Meraki Z3

Product SKU	Description
MA-STND-1	Vertical Desk Stand



## Secure - Security Cisco Meraki MV Cloud Managed Security Cameras



#### Overview

Platform Spec

Licenses & Accessories

#### Bringing Meraki Magic to the Video Security World

The **Cisco Meraki MV Cloud Managed Security Cameras** are exceptionally simple to deploy and configure. Their integration into the Meraki dashboard, ease of deployment, and use of cloud-augmented edge storage, eliminate the cost and complexity required by traditional security camera solutions.

Like all Meraki products, MV cameras provide zero-touch deployment. Using just serial numbers, an administrator can add devices to the Meraki dashboard and begin configuration before the hardware even arrives on site. In the Meraki dashboard, users can easily stream video and create video walls for monitoring key areas across multiple locations without ever configuring an IP or installing a plugin.



#### Highlights

- Centralized Cloud Management: The Meraki dashboard provides secure monitoring and management of all your cameras from anywhere in the world
- Edge Storage: 128 or 256 GB of high write endurance solid state storage on each camera eliminates the need for an NVR
- Optimized Retention: Use motion-based retention and scheduled recording to customize video storage plans for every deployment
- Advanced Analytics: Industry-leading analytics and machine learning capabilities onboard each MV12
- Motion Search: Dynamically and retroactively select areas of interest in a video stream to find that missing laptop, then export clips directly from the dashboard
- Encrypted By Default: Video is encrypted at rest and during transport by default, with automated TLS certificate provisioning
- Granular Access Controls: Easily define who can see which video streams, view historical footage, and export video, all from the dashboard
- Firmware Always Up-to-Date: Feature releases, firmware updates, and bug fixes are always pushed automatically and at no additional cost with active license

#### **Getting Started**

What's New

Feature Story

Collaborate

Compute

#### Secure

ASA 5500-X Firepower 2100 AnyConnect AMP for Endpoints Umbrella Meraki MX Meraki Z Meraki MV

Connect

Switches

Wireless

Routers

Services

## Secure - Security Cisco Meraki MV Cloud Managed Security Cameras



	Overview	Platform Spe	Licenses & A	Accessories				
Getting Started	Model		Ind	por		Outdoor		
What's New	Product SKU	MV12N-HW	MV12W-HW	MV12WE-HW	MV21-HW	MV71-HW		
Feature Story			1/3", 4 MP (2,688 × 1,520) paressive CMOS image senso	r	1/3.2", 5 MP (2,560 x 1,920) progressive CMOS image sensor			
Collaborate		3.8 mm focal length f/1.8 minimum aperture	2.8 mm fc f/1.8 minim	cal length	3 - 10 mm vari-focal lens f/1.3 - 2.5 variable aperture			
Compute Secure ASA 5500-X		Field of view 73° horizontal 44° vertical 86° diagonal	Field c 114° hc 61° v 132° d	f view prizontal ertical	Variable fi 28 - 82° 21 - 61°	ld of view (horizontal) (vertical) (diagonal)		
Firepower 2100	Camera	Ŭ T	,000 to 1/30 sec. shutter spe	ed	1/5 to 1/32,000 s	sec. shutter speed		
AnyConnect AMP for Endpoints		0.18 Lux (stanc	Minimum illumination dard recording) and 0.01 Lux	(night mode)		Ilumination Id 0.001 Lux (F1.3, B&W)		
Umbrella			S/N Ratio 52.9 dB		S/N Ratio exceeding 62 d	B - Dynamic Range 69 dB		
Meraki MX		Built-in IR ill	luminators, effective up to 15	m (49 ft)	Built-in IR illuminators, eff	ective up to 30 m (98 feet)		
Meraki Z Meraki MV	Video	1080p H	D video recording (1,920 × 7 with H.264 encoding	,080)		ording (1,280 x 720) 4 encoding		
Connect	Storage	256 GB high end	durance SSD	128 GB high endurance SSD	128 GB high e	endurance SSD		
Switches	Interface	1 x GE, Dual band IEEE	802.11 a/b/g/n/ac, Bluetoo	h 4.X (BR/EDR/BLE)	1 ×	FE		
Wireless	Power	Power	consumption 12.95 W maxir via IEEE 802.3af PoE	num		n 10.94 W maximum 02.3af PoE		
Routers Services	Dimensions		106 mm x 74 mm (diameter × height)		166 mm x 116.5 mm (diameter × height)	173.3 mm x 115 mm (diameter × height)		
	Weight		286 g		1,028 g (including mounting plate)	1,482 g (including mounting plate)		
	Lens Adjustment Range		Fixed		65° Tilt, 350° Ro	btation, 350° Pan		
	Weather-Proof IP66		-		-	•		
	Vandal-Proof IK10		-		-	•		

## Secure - Security Cisco Meraki MV Cloud Managed Security Cameras



#### Getting Started

What's New

Feature Story

Collaborate

Compute

#### Secure

- ASA 5500-X
- Firepower 2100
- AnyConnect
- AMP for Endpoints
- Umbrella
- Meraki MX
- Meraki Z
- Meraki MV

Connect

Switches

Wireless

Routers

Services

#### Cisco Meraki Enterprise Licenses for Cisco Meraki MV Series

Overview

Product SKU					
1-Year	3-Years	5-Years	7-Years	10-Years	Compatible Models
LIC-MV-1YR	LIC-MV-3YR	LIC-MV-5YR	LIC-MV-7YR	LIC-MV-10YR	All MV

Licenses & Accessories

#### Cisco Meraki Power Injector for Cisco Meraki MV Series

Product SKU	Description	Compatible Models
MA-INJ-4-xx	PoE Injector (802.3at)	All MV

Platform Spec

#### Cisco Meraki Mount Kits for Cisco Meraki MV Series

Product SKU	Description			Compatible Models	;	
PIOUUCI SKU	Description	MV12N	MV12W	MV12WE	MV21	MV71
MA-MNT-MV-1	Wall Mount Arm	-	-	-	•	•
MA-MNT-MV-2	Pole Mount	-	-	-	-	•
MA-MNT-MV-3	L-Shape Wall Mount Bracket	-	-	-	•	•







## Connect Switches

### Portfolio

Transceiver Modules

Multigigabit

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/385

Meraki MS

Wireless

Routers

Services



Entry-level, Fixed-Configuration, Layer 2 Gigabit Ethernet Switches Powering Small Networks with Quietness & Ease



#### 

## • WS-C2960L-16PS-LL

IOS Enhanced LAN Lite	Static Routing	RIP	Virtual Stacking	Web UI CCP Express	Over-the-Air via Bluetooth
16-port GE PoE+ Up to 120 W	Perpetual PoE	2-port SFP	Fanless	Desktop	
Optional Magnetic Mount	Optional DIN Rail Mount				

## I WS-C2960L-48PS-AP

IOS Enhanced LAN Lite	Static Routing	RIP	Virtual Stacking	Web UI CCP Express	Over-the-Air via Bluetooth
48-port GE PoE+ Up to 370 W	Perpetual PoE	4-port SFP	1 RU Rack Mount		

## Connect Switches

	Featured P	roducts Portfolio	Transceiver Modu	ıles Multigigabit	
Getting Started What's New			cess, Distribution, and Core Switcl es Managed	hes Cloud Managed	Data Center Switches
Feature Story Collaborate Compute	Overview				
Secure Connect Switches	Overview	SF/SG Switches	Catalyst Switches	Meraki MS Switches	Nexus Switches
SF/SG Catalyst 2960-CX/3560-CX 2960-L	Highlights	<ul> <li>Ideal for small and medium businesses</li> <li>Easy network management with Cisco FindIT Network Management</li> </ul>	<ul> <li>Ideal for small and medium business- es, and organizations seeking to im- plement digital transformation</li> <li>Cisco Digital Network Architecture (DNA)-ready</li> </ul>	<ul> <li>Provides unified visibility and control of the entire network via a single dashboard: not only switching, but also wireless, and security applianc- es</li> </ul>	<ul> <li>Ideal for both traditional and fully au- tomated software-defined data cen- ter deployments</li> </ul>
2960-X 3650/3850 Meraki MS Wireless Routers Services	Cisco Start Products	<ul> <li>Cisco 95 Series Unmanaged Switches</li> <li>Cisco Small Business 110 Series Unmanaged Switches</li> <li>Cisco 220 Series Smart Switches</li> <li>Cisco 250 Series Smart Switches</li> <li>Cisco 350 Series Managed Switches</li> <li>Cisco 350X Series Stackable Managed Switches</li> <li>Cisco 550X Series Stackable Managed Switches</li> </ul>	<ul> <li>Cisco Catalyst 2960-CX Series</li> <li>Cisco Catalyst 3560-CX Series</li> <li>Cisco Catalyst 2960-L Series</li> <li>Cisco Catalyst 2960-X Series</li> <li>Cisco Catalyst 3650 Series</li> <li>Cisco Catalyst 3850 Series</li> </ul>	<ul> <li>Cisco Meraki MS120 Series</li> <li>Cisco Meraki MS210 Series</li> <li>Cisco Meraki MS220 Series</li> <li>Cisco Meraki MS225 Series</li> </ul>	<ul> <li>Cisco Nexus 9348GC-FXP</li> </ul>

## Connect Switches

								Com	patible S	Series						
SKU	Description	Max			SF	/SG			Catalyst						Nexu	
		Distance	95 110	220	250	350	350X	550X	2960- CX	3560- CX	2960- L	2960- X	3650	3850	9	
GLC-GE-100FX	100BASE-FX SFP	2 km	-	-	-	-	-	-	•	•	-	•	•	•		
SKU	Description	Distance	95		SF,				2960-	3560-	1	alyst 2960-				
				220	250	350	350X	550X	2300	0000	2300		3650	3850	q	
			110						CX	CX	L	X	0000	0000	ľ	
MGBT1	1000BASE-T SFP	100 m	110 •	•	•	•	•	•	CX -	CX -	L -	-	-	-		
MGBT1 MGBSX1	1000BASE-T SFP 1000BASE-SX SFP	100 m 500 m									L - -					
-			•	•	•	•	•	•			L - - -					
MGBSX1	1000BASE-SX SFP	500 m	•	•	•	•	•	•	-	-	L - -	-	-			
MGBSX1 MGBLH1	1000BASE-SX SFP 1000BASE-LH SFP	500 m 40 km	•	•	•	•	•	•			L  	- - -	-			
MGBSX1 MGBLH1 GLC-TE GLC-SX-MMD	1000BASE-SX SFP 1000BASE-LH SFP 1000BASE-T SFP	500 m 40 km 100 m	• • • •	•	•	• • • •	•	•	- - -	- - -	L   •	- - -	-	- - -		
MGBSX1 MGBLH1 GLC-TE	1000BASE-SX SFP 1000BASE-LH SFP 1000BASE-T SFP 1000BASE-SX SFP	500 m 40 km 100 m 1 km	• • - -	• • -	• • • -	• • -	• • •	• • -	- - •	- - •	L   0	- - •	-	- - -		
MGBSX1 MGBLH1 GLC-TE GLC-SX-MMD GLC-LH-SMD	1000BASE-SX SFP 1000BASE-LH SFP 1000BASE-T SFP 1000BASE-SX SFP 1000BASE-LX SFP	500 m 40 km 100 m 1 km 10 km	• • - •	• • - •	• • • -	• • - •	• • • -	• • -	- - •	- - •	L   0 0 0 0 0	- - -	-	- - •		
MGBSX1 MGBLH1 GLC-TE GLC-SX-MMD GLC-LH-SMD GLC-BX-D	1000BASE-SX SFP 1000BASE-LH SFP 1000BASE-T SFP 1000BASE-SX SFP 1000BASE-LX SFP 1000BASE-BX SFP	500 m 40 km 100 m 1 km 10 km 10 km	• • - • •	• • - • •	• • - •	• • - •	• • • - • •	• • - • •	- - • •	- - • •	•	- - • •	-	- - • •		

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches SF/SG

Catalyst

2960-CX/3560

2960-L

2960-X

3650/3850

Meraki MS

Wireless

Routers

Services

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches SF/SG Catalyst

> Wireless Routers

Services

2960-CX/350 2960-L 2960-X 3650/3850 Meraki MS

## Connect Switches

								Com	patible S	Series					
0//11		Max			SF	/SG					Cat	alyst			Ne
SKU	Description	Distance	95 110	220	250	350	350X	550X	2960- CX	3560- CX	2960- L	-	3650	3850	93
SFP-10G-SR-S	S-class 10GBASE-SR SFP+	400 m	-	-	•	•	•	٠	-	-	-	•	•	•	
SFP-10G-SR	10GBASE-SR SFP+	400 m	-	-	•	•	•	•	-	•	-	•	•	•	
SFP-10G-LRM	10GBASE-LRM SFP+	300 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-LR-S	S-class 10GBASE-LR SFP+	10 km	-	-	•	•	•	•	-	-	-	•	•	•	
SFP-10G-LR	10GBASE-LR SFP+	10 km	-	-	•	•	•	•	-	•	-	•	•	•	
SFP-10G-BXD-I	10GBASE-BX SFP+	10 km	-	-	-	-	-	-	-	-	-	-	•	•	
SFP-10G-BXU-I	10GBASE-BX SFP+	10 km	-	-	-	-	-	-	-	-	-	-	•	•	
SFP-10G-BX40D-I	10GBASE-BX SFP+	40 km	-	-	-	-	-	-	-	-	-	-	•	•	
SFP-10G-BX40U-I	10GBASE-BX SFP+	40 km	-	-	-	-	-	-	-	-	-	-	•	•	
SFP-10G-ER-S	S-class 10GBASE-ER SFP+	40 km	-	-	-	-	-	-	-	-	-	•	•	•	
SFP-10G-ER	10GBASE-ER SFP+	40 km	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-ZR-S	S-class 10GBASE-ZR SFP+	80 km	-	-	-	-	-	-	-	-	-	•	•	•	
SFP-10G-ZR	10GBASE-ZR SFP+	80 km	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-H10GB-CU1M	10GBASE-CU SFP+	1 m	-	-	-	-	•	•	-	•	-	•	•	•	
SFP-H10GB-CU1-5M	10GBASE-CU SFP+	1.5 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-H10GB-CU2M	10GBASE-CU SFP+	2 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-H10GB-CU2-5M	10GBASE-CU SFP+	2.5 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-H10GB-CU3M	10GBASE-CU SFP+	3 m	-	-	-	-	•	•	-	•	-	•	•	•	
SFP-H10GB-CU5M	10GBASE-CU SFP+	5 m	-	-	-	-	•	٠	-	•	-	•	•	•	
SFP-H10GB-ACU7M	10GBASE-ACU SFP+	7 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-H10GB-ACU10M	10GBASE-ACU SFP+	10 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-AOC1M	10GBASE-AOC SFP+	1 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-AOC2M	10GBASE-AOC SFP+	2 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-AOC3M	10GBASE-AOC SFP+	3 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-AOC5M	10GBASE-AOC SFP+	5 m	-	-	-	-	-	-	-	•	-	•	•	•	
SFP-10G-AOC7M	10GBASE-AOC SFP+	7 m	-	-	-	-	-	-	-	•	-	•	•	•	

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches SF/SG Catalyst

Wireless Routers

Services

## Connect Switches

rartad																
arted	Cisco 40GBASE Qu	ad Small Form-Factor Plugga	ble (QSFF	°+) Mo	dules				0							
W			Max			<u> </u>	/SG		Com	patible S	beries	Cot	alyst			Nexus
tory	SKU	Description	Distance	95 110	220	250	350	350X	550X	2960- CX	3560- CX	2960- L	2960- X	3650	3850	9348
te	QSFP-40G-SR-BD	40GBASE-SR QSFP+	150 m	-	-	-	-	-	-	-	-	-	-	-	•	•
	QSFP-40G-SR4-S	S-class 40GBASE-SR4 QSFP+	150 m	-	-	-	-	-	-	-	-	-	-	-	•	•
	QSFP-40G-SR4	40GBASE-SR4 QSFP+	150 m	-	-	-	-	-	-	-	-	-	-	-	•	•
	QSFP-40G-CSR4	40GBASE-CSR4 QSFP+	400 m	-	-	-	-	-	-	-	-	-	-	-	•	•
	WSP-Q40GLR4L	40GBASE-LR4L QSFP+	2 km	-	-	-	-	-	-	-	-	-	-	-	•	•
S	QSFP-40G-LR4-S	S-class 40GBASE-LR4 QSFP+	10 km	-	-	-	-	-	-	-	-	-	-	-	•	•
5	QSFP-40G-LR4	40GBASE-LR4 QSFP+	10 km	-	-	-	-	-	-	-	-	-	-	-	•	•
	QSFP-40G-ER4	40GBASE-ER4 QSFP+	40 km	-	-	-	-	-	-	-	-	-	-	-	•	•
st	QSFP-H40G-CU1M	40GBASE-CU QSFP+	1 m	-	-	-	-	-	-	-	-	-	-	-	•	•
-CX/3560-CX	QSFP-H40G-CU3M	40GBASE-CU QSFP+	3 m	-	-	-	-	-	-	-	-	-	-	-	•	•
-L	QSFP-H40G-CU5M	40GBASE-CU QSFP+	5 m	-	-	-	-	-	-	-	-	-	-	-	•	•
-X	QSFP-H40G-ACU7M	40GBASE-ACU QSFP+	7 m	-	-	-	-	-	-	-	-	-	-	-	•	•
/3850	QSFP-H40G-ACU10M	40GBASE-ACU QSFP+	10 m	-	-	-	-	-	-	-	-	-	-	-	•	•
MS	QSFP-H40G-AOC1M	40GBASE-AOC QSFP+	1 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC2M	40GBASE-AOC QSFP+	2 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC3M	40GBASE-AOC QSFP+	3 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC5M	40GBASE-AOC QSFP+	5 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC7M	40GBASE-AOC QSFP+	7 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC10M	40GBASE-AOC QSFP+	10 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC15M	40GBASE-AOC QSFP+	15 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC20M	40GBASE-AOC QSFP+	20 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC25M	40GBASE-AOC QSFP+	25 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-H40G-AOC30M	40GBASE-AOC QSFP+	30 m	-	-	-	-	-	-	-	-	-	-	-	-	•

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches SF/SG Catalyst

Wireless Routers

Services

## Connect Switches

	Featured Produc	cts Portfolio		Tra	nsceiv	ver Mo	odules		M	lultigi	gabit					
ng Started	Cisco 100GBASE Qu	ad Small Form-Factor Plugga	able (QSF	P+) Mo	odules											
's New									Com	patible S	Series					
	SKU	Description	Max			SF/	SG					Cata	<u> </u>			Nexu
ire Story			Distance	95 110	220	250	350	350X	550X	2960- CX	3560- CX	2960- L	2960- X	3650	3850	9348
borate	QSFP-100G-SR4-S	100GBASE-SR4 QSFP+	100 m	-	-	-	-	-	-	-	-	-	-	-	-	•
oute	QSFP-40/100-SRBD	40/100GBASE-SR-BiDi QSFP+	100 m	-	-	-	-	-	-	-	-	-	-	-	-	•
ute	QSFP-100G-PSM4-S	100GBASE-PSM4 QSFP+	500 m	-	-	-	-	-	-	-	-	-	-	-	-	•
e	QSFP-100G-SM-SR	100GBASE-CWDM4 Lite QSFP+	2 km	-	-	-	-	-	-	-	-	-	-	-	-	•
ect	QSFP-100G-CWDM4-S	100GBASE-CWDM4 QSFP+	2 km	-	-	-	-	-	-	-	-	-	-	-	-	•
ches	QSFP-100G-LR4-S	100GBASE-LR4 QSFP+	10 km	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-100G-CU1M	100GBASE-CU QSFP+	1 m	-	-	-	-	-	-	-	-	-	-	-	-	•
SG	QSFP-100G-CU2M	100GBASE-CU QSFP+	2 m	-	-	-	-	-	-	-	-	-	-	-	-	•
talyst	QSFP-100G-CU3M	100GBASE-CU QSFP+	3 m	-	-	-	-	-	-	-	-	-	-	-	-	•
960-CX/3560-CX	QSFP-100G-CU5M	100GBASE-CU QSFP+	5 m	-	-	-	-	-	-	-	-	-	-	-	-	•
960-L	QSFP-100G-AOC1M	100GBASE-AOC QSFP+	1 m	-	-	-	-	-	-	-	-	-	-	-	-	•
960-X	QSFP-100G-AOC2M	100GBASE-AOC QSFP+	2 m	-	-	-	-	-	-	-	-	-	-	-	-	•
650/3850	QSFP-100G-AOC3M	100GBASE-AOC QSFP+	3 m	-	-	-	-	-	-	-	-	-	-	-	-	•
raki MS	QSFP-100G-AOC5M	100GBASE-AOC QSFP+	5 m	-	-	-	-	-	-	-	-	-	-	-	-	•
less	QSFP-100G-AOC7M	100GBASE-AOC QSFP+	7 m	-	-	-	-	-	-	-	-	-	-	-	-	•
ers	QSFP-100G-AOC10M	100GBASE-AOC QSFP+	10 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-100G-AOC15M	100GBASE-AOC QSFP+	15 m	-	-	-	-	-	-	-	-	-	-	-	-	•
es	QSFP-100G-AOC20M	100GBASE-AOC QSFP+	20 m	-	-	-	-	-	-	-	-	-	-	-	-	•
	QSFP-100G-AOC25M	100GBASE-AOC QSFP+	25 m	-	-	-	-	-	-	-	-	-	_	-	-	•
	QSFP-100G-AOC30M	100GBASE-AOC QSFP+	30 m	-	-	-	-	-	-	-	-	-	-	-	-	•

Getting Started

What's New

Feature Story

Collaborate

## Connect Switches

Featured Prod	ucts Portfol		Inditio	ceiver Mo			lultigigabit		
Cisco Meraki 1000	BASE Small Form-Factor Pl	uggable (SFI	P) Module	s					
SKU	Description	Max		Compatik	ole Series				
SKU	Description	Distance	MS120	MS210	MS220	MS225			
MA-SFP-1GB-TX	1000BASE-T SFP	100 m	٠	•	٠	٠			
MA-SFP-1GB-SX	1000BASE-SX SFP	550 m	•	•	•	•			
MA-SFP-1GB-LX10	1000BASE-LX10 SFP	10 km	•	•	•	•			

Compute Secure

0

## Connect

Switches SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/3850

Meraki MS

Wireless

Routers

Services

#### Cisco Meraki 10GBASE Small Form-Factor Pluggable Plus (SFP+) Modules

SKU	Description	Max		Compatik	ole Series	
300		Distance	MS120	MS210	MS220	MS225
MA-SFP-10GB-SR	10GBASE-SR SFP+	400 m	-	-	-	•
MA-SFP-10GB-LRM	10GBASE-LRM SFP+	220 m	-	-	-	•
MA-SFP-10GB-LR	10GBASE-LR SFP+	10 km	-	-	-	٠

Connect Switches

**Featured Products** 

What's New

Feature Story

Collaborate

- Compute
- Secure

#### Connect

#### Switches

- SF/SG
- Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- 3650/38
- Meraki MS
- Wireless
- Routers

Services

#### Challenges for Wired LAN Posed by 11ac "Gigabit Wireless LAN"

Portfolio

IEEE 802.11ac is a super high-speed wireless standard that delivers a theoretical maximum throughput of up to 6.9 Gbps. Wireless LAN is literally entering the "Gigabit era", but the migration to 11ac is presenting wired LAN with "old and new" challenges. In other words, these are the same old challenges that were experienced during the migration from 11a/g to 11n. During the migration from 11a/g to 11n, it was obvious that Fast Ethernet switches (max 100 Mbps) had insufficient capacity to server as access switches for accommodating the access points. Similarly today, it is obvious that 1-Gigabit Ethernet switches (1 GE, max 1000 Mbps) have insufficient capacity when migrating from 11n to 11ac. Specifically:

- A bottleneck will occur if the uplink port of the access switches accommodating multiple 11ac compatible access points is 1 GE.
- A bottleneck will occur if the downlink port of the access switches accommodating 11ac Wave compatible access points is 1 GE.

Therefore, as was during the migration from 11a/g to 11n, replacement of access switches is therefore indispensable in order to unleash the full potential of 11ac.

The only current IEEE standard that is faster than 1 GE is 10 Gigabit Ethernet (10 GE) with copper or optical fiber cables. However, there are some difficulties associated with the deployment of 10 GE-compatible switches.

- Cable re-installation is required in many cases: Category 5e accounts for 46 % and Category 6 accounts for 28 % of the copper cables currently installed in corporations around the world, respectively. 10 GE via copper is not supported for Category 5e cables and is limited to a length of 55 meters for Category 6 cables. Installations of optical fiber cables and copper wire cables both require huge costs.
- Current 10 GE does not support PoE: Power supply units and power cables would be required for the access points.

#### Cisco Catalyst Multigigabit Technology (mGig)


**Multigigabit** 

**Transceiver Modules** 

Cisco's innovative Cisco Catalyst Multigigabit Technology (mGig) has been developed to address all of these challenges posed by the deployment of 11ac. Largely, mGig offers the following three advantages:

- Multi-Speed: Category 5e cables support 100 Mbps, 1 Gbps, 2.5 Gbps and 5 Gbps; and category 6a cables support 10 Gbps, respectively.
- Cable Type: A wide variety of cable types are supported including Category 5e, Category 6, and Category 6a.
- PoE: PoE (15.4 W), PoE+ (30 W), and UPOE (60 W) are supported unlike the current 10 GE.

mGig is based on the technology of the NBASE-T Alliance established by Cisco in October 2014. A large number of vendors are participating in the NBASE-T Alliance; and IEEE standardization is currently being promoted for 2.5GBASE-T for 5GBASE-T.



#### Cisco Catalyst Multigigabit Technology (mGig): Speeds and Cables

Cable Type	1 Gbps	2.5 Gbps	5 Gbps	10 Gbps
Cat 5e	•	•	•	-
Cat 6	•	•	•	● (55m)
Cat 6a	•	•	•	•



## Connect - Switches Cisco SF/SG Switches

#### Overview

#### Positioning Map

Platform Spec

FindIT

## Easy-to-Use Switches that Provide the Ideal Combination of Features and Affordability

The **Cisco SF/SG Switches** provide nonblocking, wire-speed switching for 10-, 100-, and 1000-Mbps network clients. These switches can be used to replace the current workgroup hub or switch and to deliver full 1- and 10-Gbps speeds to high-requirement workstations as necessary while continuing to serve other clients at their current speeds.

The switches can also be used to create a local area network within the business, with appropriate link speeds for each user's requirements. Either way, they're perfect for graphics, videos, and other applications that have to move large files across the network quickly.



#### Lineup

Cisco 95/110 Series Unmanaged Switches

Get highly affordable Gigabit, Fast Ethernet, and PoE. No setup is required for QoS, network diagnostics, power-saving mode, and loop detection.

Oisco 220 Series Smart Switches

Get the powerful features, security, and performance of a managed switch with the affordability that's closer to smart switches.

Cisco 200/250 Series Smart Switches

Entry-level managed switch features and easy management at a great price. Build a business-class network with the features you need.

Cisco 300/350 Series Managed Switches

The ideal combination of affordability and advanced network features for small business, these easy to use fully managed switches are the cornerstone of your network.

Cisco 350X Series Stackable Managed Switches

Our managed switches deliver an ideal combination of affordability and advanced features with 10-Gigabit Ethernet and stacking.

• Cisco 550X Series Stackable Managed Switches

These next-generation stackable managed switches offer 10-Gigabit Ethernet and advanced capabilities to accelerate your business growth.

**Getting Started** 

What's New

**Feature Story** 

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/385


Meraki MS

Wireless

Routers

## Connect - Switches Cisco SF/SG Switches





## Connect - Switches Cisco SF/SG Switches

Overview	Positio	ning	g Ma	ар			Plat	tforn	n Spec	;			Findl	Г					
Cisco 95 Series U	nmanaged Switches																		
						Ports	6						PoE				_	<b>a</b>	
Product SKU	Service (CSE) SKU	FE	GE	SFP		2.5G mGig		SFP+	10GB-T /SFP+	Ports		Power Budget	IEEE 802.3	Input Ports	Pass through	AC Power	Fan less	able	Rack Mount
SF95D-05-xx	CON-SMBS-F95D05xx	5	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SF95D-08-xx	CON-SMBS-F95D08xx	8	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SF95D-16-xx	CON-SMBS-F95D16xx	16	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SF95-24-xx	CON-SMBS-SF9524xx	24	-	-	-	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG95D-05-xx	CON-SMBS-G95D05xx	-	5	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SG95D-08-xx	CON-SMBS-G95D08xx	-	8	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SG95-16-xx	CON-SMBS-SG9516xx	-	16	-	-	-	-	-	-	-	-	-	-	-	-	Internal	•	-	-
SG95-24-xx	CON-SMBS-SG9524xx	-	22	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU

#### Cisco 110 Series Unmanaged Switches

						Ports	\$						PoE			AC	Fan	Charle	Deels
Product SKU	Service (CSE) SKU	FE	GE	SFP	GE/ SFP		10 GB-T	SFP+	10GB-T /SFP+	Ports	60 W Ports		IEEE 802.3	Input Ports	Pass through	Power	less	Stack able	Rack Mount
SF110D-05-xx*1	CON-SMBS-SF0D05xx	5	-	-	-	-	-	-	-	-	-	-	-	-	-	External	٠	-	-
SF110D-08-xx	CON-SMBS-SF0D08xx	8	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SF110D-08HP-xx	CON-SMBS-0D08HPxx	8	-	-	-	-	-	-	-	4	-	32 W	af	-	-	External	٠	-	-
SF110D-16-xx*1	CON-SMBS-SF0D16xx	16	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SF110D-16HP-xx*1	CON-SMBS-0D16HPxx	16	-	-	-	-	-	-	-	8	-	64 W	af	-	-	External	•	-	-
SF110-16-xx*1	CON-SMBS-S1F016xx	16	-	-	-	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF110-24-xx	CON-SMBS-S1F024xx	24	-	-	-	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF112-24-xx	CON-SMBS-S1F224xx	-	22	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG110D-05-xx	CON-SMBS-SG0D05xx	-	5	-	-	-	-	-	-	-	-	-	-	-	-	External	٠	-	-
SG110D-08-xx	CON-SMBS-SG0D08xx	-	8	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	-
SG110D-08HP-xx	CON-SMBS-0D08PHxx CON-SMBS-SG110Dxx	-	8	-	-	-	-	-	-	4	-	32 W	af	-	-	External	٠	-	-
SG110-16-xx	CON-SMBS-S1G016xx	-	16	-	-	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG110-16HP-xx	-	-	16	-	-	-	-	-	-	8	-	64 W	af	-	-	Internal	•	-	1 RU
SG110-24-xx	CON-SMBS-S1G024xx	-	22	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG110-24HP-xx	-	-	22	-	2	-	-	-	-	12	-	100 W	af	-	-	Internal	-	-	1 RU
SG112-24-xx	CON-SMBS-S1G224xx	-	22	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU

\*1 The "-AU" SKUs have reached end-of-life status.

**Getting Started** 

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/38

Meraki MS

Wireless

Routers

Services

## Connect - Switches Cisco SF/SG Switches

Overview	Positio	nine	g Ma	ар			Plat	tforn	n Spec				Findl	Г					
Cisco 220 Series S	Smart Switches																		
						Ports	6					l	PoE				_		
Product SKU	Service (CSE) SKU	FE	GE	SFP		2.5G mGig		SEDT	10GB-T /SFP+	Ports			IEEE 802.3	Input Ports	Pass through	AC Power	Fan less	Stack able	Rack Mount
SF220-24-K9-xx*1	CON-SMBS-F2029xx1	24	-	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF220-24P-K9-xx*1	CON-SMBS-F2029xx2	24	-	-	2	-	-	-	-	24	-	180 W	af/at	-	-	Internal	-	-	1 RU
SF220-48-K9-xx*1	CON-SMBS-F2049xx1	48	-	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF220-48P-K9-xx*1	CON-SMBS-F2049xx2	48	-	-	2	-	-	-	-	48	-	375 W	af/at	-	-	Internal	-	-	1 RU
SG220-26-K9-xx	CON-SMBS-G2029xx1	-	24	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG220-26P-K9-xx	CON-SMBS-G2029xx2	-	24	-	2	-	-	-	-	24	-	180 W	af/at	-	-	Internal	-	-	1 RU
SG220-50-K9-xx	CON-SMBS-G2059xx1	-	48	-	2	-	-	-	-	-	-	-	-	-	-	Internal	-	-	1 RU
SG220-50P-K9-xx	CON-SMBS-G2059xx2	-	48	-	2	-	-	-	-	48	-	375 W	af/at	-	-	Internal	-	-	1 RU

\*1 The "-AU" SKUs have reached end-of-life status.

#### Cisco 250 Series Smart Switches

						Ports	s						PoE			AC	Fan	Oto alla	Deale
Product SKU	Service (CSE) SKU	FE	GE	SFP	GE/ SFP			SFP+	10GB-T /SFP+	Ports	60 W Ports	Power Budget	IEEE 802.3	Input Ports	Pass through	Power	less	Stack able	Rack Mount
SF250-24-K9-xx NEW	-	24	-	2	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF250-24P-K9-xx	-	24	-	2	2	-	-	-	-	24	-	185 W	af/at	-	-	Internal	-	-	1 RU
SF250-48-K9-xx	-	48	-	2	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SF250-48HP-K9-xx	-	48	-	2	2	-	-	-	-	48	-	195 W	af/at	-	-	Internal	-	-	1 RU
SG250-08-K9-xx	-	-	8	-	-	-	-	-	-	-	-	-	-	1	-	External	•	-	1 RU
SG250-08HP-K9-xx	-	-	8	-	-	-	-	-	-	8	-	45 W	af/at	-	-	External	•	-	1 RU
SG250-10P-K9-xx	-	-	8	-	2	-	-	-	-	8	-	62 W	af/at	2	•	External	•	-	1 RU
SG250-18-K9-xx	-	-	16	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG250-26-K9-xx	-	-	24	-	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
SG250-26HP-K9-xx	-	-	24	-	2	-	-	-	-	24	-	100 W	af/at	-	-	Internal	-	-	1 RU
SG250-26P-K9-xx	-	-	24	-	2	-	-	-	-	24	-	195 W	af/at	-	-	Internal	-	-	1 RU
SG250-50-K9-xx	-	-	48	-	2	-	-	-	-	-	-	-	-	-	-	Internal	-	-	1 RU
SG250-50HP-K9-xx	-	-	48	-	2	-	-	-	-	48	-	192 W	af/at	-	-	Internal	-	-	1 RU
SG250-50P-K9-xx	-	-	48	-	2	-	-	-	-	48	-	375 W	af/at	-	-	Internal	-	-	1 RU
SG250X-24-K9-xx	-	-	24	-	-	-	2	2	-	-	-	-	-	-	-	Internal	-	-	1 RU
SG250X-24P-K9-xx	-	-	24	-	-	-	2	2	-	24	-	195 W	af/at	-	-	Internal	-	-	1 RU
SG250X-48-K9-xx	-	-	48	-	-	-	2	2	-	-	-	-	-	-	-	Internal	-	-	1 RU
SG250X-48P-K9-xx	-	-	48	-	-	-	2	2	-	48	-	382 W	af/at	-	-	Internal	-	-	1 RU

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/3850

Meraki MS

Wireless

Routers

## Connect - Switches Cisco SF/SG Switches

	Overview	Positio	ning	ј Ма	ар			Pla	tforn	n Spec				Findl						
Getting Started	Cisco 350 Series Ma	naged Switches																		
What's New	Product SKU	Service (CSE) SKU				GE/	Ports 2.5G	; 10		10GB-T		60 W		PoE IEEE	Input	Pass	AC	Fan	Stack	Rack
Feature Story			FE	GE	SFP	SFP			SFP+	/SFP+	Dorte	Ports		802.3	Ports	through		less	able	Mount
	SF350-08-K9-xx	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	External	•	-	1 RU
Collaborate	SF352-08-K9-xx	-	8	-	-	2	-	-	-	-	-	-	-	-	-	-	External	•	-	1 RU
Computo	SF352-08P-K9-xx	-	8	-	-	2	-	-	-	-	8	-	62 W	af/at	-	-	External	•	-	1 RU
Compute	SF352-08MP-K9-xx NEW	-	8	-	-	2	-	-	-	-	8	-	128 W	af/at	-	-	External	•	-	1 RU
Secure	SF350-24-K9-xx	-	24	-	2	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
	SF350-24P-K9-xx NEW	-	24	-	2	2	-	-	-	-	24	4	185 W	af/at	-	-	Internal	-	-	1 RU
Connect	SF350-24MP-K9-xx SF350-48-K9-xx	-	24	-	2	2	-	-	-	-	24	4	375 W	af/at	-	-	Internal	-	-	1 RU
Switches	SF350-48P-K9-xx	-	48 48	-	2 2	2 2	-	-	-	-	- 48	- 8	- 382 W	- af/at	-	-	Internal Internal	•	-	1 RU 1 RU
SF/SG	SF350-48MP-K9-xx	-	48	-	2	2	_	_	_	_	48	8	740 W	af/at	_	_	Internal	-	_	1 RU
	SG350-8PD-K9-xx		40	6	-	-	2	_	_	2	40 8	0	124 W	af/at	_		Internal	•	_	1 RU
Catalyst	SG350-10-K9-xx		_	8	_	2	2	_	_	-	-		124 VV	ai/at	2		External	•	_	1 RU
2960-CX/3560-CX	SG350-10P-K9-xx	_	_	8	_	2	_	_	_	_	8	_	62 W	af/at	2		External	•	_	1 RU
2960-L	SG350-10MP-K9-xx	-	_	8	-	2	_	_	_	_	8	_	124 W	af/at	2	•	External	•	_	1 RU
2960-X	SG355-10P-K9-xx	-	-	8	-	2	-	-	_	_	8	-	62 W	af/at	2	•	Internal	•	_	1 RU
	SG350-10SFP-K9-xx	-	_	-	8	2	_	-	-	_	-	-	-	-	-	-	External	•	_	1 RU
3650/3850	SG350-20-K9-xx	-	-	16	2	2	-	-	-	-	-	-	-	-	-	-	Internal	•	-	1 RU
Meraki MS	SG350-28-K9-xx	-	-	24	2	2	-	-	_	-	-	-	-	-	-	-	Internal	•	-	1 RU
Wireless	SG350-28P-K9-xx	-	-	24	2	2	-	-	-	-	24	4	195 W	af/at	-	-	Internal	-	-	1 RU
Routers	SG350-28MP-K9-xx	-	-	24	2	2	-	-	-	-	24	4	382 W	af/at	-	-	Internal	-	-	1 RU
	SG350-28SFP-K9-xx	-	-	-	26	2	-	-	-	-	-	-	-	-	-	-	Internal	-	-	1 RU
Services	SG350-52-K9-xx	-	-	48	2	2	-	-	-	-	-	-	-	-	-	-	Internal	-	-	1 RU
	SG350-52P-K9-xx New	-	-	48	2	2	-	-	-	-	48	8	375 W	af/at	-	-	Internal	-	-	1 RU
	SG350-52MP-K9-xx	-	-	48	2	2	-	-	-	-	48	8	740 W	af/at	-	-	Internal	-	-	1 RU

## Connect - Switches Cisco SF/SG Switches

	vitches Ports				PoE														
Product SKU Service (CS	Service (CSE) SKU	FE	GE	SFP	GE/ SFP	2.5G mGig	10 GB-T	SFP+	10GB-T /SFP+	Ports	60 W Ports		IEEE 802.3	Input Ports	Pass through	AC Power	Fan Iess	Stack able	Rack Mour
SG350X-8PMD-K9-xx	-	-	-	-	-	8	-	-	2	8	4	240 W	af/at	-	-	Internal	-	•	1 RL
SG350X-24-K9-xx	-	-	24	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•	1 RI
SG350X-24P-K9-xx	-	-	24	-	-	-	-	2	2	24	4	195 W	af/at	-	-	Internal	-	•	1 RI
SG350X-24MP-K9-xx	-	-	24	-	-	-	-	2	2	24	4	382 W	af/at	-	-	Internal	-	•	1 RI
SG350X-24PD-K9-xx	-	-	20	-	-	4	-	2	2	24	4	375 W	af/at	-	-	Internal	-	•	1 RI
SG350X-48-K9-xx	-	-	48	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•	1 RI
SG350X-48P-K9-xx	-	-	48	-	-	-	-	2	2	48	8	382 W	af/at	-	-	Internal	-	•	1 RI
SG350X-48MP-K9-xx	-	-	48	-	-	-	-	2	2	48	8	740 W	af/at	-	-	Internal	-	•	1 R
SG350XG-2F10-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	10	2	-	-	-	-	-	-	-	Internal	-	•	1 RI
SG350XG-24T-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	22	-	2	-	-	-	-	-	-	Internal	-	•	1 RI
SG350XG-24F-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	-	22	2	-	-	-	-	-	-	Internal	-	•	1 RI
SG350XG-48T-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	46	-	2	-	-	-	-	-	-	Internal	-	•	1 RL

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/3850

Meraki MS

Wireless

Routers

Services

V

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches SF/SG Catalyst

## Connect - Switches Cisco SF/SG Switches

			Po				Ports						PoE					
Product SKU	Service (CSE) SKU	FE	GE	SFP		2.5G mGig	10	SFP+	10GB-T /SFP+	Ports		Power Budget	IEEE 802.3	Input Ports	Pass through	AC Power	Fan less	Sta abl
SF550X-24-K9-xx	-	24	-	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•
SF550X-24P-K9-xx	-	24	-	-	-	-	-	2	2	24	8	195 W	af/at	-	-	Internal	-	•
SF550X-24MP-K9-xx	-	24	-	-	-	-	-	2	2	24	8	382 W	af/at	-	-	Internal	-	•
SF550X-48-K9-xx	-	48	-	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•
SF550X-48P-K9-xx	-	48	-	-	-	-	-	2	2	48	16	382 W	af/at	-	-	Internal	-	•
SF550X-48MP-K9-xx	-	48	-	-	-	-	-	2	2	48	16	740 W	af/at	-	-	Internal	-	•
SG550X-24-K9-xx	-	-	24	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•
SG550X-24P-K9-xx	-	-	24	-	-	-	-	2	2	24	8	195 W	af/at	-	-	Internal	-	
SG550X-24MP-K9-xx	-	-	24	-	-	-	-	2	2	24	8	382 W	af/at	-	-	Internal	-	
SG550X-24MPP-K9-xx	-	-	24	-	-	-	-	2	2	24	8	740 W	af/at	-	-	Internal	-	
SG550X-48-K9-xx	-	-	48	-	-	-	-	2	2	-	-	-	-	-	-	Internal	-	•
SG550X-48P-K9-xx	-	-	48	-	-	-	-	2	2	48	16	382 W	af/at	-	-	Internal	-	
SG550X-48MP-K9-xx	-	-	48	-	-	-	-	2	2	48	16	740 W	af/at	-	-	Internal	-	
SG550XG-8F8T-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	8	8	-	-	-	-	-	-	-	Internal	-	
SG550XG-24T-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	22	-	2	-	-	-	-	-	-	Internal	-	
SG550XG-24F-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	-	22	2	-	-	-	-	-	-	Internal	-	
SG550XG-48T-K9-xx	CON-SMBS-SGxxxxxx	-	-	-	-	-	46	-	2	-	-	-	-	-	-	Internal	-	

Wireless

2960-CX/3560

2960-L 2960-X 3650/3850 Meraki MS

Routers

Services

## Connect - Switches **Cisco SF/SG Switches**

**Overview** 

**Getting Started** 

What's New

Feature Story

Compute

Secure

Connect

Switches

SF/SG

Catalyst

- 2960-CX/3560-CX
- 2960-L
- 2960-X

Meraki MS

Wireless

Routers

Services

## Cisco FindIT Network Management: Manage a Network, Not a Collection of Devices

**Platform Spec** 

Maintaining a business network is difficult without the right tools. The Cisco FindIT Network Management is purpose-built for managing networks of Cisco SF/SG Switches. It lets you proactively manage the network instead of just reacting to events. Cisco FindIT Network Management is the perfect addition to your business's network.

**Positioning Map** 

Cisco FindIT Network Management supports two deployment models: fulltime network management with the Cisco FindIT Network Manager and Probe, and discovering and managing the network on the go with the Cisco FindIT Network Discovery Utility.

#### Cisco FindIT Network Manager and Probe: Easy Network Management


The Cisco FindIT Network Manager and Probe are designed to manage Cisco SF/SG Switches, Cisco Wireless Access Points (WAP), and Cisco RV Series routers. You can configure system information, wireless networks, virtual LANs, and Ethernet switching in a single interface. And you can monitor network performance with a customizable dashboard. Automatic network discovery comes with a topology diagram and an inventory report.

In addition, you get:

- Automatic firmware updates for network devices
- Detailed lifecycle reports showing maintenance status and end-of-life bulletins
- Integration with the Cisco Active Advisor
- Remote access to sites without requiring a VPN
- One-click collection of diagnostic data for technical support


#### **Cisco FindIT Network Manager and Probe Device Licenses**

Product SKU	Description
LS-FINDITNM-15-1Y=	15-device license - 1 year
LS-FINDITNM-25-1Y=	25-device license - 1 year
LS-FINDITNM-50-1Y=	50-device license - 1 year



FindIT





Port Management

#### Try It for Free

Cisco FindIT Network Manager and Probe are implemented as a software product on Oracle VirtualBox, VMware ESXi, and so on. Up to 10 Cisco SF/ SG Switches may be managed in Evaluation Mode without a license. To download the software, visit the following web site:



📩 http://www.cisco.com/go/findit

## Connect - Switches Cisco SF/SG Switches

	Overview	Positioning Map	Platform	n Spec
Cisco	FindIT Network Discovery	Utility: Handy Plug-In		
ministrate to easily	ors on the go. It integrates discover Cisco SF/SG Swit	ery Utility can be used by netwo with your web browser and allow thes and Cisco Wireless Access about devices, and click to dow	ws you Points	
firmware	updates.			cisco FindIT
Chrome,		ery Utility runs on Apple Safari, ( r, and Mozilla Firefox browsers o provides:	-	Discovery

- Automatic discovery and information display for Cisco SF/SG Switches and Cisco Wireless Access Points (WAP)
- Automatic discovery and one-click downloads for firmware updates
- Support and maintenance information for discovered devices
- Integration with the Cisco Active Advisor
- Direct access to the Small Business Support Center

To download the software, visit the following web site:

http://www.cisco.com/go/findit

dit ⊻iew F <u>a</u> vorites <u>T</u> ools <u>H</u> elp		
× sco FindIT	cisco SG350-10N	lifeart Language: English IP 10-Port Gigabit PoE Managed Swit
overy X X X - Gisco Small Business Switch (2) Switch (2) Solorem Switch (2) Solorem Switch (2) Solorem Switch (2) Switch (2) Switch (2) Switch (2) 	Getting Started Dashboard Configuration Wizards Search Search System Summary CPU Utilization Port Utilization Interface Etherlike 802.1x EAP ACL TCAM Utilization Heatth and Power Diagnostics RMON	System Summary System Information System Description: SG350-10MP 10-Port Gigabit PoE Managed System Location: System Contact: Host Name: SG350-10MP System Opter ID: 1.3.6.1.4.1.9.6.1.95.10.6 System Uptime: 32 day(s), 4 hr(s), 13 min(s) and 40 sec(s) Current Time: 10.34.49.2018-Jan-21 Base MAC Address: 2c.31.24.29.a2.85 Jumbo Frames: Enabled
	View Log     Administration     Port Management     Snardport     VLAN Management     Spanning Tree     MAC Address Tables     Muticast     Ulditast     IP Configuration     Security	TCP/UDP Services Status Edit HTTP Service: Enabled HTTPS Service: Enabled SNMP Service: Disabled Telnet Service: Disabled SSH Service: Disabled

FindIT

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

- SF/SG
- Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- Meraki MS
- Wireless
- Routers



🔹 😵 Certificate error 🖒

**Getting Started** 

What's New

Feature Story

Compute

Secure

Connect

Switches

SF/SG

Wireless Routers

Services

Catalyst

## Connect - Switches **Cisco Catalyst Switches**



#### **Positioning Map** Overview

#### Cisco IOS

#### Enterprise Networks Switching

The Cisco Catalyst Switches provide the performance and features required for nearly any deployment, from traditional small workgroups, wiring closets, and network cores, to highly virtualized and converged corporate data centers. Working together, they are the building blocks of an integrated network that delivers scalable and intelligent services protecting, optimizing, and growing your network as your business needs evolve.



#### Lineup (in this catalog)

Cisco Catalyst 2960-CX/3560-CX Series

Compact layer 2 and layer 3 access switches that provide enterprise features of a larger Cisco switch without using a lot of physical space.

Cisco Catalyst 2960-L Series

High value layer 2 access switches that provide enhanced network security, network reliability, and operational efficiency.


Oisco Catalyst 2960-X Series

Stackable layer 2 and layer 3 access switches that provide smart, simple, scalable, and secure services for enterprise-class networks.

Cisco Catalyst 3650/3850 Series

Stackable layer 2 and layer 3 access switches that provide the foundation for full wired and wireless convergence on a single platform.

## Connect - Switches Cisco Catalyst Switches



## Connect - Switches **Cisco Catalyst Switches**



	Overview	Positioning	Мар	Cisco IOS		
Started	The Cisco Catalyst Switches					the Cisco Cataly
lew	erating System), which is a h ware. LAN Lite and LAN Bas				-	niversal image. Th sets that can be a
Story	IP Lite, IP Base, and IP Service respectively.	ces feature sets provid	e the L3 level feat	ures, grade Lie	cense.	
ate						
Э	Cisco IOS Compatibility					
	Supported Series Name	LAN Lite (LL)	LAN Base (LB)	IP Lite (IPL)	IP Base (IPB)	IP Servises (IPS)
	Catalyst 2960-CX	-	•	-	-	-
	Catalyst 2E60 CV					

Supported Series Name	LAN Lite (LL)	LAN Base (LB)	IP Lite (IPL)	IP Base (IPB)	IP Servises (IPS)
Catalyst 2960-CX	-	•	-	-	-
Catalyst 3560-CX	-	-	-	•	•
Catalyst 2960-L	•	-	-	-	-
Catalyst 2960-X	•	•	● <sup>*1</sup>	-	-
Catalyst 3650	-	•	-	•	•
Catalyst 3850	-	•	-	•	•

\*1 Catalyst 2960-XR Series only.

Cisco IOS L2 Features					
Feature	LL	LB	IPL	IPB	IPS
IEEE 802.1Q Trunking	•	•	•	•	•
DTP	•	•	•	•	•
UDLD	•	•	•	•	•
VTP	•	•	•	•	•
CDP	•	•	•	•	٠
LLDP	•	•	•	•	•
LLDP-MED	●*1	•	•	•	•
STP (Spanning Tree Protocol)	•	•	•	•	•
Flex Link	-	•	•	•	٠
EtherChannel	•	•	•	•	•
LACP	•	•	•	•	•
Link State Tracking	•*2	•	•	•	•
Resilient Ethernet Protocol (REP)	-	-	-	● <sup>*3</sup>	● <sup>*3</sup>
Per-Port Storm Control	•	•	•	•	•

#### Cisco IOS L3 Features

Cisco IOS ES Teatures					
Feature	LL	LB	IPL	IPB	IPS
Static Routing	● <sup>*1</sup>	•	•	•	•
RIP	•*1	-	•	•	•
EIGRP Stub	-	-	•	•	•
EIGRP	-	-	-	-	•
OSPF for Routed Access	-	-	•	•	•
OSPF v2/v3	-	-	-	-	•
BGP	-	-	-	-	•
IS-IS	-	-	-	-	•
Policy Based Routing (PBR)	-	-	•	•	•
VRF-Lite	-	-	-	-	•
PIM Stub	-	-	•	•	•
PIM	-	-	-	-	•
WCCP	-	-	•	•	•
SSO	-	•* <sup>2</sup>	-	•* <sup>3</sup>	•*3
NSF	-	_	-	•	•
MPLS	-	-	-	-	•*3

\*1 Catalyst 2960-L Series only.

\*2 Catalyst 2960-L Series are to be supported in future software release. \*3 Catalyst 3650/3850 Series are to be supported in future software release.

\*1 Catalyst 2960-L Series only. \*2 Catalyst 3560-CX Series are not supported. \*3 Catalyst 3650/3850 Series are not supported.

- Getting S
- What's N
- Feature S
- Compute
- Secure

#### Connect

- Switches
  - SF/SG
  - Catalyst
  - 2960-CX/3560-CX
  - 2960-L
  - 2960-X
- Meraki MS
- Wireless
- Routers

## Connect - Switches Cisco Catalyst Switches

**Overview** 

W

## Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

5050/58

Meraki MS

Wireless

Routers

Services

Feature	LL	LB	IPL	IPB	IPS
SNMP	•	•	•	•	•
RMON	•	•	•	•	•
SPAN	•	•	•	•	•
RSPAN	-	•	•	•	•
TDR	•	•	•	•	•
Smart Ports	•	•	•	•	•
Smart Install (client)	•	•	•	•	•
Smart Install (director)	-	•*1	-	•	•
Cisco IOS IP SLA (responder)	-	•	•	•	•
Cisco IOS IP SLA (initiator)	-	-	-	•	•
Cisco IOS EEM	-	-	-	•	•
Wireshark	-	-	-	•*2	•
Netflow-Lite	-	•	•	•	•
Flexible Netflow	-	-	-	•	•
EnergyWise	•	•	•	•	•
GOLD (GOLD-Lite)	•	•	•	•	•
OBFL	•	•	•	•	•

\*1 Catalyst 2960-CX/2960-X Series are not supported. \*2 Catalyst 3560-CX Series are not supported.

**Positioning Map** 

**Cisco IOS** 

#### Cisco IOS QoS Features

Feature	LL	LB	IPL	IPB	IPS
SRR	•	•	•	•	•
Priority Queue	•	•	•	•	•
Auto QoS	● <sup>*1</sup>	•	•	•	•
DSCP	●*1	•	•	•	•
Weighted Tail Drop (WTD)	•* <sup>2</sup>	● <sup>*3</sup>	-	● <sup>*3</sup>	•
Dynamic Buffer Limiting (DBL)	-	-	-	-	-
Control Plane Policing (CoPP)	-	●*4	-	● <sup>*5</sup>	● <sup>*5</sup>
Per VLAN Policy	-	-	•	•	•

\*1 Cisco Catalyst 2960-L Series are to be supported in future software release. \*2 Catalyst 2960-L Series only. \*3 Catalyst 3560/3850 Series only. \*4 Catalyst 2960-CX/2960-X Series are not supported. \*5 Catalyst 3560-CX Series are not supported.

Cisco IOS Security Features					
Feature	LL	LB	IPL	IPB	IPS
SSH	•	•	•	•	•
SSL	•	•	•	•	•
SCP	•	•	•	•	•
HTTPS	•	•	•	•	•
TACACS+	•	•	•	•	•
RADIUS	•	•	•	•	•
Port Security	•	•	•	•	٠
DHCP Snooping	•*1	•	•	•	•
Dynamic ARP Inspection (DAI)	●*1	•	•	•	•
IP Source Guard	-	•	•	•	•
MAC Authentication Bypass for Voice	•	•	•	•	•
Private VLAN Edge	•	•	•	•	•
Private VLAN	-	-	•	•	•
Layer 2 - 4 ACL	-	•	•	•	•
Router ACL	-	● <sup>*2</sup>	•	•	•
VLAN ACL	•*1	-	•	•	•
Time Range ACL	-	•	•	•	•
Web Authentification	•*1	•	•	•	•
TrustSec SXP	-	•	•	•	•
TrustSec SGT/SGACL	-	● <sup>*2</sup>	•	•	•
MACsec	-	-		•	•
NEAT	_	•	•	•	•

\*1 Catalyst 2960-L Series only. \*2 Catalyst 3650/3850 Series are not supported.

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-CX/3560-CX Series



#### Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/38

Meraki MS

Wireless

Routers

Services

## Overview

### Platform Spec

License

## Compact Switches You Can Use Anywhere

The Cisco Catalyst 2960-CX and 3560-CX Series compact switches easily extend your Cisco Catalyst switching infrastructure outside the wiring closet to enable new workspaces, extend wireless LANs, and connect Power over Ethernet (PoE) devices. These fanless, small form-factor switches are ideal for space-constrained deployments where multiple cable runs would be challenging.

With increased bandwidth, double the PoE capacity, faster CPU, and more memory, Cisco Catalyst 2960-CX and 3560-CX bring a multifold improvement in performance to the Cisco Catalyst Compact Switch product line. They offer many smart and innovative features for management, simplicity, and scale.

#### Highlights

- Cisco IOS LAN Base Image (Catalyst 2960-CX), Cisco IOS universal image (IP Base, upgradable to IP services, Catalyst 3560-CX)
- Multigigabit downlinks (Catalyst 3560-CX-8XPD)
- 10 GB SFP+ uplinks (Catalyst 3560-CX-8XPD/12PD)
- PoE+ output (PSE models)
- PoE pass-through (60 W PoE Input, Catalyst 3560CX-8PT)
- New DC powering option for deployment in subways, buses, and trains to power access points
- Perpetual PoE for powering a powered device even when the device is booting
- Stylish, fan-less design and silent operation
- Cisco Digital Network Architecture (DNA)-ready: Supports Cisco Net-Flow Lite for application visibility at the access network, and so on





## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-CX/3560-CX Series

Platform	Spec	)	Lic	ense									
-CX Series													
Product SKU Service (CSE) SKU		Dow	Downlinks Uplinks PoE							AC	Rack		
Service (CSE) SKU	U Cisco IOS –		mGig	GE	SFP	SFP/ SFP+	Ports	Power Budget	IEEE 802.3	Input Ports	Pass through	Power	Mount
CON-SMBS-WSC28TCL	LAN Base	8	-	2	2	-	-	-	-	-	-	Internal	_*1
CON-SMBS-WSC28PCL	LAN Base	8	-	2	2	-	8	124 W	af/at		-	Internal	_*1
	-CX Series Service (CSE) SKU CON-SMBS-WSC28TCL	Service (CSE) SKU     Cisco IOS       CON-SMBS-WSC28TCL     LAN Base	-CX Series           Service (CSE) SKU         Cisco IOS         Down           CON-SMBS-WSC28TCL         LAN Base         8	-CX Series Service (CSE) SKU Cisco IOS GE mGig CON-SMBS-WSC28TCL LAN Base 8 -	-CX Series           Service (CSE) SKU         Cisco IOS         Downlinks           CON-SMBS-WSC28TCL         LAN Base         8         -         2	-CX Series       Downlinks     Uplinks       Service (CSE) SKU     Cisco IOS     GE     mGig     GE     SFP       CON-SMBS-WSC28TCL     LAN Base     8     -     2     2	-CX Series          Downlinks       Uplinks         Service (CSE) SKU       Cisco IOS         GE       mGig       GE       SFP         CON-SMBS-WSC28TCL       LAN Base       8       -       2       2	-CX Series          Downlinks       Uplinks       Uplinks       SFP/       Ports         Service (CSE) SKU       Cisco IOS       GE       mGig       GE       SFP       SFP/       Ports         CON-SMBS-WSC28TCL       LAN Base       8       -       2       2       -       -	-CX Series          Downlinks       Uplinks       Uplinks       SFP/       Ports       Power Budget         CON-SMBS-WSC28TCL       LAN Base       8       -       2       2       -       -	-CX Series          Downlinks       Uplinks       Uplinks       Uplinks       Poets       Poets <th< td=""><td>-CX Series          Downlinks       Uplinks       Uplinks       Poets         Service (CSE) SKU       Cisco IOS       GE       mGig       GE       SFP       SFP/ SFP+       Ports       Power Budget       IEEE 802.3       Input Ports         CON-SMBS-WSC28TCL       LAN Base       8       -       2       2       -       -       -       -</td><td>-CX Series Service (CSE) SKU Cisco IOS Cisco</td><td>-CX Series Service (CSE) SKU <math display="block">Cisco IOS \qquad Downiks \qquad Vplinks \qquad Vpl</math></td></th<>	-CX Series          Downlinks       Uplinks       Uplinks       Poets         Service (CSE) SKU       Cisco IOS       GE       mGig       GE       SFP       SFP/ SFP+       Ports       Power Budget       IEEE 802.3       Input Ports         CON-SMBS-WSC28TCL       LAN Base       8       -       2       2       -       -       -       -	-CX Series Service (CSE) SKU Cisco IOS Cisco	-CX Series Service (CSE) SKU $Cisco IOS \qquad Downiks \qquad Vplinks \qquad Vpl$

\*1 Rack Mounting Brackets (RCKMNT-19-CMPCT=/RCKMNT-23-CMPCT=) are required.

#### Cisco Catalyst 3560-CX Series

			Downlinks		Uplinks					PoE			AC	Rack
Product SKU	Service (CSE) SKU	Cisco IOS	GE	mGig	GE	SFP	SFP/ SFP+	Ports	Power Budget	IEEE 802.3	Input Ports	Pass through	Power	Mount
WS-C3560CX-8TC-S	CON-SMBS-WSC38TCS	IP Base	8	-	2	2	-	-	-	-	-	-	Internal	_*2
WS-C3560CX-8PT-S	CON-SMBS-WSC356CT	IP Base	8	-	2	-	-	8	146 W	af/at	2	•	External*1	_*2
WS-C3560CX-8PC-S	CON-SMBS-WSC38PCS	IP Base	8	-	2	2	-	8	240 W	af/at	-	-	Internal	_*2
WS-C3560CX-8XPD-S	CON-SMBS-WSC356CD	IP Base	6	2	-	-	2	8	240 W	af/at	-	-	Internal	_*2
WS-C3560CX-12TC-S	CON-SMBS-WSC312TC	IP Base	12	-	2	2	-	-	-	-	-	-	Internal	_*2
WS-C3560CX-12PC-S	CON-SMBS-WSC312PC	IP Base	12	-	2	2	-	12	240 W	af/at	-	-	Internal	- <sup>*2</sup>
WS-C3560CX-12PD-S	CON-SMBS-WSC312PD	IP Base	12	-	2	-	2	12	240 W	af/at	-	-	Internal	_*2

\*1 Power Adapter (PWR-ADPT=/PWR-ADPT-DC=) is required when not using PoE receiving.

\*2 Rack Mounting Brackets (RCKMNT-19-CMPCT=/RCKMNT-23-CMPCT=) are required. Optional Magnet and Mounting Tray (CMPCT-MGNT-TRAY=) is available.

- Getting Started
- What's New
- Feature Story
- Collaborate
- Compute
- Secure

#### Connect

- Switches
- SF/SG
- Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- Meraki MS
- Wireless
- Routers

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-CX/3560-CX Series



	Overv	iew	Platform Spec		license.			
etting Started	Cisco IOS Upg	grade License f	or Cisco Catalyst 356	0-CX Series <sup>*1</sup>				
nat's New	Product SKU	Descripti	on					
ture Story	L-C3560CX-12-S-	E IP Base t	o IP Services RTU License					
aborate			*1 L-C3	3560CX-RTU= is require	ed.			
npute								
cure								
inect								
vitches								
SF/SG								
Catalyst								
2960-CX/3560-CX								
2960-L								
2960-X	🕑 Cisco Cat	alvst Compact	Switches Comparison					
3650/3850		alyst compact	owneries companson					
Meraki MS	Cisco Cata	lvst 2960-CG {	& 2960-CX Series Cor	npact Switches	Cisco Ca	talvst 3560-CG	& 3560-CX Series Co	ompact Switches
ireless	Parameter	Feature	2960-CG	2960-CX	Parameter	Feature	3560-CG	3560-CX
outers		Uplinks	2 x GE/SFP	2 x GE & 2 x SFP		Uplinks	2 x GE,	2 x GE & 2 x SFP,
	Ports	Downlinks	8 x GE	8 x GE	Ports	o pinito	2 x SFP	2 x GE & 2 x SFP+

C	erv	ic	0	
J	en	vic	,es	2

# Router

Parameter	Feature	2960-CG	2960-CX
Ports	Uplinks	2 x GE/SFP	2 x GE & 2 x SFP
POILS	Downlinks	8 x GE	8 x GE
DeF	PoE	-	124 W PoE+
PoE	Perpetual PoE	-	•
Hardware	DRAM, Flash	128 MB, 64 MB	512 MB, 128 MB

Parameter	Feature	3560-CG	3560-CX
Ports	Uplinks	2 x GE, 2 x SFP	2 x GE & 2 x SFP, 2 x GE & 2 x SFP+
Ports	Downlinks	8 x GE	8 x GE, 12 x GE, 6 xGE & 2 x mGig
	PoE	124 W PoE+	240 W PoE+
PoE	Perpetual PoE	-	•
	PoE Pass-Through	1 x UPOE, 23.8 W	2 x UPOE, 144.8 W
Software	Cisco IOS	IP Base Only	IP Base, IP Services
Hardware	DRAM, Flash	128 MB, 64 MB	512 MB, 128 MB
	Security	802.1X, MACsec	802.1X, MACsec
Other	AVC	NO	NetFlow Lite
	IPv6	Basic	Enhanced

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-L Series

Overview



#### Getting Started

What's New

Feature Story

Collaborate

- Compute
- Secure

#### Connect

Switches

- SF/SG
- Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- 3650/38
- Meraki MS
- Wireless
- Routers
- Services

## Build Your Enterprise-Class Network with Simplicity and Value

**Platform Spec** 

The **Cisco Catalyst 2960-L Series** switches are fixed-configuration, Gigabit Ethernet switches that provide enterprise-class access switching for branch offices, out-of-the-wiring-closet applications, and critical Internet of Things (IoT) deployments, as well as small and medium-sized businesses. They operate on Cisco IOS Software and support simple device management as well as network management.

The Catalyst 2960-L Series provides easy device onboarding, configuration, monitoring, and troubleshooting. These fully managed switches offer advanced Layer 2 and basic Layer 3 features as well as Power over Ethernet Plus (PoE+) power. Catalyst 2960-L Series delivers enhanced network security, network reliability, and operational efficiency.

#### Highlights

Why 2960-L?

- Cisco IOS Enhanced LAN Lite Image: Supports basic layer 3 features with static routing and Routing Information Protocol (RIP), and security with 802.1X support for connected devices, Switched Port Analyzer (SPAN), and Bridge Protocol Data Unit (BPDU) Guard
- PoE+ output (PSE models)
- Perpetual PoE for powering a powered device even when the device is booting
- Compact design with a depth of less than 11.5 inches
- Device management support with: Intuitive web UI via Cisco Configuration Professional for Catalyst, over-the-air access via Bluetooth, Command-Line Interface (CLI), Simple Network Management Protocol (SNMP), RJ-45 or USB console access, and virtual stacking





## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-L Series



Overview	Platform Spe	C	Why 2960-	L?								
			Downlinks		Uplinks			PoE				Rack
Product SKU <sup>*1</sup>	Service (CSE) SKU	Cisco IOS	GE	GE	SFP	SFP/ SFP+	Ports	Power Budget	IEEE 802.3	Power	Fanless	Mount
WS-C2960L-8TS-LL	CON-SMBS-WSC296TW	LAN Lite	8	-	2	-	-	-	-	Internal	•	_*2
WS-C2960L-8PS-LL	CON-SMBS-WSC29606	LAN Lite	8	-	2	-	8	67 W	af/at	Internal	•	_*2
WS-C2960L-16TS-LL	CON-SMBS-WSC2966L	LAN Lite	16	-	2	-	-	-	-	Internal	•	_*2
WS-C2960L-16PS-LL	CON-SMBS-WSC2969S	LAN Lite	16	-	2	-	16	120 W	af/at	Internal	•	_*2
WS-C2960L-24TS-AP	CON-SMBS-WSC296LT	LAN Lite	24	-	4	-	-	-	-	Internal	•	1 RU
WS-C2960L-24PS-AP	CON-SMBS-WSC296LA	LAN Lite	24	-	4	-	24	195 W	af/at	Internal	•	1 RU
WS-C2960L-48TS-AP	CON-SMBS-WSC298LS	LAN Lite	48	-	4	-	-	-	-	Internal	•	1 RU
WS-C2960L-48PS-AP	CON-SMBS-WSC2P6LA	LAN Lite	48	-	4	-	48	370 W	af/at	Internal	-	1 RU
	Product SKU"         WS-C2960L-8TS-LL         WS-C2960L-8PS-LL         WS-C2960L-16TS-LL         WS-C2960L-16PS-LL         WS-C2960L-24TS-AP         WS-C2960L-24PS-AP         WS-C2960L-48TS-AP	Product SKU"Service (CSE) SKUWS-C2960L-8TS-LLCON-SMBS-WSC296TWWS-C2960L-8PS-LLCON-SMBS-WSC29606WS-C2960L-16TS-LLCON-SMBS-WSC2966LWS-C2960L-16PS-LLCON-SMBS-WSC2969SWS-C2960L-24TS-APCON-SMBS-WSC296LTWS-C2960L-24PS-APCON-SMBS-WSC296LAWS-C2960L-48TS-APCON-SMBS-WSC298LS	Product SKU''Service (CSE) SKUCisco IOSWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN LiteWS-C2960L-8PS-LLCON-SMBS-WSC29606LAN LiteWS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN LiteWS-C2960L-16PS-LLCON-SMBS-WSC2969SLAN LiteWS-C2960L-24TS-APCON-SMBS-WSC296LTLAN LiteWS-C2960L-24PS-APCON-SMBS-WSC296LALAN LiteWS-C2960L-24PS-APCON-SMBS-WSC296LALAN LiteWS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite	Product SKU''Service (CSE) SKUCisco IOSDownlinksWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite8WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16WS-C2960L-16FS-LLCON-SMBS-WSC2969SLAN Lite16WS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite24WS-C2960L-48TS-APCON-SMBS-WSC296LALAN Lite48	Product SKU'1Service (CSE) SKUCisco IOSDownlinksWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite8-WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-WS-C2960L-16FS-LLCON-SMBS-WSC2969SLAN Lite16-WS-C2960L-16PS-LLCON-SMBS-WSC2969SLAN Lite16-WS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24-WS-C2960L-24FS-APCON-SMBS-WSC298LSLAN Lite48-	Product SKU*1Service (CSE) SKUCisco IOSDownlinksUplinksWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-2WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite8-2WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2WS-C2960L-16PS-LLCON-SMBS-WSC2969SLAN Lite16-2WS-C2960L-16PS-LLCON-SMBS-WSC2961TLAN Lite16-2WS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24-4WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite24-4WS-C2960L-24TS-APCON-SMBS-WSC296LALAN Lite48-4	Product SKU''Service (CSE) SKUCisco IOSDownlinks $\cup$ $\cup$ WS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-2-WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite8-2-WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2-WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2-WS-C2960L-16PS-LLCON-SMBS-WSC2969SLAN Lite16-2-WS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24-4-WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite244-WS-C2960L-48TS-APCON-SMBS-WSC296LSLAN Lite48-4-	Product SKU'1DevendinksUplinksUplinksSFP/ SFP/ SFP/ SFP/ PortsPortsWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-2WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite8-2-8WS-C2960L-16TS-LLCON-SMBS-WSC29606LAN Lite16-2-8WS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2-16WS-C2960L-16PS-LLCON-SMBS-WSC2969SLAN Lite16-2-16WS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24-4WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite24-4-24WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite48-4	Product SKU"Service (CSE) SKUDownlinksUplinksUplinksSFP/ SFP/PortsPower BudgetWS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-2WS-C2960L-8PS-LLCON-SMBS-WSC29606LAN Lite88-2-867 WWS-C2960L-16TS-LLCON-SMBS-WSC29606LAN Lite16-2-867 WWS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2-16120 WWS-C2960L-16TS-LLCON-SMBS-WSC2969SLAN Lite16-2-16120 WWS-C2960L-24TS-APCON-SMBS-WSC296LTLAN Lite24-4WS-C2960L-24TS-APCON-SMBS-WSC296LALAN Lite24-4-24195 WWS-C2960L-24TS-APCON-SMBS-WSC296LSLAN Lite48-4	Product SKU'1Service (CSE) SKUDisco IOSDownlinksUplinksUplinksSFP/ SFP/PortsPower BudgetIEEE 802.3WS-C2960L-8TS-LLCON-SMBS-WSC296TWLAN Lite8-2WS-C2960L-8TS-LLCON-SMBS-WSC29606LAN Lite88-2-867 Waf/atWS-C2960L-16TS-LLCON-SMBS-WSC2966LLAN Lite16-2-16120 Waf/atWS-C2960L-16TS-LLCON-SMBS-WSC2969SLAN Lite166-2-16120 Waf/atWS-C2960L-24TS-APCON-SMBS-WSC296LALAN Lite24-4WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite24-4-24195 Waf/atWS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite48-4WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite48-4WS-C2960L-24PS-APCON-SMBS-WSC296LALAN Lite48-4WS-C2960L-24PS-APCON-SMBS-WSC298LSLAN Lite48-4WS-C2960L-24PS-APCON-SMBS-WSC298LSLAN Lite48-4	Product SKU <sup>11</sup> Service (CSE) SKU         Cisco IOS         Downlinks         Jupinks         SFP/         SFP/         Poil         Poil         AC Power           WS-C2960L-8TS-LL         CON-SMBS-WSC296TW         LAN Lite         8         -         2         -         -         -         Internal           WS-C2960L-8PS-LL         CON-SMBS-WSC29606         LAN Lite         8         -         2         -         8         67 W         af/at         Internal           WS-C2960L-16TS-LL         CON-SMBS-WSC29606         LAN Lite         16         -         2         -         8         67 W         af/at         Internal           WS-C2960L-16TS-LL         CON-SMBS-WSC2960E         LAN Lite         16         -         2         -         -         -         -         Internal           WS-C2960L-16TS-LL         CON-SMBS-WSC2969S         LAN Lite         16         -         2         -         16         120 W         af/at         Internal           WS-C2960L-24TS-AP         CON-SMBS-WSC296LT         LAN Lite         24         -         4         -         -         -         -         Internal           WS-C2960L-24PS-AP         CON-SMBS-WSC296LA         LAN Lite	Product SKU <sup>11</sup> Service (CSE) SKU         Cisco IOS         Downlinks $JUPIInks$

\*2 Optional Magnet and Mounting Tray (CMPCT-MGNT-TRAY=) is available.

Meraki MS

3650/3850

Wireless

C

Routers

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-L Series



## Overview

### Platform Spec

Why 2960-L?

#### Why Catalyst 2960-L?

The Cisco Catalyst 2960-L Series leads the competition with:

Noiseless, flexible deployment in a "fanless" design of not only the 8-port model, but also the 16-, 24- and 48-port models, with the only exception being the 48-port PoE unit, the Catalyst 2960-L can be installed in meeting rooms, classrooms, retail stores, and office spaces, which are no-go areas for a traditional switch relying on one or more noisy fans to keep it cool. Additionally, because there are no fans to suck in dust and lint, it can be tucked away in a cupboard or ceiling space, without the need for periodic cleaning, making it even more flexible to deploy.

- Persistent PoE reduces the wait time and improves network availability by providing PoE power to IP phones, cameras, and wireless access points, even while the switch is booting up with a new software image.
- Runs Cisco IOS Software and supports a rich set of Cisco IOS Software networking features in IPv6, security, and manageability. It also offers unsurpassed energy efficiency and Cisco enhanced limited lifetime warranty, offering lower TCO.

	Catalyst 2960-L	Competitor A	Competitor B	Why Cisco?
No Fans	More deployment flexibility, less clean- ing and preventive maintenance, and higher reliability and uptime.	The switch has fans that suck in dust, resulting in limited deployment options and more cleaning and maintenance.	The Cisco Catalyst switch can be housed in cupboards and cavities with no risk of fans sucking in failure-caus- ing dust.	
	People-friendly operation.	Not designed to coexist with people: the fans get.	Allows the switch to share office space with people without being intrusive; ideal for small retail, classrooms, offic- es.	
Persistent PoE/PoE+	Maintains PoE power to attached de- vices when the switch is rebooted after a software upgrade or other reason.	minimize downtime, but what about the	Infter a software upgrade, in an effort to a attached IP phone, camera, or access reboot as well, and only after the switch	eras, and access points stay powered
Bluetooth and USB	access and USB type-A slot support-	While offering a USB console port, thes ly connect. This is not always practica might be installed in a difficult-to-reach	I in branch locations, where the switch	

Getting Started

What's New

Feature Story

Collaborate

- Compute
- Secure

#### Connect

Switches

- SF/SG Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- 0000/00
- Meraki MS
- Wireless
- Routers



#### Overview

Platform Spec

Connect - Switches - Cisco Catalyst Switches

Cisco Catalyst 2960-X Series

Modules & Accessories

#### Enterprise Ready: Cost-Effective Access Switches that Scale

The **Cisco Catalyst 2960-X Series** switches are stackable fixed configuration Gigabit Ethernet switches offering network connectivity for enterprise, mid-market, and branch locations.

They enable reliable and secure business operations with lower total cost of ownership through a range of innovative features, including Cisco Flex-Stack-Plus and FlexStack-Extended, application visibility and control, Power over Ethernet Plus (PoE+), innovative power management, and Smart Operations.



#### Highlights

- Cisco IOS LAN Lite/LAN Base Image (Catalyst 2960-X)
- Cisco IOS IP Lite Image (Catalyst 2960-XR): Supports layer 3 features including Open Shortest Path First OSPF and Virtual Router Redundancy Protocol (VRRP)
- 10 GB SFP+ uplinks (select models)
- PoE+ output (PSE models)
- Perpetual PoE for powering a powered device even when the device is booting

- Resiliency with optional an external redundant power supply (LAN Base models) and dual redundant power supplies (IP Lite models)
- Stacking with Cisco FlexStack-Plus and FlexStack-Extended (LAN Base/ IP Lite models)
- Device management support with: Intuitive web UI via Cisco Configuration Professional for Catalyst, over-the-air access via Bluetooth, Command-Line Interface (CLI), Simple Network Management Protocol (SNMP), RJ-45 or USB console access
- Cisco Digital Network Architecture (DNA)-ready: Supports Cisco Net-Flow Lite and Cisco Flexible NetFlow<sup>\*1</sup> for application visibility at the access network, and so on (LAN Base/IP Lite models)
  - \*1 Cisco ONE Foundation License or Cisco DNA Essentials License is required.

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

#### Switches

SF/SG

Catalyst 2960-CX/3560-CX

2960-L

2000 L

2960-X

3050/385

Meraki MS

Wireless

Routers

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-X Series

	Overview	Platfor	m Spec	Mod	ules	& Ac	cess	orie	S							
Getting Started				Downlinks		Uplink	5		PoE		Power	Supply	,		-	
What's New	Product SKU*1	Service (CSE) SKU	Cisco IOS	GE	GE	SFP	SFP/ SFP+	Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	Fanless	Flex Stack	Rack Mount
Feature Story	WS-C2960X-24TS-LL	CON-SMBS-WSC296X2	LAN Lite	24	-	2	-	-	-	-	Fixed AC	-	-	-	-	1 RU
, i i i i i i i i i i i i i i i i i i i	WS-C2960X-48TS-LL	CON-SMBS-WSC296X4	LAN Lite	48	-	2	-	-	-	-	Fixed AC	-	-	-	-	1 RU
Collaborate	WS-C2960X-24TS-L	CON-SMBS-WSC296XT	LAN Base	24	-	4	-	-	-	-	Fixed AC	•	-	-	•	1 RU
Compute	WS-C2960X-24TD-L	CON-SMBS-WSC24TDL	LAN Base	24	-	-	2	-	-	-	Fixed AC	•	-	-	•	1 RU
	WS-C2960X-24PSQ-L	CON-SMBS-WSC224QL	LAN Base	24	2	2	-	8	110 W	af/at	Fixed AC	-	-	•	-	1 RU
Secure	WS-C2960X-24PS-L	CON-SMBS-WSC224SL	LAN Base	24	-	4	-	24	370 W	af/at	Fixed AC	•	-	-	•	1 RU
Connect	WS-C2960X-24PD-L	CON-SMBS-WSC604DL	LAN Base	24	-	-	2	24	370 W	af/at	Fixed AC	•	-	-	•	1 RU
Switches	WS-C2960X-48TS-L	CON-SMBS-WSC248TS	LAN Base	48	-	4	-	-	-	-	Fixed AC	•	-	-	•	1 RU
SF/SG	WS-C2960X-48TD-L	CON-SMBS-WSC298DL	LAN Base	48	-	-	2	-	-	-	Fixed AC	•	-	-	•	1 RU
Catalyst	WS-C2960X-48LPS-L	CON-SMBS-WSC248SL	LAN Base	48	-	4	-	48	370 W	af/at	Fixed AC	•	-	-	•	1 RU
	WS-C2960X-48LPD-L	CON-SMBS-WSC48LPD	LAN Base	48	-	-	2	48	370 W	af/at	Fixed AC	•	-	-	•	1 RU
2960-CX/3560-CX	WS-C2960X-48FPS-L	CON-SMBS-WSC294SL	LAN Base	48	-	4	-	48	740 W	af/at	Fixed AC	•	-	-	٠	1 RU
2960-L	WS-C2960X-48FPD-L	CON-SMBS-WSC296XL	LAN Base	48	-	-	2	48	740 W	af/at	Fixed AC	•	-	-	•	1 RU
2960-X	WS-C2960XR-24TS-I	CON-SMBS-WS296X24	IP Lite	24	-	4	-	-	-	-	250 W AC	-	•	-	٠	1 RU
3650/3850	WS-C2960XR-24TD-I	CON-SMBS-WSC296TD	IP Lite	24	-	-	2	-	-	-	250 W AC	-	•	-	•	1 RU
Meraki MS	WS-C2960XR-24PS-I	CON-SMBS-WSC296PS	IP Lite	24	-	4	-	24	370 W	af/at	640 W AC	-	•	-	•	1 RU
Wireless	WS-C2960XR-24PD-I	CON-SMBS-WSC296PD	IP Lite	24	-	-	2	24	370 W	af/at	640 W AC	-	•	-	•	1 RU
Routers	WS-C2960XR-48TS-I	CON-SMBS-WS296X48	IP Lite	48	-	4	-	-	-	-	250 W AC	-	•	-	٠	1 RU
Services	WS-C2960XR-48TD-I	CON-SMBS-WSC2968T	IP Lite	48	-	-	2	-	-	-	250 W AC	-	•	-	•	1 RU
Services	WS-C2960XR-48LPS-I	CON-SMBS-WSC29648	IP Lite	48	-	4	-	48	370 W	af/at	640 W AC	-	•	-	•	1 RU
	WS-C2960XR-48LPD-I	CON-SMBS-W296X48L	IP Lite	48	-	-	2	48	370 W	af/at	640 W AC	-	•	-	•	1 RU
	WS-C2960XR-48FPS-I	CON-SMBS-WSC296FP	IP Lite	48	-	4	-	48	740 W	af/at	1025 W AC	-	•	-	•	1 RU
	WS-C2960XR-48FPD-I	CON-SMBS-W296X48F	IP Lite	48	-	-	2	48	740 W	af/at	1025 W AC	-	•	-	٠	1 RU

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 2960-X Series



#### **Getting Started**

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

Meraki MS

Wireless

Routers

Services

	· · ·
Cisco Redundant Pow	er System (RPS) 2300
Product SKU	Description
PWR-RPS2300	Cisco RPS 2300 Chassis (No Power Supply)
C3K-PWR-750WAC	Cisco RPS 2300 750 W AC Power Supply
CAB-RPS2300-E=	Cisco RPS 2300 cable

Platform Spec

**Modules & Accessories** 

Power Supply Modules

Product SKU

PWR-C2-250WAC

PWR-C2-640WAC

PWR-C2-1025WAC

#### Cisco

Overview

Product SKU	Description
C2960X-STACK	Cisco FlexStack-Plus Module
C2960X-FIBER-STK	Cisco FlexStack-Extended Fiber Module
C2960X-HYBRID-STK	Cisco FlexStack-Extended Hybrid Module



250 W AC Power Supply Module

640 W AC Power Supply Module

1025 W AC Power Supply Module

Description

#### TIP Cisco FlexStack-Plus & FlexStack-Extended

The Cisco FlexStack-Plus provides stacking of up to eight Cisco Catalyst 2960-X or 2960-XR Series switches with the optional Cisco Flex-Stack-Plus module.

The Cisco FlexStack-Extended enables a long-distance out-of-the wiring-closet stack option (floor to floor). It provides stacking of up to eight Cisco Catalyst 2960-X or 2960-XR Series switches with the optional Cisco FlexStack-Extended module.

#### Cisco FlexStack-Plus Supported Combinations<sup>\*1</sup>

Stack Member	Catalyst 2960-X LAN Base	Catalyst 2960-XR IP Lite
Catalyst 2960-X LAN Base	•	-
Catalyst 2960-XR IP Lite	-	•

#### Cisco FlexStack-Plus Scalability & Performance<sup>\*1</sup>

Stack Member	Stack Bandwidth	Stack Limit
Catalyst 2960-X LAN Base	80 Gbps	8
Catalyst 2960-XR IP Lite	80 Gbps	8

#### Cisco FlexStack-Extended Supported Combinations

Stack Member	Catalyst 2960-X LAN Base	Catalyst 2960-XR IP Lite
Catalyst 2960-X LAN Base	•	-
Catalyst 2960-XR IP Lite	-	•

#### Cisco FlexStack-Extended Scalability & Performance

Stack Member	Stack Bandwidth	Stack Limit
Catalyst 2960-X LAN Base	40 Gbps	8
Catalyst 2960-XR IP Lite	40 Gbps	8

\*1 FlexStack-Plus is backward compatible with FlexStack. Up to four Catalyst 2960-X LAN Base switches and Catalyst 2960-S/SF LAN Base switches can be stacked.

FlexStack Modu	les
SKU	Description

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series



#### Overview

Platform Spec (3650)

650) Platform Spec (3850)

850) Licenses & Accessories

Bundles

#### Getting Started

What's New

Feature Story

Collaborate

Compute


Secure

Connect

#### Switches

- SF/SG
- Catalyst
- 2960-CX/3560-CX
- 2960-L
- 2960-X
- 3650/3850
- Meraki MS
- Wireless
- Routers

Services



The **Cisco Catalyst 3650/3850 Series** switches are the next generation of enterprise-class stackable access and aggregation layer switches that provide the foundation for full convergence between wired and wireless on a single platform.

The new Cisco Unified Access Data Plane (UADP) Application-Specific Integrated Circuit (ASIC) powers the switch and enables uniform wired-wireless policy enforcement, application visibility, flexibility, and application optimization. This convergence is built on the resilience of the new and improved Cisco StackWise-160/480 technology.



#### Highlights

- Cisco IOS XE Universal Image (LAN Base/IP Base/IP Services)
- Cisco Unified Access Data Plane (UADP) Application-Specific Integrated Circuit (ASIC)
- Integrated wireless controller capability with: Up to 20 or 40 Gbps of wireless capacity per switch, support for up to 50 access points and 1,000 wireless clients (Catalyst 3650) or 100 access points and 2,000 wireless clients (Catalyst 3850) on each switching entity (switch or stack)
- Multigigabit downlinks (select models)
- Fixed uplinks with 4 x 1 GE, 2 x 10 GE SFP+, 4 x 10 GE SFP+, 8 x 10 GE SFP+, or 2 x 40 GE QSFP (Catalyst 3650)
- Optional uplink modules with 4 x 1 GE SFP, 2 x 10 GE SFP+, 4 x 10 GE SFP+, 8 x 10 GE SFP+, or 2 x 40 GE QSFP (Catalyst 3850, all copper models & most fiber models)
- Fixed uplinks with 40 GE QSFP (Catalyst 3850, select fiber models)

- PoE+ output (PSE models)
- 60 W PoE output (select PSE models)
- Resiliency with optional an external redundant power supply (Catalyst 3850, mini models) and dual redundant power supplies (Catalyst 3650/3850, except mini models)
- Cisco StackPower technology provides power stacking among stack members for power redundancy (Catalyst 3850)
- Stacking with Cisco StackWise-160 (Catalyst 3650) and Cisco Stack-Wise-480 (Catalyst 3850)
- authenticating and encrypting packets between switches and endpoints: MACsec-128 (all models) and MACsec-256 (Catalyst 3850, Multigigabit and 10 GE fiber models)
- Cisco Digital Network Architecture (DNA)-ready: Cisco DNA services can be delivered through Cisco ONE or Cisco DNA Licenses

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series

	Overview	Platform	Spec (365	0)	Pl	atfor	m Sp	bec (	3850)	) L	icen	ses (	& Acces	ssories	•	Bun	ndles	
etting Started					Dowi	nlinks		Fixe	ed Upli	nks			PoE		Power	Supply	y	Rack
/hat's New	Product SKU	Service (CSE) SKU	Cisco IOS	GE	mGig	SFP	SFP/ SFP+		SFP/ SFP+	QSFP	Dorte	60 W Ports		IEEE 802.3	Default PS	Ext RPS	Dual PS	Mount
eature Story	WS-C3650-24TS-L	CON-SMBS-WSC3652TS	LAN Base	24	-	-	-	4	-	-	-	-	-	-	250 W AC	-	•	1 RU
	WS-C3650-24TS-S	CON-SMBS-WS6524SS	IP Base	24	-	-	-	4	-	-	-	-	-	-	250 W AC	-	•	1 RU
ollaborate	WS-C3650-24TS-E	CON-SMBS-WS5024SE	IP Services	24	-	-	-	4	-	-	-	-	-	-	250 W AC	-	•	1 RU
ompute	WS-C3650-24TD-L	CON-SMBS-WSC3652L	LAN Base	24	-	-	-	2	2	-	-	-	-	-	250 W AC	-	•	1 RU
	WS-C3650-24TD-S	CON-SMBS-WSC365BU	IP Base	24	-	-	-	2	2	-	-	-	-	-	250 W AC	-	•	1 RU
cure	WS-C3650-24TD-E	CON-SMBS-WSC365TE	IP Services	24	-	-	-	2	2	-	-	-	-	-	250 W AC	-	•	1 RU
nnect	WS-C3650-24PS-L	CON-SMBS-WSC365SL	LAN Base	24	-	-	-	4	-	-	24	-	390 W	af/at	640 W AC	-	•	1 RU
witches	WS-C3650-24PS-S	CON-SMBS-WSC3652S	IP Base	24	-	-	-	4	-	-	24	-	390 W	af/at	640 W AC	-	•	1 RU
SF/SG	WS-C3650-24PS-E	CON-SMBS-WS6524PS	IP Services	24	-	-	-	4	-	-	24	-	390 W	af/at	640 W AC	-	•	1 RU
	WS-C3650-24PDM-L	CON-SMBS-WSC365ML	LAN Base	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	•	-	1 RU
Catalyst	WS-C3650-24PDM-S	CON-SMBS-WSC365PS	IP Base	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	•	-	1 RU
2960-CX/3560-CX	WS-C3650-24PDM-E	CON-SMBS-WSC365ME	IP Services	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	•	-	1 RU
2960-L	WS-C3650-24PD-L	CON-SMBS-WSC364DL	LAN Base	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	-	•	1 RU
2960-X	WS-C3650-24PD-S	CON-SMBS-WSC365PDS	IP Base	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	-	•	1 RU
3650/3850	WS-C3650-24PD-E	CON-SMBS-WSC3652DE	IP Services	24	-	-	-	2	2	-	24	-	390 W	af/at	640 W AC	-	•	1 RU

Meraki MS

Wireless

Routers

Services

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series

Platform Spec (3650)

Overview



ting Started					Dowr	nlinks		Fixe	ed Upli	inks			PoE		Power	Supply	/	Rack
at's New	Product SKU	Service (CSE) SKU	Cisco IOS	GE	mGig	SFP	SFP/ SFP+	SFP	SFP/ SFP+	QSFP	Ports	60 W Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	Moun
ture Story	WS-C3650-48TS-L	CON-SMBS-WSC36TSL	LAN Base	48	-	-	-	4	-	-	-	-	-	af/at	250 W AC	-	•	1 RU
	WS-C3650-48TS-S	CON-SMBS-WSC3654T	IP Base	48	-	-	-	4	-	-	-	-	-	af/at	250 W AC	-	•	1 RU
aborate	WS-C3650-48TS-E	CON-SMBS-WS5048SE	IP Services	48	-	-	-	4	-	-	-	-	-	af/at	250 W AC	-	٠	1 RU
npute	WS-C3650-48TD-L	CON-SMBS-WS6548DL	LAN Base	48	-	-	-	2	2	-	-	-	-	af/at	250 W AC	-	•	1 RU
nputo	WS-C3650-48TD-S	CON-SMBS-WSC368TD	IP Base	48	-	-	-	2	2	-	-	-	-	af/at	250 W AC	-	٠	1 RU
ure	WS-C3650-48TD-E	CON-SMBS-WC3654UA	IP Services	48	-	-	-	2	2	-	-	-	-	af/at	250 W AC	-	•	1 RU
nect	WS-C3650-48TQ-L	CON-SMBS-WC365T48	LAN Base	48	-	-	-	-	4	-	-	-	-	af/at	250 W AC	-	٠	1 RU
	WS-C3650-48TQ-S	CON-SMBS-WS3654QS	IP Base	48	-	-	-	-	4	-	-	-	-	af/at	250 W AC	-	•	1 RU
vitches	WS-C3650-48TQ-E	CON-SMBS-WSC36TQE	IP Services	48	-	-	-	-	4	-	-	-	-	af/at	250 W AC	-	٠	1 RU
SF/SG	WS-C3650-48PS-L	CON-SMBS-WS6548SL	LAN Base	48	-	-	-	4	-	-	48	-	390 W	af/at	640 W AC	-	•	1 RU
Catalyst	WS-C3650-48PS-S	CON-SMBS-WSC36PSS	IP Base	48	-	-	-	4	-	-	48	-	390 W	af/at	640 W AC	-	٠	1 RU
2960-CX/3560-CX	WS-C3650-48PS-E	CON-SMBS-WSC3654SE	IP Services	48	-	-	-	4	-	-	48	-	390 W	af/at	640 W AC	-	•	1 RU
2960-L	WS-C3650-48PD-L	CON-SMBS-WS365048	LAN Base	48	-	-	-	2	2	-	48	-	390 W	af/at	640 W AC	-	٠	1 RU
2960-X	WS-C3650-48PD-S	CON-SMBS-WC3654PS	IP Base	48	-	-	-	2	2	-	48	-	390 W	af/at	640 W AC	-	•	1 RU
3650/3850	WS-C3650-48PD-E	CON-SMBS-WSC365DE	IP Services	48	-	-	-	2	2	-	48	-	390 W	af/at	640 W AC	-	٠	1 RU
	WS-C3650-48PQ-L	CON-SMBS-WSC365QL	LAN Base	48	-	-	-	-	4	-	48	-	390 W	af/at	640 W AC	-	•	1 RU
Veraki MS	WS-C3650-48PQ-S	CON-SMBS-WSC36PQS	IP Base	48	-	-	-	-	4	-	48	-	390 W	af/at	640 W AC	-	٠	1 RU
ireless	WS-C3650-48PQ-E	CON-SMBS-WSC365QE	IP Services	48	-	-	-	-	4	-	48	-	390 W	af/at	640 W AC	-	•	1 RU
outers	WS-C3650-48FS-L	CON-SMBS-WSC3654	LAN Base	48	-	-	-	4	-	-	48	-	775 W	af/at	1025 W AC	-	٠	1 RU
vices	WS-C3650-48FS-S	CON-SMBS-WSC654	IP Base	48	-	-	-	4	-	-	48	-	775 W	af/at	1025 W AC	-	•	1 RU
VICES	WS-C3650-48FS-E	CON-SMBS-WS5048FS	IP Services	48	-	-	-	4	-	-	48	-	775 W	af/at	1025 W AC	-	٠	1 RU
	WS-C3650-48FD-L	CON-SMBS-WS6548FD	LAN Base	48	-	-	-	2	2	-	48	-	775 W	af/at	1025 W AC	-	•	1 RU
	WS-C3650-48FD-S	CON-SMBS-WSC365FD	IP Base	48	-	-	-	2	2	-	48	-	775 W	af/at	1025 W AC	-	٠	1 RU
	WS-C3650-48FD-E	CON-SMBS-WS3654UA	IP Services	48	-	-	-	2	2	-	48	-	775 W	af/at	1025 W AC	-	•	1 RU
	WS-C3650-48FQM-L	CON-SMBS-WSC365FQ	LAN Base	48	-	-	-	-	4	-	48	-	775 W	af/at	975 W AC	•	-	1 RU
	WS-C3650-48FQM-S	CON-SMBS-WSC365QS	IP Base	48	-	-	-	-	4	-	48	-	775 W	af/at	975 W AC	•	-	1 RU
	WS-C3650-48FQM-E	CON-SMBS-WSC3658Q	IP Services	48	-	-	-	-	4	-	48	-	775 W	af/at	975 W AC	•	-	1 RU
	WS-C3650-48FQ-L	CON-SMBS-WS3654FQ	LAN Base	48	-	-	-	-	4	-	48	-	775 W	af/at	1025 W AC	-	•	1 RU
	WS-C3650-48FQ-S	CON-SMBS-WSC354QS	IP Base	48	-	-	-	-	4	-	48	-	775 W	af/at	1025 W AC	-	٠	1 RU
	WS-C3650-48FQ-E	CON-SMBS-WC3654	IP Services	48	-	-	-	-	4	-	48	-	775 W	af/at	1025 W AC	-	•	1 RU

Platform Spec (3850)

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series

	Overview	Platform	Spec (365	0)	Pla	atfor	m Sp	pec (	3850)	) I	licen	ises 8	& Acces	ssories	•	Bur	ndles	
Getting Started					Dowr	links		Fix	ed Upli	nks			PoE		Power	Supply	y	Rack
What's New	Product SKU	Service (CSE) SKU	Cisco IOS	GE	mGig	SFP	SFP/ SFP+	SFP	SFP/ SFP+	QSFP	Ports	60 W Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	Mount
eature Story	WS-C3650-8X24PD-L	WS-C3650-8X24PD-L	LAN Base	24	8	-	-	-	2	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
, i i i i i i i i i i i i i i i i i i i	WS-C3650-8X24PD-S	CON-SMBS-SWC3DPX2	IP Base	24	8	-	-	-	2	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
Collaborate	WS-C3650-8X24PD-E	CON-SMBS-WSEC3658	IP Services	24	8	-	-	-	2	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
Compute	WS-C3650-8X24UQ-L	CON-SMBS-WSC365SU	LAN Base	24	8	-	-	-	4	-	24	24	820 W	af/at	1100 W AC	-	•	1 RU
	WS-C3650-8X24UQ-S	CON-SMBS-WSC3656Q	IP Base	24	8	-	-	-	4	-	24	24	820 W	af/at	1100 W AC	-	•	1 RU
Secure	WS-C3650-8X24UQ-E	CON-SMBS-WSC3656U	IP Services	24	8	-	-	-	4	-	24	24	820 W	af/at	1100 W AC	-	•	1 RU
Connect	WS-C3650-12X48FD-L	CON-SMBS-WSLC3651	LAN Base	48	12	-	-	-	2	-	48	-	660 W	af/at	1100 W AC	-	•	1 RU
Switches	WS-C3650-12X48FD-S	CON-SMBS-WSC36FDX	IP Base	48	12	-	-	-	2	-	48	-	660 W	af/at	1100 W AC	-	•	1 RU
SF/SG	WS-C3650-12X48FD-E	CON-SMBS-WSFC3651	IP Services	48	12	-	-	-	2	-	48	-	660 W	af/at	1100 W AC	-	•	1 RU
Catalyst	WS-C3650-12X48UQ-L	CON-SMBS-WSC3653W	LAN Base	48	12	-	-	-	4	-	48	48	660 W	af/at	1100 W AC	-	•	1 RU
	WS-C3650-12X48UQ-S	CON-SMBS-WS36513C	IP Base	48	12	-	-	-	4	-	48	48	660 W	af/at	1100 W AC	-	•	1 RU
2960-CX/3560-CX	WS-C3650-12X48UQ-E	CON-SMBS-WSC3658E	IP Services	48	12	-	-	-	4	-	48	48	660 W	af/at	1100 W AC	-	•	1 RU
2960-L	WS-C3650-12X48UR-L	CON-SMBS-WSC3654X	LAN Base	48	12	-	-	-	8	-	48	48	660 W	af/at	1100 W AC	-	•	1 RU
2960-X	WS-C3650-12X48UR-S	CON-SMBS-WSC3653X	IP Base	48	12	-	-	-	8	-	48	48	660 W	af/at	1100 W AC	-	•	1 RU
3650/3850	WS-C3650-12X48UR-E	CON-SMBS-WSC3653R	IP Services	48	12	-	-	-	8	_	48	48	660 W	af/at	1100 W AC	-	•	1 RU
Meraki MS	WS-C3650-12X48UZ-L	CON-SMBS-WSC3658W	LAN Base	48	12	-	-	-	-	2	48	48	660 W	af/at	1100 W AC	-	•	1 RU
Wireless	WS-C3650-12X48UZ-S	CON-SMBS-WSC3658U	IP Base	48	12	-	-	-	-	2	48	48	660 W	af/at	1100 W AC	-	•	1 RU
Routers	WS-C3650-12X48UZ-E	CON-SMBS-WSC3655X	IP Services	48	12	-	-	-	-	2	48	48	660 W	af/at	1100 W AC	-	•	1 RU

Services

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series


	Overviev	v Platform	Spec (365	60)	Pl	atfoi	rm Sp	bec (3	3850)		Licen	ises a	& Acces	ssories	5	Bun	dles	
Getting Started					Dowi	nlinks		Fixe	ed Upli	nks			PoE		Power	Supply	,	Deals
What's New	Product SKU	Service (CSE) SKU	Cisco IOS	GE	mGig	SFP	SFP/ SFP+	SFP	SFP/ SFP+	QSFP	Ports	60 W Ports		IEEE 802.3	Default PS	Ext RPS	Dual PS	Rack Mount
Feature Story	WS-C3850-24T-L	CON-SMBS-WSC384TL	LAN Base	24	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
	WS-C3850-24T-S	CON-SMBS-WSC384TS	IP Base	24	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
Collaborate	WS-C3850-24T-E	CON-SMBS-WSC384TE	IP Services	24	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
Compute	WS-C3850-24P-L	CON-SMBS-WSC384PL	LAN Base	24	-	-	-	-	-	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
·	WS-C3850-24P-S	CON-SMBS-WS-C384PS	IP Base	24	-	-	-	-	-	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
Secure	WS-C3850-24P-E	CON-SMBS-WSC384PE	IP Services	24	-	-	-	-	-	-	24	-	435 W	af/at	715 W AC	-	•	1 RU
Connect	WS-C3850-24U-L	CON-SMBS-WSC8524U	LAN Base	24	-	-	-	-	-	-	24	24	800 W	af/at	1100 W AC	-	•	1 RU
Switches	WS-C3850-24U-S	CON-SMBS-WS8524US	IP Base	24	-	-	-	-	-	-	24	24	800 W	af/at	1100 W AC	-	•	1 RU
SF/SG	WS-C3850-24U-E	CON-SMBS-WS8524UE	IP Services	24	-	-	-	-	-	-	24	24	800 W	af/at	1100 W AC	-	•	1 RU
	WS-C3850-48T-L	CON-SMBS-WSC388TL	LAN Base	48	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
Catalyst	WS-C3850-48T-S	CON-SMBS-WSC388TS	IP Base	48	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
2960-CX/3560-CX	WS-C3850-48T-E	CON-SMBS-WSC388TE	IP Services	48	-	-	-	-	-	-	-	-	-	-	350 W AC	-	•	1 RU
2960-L	WS-C3850-48P-L	CON-SMBS-WSC388PL	LAN Base	48	-	-	-	-	-	-	48	-	435 W	af/at	715 W AC	-	•	1 RU
2960-X	WS-C3850-48P-S	CON-SMBS-WSC388PS	IP Base	48	-	-	-	-	-	-	48	-	435 W	af/at	715 W AC	-	•	1 RU
3650/3850	WS-C3850-48P-E	CON-SMBS-WSC388PE	IP Services	48	-	-	-	-	-	-	48	-	435 W	af/at	715 W AC	-	•	1 RU
Meraki MS	WS-C3850-48F-L	CON-SMBS-WSC388FL	LAN Base	48	-	-	-	-	-	-	48	-	800 W	af/at	1100 W AC	-	•	1 RU
Wireless	WS-C3850-48F-S	CON-SMBS-WSC388FS	IP Base	48	-	-	-	-	-	-	48	-	800 W	af/at	1100 W AC	-	•	1 RU
Routers	WS-C3850-48F-E	CON-SMBS-WSC388FE	IP Services	48	-	-	-	-	-	-	48	-	800 W	af/at	1100 W AC	-	•	1 RU
	WS-C3850-48U-L	CON-SMBS-WS5048UL	LAN Base	48	-	-	-	-	-	-	48	48	800 W	af/at	1100 W AC	-	•	1 RU
Services	WS-C3850-48U-S	CON-SMBS-WS3548US	IP Base	48	-	-	-	-	-	-	48	48	800 W	af/at	1100 W AC	-	•	1 RU
	WS-C3850-48U-E	CON-SMBS-WS3848UE	IP Services	48	-	-	-	-	-	-	48	48	800 W	af/at	1100 W AC	-	•	1 RU

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series



Services

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series



\*1 L-C3850-RTU= is required.

_	
	Access Point License for Cisco Catalyst 3650/3850 Series*1

Product SKU	Description
L-LIC-CTIOS-1A	1 Access Point Adder License
	*1 L-LIC-CT3650-UPG is required for Catalyst 3650.

L-LIC-CT3850-UPG is required for Catalyst 3850.

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/3850

Meraki MS

Wireless

Routers

Services

J

**Getting Starte** 

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Wireless Routers

Catalyst

2960-L 2960-X 3650/3850 Meraki MS

2960-CX/3560-CX

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series



**Bundles** 

Overviev	v Platform Spec (3650)	Platform Spec (3850)	Licenses & Accessories Bund	lles
Power Supply Mo	dules for Cisco Catalyst 3650 Series	Power Supply	y Modules for Cisco Catalyst 3850 Series	
Product SKU	Description	Product SKU	Description	
PWR-C2-250WAC	250 W AC Power Supply Module	PWR-C1-350WA0	C 250 W AC Power Supply Module	
PWR-C2-640WAC	640 W AC Power Supply Module	PWR-C1-715WAG	C 640 W AC Power Supply Module	
PWR-C2-1025WAC	1025 W AC Power Supply Module	PWR-C1-1100WA	AC 1025 W AC Power Supply Module	
PWR-C2-640WDC	640 W DC Power Supply Module	PWR-C1-440WD0	C 640 W DC Power Supply Module	
PWR-C1-715WAC	715 W AC Power Supply Module	PWR-C3-750WAG	2-R 750 W AC Front-to-Back Airflow Power Supply	Module
PWR-C1-1100WAC	1100 W AC Power Supply Module		for Catalyst 3850-48XS	
PWR-C1-440WDC	440 W DC Power Supply Module	PWR-C3-750WA0	C-F 750 W AC Back-to-Front Airflow Power Supply for Catalyst 3850-48XS	Module
			750 W DC Front-to-Back Airflow Power Supply	Module

#### Cisco Redundant Power System (RPS) 2300

Product SKU	Description
PWR-RPS2300	Cisco RPS 2300 Chassis (No Power Supply)
C3K-PWR-750WAC	Cisco RPS 2300 750 W AC Power Supply
CAB-RPS2300-E=	Cisco RPS 2300 cable

Cisco StackWise-160 Module for Cisco Catalyst 3650 Series

Product SKU	Description
C3650-STACK-KIT	Cisco StackWise-160 Module

#### Network Modules for Cisco Catalyst 3850 Series

for Catalyst 3850-48XS

for Catalyst 3850-48XS

750 W DC Back-to-Front Airflow Power Supply Module

PWR-C3-750WDC-R

PWR-C3-750WDC-F

Product SKU	Description
C3850-NM-4-1G	4 x SFP Network Module for copper models, 1 GE fiber models
C3850-NM-2-10G	2 x SFP & 2 x SFP/SFP+ Network Module for copper models, 1 GE fiber models
C3850-NM-4-10G	4 x SFP/SFP+ Network Module for 48-port copper models, mGig models, 10 GE fiber models
C3850-NM-8-10G	8 x SFP/SFP+ Network Module for mGig models, 24-port 10 GE fiber models
C3850-NM-2-40G	2 x QSFP Network Module for mGig models, 24-port 10 G fiber models





SF/SG Catalyst

2960-L 2960-X 3650/3850 Meraki MS Wireless Routers

Services

2960-CX/3560-CX

## Connect - Switches - Cisco Catalyst Switches Cisco Catalyst 3650/3850 Series



	Overview	Platform Spe	ec (3650)	Platform	Spec (3850)	Licens	es & Accessories
Getting Started	Cisco Catalyst 3650	Series Bundles					
What's New	Product SKU	Service (CSE) SKU	Bundle				
What of Now	Product SKO		Mod	el	Access Point Lic	enses	Cisco IOS
Feature Story	WS-C3650-24PWS-S	CON-SMBS-WSC365WS	WS-C3650-	-24PS-S	5		IP Base
Collaborate	WS-C3650-24PWD-S	CON-SMBS-WSC3652WD	WS-C3650-	-24PD-S	5		IP Base
	WS-C3650-48PWS-S	CON-SMBS-WSC36548	WS-C3650-	-48PS-S	5		IP Base
Compute	WS-C3650-48PWD-S	CON-SMBS-WS8W654S	WS-C3650-	-48PD-S	5		IP Base
Secure	WS-C3650-48PWQ-S	CON-SMBS-WSCQ3654	WS-C3650-	48PQ-S	5		IP Base
	WS-C3650-48FWS-S	CON-SMBS-WSC3654W	WS-C3650	-48FS-S	5		IP Base
Connect	WS-C3650-48FWD-S	CON-SMBS-WSC3654D	WS-C3650-	-48FD-S	5		IP Base
Switches	WS-C3650-48FWQ-S	CON-SMBS-WSC3654Q	WS-C3650-	-48FQ-S	5		IP Base

#### Cisco Catalyst 3650 Series Bundles

Product SKU	Service (CSE) SKU	Bundle							
		Model	Network Module	Access Point Licenses	Cisco IOS				
WS-C3850-24PW-S	CON-SMBS-WSC24PWS	WS-C3850-24P-S	-	5	IP Base				
WS-C3850-24UW-S	CON-SMBS-WSC38524	WS-C3850-24U-S	-	5	IP Base				
WS-C3850-24XUW-S	CON-SMBS-WSC382XS	WS-C3850-24XU-S	-	5	IP Base				
WS-C3850-48W-S	CON-SMBS-WSC385WS	WS-C3850-48P-S	-	5	IP Base				
WS-C3850-48PW-S	CON-SMBS-WSC48PWS	WS-C3850-48F-S	-	5	IP Base				
WS-C3850-48UW-S	CON-SMBS-WSC38548	WS-C3850-48U-S	-	5	IP Base				
WS-C3850-12X48UW-S	CON-SMBS-WSC3851W	WS-C3850-12X48U-S	-	5	IP Base				
WS-C3850-16XS-S	CON-SMBS-WS3850XS	WS-C3850-12XS-S	C3850-NM-4-10G	5	IP Base				
WS-C3850-16XS-E	CON-SMBS-WSC3858X	WS-C3850-12XS-E	C3850-NM-4-10G	5	IP Services				
WS-C3850-32XS-S	CON-SMBS-WSC385X2	WS-C3850-24XS-S	C3850-NM-8-10G	5	IP Base				
WS-C3850-32XS-E	CON-SMBS-WSC3853X	WS-C3850-24XS-E	C3850-NM-8-10G	5	IP Services				

### Connect - Switches Cisco Meraki MS Cloud Managed Switches

Overview



Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX 2960-L

2960-X

3650/385

Meraki MS

Wireless

Routers

Services

# True Zero-Touch Cloud Provisioning, Network Visibility, and Remote Troubleshooting


The **Cisco Meraki MS Cloud Managed Switches** offer true zero-touch provisioning, can be pre-staged and configured entirely from a web browser. The Meraki management experience accelerates and simplifies the work of the network engineer.

**Positioning Map** 

Troubleshooting network issues, especially on remote locations, can significantly add to the cost of running this mission critical service. Meraki MS switches provide groundbreaking tools for remote troubleshooting, so that scaling a Meraki network need not mean scaling complexity.

**Licenses & Accessories** 

The Meraki MS switches include features for streamlining the work of the network engineer, from deployment to security to troubleshooting.




**Platform Spec** 

#### Highlights

- Multigigabit Ethernet: Provide the higher performance demanded by the latest access points over existing cabling.
- Flexible Stacking: Simultaneously configure thousands of ports across standalone and physically stacked switches, regardless of location.
- Layer 7 Visibility: Meraki MS switches make it easy to understand how valuable network resources are being used.
- Layer 3 Scalability: Build large, resilient networks using dynamic routing protocols and warm spare technology.
- Voice & Video QoS: Give latency sensitive applications the priority and bandwidth they deserve with configurable QoS.
- Network Topology: View the network in real-time, showing devices and their connections and even monitor network-wide health.
- **Remote Live Tools**: Powerful tools for identifying and correcting issues, even from thousands of miles away.
- Enterprise Security: Protect the wired network from both external and internal threats.

# Connect - Switches Cisco Meraki MS Cloud Managed Switches



Getting Started


What's New

Feature Story

Collaborate

Compute

# Connect - Switches Cisco Meraki MS Cloud Managed Switches



Cisco Meraki MS220 Compact Series

	Switching	Switching		Uplinks		PoE		Power Supply		Fan	Stacl	kable	Rack	
Product SKU	Product SKU Capacity	GE	SFP	SFP+	Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	less	Virtual	Physical	Mount
MS220-8-HW	20 Gbps	8	2	-	-	-	-	Internal	-	-	•	٠	-	_*1
MS220-8P-HW	20 Gbps	8	2	-	8	124 W	af/at	Internal	-	-	•	•	-	_*1

\*1 Wall or utility board mountable with included mount hardware.



e.		
e.		
c.		

Secure

### Connect

5	W	Ίτ	cr	۱e
	_	_		_

5F/5G

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3050/385

Meraki MS

Wireless


Routers

Services

V

### Connect - Switches

# Cisco Meraki MS Cloud Managed Switches



#### Cisco Meraki MS210 Series

	Switching		Downlinks Uplinks		PoE		Power Supply		Fan	Stackable		Rack		
Product SKU	Capacity	GE	SFP	SFP+	Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	less	Virtual	Physical	Mount
MS210-24-HW	128 Gbps	24	4	-	-	-	-	Internal	•	-	•	٠	80 Gbps	•
MS210-24P-HW	128 Gbps	24	4	-	24	370 W	af/at	Internal	•	-	-	•	80 Gbps	•
MS210-48-HW	176 Gbps	48	4	-	-	-	-	Internal	•	-	•	٠	80 Gbps	•
MS210-48LP-HW	176 Gbps	48	4	-	48	370 W	af/at	Internal	•	-	-	٠	80 Gbps	•
MS210-48FP-HW	176 Gbps	48	4	-	48	740 W	af/at	Internal	•	-	-	٠	80 Gbps	•

#### Cisco Meraki MS225 Series

	Switching	Switching		Uplinks		PoE		Power Supply		Fan	Stackable		Rack	
Product SKU	Capacity	GE	SFP	SFP+	Ports	Power Budget	IEEE 802.3	Default PS	Ext RPS	Dual PS	less	Virtual	Physical	Mount
MS225-24-HW	128 Gbps	24	-	4	-	-	-	Internal	٠	-	٠	٠	80 Gbps	•
MS225-24P-HW	128 Gbps	24	-	4	24	370 W	af/at	Internal	•	-	•	•	80 Gbps	•
MS225-48-HW	176 Gbps	48	-	4	-	-	-	Internal	•	-	•	٠	80 Gbps	•
MS225-48LP-HW	176 Gbps	48	-	4	48	370 W	af/at	Internal	•	-	•	•	80 Gbps	•
MS225-48FP-HW	176 Gbps	48	-	4	48	740 W	af/at	Internal	٠	-	•	٠	80 Gbps	•

- Getting Started
- What's New
- Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

- SF/SG
- Catalyst

2960-CX/3560-CX

2960-L

2960-X

- 3650/38
- Meraki MS

Wireless

Routers

Services

# Connect - Switches

# Cisco Meraki MS Cloud Managed Switches



Cisco Meraki Enter	prise Licenses for Cisco	Meraki MS120 Compa	act Series		
Product SKU					Compatible Madale
1-Year	3-Years	5-Years	7-Years	5-Years	Compatible Models
LIC-MS120-8-1YR	LIC-MS120-8-3YR	LIC-MS120-8-5YR	LIC-MS120-8-7YR	LIC-MS120-8-10YR	MS120-8
LIC-MS120-8LP-1YR	LIC-MS120-8LP-3YR	LIC-MS120-8LP-5YR	LIC-MS120-8LP-7YR	LIC-MS120-8LP-10YR	MS120-8LP
LIC-MS120-8FP-1YR	LIC-MS120-8FP-3YR	LIC-MS120-8FP-5YR	LIC-MS120-8FP-7YR	LIC-MS120-8FP-10YR	MS120-8FP

#### Cisco Meraki Enterprise Licenses for Cisco Meraki MS220 Compact Series

Product SKU	Compatible Models						
1-Year							
LIC-MS220-8-1YR	LIC-MS220-8-3YR	LIC-MS220-8-5YR	LIC-MS220-8-7YR	LIC-MS220-8-10YR	MS220-8		
LIC-MS220-8P-1YR	LIC-MS220-8P-3YR	LIC-MS220-8P-5YR	LIC-MS220-8P-7YR	LIC-MS220-8P-10YR	MS220-8P		

#### Cisco Meraki Enterprise Licenses for Cisco Meraki MS120 Series

Product SKU		Compatible Models			
1-Year	3-Years	5-Years	7-Years	5-Years	
LIC-MS120-24-1YR	LIC-MS120-24-3YR	LIC-MS120-24-5YR	LIC-MS120-24-7YR	LIC-MS120-24-10YR	MS120-24
LIC-MS120-24P-1YR	LIC-MS120-24P-3YR	LIC-MS120-24P-5YR	LIC-MS120-24P-7YR	LIC-MS120-24P-10YR	MS120-24P
LIC-MS120-48-1YR	LIC-MS120-48-3YR	LIC-MS120-48-5YR	LIC-MS120-48-7YR	LIC-MS120-48-10YR	MS120-48
LIC-MS120-48LP-1YR	LIC-MS120-48LP-3YR	LIC-MS120-48LP-5YR	LIC-MS120-48LP-7YR	LIC-MS120-48LP-10Y	MS120-48LP
LIC-MS120-48FP-1YR	LIC-MS120-48FP-3YR	LIC-MS120-48FP-5YR	LIC-MS120-48FP-7YR	LIC-MS120-48FP-10Y	MS120-48FP

Getting Started What's New

Feature Story

Collaborate

Compute

Secure

### Connect

Switches

SF/SG

Catalyst

2960-CX/3560-CX

2960-L

2960-X

3650/385

Meraki MS

Wireless

Routers

Services

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches

> SF/SG Catalyst

> > 2960-L 2960-X

Meraki MS Wireless Routers

Services

2960-CX/3560-CX

# Connect - Switches

# Cisco Meraki MS Cloud Managed Switches



Overview	Position	ing Map	Platform Spec	Licenses & Accessori	es
Cisco Meraki Enterp	orise Licenses for Cisco	Meraki MS210 Series	S		
Product SKU					Compatible Models
1-Year	3-Years	5-Years	7-Years	5-Years	
LIC-MS210-24-1YR	LIC-MS210-24-3YR	LIC-MS210-24-5YR	LIC-MS210-24-7YR	LIC-MS210-24-10YR	MS210-24
LIC-MS210-24P-1YR	LIC-MS210-24P-3YR	LIC-MS210-24P-5YR	LIC-MS210-24P-7YR	LIC-MS210-24P-10YR	MS210-24P
LIC-MS210-48-1YR	LIC-MS210-48-3YR	LIC-MS210-48-5YR	LIC-MS210-48-7YR	LIC-MS210-48-10YR	MS210-48
LIC-MS210-48FP-1YR	LIC-MS210-48FP-3YR	LIC-MS210-48FP-5YF	R LIC-MS210-48FP-7YR	LIC-MS210-48FP-10Y	MS210-48LP
LIC-MS210-48LP-1YR	LIC-MS210-48LP-3YR	LIC-MS210-48LP-5YF	R LIC-MS210-48LP-7YR	LIC-MS210-48LP-10Y	MS210-48FP

#### Cisco Meraki Enterprise Licenses for Cisco Meraki MS225 Series

Product SKU	roduct SKU								
1-Year	3-Years	5-Years	7-Years	5-Years	Compatible Models				
LIC-MS225-24-1YR	LIC-MS225-24-3YR	LIC-MS225-24-5YR	LIC-MS225-24-7YR	LIC-MS225-24-10YR	MS225-24				
LIC-MS225-24P-1YR	LIC-MS225-24P-3YR	LIC-MS225-24P-5YR	LIC-MS225-24P-7YR	LIC-MS225-24P-10YR	MS225-24P				
LIC-MS225-48-1YR	LIC-MS225-48-3YR	LIC-MS225-48-5YR	LIC-MS225-48-7YR	LIC-MS225-48-10YR	MS225-48				
LIC-MS225-48FP-1YR	LIC-MS225-48FP-3YR	LIC-MS225-48FP-5YR	LIC-MS225-48FP-7YR	LIC-MS225-48FP-10Y	MS225-48LP				
LIC-MS225-48LP-1YR	LIC-MS225-48LP-3YR	LIC-MS225-48LP-5YR	LIC-MS225-48LP-7YR	LIC-MS225-48LP-10Y	MS225-48FP				

#### Cisco Redundant Power System (RPS) 2300

Product SKU	Description
PWR-RPS2300	Cisco RPS 2300 Chassis (No Power Supply)
C3K-PWR-750WAC	Cisco RPS 2300 750 W AC Power Supply
CAB-RPS2300-E=	Cisco RPS 2300 cable

#### **Cisco Start Catalog** Connect May, 2018 Wireless **Featured Products** Portfolio **Getting Started** What's New Cisco 3504 Wireless Controller • Feature Story Collaborate Compute Secure Connect Switches Wireless WAP Aironet cisco TERESTICATION Clicco 3500 Series Wirele Controllers Meraki MR · · · CMX Routers Services • AIR-CT3504-K9 FlexConnect Optimized 4 Gbps 150 3,000 Central Max FlexConnect Mesh OfficeExtend for Max APs **Max Clients** Mode 11ac Wave 2 Throughput Mesh Optional

2-port

GE PoE+

1-port

mGig

2-port

GE

Fanless

Desktop

Side-by-Side

**Rack Mount** 

# Connect Wireless

	Featured P	Products Po	rtfolio			
Getting Started	Management	Access	s Points			
What's New	Platform	Single Point Setup	Mobility Express	Switches	Controllers	Cloud
Feature Story						
Collaborate						
Compute				Catalyst Switches	Wireless Controllers	
Secure	Components					
Connect Switches Wireless WAP Aironet		Wireless Access Points (WAP)	Aironet Access Points	Aironet Access Points	Aironet Access Points	Meraki MR Cloud Managed Access Points
Controllers Meraki MR CMX Routers	Highlights	<ul> <li>Supports 16 APs (500 Series WAP)</li> <li>No license requirement</li> </ul>	<ul> <li>Supports 100 APs, 2,000 clients (Aironet 2800/3800)</li> <li>No license requirement</li> </ul>	<ul> <li>Supports 100 APs, 2,000 clients (Catalyst 3850)</li> <li>Converged wired and wireless access for operational simplicity and scale</li> </ul>	<ul> <li>Supports 150 APs, 3,000 clients (WC 3504)</li> <li>Supports various deployment modes: central, distributed, and mesh</li> </ul>	<ul> <li>Provides unified visibility and control of the entire network via a single dashboard: not only wireless, but also switching, and security ap- pliances</li> </ul>
Services	Cisco Start Products	<ul> <li>Cisco 100 Series Wireless Access Points (WAP)*1</li> <li>Cisco 300 Series Wireless Access Points (WAP)</li> <li>Cisco 500 Series Wireless Access Points (WAP)</li> </ul>	<ul> <li>Cisco Aironet 1800 Series<sup>*2</sup></li> <li>Cisco Aironet 2800 Series</li> <li>Cisco Aironet 3800 Series</li> </ul>	<ul> <li>Cisco Catalyst 3650 Series</li> <li>Cisco Catalyst 3850 Series</li> </ul>	<ul> <li>Cisco 3504 Wireless Controller</li> <li>Cisco Aironet 1800 Series</li> <li>Cisco Aironet 2800 Series</li> <li>Cisco Aironet 3800 Series</li> </ul>	<ul> <li>Cisco Meraki MR20</li> <li>Cisco Meraki MR30H</li> <li>Cisco Meraki MR33</li> <li>Cisco Meraki MR42</li> <li>Cisco Meraki MR42E</li> </ul>

\*1 Cisco WAP125/131 do not support Single Point Setup.

\*2 Cisco Aironet 1815t does not support Mobility Express.

# Connect - Wireless Cisco Wireless Access Points (WAP)



#### Overview

#### Positioning Map

Platform Spec

### High-Performance, Easy-to-Deploy, and Highly Secure Business-Class Wireless

Today Wi-Fi is the primary way for mobile access; small to medium-sized businesses are now looking for simple, yet easy-to-deploy Wi-Fi networks where they can provide the best experience to their employees and customers. To stay productive, they need dependable, business-class access to network applications throughout the office.

The **Cisco Wireless Access Points (WAP)** provide a simple, cost-effective way to extend highly secure, high-performance mobile networking to your employees and guests, so they can stay connected anywhere in the office, regardless of what mobile devices they use.



#### Highlights

- IEEE 802.11ac Wave 2-compatible (WAP581)
- IEEE 802.11ac Wave 1-compatible (most models)
- Multigigabit uplink (WAP581)
- Dual GE uplinks (WAP571/581)
- PoE/PoE+ input (all models)
- PoE output (WAP361)

- Built-in managed switch (WAP361)
- Integrated wireless spectrum analysis tool (WAP581)
- Single Point Setup for easy, cost-effective deployment of multiple access points (most models)
- Easy to set up and use with wizard-based configuration (all models)

# What's New

**Getting Started** 


- Feature Story
- Collaborate
- Compute
- Secure

#### Connect

- Switches
- Wireless
- WAP
- Aironet
- Controllers
- Meraki MR
- CMX
- Routers

Services

# Connect - Wireless Cisco Wireless Access Points (WAP)



#### Connect - Wireless

# Cisco Wireless Access Points (WAP)

Overvie	w Positi	oning l	Мар		Plat	form	Spec								
Cisco 100 Serie	s Wireless Access Points	s (WAP)													
			IEEE 802		2.4	5	Concurrent	Active	APs per		Ports		PoE	(PD)*1	AC
Product SKU	Service (CSE) SKU	11n	11ac Wave 1	11ac Wave 2	GHz	GHz	Radios	Clients per Radio	Cluster (SPS)	FE	GE	mGig	802.3af	802.3at	
WAP121-x-K9-xx	-	•	-	-	•	-	-	16	-	1	-	-	•	•	External
WAP125-x-K9-xx	CON-SMBS-WAP12K9x	•	•	-	•	•	-	16	-	-	1	-	•	•	External
WAP131-x-K9-xx	CON-SMBS-WAP131AK	•	-	-	•	•	•	16	-	-	1	-	•	•	External
WAP150-x-K9-xx	CON-SMBS-WAP159xx	•	•	-	•	•	•	16	4	-	1	-	•	•	External

\*1 Power Adapter (included) or Power Injector is required when not using PoE receiving.

#### Cisco 300 Series Wireless Access Points (WAP)

			IEEE 802	2	2.4	5	Concurrent	Active	APs per		Ports		PoE	(PD)*1	AC
Product SKU	Service (CSE) SKU	11n 🕔	11ac Wave 1	11ac Wave 2	GHz	GHz	Radios	Clients per Radio	Cluster (SPS)	FE	GE	mGig	802.3af	802.3at	Power
WAP361-x-K9	CON-SMBS-WAP361xK	٠	•	-	٠	•	•	32	8	-	5*²	-	● <sup>*3</sup>	•	External
WAP371-x-K9	CON-SMBS-WAP71xK9	•	•	-	•	•	•	32	8	-	1	-	● <sup>*3</sup>	•	External

\*1 Power Adapter or Power Injector is required when not using PoE receiving.

\*2 GE PoE (PSE) x 1 is included. \*3 Some features are disabled when powered via 802.3af PoE.

#### Cisco 500 Series Wireless Access Points (WAP)

			IEEE 802		2.4	5	Concurrent	Active	APs per		Ports		PoE	(PD)*1	AC
Product SKU	Service (CSE) SKU	11n	11ac Wave 1	11ac Wave 2	GHz	GHz	Radios	Clients per Radio	Cluster (SPS)	FE	GE	mGig	802.3af	802.3at	Power
WAP561-x-K9	-	٠	•	-	•	•	-	64	16	-	1	-	•	•	-
WAP571-x-K9	CON-SMBS-WAP57xK9	•	•	-	•	•	•	64	16	-	2	-	•*2	•	-
WAP571E-x-K9	CON-SMBS-WAP571Ex	•	•	-	•	•	•	64	16	-	2	-	•* <sup>2</sup>	•	-
WAP581-x-K9	CON-SMBS-WAP581xK	•	•	•	•	•	•	64	16	-	1	1	•*2	•	-

\*1 Power Adapter or Power Injector is required when not using PoE receiving. \*2 Some features are disabled when powered via 802.3af PoE.

### Getting Started

**Cisco Start Catalog** 

May, 2018

- What's New
- Feature Story
- Collaborate
- Compute
- Secure

#### Connect

- Switches
- Wireless
- WAP
- Aironet
- Controllers
- Meraki MR
- CMX
- Routers

Services

# Connect - Wireless Cisco Aironet Access Points

Industry-Leading Wireless Performance



### Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

# Overview

and versatility.

Positioning Map

deliver industry-leading wireless performance with support for the latest Wi-

Fi standard, IEEE's new 802.11ac Wave 2 specification, and meet the grow-

ing requirements of wireless networks by delivering a better user experience.

For organizations paving the way for the new 11ac Wave 2 standard, the Cisco Aironet Access Points are the perfect solution. The access points go

beyond getting ready for the new standard, providing the ultimate in flexibility

Platform Spec

Accessories


# Ideal for small and medium-sized networks, the Cisco Aironet Access Points

- Highlights
- IEEE 802.11ac Wave 2-compatible (all models)
- Dual 5-GHz radios allowing an industry-leading 5.2 Gbps (2 x 2.6 Gbps) over-the-air speeds (Aironet 2800/3800)
- Cisco High Density Experience (HDX) including features such as custom hardware in 11ac Wave 2 radios, Cisco CleanAir, Cisco ClientLink 4.0, cross-access point noise reduction, and an optimized client roaming experience (Aironet 2800/3800)
- Multigigabit uplink (Aironet 3800)
- Dual GE uplinks (Aironet 1850/2800/3800)
- PoE/PoE+ input (all models)
- PoE output (Aironet 1815t/w)
- Built-in managed switch (Aironet 1815t/w)

cisco

 Cisco Mobility Express for easy, cost-effective deployment of multiple access points (most models)

# Connect - Wireless Cisco Aironet Access Points



# Connect - Wireless Cisco Aironet Access Points

W		R	
<b>UU</b>	-	P	
	_		

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

Overviev	v Pos	itioning M	ар	Р	latforn	n Spec		A	ccessor	ies				
Cisco Aironet 181	15 Series													
		Defau	t Mode*1		IEEE 802	:		Maximur	n Clients	Pc	orts	PoE	(PD)*2	
Product SKU	Service (CSE) SKU	ME Master	Controller based	11n	11ac Wave 1	11ac Wave 2	HDX	w/o ClientLink	with ClientLink	GE	mGig	802.3af	802.3at	Antenna
AIR-AP1815I-x-K9C	CON-SMBS-xxxx	•	-	•	•	•	-	400	-	1	-	•	•	Internal
AIR-AP1815I-x-K9	CON-SMBS-xxxx	-	•	•	•	•	-	400	-	1	-	•	•	Internal
AIR-AP1815M-x-K9C	CON-SMBS-xxxx	•	-	٠	•	•	-	400	-	1	-	•	•	Internal
AIR-AP1815M-x-K9	CON-SMBS-xxxx	-	•	•	•	•	-	400	-	1	-	•	•	Internal
AIR-AP1815T-x-K9	CON-SMBS-xxxx	-	•* <sup>3</sup>	٠	•	•	-	400	-	4	-	-	-	Internal
AIR-AP1815W-x-K9C	CON-SMBS-xxxx	•	-	•	•	•	-	400	-	4*4	-	•*5	•	Internal
AIR-AP1815W-x-K9	CON-SMBS-xxxx	-	•	٠	•	•	-	400	-	4*4	-	• <sup>*5</sup>	•	Internal

\*1 Mode migration is supported. \*2 Power Adapter or Power Injector is required when not using PoE receiving. \*3 Mode migration is not supported. \*4 Local GE x 2 and PoE power supplying local GE x 1 are included.

\*5 Some features are disabled when powered via 802.3af PoE.

Cisco Aironet 18	30 Series							0.0			Subicu V	men powe		52.0011 OE
		Defaul	t Mode*1		IEEE 802	2		Maximur	n Clients	Ро	rts	PoE	(PD)*2	
Product SKU	Service (CSE) SKU	ME Master	Controller based	11n	11ac Wave 1	11ac Wave 2	HDX	w/o ClientLink	with ClientLink	GE	mGig	802.3af	802.3at	Antenna
AIR-AP1832I-x-K9C	CON-SMBS-xxxx	•	-	٠	•	•	-	400	-	1	-	● <sup>*3</sup>	•	Internal
AIR-AP1832I-x-K9	CON-SMBS-xxxx	-	•	•	•	•	-	400	-	1	-	● <sup>*3</sup>	•	Internal

\*1 Mode migration is supported. \*2 Power Adapter or Power Injector is required when not using PoE receiving.

\*3 Some features are disabled when powered via 802.3af PoE.

#### Cisco Aironet 1850 Series

		Defaul	t Mode*1		IEEE 802			Maximu	n Clients	Po	rts	PoE	(PD)*2	
Product SKU	Service (CSE) SKU	ME Master	Controller based	11n	11ac Wave 1	11ac Wave 2	HDX	w/o ClientLink	with ClientLink	GE	mGig	802.3af	802.3at	Antenna
AIR-AP1852I-x-K9C	CON-SMBS-xxxx	•	-	٠	•	•	-	400	-	2	-	● <sup>*3</sup>	•	Internal
AIR-AP1852I-x-K9	CON-SMBS-xxxx	-	•	•	•	•	-	400	-	2	-	•*3	•	Internal
AIR-AP1852E-x-K9C	CON-SMBS-xxxx	•	-	٠	•	•	-	400	-	2	-	●*3	•	External
AIR-AP1852E-x-K9	CON-SMBS-xxxx	-	•	•	•	•	-	400	-	2	-	•*3	•	External

\*1 Mode migration is supported. \*2 Power Adapter or Power Injector is required when not using PoE receiving. \*3 Some features are disabled when powered via 802.3af PoE.

J

# Connect - Wireless Cisco Aironet Access Points

W		R	Ĺ
	-	D	
<u> </u>			

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

Overvie	<i>N</i> Posit	oning M	ар	Ρ	latforn	n Spec		A	ccessor	ies				
Cisco Aironet 28	00 Series													
	t SKU Service (CSE) SKU		It Mode*1		IEEE 802			Maximur	n Clients	Pc	orts	PoE	(PD)*2	
Product SKU	Service (CSE) SKU	ME Master	Controller based	11n	11ac Wave 1	11ac Wave 2	HDX	w/o ClientLink	with ClientLink	GE	mGig	802.3af	802.3at	Antenna
AIR-AP2802I-x-K9C	-	•	-	•	•	•	•	400	256	2	-	●*3	•	Internal
AIR-AP2802I-x-K9	-	-	•	•	•	•	•	400	256	2	-	●*3	•	Internal
AIR-AP2802E-x-K9C	-	•	-	•	•	•	•	400	256	2	-	•* <sup>3</sup>	٠	External
AIR-AP2802E-x-K9	-	-	•	•	•	•	•	400	256	2	-	● <sup>*3</sup>	•	External

\*1 Mode migration is supported. \*2 Power Injector is required when not using PoE receiving.
 \*3 Some features are disabled when powered via 802.3af PoE.

#### Cisco Aironet 3800 Series

		Defaul	t Mode*1		IEEE 802			Maximur	n Clients	Pc	orts	PoE	(PD)*2	
Product SKU	Service (CSE) SKU	ME Master	Controller based	11n	11ac Wave 1	11ac Wave 2	HDX	w/o ClientLink	with ClientLink	GE	mGig	802.3af	802.3at	Antenna
AIR-AP3802I-x-K9C	-	•	-	•	•	•	•	400	256	1	1	● <sup>*3</sup>	•	Internal
AIR-AP3802I-x-K9	-	-	•	•	•	•	•	400	256	1	1	● <sup>*3</sup>	•	Internal
AIR-AP3802E-x-K9C	-	٠	-	•	•	•	•	400	256	1	1	●* <sup>3</sup>	•	External
AIR-AP3802E-x-K9	-	-	•	•	•	•	•	400	256	1	1	•*3	•	External
AIR-AP3802P-x-K9C	-	٠	-	٠	•	•	•	400	256	1	1	•* <sup>3</sup>	•	External
AIR-AP3802P-x-K9	-	-	•	•	•	•	•	400	256	1	1	•*3	•	External

\*1 Mode migration is supported. \*2 Power Injector is required when not using PoE receiving. \*3 Some features are disabled when powered via 802.3af PoE.

#### What is Meant by a "x" Included in the SKU

Country*1	Australia	Brunei	China	Fiji	Hong Kong	India	Indonesia	Japan	Korea	Macau
x (Regulatory Domain)	Z	S	Н	N	N, S	D, N	F	Q	К	C, S

Country*1	Malaysia	Mongolia	New Zealand	Pakistan	Philippines	Singapore	Sri Lanka	Taiwan	Thailand	Vietnam
x (Regulatory Domain)	С, К	E, H	Z	C,G	А	S	E	Т	E, S	E, S

\*1 Customers are responsible for verifying approval for use in their individual countries.

To verify approval that corresponds to a particular country, or the regulatory domain used in a specific country, see http://www.cisco.com/go/aironet/compliance. Not all models available for all regulatory domains. Not all regulatory domains have been approved. As they are approved, the SKU will be available on the Global Price List.

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches

> Wireless WAP

Aironet Controllers Meraki MR CMX Routers

Services

# Connect - Wireless Cisco Aironet Access Points

Overview	Positioning Map Pla	atform	Spec			Acce	ssorie	es					
Cisco Aironet Powe	r Injectors & Power Supplies												
Product SKU Description						С	ompatib	le Mode	ls				
Product SKU	Description	1815i	1815m	1815t	1815w	1830i	1850i	1850e	2800i	2800e	3800i	3800e	3800p
AIR-PWRINJ5=	Power Injector (802.3af)	•	•	-	•	●*1	●*1	●*1	-	-	-	-	-
AIR-PWRINJ6=	Power Injector (802.3at)	•	•	-	•	•	•	•	•	•	•	•	•
AIR-PWR-C=	Power Supply (Black)	-	-	-	-	•	•	•	-	-	-	-	-
AIR-PWR-D=	Power Supply (White)	-	-	•	-	•	•	•	-	-	-	-	-
AIR-PWR-50=	Power Supply (White)	-	-	-	-	-	-	-	-	-	•	•	•

\*1 Some features are disabled.

#### Cisco Aironet Antennas


Dra doat OKU						С	ompatib	le Mode	ls				
Product SKU	Description	1815i	1815m	1815t	1815w	1830i	1850i	1850e	2800i	2800e	3800i	3800e	3800p
AIR-ANT2524DB-R	Dual-Band Dipole Antenna (Black)	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2524DG-R	Dual-Band Dipole Antenna (Gray)	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2524DW-R	Dual-Band Dipole Antenna (White)	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2535SDW-R	Short Dual-Band Omni Antenna (White)	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2524V4C-R	Dual-Band Ceiling Mount Omnidirectional Antenna	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2544V4M-R	Dual-Band Wall-Mounted Omnidirectional Antenna	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2566P4W-R	Dual-Band Patch Antenna	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2566D4M-R	Dual-Band Polarization-Diverse Directional Array Antenna	-	-	-	-	-	-	•	-	•	-	•	•
AIR-ANT2513P4M-N	Dual-Band Polarization-Diverse Array Antenna	-	-	-	-	-	-	-	-	-	-	-	•

# Connect - Wireless Cisco Wireless Controllers



**Positioning Map Platform Spec Licenses & Accesorries Overview Getting Started** Centralized Control, Management, and Troubleshooting for Small to Medium-Sized Wireless Networks Highlights What's New The Cisco Wireless Controllers provide centralized control, management, and troubleshooting for small to medium-sized enterprises and branch offic-Flexibility to configure wireless policy, management or security settings at Feature Story es. They offer flexibility to support multiple deployment modes in the same any time controller-a centralized mode for campus environments, Cisco FlexCon-Collaborate Faster response to business needs by centrally managing wireless netnect mode for lean branches managed over the WAN, and a mesh (bridge) works mode for deployments in which full Ethernet cabling is unavailable. Compute Standardized access point configuration for software versioning Secure • Networkwide quality of service (QoS) for voice and video across wired and wireless networks Connect Networkwide centralized security policies across wired and wireless net-Switches works Wireless WAP Aironet Controllers Meraki MR CMX **Routers** Services cisco

# Connect - Wireless Cisco Wireless Controllers



# Connect - Wireless Cisco Wireless Controllers

Overview P	ositioning Map Platform Spec			Licen	ses & Ao	ccesorr	ies							
Cisco Aironet 1815/1830/1850/28	Cisco Aironet 1815/1830/1850/2800/3800 Series Access Points													
			Deploym	ent Mode				aged					rts*1	
Series Name		Flex		Flex	Office	Mobility	Access	s Points	Clients	RF Tags	Through-			Rack
	Central	Connect	Mesh	Connect + Mesh	Extend Express Default	Default	Maximum		ni rugo	put	GE	mGig	Mount	
Aironet 1815/1830/1850	-	-	-	-	-	•	50	50	1,000	-	1 Gbps	-	-	-
Aironet 2800/3800	-	-	-	-	-	•	100	100	2,000	-	1 Gbps	-	-	-

\*1 Depends on models.

#### Cisco Catalyst 3650/3850 Series Switches

Series Name Models				Deploym	ent Mode				aged					rts*1	
		Central	Flex Connect	Mesh	Flex Connect + Mesh	Office Extend	Mobility Express		Points Maximum	Clients	RF Tags	Through- put	GE	mGig	Rack Mount
Catalyst 3650 24-Port Copper 48-Port Copper	•	-	-	-	-	-	0	50	1,000	1,000	20 Gbps	-	-	1 RU	
	48-Port Copper	•	-	-	-	-	-	0	50	1,000	1,000	40 Gbps	-	-	1 RU
O-tablet 2050	24-Port Copper 1 GE Fiber	•	-	-	-	-	-	0	100	2,000	1,000	20 Gbps	-	-	1 RU
Catalyst 3850	48-Port Copper 10 GE Fiber	•	-	-	-	-	-	0	100	2,000	1,000	40 Gbps	-	-	1 RU

\*1 Depends on models.

#### Cisco 3504 Wireless Controller

				Deploym	ent Mode				aged			Pc	rts		
Product SKU	Product SKU Service (CSE) SKU		Flex	Mesh	Flex Connect	Office	Mobility	Access Points			RF Tags	Through- put	GE	mGia	Rack <sup>*1</sup> Mount
		Central	Connect	Mean	+ Mesh	Extend	Express	Default	Maximum			·	GL	maig	
AIR-CT3504-K9	-	•	•	•	•	•	-	0	150	3,000	1,500	4 Gbps	4	1	1 RU

\*1 Rack Mount Bracket (AIR-3504-RMNT=) is required.

### Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

# Connect - Wireless Cisco Wireless Controllers

C	ettin	a	Sta	rtor	4
u	Stun	9	Jla	ILEC	<b>J</b>

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

Overview	Positioning Map	Platform Spec	Licenses & Accesorries	
Cisco Catalyst 3650	/3850 Series Switches License <sup>*1</sup>			
Product SKU	Description			
L-LIC-CTIOS-1A	1 Access Point Adder License			
	*1 L-LIC-CT3650-UPG is required for Cat L-LIC-CT3850-UPG is required for Cat			
Cisco 3504 Wireless	s Controller License <sup>*1</sup>			
Product SKU	Description			
LIC-CT3504-1A	1 Access Point Adder License			
	*1 LIC-CT3504-UPG	is required.		
Cisco 3504 Wireless	s Controller Rack Mount Bracket			
Product SKU	Description			
AIR-3504-RMNT=	Rack Mount Bracket			
	<b>A A</b>			
dhili al	ANTERNET ANTERNET ANTERNET	Series Wireless Controller	MARKANANANANANANANANANANANANANANANANANANA	Claco 2500 Series Wireless Controller
A 100 100 100 100 100 100 100 100 100 10		。 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・		



Compute

Secure

Connect

Wireless

WAP

Aironet

CMX


**Routers** 

**Services** 

# **Connect - Wireless**

# Cisco Meraki MR Cloud Managed Access Points






# Connect - Wireless Cisco Meraki MR Cloud Managed Access Points



Platform Spec Licenses & Accessories **Positioning Map** Overview Getting Started What's New High ← Feature Story 1,733 Mbps 4x4:4 (5 GHz) **MR53** MR53E Collaborate MU-MIMO + or 800 Mbps SU-MIMO Compute (2.4 GHz) Secure Connect **MR52** Switches Performance 1,300 Mbps Wireless 3x3:3 (5 GHz) MU-MIMO WAP + or 600 Mbps Aironet SU-MIMO (2.4 GHz) MR42 MR42E Controllers Meraki MR CMX Routers -Services MR30H  $(\mathbf{I})$ 866 Mbps 2x2:2 (5 GHz) MU-MIMO + or 400 Mbps SU-MIMO (2.4 GHz) MR33 (||) Wireless Client Density → High

#### Connect - Wireless

# Cisco Meraki MR Cloud Managed Access Points



\*1 Local GE x 3 and PoE power supplying local GE x 1 are included.

\*2 Some features are disabled when powered via 802.3af PoE.

- Getting Started
- What's New
- Feature Story
- Collaborate
- Compute
- Secure
- Connect
- Switches
- Wireless
- WAP
- Aironet
- Controllers
- Meraki MR
- CMX
- Routers
- Services

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches

Services

Wireless WAP Aironet Controllers Meraki MR CMX Routers

### Connect - Wireless

# Cisco Meraki Cloud Managed Wireless Access Points

Overvie	ew Positioning M	ар	Platfo	rm Spec		Licenses & Accessories		
Cisco Meraki M	R Cloud Managed Access Points E	nterprise Li	censes					
Dreduct CKU	Description		Cor	npatible Mo	dels			
Product SKU	Description	MR20	MR30H	MR33	MR42	MR42E		
LIC-ENT-1YR	License and Support, 1-Year	•	•	٠	•	•		
LIC-ENT-3YR	License and Support, 3-Years	•	•	•	•	•		
LIC-ENT-5YR	License and Support, 5-Years	•	•	•	•	•		
LIC-ENT-7YR	License and Support, 7-Years	•	•	•	•	•		
LIC-ENT-10YR	License and Support, 10-Years	•	•	٠	•	•		

#### Cisco Meraki MR Cloud Managed Access Points Injectors & Power Supplies

Draduat CKU	Description	Compatible Models								
Product SKU	Description	MR20	MR30H	MR33	MR42	MR42E				
MA-INJ-4-xx	PoE Injector (802.3at)	•	•	•	•	-				
MA-INJ-5-xx	Multigigabit PoE Injector (802.3at)	-	-	-	-	•				
MA-PWR-30W-xx	Power Supply	•	-	•	•	•				

#### Cisco Meraki MR Cloud Managed Access Points Antennas

Draduct CKU	Description	Compatible Models								
Product SKU	Description	MR20	MR30H	MR33	MR42	MR42E				
MA-ANT-3-A5	Dipole Antenna	-	-	-	-	٠				
MA-ANT-3-B5	Dipole Antenna (Bendable)	-	-	-	-	•				
MA-ANT-3-C5	Panel Omni Antenna	-	-	-	-	٠				
MA-ANT-3-D5	Downtilt Panel Omni Antenna	-	-	-	-	•				
MA-ANT-3-E5	Wide Patch Antenna	-	-	-	-	٠				
MA-ANT-3-F5	Narrow Patch Antenna	-	-	-	-	•				



### Connect - Wireless Cisco Connected Mobile Experiences (CMX) Cloud



#### Overview

Licenses

**Getting Started** 

What's New

Feature Story

Collaborate

- Compute
- Secure
- Connect
- Switches
- Wireless
- WAP
- Aironet
- Controllers
- Meraki MR
- CMX
- Routers

Services



The Cisco Connected Mobile Experiences (CMX) Cloud is a cloud-delivered version of the on-premises CMX 10 software. The CMX Cloud revolutionizes the delivery of wireless services, integrating seamlessly with the Cisco wireless infrastructure and creating out-of-the-box capabilities that are intuitive as well as quick and easy to deploy and use. The affordable subscription billing model helps reduce up-front investments in equipment (CapEx) and IT resources. Ultimately, CMX Cloud accelerates how wireless infrastructure can deliver business outcomes by:

- Detecting all Wi-Fi devices that are in the proximity of access points in the venue and providing analytics on their presence, including dwell times, new vs. repeat visitors, peak times, etc.
- Providing a simplified guest access solution to onboard visitors through a custom drag-and-drop portal using various authentication methods (social, self-registration, SMS, guest vouchers, sponsor email approval, etc.).
- Enabling you to engage visitors directly on the guest portal page with external content based on location. Clickable menu items in the captive portal editor create interactive experiences. Alternatively, CMX APIs can be used to engage users via a mobile app.
- Providing the ability to create profile rules to define criteria for in-location personas, for a better understanding of and insights into customers visiting physical locations, enabling the delivery of more personalized engagements and content.

Turning insights into action by delivering personalized engagements to consumers' mobile devices using the best available channel based on location, user preferences, and type of engagement. Multichannel engagement capabilities include SMS, email, app push notification, and API trigger.



CMX Connect: Guest Portal



CMX Presence Analytics

# Connect - Wireless Cisco Connected Mobile Experiences (CMX) Cloud



#### Overview

Licenses

#### Cisco Connected Mobile Experiences (CMX) Cloud Licenses

The Cisco Connected Mobile Experiences (CMX) Cloud is an simple and scalable offering which enables delivery of wireless guest access and in-venue analytics, integrating seamlessly with Cisco wireless infrastructure. This cloud-delivered Software-as-a-Service (SaaS) offering is quick to deploy and intuitive to use. It is based on CMX 10.x code and is compatible with Cisco Wireless Controller Software 7.6 or higher, and Cisco Mobility Express Release 8.3 or higher.

It offers the following services:

- Connect (for Guest Access): Providing an easy-to-use guest-access solution for visitors through a custom portal using various authentication methods including social, self-registration, and Short Message Service (SMS).
- Presence Analytics: Detecting all Wi-Fi devices (the "devices") in the venue and providing analytics on their presence, including dwell times, new vs. repeat visitors, and peak time.

Product SKU*1	Description
AIR-CMX-SVC-CX	CMX Cloud Connect License, per Access Point/Month with a 1-, 3-, or 5-Year Initial Term and Annual Renewals
AIR-CMX-SVC-CPAX	CMX Cloud Connect with Presence Analytics License, per Access Point/Month with a 1-, 3-, or 5-Year Initial Term and Annual Renewals

\*1 AIR-CMX-CLOUD is required.required.



#### **Getting Started**

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

WAP

Aironet

Controllers

Meraki MR

CMX

Routers

Services

Services

ISR 4000

# Connect Routers

	Featured Products         Portfolio         III
Getting Started	
What's New	
Feature Story	
Collaborate	Cisco ISP 1100 Sories
Compute	Cisco ISR 1100 Series
Secure	
Connect Switches Wireless Routers	BR 1100 Series A 2 JULI DE CISCO
RV ISR 800 ISR 1000 <b>■NEW</b> ■	C1111-8PLTELAWx



# • C1111-4P

IOS XE IP Base	Multicore CPU	Dual GE-WAN	125 Mbps Max Crypto Throughput
4-port GE Managed Switch	Optional PoE/PoE+		

# 

IOS XE IP Base	Multicore CPU	Dual GE-WAN	250 Mbps Max Crypto Throughput	LTE Advanced
8-port GE Managed Switch	Optional PoE/PoE+	11ac Wave 2 AP	Mobility Express	

# Connect Routers

	Featured Products	Portfolio			
Getting Started					
What's New	High ←				
Feature Story	ר ↑				
Collaborate					ASR 1000 Series
Compute	Perfc				
Secure	ormar				)
Connect Switches Wireless Routers RV ISR 800 ISR 1000 NEW ISR 4000	Performance, Function, Flexibility, Scalability		Vertication of the second seco	ISR 4000 Series	
Services	lity	ISR 800 Series			
	RV Series	J			
		Fixed Platforms		Modular	Platforms

Connect - Routers Cisco RV Series

NEB

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches Wireless

Routers

RV

ISR 800

ISR 1000

ISR 4000

Services

# Overview Positioning Map

Platform Spec

### Secure, Flexible Connectivity for Small Business

The **Cisco RV Series** are affordable, highly secure network access devices, designed and built for small businesses. Cisco offers a broad range of small business routers to meet any requirement from basic Internet connectivity to high-capacity, business-critical networking.


#### Highlights

- Dual Gigabit Ethernet WAN ports for load balancing and/or business continuity (select models)
- Dual USB ports for storage and 3G/4G modem failover (select models)
- Site-to-site and remote access VPN enable highly secure connectivity, making Cisco RV Series perfect for multiple offices and remote employees.
- Strong security by proven stateful packet inspection (SPI) firewall
- Built-in managed switch (all models)
- Built-in IEEE 802.11n/ac-compatible wireless access point (wireless models)
- Easy to set up and use with wizard-based configuration





# Connect - Routers Cisco RV Series



# Connect - Routers Cisco RV Series


	Overviev	v Posit	ioni	ng Ma	ap		P	Platfo	orm S	spec										
Getting Started			WAN Ports		Ports	rts		Ports		PoE		IPsec	IPsec VPN Tunnels		Web	Wi		eless		AC
What's New	Product SKU	Service (CSE) SKU	FE	GE	xDSL	3G/ 4G	FE	GE	Ports	Power Budget			Site-to- Site	Remote Access	Filter- ing	11n	11ac	2.4 GHz	5 GHz	Power
Feature Story	RV042-xx	CON-SMBS-V02xxxxx	2	-	-	-	4	-	-	-	-	59 Mbps	50	50	-	-	-	-	-	External
Collaborate	RV042G-K9-xx	CON-SMBS-RV02G9xx	-	2	-	-	-	4	-	-	-	75 Mbps	50	50	-	-	-	-	-	External
Compute	RV130-K9-xx	CON-SMBS-V10K9xxx CON-SMBS-RV1NI0K9	-	1	-	1*1	-	4	-	-	-	50 Mbps	10	10	-	-	-	-	-	External
Secure	RV130-WB-K9-xx	CON-SMBS-V10K9xxx CON-SMBS-RV1NI0K9	-	1	-	1*1	-	4	-	-	-	50 Mbps	10	10	•	-	-	-	-	External
Connect Switches Wireless Routers RV ISR 800 ISR 1000 NEW ISR 4000	RV130W-x-K9-xx	CON-SMBS-V10W9xxx	-	1	-	1* <sup>1</sup>	-	4	-	-	-	50 Mbps	10	10	-	•	-	•	-	External
	RV130W-x-WB-K9-xx	-	-	1	-	1* <sup>1</sup>	-	4	-	-	-	50 Mbps	10	10	•	•	-	•	-	External
	RV132W-x-K9-xx	CON-SMBS-RV13K9xx	1	-	1	1 <sup>*1</sup>	3	-	-	-	-	3 Mbps	5	5	-	•	-	•	-	External
	RV134W-x-K9-xx	CON-SMBS-RV134Wxx	-	1	1	1*1	-	4	-	-	-	20 Mbps	5	5	-	•	•	•	•	External
	RV215W-x-K9-xx	CON-SMBS-RV25W9xx	1	-	-	1* <sup>1</sup>	4	-	-	-	-	5 Mbps	1	5	-	•	-	•	-	External
	RV320-K9-xx	CON-SMBS-RV30K9xx CON-SMBS-RV320K9x	-	2	-	1*1	-	4	-	-	-	100 Mbps	25	25	•	-	-	-	-	External
	RV320-WB-K9-xx	CON-SMBS-RV20BKxx	-	2	-	1* <sup>1</sup>	-	4	-	-	-	100 Mbps	25	25	-	-	-	-	-	External
	RV325-K9-xx	CON-SMBS-RV35K9xx	-	2	-	1* <sup>1</sup>	-	14	-	-	-	100 Mbps	25	25	-	-	-	-	-	External
	RV325-WB-K9-xx	CON-SMBS-RV32WBxx	-	2	-	1* <sup>1</sup>	-	14	-	-	-	100 Mbps	25	25	•	-	-	-	-	External
	RV340-K9-xx	CON-SMBS-RV340Kxx	-	2	-	1* <sup>1</sup>	-	4	-	-	-	650 Mbps	50	50	•* <sup>2</sup>	-	-	-	-	External
	RV340W-K9-xx	-	-	2	-	1* <sup>1</sup>	-	4	-	-	-	650 Mbps	50	50	•* <sup>2</sup>	•	•	•	•	External
	RV345-K9-xx	CON-SMBS-V345K9xx	-	2	-	1* <sup>1</sup>	-	16	-	-	-	650 Mbps	50	50	•*2	-	-	-	-	External
	RV345P-K9-xx	CON-SMBS-RV345Pxx	-	2	-	1* <sup>1</sup>	-	16	8	120 W	af/at	650 Mbps	50	50	•* <sup>2</sup>	-	-	-	-	External

\*1 3G/4G modem is required. \*2 Security License is required.

Secure

RV

# **Connect - Routers** Cisco ISR 800 Series



# Connect - Routers Cisco ISR 800 Series

V

	Overview	Platfe	orm Spec		Li	cens	es											
						WAN	Ports			LAN	Ports	Wire	eless		Sec	urity		
Pi	roduct SKU	Service (CSE) SKU	Cisco IOS	FE	GE	GE/ SFP	ISDN	xDSL	Voice	FE	GE	AP	4G LTE	АррХ	FW	VPN	Voice	Rack mount
С	819Н-К9	CON-SMBS-C819HK9	Advanced IP Services	_	1	-	-	-	-	4	-	-	-	•	•	•	-	_*5
С	819G-LTE-LA-K9	CON-SMBS-C819TEK9	Advanced IP Services	-	1	-	-	-	-	4	-	-	•	•	•	•	-	_*5
С	819GW-LTE-LA-xK9*1	CON-SMBS-C8QT9GWL	Advanced IP Services	_	1	_	-	-	-	4	-	•	•	•	•	•	-	_*5
С	867VAE	CON-SMBS-C867VAE	IP Base	_	1	-	-	1	-	3	2	-	_	-	-	-	-	-
С	867VAE-K9	CON-SMBS-C867VAK9	Advanced Security	-	1	_	-	1	-	3	2	-	-	-	•	•	-	-
С	881W-x-K9	CON-SMBS-C881WxK9	Advanced Security	1	-	-	-	-	-	4	-	•	-	-	•	•	-	-
С	881-V-K9	CON-SMBS-C881VK8	Advanced IP Services	1	-	-	-	-	7*²	4	-	-	-	-	•	•	•*4	-
С	891F-K9	CON-SMBS-C891F8BB	Advanced IP Services	1	-	1	1	-	-	-	8	-	-	•*3	•	•	-	_*6
С	891-24X/K9	CON-SMBS-C89124K9	Advanced IP Services	-	-	2	-	-	-	-	24	-	-	-	•	•	-	_*7
С	892FSP-K9	CON-SMBS-C892FSPK	Advanced IP Services	-	1	1	-	-	-	-	8	-	-	•*3	•	•	-	_*6
С	897VA-K9	CON-SMBS-C897VAK9	Advanced IP Services	-	-	1	1	1	-	-	8	-	-	•* <sup>3</sup>	•	•	-	_*6
С	897VAG-LTE-LA-K9	CON-SMBS-CLTEAGK9	Advanced IP Services	-	-	1	-	1	-	-	8	-	•	•*3	•	•	-	_*6
С	898EAG-LTE-LA-K9	CON-SMBS-C898EAGA	Advanced IP Services	-	-	1	-	1	-	-	8	-	•	●*3	٠	•	-	_*6
С	899G-LTE-LA-K9	CON-SMBS-C89LKEGL	Advanced IP Services	-	1	1	-	-	-	-	8	-	•	•* <sup>3</sup>	•	•	-	_*6

\*1 The "x" corresponds to the supported domain. \*2 BRI x 2, FXS x 4, FXO x 1. \*3 Feature License is required. \*4 Call control and messaging are not supported. \*5 DIN Rail Mount and Floor/Wall Mount are supported (Optional). \*6 ACS-890-RM-19 is required. \*7 ACS-2901-RM-19 is required.

# Connect - Routers Cisco ISR 800 Series

Overview

WEB			
WED	W	=	D
		=	D

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

Routers

RV

**ISR 800** 

ISR 1000 - NEW

ISR 4000

Services

-	
Cisco IOS Feature Lic	censes
Product SKU	Description
L-FL-C800-APP=	Cisco IOS APP License for Cisco ISR 891F/892FSP/897VA/899G
L-FL-CME-SRST-5=	Cisco Unified CME or SRST 5 License for Cisco ISR 881-V

Platform Spec

Licenses

# Connect - Routers Cisco ISR 1000 Series

**Overview** 

■ A 1 1 111 100

cisco



Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches Wireless Routers

RV

ISR 800

ISR 1000 NEW

1317 4000

Services

# Platform Spec

Licenses

### Fixed, High-Performance Routers

The **Cisco ISR 1000 Series** routers are best suited for small and midsize businesses, enterprise branches, and as customer premises equipment in managed services environments. The routers come in two models: an 8-LAN-port option and a 4-LAN-port option. There are multiple LAN, WLAN, WAN, and LTE combinations to choose from, depending on your branch needs. The 1000 Series can be used in ATMs, retail stores, and kiosks, as well as for various other purposes.

#### Highlights

- Cisco IOS XE Universal Image (IP Base/SEC/AX)
- High-performance multicore processors for high-speed WAN connections and multiple services
- Dual WAN ports for load balancing and/or business continuity
- 4G LTE wireless WAN (select models)
- Built-in managed switch (all models)
- Optional integrated power supply for distribution of PoE/PoE+
- Built-in IEEE 802.11ac Wave 2-compatible wireless access point (wireless models)
- Cisco Mobility Express for flexible deployment



# Connect - Routers Cisco ISR 1000 Series



	Overview	Platfo	rm Spec	L	icenses											
Getting Started					ypto ughput	v	VAN Poi	rts	LAN Ports	Wire	eless		Sec	urity		Rack
What's New	Product SKU	Service (CSE) SKU	Cisco IOS	Default	Upgradable <sup>*1</sup>	GE	GE/ SFP	xDSL	GE	AP	4G LTE	АррХ	FW	VPN	Voice	Mount
Feature Story	C1111-4P	CON-SMBS-C11114P	IP Base*3	50 Mbps	150 Mbps	1	1 1	_	4	_		_*4	_*5	_*5	_	_*6
Collaborate	C1111-8P	CON-SMBS-C11118P	IP Base*3	50 Mbps	250 Mbps	1	1	_	8	_	_	_*4	_*5	_*5	_	_*6
Compute	C1111-4PWx*2	CON-SMBS-C111xW4P*2	IP Base*3	50 Mbps	150 Mbps	1	1	_	4	•	_	_*4	_*5	_*5	_	_*6
Secure	C1111-8PWx*2	CON-SMBS-C111xW8P*2	IP Base*3	50 Mbps	250 Mbps	1	1	_	8	•	_	_*4	_*5	_*5	_	_*6
Connect Switches	C1111-4PLTELA	CON-SMBS-C1114PAL	IP Base*3	50 Mbps	150 Mbps	1	1	-	4	-	•	_*4	_*5	_*5	-	_*6
Wireless	C1111-8PLTELA	CON-SMBS-C1118PAL	IP Base*3	50 Mbps	250 Mbps	1	1	-	8	-	•	_*4	_*5	_*5	-	_*6
Routers	C1111-8PLTELAWx*2	CON-SMBS-C11118PW	IP Base*3	50 Mbps	250 Mbps	1	1	-	8	•	•	_*4	_*5	_*5	-	_*6
RV ISR 800	C1116-4P	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	-	-	_*4	_*5	_*5	-	_*6
ISR 1000	C1117-4P	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	-	-	_*4	_*5	_*5	-	_*6
ISR 4000	C1117-4PM	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	-	-	_*4	_*5	_*5	-	_*6
Services	C1117-4PWx*2	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	•	-	_*4	_*5	_*5	-	_*6
	C1117-4PMWx*2	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	•	-	_*4	_* <sup>5</sup>	_*5	-	_*6
	C1117-4PLTELA	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	-	•	_*4	_*5	_*5	-	_*6
	C1117-4PLTELAWx*2	TBD	IP Base*3	50 Mbps	150 Mbps	-	1	1	4	•	•	_*4	_*5	_*5	-	_*6

\*1 Cisco IOS IPsec Performance License and Cisco IOS HSEC License are required. \*2 The "x" corresponds to the supported domain.

\*3 Cisco IOS SEC License, Cisco IOS APP License, Cisco IOS IPsec Performance License, and Cisco IOS HSEC License can be added. \*4 Cisco IOS APP License is required. \*5 Cisco IOS SEC License is required. \*6 ACS-1100-RM-19 is required.

# Connect - Routers Cisco ISR 1000 Series



### Getting Started

What's New

Feature Story

Collaborate

- Compute
- Secure

### Connect

Switches

Wireless

Routers

ISR 1000 NEW

ISR 4000

Services

Cisco IOS Technology Package Licenses											
Product SKU	Description										
SL-1100-4P-SEC	Cisco IOS SEC License for Cisco ISR 1111 (4-port Model)										
SL-1100-8P-SEC	Cisco IOS SEC License for Cisco ISR 1111 (8-port Model)										

SL-1100-8P-SEC	Cisco IOS SEC License for Cisco ISR 1111 (8-port Model)
SL-1100-4P-APP	Cisco IOS APP License for Cisco ISR 1111 (4-port Model)
SL-1100-8P-APP	Cisco IOS APP License for Cisco ISR 1111 (8-port Model)

Platform Spec

Licenses

#### Cisco IOS Feature Licenses


Overview

Product SKU	Description
FL-VPERF-4P-100	Cisco IOS VPER License for Cisco ISR 1111 (4-port Model)
FL-VPERF-8P-200	Cisco IOS VPER License for Cisco ISR 1111 (8-port Model)
FL-1100-4P-HSEC	Cisco IOS HSEC License for Cisco ISR 1111 (4-port Model)
FL-1100-8P-HSEC	Cisco IOS HSEC License for Cisco ISR 1111 (8-port Model)

#### Cisco IOS Software Licensing and Packaging

A single Cisco IOS XE universal image encompassing all functions is delivered with the platform. Advanced features can be enabled simply by activating a software license on the Universal image. The following licenses are available:

- IP Base: Available as the default.
- Security (SEC): Includes features for securing network infrastructure.
- Application Experience (APP): Includes data and application performance features.
- Performance (VPER): Provides additional IPsec performance 100 Mbps for ISR 1100-4P and 200 Mbps for ISR 1100-8P.
- High Performance Security (HSEC): Provides High IPsec maximum performance security.



Connect - Routers Cisco ISR 4000 Series

Overview

Meet All Your Needs with One Device

So you get everything you need in a single platform.

The Cisco ISR 4000 Series routers consolidate many must-have IT functions, including network, security, compute, storage, and unified communications.

The platform is modular and upgradable, so you can add new services with-

out changing equipment. It supports multiple application-aware services concurrently while maintaining WAN performance of up to 4 Gbps, even

during heavy traffic loads. The backplane architecture supports high-band-

width, module-to-module communication at speeds up to 10 Gbps.

#### Platform Spec Lice

Licenses & Accessories

### **Getting Started**

What's New

Feature Story

Collaborate

Compute

Secure

#### Connect

Switches

Wireless

Routers

RV

ISR 800

ISR 1000 - NEW

ISR 4000

Services

### Highlights

- Cisco IOS Universal Image (IP Base/SEC/UC/AX)
- High-performance multicore processors for high-speed WAN connections and multiple services
- Separates control- and data-plane operations (Cisco 4431/4451: the default control-plane memory is 4 GB, upgradable to 16 GB, and the default data-plane memory is 2 GB)
- Cisco Enhanced Services Module (SM-X) and Cisco Network Interface Module (NIM) integrate networking, services, computing, and storage into a single form factor





# Connect - Routers Cisco ISR 4000 Series



Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

RV

<u>ISR</u> 4000

ISR 4000

Services

Overvi	iew Platfo	orm Spec	Licenses	& Accesso	ories		В	undle	es		Ν	Migration				
Desident OKU		Service (CSE) SKU Cisco IOS	Ports Ex		Expansic		Slots	Default	Power	Rack						
Product SKU	Service (CSE) SKU		Default	Upgradable	GE	SFP		NIM	SM-X	PVDM	Power Supply	Redundancy	Mount			
ISR4221/K9	CON-SMBS-ISR4221K	IP Base*1	35 Mbps	75 Mbps	1	-	1	2	-	-	External AC	-	1 RU			
ISR4321/K9	CON-SMBS-ISR4321K	IP Base*1	50 Mbps	100 Mbps	1	-	1	2	-	1	External AC	-	1 RL			
ISR4331/K9	-	IP Base*1	100 Mbps	300 Mbps	1	1	1	2	1	1	Internal AC	-	1 RL			
ISR4351/K9	-	IP Base*1	200 Mbps	400 Mbps	-	-	3	3	2	1	Internal AC	-	2 RL			
ISR4431/K9	-	IP Base*1	500 Mbps	1 Gbps	-	-	4	3	-	1	Internal AC	•	1 RL			
ISR4451-X/K9	-	IP Base*1	1 Gbps	2 Gbps	-	-	4	3	2	1	Internal AC	•	2 RL			

\*1 Cisco IOS SEC License, Cisco IOS UC License, and Cisco IOS APP License can be added.





Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers RV ISR 800

# Connect - Routers Cisco ISR 4000 Series

Overview	Platform Spec Licenses & Accessori	es Bund	les		N	Aigratio	on
Cisco IOS Technolo	gy Package Licenses						
Product SKU	Description			Compatik	le Models	;	
		4221	4321	4331	4351	4431	445
SL-4220-SEC-K9	Cisco IOS SEC License for Cisco ISR 4221	•	-	-	-	-	-
SL-4320-SEC-K9	Cisco IOS SEC License for Cisco ISR 4321	-	•	-	-	-	-
SL-4330-SEC-K9	Cisco IOS SEC License for Cisco ISR 4331	-	-	•	-	-	-
SL-4350-SEC-K9	Cisco IOS SEC License for Cisco ISR 4351	-	-	-	•	-	-
SL-44-SEC-K9	Cisco IOS SEC License for Cisco ISR 4400 Series	-	-	-	-	•	•
SL-4320-UC-K9	Cisco IOS UC License for Cisco ISR 4321	-	•	-	-	-	-
SL-4330-UC-K9	Cisco IOS UC License for Cisco ISR 4331	-	-	•	-	-	-
SL-4350-UC-K9	Cisco IOS UC License for Cisco ISR 4351	-	-	-	•	-	-
SL-44-UC-K9	Cisco IOS UC License for Cisco ISR 4400 Series	-	-	-	-	•	•
SL-4220-APP-K9	Cisco IOS APP License for Cisco ISR 4221	•	•	-	-	-	-
L-SL-4320-APP-K9	Cisco IOS APP License for Cisco ISR 4321	-	•	-	-	-	-
L-SL-4330-APP-K9	Cisco IOS APP License for Cisco ISR 4331	-	-	•	-	-	-
L-SL-4350-APP-K9	Cisco IOS APP License for Cisco ISR 4351	-	-	-	•	-	-
L-SL-44-APP-K9	Cisco IOS APP License for Cisco ISR 4400 Series	-	-	-	-	•	•

Services

ISR 1000 - NEW

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers RV ISR 800

Services

ISR 1000 NEW

# Connect - Routers Cisco ISR 4000 Series

Overview	Platform Spec Licenses & Accessories	Bund	les		ľ	Migrati	on
Cisco IOS Feature L	censes						
Draduat SKI	Description			Compatil	ble Models	\$	
Product SKU	Description	4221	4321	4331	4351	4431	4
FL-4320-HSEC-K9	Cisco IOS HSEC License for Cisco ISR 4321*1	-	•	-	-	-	
FL-4330-HSEC-K9	Cisco IOS HSEC License for Cisco ISR 4331*1	-	-	•	-	-	
FL-4350-HSEC-K9	Cisco IOS HSEC License for Cisco ISR 4351*1	-	-	-	•	-	
FL-44-HSEC-K9	Cisco IOS HSEC License for Cisco ISR 4400 Series*1	-	-	-	-	•	
SW-CCME-UL-ESS	Cisco Unified CME Phone License - Essential	-	•	•	•	•	
SW-CCME-UL-BASIC	Cisco Unified CME Phone License - Basic	-	•	•	•	•	
SW-CCME-UL-ENH	Cisco Unified CME Phone License - Enhanced	-	•	•	•	•	
L-FL-CME-SRST-5	Cisco Unified CME or SRST 5 License*2	-	•	•	•	•	
L-FL-CME-SRST-25	Cisco Unified CME or SRST 25 License*2	-	•	•	•	•	
L-FL-CME-SRST-100	Cisco Unified CME or SRST 100 License*2	-	-	•	•	•	
FL-CUBEE-5-RED	Cisco Unified BEe 5 Redundant Configuration License*2	-	•	•	•	•	
FL-CUBEE-25-RED	Cisco Unified BEe 25 Redundant Configuration License*2	-	•	•	•	•	
FL-CUBEE-100-RED	Cisco Unified BEe 100 Redundant Configuration License*2	-	•	•	•	•	
SL-200-AKC	Cisco IWAN with Akamai Connect 200 Connections License*3	•	•	•	-	-	
SL-750-AKC	Cisco IWAN with Akamai Connect 200 Connections License*3	-	-	•	•	•	
SL-1300-AKC	Cisco IWAN with Akamai Connect 1,300 Connections License*3	-	-	•	•	•	
SL-2500-AKC	Cisco IWAN with Akamai Connect 2,500 Connections License*3	-	-	•	•	-	
SL-6K-AKC	Cisco IWAN with Akamai Connect 6,000 Connections License*3	-	-	•	•	-	
FL-4220-PERF-K9	Cisco IOS Performance-on-Demand License for Cisco ISR 4221	•	-	-	-	-	
FL-4320-PERF-K9	Cisco IOS Performance-on-Demand License for Cisco ISR 4321	-	•	-	-	-	
FL-4330-PERF-K9	Cisco IOS Performance-on-Demand License for Cisco ISR 4331	-	-	•	-	-	
FL-4350-PERF-K9	Cisco IOS Performance-on-Demand License for Cisco ISR 4351	-	-	-	•	-	
FL-44-PERF-K9	Cisco IOS Performance-on-Demand License for Cisco ISR 4400 Series	-	-	-	-	•	
FL-4220-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4221	•	-	-	-	-	
FL-4320-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4321	-	•	-	-	-	
FL-4330-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4331	-	-	•	-	-	
FL-4350-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4351	-	-	-	•	-	
FL-4430-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4431	-	-	-	-	•	
FL-44-BOOST-K9	Cisco IOS Booster Performance License for Cisco ISR 4451	-	-	-	-	-	

\*1 Cisco IOS SEC License is required. \*2 Cisco IOS UC License is required. \*3 Cisco IOS APP License is required.

# Connect - Routers Cisco ISR 4000 Series

Overview	Platform Spec	Licenses & Accessories	Bundles			Migration							
Cisco Layer 2/3 Et	herSwitch Modules												
Product SKU	Description		Slot			Compatik	le Models	;					
PIULUCI SKU				4221	4321	4331	4351	4431	4451				
NIM-ES2-4	EtherSwitch Module (L2, 4-port GE)	EtherSwitch Module (L2, 4-port GE)		•	•	•	•	•	•				
NIM-ES2-8	EtherSwitch Module (L2, 8-port GE)		NIM	•	•	•	•	•	•				
NIM-ES2-8-P	EtherSwitch Module (L2, 8-port GE/PoE+)		NIM	-	•	•	•	•	•				
SM-X-ES3-16-P	EtherSwitch Service Module (L2/L3, 16-pc	rt GE/PoE+)	SM-X	-	-	•	•	-	•				
SM-X-ES3-24-P	EtherSwitch Service Module (L2/L3, 24-pc	rt GE/PoE+)	SM-X	-	-	•	•	-	•				
SM-X-ES3D-48-P	EtherSwitch Service Module (L2/L3, 48-pc	ort GE/PoE+)	SM-X	-	-	-	•	-	•				

#### Cisco Gigabit Ethernet WAN Modules

Draduct CKU	Description		Compatible Models							
Product SKU			4221	4321	4331	4351	4431	4451		
NIM-1GE-CU-SFP	GE/SFP Module (1-port)	NIM	•	•	•	•	•	•		
NIM-2GE-CU-SFP	GE/SFP Module (2-port)	NIM	-	•	•	•	•	•		
SM-X-6X1G	GE/SFP Service Module (6-port)	SM-X	-	-	•	•	-	•		
SM-X-4X1G-1X10G	GE/SFP (4-port) or SFP+ (1-port) Service Module	SM-X	-	-	•	•	-	•		

#### Cisco Serial WAN Interface Modules

Product SKU	Description	Slot	Compatible Models							
	Description		4221	4321	4331	4351	4431	4451		
NIM-1T	Serial WAN Module (1-port)	NIM	•	•	•	•	•	•		
NIM-2T	Serial WAN Module (2-port)	NIM	•	•	•	•	•	•		
NIM-4T	Serial WAN Module (4-port)	NIM	-	•	•	•	•	•		
SM-X-1T3/E3	T3/E3 Service Module (1 port)	SM-X	-	-	•	•	-	•		

#### Cisco Async WAN Interface Modules

Product SKU	Description	Slot	Compatible Models								
Product SKU	Description	SIOU	4221	4321	4331	4351	4431	4451			
NIM-16A	Asynchronous Module (16-port)	NIM	•	•	•	•	•	•			
NIM-24A	Asynchronous Module (24-port)	NIM	•	•	•	•	•	•			

 $\mathbf{\uparrow}$ 

What's New

Feature Story

Collaborate

Compute

Secure

### Connect

Switches Wireless

Routers

RV

ISR 800

ISR 1000 - NEW

ISR 4000

Services

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless Routers RV ISR 800

Services

ISR 1000 NEW

# Connect - Routers Cisco ISR 4000 Series

Overvi	ew Platform Spec	Licenses & Accessories	Bund	dles		١	on			
Cisco Multimod	e VDSL2 and ADSL2/2+ Network Inter	face Modules								
Product SKU	Description	Slot			Compatik	mpatible Models				
Product SKU	Description		4221	4321	4331	4351	4431	4451		
NIM-VAB-A	Multi Mode VDSL2/ADSL/2/2+ (Anne:	x A) NIM	•	•	•	•	•	•		
NIM-VA-B	Multi Mode VDSL2/ADSL/2/2+ (Anne:	x B) NIM	•	•	•	•	•	•		
NIM-VAB-M	Multi Mode VDSL2/ADSL/2/2+ (Annex	x M) NIM	•	•	•	•	•	•		

#### Cisco 4G LTE Network Interface Modules

Product SKU	Description	Slot	Compatible Models							
Product SKU	Description		4221	4321	4331	4351	4431	4451		
NIM-4G-LTE-GA	4G LTE Module for Global	NIM	•	•	•	•	•	•		
NIM-4G-LTE-NA	4G LTE Module for North America	NIM	•	•	•	•	•	•		
NIM-4G-LTE-ST	4G LTE Module for Sprint	NIM	•	•	•	•	•	•		
NIM-4G-LTE-VZ	4G LTE Module for Verizon	NIM	•	•	•	•	•	•		
NIM-4G-LTE-LA	4G LTE Module for Asia Pacific, Australia and Latam	NIM	•	•	•	•	•	•		
NIM-LTEA-EA	LTE Advanced Module for Europe and North America	NIM	•	•	•	•	•	•		
NIM-LTEA-LA	LTE Advanced Module for Asia Pacific, Australia and Latam	NIM	•	•	•	•	•	•		

#### Cisco T1/E1 Voice and WAN Network Interface Modules

Product SKU	Description	Slot			Compatible Models           4331         4351         4431           •         •         •         •           •         •         •         •           •         •         •         •			
Product SKU	Description	5101	4221	4321	4331	4351	4431	4451
NIM-1MFT-T1/E1	Voice/WAN Module (1-port T1/E1)	NIM	•	•	•	•	•	•
NIM-2MFT-T1/E1	Voice/WAN Module (2-port T1/E1)	NIM	•	•	•	•	•	•
NIM-4MFT-T1/E1	Voice/WAN Module (4-port T1/E1)	NIM	-	•	•	•	•	•
NIM-8MFT-T1/E1	Voice/WAN Module (8-port T1/E1)	NIM	-	•	•	•	•	•
NIM-1CE1T1-PRI	Voice/WAN Module (1-port T1/E1/G.703)	NIM	-	•	•	•	•	•
NIM-2CE1T1-PRI	Voice/WAN Module (2-port T1/E1/G.703)	NIM	-	•	•	•	•	•
NIM-8CE1T1-PRI	Voice/WAN Module (8-port T1/E1/G.703)	NIM	-	•	•	•	•	•
SM-X-1T3/E3	T3/E3 Service Module (1 port)	SM-X	-	-	•	•	-	•

WEB

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect Switches Wireless

> Routers RV ISR 800

Services

ISR 1000 NEW

# Connect - Routers Cisco ISR 4000 Series

Overview	Platform Spec	Licenses & Accessories		Bund	les		ľ	Migratio	on
Cisco Analog Voic	e Network Interface Modules								
						Compatib	le Models	5	
Product SKU	Description		Slot	4221	4321	4331	4351	4431	4451
NIM-2FXSP	Voice Module (2-port FXS)		NIM	-	•	•	•	•	•
NIM-4FXSP	Voice Module (4-port FXS)	Voice Module (4-port FXS)			•	•	•	•	•
NIM-2FXO	Voice Module (2-port FXO)		NIM	-	•	•	•	•	•
NIM-4FXO	Voice Module (4-port FXO)		NIM	-	•	•	•	•	•
NIM-2FXS/4FXOP	Voice Module (2-port FXS and 4-port FXO)		NIM	-	•	•	•	•	•
NIM-4E/M	Voice Module (4-port E/M)	Voice Module (4-port E/M)			•	•	•	•	•
NIM-2BRI-NT/TE	Voice Module (2-port BRI)			-	•	•	•	•	•
NIM-4BRI-NT/TE	Voice Module (4-port BRI)		NIM	-	•	•	•	•	•

#### Cisco Packet Voice Digital Signal Processor Modules (PVDMs)

Draduat CKU	Description	Clat	Compatible Models					
Product SKU	Description	SIDE	/DM4 - • /DM4 - • /DM4 - • /DM4 - •	4321	4331	4351	4431	4451
PVDM4-32	High-density Voice DSP Module (16-channel)	PVDM4	-	•	٠	•	•	٠
PVDM4-64	High-density Voice DSP Module (32-channel)	PVDM4	-	•	•	•	•	•
PVDM4-128	High-density Voice DSP Module (64-channel)	PVDM4	-	•	٠	٠	٠	٠
PVDM4-256	High-density Voice DSP Module (128-channel)	PVDM4	-	•	•	•	•	•
SM-X-PVDM-500	High-density Voice DSP Service Module (768-channel)	SM-X	-	-	•	•	-	•
SM-X-PVDM-1000	High-density Voice DSP Service Module (1,024-channel)	SM-X	-	-	•	•	-	•
SM-X-PVDM-2000	High-density Voice DSP Service Module (2,048-channel)		-	-	-	● <sup>*1</sup>	-	•
SM-X-PVDM-3000	High-density Voice DSP Service Module (3,080-channel)	SM-X	-	-	-	● <sup>*1</sup>	-	•

\*1 Supports up to 1,024 channels.

### Cisco UCS E Series Servers

Product SKU	CPU	Men	nory	Internal	RAID Slot Compatible Models				;			
Product SKO	Cores	Default	Maximum	Drive Slots	RAID SIOL	4221	4321	4331	4351	4431	4451	
UCS-EN140N-M2/K9	4	8 GB	8 GB	1	-	NIM	-	•	•	•	•	•
UCS-EN120S-M2/K9	2	4 GB	16 GB	2	0/1	SM-X	-	-	•	•	-	•
UCS-E140S-M2/K9	4	8 GB	16 GB	2	0/1	SM-X	-	-	•	•	-	•
UCS-E160S-M3/K9	6	8 GB	32 GB	2	0/1	SM-X	-	-	•	•	-	•
UCS-E160D-M2/K9	6	8 GB	96 GB	3	0/1/5	SM-X	-	-	-	•	-	•
UCS-E180D-M2/K9	8	8 GB	96 GB	3	0/1/5	SM-X	-	-	-	•	-	•
UCS-E180D-M3/K9	8	16 GB	128 GB	3	0/1/5/10	SM-X	-	-	-	•	-	•
UCS-E1120D-M3/K9	12	16 GB	128 GB	4	0/1/5/10	SM-X	-	-	-	•	-	•

# Connect - Routers Cisco ISR 4000 Series

	Overview	Platfor	rm Spec License	es & Accessories	Bundles	Migration
ting Started	Platform	Product SKU	Service (CSE) SKU	Platform	Product SKU	Service (CSE) SKU
at's New	Cisco ISR 4221	ISR4221-SEC/K9	CON-SMBS-ISR4221S		ISR4431-SEC/K9	-
	CISCO ISR 4221	ISR4221-AX/K9	-		ISR4431-V/K9	-
ture Story		ISR4321-SEC/K9	-	Cisco ISR 4431	ISR4431-VSEC/K9	-
laborate		ISR4321-V/K9	-		ISR4431-AX/K9	-
	Cisco ISR 4321	ISR4321-VSEC/K9	-		ISR4431-AXV/K9	-
npute		ISR4321-AX/K9	-		ISR4451-X-SEC/K9	-
cure		ISR4321-AXV/K9	-		ISR4451-X-V/K9	-
		ISR4331-SEC/K9	-	Cisco ISR 4451	ISR4451-X-VSEC/K9	-
nnect		ISR4331-V/K9	-		ISR4451-X-AX/K9	-
witches	Cisco ISR 4331	ISR4331-VSEC/K9	-		ISR4451-X-AXV/K9	-
lireless		ISR4331-AX/K9	-			
outers		ISR4331-AXV/K9	-			
RV		ISR4351-SEC/K9	-			
ISR 800		ISR4351-V/K9	-			
ISR 1000 NEW	Cisco ISR 4351	ISR4351-VSEC/K9	-			
ISR 4000		ISR4351-AX/K9	-			
		ISR4351-AXV/K9	-			

### Cisco ISR 4000 Series Bundles Comparison

Bundles	Characters last in CKU				
Bundles	Characters Included in SKU	IOS SEC	IOS UC	PVDM4	
Security Bundles	SEC	•	-	-	-
Voice Bundles	V	-	•	-	•
Voice Security Bundles	VSEC	•	•	-	•
Application Experience Bundles	AX	•	-	•	-
Application Experience Voice Bundles	AXV	•	•	•	•

# Connect - Routers Cisco ISR 4000 Series



	Overview	Platform Spec	License	es & Accessorie	es Bi	undles	Migration
Getting Started	Benefits of Migrating	to Cisco ISR 4000 Series					
What's New	Network Requirements for the Digital Organization	Features	Cisco ISR 1800/2800/3800 Series	Cisco ISR 1900/2900/3900 Series	Cisco ISR 4000 Series	Benefits	
Feature Story		Maximum throughput	Up to 50 Mbps	Up to 350 Mbps	Up to 4 Gbps	4 to 10 times greate	er performance than ISR G2 at lower
Collaborate		Cisco Application Visibility and Control (AVC)	-	•	•		applications for capacity planning
Compute	Insights and	Intelligent path selection (Cisco Performance Routing [PfR] v3)	-	•	•	Real-time analytics	to help ensure application experi- ts with path selection
Secure Connect	Experiences	WAN optimization (Cisco Wide Area Application Services [WAAS] and Akamai)	-	•	•	Improved application	n performance and WAN offload with ptimization and intelligent caching
Switches Wireless		Pay-as-you-grow performance and services	-	-	•	Ability to buy what y without a complete	ou need today and upgrade anytime equipment upgrade
Routers		Cisco ONE Software Suites	-	•	•	Predictable OpEx, protection	license portability, and investment
RV ISR 800 ISR 1000 == NEW=	Automation and Assurance	Cisco Intelligent WAN app with Application Policy Infrastructure Controller Enterprise Module (APIC-EM)	-	•	•	Automated provision	ning for faster SD-WAN deployments
ISR 4000		Cisco Firepower Threat Defense for ISR	-	•	•	Industry-leading ad	vanced threat defense
Services		Cisco Umbrella Branch (OpenDNS)	-	-	•		ware, botnets, phishing, and targeted real-time threat intelligence
	Security and Compliance	Cisco Stealthwatch Learning Network License	-	•	•	sponse with packet	ibility and device-level incident re- capture and machine learning (ISR equires UCS E-Series blade)
		Multicore hardware VPN accelera- tion	-	-	•	High-performance e	encryption for secure WAN
		Enterprise Network Functions Virtualization	-	-	•	Simplified operation services on any plat	s and deployment of virtual network form
		Native Application Hosting	-	-	•		nal network devices in the branch
	Virtualization	Integrated compute with Cisco UCS E-Series servers	-	•	•	Local compute resc and analytics	ources for applications, data backup,
		Cisco IOS XE operating system			•		ng increases network services per- bility

Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless Routers

## Services

Support Essentials Smart Net Total Care

Software Support

# Services Cisco Technical Services

#### Overview

### Results at the Speed of Business

Operational inefficiencies can cause quality and performance issues that directly affect your users. You need to anticipate, detect, and resolve incidents quickly to minimize any risk to the business. A few minutes of downtime can be extremely costly.

That's where **Cisco Services** come in. A reliable partner to help you improve your IT operations and reduce risk.

#### Services: Protection Beyond Warranty

The hardware warranty included with Cisco products protects the customer in the case of hardware defects. However, many customers and partners mistakenly believe that warranty coverage is all they need and do not realize where warranty ends.

To successfully position services over hardware warranty, help your customers understand the differences and incorporate them into your key customer talking points.

A service contract provides the following primary benefits that warranty does not:

- e 24x7 TAC Access
- Premium Software Images
- Part Ships to Customer Site vs. Original Ship-to Location

### Technical Support Service Offering Comparison between the Different Product Warranties and a Service Contract

Warranty	Standard Warranty	Limited Lifetime Warranty	Enhanced Limited Lifetime Warranty	Service Support Contract
24 x 7 TAC Support	No access for TAC support; TAC access for RMA only	No access for TAC support; TAC access for RMA only	90 days support from date of purchase (access only during business hours)	•* <sup>1</sup>
Cisco OS Updates and Upgrades	-	-	-	•* <sup>2</sup>
Application Software Updates and Upgrades	-	-	-	•* <sup>3</sup>
Online Technical Resources (Cisco.com)	Guest access only	Guest access only	Guest access only	•
Hardware Replacement in as Little as 2 Hours	10 business days	10 business days	Next business day ship to original address	●*4
Proactive Diagnostics and Alerts	-	-	-	•* <sup>5</sup>
Renewable Contracts	-	-	-	•

\*1 Cisco Support Essentials supports 8 x 5 (Callback). \*2 Cisco Support Essentials supports maintenance release update only.

\*3 Cisco Software Support Service (SWSS) contract is required. \*4 24 x 7 x 2 Service Level contract is required. \*5 Cisco Smart Call Home contract is required.

# Services - Cisco Technical Services Cisco Support Essentials

Overview



### Getting Started

What's New

- Feature Story
- Collaborate
- Compute
- Secure
- Connect
- Switches
- Wireless Routers

# Services

Support Essentials Smart Net Total Care Software Support

### Essential Technical Support Designed for Cost-Conscious Businesses


**Features** 

The **Cisco Support Essentials** is designed for customers with business networks that utilize basic Cisco routers, switches and wireless access points. Their network is important to their business but not mission critical. They do not need premium support options like 2-hour hardware replacement, onsite support, or around-the clock TAC access. This service provides non-urgent callback TAC support that is accessible only during normal business hours (8 x 5, Monday through Friday), and next-business-day hardware replacement. Cisco Support Essentials help you:

- Improves operational reliability of the business network with the technical expertise and responsiveness needed to minimize downtime
- Increases productivity by helping to reduce the effects of a potential network problem and allows IT staff to quickly resolve any issues and focus on the company's core business
- Protects network investment by extending the life of Cisco network solutions
- Provides support above and beyond product warranties
- Reduces costs, since a single uncovered service transaction can cost more than a one-year Cisco Support Essentials contract

#### Support from Cisco Technical Assistance Center (TAC) Engineers

**For Partners** 



**Operating System Maintenance Software Releases** 

Compute

Secure

Connect Switches Wireless Routers

Services

Support Essentials Smart Net Total Care Software Support

# Services - Cisco Technical Services **Cisco Support Essentials**



#### **For Partners Overview** Features **Getting Started** Services & Warranty Comparison The Cisco Support Essentials is part of a broader Cisco Services portfolio. What's New Be sure to consider the Cisco Smart Net Total Care (SNTC) as an alternative Feature Story product support offer if your customer has more critical technical service needs. Collaborate If your customer is looking for support for their software products, introduce them to the Cisco Software Support Service (SWSS). Premium Services such as the Cisco Solution Support and the Cisco Technical Services (TS) Advantage may also be useful to your customer.

	Equipment Covered	Duration	Hardware Replacement	Software Updates	TAC Support
Smart Net Total Care	All*1	Renewable Contracts	Advance Replacement: 24 x 7 x 2-hours 24 x 7 x 4-hours 8 x 5 x 4-hours 8 x 5 x Next Business Day (NBD) Onsite Options	Minor and Maintenance Releases	24 x 7
Support Essentials	Commercial Focused	Renewable Contracts	8 x 5 x NBD	Maintenance Releases	8 x 5 (Callback)
Warranty	All*1	90 Days*²	Advance Replacements (10 Days)*2	-	_*3

\*1 Some equipment exclusions may apply. Consult a service sales representative for more details.

\*2 This table refers to Cisco's standard hardware warranty. Additional Cisco warranties are referenced at http://www.cisco.com/go/warranty.

\*3 Hardware fault identification/return materials authorization (RMA) validation only.

# Services - Cisco Technical Services Cisco Support Essentials

How Should I Address Common Objections?

Overview



Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless Routers

Services

Support Essentials Smart Net Total Care Software Support \*\*•



Your warranty protects against defects in Cisco hardware or software. But if an issue does arise, it will more likely be because of the way the solution has been configured or used and will be outside the scope of the warranty.

Why do I need services? Doesn't my warranty cover me?

Features

I have never had any problems with the equipment.

Any new network application or service could affect your network operability, so it is important to have a plan in case issues do arise. The cost of uncovered service and the harm to your business of a delay resolving an outage can be significant.



I do not have the budget for services.

Cisco Support Essentials is priced specifically for companies that do not have significant resources to devote to network support services. The small annual fee is much lower than the cost of even a single uncovered support event.



**For Partners** 

I have in-house staff who can handle any network issues.

Is servicing network equipment the best use of your inhouse resources? Cisco Support Essentials can help your staff more quickly diagnose and resolve any problem and get back to focusing on your business. If your staff does need to call for help, they will have the support of Cisco experts who have the most up-to-date knowledge about covered products.



I use spares when I need hardware replacement.

Can you adequately determine the number of spares you need? What if something happens to the spare? If the piece of equipment experiencing an issue is not covered by a service contract, you run the risk of costly network downtime by not having the ability to provide a timely resolution to the problem.

# Services - Cisco Technical Services Cisco Smart Net Total Care



Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

#### Services

Support Essentials Smart Net Total Care Software Support

## Manage Risks to Business Continuity, Resolve Problems Faster, and Operate More Efficiently

**For Partners** 

Your IT infrastructure is the lifeline that connects your business to customers and suppliers. Business success requires maintaining high service levels for your network while reducing costs and expanding your network as your business grows. The **Cisco Smart Net Total Care (SNTC)** can help you meet these objectives by providing technical services and smart capabilities that:

**Features** 

#### Resolve Problems Faster

Overview

Identify issues quickly and streamline your incident management processes to reduce network downtime and improve IT service levels.

Reduce Risk

Access to Cisco technical experts combined with smart, proactive tools and capabilities minimizes risks to business continuity.

#### Increase Operational Efficiency

Proactive management and automated processes mean fewer support resource requirements and lower costs for managing your network.

Cisco SNTC helps reduce downtime with fast, expert technical support and flexible hardware coverage provided by the Cisco Technical Assistance Center (TAC). It also offers integrated smart capabilities, providing current information about your installed base, contracts, and security alerts to enhance the efficiency of your support workflows.

The Cisco TAC is staffed by Cisco experts and is accessible 24 hours a day, 365 days per year. Technical services available through the TAC are backed by advance hardware replacement options and fast response time, including 2-hour, 4-hour, and next-business-day options (where available). Online self-help tools include our extensive knowledge library, software downloads, and support tools designed to help you resolve network issues quickly without opening a case.

Smart capabilities are delivered through the Cisco Smart Net Total Care portal, providing actionable information and automation to support your Cisco products. Customizable screens show you up-to-date information about the service coverage, product lifecycles, and security and product alerts that apply to your network.

	Faster Problem Resolution	Risk Mitigation	Operational Efficiency
Technical Service and Incident Management <ul> <li>Fast expert technical support from Cisco TAC</li> <li>Advance hardware replacement</li> <li>Automated streamlined processes for incident management</li> </ul>	•	٠	•
Security and Product Alerts <ul> <li>Actionable security alerts</li> <li>Relevant product notices (Hardware and software)</li> <li>Service availability alerts (Hardware and software)</li> </ul>	-	•	•
<ul> <li>Service Coverage Management</li> <li>Covered/uncovered, right coverage</li> <li>Renewal preparation and planning</li> <li>Budget planning</li> </ul>	-	•	•
<ul> <li>Product Lifecycle Management</li> <li>Up-to-date installed base information</li> <li>EoS/EoL, software version mismatches</li> <li>Automation to reduce cost and risk of manual processes</li> </ul>	-	٠	•

**Getting Started** 

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

Support Essentials

Software Support

Smart Net Total Care

**Services** 

# Services - Cisco Technical Services Cisco Smart Net Total Care



#### Overview

#### Features

For Partners

#### Technical Service

When a network problem affects business-critical systems, it requires fast response and a deep understanding of the technology to resolve the incident quickly. Cisco SNTC offers the following capabilities for device-level support to help you reduce the risk of business interruptions caused by network issues. These capabilities help ensure that you get rapid response for service and can quickly identify your devices and their service coverage information in order to streamline your interaction with Cisco TAC support representatives.

#### Advance Hardware Replacement Service Levels

Service Level	Description
24 x 7 x 2	2-hour response, 24 hours a day, 7 days per week, including holidays
24 x 7 x4	4-hour response, 24 hours a day, 7 days a week, including holidays
8 x 5 x4	4-hour response, local business hours based on depot time, 5 days a week
8 x 5 x NBD	Next-business-day delivery, local business hours based on depot time, 5 days a week

#### **Onsite Support Service Levels**

Service Level	Description
24 x 7 x 2	2-hour response, 24 hours a day, 7 days per week, including holidays
24 x 7 x 4	4-hour response, 24 hours a day, 7 days a week, including holidays
8 x 5 x 4	Based on depot time. 4-hour response, 9 a.m. to 5 p.m., if the request is received before 1 p.m., the service (including parts, labor, and materials) will be provided the same day. For requests received after 1 p.m., the service will be provided the following business day.
8 x 5 x NBD	Based on depot time. Next business day, 9 a.m. to 5 p.m., if the request is received before 3 p.m., the service (including parts, labor, and materials) will be provided the next business day. After 3 p.m., the service (including parts, labor, and materials) will be provided the following business day.

#### Cisco TAC

The Cisco TAC is staffed by Cisco professionals certified in a broad range of Cisco products and technologies and service provider architectures. We provide you with access by phone, fax, or email 24 hours a day, 365 days a year and can assist you with product use, configuration, and troubleshooting issues. Cisco TAC objectives for response times are:

- Severity 1 and 2: Cisco will respond within one hour.
- Severity 3 and 4: Cisco will respond no later than one business day.

#### Advance Hardware Replacement

With our customized hardware support service plans, you can have confidence knowing that your hardware can support your ongoing business needs. Cisco offers multiple service levels with different shipment options.

#### Onsite Support

Cisco is committed to providing professional, customer-focused support services in person at your location. The Cisco Smart Net Total Care Onsite service includes installation of advance replacement parts.

#### Software Updates

Cisco provides OS software updates for your licensed feature set. Software releases and any supporting documentation are available through the Cisco Software Central.

#### Online Self-Help Support

Cisco provides access to the Cisco Support website, which includes Cisco's extensive knowledge library, software downloads, and support tools designed to help users resolve network issues quickly without opening a case.

- You can manage problems according to the <u>Cisco Severity and Esca</u>lation Guidelines.
- Access to the <u>Cisco Support & Downloads</u> provides helpful technical and general information on Cisco products.

**Getting Started** 

What's New

Feature Story

Compute

Secure

Connect Switches Wireless Routers

**Services** 

Support Essentials Smart Net Total Care

Software Support

# Services - Cisco Technical Services Cisco Smart Net Total Care




#### Overview

#### Features

For Partners

#### Incident Management

All support customers are entitled to smart capabilities, including access to the Cisco SNTC portal, the mobile app, and the Cisco collector software. Support for these smart capabilities is provided through an online community monitored by Cisco and peer experts. Proactive smart capabilities are integrated with foundational support capabilities and work to help resolve problems more quickly and provide the visibility and insight you need to improve the efficiency of your support operations.



Smart Net Total Care Portal

#### Portal and Interactive Dashboard

Cisco SNTC portal provides secure access to your detailed device data and an interactive dashboard that delivers the information you need to speed up the problem resolution process. The dashboard offers indepth information to open and manage a Cisco TAC case, including configuration status, serial number, contract number, service level, and unresolved alerts. The Cisco SNTC portal allows you to manage user access and configure and generate reports and workflows. It provides access to security and product alerts, product lifecycles, and Cisco service coverage.

#### Collector Software

The Cisco Common Services Platform Collector (CSPC) automatically gathers device support information for Cisco products, including serial numbers, installed memory, product IDs (PIDs), and more. This saves time and provides a more current view compared with manual efforts. The collector also identifies hardware or software versions and configuration files for your Cisco network devices.

#### Smart Device Diagnostics

The Cisco Smart Call Home provides continuous self-monitoring of critical devices and automated remediation recommendations if a problem arises. It offers automatic notification to both you and the Cisco TAC to help expedite problem resolution. Customers who have enabled a qualified collector in their network can also enjoy the benefits of SmartData Advantage, which provides secure and automatic transmission of device details and support information for case creation. These capabilities work to speed time to resolution.

#### Mobile App

Use your smartphone or tablet to get access to the Cisco TAC and support information from wherever you are. The information you need to manage service coverage, problem resolution, alerts, and more is at your fingertips from your mobile device.

# Services - Cisco Technical Services Cisco Smart Net Total Care

### Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless Routers

Services

Support Essentials Smart Net Total Care Software Support

### Overview

For Partners

#### Security and Product Alerts

Staying current about Cisco alerts regarding security recommendations, device updates, and software updates can be challenging. Cisco SNTC helps preempt network disruption by allowing you to identify and manage relevant alerts for your devices. It proactively identifies which devices are affected by Cisco published product alerts and security advisories and enables you to document alert-related activity. For example, you can flag a device for immediate action, ignore an alert for a device, or enter status information for future reference.

**Features** 

#### Hardware Alerts

Hardware alerts inform you about devices that have reached or are approaching end of life in your network.

Software Alerts

Software alerts inform you about end-of-life issues with specific software versions you are using.

#### Security Alerts

Security alerts are Product Security Incident Response Team (PSIRT) alerts that inform you about security vulnerabilities associated with specific devices in your network.

#### Field Notices

Field notices inform you about significant issues (other than security vulnerability issues) with a hardware device or software version. A field notice often requires customer action such as an RMA.

An alert management workflow helps you more efficiently manage alerts by allowing you to assign status information to alerts. It then filters future alerts so that you receive only those that still require your attention. For example, an alert can be closed, or its status can be changed to "action taken." In either case, you will not be distracted by that alert in the future. Alert status information also makes it easy for supervisors to monitor their team's progress toward desired goals as they work on reviewing alerts and performing the required actions.

# Services - Cisco Technical Services Cisco Smart Net Total Care

# NEB

#### Overview

#### Features

#### For Partners

**Getting Started** 

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless

Routers

#### Services

Support Essentials Smart Net Total Care Software Support

### Service Coverage Management Without good visibility into your service coverage, there is a risk that an un-

covered device will have an outage, and then you'll be scrambling to find a solution while your network is compromised. Cisco SNTC helps you ensure that your business-critical assets have the necessary service coverage to meet business needs and comply with corporate policies.

Cisco SNTC provides automated installed base and contract management functionality to help you streamline the process of ensuring proper coverage for your Cisco devices. Whereas manual methods of tracking service coverage for large or complex networks can be time consuming and prone to error, Cisco SNTC uses automation to save time and reduce risk. Regular installed base collection and flexible reporting capabilities help you manage your Cisco installed base and service contracts, identifying and tracking what's new, what's changed, what's covered, and what's not. Maintaining up-to-date records about the coverage of your installed base also simplifies your renewal and budget planning processes. Cisco SNTC enables you to quickly identify service contracts that will be expiring at various intervals so that you can plan for renewals and identify budget requirements.

#### Service Coverage Reports

Device data from installed base collections can be matched against service contracts and purchase orders to identify coverage gaps. View all service contracts and coverage levels, including 24-month advance visibility into upcoming renewal dates. Reviewing coverage information can help ensure that devices in your network have the right kind of coverage for their intended use.

Service Coverage and Renewal Management Workflow

This feature gives you the ability to document and annotate those devices that do not require service coverage and why. You can also assign tasks to people responsible for architectural or budget planning to ask for recommendations about renewing coverage versus replacing specific devices before their service contracts expire.

# Services - Cisco Technical Services Cisco Smart Net Total Care



#### Overview

**Product Lifecycle Management** 

#### Features

For Partners

**Getting Started** 

What's New

Feature Story

Collaborate

- Compute
- Secure
- Connect
- Switches
- Wireless Routers

# Services

Support Essentials Smart Net Total Care Software Support Maintaining up-to-date installed base data in Cisco SNTC can provide dramatic efficiencies over manual methods while also reducing the risk of errors. Cisco SNTC can help you maintain a current view of your Cisco installed base, including device and configuration details such as serial number, product ID, Cisco IOS Software version, installed memory and firmware, IP address, hostname, and more.

By providing enhanced visibility into your installed base, Cisco SNTC allows you to:

- Quickly identify Cisco products that are reaching end of life, end of sale, or end of support
- Easily see what has been moved, added, or changed in your network
- Verify that your Cisco hardware is running current, consistent, and supported software versions
- Mitigate risk and plan for upgrades for equipment that is no longer supported

Smart capabilities within Cisco SNTC portal can enhance and control product and lifecycle visibility.

#### Role-based Access Control (RBAC)

Cisco SNTC portal gives you control over the types of data that users can see. User views within the portal are based on the user's role, allowing administrators to assign roles and designate network device data visibility for portal users, including partners. For example, a certain group of network administrators may be given access to data for a specific segment of the network, and other groups of users may be restricted to specific types of information such as device configuration data or security alerts.

#### Device Data File Uploads

In addition to data uploads from the Cisco collector, data can be uploaded using manual file uploads (such as from a spreadsheet) or third-party collection mechanisms. After data is uploaded into the portal, it can be analyzed and enriched with Cisco support information.

# Services - Cisco Technical Services Cisco Smart Net Total Care

How Should I Address Common Objections?

Overview



# Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless Routers

## Services

Support Essentials Smart Net Total Care Software Support



Why should I purchase Cisco SNTC when I have the Cisco warranty?

Cisco SNTC is much more than just a warranty. Our services provide expert troubleshooting support, advanced hardware replacement options, and extensive self-help, along with smart capabilities that empower your network operations and support staff to work more efficiently.

Features

Why is the installed base process necessary? Don't you already know what is covered and not covered in my net-work?

Customers have complete freedom to purchase equipment and services through any number of channel partners, or they might have obtained equipment through acquisitions. Network devices are constantly moved to different locations or reconfigured to meet changing business needs. The collection process helps to reconcile equipment with contract records and invoicing, providing an up-to-date baseline from which contract status and coverage can be managed more effectively.



Doesn't Cisco publish security alerts on the web?



Yes, but determining which ones apply to the devices in your network is challenging. Cisco SNTC can show you the specific alerts and updates that are relevant to the devices in your network and provide a workflow to help you manage them.



**For Partners** 

I have a good handle on my Cisco inventory.

Cisco SNTC installations have 90+ percent visibility, with smart capabilities that correlate installed base, contracts, and alerts into actionable information. Customers can benefit from this information to plan and budget contracts and device lifecycles, manage alerts, and improve incident management. In addition, the automated methods of collecting and managing information about your inventory can create substantial savings by eliminating the need for manual processes.



Doesn't Cisco publish hardware and software alerts that tell me which devices have reached end of life?

Yes, but determining which ones apply to the devices in your network is challenging. Cisco SNTC can show you lifecycle-related information so you can easily see if you have these devices in your network. This also includes devices that are scheduled to reach end of service or end of life, aiding in budget planning and helping to minimize surprises.

# Services - Cisco Technical Services Cisco Software Support Service

Overview



#### Getting Started

What's New

Feature Story

Collaborate

Compute

Secure

Connect

Switches

Wireless Routers

**.** .

Services

Support Essentials Smart Net Total Care Software Support

Complete Software Support Keeps Your Systems Running Smoothly

**Features** 

The **Cisco Software Support Service (SWSS)** offers comprehensive coverage for the software application products and suites that keep your systems and your business running smoothly.

Cisco SWSS is a single offer that provides end-to-end support for your Cisco software products. Entitlement to software maintenance, minor, and major release updates helps increase business value and ROI for your Cisco software products. Cisco SWSS is required for a minimum of 12 months to help you reduce network disruptions and application availability.

Access Cisco technical experts and online resources 24 hours a day, 365 days a year. Take advantage of multiyear discounts to keep your network performing as needed.

The following options are available under the Cisco SWSS framework:

#### Basic

**For Partners** 

Provides TAC support, software release updates, and online access to Cisco resources. When sold as a subscription, the support is embedded in the product purchase price.

Enhanced

Provides proactive software support and technical adoption with faster response times

Premium

Prescriptive software support, designated service management, advanced technical adoption, and the fastest response times.



Seamless Support Experience across Hybrid Deployments



Faster Deployment and Adoption of Your Software



Improved Time to Detect and Solve Incidents



Accelerated Business Outcomes



Advice and Support on Specific, Business Impactful Software Features



Increased Return on Your Technology Investment



Higher Levels of Proactive Customized Support to Achieve Your Business Objectives



Increased Security Posture

# Services - Cisco Technical Services Cisco Software Support Service

**Advanced Support Analytics** 



**Overview Features For Partners Getting Started** Software Support Options Deliverable Basic Enhanced Premium What's New Software Technical Support 24 x 7 case submission and technical assistance. **Feature Story** Initial Response Response-time service-level objective for everity 1 and 2 cases. 60 minutes 30 minutes 15 minutes Access to available software maintenance and to minor and major updates to the supported prod-Software Updates . . Compute uct. Knowledge Base and Online access to standard adoption materials, marketing materials, all support tools, and product . Secure Online Resources knowledge. Prioritized case Prioritized case Connect handling over handling over Prioritized Case Handling Priority handling of cases by software support option. Switches Basic tier Basic tier Software Configuration Support and guidance for software deployment, updates, migration, and performance mainte-Wireless Guidance nance. Routers Direct Access to Experts Direct access to technical support experts. **Services** Identification of customer adoption priorities by product, with use cases based on customer busi-Support Essentials \_\*1 User Adoption ness processes and practices. Creation of user adoption plan with periodic plan reviews. Smart Net Total Care Support for integrating and deploying software into the IT environment. Software Support Includes initial training on best practices for interacting with Cisco technical support, ongoing for Software Integration guidance for supporting internal users, and periodic system risk evaluations. Recommendations for pertinent learning and training available on Cisco.com or the Cisco learning Learning and Training services website. Review of the customer's business against the adoption plan to see how the customer is tracking Advanced Technical Adoption against Key Performance Indicators (KPIs), plus feature usage, training, and creation of a plan for 2x/year 4x/year the next quarter. Assigned expert with specialized technical knowledge of the customer's Cisco software solution. Product-level expert providing incident management, case escalation management, and change management. Provides product-level support geared toward the customer's specific environment, including pro-Service Management active consultation for integrating software features into customer workflows; advice on upgrades, migrations, and expansions; and software configuration reviews and recommendations to reduce service disruptions.

Support case analysis for Severity 1 and 2 issues, with best practices to reduce support cases.

Periodic technical reviews of overall operational performance.

What's New

Collaborate

Compute

Secure

Connect Switches

Wireless

Routers

Services

# Services - Cisco Technical Services **Cisco Software Support Service**



**Overview** Features For Partners Getting Started How Should I Address Common Objections? Why should I buy Premium? No budget Feature Story Flexible options to fit your needs and budget Optimize use Speed issue resolution Cisco Capital Financing can help Fastest time to value and ROI Alignment to business outcomes Why purchase? I already have SWSS Investment protection Faster time to resolve issues • SWSS is a great foundational offer and is the equiva-Software updates lent of the Basic option of Cisco Software Support Service Support Essentials Why should I buy Enhanced? Smart Net Total Care I have Cisco Smart Net Total Care Software Support Doesn't it cover my software? • Achieve better product usage Reduces risks and complexities • Cisco Smart Net Total Care only covers the base op- Accelerate business outcomes erating system not the applications Faster ROI

# · 1 | 1 · 1 | 1 · CISCO

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)