


MultiDock™

CHARGING AND STORAGE FOR MULTIPLE IOS DEVICES AND TABLETS

**QUICK
CHARGE
MODE**

MAXIMIZED FOR
LIGHTNING



The most beautiful way to charge and store multiple tablets

MultiDock is space-efficient with room to grow for storing, charging and syncing 10, 20 or up to 30 iPad tablets or other devices using USB to 30-pin, Lightning, or Micro USB.

Store, Charge, and Sync


Store, charge and sync a whole fleet of tablets in a single location. Link three MultiDock charging stations together and maintain as many as 30 devices from a single host computer. Griffin ChargeSensor™ technology automatically detects the charging characteristics of each connected device and supplies the charging rate it needs for fastest, most complete charging.

Quick Charge Mode


MultiDock charges your devices many times faster using its unique Quick Charge Mode. When used with Apple devices featuring the Lightning connector, MultiDock charges these devices at the fastest possible rate, even while syncing, thus ensuring that your devices will be fully charged and ready when you need them.

Sleek Design

We purposely designed MultiDock so you won't be tempted to lock it away in an IT cave. You'll want to put it where you can see it. Because, not only does MultiDock save space, it gives you all the functionality you need without sacrificing aesthetics.



Specifications:



Dimensions:

Outer Dimensions:

13" (32.3 cm) H x 15" (38.3 cm) W x 12.5" (32.0 cm) D

Charge Bay Dimensions:

8.5" (21.5 cm) H x 1.25" (3.17 cm) W x 11" (28 cm) D

Weight: 18.6 lbs (8.44 kg)

Stack up to three MultiDock charging stations.



Laptop Deck:
Keep all your tablets' contents up to date from a single host computer

WHAT IS QUICK CHARGE?

Quick Charge Mode works with Apple's Lightning connector to provide maximum charge in minimum time.

Griffin's Quick Charge technology uses the circuitry built into Apple's unique Lightning connector, found on newer iPad, iPhone, and iPod touch models, to optimize its power delivery.

The result is the **highest capacity of charging delivered in the shortest time possible.** So your devices are ready to go longer, sooner.

Includes:



Keys:
Fits both security panel and Laptop Deck



User Guide:
Find information on assembly and setup instructions

Optional Add-Ons:



Cables (10-pack):
Available in either 30-pin, Lightning, or Micro USB



Laptop Deck:
Lockable laptop deck allows for storage and security during syncing.



Wheels:
Wheels attach to bottom of MultiDock cart for mobility

Product Compatibility:

All iOS devices
Android tablets, including:

- Google Nexus 7
- Google Nexus 10
- Samsung Galaxy Tab 2 7.0
- Samsung Galaxy Tab 2 10.1
- Samsung Galaxy Note 8.0
- Samsung Galaxy Note 10.1
- Kindle Fire
- Kindle Fire HD
- Lenovo ThinkPad
- Lenovo ThinkPad 2
- ...too many to name.

Environmental:

Operating temperature:
0 to +60 degrees C (32 to 140 F)
Storage temperature:
-20 to +85 degrees C (-4 to 185 F)
Working Relative Humidity:
20 ~ 90% RH Non-condensing
Storage Relative Humidity:
10 ~ 95% RH

Power Specs:

Input: 110 - 240 VAC
Output: Each Port 5.2V DC at 2.1A
Supports USB Battery Charging 1.1 Specification

Certifications:

Power Supply: UL, TUV, CE, FCC, CB, C-Tick, CISPR22 Class B

System Requirements:

Macintosh OS X v10.5.8 or later
iTunes 9.0 or later
Apple Configurator
USB 2.0

Materials

Outer shell: Aluminum 1050
Dividers: Acrylic
Locking doors: Steel 1020

Configuration:

Combine MultiDock with cable packages to fit your needs:
NA36507 - MultiDock Charging Station
XX37418 - 10-Pack Lightning Cables
XX37419 - 10-Pack USB to 30-Pin Cables
XX37420 - 10-Pack Micro USB Cables

How does MultiDock stack up against the competition?

	Griffin Technology MultiDock	Ergotron Tablet Management Desktop 16, with ISI	Bretford Charging Tray	Kensington Charge & Sync Cabinet	iLuv MultiCharger-X
Accommodates large cases, like Survivor (0.9" W+)	yes	no	no	no	no
Secure Laptop Deck option	yes	no	no	no	no
Built-in lock	yes	yes	yes	yes	yes
Attachable wheels option	yes	yes	no	no	yes
Quick charge state during sync with Lightning	yes	no	yes	no	no
# Units Charged	10	16	10	10	10
Individual Status Indicator Light	yes	yes	yes	N/A	yes
Compatibility	30-Pin, Lightning, Micro USB	30-Pin, Lightning	30-Pin, Lightning, Micro USB	30-pin	30-pin, Lightning
Tablet slot width	1.25 in	.85 in	.875 in	N/A	N/A
Size	Height: 13.0 in (32.3 cm) Width: 15 in (38.3 cm) Depth: 12.5 in (32.0 cm)	Height: 10.4 in (26.4 cm) Width: 18.3 in (46.5 cm) Depth: 16.2 in (41.1 cm)	Height: 9.4 in (23.9 cm) Width: 18.5 in (47.0 cm) Depth: 16.8 in (42.6 cm)	Height: 9.25 in (23.5 cm) Width: 7.75 in (19.7 cm) Depth: 0.63 in (1.6 cm)	Height: 13.5 in (34.3 cm) Width: 13.7 in (34.8 cm) Depth: 12 in (30.5 cm)
Weight	18.6 lbs	29 lbs	18.5 lbs	24.25 lbs	20 lbs
MSRP	\$699.00	\$1099.00	\$999.95	\$599.99	\$799.99