



# HP DesignJet T1700dr 44-in PostScript Printer

Contractual

Securely, efficiently, and accurately produce quality CAD and GIS applications up to 44 inches



## SECURE—Protect your work and your information

- Protect printers/data from unauthorized access with HP Secure Boot, whitelisting, encrypted hard disk, more.
- Protect documents, preserve confidentiality with authentication solutions like PIN printing, card readers.<sup>3</sup>
- Secure your printers with HP JetAdvantage Security Manager; manage your fleet remotely with HP Web Jetadmin.
- Control and optimize printing costs with accounting solutions—or with your reseller through HP Partner Link.

## EFFICIENT—No more PC freezing up

- Adobe PDF drivers<sup>2</sup> free up your computer immediately after sending to print—even for the most complex files.
- No interruptions—with two rolls, you can reduce roll changes, double capacity, and help switch paper types.
- Handle complex files—powerful processing architecture<sup>1</sup>, 128 GB memory<sup>4</sup>, 500 GB HDD at 116 A1/D pgs/hr.
- Easily print project sets and PDF documents with HP Click printing software.

## ACCURATE—Make better decisions with precise colors

- Get bright color and bold image quality—even on plain papers—with HP Bright Office Inks.
- Reproduce transparencies, layers, color palettes, and gradients with embedded Adobe PDF Print Engine.<sup>2</sup>
- Tuned profiles reproduce distinct shades of color; color/gray/photo black inks make soft colors, dark tones.
- Accurately display data—high-density printheads provide 2400 nozzles per inch, enabling 0.1% line accuracy.<sup>5</sup>

For more information, please visit <http://www.hp.com/go/designjett1700>

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

<sup>1</sup> Refers exclusively to file processing capabilities for complex files, and does not refer to print speed.

<sup>2</sup> Requires purchase of HP DesignJet T1700 PostScript® models or optional HP DesignJet PostScript/PDF Upgrade Kit. The Adobe PDF Print Engine (APPE) is Adobe's high speed, high fidelity print platform. Version 4 extends APPE's leading edge for print reproduction with new performance efficiencies and breakthrough rendering features. APPE 4 enables printers to increase workflow efficiency and capitalize on the profit potential of innovations in inkjet print technology. To learn more, visit <http://www.adobe.com/products/pdfprintengine>.

<sup>3</sup> Card reader functionality enabled through optional third-party solutions.

<sup>4</sup> Based on 4 GB DDR3 RAM.

<sup>5</sup> ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Film and HP Bright Office Inks.

# Technical specifications

Print	
Print speed	116 D/hr, 26 sec/D <sup>1</sup>
Print resolution	Up to 2400 x 1200 optimized dpi
Technology	HP Thermal Inkjet
Margins	Roll: 0.12 x 0.12 x 0.12 x 0.12 in Sheet: 0.12 x 0.67 x 0.12 x 0.12 in
Ink types	Dye-based (C, M, Y, PK, G); pigment-based (MK)
Ink drop	6 pl
Printheads	3 universal printheads, 2 colors each
Printhead nozzles	2112 each color
Line accuracy	±0.1% <sup>2</sup>
Minimum line width	0.0008 in (PDF addressable @ 1200 dpi)
Max optical density	2.15 maximum black optical density (6 L*min)
Media	
Handling	Sheet feed, two automatic roll feeds, automatic roll-switching, media bin, automatic horizontal cutter
Roll size	11 to 44-in
Sheet size	8.3 x 11 to 44 x 66 in
Standard sheets	A, B, C, D, E
Grammage	60 to 328 g/m <sup>2</sup>
Thickness	Up to 31.5 mil
Applications	
	Line drawings; Maps; Orthophotos; Presentations; Renderings
Memory	128 GB (virtual) <sup>3</sup>
Hard disk	500 GB self-encrypting
Connectivity	
Interfaces	Ethernet, Fast Ethernet, Gigabit Ethernet, 10/100/1000Base-T Ethernet (802.3, 802.3u, 802.3ab); USB Type-A host port
Native print languages	Adobe PostScript 3, Adobe PDF 1.7 ext 3, HP-GL/2, TIFF, JPEG, URJ, CALS G4
Printing paths	Direct printing from USB flash drive, email printing, HP driver for Windows, HP Print Service for Android, Apple AirPrint for MacOS and for iOS, HP Print for Chrome OS, HP Click, HP Smart App for iOS and Android
Drivers	Raster drivers for Windows and macOS PostScript and PDF Windows drivers and macOS PostScript driver
Security features	
	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypting HDD, PIN printing
Dimensions (w x d x h)	
Printer	70.9 x 27.4 x 39.3 in
Shipping	77 x 30.3 x 28 in
Weight	
Printer	163 lb
Shipping	282 lb
What's in the box	
	HP DesignJet T1700 Printer, printheads, ink cartridges, printer stand, spindles (x2), setup poster, introductory information, warranty, power cords, label kits
HP Software and solutions	
	HP Click, HP Utility for Mac and Windows, HP WebJet Admin, HP Embedded Web Server, HP JetAdvantage Security Manager, HP Partner Link, HP MPS
Environmental ranges	
Operating temperature	41 to 104°F
Operating humidity	20 to 80% RH
Storage temperature	-13 to 131°F
Acoustics	
Sound pressure	45 dB(A) (operating), 32 dB(A) (idle), <15 dB(A) (sleep)
Sound power	6.1 B(A) (operating), 5.0 B(A) (idle), <3.1 B(A) (sleep)
Power	
Consumption	< 100 W (printing); < 24 W (ready); < 0.3 W (< 6.5 W with embedded Digital Front End) (sleep); 0.1 W (off)
Requirements	Input voltage (auto ranging) 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max

## Certification

Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Kazakhstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS)
Environmental	ENERGY STAR; WEEE; RoHS (EU, China, Korea, India); REACH; EPEAT Silver
Warranty	90 day limited hardware warranty

# Ordering information

Product	
T1VD8BF	HP DesignJet T1700dr 44-in PostScript Printer
Accessories	
SEK00A	HP HD Pro 2 42-in Scanner
CN538A	HP DesignJet 3-in Core Adapter
G6H50D	HP SD Pro 44-in Scanner
Q6709A	HP DesignJet 44-in Spindle

## Original HP printing supplies

1XB25A	HP 730F 300-ml Yellow DesignJet Ink Cartridge
1XB26A	HP 730F 300-ml Magenta DesignJet Ink Cartridge
1XB27A	HP 730F 300-ml Cyan DesignJet Ink Cartridge
1XB28A	HP 730F 300-ml Photo Black DesignJet Ink Cartridge
1XB29A	HP 730F 300-ml Gray DesignJet Ink Cartridge
1XB30A	HP 730F 300-ml Matte Black DesignJet Ink Cartridge
P2V27A	HP 731 DesignJet Printhead

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

## Original HP large format printing materials

C6810A HP Bright White Inkjet Paper (FSC® certified) 914 mm x 914 m (36 in x 300 ft)  
 C6569C HP Heavyweight Coated Paper 1067 mm x 30.5 m (42 in x 100 ft)  
 Q6581A HP Universal Instant-dry Satin Photo Paper (FSC® certified) 1067 mm x 30.5 m (42 in x 100 ft)  
 Q1406B HP Universal Coated Paper (FSC® certified) 1067 mm x 45.7 m (42 in x 150 ft)

For the entire HP Large Format Printing Materials portfolio, please see [HPLFMedia.com](http://HPLFMedia.com).

## Service and Support

U9Q59E HP 3 year Next Business Day plus Defective Media Retention Support  
 U9TQ2E HP 3 year 4-hour response, 9x5 plus Defective Media Retention Support  
 U9TQ6PE HP 1 year Post Warranty, Next Business Day plus Defective Media Retention Support  
 U9TR1PE HP 1 year Post Warranty, 4-hour response, 9x5 plus Defective Media Retention Support  
 H451BE HP Network Installation DesignJet High-end and Midrange Service  
 U1XV4E HP Preventive Maintenance Service

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit <http://www.hp.com/go/cpc>

# ECO highlights

- ENERGY STAR® certified<sup>1</sup> and EPEAT® Silver registered<sup>2</sup>
- Free, convenient HP ink cartridge recycling<sup>3</sup>
- FSC®-certified papers<sup>4</sup>, recyclable HP media; some HP media eligible for take-back program<sup>5</sup>
- Designed with the environment in mind—made from 30% post-consumer recycled plastic

Please recycle large-format printing hardware and printing supplies. Find out how at our website: <http://www.hp.com/ecosolutions>

<sup>1</sup> ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.

<sup>2</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

<sup>3</sup> Program availability varies. Please check <http://www.hp.com/recycle> for details.

<sup>4</sup> BMG trademark license code FSC®-C115319; see <http://www.fsc.org>. HP trademark license code FSC®-C017543; see <http://www.fsc.org>. Not all FSC®-certified products are available in all regions.

<sup>5</sup> Recyclable HP papers can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the HP Large Format Media take-back program. Programs may not exist in your area. See <http://www.HPLFMedia.com/hp/ecosolutions> for details.

<sup>1</sup> Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks.

<sup>2</sup> ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks.

<sup>3</sup> Based on 4 GB RAM.

