


HP ProDisplay P200 19.5-in LED Backlit Monitor



Save money and be more productive with a business monitor that delivers solid performance, proven HP quality and reliability, a stable lifecycle, HP accessory compatibility, and energy savings at a very attractive price point.



Business-class presentation features.

Get crisp, clear views of your content with 1600x900 resolution, 5 ms response time and 3 M:1 dynamic contrast ratio.¹ Quickly and easily connect to your media and devices with VGA and DVI inputs. Keep your workspace tidy with the internal power supply.

Budget-friendly product stability.


Get a stable product lifecycle and minimum one-year lifespan at a price point that's easy on your wallet. Be confident in the improved reliability of a monitor that has been through its paces with HP quality standard testing.

Designed with the environment in mind.

Reduce power consumption and help lower your costs with an intelligent, energy-efficient, low halogen² design that is ENERGY STAR[®] and TCO qualified and EPEAT[®] Gold registered.³

Datasheet

HP ProDisplay P200 19.5-in LED Backlit Monitor



Display size (diagonal)	19.5"
Viewable image area	170° horizontal; 160° vertical
Brightness	250 cd/m ²
Contrast ratio	1000:1 static; 3000000:1 dynamic ¹
Response rate	5 ms (on/off) ¹
Product colour	Black
Native resolution	1600 x 900
Resolution supported	1600 x 900; 1440 x 900; 1280 x 1024; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x 480
Aspect Ratio	16:9
Display Features	Anti-glare; Plug and Play; User programmable; Language selection; On-screen controls; LED Backlights
Input signal	1 VGA; 1 DVI (with HDCP support)
User Controls	Menu; Minus ("-"); Plus ("+") /Input; OK/Auto; Power
Input power	Input voltage: 90 to 265 VAC
Power consumption	20 W (maximum), 18 W (typical), 0.5 W (standby)
Dimensions	with stand: 46.7 x 15.21 x 34.53 cm without stand: 46.7 x 5.1 x 28.08 cm
Weight	2.85 kg
Ergonomic features	Tilt: -5 to +25°
Physical security features	Security lock-ready
Environmental	Operating temperature: 5 to 35°C Operating humidity: 20 to 80% RH
Energy Efficiency Compliance	ENERGY STAR® qualified
Certification and compliance	TCO Certified Edge; CE; CB; KC; KCC; NOM; PSB; ICE; TUV-S; CCC; CEL; CECP; SEPA; EPA; ISC; VCCI; FCC; BSMI Mercury-free display backlights; Arsenic-free display glass; Low halogen ²
What's in the box	Monitor; AC power cable; VGA cable; DVI cable (only in Asia-Pacific); CD with User Guide, warranty, drivers
Warranty	Protected by HP, including a 3 year standard limited warranty. Select HP Care Pack Services to extend service contracts beyond the standard warranties.

HP ProDisplay P200 19.5-in LED Backlit Monitor

Recommended Accessories and Services

HP Integrated Work Center Stand for Ultra Slim Desktop and Thin Client



The HP Integrated Work Center Stand is designed to help maximize the use of limited desk space without compromising performance or productivity by accommodating an HP Compaq 6005 Pro, or 8000 Series HP Ultra-slim Desktop PC or an HP Thin Client and most HP 17 to 24-inch (43,18 to 60,96 cm) diagonal LCD monitors (please refer to compatibility in the Quick Spec) with VESA standard mounting brackets. HP monitors weighing 3,4 kg to 4,8 kg (7.5 lbs to 10.5 lbs).

Product number: E8H16AA

HP LCD Monitor Quick Release Mount



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP Integrated Work Center 3 for Small Form Factor



Maximize your work space with the HP Integrated Work Center for Small Form Factors v3. Customize an “all-in-one” solution by combining an HP Small Form Factor or Workstation with an LED monitor up to 24 diagonal inches.

Product number: F2P06AA

HP LCD Speaker Bar



Attach seamlessly to the front bezel of your monitor to add full multimedia support features, including stereo speakers with full sound range and an external jack for headphones.

Product number: NQ576AA

HP Business PC Security Lock Kit



This handy device secure HP Business PC in public locations by locking-down peripherals and preventing removal of PC chassis cover. The Lock attaches to the rear of the PC and steel cable can be used to physically connect system to an anchor point.

Product number: PV606AA

HP 5-year Next business day Onsite Standard Monitor Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.

Product number: U7935E

Datasheet

HP ProDisplay P200 19.5-in LED Backlit Monitor

Footnotes

¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

³ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Technical specifications disclaimers

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates

www.hp.com/go/getupdated

©Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR® and the ENERGY STAR® mark are registered U.S. marks.

4AA5-3182EEAP, APJ, June 2014

