



HP LaserJet Managed MFP E72425-E72430dn - Base Product 25-30ppm (5CM68A)



Overview

Premium quality, maximum uptime, and the strongest security[1] from a streamlined MFP.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

High quality, low cost

Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.

Minimal interruptions. Maximum uptime.

Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.

The world's most secure printing[1]

Each printer in your fleet checks its operating code and repairs itself from attacks.

Features

Premium quality at a low cost

Modular accessories built for a range of needs

Original HP toner and drums—designed for HP printers

Fast First-page printing

Streamlined design for minimal maintenance

Automatic two-sided printing

[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims.

Specifications

Functions	Print, Copy, Scan (fax and wireless optional)
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 80,000 pages
Duty cycle (monthly, letter)	Up to 80,000 pages
Printer smart software features	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security.[1] Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization.
Copier smart software features	Better remote diagnosis and repair; Higher first time fix rates; Full toner; LLC utilization; Capture un-billed pages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are designed for fewer LLC replacements and faster repairs.
Scanner advanced features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB; Scan-to-SharePoint
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 33,000) W9025MC ^[3]
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 2900nw Print Server J8031A; HP JetDirect 3100w BLE/NFC/Wireless Accy 3JN69A
Modem	Optional (33.6K, HP MFP Analog 700 Fax Accessory)
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)
Wireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the accessories section, above.
Mobile printing capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; PrinterOn Print
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0
Software included	No software solutions are included in the Box, only on http://hp.com , http://123.hp.com

Compatible Operating Systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd
Environmental	Mercury Free
Energy star certified	No
Energy efficiency	CECP
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Compact PDF
Digital sending optional features	Scan to Job storage; Send to LAN Fax; Send to Internet Fax
Fax Resolution Black (best)	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
Faxing	Yes
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (EXP) applications
Scan technology	Platen Scanner (CCD)
Scanner type	Flatbed, ADF
Display	8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)
Minimum dimensions (W x D x H)	566 x 725 x 820 mm
Minimum dimensions (W x D x H)	22.3 x 28.6 x 32.3 in
Weight	63.0 kg
Weight	138.9 lb
Power consumption	606 watts (active printing), 38 watts (ready), 10 watts (sleep), 0.01 watts (Auto Off), 0.01 watts (Manual Off)
Power supply type	Internal (Built-in) power supply
What's in the box	Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Hardware install and setup documentation; Support flyers ^[2]

Services (Care Pack)

Contact your Contractual Vendor or HP offers free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support and extended warranty period offerings.

Warranty

90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	Cabinet Workgroup Y1G17A, Dual Cassette Feeder (2x520) Workgroup Y1F97A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Inner Finisher & Booklet Maker Staples Y1G13A, Job Separator WG Y1G15A, Tray Heater Y1G22A, 2nd exit Y1G23A, FiH USB Foreign Interface Harness B5L31A, Two internal USB ports for solutions B5L28A, HP Secure High Performance Hard Disk Drive B5L29A, HP JetDirect USB Wireless Print Server J8031A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A, HP MFP Analog 700 Fax Accessory 2EH31A, HP JetDirect 3100w BLE/NFC/Wireless Accy 3JN69A, HP 2GB DDR3x32 144-Pin 800MHz SODIMM E5K49A, HP Legic Card Reader 4QL32A, HP HIP2 Keystroke Reader Y7C05A, HP MFP Analog Fax 701 Fax Accessory 5UT59A(Available at June 2019), HP LaserJet Hard Disk Drive 5YP34A(Available at June 2019)
Acoustic power emissions (active, printing)	6.5 Bel(A), printing mono simplex, A4 at 25 ppm 6.6 B(A), printing mono simplex, A4 at 30 ppm
Acoustic power emissions (ready)	Inaudible
Acoustic pressure emissions bystander (active, printing)	50 dB(A), printing mono simplex, A4 at 25 ppm 51 dB(A), printing mono simplex, A4 at 30 ppm
Acoustic pressure emissions bystander (ready)	Inaudible
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	Yes
Best technical electricity consumption (TEC)	1.197 kWh/week
Best technical electricity consumption (TEC) footnote	Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
Bit depth	24-bit
Bottom margin (A4)	4.23 mm
Cable included	No, please purchase USB cable separately (EMEA, Americas; AP) (Service Technician must install units)
Certifications and compliances	UL/cUL (US/Canada), ACA (Australia), TUV and GS Mark (Germany), Department of Industrial Standards of Cambodia, Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan), Certificate for China Compulsory Product Certification - CCC (China), Bureau of Indian Standards - BIS Registration (India), PSB Singapore, Eastern European country approvals, CE Marking and other Safety & EMC certification approvals as required by individual countries
Color scanning	Yes

Compatible Network Operating Systems

Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <http://citrixready.citrix.com>, Linux- For more information see <http://developers.hp.com/hp-linux-imaging-and-printing>, Unix- For more information see <http://hp.com/go/unixmodelscripts>, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see <http://hp.com/go/upd>

Control panel

9.0-in (22.8 cm) functional touchscreen with 8-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; Tilting (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket

Copier scaling (ADF)

25 to 200%

Copier settings

Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview

Copies, maximum

Up to 9999 copies

Copy reduce / enlarge settings

25 to 400%

Copy resolution (black text)

Up to 600 x 600 dpi

Count of cartons per pallet layer

1

Count of layers in pallet

1

Country of origin

Made in China

Datasheet photo 4

Publication photos/E72430 Walkaround.jpg

Datasheet publication number

4AA7-4785

Distinctive ring detection supported

No

Downloadable software

From <http://123.hp.com>, HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From <http://hp.com> for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin; For Mobile OS, iOS For more information see <http://hp.com/go/businessmobileprinting>; Android For more information see <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, ReadIris

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <http://www.hp.com/support/ljE72425MFP>; Outside the US, go to <http://www.hp.com/support> 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD

Duplex ADF scanning	Yes
Electromagnetic compatibility	CISPR22: 2008 (International) CISPR 32: 2012/EN 55032: 2012 Class A, EN 61000-3-2: 2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU with CE Marking (Europe), FCC 47CFR Part 15 Class A/ICES-003, Issue 6 Class A, Other EMC approvals as required by individual countries
Enhanced scanning resolution	Up to 600 x 600 dpi
Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax Auto Redial	Yes
Fax Broadcast Locations	210
Fax PC Interface Supported	Yes
Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 1000 numbers (each with 210 destinations)
Fax Transmission Speed	33.6 kbps
Fax delayed sending	No
Fax forwarding	Yes
Fax memory	Up to 500 pages
Fax memory	Up to 500 pages
Fax phone TAM interface supported	No
Fax resolution black	Up to 203 x 196 dpi
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page
File Format Supported	CSV; HTML; JPG; MTIFF; PDF; PDF/A; RTF; Text; TIFF; Unicode Text; XPS; XML
Finished output handling	Stapling; hole punching (with optional output device)
Fonts and typefaces	84 scalable TrueType fonts
Input capacity	Up to 1140 sheets (75gsm); (MP Tray: up to 100 sheets; Tray 2 & 3: up to 520 sheets)

Internal Storage	Standard two 16 GB encrypted eMMCs (one is located on formatter board for stored jobs and solutions. Another one is located on ECB for copy/scan function); Optional HP High-Performance Secure Hard Disk; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk), Optional 500 GB Hard Disk (located on ECB for copy/scan functions). ECB: Engine Controller Board
Junk fax barrier	Yes
Left margin (A4)	4.23 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	7.25 GB (Std. Memory + Opt. 2 GB)
Maximum dimensions (W x D x H)	935 x 1113 x 1212 mm
Maximum dimensions (W x D x H)	36.8 x 43.8 x 47.7 in
Maximum input capacity (sheets)	Up to 2180 sheets (75gsm); (MP Tray: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets)
Maximum output capacity (sheets)	Up to 550 sheets
Maximum print area	288.5 x 423.6 mm
Media size (ADF)	Legal, Oficio, Executive, Statement, Ledge, A3, A4, A4R, A5, B4, B5, 16K, 148 x 148 mm (5.8 x 5.8 in) to 297 x 432 mm (11.7 x 17 in)
Media size, tray 1	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Dpostcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL
Media size, tray 2	Tray 2: A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k
Media size, tray 3	Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Dpostcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k
Media sizes, custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
Media sizes, custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in
Media type and capacity, ADF	Sheets: 100 (75 gsm)
Media type and capacity, tray 1	Sheets: 100 (75gsm); envelopes: 10
Media type and capacity, tray 2	Sheets: Up to 520 sheets (75 gsm)
Media type and capacity, tray 3	Sheets: Up to 520 (75 gsm)

Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored
Media weight (tray 1)	60 to 176 g/m ²
Media weight (tray 2)	60 to 220 g/m ²
Media weight (tray 3)	60 to 220 g/m ²
Media weight, supported	Tray 1: 60 to 176 g/m ² ; Tray 2, 3: 60 to 220 g/m ²
Media weight, supported	Tray 1: 16 to 46 lb bond; Tray 2, 3: 16 to 58 lb bond
Media weights, supported ADF	16 to 34 lb
Media weights, supported ADF	60 to 128 g/m ²
Memory	4.25 GB (Formatter 1.25 GB + ECB 3 GB)
Memory Slots	1 slot, 144-pin, DDR3 DIMM
Memory footnote	Maximum Memory can be expanded to 7.25 GB (System memory) by adding optional memory module. 2 GB Memory DIMM Kit (E5K49A) can be purchased separately.
Memory upgrade	Expandable to 7.25 GB DDR DRAM when 2 GB memory modules become available
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
Number of print cartridges	1 (black)
Number of users	10-30 Users
Operating humidity range	20 to 80% RH
Operating temperature range	15 to 30°C
Operating temperature range	59 to 86°F
Orderable supplies	HP Black Managed LJ Toner Cartridge W9025MC, HP Black Managed LJ Imaging Drum W9006MC, HP Managed LJ Waste Container W9007MC, HP LaserJet 110V Fuser Z9M06A, HP LaserJet 220V Fuser Z9M07A, Developer Unit (K) Z9M05A, Transfer Roller Assembly Z9M08A, HP LaserJet Trays 2-x Rollers Z7Y83A, HP LaserJet MP Roller Z7Y88A, HP LaserJet ADF Pick Roller 3KR69A, HP LaserJet ADF Separation Pad 3KR68A
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	29.9 x 35.0 x 40.5 in
Package dimensions (W x D x H)	760 x 890 x 1029 mm
Package weight	175.3 lb
Package weight	79.5 kg
Pallet dimensions	29.9 x 35.0 x 40.5 in
Pallet dimensions (W x D x H)	760 x 890 x 1029 mm
Paper handling input, optional	Optional 2 x 520 sheet input tray

Paper handling input, standard	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 100 sheet ADF
Paper handling output, standard	500 sheet face-down output bin
Paper trays, maximum	5
Paper trays, standard	3
Power	Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi reduced speed
Print technology	Laser
Printer Management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Processor speed	1.2 GHz
Product long name specifications	HP LaserJet Managed MFP E72425-E72430dn - Base Product 25-30ppm
Quantity per pallet	1
RMN number	BOISB-1602-00
Recommended media weight (duplex)	16 to 47 lb
Recommended media weight (duplex)	60 to 176 g/m ²
Recommended monthly page volume	Up to 40,000
Recommended operating humidity range	20 to 80% RH
Recommended operating temperature range	15 to 30°C
Recommended operating temperature range	59 to 86°F
Resolution	600 dpi
Resolution (black and white, standard mode)	203 x 98 dpi
Resolution (black and white, superfine mode)	Up to 203 x 392 or 300 x 300 dpi
Resolution (black photo grayscale)	300 x 300 dpi (400 x 400 dpi for received faxes only)
Right margin (A4)	4.23 mm

Safety

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; EN 62471:2008/IEC62471:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries

Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 x 600 dpi
Scan size (ADF), maximum	11.7 x 17.2 in
Scan size (ADF), maximum	297 x 437 mm
Scan size (ADF), minimum	148 x 210 mm
Scan size (ADF), minimum	5.5 x 8.5 in
Scan size, maximum	297 x 432 mm
Scan size, maximum	11.7 x 17.2 in
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Standard media sizes (duplex)	A3; A4; A5; 8K; 16K; B4; B5; Oficio; RA4; SRA4; A4R; B5 (JIS); B4 (JIS)
Standard media sizes (duplex, imperial)	Letter; Statement; Legal; Letter-R; Executive; Oficio; 11x17; 8K; 16k
Standard output capacity (envelopes)	Up to 40 envelopes
Storage temperature range	14 to 104°F
Storage temperature range	-10 to 40°C
SureSupply supported	Yes
Target user and print volume	For teams over 25 users; Prints up to 40,000 pages/month
Tariff numbers	8443310000
Technology logo, print 1	Publication logos/AMS_EnergyStar.jpg
Technology logo, print 2	Publication logos/AMS_windows_10.jpg
Technology logo, print 3	Publication logos/AMS_mac_hires.jpg
Technology logo, print 4	Publication logos/AMS_AirPrint.jpg
Technology logo, print 5	Publication logos/AMS_Epeat silver.jpg
Technology logo, print 6	Publication logos/AMS_Mopria.jpg
Telephone handset supported	No
Top key features	Scan to email; Scan to PDF; Two-sided printing; Two-sided scanning; 100-sheet ADF
Top margin (A4)	4.23 mm

Twain version	Version 2.1
Typical electricity consumption (TEC) number	BA: 1.197 (kWh/week); ES: 1.208 (kWh/week)
UPC number	(5CM68A#AB0) 193424302710; (5CM68A#ABT) 193424302765; (5CM68A#ABY) 193424302772; (5CM68A#AC4) 193424302826; (5CM68A#AC8) 193424302833; (5CM68A#ACJ) 193424302734; (5CM68A#ACQ) 193424302789; (5CM68A#AKV) 193424302840; (5CM68A#B13) 193424302796; (5CM68A#B19) 193424302802; (5CM68A#BAZ) 193424302819; (5CM68A#BBU) 193424302741; (5CM68A#BGJ) 193424302857; (5CM68A#BGM) 193424302758
Warm-up time	150 sec
Waste electrical and electronic weight	79.5 kg
Web address for additional information	http://www8.hp.com/us/en/printers/a3-multifunction.html

[2] No, please purchase USB cable separately (EMEA, Americas, AP) (Service Technician must install units).

[3] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A

HP Professional Laser Paper

HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN05A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Glossy Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CG964A
HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

HP W9025MC Black Managed LaserJet Toner Cartridge	W9025MC
---	---------

Services

HP Care Pack Services

Imaging and Printing Commercial Care Pack Services

HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Fuser 220	U9PJ4E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Fuser 110	U9PJ3E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Kit 2 - AMS	UA5F8E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Kit 1	UA5F6E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Transfer Roller	U9PJ7E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer Black Imaging Drum	U9PJ9E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer ADF/Tray2 GX	U9PJ6E
HP Maintenance Kit Replacement Svc for LaserJet E725xx Multi Function Printer Black Developer Unit	U9PJ8E
HP Maintenance Kit Replacement Service for LaserJet E725xx Multi Function Printer ADF/Tray2 LX	U9PJ5E
HP 3 year Parts Exchange Service for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4T7E
HP 5 year Parts Exchange Service for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4T9E
HP 2 yr Post Wty Parts Exchange SVC for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4U5PE
HP 4 year Parts Exchange Service for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4T8E
HP 1 yr Post Wty Parts Exchange SVC for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4U4PE
HP 1 year Parts Exchange Service for LaserJet Managed MFP E724xx-E727xx (Managed Component Only)	UB4T6E

Imaging and Printing Hardware Support Onsite Svc

HP 3 year 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx	UB4T3E
HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx	UB4U0PE
HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx	UB4U3PE

HP 3 year Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T0E

HP 2 year Post Warranty Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4U1PE

HP 4 year Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T1E

HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4U2PE

HP 1 year Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4S9E

HP 5 year Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T2E

HP 5 year 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T5E

HP 4 year 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T4E

HP 3 year Next Business Day w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T0E

HP 3 year 4 hour 9x5 w/DMR Service for LaserJet Managed MFP E724xx-E727xx UB4T3E

Accessories

Paper Handling

Fax Upgrades

HP MFP Analog Fax Accessory 700	2EH31A
---------------------------------	--------

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A
----------------------	--------

HP Accessibility Assistant	2MU47A
----------------------------	--------

Data Security Accessories

HP Removable Hard Drive Enclosure	2NR12A
-----------------------------------	--------

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
---	--------

HP Jetdirect 2900nw Print Server	J8031A
----------------------------------	--------

HP Jetdirect 3000w NFC/Wireless Accessory	J8030A
---	--------

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk	B5L29A
--------------------------------------	--------

PC SATA Hard Drives

HP 5YP34A Laser HDD Accessory	5YP34A
-------------------------------	--------

Memory

DDR3 Memory

HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A
---	--------

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A
--	--------

HP 2GB 144-Pin DDR3 TAA Version DIMM	2NR09A
--------------------------------------	--------

Security and Protection

Smart Cards and SmartCard Readers

HP Universal USB Proximity Card Reader

X3D03A

Cables/Cable Kits/Cable Adapters

Port Cables and Cable Adapters

HP Internal USB Ports

B5L28A

Printer Cables

HP Foreign Interface Harness

B5L31A

Disclaimer — Copyright

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

Generated by Dynamic Collateral Tool – (us-en) – Feb 28, 2020 5:38 AM UTC+0000