HP PageWide Enterprise Color Flow **MFP 785zs**



Modern business demands forward-thinking technology—it's why HP engineered the next generation of HP PageWide Enterprise to deliver a competitive edge from every angle: lowest color cost, maximum uptime, and the industry's strongest security.


Professional mode speed: Up to 55 ppm black; Up to 55 ppm

Scan resolution: Up to 600 ppi Hardware; Up to 600 ppi Optical

Copy resolution: Black (text and graphics): Up to 600×600 dpi; Up to 600×600 dpi; Up to 600×600 dpi; Color (text and graphics): Up to 600

Standard connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Wireless 802.11b/g/n; 1 Bluetooth Low Energy; 1 RJ-11 modem port/phone line

Paper handling: 100-sheet multipurpose tray, 4 550-sheet input trays; 500-sheet output bin, 350-sheet stapler stacker















The lowest cost for color

- Get the quality you expect with HP PageWide Technology that delivers the lowest cost per color page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.
- Print even faster—and save even more per page—by setting this printer to General Office mode.4
- Help keep energy costs down with the most efficient MFP in its class.5

Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide device designed for the least maintenance in its class.6
- Print speeds up to 50% faster than competitors—as fast as 75 ppm in color and black-and-white.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.8

The world's most secure printing²

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.9
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more guickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.



Lowest cost per color page claim applies to devices that are not sold under contract; Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs Lowest cost per color page claim applies to devices that are not sold under contract: Compansion of HP PageWide A3 devices with the majority of in-class color ink/laser MHPs (53000-57499), and color ink/laser single function printers (51500-52999) as of January/February 2017, market share as reported by IC as of Q4 2016. Cost per page (CPP) reported by gap intelligence Pricing & Promotions Report January/February 2017, comparisons for devices/supplies not sold under contract are based on published specifications of the manufacturers' highest-capacity cartridges, inclusive of long life consumables and page yield. Average HP yield based on ISO/IEC 24711 and continuous printing in default mode. Actual yield varies based on content of printed pages and other factors. For more information, see http://www.hp.com/go/PageWideClaims² Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ³ High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies ⁴ Comparison based on printing in Professional Mode. ⁵ Energy claim based on TEC data reported on energystar.gov as of March 2017. Data normalized to determine energy efficiency of in-class A3 color laser printers (\$1500-\$2999) and MFPs (\$3000-\$7499) as of February 2017, excluding other HP PageWide products. Subject to device settings. Actual results may vary. ⁶ Fewer service parts claim based on BLI analysis of leading in-class A3 MPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at http://www.hp.com/go/pagewideclaims ⁷ Comparison of HP PageWide A3 devices with the majority of in-class color ink/laser MFPs (\$3000-\$7499 and £2820-£7049), and color ink/laser single function printers (\$1500-\$2999 and £1410-£2819) as of April 2017; market share as reported by IDC as of Q4 2016, excluding other HP PageWide products. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.HP.com/go/printerspeeds Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com 9 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity 10 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP PageWide Enterprise Color Flow MFP 785zs Specifications Table

Print Speed	Letter II to to EE nom block: IIn to EE nom color & Book Does Out As foot as 7.1 ass block As foot as 7.1
•	Letter : Up to 55 ppm black; Up to 55 ppm color 4 First Page Out : As fast as 7.1 sec black; As fast as 7.1 sec color 5
Print Resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Color (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)
Print Technology	HP PageWide Technology
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)
Standard Print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7
Printer Smart Software Features	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantag Security Manager; HP Web Jetadmin; Open Extensibility Platform, FutureSmart Firmwere, HP ePrint, Apple AirPrint, "HP Auto-Onfluto-Off technology, HP Color Access Control, HP EssyColor, Front-Facing USB printing, store print jobs, HP EssyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booldet printing, over pages, tray selection, scaling, Portrail/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Scan Type / Technology	Flatbed, ADF / Charge Coupled Device (CCD) & Contact Image Sensor (CIS)
Scan Resolution	Hardware: Up to 600 ppi; Optical: Up to 600 ppi
Scan File Format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn., pcl, .cht)
Scan Input Modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications
Scan Size	ADF : 11.7×17 in; Up to 11.7×34 in when "long scan size" selected Maximum; 2.7×5.8 in Minimum; Flatbed: 297×432 mm
Scan Speed	Up to 120 ipm simplex and up to 240 ipm duplex $^6 \mbox{\bf Duplex}$ Up to 120 ipm simplex and up to 240 ipm duplex
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone
Bit depth / Grayscale levels	24-bit / 256
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Copy Resolution	Black (text and graphics) : Up to 600×600 dpi; Up to 600×600 dpi; Color (text and graphics) : Up to 600×600 dpi
Maximum Number Of Copies	Up to 9999 copies
Copier Resize	25 to 400%
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage
Fax Speed	Up to: 33.6 kbps; Letter: 3 sec per page ³
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi
Fax Smart Software Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax numbe confirmation; Holiday fax schedule
Fax Features	Fax Memory. Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No: Distinctive Ring Detection Supported: No: Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No: Fax Pobling Supported: Yes; Goll to receive only!; Fax Flephone Mode Supported: No: Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PCI Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000TX network; 1 Wireless $802.11b/g/n$; 1 Bluetooth Low Energy; 1 RJ-11 modem port/phone line
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)
Wireless Capability	Yes, built-in WiFi 802.11b/g/n
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Google Cloud Print
Memory	Standard: 5632 MB; Maximum: 5632 MB
Processor Speed	1.2 GHz / Hard disk: 320 GB High-Performance Secure Hard Disk (AES 256 hardware encryption or greater; Secure erase capabilities: Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secur ATA Erase-Disk)
Duty Cycle	Monthly, letter: Up to 125,000 pages
Recommended Monthly Page Volume	2500 to 25,000 pages
Media Types Supported	Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards

Media Weight Supported	Tray 1: 16 to 58 lb, 80 lb Photo Paper Only; Trays 2 to 5: 16 to 58 lb; HCl Trays 3 & 4: 16 to 58 lb
Media Sizes Supported	Tray 1: 12 x 18, 11 x 17, Legal, Oficio, Letter, Letter-R, Executive, Executive-R, 5 x 8, 5 x 7, 4 x 6; Trays 2-5: 11 x 17, Legal, Oficio, Letter, Letter-R, Executive, Executive-R, 5 x 8, 5 x 7, 4 x 6; HQ Trays 3 & 4: Letter
Media Sizes Custom	Tray 1: 3.9×5 to 12×18 ; Tray 2-5: 8.27×5.83 to 11.70×17 ; HCI Trays $3 \& 4$: A4 $\&$ Letter Only
Paper Handling	100-sheet multipurpose tray, 4 550-sheet input trays; 500-sheet output bin, 350-sheet stapler stacker; Duplex Options : Automatic (standard); Auto Document Feeder Capacity : 200 sheets, 75 g/m²; Ervelope Feeder : No: Standard Paper Trays : 5 trays; Input Capacities : 550 + 100 + 550 x 3; Output Capacities : Up to 850 sheets, 75 g/m²
What's in the box	J7Z12A HP PageWide Enterprise Color Flow MFP 785zs; HP Setup Ink Cartridges (yield after setup -8000 pages CMY and 10000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord
Replacement Cartridges	HP 982A Black Original PageWide Crtg (10,000 yield) T0826A; HP 982A Cyan Original PageWide Crtg (8,000 yield) T082A; HP 982A Magenta Original PageWide Crtg (8,000 yield) T082A; HP 982A Wellow Original PageWide Crtg (8,000 yield) T082A; HP 982A Wellow Original PageWide Crtg (8,000 yield) T082A; HP 982X Wellow Crtg (8,000 yield) T082A; HP 982X Wagenta Original PageWide Crtg (16,000 yield) T082A; HP 982X Wagenta Original PageWide Crtg (16,000 yield) T082A; HP 982X Wellow Original Page
Product Dimensions	$\textbf{W} \times \textbf{D} \times \textbf{H}: 23.8 \times 25.7 \times 48.1 \text{ in; } \textbf{MaxImum}: 60.2 \times 40.4 \times 60.4 \text{ in (with all doors and trays open, and document feeder lifted)}$
Product Weight	268.96 lb
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Display Description	8.0 in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD)
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manualer.
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 Elapitan, UMIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8: 1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release I, 2, and 3), Citrix on Windows Server 2003/2008 R.2 GTrix on Windows Server 2003/2008 R.2 GFPI, Citrix on Windows Server 2003 R.2 GTrix MetaFrame XP. Citrix MetaFrame XP. Server 2012 and 2012 R.2 Framinal Services, 32- and 64-bit.], Citrix XenApp 5.0 (5.77.5 ffor Windows Server 2008 R.2 Framinal Services, 32- and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2008 R.2 Framinal Services, 32- and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2008 R.2 SP1 Terminal Services, 32- and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2008 R.2 SP1 Terminal Services, 32- and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2012 and 2012 ZE Terminal Services, 32- and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2012 and 2012 ZE Terminal Services, 42-and 64-bit.], Citrix XenDesktop 5.6 (7.07.7.5 ffor Windows Server 2012 and 2012 ZE Terminal Services, Vindows Server 2012 and 2012 ZE Terminal Services, Windows Server 2012 2008 R.2 6 (4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2008 R.2 6 (4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2012 (2012 ZE 4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2012 (2012 ZE 4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2012 (2013 ZE 4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2012 (2016 ZE 4-bit CSP1 SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2012 (2016 ZE 4-bit CSP1 SP2)
Minimum System Requirements Power	PC: 2 GB available hard disk space, OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
	Power Supply Type: Internal (Bullt-in) power supply, Power Requirements: Input voltage: 100 to 240 VAC, 50/66 NE; Power Consumption: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off)
Acoustics	Acoustic Power Emissions: 6.6 B(A)
Operating Environment	Operating Temperature Range: 59 to 86°C; Recommended Operating Temperature: 63 to 77°C; Storage Temperature Range: Before initial setup (Non-Purgel): -40 to 140°F; After initial setup (Purged): 32 to 140°F; If stored below the lowest specified operating temperature; unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating privature of the storage
Security Management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WIA-10 IPsec configuration Plugin, 802.1X authentication (EAP-EAP EAP-TLS), SNMP/3, HTTPS, Certificates, Access Control List, HP Trusted Plafform Module (TPM) comes standard: Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secrue Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Secrutify lock slot, USB port disablement, Hardware Integration Pocket for security solutions; 18 intrusion Detection with Red Baltoon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (GIDS integrity checking with self-healing capability) Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HI JetAdvantage Security Manager, 21 Device Security Sylog Messages processed and accessible in ArcSight and Splunk SIEMS; For more security settings go
Accessories	http://h10032.www1.hp.com/tdg/Manual/c03602120 HP PageWide 550-sheet Paper Tray ATW99A, HP PageWide 550-sheet Paper Tray and Stand W1B50A, HP PageWide 3x550-sheet Paper Tray and Stand W1B51A, HP PageWide 4000-sheet HCl Paper Tray and Stand W1B52A, HP High-Performance Secure Hard Disk B5L29A, HP Internal USB Ports B5L28A, HP Foreign Interface Harness B5L31A, HP 16 8x3-2144-pin (B00 Htz)D0R3 5001MM ESK48A, HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP LaserJet MFP Analog Fax Accessory 500 CC48TA
HP Service and Support Options	U9RJ6E - HP 3 year Next Business Day with Disk Media Retention Service; U9RJ7E - HP 4 year Next Business Day with Disk Media Retention Service; U9RJ8E - HP 5 year Next Business Day with Disk Media

Learn more at

hp.com

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. ² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ³ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.37 ⁴ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims ⁵ Exact speed varies depending on the system configuration, software application, driver and document complexity.

