Fujitsu recommends Windows 10 Pro.



# Data Sheet FUJITSU Tablet STYLISTIC V727

Your flexible business companion with a fan-less design

The FUJITSU Tablet STYLISTIC V727 is a flexible and highly durable 2 in 1 with a fan-less design, that meets the dynamic demands of today's mobile professionals. Its 31.2 cm (12.3-inch) anti-glare FHD display can be effortlessly attached to the powerful magnetic keyboard in an instant. The device comes with a Wacom AES pen and has a pen garage to hold it

## Highly durable 2 in 1 Tablet

Make the most out of your work day, whether indoors or outdoors, with a bright display and automatic backlight adjustment feature

■ Detachable 31.2 cm (12.3-inch) with magnesium display lid, Full HD Anti-glare, high luminous intensity of 450cd/m2 and an integrated ambient light sensor



Enjoy the comfort of an elegantly designed, silent computing device

■ State of the art and efficient design incorporating a fan less design

## Instant mode transformation

A device to suit your dynamic work styles, whether presenting in tablet mode or working in notebook mode, anywhere you like

Switch from a tablet into full performance notebook in an instant by attaching the back-lit keyboard with powerful magnets

### More power to you

Convenient solution for on-the-go users, who can switch batteries with ease and stay productive at all times

■ Comes with fast charging user-exchangeable battery as standard

# Be digitally creative

Take your creativity to the next level with the digital extension of your hand

 Designed with an in-built pen garage, the device ships with a Wacom AES pen with pressure levels of up to 4k









# Components

Base unit	STYLISTIC V727
Operating systems	
Operating system pre-installed	Windows 10 Pro
Processor	Intel® Core™ m3 processor 7Y30 (1.0 GHz, up to 2.6 GHz, 4 MB)
	Intel® Core™ i7-7Y75 processor (1.3 GHz, up to 3.6 GHz, 4 MB)
	Intel® Core™ i5-7Y57 processor (1.2 GHz, up to 3.3 GHz, 4 MB)
	*Processor only for retail, SMB, education and government
Hard disk drives (internal)	SSD SATA III, 1024 GB, OPAL capable
	SSD SATA III, 512 GB, OPAL capable
	SSD SATA III, 256 GB, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)
Interface add on cards/components	
(optional)	
3G/4G (optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2
Display	31.2 cm (12.3-inch),IPS,(Full HD),Anti-glare display,magnesium,1,920 x 1,280 pixel,1000:1,450 cd/m²
Multimedia	
Camera	Front camera 5 megapixel, rear camera 8 megapixel with autofocus and photo LED

# Base unit

Base unit	STYLISTIC V727
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (max.)	8 GB
Memory slots	LPDDR3 (1866 MHz)
LAN	USB to LAN (with USB to LAN adapter)
LAN notes	LAN connector via optional cradle or optional USB adapter cable
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display	31.2 cm (12.3-inch),IPS,Full HD,Anti-glare IPS touchscreen,1,920 x 1,280 pixel,450cd/m2
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.

D: I	
Display	A 1: virtic
Sensors	Ambient Light Sensor Compass
	Gyroscope
	Proximity
Brightness - typical	450cd/m2
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°
Graphics	
Base unit	STYLISTIC V727
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® HD Graphics 615
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	1 (digital)
USB 2.0 total	1
USB 3.1 Gen1 (USB 3.0) total	1
USB 3.1 Gen2 total	1 (USB Type C)
USB Type-C	1
VGA	1 (via optional cradle or optional conversion cable)
Ethernet (RJ-45)	1 (via optional cradle or optional coversion cable)
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB Speed Class: up to UHS-I
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Cradle (Charging or Functional)	
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 3.1 Gen1 (USB 3.0) total	3
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
Wireless technologies	
Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	<u>-</u>
AC adapter	19 V / 65 W (3.42 A)
ne adapter	13 17 03 11 (3.727)

Page 3 / 6

Power supply	
1st battery	Lithium Polymer battery 6-cell, 35 Wh
Runtime 1st battery	up to 10h (Productivity Workload MobileMark® 2014)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.  The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	295.2 x 209.3 x 8.9 (without magnetic keyboard) mm
Weight	from 0,77 kg
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -15 - 60 °C (5 - 140 °F)
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Product	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (buy license to activate the pre-installed Microsoft Office) McAfee Internet Security and Antivirus Software (60 days trial version)
Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 11.6 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk (optional) Trusted Platform Module (TPM 2.0)

Page 4 / 6 www.fujitsu.com/fts/tabletpc

### Security

**User Security** Embedded fingerprint sensor (optional)

Smartcard reader (optional) Hard disk password

User and supervisor BIOS password SystemLock BIOS SmartCard security

Workplace Protect (secure authentication solution)

# Warranty

Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty

Product Related Services - the perfect extension

Recommended Service X - 9x5, Onsite Response Time: Next Business Day

Service Weblink htttp://ts.fujitsu.com/Supportservice

# Recommended Accessories

USB to VGA Conversion Cable



The FUJITSU USB to VGA Conversion Cable enables you to view content from Order Code: your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

S26391-F1418-L810

LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code: S26391-F1418-L840

STYLISTIC Cradle



Get better efficiency, flexibility and expandability with the STYLISTIC cradle. Order Code: The cradle is the perfect docking solution for your STYLISTIC device, whether S26391-F3147-L100 in the office or at home, it takes just a second to attach your device to the cradle and get connected to peripherals such as an external display, keyboard and mouse. Your workplace is simple and tidy while you are ready to work with your Fujitsu device.

AES Pen with replacement stylus tips



Take your creativity to the next level, with the most natural pen experience Order Code: with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen.

S26391-F3149-L500

# More information

### Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC V727, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

## Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

## **Computing Products**

www.fujitsu.com/global/products/computing/

### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC V727, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



# Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html

Copyright 2018 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2018-05-07 EM-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html
Copyright 2018 Fujitsu Technology Solutions GmbH