



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় অফিস



মুজিববর্ষের দর্শন

টেকসই শিল্পায়ন।

বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩।

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com, Website: www.bsti.gov.bd

**No. Rai-81/22**

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) **Registration no** : **DHAKA-METRO-<sup>DHA</sup>TA-42-0036**  
b) **Chassis no** : MAT373018G2R22072
02. Name and Address of the owner : MD. ROBIUL ISLAM SARDER, C/O-LATE MOMIN UDDIN SARDER MOLLA PARA, RAJSHAHI COURT, RAJPARA, RAJSHAHI.

03.	Total tank length (outside)	Left : 5489		Right : 5489
04.	Tank chamber length (inside left & right side)	Front : 1820	Middle : 1818	Rear : 1825
05.	Tank axis (rear)	Major : 2296		Minor : 1665
06.	Distance of front dip hole from front end	: 880		
07.	End to end distance between front and middle dip hole	: 2022		
08.	End to end distance between middle and rear dip hole	: 1790		
09.	Distance of rear dip hole from rear end	: 692		
10.	Dip hole pipe length	Front : 1675	Middle : 1703	Rear : 1707
11.	Dip hole pipe diameter (internal)	Front : 40	Middle : 39	Rear : 39
12.	Dip hole collar height	Front : 107/108	Middle : 101/100	Rear : 93/92
13.	<b>Dip hole gross height</b>	<b>Front : 1752 F/R</b>	<b>Middle : 1747 F/R</b>	<b>Rear : 1750 F/R</b>
14.	Datum plate (length & breadth)	Front : 102×99	Middle : 82×79	Rear : 122×110
15.	Datum plate top height from tank bottom	Front : 05	Middle : 07/06	Rear : 05/07
16.	No. Of leaf spring a) Front b) Rear	Left : 13 Left : 20	Right : 13 Right : 20	
17.	Wheel	a) Size : 10.00-20	b) Pressure : 12.5 kg/cm <sup>2</sup>	
18.	<b>Date of calibration</b>	: <b>02.03.2022</b>	{ 'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী	
19.	<b>Validity</b>	: <b>01.03.2023</b>	ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন,	
20.	<b>Next calibration date</b>	: <b>02.03.2023</b>	পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ	
			দণ্ডনীয় }	

## CALIBRATION CHART

Quantity in litre	Front chamber dip in mm.	Middle chamber dip in mm.	Rear chamber dip in mm.	Notes / Remarks
500	230	216	216	a) Calibration has been done with water and dip taken by mm dip rod.
1000	380	365	365	
1500	511	497	496	b) During calibration front and middle chamber's outlet valve were closed and rear chamber outlet valve was opened.
2000	638	622	618	
2500	756	742	736	
3000	887	862	852	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018'.
3500	998	982	970	
4000	1122	1103	1090	
<b>4500</b>	<b>1253</b>	<b>1237</b>	<b>1216</b>	

**N.B.** All dimensions are in mm.

**Calibrated by**

*Utpal Kumer*  
02-03-2022

**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

*Md. Zulfikar Ali*  
02.03.2022

**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

**Certified by**

*Md. Selim Reza*  
02.03.2022

**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইন্সটিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় কার্যালয়, রাজশাহী : বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, ৮৬০৮৭৭, ০৭২১-৭৬২১১৫ E-mail: [rajshahi@bsti.gov.bd](mailto:rajshahi@bsti.gov.bd) ; [bsti\\_raj@yahoo.com](mailto:bsti_raj@yahoo.com) Website: <http://www.bsti.gov.bd>



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

No. Raj-82/22

## TANK LORRY CALIBRATION CERTIFICATE

01. Tank Lorry: a) Registration No : **DHAKA-DA-4822**  
b) Chassis No : **EJR3BEN-100768**
02. Name and address of the owner : **MR. NIKIL SARKAR, S/O-AJIT KUMAR SARKAR, KALITOLA, NAOGAON.**

03.	Total tank length (outside)	Left: 4717	Right: 4717
04.	Tank chamber length (inside left & right side)	Front: 2355	Rear: 2345
05.	Tank axis (rear)	Major: 1997	Minor: 1384
06.	Dip hole pipe diameter (inside)	Front: 42	Rear: 42
07.	Distance of front dip hole from front end	1164	
08.	End to end distance between dip hole	1164	
09.	Distance of rear dip hole from rear end	2409	
10.	Dip hole pipe length	Front: 1268	Rear: 1268
11.	Dip hole collar height	Front: 68/65	Rear: 73/70
12.	<b>Dip hole gross height</b>	<b>Front: 1423</b>	<b>Rear: 1434</b>
13.	Datum plate (length & breadth)	Front: 91×88	Rear: 89/85
14.	Datum plate top height from tank bottom	Front: 05/04	Rear: 03/04
15.	No. of leaf spring: a) Front	Left: 14	Right: 14
	b) Rear	Left: 27	Right: 28
16.	Wheel	Size: 9.00-20	Pressure: 8.43 kg/cm <sup>2</sup>
17.	<b>Date of calibration</b>	<b>02.03.2022</b>	{'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয়}
18.	<b>Validity</b>	<b>01.03.2023</b>	
19.	<b>Next Calibration Date</b>	<b>02.03.2023</b>	

### Calibration Chart

Quantity in litre	Front chamber dip (in mm)	Rear chamber dip (in mm)	Notes/Remarks
500	199	206	a) Calibration done with water and dip taken by mm dip rod.
1000	331	335	
1500	442	451	
2000	554	562	b) During calibration rear chamber's outlet valve were closed and front chamber outer valve was opened.
2500	655	670	
3000	760	774	
3500	866	883	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018'.
4000	979	998	
<b>4500</b>	<b>1103</b>	<b>1127</b>	

**N.B.** All Dimensions are in mm.

Calibrated by

02.03.2022

**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

02.03.2022

**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

02.03.2022

**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

বিভাগীয় কার্যালয়, রাজশাহী : বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, ৮৬০৮৭৭, ০৭২১-৭৬২১১৫ E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com Website: http://www.bsti.gov.bd

No. Raj-83/22

## TANK LORRY CALIBRATION CERTIFICATE

01. Tank Lorry: a) Registration No: RAJSHAHI-TA-4964  
b) Chassis No : 23587  
02. Name and address of the owner: SREE RAMCHANDRA SAHA, PABA, RAJSHAHI.

03.	Total tank length (outside)	Left: 4826	Right: 4826
04.	Tank chamber length (inside left & right side)	Front: 2345	Rear: 2470
05.	Tank axis (rear)	Major: 2000	Minor: 1382
06.	Dip hole pipe diameter (inside)	Front: 42	Rear: 42
07.	Distance of front dip hole from front end	1261	
08.	End to end distance between dip hole	1419	
09.	Distance of rear dip hole from rear end	2067	
10.	Dip hole pipe length	Front: 1252	Rear: 1251
11.	Dip hole collar height	Front: 74/75	Rear: 82/81
12.	Dip hole gross height	Front: 1420	Rear: 1423/1424
13.	Datum plate (length & breadth)	Front: 160×149	Rear: 160/150
14.	Datum plate top height from tank bottom	Front: 21/22	Rear: 23
15.	No. of leaf spring: a) Front b) Rear	Left: 18 Left: 27	Right: 19 Right: 28
16.	Wheel	Size: 9.00-20	Pressure: 8.43 kg/cm <sup>2</sup>
17.	Date of calibration	02.03.2022	{'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয়}
18.	Validity	01.03.2023	
19.	Next Calibration Date	02.03.2023	

### Calibration Chart

Quantity in litre	Front chamber dip (in mm)	Rear chamber dip (in mm)	Notes/Remarks
500	188	190	a) Calibration done with water and dip taken by mm dip rod. b) During calibration rear chamber's outlet valve were closed and front chamber outer valve was opened. c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018'.
1000	322	314	
1500	442	426	
2000	556	529	
2500	664	631	
3000	773	732	
3500	887	835	
4000	1004	939	
<b>4500</b>	<b>1139</b>	<b>1052</b>	

N.B. All Dimensions are in mm.

Calibrated by

02.03.2022

**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

02.03.2022  
**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

02.03.2022

**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়  
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার  
বিভাগীয় অফিস



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩।

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬. E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com, Website: www.bsti.gov.bd

No. Raj-84/22

## TANK LORRY CALIBRATION CERTIFICATE

01. Tank Lorry: a) Registration No : **Raj-Metro-Dha-41-0009**  
b) Chassis No : 37314445R13133  
02. Name and address of the owner : Md. Robiul Islam, C/O- Late Momin Uddin Sarder, Molla Para.  
Rajshahi Court, Rajpara, Rajshahi.

03.	Total tank length (outside)	Left: 5189		Right: 5189
04.	Tank chamber length (inside left & right side)	Front: 1730	Middle: 1720	Rear: 1726
05.	Tank axis (rear)	Major: 2315		Minor: 1782
06.	Distance of front dip hole from front end	990		
07.	End to end distance between front and middle dip hole	1762		
08.	End to end distance between middle and rear dip hole	1800		
09.	Distance of rear dip hole from rear end	850		
10.	Dip hole pipe length	Front: 1776	Middle: 1778	Rear: 1776
11.	Dip hole pipe diameter (inside)	Front: 53	Middle: 53	Rear: 53
12.	Dip hole collar height	Front: 123 F/R	Middle: 117/116	Rear: 125/126
13.	Dip hole gross height	Front: 1894 F/R	Middle: 1887 F/R	Rear: 1903 F/R
14.	Datum plate (length & breadth)	Front: 110 × 108	Middle: 113 × 113	Rear: 113 × 112
15.	Datum plate top height from tank bottom	Front: 09/09 F/R	Middle: 09/09 F/R	Rear: 07/07 F/R
16.	No. of leaf spring	a) Front b) Rear	Left: 17 Left: 27	Right: 17 Right: 27
17.	Wheel	a) Size: 10.00-20	b) Pressure: 11.24 Kg/cm <sup>2</sup>	
18.	Date of calibration	02.03.2022		
12.	Validity	01.03.2023 {ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারি সম্পূর্ণরূপে নিষিদ্ধ এবং আইনত দণ্ডনীয়}		
20.	Next Calibration Date	02.03.2023		

### CALIBRATION CHART

Quantity in litre	Front chamber dip (in mm)	Middle chamber dip (in mm)	Rear chamber dip (in mm)	Notes/Remarks
500	238	244	239	a) Calibration has been done with water and dip taken by mm dip rod. b) During calibration rear and middle chamber's outlet valve were closed and front chamber outer valve was opened. c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018.'
1000	395	399	394	
1500	533	537	530	
2000	664	667	660	
2500	792	797	780	
3000	915	921	904	
3500	1040	1048	1025	
4000	1168	1177	1149	
4500	1305	1313	1280	

N.B. All Dimensions are in mm.

Calibrated by

*Rafiq*

02.03.2022

Md. Rafiq Azad  
Inspector (Metrology)  
BSTI, Divisional Office, Rajshahi

*Zulfiqar Ali*

MD. ZULFIKAR ALI  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

*Selim Reza*

02.03.2022

(Engr. Md. Selim Reza)  
Director  
BSTI Divisional Office  
Rajshahi.



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়  
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার  
বিভাগীয় অফিস



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩।

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com, Website: www.bsti.gov.bd

**No. Rai-85/22**

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) Registration no : RONGPUR-TA-02-0065  
b) Chassis no : 3440736413  
02. Name and Address of the owner : User:- Md. Miraj Ali, Nukali, Shahzadpur, Sirajgonj.

3.	Total tank length(outside)	Left : 5665		Right : 5665
4.	Tank chamber length (inside left & right side)	Front : 1895	Middle: 1890	Rear : 1895
5.	Tank axis (rear)	Major : 2230		Minor : 1620
6.	Distance of front dip hole from front end	: 1250		
7.	End to end distance between front and middle dip hole	: 1220		
8.	End to end distance between middle and rear dip hole	: 1810		
9.	Distance of rear dip hole from rear end	: 1240		
10.	Dip hole pipe length	Front : 1595	Middle : 1600	Rear : 1600
11.	Dip hole pipe diameter (inside)	Front : 54	Middle : 52	Rear : 52
12.	Dip hole collar height	Front : 99	Middle : 102/100	Rear: 99
13.	Dip hole gross height	Front: 1696/1697	Middle : 1696 F/R	Rear : 1694 F/R
14.	Datum plate (length & breadth)	Front : 140×140	Middle : 140×140	Rear : 140×140
15.	Datum plate top height from tank bottom	Front : 10	Middle : 10	Rear : 09
16.	No. of leaf spring	a) Front	Left : 20	Right : 20
		b) Rear	Left : 32	Right : 32
17.	Wheel	: (a) Size : 10.00-20		b) Pressure : 10.5kg/cm <sup>2</sup>
18.	Date of calibration	: 03.03.2022	{'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয় }	
19.	Validity	: 02:03.2023		
20.	Next calibration date	: 03.03.2023		

### CALIBRATION CHART

Quantity in litre	Front chamber dip (in mm).	Middle chamber dip (in mm).	Rear chamber dip (in mm).	Notes / Remarks
500	191	215	216	a) Calibration has been done with water and dip taken by mm dip rod.
1000	335	360	361	
1500	464	490	485	b) During calibration front and middle chamber's outlet valve were closed and rear chamber outlet valve was opened.
2000	585	618	607	
2500	706	736	725	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018'.
3000	825	860	842	
3500	943	982	981	
4000	1062	1107	1080	
4500	1186	1240	1202	
5000	1324	1388	1340	

N.B. All dimensions are in mm.

Calibrated by

03.03.2022

**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

Supervised by

03.03.2022

**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

03.03.2022

**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.



বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় অফিস



মুজিববর্ষের দর্শন

টেকসই শিল্পায়ন।

বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩।

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com, Website: www.bsti.gov.bd

**No. Rai-86/22**

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) **Registration no : DHAKA-METRO-TA-02-0063**

b) Chassis no : 364073R5R16419

02. Name and Address of the owner : MD. ABUL KALAM AZAD, S/O- AL HAZ AMZAD ALI,  
CHORA CHITHULIEA, SHAZADPUR, SIRAJGONJ.

3.	Total tank length(outside)	Left : 5205		Right : 5205
4.	Tank chamber length (inside left & right side)	Front : 1735	Middle: 1720	Rear : 1742/1740
5.	Tank axis (rear)	Major : 2204		Minor : 1730
6.	Distance of front dip hole from front end	: 1000		
7.	End to end distance between front and middle dip hole	: 1751		
8.	End to end distance between middle and rear dip hole	: 1771		
9.	Distance of rear dip hole from rear end	: 985		
10.	Dip hole pipe length	Front : 1737	Middle : 1819	Rear : 1666
11.	Dip hole pipe diameter (inside)	Front : 43	Middle : 43	Rear : 43
12.	Dip hole collar height	Front : 105/104	Middle : 110/108	Rear : 105
13.	<b>Dip hole gross height</b>	<b>Front : 1823 F/R</b>	<b>Middle : 1843/1844</b>	<b>Rear : 1829 F/R</b>
14.	Datum plate (length & breadth)	Front : 95×95	Middle : 98×94	Rear : 94×92
15.	Datum plate top height from tank bottom	Front : 04/05	Middle : 06/07	Rear : 07/05
16.	No. of leaf spring	a) Front b) Rear	Left : 23 Left : 35	Right : 23 Right : 35
17.	Wheel	: (a) Size : 10.00-20 b) Pressure : 11.00 kg/cm <sup>2</sup>		
18.	<b>Date of calibration</b>	<b>: 03.03.2022</b>	{ 'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী ক্যালিব্রেশনের	
19.	<b>Validity</b>	<b>: 02.03.2023</b>	মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে	
20.	<b>Next calibration date</b>	<b>: 03.03.2023</b>	নিষিদ্ধ এবং আইনতঃ দণ্ডনীয় }	

## CALIBRATION CHART

Quantity in litre	Front chamber dip (in mm).	Middle chamber dip (in mm).	Rear chamber dip (in mm).	Notes / Remarks
500	226	233	225	a) Calibration has been done with water and dip taken by mm dip rod.
1000	375	385	284	b) During calibration Front chambers outlet valves were closed and rear Chamber outlet valve was opened.
1500	512	523	510	
2000	644	663	635	
2500	774	790	765	
3000	907	921	892	
3500	1036	1052	1020	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Law, 2018'.
4000	1167	1180	1142	
<b>4500</b>	<b>1303</b>	<b>1319</b>	<b>1273</b>	

**N.B. All dimensions are in mm.**

**Calibrated by**

03.03.2022  
**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

**Supervised by**

03.03.2022  
**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

**Certified by**

03.03.2022  
**Director**  
BSTI Divisional Office  
Rajshahi.  
(Engr. Md. Selim Reza)



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় অফিস

বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩।

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com, Website: www.bsti.gov.bd



মুজিববর্ষের দর্শন

টেকসই শিল্পায়ন।

**No. Raj. 87/22**

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) Registration No. :DHAKA-METRO-TA-14-8328

b) Chassis No : 37314495B100436

02. Name and Address of the owner : A/C-Nitol Motors(Pvt.) Ltd. Dhaka.

M/S-Nahar Garden Filling Station, Rabna Bypass, Tangail.

03.	Total tank length (outside)	Left : 5074		Right : 5074
04.	Tank chamber length (inside left & right side)	Front : 1682L/R	Middle : 1672L/R	Rear : 1680 L/R
05.	Tank axis (rear)	Major : 2187		Minor : 1727
06.	Distance of front dip hole from front end	885		
07.	End to end distance between front and middle dip hole	1740		
08.	End to end distance between middle and rear dip hole	1703		
09.	Distance of rear dip hole from rear end	835		
10.	Dip hole pipe length	Front : 1546	Middle : 1550	Rear : 1550
11.	Dip hole pipe diameter (internal)	Front : 41	Middle : 42	Rear : 43
12.	Dip hole collar height	Front : 75F 76R	Middle : 79F 77R	Rear : 77F/R
13.	Dip hole gross height	Front : 1791 F/R	Middle : 1784F/R	Rear: 1788F/R
14.	Datum plate (length & breadth)~	Front : 100×100	Middle : 100×100	Rear : 100×100
15.	Datum plate top height from tank bottom	Front : 07F 06R	Middle : 07F 06R	Rear : 08F 06R
16.	No. Of leaf spring	a) Front c) Rear	Left : 17 Left : 25	Right : 17 Right : 25
17.	Wheel	a) Size : 10.00-20	b) Pressure : 10.5 kg/cm <sup>2</sup>	
18.	Date of calibration	: 03.03.2022	{'ওজন ও পরিমাপ মানদণ্ড আইন, ২০১৮' অনুযায়ী ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরিতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয়}	
19.	Validity	: 02.03.2023		
20.	Next calibration date	: 03.03.2023		

## CALIBRATION CHART

Quantity in litre	Front chamber dip in mm.	Middle chamber dip in mm.	Rear chamber dip in mm.	Notes / Remarks
500	251	256	252	a) Calibration has been done with water and dip taken by mm dip rod.
1000	412	422	417	
1500	555	574	565	
2000	690	710	705	
2500	824	847	843	b) During calibration front, middle and rear Chamber's valves were closed.
3000	954	983	977	
3500	1089	1122	1116	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under 'The Standards of Weights and Measures Ordinance, 1982'.
4000	1228	1269	1260	
<b>4500</b>	<b>1379</b>	<b>1432</b>	<b>1421</b>	

**N.B.** All dimensions are in mm.

Calibrated by

03.03.2022  
**UTPAL KUMER**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

Supervised by

03.03.2022  
**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

03.03.2022  
**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় কার্যালয়, রাজশাহী : বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, ৮৬০৮৭৭, ০৭২১-৭৬২১১৫ E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com

Website: http://www.bsti.gov.bd



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

No. Raj-88/22

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) Registration No : DHAKA METRO-TA-18-5543  
b) Chassis No : 373144E5R100360
02. Name and Address of the owner : Md. Siddik Hossan, S/O- Late- Saber Poramanik, Choto Baira, Baghabarighat, Shahjadpur, Sirajganj.

03.	Total tank length (outside)	Left : 5310	Right : 5310
04.	Tank chamber length (inside left & right side)	Front : 1780	Middle : 1785 Rear : 1735
05.	Tank axis (rear)	Major : 2270	Minor : 1710
06.	Distance of front dip hole from front end	875	
07.	End to end distance between front and middle dip hole	1780	
08.	End to end distance between middle and rear dip hole	1640	
09.	Distance of rear dip hole from rear end	890	
10.	Dip hole pipe length	Front : 1450	Middle : 1530 Rear : 1520
11.	Dip hole pipe diameter (internal)	Front : 53	Middle : 53 Rear : 53
12.	Dip hole collar height	Front : 101/102	Middle: 104 Rear : 102/100
13.	Dip hole gross height	Front : 1798/1799	Middle: 1790/1789 Rear : 1779/1780
14.	Datum plate (length & breadth)	Front : 140×135	Middle : 140×130 Rear : 135×125
15.	Datum plate top height from tank bottom	Front : 16/18	Middle : 15/16 Rear : 16/19
16.	No. Of leaf spring	a) Front b) Rear	Left : 15 Right : 15 Left : 21 Right : 21
17.	Wheel	a) Size : 10.00-20	b) Pressure : 10.5 kg/cm <sup>2</sup>
18.	Date of calibration : 04-03-2022	{ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরিতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয়}	
19.	Validity : 05-03-2023		
20.	Next calibration Date : 04-03-2023		

### CALIBRATION CHART

Quantity in litre	Front tank dip in mm.	Middle tank dip in mm.	Rear tank dip in mm.	Notes / Remarks
500	215	213	214	a) Calibration has been done with water and dip taken by mm dip rod.
1000	365	364	370	
1500	500	499	510	
2000	627	625	640	b) During calibration front & middle chamber valves were closed and rear chamber valve was opened.
2500	751	749	772	
3000	873	871	899	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under "The Standards of Weights and Measures, Law 2018.
3500	995	993	1028	
4000	1121	1121	1160	
4500	1254	1253	1301	
5000	1397	1398	1460	

**N.B.** All dimensions are in mm.

Calibrated by

04-03-22

**Md. Abul Kayem**  
Inspector (Metrology)  
BSTI Divisional Office  
Rajshahi.

04.03.2022

**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi.

Certified by

**(Engr. Md. Selim Reza)**  
Director  
BSTI Divisional Office  
Rajshahi.





# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় কার্যালয়, রাজশাহী : বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, ৮৬০৮৭৭, ০৭২১-৭৬২১১৫ E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com

Website: http://www.bsti.gov.bd



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

No. Raj-89/22

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) Registration No : Dhaka-Metro-Dha-44-0581  
b) Chassis No : MB1A2HAD0GRHS0222
02. Name and Address of the owner : Uttara Bank Ltd. A/C-Ifad Autos Ltd. Corporate BR. 47, Biruttam Shahid Ashra Kussamad Sarak 90, Motijheel Dhaka. User: Friends Petroleum Agency, Station Bazar, Natore.

03.	Total tank length (outside)	Left : 5645		Right : 5645
04.	Tank chamber length (inside left & right side)	Front : 1913	Middle : 1820	Rear : 1875
05.	Tank axis (rear)	Major : 2310		Minor : 1670
06.	Distance of front dip hole from front end	1102		
07.	End to end distance between front and middle dip hole	1853		
08.	End to end distance between middle and rear dip hole	1823		
09.	Distance of rear dip hole from rear end	932		
10.	Dip hole pipe length	Front : 1610	Middle : 1668	Rear : 1674
11.	Dip hole pipe diameter (internal)	Front : 42	Middle : 42	Rear : 42
12.	Dip hole collar height	Front : 112	Middle: 117/116	Rear : 116/115
13.	<b>Dip hole gross height</b>	<b>Front : 1770</b>	<b>Middle: 1781</b>	<b>Rear : 1764</b>
14.	Datum plate (length & breadth)	Front : 100×100	Middle : 99×99	Rear : 101×101
15.	Datum plate top height from tank bottom	Front : 08/10	Middle : 10/09	Rear : 10/09
16.	No. Of leaf spring a) Front b) Rear	Left : 14 Left : 25	Right : 14 Right : 25	
17.	Wheel	a) Size : 900-20	b) Pressure : 10.5 kg/cm <sup>2</sup>	
18.	<b>Date of calibration : 04-03-2022</b>	{ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয়}		
19.	<b>Validity : 03-03-2023</b>			
20.	<b>Next calibration Date : 04 -03-2023</b>			

### CALIBRATION CHART

Quantity in litre	Front tank dip in mm.	Middle tank dip in mm.	Rear tank dip in mm.	Notes / Remarks
500	218	232	220	a) Calibration has been done with water and dip taken by mm dip rod.
1000	364	382	362	
1500	491	512	491	b) During calibration front & middle chamber valves were closed and rear chamber valve was opened.
2000	612	636	608	
2500	724	755	724	
3000	840	874	837	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under "The Standards of Weights and Measures, Law 2018.
3500	954	992	950	
4000	1071	1115	1068	
4500	1192	1247	1189	

**N.B. All dimensions are in mm.**

Calibrated by

04-03-22

**Md. Abul Kayem**  
Inspector (Metrology)

Certified by

04-03-2022

**(Engr. Md. Selim Reza)**  
Director

04.03.2022  
**MD. ZULFIKAR ALI**  
Assistant Director (Met)  
BSTI, Divisional Office



# বাংলাদেশ স্ট্যান্ডার্ডস এন্ড টেস্টিং ইনস্টিটিউশন

শিল্প মন্ত্রণালয়

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বিভাগীয় কার্যালয়, রাজশাহী : বাইপাস সড়ক, নওদাপাড়া, সপুরা, রাজশাহী-৬২০৩

ফোন : ০২৪৭-৮৬০৮৭৪, ৮৬০৮৭৬, ৮৬০৮৭৭, ০৭২১-৭৬২১১৫ E-mail: rajshahi@bsti.gov.bd ; bsti\_raj@yahoo.com

Website: http://www.bsti.gov.bd



মুজিববর্ষের দর্শন  
টেকসই শিল্পায়ন।

No. Raj-90/22

## TANKLORRY CALIBRATION CERTIFICATE

01. Tank Lorry : a) Registration No : Dhaka-Metro-Dha-44-0582  
b) Chassis No : MBA1A2HAD7GRHS0167
02. Name and Address of the owner : Uttara Bank Ltd. A/C-Ifad Autos Ltd. Corporate BR. 47, Biruttam Shahid Ashra Kussamad Sarak 90, Motijheel Dhaka. User: Friends Petroleum Agency, Station Bazar, Natore.

03.	Total tank length (outside)	Left : 5260		Right : 5260
04.	Tank chamber length (inside left & right side)	Front : 1745	Middle : 1744	Rear : 1748
05.	Tank axis (rear)	Major : 2314		Minor : 1670
06.	Distance of front dip hole from front end	830		
07.	End to end distance between front and middle dip hole	1710		
08.	End to end distance between middle and rear dip hole	1720		
09.	Distance of rear dip hole from rear end	861		
10.	Dip hole pipe length	Front : 1677	Middle : 1670	Rear : 1675
11.	Dip hole pipe diameter (internal)	Front : 42	Middle : 42	Rear : 42
12.	Dip hole collar height	Front : 112	Middle : 114/115	Rear : 115/113
13.	Dip hole gross height	Front : 1773F/R	Middle : 1761F 1763R	Rear : 1781F 1782R
14.	Datum plate (length & breadth)	Front : 104×103	Middle : 102×101	Rear : 101×100
15.	Datum plate top height from tank bottom	Front : 07/06	Middle : 07/08	Rear : 06
16.	No. Of leaf spring a) Front b) Rear	Left : 15 Left : 26	Right : 15 Right : 26	
17.	Wheel	a) Size : 10.00-20	b) Pressure : 10.8 kg/cm <sup>2</sup>	
18.	Date of calibration : 04-03-2022	{ ক্যালিব্রেশনের মেয়াদ উত্তীর্ণ ট্যাংকলরীতে তেল উত্তোলন, পরিবহন ও ডেলিভারী সম্পূর্ণরূপে নিষিদ্ধ এবং আইনতঃ দণ্ডনীয় }		
19.	Validity : 03-03-2023			
20.	Next calibration Date : 04-03-2023			

### CALIBRATION CHART

Quantity in litre	Front tank dip in mm.	Middle tank dip in mm.	Rear tank dip in mm.	Notes / Remarks
500	235	231	234	a) Calibration has been done with water and dip taken by mm dip rod.
1000	389	387	390	
1500	527	522	525	b) During calibration front & middle chamber valves were closed and rear chamber valve was opened.
2000	654	652	651	
2500	780	779	772	
3000	905	902	896	c) Any change/manipulation of the chart or tank lorry or dip rod is a punishable offence under "The Standards of Weights and Measures, Law 2018.
3500	1030	1028	1020	
4000	1162	1157	1146	
4500	1304	1300	1280	

**N.B. All dimensions are in mm.**

Calibrated by

04-03-22  
Md. Abul Kayem  
Inspector (Metrology)

04.03.2022  
MD. ZULFIKAR ALI  
Assistant Director (Met)  
BSTI, Divisional Office  
Rajshahi

Certified by

04.03.2022  
(Engr. Md. Selim Reza)  
Director