



# HP DesignJet T1530 Printer series

Maximize workgroup productivity and enterprise security

Dual-roll 36-inch, 6-ink printer for professional-quality CAD and GIS applications



## QUALITY—Your projects, presented at their best

- Six Original HP inks produce a wide color gamut ideal for color graphics
- Original HP gray and photo black inks achieve precise line accuracy, dark blacks, and true neutral grays
- Make your architectural prints shine with professional, high-resolution graphics—opt for Adobe PostScript®
- Communicate with precision—produce plans, drawings, and maps with fine line quality, and up to 2400 dpi

## PRODUCTIVITY—Ease, efficiency empower workgroups

- Stay organized and on task—the integrated 50-page output stacking tray delivers flat, collated prints
- Two rolls help save time—easy front loading, automatic alignment; two media types/sizes, smart switching
- Print complex files fast—one A1/D in 21 sec (120 A1/D per hr), 96 GB virtual memory (based on 1.5 GB RAM)
- Print from your mobile device/USB drive with HP Mobile Printing<sup>1</sup>; add features with HP AiO Printer Remote<sup>2</sup>

## SECURITY—Enterprise compatible, IT manageable

- Enable highly unattended printing with two 300-ft (91.4-m) rolls and Original HP ink cartridges up to 300 ml
- Safeguard information with security protocols like IPSec, 802.1x, SNMPv3, PIN printing, and other options<sup>3</sup>
- Use HP Embedded Web Server and Web Jetadmin to easily manage your printer and fleet while also tracking costs
- Integrates easily with your other office devices—iOS and Android™<sup>4</sup> compatibility with HP Mobile Printing<sup>1</sup>

For more information, please visit  
[hp.com/go/designjetT1530](http://hp.com/go/designjetT1530)



<sup>1</sup> Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections). Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See [hp.com/go/designjetmobility](http://hp.com/go/designjetmobility) for more details.

<sup>2</sup> The HP All-in-One Printer Remote mobile app is available for Apple® iPad, iPhone, and iPod Touch running iOS v7.0 or later and for Android™ mobile devices running Android™ v4.4 or later. The HP All-in-One Printer Remote mobile app is available for free from the Apple® App Store for Apple® mobile devices and from the Google Play Store for Android™ mobile devices.

<sup>3</sup> Optional security solutions include Secure Disk Erase (available for all models) and Encrypted HD (available only in specific models).

<sup>4</sup> The HP Print Service Plugin app is available for Android™ mobile devices running Android™ v4.4 or later. The app is free from Google Play.

## Technical specifications

<b>Print</b>	Line drawings <sup>5</sup>	21 sec/page on A1/D, 120 A1/D prints per hour
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins (top x bottom x left x right)	Roll: 0.12 x 0.12 x 0.12 x 0.12 in (3 x 3 x 3 x 3 mm) Sheet: 0.12 x 0.87 x 0.12 x 0.12 in (3 x 22 x 3 x 3 mm)
	Technology	HP Thermal Inkjet
	Ink types	Dye-based (C, G, M, pK, Y); pigment-based (mK)
	Ink drop	6 pl (C, M, Y, G, pK); 9 pl (mK)
	Printheads	(C, G, M, mK, pK, Y)
	Line accuracy	± 0.1% <sup>6</sup>
	Minimum line width	0.0008 in (0.02 mm) (HP-GL/2 addressable)
	Guaranteed minimum line width	0.0028 in (0.07 mm) (ISO/IEC 13660:2001(E)) <sup>7</sup>
<b>Media</b>	Handling	Input: two automatic front-loading roll feeds, smart roll switching, sheet feed Output: integrated output stacking tray (from A4/A to A0/E, with up to 50 A1/D-size capacity), media bin, automatic cutter
	Size	Rolls: 11 to 36 in (279 to 914 mm) Sheets: 8.3 x 11 to 36 x 48 in (210 x 279 to 914 x 1219 mm) Standard sheets: A, B, C, D, E (A4, A3, A2, A1, A0)
	Thickness	Up to 19.7 mil (0.5 mm)
<b>Applications</b>	Line drawings, Renderings, Presentations, Maps, Orthophotos	
<b>Memory</b>	96 GB (file processing) <sup>8</sup> 500 GB hard disk	
<b>Connectivity<sup>9</sup></b>	Interfaces (standard)	Gigabit Ethernet (1000 Base-T)
	Printing languages (standard)	Basic Printer: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP-PCL3GUI, URF PostScript® Printer: Adobe PostScript 3, Adobe PDF 1.7 Extension Level 3, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP-PCL3GUI, URF
	Printing paths	Direct printing from USB flash drive, email printing, HP driver for Windows, HP driver for MAC OS X, HP Print Service for Android, Apple AirPrint driver, HP Print for Chrome OS
	Mobile printing capability <sup>10</sup>	Mobile printing via Apple AirPrint™, HP Print Service Plugin for Android, HP All-in-One Printer Remote app, and email printing. Supports printing from most smartphones and tablets using these operating systems: Android, iOS
	Drivers (included)	HP-GL/2, HP-PCL3GUI drivers for Windows and Mac OS X; PostScript drivers for Windows, Linux, and Mac OS X <sup>11</sup>
	<b>Dimensions (w x d x h)</b>	Printer
	Shipping	59.1 x 30.8 x 33.5 in (1500 x 781 x 815 mm)
<b>Weight</b>	Printer	194 lb (88 kg)
	Shipping	265 lb (120 kg)
<b>What's in the box</b>	HP DesignJet T1530 Printer, printhead, introductory ink cartridges, stacking tray, printer stand and media bin, spindles, quick reference guide, setup poster, start-up software, power cord	
<b>Environmental ranges</b>	Operating temperature	41 to 104°F (5 to 40°C)
	Storage temperature	-13 to 131°F (-25 to 55°C)
	Operating humidity	20 to 80% RH
<b>Acoustic</b>	Sound pressure	47 dB(A) (printing); 39 dB(A) (ready); <16 dB(A) (sleep)
	Sound power	6.5 B(A) (printing); 5.8 B(A) (ready); <1.9 B(A) (sleep)
<b>Power consumption</b>	120 watts (printing); 1.3 watts sleep (5 watts with embedded Digital Front End)	
	Input voltage (auto ranging)	100-240 V (± 10%), 50/60 Hz (± 3 Hz), Input Current 2 A max
<b>Certification</b>	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYPE), Korea (KATS)
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH, EPEAT Bronze
<b>Warranty</b>	One-year limited hardware warranty	



Sepialine

<sup>5</sup> Mechanical printing time. Printed in Fast mode, using HP Bright White Inkjet Paper (bond) and Original HP inks.

<sup>6</sup> ± 0.1% of the specified vector length or ± 0.2 mm (whichever greater) at 73°F (23°C), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks.

<sup>7</sup> Measured on HP Matte Film.

<sup>8</sup> Based on 1.5 GB RAM.

<sup>9</sup> Includes an HP Jetdirect Embedded Print Server.

<sup>10</sup> For more information visit: [hp.com/go/designjetmobility](http://hp.com/go/designjetmobility).

<sup>11</sup> Included with PostScript printers only.

<sup>12</sup> BMG trademark license code FSC®-C115319, see [fsc.org](http://fsc.org). HP trademark license code FSC®-C017543, see

© Copyright 2015, 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.

Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

4AA5-9760ENA, January 2017, Rev. 2

## Ordering information

<b>Product</b>	L2Y24A	HP DesignJet T1530 36-in PostScript Printer	
	<b>Accessories</b>		
	C0C66A	HP DesignJet PostScript/PDF Upgrade Kit	
	CN538A	HP DesignJet 3-in Core Adapter	
	G6H50B	HP SD Pro 44-in Scanner	
	G6H51B	HP HD Pro 42-in Scanner	
	L4R66A	HP DesignJet 36-in Spindle	
	<b>Original HP printheads</b>	B3P06A	HP 727 DesignJet Printhead
	<b>Original HP ink cartridges</b>	B3P19A	HP 727 130-ml Cyan DesignJet Ink Cartridge
		B3P20A	HP 727 130-ml Magenta DesignJet Ink Cartridge
	B3P21A	HP 727 130-ml Yellow DesignJet Ink Cartridge	
	B3P22A	HP 727 130-ml Matte Black DesignJet Ink Cartridge	
	B3P23A	HP 727 130-ml Photo Black DesignJet Ink Cartridge	
	B3P24A	HP 727 130-ml Gray DesignJet Ink Cartridge	
	C1Q12A	HP 727 300-ml Matte Black DesignJet Ink Cartridge	
	F9J76A	HP 727 300-ml Cyan DesignJet Ink Cartridge	
	F9J77A	HP 727 300-ml Magenta DesignJet Ink Cartridge	
	F9J78A	HP 727 300-ml Yellow DesignJet Ink Cartridge	
	F9J79A	HP 727 300-ml Photo Black DesignJet Ink Cartridge	
	F9J80A	HP 727 300-ml Gray DesignJet Ink Cartridge	
<b>Original HP large format printing materials</b>	C6810A	HP Bright White Inkjet Paper (FSC® certified) <sup>12</sup> <sup>13</sup> 36 in x 150 ft (914 mm x 45.7 m)	
	Q1397A	HP Universal Bond Paper (FSC® certified) <sup>12</sup> <sup>13</sup> 36 in x 150 ft (914 mm x 45.7 m)	
	Q1413B	HP Universal Heavyweight Coated (FSC® certified) <sup>12</sup> <sup>13</sup> 36 in x 100 ft (914 mm x 30.5 m)	
	Q1421B	HP Universal Satin Photo Paper (FSC® certified) <sup>12</sup> <sup>14</sup> 36 in x 100 ft (914 mm x 30.5 m)	
<b>Service and support</b>	H4518E	HP Installation Service with Network Setup	
	U1XV4E	Preventive Maintenance Service	
	U8UB3E	HP 2 year NBD* Onsite Support with DMR**	
	U8PM8E	HP 3 year NBD* Onsite Support with DMR**	
	U8UB4E	HP 4 year NBD* Onsite Support with DMR**	
	U8PM9E	HP 5 year NBD* Onsite Support with DMR**	
	U8PNOPE	HP 1 year Post Warranty NBD* Onsite Support with DMR**	
	U8UA5PE	HP 2 year Post Warranty NBD* Onsite Support with DMR**	

\* Next Business Day.

\*\* This service comes with Defective Media Retention (DMR) option that keeps your sensitive data safe. To comply with security regulations you can keep the defective hard drive or data-retentive memory component while getting a replacement disk or memory.

**HP DesignJet Support Services** offer solutions for business critical environments — installation, extended support and maintenance, as well as a variety of value-added services. For more information, please visit [hp.com/go/designjet/support](http://hp.com/go/designjet/support).

Use **Original HP inks** and printheads to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks and true neutral grays. For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

For the entire **HP Large Format Printing Materials** portfolio, please see [HPLFMedia.com](http://HPLFMedia.com).

### Eco Highlights



- ENERGY STAR® certified and EPEAT Bronze registered<sup>15</sup>
- Free, convenient HP ink cartridge and printhead recycling<sup>16</sup>
- FSC®-certified papers<sup>12</sup> and a range of recyclable HP media with a take-back program<sup>16</sup>

**Please recycle large-format printing hardware and printing supplies.**

**Find out how at our website**

[hp.com/ecosolutions](http://hp.com/ecosolutions)

[fsc.org](http://fsc.org). Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit [HPLFMedia.com](http://HPLFMedia.com).

<sup>13</sup> Can be recycled through commonly available recycling programs.

<sup>14</sup> In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.

<sup>15</sup> EPEAT registered where applicable and/or supported. See [epeat.net](http://epeat.net) for registration status by country.

<sup>16</sup> Program availability varies. Please check [hp.com/recycle](http://hp.com/recycle) for details. Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit [HPLFMedia.com](http://HPLFMedia.com).





# HP DesignJet T2530 Multifunction Printer series

**Print/scan/copy, share—maximize workgroup productivity, enterprise security**

Dual-roll 36-inch, 6-ink integrated MFP for professional-quality CAD and GIS applications



## **PROFESSIONAL—Your work in high quality, quickly**

- Present your work in precise, detailed color rendered with 6 Original HP inks including gray and photo black
- Make your architectural prints shine with professional, high-resolution graphics—opt for Adobe PostScript®
- Produce professional CAD and GIS drawings with consistent color accuracy, crisp, sharp lines, up to 2400 dpi
- Produce fast, high-quality results—get A1/D-size prints in 21 seconds (120 A1/D pages per hour)

## **PRODUCTIVE—Efficiencies help workgroups save time**

- Convenient access to single control panel for print/scan/copy enables easy, do-it-yourself operation
- Keep workgroups on task—integrated 50-page output stacking tray conveniently delivers flat, collated prints
- Two rolls provide flexibility—easy front loading, automatic alignment; two media types/sizes, smart switching
- Print from your mobile device/USB drive with HP Mobile Printing<sup>1</sup>; add features with HP AiO Printer Remote<sup>2</sup>

## **MANAGEABLE—Secure and easy-to-manage for IT**

- From upgrades to network integration, this single, integrated device requires less effort to manage<sup>3</sup>
- Gain control—initiate front panel access rules, monitor media rolls and printer status, track print jobs
- Protect your data with IPSec, NTLmV2, SNMPv3, 802.1X, PIN printing, and more security options<sup>4</sup>
- Enable unattended printing with two 300-ft (91.4-m) rolls compatible with the way you work

**For more information, please visit**  
[hp.com/go/designjetT2530](http://hp.com/go/designjetT2530)



<sup>1</sup> Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections). Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See [hp.com/go/designjetmobility](http://hp.com/go/designjetmobility) for more details.

<sup>2</sup> The HP All-in-One Printer Remote mobile app is available for Apple® iPad, iPhone, and iPod Touch running iOS v7.0 or later and for Android™ mobile devices running Android™ v4.4 or later. The HP All-in-One Printer Remote mobile app is available for free from the Apple® App Store for Apple® mobile devices and from the Google Play Store for Android™ mobile devices.

<sup>3</sup> One integrated print/scan/copy multifunction device compared to separate print, scan, copy devices.

<sup>4</sup> Optional security solutions include Secure Disk Erase (available for all models) and Encrypted HD (available only in specific models).

## Technical specifications

<b>Print</b>	Line drawings <sup>5</sup>	21 sec/page on A1/D, 120 A1/D prints per hour	
	Print resolution	Up to 2400 x 1200 optimized dpi	
	Margins (top x bottom x left x right)	Roll: 0.12 x 0.12 x 0.12 x 0.12 in (3 x 3 x 3 x 3 mm) Sheet: 0.12 x 0.87 x 0.12 x 0.12 in (3 x 22 x 3 x 3 mm)	
	Technology	HP Thermal Inkjet	
	Ink types	Dye-based (C, G, M, pK, Y); pigment-based (mK)	
	Ink drop	6 pl (C, M, Y, G, pK); 9 pl (mK)	
	Printheads	(C, G, M, mK, pK, Y)	
	Line accuracy	± 0.1% <sup>6</sup>	
	Minimum line width	0.0008 in (0.02 mm) (HP-GL/2 addressable)	
	Guaranteed minimum line width	0.0028 in (0.07 mm) (ISO/IEC 13660:2001(E)) <sup>7</sup>	
	<b>Media</b>	Handling	Input: two automatic front-loading roll feeds, smart roll switching, sheet feed Output: integrated output stacking tray (from A4/A to A0/E, with up to 50 A1/D-size capacity), media bin, automatic cutter Scanner: straight-through scan paper path for sheet and cardboard originals
		Size	Rolls: 11 to 36 in (279 to 914 mm) Sheets: 8.3 x 11 to 36 x 48 in (210 x 279 to 914 x 1219 mm) Standard sheets: A, B, C, D, E (A4, A3, A2, A1, A0)
Thickness		Up to 19.7 mil (0.5 mm)	
<b>Scan</b>		Scan speed	Color: up to 2.5 in/sec (6.35 cm/sec) Grayscale: up to 7.5 in/sec (19.05 cm/sec)
<b>Scan</b>	Scan/copy resolution	Up to 600 dpi	
	Maximum scan	Size: 36 x 315 in (914 x 8000 mm) (JPEG) 36 x 197 in (914 x 5000 mm) (PDF) <sup>8</sup> 36 x 472.4 in (914 x 12,000 mm) (TIFF) (Files no bigger than 2GB) 24 x 708.7 in (610 x 18,000 mm) (TIFF) (Files no bigger than 2GB)	
	Thickness	Up to 0.03 in (0.8 mm)	
	Scan to	File, email, USB, HDD, network folder, FTP, mobile device through HP AiO Printer Remote, print	
<b>Copy</b>	Reduction/enlargement	25 to 400%	
	Maximum copies	Up to 99 copies	
	Copier settings	Copy quality, copy color, roll, content type, original paper type, background removal, contrast, de-skew, blueprints support	
<b>Applications</b>	Line drawings, Renderings, Presentations, Maps, Orthophotos		
<b>Memory</b>	128 GB (file processing), <sup>9</sup> 500 GB hard disk		
<b>Connectivity<sup>10</sup></b>	Interfaces (standard)	Gigabit Ethernet (1000 Base-T)	
	Print languages (standard)	Basic Multifunction Printer: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP-PCL3GUI, URF PostScript® Multifunction Printer: Adobe PostScript 3, Adobe PDF 1.7 Extension Level 3, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP-PCL3GUI, URF	
	Printing paths	Direct printing from USB flash drive, <sup>11</sup> email printing, HP driver for Windows, HP driver for MAC OS X, HP Print Service for Android, Apple AirPrint driver, HP Print for Chrome OS	
	Mobile printing capability <sup>12</sup>	Mobile printing and scanning via Apple AirPrint™, HP Print Service Plugin for Android, HP All-in-One Printer Remote app, and email printing. Supports printing from most smartphones and tablets using these operating systems: Android, iOS	
	Drivers (included)	HP-GL/2, HP-PCL3GUI drivers for Windows and Mac OS X; PostScript drivers for Windows, Linux, and Mac OS X <sup>13</sup>	
	<b>Dimensions (w x d x h)</b>	Printer	55.1 x 36.1 x 43.7 in (1399 x 916 x 1110 mm)
<b>Weight</b>	Shipping	59.1 x 30.8 x 33.5 in (1500 x 781 x 815 mm)	
	Printer	245 lb (112 kg)	
<b>What's in the box</b>	Shipping	320 lb (145 kg)	
	HP DesignJet T2530 Multifunction Printer, printhead, introductory ink cartridges, stacking tray, printer stand and media bin, spindles, quick reference guide, setup poster, start-up software, power cord		
<b>Environmental ranges</b>	Operating temperature	41 to 104°F (5 to 40°C)	
	Storage temperature	-13 to 131°F (-25 to 55°C)	
	Operating humidity	20 to 80% RH	
<b>Acoustic</b>	Sound pressure	47 dB(A) (printing); 39 dB(A) (ready); <1.9 dB(A) (sleep)	
	Sound power	6.5 B(A) (printing); 5.8 B(A) (ready); <1.9 B(A) (sleep)	
<b>Power consumption</b>	120 watts (printing/scanning); 1.3 watts sleep (5 watts with embedded Digital Front End)		
	Input voltage (auto ranging)	100-240 V (± 10%), 50/60 Hz (± 3 Hz)	
	Input Current 2 A max		
<b>Certification</b>	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYPE), Korea (KATS)	
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)	
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH, EPEAT Bronze	
<b>Warranty</b>	One-year limited hardware warranty		



© Copyright 2015, 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Adobe, PostScript, and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

4AA5-9761ENA, January 2017, Rev. 5

## Ordering information

<b>Product</b>	L2Y25A	HP DesignJet T2530 36-in Multifunction Printer	
	L2Y26A	HP DesignJet T2530 36-in PostScript Multifunction Printer	
<b>Accessories</b>	C0C66A	HP DesignJet PostScript/PDF Upgrade Kit	
	CN538A	HP DesignJet 3-in Core Adapter	
	L4R66A	HP DesignJet 36-in Spindle	
	B3P06A	HP 727 DesignJet Printhead	
<b>Original HP printheads</b>			
	<b>Original HP ink cartridges</b>	B3P19A	HP 727 130-ml Cyan DesignJet Ink Cartridge
		B3P20A	HP 727 130-ml Magenta DesignJet Ink Cartridge
		B3P21A	HP 727 130-ml Yellow DesignJet Ink Cartridge
		B3P22A	HP 727 130-ml Matte Black DesignJet Ink Cartridge
		B3P23A	HP 727 130-ml Photo Black DesignJet Ink Cartridge
		B3P24A	HP 727 130-ml Gray DesignJet Ink Cartridge
		C1Q12A	HP 727 300-ml Matte Black DesignJet Ink Cartridge
		F9J76A	HP 727 300-ml Cyan DesignJet Ink Cartridge
		F9J77A	HP 727 300-ml Magenta DesignJet Ink Cartridge
		F9J78A	HP 727 300-ml Yellow DesignJet Ink Cartridge
		F9J79A	HP 727 300-ml Photo Black DesignJet Ink Cartridge
		F9J80A	HP 727 300-ml Gray DesignJet Ink Cartridge
<b>Original HP large format printing materials</b>		C6810A	HP Bright White Inkjet Paper (FSC® certified) <sup>14</sup> 36 in x 300 ft (914 mm x 91.4 m)
	Q1397A	HP Universal Bond Paper (FSC® certified) <sup>14</sup> 36 in x 150 ft (914 mm x 45.7 m)	
	Q1413B	HP Universal Heavyweight Coated Paper (FSC® certified) <sup>14</sup> 36 in x 100 ft (914 mm x 30.5 m)	
	Q1421B	HP Universal Satin Photo Paper (FSC® certified) <sup>14</sup> 36 in x 100 ft (914 mm x 30.5 m)	
<b>Service and support</b>	H4518E	HP Installation Service with Network Setup	
	U1XV4E	Preventive Maintenance Service	
	U8UB1E	HP 2 year NBD* Onsite Support with DMR**	
	U8PN1E	HP 3 year NBD* Onsite Support with DMR**	
	U8UB2E	HP 4 year NBD* Onsite Support with DMR**	
	U8PN2E	HP 5 year NBD* Onsite Support with DMR**	
	U8PN3PE	HP 1 year Post Warranty NBD* Onsite Support with DMR**	
	U8T29PE	HP 2 year Post Warranty NBD* Onsite Support with DMR**	

\* Next Business Day.

\*\* This services comes with Defective Media Retention (DMR) option that keeps your sensitive data safe. To comply with security regulations you can keep the defective hard drive or data-retentive memory component while getting a replacement disk or memory.

**HP DesignJet Support Services** offer solutions for business critical environments —installation, extended support and maintenance, as well as a variety of value-added services. For more information, please visit [hp.com/go/designjetsupport](http://hp.com/go/designjetsupport).

Use **Original HP inks** and printheads to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks and true neutral grays. For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

For the entire **HP Large Format Printing Materials** portfolio, please see [HPLFMedia.com](http://HPLFMedia.com).

### Eco Highlights

- ENERGY STAR® certified and EPEAT Bronze registered<sup>17</sup>
- Free, convenient HP ink cartridge and printhead recycling<sup>18</sup>
- FSC®-certified papers<sup>14</sup> and a range of recyclable HP media with a take-back program<sup>19</sup>

**Please recycle large-format printing hardware and printing supplies.**

Find out how at our website  
[hp.com/ecosolutions](http://hp.com/ecosolutions)

<sup>5</sup> Mechanical printing time. Printed in Fast mode, using HP Bright White Inkjet Paper (bond) and Original HP inks.

<sup>6</sup> ± 0.1% of the specified vector length or ± 0.2 mm (whichever greater) at 73°F (23°C), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks.

<sup>7</sup> Measured on HP Matte Film.

<sup>8</sup> Scanning of PDF files only available with HP DesignJet T2530 PostScript® Multifunction Printer

<sup>9</sup> Based on 1.5 GB RAM.

<sup>10</sup> Includes an HP Jetdirect Embedded Print Server.

<sup>11</sup> Printing PDF files from USB Flash Drive only available with HP DesignJet T2530 PostScript® Multifunction Printer.

<sup>12</sup> For more information visit: [hp.com/go/designjetmobility](http://hp.com/go/designjetmobility).

<sup>13</sup> Included with PostScript® printers only.

<sup>14</sup> BMG trademark license code FSC®-C115319, see [fsc.org](http://fsc.org). HP trademark license code FSC®-C017543, see [fsc.org](http://fsc.org). Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit [HPLFMedia.com](http://HPLFMedia.com).

<sup>15</sup> Can be recycled through commonly available recycling programs.

<sup>16</sup> In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept bulk packaging.

<sup>17</sup> EPEAT registered where applicable and/or supported. See [epeat.net](http://epeat.net) for registration status by country.

<sup>18</sup> Program availability varies. Please check [hp.com/recycle](http://hp.com/recycle) for details. Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit [HPLFMedia.com](http://HPLFMedia.com).

