PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE FIRE ALARM AND LIFE SAFETY INDUSTRIES

www.sdifire.com

G smokecenturion™













FOR OVER 20 YEARS...

SDi has cultivated a reputation as the world's leading provider of specialized equipment for the fire protection and security industries.

Our partnerships with detector manufacturers and affiliations with industry associations provide critical insight into the fire detection market and ensure our products are compatible, code compliant, and meet all industry standards.

We are dedicated to introducing exceptional products and innovative solutions to the fire and security industries, providing quality today and advancing technology for tomorrow. solo

CONTENTS

AEROSOLS

Solo AI0 Aerosol Smoke	4
Solo C6 CO Aerosol	4
A7 Air Detector Duster	4
Blowout Detector Duster	4
SmokeSabre	5
Smoke Centurion	5

SOLO DETECTOR TESTERS

Solo 330 Dispenser	6
Solo 332 Dispenser	6
Solo 460 Cordless Heat Tester	7
Solo 461 Heat Detector Test Kit	7

Solo 200 Removal Tool......8

SOLO ACCESS POLES

Solo 101 4' Extension Pole9	
Solo 108 8' Access Pole9	
Solo 100 15' Access Pole9	

SOLO 365

Solo 365 Test Kit	10,	
Solo 365 Smoke Cartridges		
Solo 365 ASD Adapter	11	

TESTIFIRE

Testifire 1001	13
Testifire 200 l	13
Testifire CO Capsules	13
Testifire Smoke Capsules	13
Testifire Kits	14

TRUTEST SENSITIVITY TESTING

Trutest Unit	15
Smoke 400 Aerosol	15

SOLO TEST KITS

Solo Smoke Starter Kits	16
Solo Smoke, Heat & CO Kits	16
Solo & Trutest Kits	17
Smart 365 Kit	81

ALARM COMPONENT TESTERS

Cell Checker	20
Power Checker	20
Duct Checker	20
dB Checker	21
AV Checker	

SPEECH INTELLIGIBILITY TESTING

SM50 Speech Intelligibility Meter	22
BTB65 Talkbox	22
Speech Intelligibility Testing Kit	23

SDi Service	2	2
-------------	---	---

SPARE & MISCELLANEOUS PARTS

Solo Accessories	.25
Solo 610 Equipment Bag	.25
Solo 727 Charger	.25
Solo 743 PDA Holder	.25
Solo 770 Battery Baton	.25
Testifire Accessories	.25
Testifire Remote Control	.25
Trutest Pole Clamp	.25

AEROSOLS



SOLOAIO

Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.



SOLO C6 AEROSOL CO



Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.

A7 AIR DETECTOR DUSTER



Non-flammable hand-held canned air solution. A7 Air is silicone-free and conforms to new global aerosol regulations. A7 Air 10oz cans are sold in cases of 12.



BLOWOUT DETECTOR DUSTER



BlowOut hand-held air duster is perfect for use with fire alarm equipment. BlowOut comes with a directional straw, allowing access to hard to reach areas. BlowOut 10oz cans are sold in cases of 12.





SMOKESABRE



Hand-held smoke detector tester is perfect for smaller jobs.

Hand-held aerosol smoke for the functional testing of smoke detectors. Silicone-free. No CFC's. Sold in cases of 12.





Gsmokecenturion[™]

SMOKE CENTURION



Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



AEROSOL DISPENSERS



SOLO 330 AEROSOL DISPENSER



Solo 330 is universal, lightweight and simple to use. Its swing frame allows for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*



SOLO 332 AEROSOL DISPENSER



Solo 332 is a universal, lightweight and simple to use dispenser with a swing frame for use at any angle.

Use with Solo AI 0 or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. *Lifetime limited warranty.*





sales@sdifire.com



HEAT DETECTOR TESTING

Tests

Up To 194°F



SOLO 460 CORDLESS HEAT TESTER



The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use.

Suitable for fixed temperature, rate-of-rise, and combination detectors up to 194°F/90°C.

Contact us for Solo 423/424 Corded Heat Detector Tester.

SOLO 461 HEAT DETECTOR **TEST KIT**





Includes:

Ix Solo 460 Cordless Heat Head Unit 2x Solo 770 Battery Batons Ix Solo 727 Charger



www.sdifire.com

SDi Product Catalog







SOLO 200 UNIVERSAL DETECTOR REMOVAL TOOL

SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. For use with Solo Access Poles. Lifetime limited warranty.

SOLO ACCESS POLES



SOLO 100 15' TELESCOPIC ACCESS POLE



The lightweight, easy to use Solo 100 Access Pole extends from 4.8ft to 14.9ft. Add up to three extension poles to test up to 29.5ft.

Minimum possible whip or bend at height. Certified non-conductive, protecting both the engineer and overhead live equipment from inadvertent shorts. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 108 8' TELESCOPIC ACCESS POLE



The lightweight, easy to use Solo 108 Access Pole adds 7.2ft to your testing height capability.

Minimum possible whip or bend at height. Certified non-conductive. Compatible with all Solo, Testifire, and Trutest head units. *Lifetime limited warranty.*



SOLO 101 4' EXTENSION POLE



The lightweight, easy to use Solo 101 Extension Pole adds 3.9ft to your testing height capability. Can be used on its own or add up to three extension poles to extend the Solo 100 or Solo 108.

Minimum possible whip or bend at height. Certified non-conductive. *Lifetime limited warranty.*





SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER

Solo 365, the latest innovation in Solo's detector tester line, uses non-hazardous, non-pressurized, environmentallyfriendly cartridge technology for smoke generation.

Solo 365 allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Its unique clearing mode all but eliminates repeat alarms by clearing remaining smoke.

SDi 2020



SOLO 365 SMOKE **DETECTOR TESTER**

SOLO365 🕢 🕛 🖤

Includes:

Ix Solo 365 Smoke Detector Tester I x Solo ES1 Smoke Cartridge 1x Solo 371 Smoke Generator 1 x 370 Lithium Ion Battery Pack Ix USB Universal Charger





Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

CONSUMABLES

Solo 365 Smoke Cartridges (6-Pack)	SOLOES6
Solo 365 Battery Pack	SOLO370
Solo 365 Smoke Generator	SOLO371

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors.

Choose Testifire 1001 for testing heat and smoke or Testifire 2001 to test heat, smoke, and CO.

Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.

12

Heat 1

statu

MULTICRITERIA DETECTOR TESTERS



Testifire Smoke Capsules (3-Pack)

TS3



CONSUMABLES

Testifire Smoke Capsules (3-Pack)	TS3
Testifire CO Capsules (3-Pack)	TC3

MULTICRITERIA TEST & INSPECTION KITS

SMOKE & HEAT DETECTOR TESTING KIT



Includes:

Testifire 1001 Smoke & Heat Kit 1x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole 1x Solo 200 Removal Tool 1x Solo 610 Carrying Bag





SMOKE & HEAT DETECTOR TESTING KIT



TF1823

Includes:

Testifire 1001 Smoke & Heat Kit 1x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles 1x Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SMOKE, HEAT & CO DETECTOR TESTING KIT



Includes:

Testifire 2001 Smoke, Heat & CO Kit 1x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole 1x Solo 200 Removal Tool 1x Solo 610 Carrying Bag



24ft

Reach

SMOKE, HEAT & CO DETECTOR TESTING KIT TF2823



Includes:

Testifire 2001* Smoke, Heat & CO Kit 1x Solo 10015' Access Pole 3x Solo 1014' Extension Poles 1x Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SDi Product Catalog

DETECTOR SENSITIVITY TESTING





TRUTEST SMOKE DETECTOR SENSITIVITY TESTER



Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT



Includes:

I x Trutest 801 Smoke Detector Sensitivity Tester I 2x Trutest Smoke 400 Detector Test Aerosol Canisters I x Storage Case and Pole Bag I x Solo 100 15' Telescopic Access Pole



SMOKE 400 AEROSOL SMOKE DETECTOR TESTER

SMOKE400

Smoke 400 is a non-flammable aerosol that is used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.



SMOKE STARTER KIT



Includes:

1x Solo 101 4' Extension Pole1x Solo 330 Dispenser12x Smoke Centurion Aerosols1x Solo 604 Carrying Bag



l Oft

Reach

SMOKE STARTER KIT



Includes:

Ix Solo 108 8' Access Pole Ix Solo 330 Dispenser I2x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



20ft

Reach

12ft

Reach

SMOKE STARTER KIT



Includes:

1x Solo 100 15' Access Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols 1x Solo 604 Carrying Bag

SMOKE, HEAT & CO TECHNICIAN KIT

SOLO851 🕢 🕕 🔘

Includes:

Ix Solo 100 15' Access Pole Ix Solo 101 4' Extension Pole Ix Solo 200 Universal Removal Tool Ix Solo 330 Dispenser Ix Solo 460 Heat Detector Tester Ix Solo 727 Battery Charger 2x Solo 770 Battery Batons Ix Solo 610 Carrying Bag 24ft Reach

O SO detecto

SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT

Includes:

Ix Solo 100 15' Access Pole 3x Solo 101 4' Extension Pole Ix Solo 200 Universal Removal Tool Ix Solo 330 Dispenser Ix Solo 460 Heat Detector Tester Ix Solo 727 Battery Charger 2x Solo 770 Battery Batons Ix Solo 610 Carrying Bag 30ft Reach

sales@sdifire.com

SOLO & TRUTEST KIT



Includes:

Ix Solo 823 Enhanced Technician Kit 1x
Trutest 801 Detector Sensitivity Tester
12x Smoke 400 Aerosol
12x Solo A10 Smoke Detector Tester
12x A7 Air Detector Duster
1x Cell Checker



ENHANCED SOLO & TRUTEST KIT



Includes:

I x ST I Solo and Trutest Kit I x Duct Checker I x dB Checker I 2x Smoke Centurion





ELECTRONIC DETECTOR TEST KITS

COMPACT SMOKE TESTING KIT



Includes:

Ix Smart Kit Backpack (with pole bag attachment)

I x Solo 365 Electronic Smoke Detector Tester

I x Solo III 0 Smart 5.75' Telescopic Pole 3x Solo III Smart I.65' Extension Poles



ELECTRONIC SMOKE TESTING KIT



Includes:

I x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles I x Solo 200 Removal Tool I x Solo 365 Electronic Smoke Detector Tester I x Solo 610 Carrying Bag



30ft

Reach





ALARM COMPONENT TESTERS



POWER CHECKER



Power Checker uses a patented, high accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (nonrechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.

<page-header>



CELL CHECKER



Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12- volt batteries up to 200AH. Cell Checker also tests SLA batteries.

	ERY TE	STER STER	
	Select correct Connect lead Select correct Connect lead Select select Select	t test mode (s to battery	
T	EST 🔪		あるもちを

Padded Case	CELL01CS			
48" Plier-Type Lead	CELL01LD			
48" Clip-Type Lead	CELL01RL			
Cell Checker Accessory Kit (Case & Strap)	CELLPAC			

ALARM COMPONENT TESTERS

Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer approved, easy to use, and ensures accurate results.



DB CHECKER SOUND LEVEL METERS

The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. Two models are available to support either A frequency weighting (*dB02*) or A to C frequency weighting (*dB01*).



DB CHECKER 01/02

DB01/DB02

Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz
- Easy to use
- A or C frequency weighting (*dB01*)
- A frequency weighting (dB02)



AV CHECKER

AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.



SPEECH INTELLIGIBILITY TESTING

Fire safety should never be taken for granted. Having an effective, accurate fire safety system is crucial and reliable testing tools are essential to ensure that system is functioning properly. Voice evacuation alarm systems require specific testing tools to ensure the voice is clear and easily understood. SDi proudly offers Bedrock speech intelligibility testing solutions for use with emergency voice systems.

and spectrum in main menu

0.73 🖪 🖦

IIII.



SPEECH INTELLIGIBILITY TESTER

SM50

Bedrock SM50 is a universal, easy to use speech intelligibility tester for fire safety systems. The SM50 is designed for ease-of-use, with a simple, user-friendly touch screen for precise and basic control. SM50 is capable of taking both STIPA and full STI measurements and includes features such as RTA, FFT, Reverberation Time, Noise Curves, and more. A built-in USB port provides fast and versatile connectivity to your network. Includes a hard case.

- Conforms to IEC65 | Type 2, ANSI S | .4 Type 2
- Complies with NFPA 72 2013, ANNEX D



TALKBOX



Along with the SM50, SDi also offers the BTB65 Talkbox. The Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.

- Easy to use touch screen
- Loudspeaker frequency range 20 15,000 Hz
- Plays back signal at a standardized (calibrated) signal level of 54-72 dB(A) at 1 m
- Signal level can be increased/decreased relative to environment
- Powered through external power supply (included)
- Can be purchased with the SM50 as a bundle or as a standalone unit



INTELLIGIBILITY TESTING KIT & CASE



INTELLIGIBILITY MEASUREMENT KIT

SMBTBKT

All the necessary tools for speech intelligibility measurements using STIPA or Full STI.

Includes:

I x SM50 STIPA Meter I x BTB65 Talkbox I x Custom Hard Case





CUSTOM HARD CASE

SMBTBCS

Custom hard case fits SM50 STIPA Meter and Talkbox along with all their components, including chargers, microphone, wind screen, calibration certificates and more.

Included with the purchase of SMBTBKT, or available for purchase separately.






In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner.

Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
 - Trutest
 - Cell Checker
 - dB Checker
 - SM50 & BTB65 Talkbox

For service inquiries, please call (732) 751-9266 or email the service team at <u>service@sdifire.com</u>.



SPARE & MISCELLANEOUS PARTS

MISCELLANEOUS		SOLO 461	
PDA Holder	SOLO743	Battery Baton	SOLO770
		Charger	SOL0727
SOLO 200		Silicone Membrane	SPARE100
Solo 200 Transparent Grips	SPARE1002	Heat Baffle	BAFFLE
SOLO 330/332		TESTIFIRE	
Replacement Red Cup (Solo 330 Only)	SPARE1028	Testifire Inner Cup	SPARE1048
Silicone Membrane	SPARE1005	Testifire Membrane Bellows	SPARE1049
		Testifire Remote Control	TF25
SOLO 365		Battery Baton	SOLO770
Solo 365 Battery Pack	SOLO370	Charger	SOLO727
Solo 365 Smoke Generator	SOLO371		
Solo 365 Cup & Membrane	SPARE1058	TRUTEST	
Solo 365 Membrane	SPARE1059	Trutest Pole Clamp	TRUT730
Solo 365 Universal Charger/USB Cable	SPARE1060		

AEROSOL COMPARISON CHART

	SOLO AI0	SOLO C6	A7 AIR	SMOKE CENTURION	SMOKESABRE	BLOWOUT
VOLUME	4.8 Oz		10 Oz	2.6 Oz	2.6 Oz	10 Oz
ONE SECOND BURSTS	600+	250	Varies	800	300	Varies
FLAMMABILITY		\bigotimes	\bigotimes	•	•	\checkmark
SILICONE		$\begin{pmatrix} \varphi^{1,1CO} A_{\mathcal{C}} \\ \vdots \\ \varphi^{0} \\ F_{REE} \end{pmatrix}$	$\begin{pmatrix} \varphi^{1,1CO} A_{\mathcal{K}} \\ \vdots \\ \varphi^{0,0} \\ \varphi^{0,0} \\ \varphi^{0,0} \end{pmatrix}$	$\begin{pmatrix} \varphi^{\text{LICO}}_{\mathcal{N}} \\ \vdots \\ \varphi^{\text{O}}_{\mathcal{N}} \\ \varphi^{\text{O}}_{\mathcal{N}} \end{pmatrix}$	$\begin{pmatrix} S^{\text{LLCO}} A_{\mathcal{F}} \\ \vdots \\ \vdots \\ F_{REE} \end{pmatrix}$	
UL	LISTED	UL	-	ULLISTED	LISTED	-
BASE	Alcohol	-	-	Oil	Oil	-
HANDHELD/ DISPENSER	Both	Both	Handheld	Both	Handheld	Handheld
PRODUCT CODE:	SOLOA10	SOLOC6	A7AIR	M8	SABRE	BLOWOUT

SDi SALES TERRITORIES

Northeast Region Pat Ryan

pat.ryan@sdifire.com Phone: (732) 299-2402

Southeast Region Pat Ryan

pat.ryan@sdifire.com Phone: (732) 299-2402

Midwest Region Andrea Barghini

andrea.barghini@sdifire.com Phone: (312) 402-4550

Southern Region Brandon Heffernan

brandon.heffernan@sdifire.com Phone: (732) 966-5144


Northwest Region

Mariana Ferguson

mariana.ferguson@sdifire.com Phone: (208) 982-2479

Southwest Region Ivy Kiyomura

ivy.kiyomura@sdifire.com Phone: (310) 344-6608





Web: www.sdifire.com

Connect with us

🗞 Tel: (732) 751-9266



2 3535 Route 66, Bldg. 6, Neptune, NJ 07753 🔀 Email: sales@sdifire.com

©2020 SDi. All rights reserved.

SDi, LLC