

SAFETY PRODUCTS CATALOG



Head to Toe Protection

NO MINIMUM ORDER





Our Expertise

- Product availability and exceptional customer attention.
- We have what you need, in the quantity you need, and can get it to you when you require it.
- We provide training on everything we sell and can help you comply with OSHA 29 CFR 1910.132.

Our Philosophy

- We adapt to your business processes to ensure that you have what you need to operate.

Who We Are

- Founded 1954.
- International North American distributor of industrial supplies.
- More than 50 warehouse sites in the United States and Mexico.
- Maintain an extensive array of ISO 9002 Qualified brand name items.

Personalized Customer Care

We take pride in our level of personalized customer care, and know our customers can expect a distinct level of service and attention. We're proud to provide it. We welcome the opportunity to work with you to provide the products and solutions to meet your business needs.

No Minimum Purchase

- There is no minimum purchase with R.S. Hughes Co., so you get precisely what you want whether it's thousands of uncorded earplugs or a pair of gloves.
- The purchasing and warehousing power of R.S. Hughes Co. ensures that we can stock what you need so you don't have to.

Ordering Options

- On the web at: www.rshughes.com
- By phone (1-877-RSHUGHES to talk to one of our sales representatives.
 - Online through email or EDI.
 - Via faxed purchase order.
- In person at any one of our warehouse locations.
 - Credit card or instant credit.
- We accept orders with a credit card or establish instant credit with your first purchase when you create an account.
 - Pricing Subject to Change

We have strived to put the best, most popular products in this catalog. Unfortunately, everything just won't fit. If you need something that isn't in the catalog, we most likely have it.

If you would like some direction, have special application issues, need on-site training or just have questions, please give a call or send us an email at safety@rshughes.com. We are here to help. Thank you for your business.

Sincerely,

George Mallinckrodt

Director of Business
Development, Safety Products



Can't find what you're looking for?

If you're not exactly sure what you are looking for, one of our skilled representatives is ready to help you find the solution to make your business safe, effective, and successful.


Call Today 877-774-8443

Order Online

24 hours a day

www.rshughes.com

**At R.S. Hughes, we stand behind your right to
Buy With Confidence**



Head to Toe Protection

By itself, the human body is an amazing machine.

Without protection, its incredible powers can be seriously diminished.

At R.S. Hughes we are fully committed to the safety of every part of your precious body – from head to toe. We work diligently to ensure every step of your order fulfills this objective. From the choices you make when ordering to stocking your product for quick delivery and ensuring what you get is the right fit, R.S. Hughes is truly watching your back—and front—in your work environment.

100% Satisfaction – Guaranteed

If for any reason you are not satisfied with the product you receive, we will replace it or credit you.

Not Sure Which Product Will Meet Your Needs?

Our nation wide network of safety specialists are available to visit your site and offer solutions.

Just give us a call.

Training Available for Everything We Sell.

Employees must be trained in the proper care, maintenance, useful life and disposal of PPE per OSHA 1910.132(f)(1)(v). We are available to come to your facility and train your employees.

Lower Your Costs.

We are experts in helping your company reduce costs through insuring your have the right products for the right application at the right price and on time.

No Minimum Order

Order just the right amount so you get precisely what you want and never have dead stock again.

Let Us Stock It So You Don't Have To

We will stock the products you want at our local branch. Just Ask.

Trial Order Program

Trial orders are available on a satisfaction-or-no-pay basis.

The program lets end-users evaluate our products in their actual application and on-site condition, on a satisfaction-or-don't-pay-basis to make sure that the products are right for the job.

3 Programs that provide **Solutions** to the ever increasing demands on **Purchasing**. Programs that fit a wide range of company sizes and requirements.

Solutions provided by our industry leading professionals.

Purchasing Management Solution

allows you to build a robust internal requisition to approval process through our simple web interface. Streamline purchasing and control costs through a custom designed web experience that puts you in the driver's seat for requisitioner approvals, budget management, order thresholds and in-depth reporting.



*Our **Site2Supply Solution** is a technology and professional service program that let's you focus on other business issues while we manage your consumable inventory. Dedicated R.S. Hughes Professionals monitor and execute your replenishment process. A web based reporting suite for full visibility, tracking and transparency is included.*



The R.S. Hughes **Vend2Supply Solution** brings a Secure, Automated approach to your supply management with the greatest level of control, reporting, security and cost savings. The Vend2Supply Solution takes Supply Management and Cost Control to the next level.

PURCHASING MANAGEMENT

- *Lower Internal Processing Costs with Increased Speed and Convenience*
- *Simple Web Interface*
- *Invite and Manage Requisitioners*
- *Approve or Reject Purchases*
- *Set Automated Spend & Approval Levels*
- *In-Depth Reporting with Full Visibility*

SITE2SUPPLY (S2S)

- *Customized On-site Consumable Inventory Management Solution*
- *Internal Time and Cost Savings*
- *Optimized Stocking & Consumable Inventory Levels*
- *R.S. Hughes Monitors Consumables & Executes Your Replenishment Process*
- *Flexible Reporting Suite with Full Visibility & Tracking*

VEND2SUPPLY (V2S)

- *Up to a 20 - 30% Consumables Cost Reduction*
- *Eliminate Hoarding, Misuse & Theft*
- *Tightest Security & Control*
- *Direct User Supply*
- *Simple Touch Screen Access*
- *Employee Level Reporting and Control*
- *Automated Replenishment Process*
- *Reduced Downtime & Improved Productivity*
- *Dedicated R.S. Hughes Professionals Monitor & Manage Consumable Inventory Levels*

Take Your Purchasing & Supply Management to the Next Level.
Call Us Today at *877-RSHUGHES* Call Us Today
or Visit *www.rshughes.com/PASS*

Special Pricing on Our Top 24 Products



\$2.19 Per Each

3M™ 200 Series Eyewear
Clear Anti-fog Lens

Page 28



\$28.91 Per Each

3M™ 7500 Half Facepiece Reusable Respirators
Sizes SM-LG Available, 10/CA

Page 70



\$19.63 Per Box

3M™ Foam Ear Plug 1100
NRR 29DB, Uncorded, 200pr/Box
NRR 29DB Corded, 100pr/Box


Page 52



\$11.05 Per Pack

3M™ 6001 Organic Vapor Cartridge
For 3M™ Half and Full Facepieces

Page 72



\$23.98 Per Box

3M™ E-A-Rsoft Yellow Neons Earplugs, NRR 33DB
Uncorded, Regular Size, 200pr/Box

Corded, Regular Size, 200pr/Box

\$44.00 Per Box

Page 52



\$11.74 Per Pack

3M™ 6003 Acid Gas/Organic Vapor Cartridge
For 3M™ Half and Full Facepieces

Page 72



\$28.00 Per Box

3M™ E-A-R Classic, NRR 29DB
Uncorded, Pillow Pak, 200pr/Box

Corded, Polybag, 200pr/Box

\$54.00 Per Box

Page 52



\$10.60 Per Box

3M™ 8200 Particulate Respirator
N95, Disposable, 20/Box

Page 65



\$15.39 Per Box

3M™ 8210 Particulate Respirator
N95, Disposable, 20/Box

Page 65



\$19.83 Per Box

3M™ 8511 Particulate Respirator
N95, Cool Flow Valve, 10/Box

Page 65



\$12.16 Per Box

3M™ 8210V Particulate Respirator
N95, Cool Flow Valve, NIOSH Approved, 10/BX

Page 65



\$20.15 Per Box

9211+ Particulate Respirator
N95, With Valve, 10/Box

Page 66



\$71.60 Per Dozen

Ansell 11-500 HyFlex® Gloves

Nitrile Coated Palm, Kevlar Liner

Page 121



\$11.42 Per Box

Kimberly-Clark KleenGuard* G10 Gloves

Blue Nitrile, 6Mil, 100/BX

Page 93



\$47.04 Per Dozen

PIP 34-874 Maxi-Flex® Ultimate™ Gloves

Micro-foam Nitrile Coated

Page 116



\$9.92 Per Box

Ansell 92-675 TNT® Gloves

Nitrile, 5Mil, Powder Free, 100/BX

Page 92



\$9.25 Per Box

Ansell 69-318 Conform® Gloves

Natural Rubber Latex, Powder Free, 100/BX

Page 87



\$9.92 Per Dispenser

Ansell 92-600 Touch N Tuff® Gloves

Nitrile, 5Mil, Powder Free, 100/BX

Page 91



\$15.22 Per Box

Microflex MF-300 Diamond Grip™ Gloves

Latex, 5.1Mil, Powder Free, 100/BX

Page 88



\$3.31 Per Each

Kimberly-Clark KleenGuard* A35 Coverall

Sizes SM-2XL

With Hood, Elastic Wrists and Ankles 25/CA

Page 177



\$5.59 Per Pair

PIP 16-530 G-Tek® CR Gloves

Grey, HPPE w/ Urethane Coated Palm, 144PR/CA

Page 124



\$5.34 Per Each

Kimberly-Clark KleenGuard* A45 Coverall

Sizes SM-2XL

With Hood, Elastic Wrists and Ankles 25/CA

Page 180



\$12.29 Per Dozen

PIP 33-G125 G-Tek® Gloves

Grey, Nylon w/ Urethane Coated Palm, 25DZ/CA

Page 113



\$77.64 Per Roll

Wypall* X80 Wipers Jumbo Roll

Blue, 475 Sheets Per Roll

White, 475 Sheets Per Roll

Page 267

The Government Source for:
— INDUSTRIAL SUPPLIES —



National Purchasing Partners (NPP) is a cooperative purchasing organization offering a portfolio of competitively bid, publicly awarded contracts to public entities. NPP is owned by Virginia Mason Medical Center. A non-profit hospital. A large percentage of NPP's revenue supports medical research

- **No Cost to Join.**
- **No Administrative Fees on your purchases.**
- **Worry Free, Stress Free Benefits.**
- **Enjoy special bid pricing without putting it out to bid.**
- **Rely on a highly respected and nationally recognized contract that was competitively bid and publicly awarded.**

Freedom from bids is at your fingertips!

For assistance call **877-RSHUGHES (877-774-8443)** or Email **npporderalert@rshughes.com** to contact the nearest R.S. Hughes location.

All R.S. Hughes locations are trained and available to assist you with your NPP procurements. Be sure and ask about becoming an NPP member.



GSA Contract Holder
Schedule 51V- #GS-21F-0029V
Schedule 84- #GS-07F-263AA
Visit GSA Advantage online catalog:
www.gsaadvantage.gov



Contract Holder
Visit DoD Email online catalog:
<https://dod-email.dla.mil>



AWARDED CONTRACT
Contract #VH11350

R.S. Hughes accepts all Government Credit and P-Cards

Corp. Cage Code: 1GWU4 Corp. D&B: 00-969-0538

Corp. TIN: 95-1943801

NAICS: 423840, 313230, 315210, 315280, 315990, 322220, 325510, 325520, 325998, 327910, 333999, 335912, 339113, 339115, 339950, 423690, 423710, 423830, 423840, 424690, 424950, 812332

All R.S. Hughes locations registered in SAM



Ansell

Occupational Healthcare



PROTECTIVE INDUSTRIAL PRODUCTS



The miracles of science™



We are people protection.®



WEST CHESTER PROTECTIVE GEAR



Puritan Quality since 1919



Table of Contents

Personal Protection Equipment

Hard Hats and Bump Caps.....	12-16
Sweatbands and Neckshades.....	17
Face Shields.....	18-19
Welding Helmets.....	20-25
Safety Glasses.....	26-45
Goggles.....	46-48
Eyewear Accessories.....	49-51
Ear Plugs.....	52-57
Ear Muffs and Headphones.....	58-60
Noise Detection Solutions and Fit Testing.....	61



Respiratory Protection

Dispenser, Accessories, Lead Swabs, Test Kits.....	62-63
Respirator Reference Chart.....	64
Disposable Respirators.....	65-67
Welding Fume Respirators.....	67-68
High Efficiency Respirators.....	68
Disposable Cartridge Respirators.....	69
Reusable Cartridge Respirators.....	70-71
Respirator Filters, Cartridges.....	72-75
How to Make a PAPR System.....	76-77
Hoods, Face Shields, Hard Hats and Breathing Tubes.....	78-79
Powered Air Purifying and Supplied Air Respirators.....	80-82
PAPR and Airline Kits.....	83
Welding Respirators.....	84-85



Hand Protection

Disposable Gloves.....	86-99
Chemical Resistant Gloves.....	100-104
Electrical Rated Gloves.....	105
Cotton Gloves.....	106-108
Coated Work Gloves.....	109
Coated Knit Gloves.....	110-119
Cut Resistant Gloves and Sleeves.....	120-133
Leather Gloves.....	134-141
Mechanics/Trade Gloves.....	142-145
Welding Gloves.....	146-149
Hot Mill Gloves, Leather Foundry Gloves.....	150-151

Protective Clothing

Flame Resistant Clothing, Leather Clothing.....	152-155
Arc Flash Protective and High Temperature Clothing.....	156-161
High Visibility Clothing Suits.....	162-167
Rain Gear.....	168-169
Reusable Clothing - Aprons & Sleeves.....	170-171
Safety Apparel - Disposable.....	172-185
Chemical Protective Clothing.....	186-189



Foot Protection

Toe Caps, Traction Device.....	190
Metatarsal Protector, Kneeling Mats & Pads.....	191
Knee Pads & Caps.....	192-193
Boots.....	194-195



Fall Protection

Body Supports/Harnesses	197-199
Lanyards, Anchorage Connectors	200-207
Confined Space Rescue Kits, Lifelines.....	208-209
Tools.....	210-211

First Aid/Heat Stress

Signage and AEDS	212-213
First Aid Cabinets and Kits/Refills	214-219
Antiseptics, Bandages,	220-222
Burn Treatment, Eye Care, Dressings, Tape, Wraps	222-224
First Aid Supplies, Unitized Refills	225-227
Skin Care	228-229
Eyewash Signs & Stations, Drench Showers	230-232
Back Braces and Wrist Supports, Heat Stress	233-235



Controlled Environment Products

Clothing	236-239
Gloves and Finger Cots	240-245
Stirrers and Swabs	246-253
Wipers.....	254-259
Stationery and Tacky Mats	260-261

Wipers

Tack Cloths/Prep Wipes	262-263
Aviation MRO/Prep Wipes	264-265
WYPALL* Wipers.....	266-273
Sellars® Wipers	274-278
Reclaimed Rags	279



Flammable Liquids Storage

Cans	280-283
Cabinets – Flammable Storage	284-286
Cabinets – Chemical & Hazardous Material Storage.....	287
Outdoor Flammable Building Storage & Accessories	288-289

Spill Control

Sorbents	290-295
Kits, Lab Packs	296-299
Spill Decks and Berms	300-306
Control Devices and Diverters.....	307

Facilities Safety

Fire Extinguishers	308
Lockout/Tagout.....	309-313
Facility Marking - Portable Printers, Labels & Ribbons	314-323
Facility Marking - Benchmark Printers, Labels & Ribbons	324-331
Facility Marking - Custom Signs, GHS Labeling, Floor Tape ..	332-340
Floor Matting	341-345
Flashlights, Emergency and Portable Chargers, Batteries.....	346-355
Cutting Tools and Safety Cutters	356-361
Tool Lanyards.....	362
Storage Bins & Organizers, Storage Cases	363-369
Janitorial Supplies.....	370-378

Personal Protection

In this section:

Hard Hats and Bump Caps	12-16
Sweatbands and Neck Shades	17
Face Shields	18-19
Welding Helmets	20-25
Safety Glasses	26-45
Reader Glasses	38-39
Over-the-Glass Styles	40-41
Foam Lined Safety Glasses	44-45
Goggles	46-48
Eyewear Accessories	49-51
Ear Plugs	52-57
Ear Plug Dispensers	55
Reusable Ear Plugs	56
Push to Fit Ear Plugs	57
Ear Muffs and Headphones	58-60
Noise Detection Solutions and Fit Testing	61

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Hard Hats

ANSI/ISEA Z89.1-2009

Overview: Establishes the minimum performance requirements for protective helmets that reduce the forces of impact and penetration and that may provide protection from electrical shock.

Impact Type: – **Type I:** Intended to reduce force of impact from blow to top of the head. **Type II:** Intended to reduce force of impact from blow to top or sides of the head

Electrical Classes: – **Class C** (Conductive) Not intended to provide protection against contact with electrical hazards. **Class G** (General) Reduce the danger of contact with low voltage conductors, Proof-tested at 2,200 volts.

Class E (Electrical) Reduce the danger of contact with higher voltage conductors, Proof-tested at 20,000 volts



A



B



C D E F G



H



I J K

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

Brady Sign - DANGER HARD HAT REQUIRED IN THIS AREA (W/ PICTO)

10" H x 14" W, Plastic, B-401

A. 754476-26557	13.25	EA	1
------------------------	-------	----	---



3M™ H-700 Series Hard Hat, 4-pt. Ratchet Suspension

Protective hard hat with comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

B. 078371-64197	10.78	EA	20	H-701R	White
C. 078371-64198	10.78	EA	20	H-702R	Yellow
D. 078371-64199	10.78	EA	20	H-703R	Blue
E. 078371-64200	10.78	EA	20	H-704R	Green
F. 078371-64201	10.78	EA	20	H-705R	Red
G. 078371-64203	10.78	EA	20	H-707R	Bright Orange



3M™ Hard Hat Vented 4-Point Ratchet Suspension

Protective hard hat with vents and comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C.

H. 078371-64207	11.54	EA	20	H-701V	White
I. 078371-64208	11.54	EA	20	H-702V	Yellow
J. 078371-64209	11.54	EA	20	H-703V	Blue
K. 078371-64210	11.54	EA	20	H-704V	Green



Hard Hat Customization Program

Here's how the process works:

- Minimum order of 2 cases of the same style and color. All orders must be in case quantity multiples only.
- 4 separate locations available per hat/cap: front, back, left side, right side.
- Vector artwork is required in .EPS, .PDF or .AI format. One measurement at least 5" with a resolution of 600 DPI is acceptable (3000 pixels x 3000 pixels). Anything less will incur additional fees.

3M™ recommends the wearer replace the hard hat suspension at least every 12 months and the hard hat shell every two to five years depending on the work environment.



RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

3M™ Hard Hat with UVicator Vented 4-Point Ratchet Suspension

The H-700 Series Hard Hat helps deliver lightweight protection and durability for extended comfort. With the Uvicator sensor, workers have an easy way to monitor their hard hat exposure to the sun, so they will know when it's time for a replacement. These hard hats feature a low-profile design for stability and balance and include accessory slots for 3M's cap-mounted earmuffs, headgear, faceshields and welding helmets. The Non-Vented hat meets the requirement of ANSI/ISEA Z89.1-2009 Type I, Class C, G and E. The Vented Hard Hat meets the requirements of ANSI/ISEA Z89.1 Type I, Class C.

L.	078371-65556	14.05	EA	20	H-702V-UV Vented, Yellow
M.	078371-65555	14.05	EA	20	H-701V-UV Vented, White
N.	078371-65557	14.05	EA	20	H-703V-UV Vented, Blue
O.	078371-65558	14.05	EA	20	H-704V-UV Vented, Green



P. 3M™ H-700 Series Replacement 4-pt. Ratchet Suspension

Comfortable, 4-point ratchet suspension with height adjustment

078371-64211	7.44	EA	20	H-700-RS4	Black
--------------	------	----	----	-----------	-------

3M™ Integrated Protective Eyewear

The new 3M™ HIE6 Protective Eyewear is integrated directly into the ratchet and pinlock suspension systems of the 3M™ H-700 and 3M™ H-800 Series of hard hats, nearly eliminating the weight of the eyewear on the nose and temples. This stable form of eyewear is easy to adjust and retracts neatly between the hard hat shell and suspension when not in use. An anti-fog coating helps prevent moisture from building up on the lens. For simplified eye protection when also wearing a hard hat, consider the HIE6 Integrated Protective Eyewear from 3M. Meets ANSI Z89.1 - 2010.

Q.	078371-66743	9.83	EA	20	HIE601AF	Clear AF Lens
R.	078371-66744	9.83	EA	20	HIE602AF	Amber AF Lens
S.	078371-66745	9.83	EA	20	HIE603AF	Gray AF Lens

Uvicator Sensor Shows Hard Hat Status



NEW



WORN



REPLACE



3M™ HIE6 Protective Eyewear


For simplified eye protection when also wearing a hard hat.



Get a FREE pair of 3M™ HIE6 Integrated Eyewear* when you convert your workers to 3M hard hats.

Receive one pair of clear 3M™ HIE6 Protective Eyewear for each hard hat purchased.

* Minimum order of 20 hard hats



A



B



C



G

Full Brim Hard Hats

RS Hughes Part Price Per Case Description

A. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

078371-65777	15.55	EA	20	H-803R	Blue
078371-65782	15.55	EA	20	H-808R	Gray
078371-65778	15.55	EA	20	H-804R	Green
078371-65783	15.55	EA	20	H-809R	Hi-Vis Yellow
078371-65784	15.55	EA	20	H-810R	Navy Blue
078371-65779	15.55	EA	20	H-805R	Red
078371-65780	15.55	EA	20	H-806R	Orange
078371-65781	15.55	EA	20	H-807R	Hi-Vis Orange
078371-65785	15.55	EA	20	H-811R	Tan
078371-65775	15.55	EA	20	H-801R	White
078371-65776	15.55	EA	20	H-802R	Yellow



B. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension, Vented

Protective full brim hard hat with vents and comfortable 4-point ratchet suspension and standard brow pad. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C.

078371-65788	16.30	EA	20	H-803V	Blue
078371-65793	16.30	EA	20	H-808V	Gray
078371-65789	16.30	EA	20	H-804V	Green
078371-65794	16.30	EA	20	H-809V	Hi-Vis Yellow
078371-65795	16.30	EA	20	H-810V	Navy Blue
078371-65791	16.30	EA	20	H-806V	Orange
078371-65792	16.30	EA	20	H-807V	Hi-Vis Orange
078371-65790	16.30	EA	20	H-805V	Red
078371-65796	16.30	EA	20	H-811V	Tan
078371-65786	16.30	EA	20	H-801V	White
078371-65787	16.30	EA	20	H-802V	Yellow

G. 3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension, Vented with Uvicor

Protective full brim hard hat with vents, comfortable 4-point ratchet suspension, standard brow pad and Uvicor™ Sensor. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C.

078371-65810	18.81	EA	20	H-803V-UV	Blue
078371-65815	18.81	EA	20	H-808V-UV	Gray
078371-65811	18.81	EA	20	H-804V-UV	Green
078371-65816	18.81	EA	20	H-809V-UV	Hi-Vis Yellow
078371-65817	18.81	EA	20	H-810V-UV	Navy Blue
078371-65813	18.81	EA	20	H-806V-UV	Orange
078371-65814	18.81	EA	20	H-807V-UV	Hi-Vis Orange
078371-65812	18.81	EA	20	H-805V-UV	Red
078371-65818	18.81	EA	20	H-811V-UV	Tan
078371-65808	18.81	EA	20	H-801V-UV	White
078371-65809	18.81	EA	20	H-802V-UV	Yellow

3M™ H-800 Series Full Brim Hard Hat, 4-Point Ratchet Suspension with Uvicor

Protective full brim hard hat with comfortable 4-point ratchet suspension, standard brow pad and Uvicor™ Sensor. Available in several colors. Custom imprinting available. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

C. 078371-65799	18.06	EA	20	H-803R-UV	Blue
078371-65804	18.06	EA	20	H-808R-UV	Gray
078371-65800	18.06	EA	20	H-804R-UV	Green
078371-65805	18.06	EA	20	H-809R-UV	Hi-Vis Yellow
078371-65806	18.06	EA	20	H-810R-UV	Navy Blue
078371-65801	18.06	EA	20	H-805R-UV	Red
078371-65802	18.06	EA	20	H-806R-UV	Orange
078371-65803	18.06	EA	20	H-807R-UV	Hi-Vis Orange
D. 078371-65807	18.06	EA	20	H-811R-UV	Tan
E. 078371-65797	18.06	EA	20	H-801R-UV	White
F. 078371-65798	18.06	EA	20	H-802R-UV	Yellow



Hard Hats

RS Hughes Part Price Per Case Description

JACKSON SAFETY* Head Protection, 4 pt ratchet suspension

Smooth dome design. Lightweight - only 12.9 oz. Molded from dielectric High Density Polyethylene (HDPE). Impact absorbing design with accessory slots for attaching additional protection options. Deep nape strap and absorbent cloth sweatband for comfortable fit.

H.	024886-04628	14.90	EA	12	Yellow	14833
I.	024886-04629	14.90	EA	12	White	14834
J.	024886-04631	14.90	EA	12	Blue	14838 SC-6



JACKSON SAFETY* Hard Hat Interchange System

No matter the task at hand, the Hard Hat Interchange System keeps your head covered and your eyes protected. One button action for quick release, even with gloves on. Vertical lock-in eliminates helmet/face shield creep. Audible click - know your PPE is assembled correctly without visual inspection. Keep your hard hat ANSI Z89.1 class E rated with dielectric Hard Hat Interchange System. Accommodates all JACKSON SAFETY* face shields; HSL Series hoods, HaloX hoods & NITRO* hoods

K.	036000-38425	24.66	EA	6	Interchange Face Shield Only System
L.	036000-39477	36.47	EA	6	Hard Hat Interchange System for Faceshield & Welding Helmet



M. PIP Evolution® Hard Hat, Orange

The Evolution® 6100 Hard Hats are the latest edition to the head protection line from JSP®. Traditional styling has been enhanced with five raised channels running across the top of the helmet which not only modernizes the aesthetic look, but also strengthens the helmet. Packed ready-to-wear with no installation of the suspension required. Unique "3D Adjustment" provides a precise fit using harness depth settings unlike any other hard hat on the US market today. 6-Point polyethylene suspension system offers unrivaled comfort without compromising performance. Meets ANSI/ISEA Z89.1-2009, Type I, Class E requirements.

038428-13660	7.14	EA	20	280-EV6121-OR
--------------	------	----	----	---------------



N. PIP EVOLite® Skyworker™ Helmet

Designed with a shell structure and suspension system that makes it ideal for industrial, mountaineering & rescue. Strong ABS plastic shell is lightweight and comfortable and protective, expanded Polystyrene (EPS) Impact Liner helps absorb the forces of front, side or rear impacts. 6-Point suspension system with polyester textile straps offers unrivaled comfort. Revolution Wheel Ratchet is easy to use and has a deep nape strap which enables a firm helmet fit. Unique "3D Adjustment" provides a precise fit using harness depth settings. Side and rear ventilation increases air circulation, keeping the head cool and comfortable. Includes a 4-point cross-over chin strap with quick release buckle (adjustable for a safe & secure fit). Chamlon™ sweatband with porous PU coating for maximum sweat absorption. Short brim for greater visibility when looking up or in confined spaces. Meets ANSI/ISEA Z89.1-2014, Type I, Class C requirements as well as EN 12492 Mountaineering standard.

503842-178983	106.79	EA	10	280-AJS260-10
---------------	--------	----	----	---------------



Head to Toe Protection

Personal Protection

Arc Flash Hard Hats and Shields, Bump Caps



Arc Flash Hard Hats and Shields

RS Hughes Part Price Per Case Description

A. PIP ARC Shield with Hard Hat - 12 Cal/cm²

HRC2, 12 Cal/cm². Arc shield with mount bracket and chin protector with bright orange full brim hard hat.

616314-65993 96.41 EA 1 9150-56511



B. PIP 9400-52505 ARC Protective Shield for Slotted Hard Hat - 12 Cal/cm²


HRC2, 12 Cal/cm². Ergonomic assemble that is convenient for the worker. Permanently attached chin protector provides additional protection at the chin and neck areas. Designed to fit universal fit slotted hard hats.

616314-39437 96.38 KT 1

C. PIP 9150-52501 ARC Protective Shield for Full Brim Hard Hat - 12 Cal/cm²

HRC2, 12 Cal/cm². Arc shield with mount bracket and chin protector designed for use with full brim hard hats.

616314-15750 93.02 KT 1



Bump Caps

D. JACKSON SAFETY* BC100 Bump Cap

Protection from minor bumps where ANSI standards are not required. Lightweight for comfort. Molded from High Density Polyethylene (HDPE). 4 pt.-injection molded suspension. Pinlock sizing from head sizes 6 1/2 to 8 1/4.

024886-04588	5.34	EA	12	14811	White
024886-04587	5.34	EA	12	14809	Yellow
024886-04589	5.34	EA	12	14812	Green
024886-04592	5.34	EA	12	14815	Red



E. PIP Hardcap A1+ Bump Cap Low-Profile Baseball Style

Inner HDPE liner, Non-ANSI, two-tone cap colors with reflective piping, standard brim. Inner High-Density Polyethylene (HDPE) liner with foam cushioning offers all round protection; Size adjustment with elastic strap and clamp action buckle ensures a secure fit; Holes in the liner plus mesh panels in the cap mean added ventilation for coolness and comfort; The protective liner is removable, so the outer cap is fully washable; Terry cloth sweatband adds comfort and absorption for the wearer. Designed as a safeguard against accidental bumping or scraping of the head. Ideal in areas where hard hats are not required.

038428-04970	18.98	EA	20	282-ABR170-21	Navy/Navy
038428-04971	18.98	EA	20	282-ABR170-11	Black/Black



F. PIP Baseball Style Bump Cap - Short Brim

HardCap A1+® Bump Cap, low-profile baseball style, inner HDPE liner, Non-ANSI, reflective piping, micro 1" brim. Inner High-Density Polyethylene (HDPE) liner with foam cushioning offers all round protection; Size adjustment with elastic strap and clamp action buckle ensures a secure fit; Holes in the liner plus mesh panels in the cap mean added ventilation for coolness and comfort; The protective liner is removable, so the outer cap is fully washable; Reduced brim for better vision when looking up; Terry cloth sweatband adds comfort and absorption for the wearer. Designed as a safeguard against accidental bumping or scraping of the head. Ideal in areas where hard hats are not required.

038428-05503	19.97	EA	20	282-ABS150-21	Navy/Navy
038428-05504	19.97	EA	20	282-ABS150-11	Black/Black

Sweatbands

RS Hughes Part Price Per Case Description

G. Occunomix Traditional Sweatband, Regular

Just dip in cold water, squeeze out and wear.

021844-56941	45.90	PK	1	100 Pack	SBR100
021844-56942	11.50	PK	1	25 Pack	SBR25



Occunomix Snap-On Hard Hat Sweatband

#1 Selling terry sweatband, Easily attaches to hard hat suspension with snaps.

H. 021844-56834	2.30	EA	20	Navy	870-01
I. 870 B20 BEIGE	2.30	EA	20	Beige	870

J. Ergodyne 6609 Hard Hat Snap Sweatband Chill-Its Absorptive

Terry Sweatband: Economical way for hard hat wearers to manage moisture. Keeps sweat out of eyes. Absorbent Terrycloth Sweatband. Fits most hard hat suspension systems. Machine washable. 100% Cotton.

720476-12440	2.33	EA	24		
--------------	------	----	----	--	--



K. Occunomix 934 Miracool® PVA Hard Hat Pad w/ Shade

Provides shade protection and cooling relief. Hook and loop attaches to hard hat suspension. Packaged in a large resealable bag.

021844-61218	9.90	EA	100	Blue 934-BL	
--------------	------	----	-----	-------------	--



Neck Shades

L. Occunomix 898 Hard Hat Shade

Fits most regular hard hats (not full brim), providing shade at back of neck to facilitate perspiration evaporation.

021844-56073	7.90	EA	144	White	
021844-56074	7.90	EA	144	Blue	
021844-56075	7.90	EA	144	Orange	
021844-56076	7.90	EA	144	Yellow	



M. Occunomix 899 Stow-Away Hard Hat Shade

Made of 100% cotton fabric with a design that facilitates perspiration evaporation, helping to keep workers comfortable reducing the risk of heat stress. Fits most hard hats including full brim. With wire spring around the rim it easily folds away into the convenient self-pouch.

021844-60128	10.50	EA	100	White	
021844-60129	10.50	EA	100	Khaki	
021844-60130	10.50	EA	100	Navy	
021844-60145	10.50	EA	100	Yellow	



N. Occunomix OK-5057009 High Visibility Mesh Hard Hat Shade

Fits regular and full brim hard hats. Provides airflow, shade, and visibility. Extra fabric length allows wearer to tuck mesh fabric inside of shirt collar. 5/8" silver beaded reflective tape for added visibility.

011726-00001	6.90	EA	48	Hi-Viz Yellow/Orange	
--------------	------	----	----	----------------------	--



Head to Toe Protection



Faceshields

RS Hughes Part Price Per Case Description

A. 3M™ H8A Ratchet Headgear With Clear W96 Propionate or WP96 Polycarbonate Faceshield **3M**

Helps protect against splash, spray & light impact. High-strength thermoplastic crown for impact resistance. Adjustable ratchet suspension. Five position crown strap. Meets the requirements of ANSI Z87.1-2003.

078371-82782	25.05	EA	5	Propionate, Light Impact, 82782-00000
078371-82783	25.33	EA	5	Polycarbonate, High Impact, 82783-00000

B. 3M™ Deluxe Ratchet Headgear, H8A

High-strength thermoplastic crown protector provides impact resistance. With adjustable ratchet suspension, this headgear features a unique system that allows faceshield window replacement in seconds and helps provide a precise fit and comfortable head protection. Five position crown strap. Meets the requirements of ANSI Z87.1-2010.

078371-82501	15.11	EA	10	
--------------	-------	----	----	--

C. 3M™ Clear Polycarbonate Faceshield Window, WP96

Durable, molded general purpose polycarbonate faceshield offers high impact face protection. Protective eyewear should be worn under faceshields at all times and is sold separately. 3M provides reliable head and face protection products that meet regulated performance and safety requirements. 3M™ Easy-Change™ Faceshields mount quickly to 3M headgear systems. Meets the high impact requirements of ANSI Z87.1-2010.

078371-82701	7.04	EA	10	
--------------	------	----	----	--

D. JACKSON SAFETY* The Shield* Goggle



Detachable Monogoggle XTR*. Curved polycarbonate face shield conforms to the shape of face. Lightweight - only weighs 6.4 oz. 99.9% UV protection. Meets the ANSI Z87.1+ standard.

761445-00127	21.83	EA	6	Blue Frame, Clear AF Lens, 18629
--------------	-------	----	---	----------------------------------

E. JACKSON SAFETY* Headgear & Face Shield Kit

Model K Ratchet Headgear With Spark Defelctor Secures 12" Or 15.5" Face Shields. Sort, Absorbant Wrap-Around Foam Cusioned Sweatband Gently Hugs Athe Natural Shape Of The Head. Comes With A Clear Visor.

604844-10003	17.83	EA	12	14382 Model K Headgear w/ Face Shield
--------------	-------	----	----	---------------------------------------

F. JACKSON SAFETY* F30 Acetate Face Shields

Ideal for scratch resistance and premium optics. High-grade .040" cast sheet acetate protects against splash. 99.9% UV protection. Meets the ANSI Z87.1 and CSA Z94.3 standard.

024886-05612	6.47	EA	24	8" X 12" X .04", Bound
--------------	------	----	----	------------------------

G. Uvex Bionic Faceshield with Suspension

A revolutionary face shield designed for rugged jobs. Extremely lightweight and highly adjustable for all-day comfort. Perfect for exposure to impact, chemical splash, and airborne debris. Clear polycarbonate visor with black matte shell.

603390-115103	31.00	EA	1	Uncoated	S8500
603390-115110	47.06	EA	1	Anti Fog Hard Coat	S8510

H. Uvex Bonic Polycarbonate Visor

Clear, replacement visor for S8500 and S5010 Uvex Bionic Faceshield.

603390-116704	6.76	EA	10	S8550 Uncoated
603390-116728	24.06	EA	10	S8555 Anti Fog Hard Coat

I. 3M™ Universal Headgear For Hard Hat H24M

Universal faceshield holder that can be used with most 3M(TM) Faceshields to help provide face protection. Designed to fit many cap style hard hats. Does not interfere with most cap-mounted ear muffs. Requires protective eyewear, sold separately.

078371-82520	10.69	EA	20	82520-10000
--------------	-------	----	----	-------------

Faceshield Material Selector Guide

Material	Shape	Impact Resistance	Scratch Resistance	Heat Resistance	Optics
Polycarbonate	Molded/Sheet	Best	Better	Best	Best
Propionate	Molded	Limited	Good	Good	Better
Acetate	Sheet	Limited	Best	Better	Best
PETG	Sheet	Limited	Better	Better	Good

Faceshields should only be worn over primary eye protection (spectacles or goggles).

Only
\$9.07

RS Hughes Part Price Per Case Description

JACKSON SAFETY* 29051 Model K Headgear



Spark deflector. Soft, absorbent wrap-around foam cushioned sweatband gently hugs the natural shape of the head. Ratchet suspension. Meets the ANSI Z87.1 standard.

J. 604844-10042 9.07 EA 60 Head Gear Only

Enables Attachment Of All Jackson Safety Face Shields. Ratchet Suspension.

K. 024886-12482 18.12 EA 12 14940 HDG30 170-SB



L. JACKSON SAFETY* 14948 Model 137 Cap Adapter

Cap coil spring attachment. Easily attaches face shields to most safety caps. Locking device holds face shield securely in the up or down position. Turn button attachment will secure face shield and provide fast attachment for bill forward facing hats.

024886-05286 10.00 EA 12



M. JACKSON SAFETY* F10 PETG Face Shields

A Low Cost Recyclable Option

761445-22681 4.58 EA 36 Unbound, 29101 Med Green, 8" x 15.5" x .040"



JACKSON SAFETY* F20 Polycarbonate Face Shields

Used In Conjunction With Protective Eyewear, Jackson Safety* Brand Face Shields Provide A High Degree Of On-The-Job Protection For Heat Applications, As Well As For Grinding, Flying Debris And Splash Protection, Among Others. All Jackson Safety * Brand Face Shields Meet Ansi Z87.1 2010 Standards When Used With Any Jackson Safety * Brand Headgear.

N. 761445-22643 6.98 EA 25 29096 Clear, 8" x 15.5" x .040"

O. 761445-22645 3.83 EA 36 29097 Med Green, 8" x 15.5" x .040"

P. 761445-22690 20.80 EA 12 29062 Clear, 8" x 15.5" x .040"

Q. JACKSON SAFETY* F30 Acetate Face Shields

Used In Conjunction With Protective Eyewear, Jackson Safety* Brand Face Shields Provide A High Degree Of On-The-Job Protection For Heat Applications, As Well As For Grinding, Flying Debris And Splash Protection, Among Others. Face Shield 29078 Does Not Meet Ansi Z87.1 Splash Protection Requirements When Used With Headgear 29076

024886-05612 6.47 EA 24 29078 Clear, 8" x 12" x .040"



JACKSON SAFETY* F50 Polycarbonate Special Face Shield

Used in conjunction with protective eyewear, JACKSON SAFETY* Brand Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others. All JACKSON SAFETY* Brand Face Shields meet ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand Headgear.

R. 604844-15095 121.00 EA 1 28634 Gold, 10" x 20" x .060"

S. 024886-19100 17.34 EA 12 26262 IRUV 3, 8" x 15.5" x .060"

T. 024886-19099 19.02 EA 12 29080 IRUV 5, 8" x 15.5" x .060"



3M™ Speedglas™ 9100 Head Suspension

Back of headband is self-adjusting and swivels to fit different head shapes

Smooth ratchet mechanism lets you manually tighten the helmet to your personal preference



Unique 2-strap crown adjustment for increased stability and reduced pressure on the top of the head

Four settings let you determine the distance between your face and the helmet for optimum viewing

Speedglas™ ADF Application Guide

	100V	9100
MMAW	Optimized	Optimized
MIG/Mag	Optimized	Optimized
TIG (>10A)	Optimized	Optimized
TIG (1A - 10A)	Not Recommended	Not Recommended
Plasma (Welding and Cutting)	Not Recommended	Not Recommended
Risk for Hidden Arc	Not Recommended	Not Recommended
Tack Welding	Suitable	Optimized
Grinding	Suitable	Optimized

■ Optimized
 ■ Suitable
 ■ Not Recommended

3M™ Speedglas™ 100 ADF



The 100-Series welding helmets are available with either a variable shade ADF (100V) or a single shade ADF (100F). Welders can choose from the 100S-10 with a dark shade of 10 or the 100S-11 with a dark shade of 11.

	100V
Part number	H - L
Dark state	Shade 8-12
Light state	Shade 3
TIG Rating	> 10
Switching speed	0.1 ms
UV/IR Protection	Shade 12 (permanent)
Viewing area (approx.)	1.73 x 3.66 in (44 x 93 mm)
Number of Sensors	2
Battery life (approx.)	1500 hours
Warranty	2 years
Weight (complete assembly in ounces)	Black - 15, with graphics - 16 (same for all three filters)



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Speedglas™ Welding Helmet 100V with Auto-Darkening Filter, Selectable Shades 8-12

The Speedglas 100 Series Welding Helmets with Auto-Darkening Filter 100V are good for Stick, MIG and most TIG welding processes. They have user selectable dark shades 8 through 12 and a viewing area of 6.05 sq.in. They also have three user-selectable sensitivity levels for reliable arc detection and excellent optical quality. The ADF is a shade 3 in the light state.

051131-37232	212.19	EA	1	Black, 07-0012-31BL
--------------	--------	----	---	---------------------



B. 3M™ Speedglas™ Helmet 9100 with Auto Darkening Filter, Shades 5, 8-13

The Speedglas welding helmet 9100 with sidewindows, filter shades 8-13, sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes. New headgear makes this helmet extremely comfortable and versatile.

051135-89387	516.74	EA	1	9100XX, 12.11sq in. viewing area
051135-89356	420.16	EA	1	9100X, 9.12 sq in. viewing area
051135-89354	323.56	EA	1	9100V, 6.05 sq in. viewing area

C. 3M™ Speedglas™ Quick Release Welding Helmet

Hard hat and welding helmet system that allows welding helmet to nest over hard hat when raised. In addition, can easily detach welding helmet while hard hat remains in place for non-welding tasks.

051141-56359	448.69	EA	1	06-0100-10QR with 9100V Filter
051141-56360	490.08	EA	1	06-0100-20QR with 9100X Filter
051141-56361	581.14	EA	1	06-0100-30QR with 9100XX Filter
051141-56362	281.35	EA	1	07-0012-31BL-QR with 100V Filter



RS Hughes Part Price Per Case Description

D. 3M™ Speedglas™ Welding Helmet 9100 Auto-Darkening Filter 9100XXi

The 3M™ Speedglas™ Auto Darkening Filter 9100XXi offers the same large viewing area as our 3M™ Speedglas™ ADF 9100XX. But thanks to improved optics, the 9100XXi ADF allows you to more readily recognize colors as compared to our other models.

051141-56475 536.99 CA 1 06-0100-30iSW

E. 3M™ Speedglas™ Auto Darkening Filter 9100XXi with Silver Front Panel

Kit includes 3M™ Speedglas™ Auto Darkening Filter 9100XXi and 3M™ Speedglas™ Silver Front Panel 9100XXi. Thanks to the improved optics, the 9100XXi welding filter allows you to more readily recognize colors as compared to our other models.

051141-56474 526.99 CA 1 06-0000-30i-KIT

F. 3M™ Speedglas™ Auto Darkening Filter 9100XXi, Shades 5, 8-13

The 3M™ Speedglas™ Auto Darkening Filter 9100XXi offers the same large viewing area as our 3M™ Speedglas™ ADF 9100XX. But thanks to improved optics, the 9100XXi ADF allows you to more readily recognize colors as compared to our other models.


051141-56473 509.99 CA 1 06-0000-30i



D

See The Difference

Improved optics in the new 3M™ Speedglas™ 9100XXi provide more contrast and natural-looking color, as shown by these photos.



E

F

3M™ Speedglas™ 9100 FX



G

The 9100 FX includes an innovative wide-view grinding visor to give welders and all-in-one solution for more flexibility and precision. The exceptionally clear and large (8" x 4.25") visor offers a greater field of view in all directions, while a smooth flip-up pivot mechanism assures effortless transition from welding to grinding modes. The 9100 FX comes standard with Shade 5 SideWindows and a top-of-head head spark and spatter cover.

9100 FX with 9100V ADF 051131-49671
9100 FX with 9100X ADF 051131-49673

G. 3M™ Speedglas™ Welding Helmet 9100 FX with Side Windows Auto-Darkening Filter Shade 5, 8-13

The 3M™ Speedglas™ Welding Helmet 9100 FX features a flip-up dark shade 5, 8-13 auto-darkening filter assembly, shade 5 SideWindows and a clear 8 in x 4.25 in (200 mm x 110 mm) faceshield. For Stick, MIG and TIG processes, grinding and torch cutting. Innovative wide-view grinding visor to give welders an all-in-one solution for more flexibility, precision, and efficiency. The exceptionally clear, wide grinding visor offers a greater field of view in all directions, while a smooth flip-up pivot mechanism assures effortless transition from welding to grinding modes. New front air exhaust vents help reduce fogging, and highly adjustable suspension and well-balanced design enhance the well known Speedglas top performance and comfort qualities.

051131-49671 530.54 EA 1 9100FV
051131-49673 618.02 EA 1 9100FX
051131-49675 683.88 EA 1 9100XX



G

Upgrade your current 3M™ Speedglas™ Welding Helmets 9100 / 9100-Air

Part No.	Description
06-0000-30i-KIT	Welding filter kit 9100XXi (new silver front and 9100XXi welding filter). Applicable to Speedglas welding helmets 9100 and 9100 Air.
06-0000-30i	3M™ Speedglas™ Welding Filter 9100XXi (without silver front panel). The filter fits to all Speedglas welding helmet series 9100, but needs the new silver front to have the outside control functions.

No need to remove gloves!
Access pre-set welding modes via the external button.



Head to Toe Protection



A

NEW PRODUCTS
9100 helmet with
new 9100XXi
filter




C



E



F



G



H



I



RS Hughes Part Price Per Case Description

3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100-Air

The 3M™ Adflo™ Powered Air Purifying Respirator and 3M™ Speedglas™ Welding Helmet 9100-Air with Auto Darkening Filter 9100XXi offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one. The 3M™ Adflo™ PAPR features a lithium ion battery, high efficiency particulate filter, and wide leather belt. Audible and visual alarms signal low airflow and low battery charge. The high efficiency particulate filter can be "stacked" onto an optional 3M™ Adflo™ Cartridge (not included) for additional protection against OV/SD/CL/HC vapors. With improved optics, the 3M™ Speedglas™ Auto Darkening Filter 9100XXi allows you to more readily recognize colors as compared to our other models.

A. 051141-56476	1,889.99	CA	1	35-1101-30ISW
B. 051131-49821	1,799.25	EA	1	9100XX, HEPA



3M™ Speedglas™ FA III SAR with V-100 Valve & 3M™ Speedglas™ Welding Helmet 9100-Air

Welding respiratory protection system featuring the V-100 cool-air valve. Lightweight belt-mounted valve allows welders to lower temperature of air entering headpiece by up to 50°F; designed for hot, strenuous jobs.

C. 051141-56477	1,338.99	CA	1	25-5702-30ISW
D. 051141-55801	2,102.26	EA	1	9100X Auto Darkening Filter

E. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter, Respiratory Protection

Replacement high efficiency particulate filter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). 2 per case.

051131-37145	122.72	CA	1
--------------	--------	----	---

F. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) Battery, Respiratory Protection

Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Environmentally-friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.

051131-37146	476.11	EA	1
--------------	--------	----	---

G. 3M™ Adflo™ High Efficiency Starter Kit, Welding Safety

Replacement kit includes 2 high efficiency particulate filters, 6 prefilters and 2 spark arrestors. For 3M™ Adflo™ Powered Air Purifying Respirator (PAPR).

051131-37147	133.16	EA	1
--------------	--------	----	---

H. 3M™ Adflo™ Prefilter, Welding Safety

Replacement particulate prefilter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.

051131-37144	18.54	EA	6
--------------	-------	----	---

I. 3M™ Adflo™ Spark Arrestor, Welding Safety

Replacement spark arrestor for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.

051131-37142	6.49	EA	2
--------------	------	----	---

RS Hughes Part Price Per Case Description

JACKSON SAFETY* AIRMAX* Powered Air Purifying Respirator

The JACKSON SAFETY* R60 AIRMAX* Powered Air Purifying Respirator is the PAPR you've been waiting for - affordable protection from harmful contaminants while you weld. Quality-built to perform for the smallest to the toughest of jobs, keeping you safe through it all. Welding helmet with a JACKSON SAFETY* W40 Series variable auto-darkening filter which can automatically detect weld arcs and switch to weld shade. Flame-retardant face seal protects against sparks. Lightweight blower unit with adjustable waist belt. Audible alarm signals user when new filter or battery charge is needed. Filter provides NIOSH-approved HE filtration from particulate. contaminants; intuitive set and lock for quick and easy replacement. Flame-retardant breathing hose provides flexibility and protection against sparks. Lightweight Lithium Ion battery provides 8 hours of power. "Smart" charger indicates when battery charge is complete to prevent overcharging.

J.	036000-12993	646.81	EA	1	12993 - Complete System
K.	036000-13053	19.29	EA	6	13053 - HE Filter
L.	036000-13051	133.61	EA	1	13051 - Lithium Ion Battery - 8 hr
M.	036000-13046	26.05	EA	1	13046 - Battery Charger
N.	036000-13043	7.15	KT	1	13043 - Protective Plates - 5 Fronts, 2 Backs
O.	036000-13965	17.46	EA	3	13965 - Face Seals



P. Jackson Safety* Airmax Elite* Papr With Bh3* Air Headpiece

Protect yourself from the respiratory dangers of welding fumes and heat stress - without sacrificing visibility - with the AIRMAX ELITE* PAPR from Jackson Safety*. This welding helmet delivers the best in class optical clarity available in a PAPR, coupled with an enlarged viewing area and an auto darkening filter with Balder* Technology to reduce eye fatigue and enhance welding accuracy. The flame-retardant face seal protects against sparks while audible and vibrating signals indicate when the battery or filter needs to be changed. Don't choose between comfort and compliance. Get both with the AIRMAX ELITE* PAPR from Jackson Safety*.

036000-40839	1,805.08	KT	1
--------------	----------	----	---

Q. Jackson Safety* Airmax Elite* He Filter 6-Pack

This is the replacement filters for the JACKSON SAFETY* AIRMAX ELITE* PAPR. NIOSH approved HE filtration from particulate contaminants in welding fumes. Two filters are required with use. 6 filters come in a pack which is equivalent to 3 change-outs. * Filters are attached to the blower unit via turning/spinning into place. Spark Arrestor and Pre-Filter (sold separately) can be placed on top and then cover plate.

036000-40878	18.90	EA	6
--------------	-------	----	---

R. Jackson Safety* Airmax Elite* Filter Cover And Spark Arrestor

This item contains the following: 2 cover plates for the filter, 2 spark arrestors.

036000-40876	9.80	EA	2
--------------	------	----	---

S. Jackson Safety* Airmax Elite* Pre-Filter 10-Pack

The pre-filter extends the operating life of the main filter by capturing coarse particles. Two pre-filters are required with PAPR use (one attached to each filter on the blower unit), This is a pack of 10 individual pre-filters.

036000-40877	1.34	EA	10
--------------	------	----	----

T. Jackson Safety* Airmax Elite* Battery

This is a rechargeable lithium ion battery that provides 8 hours of power.

036000-40864	273.34	EA	1
--------------	--------	----	---

U. Jackson Safety* Airmax Elite* Battery Charger

This is a "Smart" Battery Charger whereby it indicates when battery is being charged and when charging is complete without overcharging the battery. Works only with the JACKSON SAFETY* AIRMAX ELITE* Lithium Ion battery.

036000-40863	179.68	EA	1
--------------	--------	----	---



Head to Toe Protection



View with Jackson Safety* ADF Helmet with Balder* Technology



View with competitive ADF

WH70 BH3 Helmet with Balder Technology

The WH70 BH3* Helmet with BALDER* Technology has achieved the highest rating for optical quality and the best classification for "angular dependence." That means it gives the welder the flexibility to see clearly at many different angles. Jackson Safety* ADF Welding Helmets with Balder* Technology give you: A clear view from various angles which reduce eye fatigue, the need to move, adjust and refocus, and superior optical quality that allows you to do your best work.

Welding Helmets



A



B



C



D



E



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Jackson Safety* W70 Hlx Welding Helmet With TrueSight* Digital ADF



Includes all of the features of the previous series, but the controls are all digital. This gives welders the ability to be even more precise in controlling their settings and empowers the welder with one of the best ADFs in the market!

036000-29371	418.98	EA	2	
--------------	--------	----	---	--

B. Jackson Safety* Welding Safety Lens, 10/Case

For use with Jackson Safety HLX welding helmets with TrueSight* II digital auto-darkening filters.

036000-30320	26.30	CA	1	External
036000-30321	17.50	CA	1	Internal

C. JACKSON SAFETY* WH70 BH3* Helmet with BALDER* Technology

W70 SERIES - Setting a new standard in performance, this advanced ADF has earned the best Optical Classification, only achieved with BALDER* Technology. So good it comes with a 5-year warranty. Superior angle of view Enhanced visibility and color recognition Variable shade (9-13), adjustable sensitivity and opening time delays Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100 Aerodynamic shell designed for better fume deflection than the HSL-100 Smooth, rounded perimeter for increased comfort Quick and easy replacement of safety plates Lightweight Auto-On ADF is always ready to weld Meets ANSI Z87.1 High Impact 2010 standard CE Certified DIN Plus Certified

036000-37191	811.86	EA	2	Black
--------------	--------	----	---	-------

JACKSON SAFETY* Welding Safety Lenses

D. 036000-37248	9.15	PK	10	Clear Plate Bh3 Inner
E. 036000-37247	18.31	PK	10	Clear Plate BH3 & SmartIGer Outer
036000-37245	6.78	PK	10	Blk Bh3 & SmartIGer Magnification Lens Adapter



RS Hughes Part Price Per Case Description

JACKSON SAFETY* W40 INSIGHT Variable ADF Welding Helmet - HaloX

Enables welders to adapt to the vast working environments with the ability to control the shade of the lens and adjustments for sensitivity from ambient lighting sources.

F. 036000-40713	167.80	EA	2	40713	Black
G. 036000-41589	8.60	EA	10	41589	Lens Kit



F



G

JACKSON SAFETY* W30 ELEMENT* Fixed Shade 10 ADF Welding Helmet

W30 Series Fixed Shade Auto-Darkening Filters: Auto-Darkening Filters (Adf) Eliminate The Need To Raise The Welding Helmet. As Technology Evolved, The Reliability, Safety And Cost Of Adfs Have Reaped These Same Benefits. Ideal For All Welders - From Novice To Experts.

H. 711382-03800	76.58	EA	4	23286	Black
I. 711382-03862	8.25	KT	10	23440	Lens Kit



I



J. JACKSON SAFETY* W10 HSL 1 Passive Welding Helmet

W10 Series Passive Welding Helmets Are Perfectly Suited And Priced For The Cost Conscious Welder. They Offer A Clear, Unobstructed View Of The Weld Puddle And Come Equipped With A Shade 10 Polycarbonate Filter. Ideal For Students, Hobbyist And Inspectors.

024886-13584	40.46	EA	4	14979	Black
--------------	-------	----	---	-------	-------

K. JACKSON SAFETY* W10 HSL 100 Passive Welding Helmet

W10 Series Passive Welding Helmets Are Perfectly Suited And Priced For The Cost Conscious Welder. They Offer A Clear, Unobstructed View Of The Weld Puddle And Come Equipped With A Shade 10 Polycarbonate Filter. Ideal For Students, Hobbyist And Inspectors.

024886-08200	44.37	EA	4	14975	Black
--------------	-------	----	---	-------	-------

H

L. JACKSON SAFETY* Welding Replacement Safety Plate

W20 Series Specialty Welding Helmets: Whether You Are In A High Heat Environment, Welding In A Tight Space Or Simply Long For A Lightweight Alternative While Welding, These Helmets Are Ideal For Special Welding Applications

024886-05520	23.73	CA	1	16073	Clear
024886-05521	2.51	EA	25	16078	Clear

M. JACKSON SAFETY* Welding Helmet Parts Kit For HSL-100 & HaloX

Elongate The Life Of Your Helmet With Replacement Parts That Ensure Your Hood Is Ansi Z89.1 Compliant.

711382-04780	19.19	EA	1	24550	
--------------	-------	----	---	-------	--

N. JACKSON SAFETY* Welding W10 Series Magnifier (Cheater Lens) Adapter

Jackson Has An Array Of Mag Plates To Fit The Needs Of Any Welder. While Providing Close Vision Without Glasses, The Mag Plates Are Also Adaptable To All Adf Filters. Select Focal Power By Comparing Prescription Lenses.

024886-24367	6.25	EA	12	15974	
--------------	------	----	----	-------	--



K



J



N

When is the use of eye and face protection required?

OSHA's eye and face protection standard, 29 CFR 1910.133 requires that use of eye and face protection when workers are exposed to eye or face hazards such as flying objects, molten metal, liquid chemicals, acid or caustic liquids, chemical gases or vapors or potentially injurious light radiation.

**ONLY
\$0.93**



A



C



B



ANSI Z87.1-2010

The American National Standards Institute (ANSI) approved a new edition of ANSI/ISEA Z87.1 titled "American National Standard Practice for Occupational and Educational Personal Eye and Face Protective Devices," replacing the Z87.1-2003 version.

Two key changes to the eye and face protection standard include:

1) A focus on the hazard, rather than on the protector type, to encourage safety personnel and users to identify and evaluate specific hazards in their workplace such as Impact, Optical Radiation, Splash, Dust, and Fine Dust Particles. Therefore, under the revised standard, selection of the appropriate eye and face protective devices should be based on the hazard.

2) New criteria for compliance: Impact ratings:

The 2003 version described two levels of protection: "Basic" & "High" impact protection. The 2010 revision describes devices to be either "Non Impact Rated" (complying to the impact requirements under "General Requirements") or "Impact Rated" (complying to more stringent requirements within the revision)

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

A. 3M™ Virtua™ Protective Eyewear

Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-11228	0.93	EA	100	Clear Temple, Clear Uncoated Lens
078371-62098	1.49	EA	100	Clear Temple, Clear Hard Coat Lens
078371-62103	2.27	EA	20	Clear Temple, I/O Lens
078371-62105	1.75	EA	20	Clear Temple, Clear Anti-Fog Lens
B. 078371-62102	1.68	EA	20	Gray Temple, Gray Hard Coat Lens

C. 3M™ Virtua™ Max™ Protective Eyewear Larger Lens Size

Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit.

078371-62115	1.50	EA	20	Clear Frame, Clear Hard Coat Lens
078371-62116	1.68	EA	20	Clear Frame, Clear Anti-Fog Lens

Selecting proper eye and face protection

Eye and face protection must be selected on the basis of hazards to which the worker is exposed. A first critical step in developing a comprehensive safety and health program is to identify the physical and health hazards in the work place. This process is known as the "hazard assessment." Per 29CFR 1910.132, the employer must assess the workplace and determine if hazards that necessitate the use of personal protective equipment (PPE), including eye and face protection are present or likely to be present before assigning PPE to workers. A properly conducted hazard assessment identifies routine and non-routine activities and tasks, which have increased risks of exposure to eye and face hazards.



RS Hughes Part Price Per Case Description

3M™ Virtua™ AP Protective Eyewear

Unisex styling. Comfortable, lightweight frame - weight less than 1 oz. High-wrap lenses fit snug against the face for a better viewing area. Polycarbonate lenses absorb 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2010.

- D.** 078371-11819 1.68 EA 20 Clear Temple, Clear Hard Coat Lens
- D.** 078371-11818 2.33 EA 20 Clear Temple, Clear AF Lens
- E.** 078371-11815 1.86 EA 20 Gray Temple, Gray Hard Coat Lens
- F.** 078371-11847 2.66 EA 20 I/O Temple, I/O Mirror
- G.** 078371-11816 1.86 EA 20 Lt Blue, Hard Coat Lens



3M™ Virtua™ Sport Protective Eyewear

Sleek, unisex Virtua Sport protective eyewear combines athletic-look styling, versatility and value with a high wraparound, anti-fog polycarbonate lens for excellent eye coverage and a comfortable fit.

- H.** 078371-62055 1.95 EA 20 Clear Temple, Clear Hard Coat Lens

3M™ Virtua™ V4 Protective Eyewear



Unisex styling. Lightweight design. Soft, dual injected temples for increased comfort. Adjustable nose bridge. Meets the High Impact Requirements of ANSI Z87.1-2003. Black/Gray Temple.

- I.** 078371-62034 2.22 EA 20 Clear Hard Coat Lens
- I.** 078371-62036 2.86 EA 20 Clear Anti Fog Lens
- J.** 078371-62037 3.05 EA 20 Gray Anti Fog Lens
- K.** 078371-62038 3.11 EA 20 I/O Mirror Lens

L. 3M™ Virtua™ Sport CCS Protective Eyewear

Protective eyewear with a Corded Earplug Control System (CCS). This unique temple design controls and holds the cord of an earplug to keep it in place and untangled while in use. Clear/gray anti-fog or hard-coat lens. Meets the requirements of ANSI Z87.1-2003

- 078371-11797 3.99 EA 20 Clear Hard Coat Lens
- 078371-11796 4.54 EA 20 Clear Anti Fog Lens



Head to Toe Protection

**Editor's Choice
for comfort
and value**



A



B



C

RS Hughes Part Price Per Case Description

3M™ SecureFit™ Protective Eyewear 200 Series

The 3M™ Pressure Diffusion Temple Technology self-adjusts to fit a wide array of head sizes reducing the need to stock multiple frame sizes. It also provides a secure snug fit without compromising comfort, helps reduce eyewear/frame slippage during workplace head movements and enhances frame comfort without sacrificing the security of fit. This stylish design weighs less than 1 ounce for lightweight comfort. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of CSA Z94.3 and ANSI Z87.1-2010.

A. 078371-65717	2.26	EA	20	Clear Anti-Fog Lens
B. 078371-65718	2.56	EA	20	Gray Anti-Fog Lens
C. 078371-65719	2.56	EA	20	Amber Anti-Fog Lens
A. 078371-65720	2.03	EA	20	Clear Anti-Scratch Lens
B. 078371-65721	2.21	EA	20	Gray Anti-Scratch Lens
C. 078371-65722	2.21	EA	20	Amber Anti-Scratch Lens




3M™ SecureFit™ Protective Eyewear 400 Series

Polycarbonate lenses absorb 99.9% of UVA & UVB. Meets the requirements of ANSI Z87.1-2010.

Soft, adjustable nosepads for greater personalization



Features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology



E

Dual-injected, padded temple touchpoints for added comfort over the ears

Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style



D



E



F

3M™ SecureFit™ Protective Eyewear 400 Series

Stylish design weighs less than 1oz, has a soft adjustable nosepiece to help reduce slippage, incorporates dual-material on temples to provide cushioned comfort plus enhanced style and proprietary 3M™ Pressure Diffusion Temple Technology

D. 078371-66211	3.44	EA	20	SF401AF	Clear A/F Lens
E. 078371-66212	3.62	EA	20	SF402AF	Gray A/F Lens
F. 078371-66213	4.32	EA	20	SF410AS	Mirror Lens



**Editor's Choice
for comfort
and value**

RS Hughes Part Price Per Case Description

3M™ Solus™ 1000-Series Protective Eyewear

3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer providing longer lasting fog resistance than traditional anti-fog coatings. Removable temples enable the use of the optional strap. Optional foam gasket helps reduce eye exposure. Available in several frame colors and lens tints.

G.	051131-27182	9.83	PR	20	Clear Lens	S1201SGAF
H.	051131-27186	9.83	PR	20	Clear Lens	S1101SGAF
I.	051131-27184	9.83	EA	20	Amber Lens	S1203SGAF
J.	051131-27188	9.83	EA	20	Amber Lens	S1103SGAF
K.	051131-27183	9.83	PR	20	Grey Lens	S1202SGAF
L.	051131-27187	9.83	PR	20	Grey Lens	S1102SGAF



M. 3M™ Privo™ Protective Eyewear

Stylish Privo unisex protective eyewear looks as smooth as it functions. Bridges eurostyle and comfort with soft tips and temples, a gentle nosebridge, and a sturdy polycarbonate lens. Anti-fog coating allows for all-day, indoor or outdoor use.

078371-62087	5.75	EA	20	Black Frame, Clear AF Lens
--------------	------	----	----	----------------------------

N. 3M™ Lexa™ Fighter Protective Eyewear

Combines extra wide viewing range and contoured design. Lightweight, high wrap offers additional coverage. Fully customizable with multiple lens options, three lens angles and four temple lengths. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62282	6.96	EA	100	Black Temple, Clear AF Lens
--------------	------	----	-----	-----------------------------

3M™ Moon Dawg™ Safety Sunwear

Surf-inspired Moon Dawg safety glasses are your comfortable, stylish choice for protective eyewear. Its lightweight, wide temple frame offers enhanced coverage, and its durable construction makes it a cool outdoor safety sunwear option. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2010.

O.	078371-62178	9.88	EA	20	Black Frame, Gray Anti-Fog Lens
P.	078371-62179	11.18	EA	20	Black Frame, I/O Mirror Lens

Q. 3M™ LightVision™ 2 Protective Eyewear

Designed for workers who have difficulty reading small print or who are engaged in small detail work. Dual LED lights provide hands-free lighting. Meets the High Impact requirements of ANSI Z87.1-2003.

078371-62111	17.14	EA	100	Gray Frame, Clear AF Lens
--------------	-------	----	-----	---------------------------

R. 3M™ Smart Lens™ Photochromic Protective Eyewear

Changing outdoor light conditions doesn't require changing eyewear anymore. SmartLens protective eyewear lightens and darkens with rise and fall of outdoor light conditions. Transitions from light to dark in less than 20 seconds (allowing just 22% light transmission), dark to light in less than 3 minutes (allowing 77.5% light transmission). Meets the traffic signal requirements of ANSI Z80.3-2008 and the High Impact Requirements of ANSI Z87.1-2010.

078371-62033	63.34	EA	5	
--------------	-------	----	---	--



Light Reactive Lenses Adjust with Changing Outdoor Light Conditions

New Lower Pricing



A



B

Personal protective equipment (PPE) for the eyes and face is designed to prevent or lessen the severity of injuries to workers. The employer must assess the workplace and determine if hazards that necessitate the use of eye and face protection are present or are likely to be present before assigning PPE to workers. [29 CFR 1910.132(d)]



C

**Comfort Tips
Low Price
\$1.46**



D



E



F



G

RS Hughes Part Price Per Case Description

A. JACKSON SAFETY* KleenGuard® V10 Standard Eye Protection

Lightweight, popular styling with an economical price. Universal nose bridge. Scratch-resistant polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standards.

761445-31005	0.95	EA	12	Clear Hard Coat Lens	25627
761445-31006	0.97	EA	12	Gray Lens	25631

B. JACKSON SAFETY* V10 Expo Safety Eyewear

An economical solution for providing eyewear protection and comfort. Lightweight one-piece 4 base curve polycarbonate lens provides a wide field of vision. Three point adjustable temples to provide a custom fit. Ideal as a visitor spec.

711382-01998	1.20	EA	12	Clear Lens	22514
711382-01999	1.25	EA	12	Gray Lens	22515

JACKSON SAFETY* V20 PURITY* Safety Eyewear

Wraparound lens for better eye protection. Comfortable, padded temples. 99.9% UVA/UVB protection. Meets ANSI Z87.1+ standards.

C. 036000-25650	1.46	EA	12	Clear Frame/Clear Lens	
C. 036000-25654	1.98	EA	12	Clear Frame/Anti Fog Lens	
D. 036000-25652	1.46	EA	12	Smoke Frame/Smoke Lens	
E. 036000-25649	1.64	EA	12	Amber Temple, Amber Lens	

JACKSON SAFETY* V20 Visio Safety Eyewear

One-piece 8 base curve polycarbonate lens with three point adjustable temples and wraparound protection. Unique duo-tone frame, lightweight design and comfortable fit.

F. 761445-19492	2.07	EA	12	Clear, Silver 14470	
F. 761445-19493	2.39	EA	12	Clear, A/F Silver 14471	
G. 761445-19494	2.07	EA	12	Smoke, Silver 14472	



**Jackson's
#1 Seller**



RS Hughes Part Price Per Case Description

JACKSON SAFETY* V30 Nemesis Safety Eyewear

Sleek and flexible lightweight design. Soft touch temples for added comfort. Scratch-resistant, dual polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standard. Every pair includes a free neck cord.

H.	761445-19805	5.17	EA	12	Black Frame, Clear AF Lens	25679
I.	761445-19806	4.76	EA	12	Black Frame, Smoke Lens	25688
J.	036000-19639	4.64	EA	12	Black Frame, Lt Blue Lens	19639
K.	711382-02508	6.36	EA	12	Camo Frame, Clear AF Lens	22608
L.	711382-02509	6.14	EA	12	Camo Frame, Smoke AF Lens	22609
M.	761445-19804	4.41	EA	12	Black Frame, Clear Lens	25676
N.	036000-28635	20.34	EA	12	Polarized Smoke	28635

O. SMITH & WESSON® Elite* Safety Eyewear

Wide temples provide structural integrity and stability. Scratch-resistant, dual polycarbonate lens. 99.9% UV protection. Meets the ANSI Z87.1+ standard. Every pair comes with a micro-fiber carry pouch that doubles as a cleaning cloth.

	079768-00865	8.08	EA	12	Black Frame/Clear AF Lens	21302
	079768-00866	8.08	EA	12	Black Frame/Smoke AF Lens	21303

JACKSON SAFETY* V40 MAXFIRE* Safety Eyewear

Lightweight Safety Glass With Adjustable Temple And Nosepiece For A Custom Fit. Soft Rubber Insert On The Brow, Temple, And Along The Ear For Additional Comfort. Provides 99.9% Uv Protection Against Harmful Uv Rays. Contemporary Styling, Available In A Variety Of Frame Colors And Lens Tints To Ensure Wearer Acceptance.

P.	036000-38499	7.20	EA	12	38499 Black Frame, Clear AF Lens
Q.	036000-38490	9.00	EA	12	38490 Brown Frame, I/O AF Lens
R.	036000-38485	7.36	EA	12	38485 Brown Frame, Smoke AF Lens

JACKSON SAFETY* V40 MAXFIRE* S Safety Eyewear

Lightweight Safety Glass With Adjustable Temples For A Custom Fit Contemporary Styling Designed To Fit Smaller/Slimmer Faces Provides 99.9% Uv Protection Against Harmful Uv Rays

S.	036000-38498	7.20	EA	12	38498 Black Frame, Clear AF Lens
T.	036000-38489	8.29	EA	12	38489 Brown Frame, I/O AF Lens



Head to Toe Protection



A



B



C



D



E



F



G



H



I



J



K

Bollé soft pouch and adjustable cord are included with Cobra, and Contour Eyewear shown on this page.



PLATINUM

NEW PLATINUM® ANTI-FOG AND ANTI-SCRATCH TREATMENT

CLEARLY EXTRAORDINARY

This permanent coating applied on both surfaces makes them highly scratch-resistant, gives them high resistance to the most aggressive chemicals and slows the appearance of fogging to over 2 minutes. In any circumstances and at every moment, Platinum provides the maximum safety for eyes.

RS Hughes Part Price Per Case Description

Bollé Rush Eyewear

High Impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides. 99.99% UVA and UVB light absorption. Optimal fit, ultra-lightweight frame. High contour (10 base) single piece lens with 180 degree distortion free viewing and superior optical quality. Dielectric, non-conductive frame. Adjustable silicone nose pads. Supplied with adjustable cord.

A. 549172-77628	5.86	PR	180	Clear Frame/Anti Scratch, Anti Fog	
B. 549172-77635	6.72	PR	10	Smoke Lens	40071
C. 549172-77642	6.72	PR	10	Twilight Lens	40072

Bolle Rush+ Eyewear, Platinum Coated

Bolle Rush + adopts an ultra-sporty design with its co-injected and ultra-flexible temples and is 100% customisable. Low energy impact. Non-slip bridge. Lens feature new Platinum Coating. Includes a microfiber pouch.

D. 054917-30427	10.52	PR	10	Twilight Lens	40225A
E. 054917-29901	10.52	PR	10	Smoke Lens	40208
F. 054917-30112	10.52	PR	10	Clear Lens	41080
G. 054917-30378	5.69	KT	20	Strap w/ Foam Kit	40293

Bollé Contour Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). Ultra lightweight half frame provides extensive eye coverage. High contour (8 base), dual lens piece with 180 degree distortion free viewing and superior optical quality. 99.99% UVA and UVB light absorption. Optimal fit and comfort with non-slip temple tips. Reinforced nose bridge. Non-slip rubber nose pads. Supplied with soft pouch and adjustable cord.

H. 549172-77369	8.97	PR	180	Clear/Anti Fog	253-CT-40044
I. 549172-77376	9.92	PR	180	Smoke/Anti Fog	253-CT-40045
J. 549172-77390	10.34	PR	180	ESP Tinted	253-CT-40047
K. 054917-27740	46.12	PR	10	Polarized	40048

Bollé Cobra - Glasses to Goggles

This technology is used to quickly and easily transform safety glasses into safety goggles. The temples can be replaced with the foam and strap kit.



Bollé Innovative Lens Technology

Contrast Lens: A revolutionary gradient lens coating that provides a superior alternative to the standard clear lens. The Contrast lens enhances visual acuity while blocking 30% of blue light waves that are harmful to your eyes. The result is sharper, clearer images and less eyestrain and fatigue. Choose the Contrast lens over a clear lens in every instance for protection from the harmful effects of exposure to neon lights, computer screens and other forms of light pollution. Filters 100% UVA, UVB up to 400nm and 30+% blue and infra red light.

HD Lens: A unique lens treatment resulting in exceptional clarity and superior light transmission. The HD coating may be used for every type of job except those requiring solar protection for industrial use. Bollé Safety's HD lens delivers 96% visible light transmission. And the hydrophobic coating and HD technology join together to form a waterproof polymer barrier against water droplets.

ESP Lens: (Extra Sensory Perception) An innovative coating that enhances the ability to see detail and improve contrast without distorting colors by reducing glare, eyestrain and the harmful effects of blue light. ESP filters 57% of blue light while delivering 64% visible light transmission and 100% UVA/UVB protection.



bolle
SAFETY

RS Hughes Part Price Per Case Description

Bollé Cobra Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides. 99.99% UVA and UVB light absorption. High contour (9 base), single piece lens with 180 degree distortion free viewing and superior optical quality. Upper brow protection. Optimal fit and comfort with patented non-pressure co-molded temples. Supplied with soft pouch and adjustable cord.

L.	549172-77291	8.97	PR	180	Clear Lens/Anti Scratch, Anti Fog
M.	549172-77321	10.35	PR	180	Clear High Definition Lens
N.	549172-77338	10.35	PR	180	Contrast Lens
O.	549172-77307	9.91	PR	10	Smoke Lens/Anti Fog 40038
P.	549172-77345	10.34	PR	10	ESP Tinted 40042

Q. Bollé Cobra Eyewear-Foam Kit

Bolle Dust Goggle Kit For Cobra Eyewear, Includes Strap And Foam Padding.

549172-77352	5.00	PR	20	40043
--------------	------	----	----	-------



h R.S. HUGHES

Head to Toe Protection



bolle
SAFETY

RS Hughes Part Price Per Case Description

Bolle Lowrider Eyewear

High impact 2.0mm polycarbonate lens, anti-scratch coated on both sides (depends on sku). Close fitting, high contour (8 base) design for improved eye protection with distortion free viewing and superior optical quality. 99.99% UVA and UVB light absorption. Rubber temple tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. Supplied with soft pouch and adjustable cord.

A.	054917-85043	16.64	PR	10	Blue Mirror Lens, Anti Fog	40156
B.	549172-77444	15.26	PR	10	Smoke Lens, Anti Fog	40052
C.	549172-77451	46.12	PR	10	Polarized Lens	40053

Bolle Lowrider Prism Eyewear

2.2mm high impact polycarbonate lens. Anti-scratch coated on both sides (depends on sku). High contour (9 base) single piece lens with 180 degree distortion free viewing and superior optical quality. Optimal fit, ultra lightweight frame. 99.99% UVA and UVB light absorption. Dielectric, non conductive frame. Supplied with adjustable cord.

D.	549172-77505	6.72	PR	10	Smoke Lens/Anti Fog	40058
E.	549172-77512	7.84	PR	10	Silver Mirror Lens	40059
F.	549172-77499	5.86	PR	10	Clear Lens/Anti Fog	40057

Bolle Prism Eyewear Foam Kit Accessory.

G.	054917-29701	5.00	KT	20		40194
-----------	--------------	------	----	----	--	-------

Bolle Shadow Eyewear

High impact 2.0mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). Close fitting, high contour (8 base) design for improved eye protection with distortion free viewing and superior optical quality. Optimal fit and comfort with rubber temple tips, and non slip fit. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord. Anti-scratch.

H.	054917-85050	16.64	PR	10	Red Mirror Lens	40159
I.	549172-77529	15.26	PR	10	Smoke Lens/Anti Fog	40060
J.	549172-77536	46.12	PR	10	Polarized Lens/Anti Fog	40061



K

NEW
ITEMS!



L



M



N

O



P



Q

RS Hughes Part Price Per Case Description

Bolle Silium Eyewear

SILIUM features a brass, nickle-free frame with a non-conductive coating for added safety. Spring-flex hinges offer superior comfort and a non-pressure fit. High impact 2.2mm polycarbonate lens that are anti-fog and anti-scratch coated on both sides. 99.99% UVA and UVB light absorption.

K.	054917-27765	11.72	PR	10	Silver Metal Temple, Clear Lens	40073
L.	054917-27766	12.59	PR	10	Silver Metal Temple, Smoke Lens	40074

Bolle Voodoo Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (sku specific). Close fitting (8) base, dual lens with distortion free viewing and superior optical quality. Rubber temple tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord.

M.	054917-85005	11.72	PR	10	Smoke Lens	40152
N.	054917-85012	46.12	PR	10	Brown Polarized Lens	40153

Bolle Hustler Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (sku specific). High contour (8) base, dual lens with distortion free viewing and superior optical quality. Rubber temple tips for superior comfort and a non-slip fit. Non-slip rubber nose pads. 99.99% UVA and UVB light absorption. Includes soft pouch and adjustable retention cord.

O.	054917-28490	11.72	PR	10	Smoke Lens	40149
P.	054917-84985	47.76	PR	10	Polarized Lens	40150
Q.	054917-84992	59.66	PR	10	Blue Marine Lens	40151



Head to Toe Protection

Personal Protection

Safety Glasses

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



I/O = Indoor/Outdoor Lens
AS = Anti Scratch Coating
AF = Anti Fog Coating



For UV Light

RS Hughes Part Price Per Case Description

A. PIP Zenon Z12 Safety Eyewear

Eyewear, Zenon Z12, Rimless Front, Clear Temples



616314-22517	1.22	PR	144	I/O Lens	250-01-0902
616314-22494	1.43	PR	144	Clear Anti Fog Lens	250-01-0920
616314-22487	1.10	PR	144	Clear Lens, Anti-Scratch	250-01-0900

PIP Zenon Z13 Safety Eyewear

Lightweight rimless design. Soft rubber temple end pieces provided secure and comfortable fit above the ear. Matching temple and lens color.

B. 616314-36071	1.33	PR	144	Clear Temple, Clear Lens	250-06-0000
C. 616314-22821	1.33	PR	144	Gray Temple, Gray Lens	250-06-5501
D. 616314-36279	1.33	PR	144	Lt Blue Temples and Lens	250-06-5503

PIP Eva Safety Eyewear

The first safety eyewear designed for women in the work force. Smaller and more narrow than standard safety glasses. Fits a woman's facial structure more securely on the nose. Lightweight, rimless design provides all day user comfort. Pink rubber tip temples. Molded nose bridge. CSA Z94.3 certified. 10 base curve lens.

E. 616314-55621	3.00	PR	12	Clear/Pink Temple, AS, Clear Lens	250-10-0900
F. 616314-55638	3.69	PR	12	Pink Temple, Clear Anti Fog Lens	250-10-0920
F. 616314-55645	3.00	PR	12	Pink Temple, Pink Hard Coat Lens	250-10-0904

G. PIP Directflex Eyewear Black Temples, Patented Temple

Special temple design features patented Directional Flex Technology (DFT). Clear, crisp and distortion free visibility. Provides protection from projectiles and impact in general use applications. Treated front and back for resistance to scratching.

616314-95313	2.67	PR	1	250-29-0000	Clear Lens, AS
--------------	------	----	---	-------------	----------------

PIP Anser Eyewear Radiused Temples w/Rubber Tips, Nosepiece

Wraparound temples with rubberized tips gently grip the wearer's head. Clear, crisp and distortion free visibility while meeting the requirement standards that help provide protection from projectiles and impact in general use applications. Treated front and back with a clear, scratch-resistant coating for a much harder surface that is more resistant to scratching.

H. 899558-00141	3.14	PR	1	250-AN-10110	Clear Lens, AS, Indoor/Outdoor Lens
H. 899558-00142	3.57	PR	1	250-AN-10111	Clear Lens, AS/AF, In/Outdoor Lens
I. 899558-00143	3.14	PR	1	250-AN-10112	Gray Lens, AS, Indoor/Outdoor Lens
H. 899558-00145	3.36	PR	1	250-AN-10114	I/O, AS, Indoor/Outdoor Lens

J. Uvex Skyper Protective Eyewear

UvWrap-around protective eyewear offers exceptional comfort, protection and fit. Adjustable temple length and lens inclination. Black framed with SCT-Orange lens and Uvextreme anti-fog coating.

603390-092244	9.82	EA	10	S1933X
---------------	------	----	----	--------

K. Uvex Ultra-spec Protective Eyewear

Wrap-around unilens design with solid sideshields. Adjustable temple length. Orange frame with SCT-Orange Lens. UVextreme Anti-fog coating, spatula temples. Protects from exposure to UV light wavelengths up to 532nm.

603390-049330	7.80	EA	10	S0360X
---------------	------	----	----	--------

RS Hughes Part Price Per Case Description

PIP Pulse Rimless Safety Glasses

Lightweight, rimless design provides all day user comfort. Universal fit nose bridge, with soft nose pads for superior comfort. TPR temple end inserts for excellent grip. 9.5 Base curve lens front offers wide and unobstructed vision. Lightweight, rimless design provides all day user comfort. Universal fit nose bridge, with soft nose pads for superior comfort. TPR temple end inserts for excellent grip. 9.5 Base curve lens front offers wide and unobstructed vision.

L.	616314-18020	2.46	PR	144	250-49-0000	Clear/Anti-Scratch
L.	616314-16605	3.11	EA	144	250-49-0020	Clear/Anti Scratch/Anti Fog
M.	616314-16606	3.11	PR	144	250-49-0021	Gray/Anti Scratch/Anti Fog
L.	616314-16607	4.26	PR	144	250-49-0022	I/O/Anti Scratch/Anti Fog

Ergodyne Skullerz DAGR Safety Glasses

Sleek half frame "blade style" safety glasses. Rubber co-injection temples and non-slip nose piece. Tested to ANSI Z87.1+ High Velocity Impact Protection and optical requirements. Tested to MIL-PRF-32432 Ballistic Fragmentation - Class 1, the US Military's strict performance requirement for spectacle impact protection. Polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA/UVB/UVC rays. Sleek half frame "blade" design. Durable, flexible nylon (frame) and polycarbonate (temple) construction. Co-injection non-slip rubber temple components and nose pads keep glasses in position and resist perspiration. Integrated temple accessory receptors also improve airflow when not in use. Removable elastic retainer strap available. Patented design.

N.	720476-52030	13.75	EA	12	Smoke Lens	Black
O.	720476-52000	13.75	EA	12	Clear Lens	Black
N.	720476-52031	31.58	EA	12	Polarized PZ Smoke Lens	Black



Ergodyne Skullerz ODIN Safety Glasses

Full frame safety glasses. Rubber co-injection temples and non-slip nose piece. Tested to ANSI Z87.1+ High Velocity Impact Protection and optical requirements. Tested to MIL-PRF-32432 Ballistic Fragmentation - Class 1, the US Military's strict performance requirement for spectacle impact protection. Polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA/UVB/UVC rays. Available Fog-Off™ anti-fog technology won't wash or wear off (clear or smoke lenses). Large full frame design, Durable, flexible nylon (frame) and polycarbonate (temple) construction, Co-injection non-slip rubber temple components and nose pads keep glasses in position and resist perspiration. Integrated temple accessory receptors also improve airflow when not in use. Removable foam gasket insert and elastic retainer strap available. Patented design.

P.	720476-50030	14.08	EA	12	Smoke Lens	Black
Q.	720476-50000	14.08	EA	12	Clear Lens	Black
Q.	720476-50003	18.25	EA	12	Clear AF Lens	Black

Ergodyne Skullerz ODIN-FGI Foam Gasket Insert - Odin

Foam-lined gasket snaps into place at temple corners, Reduces dust and debris entry, Easily removes when not desired or for cleaning, Use alone or in combination with elastic retainer strap for a snug, secure glasses fit, Fits Odin safety glasses only.

R.	720476-50991	3.25	EA	12	Black
----	--------------	------	----	----	-------

Ergodyne Skullerz VALKYRIE Safety Glasses

Smooth medium frame safety glasses. Rubber temple tips prevent slipping. Tested to ANSI Z87.1+ High Velocity Impact Protection and optical requirements. Tested to MIL-PRF-32432 Ballistic Fragmentation - Class 1, the US Military's strict performance requirement for spectacle impact protection. Polycarbonate lenses with scratch-resistant coating filter 99.9% of harmful UVA/UVB/UVC rays. Available Fog-Off™ anti-fog technology won't wash or wear off (clear or smoke lenses). Durable, flexible nylon (frame) and polycarbonate (temple) construction. Non-slip rubber temple tips keep glasses in position and resist perspiration. Integrated temple accessory receptors also improve airflow when not in use. Removable foam gasket insert and elastic retainer strap available. Patented design.

S.	720476-54000	11.83	EA	12	Clear Lens	Black
T.	720476-54030	11.83	EA	12	Smoke Lens	Black
U.	720476-54021	31.58	EA	12	Polarized PZ Copper Lens	Black
R.	720476-54991	3.25	EA	12	Black - FGI Foam Gasket Insert - Valkyrie	



Global Glove Bullhead Safety® Eyewear Maki®

Fashion sport inspired design with an optional removable closed cell EVA foam gasket (BH14G) to protect your eyes from airborne particles and debris. The Maki also has dual injected TPR temple ends and embedded rubber nose pieces to ensure slip free fit in any environment.

V.	BH1431AF	7.67	EA	12	Black Frame, Clear AF Lens
W.	BH1433AF	7.67	EA	12	Black Frame, Smoke AF Lens

Global Glove Bullhead Safety® Eyewear Swordfish®

Super sport lightweight frame features dual 8 base curve lenses for maximum protection and 100% visual acuity. Featuring a soft TPR adjustable nose piece the Swordfish is capable of fitting many faces.

X.	BH10711	6.55	EA	12	Brown Frm, Brown Mirror Lens
Y.	BH10116AF	8.54	EA	12	Clear Frm, Green Mirror AF Lens
Z.	BH1031AF	7.24	EA	12	Black Frm, Clear AF Lens
1.	BH106129	30.69	EA	1	Black Frm, Blue Polarized Lens

Hold this chart 14 inches from your eyes without your glasses to determine your diopter strength indicated on the first line.

If this line is difficult to read, use
If this line is difficult to read, use
If this line is difficult to read, use

+1.50 Diopter
+2.00 Diopter
+2.50 Diopter



A



B



C



D



Reader Styles



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ BX™ Protective Eyewear

Designed for workers who have difficulty reading small print or who are engaged in small detail work. Polycarbonate lens with three lens angles. Adjustable soft-tip temples. Soft nose bridge. Meets the requirements of CSA Z94.3-2007 and the High Impact requirements of ANSI Z87.1-2003.

078371-62046	11.28	EA	20	Silver Frame, Clear Lens +1.5 Diopter
078371-62047	11.28	EA	20	Silver Frame, Clear Lens +2.0 Diopter
078371-62048	11.28	EA	20	Silver Frame, Clear Lens +2.5 Diopter

B. 3M™ SecureFit™ Protective Eyewear

Naturally adjusts the temples to individual head sizes for a customized fit. This self-adjusting feature is possible through 3M's proprietary Pressure Diffusion Temple Technology with no moving parts and nothing to adjust. Diffusing pressure over the ears, the glasses automatically adjust to the head and facial features. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010. Less than 1 ounce. Durable, snug-fitting and flexible, SecureFit offers a more comfortable and personal fit than old-fashion one-size-fits-all glasses that are rigid and unyielding.

078371-66512	6.55	EA	20	SF415AF	Clear Lens +1.5
078371-66513	6.55	EA	20	SF420AF	Clear Lens +2.0
078371-66514	6.55	EA	20	SF425AF	Clear Lens +2.5

C. 3M™ Nuvo™ Reader Protective Eyewear

Combines a distinct, nostalgic look with reliable performance and flexible fit. Designed for workers who have difficulty reading small print or who are engaged in small detail work, it offers more than just a fashionable dual-lens profile with its tough, lightweight one-piece lens. With its outstanding protection and comfort, Nuvo protective eyewear is a clear choice for stylish safety. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.

078371-62062	11.87	EA	20	Gray Frame, Clear Lens +1.5 Diopter
078371-62063	11.87	EA	20	Gray Frame, Clear Lens +2.0 Diopter
078371-62064	11.87	EA	20	Gray Frame, Clear Lens +2.5 Diopter

D. 3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

3M™ Virtua™ CCS Protective Eyewear lends an athletic-inspired image in a premium line of safety glasses that offers both protection and affordability. Clear anti-fog lens features a reading diopter to help workers who have difficulty reading small print or who are engaged in small detail work. Meets the requirements of CSA Z94.3-2007 and ANSI Z87.1-2010.

078371-66269	15.12	EA	20	Clear AF Lens +1.5 VC215AF
078371-66270	15.12	EA	20	Clear AF Lens +2.0 VC220AF
078371-66271	15.12	EA	20	Clear AF Lens +2.5 VC225AF

Reader Styles

RS Hughes Part Price Per Case Description

E. JACKSON SAFETY* V60 Nemesis RX Safety Eyewear

"Cheaters" style with diopters for vision assistance. Large lens for wraparound impact protection. Enhanced nose piece design to channel away sweat. Every pair includes a neck cord.



761445-01845	10.66	PR	6	Black Frame/Clear Lens +1.0
761445-01846	10.66	PR	6	Black Frame/Clear Lens +1.5
761445-01847	10.66	PR	6	Black Frame/Clear Lens +2.0
761445-01848	10.66	PR	6	Black Frame/Clear Lens +2.5
761445-01849	10.66	PR	6	Black Frame/Clear Lens +3.0



F. JACKSON SAFETY* V60 30-06* Dual Readers Safety Eyewear

Perfect For Individuals Performing Tasks That Require Both Up & Down Near Vision. Meets Ansi Z87.1+ Standard

079768-00850	16.46	EA	6	20387	Black Frame, Clear Lens +1.5
079768-00851	16.46	EA	6	20388	Black Frame, Clear Lens +2.0
079768-00852	16.46	EA	6	20389	Black Frame, Clear Lens +2.5

G. PIP Z12R Safety Eyewear

Rimless Front, Clear lens, temple. Hard coated lens. 28mm wide reading magnifier allows easy reading of fine print.



616314-45110	3.26	EA	144	Bi-Focal Diopters +1.5	250-27-0015
616314-45127	3.26	EA	144	Bi-Focal Diopters +2.0	250-27-0020
616314-45134	3.26	EA	144	Bi-Focal Diopters +2.5	250-27-0025
616314-45141	3.26	EA	144	Bi-Focal Diopters +3.0	250-27-0030



H. PIP Zenon Z13R™ Rimless Safety Readers

Rimless safety readers with clear temple, clear lens and anti-scratch coating. Lightweight rimless design provides all day user comfort. Flexible, rubber tip temples provide a secure fit without uncomfortable pressure points. Molded nose bridge design to fit the vast majority of users. Meets ANSI Z87.1+ and CSA Z94.3

616314-15662	3.92	PR	72	Clear Frame, Black Tips, Clear Lens +1.0	250-26-0010
616314-15664	3.92	PR	72	Clear Frame, Black Tips, Clear Lens +1.5	250-26-0015
616314-15666	3.92	PR	72	Clear Frame, Black Tips, Clear Lens +2.0	250-26-0020
616314-15668	3.92	PR	72	Clear Frame, Black Tips, Clear Lens +2.5	250-26-0025
616314-15669	3.92	PR	72	Clear Frame, Black Tips, Clear Lens +3.0	250-26-0030



I. PIP Lady Eva® Rimless Safety Readers

Rimless safety readers with clear/pink temple, clear lens, and anti-scratch/anti-fog coating. Designed for the worker who need to see up close, Eva's construction better fits the facial structure of a woman. Lightweight, rimless design provides all day user comfort, pink rubber co-molded temple provide a secure fit. Molded nose bridge design to fit the vast majority of users. Meets ANSI Z87.1+

616314-62490	3.74	PR	72	Pink Temple, Clear Lens +1.0	250-12-0100
616314-62513	3.74	PR	72	Pink Temple, Clear Lens +1.5	250-12-0150
616314-62537	3.74	PR	72	Pink Temple, Clear Lens +2.0	250-12-0200
616314-62551	3.74	PR	72	Pink Temple, Clear Lens +2.5	250-12-0250
616314-62575	3.74	PR	72	Pink Temple, Clear Lens +3.0	250-12-0300



Head to Toe Protection

Over-the-Glass Styles



RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

A. 3M™ Tour-Guard™ V Protective Eyewear, Clear

Standard, economical protective eyewear for site visitors or general use offers impact protection, integral sideshields and flexible, polycarbonate construction with over-the-glass coverage. Indoor or outdoor use safety glasses. Medium size, one-size-fits-most. Polycarbonate lens absorbs 99.9% UV. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2010.

051141-56390	38.29	BX 5	TGV01-20 Dispenser Box of 20
051141-56391	169.97	CA 1	TGV01-100 Bulk Pack of 100



B. 3M™ OX™ Protective Eyewear 2000

Sturdy, durable and delivers high impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Its lightweight frame and anti-fog hard coat lens deliver clarity. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

078371-62225	2.84	EA 20	Black Temple, Clear AF Lens
078371-62226	3.62	EA 20	Black Secure Grip Temple, Clear AF Lens

PIP Z28 Over The Glass Rimless Frame Glasses



Over-The-Glass (OTG) style that fits comfortably over most personal eyewear. Over the glass design helps keep prescription eyewear users in compliance. Can also be worn by itself as a regular safety glass. Rimless frame design ensures an unobstructed view. Adjustable length temples provide the user with a secure custom fit. Molded nose bridge design to fit the vast majority of users. U-Fit spatula temples. 4 base curve lens.

C. 616314-36262	1.76	EA 144	250-03-0001 Black Temple, Anti-Scratch Gray Lens
D. 616314-24702	1.76	EA 12	250-03-0000 Black Temple, Anti-Scratch Clear Lens
D. 616314-36309	1.60	EA 12	250-03-0080 Black Temple, Clear Uncoated Lens

E. PIP The Scout Visitor Specs


Visitor glasses with a large frame to fit over all personal eyewear. Polycarbonate unilens. Over-the-glass design fits over all prescription eyewear. Can also be worn by itself as a regular safety glass. Molded nose bridge design to fit the vast majority of users. Vented temples for reduced fogging. Clear uncoated glasses are also available in a 12-pair dispenser box. Also CSA Z94.3 certified for the items #'s noted below. 4 base curve lens.

616314-24771	1.19	PR 144	250-99-0900 Clear Temple, Anti-Scratch Clear Lens
--------------	------	--------	---

F. PIP 250-98-0000 OverSite™ OTG Rimless Safety Glasses

Over-the-glass design helps keep prescription eyewear users in compliance while the rimless frame design ensures an unobstructed view. Molded nose bridge design to fit the vast majority of users. U-Fit® spatula temples are ratcheted for better angle adjustment. Treated front and back with a clear, scratch-resistant coating for a much harder surface that is more resistant to scratching. Can also be worn by itself as a regular safety glass. Meets ANSI Z87.1+ and CSA Z94.3.

616314-31165	3.02	PR 144	Black/Gray Temple/Clear Lens
--------------	------	--------	------------------------------



Over-the-Glass Styles



Honeywell



RS Hughes Part Price Per Case Description

JACKSON SAFETY* V50 OTG Safety Eyewear



Streamlined, Stylish & Comfortable, This Over-The-Glass Safety Eyewear Fits Over Most Prescription Eyewear Integrated Side Shields Provide Added Protection Meets Ansi Z87.1+ Standard

G.	036000-20746	6.76	EA	12	20746	Black Frame, Clear AF Lens
H.	761445-02816	6.90	EA	12	20747	Brown Frame, Smoke A/F Lens
I.	761445-02817	6.83	EA	12	20748	Black Frame, I/O Lens
J.	711382-00601	13.15	EA	12	21917	Black Frame, IR5 Lens

Honeywell Uvex Astro Over The Glass Style 3001

Lightweight unilens design offers panoramic vision in an attractive over-the-glass styling. Adjustable lens inclination and temple length for a custom fit. Available in a wide variety of task-specific lens tints. Lifetime frame guarantee. Made in the USA

K.	603390-021107	11.04	EA	10	Clear Lens S2500C	Honeywell
L.	603390-021145	12.04	EA	10	Gray Lens S2504C	
M.	603390-021244	15.32	EA	10	Shade 3.0 Infra-Dura Lens S2508	
N.	603390-021282	16.60	EA	10	Shade 5.0 Infra-Dura Lens S2509	



Head to Toe Protection



NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Prescription Safety Glasses ...Made Easy!



Package Price Details...

Basic Package - \$163

Any 3M™ Plastic Frame Style

- More than 20 styles to choose from, in a variety of designs, shapes and colors
- From stylish ophthalmic designs to close-fitting wrap frames

Any Lens Style

- Single vision
- Bifocals and Trifocals
- Even Progressive Addition Lenses!

Featuring Polycarbonate Lens Material

- Recommended as the most impact resistant material

Premium Coatings Increase Durability

- NEW Scotchgard Easy Clean Coating
- Anti-Fog Coating
- Excellent for tight-fitting frame designs

Solid or Gradient Tint

Sideshields

Professional Fittings

Enhanced Package - \$195

- All Basic Package Options... PLUS
- Any 3M™ Frame Style – Plastic or Metal

- In addition to the more than 20 plastic frame styles to choose from, select any 3M metal frame designs, including lightweight stainless and titanium choices.


For an Additional \$92...

Customers can upgrade to a Sunglass Option featuring either Transitions or Polarized Lenses from either the Basic or Enhanced Package




Prescription Safety Glasses Made Easy!

How to Order... Four Easy Steps!



Nationwide Eye Care Professional Network

RS Hughes has partnered with 2000+ Eye Care Professionals throughout the United States to provide accurate and timely eyewear fitting and order processing



Head to Toe Protection



A



B



C



D



E



F



Foam Lined Safety Glasses

RS Hughes Part Price Per Case Description

3M™ Solus™ 1000-Series Protective Eyewear Kit



3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer providing longer lasting fog resistance than traditional anti-fog coatings. Removable temples enable the use of the optional strap. Optional foam gasket helps reduce eye exposure. Available in several frame colors and lens tints.

A.	051131-27185	14.74	EA	20	Green Temples, Clear Lens	S1201SGAF-KT
B.	051131-27189	14.74	PR	20	Blue Temples, Clear Lens	S1101SGAF-KT

C. 3M™ Maxim Plus™ Safety Dust Goggle

Adjustable lens angle and temple length. Soft browguard and nose bridge. Wide frame size. Ventilation channel designed to help minimize fogging. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-12305	15.49	EA	20	Clear AF Lens, Elastic Strap
--------------	-------	----	----	------------------------------

D. 3M™ Maxim Plus™ Safety Dust Goggle

Nylon frame. Vented for comfort and reduced fogging. Vented air seal designed to help minimize fogging. Elastic headband for comfortable secure fit. Meets the High Impact requirements of ANSI Z87.1-2003.

078371-40698	27.41	EA	10	Clear AF Lens, Elastic Strap
--------------	-------	----	----	------------------------------


E. 3M™ Maxim™ 2x2 Safety Goggle

Versatile design for military and law enforcement. Vented air seal designed to help minimize fogging. Interchangeable temples and broad elastic strap. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62166	26.44	EA	10	Black Frame, Clear AF Lens, Elastic Strap
078371-62169	30.35	EA	10	Black Frame, Clear AF Lens, Strap, Side Venting

Virtua™ Sport CCS

Designed to offer workers convenient access to both eyewear and hearing protection



- Designed to keep eyewear and earplugs attached, untangled and ready to use
- Can help reduce the expense of replacing lost earplugs and eyewear
- Earplug cord can be worn around the neck to carry eyewear when neither product is in use
- Compatible with a variety of vinyl-corded earplugs
- Polycarbonate lenses absorb 99.9% UV
- Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003

F. 3M™ Virtua™ CCS Protective Eyewear w/ Foam Gasket

Comfortable, lightweight frame features the Cord Control System (CCS) with optional foam gasket attachment. Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI Z87.1-2010.

078371-11872	7.79	EA	20	Clear/Anti-Fog
078371-11873	7.79	EA	20	Gray/Anti-Fog
078371-11874	8.65	EA	20	I/O Mirrored/Anti-Fog



Foam Lined Safety Glasses

RS Hughes Part Price Per Case Description

JACKSON SAFETY* V50 CALICO* Safety Eyewear

Lightweight "wrap-a-round" design for added comfort and protection. Interchangeable head strap allow tight fit. Interchangeable temples can be removed. EN166 N Anti-fog coating provides assured protection from fogging lens. Fog Shield provides extra protection around lens. Cushioned brow bar for additional comfort and ventilation. 99.9% UVA/UVB protection. Meets EN166 1F, CSA and ANSI Standards.

G.	036000-25672	10.17	EA	12	Clear Anti Fog Lens
H.	036000-25674	10.17	EA	12	Yellow Anti Fog Lens
I.	036000-25675	10.17	EA	12	Smoke Anti Fog Lens



JACKSON SAFETY* V50 EPIC* Safety Eyewear

Anti-Fog Protection 2X The "N" Anti-Fog Standard According To En166 Lightweight Design With Soft, Flexible Non-Slip Temples Interchangeable Headstrap/Temple Bars With Easy Click System Soft Nosepiece For Added Comfort Padded Liner Provides Complete Seal To Protect From Dust & Debris Top & Bottom Direct Ventilation Combined With Visiclear 2* Anti-Fog Coating Provides Exceptional Anti-Fogging Protection

J.	036000-33345	13.56	EA	12	33345 Clear Super AF Lens
J.	036000-33347	13.98	EA	12	33347 I/O Super AF Lens
K.	036000-35327	13.83	EA	12	35327 Smoke Super A/F Lens

L. Bollé Tracker Eyewear

High impact 2.2mm polycarbonate lens, anti-fog, anti-scratch coated on both sides (depends on sku). 99.99% UVA and UVB light absorption. Removable foam reinforcement with indirect ventilation. High contour (8 base) lens with 180 degree distortion free viewing and superior optical quality. Optimal fit in a comfortable, durable frame. Supplied with soft pouch and adjustable cord.

549172-77772	16.21	PR	180	Clear Lens/Anti Fog
--------------	-------	----	-----	---------------------



PIP Zenon Z12F Foam Lined Safety Glasses



Foam padding design forms a seal to keep out dust and airborne particles. Lightweight, rimless design provides all day user comfort. Thin, flexible temples provide a secure fit without uncomfortable pressure points. Molded nose bridge design to fit the vast majority of users. Meets ANSI Z87.1+.

M.	616314-16404	3.26	PR	144	250-01-F020 Clear/Anti Scratch/Anti Fog
N.	616314-65177	3.26	PR	144	250-01-F021 Gray/Anti Scratch/Anti Fog
M.	616314-65184	4.34	PR	144	250-01-F022 I/O/Anti Scratch/Anti Fog



Head to Toe Protection




B



C



D



E



F



A



RS Hughes Part Price Per Case Description

A. 3M™ Safety Impact Goggle

One of the most economical goggle options available. Fits over most prescription eyewear. Direct venting designed to help minimize fogging. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62137	2.28	EA	10	Clear Lens	332
078371-62138	2.97	EA	10	Clear Anti Fog Lens	332AF



B. 3M™ Safety Splash Goggle

One of the most economical goggle options available. Fits over most prescription eyewear. Indirect-venting system designed to circulate air and help minimize fogging while keeping liquids out. Polycarbonate lens absorbs 99.9% UV. Meets the High Impact Requirements of ANSI Z87.1-2003.

078371-62140	3.56	EA	10	Clear Anti Fog Lens	334AF
--------------	------	----	----	---------------------	-------

C. 3M™ Centurion™ 454AF Safety Splash Goggle

High wrap offers additional coverage. Large lens opening to accommodate prescription and safety eyewear. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62390	8.55	EA	10	Clear Anti Fog Lens	
--------------	------	----	----	---------------------	--

D. 3M™ Lexa™ Splash GoggleGear™ Safety Goggle

Lightweight, contoured, low profile design. Three lens angle adjustments for custom fit. Vent channels at top and bottom designed to help minimize fogging. Meets the requirements of CSA Z94.3-2007 and the High Impact Requirements of ANSI Z87.1-2003.

078371-62336	11.64	EA	10	Clear Lens, Medium	
078371-62337	11.64	EA	10	Clear Lens, Large	

E. 3M™ GoggleGear™, 500-Series Goggle

This low profile splash goggle features the Scotchgard™ anti-fog lens which helps keep lenses clear in rugged, dusty, steamy and wet environments providing longer lasting fog resistance than traditional anti-fog, anti-scratch coatings. Additionally, the Scotchgard anti-fog coating retains its anti-fog effectiveness through multiple washings with water.

051131-27455	14.74	PR	10	Clear Lens	GG501SGAF
--------------	-------	----	----	------------	-----------

F. 3M™ GoggleGear™, 500-Series Prescription Insert

Prescription insert for adding prescription lenses to the 3M(TM) Goggle Gear 500 series goggle. Prescription lenses not included.

051131-27456	7.86	EA	10		
--------------	------	----	----	--	--



G



H



I

Goggles

RS Hughes Part Price Per Case Description

G. JACKSON SAFETY* 14387 Monogoggle* 211



Visiclear* anti-fog, anti-scratch lens coating. Patented indirect ventilation system provides increased air flow, minimizes condensation and fogging. Soft frame design with pantoscopic angle to improve work area visibility. Soft, pliable nosepiece for a snug seal. Provides 99% UV protection, meets the ANSI Z87.1+ and CE Standards.

761445-10115 9.17 EA 36 Green Frame, Clear Visiclear Lens

JACKSON SAFETY* V80 MONOGOGGLE* 211 Goggle Protection

Meets Ansi Z87.1+ Standards Patented Indirect Ventilation System Provides Increased Airflow, Minimized Condensation & Fogging And Protects Against Splash Soft-Frame Design With Pantoscopic Angle To Improve Work Area Visibility Soft, Pliable Plastic Nosepiece For Snug, Comfortable Seal Can Be Worn Over Most Prescription Glasses

H. 761445-10116 14.03 EA 36 16668 Green Frame, Clear Lens
I. 711382-01832 9.32 EA 36 16669 Green Frame, Clear Lens



J

K



J. JACKSON SAFETY* V80 MRXV* Goggle Protection

Indirect ventilation offers splash protection. Clear lens, blue frame.

761445-10276 5.29 EA 36 Blue Frame, Clear Lens 16676

K. JACKSON SAFETY* V80 Monogoggle* XTF OTG Goggle

Extreme visual clarity in all conditions! This lightweight, stylish Over-The-Glasses goggle protects against splashes, while providing increased visibility due to its cylindrical lens. A soft pliable frame conforms to the face for comfort and is easy to clean. Indirect ventilation, can be worn over most prescription eyeglasses.

761445-00118 12.34 EA 6 18624 Blue Frame, Clear AF Lens



L

L. JACKSON SAFETY* 20525 Wildcat* Goggle

High heat resistance. Adjustable side vents ensure increased air flow. Lightweight and comfortable with a pivot headband. 99.9% UV protection. Meets the ANSI Z87.1+ and CSA Z94.3 standards.

761445-02169 13.29 EA 12 Black Frame, Clear AF Lens

M



N



JACKSON SAFETY* V80 WILDCAT* Safety Goggles

Extreme heat resistance - will not melt, drip, or ignite at 350°. Adjustable side vents help increase airflow. Fits naturally to face. Lightweight and comfortable with a pivot headband for optimal placement. Metal-free design to minimize electrical transference risk. Meets ANSI Z87.1+ impact standard and CSA Z94.3 compliant.

M. 761445-02172 20.85 EA 12 20528 Black Frame, IR3-AF Lens
N. 761445-02173 20.68 EA 12 20529 Black Frame, IR5-AF Lens



Head to Toe Protection



A



B



C



D



E



F



G



RS Hughes Part Price Per Case Description

A. Bollé Duo Goggles 254-DU-40097

High impact double polycarbonate lens, anti-fog, anti-scratch coated. 99.99% UVA and UVB absorption. Low profile. Adjustable strap. Optimal fit and comfort with TPR frame. Equalizer Technology removes moisture between the front and back lenses while balancing inner goggle temperature and pressure with the outside environment to eliminate lens fogging. Indirect, lower vents.

549172-77895 27.07 PR 180



B. Uvex Stealth Goggle with Neoprene Band

Futuristic, low profile design for chemical splash and impact. Toric lens provides superior optics and peripheral vision. Quick adjust headband.

603390-035883 15.22 EA 1 Clear Lens, Uvextreme Anti-fog Coating

C. Uvex Stealth Reader Goggles

The first of its kind, the Uvex Stealth® Reader goggle offers an extensive range of magnification strengths. With diopters ranging from +1.0 to +3.0, the Uvex Stealth® Reader goggle is ideal for workers who require not only increased magnification for close-up inspection or fine detail work but also the added protection of a goggle.

603390-127458	17.92	EA	1	S3990X	Blue Body, Clear Lens, 1.0 Diopter
603390-127465	17.92	EA	1	S3991X	Blue Body, Clear Lens, 1.5 Diopter
603390-127472	17.92	EA	1	S3992X	Blue Body, Clear Lens, 2.0 Diopter
603390-127489	17.92	EA	1	S3993X	Blue Body, Clear Lens, 2.5 Diopter
603390-127496	17.92	EA	1	S3994X	Blue Body, Clear Lens, 3.0 Diopter

D. Uvex Stealth OTG

OTG style goggle offers modern design coupled with premier performance, comfort and adjustability features. Ideal for impact, dust, chemical splash, and optical radiation (UV and welding radiation).

603390-125355 18.38 EA 1 S3970D Navy Body, Clear Lens

PIP Reaction Goggle Indirect Vent Elastic Strap

Double lens technology prevents fogging by separating the air temperature from your body heat. Foam padded surface for a comfortable seal. Low profile design for use with head protection. Indirect ventilation protects against liquid splash. 99.99% UVA and UVB light filtration. 5.75 base curve lens.

E.	503842-79324	23.76	PR	60	251-65-0020	Clear/Anti Scratch/Anti Fog
F.	503842-79331	23.76	PR	60	251-65-0020-RHB	Clear/Anti Scratch/Anti Fog
G.	503842-80856	23.76	PR	60	251-65-0021-RHB	Gray/Anti Scratch/Anti Fog

Eyewear Accessories

RS Hughes Part Price Per Case Description

H. PIP 252-FX-0001 Eyewear Sideshields

Eyewear Flex Sideshields, Clear, 100% Vinyl, 20/Box
616314-17237 3.24 PR 20



I. PIP 252 Eyewear Lanyards

Make your safety glasses last longer by reducing scratches. Helps keep glasses on end users lowering the cost of lost eyewear.

616314-27635	2.01	EA	12	Rugged Nylon Cord, Black	252-L401
616314-27642	3.00	EA	12	Rugged Nylon Cord, Burgundy	252-L402
616314-27680	0.71	EA	12	Economy Slim Cord, Red	252-L406
616314-27697	1.85	EA	12	Economy Slim Cord, Gray	252-L407

J. Ergodyne 3200 Skullerz® Cotton Eyewear Lanyard

Cotton Eyewear Lanyard: Soft cotton lanyard keeps your glasses handy. (Eyewear not included)

720476-19152 2.75 EA 24 Black



K. Ergodyne 3215 Skullerz® Cotton Breakaway Eyewear Lanyard

Breakaway Cotton Eyewear Lanyard: Soft cotton lanyard keeps your glasses handy; breakaway connection to prevent entanglement. (Eyewear not included)

720476-19212 3.42 EA 24 Black

L. Ergodyne 3280 Skullerz® Elastic Coil Eyewear Lanyard

Elastic Coil Eyewear Lanyard: Low-profile coil design keeps your specs at the ready. Stretchable nylon/elastic construction with slip-style attachment fits a variety of temple sizes. (Eyewear not included)

720476-19280 2.92 EA 24 Black

M. Ergodyne 3275 Skullerz® Neoprene Eyewear Lanyard

Neoprene Eyewear Lanyard: Lightweight neoprene lanyard stretches over temple ends to fit a wide variety of frame styles. (Eyewear not included)

720476-19402 1.92 EA 24 Black

N. Ergodyne 3216 Skullerz® Microfiber Cleaning Cloth

Microfiber Cleaning Cloth: Keep your favorite pair of Skullerz® specs clean and scratch-free.

720476-19216 1.58 EA 12 Black

O. Ergodyne 3218 Skullerz® Microfiber Cleaning Bag

Microfiber Cleaning Bag: Store and clean your shades.

720476-19218 2.92 EA 12 Black

P. Ergodyne 3222 Skullerz® Zipper Case w/ Clip

Zipper Case w/ Clip: Large nylon case stores your Skullerz® glasses and accessories. Includes 3216 microfiber cleaning cloth.

720476-19222 8.25 EA 12 Black

Q. Ergodyne 3225 Skullerz® Ballistic Zipper Case

Ballistic Zipper Case: Rugged ballistic nylon shell protects your eye protection. Includes 3216 microfiber cleaning cloth.

720476-19225 9.08 EA 12 Black

H



I



J



K



L

M



N



O

P



Q



R



R. 3M™ Protective Eyewear Slip-On Side Shields

Protective eyewear slip-on side shields. Can be used with a variety of different eyewear styles.

078371-62339 2.71 EA 20 Clear





A



B

3M



Eyewear Accessories

RS Hughes Part Price Per Case Description

A. 3M™ Super-Clear™ Disposable Protective Eyewear Lens Cleaning Station

Disposable protective eyewear lens cleaning station. Contains 16 oz. pump and bottle of cleaning fluid. Also contains 1500 sheets of lens cleaning paper. Ready to hang.

078371-83735 16.41 BX 6



B. 3M™ Super-Clear™ Anti Fog, Anti Static Protective Eyewear Lens Cleaning Fluid

Anti-fog, anti-static protective eyewear lens cleaning fluid. Safe for use on all lens types including hard coat and anti fog lenses. One pint bottle.

078371-83803 3.52 EA 12

C. 3M™ Super-Clear™ Protective Eyewear Lens Cleaning Towelettes

Individual protective eyewear lens cleaning towelette packets. Safe for use on all lens types including hard coat and anti fog lenses. Convenient self-dispensing box.

078371-83745 22.92 BX 10

D. PIP 252-LCS08 Disposable Lens Cleaning Station

Eyewear, Disposable Lens Cleaning Station, Contains One 8 oz. Bottle & 600 Tissues.

616314-25525 6.93 BX 8



E. PIP 252-LCT100 Lens Cleaning Towels

Eyewear, Lens Cleaning Towelettes Station, Contains 100 Individually Packed Premoistened Towelettes.

616314-25518 49.05 CA 1

F. Uvex Clear Lens Cleaning Solution 16 oz

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

603390-023453 4.92 BO 1

G. Uvex Clear Permanent Lens Cleaning Station

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

603390-023415 48.16 EA 1 5461

H. Uvex Clear Lens Cleaning Moistened Towelettes 100/bx

Specifically formulated for anti-fog and scratch resistant hardcoat lenses. Available in toweletts, non-abrasive tissues, 16 oz refillable spray and 1 gallon refill.

603390-023514 12.40 BX 1 5468



C



D



E



F



G



H



Employees must be trained in the proper care, maintenance, useful life, and disposal of PPE. [1910.132(f)(1)(v)]
Cleaning: When employees are assigned protective equipment for extended periods, the equipment should be cleaned and disinfected regularly.



I

J

RS Hughes Part Price Per Case Description

MAGIC TW100D Pure Sight Formula Fast Drying

This cleaning fluid is great for every-day cleaning needs. Anti-static and anti-fogging properties are perfect for all types of glass, plastic, and treated surfaces. Gentle enough to be used on delicate treated eyewear, but sturdy enough to get the job done. Many customers find it effective for monitors, televisions, and camera lenses as well - using a standard amount is safe and effective for cleaning.

I. TW100D 9.30 DI 10

For more serious anti-fogging needs such as jobs with high temperature differences and extreme humidity. Fog Be Gone cleans surfaces while providing fog resistance. Safe for all surfaces including glass, polycarbonate, plastic, and electronics.

J. TW100DS 8.33 DI 10



Magic Pure Sight

Liquid for eyeglasses, safety goggles, and treated lenses of all types.

K. 716PP 1.64 BO 12 16 OZ 716PP
K. 716PS 2.07 BO 12 16 OZ 716PS
L. 708PP 2.70 BO 20 8 OZ 708PP 8 oz Pure Sight



K

L

Magic Fog Be Gone

Liquid for eyeglasses, safety goggles, and treated lenses of all types.

M. 700FBG 11.25 BO 4 1 GAL 700FBG
N. 716FP 2.36 BO 12 16 OZ 716FP
O. 708FP 2.31 BO 20 8 OZ 708FP



M

N

O

851T Magic Heavy Duty Paper 760 Sheet Refills

Low Lint Wipers. Perfect for the most sensitive jobs in the laboratory, the drafting room, the clinic, or any electronic applications because of their anti-static film cover that prevents accumulation and production of dust. They are single ply in a pop-up box. Their dimensions are also 4 7/8 X 7 7/8.

P. 851T 1.72 EA 18



P

Magic Spray Pump with Tissue Station

These 4.5 x 5 tissues pop out from the bottom of this dispenser. The are accompanied by an 8oz spray bottle with your choice of Fog Be Gone or Pure Sight solution. 760 tissues/station. These stations are sold in cases of 10 stations.

Q. PL800FBG 7.17 EA 10 w/ Fog Be Gone
R. PL800PS 7.17 EA 10 w/ Pure Sight



Q

R

S

S. Magic M60 Disposable Wipers Pop-Up Box

Great for general cleaning. For lens cleaning, use the with either our Pure Sight or Fog Be Gone solutions. They are 4 7/8 X 7 7/8 and fit in our 600 and 1200 disposable series. These interfolded sheets pop up one at a time from the box.

M60 Magic Wipes 58.57 CA 1 300/Box, 60BX/CA



Head to Toe Protection



A



NRR 29

B

C



NRR 33

NRR 29

E

F

G

Special Buy
\$22.39 per box

NRR 33

H

Hearing Protection Tips

For more info see OSHA CFR 29 1910.95

Employers are required to implement an "effective hearing conservation program" whenever employee noise exposure levels equal or exceed an 8-hour time-weighted average sound level (TWA) of 85 dB. As part of the conservation program, sound levels must be monitored and documented, and noise-exposed employees must receive annual training and audiometric testing, and be "fitted with hearing protectors, trained in their use and care, and required to use them."

Ear Plugs

RS Hughes Part Price Per Case Description

A. Brady Large Capacity Ear Plug Dispenser

Visually striking green glow front pocket draws attention to earplugs. Dispenser features a removable inner slanted shelf to direct plugs toward pocket (shelf can be removed for greater storage capacity). Comfortably holds a standard box of 200 disposable ear plugs and can be wall or table mounted. Dispenser size is 13"H x 12"W x 8"D.



754476-45790 98.99 EA 1

3M™ Foam Ear Plug 1100

Soft, comfortable ear plugs that conform to the unique shape of each ear for excellent hearing protection and comfort. Tapered to comfortably fit the ear canal. Recommended for moderate to high noise (up to 100dBa TWA). Noise Reduction Rating (NRR) 29 dB.

B. 051138-29008 17.06 BX 5 NRR 29DB, Uncorded, 200/Box
C. 051138-29009 17.06 BX 5 NRR 29DB Corded, 100/Box



3M™ E-A-R™ Classic™ Earplugs NRR 29, 200/Box

3M™ E-A-R™ Classic™ earplugs set the standard in hearing protection as the world's first foam earplugs. Constructed from slow-recovery foam, these low-pressure earplugs are uniquely moisture-resistant, non-irritating and non-flammable.

D. 080529-10000 29.21 BX 10 Pillow Pak, Uncorded, 310-1001, Regular Size
E. 080529-90000 27.11 BX 10 Value Pack, Uncorded, 390-1000
F. 080529-11001 55.83 BX 10 Polybag, Corded, 311-1101

D. 3M™ E-A-R™ Classic™ Plus Earplugs NRR 33, 200/Box

3M™ E-A-R™ Classic™ Plus earplugs are slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction.

080529-10051 34.89 BX 10 Pillow Pack, Uncorded, 310-1101

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs, Regular Size 200 Pair/Box

Regular size fits most ear canals. Shaped, self-adjusting foam provides a comfortable, low-pressure seal. Non-irritating foam plugs are easy to roll down and insert, then expand within the ear canal for maximum comfort. NRR 33dB.

G. 080529-12063 22.39 BX 10 NRR 33DB, Uncorded, 312-1250
G. 080529-10065 25.15 BX 10 NRR 33DB, Pillow Pak, Uncorded, 310-1250
H. 080529-11033 45.08 BX 10 NRR 33DB, Corded, 311-1250

Common Noise Levels*

Home Scale Decibels (dBA)*

12-Gauge Shotgun	160
Basketball Game Crowd Noise	120
Chainsaw	110
Rock Concert	105
Motorcycle	100
Lawn Mower	90
Vacuum Cleaner	80
Mid-Sized Auto Interior	70
Conversation	60
Floor Fan	50
Refrigerator Hum	40
Rustling Leaves	30
Watch Ticking	20



Work Scale Decibels (dBA)*

Jet Takeoff	140
Jackhammer	135
Pneumatic Riveter	124
Hammer Drill	114
Tractor / Hand Drill	97
Belt Sander	93
City Traffic	78
Air Conditioning Unit	60
Electrical Transformer	45

*As reported by Centers for Disease Control and Prevention: www.cdc.gov/niosh/topics/noise/noisemeter.html
Other sources include: <http://e-a-r.com/hearingconservationfaq-main.cfm>,
<http://www.cdc.gov/niosh/topics/noise/chart-carpenters.html>,
<http://www.nidcd.nih.gov/health/statistics/Pages/quick.aspx>

4

Hearing Protection Tips

OSHA CFR 29 1910.95 (i)(3)

Employees shall be given the opportunity to select their hearing protectors from a variety of suitable hearing protectors provided by the employer.



Ear Plugs

RS Hughes Part Price Per Case Description

3M™ E-A-Rsoft™ Yellow Neon Blasts™ Earplugs, Regular Size 200 Pair/Box

Regular size fits most ear canals. Soft, self-adjusting foam provides a low-pressure seal for excellent attenuation. Brightly colored earplugs are preferred by most workers and easy to spot in compliance checks. NRR 33dB.

- I. 080529-11035 54.66 BX 10 NRR 33DB, Corded, 311-1252
- J. 080529-12065 27.90 BX 10 NRR 33DB, Uncorded, 312-1252



3M™ E-A-Rsoft™ FX™ Hearing Conservation in Poly Bag 200/Box

3M™E-A-Rsoft™ FX™ earplugs feature a bell shape and super-soft, slow-recovery foam to effectively seal the ear canal and provide reliable hearing protection

- K. 080529-12085 54.43 BX 10 NRR 33DB, Polybag, Corded, 312-1260
- L. 080529-12086 27.41 BX 10 NRR 33DB, Polybag, Uncorded, 312-1261

3M™ E-A-R™ TaperFit™ 2 Regular Earplugs 200 Pair

TaperFit 2 Regular fits most ear canals and provides excellent attenuation. Soft, roll-down foam earplugs expand to fit the ear canal and provide a low-pressure, comfortable seal. Non-irritating, safe polyurethane foam. NRR 32dB.

- M. 080529-12013 30.79 BX 10 NRR 32DB, Polybag, Uncorded, 312-1219

3M™ E-A-R™ E-Z-Fit™ Hearing Conservation 200 Pair

With its bell-shaped design, 3M™ E-A-R™ E-Z-Fit™ uncorded foam earplugs help provide a soft, comfortable sound barrier for excellent noise reduction and reliable, comfortable hearing protection.

- N. 080529-12007 31.80 BX 10 NRR 28DB, Polybag, Uncorded, 312-1208
- O. 080529-12016 61.28 BX 10 NRR 28DB, Polybag, Corded, 312-1222



see page 379



Head to Toe Protection

Passive Hearing Protector Options


Disposable Foam Ear Plugs are shaped prior to product insertion. The more popular variety is made of slow recovery foam.

No-Roll Down Foam Plugs offer the no-roll down convenience of premolded earplugs with exceptional comfort of a foam plug.

Premolded Reusable Plugs offer the no-roll down convenience of premolded earplugs with exceptional comfort of a foam plug.

Earmuffs have rigid cuffs with soft plastic cushions that seal around the ears to block noise. For very loud noises, wear earmuffs and ear plugs for additional protection.

Banded/Semi-Inserts also called canal caps consist of pods or flexible tips on a lightweight headband. They are quick to put on and take off and easy to store around the neck, making them ideal for intermittent use.



Ear Plugs



by Honeywell

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

Howard Leight Max® Single-Use Earplugs

Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where MAX comes in. The world's most popular polyurethane foam earplug, MAX offers superior noise-blocking performance in a single-use earplug. MAX's enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort - delivering solid performance that your workers can depend on. NRR 33 dB.

A. 033552-000037 30.00 BX 10 MAX-1, Uncorded 200/Bx

B. 033552-000051 29.20 BX 10 MAX-30, Corded 100/Bx

This smaller version of the flagship Howard Leight MAX® earplug is 20% smaller, ideal for smaller ear canals. Bell shape delivers maximum in-ear comfort. Contoured design is easier to insert, resists tendency to back-out of ear canal. Polyurethane foam enhances comfort, especially for long-term wear. Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

A. 033552-019039 36.10 BX 10 MAX-1S, Uncorded 200/Bx

B. 033552-019046 34.15 BX 10 MAX-30S, Corded 100/Bx



Howard Leight Max Lite® Single-Use Earplugs

Ideal for workers with smaller ear canals, Max Lite's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers ease of handling. NRR 30 dB.

C. 033552-002901 27.62 BX 10 LPF-1, Uncorded 200/Bx

D. 033552-003182 27.63 BX 10 LPF-30, Corded 100/Bx

Bulk refill for Leight® Source 500 Dispenser. 500 pairs of MAX-1 uncorded disposable earplugs per box.

E. 033552-003717 74.00 BX 4 MAX-1-D, Uncorded 500/Bx

F. 033552-002949 65.00 BX 4 LPF-1-D, Uncorded 500/Bx

Howard Leight Laser Lite® Single-Use Earplugs

Low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. Its high-visibility magenta and yellow colors make compliance checks quick and easy. Plus, Laser Lite is available with special packaging and dispenser options, ideal for process industries with low tolerances for packaging waste. NRR 32 dB.

G. 033552-002031 27.21 BX 10 LL-1, Uncorded 200/Bx

H. 033552-002215 26.60 BX 10 LL-30, Corded 100/Bx

Bulk refill for Leight® Source 500 Dispenser. 500 pairs of LL-1 uncorded disposable earplugs per box.

I. 033552-002079 66.50 BX 4 LL-1-D, Uncorded 500/Bx

RS Hughes Part Price Per Case Description

J. 3M™ E-A-R™ One Touch™ Pro Earplug Dispenser

The 3M™ One Touch Pro dispenser offers convenient access to workers on the move. A No Waste Funnel is designed to accurately deliver earplugs with each turn. The reusable free-standing base can be re-stocked with One Touch refills of our most popular 3M™ E-A-R™ Earplugs.

078371-66803 75.25 CA 1



FREE!
with order of
One Touch™
Refill

K. 3M™ E-A-R™ Classic™ One Touch™ Refill 500 Pair/Box

Made of soft, low-pressure PVC foam for all-day comfort. Slow-recovery foam helps ensure comfort and minimize pressure. Bright yellow color provides a quick visual compliance check. Foam is non-irritating and nonflammable. NRR 29dB.

080529-91001 76.85 BO 4

L. 3M™ E-A-Rsoft™ Yellow Neons™ One Touch™ Refill Regular Size 500 Pair/Box

Large size fits people with larger, deeper ear canals. Shaped, self-adjusting foam provides a comfortable, low-pressure seal. Non-irritating foam. Soft foam plugs are easy to roll down and insert, then expand within the ear canal. NRR 33 dB.

080529-91004 59.72 BX 4

M. 3M™ E-A-Rsoft™ Yellow Neon™ Blasts™ One Touch™ Dispenser Refill Regular Size 500/Dispenser

3M™ E-A-Rsoft™ Yellow Neon™ Blasts™ earplugs in a refill container for One Touch™ dispenser 391-1000. Yellow Neon Blasts™ earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort. Exciting flame graphic on each earplug. NRR 33 dB.

080529-91012 68.77 BX 4 391-1010

N. 3M™ Earplugs 1100 One Touch™ Refill

3M™ 1100 One Touch™ Refill is designed as a refill for the 3M™ E-A-R One Touch Dispensing Stand (391-1000). NRR 29dB.

080529-19102 60.90 BX 4 391-1100

O. 3M™ E-A-Rsoft™ FX Dispenser Bottle Refill

3M™ E-A-Rsoft FX Dispenser Bottle Refill is made to use with the 3M™ One Touch™ Pro Earplug Dispenser. Each refill bottle contains a supply of 500 pair 3M™ E-A-Rsoft FX Uncorded Earplugs and easily mounts into the dispenser. This system makes it easy for workers to access earplugs for hearing protection.

078371-66832 267.56 CA 1

P. Howard Leight® Source 500 Dispenser

The Leight® Source 500 earplug dispenser provides a highly visible, user-friendly, permanent hearing protection center. Built with heavy-duty anodized aluminum and designed for wall installation, the Leight Source 500 dispenses earplugs with a simple turn of the handle, providing a hygienic and economical source for earplugs. The Leight® Source 500 is ideal for large factories and process industries that have zero tolerance for packaging waste.

033552-003342 190.96 EA 1 LS-500



Q. 3M™ E-A-Rsoft™ Rapid Release Earplug Dispensing Box

E-A-Rsoft uncorded foam earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and reliable hearing protection. 500 per box.

078371-66638	77.61	BX	4	Classic™ Earplug, Uncorded
078371-66639	57.94	BX	4	Yellow Neons™ Earplug, Uncorded
078371-66640	68.42	BX	4	Yellow Neons Blasts™ Earplug, Uncorded
078371-66641	66.89	BX	4	FX™ Earplug, Uncorded

Ear Plug Dispensers & Refills



J



K

NRR
29



L

NRR
33



M



N

NRR
29



O



Q

NRR
33



P



R



R. JACKSON SAFETY* H10 Disposable Earplugs Dispenser

Wall-mountable and desktop-ready. Easy, flip open for quick refill. Clear globe helps to indicate when to refill.

036000-25709 24.32 EA 1





Reusable Bands and Ear Plugs

RS Hughes Part Price Per Case Description

3M™ E-A-Rcaps™ Model 200 Hearing Protector 10/Box

Soft foam caps fit over the ear without entering the ear canal. Non-irritating foam plugs. Ideal for intermittent protection needs, worn under the chin and stored around the neck. NRR 17dB.

A. 080529-21001 48.70 BX 10



3M™ E-A-R™ Swerve™ Banded Hearing Protector

Neckband adjusts for optimal fit- band slides forward and back for custom neck and ear positioning. Ergonomic design helps to minimize interference. Neckband shape helps eliminate contact with collars and headgear. Also reduces band sound transmission. Available in two tips; Flex 28 Tips and Comfort Pod Tips. NRR 23 dB.

B. 080529-22004 10.79 EA 10

3M™ E-A-R™ UltraFit™ Earplugs

These durable, reusable earplugs are easy to use again and again, reducing waste. Push-to-fit products provide in-ear comfort and convenience. Econopack (Item G) gives you the best value-with savings of up to 20%. Carrying case (Item H) keeps earplugs clean and accessible for re-use. Push-to-fit style for easy and hygienic fit. Proprietary, premolded, triple-flange earplug design inserts easily. No rolling or sizing needed to get a comfortable, protective fit. Soft polymer is washable and reusable. Noise Reduction Rating (NRR): 25 dB. CSA Class AL.

C. 080529-40003 126.31 BX 4 Coded, Polybag, 340-4004, 100/Bx
D. 080529-40053 198.20 BX 10 Coded, Econopack, 340-4014, 200/Bx
E. 080529-40001 78.08 BX 4 Coded w/Case, Econopack, 340-4002, 50/Bx

F. 3M™ E-A-R™ UltraFit Plus™ Earplugs 100/Box

The 3M™ E-A-R™ UltraFit™ corded earplugs features a proprietary, premolded, triple-flange design that fits comfortably in most earcanals. Quick and easy fitting with paddle-style stems. NRR 26dB.

080529-40042 160.66 BX 4 Polybag, Coded, 340-6004, 100/Bx

Howard Leight Quiet® Earplugs

For great protection and comfort from a reusable earplug, Quiet® provides consistent attenuation for all-day wear. Quiet requires no rolling - its built-in flexible stem adds ease of insertion and immediate comfort. Its smooth, non-irritating skin provides all-day comfort and is easy to clean up with soap and water for extended wear.

G. 033552-005612 47.10 BX 10 QD1, Uncoded 200/Bx
H. 033552-005810 77.65 BX 10 QD30, Coded 100/Bx



Howard Leight SmartFit® Earplugs

The only multiple-user reusable earplug with Conforming Material Technology™, SmartFit uses body heat to adapt to the shape of the ear canal for a comfortable, personalized fit. Detachable cord system, HearPack® carry case and special application styles available.

I. 033552-011026 112.65 BX 10 SMF-30, Coded 100/Bx

JACKSON SAFETY® H2O Triple Flange Earplugs

Experience the unique combination of protection, comfort and performance in a variety of high-quality hearing protection products. Features: NRR 26; Class A(L) Washable Ridged stem for better grip for insertion and removal Three soft flanges collapse to conform to ear canal Individually packaged for hygienic storage Universal size Compliant to ANSI S3.19-1974

J. 036000-67220 65.98 BX 4 Uncoded, 100/Bx
K. 036000-67221 84.85 BX 4 Coded, 100/Bx



Push to Fit Ear Plugs

RS Hughes Part Price Per Case Description

L. 3M™ E-A-R™ Express™ Pod Plugs™ Uncorded Earplugs 321-2200, Assorted Color Grips 100 Pair/Box

Unique foam formula allows insertion without rolling to keep fingers, plugs, and ears clean. Slow recovery foam inserts easily, then seats and stays in place. Paddle-style grips provide quick, clean, and consistent placement and protection. NRR 25dB.

080529-21011 56.56 BX 4



M. 3M™ E-A-R™ Express™ Pod Plug™ Earplugs 311-1115, Assorted Color Grips Corded 100 Pair/Box

Advanced "no-roll" corded foam earplugs with paddle-style grips make getting a good fit easier than ever. Unique foam formula allows earplug insertion without rolling to keep fingers, plugs, and ears clean. Slow recovery foam inserts easily, then seats and stays in place for comfortable hearing protection. NRR 25dB.

080529-11011 90.74 BX 4

N. 3M™ E-A-R™ Express™ Pod Plugs™ Corded Earplugs, Hearing Conservation Blue Grips 100 Pair/Box

Advanced "no-roll", slow-recovery foam. Paddle-style grips allow easy fitting and help keep earplug tips clean even when your hands are dirty.

080529-11010 90.75 BX 4 NRR 25DB, Pillow Pak, Corded, 311-1114

3M™ E-A-R™ Push-Ins™ Earplugs, in Poly Bag 200 Pair/Box

Patented no roll-down E-A-Rform foam tips respond to the body's natural heat to get more comfortable the longer they are worn. A gentle push is all it takes to insert. Flexible stem makes insertion and removal cleaner and easier. NRR 28dB.

O. 080529-18003 102.66 BX 10 NRR 28DB, Polybag, Corded, 318-1003, 200/Bx

P. 080529-18002 60.66 BX 10 NRR 28DB, Polybag, Uncorded 318-1002, 200/Bx

Q. 3M™ E-A-R™ Push-Ins™ with Grip Rings Earplugs, Hearing Conservation 200 Pair

Patented Grip Rings push-to-fit foam earplugs seal the earcanal to enhance fit.

080529-18011 117.80 BX 10 NRR 30DB, Polybag, Corded, 318-1009

3M™ E-A-R™ Push-Ins™ SoftTouch™ Earplugs, in Poly Bag 200 Pair/Box

Made of specially formulated foam for added softness. A gentle push is all it takes to insert. Flexible, pistol-grip handle and stem allow fingertip control for easy insertion. Eliminates dirt transfer for better hygiene. NRR 31dB.

R. 080529-18018 122.56 BX 10 NRR 31DB, Corded, 318-4001

S. 080529-18017 72.95 BX 10 NRR 31DB, Uncorded 318-4000

3M™ Skull Screws™ Earplugs

Sport the tough look of threaded metal, but feel of soft foam. Hygienic no-roll convenience and noise attenuation. Effective hearing protection and compliance with a clean, easy twist. NRR 30dB.

T. 093045-92952 81.27 BX 4 NRR 30DB, Corded, 120/Bx, P1300

U. 093045-92951 49.33 BX 4 NRR 30DB, Uncorded, 100/Bx P1300

V. 3M™ No-Touch™ Corded Push-to-Fit Earplugs, Hearing Conservation P2001 100 Pair/Box

Hygienic, noise-reducing seal in the earcanal with soft foam, a smooth tapered shape and paddle stems. Push-to-fit design makes hearing protection easy. NRR 29dB.

093045-98015 73.80 BX 4 NRR 29DB, Corded, P2001



3M™ Pistonz™ Earplugs 100 Pair/Box

The soft foam tips conform to the unique shape of each earcanal to create a comfortable noise-blocking seal. No need to roll these earplugs down before use. Fitting is easy and the foam tips stay clean, even when your hands are dirty. Push-to-fit products provide in-ear comfort and convenience, with the protection you expect from 3M. Officially Licensed Hearing Protection of NASCAR®. NRR 29dB.

W. 093045-93401 68.74 BX 4 NRR 29DB, Uncorded, P1400

X. 093045-93402 84.49 BX 4 NRR 29DB, Corded, P1401

A. 3M™ E-A-R™ Earmuffs 331-4000, Model 4000
NRR 27

B. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 21

C. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 23

D. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 21

E. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 21

F. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 21

G. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 25

H. 3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs
NRR 23

I. 3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs
NRR 27

J. 3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs
NRR 26

K. 3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs
NRR 24

L. 3M™ Peltor™ Optime™ 101 Earmuffs H7A
NRR 30

M. 3M™ Peltor™ Optime™ 101 Earmuffs H7A
NRR 29

N. 3M™ Peltor™ Optime™ 105 Earmuff
NRR 23

O. 3M™ Peltor™ Hi-Viz Earmuffs - Cap-Mount or Over-the-Head
NRR 23

RS Hughes Part Price Per Case Description

A. 3M™ E-A-R™ Earmuffs 331-4000, Model 4000

Vertical adjustment system for quick and easy fitting. Large earcup openings to fit most ear sizes. Soft, wide cushions for even pressure and extra comfort. NRR 27dB.
080529-31025 11.12 EA 20

3M™ Peltor™ Optime™ 95 Over-the-Head Earmuffs

Ideal against high-frequency noise with work areas including machine shops and power tools. Ultra light with liquid/foam filled ear cushions. The ultimate low profile earmuff and headband. NRR 21dB.

B. 093045-08061	12.90	EA	10	Over-the-Head	H6A/V
C. 093045-08065	12.91	EA	10	Cap-Mount	H6P3E/V
D. 093045-08063	21.48	EA	10	Over-the-Head Folding	H6F/V
E. 093045-08062	12.41	EA	10	Behind-the-Head	NRR 21DB H6B/V
F. 318640-05161	10.38	EA	20	Hygiene Kit	HY3

3M™ Peltor™ Optime™ 98 Over-the-Head Earmuffs

Lightweight - headband. Ideal for environments including factories, sheet metal works, schools, printing and textile operations and power equipment. Dual low-pressure bands improve comfort. Broad foam cushions provide low surface pressure.

G. 093045-08091	14.92	EA	10	Over-the-Head	NRR 25DB H9A
H. 093045-08093	14.93	EA	10	Cap-Mount	NRR 23DB H9P3E
F. 318640-05161	10.38	EA	20	Hygiene Kit	HY3

3M™ Peltor™ Optime™ 101 Earmuffs H7A

Headband or behind the ear style. Excellent attenuation at low and high frequencies. Enables safe working environment for longer periods of time, up to 101 dBA. Two low mounting points provide great comfort.

I. 093045-08071	18.95	EA	10	Over-the-Head	NRR 27DB H7A
J. 093045-08072	18.95	EA	10	Behind-the-Head	NRR 26DB H7B
K. 093045-08073	18.96	EA	10	Cap-Mount	NRR 24DB H7P3E
K. 318640-05165	29.11	EA	10	Cap-Mount, Dielectric	NRR 24DB H7P3E-01
F. 093045-08770	10.38	EA	20	Hygiene Kit	HY7

3M™ Peltor™ Optime™ 105 Earmuff

Twin-Cup headband distributes weight for low-pressure fit. Soft, foam-filled ear cushions. Highest NRR for any earmuff tested by an accredited lab.

L. 093045-08101	24.11	PR	10	Over-the-Head,	NRR 30DB
M. 093045-08102	24.11	EA	10	Behind the Ear,	NRR 29DB
N. 093045-08104	11.31	EA	20	Hygiene Kit	HY10

3M™ Peltor™ Hi-Viz Earmuffs - Cap-Mount or Over-the-Head

3M™ Peltor™ Hi-Viz, Over-the-Head earmuffs features bright orange colored earcups for added visibility. Stainless steel construction resists bending and warping. Earcup pivot points tilt for optimum comfort and efficiency. Ultra light with liquid/foam filled earmuff cushions. Noise Reduction Rating (NRR)*: 23 dB. CSA Class A.

O. 318640-05163	28.99	EA	10	H31P3E	Cap-Mount
------------------------	-------	----	----	--------	-----------



A new Standard
in Design, Comfort
and Protection

RS Hughes Part Price Per Case Description

3M™ Peltor Earmuff X1 - Standard Attenuation, Slim Design

Slim-line cups make these earmuffs lightweight and comfortable for extended wear. Moderate attenuation ideal for low-to-moderate noise exposure. New ear cushion foam technology for an effective acoustic seal and reliable protection.

P.	093045-93728	14.43	EA	10	Cap-Mount	NRR 21DB	X1P3E
Q.	093045-93723	14.43	EA	10	Over-the-Head	NRR 22DB	X1A

3M™ Peltor Earmuff X2 - Medium Attenuation, Slim Design

The X2 earmuffs offer the same features as the X1 version with the addition of the following: New ear cushion foam technology for an effective acoustic seal and reliable protection. Medium attenuation for moderately-high noise exposures.

R.	093045-93724	16.11	EA	10	Over-the-Head	NRR 24DB	X2A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X3 - High Attenuation, Low Weight

The X3 features a newly-designed spacer to improve attenuation without excess bulk or weight. High attenuation. Lightweight and compact compared with other high attenuation earmuffs. New ear cushion foam technology for an effective acoustic seal and reliable protection.

S.	093045-93725	21.91	EA	10	Over-the-Head	NRR 25DB	X3A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X4 - Extremely Slim, High Performance

The noise reduction ratings for Peltor X4 earmuffs are 3 to 6 db higher than other compact, low profile earmuffs. Extremely slim and lightweight earcups provide excellent compatibility when used with other 3M™ person protection products. New specially-formulated foam earcup inserts and cushions help boost the noise-blocking capability of those comfortable, lightweight earmuffs.

T.	093045-93726	29.51	EA	10	Over-the-Head	NRR 27DB	X4A
----	--------------	-------	----	----	---------------	----------	-----

3M™ Peltor Earmuff X5 - 3Ms Highest Attenuation Earmuffs

Unique attenuation as a result of optimum combination of specially-formulated foam featured in the earcups, cushions and the innovative spacer and cup design.

U.	093045-93732	32.22	EA	10	Cap-Mount	NRR 31DB	X5P3E
V.	093045-93727	32.22	EA	10	Over-the-Head	NRR 31DB	X5A

PIP 263-11001 Hellberg™ Economy Headband Ear Muff

Hellberg™ PoP is one of the lightest ear muffs on the market, weighing in at only 155g. A very comfortable ear muff, perfect for use in low noise level environments. The lightweight construction and design makes Hellberg PoP safe and comfortable for smaller headsizes. Single-point attachment in combination with flexible sliders, ensures that the pressure and seal is always distributed evenly around the ears, regardless of the shape of your head. Tested and CE approved against European, North American and Australian standards.

W.	739144-50978	6.21	PR	20	Red	NRR 23DB	
----	--------------	------	----	----	-----	----------	--



NRR 21

NRR 22



NRR 24

NRR 25



NRR 27



NRR 31



NRR 31

NRR 23

Communication Muffs and Headphones

RS Hughes Part Price Per Case Description

A. 3M™ Peltor™ Worktunes™ Digital 26 Radio/Hearing Protector WTD2600

Five AM/FM Presets. 3.55 mm Jack for Audio Input. NRR 26 dB.

093045-93068 92.68 EA 1



B. 3M™ Peltor™ Welding Earmuff

Designed to fit under welding helmets, particularly under the 3M™ Speedglas™ 9100. Low profile and light weight, with comfortable sealing rings. Hygiene kit available for replacement of sealing rings and damping pads. NRR 17 dB.

093045-93640 25.84 EA 10 H505B

C. 3M™ Peltor™ WS 100 Communications Headset

Makes it easier for workers to communicate, listen to music and talk on the phone. This innovative headset offers noise protection and enhance worker safety by making it easier to hear speech, warning signals and approaching vehicles. NRR 20 dB.

093045-93551 455.45 EA 1

3M™ Peltor™ PTL Earmuff Headset

This comfortable and durable communications headset allows for long-term use under exacting conditions. The practice of "lifting off" an earmuff to hear can compromise attenuation and protection for wearers. 3M™ Peltor's PTL earmuff helps resolve this problem by allowing "outside the muff" sounds to be heard clearly when needed. Earcup button for listening mode. Listen-through capability with the pass-through sound limited to 87 dB. Auto-switches to full protection after 30 seconds or when button is pressed again. Earcups with liquid and foam-filled comfort cushions for long wear and optimum seal. NRR 26 dB.

D. 093045-98169 54.08 EA 10 Headband NRR 26DB H7A-PTL

3M™ Peltor™ 2-Way Communication MT Series™ Headset

Intrinsically Safe 2-way Communication Headsets reduce noise levels in noisy environments while helping workers communicate via a 2-way radio. Intrinsically safe design allows for use of this headset in oil, gas, chemical industries.

E. 046719-95300 292.63 EA 1 MT7H79F-FM-50

F. 046719-95301 292.63 EA 1 MT7H79P3E-FM-50

3M™ Peltor™ FL5000 Push-to-Talk (PTT) Radio Adaptor

Adaptor allows 3M™ Peltor™ MT Series Headsets to be used with a variety of industrial two-way radios. These radio adaptors have been designed to be intrinsically safe for use in environments where flammable gases may be present.

G. 054596-00208 232.79 EA 1 FL5128-FM

For HT750 Radio.

H. 046719-95291 232.79 EA 1 FL5230-FM

I. 3M™ Peltor™ E-A-R buds™ Noise Isolating Headphones, EARbud2600N, NRR 20DB and 29DB

Listen to your favorite audio entertainment while wearing hearing protection. Easy-to-use volume control with audio limiting technology keeps the sound at or below 82 dB. Comfortable to wear, long-lasting and include two noise isolating ear tip options. Connect to iPod® mobile digital devices, smartphones, MP3 players or any device with a 3.5mm stereo audio jack. Includes two sound isolating ear tip options for a soft and flexible seal and greater comfort: 3M™ Peltor™ UltraFit™ Tips, Gray, NRR 20 dB, or 3M™ Peltor™ Skull Screws™ Tips, Gray, NRR 29 dB

093045-93644 52.09 EA 10 NRR 20DB and 29DB



NRR 26



NRR 17



NRR 20



NRR 26



NRR 20

NRR 29





J



M



K



L



Noise Detection Solutions and Fit Testing

RS Hughes Part Price Per Case Description

Brady Sign - CAUTION HEARING PROTECTION REQUIRED IN THIS AREA (W/PICTO)

10" H x 14" W, Plastic, B-401

J. 754476-26570	13.25	EA	1
K. 754476-45072	13.25	EA	1



L. 3M™ Noise Indicator NI-100, Hearing Conservation

A Popular Science "Best of What's New" in 2011, Noise Indicator NI-100 is designed to alert users to hazardous noise levels. It clips to clothing and uses a LED light to offer real-time noise detection, signaling when hearing protection may be required.



051131-17453	44.56	EA	10
--------------	-------	----	----

M. 3M™ Sound Detector SD-200

Compact, lightweight sound level meter designed for measurement of workplace noise levels. Its intuitive design makes it easy for users to measure sound levels and determine the degree of hearing protection that may be required. Plus, it offers an integrating feature that computes the average sound pressure level allowing for more accurate assessment of intermittent sound levels. Includes: SD-200 Sound Detector Kit, USB Cable, Windscreen.

051131-49632	369.84	EA	1	Gray
--------------	--------	----	---	------

N. 3M™ E-A-Rfit™ Dual-Ear Validation System, 393-1100

3M™ E-A-Rfit™ Validation System Dual-element, dual-microphone assembly is the key to the system, measuring sound levels inside and outside the hearing protector. Science-based, quantitative testing gives accurate reports of hearing protection. Fast, clear, accurate results are obtained in just seconds and can be printed or saved electronically for future reference. System determines personal attenuation rating (PAR) of individual workers and helps remove measurement, fitting, and spectral uncertainty.

051141-56764	3,147.54	CA	1
--------------	----------	----	---

3M™ E-A-Rfit™ Validation System

- Fit.**
Have the employee insert their earplugs or put on their earmuffs.
- Test.**
Connect to microphones and begin speaker test sound.
- Assess.**
Use PAR to customize hearing protector selection.



*Source: <http://www.oed.gov/osh/ocsp/2010-130/pdfs/2010-130.pdf>

Protection + Validation

Program Documentation

E-A-Rfit Dual-Ear Validation System testing sessions produce a validation document that can be kept in each employee's file, providing documentation of your commitment to training and compliance with OSHA hearing conservation program guidelines.

- Features easy-to-read test results for both ears as well as testing history
- Creates digital and printable reports for both employee and company records
- Provides a direct measurement of noise reduction in decibels
- Provides an estimate of test variability



Fail.

10 dB
Right

A "fail" result means the hearing protection is either not fitted properly or is the wrong type or size for the worker's ear canal.

NOTE: Finding out each employee's PAR is the first step to a successful conservation program. Once a worker's PAR is measured, you can determine if they're using the right hearing protection and ensure they're trained on using it properly.

Pass.

29 dB
Left

A "pass" result means the hearing protection fits properly and provides sufficient protection for the worker's specific job.

3M™ E-A-Rfit™ Dual-Ear Validation System



Head to Toe Protection

Respiratory Protection

In this section:

Dispenser, Respirator Air Accessories	62
Lead Swabs, Test Kits	63
Respirator Reference Chart	64
Disposable Respirators	
Dusty Conditions	65-66
With Nuisance Odor Relief	67
Welding Fume Respirators	67-68
High Efficiency Respirators	68
Disposable Cartiridge Respirators	69
Reusable Cartiridge Respirators	70-71
Respirator Filters and Cartridges	72-75
How to Make a PAPR System	76-77
Hoods	78
Faceshields, Visors, Hard Hats, Breathing Tubes	79
Powered Air & Supplied Air Respirators ...	80-82
PAPR Cartridges, PAPR Kits	83
Welding Respirators	84

Respiratory Protection Standard

For more info see OSHA CFR 29 1910.134

Employers who decide to use respiratory protection to help lower worker exposures to hazardous airborne contaminants must follow all requirements of the Occupational Safety and Health Administration's (OSHA) Respiratory Protection Standard 29 CFR 1910.134. The following information is intended to highlight major steps involved in setting up a respiratory protection program and identify additional resources. Those employers considering the use of respirators, and designated respiratory protection program administrators, should carefully read and fully understand the OSHA Respiratory Protection Standard prior to issuing respiratory protection to employees.

- **Guides for Establishing a Respiratory Protection Program**
- **6 Steps in Establishing a Respiratory Protection Program**
- **Exposure Assessment**
- **Written Respiratory Program**
- **Respirator Selection**
- **Medical Evaluation**
- **Fit Testing**
- **Respirator Training**

Dust Mask Dispenser

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

Brady Dust Mask Dispenser

Our Dust Mask Dispensers is made of durable clear acrylic and can be table or wall mounted for easy access. Dispenser holds more than 30 masks and measures 12 1/2" H x 6" W x 6" D.

A. 754476-45659	79.99	EA	1
-----------------	-------	----	---



Respirator Air Accessories

Ergodyne Respirator Bags

Rugged nylon bag provides instant access to full-face respirator or small tools 9.5" x 9.25" x 3.5". Lightweight, durable nylon construction protects equipment from dust and moisture. Hook and loop closure for fast seal and release. Webbing belt loop closes with two hook & loop straps for easy donning, doffing, and tear-away. Great for carrying respirators, gloves, goggles or small tools Water-resistant.

B. 720476-13183	9.42	EA	1	Full Face, GB5183
-----------------	------	----	---	-------------------



Rugged nylon fanny pack provides instant access to half-mask respirator or small tools 5.5" x 7" x 3.5". Lightweight, durable nylon construction protects equipment from dust and moisture. Adjustable hook and loop closure for easy access. Adjustable webbing belt with interlocking buckle can be worn on waist or over shoulder. Water-resistant.

C. 720476-13180	7.92	EA	1	Half Mask, GB5180
-----------------	------	----	---	-------------------

D. 3M™ Respirator Cleaning Wipe 504, Alcohol-Free, Individually Packaged 100/Box

051131-07065	49.19	BX	5
--------------	-------	----	---



E. MAGIC ST100DN Non-Alcohol Respirator Pads

The non-alcohol solution is perfect for cleaning sensitive respirators and mouth pieces. It avoids the problem of drying out associated with alcohol based cleaners, and it works on all latex and rubber pieces.

ST100DN	10.00	DI	10
---------	-------	----	----



A



B



C



D



E



F

F. MAGIC ST100DNA Alcohol Based Respirator Pads

For heavy duty cleaning of silicone and plastic liners, respirators, and mouth pieces.

ST100DNA	10.00	DI	10
----------	-------	----	----



G



H



I



J

RS Hughes Part Price Per Case Description

G. Gerson 070295

Gerson Non Linting Spray Sock 070295 1/Bag 144 Bags/Case

Gerson 070295 Spr Sock	2.62	BG	144
---------------------------	------	----	-----



H. 3M™ LeadCheck™ Swabs LC-8520C

3M™ LeadCheck™ Swabs provide an easy solution for lead detection. Easy to use, disposable 3M™ LeadCheck™ swabs will work on any surface, instantly turning bright pink when lead is present. 3M™ LeadCheck™ swabs are odorless, disposable, and non-staining.

717834-20910	29.38	PH	20
--------------	-------	----	----



I. PIP 270-4000 Face Mask, Non-NIOSH Approved

Bacterial filtration efficiency (BFE) of 99%. Pleated style with ear loops. 3 Ply construction. Latex-free and hypo-allergenic. Adjustable nose clip. 50 per box.

616314-65170	3.98	BX	4
--------------	------	----	---



J. PIP 270-1000 Disposable Nuisance Dust Mask

Nuisance Dust Mask. Economical choice for use in non-toxic applications such as sanding, grinding and cleaning. Lightweight. Flexible nosepiece for a custom, comfortable fit. 100% Polyester, fiberglass-free. Protection against nuisance dusts & powders.

616314-52285	5.48	BX	12	50/Box
--------------	------	----	----	--------

K. 3M™ Qualitative Fit Test Apparatus

Test kits are designed to help your organization meet OSHA fit testing requirements for respirators. The products can be used to check face-to-respirator seal on any particulate respirator or gas/vapor respirator with a particulate prefilter. Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

051138-16358	297.85	EA	1	FT-10	Sweet Solutions
051138-54203	297.85	EA	1	FT-30	Bitter Solutions



3M™ Fit Test Solution FT-12/FT-32

Meet the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection: 29 CFR 1910.134, Appendix A.

L. 051138-16356	20.64	BO	6	FT-12	Sweet Solutions
M. 051138-54205	20.64	BO	6	FT-32	Bitter Solutions



K



L

M

Medical evaluations available
online at [www.rshughes.com/c/
Respiratory-Protection/8014/](http://www.rshughes.com/c/Respiratory-Protection/8014/)
by clicking on the 3M Health
and Safety Services Icon.






Product Preference Selector


Use the selector below to identify which respirator may be preferred for increased worker comfort.

What type of particles are in your environment?

OIL AND NON-OIL R- or P-Series Respirators



NON-OIL N-Series Respirators



Didn't find what you want? Don't forget that R and P series respirators can also be used in non-oil environments.

*3M recommended for ozone protection up to 10X OSHA PEL. Not NIOSH approved for ozone.

**3M recommended for relief against nuisance level acid gas (AG) or organic vapors (OV). Nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower.






see page 379

Visible from outside: the comfort difference with 3M™ Cool Flow™ valve

The colors in the thermal images below show the change in surface temperature of the respirators as the model inhales and exhales.

Cool <  > Hot



Inhalation is the cooler part of the cycle; with both valved and unvalved respirators, the 3M filter media facilitates an easy draw of cooler external air.

As the wearer inhales, air is pulled through the respirator and surface temperature decreases. The valve's plastic cover, because of the material composition, retains some of the heat.

Exhalation: As the wearer exhales the respirator is filled with warm, moist air. The cooler thermal shades of the picture on the right indicate how the respirator fitted with the Cool Flow valve expels the breath, together with its natural heat, more rapidly. As the hot exhaled air exits through the valve, the rest of the respirator remains cooler and more comfortable.

This benefit is ideal for long periods of wear, especially where conditions are hot and humid or when work is physically demanding and likely to cause heavy breathing.

Only \$15.39 per box

Disposable Respirators – Dusty Conditions

3M™ Particulate Respirator 8200, N95 20/Box

This economical disposable N95 particulate respirator is designed to help provide reliable worker respiratory protection against certain non-oil based particles.

A. 051131-07023 10.08 BX 8

3M™ Particulate Respirator 8210, N95 20/Box

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.

B. 051138-46457 15.39 BX 8

3M™ Particulate Respirator 8210Plus, N95 20/Box

Builds on all of the features that have made the 3M™ Particulate Respirator 8210 one of the most widely used N95s in industry, the PLUS offers new comfortable braided headbands and staple free attachment.

C. 051131-52924 22.27 BX 8

3M™ Particulate Respirator 8210V, N95 10/Box

The 3M™ Particulate Respirator 8210V, N95 is NIOSH approved and helps provide reliable worker respiratory protection against certain non-oil based particles. The proprietary 3M™ Cool Flow™ valve is designed for easy exhalation and reduces heat build-up inside the respirator to help keep the wearer more comfortable. Testing shows the atmosphere inside the 8210V respirator with a 3M™ Cool Flow™ valve is on average 5.5° F cooler than a similar respirator without the valve.

D. 051131-49711 12.16 BX 8 White

3M™ Particulate Respirator 8511/8211, N95 10/Box

Uniquely designed to help provide comfortable, reliable worker protection against certain non-oil based particles. It's lightweight construction and soft inner material are designed for enhanced comfort to help increase user wearability.

E. 051138-54343 19.83 BX 8 With Valve, 3M 8511

F. 051131-52750 33.19 BX 8 With Valve & FaceSeal, 3M 8211

3M™ Particulate Respirator 8271, P95 10/Box

Combines P-series versatility with exceptional comfort and fit. It is an excellent choice for those who have work environments that may contain oil aerosols.

G. 051138-54285 37.56 BX 8

Special Buy \$19.83 per box



Filter Classifications, Efficiencies, Oil Resistance and Challenge Agents

Filters capture particles through the mechanisms of impaction, interception and diffusion. Additionally, these filters are enhanced with electrostatically charged fibers to trap particulates within the filter media.

As particulate filters load up with the contaminant, they typically become more efficient, however, they also become harder to breathe through.

NIOSH has nine classifications for particulate filters based on minimum filtration efficiency and the type of aerosol (non-oil or contains oil). The chart below states the nine classifications.

* May have a time use restriction on the filter series when oil aerosols are present.

** Use according to manufacturer's time use restrictions when oil aerosols are present.

42 CFR PART 84

OIL RESISTANCE CATEGORIES

Minimum Efficiency	N Non-oil Aerosols	R Includes oil Aerosols*	P Includes oil Aerosols*
95%	N95	R95	P95
99%	N99	R99	P99
99.97%	N100	R100	P100



Editor's Choice for comfort and value

Less than \$0.60 each!!!

Special Buy \$20.15 per box

Disposable Respirators – Dusty Conditions

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KleenGuard* M10-N95

Kleenguard® M-Series Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

036000-64230	15.71	BX	8	No Valve, 20/Box
036000-64240	14.42	BX	8	With Valve, 10/Box



KleenGuard M10 Particulate Respirator (Dual Valve), N95

Wide, comfortable user-preferred head straps. Dual exhalation valves designed and positioned to help reduce eyewear fogging. Adjustable head straps. Soft, comfortable foam nose pad with a cloth layer.

B. 036000-64260	19.17	BX	8	10/Box
-----------------	-------	----	---	--------

Gerson Particulate Respirator 1730, 1740 N95

Gerson NIOSH N95 Approved Particulate Respirator



C. Gerson 1730	14.70	BX	12	1730 - No Valve, 20/Box, 240/Case
D. Gerson 1740	13.45	BX	10	1740 - With Valve, 10/Box, 100/Case

3M™ VFlex™ Particulate Respirator 9105, N95 50/Box

This respirator has a unique folded design with 3M™ patented filter media and V-shaped pleats to help make breathing easier and provide a comfortable seal. The product is available in two sizes to fit a broad range of faces.

E. 051131-17397	29.57	BX	8	Regular Size, 3M 9105
E. 051131-17394	29.57	BX	8	Small Size, 3M 9105S



3M™ Aura™ Particulate Respirator 9210+/9211+, N95

The 3M™ Aura™ Series Particulate Respirator 9210+/9211+, N95 is a breakthrough in comfort and convenience. This three-panel, flat-fold disposable respirator with its innovative design helps provide comfortable, reliable worker protection against non-oil based particles.


F. 051131-37192	27.44	BX	12	9210+, No Valve, 20/Box, 240/Case
G. 051131-37193	20.15	BX	12	9211+, With Valve, 10/Box, 120/Case



see page 379



Best Seller!



h R.S. HUGHES

Head to Toe Protection

Disposable Respirators with Nuisance Odor Relief

RS Hughes Part Price Per Case Description

3M™ Particulate Respirator 8246/8247, R95, with Nuisance Level Relief 20/Box

Helps provide protection against certain oil and non-oil based particles including those present with nuisance levels.

H.	051138-54357	76.08	BX	6	8246 - Acid Gas
I.	051138-54358	76.07	BX	6	8247 - Organic Vapor



3M™ Particulate Respirator 8516, N95, with Nuisance Level Acid Gas Relief 10/Box

This N95 particulate respirator is designed for the aluminum industry and helps protect against certain non-oil based particles including those present with nuisance levels of acid gases. It features 3M™ Cool Flow™ Valve for added comfort.

J.	051138-66392	42.40	BX	8	With Valve
----	--------------	-------	----	---	------------

3M™ Particulate Respirator 8576/8577, P95, with Nuisance Level Relief 10/Box

Is designed to provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels.

K.	051138-54370	48.14	BX	8	8576 - Acid Gas
L.	051138-54371	48.36	BX	8	8577 - Organic Vapor

Welding Fume Respirators

RS Hughes Part Price Per Case Description

3M™ Particulate Welding Respirator 8512 N95 10/Box

This N95 particulate welding respirator helps provide respiratory protection for applications such as welding or soldering where metal fumes may be present. The 3M™ Cool Flow™ Valve and fully adjustable straps provide added comfort.

M.	051138-66298	62.51	BX	8	With Valve
----	--------------	-------	----	---	------------

3M™ Particulate Welding Respirator 8212 with Faceseal N95 10/Box

This N95 particulate welding respirator is designed to help provide respiratory protection for applications such as welding or soldering where metal fumes may be present. Features 3M™ Cool Flow™ Valve, foam faceseal, adjustable head straps.

N.	051138-54141	66.89	BX	8	With Valve
----	--------------	-------	----	---	------------



A

Welding Fume Respirators

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

3M™ Particulate Respirator 8214 with Faceseal And Nuisance Level Organic Vapor Relief N95 10/Box

Is designed for applications such as welding, soldering and other operations where metal fumes may be present including those with ozone* and nuisance level organic vapors.

A. 051138-66192	80.00	BX	8
------------------------	-------	----	---



B

3M™ Particulate Respirator 8514 N95, with Nuisance Level Organic Vapor Relief 10/Box

This disposable N95 particulate welding respirator features a carbon layer and the 3M™ Cool Flow™ Valve. It is designed for applications where metal fumes are present including those with ozone and nuisance level organic vapors.

B. 051138-66299	71.06	BX	8
------------------------	-------	----	---

3M™ Particulate Welding Respirator 8515 N95 10/Box

This economical N95 disposable particulate welding respirator helps provide respiratory protection for applications where metal fumes may be present. It features 3M™ Cool Flow™ Valve, braided headband and adjustable M-noseclip for added comfort.

C. 051131-07189	30.97	BX	8
------------------------	-------	----	---



C



D

High Efficiency - Class 99/100

3M™ Particulate Respirator 8233, N100 20/Case

Is well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance free respirator. It provides a minimum filter efficiency of 99.97% against non-oil based particles.

D. 051138-54143	9.40	BG	20
------------------------	------	----	----

3M™ Particulate Respirator 8293, P100 20/Case

Is well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance free respirator.

E. 051138-54336	10.62	BG	20
------------------------	-------	----	----

KleenGuard® M30-N99 Valve, 10/Box

KleenGuard® M-Series Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

F. 036000-64520	23.32	BX	8
------------------------	-------	----	---



F





G



H



I



J



K

3M™ 5000 Series (Non-Replaceable Cartridges)

RS Hughes Part Price Per Case Description

3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapor Respiratory Protection

NIOSH approved against certain organic vapors. Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics.

- G. 051138-21565 17.35 EA 12 5101 Small
- G. 051138-21571 17.35 EA 12 5201 Medium
- H. 051138-21577 17.35 EA 12 5301 Large



3M™ Half Facepiece Disposable Respirator Assembly 5203, Organic Vapor/Acid Gas Respiratory Protection

NIOSH approved against certain organic vapors and acid gases. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.

- I. 051138-21567 18.23 EA 12 5103 Small
- I. 051138-21573 18.23 EA 12 5203 Medium
- I. 051138-21579 18.23 EA 12 5303 Large

3M™ Half Facepiece Disposable Respirator Assembly, Organic Vapor/P95

NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation. When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are immediately dangerous to life or health (IDLH).

- J. 051138-66068 23.03 BG 12 51P71 Small
- J. 051138-66069 23.03 BG 12 52P71 Medium
- K. 051138-66070 23.03 BG 12 53P71 Large



Head to Toe Protection

Respiratory Protection

Reusable Cartridge Respirators

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Silicone Face Seal

- Provides comfort and stability with a soft but firm face seal
- Extended product life due to resilient silicone material
- Lightweight
- Keeps its shape in high-heat environments
- Available in three sizes (S, M and L)

6500QL
SERIES

Overmolded, Low-Profile Design

- Simplified cleaning and maintenance with minimal parts and crevices
- Advanced half mask design for a wide field of view
- Compatibility with 3M™ welding/grinding shields



6500
SERIES
STANDARD

Also available



Adjustable Head Harness Assembly

- Optimum fit and comfort with three-size adjustable head cradle
- Durable harness straps

Valve Cover Design

- Directs exhaled breath and moisture downward
- Easy positive pressure seal check

3M™ Bayonet Connection

- Flexible bayonet system for connection to a wide range of 3M™ gas, vapour and particulate filters

3M™ Cool Flow™ Exhalation Valve

- Enhanced comfort by reducing heat and moisture
- Less exhalation resistance makes breathing easier

Quick Latch (QL) - Drop Down Mechanism*

- Easy on and off as you move in and out of contaminated areas
- No need to remove your safety helmet or face shield when lowering or raising your respirator

*QL version only



RS Hughes Part Price Per Case Description

A. 3M™ Half Facepiece Respirator 6000 Series

Lightweight, easy-to-adjust headstraps. Low maintenance, reusable facepiece for economical use. Made from soft thermoplastic elastomer. Cartridges and filters simply twist on and off. Low-profile design improves balance and visibility.

RS Hughes Part	Price	Per	Case	Description
051131-07024	13.29	EA	24	6100 Small
051131-07025	13.29	EA	24	6200 Medium
051131-07026	13.29	EA	24	6300 Large



B. 3M™ Half Facepiece Respirator Assembly 6000 Series with 3M™ Particulate Filter 2091, P100

Assembly includes the 3M™ Half Facepiece Respirator 6200 and 3M™ P100 Particulate Filters 2091. Helps provide respiratory protection in environments containing certain oil and non-oil based particles.

RS Hughes Part	Price	Per	Case	Description
051131-07001	20.54	BG	24	6191 Small
051131-07002	20.54	BG	24	6291 Medium
051131-07003	20.54	BG	24	6391 Large

C. 3M™ 6500 Series Rugged Comfort Half Facepiece Reusable Respirator

A durable, long-lasting respirator, the 6500 Series facepiece is rugged enough to help withstand extreme conditions and long hours, yet comfortable to wear. The sleek, low-profile design helps to give a worker a wide field of view that better suits compact work spaces and close proximity to coworkers. The overmolded design offers simplified cleaning and maintenance with fewer parts and crevices.

RS Hughes Part	Price	Per	Case	Description
051131-49487	19.34	EA	10	SM 6501
051131-49489	19.34	EA	10	MD 6502
051131-49491	19.34	EA	10	LG 6503

D. 3M™ 6500 Series Rugged Comfort Quick Latch Half Facepiece Reusable Respirator

Includes a proprietary quick latch design that allows the wearer to easily put the facepiece on and off. The sleek, low-profile design. Wide field of view for compact work spaces and close proximity to coworkers. Overmolded design for simplified cleaning and maintenance with fewer parts and crevices where dirt can hide.

RS Hughes Part	Price	Per	Case	Description
051131-49488	19.34	EA	10	SM 6501QL
051131-49490	19.34	EA	10	MD 6502QL
051131-49492	19.34	EA	10	LG 6503QL

E. 3M™ Half Facepiece Respirator 7500 Series

Maximized comfort in air purifying respirators means not only easy breathing filters and cartridges, but also a soft comfortable facepiece. Half facepiece air purifying respirator users can now experience state-of-the-art features that help provide unsurpassed comfort with 3M™ 7500 Reusable Half Facepiece Respirators.

RS Hughes Part	Price	Per	Case	Description
051131-37081	28.91	BG	10	7501 Small
051131-37082	28.91	BG	10	7502 Medium
051131-37083	28.91	BG	10	7503 Large

RS Hughes Part Price Per Case Description

F. 3M™ Full Facepiece Respirators 6000 Series

Made of silicone rubber. Comfortable, soft and lightweight. Features large, hard-coated lens providing user a wide field of view. Low-maintenance design. Clean as directed between uses and reduce the need for expensive repair.

051138-54145	148.48	BX	4	6700	Small
051138-54146	148.48	BX	4	6800	Medium
051138-54159	148.48	BX	4	6900	Large

G. 3M™ Spectacle Kit 6878, 1/Case

Use with 3M™ Full Facepiece Respirators 6000 Series. It permits the wearer to use his/her corrective lenses and to make position adjustment that is most comfortable.

051131-07141	107.91	CA	1		
--------------	--------	----	---	--	--

H. 3M™ Faceshield Cover 6885/07142(AAD), 100/Case

Use on 3M™ Full Facepieces 6000 Series to help protect the lens.

051131-07142	181.91	CA	1		
--------------	--------	----	---	--	--

I. 3M™ Full Facepiece 7800S

Durable, elastomeric facepiece designed for a wide range of applications. Made of silicone and features a double-flap face seal and six easy-adjusting straps. Facepiece is soft and pliable with a scratch-resistant lens for an unobstructed view. Extra-large inhalation and exhalation valves help make breathing easier. Designed for versatility, comfort and long life.

051138-54257	395.99	CA	1	Small
051138-54258	395.99	CA	1	Medium
051138-54259	395.99	CA	1	Large

J. 3M™ Lens Cover, 7899-100, 100/Case

Use with 3M™ Full Facepieces 7000 Series to help protect lens.

021200-60418	191.44	CA	1		
--------------	--------	----	---	--	--

K. 3M™ Ultimate FX Full Facepiece Respirator FF-4400 Series

3M's most rugged facepiece, providing flexibility in extreme environments while still delivering superior comfort and an exceptional field of view. Ergonomic, streamlined design - for lightweight, balanced comfort.

051135-89418	212.53	EA	4	Small	FF-401
051135-89421	212.53	EA	4	Medium	FF-402
051135-89424	212.53	EA	4	Large	FF-403

L. 3M™ Spectacle Kit, FF-400-20

Use with 3M™ Ultimate FX Full Facepiece Respirators FF-401, 402 and 403. Wearer can use corrective lenses and make position adjustments that are more comfortable.

051135-89490	121.05	EA	1		
--------------	--------	----	---	--	--

M. 3M™ Semi-Permanent Lens Protector, FF-400-17, 20/Case

Semi-permanent lens covers with Scotchgard™ coating to help protect 3M™ Ultimate FX Full Facepiece Reusable Respirator Series FF-400 lens. For temporary use.

051135-89487	165.60	CA	1		
--------------	--------	----	---	--	--

N. 3M™ Stacked Lens Cover FF-400-18


7 Layer Stacked Lens Cover for use with 3M(TM) Ultimate FX Full Reusable Respirators Facepiece FF-401, 402 and 403

051141-56788	25.83	EA	20		
--------------	-------	----	----	--	--

O. 3M™ Lens Cover FF-400-15, Respiratory Protection Accessory

Standard lens covers for use with 3M™ Ultimate FX Full Facepiece Reusable Respirators FF-401, 402 and 403.

051135-89486	176.14	CA	1	100/Case	
--------------	--------	----	---	----------	--





Cartridges, Filters, and Retainers For 5000, 6000 and 7000 Series Respirators

	RS Hughes Part	3M Part	Color	Description	Quantity	Price	
	051138-21674	6001		Organic Vapor	2/Pk	11.05	
	051141-56207	6001i		Organic Vapor with Service Life Indicator	2/Pk	14.14	
	051138-28880	6002		Acid Gas	2/Pk	13.08	
	051131-07047	6003		Organic Vapor/Acid Gas	2/Pk	11.74	
	051138-28882	6004		Ammonia/Methylamine	2/Pk	14.42	
	051138-28883	6005		Formaldehyde/Organic Vapor	2/Pk	14.56	
	051138-54186	6006		Mult Gas/Vapor	2/Pk	12.88	
	051141-55882	6009S		Mercury Vapor/Chlorine/Sulfur Dioxide	2/Pk	26.28	
	051138-46465	60921		Organic Vapor	2/Pk	23.55	
	051141-56208	60921i		Organic Vapor/P100 with Service Life Indicator	2/Pk	28.27	
	051138-46466	60922		Acid Gas	2/Pk	24.59	
	051138-46467	60923		Organic Vapor/Acid Gas	2/Pk	23.75	
	051138-46468	60924		Ammonia/Methylamine	2/Pk	27.17	
	051138-46469	60925		Formaldehyde	2/Pk	27.43	
	051138-54187	60926		Mult Gas/Vapor	2/Pk	25.90	
	051138-46470	60928		Organic Vapor/Acid Gas	2/Pk	36.72	
	051141-55881	60929S		Mercury Vapor/Chlorine/Sulfur Dioxide	2/Pk	36.38	
		051138-46464	5N11		N95 Particulate Filter	10/Box	15.95
		051131-07194	5P71		P95 Particulate Filter	10/Box	19.25
	051138-17668	501		Filter Retainer for 5N11 and 5P71	10/Box	42.39	
	051138-21511	502		Filter Adapter	20/Box	53.12	
	051138-54356	2071		P95 Particulate Filter	2/Bag	4.46	
	051138-54368	2078		P95 Particulate Filter Organic Vapor/Acid Gas	2/Bag	7.94	
	051131-07000	2091		P100 Particulate Filter No Relief	2/Bag	6.42	
	051138-54295	2096		P100 Particulate Filter Acid Gas Relief	2/Bag	9.95	
	051131-07184	2097		P100 Particulate Filter Organic Vapor Relief	2/Bag	9.80	
	051131-17170	2291		P100 Advanced Particulate Filter No Relief	2/Bag	7.90	
	051131-17172	2297		P100 Advanced Particulate Filter Org. Vapor Relief	2/Bag	10.77	
	051131-52705	7093		P100 Particulate Filter	2/Bag	18.14	

3M™ Organic Vapor Service Life Indicator Cartridges



Optimize cartridge use

It's designed to indicate service life based on individual exposure and respiratory use patterns.

Engage your workforce in safety

This simple, visual tool can help users determine when to change cartridges.




How the 3M™ Service Life Indicator works


3M™ Organic Vapor Cartridges 6001i and 60921i contain the 3M Service Life Indicator, a visual ESLI for certain organic vapors and exposure levels. The ESLI is located inside the cartridge, next to the activated carbon. As organic vapors travel through the cartridge, they are also adsorbed into the ESLI. The clear cartridge wall allows you to monitor the developing indicator bar. When the cartridge is exposed to specific vapor concentrations, you will notice a change in the indicator.

When used properly in appropriate environments, an indicator bar will develop to help determine the remaining cartridge service life.

Simple indicator bar



Removable label
The peel-back label helps to protect the indicator from overspray and debris



3M™ Reusable Respirator Trade-in Program



**Are you a frequent user of filters and cartridges?
Would you like to switch products without investing in new facepieces?**

Get free 3M™ Reusable Respirator facepieces* in exchange for competitive facepieces and your purchase of 3M™ Cartridges and/or Filters**.

How it works...































3M™ Reusable Respirator Trade-in Process

1. Order cartridges and filters from R.S. Hughes.
2. R.S. Hughes will contact your local 3M safety representative to confirm and process trade-in request.
3. 3M will ship free facepieces.
4. R.S. Hughes will collect and dispose of competitive facepieces.

Assorted Facepiece Example

Facepiece Model	6000 Series Half Facepiece	FF-400 Full Facepiece	Totals
Quantity of Trade-in Facepieces (required minimum of 10 assorted models)	5 facepieces	5 facepieces	10 facepieces
Filter/cartridge purchase requirement	2 pairs filters/cartridges	10 pairs filters/cartridges	
Totals	10 pairs filters/cartridges	50 pairs filters/cartridges	60 pairs filters/cartridges

Trade-in Ratio of Cartridges/Filters per Facepiece (e.g. purchase ten pairs of 6000 series cartridges to qualify for one FF-400 series respirator)

	3M™ Half Facepiece Reusable Respirator 6000 Series	3M™ Half Facepiece Reusable Respirator 6500 Series	3M™ Half Facepiece Reusable Respirator 7500 Series	3M™ Full Facepiece Reusable Respirator 6000 Series	3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series	3M™ Full Facepiece Reusable Respirator 7800 Series
3M™ Particulate Filters 2000 Series and 2200 Series	 2 pairs	 2 pairs	 3 pairs	 4 pairs	 10 pairs	 15 pairs
3M™ Gas/Vapor Cartridges 6000 Series	 2 pairs	 2 pairs	 3 pairs	 4 pairs	 10 pairs	 15 pairs
3M™ Combination Cartridges/P100 Particulate Filters 6000 Series	 2 pairs	 2 pairs	 3 pairs	 4 pairs	 10 pairs	 15 pairs
3M™ Particulate Filter 7093, P100	 2 pairs	 2 pairs	 3 pairs	 4 pairs	 10 pairs	 15 pairs
3M™ Particulate Filter 5000 Series	 2 pairs	 2 pairs	 3 pairs	 4 pairs	 10 pairs	 15 pairs

*A minimum selection of 10 assorted facepieces necessary to meet trade-in program requirements.

**See chart for suggested trade-in ratio of cartridges or filters to be purchased for each qualifying trade-in facepiece.



RS Hughes Part Price Per Case Description

A. North 7700 100% Silicone Half Mask

Soft, comfortable and durable silicone half mask. Latex free. Strategically engineered exhalation valve placement allows more breath to be exhaled faster, making the mask more comfortable and cooler to wear. Can be adapted to PAPR or Supplied Air for added flexibility in the workplace. Only 9 replacement parts, for quick and easy strip down and clean.

77-0030L	30.00	EA	12	LG
77-0030M	30.00	EA	12	MD
77-0030S	30.00	EA	12	SM



B. North 7600 Series Full Facepiece

Premium elastomeric full facepiece w/5-point headstrap. 100% Silicone facepiece is soft and flexible for a comfortable and secure fit. Wide sealing area fits more facial types, speech diaphragm is standard to amplify workers' conversations. Wide panoramic lens provides optimal field of vision in all directions, polycarbonate lens meets ANSI requirements for high impact, can be adapted to PAPR or Supplied Air for greater flexibility in the workplace.

NORTH 760008A	260.00	EA	1	MD/LG
---------------	--------	----	---	-------



C. North 770017 Replacement Inhalation Valve

Replacement inhalation valve for half masks, full facepieces, hoods, and other respiratory support systems. Packaged 6 per bag.

77-0017	6.30	BG	72
---------	------	----	----

D. North 770018 Replacement Exhalation Valve Flaps

Replacement exhalation valve flaps for half masks, full facepieces, hoods, and other respiratory support systems. 4 per pack.

NORTH 770018	14.55	PK	12
--------------	-------	----	----

North by Honeywell Filters and Cartridges for 7600 and 7700 Respirators

	RS Hughes Part	Color	Description	Quantity	Price
	75-06N95		N95 Particulate Filter	10/Pack	14.54
	75FFP100		P100 Low Profile Particulate Filter	2/Bag	8.38
	NORTH 75FFP100NL		P100 Low Profile Particulate Filter Odor Relief	2/Bag	12.78
	NORTH N750036		Particulate Filter Assembly	2/Bag	4.78
	NORTH 7506N99		N99 Particulate Filter	10/Pack	19.10
	NORTH 7580P100		P100 Particulate Filter	2/Bag	11.36
	NORTH 7581P100L		Organic Vapor	2/Bag	30.46
	NORTH 7582P100L		Acid Gas	2/Bag	31.16
	NORTH 7583P100L		Organic Vapor/Acid Gas	2/Bag	26.00
	NORTH 7584P100L		Ammonia/Methylamine	2/Bag	32.18
	NORTH 75SCL		Multipurpose Gas and Vapor	2/Bag	16.94
	NORTH 75SCP100L		Multipurpose Gas and Vapor	2/Bag	26.00
	NORTH N75001L		Organic Vapor	2/Bag	15.90
	NORTH N75002L		Acid Gas	2/Bag	16.56
	NORTH N75003L		Organic Vapor/Acid Gas	2/Bag	16.20
	NORTH N75004L		Ammonia/Methylamine	2/Bag	17.58



How to Make a PAPR & Airline System

Step 1: Select Your Hat or Hood

3M™ S-Series Hoods

Integrated Suspension



Headcovers

- S-103 Economy, S/M
- S-103L Economy, M/L
- S-133S White, S/M
- S-133L White, M/L
- S-133SB Blue, S/M
- S-133LB Blue, M/L

Hoods

- S-403S Economy, S/M
- S-403L Economy, M/L
- S-433S High Durability, S/M
- S-433L High Durability, M/L

Premium Suspension



Hoods

- S-655 Sealed Seam Hood Assembly w/Inner Collar
- S-657 Sealed Seam Hood Assembly w/Inner Shroud

3M™ H-Series Hoods



APF 1000 Respiratory Protection, Head Protection, Reusable Suspension**

H-410
Hood with Inner Collar and Hard Hat

H-420
Hood with Inner Shroud and Hard Hat

Order info on page 70

3M™ M-Series Faceshields, Hard Hats and Helmets

M-100 Series Faceshields

APF 25 Respiratory Protection, Eye/Face Protection, Directable Airflow



Order a complete helmet:

- M-105 Faceshield with 37314 Standard Visor and Face Seal
- M-107 Faceshield with Premium Visor and Flame Resistant Face Seal

M-300 Series Hard Hats

APF 25 Respiratory Protection, Head Protection, Eye/Face Protection, Directable Airflow



Order a complete helmet:

- M-305 Hard Hat with Standard Visor and Face Seal
- M-307 Hard Hat with Premium Visor and Flame Resistant Face Seal

M-400 Series Helmets

APF 1000 Respiratory Protection, Head Protection, Eye/Face Protection, Directable Airflow**



Order a complete helmet:

- M-405 Helmet with Standard Visor and Shroud
- M-407 Helmet with Premium Visor and Flame Resistant Shroud

Order info on page 71

3M™ BT-Series and H-Series Tubes

All BT-Series breathing tubes feature the QRS (Quick Release Swivel) connection for maximum comfort and ease of use.



- BT-20S/37309 Small/Medium (Approx. 28")
- BT-20L/37310 Medium/Large (Approx. 38")



BT-30 Length Adjusting



BT-40 Heavy Duty

H-Series Breathing Tubes



H-115 Breathing Tube



GVP-122 Breathing Tube

Order info on page 71



Step 2: Select your Air Source

3M™ TR-300



TR-300 Particulate PAPR Assemblies*


- TR-305N Standard Belt & Economy Battery
- TR-306N High Durability Belt & High Capacity Battery
- TR-307N Easy Clean Belt & High Capacity Battery

Filters

- TR-3710N-5 Particulate Filter, 5/case
- TR-3710N-40 Particulate Filter, 40/case

Order info on page 74

3M™ Airline System



- V-100 051131-37018 \$418.36 Vortex Cooling Assembly
- V-200 051138-66166 \$549.39 Vortemp™ Heating Assembly
- V-300 051131-37019 \$178.10 Valve Assembly
- V-400 051131-37020 \$143.89 Low-Pressure Assembly



- 25 ft. - W-9435-25 051131-07010 \$139.65
 - 50 ft. - W-9435-50 051131-07011 \$219.84
 - 100 ft. - W-9435-100 051131-07012 \$342.25
- 3/8" High Pressure Hose



- 25 ft. - W-2929-25 051138-16209 \$218.43
 - 50 ft. - W-2929-50 051138-16210 \$346.76
 - 100 ft. - W-2929-100 051138-16207 \$571.49
- 3/8" High Pressure Hose



- 25 ft. - W-3020-25 051131-07033 \$182.99
 - 50 ft. - W-3020-50 051131-07034 \$284.27
 - 100 ft. - W-3020-100 051131-07035 \$476.90
- 1/2" Low Pressure Hose



- 256-02-01 (100 cfm) with CO Monitor
- 256-02-00 nitro (50 cfm) with CO Filtration and Mo



- W-2806/07006 (50 cfm) without CO Monitor



W-2808/37027 CO Monitor Retrofit Kit

IMPORTANT: These filter and regulated panel products do not produce Grade-D breathing air. The employer is required to ensure that the compressed air used with any supplied air system meets the requirements for Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1-1997. In Canada, refer to CSA Standard Z180.1 for the quality of compressed breathing air.

Order info on page 76 & 77

3M™ TR-600



TR-600 Particulate PAPR Assemblies

- TR-613N High Durability Belt & Economy Battery
- TR-614N Easy Clean Belt & Economy Battery
- TR-616N High Durability Belt & High Capacity Battery
- TR-617N Easy Clean Belt & High Capacity Battery

Cartridges/Filters

- TR-6320N-5 Acid Gas/HE
- TR-6350N-5 Formaldehyde/HE
- TR-6360N-5 Ammonia/Methylamine/HE
- TR-6510N-5 Organic Vapor/HE
- TR-6530N-5 Organic Vapor/Acid Gas/HE
- TR-6590N-5 Multi-Gas/HE
- TR-6710N-5 High Efficiency Filter
- TR-6820N-5 HE and Nuisance OV/AG Filter

Order info on pages 72 & 73

3M™ GVP Systems



NiCd Battery

- GVP-1 Standard Belt
- GVP-1U Urethane Belt
- GVP-CB Comfort Belt

Cartridges/Filters

- GVP-401 Organic Vapor (OV)
- GVP-402 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride (AG)
- GVP-403 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide (OV/AG)
- GVP-404 Ammonia/Methylamine (AM/MA)
- GVP-405 Formaldehyde (FM)
- GVP-440 High Efficiency Particulate (HE)
- GVP-441 Organic Vapor/HE (OV/HE)
- GVP-442 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/HE (AG/HE)
- GVP-443 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/HE (OV/AG/HE)
- GVP-444 Ammonia/Methylamine/HE (AM/MA/HE)
- GVP-445 Formaldehyde/HE (FM/HE)

Order info on page 74 & 75



Head to Toe Protection



3M™ Versaflo S-Series

Available with two different suspensions, comfort and fabric, integrated suspension hoods and headcovers offer the advantage of being fully assembled and ready to use straight out of the box. They can be suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical manufacturing, or in situations where there is less soiling of the outer fabric. Integrated suspension headgear is available in two sizes to comfortably fit more wearers: S/M and M/L.



3M™ Versaflo™ Economy Headcover S-103

Head and face coverage. Fabric suspension.



3M™ Versaflo™ Headcover S-133

Head and face coverage. Integrated Comfort suspension. General purpose fabric.



3M™ Versaflo™ Economy Hood S-433


Head, face, neck, and shoulder coverage. Fabric suspension, inner shroud.

3M™ Versaflo Premium S-Series

Premium reusable suspension hoods can be a very cost-effective choice for some high disposal rate environments—just the soiled hood fabric is replaced, while the suspension and air ducting can be reused. The new design permits significantly faster user assembly of the entire headtop.

The suspension's new rigid ducting provides a consistent air path. An externally-adjustable airflow control allows wearers to modify the airflow distribution to suit personal comfort needs. While wearing, the airflow may be directed primarily to the front visor or split to provide more airflow to the top of the head.

The suspension has independent adjustments for the crown and head circumference, allowing a comfortable, custom fit for a wide range of head sizes. An optional size-reducing comfort pad is provided to further extend the range of compatible head sizes.



The external cover lets wearers modify the location of the airflow.



3M™ Versaflo™ Hood Assembly S-655

Head, face, neck and shoulder coverage. Its respiratory seal is a comfortable, knitted inner collar that is shorter and thinner than previous models. General purpose, cost-effective fabric.



3M™ Versaflo™ Hood Assembly S-657

Similar to S-655. The S-657 uses a double shroud design for its respiratory seal; wearers can select their preferred seal design. The S-657 is worn by tucking the inner shroud into a shirt or protective coverall, allowing excess air to be channeled over the body.



3M™ Versaflo™ Hood Assembly S-757 / 37301

Similar to S-657 but with a fabric specifically intended to help capture paint overspray, minimizing the potential for paint to flake off the wearer and onto the work piece. Fabric has an internal film barrier to help prevent paint contact with skin or clothes.



Hoods

RS Hughes Part	Price	Per Case	Description
----------------	-------	----------	-------------

A. 3M™ Versaflo™ Economy Headcover

051131-17249	27.45	EA	20	Small/Medium, S-103S
051131-17248	27.45	EA	20	Medium/Large, L-103S

3M™ S-Series Headcover with Integrated Head Suspension

B. 051131-17071	34.39	EA	5	White, Med/Large, S-133L-5
B. 051131-17075	34.39	EA	5	White, Small/Med, S-133S-5
C. 051131-17085	48.74	EA	5	Small/Med, S-433S-5
C. 051131-17083	48.74	EA	5	Med/Large, S-433L-5

3M™ S-Series Hood Assembly, Premium Head Suspension

D. 051131-17093	82.17	EA	1	With Inner Collar, S-655
E. 051131-17094	85.79	EA	1	With Inner Shroud, S-657

3M™ Painter's Hood Assembly with Inner Shroud and Premium Head Suspension

F. 051131-37301	89.47	EA	1	S-757
-----------------	-------	----	---	-------

Faceshields, Hard Hats and Helmets

RS Hughes Part Price Per Case Description

G. 3M™ Versaflo™ M-100 Series Respiratory Faceshield Assembly with Visor and Faceal

051131-37314	252.73	EA	1	Standard - M100
051131-17312	273.12	EA	1	Premium - M107

H. 3M™ Versaflo™ M-300 Series Respiratory Hard Hat Assembly with Visor and Faceal

051131-17316	420.77	EA	1	Standard- M305
051131-17317	438.26	CA	1	Premium - M307

I. 3M™ Versaflo™ M-400 Series Respiratory Helmet Assembly with Visor and Flame-Resistant Shroud

051131-17322	526.09	EA	1	Standard - M405
051131-17323	646.16	CA	1	Premium - M407

3M™ Faceshield with Visor and Faceal

M-100 Respiratory Faceshield

- Helps provide respiratory (OSHA APF 25) and limited eye (ANSI Z87.1-2010) protection
- Weighs approx. 613g (1.4 lbs)*
- Light, well-ventilated shell offers maximum comfort
- Optional accessory (M-170 Faceshield Inserts) provides head coverage from dirt and debris, as well as minimal protection from contact with stationary objects
- Recommended for most powder handling, paint spraying, and general maintenance applications where an approved level of head protection is not required
- Available with a variety of faceal fabrics



3M™ Hard Hat with Visor and Faceal

M-300 Respiratory Hard Hat

- Helps provide respiratory (OSHA APF 25) protection, plus limited head (ANSI Z89.1-2009 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- Weighs approx. 850g (1.9 lbs)*
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying and general maintenance applications where hard hat protection is required or desired
- Available with a variety of faceal fabrics



3M™ Helmet with Flame Resistant Shroud

M-400 Respiratory Helmet

- Helps provide respiratory (OSHA APF 1000)** protection, plus limited head (ANSI Z89.1-2003 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- Weighs approx. 1049g (2.3 lbs)*
- 6-strap textile suspension offers maximum comfort
- Recommended for most powder handling, paint spraying, and general maintenance applications where the highest level of respiratory protection defined by OSHA and hard hat protection is required or desired
- Four different shroud materials available



Breathing Tubes

J. 3M™ Versaflo™ Length Adjusting Breathing Tube

Self-adjusting length results in an approved fit for most wearers and reduced risk of catching and snagging.

051131-17379	69.88	EA	1	Black
--------------	-------	----	---	-------

3M™ Breathing Tube

K. 051131-37310	52.30	CA	1	Med/Large, BT-20L
L. 051131-37309	52.30	CA	1	Small/Med, BT-20S

3M™ Adapter V-199

M. 051131-37069	7.09	EA	4	
------------------------	------	----	---	--



Adaptor included with Breathing Tube above



The New 3M™ Versaflo™ Powered Air Purifying Respirator TR-600

Thanks to comprehensive research and a true understanding of how to increase on-the-job comfort and confidence, we created the most advanced, versatile powered air solution yet. Simply put: It's designed to help make breathing and working easier.

Versatility

The TR-600 is the tailored prescription you've been waiting for. It's designed to be compatible with multiple configurations of headtops, breathing tubes, batteries, filters and cartridges.

Endurance

The TR-600 is equipped with two powerful battery options designed to be both efficient and intuitive. With battery options that can last up to eight hours, TR-600 users enjoy longer run time, less charging time and, ultimately, reduced down time. Along with power, the TR-600 battery delivers intuitive charge level indicators on the battery and PAPR user interface to help make sure you're prepared and getting the most out of the battery during your workday.

- LED status lights for battery charge on both the battery and the blower
- Low-charge and low-flow warnings, including vibratory, audible and visual alarms
- PAPR alarm provides approximately 15 minutes of warning prior to automatic low-power shutdown

Comfort

The TR-600 is the tailored prescription you've been waiting for. It's designed to be compatible with multiple configurations of headtops, breathing tubes, batteries, filters and cartridges.

- Multiple airflow rate options for user comfort
- Ergonomically designed to fit close to the body
- Multiple belt size adjustments and extenders for proper fit and comfort

Ease of Use

User-friendly design with intuitive, colored interactive touch points and visual, vibratory and audible low-flow and low-battery indicators.

- Easy tool-free maintenance
- Color-indicated touch points
- Low-flow and low-battery alarms
- Battery charge and particulate filter loading status indicators
- Meets IP53 rating while in use in decontamination shower
- Meets IP67 rating when used with cleaning and storage plugs to enable full submersion for easy clean-up and decontamination



A



B



C



D

RS Hughes Part Price Per Case Description

3M™ Versaflo™ TR-600 PAPR Assembly



Standard Battery, BT-30 Breathing Tube, High Durability Belt.

A. 051131-37339 1,155.37 CA 1 TR-613N

Standard Battery, BT-30 Breathing Tube, Easy Clean Belt.

B. 051131-37340 1,155.37 CA 1 TR-614N

High Capacity Battery, BT-30 Breathing Tube, High Durability Belt.

C. 051131-37341 1,253.73 CA 1 TR-616N

High Capacity Battery, BT-30 Breathing Tube, Easy Clean Belt.

B. 051131-37342 1,253.73 CA 1 TR-617N

D. 3M™ Versaflo™ Cartridges

051131-37363	108.20	EA	5	Acid Gas/HE
051131-37365	114.75	EA	5	Formaldehyde/HE
051131-37364	131.15	EA	5	Ammonia/Methylamine/HE
051131-37361	104.92	EA	5	Organic Vapor/HE
051131-37362	104.92	EA	5	Organic Vapor/Acid Gas/HE
051131-37366	163.93	EA	5	Multi-Gas/HE
051131-37360	59.02	EA	5	HEPA and Nuisance OV/AG





RS Hughes Part Price Per Case Description

E. 3M™ Versaflo™ Prefilter TR-6600

The TR-6600 prefilter can extend the service life of the particulate (HE) element of TR-600 series filters and cartridges by capturing large particles that may clog the HE filter. Frequent prefilter changeout may help optimize PAPR system performance.

051131-37354 4.92 EA 50



F. 3M™ Versaflo™ Spark Arrestor TR-662

The TR-662 spark arrestor may be used with all TR-600 series filters and cartridges. It helps prevent sparks and other hot particles from damaging the filter/cartridge, and can be used as a cleanable prefilter. Two per case.

051131-37355 9.84 CA 1 2/CA

G. 3M™ Versaflo™ High Durability Belt TR-626

Replacement part for TR-600 series PAPRs. The ergonomic design makes it comfortable to wear. Leather leads make it suitable for challenging work such as grinding.

051131-37343 131.14 CA 1

H. 3M™ Versaflo™ Belt Extender TR-626X

The TR-626X Belt Extender (20 in./50cm) enables the TR-626 belt to be worn comfortably, when additional belt length is needed.

051131-37344 40.99 CA 1

I. 3M™ Versaflo™ Easy Clean Belt TR-627

Replacement part for TR-600 series PAPRs. The ergonomic design makes it comfortable to wear. Smooth surfaces make it easier to clean.

051131-37345 131.14 CA 1

J. 3M™ Versaflo™ Belt Extender TR-627X

The TR-627X Belt Extender enables the TR-600 PAPRs to be worn comfortably, when additional belt length is needed.

051131-37346 40.99 CA 1

K. 3M™ Versaflo™ Standard Battery TR-630

The TR-630 is a light weight, standard capacity, lithium-ion battery pack for TR-600 series PAPRs. It charges quickly, and features a charge level indicator.

051131-37347 311.48 CA 1

L. 3M™ Versaflo™ High Capacity Battery TR-632

The TR-632 is a light weight, high capacity, lithium-ion battery pack for TR-600 series PAPRs. It charges quickly, and features a charge level indicator.

051131-37348 409.84 CA 1

M. 3M™ Versaflo™ Single Station Battery Charger Kit TR-641

The TR-641 Battery Charger Kit is a complete single station battery charger for TR-600 Series PAPRs. It consists of a TR-640 Cradle and a TR-941 Power Supply.

051131-37350 254.10 CA 1

N. 3M™ Versaflo™ 4-Station Battery Charger Kit

A complete 4-station battery charger for TR-600 Series PAPRs. It consists of a TR-944 Power Supply and four TR-640 Cradles.

051131-37351 975.41 CA 1



O. 3M™ Suspenders for Versaflo™ and Speedglas™

The TR-329 Suspenders are designed for use with all 3M™ Versaflo™ TR-300 and Speedglas™ TR-300-SG belts.

051131-17362 51.70 CA 1

P. 3M™ Versaflo™ Back Pack Adaptor TR-655

Enables the TR-600 series PAPR to be worn on the BPK-01 backpack rather than on a belt at the waist.

051131-17358 77.96 CA 1

Q. 3M™ Versaflo™ Cleaning & Storage Kit TR-653

Designed to assist with product cleaning and storage. A plug and seal is provided for the inlet and outlet openings of the TR-600 series motor/blower. A cover is provided for the electrical connections of the TR-600 series battery.

051131-37373 28.69 CA 1

Respiratory Protection

Powered Air Purifying Respirators and Supplied Air Respirators



NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

3M



Inadequate respiratory protection is one of the

TOP 5

most frequently cited
OSHA violations.*

Tackle workplace hazards with a respiratory protection solution workers will long to wear.

PAPR systems can offer respiratory protection with integrated head, eye and face protection that can help provide a more comfortable environment for the worker.

More reasons to consider a Versaflo™ Belt-Mounted PAPR System

In addition to providing respiratory protection, PAPR systems can help bring premium safety, comfort and convenience to the job.



Are your workers looking for a respirator designed to help make breathing easier?



PAPR components are designed to work securely together, combining head, eye, face and respiratory protection.



PAPRs deliver fresh air all day long.



PAPR systems put convenience front and center. Workers with limited facial hair may be accommodated with certain headtops.



With the ANSI standard in mind, 3M designed certain headtops with integrated face shields to help reduce the risk of exposure to eye injuries.**

*U.S. Department of Labor. *Top Ten Standards*. OSHA 28 Oct. 2014. https://www.osha.gov/Top_Ten_Standards.html

**Headtops should be considered secondary eyewear protection and used in conjunction with eye protection.

†3M™ Versaflo™ Belt-Mounted PAPR systems offer a filtered supply of air.



A



B

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Versaflo™ TR-300 PAPR Assembly

The all-new, lightweight 3M™ Versaflo™ TR-300 Powered Air Purifying Respirator is the key to easy-to-use, versatile respirator systems for particulate environments. With its compact, well-balanced and slim design, this powered respirator is the answer to respiratory protection needs for many users. Available with a flexible range of headgear - from lightweight hoods to industrial helmets that can provide head, eye and face protection. Contains a TR-3712N PAPR Unit, TR-325 standard belt, TR-330 battery, TR-341N battery charger kit, TR-3710N HE filter, and a TR-3600 prefilter.

051131-17355	1,020.86	EA	1	TR-325 Standard Belt, TR-330 Economy Battery
051131-17356	1,145.99	EA	1	TR-326 Hi-Durability Belt, TR-332 Hi-Cap Battery
051131-17357	1,145.99	EA	1	TR-327 Easy Clean Belt, TR-332 Hi-Cap Battery

B. 3M™ HE Filter TR-3712N, for Versaflo™ TR-300 Series PAPR

The TR-3712N is a High Efficiency Particulate (HE) filter for use with TR-300 Series PAPRs.

051141-56313	41.18	EA	5
051138-18957	39.46	EA	40

GVP-PAPR Cartridges

3M™ PAPR Cartridges for GVP Series PAPR

C.	051138-29219	42.37	EA	8	High Efficiency, GVP-440
D.	051138-29350	81.12	EA	6	Ammonia, GVP-404
E.	051138-29352	127.81	EA	6	Ammonia, High Efficiency, GVP-444
F.	051138-29216	70.21	EA	6	Organic Vapor, GVP-401
G.	051138-29218	64.38	EA	6	Organic Vapor, Acid Gas, GVP-403
H.	051138-29222	97.25	EA	6	Organic Vapor, Acid Gas, High Eff., GVP-443
I.	051131-07196	97.25	EA	6	Organic Vapor, High Efficiency, GVP-441



PAPR & Airline Kits

J. 3M™ Versaflo™ Easy Clean PAPR Kit

Perfect for many pharmaceutical, healthcare, and food and beverage applications, the TR-300-ECK kit includes an S-655 Hood, a TR-307N PAPR with Easy Clean Belt, and a BT-30 Breathing Tube. A battery charger, TR-3710N filter and TR-3600 prefilter are included as part of the TR-307N.

051131-17377 1,291.98 EA 1

K. 3M™ Versaflo™ Heavy Industry PAPR Kit

A complete particulate PAPR system for industrial applications where combined respiratory, head, eye and face protection is required or desired. Includes an M-307 Respiratory Hard Hat, a TR-306N PAPR with High Durability Leather Belt, and a BT-40 Heavy Duty Breathing Tube. A battery charger, TR-3710N filter, and TR-362 spark arrestor/prefilter are included as part of the TR-306N.

051131-17378 1,709.08 EA 1

L. 3M™ Versaflo™ Belt-Mounted PAPR Painters Kit

A complete PAPR solution for painters. Includes a GVP-CB PAPR Assembly (including battery, comfort belt, and charger), a GVP-441 OV/HE Filter with GVP-119 shower cover, a BT-20L Breathing Tube with BT-922 Breathing Tube Cover, and a M-101 Respiratory Faceshield with a M-925 Visor and M-936 Comfort Faceseal.

051131-37335 1,578.80 EA 1

M. 3M™ Versaflo™ Painters Supplied Air Respirator Kit

For painters who want to use a Supplied Air Respirator. Includes a V-100 Vortex Cooling Assembly, a BT-20L Breathing Tube with BT-922 Breathing Tube Cover, and a M-101 Respiratory Faceshield with a M-925 Visor and M-936 Comfort Faceseal. A supplied air hose (sold separately) is required to complete the NIOSH-approved system. Contact 3M Technical Service for information on air source options and air quality requirements.

051131-37336 788.88 EA 1

N. 3M™ Versaflo™ Headcover PAPR Kit

The easiest way to select a complete system for hospital, healthcare, and pharmaceutical applications where an S-133, APF 25 Headcover is appropriate. Includes an S-133 Headcover, a TR-307N PAPR with Easy Clean Belt, a BT-30 Breathing Tube, charger, TR-3710N filter and a storage bag. Available in two sizes.

051131-49635 1,291.98 EA 1 Small/Medium
051131-49636 1,291.98 EA 1 Medium/Large





3M™ Speedglas™ 9100 FX



The 9100 FX includes an innovative wide-view grinding visor to give welders and all-in-one solution for more flexibility and precision. The exceptionally clear and large (8" x 4.25") visor offers a greater field of view in all directions, while a smooth flip-up pivot mechanism assures effortless transition from welding to grinding modes. The 9100 FX comes standard with Shade 5 SideWindows and a top-of-head head spark and spatter cover.



A



B



C



B


No need to remove gloves!
Access pre-set welding modes via the external button.



Upgrade your current 3M™ Speedglas™ Welding Helmets 9100 / 9100-Air

Part No.	Description
06-0000-30i-KIT	Welding filter kit 9100XXi (new silver front and 9100XXi welding filter). Applicable to Speedglas welding helmets 9100 and 9100 Air.
06-0000-30i	3M™ Speedglas™ Welding Filter 9100XXi (without silver front panel). The filter fits to all Speedglas welding helmet series 9100, but needs the new silver front to have the outside control functions.

See The Difference



Improved optics in the new 3M™ Speedglas™ Welding Filter 9100XXi provide more contrast and natural-looking color, as shown by these photos.



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. 3M™ Adflo™ PAPER with 3M™ Speedglas™ Welding Helmet 9100 FX-Air

The 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) for welders. Compact, lightweight system with lithium ion battery, high efficiency particulate filter, organic vapor/acid gas cartridge, wide leather belt. The 3M Adflo PAPR has a high efficiency particulate filter that is "stacked" onto a 3M™ Adflo™ Cartridge for additional protection against OV/SD/CL/HC vapors. Audible and visual alarms signal low airflow and low battery charge.

051141-56161	2136.68	EA	1	36-3301-30SI
--------------	---------	----	---	--------------

B. 3M™ Speedglas™ Auto Darkening Filter 9100XXi with Silver Front Panel

Kit includes 3M™ Speedglas™ Auto Darkening Filter 9100XXi and 3M™ Speedglas™ Silver Front Panel 9100XXi. Thanks to the improved optics, the 9100XXi welding filter allows you to more readily recognize colors as compared to our other models.

051141-56474	526.99	CA	1	06-0000-30i-KIT
--------------	--------	----	---	-----------------

C. 3M™ Speedglas™ Auto Darkening Filter 9100XXi, Shades 5, 8-13

The 3M™ Speedglas™ Auto Darkening Filter 9100XXi offers the same large viewing area as our 3M™ Speedglas™ ADF 9100XX. But thanks to improved optics, the 9100XXi ADF allows you to more readily recognize colors as compared to our other models.

051141-56473	509.99	CA	1	06-0000-30i
--------------	--------	----	---	-------------

RS Hughes Part Price Per Case Description

D. 3M™ 9100-Air Welding Helmet with ADF and Adflo™ PAPR High Efficiency System



The new 9100-Air is designed for enhanced comfort and protection. The helmet has a smooth up-and-down pivot action that gently locks in the 'up' position. It comes with a highly adjustable head suspension system and a well-balanced design. This optimizes its center of gravity, keeping the helmet closer to the user's head in both the up and down positions-making the helmet feel lighter, more stable and balanced at all times. Plus, the revolutionary design offers more coverage of vulnerable body areas, like the ears and sides of the neck, protecting from sparks, metal grindings and other splatter debris, increased peripheral vision and excellent optical quality and function.

051141-56150 1,853.59 EA 1 9100XX, HEPA



E. 3M™ Speedglas™ 9100 MP welding helmet with ADF and Adflo™ PAPR High Efficiency System

Offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one. Features a NiMH battery, high efficiency particulate filter, and wide leather belt. Audible and visual alarms signal low airflow and low battery charge. The high efficiency particulate filter can be "stacked" onto an optional 3M™ Adflo™ Cartridge Filter (not included) for additional protection against OV/SD/CL/HC vapors. The 9100 MP welding helmet features: Flip-up assembly for grinding and prep work. SideWindows - Shade 5 side filters that increase peripheral vision. Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution. Selectable Shades 5, 8-13 and Shade 3 light state; Grinding and Tack modes. For use with all Stick, MIG, and TIG welding processes. Five-position sensitivity control. Adjustable recovery delay. Offers Assigned Protection Factor (APF) of 25 when used as a NIOSH-approved system. Meets ANSI Z89.1 - 2009 requirements for Type 1 Class G hardhats. Meets ANSI Z87.1-2010. Earmuff protection available as optional accessory. Storage bag, welding cap and starter kit included.

051141-56165 2,165.75 EA 1 9100X Auto Darkening Filter



F. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter, Respiratory Protection

Replacement high efficiency particulate filter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). 2 per case.

051131-37145 122.72 CA 1



G. 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) Battery, Respiratory Protection

Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Environmentally-friendly NiMH battery charges in less than 3 hours. Battery can be removed or installed in turbo unit during charging.

051131-37146 476.11 EA 1



H. 3M™ Adflo™ High Efficiency Starter Kit, Welding Safety


Replacement kit includes 2 high efficiency particulate filters, 6 prefilters and 2 spark arrestors. For 3M™ Adflo™ Powered Air Purifying Respirator (PAPR).

051131-37147 133.16 EA 1

I. 3M™ Adflo™ Prefilter, Welding Safety

Replacement particulate prefilter for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into the Adflo turbo filter cover, between the spark arrestor and the High Efficiency particulate filter.

051131-37144 18.54 EA 6



J. 3M™ Adflo™ Spark Arrestor, Welding Safety

Replacement spark arrestor for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR). Installs into Adflo turbo filter cover.

051131-37142 6.49 EA 2


Hand Protection

In this section:

Disposable Gloves	86-99
Chemical Resistant Gloves.....	100-104
Electrical Rated Gloves	105
Cotton Lisle Gloves.....	106
Cotton Knit Gloves.....	107-108
Cotton Canvas and Jersey Gloves.....	108
Coated Work Gloves	109
Coated Knit Gloves	110-119
Cut Resistant Gloves	120-132
Cut Resistant Sleeves	133
Leather Gloves	134-141
Mechanics/Trade Gloves.....	142-145
Welding Gloves	146-149
Hot Mill Gloves.....	150
Leather Foundry Gloves.....	151

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Disposble Gloves - Latex

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Brady Glove Dispenser - Single Box

Clear acrylic dispensers are the perfect size for standard glove boxes and can be vertically mounted on a wall or counter.



754476-45432	37.58	EA	1	10.93" W x 4.12" D x 5.0" H
--------------	-------	----	---	-----------------------------

B. Brady Glove Dispenser - Double Box

Clear acrylic dispensers are the perfect size for standard glove boxes and can be vertically mounted on a wall or counter.








754476-45433	51.49	EA	1	10.93" W x 4.12" D x 10.0" H
--------------	-------	----	---	------------------------------

C. Brady Deluxe Glove Dispenser

Clear acrylic dispenser is designed to hold three glove boxes side by side which allows you to easily change a box when it's empty. Measurement of the "U" opening is 7.5" from top to bottom.

754476-45435	106.49	EA	1	20" W x 4" D x 11.8125" H
--------------	--------	----	---	---------------------------

Disposable Latex Gloves

Manufacturer	Model No.	Thickness	Length	Texture	Color	Powder Free	Price	Qty/Box	
	ANSELL	69-210	5 mil	9.5"	Smooth	Natural	No	9.60	100/Box
	ANSELL	69-318	5 mil	9.5"	Textured	Natural	Yes	9.25	100/Box
	MICROFLEX	SG-375	11 mil	11.6"	Textured	Blue	Yes	17.50	50/Box
	MICROFLEX	CFG-900	5.1 mil	9.6"	Textured	Natural	Yes	9.63	100/Box
	MICROFLEX	MF-300	6.3 mil	9.6"	Textured	Natural	Yes	15.22	100/Box
	MICROFLEX	UL-315	9.8 mil	11.8"	Textured	Natural	Yes	15.93	50/Bo
	PIP	62-322	5 mil	9.3"	Textured	Natural	No	5.41	100/Box
	PIP	62-327PF	13 mil	12"	Textured	Blue	Yes	14.33	50/Box
	PIP	62-322PF	5 mil	9.3"	Textured	Natural	Yes	5.90	100/Box
	SEMPERMED	SM	5.52 mil	9"	Textured	White	Yes	6.27	100/Box
	SEMPERMED	PM	5.60 mil	9"	Textured	White	Yes	8.00	100/Box
	SEMPERMED	INDPFT	5.8 mil	9"	Textured	White	Yes	5.64	100/Box

Disposable Glove Materials

Disposable gloves provide barrier protection for a variety of applications. Different materials are available to choose the appropriate protection for the environment.

Latex:

Resists bases, acids, alcohols and diluted solutions of many chemicals. Due to the natural proteins found in rubber, some individuals experience latex sensitivity. In these cases, nitrile or vinyl may be a good alternative.

Nitrile:

A synthetic rubber compound, nitrile also protects against bases, oils, and many solvents as well as fats and greases. Nitrile can also provide excellent resistance to mild snags, punctures and cuts.

Vinyl:

Provides protection against many acids, bases, and alcohols. It is not recommended for many types of solvents.

Polyethylene:

Offers barrier against oils and fats and is most commonly used as an economical level of protection in the food industry.

RS Hughes Part Price Per Case Size Description

D. Ansell Conform® 69-210

A lightly powdered 5 mil, Natural Rubber Latex disposable gloves with a smooth finish, rolled beaded cuff. Handle the most intricate and delicate products with incredible sensitivity. Appropriate for chemical splash protection. 100/Box.

076490-16704	9.60	BX	10	SM
076490-16705	9.60	BX	10	MD
076490-16706	9.60	BX	10	LG
076490-16707	9.60	BX	10	XL

Ansell
Occupational Healthcare



E. Ansell Conform® 69-318

A powder free 5 mil, Natural Rubber Latex disposable gloves with a textured finish for improved grip and a rolled beaded cuff. Handle the most intricate and delicate products with incredible sensitivity. Appropriate for chemical splash protection. 100/Box.

076490-16700	9.25	BX	10	SM
076490-16701	9.25	BX	10	MD
076490-16702	9.25	BX	10	LG
076490-16703	9.25	BX	10	XL

No.1 Seller



F. MICROFLEX L56 General Purpose Gloves, Latex, Powder Free - 4.5mil

Great for work areas such as food processing and other industrial areas where a medical grade glove is not required. Offers exceptional dexterity. Component materials comply with FDA regulations for food contact. (100/p,1000/cs)

683438-12561	6.53	BX	10	SM	Natural
683438-12562	6.53	BX	10	MD	Natural
683438-12563	6.53	BX	10	LG	Natural
683438-12564	6.53	BX	10	XL	Natural



G. Microflex ComfortGrip CFG-900

Powder Free Medical Exam Grade Latex, Length 9.6", Cuff Thickness 3.9mil, Palm Thickness 5.1mil, Finger Thickness 5.9mil, 100/Box.

769799-90015	9.63	BX	10	XS
769799-90016	9.63	BX	10	SM
769799-90017	9.63	BX	10	MD
769799-90018	9.63	BX	10	LG
769799-90019	9.63	BX	10	XL

MICROFLEX
THE MOST TRUSTED NAME IN GLOVES®





A

**Editor's Choice
As Best in Class**

Disposable Gloves - Latex

MICROFLEX®

THE MOST TRUSTED NAME IN GLOVES®



B



C

RS Hughes Part Price Per Case Size Description

A. Microflex Diamond Grip MF-300

The benchmark in strength and durability in latex gloves. Thicker than typical latex gloves, Diamond Grip gloves provide enhanced protection, especially in the fingertips where protection is critical. Unique design prevents ripping and tearing. Enhanced, textured fingertips for added protection and function. Ideal for rugged tasks in mid- to heavy-duty environments. Pinhole Defect Rate (AQL) 1.5.

769799-03001	15.22	BX	10	XS
769799-03002	15.22	BX	10	SM
769799-03003	15.22	BX	10	MD
769799-03004	15.22	BX	10	LG
769799-03005	15.22	BX	10	XL

MICROFLEX®
THE MOST TRUSTED NAME IN GLOVES®

B. Microflex Ultra One UL-315

Powder Free Medical Exam Grade Latex Extended Cuff, Length 11.8", Cuff Thickness 7.1mil, Finger Thickness 13.8mil, Meets NFPA Standard, 50/Box.

769799-03152	15.93	BX	10	SM
769799-03153	15.93	BX	10	MD
769799-03154	15.93	BX	10	LG
769799-03155	15.93	BX	10	XL

C. Microflex Safegrip SG-375

Powder Free Medical Exam Grade Latex Extended Cuff, Length 11.8", Cuff Thickness 7.9mil, Palm Thickness 11.4mil, Finger Thickness 16.5mil, Meets NFPA Standard, 50/Box.

769799-03752	17.15	BX	10	SM
769799-03753	17.15	BX	10	MD
769799-03754	17.15	BX	10	LG
769799-03755	17.15	BX	10	XL

D. PIP 62-322 Disposable Latex Gloves, Industrial Grade

5 mil thickness, natural color. Made from component materials which comply with Federal Regulations for food contact. 21CFR, 170-199; Fully Textured; Ambidextrous; Beaded cuff; Made from component materials that comply with Federal Regulations for food contact. 21 CFR, 170-199; Industrial grade styles are designed for use in laboratories, production, inspection, cleaning and light duty applications. Food grade styles are designed for use in food service and processing. Packed 100 gloves per dispenser box.

616314-05008	5.41	BX	10	SM	Powdered
616314-05015	5.41	BX	10	MD	Powdered
616314-05022	5.41	BX	10	LG	Powdered
616314-05039	5.41	BX	10	XL	Powdered

PIP
PROTECTIVE INDUSTRIAL PRODUCTS

RS Hughes Part Price Per Case Size Description

D. PIP 62-322PF Ambi-dex Latex Industrial Grade

Disposable Latex, Industrial Grade, Fully Textured, Powder Free, 5 Mil, 100/Box.

616314-05077	5.90	BX	10	XS	Powder Free
616314-45202	5.90	BX	10	SM	Powder Free
616314-05046	5.90	BX	10	MD	Powder Free
616314-05053	5.90	BX	10	LG	Powder Free
616314-05060	5.90	BX	10	XL	Powder Free



\$5.90
per box

E. PIP 62-327PF Ambi-Thix™ Latex Medical Grade

Ambi-Thix Heavy Weight Disposable Latex, Medical Grade, Blue Color, 13 Mil, 50/box.

616314-14741	14.33	BX	10	SM	Powder Free
616314-14758	14.33	BX	10	MD	Powder Free
616314-14765	14.33	BX	10	LG	Powder Free
616314-14772	14.33	BX	10	XL	Powder Free



F. Sempermed SemperGuard® INDPFT

SemperGuard® Powder-Free Latex gloves are designed to provide the right combination of protection and sensitivity. Our latex gloves are strong and elastic providing maximum protection and comfort. 5.80 mil finger thickness. 5.30 mil palm thickness. 100/Box.

019019-20102	5.64	BX	10	SM	INDPFT102
019019-20103	5.64	BX	10	MD	INDPFT103
019019-20104	5.64	BX	10	LG	INDPFT104
019019-20105	5.64	BX	10	XL	INDPFT105



G. Sempermed PolyMed® PM

It's called fusion bonding. Our special manufacturing process actually infuses synthetic polymers into the latex of our PolyMed® brand gloves. This creates a multi-layer glove that combines the elasticity of latex and the strength of copolymers, as well as protection against cracking and peeling during normal usage. Other manufacturing processes may simply apply a topical copolymer coating to the latex glove. But without fusion bonding, copolymers can fracture, creating particulate residue, and possible delamination. 5.60 mil finger thickness. 4.40 mil palm thickness. PolyMed latex exam powder free textured 100/Box.

01019-02101	8.00	BX	10	XS	PM101
01019-02102	8.00	BX	10	SM	PM102
01019-02103	8.00	BX	10	MD	PM103
01019-02104	8.00	BX	10	LG	PM104
01019-02105	8.00	BX	10	XL	PM105

New Item



H. Sempermed StarMed® SM

StarMed® powder-free latex exam gloves are designed to provide the perfect combination of protection, tactile sensitivity and value. Our advanced manufacturing technology and online chlorination process creates a glove that is strong, flexible and goes on with ease. StarMed® latex provides maximum protection and comfort at a great value. 5.52 mil finger thickness. 4.68 mil palm thickness. 100/Box.

119019-14101	6.27	BX	10	XS	SM101
119019-14102	6.27	BX	10	SM	SM102
119019-14103	6.27	BX	10	MD	SM103
119019-14104	6.27	BX	10	LG	SM104
119019-14105	6.27	BX	10	XL	SM105



Head to Toe Protection

Disposable Nitrile Gloves

	Manufacturer	Model No.	Thickness	Length	Texture	Color	Powder Free	Price	Qty/Box
	MICROFLEX	UF-524	2 mil	9.1"	Textured	Cobalt Blue	Yes	25.24	300/Box
	KIMBERLY-CLARK	G10 Arctic Blue	2 mil	9.5"	Textured	Arctic Blue	Yes	17.66	200/Box
	MICROFLEX	XC-310	2.8 mil	9.5"	Textured	Blue	Yes	22.25	250/Box
	ANSELL	92-616	3 mil	9.4"	Textured	Blue	Yes	12.37	150/Box
	SEMPERMED	SUNF	3 mil	9.4"	Textured	Purple	Yes	14.91	250/Box
	SEMPERMED	TTNF	3 mil	9"	Textured	Purple	Yes	12.73	200/Box
	SEMPERMED	GSNF	3.2 mil	9"	Textured	Blue	Yes	6.23	100/Box
	KIMBERLY-CLARK	G10 Grey	3.5 mil	9.5"	Textured	Grey	Yes	18.46	150/Box
	SEMPERMED	INIPFT	3.5 mil	9"	Textured	Blue	Yes	6.41	100/Box
	SEMPERMED	BKNF	4 mil	9"	Textured	Black	Yes	7.09	100/Box
	PIP	63-332PF	4 mil	9.4"	Textured	Blue	Yes	9.34	100/Box
	PIP	63-532PF	4 mil	9.4"	Textured	Blue	Yes	7.05	100/Box
	MICROFLEX	SU-690	4.3 mil	9.6"	Textured	Blue	Yes	14.75	100/Box
	ANSELL	92-500/92-600	5 mil	9.4"	Smooth	Teal	No	9.83	100/Box
	ANSELL	92-575	5 mil	9.4"	Textured	Blue	No	9.08	100/Box
	ANSELL	92-675	5 mil	9.4"	Textured	Blue	Yes	9.92	100/Box
	MICROFLEX	N20	5 mil	9.5"	Textured	Cobalt Blue	Yes	7.16	100/Box
	MICROFLEX	N27	5 mil	9.5"	Textured	Cobalt Blue	Yes	8.93	100/Box
	GLOBAL GLOVE	705PF	5 mil	9.6"	Textured	Blue	Yes	5.91	100/Box
	MICROFLEX	MK-296	5.5 mil	9.6"	Textured	Black	Yes	14.31	100/Box
	KIMBERLY-CLARK	Purple Nitrile Xtra	6 mil	12"	Textured	Purple	Yes	13.44	50/Box
	KIMBERLY-CLARK	Purple Nitrile	6 mil	9.5"	Textured	Purple	Yes	15.55	100/Box
	KIMBERLY-CLARK	G10 Blue	6 mil	9.5"	Textured	Blue	Yes	11.42	100/Box
	MICROFLEX	DFK-608	8 mil	10.6"	Textured	Green	No	19.04	50/Box
	PIP	63-338PF	8 mil	9.8"	Textured	Blue	Yes	8.84	50/Box
	GLOBAL GLOVE	675PF	6 mil	11"	Textured	Orange	Yes	10.43	50/Box
	GLOBAL GLOVE	805PF	8 mil	11"	Smooth	Blue	Yes	8.88	50/Box

Chemical Resistance of Ansell Touch N Tuff® Thin Nitrile Gloves

Touch N Tuff reflects a commitment by Ansell to meeting hand protection needs through breakthrough engineering and scientific innovation. Touch N Tuff offers a higher level of snag, puncture, abrasion, and cut resistance while maintaining a high degree of flexibility. Also, Touch N Tuff gloves contain no fillers or additives that can contaminate products being handled. (Such additives are usually necessary to produce the softer nitriles used in the other gloves.)

Other manufacturers have been emphasizing the potential suitability of thin nitrile gloves for protection against intermittent chemical exposure. We have been reluctant to follow suit because this type of glove is primarily designed for other applications. However, users who have decided that a thin nitrile product might be suitable for their particular chemical splash protection needs should really consider Touch N Tuff.

Chemical	Touch N Tuff	N-Dex	Chemical	Touch N Tuff	N-Dex	Chemical	Touch N Tuff	N-Dex
acetic acid (glacial)	10	10	formaldehyde	4	<4	mineral spirits	185	17
acetone	<1	<1	gasoline (92 octane)	8	3	monoethanolamine	>480	420
acetonitrile	<10	<10	HCFC-141b	<4	<1	naphtha (generic)	106	8
allyl alcohol	3	<3	hexamethyldisilazane	>480	100	naphtha, VM&P	>480	>480
ammonium hydroxide (30%)	20	20	hexane	61	4	octanol	350	50
amyl acetate	4	<4	hydrazine (65%)	206	195	oleic acid	>480	>480
amyl alcohol	65	10	hydrochloric acid (10%)	>480	>480	oxalic acid (saturated)	>480	>480
butyl alcohol	45	5	hydrogen peroxide (30%)	>480	>480	pentachlorophenol	>480	>480
butyl Cellosolve(r)	20	10	hydroquinone (saturated)	170	50	pentane	25	<4
carbon tetrachloride	5	<4	isobutyl alcohol	61	17	perchloroethylene	10	3
citric acid (10%)	>480	>480	isooctane	273	49	potassium hydroxide (50%)	>480	>480
diacetone alcohol	<4	<4	isopropyl alcohol	10	10	propyl alcohol	12	9
dibutyl phthalate	144	28	kerosene	>461	35	sodium hydroxide (50%)	>480	>480
dimethyl sulfoxide	10	10	lactic acid (85%)	>480	>480	Stoddard Solvent	400	85
ethyl acetate	<1	<1	lauric acid (36% in ethanol)	>480	360	sulfuric acid (47%)	>480	>480
ethyl alcohol	10	10	maleic acid (saturated)	>480	>480	toluene	2	1
ethyl ether	3	2	methyl alcohol	<10	<10	turpentine	148	11
ethyl glycol ether (Cellosolve)	10	9	methyl amine	50	20	xylene	2	1
ethylene glycol	32	5	methyl t-butyl ether	<7	<4			

Disposable Gloves - Nitrile

RS Hughes Part Price Per Case Size Description

A. Ansell Touch N Tuff® 92-500

Touch N Tuff disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness. Made of 100% nitrile, the gloves contain absolutely no fillers, silicones, or plasticizers. 5mil thick, 9 1/2" length. Beaded cuff, teal color. 92-500 is powdered. 100/Box.

076490-85188	9.83	BX	10	6.5 - 7	Powdered
076490-85189	9.83	BX	10	7.5 - 8	Powdered
076490-85190	9.83	BX	10	8.5 - 9	Powdered
076490-85715	9.83	BX	10	9.5+	Powdered



B. Ansell Touch N Tuff® 92-600

Touch N Tuff disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness. Made of 100% nitrile, the gloves contain absolutely no fillers, silicones, or plasticizers. 5mil thick, 9 1/2" length. Beaded cuff, teal color. 92-600 is powder free. 100/Box.

076490-85834	9.92	BX	10	6.5 - 7	Powder Free
076490-85835	9.92	BX	10	7.5 - 8	Powder Free
076490-85836	9.92	BX	10	8.5 - 9	Powder Free
076490-85837	9.92	BX	10	9.5+	Powder Free



Hand Protection

Disposable Gloves - Nitrile

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Best Seller

NEW ITEM!

Disposable Gloves - Nitrile

RS Hughes Part Price Per Case Size Description

A. Ansell Touch N Tuff® 92-616

100% Medical Exam grade nitrile gloves in a durable 3mil version. New environmentally friendly packaging provides 50% more product in the same size container, which leads to less waste and less worker downtime. Textured fingertips and thin mil technology provide excellent grip and exceptional sensitivity, in a very durable glove. 150/Box.

076490-586312	12.37	BX	10	XS	Powder Free
076490-586313	12.37	BX	10	SM	Powder Free
076490-586314	12.37	BX	10	MD	Powder Free
076490-586315	12.37	BX	10	LG	Powder Free
076490-586316	12.37	BX	10	XL	Powder Free



B. Ansell TNT® Blue 92-575

5 mil, Single Use, Nitrile. Textured for increased grip with a rolled beaded cuff. Lightly Powdered, comfortable and durable for numerous job applications. 100/Box.

076490-86193	9.08	BX	10	SM	Powdered
076490-86194	9.08	BX	10	MD	Powdered
076490-86195	9.08	BX	10	LG	Powdered
076490-86196	9.08	BX	10	XL	Powdered

C. Ansell TNT® Blue 92-675

5 mil, Single Use, Nitrile. Textured for increased grip with a rolled beaded cuff. Powder free, comfortable and durable for numerous job applications. 100/Box.

076490-65716	9.92	BX	10	SM	Powder Free
076490-65717	9.92	BX	10	MD	Powder Free
076490-65718	9.92	BX	10	LG	Powder Free
076490-65719	9.92	BX	10	XL	Powder Free



D. KleenGuard* G10 Arctic Blue Nitrile Textured Fingertips, 2 Mil 200/Box

Textured fingertips for better grip. 9.5" length. Distinctive Arctic Blue color for easy ID. Ambidextrous, AQL-4.0. 100% more gloves per case. Beaded cuff for added strength & easy donning. Food handling certified. 2 Mil Thickness.

036000-90095	17.66	BX	10	XS	
036000-90096	17.66	BX	10	SM	
036000-90097	17.66	BX	10	MD	
036000-90098	17.66	BX	10	LG	
036000-90099	17.66	BX	10	XL	180/Box



E. KleenGuard* G10 Grey Nitrile* Textured Fingertips, 3.5 Mil, Gloves 150/Box

Grey Nitrile gloves are designed for tasks requiring maximum dexterity with a comfortable, latex-like feel. They're also an environmentally friendly option, since they're so thin and strong that you get 50% more gloves per case - resulting in less packaging waste and added space savings. 3.5 mil thickness. Approved for food handling. Textured finger tip. 9 1/2inch length.

036000-97820	18.46	BX	10	XS	
036000-97821	18.46	BX	10	SM	
036000-97822	18.46	BX	10	MD	
036000-97823	18.46	BX	10	LG	
036000-97824	18.46	BX	10	XL	140/Box

F. Ansell TNT® 93-250 Disposable Nitrile Glove

Disposable nitrile glove with Ansell Grip Technology™ minimizes the force required to grip dry, wet or oily objects, reducing hand and arm fatigue and improving dexterity, safety, and productivity. Contains no natural rubber proteins, protecting against Type I skin allergies. Touch screen capable.

076490-18247	13.83	BX	10	7	Powder-Free
076490-18248	13.83	BX	10	8	Powder-Free
076490-18249	13.83	BX	10	9	Powder-Free
076490-18250	13.83	BX	10	10	Powder-Free
076490-19630	13.83	BX	10	6A	Powder-Free

**BEST
SELLER!**

RS Hughes Part Price Per Case Size Description

G. KleenGuard* G10 Blue Nitrile Textured Fingertips, 6 Mil 100/Box

Blue nitrile, 6 mil thickness, 9.5" length, powder free, Latex-free, textured fingertips, ambidextrous, beaded cuff, online chlorinated on donning side. Approved for food handling. 100 gloves/pack

036000-57370	11.42	BX	10	XS	
036000-57371	11.42	BX	10	SM	
036000-57372	11.42	BX	10	MD	
036000-57373	11.42	BX	10	LG	
036000-57374	11.42	BX	10	XL	90/Box



H. Kimberly-Clark Purple Nitrile Exam Gloves, Textured Finger Tips, 6 Mil, 9 1/2Inch Length

Latex-Free, Textured fingertips, beaded cuff. 6mil thickness. Meets NFPA Standards 1999:2008. 100/Box

036000-55080	15.55	DI	10	XS	
036000-55081	15.55	DI	10	SM	
036000-55082	15.55	DI	10	MD	
036000-55083	15.55	DI	10	LG	
036000-55084	15.55	DI	10	XL	90/Box



I. Kimberly-Clark Purple Nitrile Exam Gloves, Textured Finger Tips, 6 Mil, 12Inch Length

#2 Selling Nitrile Exam Glove in the U.S. 6 mil thickness. Latex-free, textured fingertips, beaded cuff. Meets NFPA Standards 1999:2008. 50/Dispenser Box

036000-55090	13.44	DI	10	XS	
036000-50601	13.44	DI	10	SM	
036000-50602	13.44	DI	10	MD	
036000-50603	13.44	DI	10	LG	
036000-50604	13.44	DI	10	XL	



J. Kimblery-Clark Forest Green Exam Gloves

3.5 mil ambidextrous gloves with textured fingertips for enhanced grip, excellent wet and dry grip to reduce potential for slips. Beaded cuffs for added strength and donning ease, free of natural rubber latex. Superior quality 1.5 AQL exceeds the ASTM 2.5 standard for critical defects (pinholes). Recyclable through RightCycle* program by Kimberly-Clark Professional*.

036000-43443	17.63	BX	10	XS	Forest Green
036000-43444	17.63	BX	10	SM	Forest Green
036000-43445	17.63	BX	10	MD	Forest Green
036000-43446	17.63	BX	10	LG	Forest Green
036000-43447	17.63	BX	10	XL	Forest Green
036000-43448	17.63	BX	10	2XL	Forest Green



K. Kimblery-Clark Spring Green Exam Gloves

4.7 mil, ambidextrous gloves with textured fingertips for enhanced grip, excellent wet and dry grip to reduce potential for slips. Beaded cuffs for added strength and donning ease, free of natural rubber latex. Superior quality 0.65 AQL exceeds the ASTM 2.5 standard for critical defects (pinholes). Recyclable through RightCycle* program by Kimberly-Clark Professional*.

036000-43437	20.17	BX	10	XS	Spring Green
036000-43438	20.17	BX	10	SM	Spring Green
036000-43439	20.17	BX	10	MD	Spring Green
036000-43440	20.17	BX	10	LG	Spring Green
036000-43441	20.17	BX	10	XL	Spring Green





A



B



C



D



E



Disposable Gloves - Nitrile

RS Hughes Part Price Per Case Size Description

A. MICROFLEX N20 General Purpose Gloves, Nitrile, Powder Free - Blue - 5mil



This blue nitrile glove is designed for unparalleled sensitivity in general purpose tasks. These gloves are perfect for the food industry. Textured fingers provide enhanced gripping power while the beaded cuff makes the gloves easy to don. (100/pk, 1000/cs)

683438-54200	7.16	BX	10	SM	Blue
683438-14202	7.16	BX	10	MD	Blue
683438-54207	7.16	BX	10	LG	Blue
683438-54208	7.16	BX	10	XL	Blue
683438-14205	7.16	BX	10	2XL	Blue

B. MICROFLEX N27 General Purpose Gloves, Nitrile, Powder Free - Cobalt Blue - 4mil

This soft, stretchy formula provides superior fit and feel. Ideal for jobs requiring exceptional tactile sensitivity. Durable and puncture resistant. Fully textured surface for enhanced gripping in wet or dry conditions. (100/pk, 1000/cs)

683438-14271	8.93	BX	10	SM	Cobalt Blue
683438-14272	8.93	BX	10	MD	Cobalt Blue
683438-14273	8.93	BX	10	LG	Cobalt Blue
683438-14274	8.93	BX	10	XL	Cobalt Blue

C. MICROFLEX UF-524 Ultraform Gloves

Our unique soft formulation forms to your hand effortlessly as if it is second skin. In field tests users wearing Ultraform® actually experienced an increase in fine motor task performance compared to a bare hand. (300/box, 10 box/cs)

769799-52400	25.24	BX	10	SM	Cobalt Blue
769799-52401	25.24	BX	10	MD	Cobalt Blue
769799-52402	25.24	BX	10	LG	Cobalt Blue
769799-52403	25.24	BX	10	XL	Cobalt Blue
769799-52404	25.24	BX	10	2XL	Cobalt Blue

D. MICROFLEX DFK-608 DuraFlock Gloves

8mil nitrile 25% thicker than standard disposable gloves for increased durability and superior protection. Extremely comfortable to wear for extended periods, reducing hand fatigue. Exclusive ultra-thin moisture-absorbing flock-lining keeps hands dry. Fully-textured for a firm, reliable grip. (50/box, 10 box/cs)

769799-60817	19.04	BX	10	SM	Dark Green
769799-60818	19.04	BX	10	MD	Dark Green
769799-60819	19.04	BX	10	LG	Dark Green
769799-60810	19.04	BX	10	XL	Dark Green
769799-60811	19.04	BX	10	2XL	Dark Green

E. Microflex MidKnight MK-296

Powder Free Black Nitrile Exam Grade Length 9.6", Cuff Thickness 3.1 mil, Palm Thickness 4.7mil, Finger Thickness 5.5mil 2X Large 100/Box

769799-29614	14.31	BX	10	XS	
769799-29615	14.31	BX	10	SM	
769799-29616	14.31	BX	10	MD	
769799-29617	14.31	BX	10	LG	
769799-29618	14.31	BX	10	XL	
769799-29619	14.31	BX	10	2XL	



RS Hughes Part Price Per Case Size Description

F. Microflex Supreno SE SU-690

Medical Exam Grade Powder Free Nitrile Length 8.7", Cuff Thickness 4.3mil, Palm Thickness 5.5mil, Finger Thickness 7.9mil, 100/Box.

769799-69006	14.75	BX	10	XS
769799-69007	14.75	BX	10	SM
769799-69008	14.75	BX	10	MD
769799-69009	14.75	BX	10	LG
769799-69000	14.75	BX	10	XL



F

G. Microflex Supreno EC SEC-375 High Risk Exam Nitrile Gloves

Reliable Hazard Protection Extended cuff provides additional protection for the wrist and arm for hazardous environments. Advanced nitrile formulation offers up to 3 times the puncture resistance of latex or vinyl disposable gloves. Combined with the lowest acceptable pinhole rates (AQL 0.65) these gloves help set a new standard in protection. Non-stick properties are built into the glove formulation to create a resistance to tape or adhesives, and to assist workers with improved efficiency and speed. Secure and Confident Grip Textured fingers ensure strong, efficient grip and excellent worker protection. Protection from Type 1 Allergies Constructed without natural rubber latex materials or powder to help protect from allergies, skin irritation and dryness.

769799-03256	11.96	BX	10	SM	Powder Free
769799-03257	11.96	BX	10	MD	Powder Free
769799-03258	11.96	BX	10	LG	Powder Free
769799-03259	11.96	BX	10	XL	Powder Free
769799-03250	11.96	BX	10	2XL	Powder Free
769799-32511	11.96	BX	10	3XL	Powder Free



G

NEW ITEM!

H. Microflex Xceed XC-310

Powder Free Medical Exam Grade Nitrile, Length 9.4", Cuff Thickness 2.4mil, Palm Thickness 2.8mil, Finger Thickness 4.3mil, 250/Box

769799-31000	22.25	BX	10	XS	
769799-31011	22.25	BX	10	SM	
769799-31012	22.25	BX	10	MD	
769799-31013	22.25	BX	10	LG	
769799-31014	22.25	BX	10	XL	230 per box



H

I. PIP 63-332PF Ambi-dex™ Nitrile, Powder Free, Textured Grip, 4 Mil

Economical puncture resistance with great comfort, dexterity and tactile sensitivity; Contains no natural rubber latex proteins; Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199; Blue color (except 63-732PF which is black); A very versatile glove for use in a broad range of applications for light hand protection from liquids, chemicals and debris. Packaged 100 per box unless otherwise specified.

616314-04889	9.34	BX	10	SM
616314-04896	9.34	BX	10	MD
616314-04902	9.34	BX	10	LG
616314-04919	9.34	BX	10	XL
616314-20056	10.24	BX	10	2XL



I



J

J. PIP 63-338PF Ambi-dex Nitrile Industrial Grade, Textured Grip, 8 Mil, 9.5Inch Length, Silicone Free

Disposable Nitrile, Industrial Grade, 8 Mil., Textured, Powder free, 50/Box.

616314-11337	8.84	BX	20	SM
616314-11344	8.84	BX	20	MD
616314-11351	8.84	BX	20	LG
616314-11368	8.84	BX	20	XL



K



K. PIP 63-532PF Ambi-dex Food Grade, Textured Grip, 4 Mil, 9 1/2Inch Length, Powder Free

Disposable Nitrile, Food Grade, Fully Textured, 4 Mil, 100/bx

616314-32240	7.05	BX	10	SM
616314-32257	7.05	BX	10	MD
616314-32264	7.05	BX	10	LG
616314-32271	7.05	BX	10	XL

Sempermed®

We are people protection.®



A

B



C

D



E

Disposable Gloves - Nitrile

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Sempermed SemperForce® BKNF

Black nitrile examination gloves by Sempermed are designed for demanding work environments where your safety and comfort are a must. A textured surface promises secure gripping capabilities. SemperForce® black nitrile gloves are ideal for automotive, industrial, tattoo, and cosmetology applications. 5.6 mil finger thickness. 4.56 mil palm thickness. Exam powder free textured 100/Box.

119019-28102	7.09	BX	10	SM	BKNF102
119019-28103	7.09	BX	10	MD	BKNF103
119019-28104	7.09	BX	10	LG	BKNF104
119019-28105	7.09	BX	10	XL	BKNF105
119019-28106	7.09	BX	10	2XL	BKNF106

Sempermed®
We are people protection.®

B. Sempermed GripStrong™ GSNF

Designed to provide exceptional strength and superior gripping capabilities without the risk of latex allergens. Advanced manufacturing technology gives GripSafe™ Nitrile a softer fit and feel than traditional nitrile gloves allowing for maximum tactile sensitivity. GripSafe™ is ideal for food, safety, Janitorial/Sanitation, and laboratory markets. Industrial powder free textured 100/Box. 3.2 mil thickness.

119019-27102	6.23	BX	10	SM	GSNF102
119019-27103	6.23	BX	10	MD	GSNF103
119019-27104	6.23	BX	10	LG	GSNF104
119019-27105	6.23	BX	10	XL	GSNF105

C. Sempermed SemperGuard® INPFT

Superior fit, feel, and strength without the risk of latex allergens. Its textured fingertips ensure gripping capabilities in both wet and dry work environments. Ideal for automotive, food, laboratory, and pharmaceutical applications. 3.68 mil finger thickness. 3.36 mil palm thickness. Industrial powder free textured 100/Box.

019019-19102	6.41	BX	10	SM	INPFT102
019019-19103	6.41	BX	10	MD	INPFT103
019019-19104	6.41	BX	10	LG	INPFT104
019019-19105	6.41	BX	10	XL	INPFT105

Sempermed®
We are people protection.®

D. Sempermed SemperSure™ SUNF

Designed for those with skin sensitivities to regular nitrile gloves. Accelerator-free gloves offer all the benefits of a nitrile glove, minus the sulfur-based chemical accelerators that cause Type I (latex) and Type IV (chemical) allergies. 4.76 mil finger thickness. 2.96 mil palm thickness. Powder free textured 200/Box.

119019-33201	14.91	BX	10	XS	SUNF201
119019-33202	14.91	BX	10	SM	SUNF202
119019-33203	14.91	BX	10	MD	SUNF203
119019-33204	14.91	BX	10	LG	SUNF204
119019-33205	14.91	BX	10	XL	SUNF205

E. Sempermed Tender Touch Nitrile

The right combination of fit, feel, tactile sensitivity, strength and value in a latex-free exam glove. Delivered in our new Smart Dispense Technology, Single Glove Delivery™ packaging. This innovative packaging method reduces wrinkles and allows for more gloves per box, making Tender Touch® a smart choice.

SEMPERMED TTNF201	12.73	BX	10	XS	TTNF201
SEMPERMED TTNF202	12.73	BX	10	SM	TTNF202
SEMPERMED TTNF203	12.73	BX	10	MD	TTNF203
SEMPERMED TTNF204	12.73	BX	10	LG	TTNF204
SEMPERMED TTNF205	12.73	BX	10	XL	TTNF205

Disposable Gloves - Nitrile

RS Hughes Part Price Per Case Size Description

F. Sempermed StarMed Rose SMNR Nitrile Gloves with Aloe & Vitamin E

StarMed® ROSE Nitrile with Aloe & Vitamin E has what it takes to brighten any environment, from ER to exam room. An aloe and vitamin E coating soothes hands and helps prevent skin irritation, while StarMed® ROSE's formulation provides enhanced protection, comfort and tactile sensitivity. This glove also features Smart Dispense Technology, Single Glove Delivery® packaging, which reduces wrinkles and allows for greater efficiency.

841277-10000	14.73	BX	10	XS	Powder Free
841277-10001	14.73	BX	10	SM	Powder Free
841277-10002	14.73	BX	10	MD	Powder Free
841277-10003	14.73	BX	10	LG	Powder Free
841277-10004	14.73	BX	10	XL	Powder Free

G. Sempermed StarMed Plus SMNP Nitrile Gloves

Soft, flexible and resilient. StarMed® PLUS™ nitrile gloves' innovative design allows users to experience the benefits of unrestricted hand motion. The proprietary nitrile formula used during the manufacturing process conforms to your hand while improving upon the overall strength of the final product. These latex-free, powder-free gloves offer the most natural fit available in the market today.

841277-10007	22.73	BX	10	XS	Powder Free
841277-10008	22.73	BX	10	XM	Powder Free
841277-10009	22.73	BX	10	MD	Powder Free
841277-10010	22.73	BX	10	LG	Powder Free
841277-10011	22.73	BX	10	XL	Powder Free

H. Sempermed Best Touch BTNA Nitrile Gloves with Aloe & Vitamin E

Best Touch® Nitrile with Aloe & Vitamin E provides enhanced protection and comfort with the added benefit of an aloe and vitamin E coating. Best Touch® Nitrile with Aloe & Vitamin E is an ideal solution for those who are at risk of becoming sensitive to natural rubber latex. It provides excellent protection and tactile sensitivity while the aloe and vitamin E coating soothes your hands and helps prevent irritation of the skin. It also features the new Smart Dispense Technology, Single Glove Delivery™ packaging method, which reduces wrinkles and allows for more gloves per box.

119019-48201	14.73	BX	10	XS	Powder Free
119019-48202	14.73	BX	10	SM	Powder Free
119019-48203	14.73	BX	10	MD	Powder Free
119019-48204	14.73	BX	10	LG	Powder Free
119019-48205	14.73	BX	10	XL	Powder Free

I. Sempermed SemperShield SSNF Nitrile Gloves

With extra thickness and an extended cuff, SemperShield® Nitrile powder-free exam gloves are designed for high-risk applications where your safety and protection are a must. A textured surface promises a secure grip without compromising your sensitivity. SemperShield® Nitrile offers all the benefits of a nitrile glove plus it's safe for use with chemotherapy drugs.

019019-09102	7.64	BX	10	SM	Powder Free	Blue
019019-09103	7.64	BX	10	MD	Powder Free	Blue
019019-09104	7.64	BX	10	LG	Powder Free	Blue
019019-09105	7.64	BX	10	XL	Powder Free	Blue
019019-09106	7.64	BX	10	2XL	Powder Free	Blue



F



G



H



I



A

Disposable Gloves - Nitrile



B

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Global Glove 705PF Powder Free Nitrile, 5mil, Blue

5 mil high modulus disposable nitrile, powder free rolled cuff, textured finish for good wet grip. FDA compliant, industrial grade, 9 in. length rolled cuff. 100 gloves to a dispenser.

705PF XS	5.91	DI	10	XS
705PF SM	5.91	DI	10	SM
705PF MD	5.91	DI	10	MD
705PF LG	5.91	DI	10	LG
705PF XL	5.91	DI	10	XL



B. Global Glove 605PF X-tra™, 6 Mil Blue

6 mil Blue Medical grade powder free Nitrile disposable gloves. 12" length long cuff, ambidextrous, Rolled/beaded cuff. 100 gloves to a dispenser. Component materials comply with FDA regulations for food contact.

605PF SM	13.19	BX	10	SM
605PF MD	13.19	BX	10	MD
605PF LG	13.19	BX	10	LG
605PF XL	13.19	BX	10	XL

C. Global Glove 805PF Powderfree Nitrile, 8mil, Blue

8 mil 11 inches long disposable or reusable high modulus powder free nitrile. 50 gloves to a dispenser.

805PF SM	8.88	DI	10	SM
805PF MD	8.88	DI	10	MD
805PF LG	8.88	DI	10	LG
805PF XL	8.88	DI	10	XL

D. Global Glove 775PF Panther-Guard™ 6 Mil Orange

Disposable 6 mil Orange 100% Nitrile polymer, powder free with textured grip. 9.5" long with Beaded/Rolled Cuff, Post-process adds a Freeze-Dried Aloe coated interior to moisturize damaged, cracked & chapped hands. Dual-Color: The inside of the glove is white to easily identify if glove has been worn and should not be reused. Neatly packed flat in box to reduce waste and cross contamination, 100% inspected and triple washed, Chlorinated smooth interior allows easy donning, FDA Compliant Materials. 100 gloves per dispenser, 10 dispensers per case.

775PF SM	14.22	DI	10	SM
775PF MD	14.22	DI	10	MD
775PF LG	14.22	DI	10	LG
775PF XL	14.22	DI	10	XL



C



D

Disposable Gloves - Neoprene

RS Hughes Part Price Per Case Size Description

E. Ansell NeoTouch® 25-101, Powder Free

Exam and food grade neoprene disposable gloves that are an excellent alternative to other disposable glove materials, and protect against Type 1 allergies. Excellent protection against acids, bases, and alcohols. 5mil, 9 1/2 inch length. 100/Box.

076490-85727	13.67	BX	10	XS
076490-85728	13.67	BX	10	SM
076490-85729	13.67	BX	10	MD
076490-85730	13.67	BX	10	LG
076490-85731	13.67	BX	10	XL



E

F

F. JACKSON SAFETY* G29 Neoprene Solvent Glove 80

Neoprene blend construction 9mil; 12" length Powder-Free Textured Fingertips for wet/dry grip. Not made with natural rubber latex. Ambidextrous. 50 gloves per box.

036000-49822	28.39	BX	10	6
036000-49823	28.39	BX	10	7
036000-49824	28.39	BX	10	8
036000-49825	28.39	BX	10	9
036000-49826	28.39	BX	10	10
036000-49827	28.39	BX	10	11

G

H

Disposable Gloves - Vinyl

G. Ansell Dura-Touch® 34-725, 3 Mil, 9Inch Length, Smooth Finish, Clear Color

Made from premium quality PVC for extra durability. Powder-free. Dura-Touch® gloves comply with FDA food handling requirements (21 CFR 177.2600).

076490-25431	4.35	BX	10	SM
076490-25432	4.35	BX	10	MD
076490-25433	4.35	BX	10	LG
076490-25434	4.35	BX	10	XL



H. Sempermed SemperGuard® VPF

Latex sensitivity does not have to be an issue. SemperGuard® Vinyl provide excellent sensitivity and protection. These gloves are ideal for users who are at risk of becoming sensitive to latex protein allergens. SemperGuard® Vinyl offers unparalleled economy, functionality, and value. 4.60 mil finger thickness. 2.70 mil palm thickness. Industrial powder free smooth 100/Box.

019019-31102	3.73	BX	10	SM	VPF102
019019-31103	3.73	BX	10	MD	VPF103
019019-31104	3.73	BX	10	LG	VPF104
019019-31105	3.73	BX	10	XL	VPF105



J

I. Sempermed GripStrong® GSVFE

Designed to meet the needs of those seeking light duty hand protection at an exceptional value. GripStrong® Vinyl is manufactured with polyvinyl chloride (PVC) which eliminates exposure to latex and reduces the potential risk of a latex protein reaction.

019019-52102	3.23	BX	10	SM	GSVF102
019019-52103	3.23	BX	10	MD	GSVF103
019019-52104	3.23	BX	10	LG	GSVF104
019019-52105	3.23	BX	10	XL	GSVF105

J. Sempermed SemperCare SCVNP Vinyl Gloves

Strength. Durability. Sensitivity. Fit. The SemperCare® Vinyl glove is designed as the ultimate solution for those who are at risk of becoming sensitive to natural rubber latex. Its cream color and new resin are an upgrade from regular vinyl gloves, giving the SemperCare® Vinyl glove the look and feel of latex without the latex allergens. It offers exceptional strength and protection, yet maintains maximum tactile sensitivity. Off-White color.

019019-30101	5.18	BX	10	XS	Powder Free
119019-30102	5.18	BX	10	SM	Powder Free
119019-30103	5.18	BX	10	MD	Powder Free
119019-30104	5.18	BX	10	LG	Powder Free
119019-30105	5.18	BX	10	XL	Powder Free



Chemical Resistant Glove Materials

Different glove materials resist different chemicals at varied exposure levels.

Therefore, care must be taken in choosing the right glove for the given application. Thickness and length also play a role in determining the appropriate glove. Thicker gauge gloves are heavier and provide increased chemical resistance than thinner gloves. The length of glove needed can be determined by assessing the splash and immersion protection needed.

PVC:

Chemically resistant to oil, grease, acids and solvents while providing good abrasion resistance. A jersey or interlock lining enhances comfort.

Nitrile:

Provides excellent abrasion, cut and snag resistance when encountering oils, greases and petroleum products. Choose smooth finish for dry grip or rough finish for wet and oily conditions.

Neoprene:

Protection from chemicals, oils, acids, solvents and caustics.

Latex:

Good sensitivity and dexterity making it ideal for food processing, electronics assembly and similar applications.

Vinyl:

Provides moderate abrasion resistance and can have a textured finish that enhances grip. choose a soft jersey lining for cushioning.

Chemical Resistant Gloves - Latex



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

Ansell Cannery and Handlers™ Style 392/394

Featuring excellent dexterity, tensile strength, and elasticity, our 20-mil Cannery and Handlers gloves are a good choice for chemical, snag, puncture, abrasion, and cut resistance. 12" length adds protection against chemical hazards. Pebble embossed grips design for excellent grip on wet or dry surfaces. Made with component materials that comply with FDA regulations for food contact.

A. 076490-93920	11.80	DZ	12	6 - 6.5	Pebble Finish, Style 392
A. 076490-93921	11.80	DZ	12	7	Pebble Finish, Style 392
A. 076490-93922	11.80	DZ	12	7.5	Pebble Finish, Style 392
A. 076490-93923	11.80	DZ	12	8	Pebble Finish, Style 392
A. 076490-93924	11.80	DZ	12	8.5	Pebble Finish, Style 392
A. 076490-93925	11.80	DZ	12	9	Pebble Finish, Style 392
A. 076490-93926	11.80	DZ	12	9.5	Pebble Finish, Style 392
A. 076490-93927	11.80	DZ	12	10	Pebble Finish, Style 392
A. 076490-93928	11.80	DZ	12	11	Pebble Finish, Style 392
B. 076490-93941	11.80	DZ	12	7	Fishscale, Style 394
B. 076490-93943	11.80	DZ	12	8	Fishscale, Style 394
B. 076490-93945	11.80	DZ	12	9	Fishscale, Style 394
B. 076490-93947	11.80	DZ	12	10	Fishscale, Style 394

C. Ansell FL100/FL200 Style 155

Natural latex, cotton flock-lined gloves provide a high degree of tensile strength while maintaining excellent sensitivity. Increased snag, puncture, abrasions, and cut resistance, 17 mil thick at the palm. Standard 12 inch. Two embossed designs (pattern and pebble) provide improved grip on wet or dry objects. Made from component materials which comply with FDA regulations for food contact.

076490-85741	10.00	DZ	12	7
076490-85742	10.00	DZ	12	8
076490-85743	10.00	DZ	12	9
076490-85744	10.00	DZ	12	10



D. Ansell FL100/FL200 Style 198

These natural latex, cotton flock-lined gloves provide a high degree of tensile strength while maintaining excellent sensitivity. For increased snag, puncture, abrasions, and cut resistance, 17 mil thick at the palm. Standard 12 inch while two embossed designs (pattern and pebble) provide improved grip on wet or dry objects.

076490-85749	9.20	DZ	12	7
076490-85750	9.20	DZ	12	8
076490-85751	9.20	DZ	12	9
076490-85752	9.20	DZ	12	10

EN Standard Marking for Chemical Gloves

Although not required in the USA knowing about the EN standard is important as most coated gloves made are sold in both Europe and the US. As a result the EN markings are usually printed on gloves sold in the US. These markings provide valuable information about the performance characteristics which allows you to make more informed decisions about glove selection to comply with OSHA 1910.138 requirements.

Resistance to permeation by chemicals.

EN 374-3	Chemical	Rating
	Level 1	>10 mins
	Level 2	>30 mins
	Level 3	>60 mins
	Level 4	>120 mins
	Level 5	>240 mins
	Level 6	>480 mins



BS EN 374:2003 now states that a glove must have a breakthrough time of at least 30 minutes when tested for 3 chemicals from a list of 12 standard defined chemicals. The chemicals tested against are designated an identifying letter from A to L:

- | | |
|----------------------------|-------------------------------|
| A Methanol | H Tetrahydrofuran |
| B Acetone | I Ethyl Acetate |
| C Acetonitrile | J n-Heptane |
| D Dichloromethane | K Sodium hydroxide 40% |
| E Carbon Disulphide | L Sulphuric acid 96% |
| F Toluene | |
| G Diethylamine | |

Typical glove lengths and areas of protection.

Glove Length	Area of Protection
12"	Hand and wrist
14"	Up to mid forearm
18"	Up to elbow



Chemical Resistant Gloves - Latex

RS Hughes Part Price Per Case Size Description

E. Ansell 356 Natural Latex - Blue Color

Natural Blue gloves are 17 mil thick for superior tactile sensitivity and dexterity, as well as good chemical, snag, puncture, abrasion, and cut resistance. Made with component materials that comply with FDA regulations for food contact, the gloves feature a patterned grip and a conspicuous blue color which is preferred by the poultry and food processing industries.

076490-93561	10.20	DZ	12	7
076490-93563	10.20	DZ	12	8
076490-93565	10.20	DZ	12	9
076490-93567	10.20	DZ	12	10
076490-93576	10.20	DZ	12	11



F. Ansell Canners and Handlers 88-343 12Inch

Excellent dexterity, tensile strength and elasticity. 20 mil thickness provides good chemical, snag, puncture, abrasion and cut resistance. Diamond embossed for excellent grip on wet or dry surfaces. All Canners and Handlers comply with FDA food handling requirements (21 CFR 177.2600).

076490-93431	16.40	DZ	12	7
076490-93433	16.40	DZ	12	8
076490-93435	16.40	DZ	12	9
076490-93437	16.40	DZ	12	10

G. PIP 48-L162Y Assurance® Household Flock Lined Gloves, Lightweight - Honeycomb Grip

Unsupported latex, 16 mil, 12-inch flock lined, yellow, honeycomb grip, straight cuff. Provides resistance to acids, alkalis, alcohols, salts, ketones and animal fats. Flock lining provides increased comfort and ease of donning. Rolled bead cuff for tear resistance. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199. Pair packed.

616314-35142	9.02	DZ	12	SM
616314-35135	9.02	DZ	12	MD
616314-35128	9.02	DZ	12	LG
616314-03515	9.02	DZ	12	XL



Head to Toe Protection

**only
\$17.60
dozen**



Chemical Resistant Gloves - Nitrile

Ansell

Occupational Healthcare



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

Ansell Sol-Vex® Nitrile Family of Gloves

Embossed, straight cuff, Sol-Vex gloves are made of a high performance nitrile compound which provides an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex gloves have proven to be a superior choice over rubber or neoprene. Sol-Vex gloves won't swell, weaken, or degrade and they offer better protection against snags, punctures, abrasions and cuts. Sol-Vex gloves do not promote contact dermatitis and their component materials comply with FDA regulations for food contact.

Unlined Gloves

A. 076490-17071	17.60	DZ	12	6 - 6.5	37-145, 11 mil, 13" length
A. 076490-17073	17.60	DZ	12	7 - 7.5	37-145, 11 mil, 13" length
A. 076490-17074	17.60	DZ	12	8 - 8.5	37-145, 11 mil, 13" length
A. 076490-17075	17.60	DZ	12	9 - 9.5	37-145, 11 mil, 13" length
A. 076490-17076	17.60	DZ	12	10	37-145, 11 mil, 13" length
A. 076490-17077	17.60	DZ	12	11	37-145, 11 mil, 13" length

B. 076490-17141	23.00	DZ	12	7 - 7.5	37-155, 15 mil, 13" length
B. 076490-17142	23.00	DZ	12	8 - 8.5	37-155, 15 mil, 13" length
B. 076490-17143	23.00	DZ	12	9 - 9.5	37-155, 15 mil, 13" length
B. 076490-17144	23.00	DZ	12	10	37-155, 15 mil, 13" length
B. 076490-17145	23.00	DZ	12	11	37-155, 15 mil, 13" length

C. 076490-17207	73.80	DZ	12	7 - 7.5	37-165, 22 mil, 15" length
C. 076490-17208	73.80	DZ	12	8 - 8.5	37-165, 22 mil, 15" length
C. 076490-17209	73.80	DZ	12	9 - 9.5	37-165, 22 mil, 15" length
C. 076490-17210	73.80	DZ	12	10	37-165, 22 mil, 15" length
C. 076490-17211	73.80	DZ	12	11	37-165, 22 mil, 15" length

C. 076490-17298	111.60	DZ	1	7 - 7.5	37-185, 22 mil, 18" length
C. 076490-17299	111.60	DZ	1	8 - 8.5	37-185, 22 mil, 18" length
C. 076490-17300	111.60	DZ	1	9 - 9.5	37-185, 22 mil, 18" length
C. 076490-17301	111.60	DZ	1	10	37-185, 22 mil, 18" length
C. 076490-17302	111.60	DZ	1	11	37-185, 22 mil, 18" length

Flock Lined Gloves

C. 076490-17272	17.80	DZ	12	6 - 6.5	37-175, 15 mil, 13" length
C. 076490-17273	17.80	DZ	12	7 - 7.5	37-175, 15 mil, 13" length
C. 076490-17274	17.80	DZ	12	8 - 8.5	37-175, 15 mil, 13" length
C. 076490-17275	17.80	DZ	12	9 - 9.5	37-175, 15 mil, 13" length
C. 076490-17276	17.80	DZ	12	10	37-175, 15 mil, 13" length
C. 076490-17277	17.80	DZ	12	11	37-175, 15 mil, 13" length



Chemical Resistant Gloves - Nitrile

RS Hughes Part Price Per Case Size/Description

Ansell AlphaTec® - Moisture Management Technology

Less sweat equals greater comfort and performance. New, proprietary AQUADRI® technology delivers the properties of a sponge with an unrivaled moisture absorption capacity: on average 10 times more than traditional cotton flocked linings. Keeps hands drier for a longer period of time resulting in significantly improved comfort and performance. Diamond palm grip provides improved dry/wet grip while foldable cuff gutter prevents dripping on forearm.

D.	076490-14014	37.20	DZ	12	7	12inch Length, 26mil	58-330
D.	076490-14015	37.20	DZ	12	8	12inch Length, 26mil	58-330
D.	076490-14016	37.20	DZ	12	9	12inch Length, 26mil	58-330
D.	076490-14017	37.20	DZ	12	10	12inch Length, 26mil	58-330
D.	076490-14018	37.20	DZ	12	11	12inch Length, 26mil	58-330
E.	076490-14019	70.40	DZ	6	7	15inch Length, 31mil	58-335
E.	076490-114020	70.40	DZ	6	8	15inch Length, 31mil	58-335
E.	076490-114021	70.40	DZ	6	9	15inch Length, 31mil	58-335
E.	076490-114022	70.40	DZ	6	10	15inch Length, 31mil	58-335
E.	076490-14023	70.40	DZ	6	11	15inch Length, 31mil	58-335

F. Ansell AlphaTEC® 58-530B/58-535B Nitrile Glove

New technology nitrile with aggressive Ansell Grip Technology. Glove is designed to provide sure grip in oily, slippery conditions. An ergonomically designed seamless knit liner finished in a unique black and burgundy color. This glove is the one you need, when grip and chemical protection are important.

076490-23809	77.40	EA	6	7	12in Length, 13 mil	58-530B
076490-23810	77.40	EA	6	8	12in Length, 13 mil	58-530B
076490-23811	77.40	EA	6	9	12in Length, 13 mil	58-530B
076490-23812	77.40	EA	6	10	12in Length, 13 mil	58-530B
076490-23813	77.40	EA	6	11	12in Length, 13 mil	58-530B
076490-23819	85.20	EA	6	7	14in Length, 13 mil	58-535B
076490-23820	85.20	EA	6	8	14in Length, 13 mil	58-535B
076490-23821	85.20	EA	6	9	14in Length, 13 mil	58-535B
076490-23822	85.20	EA	6	10	14in Length, 13 mil	58-535B
076490-23823	85.20	EA	6	11	14in Length, 13 mil	58-535B

G. Ansell AlphaTEC® 58-430/58-435 Nitrile Glove

Ansell Grip Technology™ for optimal control when handling oily or wet items. Less force is required on slippery objects, reducing hand and arm fatigue. Improved flexibility and dexterity thanks to a cotton-flocked lined nitrile shell and snug, second-skin tailoring that tightens the fit across the palm. The nitrile coating offers superior snag, puncture and abrasion protection for long-term wear. A foldable gutter cuff helps prevent dripping onto the forearm.

076490-14893	50.40	DZ	12	7	12in Length, 12 mil	58-430
076490-14894	50.40	DZ	12	8	12in Length, 12 mil	58-430
076490-14895	50.40	DZ	12	9	12in Length, 12 mil	58-430
076490-14896	50.40	DZ	12	10	12in Length, 12 mil	58-430
076490-14897	50.40	DZ	12	11	12in Length, 12 mil	58-430
076490-15020	56.04	DZ	6	7	15in Length, 18 mil	58-435
076490-15023	56.04	DZ	6	10	15in Length, 18 mil	58-435
076490-15024	56.04	DZ	6	11	15in Length, 18 mil	58-435
076490-47093	56.04	DZ	6	8	15in Length, 18 mil	58-435
076490-47094	56.04	DZ	6	9	15in Length, 18 mil	58-435



H. PIP 56-530 MaxiDry® Plus™ Nitrile Coated Glove

Developed for applications that require the blend of chemical protection with cut resistance. Tested and certified according to EN 374, "low level chemical resistance" and Cut Level 1 (EN 388). Liquid repellent splash resistance to chemicals is delivered through ATG's LiquiTech® technology platform. Unique cut protection with high levels of comfort. Synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity. An exclusive elasticated support in the wrist area provides a "locking" effect for a close and snug fit. The micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications.

616314-79634	90.40	DZ	6	SM
616314-79641	90.40	DZ	6	MD
616314-79658	90.40	DZ	6	LG
616314-79665	90.40	DZ	6	XL
616314-79672	90.40	DZ	6	2XL



Ansell

Occupational Healthcare



A



B



C



D



E

Chemical Resistant Gloves - Neoprene

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Ansell Thermaprene 19-024/19-026

Top-quality neoprene coating protects against a wide range of chemicals. Protects hands against intermittent contact with hot surfaces up to 400°F. Offers lightweight cut resistance. Removable liner and integrated hanging loop allow gloves to be stored and dried quickly. Passes ASTM F903 for penetration by liquid. Thermaprene gloves comply with FDA food handling requirements (21 CFR 177.2600).

076490-14020	26.25	PR	12	8	19-024 18Inch
076490-14021	26.25	PR	12	10	19-024 18Inch
076490-14022	31.15	PR	12	8	19-026 26Inch
076490-14203	31.15	PR	12	10	19-026 26Inch

B. Ansell 87-224 Chemi-Pro® Heavy Duty Neoprene Latex Blend

Unique dipping process combining neoprene over natural rubber latex provides increased protection against a wide range of chemicals. 27 mil thick for extra ruggedness and durability. Longer than most standard gloves for added forearm protection. A recessed diamond-embossed pattern provides added grip on wet or dry surfaces. Cotton flock lining absorbs perspiration and increases comfort. Economical, cost-saving substitute for higher-priced, heavy gauge gloves.

076490-92241	23.64	DZ	12	7	13" length, 27mil
076490-92243	23.64	DZ	12	8	13" length, 27mil
076490-92245	23.64	DZ	12	9	13" length, 27mil
076490-92247	23.64	DZ	12	10	13" length, 27mil

C. Ansell Technicians 390, Neoprene Latex Blend

13 mil blend of neoprene and natural rubber latex delivers optimal durability and chemical resistance. Pebble embossed design increases grip on wet or dry surfaces. Dexterity and sensitivity combined with moderate chemical protection unlined. Technicians comply with FDA food handling requirements (21 CFR 177.2600).

076490-93951	12.20	DZ	12	7	12" length, 13 mil
076490-93953	12.20	DZ	12	8	12" length, 13 mil
076490-93955	12.20	DZ	12	9	12" length, 13 mil
076490-93957	12.20	DZ	12	10	12" length, 13 mil

D. Ansell Scorpio® 8-352/8-354

Knit lined for comfort and easy donning and doffing. Textured finish provides excellent grip on wet and slippery materials with great flexibility. Snug fit with high degree of fingertip sensitivity. Interlock knit cotton two-piece lining eliminates seams that can cause hand irritation and premature wear-through.

076490-12510	61.80	DZ	6	7	8-352 12inch
076490-12511	61.80	DZ	6	8	8-352 12inch
076490-12512	61.80	DZ	6	9	8-352 12inch
076490-12513	61.80	DZ	6	10	8-352 12inch
076490-12515	73.80	DZ	6	8	8-354 14inch
076490-12516	73.80	DZ	6	9	8-354 14inch
076490-12517	73.80	DZ	6	10	8-354 14inch

E. Ansell Snorkel® 04-644 PVC-Coated Glove, 12in Length, Blue

Fully coated PVC glove provides a chemical splash protection against a range of industrial chemicals. Its rough finish protects against abrasions while offering excellent grip, even in wet and oily conditions. The jersey lining offers cushioning and moderate insulation. The flexibility and comfort of Snorkel® glove leads to less hand fatigue and better worker efficiency. An excellent combination of good mechanical properties with chemical protection.

076490-23684	42.24	DZ	6	8	
076490-23685	42.24	DZ	6	9	
076490-23686	42.24	DZ	6	10	
076490-23687	42.24	DZ	6	11	

Electrical Rated Gloves

All products on this page meet ANSI/ASTM D120 and NFPA70E for use around electrical hazards and ARC Flash.

RS Hughes Part Price Per Case Size/Description

PIP Class 00 Electrical Rated Glove, Orange/Black

Novax Rubber insulating glove, 11Inch, Unlined, Smooth Finish, Beaded. Max use voltage: 750DC

F. 616314-50749	60.03	PR	12	7	Orange, 147-00-011
F. 616314-38020	60.03	PR	12	8	Orange, 147-00-011
F. 616314-38037	60.03	PR	12	9	Orange, 147-00-011
F. 616314-38044	60.03	PR	12	10	Orange, 147-00-011
F. 616314-38051	60.03	PR	12	11	Orange, 147-00-011
F. 616314-57830	60.03	PR	12	12	Orange, 147-00-011
G. 616314-51173	60.03	PR	12	7	Black, 150-00-011
G. 616314-50794	60.03	PR	12	8	Black, 150-00-011
G. 616314-50800	60.03	PR	12	9	Black, 150-00-011
G. 616314-50817	60.03	PR	12	10	Black, 150-00-011
G. 616314-50824	60.03	PR	12	11	Black, 150-00-011
G. 616314-58721	60.03	PR	12	12	Black, 150-00-011

H. PIP 150-SK-00 Class 00 Electrical Safety Kit

Novax 11-inch glove kit. 1 pair black ESP glove (max use voltage: 750DC), 1 pair goatskin protectors, one 11-inch nylon glove bag.

616314-65309	93.67	PR	1	7
616314-50960	93.67	PR	1	8
616314-50977	93.67	PR	1	9
616314-50984	93.67	PR	1	10
616314-65293	93.67	PR	1	11
616314-57891	93.67	PR	1	12

I. PIP 155-1-14 Class 1 Electrical Rated Glove

Novax rubber insulating gloves. Two Tone, Black W/Orange Inner Color, 14 inch. Max use voltage: 11,250DC

616314-58738	111.76	PR	12	7
616314-58745	111.76	PR	12	8
616314-58752	111.76	PR	12	9
616314-58769	111.76	PR	12	10
616314-58776	111.76	PR	12	11
616314-58783	111.76	PR	12	12

J. PIP 155-2-14 Class 2 Electrical Rated Glove

Novax rubber insulating glove. Two Tone, Black W/Orange Inner Color, 14 inch. Max use voltage: 25,500DC

616314-58790	143.69	PR	12	7
616314-58806	143.69	PR	12	8
616314-58813	143.69	PR	12	9
616314-58820	143.69	PR	12	10
616314-58837	143.69	PR	12	11
616314-58844	143.69	PR	12	12

K. PIP 150-0-11 Class 0 Electrical Rated Glove

Novax rubber insulating gloves. Black, 11Inch, Unlined, Smooth Finish, Beaded. Max use voltage: 1,500DC

616314-51180	67.16	PR	12	7
616314-50831	67.16	PR	12	8
616314-50848	67.16	PR	12	9
616314-50855	67.16	PR	12	10
616314-50862	67.16	PR	12	11
616314-57908	67.16	PR	12	12



Head to Toe Protection



A

CAUTION

**GLOVES
REQUIRED**

B

Cotton Lisle Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Ergodyne 3400 Glove Grabbers

Clips to clothing, belts, tool belts, and D-rings. Detachable, usable with 'beeners, D-rings, etc. Breakaway feature Dielectric / non-conductive material. Durable, ultra-resilient acetal copolymer.

720476-19118	2.67	EA	6		Orange
--------------	------	----	---	--	--------



B. Brady Sign - CAUTION GLOVES REQUIRED

10" H x 14" W, Black on Yellow

754476-22404	13.25	EA	1	B-401, Plastic
754476-84534	12.35	EA	1	B-302, Self Sticking Polyester



PIP 97-500 Series Inspection Gloves

Designed to minimize contamination of products from human hands. 500 series lisle gloves are constructed in a two piece, reversible pattern using 100% cotton fabric. Custom sizes, length and hem constructions available upon request. Styles with overcast hems shed less lint. Styles with rolled hems shed even less lint. All styles are made of 100% cotton unless otherwise noted.

C. 616314-01901	4.20	DZ	100	97-500 Mens, Premium Grade
C. 616314-01918	3.93	DZ	100	97-501 Ladies, Premium Grade
D. 616314-01857	2.76	DZ	100	97-500I Mens, Economy Grade
D. 616314-01864	2.64	DZ	100	97-501I Ladies, Economy Grade

E. JACKSON SAFETY* G35 Inspection Gloves

General purpose 100% white nylon glove, PPE Category I. Ideal for Automotive and Aerospace Segments for tasks requiring low linting and silicone free features to avoid reworking. It is also ideal for other segments where product and process protection is needed. The seamless knit shell eliminates the risk of skin irritations and increases breathability and comfort. Available as : ambidextrous to increase efficiency, five sizes with different coloured yarn on cuffs to help size identification; double bagged to avoid silicone contamination.

036000-38716	13.20	DZ	10	XS	White
036000-38717	13.20	DZ	10	SM	White
036000-38718	13.20	DZ	10	MD	White
036000-38719	13.20	DZ	10	LG	White
036000-38720	13.20	DZ	10	XL	White



F. Red Steer 135-9-LY/145-9-MN Lisle Reversible 9" Small

Light weight lisle, cotton/polyester blend, self hemmed, 9" length, hand-to-hand reversible. Women's (LY) and Men's (MN) sizes.

135-9 SM	3.36	DZ	100	SM	135-9-LY
145-9 LG	3.36	DZ	100	LG	145-9-MN



E



D



F

OSHA Standard 1910.138(a) & (b)

(a). General requirements. Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.

(b). Selection. Employers shall base the selection of the appropriate hand protection on an evaluation of the performance characteristics of the hand protection relative to the task(s) to be performed, conditions present, duration of use, and the hazards and potential hazards identified.

Coated Knit Gloves

Cotton or cotton blend gloves are traditional work gloves used in many industries for their superior comfort and protection against dirt and grime.

Strings: General purpose gloves that provide moderate protection from both heat and cold. Gauge references the number of rows of stitches per inch. A higher gauge means less bulk and greater dexterity.

Dotted/Coated: Ideal for material handlers due to the enhanced grip, added protection and extended wear provided by the dots or palm coating.

Terry: Provides moderate thermal protection and cut resistance.

Jersey: A comfortable alternative that comes in a variety of weights for general duty and light abrasion application.

Chore: The cotton shell provides the protection needed for general purpose or light duty jobs. Lining offers comfort and heat dispersion.

Hotmill: These multi-layered gloves offer greater protection for extended exposure to moderate heat.

Cotton Knit Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

G. PIP 35-C104 Cotton/Polyester Glove, 7 Ga, Std. Wt.

Cotton/polyester, natural color, 7 gauge, standard weight. Knit construction allows breathability with less hand fatigue. Seamless pattern increases comfort. Reversible design allows replacing one glove at a time, rather than pairs. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199;. Can be used as a glove liner. Small size fits ladies well. Used for warehousing, parts handling, assembly and food processing.

616314-15267	3.64	DZ	25	SM
616314-15281	3.64	DZ	25	LG



H. PIP 35-C110, Cotton Polyester, 7 Ga, Medium Wt.

Seamless Knit, Cotton/Polyester, Natural Color, 7 Gauge

616314-02328	4.57	DZ	25	SM
616314-02311	4.57	DZ	25	LG

H. PIP 35-C410, Cotton Knit, 7 Ga, Hvy Wt, Natural

Seamless Knit, Cotton/Polyester, Natural Color, 7 Gauge

616314-02342	5.88	DZ	25	SM
616314-02335	5.88	DZ	25	LG

I. PIP 35-G410 Cotton/Polyester Knit, 7 Gauge

Seamless knit cotton/polyester, gray, 7 gauge, heavy weight. Knit construction allows breathability with less hand fatigue. Seamless pattern increases comfort. Reversible design allows replacing one glove at a time, rather than pairs. Made from component materials which comply with Federal regulations for food contact. 21CFR, 170-199; Can be used as a glove liner. Used for warehousing, parts handling, assembly and food processing. PVC coated cotton knits.

616314-23026	5.74	DZ	25	SM
616314-23033	5.74	DZ	25	LG

J. PIP 35-C500, Knit Cotton, Medium Wt, Gray

Seamless Knit, Cotton/Polyester, Gray Color, 7 Gauge, Medium Weight

616314-02458	3.78	DZ	25	SM
616314-02465	3.78	DZ	25	MD
616314-02472	3.78	DZ	25	LG
616314-02489	3.78	DZ	25	XL

K. Ansell MultiKnit 76-606 Medium Wt Cotton/Poly Knit Glove

Excellent for use as a glove liner. Durable cotton/poly blend in off-white color. Available in three duty levels to fit a variety of customer needs.

076490-41998	4.80	DZ	12	7
076490-41999	4.80	DZ	12	9



G



H

I



J



K

Hand Protection

Cotton Knit Gloves/Cotton Canvas & Jersey Gloves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Cotton Knit Gloves



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

PIP 36-110PD PVC Coated Cotton/Polyester Knit, Regular Weight, Natural Color

PVC coated natural color cotton/polyester string knit, one side black PVC dots coat, regular weight shell. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe.

A. 616314-15199	5.48	DZ	25	SM	Single Side Dotted
A. 616314-56758	5.48	DZ	25	MD	Single Side Dotted
A. 616314-15182	5.48	DZ	25	LG	Single Side Dotted
A. 616314-56765	5.48	DZ	25	XL	Single Side Dotted

PVC Coated Seamless Knit, Double Side PVC Dots, Regular Weight Shell. Finger Nails® have extra coated finger-tips to extend wear.

B. 616314-15212	6.76	DZ	25	SM	Double Side Dotted
B. 616314-15205	6.76	DZ	20	LG	Double Side Dotted

C. PIP 36-C330PDD PVC Coated Cotton Polyester Knit FingerNails®, Heavy Shell, Coated Finger Tips

FingerNails® heavy shell styles have coated finger tips to extend wear. Used in warehousing and package handling, general assembly, light duty general work situations, construction and bottle handling.

616314-02700	7.86	DZ	25	SM	Double Side Dotted
616314-02694	7.86	DZ	25	LG	Double Side Dotted

Cotton Canvas and Jersey Gloves



D. PIP 90-908I/90-908CI 8oz Canvas Economy Grade

90-908CI Canvas Single Palm Glove, 8 Oz., Economy Grade, Natural Knitwrist

616314-03790	7.86	DZ	25	90-908I Mens
616314-03851	7.29	DZ	25	90-908CI Ladies

E. PIP 91-908PDI Canvas Economy Grade Black, PVC Dot Glove

Canvas Dotted Palm Glove, 8 Oz., Economy Grade, Black PVC Dots, Natural, Men's

616314-03943	10.24	DZ	25	
--------------	-------	----	----	--



F. PIP 95-806 Brown Jersey Gloves Economy Weight

Jersey Glove, Brown, Economy Weight, Clute Pattern, Knitwrist, Men's

616314-04223	6.72	DZ	25	
--------------	------	----	----	--

F. PIP 95-808 Brown Jersey Gloves Standard Weight

Jersey Glove, Brown, Regular Weight, Clute Pattern, Knitwrist

616314-04230	7.21	DZ	25	Mens	95-808
616314-04247	6.88	DZ	25	Ladies	95-808C

G. Red Steer 23001 9 Oz Brown Jersey, K/W, Straight Thumb

9 oz. brown jersey, 100% cotton, straight thumb, knit wrist, clute cut.

23001 LG	12.36	DZ	25	LG
----------	-------	----	----	----



H. Red Steer 23900 Red Lined Brown Jersey

Heavywt red fleece lined brown jersey, easy on easy off cuff, shirred elastic wrist.

23900 LG	18.84	DZ	25	LG
----------	-------	----	----	----

Coated Work Gloves



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

I. Ansell KSR® 22-515

Vinyl coated glove is extremely comfortable for long-wearing light-duty work. Interlock knit lining stretches to a comfortably snug, sensitive fit. Outwears 8-ounce cotton gloves by at least 6-to-1. Coating breathes for ventilation. Superior grip and liquid repellency. Launderable, won't shrink, stiffen or lose grip.

076490-04000	32.20	DZ	12	6	
076490-04001	32.20	DZ	12	7	
076490-03938	32.20	DZ	12	8	
076490-03939	32.20	DZ	12	9	
076490-03940	32.20	DZ	12	10	



Occupational Healthcare

J. Ansell Hylite® 47-400

Medium Duty, Coated, Multi-Purpose, Blue Nitrile, Knitwrist. A smart alternative that outperforms cotton, leather and PVC gloves 47400.

076490-05930	40.40	DZ	12	7	Palm Coated
076490-05931	40.40	DZ	12	8	Palm Coated
076490-05932	40.40	DZ	12	8.5	Palm Coated
076490-05933	40.40	DZ	12	9	Palm Coated
076490-05934	40.40	DZ	12	10	Palm Coated

K. Ansell HYD-TUF 52-547

Gunn cut safety cuff. Nitrile impregnated.

076490-07480	73.44	DZ	12	9	
076490-07481	73.44	DZ	12	10	

L. PIP 55-3273 Armor® Latex Coated Glove

Recommended for handling slippery, smooth objects. Examples include glass, tile, and sheet metal. Economical cut and sewn cotton shell provides comfort and protection. Latex "Crinkle" coating superior grip in wet/dry conditions and offers abrasion resistance. Knit wrist helps prevent dirt and debris from entering the glove. Jersey lining is soft, warm, flexible, and stretchy; elastic closure for added safety and comfort. Clute cut provides a roomy fit, straight thumb increases comfort in closed-fisted work.

616314-04636	36.03	DZ	6		
--------------	-------	----	---	--	--



M. PIP 56-3170 Armorlite® Nitrile Dipped Gloves, Light Weight, Textured Palm

Made in ISO 9001:2000/ISO 14001:2000 facilities. Provides protection from physical hazards such as cut, puncture, snag and abrasion. Resistant to grease and oil. Palm coat provides flexibility and ventilation. Textured coating provides excellent dexterity and grip. Ideal for general handling, assembly, fabrication, parts handling and inspection.

616314-06173	31.17	DZ	6	SM	
616314-06180	31.17	DZ	6	MD	
616314-06197	31.17	DZ	6	LG	
616314-06203	31.17	DZ	6	XL	



Head to Toe Protection

Hand Protection

Coated Knit Gloves - Latex

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Best Seller!



A



B



C



D



E



F

Editor's Choice for comfort and value

Coated Knit Gloves – Latex

RS Hughes Part Price Per Case Size Description

A. Ansell PowerFlex® 80-100

PowerFlex gloves provide a combination of cut, abrasion, and puncture resistance; superior wet and dry grip; and unbelievable comfort. The gloves are ergonomically designed with a soft gray, seamless poly/cotton knit liner that's palm-dipped with a textured, natural rubber coating. The uncoated back allows air to circulate which keeps hands cooler and drier, and the fully coated thumb provides added protection in this high-risk area. For cut-resistant PowerFlex Plus, see Cut-Resistant Category.

076490-06399	36.00	DZ	12	6	
076490-06400	36.00	DZ	12	7	
076490-06401	36.00	DZ	12	8	
076490-06402	36.00	DZ	12	9	
076490-06403	36.00	DZ	12	10	

Ansell
Occupational Healthcare

B. JACKSON SAFETY* G40 Latex Coated Gloves

A value option that has the feel of a thinner glove for superior tactile sensitivity with the added protection of a coating. Abrasion and tear resistant, it's an affordable choice for light assembly and other applications where dexterity and extra protection are key. Features: Excellent dexterity and grip, Hides dirt, Thin-mil feel for tactical sensitivity, Abrasion and tear resistant. Typical Uses: Precision assembly, Electronics assembly, controls handling, Packaging and inspection. 12/Bag, 60/Case.

036000-97270	36.97	BG	5	SM	GREY
036000-97271	36.97	BG	5	MD	GREY
036000-97272	36.97	BG	5	LG	GREY
036000-97273	36.97	BG	5	XL	GREY
036000-97274	36.97	BG	5	2XL	GREY

Kimberly-Clark
PROFESSIONAL

C. Red Steer Atlas 300 Palm Coated Gloves

Atlas Fit Gloves outperform leather and cotton gloves by providing superior durability and dexterity. Their curved shape, combined with the finest quality coatings and high quality knit-stitched shell reduces hand fatigue and allows workers to perform both detailed tasks and heavy duty jobs with ease and comfort.

300 LG	35.80	DZ	6	LG	
300 MD	35.80	DZ	6	MD	
300 SM	35.80	DZ	6	SM	
300 XL	35.80	DZ	6	XL	

RED STEER
GLOVE COMPANY

D. Global Glove 300 Gripster® Rubber Palm

Excellent industrial & mechanical glove for all types of material handling. Perfect for any application that requires hi visibility and a great grip, such as highway construction. Snug fit, etched rubber palm for extra grip and 10 gauge Poly/cotton shell for comfort. Dark blue rubber on gray 10 gauge knit wrist poly/cotton liner.

300 SM T	20.66	DZ	72	SM	
300 MD T	20.66	DZ	72	MD	
300 LG T	20.66	DZ	72	LG	
300 XL T	20.66	DZ	72	XL	

Global Glove
& Safety Manufacturing, Inc.

F. Global Glove 360HV Gripster®

Orange foam rubber on a high visibility 15 gauge Nylon shell. This glove is very soft, flexible, lightweight and offers great dexterity.

360HV SM	25.52	DZ	6	SM	
360HV MD	25.52	DZ	6	MD	
360HV LG	25.52	DZ	6	LG	
360HV XL	25.52	DZ	6	XL	
360HV 2XL	25.52	DZ	6	2XL	


E. Global Glove 300P Gripster®

Gripster® Plus Premium blue etched rubber on gray 10 gauge seamless poly/cotton liner, enhanced process gives state of the art industry ergonomic correct hand shape for extra comfort and wear ability, knit wrist.

300P SM	25.78	DZ	6	SM	
300P MD	25.78	DZ	6	MD	
300P LG	25.78	DZ	6	LG	
300P XL	25.78	DZ	6	XL	

EN Standard Markings on Coated Gloves

Although not required in the USA knowing about the EN standard is important as many coated knit gloves made are sold in both Europe and the US. As a result the EN markings are on gloves sold in the US. These markings provide valuable information about glove performance characteristics which allows you to make more informed decisions about glove selection to comply with OSHA 1910.138 requirements.



Mechanical Hazards	Rating
Abrasion resistance	0-4
Blade cut resistance	0-5
Tear resistance	0-4
Puncture resistance	0-4

RS Hughes Part Price Per Case Size Description

G. PIP 39-C121 Latex Smooth Grip Coated Cotton/Polyester, Latex Coated Palm and Fingers, Economy Grade

Economy grade, red latex, smooth palm coated. Cost and comfort combine to make this glove the economical palm coated glove choice. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-22968	7.45	DZ	25	SM
616314-21909	7.45	DZ	25	LG



H. PIP 39-C122 Latex Smooth Grip Coated Cotton/Polyester, Latex Coated Palm and Fingers, Regular Grade

Cotton/polyester seamless knit, blue latex coated palm and fingers, regular grade. Cost and comfort combine to make this glove the economical palm coated glove choice. Coated palm offers abrasion resistance and increased grip. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-02984	10.07	DZ	25	SM
616314-02977	10.07	DZ	25	LG
616314-51883	10.57	DZ	25	XL



I. PIP 39-1310 Blue Latex Crinkle Grip Coated Cotton/Polyester, Economy Grade

Latex rubber coated palm and finger tips. Seamless gray cotton/polyester liner. Unique "crinkle" finish for superior grip in wet and dry applications. Ergonomic shaped curved finger pattern. Uncoated back allows hands to breathe. Ideal for assembly, construction, inspection, material handling, refuse handling, landscaping and gardening.

616314-10972	16.55	DZ	6	SM
616314-10989	16.55	DZ	6	MD
616314-10996	16.55	DZ	6	LG
616314-11009	16.55	DZ	6	XL



J. PIP 39-C1300 Blue Latex Crinkle Grip Coated Cotton/Polyester, Premium Grade

G-Tek® Force, 10G Grey T/C liner with Blue Latex Crinkle Finish coated on palm, finger tips and full thumb. Made from materials which comply with FDA regulations for food contact. 21CFR, 170-199. Seamless gray premium cotton/polyester liner. Superior grip in wet and dry applications. Ergonomic shaped curved finger pattern. Uncoated back allows hand to breathe. Ideal for assembly, construction, inspection, material and refuse handling, landscaping and gardening.

616314-03028	27.83	DZ	6	SM
616314-03035	27.83	DZ	6	MD
616314-03042	27.83	DZ	6	LG
616314-03059	27.83	DZ	6	XL



K. West Chester PosiGrip 713SLC Latex Palm Coated Gloves

Latex Palm Coated Gloves start with a seamless gray 13 gauge nylon knit liner for exceptional fit and feel.

662909-502476	17.65	DZ	12	S
662909-502483	17.65	DZ	12	M
662909-502490	17.65	DZ	12	L
662909-502506	17.65	DZ	12	XL
662909-502513	17.65	DZ	12	2XL



L. West Chester 713SUMO Sumo Grip Gloves

Injection molded seamless string knit gloves provide excellent grip and comfort. Seamless string knit helps prevent blisters, is light weight and flexible. Elastic knit.

662909-500212	72.35	DZ	6	LG
662909-503350	72.35	DZ	6	XL

Hand Protection

Coated Knit Gloves - Polyurethane

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Ansell

Occupational Healthcare

Coated Knit Gloves - Polyurethane

RS Hughes Part Price Per Case Size Description

Ansell HyFlex® 11-600

Where dexterity is the key factor, HyFlex Lite is the perfect choice. The fine gauge nylon liner keeps hands cool and comfortable, while the palm coating provides great grip and abrasion resistance. The liner is naturally low linting so they're ideal for the electronics industry, aerospace, or any other controlled environment applications. Silicone free.

A. 076490-05650	31.00	DZ	12	6	Black Liner/Gray Coating
A. 076490-05651	31.00	DZ	12	7	Black Liner/Gray Coating
A. 076490-05652	31.00	DZ	12	8	Black Liner/Gray Coating
A. 076490-05653	31.00	DZ	12	9	Black Liner/Gray Coating
A. 076490-05654	31.00	DZ	12	10	Black Liner/Gray Coating
A. 076490-05670	31.00	DZ	12	11	Black Liner/Gray Coating
B. 076490-05565	31.00	DZ	12	6	White Liner/White Coating
B. 076490-05566	31.00	DZ	12	7	White Liner/White Coating
B. 076490-05567	31.00	DZ	12	8	White Liner/White Coating
B. 076490-05568	31.00	DZ	12	9	White Liner/White Coating

C. Ansell Ultralight HyFlex® 11-618

Our lightest weight general purpose coated glove is 20% lighter than other assembly gloves with outstanding comfort and sensitivity for delicate handling operations. It maximizes touch and precision with its 18 gauge nylon liner and thin polyurethane palm coating. The black palm color hides soil for extended glove life. Designed for lightweight applications in dry or slightly oily environments, it is ideal for workers needing a higher level of precision.

076490-88597	32.00	DZ	12	6	
076490-88598	32.00	DZ	12	7	
076490-88599	32.00	DZ	12	8	
076490-88600	32.00	DZ	12	9	
076490-88601	32.00	DZ	12	10	
076490-88602	32.00	DZ	12	11	

Ansell

Occupational Healthcare

D. JACKSON SAFETY* G40 Polyurethane Coated Gloves

JACKSON SAFETY* G40 Polyurethane Coated Gloves is a value option that has the feel of a thinner glove for superior tactile sensitivity with the added protection of a coating. Abrasion and tear resistant, it's an affordable choice for light assembly and other applications where dexterity and extra protection are key. Features: Excellent dexterity and grip, Hides dirt, Thin-mil feel for tactical sensitivity, Abrasion and tear resistant, Typical Uses: Precision assembly, Electronics assembly, Controls handling, Packaging and inspection.

036000-13837	27.46	BG	5	7	Black
036000-13838	27.46	BG	5	8	Black
036000-13839	27.46	BG	5	9	Black
036000-13840	27.46	BG	5	10	Black
036000-13841	27.46	BG	5	11	Black

Kimberly-Clark
PROFESSIONAL



A



B



C



D

Ultralight!

**New!
Special Purchase
\$27.46**



E



F



G

Only \$12.69 per dozen



H

New Item!

RS Hughes Part Price Per Case Size Description

PIP 33-125/33-B125/33-G125 G-tek®, Urethane Coated Palm and Fingers



PROTECTIVE INDUSTRIAL PRODUCTS

Nylon with polyurethane grip. Seamless knit nylon for great dexterity. Polyurethane coated palm and fingers for abrasion resistance. Breathable back for comfort. Pair packed for ease of distribution. Used in electronic and computer assembly, quality control, inspection and general assembly.

E. 616314-11870	12.69	DZ	25	SM	33-125, White
E. 616314-11887	12.69	DZ	25	MD	33-125, White
E. 616314-11894	12.69	DZ	25	LG	33-125, White
E. 616314-11900	12.69	DZ	25	XL	33-125, White
E. 616314-11917	12.69	DZ	25	2XL	33-125, White,
F. 616314-54273	12.69	DZ	25	SM	33-B125, Black
F. 616314-54280	12.69	DZ	25	MD	33-B125, Black
F. 616314-54297	12.69	DZ	25	LG	33-B125, Black
F. 616314-54303	12.69	DZ	25	XL	33-B125, Black
F. 616314-54310	12.69	DZ	25	2XL	33-B125, Black
G. 616314-11825	12.69	DZ	25	SM	33-G125, Grey
G. 616314-11832	12.69	DZ	25	MD	33-G125, Grey
G. 616314-11849	12.69	DZ	25	LG	33-G125, Grey
G. 616314-11856	12.69	DZ	25	XL	33-G125, Grey
G. 616314-46575	12.69	DZ	25	2XL	33-G125, Grey

H. West Chester 713SUCG Posi-Grip Gray PU Palm Coated Gray Nylon Glove

Gray nylon shell with gray polyurethane palm dip for enhanced tactile sensitivity and high level of dexterity. EN 4131

662909-071002	9.53	DZ	25	XS
662909-071019	9.53	DZ	25	SM
662909-071026	9.53	DZ	25	MD
662909-071033	9.53	DZ	25	LG
662909-071040	9.53	DZ	25	XL
662909-071057	9.53	DZ	25	2XL



Head to Toe Protection

Best Seller



A



B



Multi-Purpose

C

Barehand Comfort!



D

Multi-Purpose



E

Level 5 Abrasion Rating!

E. Ansell Hyflex® 11-840

Extreme durability and superior fit. ANSI Level 5 abrasion rating. Sets a new standard for glove life in light duty applications. FORTIX™ nitrile foam coating provides up to three times the abrasion performance of other light weight, knit-dipped gloves. Enhanced dry grip and extended glove life. Form fitting lining matches the natural contours of the hand. Great for assembly of small & medium parts, feeding production lines, raw material reception, screwing parts.

076490-13036	47.00	DZ	12	6
076490-13037	47.00	DZ	12	7
076490-13038	47.00	DZ	12	8
076490-13039	47.00	DZ	12	9
076490-13040	47.00	DZ	12	10
076490-13041	47.00	DZ	12	11

Coated Knit Gloves – Nitrile

Ansell

Occupational Healthcare

RS Hughes Part Price Per Case Size Description

A. Ansell HyFlex® 11-800

For light foam assembly applications, HyFlex Foam provides your workers with the highest level of comfort and protection. The patented foam coating is resistant to snags and abrasions, and it provides excellent grip in light oil applications by channeling the oil away from the glove surface.

076490-05569	47.04	DZ	12	6
076490-05570	47.04	DZ	12	7
076490-05571	47.04	DZ	12	8
076490-05572	47.04	DZ	12	9
076490-05573	47.04	DZ	12	10
076490-05595	47.04	DZ	12	11

Ansell
Occupational Healthcare

B. Ansell HyFlex® 11-801

Offering the same outstanding light oil grip as HyFlex Foam 11-800, the new HyFlex Foam 11-801 provides exceptional comfort using Ansell's patented Knitted Variable Stitch Design. Its foam nitrile coating reduces hand fatigue and promotes maximum dexterity, while its gray colored knit liner stays clean longer, making these gloves more industrial friendly.

076490-05672	47.04	DZ	12	6
076490-05673	47.04	DZ	12	7
076490-05674	47.04	DZ	12	8
076490-05675	47.04	DZ	12	9
076490-05676	47.04	DZ	12	10
076490-05677	47.04	DZ	12	11

C. Ansell HyFlex® 11-818 Multipurpose Ultralight Weight

Ultralight weight, barehand-like comfort with high durability. Seamless 18 gauge nylon spandex liner and ultra thin palm coating for barehand-like feel. FORTIX™ nitrile patent pending foam creates extended glove life and increased breathability. ZONZ® Comfort Fit in selected liner zones improves support, breathability and range of movement. Superior ANSI Level 4 abrasion protection, silicone free.

076490-11713	44.00	DZ	12	6
076490-11714	44.00	DZ	12	7
076490-11715	44.00	DZ	12	8
076490-11716	44.00	DZ	12	9
076490-11717	44.00	DZ	12	10
076490-11718	44.00	DZ	12	11

D. Ansell HyFlex® 11-830

Ansell's Patented Zonz™ Knit Advanced Comfort Technology. Improved fit and comfort releases tension in the high stress zones of the glove, decreasing hand fatigue. Enhanced Cuff Overedging (ECO) allows for easier donning and doffing. Extensive size range. New Metallic Nitrile Foam Coating. New foam coating compound provides increased wear life. Provides sure grip in dry or light oil environments.

076490-05770	39.60	DZ	12	6
076490-05771	39.60	DZ	12	7
076490-05772	39.60	DZ	12	8
076490-05773	39.60	DZ	12	9
076490-05774	39.60	DZ	12	10
076490-05775	39.60	DZ	12	11

Coated Knit Gloves – Oil Proof Nitrile



Oil-Repellent



RS Hughes Part Price Per Case Size Description

F. Ansell HyFlex® 11-900

Abrasion resistance and oil repellency in this newest line extension. Nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis. Excellent dry grip for applications involving small-to-medium-sized parts. Great for dry grip application such as box handling and warehousing applications.

076490-05621	29.76	DZ	12	6
076490-05622	29.76	DZ	12	7
076490-05623	29.76	DZ	12	8
076490-05624	29.76	DZ	12	9
076490-05625	29.76	DZ	12	10



G. Ansell HyFlex® 11-920 Nitrile Coated Nylon Knit Liner

Utilizes the patented Ansell Grip Technology, which uses microscopic pores and channels to actively repel oils and other lubricants away from the glove surface to increase grip, and reduce the force needed to hold onto slippery objects. The multi-layer dipping process makes this glove extremely durable in abrasive applications, increasing the lifetime of the gloves.

076490-55001	48.00	DZ	12	6
076490-55002	48.00	DZ	12	7
076490-55003	48.00	DZ	12	8
076490-55004	48.00	DZ	12	9
076490-55005	48.00	DZ	12	10
076490-55006	48.00	DZ	12	11

H. PIP G-Tek® NPG 34-225 Knit Nylon Glove with Solid Nitrile Coating

Seamless Knit Nylon Glove with Nitrile Coated Smooth Grip on Palm & Fingers. Solid Dipped Nitrile coatings provide excellent dry grip and will not absorb liquids into the coating. Seamless one-piece nylon shell offers increased comfort, finger dexterity and breathability.

616314-11467	12.62	DZ	25	SM
616314-11474	12.62	DZ	25	MD
616314-11481	12.62	DZ	25	LG
616314-11498	12.62	DZ	25	XL



I. PIP 34-500 G-Tek AG - MicroFinish™ Grip

Black nitrile coated with MicroSurface Grip on a purple/black 13 gauge nylon liner. Revolutionary new surface treatment that provides a superior grip in dry, wet and oily conditions. Unlike rough surface treatments, MicroFinish™ adjusts to different conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled. Excellent resistance to liquid permeation. Oil does not penetrate the glove like foam nitrile styles. Liner is treated to resist germs and odors. Open back for comfort. Applications: Used in general assembly of oily parts, metal handling, fishing and machine operation.

616314-92008	28.17	DZ	12	SM
616314-92015	28.17	DZ	12	MD
616314-92022	28.17	DZ	12	LG
616314-92039	28.17	DZ	12	XL



PIP MaxiDry® by ATG®


MaxiDry® by ATG®, ultra lightweight nitrile on fine gauge seamless knit nylon liner, black palm & fingertip coated, non-slip grip, 10-inch length. EN certified 100% low level chemical and oil repellent - EN 374-3. Ultra thin design provides excellent comfort and flexibility along with maximum finger tip tactile sensitivity. Exclusive GripTech® coating offers non-slip capabilities. Locking cuff ensures the glove doesn't slip on the hand. LiquiTech® Barrier Technology provides resistance to oils & liquids. Silicone free. Used for precision handling in oily or wet environments; Engine, and power train, Gear box and transmission assembly, General handling, handling small castings, handling of small components, light metal fabrication & parts handling, primary, secondary and final assembly, shock absorber assembly, maintenance.

J. 616314-11708	68.21	DZ	6	SM	56-425, 3/4 Coated
J. 616314-11707	68.21	DZ	6	MD	56-425, 3/4 Coated
J. 616314-11706	68.21	DZ	6	LG	56-425, 3/4 Coated
J. 616314-11709	68.21	DZ	6	XL	56-425, 3/4 Coated
J. 616314-11710	68.21	DZ	6	2XL	56-425, 3/4 Coated
K. 616314-11712	88.38	DZ	6	MD	56-426, Fully Coated Drivers
K. 616314-11711	88.38	DZ	6	LG	56-426, Fully Coated Drivers
K. 616314-11714	88.38	DZ	6	XL	56-426, Fully Coated Drivers
K. 616314-11715	88.38	DZ	6	2XL	56-426, Fully Coated Drivers



MaxiFlex™ ULTIMATE by ATG

25% Thinner than most foam nitrile gloves. Offers Twice the mechanical performance.



#1 Best Seller



Fully Coated Cuff

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

PIP MaxiFlex™ Ultimate by ATG® Micro Foam Coated Palm and Finger Tips

Designed and developed as a breathable glove, MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments. 100% Silicone-free. Micro-Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today. 25% Thinner than most foam nitrile gloves on the market while offering twice the mechanical performance. Mimics the "hand at rest", reducing hand fatigue and increasing comfort. Latest knitting technology utilized to produce smooth and rounded fingertips, improving fingertip sensitivity. Consistent liner penetration from the nitrile, leaving only the soft liner resting against the skin. Made from component material which comply with Federal regulations for food contact, 21CFR, 170-199.

A. 616314-20346	48.48	DZ	12	2XS	34-874, Finger Tips
A. 616314-17940	48.48	DZ	12	XS	34-874, Finger Tips
A. 616314-17957	48.48	DZ	12	SM	34-874, Finger Tips
A. 616314-17964	48.48	DZ	12	MD	34-874, Finger Tips
A. 616314-17971	48.48	DZ	12	LG	34-874, Finger Tips
A. 616314-17988	48.48	DZ	12	XL	34-874, Finger Tips
B. 616314-18008	52.59	DZ	12	SM	34-875, 3/4 Knuckles
B. 616314-18015	52.59	DZ	12	MD	34-875, 3/4 Knuckles
B. 616314-18022	52.59	DZ	12	LG	34-875, 3/4 Knuckles
B. 616314-18039	52.59	DZ	12	XL	34-875, 3/4 Knuckles
C. 616314-11382	55.78	DZ	12	SM	34-876, Full Knuckles
C. 616314-11399	55.78	DZ	12	MD	34-876, Full Knuckles
C. 616314-11405	55.78	DZ	12	LG	34-876, Full Knuckles
C. 616314-11412	55.78	DZ	12	XL	34-876, Full Knuckles

PIP MaxiFlex® Endurance – Raised Micro Dots

Ultra - lightweight, knitwrist, Micro-Foam nitrile coated glove. Raised Micro Dots to increase durability and cushioning. AirTech® technology delivers 360 degree breathability. 25% thinner than most comparable gloves. Class leading form, fit and feel, reducing hand fatigue and increased comfort.

D. 616314-18053	52.31	DZ	12	SM	34-844, Palm & Finger Tips
D. 616314-18060	52.31	DZ	12	MD	34-844, Palm & Finger Tips
D. 616314-18077	52.31	DZ	12	LG	34-844, Palm & Finger Tips
D. 616314-18084	52.31	DZ	12	XL	34-844, Palm & Finger Tips
E. 616314-11146	59.43	DZ	12	SM	34-846, Fully Coated
E. 616314-11153	59.43	DZ	12	MD	34-846, Fully Coated
E. 616314-11160	59.43	DZ	12	LG	34-846, Fully Coated
E. 616314-11177	59.43	DZ	12	XL	34-846, Fully Coated
F. 616314-37672	63.19	DZ	12	SM	34-8745, Fully Coated Cuff
F. 616314-37665	63.19	DZ	12	MD	34-8745, Fully Coated Cuff
F. 616314-37658	63.19	DZ	12	LG	34-8745, Fully Coated Cuff
F. 616314-37689	63.19	DZ	12	XL	34-8745, Fully Coated Cuff
F. 616314-44588	63.19	DZ	12	2XL	34-8745, Fully Coated Cuff

Coated Knit Gloves – Nitrile



RS Hughes Part Price Per Case Size Description

PIP G-TEK Maxiflex Elite, Blue Micro-Foam Nitrile Coated Palm, Full Finger & Knuckles, Blue Seamless Knit Nylon Liner

Designed and developed to be the lightest fully breathable coated glove MaxiFlex® Elite™ completely re-writes the rules. Weighing in at a staggering 36% less and 30% thinner than traditional foam nitrile gloves MaxiFlex® Elite™ delivers a user experience that sets game changing new standards. Comfort is further enhanced through its additional increased breathability which is up to 40% more than similar gloves. Micro-Foam Nitrile coatings are compatible with light oils and provide good grip and excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove. 100% Silicone-free.

G. 616314-28035	52.31	DZ	1	XS	34-244	Full Knuckle, Micro Dots
G. 616314-28011	52.31	DZ	1	SM	34-244	Full Knuckle, Micro Dots
G. 616314-28004	52.31	DZ	1	MD	34-244	Full Knuckle, Micro Dots
G. 616314-27991	52.31	DZ	1	LG	34-244	Full Knuckle, Micro Dots
G. 616314-28028	52.31	DZ	1	XL	34-244	Full Knuckle, Micro Dots
H. 616314-12813	48.47	DZ	1	XS	34-274	Full Knuckle
H. 616314-12811	48.47	DZ	1	SM	34-274	Full Knuckle
H. 616314-12810	48.47	DZ	1	MD	34-274	Full Knuckle
H. 616314-12809	48.47	DZ	1	LG	34-274	Full Knuckle
H. 616314-12812	48.47	DZ	1	XL	34-274	Full Knuckle
H. 616314-12814	48.47	DZ	1	2XL	34-274	Full Knuckle

I. PIP Maxiflex Comfort by ATG®, Cobalt Blue Microfoam Nitrile, Full Finger & Knuckles, Grey Seamless Knit Polyamid Blended Liner

Designed and developed as a breathable glove, MaxiFlex® Comfort™ has an inner plated liner made from high grade soft cotton. Micro-Foam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove. 100% Silicone-free. 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today. 25% Thinner - Than most foam nitrile gloves on the market.

616314-31144	53.48	DZ	1	XS	34-9025
616314-31120	53.48	DZ	1	SM	34-9025
616314-31113	53.48	DZ	1	MD	34-9025
616314-31106	53.48	DZ	1	LG	34-9025
616314-31137	53.48	DZ	1	XL	34-9025



J. PIP MaxiFoam® Premium by ATG® Foam Nitrile

Coated Palm and Finger Tips on White 15 gauge Nylon Liner. Designed to channel oil away from the glove surface for an excellent grip. Tremendous comfort and dexterity. Strong protection from punctures and abrasions.

616314-20377	45.71	DZ	12	2XS	34-800
616314-17797	45.71	DZ	12	XS	34-800
616314-17803	45.71	DZ	12	SM	34-800
616314-17810	45.71	DZ	12	MD	34-800
616314-17827	45.71	DZ	12	LG	34-800
616314-17834	45.71	DZ	12	XL	34-800

Micro Dots



G

36% Lighter
30% Thinner



H



I

Cotton Plated



J

h R.S. HUGHES

Head to Toe Protection

Coated Knit Gloves – Nitrile Economy

RS Hughes Part Price Per Case Size Description

A. PIP 34-500 G-Tek AG - MicroFinish™ Grip

Black nitrile coated with MicroSurface Grip on a purple/black 13 gauge nylon liner. Revolutionary new surface treatment that provides a superior grip in dry, wet and oily conditions. Unlike rough surface treatments, MicroFinish™ adjusts to different conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled. Excellent resistance to liquid permeation. Oil does not penetrate the glove like foam nitrile styles. Liner is treated to resist germs and odors. Open back for comfort. Applications: Used in general assembly of oily parts, metal handling, fishing and machine operation.

616314-92008	28.17	DZ	12	SM
616314-92015	28.17	DZ	12	MD
616314-92022	28.17	DZ	12	LG
616314-92039	28.17	DZ	12	XL



B. KleenGuard* G40 Foam Coated Nitrile Coated Glove – NEW & IMPROVED!

Providing a whole new level of performance and quality, the new G40 Blue Nitrile Coated Glove replaces our G40 PURPLE NITRILE * Glove as the choice for jobs where strength, grip and dexterity are a must. Better oil and industrial grease grip than previous G40 Nitrile Glove. Silicone-free. Washable - maintains the EN388 ratings through at least five wash cycles. Eco-friendly packaging - no separate insert, no printed bags, less waste. Improved heat transfer stamp - ratings are visible even after glove use. Typical Uses: Automotive and aerospace assembly. Metal, glass and wood handling.

036000-40225	45.72	DZ	5	7	Blue & Black
036000-40226	45.72	DZ	5	8	Blue & Black
036000-40227	45.72	DZ	5	9	Blue & Black
036000-40228	45.72	DZ	5	10	Blue & Black
036000-40229	45.72	DZ	5	11	Blue & Black



C. West Chester 715NFTP Micro Foam Nitrile Coated

Excellent abrasion resistance. Foam nitrile coating with micro capillaries channels oil from the surface of the glove. Black Micro Foam Nitrile, Palm Coated on Gray 15 Gauge Nylon Liner. Antibacterial & Silicone-Free.

662909-073167	30.88	DZ	12	SM
662909-073174	30.88	DZ	12	MD
662909-073181	30.88	DZ	12	LG
662909-073198	30.88	DZ	12	XL
662909-073204	30.88	DZ	12	2XL



D. Global Glove 590MF FrogWear®

Gray ¾ dip Mach Finish Nitrile over full dipped Nitrile, seam free liner with knit wrist. Water proof, great for working with wet and oily liquids where extra grip is needed from the Mach Finish Nitrile. 11 inches in length

590MF MD	50.00	DZ	6	MD
590MF LG	50.00	DZ	6	LG
590MF XL	50.00	DZ	6	XL



Frequently Asked Questions About Nitrile

- 1. What's the difference between foam nitrile and sponge nitrile?** Foam nitrile is a very thin coating while sponge nitrile is slightly thicker. Both offer a tacky coating and good durability and less abrasion resistance than flat nitrile coating, Foam and sponge nitrile coating offer excellent grip with dry, wet, and oily applications. Both are flexible and porous. Foam nitrile will channel oil and water away from surface quickly (within 10 seconds) and sponge nitrile will also channel oil and water away but will take much longer.
- 2. Why use flat nitrile vs. polyurethane coating?** If you need a glove that has high resistance to abrasion and high resistance to chemicals and solvents, then flat nitrile is the type of glove to use. A flat nitrile coated glove is nonporous, less flexible and not breathable. If you need a glove that has an excellent dry, wet & oil grip with a flexible, breathable coating, then a polyurethane coated glove is the best choice. It is also porous and has high resistance to abrasion.
- 3. What type of coating is the best to use for dry and oil grip applications?** Polyurethane and Nitrile offer the best options when you need both dry and oil grip applications. Both polyurethane and nitrile allow flexibility which means an easier grip and dexterity during use. Nitrile has good water permeability that absorbs liquids in just seconds to provide better grip in wet applications.
- 4. What are the applications where flat/non-foam nitrile coated gloves can be used?** Automotive, assembly, food packing, furniture manufacturing, electronics, pesticides, oil refining. Safe for food contact.
- 5. What are the applications where foam/sponge nitrile coated gloves can be used?** Automotive, construction, material handling, engineering, assembly, inspection/examination. Safe for food contact but porous properties will allow bacteria to develop.

Coated Knit Gloves – Thermal (Cold Protection)

RS Hughes Part Price Per Case Size Description

E. Ansell Powerlex 80-400

PowerFlex™ Hi Viz Yellow gloves offer high visibility with their yellow thermal terry liner while the bright blue crinkled palm provides added grip. Gloves offer excellent insulation for temperatures as low as -25°C or -13°F. This latest addition to the PowerFlex family has an ergonomic design, which allows for unmatched comfort. Additional features include excellent wet and dry grip and superior dexterity.

076490-06422	68.64	DZ	6	7
076490-06419	68.64	DZ	6	8
076490-06420	68.64	DZ	6	9
076490-06421	68.64	DZ	6	10
076490-06423	68.64	DZ	6	11



F. Ansell ActivArmr 97-011 Cold Weather Gloves

The ActivArmr 97-011 Cold Weather gloves, combined with superior protection from the elements and enhanced grip, mean a safer, more productive workforce.

076490-39806	75.96	DZ	6	SM
076490-39790	75.96	DZ	6	MD
076490-39783	75.96	DZ	6	LG
076490-39813	75.96	DZ	6	XL

G. PIP 41-1430 PowerGrab™ Thermo Seamless Knit Nylon Glove

Used in refrigerated areas, utilities, food processing, commercial fishing, construction, outdoor winter activities and recreation. Seamless construction for a comfortable fit, acrylic gloves provide economical cold weather protection. Latex MicroFinish coating provides a superior grip in dry and wet conditions by reacting like tiny suction cups that attach themselves firmly to the material being handled. Knit wrist helps prevent dirt and debris from entering the glove. Excellent thermal insulation quickly evaporates moisture from the skin, extra softness for non-chafing comfort. Launderable for extended life and to reduce replacement costs. Cotton color binding denotes sizing.

616314-25126	85.67	DZ	6	SM	Black
616314-25119	85.67	DZ	6	MD	Black
616314-25102	85.67	DZ	6	LG	Black
616314-25133	85.67	DZ	6	XL	Black
616314-25140	85.67	DZ	6	2XL	Black



H. Red Steer Mens Palm Coated Gloves 311

Chilly Grip® Blue heavy duty textured rubber palm, navy acrylic thermal knit liner.



A-311 XSM	49.56	DZ	10	XS
A-311 SM	49.56	DZ	10	SM
A-311 MD	49.56	DZ	10	MD
A-311 LG	49.56	DZ	10	LG
A-311 XL	49.56	DZ	10	XL
046065-03115	49.56	DZ	10	XXL

Cut Resistant Gloves

Cut resistant gloves and sleeves are designed to protect hands from direct contact with sharp objects such as glass and metal. The level of cut resistance provided is a combination of material composition and weight. Performance of a glove can also be affected by coatings applied to the surface which can also offer enhanced grip. Common cut resistant fibers include:

HPPE: High performance polyethylene fibers offer maximum strength with minimum weight. HPPE is 10 times stronger than steel by weight as well as 40% stronger than aramid fibers offering a softer, cooler alternative.

Aramid: The most common brand name is Kevlar®. It is 5 times stronger than steel and provides great tensile strength. Due to its inherently flame resistant nature it will not melt and offers heat protection up to 320° F based on product design.

Spectra: A polyethylene fiber that is 10 times tougher than steel per unit weight offering high cut resistance even when wet. Its low lint and flexible nature make it ideal for use in food processing.

Taeki5: A blended yarn made of Taeki5®, fiberglass and synthetic fibers that delivers high cut resistance without sacrificing dexterity and tactile sensitivity.

Blended Shells: The introduction of steel and glass to HPPE and aramid help to significantly increase levels of cut protection while helping maintain comfort and fit.

***WARNING: Remember, no product is cut proof.**

There are two different standards to measure cut performance: the European Standard EN 388 and the ANSI/ISEA 105 standard for the U.S.


EN 388: EN 388 uses the coup test method based on a circular blade moving back and forth across the sample under a fixed load of 500 grams. In other words, it simulates the number of repetitive cuts needed to cut through the fabric using a constant load. The results are then compared to the cut results of a cotton canvas. For example, a cut level of 5 means that it is five times more cut resistant than the reference cotton.

Performance Level	Average Cut Index
0	< 1.2
1	1.2 - 2.4
2	2.5 - 4.9
3	5.0 - 9.9
4	10.0 - 19.9
5	> 20

Updated ANSI Cut Standards • Courtesy PIP Gloves

The American National Standards Institute (ANSI) has released a new edition of the ANSI/ISEA 105 standard (2016 ed.). The changes include **new classification levels**, which includes a new scale to determine cut score (commonly referred to as the ANSI cut score), and a **revised method for testing gloves to the standard**.

New Scale to Determine Cut Scores



The new ANSI standard now features nine cut levels significantly reducing the gaps between each level and better defining protection levels for the cut resistant gloves and sleeves with the highest gram scores.

The graph shows the differences between the old scale and the new scale. New ANSI cut scores will feature an "A" in front of the score.



Old PIP Shield



New PIP Shield

New Testing Standard

The new edition of the ANSI/ISEA 105 Standard (2016 ed.) also outlines a new test method for determining the new cut scores. The new ASTM F2992-15 test method allows for only one type of machine to be used, the TDM-100. Under the previous ANSI standard, the old test method ASTM F1790-05, the testing could be performed on either the TDM-100 machine or the CPPT machine. By ensuring **uniform testing with one machine**, it is easier to compare gram scores for a given material.



Cut Resistant Gloves - Level 2 Kevlar

RS Hughes Part Price Per Case Size Description

A. Ansell Powerflex® Plus 80-600 Latex Coated Kevlar®

Power Flex Plus provides cut, abrasion, and puncture resistance; superior wet and dry grip; and unbelievable comfort. The gloves are ergonomically designed and feature a seamless Kevlar® knit lining that's palm-dipped with a textured, natural rubber coating. ANSI Level 2 Cut Protection

076490-06408	9.53	PR	72	7
076490-06409	9.53	PR	72	8
076490-06410	9.53	PR	72	9
076490-06411	9.53	PR	72	10



B. Ansell HyFlex® 11-500 Nitrile Coated Kevlar®

Ergonomically designed DuPont™ Kevlar® stretch liner with spandex. Provides "second skin" closeness, reducing risk of snags and cuts. Ability to handle sharp parts with confidence, increasing productivity and safety. Black foam nitrile-coated palm. Enhances grip in light oil conditions with good abrasion resistance. Silicone-free and natural rubber latex-free for worker and product protection.

076490-05574	5.97	PR	72	6
076490-05575	5.97	PR	72	7
076490-05576	5.97	PR	72	8
076490-05577	5.97	PR	72	9
076490-05578	5.97	PR	72	10
076490-05579	5.97	PR	72	11

C. Ansell HyFlex® 11-510 Foam Nitrile Coated Kevlar®

Black nitrile foam palm coating on fine gauge patented Kevlar® liner, featuring zonal reinforcement and 'ComfortFlex' cuff. This glove offers ANSI Level 2 cut protection while not sacrificing dexterity. The new formula nitrile foam coating is more durable than similar products and the zonal reinforcement and ComfortFlex cuff make it the most comfortable Kevlar glove on the market today. Help improve your safety levels while keeping your costs in line.

076490-05743	6.53	PR	144	6
076490-05744	6.53	PR	144	7
076490-05745	6.53	PR	144	8
076490-05746	6.53	PR	144	9
076490-05747	6.53	PR	144	10
076490-05748	6.53	PR	144	11



D. PIP 09-K1450 Kevlar® Gloves with Solid Nitrile Grip

Used for material handling, glass handling operations, fishing industries, sanitation, general maintenance, woodworking, waste handling and recycling. Solid nitrile grip improves puncture resistance from sharp objects.

616314-02595	5.42	PR	144	SM
616314-02588	5.42	PR	144	MD
616314-02571	5.42	PR	144	LG
616314-02601	5.42	PR	144	XL



E. Ansell Metalist® 28-507 Nitrile Coated Kevlar®

Flexible nitrile coating provides excellent cut and abrasion resistance and superior grip without sacrificing dexterity. Two piece liner features cut resistant DuPont™ Kevlar® in high stress areas. Ergonomic design ensures a natural, comfortable fit. Nitrile safety cuff delivers added wrist and forearm protection.

076490-85812	7.17	PR	72	7
076490-85813	7.17	PR	72	8
076490-85814	7.17	PR	72	8.5
076490-85815	7.17	PR	72	9
076490-85816	7.17	PR	72	10



ANSI 2 CUT

Cut Protection




ANSI 2 CUT



Cut Protection



ANSI 2 CUT



Head to Toe Protection

Cut Resistant Gloves - ANSI Level 2

RS Hughes Part Price Per Case Size Description

A. Ansell Ultralight HyFlex® 11-518 Coated Knit Glove

An ultralight fabric and tailored fit, including D3 Pinky Knitting, create a sensation of barehand contact. The soft ultralight-duty seamless liner breathes to keep hands cool and dry, and offers enhanced flexibility and fingertip sensitivity with superior comfort. Dyneema® Diamond Technology fiber and a thin PU coating bring a new degree of dexterity and tactility for applications with cut risks.

076490-35130	111.24	DZ	12	6	Blue
076490-35131	111.24	DZ	12	7	Blue
076490-35132	111.24	DZ	12	8	Blue
076490-35133	111.24	DZ	12	9	Blue
076490-35134	111.24	DZ	12	10	Blue
076490-35135	111.24	DZ	12	11	Blue

B. Ansell HyFlex® 11-624 Coated Knit Glove

Provide comfort and dexterity. Easy to wear during long working hours, they also offer users a "cool feeling". The special formulation of the polyurethane coating gives the gloves flexibility and fit, as well as a secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. The liner is made with a yarn structure containing Dyneema®, the world's strongest fiber™. It therefore offers strong cut resistance for the safe handling and assembly of sharp pieces.

076490-88734	101.04	DZ	12	6	Black/Grey
076490-88735	101.04	DZ	12	7	Black/Grey
076490-88736	101.04	DZ	12	8	Black/Grey
076490-88737	101.04	DZ	12	9	Black/Grey
076490-88738	101.04	DZ	12	10	Black/Grey
076490-88739	101.04	DZ	12	11	Black/Grey

C. Ansell HyFlex® 11-627 Coated Knit Glove

Delivers a perfect balance of comfort and sure handling with superior cut resistance. The liners have an innovative yarn structure that contains an optimal rate of Dyneema®. This offers high levels of cut resistance, for a safe use in controlling, handling and assembly applications involving contacts with sharp pieces. Designed for use in dry, as well as slightly oily environments.

076490-05686	114.00	DZ	12	6	Grey
076490-05687	114.00	DZ	12	7	Grey
076490-05688	114.00	DZ	12	8	Grey
076490-05689	114.00	DZ	12	9	Grey
076490-05690	114.00	DZ	12	10	Grey
076490-05709	114.00	DZ	12	11	Grey

D. Ansell Hyflex® 11-644 Palm-Dipped Medium Duty Gloves

No other glove offers the dynamic mix of protection, durability and comfort of the HyFlex® 11-644 glove. The ANSI Level 2 cut protection and lightweight ergonomic fit strike the perfect balance of protection and precision when working with small, sharp parts. The HyFlex® 11-644 glove with INTERCEPT™ Cut Resistance Technology is an effective way to decrease injury expenses without reducing productivity or quality. That's because it combines superior cut protection, abrasion resistance, grip, tactility and dexterity in a comfortable glove your workers are more likely to wear.

076490-11673	98.04	DZ	12	6	
076490-11674	98.04	DZ	12	7	
076490-11675	98.04	DZ	12	8	
076490-11676	98.04	DZ	12	9	
076490-11677	98.04	DZ	12	10	
076490-11678	98.04	DZ	12	11	
076490-11679	98.04	DZ	12	12	



Ultralight

ANSI 2 CUT

Cut Protection

NEW!

ANSI 2 CUT

ALL NEW!
Light and Medium
Duty Level 2

RS Hughes Part Price Per Case Size Description

Ansell Hyflex® Light Duty Nitrile Coated Gloves

Epitomizes the convergence of protection and performance. Features an 18G ultralight weight liner with INTERCEPT™ Technology yarns that provides EN Cut Level 3 protection. The liner also features ZONZ™ Comfort Fit Technology for breathability and ergonomic movement. The dipped coating and the FORTIX™ Technology formulation provide enhanced abrasion resistance and grip. To provide all four advanced performance technologies, including EN Level 3 cut protection, in a comfortable, flexible ultralight weight style, is a game changer for applications where workers have traditionally guarded against cut risks with heavier styles that limit their dexterity and breathability.

E.	076490-10415	11.27	PR	144	6	11-531, Palm Coated
E.	076490-10404	11.27	PR	144	7	11-531, Palm Coated
E.	076490-10416	11.27	PR	144	8	11-531, Palm Coated
E.	076490-10417	11.27	PR	144	9	11-531, Palm Coated
E.	076490-10418	11.27	PR	144	10	11-531, Palm Coated
E.	076490-10419	11.27	PR	144	11	11-531, Palm Coated
F.	076490-10427	11.95	PR	144	6	11-537, 3/4 Coated
F.	076490-10428	11.95	PR	144	7	11-537, 3/4 Coated
F.	076490-10429	11.95	PR	144	8	11-537, 3/4 Coated
F.	076490-10430	11.95	PR	144	9	11-537, 3/4 Coated
F.	076490-10431	11.95	PR	144	10	11-537, 3/4 Coated
F.	076490-10432	11.95	PR	144	11	11-537, 3/4 Coated
G.	076490-10420	12.13	PR	144	6	11-539, Full Coated
G.	076490-10421	12.13	PR	144	7	11-539, Full Coated
G.	076490-10422	12.13	PR	144	8	11-539, Full Coated
G.	076490-10423	12.13	PR	144	9	11-539, Full Coated
G.	076490-10424	12.13	PR	144	10	11-539, Full Coated
G.	076490-10425	12.13	PR	144	11	11-539, Full Coated

H. Ansell Hyflex® 11-724 Palm-Dipped Medium Duty Gloves

Features a 13G lightweight liner with INTERCEPT™ Technology yarns that provides ANSI Level 2 cut protection. The liner also features an optimized Lycra® content that is soft and cool on the skin for all-day comfort. The palm-dipped polyurethane (PU) coating provides enhanced grip in light oil environments for secure handling and offers ANSI Level 6 abrasion protection for extended glove life. The PU coating is also silicone-free to protect the quality of industrial finishing processes.

076490-63830	8.17	PR	144	6
076490-63831	8.17	PR	144	7
076490-63832	8.17	PR	144	8
076490-63833	8.17	PR	144	9
076490-63834	8.17	PR	144	10
076490-63835	8.17	PR	144	11

I. Ansell Hyflex® 11-727 Palm-Dipped Medium Duty Gloves

Features a 15G lightweight liner with INTERCEPT™ Technology yarns that provide ANSI Level 2 cut protection. The thin, ergonomic liner also features an optimized lycra content that is soft and cool on the skin for all-day comfort. The palm-dipped polyurethane (PU) coating provides enhanced grip in light oil environments for secure handling and offers ANSI Level 6 abrasion protection for extended glove life.

076490-63836	8.62	PR	144	6
076490-63837	8.62	PR	144	7
076490-63838	8.62	PR	144	8
076490-63839	8.62	PR	144	9
076490-63840	8.62	PR	144	10
076490-63841	8.62	PR	144	11



E

F

ANSI
2
CUT



G

H

ANSI
2
CUT



Cut Protection



I



Head to Toe Protection

Hand Protection

Cut Resistant Gloves - ANSI Level 2

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

New!



B

A

ANSI
2
CUT

Best Seller!



C

D

ANSI
2
CUT



E

ANSI
2
CUT

F. Global Glove PUG417 Samurai Polyurethane Coated HDPE

The Samurai™ is polyurethane on Tuffalene® brand HDPE. (High density polyethylene) the glove combines the absolute best in comfort and dexterity in a cut resistant glove. PU coating adds excellent grip. PUG417 is gray PU on white and gray HDPE EN 388 level 3 cut resistance glove and American ASTM F-1790 level 2 with 658 gram results.

Part	Price	Per	Case	Size
PUG417 XS	6.03	PR	72	XS
PUG417 SM	6.03	PR	72	SM
PUG417 MD	6.03	PR	72	MD
PUG417 LG	6.03	PR	72	LG

Cut Resistant Gloves - ANSI Level 2

RS Hughes Part Price Per Case Size Description

A. PIP 19-D650 Polyurethane Coated Gloves With Dyneema®

Made from spun Dyneema®, Lycra® or nylon - plated styles available. Available with coated palm and knuckles or coated palm and finger tips, light or medium weight. Superior puncture and abrasion resistance.

616314-46360	11.49	PR	144	SM
616314-46353	11.49	PR	144	MD
616314-46346	11.49	PR	144	LG
616314-46377	11.49	PR	144	XL



B. PIP 16-150 G-Tek Polykor Polyurethane Glove

13 Gauge PolyKor™ Blended Shell. Polyurethane Coated Palm and Fingers, Seamless construction offers increased comfort and breathability. Polyurethane coated palm for great abrasion resistance, excellent puncture resistance and wet/dry grip. Knit Wrist helps prevent dirt and debris from entering the glove.

616314-16831	45.78	DZ	6	XS
616314-16829	45.78	DZ	6	SM
616314-16828	45.78	DZ	6	MD
616314-68277	45.78	DZ	6	LG
616314-16830	45.78	DZ	6	XL
616314-16832	45.78	DZ	6	2XL
616314-16878	45.78	DZ	6	3XL

C. PIP 16-530 G-Tek® CR Seamless Knit HPPE Glove

Seamless construction. 13 gauge High Performance Polyethylene Fiber (HPPE) shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Polyurethane coated palm and fingertips for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip. Knit Wrist helps prevent dirt and debris from entering the glove while cotton color binding denotes sizing. Washable, resistant to chemicals, water, and ultraviolet light. ANSI Cut Level 2.

616314-30885	5.59	PR	144	XS
616314-30861	5.59	PR	144	SM
616314-30854	5.59	PR	144	MD
616314-30847	5.59	PR	144	LG
616314-30878	5.59	PR	144	XL
616314-30892	5.59	PR	144	2XL

D. Jackson Safety* G60 Gloves With Dyneema® Fiber

ANSI Level 2 cut resistance. CPPT Score = 686 grams. Dyneema® yarn with nylon and Lycra® fiber provides cut resistance and a comfortable fit. Black polyurethane coating enhances grip. Dark coating hides dirt for longer wear.

036000-38689	6.31	PR	12	7	Black/White
036000-38690	6.31	PR	12	8	Black/White
036000-38691	6.31	PR	12	9	Black/White
036000-38692	6.31	PR	12	10	Black/White
036000-38693	6.31	PR	12	11	Black/White



E. Global Glove PUG313 Samurai Glove®

White stretch broken Tuffalene® HDPE liner with a gray polyurethane dipped palm. The dipped palm provides excellent grip. Our lightest weight Samurai Glove®. Excellent grip, comfort and dexterity. ANSI level 2 cut resistance.

PUG313 XS	84.48	DZ	6	XS
PUG313 SM	84.48	DZ	6	SM
PUG313 MD	84.48	DZ	6	MD
PUG313 LG	84.48	DZ	6	LG
PUG313 XL	84.48	DZ	6	XL
PUG313 2XL	84.48	DZ	6	2XL



RS Hughes Part Price Per Case Size Description

G. PIP 34-8743 MaxiFlex® Cut™ Seamless Knit Engineered Yarn Glove

Premium Nitrile Coated Micro-Foam Grip on Palm & Fingers. Known and loved across the globe MaxiFlex® has become the world standard for precision handling gloves in dry environments. People have been asking us to make a cut resistant MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did. Here it is. We call it MaxiFlex® Cut™. Innovative fibres - we source our base ingredients to develop our own unique high performance yarns and fibers that offer cut protection whilst maintaining high levels of comfort. Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling. ANSI Cut Level 2.

616314-55529	8.25	PR	72	XS	Green/Black
616314-55505	8.25	PR	72	SM	Green/Black
616314-55499	8.25	PR	72	MD	Green/Black
616314-55482	8.25	PR	72	LG	Green/Black
616314-55512	8.25	PR	72	XL	Green/Black
616314-55536	8.25	PR	72	2XL	Green/Black



H. PIP 34-8453 MaxiFlex® Cut™ Seamless Knit Engineered Yarn Glove

Premium Nitrile Coated Micro-Foam Grip on Palm, Fingers & Knuckles - Micro Dot Palm. Known and loved across the globe MaxiFlex® has become the world standard for precision handling gloves in dry environments. People have been asking us to make a cut resistant MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did. Here it is. We call it MaxiFlex® Cut™. Innovative fibres - we source our base ingredients to develop our own unique high performance yarns and fibers that offer cut protection whilst maintaining high levels of comfort. Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling. ANSI Cut Level 2.

616314-15633	9.52	PR	72	XS	Green/Black
616314-15631	9.52	PR	72	SM	Green/Black
616314-15630	9.52	PR	72	MD	Green/Black
616314-15629	9.52	PR	72	LG	Green/Black
616314-56328	9.52	PR	72	XL	Green/Black
616314-15634	9.52	PR	72	2XL	Green/Black

I. PIP 18-570 Zormax™ with Micro Foam Nitrile Coating

Cut Resistant protection designed for use in challenging oily environments with a premium seamless shell, gray engineered yarn, gray MicroFoam nitrile coated palm and finger tips and reinforced thumb crotch. Washable, resistant to chemicals, water and ultraviolet light. Contains no stainless steel fibers. Applications: Used for electronics, glass cutting, metal handling and fabrication, food processing and meat processing. ASTM F1790-04: 766 grams. EN388: 4331. Abrasion 4 Cut 3 Tear 3 Puncture 1. ANSI Cut Level 2 Rating.

616314-44618	8.61	PR	144	SM
616314-44601	8.61	PR	144	MD
616314-44595	8.61	PR	144	LG
616314-44625	8.61	PR	144	XL

J. PIP 19-D350 G-Tek® 3GX™ Dyneema® Nylon with Nitrile Coating

Gray Nitrile Coated Palm. Dyneema® Diamond & Nylon shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Nitrile coated palm and fingertips for excellent dry grip and will not absorb liquids into the coating. Knit Wrist helps prevent dirt and debris from entering the glove. Seamless construction offers increased comfort and breathability. Washable, resistant to chemicals, water, and ultraviolet light

616314-16783	11.80	PR	72	SM
616314-16782	11.80	PR	72	MD
616314-16781	11.80	PR	72	LG
616314-16784	11.80	PR	72	XL



K. PIP 16-330 G-Tek® PolyKor™ Nitrile Coated Micro-Surface Grip Glove

Seamless construction offers increased comfort and breathability. High-performance polyethylene fiber shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Double-dipped nitrile micro-surface-coated palm and fingertips and provide excellent abrasion resistance. Washable, resistant to chemicals, water and ultraviolet light.

616314-30663	96.55	DZ	6	XS	16-330
616314-30649	96.55	DZ	6	SM	16-330
616314-30632	96.55	DZ	6	MD	16-330
616314-30625	96.55	DZ	6	LG	16-330
616314-30656	96.55	DZ	6	XL	16-330
616314-30670	96.55	DZ	6	2XL	16-330



Hand Protection

Cut Resistant Gloves - ANSI Level 3

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



DMF Free!

A

Cut Resistant Gloves - ANSI Level 3

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Ansell HyFlex® 11-435

The HyFlex® 11-435 offers a unique combination of comfort, safety, and environmental-friendliness in a cut resistant glove. It is the first HyFlex® glove with a water-based, DiMethylFormamide-free polyurethane palm coating that is not only eco-friendly, but also provides higher dirt resistance than solvent-based polyurethane. The glove is rated for ANSI Level 3 cut protection and ANSI Level 4 abrasion protection through a combination of glass fiber and nylon yarn plaited with Dyneema® and water-based polyurethane palm coating.

076490-88904	10.48	PR	144	6
076490-88905	10.48	PR	144	7
076490-88906	10.48	PR	144	8
076490-88907	10.48	PR	144	9
076490-88908	10.48	PR	144	10
076490-88909	10.48	PR	144	11

Ansell
Occupational Healthcare



B

B. West Chester 713SNTPRG R2 FLX Gloves

The R2 FLX has a rugged HPPE fiber shell that is 10 times stronger than steel and 40% stronger than blended fabric providing excellent cut protection and ultimate comfort. TPR knuckle, finger and back of hand protection and red foam nitrile dip.

662909-500571	11.29	PR	144	S
662909-500588	11.29	PR	144	M
662909-500595	11.29	PR	144	L
662909-500601	11.29	PR	144	XL
713SNTPRG/XXL	11.29	PR	144	2XL

WESTCHESTER
PROTECTIVE GEAR



C

C. PIP 16-350 G-Tek® CR Seamless Knit HPPE Glass Glove

Seamless construction offers increased comfort and breathability. High Performance Polyethylene Fiber (HPPE) & Glass shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance. Double-Dipped Nitrile "Micro-Surface" coated palm and fingertips help extend the life of the glove and provide excellent abrasion resistance. Knit Wrist helps prevent dirt and debris from entering the glove while cotton color binding denotes sizing. Washable, resistant to chemicals, water, and ultraviolet light. ANSI Cut Level 3.

616314-30823	8.18	PR	144	XS
616314-30809	8.18	PR	144	SM
616314-30793	8.18	PR	144	MD
616314-30786	8.18	PR	144	LG
616314-30816	8.18	PR	144	XL
616314-30830	8.18	PR	144	2XL

PIP
PROTECTIVE INDUSTRIAL PRODUCTS



PROTECTIVE INDUSTRIAL PRODUCTS

Cut Resistant Gloves - ANSI Level 3



ALL NEW!
ANSI Level 3

RS Hughes Part Price Per Case Size Description

D. PIP 44-3745 MaxiCut® Ultra™ Nitrile Coated Gloves

Designed and developed as a 360° breathable cut resistant glove MaxiCut® Ultra™ combines high levels of cut protection with comfort, flexibility and dexterity for dry environments.

616314-17852	153.88	DZ	12	XS	Blue/Black
616314-17850	153.88	DZ	12	SM	Blue/Black
616314-17849	153.88	DZ	12	MD	Blue/Black
616314-17848	153.88	DZ	12	LG	Blue/Black
616314-17851	153.88	DZ	12	XL	Blue/Black
616314-17853	153.88	DZ	12	2XL	Blue/Black
616314-17854	153.88	DZ	12	3XL	Blue/Black

D

ANSI
3
CUT

E. PIP 44-3445 MaxiCut® Ultra™ Nitrile Coated Gloves

Designed and developed as a 360° breathable cut resistant glove MaxiCut® Ultra™ combines high levels of cut protection with comfort, flexibility and dexterity for dry environments. Innovative fibres - ATG® sources their base ingredients to develop their own unique high performance yarns and fibers that offer cut protection while maintaining high levels of comfort. Reinforcement - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area. 360° breathability - patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today. Form, fit and feel - mimics the "hand at rest", reducing hand fatigue and increasing comfort. Latest knitting technology - utilized to produce smooth and rounded fingertips, improving fingertip sensitivity.

616314-17833	13.51	PR	72	XS	Blue/Black
616314-17831	13.51	PR	72	SM	Blue/Black
616314-17830	13.51	PR	72	MD	Blue/Black
616314-17829	13.51	PR	72	LG	Blue/Black
616314-17832	13.51	PR	72	XL	Blue/Black
616314-17834	13.51	PR	72	XXL	Blue/Black



E

ANSI
3
CUT

F. PIP 19-D322 Great White® 3GX™ Dyneema® Gloves

Seamless construction offers increased comfort and breathability, Dyneema® Diamond blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance, Polyurethane coated palm for great abrasion resistance, excellent puncture resistance and outstanding wet/dry grip. Knit wrist helps prevent dirt and debris from entering the glove, Cotton color binding denotes sizing.

616314-16750	9.39	PR	72	XS	White/Grey
616314-16748	9.39	PR	72	SM	White/Grey
616314-16747	9.39	PR	72	MD	White/Grey
616314-16746	9.39	PR	72	LG	White/Grey
616314-16749	9.39	PR	72	XL	White/Grey
616314-16751	9.39	PR	72	XXL	White/Grey

F



G

G. PIP 16-340LG G-Tek® PolyKor™ Nitrile Coated Cut Resistant Gloves

Used for electronics, glass cutting, sheet metal handling, parts assembly, sharp small parts handling, construction and other general duty applications. FEATURES: Seamless construction offers increased comfort and breathability, PolyKor™ blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance, Double-Dipped Nitrile "Micro-Surface" coated palm and fingertips help extend the life of the glove and provide excellent abrasion resistance, Knit Wrist helps prevent dirt and debris from entering the glove, Hi-Vis coloring makes this product very easy to see, Cotton color binding denotes sizing, Washable, resistant to chemicals, water, and ultraviolet light.

616314-30700	113.28	DZ	6	SM	Hi-Viz Yellow
616314-30694	113.28	DZ	6	MD	Hi-Viz Yellow
616314-30687	113.28	DZ	6	LG	Hi-Viz Yellow
616314-30717	113.28	DZ	6	XL	Hi-Viz Yellow
616314-30724	113.28	DZ	6	2XL	Hi-Viz Yellow

Hand Protection

Cut Resistant Gloves - ANSI Level 4

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Cut Resistant Gloves - ANSI Level 4

RS Hughes Part Price Per Case Size Description

A. Ansell HyFlex® 11-511 Foam Nitrile Coated Kevlar® Steel Blend

The HyFlex 11-511 is the premier cut protection glove from Ansell. The green nitrile foam palm coating provides an increased abrasion resistance and sure grip. The exclusive Intercept Technology™ cut resistant liner is made of a special blend of Kevlar and Stainless Steel. ANSI Level 4, EN Level 4 Cut Protection.

076490-05749	15.75	PR	144	6
076490-05750	15.75	PR	144	7
076490-05751	15.75	PR	144	8
076490-05752	15.75	PR	144	9
076490-05753	15.75	PR	144	10
076490-05754	15.75	PR	144	11

Ansell
Occupational Healthcare

B. Ansell Hyflex® 11-541 Palm-Dipped Light Duty Gloves

Epitomizes the convergence of protection and performance. Features an 18G ultralight weight liner with INTERCEPT™ Technology yarns that provides EN Cut Level 4 protection. The liner also features ZONZ™ Comfort Fit Technology for breathability and ergonomic movement. The palm dipped coating and the FORTIX™ Technology formulation provide enhanced abrasion resistance and grip. To provide all four advanced performance technologies, including EN Level 4 cut protection, in a comfortable, flexible ultralight weight style, is a game changer for applications where workers have traditionally guarded against cut risks with heavier styles that limit their dexterity and breathability.

076490-10433	14.72	PR	144	6
076490-10434	14.72	PR	144	7
076490-10435	14.72	PR	144	8
076490-10436	14.72	PR	144	9
076490-10437	14.72	PR	144	10
076490-10438	14.72	PR	144	11

C. Ansell Hyflex® 11-735 Palm-Dipped Medium Duty Gloves

Features a 10G lightweight liner with INTERCEPT™ Technology yarns that provide ANSI Level 4 cut protection for the ultimate in cut resistance. The comfortable and flexible plaited liner also features an optimized lycra content that is soft and cool on the skin for all-day comfort. The palm-dipped polyurethane (PU) coating provides enhanced grip in dry and light oil environments for secure handling and offers ANSI Level 6 abrasion protection for extended glove life. The PU coating is also silicone-free to protect the quality of industrial finishing processes.

076490-63842	9.57	PR	144	6
076490-63843	9.57	PR	144	7
076490-63844	9.57	PR	144	8
076490-63845	9.57	PR	144	9
076490-63846	9.57	PR	144	10
076490-63847	9.57	PR	144	11

D. Ansell Vantage® 70-765

Durable leather pad double-stitched with DuPont™ Kevlar® fiber to ensure superior grip and protection against sharp snags and punctures. Engineered yarns provide high cut protection-to-weight ratio. Ten-gauge, mediumweight cut resistant yarn and reinforced thumb crotch. Protection all the way to the fingertips. Protects hands from intermittent heat contact up to 200°F.

076490-45714	16.10	PR	36	8
076490-45715	16.10	PR	36	9
076490-45716	16.10	PR	36	10
076490-45717	16.10	PR	36	11

E. JACKSON SAFETY* G60 L5 Cut Resistant Gloves with Dyneema® Fiber, Black Polyurethane Coated

For industrial tasks that require protection against hand lacerations, our NEW JACKSON SAFETY* G60 Level 5 Cut Resistant Gloves with Dyneema® fiber coated with polyurethane provide the highest level of cut resistance and comfort. ANSI Level 4/EN388 Level 5 cut resistance. Spun Dyneema® fiber with glass, stainless steel and spandex provides cut resistance and comfortable fit. Superior cut resistance based on tests performed against the competition. Black polyurethane coating enhances grip. Dark coating hides dirt for longer wear.

98235	21.19	PR	12	7
98236	21.19	PR	12	8
036000-98237	21.19	PR	12	9
98238	21.19	PR	12	10
98239	21.19	PR	12	11



Cut Resistant Gloves - ANSI Level 4

RS Hughes Part Price Per Case Size Description

F. PIP 19-D470 MaxiCut® by ATG® Micro Foam Nitrile Coated 360 Breathability Palm on Dyneema®

G-Tek® MaxiCut®, Dyneema® with Engineered Yarns, Foam Nitrile Palm Coating, Heavy Weight, ASTM F1790 Cut Score 2250 grams, ANSI Level 4 cut protection

616314-44663	22.38	PR	144	XS
616314-20179	22.38	PR	144	SM
616314-20162	22.38	PR	144	MD
616314-20155	22.38	PR	144	LG
616314-20186	22.38	PR	144	XL
616314-44656	22.38	PR	144	2XL



G. PIP 19-D475 MaxiCut® by ATG® Micro Foam Nitrile Coated Palm and Knuckles on Dyneema®

Cut Protection in Oily Environments. Foam Nitrile Coated Palm and Knuckles, EN Cut Level 5.

616314-53627	23.11	PR	144	SM
616314-53634	23.11	PR	144	MD
616314-53641	23.11	PR	144	LG
616314-53658	23.11	PR	144	XL

H. PIP 19-D313 G-Tek 3GX Latex Coated Cut Resistant Glove Dyneema®

Made with White Dyneema® - blue crinkle finish latex coated palm and finger tips. Available in light or medium weight. Provides excellent dry grip.

616314-48371	14.88	PR	144	SM
616314-48388	14.88	PR	144	MD
616314-48395	14.88	PR	144	LG
616314-48401	14.88	PR	144	XL

I. PIP 19-D320 G-Tek® 3GX Level 4 Cut Resistant Glove

MADE WITH DYNEEMA® DIAMOND TECHNOLOGY 13 gauge, gray & black Dyneema® Diamond Technology/ Nylon/Lycra® seamless liner glove, gray polyurethane coated palm and finger tips, medium weight. Twice the cut and abrasion resistance as Dyneema® Continuous Filament Technology. Gloves are washable, improving their longevity. Ultra high strength yarns provide superior comfort and durability at the higher levels of cut resistance standards. Gloves are lighter, thinner, and more tactile, keeping the wearer's hands considerably cooler than gloves made with other materials - including aramids. Silicone free. ANSI Cut Level 4 (EN Level 4): ASTM F1790-05 Cut Score: 1,246 grams +/- 10%. EN388: 4442

616314-95894	13.09	PR	144	XS
616314-95870	13.09	PR	144	SM
616314-95863	13.09	PR	144	MD
616314-95856	13.09	PR	144	LG
616314-95887	13.09	PR	144	XL
616314-95900	13.09	PR	144	2XL

J. PIP 09-K1300 G-Tek Powergrab Latex Coated Kevlar®

G-Tek® Powergrab From Towa, Kevlar With Blue Latex "Crinkle" Grip ASTM F1790 Cut Score 1550 grams, ANSI Level Cut 4 Protection.

616314-03066	11.65	PR	72	SM
616314-03073	11.65	PR	72	MD
616314-03080	11.65	PR	72	LG
616314-03097	11.65	PR	72	XL
616314-05800	11.65	PR	72	2XL

K. PIP 19-D330 G-Tek® 3GX Level 4 Cut Resistant Gloves

13 gauge, White Dyneema® Diamond Technology/ Nylon/Lycra® seamless liner glove, gray polyurethane coated palm and finger tips, medium weight. Twice the cut and abrasion resistance as Dyneema® Continuous Filament Technology. Gloves are washable, improving their longevity. Gloves are lighter, thinner, and more tactile, keeping the wearer's hands considerably cooler than gloves made with other materials - including aramids. Silicone free. ANSI Cut Level 4 (EN Level 5): ASTM F1790-05 Cut Score: 1,891 grams +/- 10%. EN388: 4542

616314-95771	15.22	PR	144	XS
616314-95757	15.22	PR	144	SM
616314-95740	15.22	PR	144	MD
616314-95733	15.22	PR	144	LG
616314-95764	15.22	PR	144	XL
616314-95788	15.22	PR	144	2XL



Hand Protection

Cut Resistant Gloves - ANSI Level 4

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Cut Resistant Gloves - ANSI Level 4



RS Hughes Part Price Per Case Size Description

A. West Chester 710SANF Cut Resistant Gloves

10gauge black and yellow agamid/polyamide shell with black foam nitrile. Antibacterial/DMF free: EN388 4533, ANSI Cut Level 4, 1779 gram

662909-712844	6.07	PR	12	XS	
662909-712851	6.07	PR	12	SM	
662909-712868	6.07	PR	12	MD	
662909-712875	6.07	PR	12	LG	
662909-712882	6.07	PR	12	XL	



B. West Chester 710HNFF Cut Resistant Glove

Green fully coated nitrile foam glove with a cut resistant shell for enhanced protection and abrasion resistance.

662909-867841	101.47	DZ	12	S	ANSI 4
662909-867858	101.47	DZ	12	M	ANSI 4
662909-867865	101.47	DZ	12	L	ANSI 4
662909-867872	101.47	DZ	12	XL	ANSI 4
662909-867889	101.47	DZ	12	2XL	ANSI 4

C. West Chester 713WUCB HPPE Cut Resistant Gloves

Rugged HPPE fiber is 10 times stronger than steel and 40% stronger than blended fabrics. Excellent cut protection in a comfortable glove. Water-based polyurethane coating allows for increased flexibility and grip.

662909-059437	92.65	DZ	10	S	ANSI 4
662909-059444	92.65	DZ	10	M	ANSI 4
662909-059451	92.65	DZ	10	L	ANSI 4
662909-059468	92.65	DZ	10	XL	ANSI 4
662909-059475	92.65	DZ	10	2XL	ANSI 4

D. West Chester HVY710HSNFB HPPE Gloves

Rugged HPPE fiber is 10 times stronger than steel and 40% stronger than blended fabrics. Excellent cut protection and back of hand protection.

662909-013729	17.65	PR	10	S	Hi Vis Yellow
662909-013736	17.65	PR	10	M	Hi Vis Yellow
662909-013743	17.65	PR	10	L	Hi Vis Yellow
662909-013750	17.65	PR	10	XL	Hi Vis Yellow
662909-013767	17.65	PR	10	2XL	Hi Vis Yellow

E. Global Glove CIA998MF Vise Gripster® C.I.A.

Enhanced seam free high visibility Tuffalene® brand HDPE with a high visibility orange Mach Finish Nitrile dipped palm and Silicone impact protection. The Silicone impact protection is very flexible and comfortable. Mach Finish Nitrile provides excellent wet oil grip. ANSI level 4 cut resistance, ANSI level 4 puncture resistance.

CIA998MF SM	168.97	DZ	6	SM	
CIA998MF MD	168.97	DZ	6	MD	
CIA998MF LG	168.97	DZ	6	LG	
CIA998MF XL	168.97	DZ	6	XL	



Cut Resistant Gloves - ANSI Level 4

RS Hughes Part Price Per Case Size Description

F. Global Glove CR309 Gripster® Hybrid

Thirteen gauge seamless knit glove made with Aralene®, an Aramid fiber with space age strength enhancement. The etched rubber finish gives great grip and “bounce” commonly preferred in glass handling applications. ANSI level 4 cut resistance.

CR309 SZ 7	96.55	DZ	6	SM
CR309 SZ 8	96.55	DZ	6	MD
CR309 SZ 9	96.55	DZ	6	LG
CR309 SZ 10	96.55	DZ	6	XL
CR309 SZ 11	96.55	DZ	6	2XL



G. Global Glove CR609 Tsunami Grip™ Tuff Hybrid

13-gauge seamless knit glove represents the latest development in high performance, cut-resistant fiber technology. Superior cut protection comes from an engineered yarn using a propriety wrapping process. Aralene™ is a Kevlar® fiber with space age strength enhancement combined to give a European EN 388 level 5 cut resistance. High dexterity 13-gauge glove, with 1525 grams on American ASTM F-1790 for American level 4. Offers cut resistance level ASTM level 4 EN level 5 cut protection.

CR609 SZ 7	96.60	DZ	6	7
CR609 SZ 8	96.60	DZ	6	8
CR609 SZ 9	96.60	DZ	6	9
CR609 SZ 10	96.60	DZ	6	10
CR609 SZ 11	96.60	DZ	6	11



H. Global Glove CR898MF Samurai Glove®

Enhanced seam free high visibility Tuffalene® brand HDPE with a black Mach Finish Nitrile dipped palm. Mach Finish Nitrile provides excellent wet/ oily grip. Good dexterity and comfort. ANSI level 4 cut resistance, ANSI level 4 puncture resistance.

CR898MF SM	100.00	DZ	6	SM
CR898MF MD	100.00	DZ	6	MD
CR898MF LG	100.00	DZ	6	LG
CR898MF XL	100.00	DZ	6	XL



Cut Resistant Gloves - ANSI Level 5

I. HEXARMOR 4018 Mechanics+ Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. (Interior layer). Synthetic leather palm provides reliable grip in dry or light oil situations, while increasing abrasion resistance. (Exterior layer). Cut Level 5 SuperFabric® technology knuckle patch reduces abrasion to back-of-hand. Interior seams implement a double-stitched core-spun thread, adding further durability and longevity. Velcro® wrist closure secures fit and maximizes comfort. Machine washable.

4018 SZ 6	53.95	PR	1	6
4018 SZ 7	53.95	PR	1	7
4018 SZ 8	53.95	PR	1	8
4018 SZ 9	53.95	PR	1	9
4018 SZ 10	53.95	PR	1	10



J. HEXARMOR 4030 Chrome Oasis® Gloves

SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. Advanced HexVent® technology allows for a breathable heat-release system. Printed PVC synthetic leather palm provides reliable grip in dry or light oil situations. Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area. Reinforced index finger and thumb crotch extends glove life. Exterior seams implement a double stitched core-spun thread, adding further durability and longevity. Hi-Vis color scheme increases visual awareness.

4030 SZ 6	47.38	PR	1	6
4030 SZ 7	47.38	PR	1	7
4030 SZ 8	47.38	PR	1	8
4030 SZ 9	47.38	PR	1	9
4030 SZ 10	47.38	PR	1	10

Hand Protection

Cut Resistant Gloves - ANSI Level 5

New!

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Cut Resistant Gloves - ANSI Level 5

ANSI
5
CUT

RS Hughes Part Price Per Case Size Description

A. Global Glove Samurai Glove® CRX5

These revolutionary new gloves provide the highest level of cut protection, ANSI level 5 cut resistance, while still maintaining excellent dexterity with a seamless 10 gauge shell. Steel enhanced high visibility Tuffalene® brand HDPE liner. Featuring a yellow foam Nitrile dipped palm. The foam Nitrile provides excellent wet/oily grip and great dexterity. ANSI level 5 cut resistance.

RS Hughes Part	Price	Per	Case	Size	Description
CRX5 SM	113.79	DZ	6	SM	Hi-Viz Yellow
CRX5 MD	113.79	DZ	6	MD	Hi-Viz Yellow
CRX5 LG	113.79	DZ	6	LG	Hi-Viz Yellow
CRX5 XL	113.79	DZ	6	XL	Hi-Viz Yellow
CRX5 2XL	113.79	DZ	6	2XL	Hi-Viz Yellow



B. West Chester 710KSSN Cut Resistant Gloves

ANSI 5 Kevlar® cut resistant glove with extended cuff and excellent abrasion resistance. 13gauge green Kevlar/Steel Shell w/black foam nitride coating. Antibacterial/DMF Free: ANSI Cut Level 5, 3638 grams.

662909-500977	9.19	PR	144	SM	
662909-500984	9.19	PR	144	MD	
662909-500991	9.19	PR	144	LG	
662909-501011	9.19	PR	144	XL	
662909-501028	9.19	PR	144	2XL	



C. West Chester 710KSS Kevlar Cut Resistant Glove

Kevlar® and steel cut resistant glove with extended cuff and excellent abrasion resistance.

662909-713254	4.78	EA	144	6	
662909-713261	4.78	EA	144	7	
662909-713278	4.78	EA	144	8	
662909-713285	4.78	EA	144	9	
662909-713292	4.78	EA	144	10	
662909-713308	4.78	EA	144	11	

HEXARMOR 9000 Series™ Gloves



SuperFabric® brand material palm provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry. (Interior layer), Shell is comprised of a high-performance polyethylene fiber and glass fiber blend, offering top-level flexibility and comfort with Level 4 cut protection on the back of hand. Black flat nitrile palm dip increases snag and abrasion resistance, and provides exceptional grip for dry and light oil situations. Machine washable.

D. 9010 SZ 6	32.28	PR	1	6	9010	Flat Nitrile Dip
D. 9010 SZ 7	32.28	PR	1	7	9010	Flat Nitrile Dip
D. 9010 SZ 8	32.28	PR	1	8	9010	Flat Nitrile Dip
D. 9010 SZ 9	32.28	PR	1	9	9010	Flat Nitrile Dip
D. 9010 SZ 10	32.28	PR	1	10	9010	Flat Nitrile Dip
E. 9013 SZ 7	32.28	PR	1	7	9013	Sandy Nitrile Dip
E. 9013 SZ 8	32.28	PR	1	8	9013	Sandy Nitrile Dip
E. 9013 SZ 9	32.28	PR	1	9	9013	Sandy Nitrile Dip
E. 9013 SZ 10	32.28	PR	1	10	9013	Sandy Nitrile Dip

ANSI
5
CUT

ANSI
5
CUT


E

Cut Resistant Sleeves

RS Hughes Part Price Per Case Size Description


F. JACKSON SAFETY G60 Level 2 Cut Resistant 18" Sleeves

Cut Resistant Sleeves are a great choice for working environments that pose a risk for minor cuts, abrasions and burns. With or without thumbhole. Kevlar® outer layer and cotton inner layer provide cut resistance and a comfortable fit. Suitable for intermittent heat contact up to 212°F. ANSI Level 2/EN 388 Level 2 cut resistance. Good breathability

90070	4.24	EA	60	With Thumbhole	
90071	4.03	EA	60	Without Thumbhole	

G. Ansell Hyflex® 11-200 Cut Resistant Sleeve

19IN Fiberglass core wrapped in polyester, flourescent yellow.

076490-12774	10.55	PR	36	19in	
--------------	-------	----	----	------	---


Ansell Kevlar® Armor Knit Sleeve 18" 100Percent Kevlar® Armor and Standard Kevlar® Blend Blend Blouse Sleeve 70-718

Heavyweight protection from sharp, jagged edges, sparks and flames, their 100% Kevlar Armor and standard Kevlar blend gives them a lightweight feel. ArmorKnit sleeves provide 65% more cut resistance than standard mediumweight cut-resistant sleeves and even 45% more than standard heavyweight sleeves. Blouse ArmorKnit Sleeve is also mediumweight, with elastic at both ends and a Velcro top strap.

H. 076490-22145	3.67	EA	50	ASTM F1790-97 1450 Grams
I. 076490-45468	9.23	EA	50	ASTM F1790-97 2900 Grams

PIP 10-KS14/10-KS14TO Kut-Guard 14" Kevlar Sleeve, 2-Ply

100% Cut resistant Kevlar sleeve double ply, Dupont Kevlar brand fiber. Protective sleeve provides high tensile strength relative to its weight up to five times stronger than steel. Kevlar yarn is designed to be cut resistant. With or without thumbhole. Protective sleeves provide excellent protection for the wrists and arms. Heat Protection. ANSI Level 3/EN 388 Level 4 cut resistance. ASTM F1790 cut score 1263 grams. Used for Advanced Manufacturing, Glass Operations, Metal Stamping, Sheet Metal, Automotive, Electrical and Light Heat Application.

J. 616314-03653	2.91	EA	144	10-KS14 w/out Thumbhole	
K. 616314-20209	3.16	EA	144	10-KS14TO w/ Thumbhole	

L. PIP 10-KS18 18" Kut-Gard Kevlar® Sleeve 2 Ply

100% cut resistant Kevlar sleeve double ply. Dupont Kevlar fiber. Protective sleeve provides high tensile strength relative to its weight. Kevlar Yarn is Designed to be Cut Resistant. Without thumbhole. Provides excellent protection for the wrists and arms. Heat Protection. ANSI Level 3/EN 388 Level 4 cut resistance. ASTM F1790 cut score 1263.

616314-03660	3.40	EA	144	10-KS18 w/out Thumbhole 18in
616314-17056	3.69	EA	144	10-KS18TO w/Thumbhole 18in

M. PIP 20-TG14 Cut Resistant 14" Sleeves with Dyneema®

Gloves and sleeves made with Spun Dyneema® offer unparalleled comfort and coolness while providing cut and abrasion resistance. White sleeves are single-ply, 10 gauge and have elastic on both ends for superior fit. PIP now offers the first gray sleeves made with Dyneema® in the industry, great for hiding dirt. Gray sleeves are double-ply with nylon.

616314-58950	3.66	EA	72	20-TG14 w/out Thumbhole 14in
--------------	------	----	----	------------------------------

N. PIP 9" Black Cane Mesh Sleeve, Double Ply, Velcro Closer

Ideal for applications where arm cut protection is needed, such as assembly, plastic molding, metal fabrication, automotive. Excellent protection against chemicals, snags, punctures and abrasions. Exceptional comfort, lightweight, breathable, and shrink resistant. 2-Ply construction for added protection. Velcro closure for a snug, secure fit.

616314-17213	10.62	PR	1	LG 30-6795B/L
--------------	-------	----	---	---------------



ANSI
2
CUT

F



G



H



I

ANSI
3
CUT



J



K



L

ANSI
4
CUT



M



N

Types and Categories of Leather Cuts

Leather Types:

Grain: The smooth outside top layer of the hide.

Split: The rougher inside of the hide when top layer is removed.

Cowhide: The most commonly used leather due to availability. The most heat resistant leather.

Pigskin: Greatest breathability due to its porous texture. Remains pliable after exposure to wet conditions.

Goatskin: One of the softest leathers due to its natural lanolin which provides waterproof and tactile sensitive properties.

Deerskin: The most luxurious leather available for comfort and sensitivity with longer wear.

Elkskin: Like deerskin, the soft texture provides superior comfort and stays flexible when exposed to heat.


Leather Categories:

Premium: The highest quality and most durable leather available provide the most uniform leather with few imperfections. Most commonly cut from the side area or rib section of the hide.

Select: Leather of consistent quality and thickness with slightly less durability than premium. Typically cut from the shoulder area of the hide where texture differences are more visible.

Standard: Provides the best value leather for the price with adequate quality and durability. Generally cut from the shoulder area or belly of the hide.

Economy: The least expensive option with inconsistencies in leather appearance and texture. Most commonly cut from the belly section of the hide.



Cowhide

- Good durability
- Good insulation protection, especially against heat
- High puncture resistance

Goatskin

- Natural lanolin creates soft feel
- High abrasion and puncture resistance
- High flexibility
- High durability

Pigskin

- Lightweight
- Highest breathability due to porous texture
- Low cost
- High abrasion resistance
- Tends to become softer and more flexible after use

Deerskin

- Very soft and comfortable
- Highest insulation protection, especially against cold
- Highest durability and longest lasting
- Highest flexibility and dexterity

Leather Type	Puncture Resistance	Durability	Breathability	Leather Flexibility	Insulation	Moisture Resistance	Abrasion	Cost
Grain Pigskin	5	3	5	4	4	4	5	Low
Grain Cowhide	4	4	2	3	3	3	2	Average
Split Cowhide	4	4	2	2	2	3	2	Low
Grain Deerskin	2	5	2	4	4	5	4	High
Split Deerskin	2	2	4	5	5	3	3	Average
Grain Goatskin	4	4	2	4	4	1	3	Average
Grain Elkskin	2	4	2	4	3	4	4	High



A



B

Leather Palm Gloves - Gold Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Global Glove CR2100 Big Ole®

Big Ole® premium gunn cut cow grain leather palm, 9 oz canvas back, rubberized cuff and sewn with DuPont™ KEVLAR® brand fiber. Aralene™ cut resistance inner shell, a Aramid fiber with space age strength enhancement. ANSI level 4 cut resistance.

CR2100 MD	134.48	DZ	6	MD	
CR2100 LG	134.48	DZ	6	LG	
CR2100 XL	134.48	DZ	6	XL	



B. PIP 80-8800 & 80-8855 Heavy Side Split Cowhide Leather Palm Glove

Popular in rugged-duty applications such as farming, foundry, forestry, mining and heavy machine operation. Constructed of heavy side split cowhide, cotton lined palm for extra comfort. Gunn cut pattern delivers excellent durability, wear and comfort, especially for heavier gloves. Wing thumb increases comfort in open-handed work, rugged extra strength back and cuff. Stitched with Kevlar® adding strength and burn resistance, leather knuckle strap and finger tips for extra protection, elastic closure sewn inside glove for safety and comfort. Rubberized fabric safety cuff helps protect wrist, allows for fast removal, and water resistance.

616314-06883	63.07	DZ	6	SM	Single Palm
616314-06890	63.07	DZ	6	MD	Single Palm
616314-06906	63.07	DZ	6	LG	Single Palm
616314-06913	66.34	DZ	6	XL	Single Palm
616314-07040	82.72	DZ	6	SM	Double Palm
616314-07057	82.72	DZ	6	MD	Double Palm
616314-07064	82.72	DZ	6	LG	Double Palm
616314-07071	86.00	DZ	6	XL	Double Palm



Leather Palm Gloves - Silver Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

C. PIP 82-7563 Leather Palm Glove

Leather Palm Gloves Constructed of "A/B" Grade Select Shoulder Split Cowhide. Blue & Green Striped Fabric Back & Cuff. Best Value Grade of Leather Palms.

616314-07248	37.84	DZ	10	MD
616314-07255	37.84	DZ	10	LG
616314-07262	41.12	DZ	10	XL



D. PIP 82-7763 Double Leather Palm Glove

Double Leather Palm - Constructed of "A/B" Grade Select Shoulder Split Cowhide. Blue & Green Striped Fabric Back & Cuff.

616314-07392	45.53	DZ	6	SM
616314-07408	45.53	DZ	6	MD
616314-07415	45.53	DZ	6	LG
616314-07422	48.81	DZ	6	XL

E. West Chester 500DP-AA Premium Split Cowhide Leather Double Palm

Premium split cowhide leather palm gloves provide reliable hand protection. Rubberized safety cuff helps protect wrists. Leather knuckle strap provides extra protection where you need it most. Comfortable canvas back is cool and allows greater flexibility.

662909-708632	62.47	DZ	6	SM
662909-500281	62.47	DZ	6	MD
662909-702739	62.47	DZ	6	LG
662909-500298	65.12	DZ	6	XL



C



D



E



Leather Palm Gloves - Bronze Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

F. PIP 83-6563 Leather Palm Glove

Mens Bronze series leather palm glove constructed of "B" grade cowhide shoulder split leather palm glove, wing thumb, knuckle strap, cotton lined palm for extra comfort, green/pink striped fabric back, matching 2.75-inch rubberized safety cuff with cotton binding to denote sizes.

616314-07507	32.60	DZ	10	XS
616314-07514	32.60	DZ	10	SM
616314-07521	32.60	DZ	10	MD
616314-07538	32.60	DZ	10	LG
616314-07545	35.88	DZ	10	XL



G. Red Steer 13163 G Cowhide Leather Palm

Standard suede cowhide, leather knuckle strap, forefinger and fingertips, 2½ inch safety cuff, wing thumb.

13163 MD	39.84	DZ	10	MD
13163 LG	39.84	DZ	10	LG
13163 XL	39.84	DZ	10	XL



F



G



Editor's Choice
for comfort
and value



PROTECTIVE INDUSTRIAL PRODUCTS



A



B



C



D

Leather Palm Gloves - Economy Series

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. PIP 85-7500 Leather Palm Glove Economy Glove Rubberized Safety Cuff

Mens economy grade cowhide split leather palm glove, wing thumb, knuckle strap, blue, black & red striped fabric back, 2.75-inch rubberized safety cuff with cotton binding. Leather knucklestrap and finger tips for extra protection. Elastic closure sewn inside glove for safety and comfort. Cotton lined palm for extra comfort. Economy series leather palm gloves are constructed of the most economical split cowhide in the market.



616314-15823	26.71	DZ	10	LG	
--------------	-------	----	----	----	--

B. PIP 85-7500S Economy Series Split Leather Gloves with Starched Safety Cuff

Cotton lined palm for extra comfort. Elastic closure sewn inside glove for safety and comfort. Leather knucklestrap and finger tips for extra protection. Cotton color binding denotes sizes. Used for construction, material handling and general maintenance.

616314-15830	26.38	DZ	10		
--------------	-------	----	----	--	--

C. PIP 85-7500P Leather Palm Glove Patch & Palm Starched Safety Cuff

Mens economy split cowhide leather 2 piece patch palm glove, wing thumb, knucklestrap, cotton lined reinforced palm, blue/black/red striped fabric back, 2.75" starched safety cuff with white cotton binding.

616314-07835	23.43	DZ	10		
--------------	-------	----	----	--	--

D. West Chester Standard Split Cowhide Leather Palm Gloves

Standard split cowhide leather palm gloves with rubberized safety cuff. 2 1/2" safety cuff provides extra protection where you need it most. Durable split cowhide leather palm, index finger, fingertips and knuckle strap. Canvas back, Wing thumb construction.

662909-055811	23.82	DZ	10	MD	558	Mens
662909-055842	23.82	DZ	10	LG	558	Mens
662909-055835	26.12	DZ	10	XL	558	Mens
662909-055828	27.18	DZ	10	2XL	558	Mens
662909-593801	23.82	DZ	10	SM	558L	Womens





E

RS Hughes Part Price Per Case Size Description

E. PIP 85-7513P Economy Grade Shoulder Split Cowhide Leather Palm Glove

Used for construction, material handling and general maintenance where the glove is used until it is dirty and disposed of. Constructed from the most economical split cowhide available on the market today, cotton lined palm for extra comfort. Hi-Vis yellow fabric back provides breathability and flexibility. Gunn cut pattern delivers excellent durability, wear and comfort, especially for heavier gloves. Wing thumb increases comfort in open-handed work, leather knuckle strap and finger tips for extra protection. Elastic closure sewn inside glove for safety and comfort, rubberized fabric safety cuff helps protect wrist, allows for fast removal, and water resistance.

616314-15816 30.55 DZ 10 LG



F



G



H

Leather Palm Gloves - Economy Double Palm

F. PIP 85-7512J Double Leather Palm Glove

Mens Copper series leather palm glove constructed of "B/C" grade split cowhide leather palm glove, wing thumb, knuckle strap, double palm, jointed inner palm, gray & red striped fabric back, match 2.75 inch rubberized safety cuff with cotton binding. Elastic closure sewn inside glove for safety and comfort. Cotton lined palm for extra comfort.

616314-15809 31.03 DZ 6

G. West Chester 450DP Standard Split Cowhide Leather Double Palm Gloves

Standard split cowhide leather double leather palm gloves provide reliable hand protection. Rubberized safety cuff helps protect wrists. Leather knuckle strap provides extra protection where you need it most. Comfortable canvas back is cool and allows greater flexibility.

662909-472267 27.88 DZ 6 LG
662909-472274 30.18 DZ 6 XL
662909-472281 31.24 DZ 6 2XL



H. Red Steer 15064 Green Double Layer Leather Palm

Standard suede cowhide, green double-ply palm, leather knuckle strap, forefinger and fingertips, 2½ inch safety cuff, wing thumb.

15064 LG 46.44 DZ 10 LG



Head to Toe Protection



Leather Drivers Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. PIP 68-161SB Top Grain Cowhide, Regular Grade Split Back

Mens top grain cowhide leather driver glove, split cowhide back, grain palm, keystone thumb, unlined, regular grade. Split leather back style lowers cost without reducing protection. Keystone thumb pattern provides extra comfort and wear. Chromium free.

616314-15489	56.52	DZ	10	SM
616314-15496	56.52	DZ	10	MD
616314-15502	56.52	DZ	10	LG
616314-15519	59.79	DZ	10	XL



B. PIP 68-163 Grain Cowhide Drivers Gloves, Regular Grade

Economy grade top grain cowhide leather drivers glove. 100% top grain leather palm and back - unlined. Keystone thumb pattern provides extra comfort and wear.

616314-08450	67.98	DZ	10	SM
616314-08467	67.98	DZ	10	MD
616314-08474	67.98	DZ	10	LG
616314-08481	71.26	DZ	10	XL

C. PIP 68-168 Grain Cowhide Drivers Gloves, Premium Grade

Mens Premium grade cow grain leather driver glove, keystone thumb, unlined, double line elastic sewn inside on back, leather hem. All leather top grain cowhide construction. Consistent grading and superior workmanship. Excellent dexterity and abrasion resistance. Elastic back. Rolled leather cuff for use in light duty welding. Color: Natural. Cuff Style: Slip on. Premium Grade.

616314-08535	113.84	DZ	10	SM
616314-08542	113.84	DZ	10	MD
616314-08559	113.84	DZ	10	LG
616314-08566	117.12	DZ	10	XL

D. PIP 70-301 Top Grain Pigskin Economy Grade Drivers Gloves

All leather top grain pigskin construction. Pigskin will return to its original pliability even after being soaked in water. Elastic back closure for a snug fit. Ideal for use where all-leather gloves are desired, extended wear is expected and superior worker satisfaction is demanded.

616314-08757	65.43	DZ	10	SM
616314-08764	65.43	DZ	10	MD
616314-08771	65.43	DZ	10	LG
616314-08788	67.07	DZ	10	XL

E. PIP 70-368 Grain Pigskin Drivers Glove, Premium Grade

Premium grade pig grain leather, keystone thumb, unlined, shirred elastic wrist cotton binding. All leather top grain pigskin construction. Returns to its original pliability even after being soaked in water. Elastic back closure for a snug fit.

616314-08870	69.62	DZ	10	SM
616314-08887	69.62	DZ	10	MD
616314-08894	69.62	DZ	10	LG
616314-08900	71.26	DZ	10	XL



F. Red Steer 1512 Hvywt Grain Cowhide Driver, Easy Id Tag

Heavyweight grain cowhide, shirred elastic back, keystone thumb, easy ID tag, self hemmed.

1512 SM	143.64	DZ	10	SM
1512 MD	143.64	DZ	10	MD
1512 LG	143.64	DZ	10	LG
1512 XL	143.64	DZ	10	XL

G. Red Steer 1555 Tan Grain Cowhide Driver, Leather Hem

Tan grain cowhide, shirred elastic back, keystone thumb, self hemmed.

1555 SM	126.84	DZ	10	SM
1555 MD	126.84	DZ	10	MD
1555 LG	126.84	DZ	10	LG
1555 XL	126.84	DZ	10	XL



TILLMAN™
The Brand Pros Demand



Grain Leather Drivers Gloves

RS Hughes Part Price Per Case Size Description

H. Tillman 1410 Pigskin Drivers Glove

Premium pearl top grain pigskin resists oil and water. Gunn cut, keystone thumb for easy movement. Unlined, Lock stitched for added strength.

608134-14101	10.00	PR	72	MD	Pearl
608134-14100	10.00	PR	72	LG	Pearl
608134-14104	10.00	PR	72	XL	Pearl



I. Tillman 1414 B Grade Cowhide Drivers Glove

Top grain pearl cowhide palm, bourbon cowhide split leather back. Keystone thumb, unlined.

TILLMAN 1414M	9.50	PR	72	MD	Pearl
TILLMAN 1414L	9.50	PR	72	LG	Pearl
TILLMAN 1414XL	9.50	PR	72	XL	Pearl
TILLMAN 1414 2XL	9.50	PR	72	2XL	Pearl



J. Tillman 1415 Top Grain Cowhide Drivers Glove

Premium pearl grain goatskin. Excellent abrasion resistance and tensile strength. Keystone thumb, unlined. Lock stitched for added strength.

608134-14151	7.50	PR	72	MD	White
608134-14150	7.50	PR	72	LG	White
608134-14154	7.50	PR	72	XL	White

K. Tillman 1420 A grade Cowhide Drivers Glove

Premium quality pearl top grain cowhide. Gunn cut, unlined. Straight thumb. Lock stitched for added strength.

TILLMAN 1420M	11.00	PR	12	MD	White
TILLMAN 1420L	11.00	PR	12	LG	White
TILLMAN 1420XL	11.00	PR	12	XL	White

L. Tillman 1424 A grade Cowhide Drivers Glove

Premium quality pearl top grain cowhide. Gunn cut, unlined. Keystone thumb. Lock stitched for added strength.

TILLMAN 1424 MD	11.25	PR	72	MD	White
TILLMAN 1424 LG	11.25	PR	72	LG	White
TILLMAN 1424 XL	11.25	PR	72	XL	White



Head to Toe Protection

High Dexterity Leather Gloves

RS Hughes Part	Price	Per Case	Size	Description
----------------	-------	----------	------	-------------

A. Tillman 1470 Goatskin Welding Gloves

Superior abrasion resistant top grain goatskin. Nylon spandex on backside for precision fit. Rough side out reinforced palm for longer life, better gripping power. Reinforced thumb to protect severe stress areas. Elastic cuff with hook and loop closure provides secure fit, less bulk.

608134-14701	11.25	PR	12	MD	Black
1470L	11.25	PR	12	LG	Black
1470XL	11.25	PR	72	XL	Black
608134-14705	11.25	PR	12	2XL	Black



B. Tillman 1475 TrueFit Cowhide Gloves

Top grain cowhide is rugged, long lasting. Nylon spandex on backside for precision fit. Rough side out reinforced palm for longer life, better gripping power. Reinforced thumb to protect severe stress areas. Elastic cuff with hook and loop closure provides secure fit, less bulk.

608134-14751	13.75	PR	72	MD	Gold
608134-14750	13.75	PR	72	LG	Gold
608134-14754	13.75	PR	72	XL	Gold
608134-14755	13.75	PR	72	2XL	Gold

C. Tillman 1485 TrueFit Pigskin Thinsulate Gloves

Top grain pigskin palm is naturally resistant to moisture. Nylon spandex on backside for precision fit. Rough side out reinforced palm for longer life, better gripping power. 40 gram Thinsulate winter lined. Reinforced thumb to protect severe stress areas. Elastic cuff with hook and loop closure provides secure fit, less bulk.

608134-14851	14.50	PR	72	MD	Pearl/Blue
TILLMAN 1485L	14.50	PR	12	LG	Pearl/Blue
TILLMAN 1485XL	14.50	PR	12	XL	Pearl/Blue
TILLMAN 1485 2XL	14.50	PR	12	2XL	Pearl/Blue

D. Tillman 1488 TrueFit Goatskin Kevlar Gloves

Full leather and Kevlar® construction, designed for best fit and safety in TIG welding applications. Soft, supple, top grain goatskin palm and back for superior feel. Flame resistant Kevlar® stretch inserts flex to the contours of the hand, enhancing comfort and fit. Ultra snug design improves dexterity and feel for TIG welding applications. Tapered cuff with internal elastic for precise fit. Smaller hook/loop closure for less bulk and adjustability. Entirely Kevlar stitched for strength and flame resistance.

608134-14882	17.00	PR	72	SM	Pearl
608134-14881	17.00	PR	72	MD	Pearl
608134-14880	17.00	PR	72	LG	Pearl
608134-14884	17.00	PR	72	XL	Pearl

E. Tillman 1490 TrueFit Cowhide Padded Palm Gloves

Superior abrasion resistant top grain goatskin. Nylon spandex on backside for precision fit. Additional padded palm for increased comfort, longer wear. Reinforcement extends to base of fingers for added protection. Side bolsters for additional protection for side surface work. Reinforced thumb to protect severe stress areas. Elastic cuff with hook and loop closure provides secure fit, less bulk.

608134-14901	16.00	PR	72	MD	Gold/Pearl
608134-14900	16.00	PR	72	LG	Gold/Pearl
608134-14904	16.00	PR	72	XL	Gold/Pearl
608134-14903	16.00	PR	72	2XL	Gold/Pearl



ALL NEW!
High Dexterity

RS Hughes Part Price Per Case Size Description

F. West Chester 86350 Pro Series Heavy Duty Grain Cow

Heavy Duty Grain Cowhide glove is a natural fitting glove for general duty tasks. It features split leather patch reinforcements on the palm and thumb saddle as well as reinforced fingertips for increased protection.

662909-008602	9.19	PR	72	SM
662909-008619	9.19	PR	72	MD
662909-008626	9.19	PR	72	LG
662909-008633	9.19	PR	72	XL
662909-008640	9.19	PR	72	2XL



\$9.19
per pair

G. West Chester 86550 Pro Series Heavy Duty Grain Goat

Heavy Duty Grain Goatskin glove is a natural fitting glove for general duty tasks. It features split patch reinforcements on the palm and thumb saddle as well as reinforced fingertips for increased protection.

662909-008701	8.82	PR	72	SM
662909-008718	8.82	PR	72	MD
662909-008725	8.82	PR	72	LG
662909-008732	8.82	PR	72	XL
662909-008749	8.82	PR	72	2XL



H. West Chester IronCat 86555 Heavy Duty Goatskin Gloves

Heavy Duty Top Grain Goatskin glove is a natural fitting glove for general duty tasks. It features top grain gold/pearl reinforcements on the palm and thumb saddle as well as reinforced fingertips for increased protection. Added padding in palm for increased comfort and wear.

662909-008398	13.53	PR	72	SM
662909-008404	13.53	PR	72	MD
662909-008411	13.53	PR	72	LG
662909-008428	13.53	EA	72	XL
662909-008435	13.53	PR	72	2XL



I. PIP 120-4900 High Performance Maximum Safety Brickyard Glove

Synthetic leather palm enhances grip in dry and light oil applications while providing dexterity. Silicone palm coating for an enhanced grip. Neoprene/nylon fabric back for breathability and comfort. Hook and loop closure for easy on/off and a secure fit. Launderable for extended life and reduced replacement costs.

616314-21623	20.36	PR	72	SM	Black/Gray
616314-21616	20.36	PR	72	MD	Black/Gray
616314-21609	20.36	PR	72	LG	Black/Gray
616314-21630	20.36	PR	72	XL	Black/Gray
616314-21647	20.36	PR	72	2XL	Black/Gray



J. Global Glove HR9000 Hot Rod Sport

HotRod glove brand uses Aireflex® synthetic leather out wears goatskin and pigskin grain and split cow leather in testing. This high performance sport style glove has excellent dexterity is also drastically improved over all leather drivers versions. Bulk packaged like leather drivers for economy. Velcro closure with G pattern padding in palm. Black color.

HR9000 MD	8.90	PR	48	MD
HR9000 LG	8.90	PR	48	LG
HR9000 XL	8.90	PR	48	XL
HR9000 2XL	8.90	PR	48	2XL



Head to Toe Protection

Mechanics Trade Gloves



RS Hughes Part Price Per Case Size Description

A. Mechanix Wear Original Glove



Despite its imitators, our Original® glove remains in a category all its own. Tried, tested and proven for over 20 years, it provides the perfect blend of flexibility and protection. Durable synthetic leather palm, form-fitting stretch Spandex top, and a flexible TPR wrist closure allow for a second-skin fit. With a gamut of practical uses, it's no surprise that The Original® is the most recognized and most frequently worn glove by anyone with a toolbox.

781513-10013	23.98	PR	1	SM	MG-05-008
781513-10014	23.98	PR	1	MD	MG-05-009
781513-10015	23.98	PR	1	LG	MG-05-010
781513-10016	23.98	PR	1	XL	MG-05-011
781513-10017	23.98	PR	1	2XL	MG-05-012
781513-60895	23.98	PR	1	3XL	MG-05-013

B. Mechanix Wear Fast Fit Glove

Professionals and enthusiasts agree - the Fast Fit® glove is a toolbox must-have. Form-fitting stretch panels between your fingers provide a snug fit and the elastic cuff offers easy on and off flexibility between tasks. Durable synthetic leather is anatomically cut around your palm for better wear when handling tools. Your hands will stay cool, dry and comfortable with moisture-wicking TrekDry® material covering your wrist, thumb and fingers.

781513-10670	15.31	PR	1	SM	MFF-05-008	Black
781513-10671	15.31	PR	1	MD	MFF-05-009	Black
781513-10672	15.31	PR	1	LG	MFF-05-010	Black
781513-10673	15.31	PR	1	XL	MFF-05-011	Black
781513-10674	15.31	PR	1	2XL	MFF-05-012	Black

C. Mechanix Wear Utility Glove

This is the perfect Mechanix Wear® glove to have on hand for a variety of jobs around the home. Moisture-wicking TrekDry® forms to the top of your hand for an improved fit and feel. Durable synthetic leather protects the palm and the low-profile hook and loop closure provides a secure fit at an affordable price.

781513-60757	18.22	PR	1	SM	H15-05-008
781513-60758	18.22	PR	1	MD	H15-05-009
781513-60759	18.22	PR	1	LG	H15-05-010
781513-60760	18.22	PR	1	XL	H15-05-011
781513-60761	18.22	PR	1	2XL	H15-05-012

D. Mechanix Wear M-Pact Glove

Offering full-coverage hand protection, the M-Pact® features a new rubberized thumb, index finger and palm for durable gripping power and sonic welded molded rubber knuckles and fingertips for impact absorption. High impact PORON® XRD™ in the palm reduces vibration in your palm for relief day in and day out.

781513-61949	32.63	PR	1	SM	MPT-58-008
781513-61950	32.63	PR	1	MD	MPT-58-009
781513-61951	32.63	PR	1	LG	MPT-58-010
781513-61952	32.63	PR	1	XL	MPT-58-011
781513-61953	32.63	PR	1	2XL	MPT-58-012



A



B



C



D

Mechanics Trade Gloves



E

RS Hughes Part Price Per Case Size Description

E. Mechanix Wear 4X M-Pact Glove/4X Original Glove

Material4X® synthetic leather redefines durability with superior wear, higher abrasion, and greater tear resistance. We combined the shock absorption of the M-Pact® glove with a durable Material4X® palm for the ultimate tool.



Light, flexible Thermal Plastic Rubber (TPR) creates an exoskeleton protecting your fingers, knuckles, and metacarpals from common impact and abrasion injuries. We encased impact absorbing PORON® XRD™ cushioning in the palm to relieve hand fatigue associated with high impact tools and heavy lifting. When the going gets rough, reach for the M-Pact® with Material4X® durability to get the job done.

781513-62342	38.33	PR	1	SM	MP4X-75-008
781513-62343	38.33	PR	1	MD	MP4X-75-009
781513-62344	38.33	PR	1	LG	MP4X-75-010
781513-62345	38.33	PR	1	XL	MP4X-75-011
781513-62346	38.33	PR	1	2XL	MP4X-75-012



F

EN388
3142

G

F. Ansell 97-972 Landscapers

Landscaper Glove - Breathable Spandex for coolness, Green and Brown Slip Wrist, with Heavy duty double stitched re-inforced palm for increased durability.

076490-98049	14.93	PR	12	MD
076490-98050	14.93	PR	12	LG
076490-98051	14.93	PR	12	XL



EN388
4132

G. Ansell 97-977 Heavy Duty Leather

Heavy Duty Leather - Double re-inforced Deerskin Leather Palm and fingers for increased durability. Back of the hand protection, adjustable wrist closure for comfortable fit, breathable spandex between fingers for added comfort.

076490-98058	19.15	PR	12	MD
076490-98059	19.15	PR	12	LG
076490-98060	19.15	PR	12	XL
076490-98061	19.15	PR	12	2XL

H



H. PIP 120-4200 Journeyman Gloves

Genuine goatskin leather. Split goatskin leather reinforced fingertips, Internal foam padded palm. TPR (Thermo Plastic Rubber) molded knuckle guards. Nylon spandex fabric. Reflective knuckle tape. Sandy PVC thumb crotch and thumb reinforcement. Micro cotton thumb. Easy-on, Easy-off design. Hook and loop closure patch.

616314-69321	25.09	PR	72	SM
616314-69314	25.09	PR	72	MD
616314-69307	25.09	PR	72	LG
616314-69338	25.09	PR	72	XL



Head to Toe Protection



A

Mechanics Trade Gloves

RS Hughes Part Price Per Case Size Description

A. Valeo V220 Work Pro Medium-Duty Guide

A medium-duty work glove with GripTech protective pads. Durable synthetic leather palm with GripTech patches on palm and fingertips. Terry-cloth sweat wipe on thumb. Stretch back with neoprene padded flex knuckle. Elastic cuff with hook and loop closure. Machine washable.

736097-48451	16.04	PR	12	SM
736097-48452	16.04	PR	12	MD
736097-48453	16.04	PR	12	LG
736097-48454	16.04	PR	12	XL
736097-48455	16.04	PR	12	2XL



B

B. Valeo V340 Mesh Material Handling Fingerless Glove

Maximize breathability and comfort with an all mesh back fingerless design. Features genuine leather with cotton mesh back, padded leather palm, soft terry lining for comfort and durability, hook and loop closure. Black.

736097-86211	6.67	PR	24	SM
736097-86228	6.67	PR	24	MD
736097-86235	6.67	PR	24	LG
736097-86242	6.67	PR	24	XL
736097-86259	6.67	PR	24	2XL

C. Ergodyne 710 Full-Finger Trade Glove

Premium EVA foam palm pad to dampen shock and impact; abrasion resistant textured PVC on palm and fingers. Breathable, 3-layer stretch spandex with neoprene knuckle pad. Synthetic leather palm and fingers, terry thumb brow wipe, flex zones for added comfort. Reinforced fingertips for optimal durability. EN 420; EN 388: 3121.

720476-16152	27.83	PR	6	SM
720476-16153	27.83	PR	6	MD
720476-16154	27.83	PR	6	LG
720476-16155	27.83	PR	6	XL
720476-16156	27.83	PR	6	2XL



C

D. Ergodyne 821 Handler Silicone Black Glove

Textured silicone palm and finger. Micro-injected closure for quick cinching. Ideal for dry surface. Neoprene knuckle pad. Terry thumb brow wipe. Machine Washable.

720476-16422	25.58	PR	6	SM
720476-16423	25.58	PR	6	MD
720476-16424	25.58	PR	6	LG
720476-16425	25.58	PR	6	XL
720476-16426	25.58	PR	6	2XL



D

Anti Vibration Gloves

RS Hughes Part Price Per Case Size Description

E. Impacto 501-00 Anti-Impact Glove Liner

Fingerless four-way stretch polycotton glove liner. Visco-elastic polymer (VEP) padding in the palm. Recommended to be worn under work glove, Provides impact and vibration protection, The 'Original' Impacto-manufactured glove.

501-00 XS	17.76	PR	1	XS	501-00
628167-05220	17.76	PR	1	SM	501-00
628167-06130	17.76	PR	1	MD	501-00
628167-07410	17.76	PR	1	LG	501-00
628167-04350	17.76	PR	1	XL	501-00
501-00 2X	17.76	PR	1	2XL	501-00



F. Impacto 704-20 Anti-Impact Glove With Wrist Support

Fingerless nylon lycra and grain leather glove with VEP padding in the palm and thumb web area. Detachable grain leather wrist support. Provides protection from abrasion, impact and shock, Fingerless style for optimum dexterity, Wrist support minimizes extension and over flexion of the wrist to prevent RSI such as Carpal Tunnel Syndrome or Tendinitis, Used with hand or electric tools in repetitive tasks.

704-20 XS	46.21	PR	1	XS	704-20
628167-10320	46.21	PR	1	SM	704-20
628167-12030	46.21	PR	1	MD	704-20
628167-13040	46.21	PR	1	LG	704-20
704-20 XL	46.21	PR	1	XL	704-20
704-20 2XL	46.21	PR	1	2XL	704-20



G. Impacto AV-PRO

Anti-Vibration Mechanic's Style Glove. Full Finger Style Provides Maximum Hand Protection. Padded With Patented Foam Technology In The Palm, Fingers, Thumb And Thumb/Web Area To Help Prevent Hand-Arm Vibration Syndrome (Havs).

628167-36830	38.62	PR	1	MD	AV759030
628167-40140	38.62	PR	1	LG	AV759040
628167-30350	38.62	PR	1	XL	AV759050



H. Impacto BG408 Anti-Vibration Air Glove - Mechanics

AntiVibration Mechanic's style is full finger to provide maximum hand protection. Helps prevent Hand-Arm Vibration syndrome (HAVS) and White Finger Disease. Utilizes patented Air Glove® technology in the palm, fingers and thumb. Synthetic Ultra Suede leather provides excellent wear and flexibility. Mesh back allows hand ventilation, Adjustable wrist tab with hook and loop closure, Durable Urethane Air Bladder protects the palm, fingers and thumb, Individual chambers for long lasting wear and consistent protection, Excellent dexterity and comfort. Meets anti-vibration glove standards EN ISO 10819 and ANSI S2.73-2002 (R 2007) / ISO 10819:1996.

BG408 XS	48.45	PR	1	XS	BG408
BG408 SM	48.45	PR	1	SM	BG408
628167-29330	48.45	PR	1	MD	BG408
628167-32440	48.45	PR	1	LG	BG408
628167-22250	48.45	PR	1	XL	BG408
628167-08560	48.45	PR	1	2XL	BG408



Head to Toe Protection

TIG Welding Gloves

Extreme Precision and Durability Constructed of lighter weight materials, unlined TIG welding gloves allow for maximum dexterity. Goatskin is available for durability and comfort, while kidskin offers unmatched dexterity. For softer feel and comfort, deerskin gloves are available. Wing thumb designs for open-handed work are available, with a straight thumb design for optimal torch grip.



TIG Welding Gloves

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Tillman 1350 Unlined Welding Gloves

Heavy duty pearl top grain cowhide. 4" cuff for added protection. Wing thumb, seamless forefinger for comfort. Lock stitched with Kevlar® thread for added strength.

TIL1350 MD	13.50	PR	72	MD
TILLMAN 1350 LG	13.50	PR	72	LG
TILLMAN 1350 XL	13.50	PR	72	XL



B. Tillman 24C Kidskin TIG Welding Gloves

Premium top grain pearl kidskin leather enhances feel and durability. 4" cuff for added protection. Straight thumb, lock stitched with Kevlar® thread for added strength.

TILLMAN 24C MD	14.50	PR	6	MD
TILLMAN 24C LG	14.50	PR	6	LG
TILLMAN 24C-XL	14.50	PR	6	XL

C. Tillman 25B Deerskin TIG Welding Gloves

Lightweight pearl deerskin split leather enhances dexterity. 4" cuff. Straight thumb, lock stitched with Kevlar® thread for added strength.

TIL25BM	9.75	PR	72	MD	Pearl
608134-00255	9.75	PR	12	LG	Pearl
TIL25BXL	9.75	PR	12	XL	Pearl

D. West Chester 6130 Deerskin Split Leather TIG Welding Gloves

Split deerskin combines a soft feeling with a snug fit ideal for TIG welding. Soft leather allows wire to pass freely over glove. 4" cuff protects hands and lower arms from burns.

662909-003485	8.09	PR	12	SM
662909-003492	8.09	PR	12	MD
662909-003508	8.09	PR	12	LG
662909-003515	8.09	PR	12	XL



F. West Chester 6141 Premium Top Grain Kidskin TIG Welding Gloves

Premium top grain kidskin provides the best fit and dexterity necessary for TIG welding. Soft leather allows wire to pass freely over glove. 4" cuff protects hands and lower arms from burns.

662909-003331	9.56	PR	12	SM
662909-003348	9.56	PR	12	MD
662909-003355	9.56	PR	12	LG
662909-003362	9.56	PR	12	XL

E. West Chester 6140 Premium Top Grain Kidskin TIG Welding Gloves

Premium top grain kidskin provides the best fit and dexterity necessary for TIG welding. Soft leather allows wire to pass freely over glove. 2" cuff protects hands and wrists from burns while allowing freedom of movement.

662909-003256	9.26	PR	12	SM
662909-003263	9.26	PR	12	MD
662909-003270	9.26	PR	12	LG
662909-003287	9.26	PR	12	XL

MIG Welding Gloves

Enhanced Dexterity and Comfort MIG welding gloves allow for maximum dexterity with an unlined palm, while foam insulation on back of hand provides increased heat protection. Various lighter weight materials are available including cowhide for durability, goatskin for increased dexterity, deerskin for unparalleled comfort, and pigskin which stays pliable even with increased wear and exposure to moisture. Wing thumb designs for open-handed work are available, as are straight thumb designs for better grip. A reinforced thumb strap increases durability in high wear areas.

MIG Welding Gloves

RS Hughes Part Price Per Case Description

G. Tillman 42 Deerskin MIG Welding Gloves

Premium heavyweight top grain pigskin, great in wet and oily conditions. Unlined palm for dexterity. Cotton/foam lined back for heat protection. 4' cuff. Straight thumb with added reinforcement strap. Lock stitching with Kevlar® thread for added strength.

TIL42MD	13.75	PR	72	MD
TIL42L	13.75	PR	72	LG
608134-00424	13.75	PR	72	XL



H. Tillman 48 Goatskin MIG Welding Gloves

Top grain goatskin palm for best feel, cowhide split back resists heat. Fleece lined for added protection without the bulk. Straight thumb for best gun grip. Thumb strap reinforcement for extra strength. Elastic back for snug fit. 3 1/2" cuff for added protection. Sewn with Kevlar® thread to protect the seams.

TIL48 MIG M	13.25	PR	1	MD
TIL48 MIG L	13.25	PR	1	LG
TIL48 MIG XL	13.25	PR	1	XL

I. Tillman 50 Cowhide MIG Welding Gloves

Top grain cowhide palm with cowhide split reinforcements. Cowhide split back with elastic for best fit. Seamless index finger for best feel. Fleece lined for added insulation in hot or cold conditions without the bulk. 4" cuff for added protection. Sewn with Kevlar® for strength and heat resistance.

608134-00501	17.50	PR	48	MD
TIL50 LG	17.50	PR	48	LG
608134-00504	17.50	PR	48	XL

J. West Chester 9100 Heavy Duty Cowhide Mig/Stick Welder

Grain cowhide leather welder glove with split pigskin gauntlet cuff. Mig welder gloves are less bulky and allow better dexterity while still having a high level of protection. Sewn with Kevlar® thread which is heat resistant and extremely strong.

662909-409102	17.16	PR	120	MD
662909-409119	17.16	PR	120	LG
662909-409126	17.16	PR	120	XL



K. West Chester 6021 Heavywt Top Grain Pigskin MIG Gloves

Grain pigskin glove provides a pliable and sturdy glove for MIG welding. Unlined for additional dexterity. 4" cuff protects hands and lower arms from burns.

662909-003034	10.74	PR	72	SM
662909-003041	10.74	PR	72	MD
662909-003058	10.74	PR	72	LG
662909-003065	10.74	PR	72	XL

L. West Chester 6030 Insulated Top Grain Reverse Deerskin MIG Welding Gloves

Deerskin glove provides the softest and most comfortable glove for MIG welding. Additional foam lining on back of hand protects against heat while reinforced straight thumb minimizes abrasion. 4" cuff protects against burns.

662909-003119	13.24	PR	72	MD
662909-003126	13.24	PR	72	LG



#1 Best Seller!



A



B



C



D



E

Stick Welding Gloves

Maximum Heat Protection and Durability Gloves for stick welding are designed with thicker materials to withstand higher heat. The longer length provides better forearm coverage, while welts protect finger seams against sparks and abrasion. Various materials (split cowhide, elk), linings (cotton, foam insulation) and thumb designs (wing, straight, reinforced strap) are available to suit worker preferences.

Stick Leather Welding Gloves

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. PIP 73-888A

Welders' Gloves, Economy Grade With Cotton Lining, Gray Color.

616314-10439	5.04	PR	72		
--------------	------	----	----	--	--



B. PIP 73-7007 Blue Bison

Welders' Gloves, Blue Bison, Select Shoulder Grade, Sewn with Dupont® Kevlar® Thread, Cotton Lining.

616314-10507	9.52	PR	144		
--------------	------	----	-----	--	--

C. West Chester 9020 Select Shoulder Split Cowhide

Shoulder split cowhide provides excellent protection in high heat welding conditions at an affordable price. 14" length protects hands and arms from sparks and spatter.

662909-006158	7.35	PR	72	LG	
---------------	------	----	----	----	--



D. West Chester 9041 Insulated Slightly Select Cowhide

Slightly select shoulder cowhide provides excellent protection in high heat welding conditions at an affordable price. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on palm and back of hand provides added heat insulation.

662909-006332	7.47	PR	72	LG	
---------------	------	----	----	----	--

E. West Chester 9051 Insulated Premium Side Split Cowhide

Premium side split cowhide provides the most durable protection in high heat welding conditions. 14" length protects hands and arms from sparks and spatter. Additional layer of foam on palm and back of hand provides added heat insulation. Double reinforced thumb combines thumb strap with an added patch on thumb saddle to protect high stress area.

662909-006417	9.68	PR	72	LG	
---------------	------	----	----	----	--

Stick Leather Welding Gloves



TILLMAN™
The Brand Pros Demand



RS Hughes Part Price Per Case Description

F. Tillman 1000 Cowhide Welding Gloves

Durable, 14", pearl, standard shoulder split cowhide. Cotton lined for comfort. Welting fingers protect cotton stitching. Lock stitched for added strength.

608134-10000 6.92 PR 48 Pearl

G. Tillman 1010 Cowhide Welding Gloves

Durable, 14", russet, select shoulder split cowhide. Cotton lined for comfort. Reinforced thumb. Welting fingers protect stitching. Lock stitched with Kevlar® thread for added strength.

608134-10100 10.50 PR 48

H. Tillman 1018 Cowhide Welding Gloves

Durable, 14", Blue, shoulder split cowhide. Insulated with cotton/foam lining. Reinforced thumb. Welting fingers protect stitching. Lock stitched with Kevlar® thread for added strength.

608134-10180 9.17 PR 48 Blue

I. Tillman 1250 Cowhide Sidesplit Welding Glove

14", more durable, premium blue side split cowhide. Insulated with cotton/foam lining. Double reinforced thumb. Welting fingers protect stitching. Lock stitched with Kevlar® thread for added strength.

608134-12500 11.08 PR 48

J. Tillman 750 Stick Welding Glove

14" pearl premium elkskin stays soft even when hot. Welting fingers protect stitching. Reinforced thumb. Foam lined back, unlined palm. Lock stitched with Kevlar® thread for added strength.

608134-07501	25.00	PR	48	MD
TIL750L	25.00	PR	48	LG
608134-07504	25.00	PR	48	XL

K. Tillman 850 Gold Elkskin Stick Welding Glove

14" gold premium elkskin stays soft even when hot. Welting fingers protect stitching. Reinforced thumb. Foam lined back, unlined palm. Lock stitched with Kevlar® thread for added strength.

608134-08501	26.25	PR	48	MD
TILLMAN 850L	26.25	PR	48	LG
TIL850XL	26.25	PR	48	LG



Head to Toe Protection

Hand Protection

Hot Mill Gloves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Hot Mill Gloves

F. PIP 43-802 Double-Layered Cotton Seamless Knit Hot Mill Glove

Used for hot metal handling, glass handling, foundries and forging operations. 100% cotton double-layer seamless construction offers increased comfort, breathability and heat protection. Double-layered for two layers of heat protection. EverGrip™ coating is a special formulated nitrile to resist melting and provide superior grip. Ambidextrous pattern permits glove to be worn on either hand, extending wear and reducing costs. Open cuff allows for easy on and off, small size fits ladies well. Cotton color binding denotes sizing.

616314-19043	68.64	DZ	8	SM	
616314-19050	68.64	DZ	8	LG	

A. PIP 42-C700 Terry Cloth Glove

Terry Cloth, Seamless Gloves, 24OZ, Loop-Out, Knitwrist Natural

616314-15311	15.90	DZ	10	SM
616314-15304	15.90	DZ	10	LG



B. Red Steer 25000 Hot Mill Band Top 24 oz Fabric

Hot Mill 24 oz. double layer cotton, knuckle strap protector, 2 inch band top cuff, generous hot mill sizing.

25000KS LG	30.22	DZ	10	LG
------------	-------	----	----	----



C. PIP 94-932 Hot Mill Glove

Canvas Hot Mill Glove, 32OZ, Three Layers, Premium Grade, Band Top. Burlap

616314-04209	30.97	DZ	10	Mens
--------------	-------	----	----	------

D. Ansell Crusader® Flex 42-474

Non-woven felt insulation and a full-length heat barrier designed for intermittent handling of objects up to 400°F. Two-piece construction eliminates outseams for better finger comfort, dexterity and flexibility. Bonded nitrile coating protects against snags, punctures and cuts. Provides excellent grip when handling dry or oily surfaces. Contains no asbestos. Back of hand heat insulation. 14inch.

076490-09327	160.20	DZ	6	9
076490-09328	160.20	DZ	6	10



E. North Grip N® Hot Mill Nitrile Coated Gloves

Glove-within-glove design provides protection against high heat. Brown, nitrile "N" both sides, knitwrist. 12 pairs per pack, 6 packs per case.

NORTH 51-7147	80.04	DZ	6	Mens
---------------	-------	----	---	------



Leather Foundry Gloves

Leather gloves provide excellent abrasion protection, making them ideal for foundry applications up to 450°F. Leather is the material of choice for many customers who rely on its dexterity and great value. For superior protection from radiant heat and molten metal splash, aluminum can be added to the back of our leather gloves.

Thermobest™ (22 oz.) is a Kevlar® blend, offering heat and abrasion resistance. It is an ideal choice for a wide variety of applications. Thermobest™ is NSA's most popular fabric. Abrasion Resistance - 7; Maximum Temperature 800°F 4.

Norbest™ 845 (45 oz.) is the heaviest PBI®/Kevlar® blend available. It can be used in extremely high temperatures and offers high durability. Abrasion Resistance - 8; Maximum Temperature 2000°F.

Terrybest™ are 100 percent Kevlar® terrycloth. They provide excellent cut protection and the maximum dexterity available in a heat-protective glove. Our gloves are "Reversed" Kevlar® Terrybest™ (22 oz.) to eliminate snagging. Terrybest™ offers superior heat resistance and can function in temperatures up to 1000°F (or 538°C).

Zetex Plus™ is a coated, high-temperature fiberglass cloth with high durability.

Leather Foundry Gloves



G



H



I



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

G. CPA 234-KV 14" High Heat Gloves

22oz. Para Aramid blend 14in glove good to 600 degrees. With double layers, straight thumb, and wool lined.

234-KV	32.76	PR	1
--------	-------	----	---

H. CPA 901-ALUM Domestic Welding Glove

14" Welding gloves: aluminized leather back with split leather palm, wing thumb with welting, wool lined.

901-ALUM	41.21	PR	1
----------	-------	----	---

I. CPA 234-AKV 14" Aluminized Gloves

19oz. Aluminized Para Aramid blend 14" glove. With double layers, straight thumb, and wool lined.

234-AKV	59.31	PR	1
---------	-------	----	---



Head to Toe Protection

Protective Clothing



NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

In this section:

Flame Resistant Clothing	152-154
Leather Clothing	155
High Temperature Clothing	156
Arc Flash Protective Clothing	157-161
High Visibility Clothing	162-167
Rain Gear	168-169
Reusable Clothing - Aprons & Sleeves	170-171
Safety Apparel - Disposable	172-185
Chemical Protective Clothing	186-189



TILLMAN™
The Brand Pros Demand

A

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Tillman 9230 Medium Weight Jacket 30in

Torso made from royal blue 9 oz., 100% cotton FR7A®. Sleeves made from specially tanned side split cowhide. Sleeves sewn with Kevlar®. Soapstone pocket on each sleeve. Spacious inside pocket for small item storage.

608134-92300	46.00	EA	16	LG	Royal Blue
608134-92301	46.00	EA	16	MD	Royal Blue
608134-92304	46.00	EA	16	XL	Royal Blue
608134-92305	50.60	EA	16	2XL	Royal Blue

B. Tillman 3221 Leather Cape Sleeve

Bourbon brown premium side split cowhide cape sleeve. One soapstone pocket on each sleeve. Underarm gusset for easier movement. Accepts Tillman 14", 20" or 24" leather bib

TIL3221M	47.00	EA	24	MD	Bourbon Brown
TIL3221L	47.00	EA	24	LG	Bourbon Brown
608134-32214	47.00	EA	24	XL	Bourbon Brown
608134-32215	51.70	EA	24	2XL	Bourbon Brown

C. Tillman 3114 14in Leather Bib

Bourbon brown premium Side split Cowhide, 14" length. Heavy duty cotton strap with adjustable side release buckle for easy on/off. Attaches to Tillman 3221 cape sleeve.

608134-31140	11.50	EA	72		
--------------	-------	----	----	--	--

D. Tillman 3120 20in Leather Bib

Bourbon brown premium side split cowhide 20" length. Heavy duty cotton strap with adjustable side release buckle for easy on/off. Attaches to Tillman 3221 cape sleeve.

TIL3120	15.50	EA	1		Bourbon Brown
---------	-------	----	---	--	---------------

Tillman FR Bib

9 oz. green flame retardant cotton bib. 14" length. Attaches to 6221 cape sleeve. Made from 100% cotton Westex FR7A® material. Cool, comfortable, and machine washable up to 50 times at home. Offers protection from sudden flame exposure, light welding and sparks. Snap fasteners with cotton adjustment strap around back of bib.

E. 608134-61100	4.00	EA	72	14"	Green	6114
F. 608134-61200	5.50	EA	72	20"	Green	6120



B



C

D



E



F



G



H



I



J



K

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

G. Tillman 4236 Leather Bib Apron

Bourbon brown premium side split cowhide. 24" x 36" bib apron Two chest pockets. Cotton crossed back straps for comfort with side release buckles for easy on/off..

TIL4236	30.25	EA	1	24" x 36"
---------	-------	----	---	-----------

H. Tillman 6200E 23in FR Cotton Sleeve

9 oz., green flame retardant cotton sleeves. 23" length. Standard internal elastic at both ends. Made from flame retardant cotton, washable, 100% cotton FR7A®. Offers protection from sudden flame exposure, light duty welding and sparks.

TIL 6200-E	6.75	PR	6	Green
------------	------	----	---	-------

I. Tillman 6217 18in FR Cotton Sleeve

9 oz., green flame retardant cotton sleeves. 18" length. 2 1/4" wide external elastic at both ends. Made from flame retardant cotton, washable. 100% cotton FR7A®. Offers protection from sudden flame exposure, light duty welding and sparks.

TILLMAN 6217	6.75	PR	1	Green
--------------	------	----	---	-------

J. Tillman 6218 18in FR Cotton Sleeve

9 oz., green flame retardant cotton sleeves. 18" length. Standard internal elastic at both ends. Made from flame retardant cotton, washable, 100% cotton FR7A®. Offers protection from sudden flame exposure, light duty welding and sparks.

6218	5.25	PR	72	Green
------	------	----	----	-------

K. Tillman 9215 Goatskin/FR Cotton Sleeve

Made of top grain goatskin material from wrist to upper arm, protects key exposure areas from sparks and spatter with less bulk. Royal blue 9 oz. FR7A® FR cotton on upper sleeve. Leather seams are sewn with Kevlar® thread for added strength and heat resistance. 2 1/4" wide external elastic secures sleeve to arm. 18" leather/cotton length, 22" total length.

608134-09215	19.00	PR	72	
--------------	-------	----	----	--



Head to Toe Protection

Irontex Flame Resistance

IRONTEX

IRONTEX fabric is specially treated flame resistant cotton designed for lightweight and comfortable protection. The fabric will self-extinguish when exposed to flame and will not melt, shrink or drip. IRONTEX conforms to ASTM D6413 flame retardant and washable test methods. Flame resistance lasts up to 100 home washings, and 50 commercial washings. 9oz flame retardant cotton sateen that provides economical protection against light spark and spatter. Various styles available for level of protection and comfort.



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. West Chester 7050 30 Inch FR Cotton Jacket

Flame retardant 9 oz green 100% cotton fabric protects from light spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Adjustable snap at wrist for custom fit.

662909-004260	19.24	EA	12	MD
662909-004277	19.24	EA	12	LG
662909-004284	19.24	EA	12	XL
662909-004291	20.04	EA	12	2XL
662909-004307	20.78	EA	12	3XL
662909-555977	22.06	1	12	4XL
662909-555984	22.79	1	12	5XL



WESTCHESTER
PROTECTIVE GEAR

B. West Chester 7051 FR Cotton Cape Sleeve

Flame retardant 9 oz green 100% cotton fabric protects upper body and arms from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Designed to coordinate with FR cotton bib attachment.

662909-004352	15.37	EA	36	MD
662909-004369	15.37	EA	36	LG
662909-004376	15.37	EA	36	XL
662909-004383	16.84	EA	36	2XL
662909-004390	18.31	EA	36	3XL

C. West Chester 7052 FR Cotton Bib

Flame retardant 9 oz green 100% cotton fabric protects torso from spark and spatter. Designed to coordinate with FR cotton cape sleeve.

662909-004444	4.34	EA	72	14 inch
662909-004451	5.07	EA	72	20 inch

D. West Chester 7080 FR Cotton Apron

Flame retardant 9 oz green 100% cotton fabric protects torso from spark and spatter. Adjustable shoulder straps for custom fit.

662909-004505	8.01	EA	72	36 inch length
662909-004512	9.26	EA	72	42 inch length

E. West Chester 7070 FR Cotton Sleeves w/ Wide Elastic

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Wide elastic at top of arm and wrist.

662909-004567	5.66	PR	72	18 inch length
662909-004574	6.76	PR	72	23 inch length

F. West Chester 7071 FR Cotton Sleeves w/ Elastic Wrist

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Elastic at top of arm and wrist.

662909-004659	4.71	PR	72	18 inch length
662909-004666	6.03	PR	72	23 inch length

G. West Chester 7072/18 FR Cotton Sleeves w/ Snap at Wrist

Flame retardant 9 oz green 100% cotton fabric protects arms from spark and spatter. Elastic at top of arm, inside snap at wrist.

662909-004697	6.22	PR	72	18 inch length
---------------	------	----	----	----------------




H

RS Hughes Part Price Per Case Description

H. West Chester 7000 Leather Cape Sleeve

Leather cape sleeves specially tanned for heat resistance protect upper body and arms from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Designed to coordinate with leather bib attachment.

662909-003560	34.19	EA	10	MD
662909-003577	34.19	EA	10	LG
662909-003584	34.19	EA	10	XL
662909-003591	37.13	EA	10	2XL
662909-003607	40.07	EA	10	3XL



I

I. West Chester 7001/14, 7001/20 Leather Bib

Leather bib specially tanned for heat resistance. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Coordinates with sizes medium-xlarge leather cape sleeves.

662909-003652	14.41	EA	50	14 inch
662909-003669	16.69	EA	50	20 inch



J

I. West Chester 7002/20 Leather Bib

Leather bib specially tanned for heat resistance. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment. Coordinates with sizes 2XL and 3XL leather cape sleeves.

662909-003690	18.38	EA	50	20 inch
---------------	-------	----	----	---------



K

J. West Chester 7005 30 Inch Leather Jacket

Leather jacket specially tanned for heat resistance protects from spark and spatter. Black anodized snaps and rivets do not corrode and prevent flashback. Snaps are reinforced with additional piece of leather while rivets are placed in high stress areas ensuring long life of garment.

662909-003720	61.76	EA	12	MD
662909-003737	61.76	EA	12	LG
662909-003744	61.76	EA	12	XL
662909-003751	67.65	EA	12	2XL
662909-003768	72.06	EA	12	3XL

K. West Chester 7010 Leather Apron

Leather apron specially tanned for heat resistance protects from spark and spatter. Rivet reinforced at stress areas. Cotton straps with adjustable side release buckles.

662909-003843	24.19	EA	30	36 inch
662909-003836	26.47	EA	30	42 inch

L. West Chester 7011 Leather Split Leg Apron

Leather split leg apron specially tanned for heat resistance protects from spark and spatter. Rivet reinforced at stress areas. Cotton straps with adjustable side release buckles.

662909-003867	25.37	EA	30	36 inch
662909-003874	26.47	EA	30	42 inch
662909-003881	30.88	EA	30	48 inch




L

Molten Iron Test Chart

Testing was performed by an independent research facility using ASTM test method F 955. Two pounds of molten iron heated to 2,850°F were poured from a height of 8 inches onto the fabric, which was positioned at a 70° angle. The temperature transfer was recorded using a calorimeter. Each material was tested three times by two calorimeters, yielding six readings per material. The maximum temperature rise reflected in the chart represents the average maximum temperature rise taken from six readings for each material type.
 * Note: Extreme pain and second degree burns occur when temperature rise is over 40°F.

MOLTEN IRON TEST CHART



- 16 oz. Aluminized Acrysil (AS): 44
- 16 oz. Aluminized Fiberglass (FA): 23
- 9 oz. Aluminized Carbon Kevlar® (NB): 23
- 19 oz. Aluminized Thermobest™ (TA): 20
- 13 oz. Aluminized Carbon Kevlar® (NJ): 19
- 19 oz. Aluminized Carbon Kevlar® (NL): 16
- 12.5 oz. Aluminized CarbonX® Rayon (AJ): 15



A



B



D



C



E



NATIONAL SAFETY APPAREL

RS Hughes Part Price Per Case Description

A. NSA Heat/Thermal - Aluminized Coat

Deluxe coat with snap closures and aluminized front and back features a back flap and under-arm eyelets for ventilation, as well as split sleeve with snaps for easy fastening. Ventilated. 19 oz aluminized carbon/para-aramid coat.

C22NLSM30	288.14	EA	1	SM, 30 inches
C22NLMD30	288.14	EA	1	MD, 30 inches
C22NLLG30	288.14	EA	1	LG, 30 inches
C22NLXL30	288.14	EA	1	XL, 30 inches
C22NL2XL30	316.95	EA	1	2XL, 30 inches
C22NL3XL30	316.95	EA	1	3XL, 30 inches



B. NSA Heat/Thermal Aluminized Hoods & Faceshields

Aluminized hood to protect the head and neck from harmful radiant heat. Deluxe 19 oz. aluminized thermobest hood with ratchet headgear and gold film cover.

H58TARG	396.48	EA	1
---------	--------	----	---

C. CPA 603-AKV 50" Aluminized Jacket

19oz. Aluminized Para Amramid blend 50" coat. Style A stand up collar lined with green fire-resistant cotton. Snap front closure with leather tabs and snap wrists.

603-AKV SM	282.76	EA	1	SM
603-AKV MD	282.76	EA	1	MD
603-AKV LG	282.76	EA	1	LG
603-AKV XL	282.76	EA	1	XL



D. CPA 0647-AKV Aluminized Hood

19oz. Aluminized Para Amramid blend drape style hood with two leather armpit straps, a Lexan® window with replaceable gold film. Heavy duty butterfly latch with aluminum window bracket.

0647-AKV	272.84	EA	1
----------	--------	----	---

E. CPA 401-AKV 14" Aluminized Leggings

19oz. Aluminized Para Amramid blend 14" leggings. 8 1/2" leather flare with 1/2" x 6" metal toe bar and rear hook & loop closure.

401-AKV	63.97	PR	1
---------	-------	----	---





F



G



H



I



J



K



L

RS Hughes Part Price Per Case Size/Description

F. PIP ARC Shield with Hard Hat - 12 Cal/cm2

HRC2, 12 Cal/cm2. Arc shield with mount bracket and chin protector with bright orange full brim hard hat.

616314-65993 96.41 EA 1 9150-56511



G. PIP 9400-52505 ARC Protective Shield for Slotted Hard Hat - 12 Cal/cm2

HRC2, 12 Cal/cm2. Ergonomic assembly that is convenient for the worker. Permanently attached chin protector provides additional protection at the chin and neck areas. Designed to fit universal fit slotted hard hats.

616314-39437 96.38 KT 1

H. PIP 9150-52501 ARC Protective Shield for Full Brim Hard Hat - 12 Cal/cm2

HRC2, 12 Cal/cm2. Arc shield with mount bracket and chin protector designed for use with full brim hard hats.

616314-15750 93.02 KT 1

I. PIP 9100-HDFR12 Single-Layer ARC/FR Ultrasoft Balaclava - 12.1 Cal/cm2

HRC2, 12.1 Cal/cm2. Navy blue flame resistant balaclava. 8.5oz, 100% Pro-C FR Westex® Ultrasoft® cotton rib. Ideal for use under arc flash hoods and shields.

616314-15794 28.45 EA 50 Navy

J. NSA Heat/Thermal - Knitted Hoods and Dickey

Double Layer Nomex®/Rayon face with single layer bib. This 6oz material of Nomex® fiber and flame-retardant rayon offer the best value of the knitted materials.

H31LK 28.81 EA 1 White



NATIONAL SAFETY APPAREL

K. CPA KCF-51 CarbonX® Knit Hood

Black CarbonX® long drape style knit hood. 2-ply top, 1-ply bib. ATPV 23 cal/cm2

KCF-51 47.93 EA 1 Black

L. PIP 9150-5236V ARC/FR Ultralight Ventilated Hood 40 Cal/cm2

HRC4, 40 Cal/cm2. Ventilating unit and power pack are protected by a compact and durable ABS case covered by Ultralight fabric. 37% lighter than traditional HRC4 garments. Airflow 35cfm, battery life 6+ usable hours. High tensile strength and greater tear resistance. Meets NFPA 70E, ASTM F1506, OSHA 29 CFR 1910.269, ASTM F2178-12.

616314-28523 839.45 EA 1 Navy



Head to Toe Protection



A



B



C

RS Hughes Part Price Per Case Size/Description

A. PIP 9150-5488E Arc Protection Kit - 12 Cal/cm2

HRC2, 12 Cal/cm2. PIP's 12 cal Arc Flash kits are designed to meet your Hazard Risk Category 2 needs. These kits provide you with the components needed to be in compliance with the NFPA 70E Standard. Kit includes: Dual certified coverall, balaclava, arc shield, safety glasses, hard hat, head gear storage bag, and carry bag.

616314-13500	300.38	EA	1	SM
616314-13501	300.38	EA	1	MD
616314-13502	300.38	EA	1	LG
616314-13519	300.38	EA	1	XL
616314-13520	303.66	EA	1	2XL
616314-13521	306.93	EA	1	3XL
616314-13522	310.21	EA	1	4XL
616314-13523	313.48	EA	1	5XL



B. PIP 9150-52815 Arc Protection Kit - 25 Cal/cm2

HRC3, 25 Cal/cm2. Serious protection demands serious products. POP has worked to develop multiple kits for high risk environments. Kit includes: Coverall, arc hood, safety glasses, hard hat, and carry bag.

616314-37723	543.27	EA	1	SM
616314-37716	543.27	EA	1	MD
616314-37709	543.27	EA	1	LG
616314-37730	543.27	EA	1	XL
616314-37679	581.07	EA	1	2XL
616314-37686	621.38	EA	1	3XL
616314-37693	666.75	EA	1	4XL

C. PIP 9150-52436 Arc Protection Kit - 40 Cal/cm2

HRC4, 40 Cal/cm2. Serious protection demands serious products. PIP has worked to develop multiple kits for high risk environments. Kit includes: Jacket, overall, hood, safety glasses, hard hat, and carry bag.

616314-15415	1,063.03	EA	1	SM
616314-15416	1,063.03	EA	1	MD
616314-15417	1,063.03	EA	1	LG
616314-15418	1,063.03	EA	1	XL
616314-15419	1,123.51	EA	1	2XL
616314-15420	1,183.98	EA	1	3XL
616314-15421	1,257.06	EA	1	4XL
616314-15422	1,332.67	EA	1	5XL
616314-15423	1,413.91	EA	1	6XL



RS Hughes Part Price Per Case Size/Description

D. CPA 12cal/cm2 Arc Flash Kit w/ Coverall

Clothing in our HRC 2 kit is manufactured using single layers of Ultra Soft®. This all-inclusive kit includes the following: Switch Puller's Coveralls, hard cap, face shield, chin cup, cap bracket, knit Nomex® hood, 11" Class 0 rubber gloves, low. HRC 2, ATPV: 12 cal/cm2

AG12-CV-LG-SM	423.28	EA	1	SM
AG12-CV-LG-MD	423.28	EA	1	MD
AG12-CV-LG-LG	423.28	EA	1	LG
AG12-CV-LG-XL	423.28	EA	1	XL
AG12-CV-MD-SM	423.28	EA	1	SM
AG12-CV-MD-MD	423.28	EA	1	MD
AG12-CV-MD-LG	423.28	EA	1	LG
AG12-CV-MD-XL	423.28	EA	1	XL
AG12-CV-SM-SM	423.28	EA	1	SM
AG12-CV-SM-MD	423.28	EA	1	MD
AG12-CV-SM-LG	423.28	EA	1	LG
AG12-CV-SM-XL	423.28	EA	1	XL
AG12-CV-XL-SM	423.28	EA	1	SM
AG12-CV-XL-MD	423.28	EA	1	MD
AG12-CV-XL-LG	423.28	EA	1	LG
AG12-CV-XL-XL	423.28	EA	1	XL



E. CPA 12cal/cm2 Arc Flash Kit w/ Jacket & Bib

Clothing in our HRC 2 kit is manufactured using single layers of Ultra Soft®. This all-inclusive kit includes the following: 35" jacket, bib overall, hard cap, face shield, chin cup, cap bracket, knit Nomex® hood, 11" Class 0 rubber gloves, low. HRC 2, ATPV: 12 cal/cm2

AG12-LG-SM	521.12	EA	1	SM
AG12-LG-MD	521.12	EA	1	MD
AG12-LG-LG	521.12	EA	1	LG
AG12-LG-XL	521.12	EA	1	XL
AG12-MD-SM	521.12	EA	1	SM
AG12-MD-MD	521.12	EA	1	MD
AG12-MD-LG	521.12	EA	1	LG
AG12-MD-XL	521.12	EA	1	XL
AG12-SM-SM	521.12	EA	1	SM
AG12-SM-MD	521.12	EA	1	MD
AG12-SM-LG	521.12	EA	1	LG
AG12-SM-XL	521.12	EA	1	XL
AG12-XL-SM	521.12	EA	1	SM
AG12-XL-MD	521.12	EA	1	MD
AG12-XL-LG	521.12	EA	1	LG
AG12-XL-XL	521.12	EA	1	XL



F. CPA 43cal/cm2 Arc Flash Kit w/ Jacket & Bib

Clothing in our HRC 4 kit is manufactured using multiple layers of Ultra Soft®. This all-inclusive kit includes the following: 35" jacket, bib overalls, hard cap, arc hood, faceshield, cap bracket, 14" Class 2 rubber gloves, leather protector gloves, 15" glove bag, Arc Protection Gear bag, safety glasses and ear plugs. HRC 4, ATPV: 43 cal/cm2

AG43-L-9	792.92	EA	1	LG
----------	--------	----	---	----



Head to Toe Protection



A



B



C



D



E

RS Hughes Part Price Per Case Size/Description

A. CPA Indura® Coveralls

9 oz Indura® Navy Coveralls, Fold over collar, 2 Outside Chest Pockets (1 with flap closure, 1 with pencil slot), 2 Front Hip Pockets, 2 Rear Pockets, 2 Side Access Slits, Concealed Zippered Closure, Snap Wrist, Elasticized waistband, Action back.

605-IND-N SM	68.10	EA	1	SM	Navy
605-IND-N MD	68.10	EA	1	MD	Navy
605-IND-N LG	68.10	EA	1	LG	Navy
605-IND-N XL	68.10	EA	1	XL	Navy



B. CPA UltraSoft® Coveralls

9 oz UltraSoft® Navy Coveralls, Fold over collar, 6 Pockets (2 side, 2 back and 2 chest) with 2 slits design, Concealed Zippered Closure, Snap Wrist.

605-USN SM	88.71	EA	1	SM	Navy
605-USN MD	88.71	EA	1	MD	Navy
605-USN LG	88.71	EA	1	LG	Navy
605-USN XL	88.71	EA	1	XL	Navy

C. PIP 9100-21782 ARC/FR Jacket - 12 Cal/cm2

HRC2, ATPV 12 Cal/cm2. Navy blue flame resistant jacket. Hook and loop front closure, no metal pieces on the garment, aramid high tenacity thread; bar tacked at all stress points. Protective standup collar, aramid knit cuffs.

616314-36122	173.86	EA	1	MD	Navy
616314-36115	173.86	EA	1	LG	Navy
616314-36146	173.86	EA	1	XL	Navy
616314-36078	191.50	EA	1	2XL	Navy



D. PIP 9100-2170D ARC/FR Dual Certified Coverall 12 Cal/cm2

HRC2, ATPV 12.5 Cal/cm2. Navy blue flame resistant coverall. Aramid high tenacity FR thread, no metal pieces on the garment, bar-tacked at all stress points, protective stand-up collar with hook & loop closure, storm guard with hook & loop closure. Action back for mobility, side elasticized waist, FR rib knit cuffs, hook & loop on bottom, 2 waist patch pockets with side access. UL Certified. NFPA 1975-2009, NFPA 2112-2012, NFPA 70E 2012, ASTM F 1506-2010a, OSHA 29 CFR 1910.269

616314-32636	131.03	EA	1	MD	Navy
616314-32643	131.03	EA	1	LG	Navy
616314-32650	131.03	EA	1	XL	Navy
616314-32667	134.31	EA	1	2XL	Navy

E. PIP 9150-523ULT ARC/FR Ultralight Hood - 40 Cal/cm2

HRC4, 40 Cal/cm2. Non-ventilated ARC hood. 37% lighter than traditional HRC4 garments. High tensile strength and greater resistance. Meets NFPA 70E, ASTM F1506, OSHA 29 CFR 1910.269, ASTM F2178-12.

616314-32919	423.34	EA	1	Navy	
--------------	--------	----	---	------	--

RS Hughes Part Price Per Case Size/Description

F. PIP 9100-530ULT ARC/FR Ultralight Pants - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue flame resistant pants. Ultralight 40 Cal/cm2 clothing utilizes a Hybrid Fabric Technology increases garment durability in the field while decreasing its weight by 37%. Uses a DuPont shell to provide its superior tensile strength, industrial wash resistance, and long-term durability.

616314-27922	309.98	EA	1	MD	Navy
616314-27939	309.98	EA	1	LG	Navy
616314-27946	309.98	EA	1	XL	Navy
616314-29957	340.21	EA	1	2XL	Navy



G. PIP 9100-52564 ARC/FR Overalls - 12 Cal/cm2

HRC2, 12 Cal/cm2. Navy blue flame resistant overalls. Top buckle closure, aramid high tenacity thread; bar tacked at all stress points. No metal pieces on garment, elasticized waist, hook and loop adjustment at sides and bottom cuffs.

616314-36351	199.07	EA	1	MD	Navy
616314-36344	199.07	EA	1	LG	Navy
616314-36375	199.07	EA	1	XL	Navy
616314-36313	219.24	EA	1	2XL	Navy

G. PIP 9100-52412 ARC/FR Overalls - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue flame resistant overalls. Top buckle closure, aramid high tenacity thread; bar tacked at all stress points. No metal pieces on garment, elasticized waist, hook and loop adjustment at sides and bottom cuffs.

616314-36290	328.21	EA	1	SM	Navy
616314-36283	328.21	EA	1	MD	Navy
616314-36276	328.21	EA	1	LG	Navy
616314-36306	328.21	EA	1	XL	Navy
616314-36238	360.97	EA	1	2XL	Navy
616314-36245	393.72	EA	1	3XL	Navy
616314-36252	434.05	EA	1	4XL	Navy
616314-36269	474.38	EA	1	5XL	Navy

H. PIP 9100-524ULT ARC/FR Ultralight Jacket - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue ultralight flame resistant jacket. Ultralight 40 Cal/cm2 clothing utilizes a Hybrid Fabric Technology to increase garment durability in the field while decreasing its weight by 37%. Our Ultralight garment uses a DuPont shell to provide its superior tensile strength, industrial wash resistance, and long-term durability.

616314-27687	309.98	EA	1	SM	Navy
616314-27694	309.98	EA	1	MD	Navy
616314-27700	309.98	EA	1	LG	Navy
616314-27717	309.98	EA	1	XL	Navy
616314-27724	340.21	EA	1	2XL	Navy
616314-27731	375.50	EA	1	3XL	Navy
616314-27748	453.57	EA	1	4XL	Navy
616314-27755	498.95	EA	1	5XL	Navy

I. PIP 9100-52412 ARC/FR Jacket - 40 Cal/cm2

HRC4, 40 Cal/cm2. Navy blue flame resistant jacket. Hook and loop front closure, no metal pieces on the garment, aramid high tenacity thread; bar tacked at all stress points. Protective standup collar, aramid knit cuffs.

616314-36214	277.83	EA	1	SM	Navy
616314-36207	277.83	EA	1	MD	Navy
616314-36191	277.83	EA	1	LG	Navy
616314-36221	277.83	EA	1	XL	Navy
616314-36153	305.53	EA	1	2XL	Navy
616314-36160	333.26	EA	1	3XL	Navy
616314-36177	366.02	EA	1	4XL	Navy
616314-36184	401.29	EA	1	5XL	Navy



Head to Toe Protection



A

B



C



D



E



F

F. Occunomix Classic Solid Two-Tone Surveyor Vest

Class 2, 2" Silver reflective tape backed by contrasting ANSI compliant trim, 100% ANSI Polyester Tricot, Large arm opening for use over cold weather outer wear, Pockets: 2 inner lower, 2 outer lower flapped, 4 pen, 1 divided (2 sections), Zipper closure.

Part Number	Price	Per	Case	Size	Description
021844-57050	13.90	EA	50	SM	Orange
021844-57051	13.90	EA	50	MD	Orange
021844-57052	13.90	EA	50	LG	Orange
021844-57053	13.90	EA	50	XL	Orange
021844-57054	13.90	EA	50	2XL	Orange
021844-57055	13.90	EA	50	3XL	Orange
021844-57058	13.90	EA	50	SM	Yellow
021844-57059	13.90	EA	50	MD	Yellow
021844-57060	13.90	EA	50	LG	Yellow
021844-57061	13.90	EA	50	XL	Yellow
021844-57062	13.90	EA	50	2XL	Yellow
021844-57063	13.90	EA	50	3XL	Yellow

RS Hughes Part Price Per Case Size/Description

Ergodyne 8205HL C2 Mesh Econo Vest w/Hook & Loop

Class 2 Super Econo Vest: Mesh fabric, Hook & loop closure, no pockets. A super value! ANSI-certified polyester mesh (3.3 oz.). 2" Level 2 ANSI-certified tape.

A.	720476-20963	6.08	EA	6	SM/MD	Orange
A.	720476-20965	6.08	EA	6	LG/XL	Orange
A.	720476-20967	6.08	EA	6	2XL/3XL	Orange
A.	720476-20969	6.08	EA	6	4XL/5XL	Orange
B.	720476-20973	6.08	EA	6	SM/MD	Lime
B.	720476-20975	6.08	EA	6	LG/XL	Lime
B.	720476-20977	6.08	EA	6	2XL/3XL	Lime
B.	720476-20979	6.08	EA	6	4XL/5XL	Lime



C. Occunomix ECO-IM Value Mesh Standard Vest

100% ANSI Polyester Mesh with 2" silver reflective tape and two pockets.

021844-61103	6.70	EA	50	MD	ECO-IM-YM	Yellow
021844-61104	6.70	EA	50	LG	ECO-IM-YL	Yellow
021844-61105	6.70	EA	50	XL	ECO-IM-YXL	Yellow
021844-61106	6.70	EA	50	2XL	ECO-IM-Y2X	Yellow
021844-61107	6.70	EA	50	3XL	ECO-IM-Y3X	Yellow
021844-61110	6.70	EA	50	MD	ECO-IM-OM	Orange
021844-61111	6.70	EA	50	LG	ECO-IM-OL	Orange
021844-61112	6.70	EA	50	XL	ECO-IM-OXL	Orange
021844-61113	6.70	EA	50	2XL	ECO-IM-O2X	Orange
021844-61114	6.70	EA	50	3XL	ECO-IM-O3X	Orange

D. Occunomix ECO-IMZ Value Mesh Standard Zipper Vest

100% ANSI Polyester Mesh with 2" silver reflective tape and two pockets.

021844-61131	7.00	EA	50	MD	ECO-IMZ-YM	Yellow
021844-61132	7.00	EA	50	LG	ECO-IMZ-YL	Yellow
021844-61133	7.00	EA	50	XL	ECO-IMZ-YXL	Yellow
021844-61134	7.00	EA	50	2XL	ECO-IMZ-Y2X	Yellow
021844-61135	7.00	EA	50	3XL	ECO-IMZ-Y3X	Yellow
021844-61138	7.00	EA	50	MD	ECO-IMZ-OM	Orange
021844-61139	7.00	EA	50	LG	ECO-IMZ-OL	Orange
021844-61140	7.00	EA	50	XL	ECO-IMZ-OXL	Orange
021844-61141	7.00	EA	50	2XL	ECO-IMZ-O2X	Orange
021844-61142	7.00	EA	50	3XL	ECO-IMZ-O3X	Orange

E. Occunomix ECO-ATRNSM Value Two-Tone Surveyor Mesh Vest

100% ANSI Polyester Mesh with large arm opening for use over cold weather outerwear. 2" silver reflective tape backed by contrasting ANSI compliant trim. 2 mic tabs, 4 outside pockets, 3 inside pockets.

021844-61190	11.90	EA	50	MD	ECO-ATRNSM-YM	Yellow
021844-61191	11.90	EA	50	LG	ECO-ATRNSM-YL	Yellow
021844-61192	11.90	EA	50	XL	ECO-ATRNSM-YXL	Yellow
021844-61193	11.90	EA	50	2XL	ECO-ATRNSM-Y2X	Yellow
021844-61194	11.90	EA	50	3XL	ECO-ATRNSM-Y3X	Yellow
021844-61198	11.90	EA	50	MD	ECO-ATRNSM-OM	Orange
021844-61199	11.90	EA	50	LG	ECO-ATRNSM-OL	Orange
021844-61200	11.90	EA	50	XL	ECO-ATRNSM-OXL	Orange
021844-61201	11.90	EA	50	2XL	ECO-ATRNSM-O2X	Orange
021844-61202	11.90	EA	50	3XL	ECO-ATRNSM-O3X	Orange



G



H

RS Hughes Part Price Per Case Size/Description

PIP 302-MVGZ4P Class 2 Economy Mesh Vest Zipper Closure

Class 2, Economy Mesh Vest, Zipper Closure, 4 Pocket, Matching.

G.	616314-72420	8.03	EA	50	MD	Yellow	302-MVGZ4PLY
G.	616314-72413	8.03	EA	50	LG	Yellow	302-MVGZ4PLY
G.	616314-72437	8.03	EA	50	XL	Yellow	302-MVGZ4PLY
G.	616314-72376	8.03	EA	50	2XL	Yellow	302-MVGZ4PLY
H.	616314-72499	8.03	EA	50	MD	Orange	302-MVGZ4POR
H.	616314-72482	8.03	EA	50	LG	Orange	302-MVGZ4POR
H.	616314-72505	8.03	EA	50	XL	Orange	302-MVGZ4POR
H.	616314-72444	8.03	EA	50	2XL	Orange	302-MVGZ4POR



I



J

I. PIP 302-0500 - Class 2 Surveyors Vest

Class 2, Surveyors Vest With Zipper Closure, Solid Front, Mesh.

616314-79238	10.52	EA	50	MD	Yellow
616314-79245	10.52	EA	50	LG	Yellow
616314-79252	10.52	EA	50	XL	Yellow
616314-79269	10.52	EA	50	2XL	Yellow
616314-79276	10.52	EA	50	3XL	Yellow
616314-79306	10.52	EA	50	MD	Orange
616314-79313	10.52	EA	50	LG	Orange
616314-79320	10.52	EA	50	XL	Orange
616314-79337	10.52	EA	50	2XL	Orange
616314-79344	10.52	EA	50	3XL	Orange



K



L

PIP 303-0500 ANSI Class 3 Two Tone Surveyor 6-Pocket Vest

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Durable polyester solid front and breathable mesh back and sleeves, 2" two tone reflective tape for optimum visibility, zipper closure, 2 mic tabs with reinforced stitching, 2 lower external flap pockets, radio chest pocket, 2 internal lower pocket, 1 chest pocket with 4 pen pockets in front.

J.	616314-97003	14.33	EA	50	MD	Hi-Vis Lime
J.	616314-96976	14.33	EA	50	LG	Hi-Vis Lime
J.	616314-97010	14.33	EA	50	XL	Hi-Vis Lime
J.	616314-97027	14.33	EA	50	2XL	Hi-Vis Lime
J.	616314-97034	14.33	EA	50	3XL	Hi-Vis Lime
K.	616314-97065	14.33	EA	50	MD	Hi-Vis Orange
K.	616314-96983	14.33	EA	50	LG	Hi-Vis Orange
K.	616314-97072	14.33	EA	50	XL	Hi-Vis Orange
K.	616314-97089	14.33	EA	50	2XL	Hi-Vis Orange
K.	616314-97096	14.33	EA	50	3XL	Hi-Vis Orange

L. PIP Hi Visibility Two Tone Eight Pocket Surveyors Vest ANSIClass 2

Class 2 Surveyors Tech Vest. Breathable polyester mesh top and durable solid polyester button. 2 external flap pockets sized to fit tablets. 2 internal pockets. 2 pen pockets - 1 internal and 1 external. 1 radio/cell pocket. 1 large back pocket with zipper closure left and right. 2inch Two Tone reflective tape.

616314-15710	16.05	EA	50	MD	302-0700-LY
616314-15709	16.05	EA	50	LG	302-0700-LY
616314-15711	16.05	EA	50	XL	302-0700-LY
616314-15712	16.05	EA	50	2XL	302-0700-LY
616314-15713	16.05	EA	50	3XL	302-0700-LY

We can customize your clothing.

Here's how the process works:

- You email your artwork and request. (Please provide garment style, image placement & quantity*)
- We send you a proof for approval with a quote.
- You Fax/email the signed proof with your purchase order.
- We prepare your garments and ship them off to you.

*Minimum order requirements apply, please call for details.

Customize Your T-Shirts with Your Logo



A



B

OccuNomix



C



UPDATED ANSI/ISEA 107-2015

HIGH-VISIBILITY SAFETY APPAREL & ACCESSORIES

The American National Standards Institute (ANSI) has approved a new edition of the ANSI/ISEA 107-2015 standard. This standard consolidates the ANSI/ISEA 107-2010 standard for High-Visibility Safety Apparel (HVSA) and the ANSI/ISEA 207-2011 American National Standard for High-Visibility Public Safety Vests into a single comprehensive standard going forward.

New Categorization

The merge of the ANSI/ISEA 107 (roadway) and ANSI/ISEA 207 (public safety) standards, created the need for garment type classification based on the work environment and the level of protection needed.



Type O

Off-Road Use (Class 1 only)

Provides added visibility to workers who are not exposed to traffic.



Type R

Roadway Use (Class 2 & Class 3)

Enhanced visibility for workers who are exposed to traffic and working against complex backgrounds.



Type P

Public Safety (Class 2 & Class 3)

Enhanced visibility for emergency and incident responders and law enforcement personnel in both roadway and off-road environments.

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Ergodyne 8289 C2 Short Sleeve Polyester Econo T-Shirt

Class 2 Economy T-Shirt: Value price apparel with lightweight birds' eye knit and wicking treatment. ANSI-certified polyester knit (3.3 oz.). Pocket: One exterior

720476-21502	13.25	EA	6	SM	Lime
720476-21503	13.25	EA	6	MD	Lime
720476-21504	13.25	EA	6	LG	Lime
720476-21505	13.25	EA	6	XL	Lime
720476-21506	13.25	EA	6	2XL	Lime
720476-21507	13.25	EA	6	3XL	Lime



B. OccuNomix LUX-SSETPBK Classic Black Bottom T-Shirt

100% ANSI Wicking Birdseye, 3.8oz lightweight fabric provides comfort. With 2" silver reflective tape and 1 pocket on the left chest. Black bottom front to hide dirt.

021844-60789	13.90	EA	50	SM	LUX-SSETPBK-YS	Yellow/Black
021844-60788	13.90	EA	50	MD	LUX-SSETPBK-YM	Yellow/Black
021844-60787	13.90	EA	50	LG	LUX-SSETPBK-YL	Yellow/Black
021844-60790	13.90	EA	50	XL	LUX-SSETPBK-YXL	Yellow/Black
021844-60783	13.90	EA	50	2XL	LUX-SSETPBK-Y2X	Yellow/Black
021844-60784	13.90	EA	50	3XL	LUX-SSETPBK-Y3X	Yellow/Black

C. OccuNomix LUX-SWTHZBK Class 3 Zip-Up Hoodie

Black bottom ANSI 107 8.8oz anti-pilling polyester fleece for warmth and durability in tough conditions. With 2" silver reflective tape, elastic cuffs and waistband, and two lower front pockets.

021844-61382	44.90	EA	12	MD	LUX-SWTHZBK-YM	Yellow/Black
021844-61381	44.90	EA	12	LG	LUX-SWTHZBK-YL	Yellow/Black
021844-61383	44.90	EA	12	XL	LUX-SWTHZBK-YXL	Yellow/Black
021844-61377	44.90	EA	12	2XL	LUX-SWTHZBK-Y2X	Yellow/Black
021844-61378	44.90	EA	12	3XL	LUX-SWTHZBK-Y3X	Yellow/Black



RS Hughes Part Price Per Case Size/Description

PIP Hi Visibility Pullover Sweatshirt ANSI Class 3

Class 3 1/4 Zip Pullover Black Bottom Sweatshirt. 10 oz. Polyester Knit Fleece. Water Repellent shell treatment. 2 pockets. Pullover with quarter zip stand up collar. 2inch silver reflective tape. Black bottom and cuffs to help hide dirt. Front hand warmer pockets. 1 left zippered chest pocket.

D. 616314-18533	35.95	EA	20	SM	323-1330B-LY	Lime Yellow/Black
D. 616314-18535	35.95	EA	20	LG	323-1330B-LY	Lime Yellow/Black
D. 616314-85342	35.95	EA	20	MD	323-1330B-LY	Lime Yellow/Black
D. 616314-18536	35.95	EA	20	XL	323-1330B-LY	Lime Yellow/Black
D. 616314-18537	35.95	EA	20	2XL	323-1330B-LY	Lime Yellow/Black
D. 616314-18538	35.95	EA	20	3XL	323-1330B-LY	Lime Yellow/Black
E. 616314-85410	35.95	EA	20	SM	323-1330B-OR	Orange/Black
E. 616314-18542	35.95	EA	20	MD	323-1330B-OR	Orange/Black
E. 616314-18543	35.95	EA	20	LG	323-1330B-OR	Orange/Black
E. 616314-18544	35.95	EA	20	XL	323-1330B-OR	Orange/Black
E. 616314-18545	35.95	EA	20	2XL	323-1330B-OR	Orange/Black
E. 616314-18546	35.95	EA	20	3XL	323-1330B-OR	Orange/Black



D



E



F



G

PIP Hi Visibility Hooded Pullover Sweatshirt ANSI Class 3

Class 3 Pullover Hoodie Sweatshirt. Black bottom. 10 oz polyester fleece. Water repellent. 2 pockets. 2inch silver reflective tape. Black bottom and cuffs to hide dirt. Front hand warmer pockets. 1 left zippered chest pocket

F. 616314-18549	37.52	EA	20	SM	323-1350B-LY	Lime Yellow/Black
F. 616314-18550	37.52	EA	20	MD	323-1350B-LY	Lime Yellow/Black
F. 616314-18551	37.52	EA	20	LG	323-1350B-LY	Lime Yellow/Black
F. 616314-18552	37.52	EA	20	XL	323-1350B-LY	Lime Yellow/Black
F. 616314-18553	37.52	EA	20	2XL	323-1350B-LY	Lime Yellow/Black
F. 616314-18554	37.52	EA	20	3XL	323-1350B-LY	Lime Yellow/Black
G. 616314-18557	37.52	EA	20	SM	323-1350B-OR	Orange/Black
G. 616314-85588	37.52	EA	20	MD	323-1350B-OR	Orange/Black
G. 616314-18559	37.52	EA	20	LG	323-1350B-OR	Orange/Black
G. 616314-18560	37.52	EA	20	XL	323-1350B-OR	Orange/Black
G. 616314-18561	37.52	EA	20	2XL	323-1350B-OR	Orange/Black
G. 616314-18562	37.52	EA	20	3XL	323-1350B-OR	Orange/Black

PIP Hi Visibility Full Zip Hooded Sweatshirt ANSI Class 3

Class 3 Zip Front Hoodie Sweatshirt. Black Bottom. Water Repellent. 10oz polyester fleece. Zipper closure. 2" silver reflective tape. Front hand warmer pockets. 1 left zippered chest pocket

H. 616314-18565	39.07	EA	20	SM	323-1370B-LY	Lime Yellow/Black
H. 616314-18566	39.07	EA	20	MD	323-1370B-LY	Lime Yellow/Black
H. 616314-18567	39.07	EA	20	LG	323-1370B-LY	Lime Yellow/Black
H. 616314-18568	39.07	EA	20	XL	323-1370B-LY	Lime Yellow/Black
H. 616314-18569	39.07	EA	20	2XL	323-1370B-LY	Lime Yellow/Black
H. 616314-18570	39.07	EA	20	3XL	323-1370B-LY	Lime Yellow/Black
I. 616314-18573	39.07	EA	20	SM	323-1370B-OR	Orange/Black
I. 616314-18574	39.07	EA	20	MD	323-1370B-OR	Orange/Black
I. 616314-18575	39.07	EA	20	LG	323-1370B-OR	Orange/Black
I. 616314-18576	39.07	EA	20	XL	323-1370B-OR	Orange/Black
I. 616314-18577	39.07	EA	20	2XL	323-1370B-OR	Orange/Black
I. 616314-18578	39.07	EA	20	3XL	323-1370B-OR	Orange/Black



H



I



Head to Toe Protection

ANSI Class Visibility Levels



WHAT IS CLASS 3?

Class 3 apparel is intended for workers requiring the highest level of visibility, have high task loads and need to be visible throughout a full range of body motions.

REQUIRED FOR WORKERS WHO:

- >> Have high task loads that often divert their attention
- >> Are exposed to significantly reduced sight-distances
- >> Are clearly placed in danger
- >> Must be conspicuous through a full range of body motions at a minimum of 1200 feet and must be identifiable as a person



WHAT IS CLASS 2?

Class 2 apparel is necessary for workers exposed to traffic traveling over 25 mph and who work against complex backgrounds.

REQUIRED FOR WORKERS WHO ARE:

- >> Performing tasks that divert their attention from approaching traffic which is traveling more than 25 mph
- >> Working in close proximity to traffic



WHAT IS NON-ANSI?

Non-ANSI garments are color enhanced and offer an additional level of safety for low risk activities, but do not meet ANSI standards.

USEFUL FOR WORKERS WHO NEED:

- >> A base layer under ANSI certified workwear
- >> An added level of visibility
- >> A uniforming option
- >> A change of clothing for lunch periods on jobsite



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Occunomix Premium 4-Way Black Bottom Bomber Jacket

Includes all of the great features of our original bomber jacket, Class 3, 2" 3M™ Scotchlite™ Reflective Material, 100% ANSI Polyester with PU coating - breathable, waterproof with sealed seams, Removable 100% black polyester fleece liner, Can be worn 4 ways, Removable outer jacket sleeves, Black collar, cuffs and waistband, Roll-up and removable hood, Waterproof construction, Pockets: 2 outer, 1 inner, 1 radio, Zipper and snap closure, ASTM F 2732 Temperature Rating: 2.5° - 21°F.

021844-57160	85.50	EA	12	MD	Yellow	LUX-TJBJ-B
021844-57161	85.50	EA	12	LG	Yellow	LUX-TJBJ-B
021844-57162	85.50	EA	12	XL	Yellow	LUX-TJBJ-B
021844-57163	85.50	EA	12	2XL	Yellow	LUX-TJBJ-B
021844-57164	85.50	EA	12	3XL	Yellow	LUX-TJBJ-B

B. Occunomix LUX-250-JB-B Class 3 Black Bottom Bomber Jacket

ANSI 107 100% Polyester 300 denier oxford with PU coating - waterproof with sealed seams. Quilted polyester lining and fleece lined collar for warmth and comfort. Convenient roll-away hood with drawstring, front zipper closure with inside storm flap, two lower front pockets. 2" silver reflective tape. ASTM F2732 temperature rated 46deg to -2 deg F.

021844-61333	39.90	EA	10	MD	LUX-250-JB-BYM	Yellow/Black
021844-61334	39.90	EA	10	LG	LUX-250-JB-BYL	Yellow/Black
021844-61335	39.90	EA	10	XL	LUX-250-JB-BYXL	Yellow/Black
021844-61336	39.90	EA	10	2XL	LUX-250-JB-BY2X	Yellow/Black
021844-61337	39.90	EA	10	3XL	LUX-250-JB-BY3X	Yellow/Black

Ergodyne 8935 Headwear Ranger Hat

Class Headwear Hi-Vis Ranger Hat: Wide brim and vented mesh panels.

C. 720476-23257	10.75	EA	6	SM/MD	Orange
C. 720476-23258	10.75	EA	6	LG/XL	Orange
D. 720476-23259	10.75	EA	6	SM/MD	Lime
D. 720476-23260	10.75	EA	6	LG/XL	Lime





RS Hughes Part Price Per Case Size/Description

E. PIP Hi Visibility Bomber Jacket ANSI Class 3



Class 3 Water Resistant Bomber Jacket. Black Bottom. Quilted Fixed Insulation. Durable waterproof 300 D. polyester shell with taped seams. Built-in quilted high loft polyfil insulation. 2" silver reflective tape. Collar and cuffs help hide dirt. Zipper closure with inner storm flap. 2 external slash pockets. 1 upper chest radio pocket. 2 mic tabs.

616314-17814	37.43	EA	5	SM	Yellow/Black
616314-17815	37.43	EA	5	MD	Yellow/Black
616314-17816	37.43	EA	5	LG	Yellow/Black
616314-17818	37.43	EA	5	2XL	Yellow/Black
616314-17819	37.43	EA	5	3XL	Yellow/Black

F. PIP 333-1770 ANSI Class 3 Rip Stop Premium Plus Bomber Jacket

Ideal for roadway construction workers, survey crews, utility workers, railway and metro workers, and emergency response personnel. Class 3 apparel is intended for workers requiring the highest level of visibility, have high task loads and need to be visible throughout a full range of body motions. Rip Stop polyester 300 D. coated waterproof outer shell with taped seams. Adjustable hideaway hood, removable black 280g fleece liner, inner liner pockets, ID pocket and radio/cell pocket.

616314-18586	79.22	EA	10	MD	Yellow/Black
616314-18579	79.22	EA	10	LG	Yellow/Black
616314-18593	79.22	EA	10	XL	Yellow/Black
616314-18609	79.22	EA	10	2XL	Yellow/Black
616314-18616	79.22	EA	10	3XL	Yellow/Black



PIP 318-1771 ANSI/ISEA 107 Class E Ripstop Reinforced Overpant

Ideal for construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Waterproof ripstop polyester with taped seams. Drawstring waist front fly opening, lightweight nylon lining, 2" silver reflective tape, gusseted leg opening with hoop and loop closure. 2 size access pockets, 2 cargo pockets, 1 rear zipper pocket.

G. 616314-13285	36.45	EA	50	MD	Hi-Vis Lime-Yellow/Black
G. 616314-32841	36.45	EA	50	LG	Hi-Vis Lime-Yellow/Black
G. 616314-13286	36.45	EA	50	XL	Hi-Vis Lime-Yellow/Black
G. 616314-13287	36.45	EA	50	2XL	Hi-Vis Lime-Yellow/Black
G. 616314-13288	36.45	EA	50	3XL	Hi-Vis Lime-Yellow/Black
H. 616314-16046	36.45	EA	50	MD	Hi-Vis Lime-Orange/Black
H. 616314-16044	36.45	EA	50	LG	Hi-Vis Lime-Orange/Black
H. 616314-16043	36.45	EA	50	XL	Hi-Vis Lime-Orange/Black
H. 616314-16045	36.45	EA	50	2XL	Hi-Vis Lime-Orange/Black
H. 616314-16047	36.45	EA	50	3XL	Hi-Vis Lime-Orange/Black



Head to Toe Protection



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. PIP 201-370 PVC 3 Piece Rainsuit 35mm

3-Piece Rainsuit, Yellow 3.5mm Thick PVC coated over Polyester, Jacket, Detachable Hood, Bib Overall.

616314-20988	9.17	EA	20	SM
616314-20971	9.17	EA	20	MD
616314-20964	9.17	EA	20	LG
616314-20995	9.17	EA	20	XL
616314-21008	9.17	EA	20	2XL
616314-21015	9.17	EA	20	3XL



B. PIP 353-1000LY ANSI Class 3 Two-Piece Value Rainsuit Set

Ideal for rainy conditions in construction, municipalities, shipyards, and anywhere hi-visibility apparel is necessary. Lightweight polyester with waterproof PU coating and taped seams, zipper closure with storm flap, elastic waist pant with snap adjustable cuff, concealable hood for extra protection.

616314-00048	42.50	EA	50	SM-MD	Hi-Vis Lime
616314-00017	42.50	EA	50	LG-XL	Hi-Vis Lime
616314-00024	42.50	EA	50	2X-3XL	Hi-Vis Lime
616314-00031	42.50	EA	50	4X-5XL	Hi-Vis Lime

C. Occunomix LUX-TRJKT Class 3 Classic Breathable Rain Jacket

100% ANSI Polyester, 150 denier poly oxford with PU coating - breathable, waterproof with sealed seams. Detachable snap hood with drawcord, wrist cuff with snaps, vented cap back for added breathability. 2" silver reflective tape, two deep lower front pockets with flaps.

021844-61022	41.90	EA	20	MD	LUX-TRJKT-YM	Yellow
021844-61021	41.90	EA	20	LG	LUX-TRJKT-YL	Yellow
021844-61023	41.90	EA	20	XL	LUX-TRJKT-YXL	Yellow
021844-61017	41.90	EA	20	2XL	LUX-TRJKT-Y2X	Yellow
021844-61018	41.90	EA	20	3XL	LUX-TRJKT-Y3X	Yellow

D. Occunomix LUX-TRJKT Class E Classic Breathable Rain Bib

100% ANSI Polyester Oxford with PU coating - breathable, waterproof with sealed seams. Partial elastic suspenders with release buckle, adjustable leg cuffs with snaps. Functional snap fly for easy access, 2" silver reflective tape.

021844-61029	25.90	EA	20	MD	LUX-TRBIB-YM	Yellow
021844-61028	25.90	EA	20	LG	LUX-TRBIB-YL	Yellow
021844-61030	25.90	EA	20	XL	LUX-TRBIB-YXL	Yellow
021844-61024	25.90	EA	20	2XL	LUX-TRBIB-Y2X	Yellow
021844-61025	25.90	EA	20	3XL	LUX-TRBIB-Y3X	Yellow

E. Occunomix LUX-TRJKT Class E Classic Breathable Rain Pant

100% ANSI Polyester Oxford with PU coating - breathable, waterproof with sealed seams. Elastic waist, two slant pass-through pockets, 2" silver reflective tape.

021844-61036	20.90	EA	20	MD	LUX-TRPNT-YM	Yellow
021844-61035	20.90	EA	20	LG	LUX-TRPNT-YL	Yellow
021844-61037	20.90	EA	20	XL	LUX-TRPNT-YXL	Yellow
021844-61031	20.50	EA	20	2XL	LUX-TRPNT-Y2X	Yellow
021844-61032	20.90	EA	20	3XL	LUX-TRPNT-Y3X	Yellow



A



B

C

D



E





F



G



H

RS Hughes Part Price Per Case Size/Description

F. Onguard 78017 Tuftex 3-Piece Suit

Lightweight but very tear resistant, complies with ASTM D6413 for flame resistance. Heavy duty adjustable suspender, adjustable waist snaps for the perfect fit, ankle and cuff take-up snaps for a snug/tapered fit. Jacket with storm flap front, two front snap pockets on jackets, a cape back jacket with vents, and underarm vents to keep you cool.

791079-12154	20.29	EA	10	SM	Yellow
791079-12155	20.29	EA	10	MD	Yellow
791079-12156	20.29	EA	10	LG	Yellow
791079-12157	20.29	EA	10	XL	Yellow
791079-12158	20.29	EA	10	2XL	Yellow
791079-12159	21.36	EA	10	3XL	Yellow



G. Onguard 76017 Webtex 3-Piece Suit

Heavy duty ribbed PVC on non-woven polyester material designed for use in warm or cool climates. Reinforced crotch area to prevent splitting, heavy duty adjustable suspender, adjustable waist snaps for the perfect fit. Ankle and cuff take-up snaps for a snug/tapered fit, jacket with storm flap front, two front snap pockets, and underarm vents to keep you cool.

791079-12376	28.33	EA	10	SM	Yellow
791079-12377	28.33	EA	10	MD	Yellow
791079-12378	28.33	EA	10	LG	Yellow
791079-12379	28.33	EA	10	XL	Yellow
791079-12380	28.33	EA	10	2XL	Yellow
791079-12381	29.82	EA	10	3XL	Yellow



H. Chemtex by OnGuard 71022 Coverall w/ Attached Hood, Inner Cuffs & Zipper Closure - Green

Level C protective clothing for protection from a variety of chemical applications. Heavy duty PVC on high count nylon polyester - 0.42mm thickness. Complies with ASTM D6413 for flame resistance. Reinforced knees, elbows, and crotch area to prevent splitting. Heavy duty elastic adjustable suspender with deluxe suspender clip. Adjustable waist snaps for the perfect fit. Jacket with storm flap front. Heavy duty zipper. Cord locks on hood strings. Ankle and cuff take-up snaps for a snug/tapered fit. Clear I.D. badge pocket on chest.

791079-12243	48.78	EA	10	SM
791079-12244	48.78	EA	10	MD
791079-12245	48.78	EA	10	LG
791079-12246	48.78	EA	10	XL
791079-12247	48.78	EA	10	2XL
791079-12248	51.34	EA	10	3XL

Protective Clothing

Aprons and Sleeves

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



B

Aprons and Sleeves

RS Hughes Part Price Per Case Size/Description

A. Ansell CPP Denim Shop Apron, 57-005/57-006, 14oz, 28" x 36"

High quality, heavy-duty, 14-ounce pre-shrunk denim. All cotton shop aprons feature coolness, comfort and launderability. A variety of pocket configurations and ties are available.

Ansell
Occupational Healthcare

076490-50327	64.56	DZ	6	Bib Pocket & 2 Side Pockets
076490-50328	61.40	DZ	6	Bib Swing Pocket & 1 Side Pocket

B. PIP 200-011 Denim Apron, One Pocket

100% cotton construction and comfort at affordable prices. Serged seams and pre-shrunk for good launderability. Available in a variety of pocket configurations. Metal grommets to hold neck strap and waist ties. Ideal for industrial maintenance, construction, manufacturing and carpentry.

PIP
PROTECTIVE INDUSTRIAL PRODUCTS

616314-19401	6.16	EA	72	28" X 38"
--------------	------	----	----	-----------

C. NSA Cut Protection - Body Protection Apron

Kevlar® twill bib apron. Full bib apron with leather straps.

A02KV241361	46.68	EA	1	24" X 36"
-------------	-------	----	---	-----------

D. NSA Cut Protection - Shoulder Cap Sleeves

Kevlar® twill shoulder cap sleeve. This sleeve is elevated for additional cut and abrasion resistance. In addition, the eyelets provide comfort due to increased air flow. This item features a snap wrist closure and two 9-inch alligator clips to hold the sleeves together.

S30KV251	100.85	EA	1	25"
S30KV271	104.31	EA	1	27"
S30KV291	104.31	EA	1	29"
S30KV311	109.49	EA	1	31"

Ansell CPP Sleeves 18"

Economically priced per arm protection for practically every application. The industry's most complete line of protective sleeve materials and styles. Excellent protection against chemicals, snags, punctures and abrasions.

E. 076490-52082	15.00	DZ	12	Blue 8Mil 59-001
E. 076490-52083	15.00	DZ	12	Clear 8Mil 59-001
F. 076490-52084	11.20	DZ	12	Clear 4Mil 59-002
F. 076490-52085	11.20	DZ	12	Blue 4Mil 59-002

Ansell
Occupational Healthcare

West Chester UVB-8HS Vinyl Sleeve

High quality virgin vinyl sleeve provides excellent resistance to acids, alkalis, solvents, chemicals, oils, fats, grease and salt. 8 mil 18" Sleeve.

G. 662909-865304	8.82	DZ	12	UVB-8HS Blue
H. 662909-865656	8.82	DZ	12	UVC-8HS Clear

WEST CHESTER
PROTECTIVE GEAR

I. NSA Cut Protection - Wristlets

Standard wristlet no thumbhole. Two-ply black poly mesh wristlet. Standard black nylon mesh offers good cut protection at a great value.

S01MC9ISM	11.36	EA	1	9" SM
S01MC9IMD	11.36	EA	1	9" MD
S01MC9ILG	11.36	EA	1	9" LG
S01MC9IXL	11.36	EA	1	9" XL

NATIONAL
SAFETY APPAREL



C



D



E



F



G



H

I

Ansell

Occupational Healthcare

RS Hughes Part Price Per Case Size/Description

J. Ansell CPP Vinyl Apron, 56-003, 8Mil, Sewn Edge, Clear

Highest-quality virgin vinyl in 8 mil thicknesses. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions. Premium sewn edge styles. 3 Piece Ties.

076490-50017 34.60 DZ 6 35" X 45" Blue



J

K

L

K. Ansell CPP Vinyl Apron, 56-009, 6Mil, Raw Edge, Blue

Highest-quality virgin vinyl in 6 mil thicknesses. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions. Raw edge style. 3 Piece Ties.

076490-50054 16.60 DZ 6 35" X 45" Blue
076490-50055 17.00 DZ 6 35" X 48" Clear

K. Ansell CPP Vinyl Apron, 56-017, 4Mil, Die Cut, Clear

Highest-quality virgin vinyl in 4 mil thickness. Superior resistance to chemicals, fats, oils, greases, punctures and abrasions.

076490-50097 12.20 DZ 6 27" X 36" Clear

L. Ansell Classic Apron 54-431, 8Mil, Blue

Vinyl thicknesses of 8 mil resistance to abrasions and punctures. Excellent resistance to oils, fats and chemicals. PVC grommets are permanently sealed to the aprons for durability. Nylon neck and waist ties are extra-long and pre-attached for immediate use.

076490-72310 58.80 DZ 6 33" X 44"



M

N

M. PIP 200-20001 Vinyl Heavy Duty Apron, 20Mil

Superior Flexibility. Excellent resistance to punctures and abrasion. Excellent resistance to chemicals, fats, oils and grease. Great for food handling and preparation, industrial maintenance and chemical processing.

616314-20223 5.57 EA 12 35" X 45"



N. PIP 200-12501 Neoprene Apron, 18-20Mil

Ideal for chemical plants, plating facilities and general maintenance. Provides protection against a wide range of chemicals. Rust proof grommets, reinforced bib, and hemmed overedge.

616314-23255 19.08 EA 12 Black 33" X 44"

O. West Chester UPW-48 Vinyl Apron

8 mil 35x48" Sewn Edge Apron - White

662909-801692 18.53 DZ 6



P. West Chester UUB-45 Vinyl Apron

6 mil 35x45" Raw Edge Apron - Blue

662909-801586 12.71 DZ 6



O



P



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

KleenGuard® Family of Protective Garments

Model	Description
A80	Chemical Permeation & Jet Liquid Protection
A70	Chemical Spray Protection
A65	Flame Resistant Protection
A60	Bloodborne Pathogen & Chemical Splash Protection
A45	Liquid & Particle Protection Surface Prep & Paint
A40	Liquid & Particle Protection
A35	Liquid Protection
A30	Breathable Splash & Particle Protection
A20	Breathable Particle Protection
A10	Light Duty

PRICE — PROTECTION




A



B



C



D

E



F

RS Hughes Part	Price	Per	Case	Size/Description
A. Brady Sign - CAUTION PROTECTIVE EQUIPMENT REQUIRED (AFFIX PICTOGRAMS HERE)				
14" H x 10" W, Plastic, B-401				
754476-22417	13.25	EA	1	
B. Brady PPE Dispenser				
Clear acrylic dispenser is as versatile as you need it to be and comes with a 4" front opening for dispensing the PPE inside. Dispenser can be wall or table mounted. Dimensions are 10"H x 10"W x 10"D.				
754476-45400	78.49	EA	1	
C. Brady PD524E Bouffant Cap Dispenser				
Brady dispensers are made from durable clear acrylic and can be table or wall mounted for easy access. 14"H x 12"W x 8"D.				
754473-45791	104.99	EA	1	bouffant cap dispenser
D. Ansell Bouffant Cover 67-221				
Bouffant Cover White 21 inch				
076490-51906	6.80	BG	10	100/Bg 1000/Case
E. Ansell Beard Cover 67-230				
Beard Cover White				
076490-51949	3.93	BG	10	100/Bg 1000/Case
F. PIP 200-BC21 Disposable Bouffant				
Lightweight spun bonded polypropylene. Superior barrier properties. Comfortable to wear. Three sizes of caps to fit most hairstyles. Ideal for food service & processing and maintenance. Great for electronics manufacturing and assembly, pharmaceutical manufacturing and many other applications requiring a high degree of cleanliness.				
616314-22203	3.76	BG	10	100/Dispenser Pack




	Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
	General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
Premium	A20	A30	A40	A45	A60	A65	A70	A80
Economy	A10		A35					

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)
² Tested against potassium chromate (20% concentration)

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection

A10 Light Duty

KleenGuard® A10

KLEENGUARD® A10 is ideal for use when workers are in temporary contact with dirt and grime such as:

- **Food processing**
- **General maintenance and manufacturing**
- **Entry level hazardous dust protection**

The A10 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles, offering economical, disposable protection for workers who are exposed to dirt and grime. Lightweight, breathable coverall providing a cool, comfortable work environment. Meets ANSI/ISEA 101-1996 sizing standards. Serged seams.

RS Hughes Part Price Per Case Size/Description

G. Kleen Guard A10 Light Duty Coverall, White, Zipper Front, Elastic Wrists

Lightweight SMS material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards.



036000-10468	2.80	EA	25	LG
036000-10636	2.80	EA	25	XL
036000-10616	2.80	EA	25	2XL
036000-10625	2.93	EA	25	3XL



036000-10606	3.29	EA	25	LG
036000-10608	3.29	EA	25	XL
036000-10631	3.29	EA	25	2XL
036000-10610	3.47	EA	25	3XL



Attached Hood & Boots

H. KleenGuard* A10 Lab Coat, White, Snap Front, No Pocket, Elastic Wrists

KLEENGUARD® A10 Light Duty Apparel provides comfort, style and protection. Typically used in food processing, general maintenance and manufacturing.

036000-40103	2.54	EA	50	LG
036000-40104	2.54	EA	50	XL
036000-40105	2.54	EA	50	2XL



KleenGuard* A10 Low Skid Shoe Cover, Blue, Elastic Top

036000-36811	66.09	CA	1	300/Case
--------------	-------	----	---	----------



I. KleenGuard* A10 Bouffant Cap Latex Free, White, 2 Packs

036000-36850	80.05	CA	1	MD	21 inch (1000EA)
036000-36860	80.05	CA	1	LG	24 inch (1000EA)

J. KleenGuard* A10 Breathable Particle Protection Sleeve, White

Elastic top Lightweight & breathable Strong and abrasion-resistant for extended wear Patented MICROFORCE* Fabric offers barrier protection against dry particulates and light liquid sprays NFPA 99 compliant antistatic material.

036000-23610	49.50	CA	1	18in 200/Ca
--------------	-------	----	---	-------------

K. KleenGuard* A10 Light Duty Aprons - 28" X 36", 100/Case

Lightweight polypropylene material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards. Typical Uses include: Food processing, General maintenance, manufacturing.

036000-43744	61.02	CA	1	
--------------	-------	----	---	--



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

Ideal for use when workers are in nonstop contact with dirt and grime such as:

- **Laboratories**
- **Remediation**
- **Heavy dust environments**
- **Pesticide application**
- **Modesty garment**

The KleenGuard® A20 SMMMS offers superior particle holdout coupled with unmatched comfort attributes offering workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles. Lightweight, breathable Reflex® Coverall Design offers excellent fit and freedom of movement. Seamless front to provide more protection in the primary exposure area. Passes NFPA99 for anti-static materials. Serged seams.



KleenGuard® A20

KLEENGUARD® A20 Breathable Particle Protection Apparel with patented MICROFORCE* fabric offers barrier protection against dry particulates and light liquid sprays. Coveralls meet the criteria for pesticide application for California's Department of Pesticide Regulation, a division of the state EPA.

RS Hughes Part Price Per Case Size/Description

KleenGuard* A20, Coverall, Denim Blue, Zipper Front, Elastic Back/Wrists/Ankles

036000-58502	5.02	EA	24	MD
036000-58503	5.02	EA	24	LG
036000-58504	5.02	EA	24	XL
036000-58505	5.02	EA	24	2XL
036000-58506	6.02	EA	20	3XL
036000-58507	6.02	EA	20	4XL



A. KleenGuard* A20, Coverall, White, Zipper Front

036000-49002	4.29	EA	24	MD
036000-49003	4.29	EA	24	LG
036000-49004	4.29	EA	24	XL
036000-49005	4.29	EA	24	2XL
036000-49006	4.56	EA	20	3XL
036000-49007	4.90	EA	20	4XL



A. KleenGuard* A20, Coverall, White, Zipper Front, Elastic Back/ Wrists/Ankles

036000-49102	4.76	EA	24	MD
036000-49103	4.76	EA	24	LG
036000-49104	4.76	EA	24	XL
036000-49105	4.76	EA	24	2XL
036000-49106	5.10	EA	20	3XL
036000-49107	5.46	EA	20	4XL



036000-49112	5.08	EA	24	MD
036000-49113	5.08	EA	24	LG
036000-49114	5.08	EA	24	XL
036000-49115	5.08	EA	24	2XL
036000-49116	5.42	EA	20	3XL
036000-49117	5.81	EA	20	4XL



With Hood

036000-49122	5.61	EA	24	MD
036000-49123	5.61	EA	24	LG
036000-49124	5.61	EA	24	XL
036000-49125	5.59	EA	24	2XL
036000-49126	5.98	EA	20	3XL
036000-49127	6.42	EA	20	4XL



With Hood & Boots



B



C



RS Hughes Part Price Per Case Size/Description

B. KleenGuard* A20, Hoods, White, Universal Size, Elastic Face Openings, 100/CA

036000-36890 114.00 CA 1

C. KleenGuard* A20 Lab Coat - Snap Front, Chest and Hip Pocket, White

036000-10019	4.31	EA	25	MD
036000-10029	4.31	EA	25	LG
036000-10039	4.31	EA	25	XL
036000-40049	4.51	EA	25	2XL



D

D. KleenGuard* A20 Breathable Particle Protection Sleeve Protectors - White, 18inch, 200/Case

036000-36870 71.18 CA 1

E. KleenGuard* A20 Breathable Particle Protection Aprons Polyethylene, 28" X 46", 100/Box, Dispenser Carton

036000-43745 59.85 BX 5 White



E

F. KleenGuard* A20 Breathable Particle Protection Aprons, 28" X 40", 100/Case

036000-36550	1.19	EA	100	White
036000-36260	2.09	EA	100	Denim, with Pockets



F

KleenGuard* A20, Boot Covers, White, Universal Size, Elastic Top, 300/CA

036000-36880 208.47 CA 1



KleenGuard* A20, Shoe Covers, Blue - Fully Elasticized

036000-66857	23.44	BG	3	XL/2XL	3 Bags of 100
036000-69252	33.85	BG	3	MD/LG	With Traction 3 Bags of 100
036000-69254	32.16	BG	3	XL/2XL	With Traction 3 Bags of 80



KleenGuard* A20, Shoe Covers, Universal Size, Elastic Top

036000-36885 111.87 CA 1 White, 300/ca



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection

A30 Breathable Splash & Particle Protection

A20 Breathable Particle Protection
A10 Light Duty

KLEENGUARD® A30 REFLEX® Patented REFLEX® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.



Ideal for use when workers are in nonstop contact with dirt, grime where light splashes exists, such as:

- Pressure washing
- Powder painting
- Pharmaceutical research
- Fine particle contamination
- Aerospace
- Maintenance/General manufacturing
- Aerosolized spray painting

The KleenGuard® Apparel Microforce® Barrier SMS Fabric Outer Layers are Cloth-like yet tough and abrasion-resistant spunbond polypropylene Middle Layers. Intricate web of micro-fibers that filter out many water-based liquids and dry particulates. Strong and abrasion resistant, filters out many water-based liquids and dry particles. Reflex® Coverall Design offers excellent fit and freedom of movement while seamless front provides more protection in the primary exposure area. Breathable, patented Microforce® barrier SMMM fabric blocks particles from penetrating garment.

KleenGuard® A30 Reflex®

RS Hughes Part Price Per Case Size/Description

A. KleenGuard* A30, Coverall, White, Zipper Front

RS Hughes Part	Price	Per Case	Size/Description
036000-46002	5.08	EA 25	MD
036000-46003	5.08	EA 25	LG
036000-46004	5.08	EA 25	XL
036000-46005	5.08	EA 25	2XL
036000-46006	6.05	EA 21	3XL
036000-46007	6.05	EA 21	4XL



A. KleenGuard* A30, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles

RS Hughes Part	Price	Per Case	Size/Description
036000-46102	5.36	EA 25	MD
036000-46103	5.36	EA 25	LG
036000-46104	5.36	EA 25	XL
036000-46105	5.36	EA 25	2XL
036000-46106	6.37	EA 21	3XL
036000-46107	6.37	EA 21	4XL



Elastic Wrists & Ankles

A. KleenGuard* A30, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles

RS Hughes Part	Price	Per Case	Size/Description
036000-46122	6.22	EA 25	MD
036000-46123	6.22	EA 25	LG
036000-46124	6.22	EA 25	XL
036000-46125	6.22	EA 25	2XL
036000-46126	7.37	EA 21	3XL
036000-46127	7.37	EA 21	4XL





With Hood & Boots

RS Hughes Part	Price	Per Case	Size/Description
036000-46112	5.69	EA 25	MD
036000-46113	5.69	EA 25	LG
036000-46114	5.69	EA 25	XL
036000-46115	5.69	EA 25	2XL
036000-46116	6.78	EA 21	3XL
036000-46117	6.78	EA 21	4XL



With Hood



KleenGuard® A30 iFlex®

KLEENGUARD® A30 iFLEX® Features patent-pending iFLEX® technology which builds in freedom of movement. The KLEENGUARD® A30 Stretch with iFLEX® coverall is preferred 95% for fit and 94% for comfort by end users over the DuPont™ Tyvek® comfort fit design.

B. KleenGuard* A30 Breathable Coverall Elastic Back/Wrists/Ankles Stretch Apparel, White

RS Hughes Part	Price	Per Case	Size/Description
036000-46132	5.93	EA 25	MD
036000-46133	5.93	EA 25	LG
036000-46134	5.93	EA 25	XL
036000-46135	5.93	EA 25	2XL



RS Hughes Part	Price	Per Case	Size/Description
036000-46142	6.31	EA 25	MD
036000-46143	6.31	EA 25	LG
036000-46144	6.31	EA 25	XL
036000-46145	6.31	EA 25	2XL
036000-46146	7.49	EA 21	3XL
036000-46147	7.49	EA 21	4XL



With Hood

KleenGuard® A35

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KLEENGUARD® A35 Apparel Fabric Properties				
Physical Properties	Test Method		KLEENGUARD® A35	Tyvek®
Tensile Strength	(MD)	ASTM D5034	25.5 lbs	24 lbs
	(CD)		17.0 lbs	17.5 lbs
Trapezoidal Tear	(MD)	INDA IST 100-2	10.1 lbs	6.2 lbs
	(CD)		6.1 lbs	5.2 lbs
Elongation	(MD)	ASTM D5034	55%	31%
	(CD)		59%	23%
Leak - # of particles > 0.5 microns		INDA 160.1-92	168	1847
Flammability		CPSC 1610	Class 1	Class 1
Barrier Properties		Test Method	Results	
Hydrohead		AATCC 127-1996	258 cm	112 cm
Particle Holdout (0.3-0.5 microns)		Independent Lab	100%	98.4%
Blood Penetration		ASTM F1670	Pass	Fail



only \$3.14



RS Hughes Part Price Per Case Size/Description

C. Kleenguard® A35 Coverall, Zipper Front

036000-38917	2.64	EA	25	MD
036000-38918	2.64	EA	25	LG
036000-38919	2.64	EA	25	XL
036000-38920	2.64	EA	25	2XL
036000-38921	2.78	EA	25	3XL
036000-38922	2.95	EA	25	4XL



C. KleenGuard® A35, Coverall, Zipper Front, Elastic Wrists & Ankles

036000-38926	3.14	EA	25	MD
036000-38927	3.14	EA	25	LG
036000-38929	3.14	EA	25	XL
036000-38930	3.14	EA	25	2XL
036000-38932	3.31	EA	25	3XL
036000-38934	3.49	EA	25	4XL



036000-38937	3.31	EA	25	MD
036000-38938	3.31	EA	25	LG
036000-38939	3.31	EA	25	XL
036000-38941	3.31	EA	25	2XL
036000-38942	3.47	EA	25	3XL
036000-38943	3.68	EA	25	4XL



With Hood

036000-38948	3.59	EA	25	MD
036000-38949	3.59	EA	25	LG
036000-38951	3.59	EA	25	XL
036000-38950	3.59	EA	25	2XL
036000-38952	3.78	EA	25	3XL
036000-38953	4.00	EA	25	4XL



With Hood & Boots

KLEENGUARD® A10 iBreathable, microporous film laminate. A lightweight outer fabric that protects the microporous film laminate for added durability and comfort. Liquid barrier, particulate barrier, low in lint. Passes ASTM F1670 testing for penetration of blood & bodily fluids. Meets ANSI/ISEA 101-1996 sizing standard. Ideal for use when workers are in contact with hazardous particles or liquids such as:

- **Liquid handling**
- **Pressure Washing**
- **Maintenance**
- **General Manufacturing**



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

KleenGuard® A40 Reflex®

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance and general manufacturing. Patented REFLEX® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.



Ideal for use when workers are in contact with hazardous particles or liquids such as:


- **Liquid handling**
- **Pressure washing**
- **Maintenance/General Manufacturing**

KLEENGUARD® A40 Apparel Fabric Properties			
Physical Properties	Test Method	KLEENGUARD® A40	Tyvek®
Tensile Strength (MD)	ASTM D9034	30.8 lbs	24 lbs
(CD)		21.4 lbs	17.5 lbs
Trapezoidal Tear (MD)	INDA IST 100.2	11.8 lbs	6.2 lbs
(CD)		7.2 lbs	5.2 lbs
Elongation (MD)	ASTM D9034	72%	31%
(CD)		89%	29%
Let-Through Particles (microns)	INDA 100.1-02	760	1947
Flammability		CPSC 1610	Class I
Barrier Properties	Test Method	Results	
Hydrohead	AATCC 127-1998	167 cm	112 cm
Particle Holdout (0.3-0.5 microns)	Independent Lab	100%	88.4%
Blood Penetration	ASTM F1670	Pass	Fail


RS Hughes Part	Price	Per Case	Size/Description
----------------	-------	----------	------------------

A. KleenGuard® A40, Coverall, White, Zipper Front, Elastic Back/Wrists/Ankles

036000-44312	4.86	EA	25 MD
036000-44313	4.86	EA	25 LG
036000-44314	4.86	EA	25 XL
036000-44315	4.86	EA	25 2XL
036000-44316	5.20	EA	25 3XL
036000-44317	5.56	EA	25 4XL




036000-44322	5.19	EA	25 MD
036000-44323	5.19	EA	25 LG
036000-44324	5.19	EA	25 XL
036000-44325	5.19	EA	25 2XL
036000-44326	5.54	EA	25 3XL



With Hood

036000-44332	5.73	EA	25 MD
036000-44333	5.73	EA	25 LG
036000-44334	5.73	EA	25 XL
036000-44335	5.73	EA	25 2XL
036000-44336	6.12	EA	25 3XL




With Hood & Boots

A. KleenGuard® A40 Coveralls With Blue Breathable Back

Zipper front. Elastic wrists, ankles & hood. White and blue

036000-37591	5.59	EA	25 LG
036000-37163	5.59	EA	25 XL
036000-37164	5.59	EA	25 2XL
036000-37165	5.98	EA	25 3XL
036000-38508	6.36	EA	25 4XL
036000-37584	6.68	EA	25 5XL/6XL




With Thumb Holes

036000-42523	5.44	EA	25 SM
036000-42525	5.59	EA	25 MD
036000-42526	5.59	EA	25 LG
036000-42527	5.59	EA	25 XL
036000-42528	5.59	EA	25 2XL
036000-42529	5.98	EA	25 3XL
036000-42530	6.36	EA	25 4XL
036000-42531	6.68	EA	25 5XL/6XL

RS Hughes Part	Price	Per Case	Size/Description
----------------	-------	----------	------------------


A. KleenGuard® A40, Coverall, White, Zipper Front

036000-44302	4.37	EA	25 MD
036000-44303	4.37	EA	25 LG
036000-44304	4.37	EA	25 XL
036000-44305	4.37	EA	25 2XL
036000-44306	4.66	EA	25 3XL




RS Hughes Part Price Per Case Size/Description


KleenGuard* A40, Lab Coats, White, Collar, Snap Closure

B. 036000-27201	4.15	EA	30	SM	
B. 036000-44452	3.93	EA	30	MD	
B. 036000-44453	3.93	EA	30	LG	
B. 036000-44454	3.93	EA	30	XL	
B. 036000-44455	4.15	EA	30	2XL	

Open Wrists, 2 Pockets


B. 036000-44442	3.83	EA	30	MD	
B. 036000-44443	3.83	EA	30	LG	
B. 036000-44444	4.03	EA	30	XL	
B. 036000-44445	4.10	EA	30	2XL	
B. 036000-44446	4.31	EA	30	3XL	

Open Wrists, No Pockets

C. 036000-44402	4.02	EA	50	MD	
C. 036000-44403	4.02	EA	50	LG	
C. 036000-44404	4.02	EA	50	XL	
C. 036000-44405	4.02	EA	50	2XL	

Shirt, 5 Snap, Long Slv.

D. KleenGuard* A40, Pants, White, Elastic Waist

036000-44412	3.20	EA	50	MD	
036000-44413	3.20	EA	50	LG	
036000-44414	3.20	EA	50	XL	
036000-44415	3.20	EA <td 50	2XL		

Elastic Waist

E. KleenGuard* A40, Sleeve Protector, 18", White, 200/Case

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44480	77.96	CA	1
--------------	-------	----	---


F. KLEENGUARD* A40 Apron, Ties in Back, 28" X 40"

Fully elasticized. Shoe Covers with traction Fabric.

036000-44481	1.34	EA	100
--------------	------	----	-----

KleenGuard* A40, Shoe Covers, White, Elastic Top - 200 PR

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44490	81.36	CA	1	Universal Size	
036000-44492	166.10	CA	1	MD/LG Vinyl Sole	
036000-44494	332.20	CA	1	XL Vinyl Sole	

G. KleenGuard* A40, Boot Covers, White, Vinyl Sole - 200 PR

KLEENGUARD® A40 REFLEX® Liquid & Particle Protection Apparel has a breathable, microporous film laminate that passes ASTM F1670 testing for penetration of blood & body fluids. Typically used in fiberglass manufacturing, tank cleaning, utilities liquid handling, pressure washing, maintenance/general manufacturing. Patented Reflex® Design is 7-1/2 times less likely to rip out than ANSI minimums - provides 12% more chest room and 6% longer body length.

036000-44495	228.00	CA	1	XL/2XL
--------------	--------	----	---	--------

**KleenGuard* A40 Fabric
Liquid Chemical Resistance Test**

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass



Head to Toe Protection

Protective Clothing

Safety Apparel - Disposable

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty



Ideal for use in surface Prep and paint application areas where isocyanate¹ & chromate dust protection is mandated. Made with lighter weight fabric than KleenGuard* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specially for the Surface Prep & Paint area in mind, KleenGuard* A45 allows more freedom of movement and less restriction allowing the worker to complete their job without modifying the garment.

Features:

- **Silicone Free**
- **Reflex* Coverall Design offers excellent fit and freedom of movement**
- **Passes NFPA 99 for antistatic materials**
- **Not processed with natural rubber latex**
- **Protects against isocyanates**
- **Protects against chromate dust**
- **Respirator fit hood design**
- **Water resistant zipper**
- **Serged seams**



KleenGuard® A45 Reflex®

KLEENGUARD® A45 Liquid and particale protection surface prep and paint apparel. Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present.

KleenGuard* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint (1 lot data) 40%	F903 Method D	Pass
Chromated epoxy corrosion primer (1 lot data) 10%	F903 Method D	Pass

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. KLEENGUARD* A45, Coverall, White, Zipper Front

036000-41483	4.51	EA	25	SM
036000-41484	4.51	EA	25	MD
036000-41485	4.51	EA	25	LG
036000-41486	4.51	EA	25	XL
036000-41487	4.51	EA	25	2XL
036000-41488	4.80	EA	25	3XL



A. KLEENGUARD* A45 Coverall, White, Zipper Front, Elastic Wrists and Ankles

036000-41491	5.02	EA	25	SM
036000-41492	5.00	EA	25	MD
036000-41493	5.00	EA	25	LG
036000-41494	5.00	EA	25	XL
036000-41495	5.00	EA	25	2XL
036000-41496	5.36	EA	25	3XL
036000-41497	5.73	EA	25	4XL
036000-41498	6.05	EA	25	5XL/6XL



036000-41503	5.34	EA	25	SM
036000-41504	5.34	EA	25	MD
036000-41505	5.34	EA	25	LG
036000-41506	5.34	EA	25	XL
036000-41507	5.34	EA	25	2XL
036000-41508	5.71	EA	25	3XL



036000-41513	5.90	EA	25	SM
036000-41514	5.90	EA	25	MD
036000-41515	5.90	EA	25	LG
036000-41516	5.90	EA	25	XL
036000-41517	5.90	EA	25	2XL



A. KLEENGUARD* A45, Coverall, White, Snap Front Shell

036000-37167	4.93	EA	25	LG
036000-37168	4.93	EA	25	XL
036000-37169	4.93	EA	25	2XL
036000-37166	4.93	EA	25	3XL
036000-37170	4.93	EA	25	4XL



KleenGuard® A60 Reflex®

RS Hughes Part Price Per Case Size/Description

B. KleenGuard* A60, Coverall, Denim Blue, Zipper Front w/ Storm Flap, Elastic Back/Wrists/Ankles

036000-45002	7.97	EA	24	MD	
036000-45003	7.97	EA	24	LG	
036000-45004	7.97	EA	24	XL	
036000-45005	7.97	EA	24	2XL	
036000-45006	8.37	EA	20	3XL	

036000-45022	8.53	EA	24	MD	
036000-45023	8.53	EA	24	LG	
036000-45024	8.53	EA	24	XL	
036000-45025	8.53	EA	24	2XL	
036000-45026	8.95	EA	20	3XL	

With Hood

036000-45092	9.12	EA	24	MD	
036000-45093	9.12	EA	24	LG	
036000-45094	9.12	EA	24	XL	
036000-45095	9.12	EA	24	2XL	
036000-45096	9.58	EA	20	3XL	

With Hood & Boots

B. KleenGuard* A60, Coverall, Denim Blue, Zipper Front

036000-45232	7.46	EA	24	MD	
036000-45233	7.46	EA	24	LG	
036000-45234	7.46	EA	24	XL	
036000-45235	7.46	EA	24	2XL	
036000-45236	7.83	EA	20	3XL	

C. KleenGuard* A60, Lab Coats, Blue, Snap Front, Chest & Hip Pocket

036000-45512	6.85	EA	25	MD	
036000-45513	6.85	EA	25	LG	
036000-45514	6.85	EA	25	XL	
036000-45518	6.92	EA	25	2XL	


- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty

D. KLEENGUARD* A65 Flame Resistant Coveralls Zipper front, Elastic wrists & ankles

036000-45322	7.98	EA	25	MD	Blue	
036000-45323	7.98	EA	25	LG	Blue	
036000-45324	7.98	EA	25	XL	Blue	
036000-45325	7.98	EA	25	2XL	Blue	
036000-45326	9.49	EA	21	3XL	Blue	
036000-45327	9.49	EA	21	4XL	Blue	

with Hood

- A80** Chemical Permeation & Jet Liquid Protection
- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty



KLEENGUARD® A60 REFLEX® Ideal for use when workers may come into contact with blood borne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Embalming/forensics and animal research

This protective coverall is made from a patented seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion. Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens. Reflex® Coverall Design offers excellent fit and freedom of movement while the seamless front to provide more protection in the primary exposure area. Three layer fabric construction features: A middle layer of micro-porous film that allows heat and sweat vapor to escape keeping the worker cool. An outer layer film barrier against tearing and abrasion, taped storm flap, and serged seams. Passes NFPA99 for antistatic materials.

KLEENGUARD* A60 Denim Blue Sleeve Protector

036000-36871	142.38	CA	1	200/CA	
--------------	--------	----	---	--------	--

KLEENGUARD* A60 Hood, Elastic, Face Opening

036000-45343	158.00	CA	1	100/CA	
--------------	--------	----	---	--------	--

KleenGuard® A65 Reflex®

KLEENGUARD® A65 Lab Coats are designed to be worn in areas where exposure to sparks or flame is possible. They can also be used to protect primary fire protection clothing. Hook & loop closures KLEENGUARD* These coats are ideal for use in a laboratory setting.

Ideal for use when workers may be exposed to sparks in environments, such as:

- Oil Refining, Utilities
- Grinding processes, Welding processes
- Flame resistant and compliant with NFPA 701 Flame Propagation Test (1999 edition)
- Complies with flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.2-2000
- Passes NFPA 99 for antistatic materials
- Design meets ANSI/ISEA 101-1996 sizing standard.





The miracles of science™



A



B



C

RS Hughes Part Price Per Case Size/Description

A. Dupont Tyvek® TY120S, TY122S, TY125S, or TY127S Coverall Zip Front

Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size. Protection is built into the fabric itself; there are no films or laminates to abrade or wear away. Tyvek® fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion. Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.

TY120S MD	5.70	EA	25	MD	
TY120S LG	5.70	EA	25	LG	
TY120S XL	5.70	EA	25	XL	
TY120S 2XL	6.04	EA	25	2XL	
TY120S 3XL	6.40	EA	25	3XL	
TY122S MD	7.00	EA	25	MD	With Hood, Boots, Elastic Wrists
TY122S LG	7.00	EA	25	LG	With Hood, Boots, Elastic Wrists
TY122S XL	7.00	EA	25	XL	With Hood, Boots, Elastic Wrists
TY122S 2XL	7.42	EA	25	2XL	With Hood, Boots, Elastic Wrists
TY122S 3XL	7.86	EA	25	3XL	With Hood, Boots, Elastic Wrists
TY125S MD	6.44	EA	25	MD	With Elastic Wrists & Ankles
TY125S LG	6.44	EA	25	LG	With Elastic Wrists & Ankles
TY125S XL	6.44	EA	25	XL	With Elastic Wrists & Ankles
TY125S 2XL	6.82	EA	25	2XL	With Elastic Wrists & Ankles
TY125S 3XL	7.23	EA	25	3XL	With Elastic Wrists & Ankles
TY127S MD	6.90	EA	25	MD	With Elastic Wrists & Ankles
TY127S LG	6.90	EA	25	LG	With Elastic Wrists & Ankles
TY127S XL	6.90	EA	25	XL	With Elastic Wrists & Ankles
TY127S 2XL	7.31	EA	25	2XL	With Elastic Wrists & Ankles
TY127S 3XL	7.75	EA	25	3XL	With Elastic Wrists & Ankles
TY127S 4XL	8.37	EA	25	4XL	With Elastic Wrists & Ankles

Dupont Tyvek® Dual Coverall

DuPont™ Tyvek® Dual garments combine the protection, durability and comfort of DuPont™ Tyvek® fabric on the front and the comfort, softness and breathability of DuPont™ ProShield® fabric on the back. The DuPont™ Tyvek® Dual garments are suitable for applications where comfort requirements are combined with limited protective requirements for frontal exposures.

B. TD125S MD	6.00	EA	25	MD	With Elastic Wrists & Ankles
B. TD125S LG	6.00	EA	25	LG	With Elastic Wrists & Ankles
B. TD125S XL	6.00	EA	25	XL	With Elastic Wrists & Ankles
B. TD125S 2X	6.36	EA	25	2XL	With Elastic Wrists & Ankles
B. TD125S 3X	6.75	EA	25	3XL	With Elastic Wrists & Ankles
B. TD125S 4X	7.29	EA	25	4XL	With Elastic Wrists & Ankles
C. TD127S MD	6.42	EA	25	MD	With Hood, Elastic Wrists & Ankles
C. TD127S LG	6.42	EA	25	LG	With Hood, Elastic Wrists & Ankles
C. TD127S XL	6.42	EA	25	XL	With Hood, Elastic Wrists & Ankles
C. TD127S 2X	6.81	EA	25	2XL	With Hood, Elastic Wrists & Ankles
C. TD127S 3X	7.21	EA	25	3XL	With Hood, Elastic Wrists & Ankles
C. TD127S 4X	7.79	EA	25	4XL	With Hood, Elastic Wrists & Ankles

TYVEK®

- The best balance of protection, durability and comfort
- Comfort fit design allows for a greater range of motion and fewer blowouts
- Breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- Excellent abrasion resistance; stops particles down to one micron



The miracles of science™



Head to Toe Protection

RS Hughes Part Price Per Case Size/Description

Dupont Tyvek® Lab Coat, Snap Front

Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology. Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size. Protection is built into the fabric itself; there are no films or laminates to abrade or wear away. Tyvek® fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion. Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.

D. TY210S MD	4.51	EA	30	MD	
D. TY210S LG	4.51	EA	30	LG	
D. TY210S XL	4.51	EA	30	XL	
D. TY210S 2XL	4.78	EA	30	2XL	
E. TY211S MD	5.02	EA	30	MD	Elastic Wrist
E. TY211S LG	5.02	EA	30	LG	Elastic Wrist
E. TY211S XL	5.02	EA	30	XL	Elastic Wrist
E. TY211S 2XL	5.32	EA	30	2XL	Elastic Wrist
E. TY211S 3XL	5.64	EA	30	3XL	Elastic Wrist
F. TY212S MD	4.60	EA	30	MD	2 Pockets
F. TY212S LG	4.60	EA	30	LG	2 Pockets
F. TY212S XL	4.60	EA	30	XL	2 Pockets
F. TY212S 2XL	4.87	EA	30	2XL	2 Pockets
F. TY212S 3XL	5.17	EA	30	3XL	2 Pockets

G. Dupont Tyvek® Pants, Elastic Waist

TY350S MD	3.36	EA	50	MD
TY350S LG	3.36	EA	50	LG
TY350S XL	3.36	EA	50	XL
TY350S 2XL	3.56	EA	50	2XL
TY350S 3XL	3.78	EA	50	3XL

H. Dupont Tyvek® Shoe Cover, 5" Shoe Cover, Self Fabric, 200/CA

TY450S	90.00	CA	1
--------	-------	----	---





H. Dupont Tyvek® FC Shoe Cover, 5" Shoe Cover, Self Fabric 200/CA

5" shoe cover with elastic top, one size fits most. Sole material composed of Tyvek® FC, a special coating to provide added slip-resistance.

FC450SGY	117.44	CA	1
----------	--------	----	---

The product selection charts are intended to provide guidance on key features of the 3M product range. The products shown highlight some of the products which may be considered but product suitability will depend on the particular situation and products selection should always be made only by a competent person knowledgeable of the actual working conditions and limitations of the PPE.

3M™ Garment Selection Chart




3M™ Protective Clothing Application Chart

(1) Suggested if working with heat or open flames
 (2) For applications conducted in a controlled environment refer to "Cleanroom Applications"

Acceptable Alternative Suggested



Application	4510	4515	4520	4530	4535	4540+	4545	4565
Abatement/Remediation								
Asbestos Abatement and Inspection	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Exposure to Radioactive Particles	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Lead Abatement (1)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mold Remediation/Mold Spores	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Applications								
Animal Waste (solid)		<input checked="" type="radio"/>	<input type="radio"/>					
Fertilizer Application (Dry/Granular)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Pesticide Application (Dry/Granular)		<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>				
Pesticide Application (Liquid)	<input type="radio"/>				<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Biological/Biohazard								
Blood								<input checked="" type="radio"/>
Bodily Fluids								<input checked="" type="radio"/>
Hazardous Biological Aerosol							<input checked="" type="radio"/>	<input type="radio"/>
Cleaning and Maintenance								
Dirt (general)		<input checked="" type="radio"/>	<input type="radio"/>					
General Industrial Clean-up and Processing	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Grease (general)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Light-duty Building Cleaning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
Machine or Vehicle Maintenance	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Maintenance (Refinery)				<input checked="" type="radio"/>				
Sewage							<input checked="" type="radio"/>	<input type="radio"/>
General Industry/Manufacturing								
Coal Dust	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Electronics/Circuit Board Assembly (2)			<input checked="" type="radio"/>	<input type="radio"/>				
Fiberglass/Cellulose Insulation Installation	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Food Processing	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
General Industrial Clean-up and Processing	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
General Powder Handling	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lime Handling		<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>				
Liquid Chemical Handling								<input type="radio"/>
Liquid Chemical Transfer								<input type="radio"/>
Warehousing		<input type="radio"/>	<input type="radio"/>					
Woodworking		<input type="radio"/>	<input type="radio"/>					
Non-hazardous Operations								
Non-hazardous Aerosols (sprays)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Non-hazardous Liquids	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Non-hazardous Solids		<input type="radio"/>	<input type="radio"/>					
Painting								
Paint/Coating Spraying	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Paint/Coating Spraying (with Isocyanate paints)(3)	<input type="radio"/>				<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Powder Coating								<input checked="" type="radio"/>
Pharmaceutical/Cleanroom								
Clean Room Applications (ISO Class 1 - 3)								<input checked="" type="radio"/>
Clean Room Applications (ISO Class 4 - 9)	<input type="radio"/>				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Pharmaceutical Powder Handling	<input type="radio"/>				<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Welding/Metalwork								
Metal Grinding				<input checked="" type="radio"/>				
Metal particulate (chromium, beryllium, etc)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Metal Polishing	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Welding (worn over appropriate welding garment)				<input checked="" type="radio"/>				



see page 379

RS Hughes Part Price Per Case Size/Description

A. 3M™ 4510 Entry Level Splash and Dust Protection - Laminated Microporous Material, White

Elasticated waist, ankles, and wrists. Two-way zipper with storm flap for convenience and to help provide additional protection. Lowlinting properties and anti-static coating on both sides. Protects against light liquid splashes and hazardous dusts..

051131-49788	5.07	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49789	5.07	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49790	5.07	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49791	5.07	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49792	5.34	EA	25	3XL	Hood, Elastic Wrists and Ankles



B. 3M™ 4530 Breathable Protection with Flame Resistance SMMS Material, Blue

Breathable material (SMMS) to help reduce heat stress, Elasticated waist and ankles. Knit cuffs for increased comfort, Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Flame retardant coating offering limited protection against heat and flame. Reinforced gusset. Anti-static coating on both sides. Protects against dusts and light liquid splashes.

051131-49800	6.83	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49801	6.83	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49802	6.83	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49803	6.83	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49804	7.25	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49805	7.54	EA	25	4XL	Hood, Elastic Wrists and Ankles



C. 3M™ Protective Coverall 4530CS

Made of lightweight, breathable polypropylene with secondary flame resistance. Designed to be worn over primary FR garments, it helps provide protection against dusts and light liquid splashes.

046719-64648	6.30	EA	25	MD	
046719-64649	6.30	EA	25	LG	
046719-64650	6.30	EA	25	XL	
046719-64651	6.30	EA	25	2XL	
046719-64652	6.63	EA	25	3XL	
046719-64653	6.96	EA	25	4XL	



D. 3M™ 4535 Disposable Protective Coverall Safety Work Wear

Made of a high quality laminated material with a large breathable back panel for improved air circulation. Protects against light liquid splashes and hazardous dusts.

046719-46822	5.63	EA	20	LG	Hood, Elastic Wrists and Ankles
046719-46824	5.63	EA	20	XL	Hood, Elastic Wrists and Ankles
046719-46826	5.63	EA	20	2XL	Hood, Elastic Wrists and Ankles
051141-55879	6.22	EA	20	3XL	Hood, Elastic Wrists and Ankles

E. 3M™ 4540+ Enhanced Performance With Comfort Built In - Laminated Microporus Material, White/Blue

Breathable back panel for improved air circulation and reduced heat stress. Elasticated waist and ankles. Knit cuffs for increased comfort. Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Low-linting properties and anti-static coating on both sides. Reinforced gusset. Helps protect against light liquid splashes and hazardous dusts.

051131-49806	6.46	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49807	6.46	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49808	6.46	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49809	6.46	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49810	6.79	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49811	7.13	EA	25	4XL	Hood, Elastic Wrists and Ankles



F. 3M™ Disposable Protective Coverall 4540+CS

Helps protect against certain light liquid splashes and hazardous dusts, including nuclear particles. This coverall offers a collared option for situations where a hood is not required or may interfere with alternative protection. Advanced, breathable and lightweight materials help reduce heat build-up and promote comfortable wear.


046719-64655	5.91	EA	25	MD	
046719-64661	5.91	EA	25	LG	
046719-64665	5.91	EA	25	XL	
046719-64668	5.91	EA	25	2XL	
046719-64669	6.34	EA	25	3XL	
046719-64670	6.53	EA	25	4XL	



A



Taped Seams



3M



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. 3M™ 4565 Disposable Chemical Protective Coverall Safety Work Wear, White/Red

The 3M chemical protective coverall 4565 key features include: Taped seams to help provide additional protection. Elasticated waist and ankles for convenience and freedom of movement. Knit cuffs for increased comfort. Three panel hood design for compatibility with complimentary PPE. Two-way zipper with sealable storm flap for convenience and to help provide additional protection. Low-linting properties and anti-static coating on both sides. Helps protect against certain biohazards. These key features make this chemical protective coverall a great disposable PPE option. The 3M protective coverall 4565 helps protect against hazardous dusts and light liquid chemical splashes and low pressure sprays. Typical applications may include: paint spraying, industrial and pharmaceutical manufacturing, asbestos inspection and handling, pesticide spraying, and healthcare.

051131-49812	10.09	EA	25	MD	Hood, Elastic Wrists and Ankles
051131-49813	10.09	EA	25	LG	Hood, Elastic Wrists and Ankles
051131-49814	10.09	EA	25	XL	Hood, Elastic Wrists and Ankles
051131-49815	10.09	EA	25	2XL	Hood, Elastic Wrists and Ankles
051131-49816	10.63	EA	25	3XL	Hood, Elastic Wrists and Ankles
051131-49817	11.20	EA	25	4XL	Hood, Elastic Wrists and Ankles



B



B. 3M™ Protective Coverall 4570

3M(TM) Protective Coverall 4570 helps protect against a range of chemical jets and sprays. This chemical protective suit has been certified to Type 3/4/5/6 levels of protection. With additional design features including an enlarged zip and thumb loops, an integrated double-closing stormflap system and chin flap, convenience of use can be offered without compromising the level of protection offered.

046719-46837	21.31	EA	12	SM
046719-46839	21.31	EA	12	MD
046719-46841	21.31	EA	12	LG
046719-46844	21.31	EA	12	XL
046719-46846	21.72	EA	12	2XL
046719-46848	21.72	EA	12	3XL
046719-46851	21.72	EA	12	4XL



S

Serged or Sewn*

A seam produced when multiple threads are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.



B

Bound*

Tightly sewn with a reinforced outer binding to increase seam strength and barrier. For potential misting exposure of non-hazardous liquids or particle penetration through the seam.



T

Taped Thermobond®

Both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress. A sewn seam is covered with a strip of compatible material by heat-sealing.

*Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.



C



D



E



The miracles of science™

RS Hughes Part Price Per Case Size/Description

Dupont Tychem® QC Coverall

Tychem® QC is polyethylene coated Tyvek fabric. Provide light liquid splash protection. Tychem® QC is yellow for high visibility.

C. Bound Seams

RS Hughes Part	Price	Per	Case	Size/Description
QC127 SM	8.99	EA	12	SM With Hood, Elastic Wrists & Ankles
QC127 MD	8.99	EA	12	MD With Hood, Elastic Wrists & Ankles
QC127 LG	9.42	EA	12	LG With Hood, Elastic Wrists & Ankles
QC127 XL	9.42	EA	12	XL With Hood, Elastic Wrists & Ankles
QC127 2XL	9.52	EA	12	2XL With Hood, Elastic Wrists & Ankles
QC127 3XL	10.09	EA	12	3XL With Hood, Elastic Wrists & Ankles

C. Serge Seams

RS Hughes Part	Price	Per	Case	Size/Description
QC127S SM	9.82	EA	12	SM With Hood, Elastic Wrists & Ankles
QC127S MD	10.11	EA	12	MD With Hood, Elastic Wrists & Ankles
QC127S LG	10.11	EA	12	LG With Hood, Elastic Wrists & Ankles
QC127S XL	10.11	EA	12	2XL With Hood, Elastic Wrists & Ankles
QC127S 2XL	10.72	EA	12	3XL With Hood, Elastic Wrists & Ankles
QC127S 3XL	11.36	EA	12	4XL With Hood, Elastic Wrists & Ankles

D. Serge Seams

RS Hughes Part	Price	Per	Case	Size/Description
QC122S MD	11.28	EA	12	MD With Hood & Boots
QC122S LG	11.28	EA	12	LG With Hood & Boots
QC122S XL	11.28	EA	12	XL With Hood & Boots
QC122S 2XL	11.96	EA	12	2XL With Hood & Boots
QC122S 3XL	12.67	EA	12	3XL With Hood & Boots
QC122S 4X	13.68	EA	12	4XL With Hood & Boots

Dupont Tychem® SL Coverall, Zipper Front, Storm Flap, Hood, Elastic Wrist, Sock Boots

Tychem® SL is Saranex® 23-P film laminated to Tyvek fabric. Effective protection against a wide range of chemicals. Tychem® SL is white for high visibility.

E. Bound Seams

RS Hughes Part	Price	Per	Case	Size/Description
SL122B MD	21.75	EA	12	MD With Hood & Boots
SL122B LG	21.75	EA	12	LG With Hood & Boots
SL122B XL	21.75	EA	12	XL With Hood & Boots
SL122B XXL	23.06	EA	12	2XL With Hood & Boots
SL122B XXXL	24.44	EA	12	3XL With Hood & Boots
SL122B 4X	26.40	EA	12	4XL With Hood & Boots
SL127B MD	19.74	EA	12	MD Hood, Elastic Wrists & Ankles
SL127B LG	19.74	EA	12	LG Hood, Elastic Wrists & Ankles
SL127B XL	19.74	EA	12	XL Hood, Elastic Wrists & Ankles
SL127B 2X	20.92	EA	12	2XL Hood, Elastic Wrists & Ankles
SL127B 3X	22.17	EA	12	3XL Hood, Elastic Wrists & Ankles
SL127B 4X	23.95	EA	12	4XL Hood, Elastic Wrists & Ankles

E. Taped Seams

RS Hughes Part	Price	Per	Case	Size/Description
SL122T MD	45.93	EA	6	MD With Hood & Boots
SL122T LG	45.93	EA	6	LG With Hood & Boots
SL122T XL	45.93	EA	6	XL With Hood & Boots
SL122T 2X	48.69	EA	6	2XL With Hood & Boots
SL122T 3X	51.61	EA	6	3XL With Hood & Boots
SL122T 4X	55.74	EA	6	4XL With Hood & Boots
SL127T MD	37.47	EA	6	MD With Hood, Elastic Wrists & Ankles
SL127T LG	37.47	EA	6	LG With Hood, Elastic Wrists & Ankles
SL127T XL	37.47	EA	6	XL With Hood, Elastic Wrists & Ankles
SL127T 2XL	39.72	EA	6	2XL With Hood, Elastic Wrists & Ankles
SL127T 3XL	42.11	EA	6	3XL With Hood, Elastic Wrists & Ankles
SL127T 4X	45.48	EA	6	4XL With Hood, Elastic Wrists & Ankles

KleenGuard® A70 Reflex®

KleenGuard® A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903		Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm ² /min)	
Acetone	Pass	Immediate	7.9	
Acetonitrile	Pass	Immediate	8.97	
Carbon Disulfide	Pass	Immediate	76.3	
Dichloromethane	Pass	Immediate	85.1	
Diethylamine	Pass	Immediate	High	
n,n-Dimethylformamide	Pass	Immediate	2.54	
Ethyl Acetate	Pass	Immediate	40.3	
n-Hexane	Pass	Immediate	High	
Methanol	Pass	Immediate	1.71	
Nitrobenzene	Pass	Immediate	97.4	
Sodium Hydroxide (50%)	Pass	>480	Not detected	
Sulfuric Acid (98%)	Pass	>480	Not detected	
Tetrachloroethylene	Pass	Immediate	High	
Tetrahydrofuran	Pass	Immediate	32.8	
Toluene	Pass	Immediate	High	

WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

A80 Chemical Permeation & Jet Liquid Protection

A70 Chemical Spray Protection

A65 Flame Resistant Protection

A60 Bloodborne Pathogen & Chemical Splash Protection

A45 Liquid & Particle Protection Surface Prep & Paint

A40 Hazardous Liquid & Particle Protection

A35 Liquid & Particle Protection

A30 Breathable Splash & Particle Protection

A20 Breathable Particle Protection

A10 Light Duty



KLEENGUARD® A70 REFLEX®

Ideal for use when workers may come into contact with hazardous chemicals, as in: Hazardous waste remediation, Environmental cleanup, Petrochemical/oil refining, Acid/caustic handling, Biohazard cleanup, Tank cleaning, or Pharmaceutical manufacturing.

KleenGuard® A70 is 1.5 mil polyethylene-coated fabric resistant to many water-based liquids, greases and oils, and liquid chemical splashes. Protection with exceptional comfort is why 75% of industrial workers preferred KleenGuard® A70 over the leading brand for fit and productivity. Wick-away lining for enhanced comfort, liquid-resistant, extra-long zipper, taped, sealable zipper flap, and bound seams. REFLEX® Coverall Design offers excellent fit and freedom of movement while seamless front for more protection in the primary exposure area. Passes NFPA99 for anti-static materials.

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------


A. KleenGuard® A70 Chemical Spray Protection Coverall, Zipper Front, Storm Flap, Elastic Wrists, Ankles and Hood

036000-09812	10.83	EA	12	MD
036000-09813	10.83	EA	12	LG
036000-09814	10.83	EA	12	XL
036000-09815	11.46	EA	12	2XL
036000-09816	12.17	EA	12	3XL
036000-09818	12.90	EA	12	5XL



A80 Chemical Permeation & Jet Liquid Protection

- A70** Chemical Spray Protection
- A65** Flame Resistant Protection
- A60** Bloodborne Pathogen & Chemical Splash Protection
- A45** Liquid & Particle Protection Surface Prep & Paint
- A40** Hazardous Liquid & Particle Protection
- A35** Liquid & Particle Protection
- A30** Breathable Splash & Particle Protection
- A20** Breathable Particle Protection
- A10** Light Duty



KleenGuard® A80 Reflex®

Kleenguard® A80 REFLEX® Ideal for use when workers may come into contact with hazardous chemicals vapors such as: Chemical handling/mixing/cleanup, Hazardous material handling, Hazardous waste cleanup, Industrial Hazmat teams, Petrochemicals, or Utilities. KleenGuard® A80 is made of Saranex® 23-P Film laminated to a durable fabric which provides a soft cloth-like feel against the skin. Saranex® 23-P Film laminated, taped sealable zipper flap, liquid-resistant, extra-long zipper, taped seams. REFLEX® Overall Design offers excellent fit and freedom of movement while seamless front provides more protection in the primary exposure area. Respirator fit hood design for compatibility with complementary PPE.

KleenGuard® A80 Apparel Fabric Liquid & Gas Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903		Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm ² /min)	
Acetone	Pass	23	0.92	
Acetonitrile	Pass ▲	72.5	0.32	
Ammonia	NA (gas)	>480	Not detected	
1,3 Butadiene	Pass	>480	Not detected	
Carbon Disulfide	Pass ▲	Immediate	70.6	
Chlorine	NA (gas)	>480	Not detected	
Dichloromethane	Pass ▲	Immediate	High	
Diethylamine	Pass ▲	17	92.6	
n,n-Dimethylformamide	Pass	127.5	1.33	
Ethyl Acetate	Pass	10	5.6	
Ethylene Oxide	Pass	14.5	18.5	
n-Hexane	Pass ▲	>480	Not detected	
Hydrochloric Acid (99%)	Pass	>480	Not detected	
Methanol	Pass ▲	>480	Not detected	
Methyl Chloride	Pass	>480	Not detected	
Nitrobenzene	Pass	89	6.96	
Sodium Hydroxide (50%)	Pass	>480	Not detected	
Sulfuric Acid (98%)	Pass	>480	Not detected	
Tetrachloroethylene	Pass ▲	10.5	174	
Tetrahydrofuran	Pass	Immediate	289	
Toluene	Pass ▲	2.5	369.5	

▲ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

RS Hughes Part Price Per Case Size/Description

B. Kleen Guard A80 Chemical Permeation and Jet Liquid Coverall, White, Zipper Front, Storm Flap, Elastic Wrists, Ankles and Respirator-Fit Hood, Taped Seams

036000-45643	29.54	EA	12	LG	
036000-45644	29.54	EA	12	XL	
036000-45645	31.24	EA	12	2XL	
036000-45646	33.19	EA	10	3XL	
036000-45647	35.86	EA	10	4XL	

036000-45663	40.03	EA	12	LG	
036000-45664	40.03	EA	12	XL	
036000-45665	42.39	EA	12	2XL	
036000-45666	44.80	EA	10	3XL	
036000-45667	48.51	EA	10	4XL	

KLEENGUARD® A80 Apparel Fabric Properties

Physical Properties	Test Method	Results
Tensile Strength	(MD) ASTM D5034	64.4 lbs
	(CD)	52.8 lbs
Trapezoidal Tear	(MD) INDA IST 100.2	20.8 lbs
	(CD)	14.0 lbs
Hydrohead	AATCC 127-1998	703 cm
Flammability	CPSC 1610	Class 1
Blood Penetration	ASTM F1670	Pass
Bloodborne Pathogens	ASTM F1671†	Pass

† Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Bloodborne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System.

Foot Protection

In this section:

Toe Caps, Traction Device 190
 Metatarsal Protector, Kneeling Mats & Pads . 191
 Knee Pads & Caps 192-193
 Boots 194-195



The **IMPACTO® TURBOTOE** safety overshoe protects the toe area from accidental impact, crushing or stubbing. Recommended for use in any industry, especially construction and heavy work environments that carries a risk of toe damage or has a steel toe cap requirement.

Perfect for visitors, casual or temporary workers, management, clerical and sales people. Fits tightly over existing shoes providing a solid protecting cap. Can be comfortably worn over low-heel, dress and running shoes and most boots. The **TURBOTOE** is an affordable alternative to expensive footwear with built-in steel toe cap.

Made of flexible and stretchy, pliable PVC. 100% waterproof, will not harden, stiffen or crack. Treads under sole help prevent slipping.

The **IMPACTO TURBOTOE** complies to **CSA Standard - Z195-09 - Protective Footwear. CLASS 7231 01 - OCCUPATIONAL HEALTH AND SAFETY PRODUCTS Grade 1** - protective toe withstands impacts up to 125 Joules (50lb weight dropped from 0.6m).

Certified Steel Toe **ASTM F2413-05 M/A/75/C/75**



SIZING INFORMATION
 Sold per pair.
 For size use your shoe size. The toe cap is color coded for sizing. If your footwear is bulky, choose next size up.

Part No.	Toe Color	USA	UK	Europe
#TTXS	Grey	M: 4 - 5 W: 6 - 7	M: 4.5 - 5.5	38.5 - 39.5
#TTS	White	M: 6 - 7 W: 8 - 9	M: 6 - 7.5	40 - 41.5
#TTM	Yellow	M: 8 - 9 W: 10 - 11	M: 8 - 9.5	42 - 43.5
#TTL	Red	M: 10 - 11 W: 12 - 13	M: 10 - 11.5	44 - 45.5
#TTXL	Blue	M: 12 - 13	M: 12 - 13	46 - 47.5
#TTXXL	Green	M: 13 - 14	M: 13 - 14	48 - 49.5
#TTXXXL	Black	M: 15 - 16	M: 15 - 16	50 - 52



A



B

RS Hughes Part Price Per Case Size Description

A. IMPACTO® TurboToe Safety Toe Cap

The **TURBO TOE** Protects the toe area from accidental impact, crushing or stubbing. Made of flexible, pliable PVC. Treads under sole to prevent slipping and help liquid flow away from the foot. Certified Steel Toe ASTM F2413-05 M/A/75/C/75. Ideal for any working environment that carries a risk of toe damage or has a steel toe cap requirement. Perfect for visitors, casual or temporary workers, management, clerical staff and sales people. 100% waterproof, will not harden, stiff or crack. Can be comfortably worn over low-heel, dress and running shoes and most boots.

628167-10810	28.97	PR	1	XS
628167-25320	28.97	PR	1	SM
628167-31830	28.97	PR	1	MD
628167-35340	28.97	PR	1	LG
628167-24850	28.97	PR	1	XL
628167-09960	28.97	PR	1	2XL
628167-02170	28.97	PR	1	3XL



B. Ergodyne 6300 Ice Traction Device

8 rugged, heat treated carbon steel studs for tenacious grip and stability. Stretchable rubber for fit and easy on/off. Flexible to -40degrees F. M(5-8), L(8-11), XL(11-14).

720476-16753	15.58	PR	6	MD
720476-16754	15.58	PR	6	LG
720476-16755	15.58	PR	6	XL





C



D



E



F



G

RS Hughes Part Price Per Case Size Description

C. IMPACTO® METGUARD Metatarsal Protector

IMPACTO® METGUARD Metatarsal Protector. Protects the metatarsal area of the foot. Designed to compliment steel cap footwear. Made of extremely durable yet lightweight polycarbonate material. Secured with existing laces or optional straps available for footwear without laces.

628167-03800 38.79 PR 20



D. Wearwell Rover Kneel Mat, Black



Meet ROVER™. A unique breed of kneel mat, ROVER™ delivers support where you need it most. Quickly and securely converts from a kneel mat to a roll for head and neck support. For dual comfort, interlock two mats for head and upper-back support! Unique nitrile rubber-enhanced sponge is non-conductive, petroleum resistant, and silicone-free and outperforms traditional PVC sponge mats.

715411-00590 34.11 EA 1 515.34X14X21BK
715411-00587 170.55 CA 1 515.34X14X21BK-CS5 Case of 5

Ergodyne 390, 385 or 380 Proflex Kneeling Pad, Black

Comfort for static kneeling situations. Closed-cell foam is non-conductive, resistant to petroleum, and silicone-free. Beveled safety edge, convenient handle.

E. 720476-18390 66.08 EA 1 18" x 36" x 1"
F. 720476-18385 50.92 EA 1 16" x 28" x 1"
G. 720476-18380 33.92 EA 1 14" x 21" x 1"



H. Impacto MAT5000 Mini Kneeler

Heavy Resilient Closed-Cell 1 Inch Foam Kneeling Mat With Built-In Convenient Handle. Designed For Severe Kneeling Conditions Such As Steel, Concrete, Gravel, Grating, Wet Surfaces, Dirt And Mud. Pocket Kneeler For Single Knee.

628167-17701 6.72 EA 14 4 X 6 MAT5000

I. Impacto MAT5020/MAT5030 Mat Extreme

Heavy Resilient Closed-Cell 1 Inch Foam Standing Mat. Designed For Severe Surfaces Such As Steel, Concrete, Gravel, Grating, Wet Surfaces, Dirt And Mud, 18X36" Standing Mat With Beveled Edge With Bright Safety Lines.

628167-21601 42.59 EA 1 16 X 2 MAT5020
628167-21701 63.36 EA 1 18 X 36 MAT5030



J. Impacto MAT5040 Kneeling Mat

Heavy Resilient Closed-Cell 1 Inch Foam Kneeling Mat With Built-In Convenient Handle. Designed For Severe Kneeling Conditions Such As Steel, Concrete, Gravel, Grating, Wet Surfaces, Dirt And Mud. Pocket Kneeler For Single Knee.

628167-17801 13.88 EA 36 8 X 6 MAT5040

K. Impacto MAT5050 Kneeling Mat

Heavy Resilient Closed-Cell 1 Inch Foam Kneeling Mat With Built-In Convenient Handle. Designed For Severe Kneeling Conditions Such As Steel, Concrete, Gravel, Grating, Wet Surfaces, Dirt And Mud.

628167-17901 29.74 EA 15 14 X 21 MAT5050





A



B



C



RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. Impacto 865-00 Gel Knee Pads

Donut shaped GEL filled padding provides cushioning and shock absorption to the patella bone. Sewn-on cover helps prevent debris from entering. Elevated face or improved stability and traction. Extended feet absorb pressure around the perimeter of the knee. Extended heel supports the shin and helps distribute body weight and reduce stress on the ankles. Dual straps, breathable mesh lower strap and upper elastic strap for added stability. Hook and loop closures. Made with 100% PVC-free materials for a clean environment .

865-00	71.81	PR	1	One Size	865-00
--------	-------	----	---	----------	--------

B. Impacto 825-00 Hard Shell Knee Pads

Ribbed flat kneeling surface. Premium molded foam is toxin free. Breathable Coolmax® inner lining. Dual elastic straps with hook and loop closure. Replacement straps available, #825-STRAPS The hinged-action shell bends with your knee, Long term protection from cumulative trauma injuries, Provides stability when working on your knees, Made with 100% PVC materials EN 14404

628167-82500	25.17	PR	1	One Size	825-00
--------------	-------	----	---	----------	--------

C. Impacto 876-00 Gel Comfort Honeycomb Knee Pads

Textured Co-Polymer Cover easily slides on smooth surfaces. Sewn to padding to keep debris out. Real Gel Padding helps disperse pressure away from the patella bone providing comfort that lasts through the work day. Double straps with hook and loop closure for comfortable adjustment. Made with 100% PVC-Free materials for a clean environment.

628167-04100	52.41	PR	1	One Size	876-00
--------------	-------	----	---	----------	--------

RS Hughes Part Price Per Case Size Description

D. Ergodyne 357 Short All Terrain Honeycomb Gel Kneepad

Short Cap All Terrain - Honeycomb Gel: Lightweight Gel protection and stability. Lower strap and elastic sleeves eliminate irritation. Patented suspension design redirects pressure away from the patella. 10mm Honeycomb Gel and EVA foam for lightweight comfort. Lower elastic strap with H&L closure.



720476-18357 31.42 PR 6

E. Ergodyne 355 Short All Terrain Injected Gel Kneepad

Short Cap All Terrain - Injected Gel: Optimal Gel comfort with two cap options. Great for multiple surfaces. Patented suspension design redirects pressure away from the patella. 10mm Honeycomb Gel and EVA foam for lightweight comfort. Lower elastic strap with H&L closure.

720476-18355 43.42 PR 6

F. Ergodyne 342 Extra Long Injected Gel Kneepad

Extra Long Cap All Terrain - Injected Gel: Biggest, baddest beast you can get. Monster to the world, teddy bear to your knees and tendons. Unique fastening system uses calf muscle to eliminate straps behind knee. Patented suspension design redirects pressure away from the patella. 100% Injected Gel and PU foam for long lasting comfort.

720476-18342 86.58 PR 6

G. Ergodyne 347 Long All Terrain Honeycomb Gel Kneepad

Long Cap All Terrain - Honeycomb Gel: Lightweight Gel protection and stability. Lower strap and elastic sleeves eliminate irritation.

720476-18347 49.08 PR 6

H. Ergodyne 335 Slip Resist Knee Pad Long Cap - Black

Slip Resistant Rubber Cap: Grips wet or dry work surfaces. Buckle closure. Tough-as-nails 840D nylon fabric stands up to any job. 15mm neoprene padding provides firm, consistent support without bottoming out.

720476-18335 22.92 PR 6

I. Occunomix 125 Value Contoured Hard Cap Knee Pad, Blue

Heavy duty protection ideal for most surfaces. Abrasion resistant and great for pivoting, EVA foam padding provides support and protection, PE plastic hard cap, durable polyester and tricot fabrics, adjustable hook & loop closure.

021844-55415 12.50 PR 20



J. Occunomix 126 Classic Wide Knee Cap, Blue

Ideal for spreading grout, finishing concrete, and most other surfaces. EVA foam padding for comfort and cushioning. Wide flexible PVC cap provides broad area of protection, durability, and ergonomic fit.

021844-55418 15.90 PR 25

K. Occunomix 129 Value Fabric Cap, Blue

Ideal for delicate surfaces; lightweight and comfortable. EVA foam padding for comfort and cushioning. Durable 600 Denier Polyester and tricot fabrics, adjustable hook & loop closure.

021844-56055 11.90 PR 20



OUR BEST SELLER!





Only \$16.52 plain toe

Only \$19.29 steel toe

RS Hughes Part	Price	Per	Case	Size	Description
----------------	-------	-----	------	------	-------------

A. OnGuard 15" 85556 Plain Toe/85557 Steel Toe Neoprene Boot, Brown

Heavy-duty Neoprene Rubber provides protection in some of the harshest environments. Rugged, moisture-wicking inner lining feels dry and comfortable for all day wear. Built-in cushion underfoot designed for added comfort in extended wear. Re-engineered back stay gives added flexibility while maintaining upper boot rigidity. Slip and abrasion resistant chevron sole provides consistent, reliable performance.

791079-15440	87.93	PR	6	7	Plain Toe
791079-15441	87.93	PR	6	8	Plain Toe
791079-15442	87.93	PR	6	9	Plain Toe
791079-15443	87.93	PR	6	10	Plain Toe
791079-15444	87.93	PR	6	11	Plain Toe
791079-15445	87.93	PR	6	12	Plain Toe
791079-15446	87.93	PR	6	13	Plain Toe
791079-15453	91.38	PR	6	7	Steel Toe
791079-15454	91.38	PR	6	8	Steel Toe
791079-15455	91.38	PR	6	9	Steel Toe
791079-15456	91.38	PR	6	10	Steel Toe
791079-15457	91.38	PR	6	11	Steel Toe
791079-15458	91.38	PR	6	12	Steel Toe
791079-15459	91.38	PR	6	13	Steel Toe



B. Monarch by OnGuard 16" 86605 Plain Toe/86606 Steel Toe Kneeboot, Black

Monarch: ONGUARD'S Economy Boot. Durable yet economic foot protection designed for uses where chemical resistance is not a factor. Excellent for use in: orchards, vegetable fields, citrus groves, and agriculture. Sizes 4-13 available. Injected molded seamless construction. Steel toe style complies with ASTM F2413-05, reinforced shank, replaceable cushion insoles, pull-up and kick off lugs for easy on and off, cut off band for height adjustment, heavy duty laces in selected styles, 100% waterproof, manufactured using a minimum of 88% pre-consumer recycled materials.

791079-10928	16.52	PR	6	7	Plain Toe
791079-10929	16.52	PR	6	8	Plain Toe
791079-10930	16.52	PR	6	9	Plain Toe
791079-10931	16.52	PR	6	10	Plain Toe
791079-10932	16.52	PR	6	11	Plain Toe
791079-10933	16.52	PR	6	12	Plain Toe
791079-10934	16.52	PR	6	13	Plain Toe
791079-10938	19.29	PR	6	7	Steel Toe
791079-10939	19.29	PR	6	8	Steel Toe
791079-10940	19.29	PR	6	9	Steel Toe
791079-10941	19.29	PR	6	10	Steel Toe
791079-10942	19.29	PR	6	11	Steel Toe
791079-10943	19.29	PR	6	12	Steel Toe
791079-10944	19.29	PR	6	13	Steel Toe

D. OnGuard 97591 12" Latex "Hazmat" Boot Cover

OnGuard Boot/Shoe Covers provide an extra layer of protection for various applications. Excellent for use in spill clean-ups, municipalities and utilities. 100% waterproof, dipped construction, 0.60mm latex rubber with a ripple textured sole.

791079-11877	5.78	PR	50	LG	Yellow
791079-11878	5.78	PR	50	XL	Yellow
791079-11879	5.78	PR	50	2XL	Yellow

E. OnGuard 87012 Hazmax® 16inch Kneeboot

The finest boots made for hazardous material handling! Use in situation involving dangerous chemicals, gasses, or biological hazards and waste. 16" Steel Toe/Steel Shank/Steel Midsole with Ultragrip® Sipe Outsole. One-piece injection molded construction, eliminates seams. Boots are constructed of a high viscosity and flexible PVC alloy. Steel toe, steel shank, and steel midsole for complete protection. Steel toe complies with ASTM F2413-11 and CSA Z195. Exceeds CSA standards for Dielectric Footwear. Non-absorbent polyester lining for easy cleaning and quick drying. Replaceable cushioned insoles, cut off bands, and kick off lug.

791079-13587	102.26	PR	6	6	Green
791079-13588	102.26	PR	6	7	Green
791079-13589	102.26	PR	6	8	Green
791079-13590	102.26	PR	6	9	Green
791079-13591	102.26	PR	6	10	Green
791079-13592	102.26	PR	6	11	Green
791079-13593	102.26	PR	6	12	Green
791079-13594	102.26	PR	6	13	Green
791079-13595	102.26	PR	6	14	Green
791079-13596	102.26	PR	6	15	Green

C. OnGuard 86010 4" PVC Overshoe with 4-way Cleated Outsole, Black

OnGuard PVC Overshoes offer premium protection with heavy FLEX-O-THANE PVC construction for added durability. Injected molded seamless construction, excellent cold weather flexibility, self-cleaning, slip resistance outsole, kick off lug for easy on and off, fits over most work shoes and boots.

791079-107041	16.62	PR	6	LG	
791079-107072	16.62	PR	6	XL	
791079-107096	16.62	PR	6	2XL	



F



G

RS Hughes Part Price Per Case Size Description

**F. Onguard 89085 Durapro Boot W/Steel Shank
89086 Durapro Boot W/Steel Shank & Steel Toe**

Sloped comfort top rim prevents chafing and reduces discomfort when walking, bending and kneeling, 360° pull tab for easy donning. Larger circumference at the top makes it quick and easy to pull the boot on. 3/4IN -height inner liner allows for increased flexibility and subtle feel at the calf while maintaining the soft lined feel of the leg and foot. Honeycomb design molded inside the heel to reduce impact when walking. Ergonomically designed foot-bed to provide better underfoot support. Protective bumpers at rear of boot to prevent premature wear/puncture. Extended circumference kick-off ledge. High performance compounds provide the perfect chemical resistance in the upper and superior abrasion and slip resistance in the outsole. Steel Toe Option is ASTM F2413-11 Compliant.

791079-15491	33.79	PR	6	3	Plain-Toe	Blue
791079-15492	33.79	PR	6	4	Plain-Toe	Blue
791079-15493	33.79	PR	6	5	Plain-Toe	Blue
791079-15494	33.79	PR	6	6	Plain-Toe	Blue
791079-15495	33.79	PR	6	7	Plain-Toe	Blue
791079-15496	33.79	PR	6	8	Plain-Toe	Blue
791079-15497	33.79	PR	6	9	Plain-Toe	Blue
791079-15498	33.79	PR	6	10	Plain-Toe	Blue
791079-15499	33.79	PR	6	11	Plain-Toe	Blue
791079-15500	33.79	PR	6	12	Plain-Toe	Blue
791079-15501	33.79	PR	6	13	Plain-Toe	Blue
791079-15502	33.79	PR	6	14	Plain-Toe	Blue
791079-15503	33.79	PR	6	15	Plain-Toe	Blue
791079-15504	33.79	PR	6	16	Plain-Toe	Blue
791079-15505	35.86	PR	6	3	Steel-Toe	Blue
791079-15506	35.86	PR	6	4	Steel-Toe	Blue
791079-15507	35.86	PR	6	5	Steel-Toe	Blue
791079-15508	35.86	PR	6	6	Steel-Toe	Blue
791079-15509	35.86	PR	6	7	Steel-Toe	Blue
791079-15510	35.86	PR	6	8	Steel-Toe	Blue
791079-15511	35.86	PR	6	9	Steel-Toe	Blue
791079-15512	35.86	PR	6	10	Steel-Toe	Blue
791079-15513	35.86	PR	6	11	Steel-Toe	Blue
791079-15514	35.86	PR	6	12	Steel-Toe	Blue
791079-15515	35.86	PR	6	13	Steel-Toe	Blue
791079-15516	35.86	PR	6	14	Steel-Toe	Blue
791079-15517	35.86	PR	6	15	Steel-Toe	Blue
791079-15518	35.86	PR	6	16	Steel-Toe	Blue

RS Hughes Part Price Per Case Size Description

**G. Onguard 84085 Durapro XCP W/Steel Shank
84086 Durapro XCP W/Steel Shank & Steel Toe**

Sloped comfort top rim prevents chafing and reduces discomfort when walking, bending and kneeling, 360° pull tab for easy donning. Larger circumference at the top makes it quick and easy to pull the boot on. 3/4IN -height inner liner allows for increased flexibility and subtle feel at the calf while maintaining the soft lined feel of the leg and foot. Honeycomb design molded inside the heel to reduce impact when walking. Ergonomically designed foot-bed to provide better underfoot support. Protective bumpers at rear of boot to prevent premature wear/puncture. Extended circumference kick-off ledge. High performance compounds provide the perfect chemical resistance in the upper and superior abrasion and slip resistance in the outsole. Steel Toe Option is ASTM F2413-11 Compliant.

791079-15463	44.83	PR	6	3	Plain-Toe	Brown
791079-15464	44.83	PR	6	4	Plain-Toe	Brown
791079-15465	44.83	PR	6	5	Plain-Toe	Brown
791079-15466	44.83	PR	6	6	Plain-Toe	Brown
791079-15467	44.83	PR	6	7	Plain-Toe	Brown
791079-15468	44.83	PR	6	8	Plain-Toe	Brown
791079-15469	44.83	PR	6	9	Plain-Toe	Brown
791079-15470	44.83	PR	6	10	Plain-Toe	Brown
791079-15471	44.83	PR	6	11	Plain-Toe	Brown
791079-15472	44.83	PR	6	12	Plain-Toe	Brown
791079-15473	44.83	PR	6	13	Plain-Toe	Brown
791079-15474	44.83	PR	6	14	Plain-Toe	Brown
791079-15475	44.83	PR	6	15	Plain-Toe	Brown
791079-15476	44.83	PR	6	16	Plain-Toe	Brown
791079-15477	46.90	PR	6	3	Steel-Toe	Brown
791079-15478	46.90	PR	6	4	Steel-Toe	Brown
791079-15479	46.90	PR	6	5	Steel-Toe	Brown
791079-15480	46.90	PR	6	6	Steel-Toe	Brown
791079-15481	46.90	PR	6	7	Steel-Toe	Brown
791079-15482	46.90	PR	6	8	Steel-Toe	Brown
791079-15483	46.90	PR	6	9	Steel-Toe	Brown
791079-15484	46.90	PR	6	10	Steel-Toe	Brown
791079-15485	46.90	PR	6	11	Steel-Toe	Brown
791079-15486	46.90	PR	6	12	Steel-Toe	Brown
791079-15487	46.90	PR	6	13	Steel-Toe	Brown
791079-15488	46.90	PR	6	14	Steel-Toe	Brown
791079-15489	46.90	PR	6	15	Steel-Toe	Brown
791079-15490	46.90	PR	6	16	Steel-Toe	Brown

Fall Protection

In this section:

Body Supports/Harnesses	197-199
Lanyards, Anchorage Connectors	200-207
Confined Space Rescue Kits, Lifelines	208-209
Tools	210-211

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Choosing Your Harness



Look for quality in these features when selecting your harness.

1 DORSAL CONNECTION

The fall arrest point must be located on the back, positioned between the shoulder blades. Your harness must always include a dorsal attachment point.



2 WEBBING

Webbing is an important factor in the durability and safety of the harness. Ensure that the webbing is strong enough to endure rough use, exposure to sunlight and other elements without tearing or fraying. Specialty applications such as welding and electrical maintenance require the use of Nomex®/Kevlar® fibers or nylon that offers fire resistance or arc flash protection.

3 ADJUSTING POINTS

Whether you wear a harness 4 hours a day or 14, it needs to fit right for safety and comfort. Harnesses with adjusting points on the legs, waist (belt models), chest and torso allow a better fit.

4 LEG STRAPS


Depending on worker preference, leg strap fasteners may be available in different styles, including:



Tongue Buckle



Pass-Thru Buckle



Quick Connect Buckle

5 PELVIC SUPPORT

A sub-pelvic strap provides additional support, security and comfort for the user. Properly positioned, it better distributes forces during a fall.



EXOFIT NEX™

The Ultimate Full Body Comfort Harnesses

ExoFit NEX™ harnesses are the newest, most advanced harnesses in the industry. They're the culmination of our experience with ExoFit™ and ExoFit™ XP, ongoing research, and the incorporation of new materials and innovative features. When you purchase an ExoFit NEX™ harness, you can be certain that you're purchasing the finest harness available today, from DBI-SALA® or anyone else.

COMFORT True to our NEX mission, we manufacture these harnesses using materials that won't add unnecessary weight.

FUNCTION When speed and efficiency are project requirements, ExoFit NEX™ will provide the freedom and confidence to function at your maximum potential.

DURABILITY ExoFit NEX™ harnesses are designed using materials that last.

- PROTECTIVE SHOULDER CAPS** Provide protection and comfort when carrying heavy materials.
- MOLDED LANYARD KEEPERS** Easy holstered snap hooks break away to avoid trip hazard.
- REFLECTIVE MATERIAL** For greater visibility in dark and dangerous environments, reflective material is integrated on legs, chest, shoulders and back.
- BUILT-IN CARRYING POCKET** Conveniently holds and protects a cell phone, camera or other items.
- REPEL TECHNOLOGY WEBBING** Water repellent to reduce attraction of mold and dirt—also has up to 5 times more abrasion resistance.
- REVOLVER™ VERTICAL TORSO ADJUSTERS**
- STAND-UP DORSAL D-RING** Patented spring-loaded design automatically stands-up, ensuring fast, easy and safe connections to your fall arrest system.
- HYBRID COMFORT PADDING** Lightweight, moisture wicking and breathable padding won't move or slip, always keeping the wearer comfortable.
- TECH-LITE™ ALUMINUM D-RINGS** Extremely lightweight alloy commonly used in military and aerospace offers a higher level of security and comfort.
- INTEGRATED TRAUMA STRAPS** Provide an adjustable, continuous loop for post fall, minimizing suspension trauma.
- DUO-LOCK™ QUICK CONNECT BUCKLES** Lightweight one-handed use with memory-fit web-lock ensures fast, non-slipping connections.
- ULTRA-SOFT EDGING** Moves with you. Doesn't rub or chafe.
- SUPERIOR X-DESIGN** A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.

420 LB. CAPACITY
Model shown 1113110



Harnesses

RS Hughes Part Price Per Case Description

A. DBI-Sala® ExoFit NEX™ Vest-Style Harness

Aluminum back D-ring, locking quick connect buckle leg straps, hybrid shoulder, back, and leg comfort padding. Built-in lanyard keepers, vertical torso adjusters, integrated trauma straps, and built-in reflective materials.

648250-16323	404.83	EA	1	MD	1113004
648250-16324	404.83	EA	1	LG	1113007
648250-16325	404.83	EA	1	XL	1113010

B. DBI-Sala® ExoFit NEX™ Construction Style Positioning Harness

Aluminum back D-ring, belt with pad and side D-rings, locking quick connect buckle leg straps, hybrid shoulder, back, and leg comfort padding. Built-in lanyard keepers, vertical torso adjusters, integrated trauma straps, and built-in reflective materials.

648250-16489	470.17	EA	1	MD	1113124
648250-16490	470.17	EA	1	LG	1113127
840779-00678	470.17	EA	1	XL	1113130

C. DBI-Sala® ExoFit™ XP Vest-Style Harness

Vest-style harness, back D-ring, quick connect chest and leg straps. Loops for body belt, parachute torso adjusters, soft lightweight webbing. Removable shoulder, back, and leg comfort padding

648250-16053	374.50	EA	1	MD	1110101
648250-16050	374.50	EA	1	LG	1110102
648250-16054	374.50	EA	1	XL	1110103

D. DBI-Sala® ExoFit™ Vest-Style Harness

Vest-style harness, back D-ring, quick connect chest and leg straps, built-in shoulder, back, and leg comfort padding. Loops for body belt, parachute torso adjusters, soft lightweight webbing.

840779-00025	313.83	EA	1	SM	1107975
840779-00026	313.83	EA	1	MD	1107976
840779-00027	313.83	EA	1	LG	1107977
648250-16161	313.83	EA	1	XL	1107981



EXOFIT™ XP

The Second Generation Full Body Comfort Harnesses


ExoFit™ XP made its mark as the industry's most comfortable harness. Its design incorporates a single piece of material that wraps around you in the shape of an X for the ultimate in no-tangle donning and comfortable security. Its padding can be removed and cleaned. XP materials are soft and lightweight, yet extremely durable.

- CUSHIONED SHOULDER PADS** Keep pressure off, absorb shock, help distribute weight in a fall. Designed so they won't slip or slide off your shoulder.
- REFLECTIVE PADDING** Enhances visibility in low-light conditions.
- INTEGRATED LANYARD KEEPERS** Prevent damage to entanglements. They snap into place, making donning and comfortable security.
- SOFT, LIGHTWEIGHT WEBBING** Strong, yet soft! Won't irritate.
- 3-D MESH AND STRIPPERED EDGING** Allows moisture to evaporate and cool air to circulate, keeping you cool and dry.
- EASY-GRIP END TABS AND KEEPERS** For fast, efficient and secure web adjustment.
- REMOVABLE PADDING** Washing is easy. Just throw it in the washer.
- CUSHIONED LEG AND HIP STRAPS** Comfort and additional security during a fall.
- QUICK CONNECT BUCKLES** One-handed and provide one-handed operation for fast, easy donning.
- ULTRA-SOFT EDGING** Moves with you. Doesn't rub or chafe.
- STAND-UP DORSAL D-RING WITH BUILT-IN INDICATOR** It's spring-loaded, ensuring fast, easy and safe connections to a lanyard or SRL.
- 420 LB. CAPACITY**
Model shown 1110103
- SUPERIOR X-DESIGN** A single piece of material in the shape of an X wraps around the wearer for the ultimate in comfort, security and no-tangle donning.





RS Hughes Part	Price	Per	Case	Description
DBI-Sala® Delta™ Comfort Vest-Style Harness				
Back D-ring, tongue buckle leg straps. Loops for body belt, vertical torso adjusters, lightweight polyester webbing. Built-in shoulder, back, and leg comfort padding				
A. 840779-10507	217.00	EA	1 MD	1100746
A. 840779-10508	217.00	EA	1 LG	1100747
Fixed back D-ring, quick connect buckle leg and chest straps, built-in shoulder, back and leg comfort padding. Vertical torso adjusters, impact indicator.				
B. 840779-10504	227.50	EA	1 MD	1100936
B. 840779-10505	227.50	EA	1 LG	1100937



C. DBI-Sala® Delta™ Comfort Construction Style Positioning Harness				
Built-in shoulder, back and leg comfort padding. Rigid body belt and hip pad with side D-rings, tongue buckle leg straps, fixed back D-ring. Vertical torso adjusters, durable lightweight polyester webbing, impact indicator.				
840779-10513	278.83	EA	1 MD	1100796
840779-10514	278.83	EA	1 LG	1100797
840779-10515	278.83	EA	1 XL	1100798



DBI-Sala® Delta™ Vest-Style Harness				
Vest style harness, back D-ring, tongue buckle leg straps. Built-in lanyard keepers, vertical torso adjusters, impact indicator.				
D. 840779-00001	136.50	EA	1 Universal	1102000
Vest style harness, back D-ring, pass thru buckle leg straps. Built-in lanyard keepers, vertical torso adjusters, impact indicator.				
E. 648250-16159	134.17	EA	1 Universal	1103321
Quick connect full body harness, w/stand up back D-Ring, vest style, back D-ring, quick connect leg & chest strap.				
F. 648250-16057	184.33	EA	1 Universal Back D-Ring	1110600



G. DBI-Sala® Delta™ Vest-Style Positioning Harness				
Stand-up back D-ring, side D-rings, tongue buckle leg straps. Vertical torso adjusters, Repel™ webbing. Built-in lanyard keepers, impact indicator.				
648250-16043	163.33	EA	1 Universal	1102008
H. DBI-Sala® Delta™ Construction Style Harness				
Construction vest-style harness, back D-ring, tongue buckle legs straps, loops for body belt. Vertical torso adjusters, built-in lanyard keepers.				
840779-00141	159.83	EA	1 Universal	1102526
I. DBI-Sala® Delta™ Cross-Over Style Climbing Harness				
Stand-up back D-ring, front D-ring, and pass thru buckle leg straps.				
840779-00019	156.33	EA	1 Universal Front & Back D-Rings	1102010

J. DBI-Sala® Delta™ Construction Style Positioning Harness				
Construction-style positioning harness with body belt/hip pad. Side and stand-up back D-rings, shoulder pads, tongue buckle leg straps. Repel™ webbing, built-in lanyard keepers, vertical torso adjusters, impact indicator.				
840779-00012	229.83	EA	1 LG	1101655
840779-00013	229.83	EA	1 XL	1101656

K. DBI-Sala® Delta™ Cross-Over Style Positioning/Climbing Harness				
Cross-over style harness with back, front and side D-rings, and pass thru buckle leg straps. Built-in lanyard keepers, vertical torso adjusters, impact indicator.				
840779-00002	164.50	EA	1 Front, Back, & Side D-Rings	1103270





L



M



N



O



P

RS Hughes Part Price Per Case Description

L. Protecta® PRO™ Construction Style Positioning Harness

Construction-style positioning harness with body belt/hip pad. Side and back D-rings, shoulder pads, tongue buckle leg straps. Parachute torso adjusters, built-in lanyard keepers, tool and equipment rings, impact indicator.

840779-01021	100.92	EA	1	SM	1191208
648250-16517	100.92	EA	1	MD/LG	1191209
840779-01022	100.92	EA	1	XL	1191210

Protecta® PRO™ Vest-Style Harness

Vest style harness, back D-ring, pass thru buckle leg straps. Built-in lanyard keepers, parachute torso adjusters, impact indicator.

M. 840779-01015	56.00	EA	1	SM	1191200
M. 840779-01016	56.00	EA	1	MD/LG	1191201
M. 840779-01017	56.00	EA	1	XL	1191202

Vest-style harness, back D-ring, tongue buckle leg straps. Parachute torso adjusters, durable polyester webbing. Built-in lanyard keepers, impact indicator.

N. 840779-01036	68.25	EA	1	MD/LG	1191237
N. 840779-01037	68.25	EA	1	XL	1191238

Protecta® FIRST™ Vest-Style 3-Point and 5-Point Harnesses

3-Point harness. Back D-rings, pass-thru buckle leg and chest straps.

O. 648250-02690	38.50	EA	1	Universal	AB17510
-----------------	-------	----	---	-----------	---------

3-Point harness. Back & side D-rings, pass-thru buckle leg and chest straps.

P. 648250-02695	46.29	EA	1	Universal	AB17520
-----------------	-------	----	---	-----------	---------

5-Point harness. Back D-rings, pass-thru buckle leg and chest straps.

Q. 648250-02700	40.79	EA	1	Universal	AB17530
-----------------	-------	----	---	-----------	---------

5-Point harness. Back & side D-rings, pass-thru buckle leg and chest straps.

R. 648250-02705	48.58	EA	1	Universal	AB17540
-----------------	-------	----	---	-----------	---------



Q



R



S



T



S. Protecta® FIRST™ Vest-Style Positioning Harness

Vest-style positioning harness, back and side D-rings, parachute torso adjusters. Durable polyester web construction, tongue buckle leg straps.

840779-00282	56.38	EA	1	Universal	AB17560
--------------	-------	----	---	-----------	---------

T. Protecta® Suspension Trauma Safety Straps

Suspension trauma safety strap allows user to stand in harness after a fall. Attaches to almost any harness with fast and easy installation. Extremely compact and lightweight design, simple and fast zipper style deployment.

840779-00127	37.33	EA	1	9501403
--------------	-------	----	---	---------



Choosing a Lanyard

Look for quality in these features when selecting a lanyard.

1 WEBBING

Webbing must be strong enough to endure rough use and exposure to sunlight and other elements, without tearing or fraying. Nomex®/Kevlar® with fiber webbing should be used for applications such as welding or arc flash hazards. Webbing may also be coated with polyurethane for protection against grease, oil and grime. Cable lanyards offer extra durability and are ideal if you're working in abrasive or high-heat environments.

2 IMPACT INDICATORS

Impact indicators let you see if a shock absorber has been involved in a fall. Once an energy absorber has been deployed, the lanyard must be removed from service immediately and destroyed.

3 CONNECTOR/HOOK

DBI-SALA® patented snap hooks are popular because they allow one-handed use and won't pinch your thumbs or fingers. Lanyards can also be fitted with larger hooks or carabiners, for connection to larger anchorages.

4 LENGTH

The standard lanyard length is 6 ft. (1.8 m), but both shorter and longer length lanyards are available. A lanyard should be long enough to be user-friendly, but kept as short as possible to minimize the free fall distance.



Equipped with



TYPES OF LANYARDS



PACK STYLE SHOCK ABSORBING LANYARDS

These basic lanyards include a pack style shock absorber and offer a variety of leg types (web, cable, or with Kevlar® fiber). They dissipate energy, limiting the forces on your body during a fall.



TUBULAR STYLE SHOCK ABSORBING LANYARDS

These lanyards feature an internal shock absorber that dissipates the energy of a fall. This style is available in both a traditional fixed length design and a "stretch" style that expands and contracts.



DOUBLE-LEG 100% TIE-OFF LANYARDS

Two lanyards that are connected at one end. This style of lanyard is used to provide 100% tie-off, allowing you to stay protected when moving from one location to another.



POSITIONING LANYARDS

Lanyards without shock absorbers, such as rope or web lanyards and chain rebar assemblies, are designed for positioning or restraint applications.

Fall Protection Product Considerations

Inspection and Product Life Fall protection products should be inspected prior to each use, and that a "Competent Person" should perform a formal inspection at least once every six months.

Due to OSHA inspection requirements, 3M does not apply a mandatory shelf-life or expiration date on their fall protection products. It is a general recommendation that a life expectancy for web goods (harnesses and lanyards) of five years from the date of manufacture be considered. This coincides with the recommended shelf life noted in ANSI A10.32-2004 (section 1 paragraph 1.4.4) standards.

OSHA 1910.66 and 1926.502 require no formal inspection period, only inspection by the user before each use. OSHA 1926.502(d)(21) specifically states: *Personal fall arrest systems shall be inspected prior to each use for wear, damage and other deterioration, and defective components shall be removed from service.*

ANSI Z359.1-2007 requires inspection by a "Competent Person", other than the user, at least once every year. While ANSI A10.32-2004 and ANSI A10.14 – 1991 require formal inspection by a "Competent Person" every six months.



see page 379

SELF RETRACTING LIFELINES

NANO-LOK™

SELF RETRACTING LIFELINE

Nano-Lok™ is ergonomically designed for ease-of-use and is ideal for direct connection to most harnesses. At only 1.6 lbs., it's virtually unnoticeable on your back, stays out of the way and can be easily used as a lanyard replacement. Whether your application requires single or twin leg configurations, mounting to an overhead anchor or for connection directly to harness, there are more than 30 models to choose from to suit almost any application. Nano-Lok™ locks quickly—stopping a fall within inches—providing more protection at low heights. In addition, tension is always kept on the lifeline, which reduces dragging, snapping and trip falls. Both features are key safety improvements.



DIRECT-TO-HARNESS CONNECTION
—INSTALLS DIRECTLY TO WEBBING ON MOST HARNESSES

- Leaves D-ring open for other equipment or rescue.
- Provides snug fit to workers back—eliminates harness flopping.
- Lower attachment point keeps housing at shoulder level vs. head level.

IMPACT-RESISTANT HOUSING
High-strength housing provides maximum durability.

100% TIE-OFF CONFIGURATION
Provides continuous fall protection and added mobility when moving from one location to another; replaces twin-leg lanyard improves safety.

IMPACT INDICATOR
Integrated shock absorber provides visual indication of a fall.

RETRACTABLE LIFELINE
6-ft. lifeline provides continuous fall protection without restrictions—keeps lifeline out of worker's way, reducing dragging, snagging and trip falls.

i-Safe™ EQUIPPED
Helps track equipment and manage safety inspection programs.

EXTREMELY COMPACT & LIGHTWEIGHT
At just 1.6 lbs., this SRL is the lightest, most compact unit on the market in its class.

WIDE VARIETY OF CONFIGURATIONS
Provides complete jobsite versatility and flexibility.

420 LB. WEIGHT CAPACITY
Higher capacity for operator and tools.

Optional twin leg fixed anchorage connector available for EnForm™ and other fixed D-ring harnesses.




SINGLE LEG ANCHORAGE CONNECTOR
Attaches directly to back of most harnesses (no separate carabiner required) with swiveling anchorage loop that limits lifeline twisting for smoother operation.

TWIN LEG ANCHORAGE CONNECTOR
Attach two SRLs directly to back of most harnesses; installs to web—leaves dorsal D-ring open for other equipment or rescue; design provides snug fit to worker's back; interchangeable SRLs allow versatility and replacement options.

AUTOMATIC QUICK-ACTIVATING ARRESTOR
Stops falling worker within inches—reduces fall distances and average arresting forces to 300 lbs. or less; replaces lanyard and improves safety.

How to Calculate Fall Distance

Fall distance must be calculated for each application where use of fall arrest systems are required.



Remember

LESS than 17 1/2 ft. of clearance, the use of a self-retracting lanyard is recommended (Figure A)

OVER 17 1/2 ft. of clearance, an energy absorbing lanyard or a self-retracting lanyard can be used (Figure B)



Figure A
100% Tie-Off
Self-Retracting
Lanyard

Figure B
3570 SafeStretch
Lanyard

Lanyards – Self Retracting

RS Hughes Part Price Per Case Description

A. DBI-Sala® Nano-Lok™ Tie-Back Quick Connect Self Retracting Lifeline - Web

Built-in connector for SRL direct attachment to harness. 9' 3/4" Dyneema® fiber and polyester web lifeline. Tie-back wear layer web design, tie-back self-locking hook on lifeline. Tough and impact resistant thermoplastic housing, swiveling anchorage loop. Quick activating speed sensing brake system, high capacity external energy absorber and impact indicator.

840779-01378 284.67 EA 1 Single-Leg 3101366

B. DBI-Sala® Nano-Lok™ Quick Connect Self Retracting Lifeline - Web

Built-in connector for single-leg SRL direct attachment to harness. 6' 3/4" Dyneema® fiber and polyester web lifeline with aluminum 19mm throat. Extremely compact, lightweight design, tough and impact resistant thermoplastic housing. Quick activating speed sensing brake system, high capacity external energy absorber and impact indicator. 420lb capacity.

B. 840779-01193 206.50 EA 1 3101225

Built-in connector for single-leg SRL direct attachment to harness. 6' 3/4" Dyneema® fiber and polyester web lifeline with standard 3/4inch opening snap hook. Tough and impact resistant thermoplastic housing, swiveling anchorage loop. Quick activating speed sensing brake system, high capacity external energy absorber and impact indicator.

C. 840779-01194 206.50 EA 1 3101228

D. DBI-Sala® Nano-Lok™ Self Retracting Lifeline with Anchor Hook - Web

Swiveling anchorage loop with carabiner. 6' 3/4" Dyneema® fiber and polyester web lifeline. Self-locking snap hook on lifeline, extremely compact, lightweight design. Tough and impact resistant thermoplastic housing, quick activating speed sensing brake system. High capacity external energy absorber and impact indicator.

840779-01271 180.83 EA 1 3101215



Head to Toe Protection

Lanyards – Self Retracting



B



A



C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. DBI-Sala® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web

Twin-leg 100% tie-off design with built-in connector for twin-leg SRL direct attachment to harness. 6' twin-leg lifelines with 3/4" Dyneema® fiber and polyester web. Tough and impact resistant thermoplastic housing, swiveling anchorage loops. Quick activating speed sensing brake systems, high capacity external energy absorbers and impact indicators.

840779-01196	471.33	EA	1	Aluminum Rebar Hooks 3101277
--------------	--------	----	---	------------------------------

B. DBI-Sala® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web

Twin-leg 100% tie-off design with built-in connector for twin-leg SRL direct attachment to harness. 6' twin-leg lifelines with 3/4" Dyneema® fiber and polyester web. Tough and impact resistant thermoplastic housing, swiveling anchorage loops. Quick activating speed sensing brake systems, high capacity external energy absorbers and impact indicators.

840779-01204	492.33	EA	1	Steel Rebar Hooks 3101280
--------------	--------	----	---	---------------------------

C. DBI-Sala® Nano-Lok™ Tie-Back Twin-Leg Quick Connect Self Retracting Lifeline - Web

Built-in connector for SRL direct attachment to harness. 9' 3/4" Dyneema® fiber and polyester web lifeline. Tie-back wear layer web design, tie-back self-locking hook on lifeline. Tough and impact resistant thermoplastic housing, swiveling anchorage loop. Quick activating speed sensing brake system, high capacity external energy absorber and impact indicator.

840779-01380	540.17	EA	1	Twin-Leg 3101374
--------------	--------	----	---	------------------

D. DBI-Sala® Nano-Lok™ Arc Flash Self Retracting Lifeline with Anchor Hook

Arc flash rated swiveling anchorage loop with 13" web extension and aluminum snap hook. 8' 3/4" Kevlar® fiber web lifeline. Extremely compact, lightweight design, tough and impact resistant thermoplastic housing. Quick activating speed sensing brake system. High capacity energy absorber and impact indicator protected by Kevlar® fiber cover.

840779-10183	402.50	EA	1	3101575
--------------	--------	----	---	---------

E. DBI-Sala® Nano-Lok™ Connector

Connector for Nano-Lok™ self retracting lifeline. High strength steel construction, corrosion resistant zinc plated design.

840779-01202	50.17	EA	1	Single-Leg 3100088
840779-01203	77.00	EA	1	Twin-Leg 3100087

Lanyards – Self Retracting



RS Hughes Part Price Per Case Description

F. DBI-Sala® Sealed-Blok™ Self Retracting Lifeline - Retrieval/Bracket

50' of 3/16" galvanized steel wire rope with swivel snap hook, 3-way retrieval winch and mounting bracket, anchorage carabiner, 4' cable tie-off adaptor.

840779-07261 4,520.83 EA 1 3400923

DBI-Sala® Talon™ Quick Connect Self Retracting Lifeline - Web

8' of 1" nylon web with snap hook and quick connector for harness mounting. Anti-ratcheting design, velocity sensing brake, serviceable design.

G. 840779-02072 326.67 EA 1 Snap Hook 3101000

8' of 1" nylon web with snap hook and quick connector for harness mounting. Anti-ratcheting design, velocity sensing brake, serviceable design.

H. 648250-16028 343.00 EA 1 Swivel Snap Hook 3101001

I. DBI-Sala® Talon™ Tie-Back Quick Connect Self Retracting Lifeline - Web

9.5' of 1" nylon web with tie-back hook and quick connector for harness mounting. Velocity sensing brake, tie-back self-locking hook, all metal braking system.

840779-00109 361.67 EA 1 3101300

J. DBI-Sala® Tagline for Self Retracting Lifeline

25' tagline for self retracting lifeline, 3/16" polypropylene rope with O-ring at one end.

840779-08101 23.92 EA 1 7211857

Protecta® Rebel™ Self Retracting Lifeline - Web, 11 Feet

1" polyester web with steel hook, swiveling anchorage and anchorage carabiner. High capacity external energy absorber and impact indicator. Quick activating speed sensing brake system.

K. 840779-10565 199.50 EA 1 Steel Snap Hook 3100425

L. 840779-10567 219.33 EA 1 Steel Rebar Hooks 3100427

M. 840779-10566 225.17 EA 1 Steel Swiveling Snap Hook 3100426

N. Protecta® Rebel™ Twin-Leg Self Retracting Lifeline - Web

6' twin-leg with 1" polyester web and steel rebar hooks, quick connector for harness mounting. Triple locking carabiner connects SRL's to form twin-leg system.

840779-10405 348.83 EA 1 3100414

O. Protecta® Rebel™ Self Retracting Lifeline - Cable

Rugged, lightweight thermoplastic housing, built-in carrying handle. 3/16" galvanized steel wire rope with swiveling snap hook. Speed sensing all metal brake system, internal energy absorption system. Self-locking anchorage carabiner.

840779-07173 535.50 EA 1 33FT 3590500

840779-07180 722.17 EA 1 50FT 3590550



Head to Toe Protection

Lanyards – Shock Absorbing



RS Hughes Part Price Per Case Description

A. DBI-Sala® ShockWave™2 Shock Absorbing Lanyard

6' single-leg with tubular web and snap hooks at each end. Stretches in reaction to your movements.

648250-16099 110.83 EA 1 1244306

B. DBI-Sala® ShockWave™2 Arc Flash Web Loop Shock Absorbing Lanyard

6' single-leg with elastic Nomex®/Kevlar® fiber webbing and web loop choker at one end, snap hook at other end.

648250-16139 213.50 EA 1 1244611

DBI-Sala® ShockWave™2 100% Tie-Off Shock Absorbing Lanyard

6' double-leg 100% tie-off with elastic web and snap hooks at ends. Stretches in reaction to your movements

C. 648250-16101	171.50	EA	1	Snap Hooks	1244406
D. 648250-16155	270.67	EA	1	Steel Rebar Hooks	1244412
E. 648250-16102	312.67	EA	1	Aluminum Rebar Hooks	1244409

DBI-Sala® EZ-Stop™ Shock Absorbing Lanyard

Single-leg with self locking snap hooks at each end. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials.

F. 840779-09716	106.17	EA	1	3FT	1246012
G. 840779-01372	112.00	EA	1	6FT	1246011
H. 840779-01373	121.33	EA	1	6FT Adjustable	1246234

I. DBI-Sala® EZ-Stop™ Tie-Back Shock Absorbing Lanyard

6' web single-leg with adjustable D-ring for tie-back and snap hooks at each end. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials, impact indicator.

840779-09738 156.33 EA 1 1246085

DBI-Sala® EZ-Stop™ 100% Tie-Off Shock Absorbing Lanyard

6' web double-leg 100% tie-off with snap hooks at each end. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials, impact indicator.

J. 840779-05477 159.83 EA 1 1246022

6' elastic web double-leg 100% tie-off with aluminum snap hook at center, aluminum rebar hooks at leg ends. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials, impact indicator.

K. 840779-09811 336.00 EA 1 1246193

L. DBI-Sala® EZ-Stop™ WrapBax™ Tie-Back 100% Tie-Off Shock Absorbing Lanyard

6' double-leg 100% tie-off, tie-back web with snap hook at one end, tie-back hook at other end. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials, impact indicator.

840779-09736 240.33 EA 1 1246080

Lanyards – Shock Absorbing



M



N

RS Hughes Part Price Per Case Description

M. DBI-Sala® Force2™ Shock Absorbing Lanyard

6' web single-leg Force2™ with snap hooks at each end. Force2™ 12' free fall and dual capacity rated. Exclusive Hi-10™ Vectran™ energy absorption system, built-in reflective materials, impact indicator.

840779-09789 135.33 EA 1 1246167

N. DBI-Sala® Force2™ Elastic 100% Tie-Off Shock Absorbing Lanyard

6' elastic web, double-leg 100% tie-off with PVC coated shock pack, rescue D-rings, snap hook at center and aluminum rebar hooks at leg ends. Force2™ 12' free fall and dual capacity rated.

648250-17108 348.83 EA 1 1246032

O. Protecta® PRO-Stop™ Shock Absorbing Lanyard

6' single-leg tubular web with snap hooks at each end. Abrasion resistant tubular polyester webbing, impact indicator.

840779-01408 44.92 EA 1 1340220

P. Protecta® PRO™ Pack Shock Absorbing Lanyard

6' web single-leg with snap hooks at each end. PVC shock pack with protected label, impact indicator.

840779-01149 46.67 EA 1 1341001

Protecta® PRO™ Pack 100% Tie-Off Shock Absorbing Lanyard

6' web double-leg 100% tie-off with snap hooks at each end. PVC shock pack with protected label, impact indicator.

Q. 840779-01154 59.50 EA 1 1342001

6' web double-leg 100% tie-off with snap hook at center, steel rebar hook at leg ends. PVC shock pack with protected label, impact indicator.

R. 840779-01140 88.67 EA 1 1340180

S. Protecta® PRO™ Pack Tie-Back 100% Tie-Off Shock Absorbing Lanyard

6' double-leg 100% tie-off with tie-back web and snap hook at center, tie-back carabiner at leg ends. PVC shock pack with protected label, impact indicator, lightweight and user friendly.

840779-01134 103.25 EA 1 1340060

Protecta® PRO™ Stretch 100% Tie-Off Shock Absorbing Lanyard

6' double-leg 100% tie-off with elastic web and snap hooks at each end. Stretches in reaction to your movements.

T. 840779-01138 81.67 EA 1 1340141

U. 840779-01139 109.67 EA 1 Steel Rebar Hooks 1340161



O

P

Q

R

S

T

U



R.S. HUGHES

Head to Toe Protection

Fall Protection

Lanyards – Positioning, Anchorage Connectors

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change

Lanyards – Positioning

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

DBI-Sala® Web Positioning Lanyard

6' single-leg lanyard, ideal for work positioning or restraint. Abrasion resistant polyester webbing, built-in wear indicator. User friendly self locking snap hooks at each end. Equipped with i-Safe™

A. 648250-16168	98.58	EA	1	Adjustable 1231016
B. 648250-16169	90.42	EA	1	1231106



C. DBI-Sala® Rope Positioning Lanyard - Nylon

6' nylon rope single-leg with snap hooks at each end. Ideal for work positioning or restraint.

648250-16171	99.75	EA	1	1232354
--------------	-------	----	---	---------

D. Protecta® PRO™ Chain Rebar/Positioning Lanyard

22" chain rebar assembly with steel rebar hook at center, snap hooks at leg ends. Extremely durable twist link chain construction, ideal for work positioning.

840779-01161	67.67	EA	1	1350200
--------------	-------	----	---	---------

Anchorage Connectors

E. DBI-Sala® Web Tie-Off Adaptor

Pass-thru type tie-off adaptor in a compact and lightweight design. Durable polyester construction, abrasion resistant polyester wear pad, and high strength steel hardware.

840779-00005	58.33	EA	1	3FT	1003000
840779-00008	66.50	EA	1	6FT	1003006

F. DBI-Sala® Cable Tie-Off Adaptor

Pass-thru type cable tie-off adaptor with O-ring at one end and D-ring at the other.

648250-16188	131.83	EA	1	4FT	5900550
648250-16260	145.83	EA	1	6FT	5900551

G. DBI-Sala® Web Scaffold Choker w/ D-ring

1.4' web scaffold choker with D-ring and web loop.

840779-00041	32.08	EA	1	1201390
--------------	-------	----	---	---------

H. DBI-Sala® Saflok™ Carabiner - 2IN

2" gate opening steel carabiner with self closing/triple-action locking gate for added safety. Highly corrosion resistant plated hardware, compact and lightweight design.

648250-16179	116.67	EA	1	2000300
--------------	--------	----	---	---------

I. DBI-Sala® Saflok™ Carabiner - 3/4IN

Steel carabiner with 3/4" opening, 3600 lb self closing/locking gate. Highly corrosion resistant plated hardware, compact and lightweight design.

648250-16175	57.75	EA	1	2000112
--------------	-------	----	---	---------

J. DBI-Sala® D-ring Extension

1.5' D-ring extension with snap hook at one end, D-ring at other end.

648250-16170	58.33	EA	1	1231117
--------------	-------	----	---	---------

K. Protecta® PRO™ D-ring Extension - 18in

1.5' D-ring extension with snap hook at one end, D-ring at the other end. Extends dorsal harness D-ring or overhead anchor point.

840779-01164	31.50	EA	1	1385000
--------------	-------	----	---	---------





RS Hughes Part Price Per Case Description

L. DBI-Sala® Trolley for I-Beam

Trolley for I-beam for use w/self retracting lifeline (fits beam flanges 3"-8" in width up to 11/16" thick)

840779-00064 546.00 EA 1 2103143

M. DBI-Sala® Fixed Beam Anchor

Fixed beam anchor fits 2-1/2" to 12" wide I-beams up to 1-1/2" thick. Detent style attachment with built-in tightening handle attaches in any orientation or direction.

840779-00068 456.17 EA 1 2108406

N. DBI-Sala® Glyder™ Sliding Beam Anchor

Sliding beam anchor fits 3-1/2" to 14" wide I-beams up to 1-1/4" thick. Complete hands-free horizontal mobility in a compact and lightweight design.

840779-00363 253.17 EA 1 2104700

O. DBI-Sala® Saflok™ Concrete Wedge Anchor

Concrete wedge anchor for 3/4" hole with swiveling D-ring. Portable and reusable, use vertically in wall or horizontally in ceiling.

648250-16304 175.00 EA 1 2100085

P. DBI-Sala® Concrete D-ring Anchor w/ Bolt

Concrete D-ring anchor for 11/16", 3/4" hole with swiveling D-ring. Use vertically in wall or horizontally in ceiling to install a temporary or permanent anchor.

840779-00233 117.83 EA 1 2104560

Q. Protecta® PRO™ Concrete Wedge Anchor

Concrete wedge anchor for 3/4" hole with swiveling D-ring. Portable and reusable, use vertically in wall or horizontally in ceiling.

840779-00075 112.00 EA 1 2190053

R. DBI-Sala® Concrete Anchor Strap w/ D-ring

Concrete anchor strap with D-ring, 3-1/2' length. Loop slips over rebar for fast installation. Abrasion resistant polyester wear pad with a high strength steel D-ring.

648250-16046 10.50 EA 1 2100050

DBI-Sala® D-ring Anchorage Plate

D-ring anchorage plate with zinc plated steel D-ring and steel plate. Bolt or weld to structure for fall arrest anchor point.

S. 840779-00063 45.50 EA 1 Stainless Steel 2101630

T. 648250-16181 43.17 EA 1 Raw Steel 2101634

Protecta® Compliance in a Can™ Light Roofers Fall Protection Kit

Complete all purpose fall protection system in one handy container! Includes a Lightweight FIRST™ harness with tongue buckle legs and 5-point adjustment, compact PRO-Stop™ 6' double-leg lanyard with rebar hooks, and a durable bucket with handle.

U. 840779-00427 49.04 EA 1 AB17550

Complete all purpose fall protection system in one handy container: Lightweight FIRST™ harness with pass-thru buckle legs and 5-point adjustment (model 1191995), PRO™ 6' single-leg shock absorbing lanyard (model 1341001), Durable bucket with handle.

V. 840779-00740 87.54 EA 1 2199802



Protecta® Compliance in a Can™ Roofers Fall Protection

Complete roofer's fall protection system in one handy container: Reusable and extremely durable roof anchor with fasteners, Lightweight FIRST™ harness with pass-thru buckle legs and 5-point adjustment, Compact rope adjuster with built-in 2' PRO™ shock absorbing lanyard, Durable and lightweight 5/8" dia. 50' blended lifeline with snap hook, Durable bucket with handle.

W. 648250-16031 171.42 EA 1 2199803

Protecta® Permanent Roof Anchor with Flashing and Cap

Permanent U-bolt roof anchor with integral D-ring, flashing and cap, fits up to 2' X 8' roof member. Fast and easy bolt and clamp installation.

X. 648250-16182 85.17 EA 1 2103670



Confined Space Rescue

RS Hughes Part Price Per Case Description

DBI-Sala® Advanced™ 5-Piece Davit Hoist System

The Advanced™ series hoist systems are designed for manhole and confined space entry/retrieval applications. These units are constructed of lightweight materials including high-strength aluminum. The davit pivots for ease-of-rescue and has adjustment for overhead clearance restrictions. The lower base adjusts to fit most standard entries. Many other portable and fixed bases are available to suit any jobsite need. Winch sold separately.

A.	840779-00234	6,235.83	EA	1	11.5"-27.5" Offset Mast, 33" Mast	8518000
B.	840779-00661	8,107.17	EA	1	23.5"-42.5" Offset Mast, 33" Mast	8518040

C. DBI-Sala® Advanced™ Davit Quick Release Mounting Bracket

Quick release mounting bracket for Advanced™ upper and lower masts. Durable powder coated aluminum construction in a compact and lightweight design.

840779-00579	129.50	EA	1	8516824
--------------	--------	----	---	---------

D. DBI-Sala® Advanced™ Aluminum Tripod

7' aluminum tripod with adjustable locking legs, safety chain, safety shoes, top pulley and quick-mount bracket.

840779-00393	1,468.83	EA	1	8000000
--------------	----------	----	---	---------

E. DBI-Sala® Advanced™ Aluminum Tripod with Salalift™ II Winch

7' aluminum tripod and Salalift™ II winch with 60' of 1/4" galvanized steel wire rope, mounting bracket and carrying bag.

840779-11168	3,749.67	EA	1	8300030
--------------	----------	----	---	---------

F. DBI-Sala® Salalift™ II Winch

Winch with 60' of 1/4" galvanized steel wire rope and swivel snap hook, mounting bracket and carrying bag.

840779-00190	2,251.67	EA	1	8102001
--------------	----------	----	---	---------



Vertical & Horizontal Lifelines

RS Hughes Part Price Per Case Description

G. DBI-Sala® Rope Lifeline with Snap Hook

5/8" (16 mm) diameter polyester/polypropylene blend with built-in self locking snap hook at one end. Durable, high strength 5-tuck splice. Equipped with i-Safe™.

840779-07525	89.83	EA	1	30 FT	1202754
840779-07552	111.42	EA	1	50 FT	1202794
840779-07585	176.17	EA	1	100 FT	1202844



H. DBI-Sala® Cobra™ Mobile/Manual Rope Grab

Mobile and manual rope grab for use on 5/8" polyester/polypropylene blend rope lifeline. Manual option allows user to fix in place. Cam locking system for safety. Durable and lightweight corrosion resistant construction.

840779-00223	115.50	EA	1	AC202D
--------------	--------	----	---	--------

I. DBI-Sala® Lad-Saf™ Cable Guide for Fixed Ladder

Cable guide for fixed ladder system up to 199'. Galvanized, fits rungs up to 1-1/8" diameter, 1 every 25' required. Extremely rugged and corrosion resistant galvanized mounting hardware. Fast, easy, and safe installation.

648250-16265	48.42	EA	1	6100400
--------------	-------	----	---	---------

J. DBI-Sala® Lad-Saf™ X2 Detachable Cable Sleeve

Sleeve for Lad-Saf™ fixed ladder safety system for use on 3/8" and 5/16" solid core cable. Mobile design follows user for convenient climbing protection. Easy to install and detach anywhere along lifeline. Mechanical and inertial locking system stops falls within inches, built-in energy absorber and fall indicator.

648250-16792	548.33	EA	1	6160030
--------------	--------	----	---	---------

K. DBI-Sala® Lad-Saf™ Mobile Rope Grab

Mobile rope grab for use on 5/8" rope lifeline. Inertia and cam locking systems for safety, mobile design automatically follows user. Durable and lightweight corrosion resistant construction.

840779-00125	186.67	EA	1	5000335
--------------	--------	----	---	---------

L. DBI-Sala® Lad-Saf™ Bottom Bracket for Fixed Ladder

Bottom bracket for fixed ladder with tensioner, galvanized, attaches to two rungs up to 1-1/8" diameter. Built-in cable tension system.

648250-16198	93.33	EA	1	6100090
--------------	-------	----	---	---------

M. DBI-Sala® EZ-Line™ Retractable Horizontal Lifeline System

60' retractable cable horizontal lifeline system with built-in winch, tension and impact indicators. Ergonomic easy to carry case, extremely lightweight and portable design. Built-in winch, pre-tension and impact indicators.

840779-00237	1,682.33	EA	1	7605060
--------------	----------	----	---	---------

N. Protecta® PRO-Line™ Synthetic Horizontal Lifeline System

Complete 60' system includes: lightweight 2" web lifeline, two 6' tie-off adaptor anchors, built-in energy absorber limits fall arrest forces. Integral ratchet tensioner for easy set-up. Flexible system capacity of 2 workers.

840779-01064	453.83	EA	1	1200101
--------------	--------	----	---	---------



G



H



I



J



K



L



M



N



Head to Toe Protection



Tools

RS Hughes Part Price Per Case Description

DBI-Sala® Python Safety™ Quick Wrap Tape, 1in Wide

Made from a self-fusing silicone rubber, Python Safety™ Quick Wrap Tape is capable of creating instant connection points for nearly any tool in a matter of seconds when used with a Python Safety D-Ring or Tool Cinch Attachment Point. Quick Wrap Tape conforms to the shape of whatever it is applied to, making it ideal for even the most irregular shaped tools. Quick Wrap Tape has a temperature range of -65°F to 500°F (-54°C to 260°C).

A. 852684-93281	21.58	EA	1	1500035	Blue
B. 852684-93289	21.58	EA	1	1500044	Yellow



DBI-Sala® Python Safety™ D-Ring Attachment (10 Pack)

Python Safety™ D-Rings are used with Quick Wrap Tape to create instant attachment points on tools. The D-Ring Attachment 0.5" x 2.25" can be used to create an attachment point on virtually any tool under 2 lb. (0.9 kg).

C. 852684-93063	40.83	EA	1	0.5" X 2.25"	1500003
------------------------	-------	----	---	--------------	---------

Python Safety™ D-Rings are used with Quick Wrap Tape to create instant attachment points on tools. The D-Ring Attachment 1" x 3.5" can be used to create an attachment point on virtually any tool under 5 lb. (2.3 kg).

D. 852684-93069	44.33	EA	1	1" X 3.5"	1500007
------------------------	-------	----	---	-----------	---------

E. DBI-Sala® Python Safety™ D-Ring Attachment with Cord

The Python Safety™ D-Ring Cord easily cinches to tools weighing under 5 lbs, creating an instant attachment point for many tools. 10 Pack.

852684-93073	40.83	EA	1	1500009
--------------	-------	----	---	---------

F. DBI-Sala® Python Safety™ Quick Ring (25 Pack)

An economical solution for making tools tether-ready quickly. Ring Pliers can be used for easier and faster Quick Ring installation. 2 lb. capacity

852684-93256	13.42	EA	1	0.75"	1500024
852684-93257	15.75	EA	1	1"	1500025
852684-93258	17.50	EA	1	1.5"	1500026

G. DBI-Sala® Python Safety™ Quick Spin Adaptor (10 Pack)

Python Safety™ Quick Spins make tools tether-ready in seconds. Quick Spins are available in many sizes to accommodate a wide selection of tools. Reusable, suitable for non-conductive use, and a tangle-resistant spin top make Quick Spins an outstanding drop prevention solution that doesn't deface tools. 1 lb. capacity

852684-93262	92.75	EA	1	MD	1500028
852684-93260	92.75	EA	1	LG	1500029
852684-93279	92.75	EA	1	XL	1500030

H. DBI-Sala® Python Safety™ Belt Loop w/ D-Ring Attachment

Creates an instant attachment point that is load-rated for 5 lbs.

852684-93011	7.58	EA	1	1500115
--------------	------	----	---	---------

I. DBI-Sala® Python Safety™ Hard Hat Coil Tether (10 Pack)

Hard hat lanyard, coil tether, 2 lb. capacity. Simple one-handed operation makes it easy to attach to any hard hat.

852684-93106	116.08	EA	1	1500061
--------------	--------	----	---	---------

J. DBI-Sala® Python Safety™ Hook2Loop Bungee Tether

Versatile extension that can be used with virtually any tool under 10 lbs. Self-locking carabiner, 5/8" tubular webbing.

852684-93092	16.33	EA	1	1500047
--------------	-------	----	---	---------

K. DBI-Sala® Python Safety™ Hook2Loop Bungee Tether - Medium Duty

Load rated for tools up to 35 lb. Built from a custom abrasion-resistant webbing, built for durability and longevity. A twist-lock carabiner makes this bungee easy to use, even while wearing gloves.

852684-93096	35.58	EA	1	1500049
--------------	-------	----	---	---------

L. DBI-Sala® Python Safety™ Hook2Hook Coil Tether

Tool lanyard, coil tether, 5 lb. capacity, single leg with self-locking carabiner hooks at both ends.

852684-93081	19.83	EA	1	1500063
--------------	-------	----	---	---------

M. DBI-Sala® Python Safety™ Trigger2Trigger Coil Tether

Tool lanyard, coil tether, 5 lb. capacity. Lightweight vinyl is easy to clean/decontaminate. User-friendly thumb activated triggers.

852684-93131	14.58	EA	1	1500067
--------------	-------	----	---	---------

N. DBI-Sala® Python Safety™ Tool Cinch - Single Wing

Medium Duty Attachment Point features a unique cinch design that allows users to quickly secure even the most difficult to tether tools, and continue their work. 35lb. Capacity.

852684-93292	19.83	EA	1	1500013
--------------	-------	----	---	---------

O. DBI-Sala® Python Safety™ Tool Cinch - Dual Wing

Heavy Duty Attachment Point features a unique cinch design that allows users to quickly secure even the most difficult to tether tools, and continue their work. 80lb. Capacity.

852684-93458	28.58	EA	1	1500017
--------------	-------	----	---	---------

RS Hughes Part Price Per Case Description

P. DBI-Sala® Python Safety™ Steel Cable Retractor - 52in

Tool lanyard, steel cable retractor, 1.5 lb capacity. Expands and contracts automatically.

852684-93335 15.17 EA 1 1500069



Q. DBI-Sala® Python Safety™ Adjustable Wristband

Adjustable wristband, elastic strap with hook and loop. Sewn-in ballistic nylon D-ring connection point.

852684-93304 17.50 EA 1 1500082

R. DBI-Sala® Python Safety™ Single Tool Holster - Harness

Put your hand tools in a compact, user-friendly design that is loaded with innovative product features like Beacon™ Hi-Vis Reflectors and a water drainage vent.

852684-93141 53.08 EA 1 1500103

S. DBI-Sala® Python Safety™ Dual Holster, 2 Retractors, Harness

Premium heavy duty ballistic denier fabric and high-density webbing. Engineered for punishing environments. Heavy-duty 1" D-Rings are built into both sides of the holster and are load-rated for 5lbs. Neoprene pockets on the front and back of the holster each accommodate Python Safety Steel Cable Retractors (2 retractors included).

852684-93162 85.17 EA 1 1500109

T. DBI-Sala® Python Safety™ Tape Measure Retractor Holster

Tape measure holster with rear-feed retractor and Beacon™ High Visibility Reflectors. Fits most tape measure tools.

852684-93194 46.67 EA 1 1500098

U. DBI-Sala® Python Safety™ Scaffold Wrench Holster with Retractor - Belt

Belt scaffold wrench holster with rear-feed retractor. Hook and Loop closure strap keeps tools secure. Rear-feed retractor system with 1.5 lb. capacity is perfect for tape measures and other small hand tools.

852684-93190 46.67 EA 1 1500096

V. DBI-Sala® Python Safety™ Spray Can / Bottle Holster

Neoprene holster with a side-release composite buckle. Adjustable strap allows the holster to conform to the size of your water bottle. Comes included with a 7-70 mm aluminum carabiner. Use with water bottles, spray cans, and other aerosol cans.

852684-93173 12.25 EA 1 1500091

W. DBI-Sala® Python Safety™ Battery Holster / Sleeve

Allows cordless drills to be safely tethered when used at height. A neoprene sleeve with an adjustable strap conforms to the shape and size of virtually any drill battery, which can then be secured using the included cinch. 10 lb. capacity.

852684-93171 29.17 EA 1 1500090

X. DBI-Sala® Python Safety™ Small Parts Canvas Pouch, Black

Small parts pouch, innovative self-closure system, canvas, black. 18oz duck canvas.

852684-93224 70.00 EA 1 1500119

Y. DBI-Sala® Python Safety™ Safe Bucket Hook and Loop

Canvas bucket with hook and loop closure system, 100 lb. capacity.

852684-93029 117.25 EA 1 Canvas 1500134

Vinyl bucket with hook and loop closure system, 250 lb. capacity.

840779-11232 117.25 EA 1 Vinyl 1500140



Ergodyne Squids 3723 Cold Shrink Tool Trap

Cold Shrink Traps capture Squids® Elastic Tool Tails™ creating a retrofit connection point for tethering. Maximum capacity up to 5lbs (2.3kg) depending on tool, tail and lanyard. Fits tool diameter range of 0.75" - 1.50" (16mm - 32mm). Cold Shrink technology from 3M requires no heat source. No additional tools needed to ensure a secure connection on tool. EPDM rubber material resists acids, alkalis and extreme temps. Patent Pending application is the quickest and easiest way to create an attachment point. Maximum safe working capacity: 5lbs. (2.3 kg) depending on tool, tail and lanyard used. Third party tested using a 2:1 safety factor used

Z. 720476-19723	8.58	EA	6	3in	Black
1. 720476-19724	10.25	EA	6	4in	Black
2. 720476-19726	14.92	EA	6	6in	Black



3. Ergodyne Squids 3750 Heat Tape Trap - 12ft Roll

Captures Squids® Tool Tails™ securing a safe connection to tools like no other tool attachment tape on the market. Quickly wraps on a variety of hand tools, power tools and other equipment providing security and added grip. Non-silicone based makeup works well in a variety of applications. No adhesives so it can be replaced without a mess. Sealed and set with heat application to finish application and secure. Cut and puncture resistant compared to other tool tapes. Material content and finish provides added grip to the handle of a tool. Maximum safe working capacity: 15lbs. (6.8 kg) depending on length, tool, tail and lanyard used. 12ft roll (3.7m) x 1" wide (2.5cm).

720476-19760	16.58	EA	6	12ft	Orange
--------------	-------	----	---	------	--------

First Aid

In this section:

AED's & Signage	212-213
First Aid Cabinets and Kits/Refills	214-219
Antiseptics	220-221
Bandages	221-222
Burn Treatment	222
Eye Care, Dressings	223
Tape, Self Adherent Wraps	224
First Aid Supplies	225-226
Unitized Refills	226-227
Skin Care	228-229
Eye Wash Signs, Stations & Drench Showers	230-232
Braces & Supports	233
Heat Stress	234-235

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



B



C



D



E



F



G



H

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

E. Zoll Battery Sleeve

Type 123 Lithium Batteries, quantity of ten (10) with storage sleeve for the AED Plus.

8000-0807-01	75.00	PK	1
--------------	-------	----	---

F. Zoll CPR-D-Padz®

CPR-D-padz® - One piece electrode pad with Real CPR Help®. Supplied with gloves, barrier mask, scissors, razor, wet wipe and dry wipe. Five (5) year shelf-life.

8900-0800-01	169.00	EA	1
--------------	--------	----	---

G. Zoll Waterproof Case Large

Zoll AED Plus Large Pelican Case with cut-outs for AED Plus, CPR-D padz, and Pedi padz II. Its high-density foam provides total protection from the rigors of impact, vibration and shock.

8000-0837-01	219.00	EA	1
--------------	--------	----	---

H. Zoll Waterproof Case Small

Small Pelican Case. Small waterproof hard case with cut-outs for AED Plus only. Its high-density foam provides total protection from the rigors of impact, vibration and shock.

8000-0836-01	199.00	EA	1
--------------	--------	----	---

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. Zoll AED Plus with Cover

ZOLL AED Plus with AED Cover. CPR-D-padz® Electrode, pack of 10 CR123a batteries, and Carry Case - The ZOLL® AED Plus® provides the best support for resuscitating a victim of sudden cardiac arrest. The AED Plus is the first and only automated external defibrillator (AED) with Real CPR Help® technology that provides real-time feedback on depth and rate of chest compressions during CPR.

8000-004007-01	2,100.00	EA	1	Fully Automatic, PlusRX Medical Prescrip.
8000-004010-01	2,299.00	EA	1	Fully Automatic, PlusTrac Professional1
8000-004011-01	2,599.00	EA	1	Fully Automatic, PlusTrac Professional15
8000-004000-01	2,100.00	EA	1	Semiautomatic, PlusRX Medical Prescrip.
8000-004003-01	2,299.00	EA	1	Semiautomatic, PlusTrac Professional1
8000-004004-01	2,599.00	EA	1	Semiautomatic, PlusTrac Professional15

B. Zoll AED Wall Cabinet

Standard Metal Wall Cabinet (9" deep) designed to hold AED Plus in a carry case with spare electrodes.

8000-0855	199.00	EA	1
-----------	--------	----	---

C. Zoll Pedi-Padz® Electrodes

Pedi-padz® II - Pediatric Multi-Function Electrodes - Designed for use with the AED Plus. The AED recognizes when pedi-padz II are connected and automatically proceeds with a pediatric ECG and adjusts energy to pediatric levels. Twenty four month shelf-life. One pair.

8900-0810-01	95.00	EA	1
--------------	-------	----	---

D. Zoll AED Plus 8000 Soft Case

8000-0802-01	105.00	EA	1	Replacement Softcase only.
--------------	--------	----	---	----------------------------

Zoll AED Plus Trac™ Packages

The ZOLL AED Plus is the only AED in the market today that:

PlusTrac™ is an interactive, web-based AED management system that ensures the ongoing compliance of your AED program. Through the interactive reporting features and escalating notification system, PlusTrac™ provides real-time status of all your AEDs.

- PlusRx allows you to register and maintain your AED Prescriptions. One medical prescription included.
- PlusTrac™ Professional1 – Provides online support for one year and includes a medical prescription.
- PlusTrac™ Professional5 – Provides online support for five years and includes a medical prescription.

Zoll AED Plus • Features and Benefits

The ZOLL AED Plus is the only AED in the market today that:

- Helps rescuers through the entire resuscitation process with voice, visual, & text messages.
- Uses a unified electrode pad that guarantees accurate pad placement.
- Supports CPR effectiveness by measuring compression and depth rate - prompts rescuer to push harder if necessary.
- Lowest total cost of ownership because CPR-D-padz and batteries last five years, if not used
- Rugged design that resists dust and direct water spray (IP55 rating)
- Powered by 10 lithium batteries available from retail stores everywhere



RS Hughes Part Price Per Case Size

I. Brady V Sign - A.E.D. (W/PICTO)

6" H x 9" W x 4" D, Acrylic standard "V" Sign, 1/Each
754476-49350 15.80 EA 1



J. Zoll AED Wall Sign

AED Plus Sign Package - 3-D Wall Sign & Wall Sign (8½" x 11")
8000-0825 19.00 PK 1



K. SWIFT 42-72151

Microshield® CPR mask, polybag. Face shield with a one-way valve. Provides protection for the first responder. Packaged in an orange vinyl envelope.

42-72151 10.72 EA 50

L. SWIFT 52-1000N

FDA approved nitrile gloves, large

52-1000N 1.14 PR 50



M. Brady Sign - EMERGENCY FIRST AID (W/PICTO)

7" H x 10" W, Plastic, B-401

754476-21806 8.91 EA 1



N. Brady Sign - FIRST AID KIT (W/PICTO), 1 Each

7" H x 10" W

754476-22671 8.91 EA 1 Plastic, B-401
754476-85361 4.92 EA 1 Self Sticking Polyester, B-302

O. Brady High Visibility Sign - Rigid - FIRST AID (W/PICTO)

5 1/2" x 10" x 4", White on Red, Polystyrene, B-493, 1/Each

754476-45370 23.49 EA 1

P. Brady V Sign - FIRST AID (W/PICTO)

6" H x 9" W x 4" D, Acrylic standard "V" Sign, 1/Each

754476-49373 15.80 EA 1

I

J

K

L

M

N

O

P





by Honeywell



A



B



C

Refills for Industrial First Aid Stations

RS Hughes Part	Description	34-140LFP	34-180LFP	34-400LFP	Price
01-0045	Adhesive Bandage, 3/4" X 3", Plastic 100/Bx		1	1	4.20
01-0050	Adhesive Bandage, 1" X 3", Plastic 100/Bx	1	1	1	4.50
01-0819	Adhesive Bandage 2"X3" Woven, 25/Bx			1	5.48
01-1350	Fingertip T Bandages, Woven 40/Bx	1	1	1	5.34
01-2315C	Adhesive Bandage, 1" X 3", Woven 50/Bx	1	1	1	3.87
01-3940	Knuckle Bandage, Woven 40/Bx	1	1	1	4.88
02-0225	Ammonia Inhalants 10/Bx	1	1	1	4.78
02-0667	Cold Pack 4" X 6" Unit Box	1	1	1	1.20
02-1602	Red Biohazard Waste Bags 2 Ea	1	1		1.56
02-8105	Elastic Tape 1"X 5YD	1	1	1	3.62
03-2170	Tri-Cut Adhesive Tape	1	1	1	5.00
03-2204	Burn Relief Pump Spray, 2 Oz	1	1	1	6.72
04-5009	Triangular Bandage, 40" X 40"X 56"	2	2	2	2.10
04-5027	First Aid Guide	1	1	1	1.08
05-1820	2" Clean Wrap Gauze Bandage - Non-Sterile	4	4	6	0.36
06-1910	Bloodstopper Bandage	1	2	2	3.60
06-1961	2"X3" Non-Adherent Gauze Pads 50/Bx	10	1	1	5.90
06-7444	Gauze Pads Sterile 4"X 4" 10/Bx	1	1	1	2.56
06-7522	Gauze Pads Sterile 2"X 2" 25/Bx	2	2	2	3.16
10-3200T	Co-Flex Bandage 2" X 5YD Tan	1	1	1	2.76
12-803VI	3" Cotton Tip Applicators 100/Vial	1	1	1	2.66
15-0910	Bzk Antiseptic Wipes 20/Bx	1	2	1	1.78
15-4818	Alcohol Wipes 50/Bx		1	1	2.22
16-1512	Aspirin 5 Grains 2/Env 250/Bx	1	1	1	8.02
16-1581	Aypanal Non-Asprin 2/Env 100/Bx			1	4.56
17-1547	Miralac Tablets 2/Env 250/Bx			1	10.14
21-06250	Sinus Decongestant 2/Env 250/Bx			1	12.28
23-2124	Triple Antibiotic 1/2 Gram Pkt 20/Bx	1	1	1	3.86
24-0803	Eyewash 40 oz	1	1	1	6.12
32-49320	Kit Tweezer 1/2" Slanted	1	1	1	1.06
32-BS412	Scissor Bandage 4" Red Plastic Handle	1	1	1	1.04
34-8010	Pocket Insert For #400			1	10.54
34-8030	Pocket Insert For #140	1	1		6.40
40-709TM	Tongue Blades Indv Wrapped 6/Bg	1	1	1	0.94
52-2000N	Nitrile Gloves, 2 Pair, Size Large	1	1	1	1.60

RS Hughes Part Price Per Case Description

North by Honeywell Industrial First Aid Stations

Industrial first aid kit with liner & pump

A. 34-140LFP	128.44	EA	1	2-Shelf
B. 34-180LFP	173.72	EA	1	3-Shelf
C. 34-400LFP	231.18	EA	1	4-Shelf



Refills for Redi-Care™ First Aid Kits

RS Hughes Part	Description	018500-4220	018500-4221	018500-4222	Price
02-0010	Fingertip-5 Per, Knuckle Bandage-4 Per	4	4	4	2.12
02-0020	Knuckle Band 8 Per	4	4	6	1.62
02-0125	Triple Antibiotic 10 Per	1	1		2.10
02-0135	First Aid Burn Cream 6 Per	6	6		2.30
02-0380	Wire Splint 1 Per			1	4.20
02-0445	Adh Tape, .5" X 2.5 Yd, 2 Per	1	1	1	1.68
02-0618	Rescue Blanket 1 Per			1	4.50
02-0640	Gauze Comp, 18" X 36", 2 Per	1	1	1	2.54
02-0667	Cold Pak, Instant, 1 per unit	1	1	2	1.20
02-0701	Adhesive Bandage,Plastic, 1" X 3", 32/Box, 50Box			1	2.88
02-0766	Bandage Comp, 2" Offset, 4 Per			1	3.84
02-0795	Adhesive Bandage,Plastic,1" X 3",16/Box	1			1.40
02-1161	Hydrocortisone, 1.0%, 1/32 Oz, 10 Per Unit			1	2.14
North 02-1201X	PVP Iodine Wipes 10 Per Unit	10	10	10	1.74
02-1640	100% Nitrile Gloves, Medical Grade, 1PR Resealable	1	1	1	2.66
03-2074	Adhesive Bandage XL	4	4	4	5.96
03-2204	O/H Pump Burn Relief, 2oz			1	6.72
06-7433	Gauze Pads Sterile 3"X 3", 12 Ply, 10/Box	4	4	10	1.74

RS Hughes Part Price Per Case Size/Description

North Redi-Care™ First Aid Kits

These multi-purpose first aid kits are packaged in soft-sided, durable, red nylon bags. Their portability makes it easy for responders to carry them to the site of an emergency. All Redi-Care Kits are ANSI Z308.1-2009 compliant.

D. 018500-4222	86.38	KT	12	Large Kit w/ handle & shoulder strap
E. 018501-4221	41.14	KT	24	Medium Kit w/ handle & belt loops
F. 018502-4220	28.68	KT	48	Small Kit w/ integral belt loops

G. North Safety Bulk First Aid Kits

These kits contain economic bulk supplies that can be readily accessed when needed. Ideal for manufacturing settings where a wide variety of first aid items are required. All North bulk kits are waterproof and ANSI Z308.1-2009 compliant.

019700-0001L	24.24	KT	10	10 Person Kit, Plastic
019702-0002L	28.46	KT	10	25 Person Kit, Plastic

NORTH
by Honeywell

h R.S. HUGHES
Head to Toe Protection

First Aid

First Aid Cabinets and Kits/Refills

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



B



C

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. North by Honeywell Construction Specialty First Aid Kit

Specialty first aid kit for construction sites with bulk supplies of most commonly used products. Packaged in a plastic case for easy transport.

019742-0029L	20.00	EA	10	10 Person
019743-0030L	28.94	EA	10	25 Person
019744-0031L	55.88	EA	5	50 Person

B. North by Honeywell General Purpose Burn Kit

This kit contains both dry and wet burn dressings. Dry dressings will protect against contamination and the wet dressings will help draw heat out of the burn.

019727-0014L	80.62	EA	5	
--------------	-------	----	---	--

C. North by Honeywell Welders Burn Kit

Kit contains essential supplies for any welder, including the necessary dressing to treat any burn.

019726-0013L	101.56	EA	10	
--------------	--------	----	----	--

Construction Specialty Refill Kits

RS Hughes Part	Description				Price
		019742-0029L	019743-0030L	019744-0031L	
01-0050	Adhesive Bandage, 1" X 3", Plastic	16	32	2	4.50
02-0020	Knuckle Adhesive Bandage 8/Bx			4	1.62
02-0126	Neomycin Antibiotic 10/Bx	6	6	20	2.76
02-0225	Ammonia Inhalants 10/Bx			12	4.78
02-0445	Adhesive Tape, 1/2" X 2 1/2 Yds	1	1	10	1.68
02-0667	Cold Pack 4" X 6" Unit Box	1	1	8	1.20
02-0699	Buffered Eyewash, 1 Oz.			1	3.78
02-1202ST	Sting Relief Wipes	6	6	2	2.10
03-1570K	Forceps 4" Pointed Plastic	1	1	10	0.52
04-5009	Triangular Bandage, 40" X 40" X 56"	1	1	1	2.10
05-2230	Roller Bandage, 3" X 4.1 Yds, Non-Sterile	1	2	1	10.56
06-1910	Bloodstopper Bandage			4	3.60
06-5590	Abd Combine Trauma Pad 5" X 9"	1	1	1	0.40
06-7433	Gauze Pads Sterile 3"X 3" 10/Bx	4	6	2	1.74
15-1020	First Aid Burn Cream With Aloe	6	6	1	3.86
16-1581	Aypanal Non-Aspirin 2/Env 100/Bx	3	3	3	4.56
24-1010A	Eye Pads Oval Sterile	1	3	12	14.60
52-2000V	Vinyl Gloves 2 Pair	2	2	6	0.88
75-2577	Scissor Bandage 4" Red Plastic Handle	1	1	12	2.70
NORTH 02-1635MD	Antiseptic Wipes, Bzk	10	10	1	1.60

General Purpose Burn Kit Refill

RS Hughes Part	Description	019727-0014L	Price
02-0305	Sterile Gauze Bandage, 4" X 6YD	1	2.46
02-1640	100% Nitrile Medical Gloves (Pair)	2	2.66
04-8006	Adhesive Tape, 1" X 5YD	1	3.14
04-9077	Water-Jel® Burn Dressing, 4" X 4"	1	7.09
20-1969	Burn Sheet With Safety Pins	1	14.78
24-0803	Eyewash, 4 Oz.	3	6.12
75-2577	Scissor Bandage, 4" Red Plastic Handle	1	2.70
NORTH 49-076	Water-Jel® Burn Dressing, 4" X 16"	1	14.72

Welders Burn Kit Refills

RS Hughes Part	Description	019726-0013L	Price
02-1640	100% Nitrile Medical Gloves (Pair)	2	2.66
04-9077	Water-Jel® Burn Dressing, 4" X 4"	3	7.09
72-0072	Self-Adherent Wrap, 3" X 5YD	2	3.54
75-2577	Scissor Bandage, 4" Red Plastic Handle	1	2.70
NORTH 49-075	Water-Jel® Burn Dressing, 8" X 18"	1	20.88
NORTH 49-076	Water-Jel® Burn Dressing, 4" X 16"	1	14.72
NORTH 49-078	Water-Jel® Burn Dressing, 2" X 6"	3	5.86

Bulk First Aid Refill Kits

RS Hughes Part	Description	019700-0001L	019702-0002L	019704-0003L	019706-0004L	Price
01-0050	Adhesive Bandage, 1" X 3", Plastic	16	32	100	100	4.50
02-0020	Knuckle Adhesive Bandage	2	3	6		1.62
02-0126	Neomycin Antibiotic 1Gm Pouch	6	6	12	12	2.76
02-0135	First Aid Burn Cream W/ Aloe	6	6	12	12	2.30
02-0380	Wire Splint				1	4.22
02-0445	Adhesive Tape, 1/2" X 2-1/2YD	2	2	2	3	1.68
02-0555	Aypanal Non-Aspirin 2/Env	3	3	6	6	2.28
02-0667	Cold Pack 4" X 6" Unit Box	1	1	2	2	1.20
02-0699	Buffered Eyewash, 1 Oz. Sterile		1	1	2	3.78
02-0855	Fingertip Adhesive Bandage	1	3	4	8	1.54
02-0915	Ex-Lg Adhesive Bandage, Plastic	1	1	2	3	2.02
02-1202ST	Sting Relief Wipes	6	6	12	12	2.10
02-1645MD	Bzk Antiseptic Wipes	10	6	12	12	1.96
02-1640	100% Nitrile Medical Gloves (Pair)	2	2	2	5	2.66
03-1570K	Forceps 4" Pointed Plastic	1	1	1	1	0.52
04-5009	Triangular Bandage, 40" X 40" X 56"	1	1	1	1	2.10
04-5027	First Aid Guide	1	1	1	1	1.08
05-2220	Conforming Bandage, 2" X 4.1YD, Non-Sterile	1	2	3	4	7.40
05-2230	Conforming Bandage, 3" X 6YD, Non-Sterile	1	1	2	2	10.56
06-5590	Abd Combine Trauma Pad 5" X 9"	1	1	1	1	0.40
06-7422	Gauze Pads Sterile 2" X 2"	4	4	10	10	1.56
06-7533	Gauze Pads Sterile 3" X 3"	1	1	1	10	3.64
10-5020	Elastic Bandage 2" X 4.5YD			1	1	1.18
121090	Cpr Filtershield™		1	1	1	6.28
24-1010A	Eye Pads Oval Sterile		1	2	3	14.60
75-2577	Scissor Bandage 4" Red Plastic Handle	1	1	1	1	2.70

Unitized™ Refill Kits

RS Hughes Part	Description	019709-0005L	019711-0006L	019713-0007L	019715-0008L	Price
02-0020	Cloth Knuckle Bandages		1	1	2	1.62
02-0125	Triple Antibiotic Ointment	1	1	1	2	2.10
02-0135	First Aid Burn Cream W/ Aloe	1	1	2	2	2.30
02-0374	Triangular Bandage, 40" x 40" x 56" Non-Sterile	1	1	1	1	2.14
02-0430	Sterile Gauze Pads, 3" X 3"	1	1	2	2	1.70
02-0445	Adhesive Tape, 1/2" X 2.5YD	1	1	1	2	1.68
02-0550	Forceps And Sissors		1	1	1	1.96
02-0645	Bandage Compress, 36" X 36" Sterile	1	1	1	2	2.16
02-0667	Instant Cold Pack, 4" X 6"	1	1	1	2	1.20
02-0699	Sterile Eyewash, 10z.		1	1	2	3.78
02-0768	Sterile Bandage Offset® Compress, 4"	1		1	1	2.20
02-0795	Plastic Bandages, 1" X 3" Strips	1	1	3	2	14.00
02-0855	Cloth Fingertip Bandages			1	2	1.54
02-1202ST	Sting Relief Wipes		1	1	1	2.10
02-1640	100% Nitrile Medical Gloves (Pair)	1	1	2	2	2.66
04-5027	First Aid Guide	1	1	1	1	1.08
75-2577	4" Angled Scissors, Red Handle	1				2.70
NORTH 02-1201X	Pvp Iodine Wipes	1	1	2	2	1.74
NORTH 20-767	Sterile Bandage Offset® Compress, 3"				1	3.14
SWIFT 02-0630	Sterile Gauze Bandage, 2" X 6YD			1	2	2.78

First Aid

First Aid Cabinets and Kits/Refills



by Honeywell

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

D. North by Honeywell Bulk First Aid Kit, Plastic

Economical bulk supplies of most commonly used first aid products, ideal for both work and home settings. ANSI Z308.1-2009 compliant

019700-0001L	24.24	EA	10	10 Person
019702-0002L	28.46	EA	10	25 Person
019704-0003L	56.46	EA	5	50 Person
019706-0004L	86.36	EA	5	75 Person

North by Honeywell Unitized First Aid Kit

Color-coded cartons individually sealed unit dose applications. ANSI Z308.1-2009 compliant.

E. 019709-0005L	41.56	EA	1	10 Person Kit, Steel
F. 019711-0006L	64.96	EA	1	16 Person Kit, Steel
G. 019713-0007L	97.92	EA	1	24 Person Kit, Steel
H. 019715-0008L	122.16	EA	1	32 Person Kit, Steel



A



B



C



D



E



F



G



H

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. SWIFT 34P25EF and 34P25EFC

Swift bulk economy first aid kits contain economical, bulk supplies of commonly used first aid products to ensure that you have the first aid supplies you need, when and where you need them.

34-P25EF	27.30	KT	1	#25 economy, plastic, weatherproof
34-P25EFC	32.32	KT	1	#25 economy, plastic with CPR Kit

PIP Contractor First Aid Kit, 10 or 25 Person


Weatherproof Plastic Box, Molded Carry Handle
Includes Slots for Wall Mounting, Meets ASI.



B. 899558-01757	15.22	EA	1	299-13285, 10 Person, 36/cu
C. 899558-01764	19.38	EA	1	299-13290, 25 Person, 12/cu

D. SWIFT 34650H Handy Kit Deluxe

Swift Handy Deluxe First Aid Kit. Includes : (50) 3/4 x 3 in. Plastic Strips, (20) Assorted Woven Strips, (6) Triple Biotic Cream Wipes, (6) Gauze Pads 3 x 3 in., (5) Knuckle Woven Bandages, (5) 1 x 3 in. Woven Strips, (5) 2 x 3 in. Woven Bandages, (5) Fingertip Woven Bandages, (4) Antiseptic Wipes, (4) Hydrocortisone 1%, Packs, (4) Non-Adherent Pads 2 x 3 in., (2) 2 in. Gauze Rolls, (2) Eye Pads, (2) Ammonia Inhalants, (1) Adhesive Tape 1/2 in x 2-1/2 yd, (1) Scissors, (1) Tweezers, Plastic Box.
Length 4-3/4", Width 7-3/4", Height 2-7/8".

34-650H	20.14	KT	1	 Swift First Aid
---------	-------	----	---	--

E. SWIFT 340001FP

Swift auto/truck kits contain supplies for most roadside injuries. Made of high-impact polystyrene. Contains: 50ea Plastic Strips, 3/4"x 3", 1ea Adhesive Tape, 1/2" x 2-1/2 yds., 1 ea. Gauze Bandage, 2", 4ea. Non-Adherent Pads, 2"x 3", 2ea. Gauze Pads, 2"x 2", 1 ea. Eye Wash, 1/2 oz., 2 ea. Ammonia Inhalants, 6ea. Antiseptic Wipes, 1 Pair Gloves, 4ea. Triple Biotic Foil Packs, 1 ea. Burn Spray, 1ea. Scissors, 1ea. Tweezers, 50ea. Aspirin, 1 ea. Cotton, 16 oz.

34-0001FP	30.04	KT	12	
-----------	-------	----	----	--

F. SWIFT 34-0410FP

North Swift First Aid Kit in metal weather resistant box. Ideal for Trucks. size: 3-1/2" x 9-1/16" x 2-3/8". Contains: 50ea Aspirin, 10ea. Pvp Iodine Wipes, 4ea 2"x3" Non Adherent Pads, 4ea. Alcohol Preps Med, 2ea. Ammonia Inhalant Pads, 1ea. 1/2" x 2.5 Yds. Tape, 1ea. 2" Clean Wrap, 1ea. First Aid Spray 3 oz., 1ea. First Aid Booklet, 1ea. Cold Pack, 1pr. Latex Gloves - Large size.

34-0410FP	33.24	KT	24	Small Kit
-----------	-------	----	----	-----------

SWIFT 55-2001 Body Fluid Clean Up Kits

North 55-2001 Body fluid clean up kit packed in a Poly Bag. Kit Contains one each of the following: Latex Gloves(pair), Red bio-hazard bag, body fluid absorbent, disposable towel, anti-microbial wipe, face mask with eye shield, scoop with scraper, gown, S.O.S surface cleaning wipe (8"x11")

G. 55-2001	12.82	EA	24	55-2001, Polybag
H. 55-3001	17.06	EA	24	55-3001, Plastic Box

OSHA Requirements for Workplace First Aid Kits

OSHA standards do not require specific first-aid-kit contents. This includes the Medical Services and First Aid standards in both general industry and construction, 1910.151 and 1926.50. However, since some employers may find it useful to refer to a list of basic first-aid supplies, federal OSHA provided a reference for this type of information by adding non-mandatory Appendix A to the latter two standards.

Appendix A references ANSI Z308.1, Minimum Requirements for Workplace First Aid Kits and Supplies. First-aid kits in compliance with this standard will provide a basic range of products to deal with most types of injuries encountered in the workplace and may be adequate for a small worksite. Employers should evaluate their own workplaces to determine whether additional supplies or kits are needed, based on the size and specific hazards of their workplaces. ANSI/ISEA Z308.1-2009 includes the following recommended basic contents of a first aid kit.

Part No.	Item Description	Qty
02-0795	Adhesive bandages, 1 in. x 3 in.	16
02-0445	Adhesive tape, 1/2 in. x 2.5 yd. total	2
North 02-1201X	Antiseptic, 0.14 fl. oz. (0.5 g) application	10
02-0135	Burn Cream w/ Aloe, 1g application	6
02-1640	100% Nitrile Gloves, Medical Grade	2 pair
02-0430	Sterile pads, 3 in. x 3 in.	4
02-0374	Triangular bandage, 40 in. x 40 in. x 56 in.	1



by Honeywell

RS Hughes Part Price Per Case Size

I. North Bloodborne Pathogen Kit 019740-0027L/019746-0032L

Bloodborne pathogen kits are complete with the necessary supplies to clean a spill containing bloodborne pathogens as well as the PPE necessary to protect employees in accordance with OSHA 1910.130. Plastic Kit.

019740-0027L	48.84	KT	5	Contains 12-7010 in a 24 unit size
019746-0032L	38.90	KT	10	Contains 12-7010 in a 16 unit size

J. North Refill 12-7010

Refill Contents for 019740-0027L Kit: 1 absorbent towel, 1 antiseptic wipes (BZK), 2 biohazard bag (24" x 24"), 1 germicidal surface wipe, 1 gown, 2 medical gloves, 1 plastic kit (24 unit size), 1 poison control directory, 1 scraper, 2 shoe covers, 1 shovel, 1 surgical mask and shield, 2 twist ties, 1 Vital 1® absorbent (2 oz.).



by Honeywell

12-7010	28.02	EA	1	Refill for 0197460-0027L Kit
---------	-------	----	---	------------------------------

K. PIP Bloodborne Pathogen Kit, Bio Hazard, Plastic Box, Gasketed

Weatherproof Plastic Box. Molded Carry Handle Includes Slots for Wall Mounting. Meets ANSI, PACKED: 36/Case.

899558-01924	15.17	EA	1	299-13215
--------------	-------	----	---	-----------



L. North 12-7004 Vital 1® Flat Pack

North 12-7004 Vital 1® Flat Pack Bloodborne Pathogen Kit. Compete with necessary supplies to clean up spills containing bloodborne pathogens including PPE necessary to protect employees in accordance with OSHA 1910.30. Kit includes absorbent beads, gloves, red biohazard bags, germicidal surface towel, antiseptic towelette, shovel, and absorbent towel. Flat, sleeve-type box stacks neatly for storage.



by Honeywell

12-7004	16.90	KT	6	Blood Pathogen Response Kit
---------	-------	----	---	-----------------------------

M. 3M™ Nexcare™ Blister Waterproof Bandages One Size

Protects blisters and enhances healing, provides long lasting multi-day protection, waterproof, thin & clear.

051131-20870	4.00	BX	24	6/Box
--------------	------	----	----	-------



Refill Kit for Item I



Head to Toe Protection



A



B



C



D



E



F



G



H



I



K



J



L



M



N



O



P



Q



R

Antiseptics

RS Hughes Part Price Per Case Size/Description

A. North by Honeywell Sting Relief Wipes

Wipes provide fast relief from insect bites & stings. Also use for the temporary pain & itching associated with minor burns & scrapes. Hydrocortisone provides anti-itch relief from insect bites & skin irritation. Active ingredient: Benzocaine 6%.

03-2043P 19.90 BX 1 100/Box

B. North by Honeywell Alcohol Wipes

O/H Pak Alcohol Wipes

03-2525 7.16 BX 24 100/Box



C. North by Honeywell First Aid Cream

First Aid Cream, 0.9gm packets

15-1020 3.86 BX 24 20/Box

D. North by Honeywell Wipes

PVP iodine wipes

15-B4060X 9.26 BX 10 100/Box

North by Honeywell Triple Antibiotic, 1/2 gm packets

E. 23-1209G 17.76 BX 12 100/Box

F. 23-2124 3.86 BX 24 20/Box

North by Honeywell Betadine Solution

Single-use Betadine Solution Swabs

G. 15-9935 13.32 BX 10 100/Box

16 oz Bottle

H. 15-SL016 9.36 BO 1 16oz. Bottle

North by Honeywell Hydrocortisone 1%, 0.9 gm foil packets

I. 23-30144 19.10 BX 12 144/Box

J. 23-3020 4.08 BX 24 20/Box

K. North by Honeywell Alcohol and Peroxide, 16oz

15-0932 5.22 BO 12 91% Isopropyl Alcohol

15-0935 3.42 EA 12 70% Isopropyl Alcohol

15-0969 1.60 EA 12 Hydrogen Peroxide

North by Honeywell Sprays & Pumps

L. 03-2203 6.72 BO 24 Antiseptic pump spray, 2 oz.

M. 03-2204 6.72 BO 24 Burn relief pump spray, 2 oz.

N. 03-2205 5.30 BO 24 Hydro Peroxide 3%, pump spray, 2 oz.

O. 15-1011 4.54 EA 12 Bandage aerosol spray, 3 oz.

P. 15-1019 4.72 EA 12 First Aid aerosol spray, 3 oz.

Q. North by Honeywell Swift-Stat

Blood clotter 3 oz

28-0540 8.98 EA 12 Blood Clotter Aerosol Spray, 3oz.

R. North by Honeywell Cold Spray

Aerosol 4oz

28-1026 4.16 CN 12 Cold Spray Aerosol

T. SWIFT 15-1019 Isopropyl Alcohol 70%

Clean and disinfect minor cuts and scrapes with Isopropyl alcohol before bandaging. Contains 70% alcohol in a 16oz bottle.

15-0935 3.42 B0 12 16 oz



T



U



U. SWIFT 15-1019 First Aid Spray 3oz

First aid spray helps prevent infection while relieving pain from minor cuts and abrasions. Water soluble and non-staining.

15-1019 4.72 EA 12 3oz aerosol can

V. SWIFT Alcohol Wipes 70%

Individually sealed wipe saturated with 70% isopropyl alcohol. Use to help prevent infection, clean skin, wounds, scrapes and cuts. 1 X 3 inches, 200/box

15-4818 2.22 BX 24 50/Box
15-6818X 5.14 BX 10 200/Box



V



W



X

W. SWIFT 23-1209G Three-In-One Antibiotic

Three-in-one antibiotic that contains bacitracin, neomycin and polymyxin B. Used to prevent infection due to cuts, burns and abrasions. 1/64oz unit dose.

23-1209G 17.76 BX 24 144/Box

X. SWIFT 23-30144 Hydrocortisone 1%

Offers temporary relief from minor skin irritations, itching and rashes. Contains 1% hydrocortisone. 1/32oz unit dose.

23-30144 19.10 BX 12 144/Box

Adhesive Bandages, Woven

Adhesive Bandages, Woven

Y. 01-6423 7.68 BX 12 2" x 3" 40/Box
Z. 01-6459 6.90 BX 24 1" x 3" 100/Box

Woven fingertip "T" bandages

A1. 01-1350 5.34 BX 24 40/Box

Swift plastic and woven adhesive bandages are designed with a strong adhesive to adhere securely and protect the wound. The 'island dressing' provides a secure seal around the wound to help prevent contamination.

B1. 01-1360 12.60 BX 12 Fingertip "T" woven bandage, 100/Box

Conformable, fabric dressings stretch with every movement. Unique open weave fabric allows skin to breathe for fast healing. These bandages have an aggressive adhesive that will stick in grease, oil or water.

C1. 01-0813 5.52 BX 24 Fingertip heavy woven, 40/Box

Blue, woven knuckle bandage. Metal-detectable, suitable for use in food safety.

D1. 01-3940 4.88 BX 24 40/Box

Woven Butterfly Closures, 2 3/4" x 1/2"

E1. 01-1990 12.98 BX 1 100/Box

Adhesive Bandages, Woven Blue & Detectable for Food Safety

Woven, Blue Detectable Fingertip 8

F1. 01-1325B 10.10 BX 24 25/Box

Woven, Blue Detectable Knuckle bandages

G1. 01-3940B 8.50 BX 24 40/Box

Woven Blue Detectable 1" x 3"

H1. 01-6459B 9.58 BX 12 100/Box

Metal detectable, fingertip and knuckle combo pack, blue

I1. NORTH 32-168 7.94 BX 12 20/Box



Y



Z



A1



B1



C1



D1



E1



F1



G1



H1



I1



Adhesive Bandages, Plastic

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

Adhesive Bandages, Plastic

Plastic adhesive bandage, 1" x 3"

A. 01-0050	4.50	BX	12	100/Box
-------------------	------	----	----	---------

J&J Band-Aid Sheer, assorted sizes

B. 01-4444	16.16	BX	12	100/Box 1" x 3"
-------------------	-------	----	----	-----------------

B. 01-4668	6.92	BX	24	60/Box Assorted Sizes
-------------------	------	----	----	-----------------------

Adhesive Bandages, Plastic Blue & Detectable for Food Safety

Plastic, Blue Detectable 1" x 3"

C. 01-5059B	8.10	BX	12	100/Box
--------------------	------	----	----	---------

Burn Treatment

D. North by Honeywell Burn Cream

First aid burn cream with aloe, 1.0gm pouches

02-0135	2.30	BX	10	6/Box
---------	------	----	----	-------



E. North by Honeywell Water Jel® Fire Blanket

Water-Jel® Fire Blanket, 6' x 5' in canister

04-9020	239.80	EA	4	
---------	--------	----	---	--

F. North by Honeywell Water Jel® Burn Wrap

Water-Jel® Burn Wrap, 3' x 2-1/2' in canister

NORTH 49-030	108.22	EA	1	
--------------	--------	----	---	--

G. North by Honeywell Burn Jel®

Burn Jel®, 1/8 oz. pouch

NORTH 49-050	29.62	BX	24	25/Box
--------------	-------	----	----	--------

H. North by Honeywell Cool Jel®

Cool Jel® 1/8 oz. pouch

NORTH 49-090	17.06	BX	24	25/Box
--------------	-------	----	----	--------

I. North by Honeywell Burn Treatments

Water-Jel® burn dressing,

02-1031	7.48	EA	50	4" x 4"
---------	------	----	----	---------

02-1030	8.26	EA	50	2" x 2"
---------	------	----	----	---------

02-1032	6.32	EA	50	2" x 6"
---------	------	----	----	---------

J. North by Honeywell Sterile Burn Dressings - Wet

Gel-soaked burn dressings cool the burn, relieve the pain and protect against airborne contamination. They consist of a nonwoven medical grade pad in a water-based, water-soluble gel. Won't stick to burn injury.

04-9077	7.09	EA	60	4" x 4"
---------	------	----	----	---------

NORTH 49-078	5.86	EA	60	2" x 6"
--------------	------	----	----	---------

NORTH 49-079	5.55	EA	120	2" x 2"
--------------	------	----	-----	---------

Eye Care

RS Hughes Part Price Per Case Size/Description

K. North by Honeywell Eye Cups

Replacement eye cups for emergency eye wash situations.

24-906S 2.94 BX 24 6/Box

L. North by Honeywell Eye Care

Eyewash, 1 oz. with eye pads, sterile, and (4) adhesive strips

02-0699 3.78 EA 50 1oz Eyewash Only

NORTH 20-956 4.52 EA 50 7/Box

North by Honeywell Eye Drops

Tetrasine eye drops, 1/2 oz. (Compares to Visine)

M. 24-2800 2.52 EA 24 7/Box

Artificial Tears, 1/2 oz.

N. 24-64015 2.98 EA 24 6/Box



Dressings

O. North by Honeywell Non-Adherent Gauze Pads

06-1961 5.90 BX 12 50/Box 2" x 3"

06-2132 8.80 BX 12 50/Box 3" x 4"

P. North by Honeywell Sterile Gauze Pads, 10/Box

06-7422 1.56 EA 72 10/Box 2" x 2"

06-7433 1.74 BX 36 10/Box 3" x 3"

06-7444 2.56 BX 24 10/Box 4" x 4"

Q. North by Honeywell Sterile Gauze Pads, 25/Box

06-7522 3.16 BX 72 25/Box 2" x 2"

06-7533 3.64 BX 36 25/Box 3" x 3"

06-7544 5.38 BX 24 25/Box 4" x 4"

North by Honeywell Trauma Dressing

Triangular bandage, 40" x 40" x 56"

R. 04-5009 2.10 EA 10

BloodStopper, 3.5" x 5.5" x 9" x 5.5"

S. 06-1910 3.60 BG 12 5/Bag



A



B



C



D



E



F



G



H



I

Tape



by Honeywell

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. North by Honeywell Elastic Tape

80-8105	2.62	RL	144	1" x 5yds
---------	------	----	-----	-----------

North by Honeywell Adhesive Tape

B. 03-2170	5.00	EA	12	Tri-cut, waterproof
C. 04-8006	3.14	BX	12	1" x 5yd
C. NORTH 48-007	2.56	EA	12	1/2" x 5yd

D. North by Honeywell Porous Cloth Tape

03-2001	1.95	RL	12	12/Box	1" x 10yd
03-2002	25.34	BX	12	6/Box	2" x 10yd

Self-Adherent Wraps

E. Bantex 1230 Finger and Hand Protection

Bantex cohesive gauze tape is a unique material that "sticks" only to itself. Used for finger and hand protection in medical applications to hold bandages or splints in place, or for any activity where grip is important.

1230 3/4 X 30YD GREEN	1.25	RL	16	Green
-----------------------	------	----	----	-------

F. 3M™ Coban™ LF Latex Free Self-Adherent Wrap 2081

1 inch x 5 yard (fully stretched) (25mm x 4,5m) Latex Free Self-Adherent Wrap, Non-sterile, Tan, 30 rolls per case.

707387-76756	42.77	CA	1
--------------	-------	----	---



G. 3M™ Coban™ Self-Adherent Wrap 1581

1 inch x 5 yard (fully stretched) (25mm x 4,5m) Self-Adherent Wrap, Tan, 30 rolls per case.

707387-09311	39.04	CA	1
--------------	-------	----	---

H. SWIFT 10-3100T2PK Co-Flex Elastic Bandage

Use as a fastener for controlled compression, support and finger immobilization, without cutting off circulation. Excellent, self-adherent elastic support and compression. Tear easily and adhere securely. No scissors or clips required.

10-3100T2PK	3.56	PK	15	1" X 5yds, Tan, 2/Pack
-------------	------	----	----	------------------------



I. North by Honeywell Self Adherent Wrap

72-0072	3.54	BX	24	3" x 5yds
---------	------	----	----	-----------



RS Hughes Part Price Per Case Size/Description

J. SWIFT 23-5316 Petroleum Jelly

23-5316 5.50 EA 12 White 13oz.



K. SWIFT 30-0710 Reusable Heart/Cold Pack

Reusable heat or cold therapy pack. Can be stored in a freezer until ready to use. Hot or cold gel pack, 6-1/2" x 8-1/2"

30-0710 3.60 EA 40



L. SWIFT 30-100K Cold Pack

Cold pack, 6" x 9"

30-100K 1.80 EA 20



M. SWIFT 16-1986 Aypanal Acetamenophen

Swift Aypanal is a non-aspirin pain reliever that provides quick relief from headaches, minor pain and discomfort. Extra strength, acetaminophen 500mg. (Compares to Tylenol). 2 tablets per envelope.

16-1986 5.76 BX 12 100/Box 50 Envelopes/Box

N. North by Honeywell Pain Relievers, Aspirin 325mg

Analgesic for temporary relief of minor aches and pains due to headache, arthritis and help reduce fever. 2 tablets per envelope

16-1510 3.86 BX 12 50 Envelopes/Box
16-1512 8.02 BX 12 125 Envelopes/Box



North by Honeywell Pain Stoppers

Proven to be effective for severe headaches, muscle soreness, aches and pains associated with fever and arthritis. Contains aspirin 162 mg, salicylamide 152 mg, acetaminophen 110 mg, and caffeine 32.4 mg. 2 tablets per envelope.

O. 16-1615 5.00 BX 12 50 Envelopes/Box
P. 16-1617 11.20 BX 12 125 Envelopes/Box
P. 16-1620 21.92 BX 6 250 Envelopes/Box



Q. North by Honeywell Pain Stoppers Extra Strength

Proven to be effective for severe headaches muscle soreness aches and pains associated with fever and arthritis. Contains aspirin 162 mg salicylamide 152 mg acetaminophen 110 mg and caffeine 32.4 mg. Two tablets per envelope

16-3100 5.84 BX 12 50 Envelopes/Box
16-3250 13.46 BX 12 125 Envelopes/Box



R. North by Honeywell Cedaprin (Ibuprofen)

Ibuprofen 200mg. Tablets, 2 per envelope. Proven safe and effective for relief of headaches muscular aches menstrual cramps and minor aches and pains.

16-6180 7.00 BX 12 50 Envelopes/Box
16-6183 15.40 BX 12 125 Envelopes/Box

S. North by Honeywell Miralac Antacid Tablets

Miralac antacid calcium carbonate 420mg. Fast acting chewable antacid tablet for the relief of heartburn sour stomach and acid indigestion. 2 tablets per envelope.

17-1545 4.72 BX 12 50 Envelopes/Box
17-1547 10.14 BX 12 125 Envelopes/Box

T. North by Honeywell Kwik Kold Jr.

4-1/2" x 6-1/2"

30-102K 2.14 EA 16



U. North by Honeywell Splinter Out

Sterile Single use

32-0001 2.86 PH 50



A



B



C



D



E



F



G



H



I



J



K



L

M



RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. North by Honeywell FemRelief

Provides relief from stomach cramps premenstrual and menstrual discomfort. Aspirin 226.8 mg acetaminophen 325 mg and pamabrom 25 mg. 2 tablets per envelope.

NORTH 16-05100F	5.98	BX	12	50 Envelopes/Box
16-05250F	15.06	BX	12	125 Envelopes/Box



B. North by Honeywell Back Relief

For relief of backache muscle aches and arthritis. 2 tablets per envelope.

NORTH 16-4100F	9.54	BX	12	50 Envelopes/Box
----------------	------	----	----	------------------

C. North by Honeywell Multi-symptom Cold

Multi-symptom cold tablets containing nasal decongestant cough suppressant and non-aspirin pain reliever. Cherry cough drops provide soothing relief of scratchy sore throats to help prevent coughs. 2 tablets per envelope.

21-08100	9.88	BX	12	50 Envelopes/Box
21-08250	23.08	BX	12	125 Envelopes/Box

D. North by Honeywell Electrolyte Tabs

For fatigue and cramps due to excessive perspiration. Potassium chloride 80 mg calcium phosphate 18 mg and magnesium carbonate 18 mg. 2 tablets per envelope.

NORTH 27-99100F	5.14	BX	12	50 Envelopes/Box
NORTH 27-99250F	10.66	BX	12	125 Envelopes/Box

Unitized Refills

North by Honeywell Unitized Refills



Triple Antibiotic Ointment, 1.0gm Pouch

E. 02-0125	2.10	BX	100	10/Box
-------------------	------	----	-----	--------

Triangular Bandage, 40" x 40" x 56" non-sterile

F. 02-0374	2.14	BX	100	1/Box
-------------------	------	----	-----	-------

Adhesive Tape, 1/2" x 2.5YD

G. 02-0445	1.68	BX	100	2/Box
-------------------	------	----	-----	-------

Forceps and Sissors

H. 02-0550	1.96	EA	100	
-------------------	------	----	-----	--

Aypanal Non-Asprin, 2/pouch, 3 pouches/box

I. 02-0555	2.28	BX	100	
-------------------	------	----	-----	--

Butterfly Closure, 16 per box

J. NORTH 20-566	2.70	BX	100	
------------------------	------	----	-----	--

Sterile Gauze Pads, 4" x 4"

K. NORTH 20-584	1.42	EA	100	10/Box
------------------------	------	----	-----	--------

Adhesive Tape, 1" x 2.5YD, 2/box

L. NORTH 20-615	2.20	BX	50	
------------------------	------	----	----	--

Silver Mylar Rescue Blanket, 56" x 84"

M. 02-0618	4.50	EA	50	
-------------------	------	----	----	--

Unitized Refill Color Reference Chart

	Blue = Antiseptics
	Yellow = Bandages
	Red = Burn Treatment
	Orange = Personal Protective Equipment
	Green = Miscellaneous

RS Hughes Part Price Per Case Size/Description

North by Honeywell Unitized Refills

Bandage Compress, 36" x 36" sterile				
N. 02-0645	2.16	EA	100	1/Box
Instant Cold Pack, 4" x 6"				
O. 02-0667	1.20	BX	50	1/Box
2" x 3" Adhesive Woven Patch, 4 per unit.				
P. 02-0730	1.52	BX	100	
Adhesive Plastic Bandages, 1" x 3" Strips				
Q. 02-0795	1.40	BX	100	16/Box
Water-Jel® Burn Dressing, 4" x 4"				
R. 02-1031	7.48	EA	50	1/Box
Alcohol Prep Pad, 70% IPA				
S. NORTH 21-047	1.02	EA	100	10/Box
Splinter kit, 4 units per box				
T. 02-1070X	2.22	BX	100	4/Box
Hydrocortisone 1%, 1/32oz., box of 10 pouches				
U. 02-1161	2.14	BX	100	10/Box
Sting relief wipes, 10 per box				
V. 02-1202ST	2.10	BX	100	10/Box
Adhesive Woven Cloth Bandages, 1" x 3" Strips				
W. 02-8001	1.44	EA	100	16/Box
CPR Microshield™				
X. 12-1051	11.18	EA	50	1/Box
Y1. 02-0020	1.62	BX	100	Woven Knuckle Adhesive Bandage, 8/Box
Y2. 02-0430	1.70	EA	100	Sterile Gauze Pad 3" x 3", 4/Box
Y3. 02-0855	1.54	BX	100	Woven Fingertip "T" Bandage, 10/Box
Y4. SWIFT 02-0630	2.78	BX	100	Sterile Gauze bandage 2" x 6yd, 2/Box

Z. North by Honeywell Kit Tweezer

3 1/2" slanted			
32-49320	1.06	EA	1

Z1. North by Honeywell Bandage Scissor

4" red plastic handle			
32-BS412	1.04	EA	40



N



O



P



Q



R



S



T



U




V



W



X



Y1



Y2



Z1



Y3

Skin Care



A



by Honeywell



B



C



D



E



F



G



H

RS Hughes Part	Price	Per	Case	Size/Description
A. North by Honeywell Insect Repellent Bug X30™ with DEET				
52.25% DEET formula. 8"x5" wipes. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
NORTH 12-2006XA	18.62	CT	6	100/Box
B. North by Honeywell Insect Repellent Bug X30™				
Bug X30 pump spray, 2 oz. 52.25% DEET formula. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
NORTH 12-2024	6.42	BT	12	
C. North by Honeywell Bug X30 Towelette				
52.25% DEET formula. 8"x5" wipes. Effective against ticks. Repels mosquitoes, fleas, mites, black flies, sand flies, and deer flies. EPA registered in all 50 states.				
28-11640	29.32	BX	4	25/Box
D. North by Honeywell Ivy X™				
Dries quickly on skin, washes off with soap & water. Not greasy, almost unnoticeable on skin.				
NORTH 12-2012X	18.23	CT	6	Pre-contact Towelette, 100/Box
Towelette scrubs away poisonous oils with little or no odor. Gentle on skin, contains moisturizers.				
NORTH 12-2016X	18.23	CT	6	Cleanser Towelette, 100/Box
E. North by Honeywell Bug Barrier 23.75% DEET				
Bug Barrier with 23.75% DEET helps protect workers, sportsmen and others who spend time in the woods, fields or on water. Bug Barrier has proven to be effective at creating a personal barrier against mosquitos, chiggers, fleas, ticks, biting flies and other nasty insects.				
28-61605	13.40	CN	12	Aerosol 120z
F. North by Honeywell Bug Barrier, 100% DEET				
Bug Barrier with 100% DEET helps protect workers, sportsmen and others who spend time in the woods, fields or on water. Bug Barrier has proven to be effective at creating a personal barrier against mosquitos, chiggers, fleas, ticks, biting flies and other nasty insects."				
28-61606	8.60	PH	12	Pump Spray 2oz
G. North by Honeywell Kerodex 51, 4oz.				
Kerodex 51 protects against irritation caused by contact with water insoluble ingredients. A non-greasy, invisible barrier cream for dry or oily work. It helps protect against irritation caused by contact with oil, grease, waxes, varnish, lacquers, cleaning fluids, powders, dust, fiberglass, as well as dirt and grime. Also provides a protective barrier against creosote.				
26-0514	13.98	TB	72	
H. North by Honeywell Kerodex 71, 4oz.				
The "invisible glove" provides protection from many industrial irritants and mild chemicals. This non-greasy, non-silicone cream should be applied before work for protection without loss of sensitivity or dexterity. Use Kerodex 71 for wet work. Specially designed to help hands stay moisturized and soothed when working with liquids and other wet substances. 4oz.				
26-0714	13.98	TB	72	

RS Hughes Part Price Per Case Size/Description

I. North by Honeywell SBS No.40 Medicated Skin Cream

After work medicated conditioning cream is lightly scented and non-greasy helps to soothe dry, chapped hands.

26-SBS40 8.22 TB 24 5oz.

J. North by Honeywell SBS No.44 Skin Protection Cream

Water-resistant protective cream provides protection against water-based irritants. Non-greasy formulation rubs in without interfering with grip or dexterity.

26-SBS44 9.28 TB 24 5oz.

K. North by Honeywell SBS No.46 Skin Protection Cream

Solvent-Resistant Protective Cream provides protection against solvent-based skin irritants. Formulation rubs in completely without interfering with grip or dexterity.

26-SBS46 9.20 TB 24 5oz.

L. North by Honeywell 201 Protective Cream

Water soluble, greaseless, invisible barrier against many sticky, staining irritating industrial substances. Does not contain silicone.

27-0104 3.82 BO 24 4oz.

M. North by Honeywell 212 Skin Conditioner

Rich and moisturizing oil-in-water emulsion quickly relieves dry, itchy skin and restores natural suppleness.

NORTH 27-1204 3.68 EA 24 4oz.

Purell Instant Hand Sanitizer

America's #1 instant hand sanitizer. Kills 99.99% of common germs that cause illness. Works in as little as 15 seconds. No water or towels needed. Formulated with moisturizers to leave hands feeling soft and refreshed. Alcohol-based.

N. 315-9651-24 2.74 BO 24 4 Ounces

O. 315-9652-12 6.32 BO 12 8 Ounces with Pump

P. 315-9625-04 31.55 BO 4 2 Liter

Stoko® Kresto® Extra Heavy Duty Cleanser

For extra-tough soils, such as grease, oil, ink, and carbon black. Cleanser contains all-natural, biodegradable walnut shell scrubbers to remove even ground-in dirt. And it has a low solvent content with good skin compatibility.

Q. 28700512SK 6.41 EA 12 250ml Tube, 12/case

R. 30362SK 24.87 EA 4 1/2 gal Pump-Top Bottle, 4/case

S. Stoko® Solopol® Hand Cleaner, 250ml Tube, 12/Case

Ideal for removing medium-to-heavy-duty industrial dirt. It's 100% solvent-free with excellent skin compatibility. Contains all-natural walnut shell scrubbers.

34981SK 5.88 EA 12

T. Stoko® Reduran® Special Specialty Cleanser, 100ml Tube

Developed for removing dyestuffs. Contains a reducing agent and synthetic detergents that emulsify the dye in water. All-natural, biodegradable walnut shell scrubbers.

33937SK 6.46 EA 12

U. Stoko® Solopol® Hand Cleaner, 1/2 gal Pump-Top Bottle, 4/Case

Solopol® Hand Cleaner is ideal for removing medium-to-heavy-duty industrial dirt. It's 100% solvent-free with excellent skin compatibility. It also contains all-natural walnut shell scrubbers.

30384SK 21.95 EA 4





A



B



C



D



WHEN PERFORMANCE MATTERS MOST™



E



F



G



H



I Honeywell



J



K



Protection you can trust



L



M

RS Hughes Part Price Per Case Size/Description

**Brady Sign - EMERGENCY EYE WASH STATION
KEEP AREA CLEAR (W/PICTO)**

7" H x 10" W, Plastic, B-401

A. 754476-21807 8.91 EA 1

10" H x 14" W, Plastic standard sign, 1/Each

B. 754476-26582 13.25 EA 1



WHEN PERFORMANCE MATTERS MOST™

C. Brady High Visibility Sign - Rigid - EYE WASH (W/PICTO)

12" H x 18" W x 8" D, Polystyrene, B-493 Rigid, 1/Each

754476-45363 23.49 EA 1

D. Brady VIEW03A Standard "V" Sign "Eye Wash"

Green on White acrylic eye wash sign with picto. 6" H x 9" W x 4" D

754473-49371 15.80 EA 1 V-shape Eye Wash Sign

Honeywell Saline Personal Eyewash Bottle

Portable and readily available for use, these emergency eyewash bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency.

E. 364809-450191 2.92 EA 24 1 oz. Bottle

F. 364809-450238 4.51 EA 24 4 oz. Bottle

G. 32-000445-0000 6.67 EA 12 8 oz. Bottle

H. 364809-450337 8.35 EA 12 16 oz. Bottle

I. 364809-450443 13.92 EA 12 32 oz. Bottle



Sperian Saline Eyewash Station

Provide immediate flushing of the injured person. Highly visible and readily available for emergency flushing and decontamination.

J. 364809-440017 27.40 EA 8 Single 16 oz. Bottle

K. 364809-440055 35.90 EA 8 Single 32 oz. Bottle

L. 364809-440086 46.01 EA 4 Double 32 oz. Bottles

M. 32-000465-0000 48.09 EA 4 Double 16 oz. Bottles, English/
Spanish Instructions

RS Hughes Part Price Per Case Size/Description

N. Replacement Eyesaline Cartridges for Fendall Pure Flow 1000®

Eyesaline solution – a buffered, pH-balanced solution that is superior to tap water for emergency eye care Up to 24 month cartridge life. 3.5 gallon (13.2L) each, 7 gallon (26.4L) total. Cartridge change takes less than 5 minutes. One set of two cartridges.

364809-420132	172.78	CA	1	Buffered Eyesaline Solution
364809-730705	303.90	CA	1	Sterile Eyesaline Solution

O. Fendall Pure Flow 1000® Primary Eyewash Station

Easy installation, no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand. Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by current ANSI Z358.1. Captures waste fluid to eliminate spill hazards and simplify fluid disposal. Integral valve at bottom of unit allows easy draining of reservoir after use. 24-month cartridge life. Cartridges (sold separately) remain sealed until activated. Expiration date is included on activation straps.

364809-410270	546.46	EA	1	32-001000-0000 station only
---------------	--------	----	---	-----------------------------

P. Fendall Porta Steam II Eyewash Station

Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand. Molded handle accepts hanging bracket for vertical or horizontal surface installation. Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations.

364809-410089	421.04	EA	1	32-000200-0000 180oz Eye Saline
364809-410133	366.20	EA	1	32-000230-0000 w/ water additive

Q. Fendall Porta Stream III Station w/ 180 oz. Saline - English (15 minute Heated)

Fendall Porta Stream III is freeze protected by a special form fitted insulated cover and twin, 600 watt, 110 volt thermostatically controlled heaters for indoor and outdoor use. The fluid-heating system makes it ideal for use between 72° and -32° F (22° to -36° C)."

364809-410157	2,103.04	EA	1	32-000310-0000
---------------	----------	----	---	----------------

R. Sperian Replacement Saline Concentrate

Mix with clean, potable water to create a preserved, buffered, saline solution. For use with the Fendall Porta Stream I, II, or III.

364809-420071	86.74	EA	4	32-000513-0000 
---------------	-------	----	---	--

S. Sperian Replacement Water Additive

Mix with clean, potable water (10:1 ratio). One 8oz. bottle suitable for 14-16 gal. 30 Month shelf life (unopened). For use with the Fendall Porta Stream I, II, or III.

364809-730019	10.02	EA	4	32-001100-0000
---------------	-------	----	---	----------------

T. Fendall 2000 Station Only-English (15-minute)

Treat injured workers with 100% sterile, buffered and physiologically balanced saline solution free of contaminants, bacteria, corrosives and pollutants. Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush. Easy-view side windows to check sterile solution expiration date and key contact information. Highly portable and easily moved when work stations move. Meets ANSI Z358.1-2004 15-minute flush requirement for primary eyewash stations.

364809-730729	549.38	EA	1	32-002000-0000
---------------	--------	----	---	----------------

Saline Cartridge for Fendall 2000. Preserved, buffered, pH balanced, saline solution. Cartridge takes less than 5 minutes to install. Available for the Fendall Pure Flow 1000. 2 cartridges per case.

364809-730743	373.00	EA	1	32-001050-0000
---------------	--------	----	---	----------------



RS Hughes Part Price Per Case Size/Description

U. Sperian Dust Cover

Dust cover for Fendall Porta Stream I or II Station.

364809-430230	32.00	EA	1	32-000517-0000
---------------	-------	----	---	----------------



Bradley's Halo Eye/Facewash

Enhanced dust cover design in clear translucent yellow allowing for easy inspection. When the cover is opened, water flow starts automatically giving the user instant relief.

New ergonomic hand activation is easy to reach from any direction.

Separate supply waste and pipes to eye/face wash are industry first and exclusive to Bradley! Meets CEN and Plumbing requirements.

The Aqueduct design is the only self-draining design for standard

eyewash models – another industry first and Bradley exclusive. The self-draining Aqueduct helps reduce the risk of bacteria growth when unit is not in use.

Integral strainer inside the Aqueduct reduces debris in the water for additional eye protection and also prevents clogging.

New dust cover caps on the eyewash are hinged for a more secure hold – keeping dust and debris off the water spouts.

RS Hughes Part	Price	Per	Case	Size/Description
----------------	-------	-----	------	------------------

A. HALO™ by Bradley Combination Drench Shower/Eyewashes

Halo™, the most effective washdown protection for emergency eye relief. Spintec™ Showerhead provides the most consistent distribution of water from a drench shower, improving user washdown. Complies with ANSI Standard Z358.1. Galvanized steel protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Drench shower exceeds minimum water flow of 20 GPM at 30 PSI. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI.

S19314EW	873.00	EA	1	Plastic Bowl & Showerhead
S19314PDC	988.00	EA	1	Plastic Bowl, Dust Cover & Showerhead
S19314SB	972.00	EA	1	Stainless Steel Bowl, Plastic Showerhead
S19314PDCFW	1061.00	EA	1	Eye-Face Wash, Plastic Bowl, Showerhead, and Dust Cover
S19314DCFW	1278.00	EA	1	Eye-Face Wash, Stainless Steel Bowl & Dust Cover, Plastic Showerhead

B. HALO™ by Bradley Pedestal Mounted Eyewashes

Complies with ANSI Standard Z358.1. Galvanized steel protected with BRADTECT® safety yellow coating. Barrier-free design - fully accessible to people with physical disabilities. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI.

S19214EW	356.00	EA	1	Eyewash, Plastic Bowl
S19214B	455.00	EA	1	Eyewash, Stainless Steel Bowl

C. HALO™ by Bradley Wall-Mounted Eye-Face Washes

Complies with ANSI Standard Z358.1. Galvanized steel supply & waste pipes protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI. Barrier-free design - fully accessible to people with physical disabilities.

S19224PDC	385.00	EA	1	Plastic Bowl & Dust Cover
S19224DC	602.00	EA	1	Stainless Steel Bowl & Dust Cover

D. HALO™ by Bradley Wall-Mounted Eyewashes

Complies with ANSI Standard Z358.1. Galvanized steel supply & waste pipes protected with BRADTECT® safety yellow coating. Universal identification sign and inspection tag included. Eyewash exceeds minimum water flow of 0.4 GPM at 30 PSI. Barrier-free design - fully accessible to people with physical disabilities.

S19224EW	270.00	EA	1	Plastic Bowl
S19224B	369.00	EA	1	Stainless Steel Bowl

E. Bradley On-Site® Portable Gravity-Fed Eyewash

Clear tank allows for easy fill level check. Uses less space while delivering ANSI required 15 minute flush. Allows for a fluid start/stop flow with no expensive cartridges to replace. Mounts on Wall, Bench Top, or Transportable Waste Cart.

S19-921	351.00	EA	1	Bradley
---------	--------	----	---	----------------



F. Bradley On-Site® Waste Cart

Provides transportation and waste collection for On-Site® Model S19-921. Easy to "park" from right or left side. Dual drain holes allow for alternate positioning of on-site unit. Includes two clearly marked eyewash signs.

S19-399	415.00	EA	1
---------	--------	----	---

G. Wearwell F.I.T. Kits Emergency Shower/Eyewash Mats

Patented LockSafe® connections simply snap together and zip apart. Custom configure with additional tiles. High visibility per ANSI recommendations. Red is for emergency showers and green is for eyewash areas. Conforms to ANSI Z35.1-1998 Standard.

715411-00762	167.85	EA	1	Red/Yellow	27"x30"
715411-00772	220.44	EA	1	Red/Yellow	27"x42"
715411-00782	167.85	EA	1	Green/Yellow	27"x30"
715411-00792	220.44	EA	1	Green/Yellow	27"x42"

Braces and Supports

RS Hughes Part Price Per Case Size/Description

H. Ergodyne 100 Black Back Support - Economy

Durable 280D spandex body cloth provides breathable comfort, and holds its shape over time. Rubber-tracked webbing helps keep back support in place. Adjustable 1 1/4" knit elastic suspenders improve the comfort and fit and are detachable. Machine washable.

720476-11381	19.50	EA	6	XS
720476-11382	19.50	EA	6	SM
720476-11383	19.50	EA	6	MD
720476-11384	19.50	EA	6	LG
720476-11385	19.50	EA	6	XL
720476-11386	19.50	EA	6	2XL
720476-11387	19.50	EA	6	3XL
720476-11388	19.50	EA	6	4XL



I. PIP 290-440 Mesh Back Support Belt

Black back support belt with nylon mesh fabric. 9-inch belt width, elastic back panel with 5 back stays and detachable suspenders. Front panels with hook & loop closure offer a custom secure fit. Ideal for use in heavy work environments to maintain stability and help reduce back injuries.

616314-08171	9.55	EA	50	MD
616314-08172	9.55	EA	50	LG
616314-08173	9.55	EA	50	XL



J. Valeo VEE7 Economy Elastic Back Support

Valeo VEE Black 7" elastic with 4 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00539	12.64	BT	1	SM
736097-00540	12.64	BT	1	MD
736097-00541	12.64	BT	1	LG



K. Valeo VES8 Standard Elastic Back Support

Valeo VES Black 8" elastic power net with 4 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00212	15.91	BT	1	SM
736097-00213	15.91	BT	1	MD
736097-00214	15.91	BT	1	LG
736097-00215	15.91	BT	1	XL

L. Valeo VEH9 Heavy Duty Elastic Back Support

Valeo VEH Black Breathable 9" elastic with 5 non-conductive stays, Adjustable two-stage hook & loop closure system, Removable 1.5" elastic suspenders with hook & loop tabs for safety, Rubberized stay covers keep belt in place, Machine washable.

736097-00412	21.22	BT	1	SM
736097-00413	21.22	BT	1	MD
736097-00414	21.22	BT	1	LG
736097-00415	21.22	BT	1	XL
736097-00416	21.22	BT	1	2XL
736097-00829	21.22	BT	1	3XL



Ergodyne Wrist Support, Open-Center Stay

Limits downward wrist movements. Fully-adjustable for an exact fit and comfortable wear. Patented open-center stay™ reduces pressure on the median nerve. Aegis Anti Microbial treatment on the interior fabric. Two-stage hook & loop closure. Exclusive "red line" indicator ensures proper fit every time. Durable fabric holds up to the toughest work environments.

M. 720476-70002	11.17	EA	6	SM	4000	Single Strap	Right Wrist
M. 720476-70004	11.17	EA	6	MD	4000	Single Strap	Right Wrist
M. 720476-70006	11.17	EA	6	LG	4000	Single Strap	Right Wrist
M. 720476-70008	11.17	EA	6	XL	4000	Single Strap	Right Wrist
M. 720476-70012	11.17	EA	6	SM	4000	Single Strap	Left Wrist
M. 720476-70014	11.17	EA	6	MD	4000	Single Strap	Left Wrist
M. 720476-70016	11.17	EA	6	LG	4000	Single Strap	Left Wrist
M. 720476-70018	11.17	EA	6	XL	4000	Single Strap	Left Wrist
N. 720476-70022	14.67	EA	6	SM	4010	Double Strap	Right Wrist
N. 720476-70024	14.67	EA	6	MD	4010	Double Strap	Right Wrist
N. 720476-70026	14.67	EA	6	LG	4010	Double Strap	Right Wrist
N. 720476-70028	14.67	EA	6	XL	4010	Double Strap	Right Wrist
N. 720476-70032	14.67	EA	6	SM	4010	Double Strap	Left Wrist
N. 720476-70034	14.67	EA	6	MD	4010	Double Strap	Left Wrist
N. 720476-70036	14.67	EA	6	LG	4010	Double Strap	Left Wrist
N. 720476-70038	14.67	EA	6	XL	4010	Double Strap	Left Wrist

**Editor's
Choice for
staying cool**

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



Heat Stress

RS Hughes Part Price Per Case Size/Description

A. Ergodyne 6602 Evaporative Towel Blue Cooling Product

Dampen this advanced PVA polymer material to create a material significantly cooler than ambient air. Super-evaporative material absorbs and stores water without feeling sodden. Wear around your neck for hours of cooling relief or wipe your face for a refreshing break. Simply re-wet the towel to reactivate. Hand wash.



720476-12420 7.42 EA 6

B. Ergodyne 6700 Bandana/Headband Cooling Product

Provide cool comfort for hours when activated in cold water. Chill-Its® Body Technologies help workers stay cool, fight fatigue, and increase productivity. Evaporative cooling process keeps you cool all day. Super absorbent acrylic polymer activates quickly when soaked in cold water 2-5 min. Remains hydrated, providing cool comfort for hours. Reusable, just resoak. Tie closure for personal fit.

720476-12303 1.92 EA 24 Stars & Stripes

Ergodyne Chill-Its 6602MF Evaporative Cooling Towel

Microfiber Cooling Towel: Dampen towel to activate cooling or use to wipe your brow. Microfiber material soft and absorbent, Super-evaporative, feels significantly cooler than ambient air, Non toxic and chemical free, Machine washable, 2-sided color, gray on reverse for all colors, Size: 9.8" x 40.9" (25cm x 104cm). UPF 50 for protection against harmful UV.

C. 720476-12660	9.92	EA	6	Blue
D. 720476-12661	9.92	EA	6	Orange
E. 720476-12662	9.92	EA	6	Pink
F. 720476-12668	9.92	EA	6	Gray
G. 720476-12669	9.92	EA	6	Lime

H. Ergodyne Chill-Its 6685 Dry Evaporative Cooling Vest

Fill with water and enjoy hours of cooling relief and comfort. Provides immediate and long lasting cooling. Up to 3 days of cooling ability. Easy to use watertight filling cap. Fill vest with 13-20 OZ (400-600 ML) water to activate. Lightweight, durable and washable, V-neck with zip closure, Mesh side panels provide additional ventilation and stretch. Patented, Do not clean the inside reservoir. Cooling material is treated with an anti-microbial that inhibits mold growth. Keep cap closed at all times to maintain vest's effectiveness. Shell fabric 50% Polyester 50% PU.

720476-12673	174.92	EA	6	MD	Lime
720476-12674	174.92	EA	6	LG	Lime
720476-12675	174.92	EA	6	XL	Lime
720476-12676	174.92	EA	6	2XL	Lime
720476-12677	174.92	EA	6	3XL	Lime
720476-12678	174.92	EA	6	4XL	Lime

I. Occunomix 930 Miracool® Cooling Neck Wrap

Exceptional cooling power you'll feel immediately! Lightweight super-absorbent material hold water without weighing you down. Reusable and easy to recharge, helps reduce the cause of heat stress. Machine washable. 31.5" X 4"

021844-60998	3.90	EA	200	930-PK	Pink
021844-60728	3.90	EA	200	930-BL	Blue



J. Occunomix 931 Miracool® Cooling Towel

Lightweight super absorbent material holds water without weighing you down. Instant cooling relief, just add water! Reusable and easy to recharge.

021844-61040	7.50	EA	200	931-BL	Blue
021844-61041	7.50	EA	200	931-OR	Orange

K. Occunomix 934 Miracool® PVA Hard Hat Shade

Provides shade protection and cooling relief. Hook and loop attaches to hard hat suspension. Packaged in a large resealable bag.

021844-61218 9.90 EA 100 934-BL Blue

L. Occunomix 940 Miracool® Neck Bandana

New lightweight design with the same cooling power and all of the comfort of 100% cotton. Soak MiraCool® in cold water for 10-20 minutes, stays hydrated for several days! Reusable thousands of times, works without freezing or ice.

021844-52401	1.80	EA	12	940-01	Navy
021844-52418	1.80	EA	12	940-03	Red
021844-55257	1.80	EA	12	940-FLA	Big Flames
021844-55267	1.80	EA	12	940-WAV	Wavy Flag
021844-56862	1.80	EA	12	940-KHK	Khaki

RS Hughes Part Price Per Case Size/Description

M. Sqwincher Qwik Stik™ ZERO

Offers the same great taste and electrolyte content as regular Sqwincher (high in potassium, and low in sodium) with out the calories or sugar. Simply tear it open the single-serve pouch, add to 20 oz bottle water, shake and enjoy. 500 pouches/case.

060100-OR	190.80	CA	1	ORANGE
060101-MB	190.80	CA	1	MIXED BERRY
060102-FP	190.80	CA	1	FRUIT PUNCH
060103-LA	190.80	CA	1	LEMONADE
060105-RB	190.80	CA	1	RASPBERRY
060106-LL	190.80	CA	1	LEMON-LIME
060109-CC	190.80	CA	1	CITRUS COOLER



N. Sqwincher LITE Stiks

Perfect for those looking for less calories, no color and no artificial flavor or additives. Sqwincher Lite contains the perfect electrolyte blend, are naturally flavored and naturally sweetened and contain no added color. 96 packs/case.

075880-16570	56.67	CA	1	Grape
075880-16511	56.67	CA	1	Orange
075880-16512	56.67	CA	1	Fruit Punch
075880-16513	56.67	CA	1	Lemon-Lime

O. Sqwincher Powder Pack™, 5 Gallon

Replace lost fluids, lost electrolytes and avoid dehydration in high-heat environments. Quickly mixes with water. Lemonade flavored. 16 packs/case.

16403-LA	115.08	CA	1	5GAL LEMONADE
16404-OR	115.08	CA	1	5GAL ORANGE
16405-FP	115.08	CA	1	5GAL FRUIT PUNCH
16406-GR	115.08	CA	1	5GAL GRAPE
16408-LL	115.08	CA	1	5GAL LEMON-LIME



P. Sqwincher Powder Pack Dry Mix LITE 3 Gallon

When setting out water coolers for your crew, pouring in a convenient Sqwincher Powder Pack™ gives workers the electrolytes required to stay hydrated. Our great-tasting powder mixes are scientifically formulated to return all those important minerals and fluids lost in the line of duty. 20 packs/case.

075880-16801	93.67	CA	1	Grape
016851-OR	93.67	CA	1	Orange
016852-FP	93.67	CA	1	Fruit Punch
016853-LL	93.67	CA	1	Lemon-Lime

Q. Sqwincher Fast Pack®

Great tasting, scientifically formulated electrolyte replacement drink restores important minerals, salts and fluids lost through dehydration, physical exertion and heat stress. Mixes easily and quickly with water. The package is your cup. 50 Per Pack. 4 Packs Per Case.

075880-00069	62.67	CA	1	015300-MB	Mixed Berry
075880-00065	62.67	CA	1	015301-CH	Cherry
075880-00067	62.67	CA	1	015302-GR	Grape
075880-00061	62.67	CA	1	015303-LA	Lemonade
075880-00064	62.67	CA	1	015304-OR	Orange
015305-FP	62.67	CA	1		Fruit Punch
075880-00068	62.67	CA	1	015306-TE	Tea
075880-00062	62.67	CA	1	015308-LL	Lemon Lime
075880-00066	62.67	CA	1	015309-TC	Tropical Cooler
075880-00060	62.67	CA	1	015310-CC	Cool Citrus



R. Sqwincher Fast Pack® ZERO

Offers the same great taste and electrolyte content as regular Sqwincher (high in potassium, and low in sodium) with out the calories or sugar. Mixes easily and quickly with water. The package is your cup. 50 Per Pack 4 Packs Per Case.

015500-OR	62.67	CA	1	Orange
015501-FP	62.67	CA	1	Fruit Punch

S. Sqwincher Squeeze Zero

3OZ SQWINCHER® Squeeze Zero Electrolyte Replacement Freeze Pops. 15 Packs of 10 Per Case. All the benefits of a Sqwincher Zero drink in a handy freezer pop.

159200228	43.33	CA	1	Fruit Punch
159200229	43.33	CA	1	Orange

T. Sqwincher Squeeze Pops

Scientifically developed formulation is absorbed at a significantly faster rate than water, allowing the body to replenish electrolytes and minerals. Mixed case of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry, 30 oz each. 150 per case.

159200201	43.33	CA	1	
-----------	-------	----	---	--

Controlled Environment Products

In this section:

Clothing..... 236-239

Gloves 240-243

Finger Cots 244-245

Stirrers and Swabs 246-253

Wipers..... 254-259

Stationary and Tacky Mats..... 260-261

Airborne Particulate Cleanliness Class Comparison

Class	Arc Rating					ISO Equivalent
	≥0.1 µm	≥0.2 µm	≥0.3 µm	≥0.5 µm	≥5 µm	
1	35	7	3	1		ISO 3
10	350	75	30	10		ISO 4
100		750	300	100		ISO 5
1,000				1,000	7	ISO 6
10,000				10,000	70	ISO 7
100,000				100,000	700	ISO 8

RS Hughes Part Price Per Case Size/Description

A. Kleenguard* A10 Bouffant Cap, White - ISO 8

Lightweight polypropylene material provides great comfort. Latex Free. White.

036000-36850	80.50	CA	1	MD	21in 1K/Ca
036000-36860	80.50	CA	1	LG	24in 1K/Ca



A. Kleenguard* A20 Breathable Bouffant Cap (Cleanroom Packaging) - ISO 3

Double-bagged for cleanroom use. Rayon, latex free, NPFA 99 Compliant Antistatic Material. 24in stretched diameter, 100 caps per bag.

036000-66829	26.15	BG	5	White	30588
--------------	-------	----	---	-------	-------

Tians Bouffant Caps Latex Free

Disposable full coverage cleanroom bouffant cap. Lightweight and cool breathable fabric. Trimmed with a latex free elastic band for a comfortable snug fit. Neatly stacked and cleanroom packed. 100 pieces per sealed inner polybag, 5 polybags per case. 500/CA. ISO 6 cleanroom class.

B. 30578-215	24.20	CA	1	21in Blue	30578
C. 30588-245	26.10	CA	1	24in White	30588



D. Tians 40578-R55 Face Mask

The Epic disposable face mask is made from a 3 layer high filtration non-woven fabric, is packaged 50 pieces per bag, 500 pieces per case and is blue. Attached elastic earloops and built in nose contour bar allow this mask to fit most wearers.

40578-R55	46.00	CA	1	Blue
-----------	-------	----	---	------

E. Tians 31588-24 Bouffant Cap, Expandable Pleated Design

Low lint full coverage cleanroom bouffant style cap. Unique pleated/expandable design. Lightweight and cool breathable nonwoven fabric. Latex free elastic headband. ISO Class 6.

31588-21	40.00	CA	1	21in Wht	31588, 10 bgs/ca, 1000/ca
31588-24	45.00	CA	1	24in Wht	31588, 10 bgs/ca, 1000/ca

F. Tians Cleanroom Hood


Latex free / lint free film coated hood for use in critical and low particulate clean environments. Fabric is suitable for exposure to bloodborne pathogens, some hazardous liquids, and where liquid splash is a concern. Features include an elasticized face opening that can be worn with a full face or partial face opening, hemmed lower edge, serged seam construction. ANSI/ISEA 101-1996

416850	90.00	CA	1	White
--------	-------	----	---	-------

G. Kimtech Pure* M3 Face Mask - Pleat Style - Regular - ISO 3

Low-linting polyethylene film outer layer provides protection from contamination Excellent bacterial and particle filtration combined with good breathability BICOSOF* fabric inner-facing provides comfort Recommended for ISO Class 3 or higher cleanroom environments, 500/CA, Packed 50/BG, 10BG/CA.

036000-62465	131.69	CA	1	with Knitted Earloops
036000-62466	129.80	CA	1	with Ties





RS Hughes Part Price Per Case Size/Description

H. Kimtech Pure* M5 Mask with Soft Ties

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingergrrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex easy to double don, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments, 6 bags per case. 300/CA.

036000-62742 65.28 CA 1

I. Kimtech Pure* M6 Mask With Knitted Earloops - Pleat Style - Regular - ISO 6

2-layer design. BICOSOF* fabric provides comfort; Recommended for ISO Class 6 or higher cleanroom environments, 500/CA, Packed 50/BG, 10B/CA.

036000-62477 104.20 CA 1

J. Kleenguard* A10 Non-Skid Shoe Cover, Blue, Fully Elasticized, With Traction

Lightweight polypropylene material provides great comfort. Meets ANSI/ISEA 101-1996 sizing standards. Typical Uses include: Food processing, General maintenance, manufacturing, 300EA/CA.

036000-27222 71.19 CA 1

K. Kimberly-Clark* X-Tra Traction* Shoe Cover

Protective 3-layer SMS fabric and are recommended where there is the potential for light fluid contact. X-tra traction. Sewn seams. Fully elasticized. Light Blue.

036000-69252 33.85 BX 3 M/L 100 per bag, 3 bags per case
036000-69254 96.48 CA 1 XL 80 per bag, 3 bags per case

L. Tians 514673 Polypropylene Shoe Cover

Disposable shoe cover with non-marking anti-skid bottom surface. Trimmed in elastic for an adjustable snug fit. Elastic sewn seam turned in to reduce particulation. Lightweight yet durable and breathable. 100 each per vacuum packed and heat sealed polybag, 3 bags per case. 300/CA

EPIC 514673 LG 31.00 CA 1 LG Blue
EPIC 514673 XL 31.00 CA 1 XL Blue
514673 2XL 31.00 CA 1 2XL Blue



M. Tians 537782 Safetrack® Polyethylene Coated Shoe Cover

Disposable high traction shoe cover constructed from a PE laminated fabric that has extremely high skid resistance, is durable and impervious to liquids. Suitable for use in many cleanroom / critical environments. 100 each per heat sealed polybag, 2 bags per case. 200/CA. ISO 5 cleanroom class.

537782-L 46.00 CA 1 LG Blue
537782-XL 46.00 CA 1 XL Blue

Tians Super Track Shoe Cover

SuperTrack® shoe and boot covers offer outstanding performance in both wet and dry conditions. The laminated fabric is unmatched as a fluid barrier while providing excellent traction and durability. Low particulate for use in clean areas. Features a clean room class rating of ISO Class 5.

N. 535223-L 54.00 CA 1 Blue LG SUPER TRACK, 300 per case
N. 535223-XL 54.00 CA 1 Blue XL SUPER TRACK, 300 per case



O. Tians 723783 Blue Polyatex Shoe Cover

Disposable cleanroom shoe cover with heat sealed seams. Lightweight and impervious to liquids, lint free. 100 each per inner polybag, 3 bags per case. 300/CA. ISO 5 cleanroom class.

723783-L 38.22 CA 1 LG Blue



A

ISO 7



B

ISO 6



C

ISO 6



D

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Tians 843885NP Lab Coat - ISO 7

White lab coat/smock features plastic front snaps, knit wrist & folded collar, no pockets. Garment is constructed from Environstar SPP spunbonded polypropylene. This fabric feels like cloth and has exceptional breathability. Neatly folded and clean room packed 10 pieced per bag, 50 pieces/case. ISO 7 cleanroom class.

843885NP-L	78.00	CA	1	LG	White
843885NP-XL	78.00	CA	1	XL	White
843885NP-2XL	78.00	CA	1	2XL	White
843885NP-3XL	78.00	CA	1	3XL	White
843885NP-4XL	81.90	CA	1	4XL	White
843885NP-5XL	86.00	CA	1	5XL	White



B. Tians 846855 Clean Microporous Coated Smock - ISO 6

Made of 100% spunbond polypropylene laminated to 100% micro-porous polyethylene film. These lab coats are suitable for exposure to non-hazardous liquids and any wet general maintenance areas. Fabric is treated with an anti-static solution in order to reduce static buildup. Knit wrist and collar, plastic front snap closure, no pockets. 1000/ISO 6 cleanroom class. 10/bag. 3bags/case. 30each/case

846855-S	90.00	CA	1	SM	White
846855-M	90.00	CA	1	MD	White
846855-L	90.00	CA	1	LG	White
846855-XL	90.00	CA	1	XL	White
846855-2XL	90.00	CA	1	2XL	White
846855-3XL	90.00	CA	1	3XL	White
846855-4XL	94.50	CA	1	4XL	White

C. Tians 864795 Lab Coat SMS - ISO 6

Low linting lab coat for use in critical and low particulate clean environments. High filtration fabric hold out 98.8% of particles at 3 microns, and also provides excellent splash protection from non-hazardous fluids. Features a snap front, knit wrists, knit collar, and three pockets. ISO 6 cleanroom class.

864795-S	86.00	CA	1	SM	Blue
864795-M	86.00	CA	1	MD	Blue
864795-LG	86.10	CA	1	LG	Blue
864795-XL	86.10	CA	1	XL	Blue
864795-2XL	86.10	CA	1	2XL	Blue
864795-3XL	86.10	CA	1	3XL	Blue
864795-4XL	90.30	CA	1	4XL	Blue

D. Tians 206853 Coverall w/ Hood & Boots

Epic brand barrier coverall made from a solid film breathable membrane, attached hood & booties, zipper front, elastic wrists & lower back, 25 pieces per polybag, 25 pieces per case.

206853-M	95.90	CA	1	White	MD
206853-L	95.90	CA	1	White	LG
206853-XL	95.90	CA	1	White	XL
206853-2XL	95.90	CA	1	White	2XL
206853-3XL	95.90	CA	1	White	3XL
206853-4XL	100.70	CA	1	White	4XL



RS Hughes Part Price Per Case Size

E. Tech Wear LEQ-43 Econoshield

Traditional lapel-style collar, of ECX-500 fabric, three quarter length (mid-thigh) with three pockets.

LEQ-43 SM	35.00	EA	1	SM
LEQ-43 MD	35.00	EA	1	MD
LEQ-43 LG	35.00	EA	1	LG
LEQ-43 XL	35.00	EA	1	XL
LEQ-43 2XL	42.00	EA	1	2XL
LEQ-43 3XL	42.00	EA	1	3XL

F. Tech Wear Static Dissipative Shielding Coat

Traditional lapel style collar, lightweight OFX-100 fabric, in a knee-length coat. Blue with three pockets.

LOC-23 SM	49.50	EA	1	SM
LOC-23 MD	49.50	EA	1	MD
LOC-23 LG	49.50	EA	1	LG
LOC-23 XL	49.50	EA	1	XL
LOC-23 2XL	59.40	EA	1	2XL
LOC-23 3XL	59.40	EA	1	3XL
LOC-23 4XL	59.40	EA	1	4XL

G. Tech Wear Static Dissipative Shielding Jacket

Traditional lapel style collar, of OFX-100 lightweight fabric in a hip-length jacket. Blue with three pockets.

LOJ-23 SM	44.00	EA	1	SM
LOJ-23 MD	44.00	EA	1	MD
LOJ-23 LG	44.00	EA	1	LG
LOJ-23 XL	44.00	EA	1	XL
LOJ-23 2XL	52.80	EA	1	2XL
LOJ-23 3XL	52.80	EA	1	3XL

H. Tech Wear Blue ESD Shield Jacket

Traditional lapel style collar, of lightweight OFX-100 fabric, in a hip-length jacket. Blue with three pockets. Groundable with ESD cuffs.

LOJ-23C M	51.33	EA	1	MD
LOJ-23C LG	51.33	EA	1	LG
LOJ-23C XL	51.33	EA	1	XL
LOJ-23C 2XL	61.60	EA	1	2XL
LOJ-23C 3XL	61.60	EA	1	3XL

I. Tech Wear ESD Coat V-Neck

Traditional V-neck style, of OFX-100 lightweight fabric, in a hip-length jacket. Blue with three pockets.

VOJ-23 XS	42.17	EA	1	XS
VOJ-23 SM	42.17	EA	1	SM
VOJ-23 MD	42.17	EA	1	MD
VOJ-23 LG	42.17	EA	1	LG
VOJ-23 XL	42.17	EA	1	XL
VOJ-23 2XL	50.60	EA	1	2XL
VOJ-23 3XL	50.60	EA	1	3XL
VOJ-23 4XL	50.60	EA	1	4XL
VOJ-23 5XL	50.60	EA	1	5XL
VOJ-23 6XL	50.60	EA	1	6XL

Tech Wear Fabric Considerations

OFX-100 is a light-weight knit (2.3 oz per square yard) fabric that is breathable, groundable and easily laundered. It is ideal for use in areas where there is little abrasion, light soil, and little or no exposure to soldering and chemicals. The fabric is made from monofilament thread, eliminating contamination from loose fibers working their way out of the fabric. The conductive grid pattern is knit into the fabric and designed to provide the highest carbon content and therefore best shielding and grounding performance available. Tech Wear's ESD knit cuffs are added to our garments and allow grounding of garment and wearer through one single ground cord, without the need of a wrist strap. OFX-100 fabric is available in White, Blue, Burgundy and Teal.

ECX-500 fabric is the best choice for effective yet economical static shielding garments. ECX-500 is used exclusively in the manufacturing of EconoShield™ garments, which are designed to give static control protection in areas where ESD sensitivity is important and when handling products with a sensitivity threshold above 2,000 volts. It is strongly recommended that when handling products below this level that the garment be grounded (OFX-100). ECX-500 is available in White or Blue.



J. Tech Wear Static Dissipative Length Shielding Coat

Lapel style collar of ECX-500 fabric, three quarter length, mid-thigh, white with three pockets.

TECH WEAR LEQ-13 SMALL	35.00	EA	1	SM
TECH WEAR LEQ-13 MEDIUM	35.00	EA	1	MD
TECH WEAR LEQ-13 LARGE	35.00	EA	1	LG
TECH WEAR LEQ-13 X-LARGE	35.00	EA	1	XL
TECH WEAR LEQ-13 2XL	42.00	EA	1	2XL
TECH WEAR LEQ-13 3XL	42.00	EA	1	3XL



Knit Gloves

RS Hughes Part Price Per Case Size

A. PIP 40-730 CleanTeam™ 100% Nylon Liners without Coating

100% seamless knit nylon, 13 gauge, light weight. Seamless construction provides comfort and reduces hand fatigue. Low lint gloves knit from nylon filament yarns. Lightweight fine gauge syntels can be used as glove liners. Fingerless styles provide excellent dexterity. Nylon yarns absorb perspiration and leave hands cool and comfortable. Color coded hems for easy size identification. Liners can be worn under disposable and other liquid-proof gloves. Ideal for product handling, finishing & assembly, electronics assembly, photography labs and computer manufacturing.

RS Hughes Part	Price	Per	Case	Size
616314-01253	11.04	DZ	25	SM
616314-01260	11.04	DZ	25	MD
616314-01277	11.04	DZ	25	LG
616314-01284	11.04	DZ	25	XL



B. QRP PDESNDY Palm Dip ESD Nylon Assembly Glove

Micro-foamed polyurethane palm coating for excellent grip. Nylon + conductive carbon/nylon yarn. Uncoated back, seamless knit, for breathability, comfort. Human Body Model ANSI/ESD SP15.1 CAFE` resistance: 107 uncoated area; 108-9 Machine washable for economy of repeated use.coated area. Pack: 12 Pair/Bag.

PDESNDY	Price	Per	Case	Size
SM	36.00	DZ	10	SM
MD	36.00	DZ	10	MD
LG	36.00	DZ	10	LG



C. PURUS GLFF Puretouch Glove Liners - Full Finger



PureTouch Glove Liners are 100% nylon, low-linting ergonomically constructed. Color coded cuffs indicate size. PureTouch is packaged 20 pair per bag, 15 bags per case (300 pair per case) in clean silicon, amide and DOP free PE bags. The 15 denier thickness offers protection and comfort for use with PVC, latex and nitrile gloves.

GLFF	Price	Per	Case	Cuff Color	Size
S	19.86	BG	15	Green Cuff	SM
M	19.86	BG	15	Orange Cuff	MD
L	19.86	BG	15	Blue Cuff	LG
XL	19.86	BG	15	Red Cuff	XL

D. PURUS GLHF Puretouch Glove Liners - Half Finger

PureTouch Glove Liners are 100% nylon, low-linting ergonomically constructed. Color coded cuffs indicate size. PureTouch is packaged 20 pair per bag, 15 bags per case (300 pair per case) in clean silicon, amide and DOP free PE bags. The 15 denier thickness offers protection and comfort for use with PVC, latex and nitrile gloves.

GLHF	Price	Per	Case	Cuff Color	Size
S	23.40	BG	15	Green Cuff	SM
M	23.40	BG	15	Orange Cuff	MD
L	23.40	BG	15	Blue Cuff	LG
XL	23.40	BG	15	Red Cuff	XL

Clean Room Hi-Temp Gloves

E. QRP 50G Qualatherm 1400 Dry Thermal Protection

14" (Forearm Protection), Dry contact temperatures for 2100F to 14000F (-1340C to 7600C) with no charring, ash or residue, ESD protection Static Dissipative 109, No PCB, asbestos or fiberglass. Pack: 1 Pair per Poly Bag.

50G	Price	Per	Case	Size
MD	132.73	PR	1	MD
LG	132.73	PR	1	LG
XL	132.73	PR	1	XL



Class 100/ISO Class 4 Gloves

RS Hughes Part Price Per Case Size

F. Kimtech Pure* G3 NXT* Nitrile Gloves

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingergrrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex easy to double don, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments, 1,000CA(100/BG, 10BG/CA).

036000-62990	210.20	CA	1	XS
036000-62991	210.20	CA	1	SM
036000-62992	210.20	CA	1	MD
036000-62993	210.20	CA	1	LG
036000-62994	210.20	CA	1	XL
036000-62995	210.20	CA	1	2XL



F. Kimtech Pure* G3 White Higher Tack Nitrile Gloves

Packaged in a Class 100 Cleanroom, AQL Level of 1.5 for pinholes, textured fingergrrips, static dissipative in use, beaded cuff, 12in length, contains no natural rubber latex, double-bagged with case liner. Recommended for ISO Class 3 or higher cleanroom environments. Higher Tack Level then NXT. 1000CA(100/BG, 10BG/CA)

036000-HC61010	223.60	CA	1	XS
036000-HC61011	223.60	CA	1	SM
036000-HC61012	223.60	CA	1	MD
036000-HC61013	223.60	CA	1	LG
036000-HC61014	223.60	CA	1	XL

G. Microflex Clean Room Ambi Latex, CE4-200

ISO Class 4 compatible, extended 12" cuff. Palm thickness 6.3mil, finger thickness 7.9mil. Micro textured finger tips enhances wet or dry grip. Silicone-free. Double vacuum sealed packaging. Packaging: 100 pieces of gloves per double polybags, 10 polybags per master polybag, 1 master polybag per carton. Note: inner & outer polybags are manufactured & processed in ISO 5 Cleanroom

769799-02006	216.70	CA	1	XS
769799-02007	216.70	CA	1	SM
769799-02008	216.70	CA	1	MD
769799-02009	216.70	CA	1	LG
769799-02000	216.70	CA	1	XL



Head to Toe Protection



A

Class 100/ISO Class 5 – Latex Gloves



B

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Microflex Clean Room Ambi Latex CE5-512

ISO 5 Clean Room Latex Powder Free Extended Cuff 12", Multiclass Clean Room Compatibility Silicon Free, Palm Thickness 6.3mil, Finger Thickness 7.9mil, 100 Gloves/Bag 10 Bags/Carton Large.

769799-05126	176.90	CA	1	XS
769799-05127	176.90	CA	1	SM
769799-05128	176.90	CA	1	MD
769799-05129	176.90	CA	1	LG
769799-05120	176.90	CA	1	XL

MICROFLEX
THE MOST TRUSTED NAME IN GLOVES®

B. PIP Cleanroom Ambi Latex Gloves

Cleanteam® Class 100 Cleanroom Latex, Textured Finger, 5mil Thickness, 100/BG, 10BG/CA

PIP
PROTECTIVE INDUSTRIAL PRODUCTS


616314-16431	227.33	CA	1	SM	100-323000, 12" Length
616314-16448	227.33	CA	1	MD	100-323000, 12" Length
616314-16455	227.33	CA	1	LG	100-323000, 12" Length
616314-16462	227.33	CA	1	XL	100-323000, 12" Length
616314-16486	176.74	CA	1	SM	100-322400, 9 1/2" Length
616314-16493	176.74	CA	1	MD	100-322400, 9 1/2" Length
616314-16509	176.74	CA	1	LG	100-322400, 9 1/2" Length
616314-16516	176.74	CA	1	XL	100-322400, 9 1/2" Length

C. Kimtech Pure* G5 Latex Gloves

Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes, textured palm & fingers, Beaded cuff, 10" length, Ambidextrous. Double-bagged with case liner. For ISO Class 5 or higher cleanroom environments. 100/BG, 10BG/CA

036000-56805	192.50	CA	1	SM
036000-56806	192.50	CA	1	MD
036000-56807	192.50	CA	1	LG
036000-56808	192.50	CA	1	XL

Kimberly-Clark
PROFESSIONAL®



C

Class 100/ISO Class 5 – Nitrile Gloves

RS Hughes Part Price Per Case Size

D. QRP Q095 Class 100 (ISO 5) Qualatrilite XC White Nitrile 9" Gloves

100% nitrile (no latex) for ISO 5 (Class 100) applications. Naturally anti-static - 109 ohms. Manufactured without plasticizers, silicone or powders. Consistently low particulates and extractable ion levels. Meets or exceeds all applicable requirements of IEST-RP-CC005.2. Pack: 100 Gloves/Double Bag, 10BG/CA.

Q095 LG	196.00	CA	1
Q095 MD	196.00	CA	1
Q095 SM	196.00	CA	1



E. Kimtech Pure* G5 White Nitrile Gloves

Packaged in a Class 100 Cleanroom. AQL level of 1.5 for pinholes. Textured fingertips. Static dissipative in use. Beaded cuff, 10" length. Contains no natural rubber latex. Ambidextrous. Double-bagged with case liner. Recommended for ISO Class 5 or higher cleanroom environments. 100/BG, 10BG/CA.


036000-56863	201.70	CA	1	XS
036000-56864	201.70	CA	1	SM
036000-56865	201.70	CA	1	MD
036000-56866	201.70	CA	1	LG
036000-56867	201.70	CA	1	LG
036000-56868	201.70	CA	1	XL



F. PIP Cleanroom Ambi Nitrile Gloves

Cleanteam® Class 100 Cleanroom Nitrile, Textured Finger, 5mil Thickness, 1000/Case

616314-16714	189.59	CA	1	SM	100-332400, 9 1/2" Length
616314-16721	189.59	CA	1	MD	100-332400, 9 1/2" Length
616314-16738	189.59	CA	1	LG	100-332400, 9 1/2" Length
616314-16745	189.59	CA	1	XL	100-332400, 9 1/2" Length



Class 100/ISO Class 5 – Powder-Free Nitrile Gloves

G. Ansell Nitrilite® 93-311

Significantly reduced particulate and extractable levels. 100% powder-free with no plasticizers, silicone or pigments. Superior strength of nitrile. Thinner than comparable vinyl or latex gloves for a lighter, more comfortable glove. Improved dexterity and tactility. 100/BG, 10BG/CA

076490-65752	168.50	CA	1	5.5 - 6
076490-65753	168.50	CA	1	6.5 - 7
076490-65754	168.50	CA	1	7.5 - 8
076490-65755	168.50	CA	1	8.5 - 9
076490-65756	168.50	CA	1	9.5 - 10



H. Microflex Clean Room Ambi Nitrile CE-755

ISO 5 Clean Room Nitrile Powder Free Extended Cuff 12", Multiclass Clean Room Compatibility Silicon Free, Palm Thickness 5.2mil, Finger Thickness 6.7mil, 100 Gloves/Bag 10 Bags/Carton.

769799-07556	199.50	CA	1	XS
769799-07557	199.50	CA	1	SM
769799-07558	199.50	CA	1	MD
769799-07559	199.50	CA	1	LG
769799-07550	199.50	CA	1	XL



Head to Toe Protection



Finger Cots – Low Powder

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Calapro FW01 Mechanically Cleaned, Low Powder Latex Finger Cots, White

Excessive powder has been removed by a mechanical tumbling process. For use in situations where particles are not so critical, but product protection from skin oils, salt and perspiration is essential. 10Gross/Bag

FW01 SM	26.60	BG	20
FW01 MD	26.60	BG	20
FW01 MD/LG	26.60	BG	20
FW01 XL	26.60	BG	20



Finger Cots – Powder Free

B. Calapro FY01, Class 100 Latex Finger Cots, Ember

Processed by advanced chlorination washing to minimize contamination both inside and outside. Inspected and packaged under class 100 specifications. 10Gross/Bag

FY01 SM	38.30	BG	20
FY01 MD	38.30	BG	20
FY01 MD/LG	38.30	BG	20
FY01 XL	38.30	BG	20



C. QRP 5J Powder-Free Latex Industrial Finger Cots

Natural powder free latex industrial fingercot. 5 Gross/Bag.

5J SM	14.55	BG	20
5J MD	14.55	BG	20
5J LG	14.55	BG	20
5J XL	14.55	BG	20



D. QRP 5C Powder-Free Latex Finger Cots ISO 5 (Class 100)

Compliant with ASTM and IEST-RP-CC 005.3 standards. Eliminates contamination risks from silicone oils, skin salts, particulates and plasticizers. Unique, Stand-Up Pouch- easy product identification. Pack: 5 Gross (720 each)/Pack

5C SM	17.27	BG	20
5C MD	17.27	BG	20
5C LG	17.27	BG	20
5C XL	17.27	BG	20



C & D

Finger Cots – Anti-Static

E. QRP 7C Anti-Static Latex Finger Cots ISO 5 (Class 100)

Compliant with ASTM and IEST-RP-CC 005.3 standards. Surface resistance of 5x10¹⁰ ohms per square unit. For use with Class II static sensitive devices (thresholds above 1000V). Stand-Up pouch. Pack: 5 Gross (720 each)/Pack.

7C SM	22.27	BG	20
7C MD	22.27	BG	20
7C LG	22.27	BG	20
7C XL	22.27	BG	20



E & F

Finger Cots – Anti-Static

RS Hughes Part Price Per Case Size

F. QRP 7J Anti-Static Latex Industrial Finger Cots

Pink Anti-Static Powder Free Latex industrial fingercot. 5 Gross/Bag.

7J SM	19.55	BG	20
7J MD	19.55	BG	20
7J LG	19.55	BG	20
7J XL	19.55	BG	20



G. QRP 8C Static Dissipative Latex Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Compliant with ASTM and IEST-RP-CC 005.3 standards. Average surface resistance of 107 ohms per square surface unit. Fore use with Class I and Class II static sensitive devices. Unique, Stand-Up pouch - easy product identification. Pack: 5 Gross (720 each)/Pack.

8C SM	35.91	BG	20
8C MD	35.91	BG	20
8C LG	35.91	BG	20
8C XL	35.91	BG	20

H. QRP 9J Nitrile Latex-Free Finger Cots

White Anti-Static Powder Free Nitrile industrial fingercot. 5 Gross/Bag.

9J SM	40.45	BG	20
9J MD	40.45	BG	20
9J LG	40.45	BG	20
9J XL	40.45	BG	20

I. QRP 9C Nitrile Latex-Free Finger Cots ISO 5 (Class 100)

Packaged for ISO 5 (Class 100) applications. Average surface resistance of 5x10⁹ ohms per square unit. For use with Class II static sensitive devices (thresholds above 1000V). Unique, Stand-Up pouch - easy product identification. Pack: 5 Gross (720 each)/Pack.

9C LG	44.09	BG	20
9C MD	44.09	BG	20
9C SM	44.09	BG	20
9C XL	44.09	BG	20

J. Calapo FW04 Antistatic Powder Free, Class 100 Latex Finger Cots, Pink

Average surface resistivity is 10¹²Ω /sq. and average decay charge rate is <2 seconds. For use with CLASS II/CATEGORY B static sensitive device with a threshold sensitivity above 1000V(=1000V). Packaged in an electro-static shield bag for more protection from static charges. 5Gross/Bag

FW04 SM	25.53	BG	40
FW04 MD	25.53	BG	40
FW04 LG	25.53	BG > <td 40	
FW04 XL	25.53	BG	40



K. Calapro FB01 Static Dissipative Latex Finger Cots, Black

Excellent tactile sensitivity for static free handling of ESD parts and components, 2x 10⁶ Ω /sq. Average surface resistivity allows rapid bleed off of any charge. For use with CLASS I/CATEGORY A(<1000V) static sensitive electronic devices. Packed in an electro-static bag for more protection from static charge. 5Gross/Bag

FB01 SM	37.23	BG	40
FB01 MD	37.23	BG	40
FB01 MD/LG	37.23	BG	40
FB01 XL	37.23	BG	40

G



H & I



J



K



Industrial Wooden Stirrers

Choose the shape best for your application



Good and sturdy, made to work hard



Puritan®
Quality since 1919



A



B

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Puritan® 25-700 Infant Tongue Depressor (Sterile)

Wooden infant sized tongue blade, individually wrapped. 1000/Box

700 INFANT	14.38	BX	10	4.5" X 0.375"
------------	-------	----	----	---------------

B. Puritan® 704 BRIGHTWOOD Economy Flat Stick (Non-Sterile)

For stirring, mixing, & applying of paints, inks, chemicals, and epoxies. 500/Box

704 BRIGHTWOOD	10.60	BX	10	6" X 0.688"
----------------	-------	----	----	-------------


Purswab® Specialty and Chemical Resistant Foam Tipped Applicators



Specialty foams are used for different applicators

The handle material complements the tip

Use the chart to select the style best for you

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	1806-WF CR	Regular chemical resistant foam tip, wood handle.	20/50, 2 lbs	147.625 x 2.108 mm 5.812 x 0.083"	17.45 x 4.775 mm 0.687 x 0.188"	149.225 mm 5.875"

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

C. Purswab® Chemical Resistant Foam Tip Applicator (Non-Sterile)

This foam tipped applicator is made with chemical resistant foam and bonded securely with thermoplastic adhesive. Will not swell or break apart when exposed to most chemicals. Withstands scrubbing to remove adhesive or contamination with good resistance to acetone and other solvents. Great for removing residues and particulates. Packaged 50 swabs to a resealable poly-zip bag, 20 bags to a case.






1806-WF CR	13.78	BG	20	6" X 0.3748"
------------	-------	----	----	--------------



C

PurSwab® Foam Tipped Applicators

Thermal edge seals and thermal bonding to the handle help ensure the sponge-like foam will clean up unwanted particles without releasing any into your critical environment.

	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	1605-PSF RECT	Rectangular foam tip, polypropylene handle.	20/50, 5 lbs	127 x 3.175 mm 5 x 0.125"	25.4 x 13.487 mm 1 x 0.531"	130.175 mm 5.125"
	1130	Pointed foam tip, polypropylene handle.	10/100, 2 lbs	69.494 x 2.388 mm 2.736 x 0.094"	11.506 x 3.505 mm 0.453 x 0.138"	69.494 mm 2.736"
	1803-PF	Mini foam tip, black polypropylene handle.	20/50, 2 lbs	69.85 x 2.311 mm 2.75 x 0.091"	15.875 x 3.962 mm 0.625 x 0.156"	71.45 mm 2.813"
	1805-PF RECT	Large rectangular foam tip, polypropylene handle.	20/50, 6 lbs	127 X 6.223 mm 5 X 0.245"	22.606 X 17.45 mm 0.89 X 0.687"	131.369 mm 5.172"
	1806-PF	Rectangular foam tip, polypropylene handle.	20/50, 2 lbs	149.225 x 2.54 mm 5.875 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	152.4 mm 6"

RS Hughes Part Price Per Case Size

D. PurSwab® Small Foam Tip Applicator (Non-Sterile)

Produced with reticulated 100ppi Medical Grade foam. Thermally bonded to a rigid rectangular polypropylene shaft to reduce contamination. Rectangular head ideal for applying solutions and solvents. Great for coating rechargeable copier cartridges, general cleaning. Made in the USA.

1605-PSF RECT 14.57 BG 20 5.188" X 0.531"

E. PurSwab® 1130 Foam Tipped Applicator (Non-Sterile)

Used for precision cleaning, heat-staked pointed foam tip fits in small tight areas. Can be used with IPA and DI water, lint and residue free. Non-sterile, pointed foam tip, with polypropylene handle. 100/Bag

PURITAN 1130 18.42 BG 10 2.736" X 0.138"

F. PurSwab® Foam Tip Applicator, Bulk (Non-Sterile)

Produced with 100PPI reticulated medical grade foam. Soft non-abrasive tip is bonded securely to the handle with thermo plastic adhesive. Use with IPA and DI water or dry, lint and residue free. Great for removing epoxy residue from connectors, flux removal, general cleaning. Made in the USA. Bulk pack: 500 per bag, 2 bags per case.

1803-PFB 61.11 BG 2 2.813" X 0.156"

G. PurSwab® 1805-PF RECT Foam Tipped Applicator (Non-Sterile)

Used in Critical Environment Cleanroom and Industrial settings. Tip is thermally bonded to handle so there is no contaminating adhesives used. Tip is lint and residue free. 1805-PF RECT can be used with IPA and DI water or dry. Rectangular foam tip on rectangular polypropylene handle. 50/Bag

1805-PF RECT 14.36 BG 20 5.172" X 0.687"

H. PurSwab® 1806-PF Foam Tipped Applicator (Non-Sterile)

PurSwab® Cleaning Applicator is ideal for cleaning sensors and components. Features a foam tip and polypropylene shaft. 50/Bag

1806-PF 8.82 BG 20 6" X 0.188"

I. PurSwab® 1806-WF Foam Tipped Applicator (Non-Sterile)


PurSwab® Cleaning Applicator is ideal for cleaning sensors and components. Features a foam tip and wooden shaft. 50/Bag

1806-WF 6IN 8.82 BG 20 5.875" X 0.188"



Head to Toe Protection

Popule® Self-Saturating Applicators



Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
4545	Pre-filled popule with 91% IPA and DI water, large rectangular foam tip.	20/50, 5 lbs	101.6 x 5.08 4 x 0.2"	26.975 x 14.275 mm 1.062 x 0.562"	104.775 mm 4.125"



RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

A. Popule® 4545 Self-Saturating Applicator (Non-Sterile)

Popule® Self-saturating swab filled with 91% Isopropyl alcohol and distilled water. 50/Bag

4545-FOAM SWAB	19.67	BG	20	4.125"
----------------	-------	----	----	--------

Puritan® Cotton Tipped Applicators (continued on next page)

Ideal for general purposes when you are less concerned about static or particulate release. All made to Puritan quality standards for consistent performance.

Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
803-WC	Standard tip, wood handle.	10/10/100, 10 lbs	73.812 x 2.54 mm 2.906 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	77.013 mm 3.032"
806-WC	Regular tip, wood handle.	10/10/100, 16 lbs	147.625 x 2.108 mm 5.812 x 0.083"	15.875 x 4.775 mm 0.625 x 0.188"	150.8 mm 5.937"
806-WCL	Standard tip, wood handle.	10/5/100, 10 lbs	147.625 x 2.54 mm 5.812 x 0.1"	17.45 x 5.944 mm 0.687 x 0.234"	150.8 mm 5.937"
823-WC	Tapered mini tip, wood handle.	10/10/100, 8 lbs	73.812 x 2.108 mm 2.906 x 0.083"	12.7 x 1.27 mm 0.5 x 0.12"	75.413 mm 2.969"
826-WC	Tapered mini tip, wood handle.	10/10/100, 12 lbs	147.625 x 2.108 mm 5.812 x 0.083"	12.7 x 1.27 mm 0.5 x 0.12"	149.225 mm 5.875"
868-WCS	Small tip, wood handle.	10/10/100, 12 lbs	147.625 x 2.108 mm 5.812 x 0.083"	11.1 x 3.581 mm 0.437 x 0.141"	149.225 mm 5.875"



B. Puritan® 803-WC Cotton Tipped Applicator (Non-Sterile)

General-purpose applicator in medical field for wound care including the application of topical dressings and first aid. Industrial applications include general cleaning, cleaning sensors and components. Made in the USA 1000/Box

803-WC	15.91	BX	10	3.032" X 0.188"
--------	-------	----	----	-----------------

C. Puritan® 806-WC Cotton Tipped Applicator (Non-Sterile)

Puritan's most popular general-purpose applicator. Used in patient care for wound care for the application of topical dressings. An all-purpose swab for industrial uses such as: Cleaning weapons, removing excess from injection molding, applying solder paste, cleaning sensors, removing oil, paint, and dirt. Regular cotton head on a rigid wood handle. Made in the USA. 1000/Box

806-WC	16.22	BX	10	5.937" X 0.188"
--------	-------	----	----	-----------------





Cotton Tipped Swabs

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

D. Puritan® 806-WCL Cotton Tipped Applicator, Large Extra-Absorbent Tip (Non-Sterile)

Puritan's most popular general-purpose applicator. Used in patient care for wound care for the application of topical dressings and for cleaning instrumentation. All-purpose swab for: Cleaning weapons, removing excess from injection molding, applying solder paste, cleaning sensors and components, removing oil, paint, and dirt from machine parts. Made in the USA. 500/Box

806-WCL	9.47	BX	10	5.937" X 0.234"
---------	------	----	----	-----------------

E. Puritan® 823-WC Cotton Tipped Applicator (Non-Sterile)

A general cleaning swab, ideal for hard-to-reach areas. 1000/Box

823-WC	18.13	BX	10	2.969" X 0.05"
--------	-------	----	----	----------------

Puritan® 826-WC Cotton Tipped Applicator (Non-Sterile)

General purpose swab: Tapered mini cotton tip on wood handle. Industrial uses include removing epoxy residue from connectors, cleaning tubes and scopes in medical device manufacturing. Tapered end suitable for precision application of medicines and accessing hard-to-reach areas. CE marked. 1000/Box

F. 826-WC	19.00	BX	10	5.875" X 0.05" SINGLE TIPPED
G. 826-WC DBL	22.09	BX	10	5.937" X 0.12" DOUBLE TIPPED

H. Puritan® 850-WC POLY Cotton Tipped Applicator (Non-Sterile)

Industrial grade cleaning swab used for cleaning instrumentation, weapons, machinery, or electronics. Sturdy 1/10 handle holds up to rigorous use. Cotton tip on a wood handle. 10/Bag, Boxed

850-WC POLY	13.87	BG	10	6.062" X 0.188"
-------------	-------	----	----	-----------------

I. Puritan® 850-WCB POLY Cotton Tipped Applicator (Non-Sterile)

Industrial grade cleaning swab used for cleaning instrumentation, weapons, machinery, or electronics. Sturdy 1/10 handle holds up to rigorous use. Cotton tip on a wood handle. 100/Bag

850-WCB POLY	135.11	CA	1	6.062" X 0.188"
--------------	--------	----	---	-----------------

J. Puritan® 861-WC DBL Cotton Tipped Applicator (Non-Sterile)

General all purpose swab for use in rework and repair, such as removing excess solder and fluxes from circuit boards, or cleaning metal finishes. Features a sturdy wooden handle with cotton tip at each end for twice the use. 500/Bag

861-WC DBL	12.56	BG	10	6.062" X 0.188"
------------	-------	----	----	-----------------

K. Puritan® 868-WCS Cotton Tipped Applicator (Non-Sterile)

General purpose swab used for cleaning medical devices, removing oil or dirt from machine parts, or cleaning sensors & components. Features minimal cotton tip for small spaces and a sturdy wood handle. 1000/Box


868-WCS	16.87	BX	10	5.875" X 0.141"
---------	-------	----	----	-----------------



Head to Toe Protection

Puritan® Cotton Tipped Applicators for Lint-Sensitive Applications

An excellent choice when you are looking for an applicator/swab for cleaning sensitive components. These swabs are both lint and residue free.



	Item No.	Item Description	Packaging pack, weight	Handle length x diameter	Tip length x diameter	Full Length
	872-PC DBL	Double cone shaped tip, paper handle.	50/25, 2 lbs	73 x 2.464 mm 2.874 x 0.097"	10.998 x 4.699 mm 0.433 x 0.185"	81 mm 3.189"
	876-WC	Regular tip, wood handle.	10/10/100, 15 lbs	147.625 x 2.54 mm 5.812 x 0.1"	15.875 x 4.775 mm 0.625 x 0.188"	150.8 mm 5.937"

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

Puritan PurSwab 3in Lint Free Cotton Swab (Non-Sterile)

An excellent choice when you are looking for an applicator/swab for cleaning sensitive components. These swabs are both lint and residue free. 25 Swabs Per Leave, 100 Leaves per Case

A. 870-PC DBL	172.44	CA	1	870-PC DBL
B. 871-PC DBL	142.22	CA	1	871-PC DBL
C. 892-PC DBL	130.44	CA	1	892-PC DBL



D. Puritan® Cotton Tipped Applicator (Non-Sterile)

This cone shaped cotton double-tipped applicator is made with High Quality USP grade cotton. Bonded securely to a paper shaft by an aqueous based adhesive. Lint-less and residue free with high absorbent cotton that does not swell in solvents. Great for cleaning sensitive components such as disk drives, optics, PC boards and other critical industrial components. 25 swabs per pack, 50 packs per case.

872-PC DBL	71.11	CA	1	3.23" X 0.185"
------------	-------	----	---	----------------

E. Puritan® 876-WC Cotton Tipped Applicator (Non-Sterile)

General cleaning swab for cleaning situations requiring tear resistance. Lint free, regular cotton tip, naturally biodegradable wood handle. 1000/Box

876-WC	19.18	BX	10	5.937" X 0.188"
--------	-------	----	----	-----------------

F. Puritan PurSwab 893-PC DBL 3in Smooth Cotton Swab (Non Sterile)

This absorbent cotton double-tipped applicator is produced with pharmaceutical grade cotton. It is bonded securely to a paper shaft by an aqueous based adhesive. Dimensions: Tip 4.4mm diameter 15mm length Shaft 78mm length 2.46mm diameter. Qualities: Easy disposal, Lint-less and residue free, Highly absorbent cotton does not swell in solvents, Low in NVR's, Burnable, Environmental friendly. 25 swabs per leave, 50 leaves per box, 2 boxes per case.

893-PC DBL	67.78	BX	2	
------------	-------	----	---	--

G. Puritan PurSwab 896-WC 6in Cotton Swab (Non Sterile)

Lint-Controlled Cotton Tip with Wooden Handle. Uses: Cleans sensitive components requiring low lint, Cleaning disk drives, optics, PC board assembly and other critical components. Easy disposal, Lint-less and residue free, Highly absorbent cotton does not swell in solvents, Low in NVR, Burnable, Environmental friendly. 100 swabs per bag, 10 bags per case.

896-WC	4.93	BG	10	
--------	------	----	----	--



A



B



C



D



E



F



G

Texwipe's Alpha® Swab Series

Texwipe's Alpha® Swab Series is made from the cleanest 100% polyester knit materials with a double layer of fabric for enhanced absorbency. A complete thermal bond construction eliminates adhesive contamination. Cleanroom laundered and manufactured, providing ultra low levels of contaminants. Engineered to resist snagging and abrading. 100% virgin polypropylene handle. Made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Part No. TX754B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.0mm (0.118")	9.5mm (0.374")	2.4mm (0.095")	2.4mm (0.095")	60.0mm (2.362")	69.5mm (2.736")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case

Part No. TX758B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.2mm (0.126")	2.5mm (0.098")	11.0mm (0.433")	2.2mm (0.087")	2.2mm (0.087")	60.0mm (2.362")	70.0mm (2.756")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case

RS Hughes Part	Price	Per	Case	Size
H. Texwipe Mini Alpha® Swab Alpha Series				
TX754B	72.12	BG	5	2.736" 500/BG 5BG/CA

RS Hughes Part	Price	Per	Case	Size
I. Texwipe Micro Alpha® Swab Alpha Series				
TX758B	72.12	BG	5	2.756" 500/BG 5BG/CA



Texwipe's Absorbond® Swab Series

Texwipe's Absorbond® Swabs Series is made from 100% polyester (hydroentangled) nonwoven material double layer for enhanced absorbency. The complete thermal bond construction eliminates adhesive contamination. Cleanroom processed and manufactured, providing ultra low levels of contamination control. Engineered for use on sensitive surfaces. 100% virgin polypropylene handle. Made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Part No. TX762	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	6.8mm (0.268")	2.6mm (0.102")	16.8mm (0.661")	3.2mm (0.126")	3.2mm (0.126")	145.5mm (5.728")	162.3mm (6.390")	100 swabs per bag 10 bags per case

RS Hughes Part	Price	Per	Case	Size
J. Texwipe Absorbond® Swab with Long Handle				
TX762	25.63	BG	10	6.39" 100/BG 10BG/CA



Head to Toe Protection



Texwipe's CleanFoam® Series A Swab Series

CleanFoam® Series A


Texwipe's CleanFoam® Swab Series is made with 100% polyurethane foam, 100 pores per inch, for good chemical compatibility with a variety of solutions. The complete thermal bond construction eliminates adhesive contamination.

100% virgin polypropylene handle. Cleanroom processed and made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Foam Series A features 100 swabs per bag.



Part No. TX708A	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
Sterile STX708A	19.7mm (0.776")	9.4mm (0.370")	26.4mm (1.039")	6.6mm (0.260")	3.2mm (0.126")	105.8mm (4.165")	132.2mm (5.205")	100 swabs per bag; 2 inner bags of 50 swabs; 10 bags per case



Part No. TX710A	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	7.0mm (0.276")	5.9mm (0.232")	20.4mm (0.803")	4.3mm (0.169")	4.3mm (0.169")	92.5mm (3.642")	113.0mm (4.449")	100 swabs per bag 2 inner bags of 50 swabs 10 bags per case



A



RS Hughes Part Price Per Case Size

A. Texwipe Circular Head Swab Foam Series



The Circular Head Swab is a large, general-purpose swab for cleaning curved surfaces. Its closed-cell polyurethane foam head possesses excellent durability and cushioning. A rigid internal paddle provides firm support. The large polypropylene handle enables good control and ease of use.

TX708A 30.33 BG 10 5.205" 100/BG 10BG/CA

B



B. Texwipe Large Flexible Head Swab Foam Series

The Large Flexible Head Swab is a flexible, general purpose swab for cleaning surfaces and recessed areas. Its closed-cell polyurethane foam head possesses excellent durability and cushioning. An internal nylon paddle provides flexible support. The round polypropylene handle enables good control and ease of use.

TX710A 33.97 BG 10 4.488" 100/BG 10BG/CA

Texwipe's CleanFoam® Series B Swab Series

CleanFoam® Series B

Texwipe's CleanFoam® Swab Series is made with 100% polyurethane foam, 100 pores per inch, for good chemical compatibility with a variety of solutions. The complete thermal bond construction eliminates adhesive contamination.

100% virgin polypropylene handle. Cleanroom processed and made to exacting, consistent tolerances using high-precision automated processes. Packaged in a silicone-free, amide-free bag.

Foam Series B features 500 swabs per bag.



Part No. TX751B	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.5mm (0.138")	16.0mm (0.630")	2.4mm (0.094")	2.4mm (0.094")	51.0mm (2.008")	67.0mm (2.638")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case



RS Hughes Part Price Per Case Size

C. Texwipe Small Compressed CleanFoam® Swab

Excellent swab for cleaning small slotted and grooved areas. Compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. Compact, rigid handle and tapered internal head core provide excellent support. Precision tip is especially useful for magnified or microscopic work.

TX751B 69.72 BG 5 2.638" 500/BG 5BG/CA



Texwipe's Mini Compressed CleanFoam® ESD Swab Transplex® Series

Texwipe's ESD Swab Series features a Stat-Rite® handle, a patented Inherently Dissipative Polymer, to provide clean ESD protection without contributing particulate contaminants to the process or environment. The complete thermal bond construction eliminates adhesive contamination. Packaged in an anti-static bag.

Available in a choice of CleanFoam®, Alpha® Polyester, or Stick.

CleanFoam® ESD



Part No. TX750E	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Handle Length	Total Swab Length	Packaging
	3.5mm (0.138")	3.5mm (0.138")	10.0mm (0.394")	3.0mm (0.118")	3.0mm (0.118")	78.5mm (3.090")	88.5mm (3.484")	500 swabs per bag 5 inner bags of 100 swabs 5 bags per case



D. Texwipe Mini Compressed CleanFoam® ESD Series

Excellent dissipative swab for cleaning small slotted and grooved areas. Compressed, laundered CleanFoam® head possesses good firmness and a pointed tip. Compact, rigid handle and tapered internal core provide good support. Handle is made from a Stat-Rite® polymer alloy using a patented Inherently Dissipative Polymer (IDP) to provide clean, permanent ESD protection without contributing particulate contaminants to the cleanroom.

TX750E 73.17 BG 5 3.504" 500/BG 5BG/CA





KIMTECH SCIENCE® KIMWIPES® Wipers

The industry standard for labs and research
Introduced over 60 years ago, KIMTECH SCIENCE® KIMWIPES® Wipers were the first delicate task wiper for laboratories and since then have been the market leader for wiping surfaces, parts, instruments and cleaning lenses.

Other products have tried to imitate, but have never matched the original. Don't put your delicate processes at risk!

Product Features:

- Also available in 2 and 3-ply for increased absorbency
- Gentle texture

One-at-a-time dispensing

Low lint and low extractables



KIMTECH SCIENCE® KIMWIPES® Wipers are preferred over the leading private label delicate task wipers.*

KIMTECH SCIENCE® KIMWIPES® Wipers	Leading Private Label Wipers
100% virgin fiber for purity	Mix of virgin and recycled fiber
Absorbs 18% more water	Absorbs less water
Absorbs water 24% faster	Slower rate of absorption
Preferred for softness; won't scratch delicate surfaces when used wet	Rougher feel

KIMTECH SCIENCE® KIMWIPES® Wipers

Code	Delivery System	Color	Material	Size W" x L"	Boxes/Case	Wipers/Box	Total/Case
34120	POP-UP® Box	White	1-ply tissue	4.4" x 8.4"	30	280	8,400
34155	POP-UP® Box	White	1-ply tissue	4.4" x 8.4"	60	280	16,800
34133	POP-UP® Box	White	1-ply tissue	11.8" x 11.8"	15	196	2,940
34256	POP-UP® Box	White	1-ply tissue	14.7" x 16.6"	15	140	2,100
34705	POP-UP® Box	White	2-ply tissue	11.8" x 11.8"	15	119	1,785
34721	POP-UP® Box	White	2-ply tissue	14.7" x 16.6"	15	90	1,350
34743	POP-UP® Box	White	3-ply tissue	11.8" x 11.8"	15	119	1,785



Polypropylene/Cellulose

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

Kimtech Science® Kimwipes® Delicate Task Wipers White

KIMTECH SCIENCE® KIMWIPES® Delicate Task Wiper, offers a unique combination of low-lint tissue softness and multi-ply absorbency that's perfect for a multitude of delicate tasks. Multi-ply absorbency, wipes up liquid and dust. Wipes clean - extra low-lint and extractable performance. One-at-a-time dispensing.

A.	036000-34120	108.90	CA	1	Brag® Box, 2-Ply 280 Wipers/Box
B.	036000-34155	188.40	CA	1	Pop-Up® Box 4.4 X 8.4 , 280/Box, 60/Case
C.	036000-34133	86.95	CA	1	Pop-Up® Box, 196 Wipers/Box.
D.	036000-34256	140.55	CA	1	14.7 X 16.6
E.	036000-34705	136.27	CA	1	Pop-Up® Box, 2-Ply, 119 Wipers/Box
F.	036000-34721	191.70	CA	1	Pop-Up® Box, 2-Ply, 90 Wipers/Box
G.	036000-34743	149.70	CA	1	Pop-Up® Box, 3-Ply, 196 Wipers/Box

H. Kimtech Science® Precision Wipers - White, Brag® Box, 2-Ply

Precision Wipers Tissue Wipers, 2-ply, are an economical choice for general low-lint cleaning tasks. Soft and absorbent for general-cleaning tasks. Anti-static dispensing reduces lint. Coated packaging helps protect wipes from spills.

036000-05517	103.73	CA	1
--------------	--------	----	---

Non-woven – Polyester/Cellulose Blends

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

I. Coventry™ 6704 or 6709 or 6713 Nonwoven Econowipes™

Coventry™ Econowipes™ are made from a hydro-entangled, 45/55 polyester/cellulose blend, for optimum purity in a non-woven wipe. Econowipes™ are available in three convenient sizes. **COVENTRY™**

6704	41.16	BG	10	4" X 4"	1200 per bag
6709	35.01	BG	12	9" X 9"	300 per bag
6713	10.69	BG	10	12" X 13"	Textured, 50 per bag

J. Texwipe BetaWipe™ Wipers

BetaWipe™ is a thick polypropylene and cellulose wiper thermally bonded in a unique composite construction. The cellulose contributes to the product's high sorption, while the polypropylene provides the wiper with resistance to strong acids. With its very soft surface texture, BetaWipe™ is ideal for cleaning sensitive surfaces. **Texwipe**
An ITW Company

TX2009	28.72	BG	10	9 X 9	100 per bag
--------	-------	----	----	-------	-------------

K. Texwipe TechniCloth® II Wipers

Fabricated from a hydroentangled, nonwoven blend of 55% cellulose and 45% polyester. This fabric blend combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic wiper. TechniCloth® II features ITW Texwipe's proprietary ULP (ultralow particulate) treatment, giving it significantly lower particle generation than its predecessor, TechniCloth®.

TX1109	30.42	BG	10	9 X 9	300 per bag
--------	-------	----	----	-------	-------------

L. Texwipe VersaWipe® Wipers

Fabricated from a hydroentangled, nonwoven blend of 55% cellulose and 45% polyester. This fabric blend combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic wiper. With its low particle counts, low extractable levels and solvent compatibility, VersaWipe® is ideal for general wiping and spill control in controlled environments.

TX629	18.75	BG	10	9 X 9	300 per bag
-------	-------	----	----	-------	-------------

M. Kimtech Pure W5 Dry Wipers - White, 100 Wipes/Bag, 500 Wipes/Case

50% rayon/50% polyester spunlace blend. High water absorbency rate, plus excellent absorption efficiency and capacity. No binders or surfactants, resulting in low extractables. Clothlike feel. Double bagged with case liner. Recommended for ISO Class 5 or higher cleanroom environments.

036000-06179	22.10	BG	5	100 per bag
--------------	-------	----	---	-------------



N. Contec Amplitude™ Ecocloth™

This spunlaced wipe made of cellulose/polyester fabric features enhanced sorbency while being economical due to its light weight. Its sorbency exceeds comparable standard weight cellulose/polyester wipes. Ideal for wipe down of products prior to introduction into the cleanroom. Cost effective solution for general purpose applications. Lightweight, highly sorbent wipe. Strong and durable hydroentangled fabric

AMEC0003	19.88	BG	12	9 X 9	300 per bag
AMEC0004	18.92	BG	14	12 X 12	150 per bag



I



J



K



L



M



N

Polyester Knit

RS Hughes Part Price Per Case Size

A. Coventry™ 6209 or 6359 or 6209HC or 6259HC Light-weight Poly-Wipes - 150/Bag **COVENTRY™**

Coventry™ Poly-Wipes are made from 100% continuous filament polyester - the standard in cleanroom wipes - minimizing particle generation. Poly-Wipes are laundered in our Class 10(ISO Class 4) cleanroom, and are available with our exclusive laser-edge sealing process(LE) or heat sealing process(HC).

RS Hughes Part	Price	Per	Case	Size
6209	77.22	BG	12	9" X 9" Light-weight
6209HC	90.26	BG	12	9" X 9" Heat Sealed, Light-weight
6259	82.24	BG	12	9" X 9" Heavy-weight
6259HC	100.75	BG	12	9" X 9" Heat Sealed, Heavy-weight

B. Coventry™ 7348LE Sealed Edge Cleanroom Chamois™ Microfiber Wipes - 50/Bag

Coventry™ Poly-Wipes are made from 100% continuous filament polyester - the standard in cleanroom wipes - minimizing particle generation. The Cleanroom Chamois™ is the only wipe made from a 50/50 nylon/polyester microfiber blend, providing superior toughness and particle entrapment. The microfibers in the Cleanroom Chamois™ have a unique wedge shape, which lifts all types of contaminants from the surface more effectively than conventional round fibers. Poly-Wipes and Cleanroom Chamois™ are both laundered in our Class 10 (ISO Class 4) cleanroom, and are available with our exclusive laser-edge sealing process (LE) or heat sealing process (HC).

RS Hughes Part	Price	Per	Case	Size
7348LE	147.88	BG	5	8" X 8" 50 per bag

C. Texwipe TexWipe® Wipers **Texwipe**

TexWipe® is a strong, double-sided twill-pattern cotton wiper woven in a cross section of 118 x 60 threads per square inch. The product is manufactured with long staple cotton yarn to eliminate free-floating fibers on fabric surface.

RS Hughes Part	Price	Per	Case	Size
TX309	109.18	BG	10	9 X 9 300/BG 10BG/CA

D. Texwipe AlphaSorb® HC Wipers

AlphaSorb® HC is a cleanroom laundered, two-ply, 100% polyester wiper constructed from continuous-filament polyester knitted in a double-knit interlock pattern. Developed specifically for the pharmaceutical industry and other critical environments, AlphaSorb® HC offers high sorbency capacity coupled with low particle and extractable levels.

RS Hughes Part	Price	Per	Case	Size
TX2412	81.18	BG	6	12 X 12 100/BG 6BG/CA

E. Texwipe AlphaWipe® Wipers (Synthetic)

AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. 100% synthetic fiber (continuous-filament, double-knit polyester). Cleanroom laundered and packaged. Solvent-safe Bag-Within-A-Bag® cleanroom packaging.

RS Hughes Part	Price	Per	Case	Size
TX1004	51.47	BG	20	4 X 4 300/BG 20BG/CA

F. Texwipe AlphaWipe® Highly Absorbent Polyester Wiper

AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. Resists abrasion under rigorous use or when wiping rough surfaces and is ideal for general cleaning and spill control.

RS Hughes Part	Price	Per	Case	Size
TX1009	44.02	BG	10	9 X 9 150/BG 10BG/CA
TX1009B	350.67	CA	1	9 X 9 150/BG 10BG/CA Bulk Pkg





RS Hughes Part Price Per Case Size

G. Contec Polynit Z 150Wipes/Bag



Laundered and packaged in a ISO Class 4 cleanroom. Low in both particles and extractables. Polyester fabric with unidirectional conductive pattern. Good sorbency with solvents. Ideal for general purpose cleaning and wiping exterior surfaces of products.

LWZS0001 51.83 BG 8 9 X 9 150 per bag

H. Contec Polywipe-C Heatseal Wipe

The Polywipe-C Heatseal Wipe is lightweight with a soft textured surface for effective cleaning without scratching. The wipe is laser-cut, which seals the fibers at the edges, extremely low in both particles and fibers, good sorbency with solvents and chemical resistant. It is made with fabric knitted from filament polyester. This wipe is laundered and packaged in an ISO Class 4 cleanroom to further reduce contamination. Available sterile per AAMI Guidelines.

CONTEC LWLN0001 76.32 BG 6 24 X 43 25 per bag

I. Contec Anticon® Gold Standardweight™ Knit Polyester Wipes

Made from 100% continuous filament polyester with a double-knit interlock construction. Anticon Gold StandardWeight uses patented textile technology to achieve superior sorption characteristics for critical applications. The proprietary sealed edges of these wipes allow the use of 100% of the wipe for cleaning without the worry of harming delicate surfaces. Anticon Gold StandardWeight wipes are ideal for use in the most critical cleanroom environments. This lighter weight wipe is ideal for critical cleaning applications in semiconductor, microelectronics and medical device facilities.

495353-902 58.61 BG 8 9 X 9 75/BG 16BG/CA White

J. Contec Polynit No-Run Knit Wipes, Bulk Packaged

Laundered and packaged in a ISO Class 5 cleanroom. Low in both particles and extractables. Good sorbency with solvents, abrasion and chemical resistant. Ideal for general purpose cleaning and wiping exterior surfaces of products.

CONTEC PN-99B 9 X 9 82.57 BG 4 9 X 9 300 per bag

J. Contec Polynit Heatseal, Textured 100% Polyester No-Run Knit Wipes

The Polynit Heatseal Wipe is constructed of 100% textured knitted polyester. The wipe is laser-cut, which seals the edges of the fabric. The result is a very clean wipe, with a nonabrasive edge that allows complete utilization of the wipe's surface. Suitable for all ultra-critical applications, the fabric has also been specially processed to provide excellent sorbency while maintaining extremely low levels of particles, fibers, and residue. Laundered and packaged in an ISO Class 4 cleanroom.

PNHS-1620B 70.46 BG 5 16 X 20 50 per bag

J. Contec Polynit Heatseal, Enhanced Sorbency

The Polynit Heatseal Wipe is constructed of 100% textured knitted polyester. The wipe is laser-cut, which seals the edges of the fabric. The result is a very clean wipe, with a nonabrasive edge that allows complete utilization of the wipe's surface. Suitable for all ultra-critical applications, the fabric has also been specially processed to provide excellent sorbency while maintaining extremely low levels of particles, fibers, and residue.

PNHS-99B 103.55 BG 4 9 X 9 300 per bag
PNHS-99 55.45 BG 8 9 X 9 150 per bag




Head to Toe Protection



A

Mop Covers



B



C



D



E

RS Hughes Part Price Per Case Size

Texwipe AlphaWipe® Wipers Synthetic Mop Covers



AlphaWipe® is constructed from 100% continuous-filament polyester in a double-knit, no-run interlock pattern. Cleanroom laundered and packaged, AlphaWipe® is an ultraclean and highly sorbent wiper ideal for critical environments. AlphaWipe® has a laundered cut edge. It exhibits lower particle and fiber levels than competitive hot-cut or laser-cut products. 100% synthetic fiber (continuous-filament, double-knit polyester). Cleanroom laundered and packaged. Solvent-safe Bag-Within-A-Bag® cleanroom packaging.

A. TX1013	51.93	BG	10	12 X 12	75/BG	10BG/CA
B. TX1025	104.57	BG	3	24 X 44	25/BG	3BG/CA

C. Contec Vertiklean® Max™ Microfiber Mop Head



For unmatched absorbency, mop head features a single layer of hydrophilic polyurethane foam laminated to polyester fabric backed by a semi-rigid thermoformed plate that easily snaps onto a VertiKlean mop head frame. While it's performance is similar to that of our industry-standard VertiKlean mops, VertiKlean MAX has a slimmer profile for cleaning in tighter spaces. VertiKlean MAX also offers increased sorbency. Designed for applying disinfectants to both horizontal and vertical surfaces, the lightweight disposable VertiKlean MAX is ideal for general cleaning of ceilings, walls, and floors.

VKMX0225	42.56	BG	7	Medium, 4 per bag
----------	-------	----	---	-------------------

D. Contec Textured Edgeless® Mop, Polyester Tube Mop, White Tail Band

Patent-pending design. 100% polyester textured tube looped to form tubular mop strands, ribbed tubes provide sorbent capacity, textured headband provides additional scrubbing power for the removal of overspray, ISO Class 4 Cleanroom laundered, use with most common industrial mop handles, Contec offers a variety of stainless steel, anodized aluminum, and fiberglass handles.

EL-MOP	26.22	EA	20
--------	-------	----	----

E. Contec Vertiklean® Lightweight Polyester Disposable Mop Head

Developed for applying disinfectants and wet cleaning ceilings and walls in controlled environments. Designed for one-time use, disposable VertiKlean Medium mop heads measure 12.75" x 4.25" x 1" (32.4 x 10.8 x 2.5cm). Mop heads are available in 4 sizes. Comprised of polyester fabric laminated to clean ester foam which provides excellent abrasion resistance. Textured VertiKlean has a textured polyester face for those applications that require additional abrasion to improve particle removal from surface. Compatible with a wide range of chemicals and disinfectants. Lightweight, easy-to-manuever swivel frame slips inside the mop head allowing a full range of motion. Ideal for reaching awkward corners and ceilings.

MVK-MOP	38.77	BG	8	Medium, 4 per bag
---------	-------	----	---	-------------------

Pre-Saturated

RS Hughes Part Price Per Case Size

F. Texwipe TechniSat®



TechniSat® incorporates a pre-wetted fabric blend of nonwoven hydroentangled 55% cellulose and 45% polyester. This fabric combines the highly absorbent properties of a natural fiber with the cleanliness and strength of a synthetic fiber. It offers low particle counts, low extractable levels and solvent compatibility.

TX1065 21.10 PK 24 9 X 11 50/PK 24PK/CA

Contec Prostat® Nonwoven Presaturated Wipes



Nonwoven, meltblown polypropylene presaturated wipes. Solvent: 70% isopropanol/30% deionized water. Very low levels of sodium and other ions. Resealable pouch preserves cleanliness and solvent saturation levels

G. PS-850 9.24 BG 50 8 X 8 50 per bag

Conveniently packaged in a flat resealable pouch designed to preserve cleanliness and solvent saturation level. Pouches are individually lot-numbered for traceability. PROSAT wipes help to reduce solvent usage and VOC emissions

H. PS-911 13.80 BG 50 9 X 11 30 per bag

I. Contec Prostat®, Nonwoven Cellulose/Polyester Wipes

PROSAT with 2 oz. cellulose/polyester nonwoven fabric contains 9" x 11" multifolded wipes saturated with 275ml of 70% IPA/30% DI Water. Tamper-evident labels ensure product integrity, while resealable pouches preserve solvent saturation levels and cleanliness. Choose from two packaging options: 24 wipes/pouch and 50 wipes/pouch. Applications: ISO Class 5 compatible, ideal for wiping articles prior to pass through, use for routine cleaning and wipe down of lab tools, instruments and other equipment.

PSC20006 17.62 BG 28 9 X 11 50 per bag

J. Contec Prostat® Presaturated Knitted Polyester Wipes

Standard weight 100% polyester interlock knit wipes. Polynit Heatseal has laser sealed edges which prevents the release of particles and fibers. Soft, non-abrasive texture cleans surfaces without scratching. Abrasion and chemical resistant.

PS-HS9-7030 15.99 BG 30 9 X 9 30 per bag

K. Contec Satwipes®, Nonwoven Cellulose/Polyester Wipe

Nonwoven hydroentangled polyester/cellulose blended wipes, dispensed from center-pull roll in a reusable canister, presaturated wipe refills are available, strong and durable, low levels of particles and extractable contaminants, each package is individually lot numbered, custom solvents and disinfectant capabilities. Applications: excellent wipe for less critical applications, cleaning-wipe down, process tools and other equipment, compatible with ISO Class 6 environments, wipe down prior to entry into cleanroom, general purpose cleaning and surface preparation.

SAT-C1-7030 18.47 CS 12 6 X 9 100 per canister

K. Contec Satwipes®, 100% Polyester Nonwoven Wipe

100% polyester nonwoven fabric, saturated with various blends of IPA and DI Water, custom solvent and disinfectant capabilities; contact your Contec sales representative for details, dispensed from center-pull rolls in a re-useable canister, presaturated wipe refills available, strong and durable, low levels of particles and extractable contaminants, each package is individually lot numbered, different sizes and put-ups available.

SAT-C3-7030 22.63 CS 12 6 X 9 100 per canister



F




G



H



I



J



K



Head to Toe Protection



A

B



C



D




E

Stationary

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------


A. Texwipe TexWrite® Cleanroom Notebooks

TexWrite® is the only cleanroom notebook designed to serve as a legal document. These hard-bound notebooks contain dual signature lines at the base of each page as well as project and notebook number identification at the top. Each page is individually numbered and an index identifies each line for quick data retrieval. The pages of the notebook are sewn with silicone free thread and the covers are protected with a Mylar® gloss film laminate. All notebooks are cleaned and double packaged in a cleanroom environment. These features provide security to support Good Laboratory Practices (GLP) for documentation in critical laboratory and manufacturing environments. Sewn, permanent bound flexi-cover book. Mylar® sealed cover. Low particle cleanroom paper. 8.5 x 11. Blue Color. College-ruled. 100 Pages. Notebook identification. 96 numbered pages.

TX5708	206.13	BX	1	10/BX	
--------	--------	----	---	-------	---

B. PIP 100-95-501 Clean Room Paper

Cleanroom Paper, 8.5 x 11", 22#, 250 sheets per pack. Paper's antistatic properties reduce attraction of airborne particles and enhance its performance in photocopiers and converting processes; Chemical and moisture resistant; Available in white, light blue, yellow, green and pink. Recommended for all controlled environments. 10 Packs/CA.

616314-26263	147.93	CA	1	White	
616314-26232	147.93	CA	1	Light Blue	
616314-26270	147.93	CA	1	Yellow	
616314-26249	147.93	CA	1	Green	
616314-26256	147.93	CA	1	Pink	

B. Purus CleanImage Cleanroom Paper

Cleanroom paper, 8.5 X 11, 22lb, 2500 sheets per case.

LCIB 2021C	153.06	CA	1	Blue
LCIG 2013C	153.06	CA	1	Green
LCIK 2018C	153.06	CA	1	Pink
LCIW 2010C	153.06	CA	1	White
LCIY 2012C	153.06	CA	1	Yellow

Purus Clean Room Notebook Paper

8.5 X 11in Notebook Paper, 100 pages

C. PNBC185X112210L	120.00	CA	1	White	10 pads per case
5.5 X 8.5in Notebook Paper, 100 pages					
D. PNBC155X852220L	145.00	CA	1	White	20 pads per case
3 X 4in Notebook Paper, 100 pages					
E. PNBC13X42240L	170.00	CA	1	White	40 pads per case



F



G



G

Tacky Mats

RS Hughes Part	Price	Per	Case	Size
----------------	-------	-----	------	------

F. PIP Contamination Control Mats

Superior Quality, recommended for all controlled environments. Numbered tabs, adhesive coating, multi-layered construction (0.05mm per layer).



616314-25563	87.66	CA	1	Blue 18" X 36"	30 Layers/Mat	8 Mats/Case
616314-25808	110.00	CA	1	Blue 24" X 36"	30 Layers/Mat	8 Mats/Case
616314-25822	110.00	CA	1	White 24" X 36"	30 Layers/Mat	8 Mats/Case
616314-25921	141.29	CA	1	Blue 26" X 45"	30 Layers/Mat	8 Mats/Case
616314-26102	199.22	CA	1	Blue 36" X 45"	30 Layers/Mat	8 Mats/Case
616314-26126	199.22	CA	1	White 36" X 45"	30 Layers/Mat	8 Mats/Case
616314-26133	206.62	CA	1	Blue 36" X 45"	60 Layers/Mat	4 Mats/Case
616314-26157	206.62	CA	1	White 36" X 45"	60 Layers/Mat	4 Mats/Case

G. Purus Clean Room Mats

The multi-layered mat removes dirt and dust from foot traffic and equipment wheels prior to their entry into a clean or controlled environment. Each numbered layer is fully coated with a particle grabbing adhesive. Once the top layer is saturated, a quick and easy removal of that layer exposes the next layer and returns the mat to maximum efficiency.

PS 2645 38 B	181.63	CA	1	1.4mil Blue	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 B	172.45	CA	1	1.4mil Blue	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 2645 38 G	181.63	CA	1	1.4mil Gray	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 G	172.45	CA	1	1.4mil Gray	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 2645 38 W	181.63	CA	1	1.4mil White	26" X 45"	30 Layers/Mat	8 Mats/Case
PS 2645 64 W	172.45	CA	1	1.4mil White	26" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 B	216.33	CA	1	1.4mil Blue	36" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 G	216.33	CA	1	1.4mil Gray	36" X 45"	60 Layers/Mat	4 Mats/Case
PS 3645 64 W	216.33	CA	1	1.4mil White	36" X 45"	60 Layers/Mat	4 Mats/Case
PM 2436 34 B	69.39	CA	1	1.8mil Blue	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 2436 34 G	69.39	CA	1	1.8mil Gray	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 2436 34 W	69.39	CA	1	1.8mil White	24" X 36"	30 Layers/Mat	8 Mats/Case
PM 3645 34 B	116.33	CA	1	1.8mil Blue	36" X 45"	30 Layers/Mat	8 Mats/Case
PM 3645 34 G	116.33	CA	1	1.8mil Gray	36" X 45"	30 Layers/Mat	8 Mats/Case
PM 3645 34 W	116.33	CA	1	1.8mil White	36" X 45"	30 Layers/Mat	8 Mats/Case



Head to Toe Protection

Wipers

In this section:

Tack Cloths/Prep Wipes	262-263
Aviation MRO/OEM Wipers	264-265
WYPALL* Wipers	266-273
Sellars® Wipers	274-278
Reclaimed Rags	279

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Tack Cloths/Prep Wipes



A



B



C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. GERSON Tack Cloth - Light Tack

Gerson 2000 Basecoat/Clearcoat Tack Cloth, blue cotton economy mesh (20 x 12), Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics Manufacturers.

GERSON 020001B	0.70	EA	144	020001B	BLUE
GERSON 020002B	0.95	EA	144	020002B	BLUE



B. GERSON Tack Cloth - Moderate Tack

Gerson Supreme Tack Cloth. Gold-color cotton supreme (28 x 24) mesh, Moderate tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020003G	9.88	BX	12	020003G	GOLD
GERSON 020004G	0.90	EA	144	020004G	GOLD

C. GERSON Tack Cloth - Blend Prep Dry Light Tack, blue nonwoven

Gerson Blend Prep Tack Cloth. Blue synthetic nonwoven material, Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020008C	0.67	EA	144	020008C	BLUE, 18" x 9"
GERSON 020008B	0.90	EA	120	020008B	BLUE, 18" x 18"

D. GERSON Tack Cloth - Tek Prep® dry tack, white Polyester Knit

Gerson Tek Prep® Tack Cloth. Unique continuous filament polyester knit material, white, Dry tack formulation, Completely removes surface particles without harmful residues, Wax and Silicone free, Compatible with all paints, Approved by leading Auto, Marine, Aerospace and Electronics manufacturers.

GERSON 020009C	0.92	EA	144	020009C	WHITE
----------------	------	----	-----	---------	-------

KIMTECH SCIENCE* Precision Wipers - White, POP-UP* Box, 1-ply

Precision Wipers Tissue Wipers, 1-ply, are an economical choice for general low-lint cleaning tasks. Soft and absorbent, Anti-static dispensing reduces lint. Coated packaging helps protect wipes from spills.

E. 036000-05511	1.66	BX	60	4.4"x8.4"
F. 036000-05514	4.41	EA	15	14.7"x16.6"



RS Hughes Part Price Per Case Description (Sheet Size)

G. SCOTT® Rags In a Box - White, 200/Box

Ideal for painting, wiping up spills, staining, and refinishing furniture. Soft, absorbent towels that perform like a cloth. Multi-purpose for 1,000's of projects. POP-UP Box with built-in handle allows you to take the product to the job while keeping rags clean.

036000-75260 16.48 BX 8 10"x12"

H. SCOTT® Shop Towels On a Roll - Blue, 55 Sheets/Roll

Ideal for changing oil, refilling fluids and general automotive maintenance. Super strong - works when wet! Easily absorbs liquids, oils, and grease.

036000-75130 3.13 RL 30 11"x10.25"



G



H

Kimtech Prep WetTask System Wipers

KIMTECH PREP* Wipers

Code No.	Description	Color	Material	Size (W x L)	Put-Up	Dispenser
KIMTECH PREP* Wipers for the WETTASK* System						
I 06001	KIMTECH PREP* Wipers for Solvents	White	HYDROKNIT *	12" x 12.5"	6/60	1 Free Bucket/Case
J 06006	KIMTECH PREP* Wipers for Solvents	White	HYDROKNIT*	9" x 15"	2/275	09361
K 06411	KIMTECH PREP* Wipers for Bleach, Disinfectants and Sanitizers	White	Meltblown	12" x 12.5"	6/90	1 Free Bucket/Case



RS Hughes Part Price Per Case Description

KIMTECH PREP* WETTASK* Wipers for Solvents

From preparing surfaces for painting at an automotive manufacturer to cleaning and disinfecting surfaces in healthcare facilities, Kimtech Prep* Wipers are ideal for tasks where precision and reliability are essential. White.

I. 036000-06001 9.80 RL 6 12" X 12.5" Lrg Roll, 1 Free Bucket/CA

J. 036000-06006 39.61 RL 2 9" X 15" Small Roll

K. KIMTECH PREP* WETTASK* Wipers

Wipers are designed to be used in the WETTASK* Refillable Wet Wiping System. This system is the ideal alternative to using an open bucket in combination with a rag. The enclosed system helps avoid contamination of the wipers & cleaning solution while reducing exposure to chemical vapors and splashes. 06411 KIMTECH PREP* Wipers are compatible with Bleach, Quaternary Amine Disinfectants, and Sanitizers. Free disposable WETTASK* Bucket in each case.

036000-06411 14.58 RL 6 WHITE



I



J



K

Understanding that while surface preparation and cleaning are a very small part of the whole aircraft & equipment manufacturing, repair and maintenance process, it is just as crucial and requires precise, tailored product.



KIMTEC* Aviation MRO/OEM Wipers

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KIMTECH AVIATION Abrasive Surface Wipe (A2)

The most durable aviation wipes in our offering, specifically designed for wiping of abrasive surfaces. They come in a wet wiping system format.

036000-28648	167.60	CA	1	28648
--------------	--------	----	---	-------

B. KIMTECH AVIATION Cleaning Wipe (C2)

Our most cost effective cleaning wipes for the aviation market. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs.

036000-28641	121.33	CA	1	28641
--------------	--------	----	---	-------

C. KIMTECH AVIATION Cleaning Wipe (C3)

Our mid-tier cleaning wipes in a wet wiping system format. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvements around wet wiping needs.

036000-28645	12.22	RL	6	28645
--------------	-------	----	---	-------

D. Kimtech* Aerospace Applicator Wiper

KIMTECH* C3 Aerospace Applicator wipes are our mid-tier cleaning wipes in a wet wiping system format. These wipes are designed to work with our KIMTECH Large Surface Applicator Tool. They are shipped in a convenient center pull box for dry wiping or can be loaded into the large KIMTECH* WETTASK bucket, code 09361, for pre-saturated wiping.

036000-49810	55.00	CA	1	
--------------	-------	----	---	--

E. KIMTECH AVIATION Cleaning Wipe (C4)

KIMTECH* C4 Aviation wipes are the strongest cleaning wipes in our line. They provide an easy to implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs.

036000-28642	136.17	CA	1	28642
--------------	--------	----	---	-------

Levels of Aviation Wipers

Abrasive Surface Wipes

The most durable aviation wipe in our offering specifically designed for abrasive surfaces



Surface Preparation Wipes

Leading-edge material for optimum lining and extractables control. The ultimate in aviation precision wiping performance



Cleaning Wipes

An easy-to-implement lean cleaning solution that addresses waste reduction and productivity improvement around general wiping needs



Wet Wipe System

More controlled dispensing and application of solvent for reduced waste and better overall performance versus traditional bucket/decanter



Aviation Wiper Selection Determined by Task

1 What Is Your Task?

Task	Subtask	Challenge/needs	Products					
			A2	P2	P3	C2	C3	C4
Surface prep (before painting)	Pre-cleaning (degreasing)	Solvent wipe	■					
	Paint stripping (chemical or mechanical)	Efficiently remove debris after paint stripping				■	■	■
	Solvent wash (can be either spray or wipe application of solvent)	Solvent application for washing	■					
	Drying	Drying				■	■	■
	Water rinse	Drying				■	■	■
Sealing	Surface prep (pre-cleaning)	Solvent cleaning	■					
	Sealant application	Lint-free drying		■	■			
Maintenance (non-critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Lint-free drying					■	■
	Drying	Lint-free drying		■	■			
Maintenance (critical parts on engine, avionics, fuel systems, etc.)	Cleaning	Solvent wipe	■					
	Drying	Lint-free drying				■	■	■
	Final wipe	Lint-free drying		■	■			

Aviation Wiper Features

2 Choose Your Product



AVIATION WIPES

Code No.	Description	Material	Packaging	Size W x L (inches)
Aviation Abrasive Surface Wipes				
A 28648	KIMTECH* A2 Aviation Abrasive Surface Wipe	Polyamide/Polyester	6 rolls/60 sheets/roll	12" x 12.5"
Aviation Surface Preparation Wipes				
G 28643	KIMTECH* P2 Aviation Surface Preparation Wipe	Polyester/Cellulose	4 boxes/200 sheets/box	12" x 12"
F 28644	KIMTECH* P2 Aviation Surface Preparation Wipe	Polyester/Cellulose	10 packs/60 sheets/pack	12" x 11.8"
H 28647	KIMTECH* P3 Aviation Surface Preparation Wipe	Rayon/Polyester	8 boxes/50 sheets/box	12" x 23"
Aviation Cleaning Wipes				
B 28641	KIMTECH* C2 Aviation Cleaning Wipe	Cellulose/polypropylene	1 roll/900 sheets/roll	12.2" x 13.5"
C 28645	KIMTECH* C3 Aviation Cleaning Wipe	Cellulose/polypropylene	6 rolls/60 sheets/roll	12" x 12.5"
E 28642	KIMTECH* C4 Aviation Cleaning Wipe	Cellulose/polypropylene	1 roll/540 sheets/roll	12.2" x 13.5"
Dispenser for Wet Wipe System for use with A2 & C3				
I 28646	KIMTECH* W Aviation Wet Wipe System		4 buckets	8.6" x 9.25"



RS Hughes Part	Price	Per Case	Description
F. KIMTECH AVIATION Surface Preparation Wipe (P2)			
KIMTECH* P2 Aviation wipes are our most cost efficient surface preparation wipes in a quarterfold format. They feature leading edge materials for optimum linting and extractables control. The ultimate in aviation precision wiping performance.			
036000-28644	104.75	CA 1	28644

RS Hughes Part	Price	Per Case	Description
G. KIMTECH AVIATION Surface Preparation Wipe (P2)			
KIMTECH* P2 Aviation wipes are our most cost efficient surface preparation wipes in a folded carton format. They feature leading edge materials for optimum linting and extractables control. The ultimate in aviation precision wiping performance.			
036000-28643	167.59	CA 1	28643

RS Hughes Part	Price	Per Case	Description
H. KIMTECH AVIATION Surface Preparation Wipe (P3)			
KIMTECH* P3 Aviation wipes are our most cost efficient surface prepa in a folded carton format. They feature leading edge materials for opti and extractables control. The ultimate in aviation precision wiping per			
036000-28647	34.92	CT 8	28647

RS Hughes Part	Price	Per Case	Description
I. KIMTECH AVIATION Wet Wipe System Buckets			
Provides a more controlled dispensing and application of solvent sys for reduced waste and better overall performance versus traditional bucket decanter systems and disposable pre-saturated options.			
036000-28646	26.18	EA 4	28646

WYPALL X90 Cloths Features

Our highest performing wiper, WYPALL* X90 Cloths provide 75% more oil absorption and 35% more water absorption. These super-soft wipers are ideal for heavy wiping, prepping surfaces with solvents and cleaning metal shavings.

WYPALL* X90 Cloths

Code No.	Description	Color	Material	Size (W x L)	Put-Up	Dispenser
12890	WYPALL* X90 Cloths POP-UP* Box	Blue	HYDROKNIT*	8.3" x 16.8"	5/68	73900
12891	WYPALL* X90 Cloths BRAG* Box	Blue	HYDROKNIT*	11.1" x 16.8"	1/136	73900
12889	WYPALL* X90 Cloths Jumbo Roll	Blue	HYDROKNIT*	11.1" x 13.4"	1/450	80595, 80596, 80579



RS Hughes Part Price Per Case Description

WYPALL* X90 Cloths, Blue

The new WYPALL*X90 Cloths, our highest performing wiper, provides 75% more oil absorption and 35% more water absorption. These super-soft wipers are ideal for heavy wiping, prepping surfaces with solvents and cleaning metal shavings.

A. 036000-12890	14.76	BX	5	16.8" x 8.3"	Pop-Up Box, 68/Box
B. 036000-12891	28.14	BX	1	16.8" x 11.1"	Brag-Box, 136/Box
C. 036000-12889	74.27	RL	1	13.4" x 11.1"	Jumbo Roll, 450/RL

WYPALL Wipers Product Line Features

WYPALL Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Towel Replacement					
WYPALL* X80 Wipers	• Heavy-duty machine & part wiping • Wiping metal shavings • Prepping surfaces with solvents • Cleaning rough surfaces	●●●●●	●●●●●	●●●●●	●●●●●
WYPALL* X70 Wipers	• Cleaning surfaces & tools • Heavy-maintenance wiping	●●●●○	●●●●○	●●●●○	●●●●○
Economy Rag Replacement Systems					
WYPALL* X60 Wipers	• Applying thinners & solvents • Cable lubricant removal • Adhesive cleaning • Removing grease & soil in tight areas	●●●○○	●●●○○	●●●○○	●●●○○
WYPALL* X50 Wipers	• Applying lubricants • Vehicle and equipment cleanups • Low-lint glass cleaning and wiping	●●○○○	●●○○○	●●○○○	●●○○○
General Purpose					
WYPALL* L40 Wipers	• Absorbing large liquid spills & leaks • Routine industrial cleaning & maintenance • Removing soils and liquids from face and hands	●●○○○	●●●●●	●●○○○	●●●●○
WYPALL* L30 Wipers	• Light-duty cleanups • Janitorial & maintenance wiping • Process line wiping and cleaning	●●○○○	●●●○○	●●○○○	●●●○○
Single Use					
WYPALL* L20 & L10 Single/Multi-Ply Wipers	• Single use parts & tool cleanups • Mining operations maintenance • Hydraulic leak soakers and wiping • Retail store maintenance & cleaning	●○○○○	●●●●○	●○○○○	●●○○○

WYPALL X80 Wipers Features

WYPALL* X80 Wipers are the wipers of choice for the toughest jobs. Take a look and see how WYPALL* X80 Wipers outpace shop towels and rags in every way.

- Available in a wide range of dispensing options for your convenience
- Pound for pound, absorbs more water and oil than rental shop towels
- Softer and more absorbent than ever before
- Consistent size, shape and cleanliness

• WYPALL* X Wiper Challenge: Replace your cloth rags or shop towels for 60 days, and we'll guarantee you a minimum savings of 10%. (visit www.kcprofessional.com for full details.)

WYPALL* X80 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
D 05930	WYPALL* X80 Wipers POP-UP* Box	Red	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
E 41048	WYPALL* X80 Wipers POP-UP* Box	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	5/80	73900
F 41041	WYPALL* X80 Wipers BRAG* Box	Blue	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
G 41044	WYPALL* X80 Wipers BRAG* Box	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/160	73900
H 41026	WYPALL* X80 Wipers 1/4 fold	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	4/50	09107
I 41029	WYPALL* X80 Wipers 1/4 fold	Red	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	4/50	09107
J 41025	WYPALL* X80 Wipers Jumbo Roll	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579
K 41055	WYPALL* X80 Wipers Jumbo Roll	Red	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579
L 41043	WYPALL* X80 Wipers Jumbo Roll	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/475	80595, 80596, 80579

60 days
20% savings
guaranteed



D **E** **F**



G **H** **I**



J **K** **L**

RS Hughes Part Price Per Case Description

WYPALL* X80 Wipers

WYPALL* X80 Wipers are strong enough for tough cleanups; Reusable and disposable. Pound for pound, they absorb more water and oil than rental shop towels.

D.	036000-05930	18.64	BX	5	9.1" x 16.8"	Red	Pop-Up Box, 80/Box
E.	036000-41048	17.22	BX	5	9.1" x 16.8"	White	Pop-Up Box, 80/Box
F.	036000-41041	32.80	BX	1	12.5" x 16.8"	Blue	Brag-Box, 160/Box
G.	036000-41044	32.80	BX	1	12.5" x 16.8"	White	Brag-Box, 160/Box
H.	036000-41026	35.93	PH	4	12.5" x 13"	White	1/4 Fold, 50/Pack
I.	036000-41029	35.93	PH	4	12.5" x 13"	Red	1/4 Fold, 50/Pack
J.	036000-41025	77.64	RL	1	12.5" x 13.4"	White	Jumbo Roll, 475/RL
K.	036000-41055	77.64	RL	1	12.5" x 13.4"	Red	Jumbo Roll, 475/RL
L.	036000-41043	77.64	RL	1	12.5" x 13.4"	Blue	Jumbo Roll, 475/RL

WYPALL X70 Wipers Features

WYPALL* X70 Wipers have what it takes to tackle those heavy-duty industrial jobs usually handled by cloth rags. Count on WYPALL* X70 Wipers for long-lasting performance that extends usage and reduces waste.

- Pound for pound absorbs more oil and water than rags
- Cleans oil, grime and solvent with one wipe
- Versatile, economical alternative to scrap rags and shop towels



WYPALL* X70 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Premium Rag & Shop Towel Replacement					
WYPALL* X70 Wipers	• Cleaning surfaces & tools • Heavy-maintenance wiping	●●●●○	●●●●○	●●●●○	●●●●●

WYPALL* X70 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A	WYPALL* X70 Wipers	Blue	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
B	WYPALL* X70 Wipers	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/100	73900
C	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/152	73900
D	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	12/76	09107
E	WYPALL* X70 Wipers	White	HYDROKNIT*	16.6" x 29.8"	42.2cm x 75.7cm	1/300	N/A
F	WYPALL* X70 Wipers	White	HYDROKNIT*	14.9" x 16.6"	37.8cm x 42.2cm	1/300	N/A
G	WYPALL* X70 Wipers	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	3/275	09335
H	WYPALL* X70 Wipers	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/870	80595, 80596, 80579
I	WYPALL* X70 Wipers	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/870	80595, 80596, 80579

Now with **Power Pockets** innovative technology that cleans dirty surfaces more efficiently than ever before.



A B C D



E F



G H I

WYPALL[®]

60 days
20% savings
guaranteed

RS Hughes Part Price Per Case Description

WYPALL* X70 Wipers

WYPALL* X70 is a durable, absorbent wiper that stay strong for better cleaning performance. Reusable, long lasting performance. Cleans oil, grime, and solvents. Made with our high-tech HYDROKNIT*

A.	036000-41412	16.64	BX	10	9.1" x 16.8"	Blue	Pop-Up Box, 100/Bx
B.	036000-41455	15.15	BX	10	16.8" x 9.1"	White	Pop-Up Box, 100/Bx
C.	036000-41300	33.78	BX	1	12.5" x 16.8"	White	Brag-Box, 152/Box
D.	036000-41200	10.53	PH	12	12.5" x 13"	White	1/4 Fold, 76/Pack
E.	036000-41061	133.75	BX	1	29.8" x 16.6"	White	Flat Sheet, 300/Bx
F.	036000-41100	76.71	BX	1	14.9" x 16.6"	White	Flat Sheet, 300/Bx
G.	036000-41702	40.68	RL	3	9.8" x 13.4"	White	Ctr Pull RL, 275/RL
H.	036000-41600	118.88	RL	1	12.5" x 13.4"	White	Jumbo Roll, 870/RL
I.	036000-41611	118.88	RL	1	12.5" x 13.4"	Blue	Jumbo Roll, 870/RL

WYPALL X60 Wipers Features

WYPALL* X60 Wipers bring the absorbing power of our HYDROKNIT* technology to a lighter-weight wiper. Designed to outperform rags, WYPALL* X60 Wipers raise the standard for general-purpose wipers.

- No adhesives or binders; leaves no residue
- Reinforced for extra scrubbing and cleaning power
- Tough enough for big jobs – soft enough for face and hands



WYPALL* X60

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Economy Rag Replacement Systems					
WYPALL* X60 Wipers	<ul style="list-style-type: none"> • Applying thinners & solvents • Cable lubricant removal • Adhesive cleaning • Removing grease & soil in tight areas 	●●●○○	●●●○○	●●●○○	●●●●●

WYPALL* X60 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
J	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	1/180	73900
K	WYPALL* X60 Wipers	White	HYDROKNIT*	9.1" x 16.8"	23.1cm x 42.7cm	10/126	73900
L	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 13"	31.8cm x 33cm	12/76	09107
M	WYPALL* X60 Wipers	White	HYDROKNIT*	11" x 23"	27.9cm x 58.4cm	9/100	09107
N	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 16.8"	31.8cm x 42.7cm	6/150	N/A
O	WYPALL* X60 Wipers	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
P	WYPALL* X60 Wipers	Blue	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	12/130	N/A
P	WYPALL* X60 Wipers	White	HYDROKNIT*	19.6" x 13.4"	49.8cm x 34cm	6/130	N/A
P	WYPALL* X60 Wipers	Blue	HYDROKNIT*	19.6" x 13.4"	49.8cm x 34cm	6/130	N/A
Q	WYPALL* X60 Wipers	White	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/1100	80595, 80596, 80579
R	WYPALL* X60 Wipers	Blue	HYDROKNIT*	12.5" x 13.4"	31.8cm x 34cm	1/1100	80595, 80596, 80579

■ NOT AVAILABLE in Canada

● Now with **Power Pockets** innovative technology that cleans dirty surfaces more efficiently than ever before.

RS Hughes Part Price Per Case Description

WYPALL* X60 Wipers

Extra-tough WYPALL* X60 Wipers bring the absorbing power of our HYDROKNIT* technology to a lighter weight wiper. New WYPALL* X60 Wipers set a higher standard for general purpose wipers. No adhesives or binders; leaves nothing behind. Re-enforced for extra scrubbing and cleaning power. Tough enough for big jobs – soft enough for face and hands.

Code	Part	Price	Per	Case	Description
J	036000-34015	20.59	BX	1	12.5" x 16.8" White Brag-Box, 180/Box
K	036000-34790	11.20	BX	10	9.1" x 16.8" White Pop-Up Box w/dispenser port 126/Bx
L	036000-34865	8.19	PH	12	12.5" x 13" White 1/4 Fold, 76/Pack
M	036000-34770	27.41	EA	9	11" x 23" White 1/4 Fold, 100/Pack
N	036000-34900	26.76	BX	6	12.5" x 16.8" White Flat Sheet, 150/Bx
O	036000-35401	14.81	RL	12	9.8" x 13.4" White Small Roll, 130/RL
P	036000-35411	14.81	RL	12	9.8" x 13.4" Blue Small Roll, 130/RL
P	036000-35421	29.87	RL	6	19.6" x 13.4" White Small Roll, 130/RL
P	036000-35431	29.87	RL	6	19.6" x 13.4" Blue Small Roll, 130/RL
Q	036000-34955	97.47	RL	1	12.5" x 13.4" White Jumbo Roll, 1100/RL
R	036000-34965	97.47	RL	1	12.5" x 13.4" Blue Jumbo Roll, 1100/RL



J K L



M N O



P Q R




Limited Time Offer
60 days
20% savings
guaranteed

THE CHALLENGE:

Replace rags and rental shop towels with WYPALL* X Wipers and save at least 20% in 60 days.

HERE'S HOW IT WORKS:

1. Give up your rags or rental shop towels for WYPALL* X Wipers.
2. Don't be surprised if WYPALL* X Wipers are a huge hit. Consumption goes up as your crew uses more WYPALL* X Wipers for all their wiping tasks.
3. It just keeps getting better. In the 4th or 5th week of trial, consumption goes down as productivity goes up.
4. "We want more WYPALL* X Wipers!" is what your crew will say after just 60 days of trial.



Use WYPALL* X Wipers in place of your present rags or shop towels for 60 days. We'll guarantee at least a 20% cost savings.

WYPALL X50 Wipers Features

WYPALL* X50 Wipers are our most economical extended use wiper that picks up where the competition falls apart. Strong and sensible, WYPALL* X50 Wipers combine versatile performance with economical design for light-duty tasks.

- At least 25% more sheets than leading competitor to tackle a variety of jobs
- Reinforced for strength when wet or dry
- Smaller sheet size means less waste



Solvent Resistance



Absorption Capacity



Wet Strength



Absorption Rate

WYPALL* X50 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Economy Rag Replacement Systems					
WYPALL* X50 Wipers	<ul style="list-style-type: none"> • Applying lubricants • Vehicle and equipment cleanups • Low-lint glass cleaning and wiping 	● ○ ○ ○ ○	● ● ○ ○ ○	● ● ○ ○ ○	● ● ○ ○ ○

WYPALL* X50 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A 83550	WYPALL* X50 Wipers POP-UP* Box	White	HYDROKNIT*	9.1" x 12.5"	23.1cm x 42.7cm	10/176	73900
B 35025	WYPALL* X50 Wipers 1/4 Fold	White	HYDROKNIT*	10" x 12.5"	24.5cm x 31.8cm	32/26	09107
C 35015	WYPALL* X50 Wipers Jumbo Roll	White	HYDROKNIT*	9.8" x 13.4"	24.9cm x 34cm	1/1100	80595, 80596, 80579



A



B



C

RS Hughes Part Price Per Case Description

WYPALL* X50 Wipers, White

Strong and sensible, WYPALL* X50 Wipers - our most economical extended use wiper picks up where the competition falls apart. WYPALL* X50 Wipers combine versatile performance with economical design for light-duty tasks. Ideal for manufacturing, healthcare and transportation environments. At least 25% more sheets than leading competitor to tackle a variety of jobs. Reinforced for strength when wet or dry, HYDROKNIT* Fabric eliminates adhesives and binders. Takes on airlaid, DRC and light-duty rags. 40% more sheets per box; less packaging waste. Source Reduction: 14% less waste by mass.

A. 036000-83550	8.83	BX	10	9.1" x 12.5"	Pop-Up Box, 176/Bx
B. 036000-35025	1.22	PH	32	10" x 12.5"	26 Sheets per Pack
C. 036000-35015	59.14	RL	1	9.8" x 13.4"	Jumbo Roll, 1100/RL

WYPALL L40 Wipers Features

Wypall L40 Wipers are an outstanding general purpose wiper with good performance in a wide range of industrial cleaning and personal wiping tasks.

Wypall L40 Wipers feature our unique DRC (Double Creped) base sheet technology. This unique process is an absorbent sponge-like inner liner layer that absorbs liquid fast, with a soft, touchable outer layer.



WYPALL* L40 Wipers		Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
Description	Task				
General Purpose					
WYPALL* L40 Wipers	• Absorbing large liquid spills & leaks • Routine industrial cleaning & maintenance • Removing soils and liquids from face and hands	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●	● ● ● ● ●

WYPALL* L40 Wipers									
Code	Description	Color	Material	Size (W x L)	Put-Up	Dispenser			
				inches	centimeters				
D	05740 WYPALL* L40 Wipers	POP-UP* Box	Blue	DRC	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352	
E	05790 WYPALL* L40 Wipers	POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	9/100	09352	
F	03046 WYPALL* L40 Wipers	POP-UP* Box	White	DRC	10.8" x 10"	27.4cm x 25.4cm	9/90	09352, 73900	
G	05701 WYPALL* L40 Wipers	1/4 Fold	White	DRC	12.5" x 13"	31.8cm x 33cm	18/56	09107	
H	05776 WYPALL* L40 Wipers	1/4 Fold	Blue	DRC	12.5" x 13"	31.8cm x 33cm	12/56	09107	
I	05027 WYPALL* L40 Wipers	Small Roll	White	DRC	11" x 10.4"	27.9cm x 26.4cm	24/70	N/A	
J	05007 WYPALL* L40 Wipers	Jumbo Roll	White	DRC	12.5" x 13.4"	31.8cm x 34cm	1/750	80595, 80596, 80579	



D

E

F



G

RS Hughes Part Price Per Case Description

WYPALL* L40 Wipers, White

WYPALL® L40 Wipers feature our unique DRC (Double Re-Creped) base sheet technology. This unique process creates an absorbent sponge-like inner layer that absorbs liquids fast, with a soft, touchable outer layer.

D.	036000-05740	14.93	BX	9	16.4" x 9.8"	Pop-Up Box, 100/Bx
E.	036000-05790	12.58	BX	9	16.4" x 9.8"	Pop-Up Box, 100/Bx
F.	036000-03046	8.46	BX	9	10.8" x 10"	Pop-Up Box, 90/Box
G.	036000-05701	6.15	PH	18	12.5" x 13"	1/4 Fold, 56/Pack
H.	036000-05776	7.07	PH	12	12.5" x 13"	1/4 Fold, 56/Pack
I.	036000-05027	4.05	RL	24	11" x 10.4"	Small Roll, 70/RL
J.	036000-05007	68.56	RL	1	12.5" x 13.4"	Jumbo Roll, 750/RL



H



I



J

WYPALL L30 Wipers Features

Exceptional Performance, Exceptional Value

WYPALL L30 Wipers offer a lighter weight wiper at a great everyday price. Our unique DRC (Double Re-Creped) process gives WYPALL L30 Wipers high surface softness while its reinforced grid provides strength for wet surface wiping and cleaning. Choose WYPALL L30 Wipers to replace airlaid wipers.



WYPALL* L30 Wipers

Description	Task	Solvent Resistance	Absorption Capacity	Wet Strength	Absorption Rate
General Purpose					
WYPALL* L30 Wipers	<ul style="list-style-type: none"> • Light-duty cleanups • Janitorial & maintenance wiping • Process line wiping & cleaning • Patient hygiene 	● ● ○ ○ ○ ○	● ● ● ○ ○ ○	● ● ○ ○ ○ ○	● ● ● ○ ○ ○

WYPALL* L30 Wipers

Code	Description	Color	Material	Size (W x L)		Put-Up	Dispenser
				inches	centimeters		
A 05816	WYPALL* L30 Wipers POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	6/120	09352
B 05800	WYPALL* L30 Wipers POP-UP* Box	White	DRC	16.4" x 9.8"	41.7cm x 24.9cm	8/100	09352
C 05812	WYPALL* L30 Wipers 1/4 Fold	White	DRC	12.5" x 13"	31.8cm x 33cm	12/90	09107
D 05841	WYPALL* L30 Wipers Jumbo Roll	White	DRC	12.4" x 13.3"	31.5cm x 33.8cm	1/950	80595, 80596, 80579
E 05843	WYPALL* L30 Wipers Small Roll	White	DRC	11" x 10.4"	27.9cm x 26.4cm	24/70	N/A



A



B



C



D



E

RS Hughes Part Price Per Case Description

WYPALL* L30 Wipers, White

Our unique DRC (Double Re-Creped) process gives WYPALL® L30 Wipers high surface softness, while its reinforced grid provides strength for wet surface wiping and cleaning. Choose WYPALL® L30 Wipers to replace airlaid wipers.

A. 036000-05816	10.61	BX	6	16.4" x 9.8"	Pop-Up Box, 120/Bx
B. 036000-05800	12.20	BX	8	16.4" x 9.8"	Pop-Up Box, 100/Bx
C. 036000-05812	4.88	PH	12	12.5" x 13"	1/4 Fold, 90/Pack
D. 036000-05841	54.73	RL	1	12.4" x 13.3"	Jumbo Roll, 950/RL
E. 036000-05843	3.22	RL	24	11" x 10.4"	Small Roll, 70/RL



F



G



H



I

RS Hughes Part Price Per Case Description

F. WYPALL* L10 Lightweight Utility Wipes

Lightweight utility wipes are a great choice for quick and simple cleaning tasks. These wipes offer very high sheet count for frequent use. The convenient pop-up box is portable for easy storage and quick transport. This product meets the EPA guidelines for recycled fiber content to deliver a sustainable solution.

036000-42346 4.66 EA 24 9" X 10.25" 250Sh/Box

WYPALL* Waterless Cleaning Wipes

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

G. 036000-58310 9.99 CN 8 50 Count

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

H. 036000-91054 69.00 CA 1 1 Pack of 100

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

I. 036000-91367 11.46 BG 6 Refill Bag 75 Count

Waterless Cleaning Wipes are the ideal presaturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces. Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin. Orange, Citrus/Green.

J. 036000-91371 15.32 CN 6 75 Count

K. WYPALL* L20 Wipers

WYPALL* L20 Wipers. Textured side for cleaning power. Contains no binders or glues. Multi-ply capacity for large spills.

036000-47000 5.15 PH 12 12.5" x 13" Tan 68 Sheets per Pack

L. Kimberly-Clark 8596 Jumbo Roll Dispenser

Jumbo Roll Dispenser Floor Model. A mobile, efficient dispenser reduces waste. Dispenser for JUMBO RAG-ON-A-ROLL* system. Metal with trash bag attachment. FREE with the purchase of 2 Jumbo Rolls!

036000-80596 37.37 EA 1



Kimtech Prep* Kimtex* Wipers - Blue

KIMTECH PREP* KIMTEX* Wipers are designed for wiping tasks where low lint or use of chemicals are required. Engineered for critical applications involving solvents, inks, and paints. Acid-, base- and solvent resistant. Perfect for use with lubricants, oil and grease. Polypropylene construction. Applications include: furniture finishing, engine assembly/repair, pre-packaging wipe down, LCD panel assembly, appliance assembly, printing, and glass or window cleaning.

M. 036000-33241 130.31 CA 1 Jumbo Roll Blue 9.6" x 13.4", 1/Case

N. 036000-33570 120.60 CA 1 Pop-Up Box Blue 12.1" x 16.8", 5/Case



J



K



L

Free!
with purchase
of 2 Jumbo
Rolls



M



N

Introducing Sellers ALL-NEW Mountable Big Grip Bucket!

On the go and on the wall *with no extra cost!*

First, Sellers introduced our revolutionary Big Grip Bucket. Now we're taking the Big Grip Bucket to a whole new level with an all new and exclusive optional dispenser mount - added with no additional cost to you.

That means you have a bucket that can be easily carried for remote use and that can also be placed into the wall mount

for both local usage and storage. This decreases the product's footprint and eliminates the long term need to take up valuable table space.

Our new bucket allows do-it-yourselfers to dispense towels like pros and pros to dispense for less and with more convenience.

On The Wall!

Simply mount the bracket to your wall. Then flip the bucket and drop it into place.


The durable mount holds the bucket in place allowing you to dispense freely from the bottom.



The sturdy new grooved Big Grip handle allows for fast and secure mounting and convenient carry along usage.



Big Grip Buckets arrive with the mounting bracket slid down onto the bucket's handle for a reduced footprint.



Z900 DRC Wipers - Sellars Most Absorbent Wiper

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Sellars Toolbox™ Z900 Big Grip™ Bucket Rags

Ideal for heavy-duty wiping applications. Absorbs up to 400% more than most rental rags. Big Grip™ Buckets are perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry both indoors and out. Made with 15% recycled fibers. 140 sheets per bucket.

SELLARS 70140	19.26	EA	2	10 X 12 Red 2 Buckets/Case
---------------	-------	----	---	----------------------------

B. Sellars Toolbox™ Z900 Big Grip™ Refill Shop Rags

Ideal for heavy-duty wiping applications. Up to 400% more absorbent than red rental rags. Use as a refill for the Big Grip™ Z900 Bucket (item# 70140) or a stand alone center pull dispenser. Made with 15% recycled fibers. Compatible with wall mount center pull dispenser (part 99906). 140 sheets per roll.

SELLARS 70150	16.04	EA	6	10 X 12 Red 6 Refills/Case
---------------	-------	----	---	----------------------------

C. Sellars Toolbox™ Z900 Jumbo Roll Wipers

The most absorbent wiper from Sellars. Works like cloth with very low lint. Ideal for heavy-duty wiping applications. Up to 400% more absorbent than most red rental rags. Fits on most wall mount or floor stand dispensers. Jumbo rolls are perfect for extremely messy locations. Made with 15% recycled fibers. 475 sheets per roll.

SELLARS 70310	71.30	RL	1	12.5 X 12 Red 1 Jumbo Roll/Case
---------------	-------	----	---	---------------------------------

Z800 DRC Wipers - Sellars Solvent Resistant Wiper

D. Sellars Toolbox™ Z800 White Jumbo Roll

2x stronger than any DRC Wiper Sellars has ever made. Up to 350% more absorbent than most rental rags. Ideal for heavy-duty wiping applications that require a strong and absorbent wiper. Unique pillowing pattern provides incredible softness for a heavy duty wiper. Made with 15% recycled fibers. Compatible with wall mount dispenser 99914 and floor stand dispenser 99911. 475 sheets per roll.

SELLARS 80307	72.68	RL	1	12.5 X 12 White 1 Jumbo Roll/Case
---------------	-------	----	---	-----------------------------------

Z700 DRC Wipers - Sellars Heavy-Duty Wiper

E. Sellars Toolbox™ Z700 Jumbo Roll Wipers

Works like cloth and is a low lint wiper. Ideal for most heavy-duty applications and messy fluid applications. Jumbo rolls are perfect for extremely messy locations as they fit on wall mount or floor stand dispensers. Made with 25% recycled cellulose fibers. 870 sheets per roll.

SELLARS 70307	71.46	RL	1	12.5 X 12 White 1 Jumbo Roll/Case
---------------	-------	----	---	-----------------------------------

F. Sellars Toolbox™ Z700 Interfold Wipers

Works like cloth and are a low lint wiper. Interfolds are perfect for jobs that require larger towels. Portable dispenser box allows you to grab 1 sheet at a time. Ideal for most heavy-duty applications and messy fluid applications. Made with 25% recycled fibers. 100 sheets per box.

SELLARS 7020701	9.49	BX	8	8.5 X 16.5 White 8 Boxes/Case
-----------------	------	----	---	-------------------------------

Sellars DRC Wipers Vs. Ordinary Paper Towels

DRC enhances each key wiper product criteria vs. ordinary paper:

- Wet Strength (2x+)
- (60% of dry strength)
- Softness (2x)
- Absorbency (2x)
- Bulk (2.5x)

Sellars DRC Wipers Latex resin infusion for incredible wet strength



Ordinary Paper Towel Wet Strength Additive



DRC wipers have larger absorption pockets than regular paper thus allowing not only for greater absorption but also more softness

SELLARS®



A



B



C



D

Jumbo Roll Dispenser on page 278



E



F

Z600 Wipers - Sellars Best Value of Strength vs. Cost

RS Hughes Part Price Per Case Description

A. Sellars Toolbox™ Z600 Interfold

Works like cloth and is a low lint wiper, Perfect for medium-duty wet or dry wiping applications, Interfold wipers are perfect for jobs that require larger towels. Interfold dispenser box can dispense from either the top or bottom. Portable dispensing box allows you to grab 1 sheet at a time. 25% recycled cellulose fibers. Made in the USA.

SELLARS 6020701 82.96 CA 1 6020701 White

B. Sellars Toolbox™ Z600 Jumbo Roll

SELLARS 60307 76.18 CA 1 60307 White

C. Sellars Toolbox™ Z600 Quarterfold Wipers

Works like cloth. Perfect for medium-duty wet or dry wiping applications. 1/4 folds are perfect for stacking out on a work bench or counter top. Made with 25% recycled cellulose fibers. 80 sheets per bundle.

SELLARS 6010701 6.23 EA 12 11 X 18 White 12 Bundles/Case

Z400 Wipers - Sellars Best General Purpose Wiper

Sellars Plain Z400 DRC Wiper Jumbo Roll

Ideal for general shop or industrial applications. Works like cloth, soft on hands and face. White is made of 25% recycled fibers. Blue is made of 40% post-consumer recycled fibers. Packaged in a plain kraft box with a generic label. 692 sheets to a roll. Sheet size is 12.5 X 13.

D. SELLARS 10252 60.46 RL 1 12.5 X 13 Blue
E. SELLARS 50300 57.96 RL 1 12.5 X 13 White

F. Sellars Toolbox™ Z400 Big Grip™ Shop Towels

Ideal for general shop or industrial applications. Help hide grease and grime better than white shop towels allowing for more use before being discarded. Made with 40% post-consumer recycled fibers. Center-pull towels are wrapped in a water resistant plastic container with a cardboard dispensing disk that allows for single sheet dispensing and also provides support for the container so that it will not collapse even when down to the last few sheets. 200 sheets per roll.

SELLARS 55207 16.05 EA 6 10 X 12 Blue 6 Refills/Case
SELLARS 55208 19.58 EA 2 10 X 12 Blue 2 Buckets/Case

G. Sellars Toolbox™ Z400 Blue Shop Towels Center-Pull Box

Works like cloth, soft on hands and face. Blue color helps hide grease and grime better than white towels allowing for longer user before being discarded. Packaged in a cardboard center-pull dispenser box with convenient carrying handle. Made with 40% post consumer recycled fibers. 200 sheets per box.

SELLARS 55202 16.39 EA 6 10 X 12 Blue 6 Boxes/Case

H. Sellars Toolbox™ Z400 Interfold Blue Wipers

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Works like cloth. Ideal for general shop or industrial applications. Helps hide grease and grime better than white wipers allowing for more use before being discarded. Made with 40% post-consumer recycled fibers. 100 sheets per box.

SELLARS 5025001 9.80 BX 8 8.5 X 16.5 Blue 8 Boxes/Case



A



B



C



D



E



F



G



H



Z400 DRC Wipes - Sellars Best General Purpose Wiper

RS Hughes Part Price Per Case Description

I. Sellars Toolbox™ Shop Towel Small Roll



Just the right size to handle your dirtiest and toughest wiping applications around the shop or home. Ideal for general shop, industrial or home garage applications. Blue color helps hide grease and grime better than white shop towels allowing for longer use before being discarded. Made with 40% post consumer recycled fibers (based only on the product's fiber content, which represents a minimum of 85% of the total product weight). Meet the EPA Comprehensive Procurement Guidelines and also provide opportunities to earn credits in several LEED-EB (Existing Building) Operations & Maintenance categories. Made in the USA

SELLARS 54400 39.42 CA 1 54400 Blue 12 Rolls/Case

J. Sellars Toolbox™ White Rags

Ideal for painting, staining, window cleaning, general cleaning and 1000's of other uses around the shop or home. Up to 3x stronger when wet than the leading kitchen towel brand. Works like cloth, Extremely soft and absorbent rags are also durable enough for your toughest jobs. Packaged in a cardboard center-pull dispenser box with convenient carrying handle. TOOLBOX® white rags are made with 25% recycled fibers. Made in the USA.

SELLARS 58202 98.36 CA 1 58202 White 6 Boxes/Case

K. Sellars Toolbox™ Z400 1/4 Fold

SELLARS 5010001 62.38 CA 1 5010001 White 12 Boxes/Case

L. Sellars Toolbox™ Z400 Interfold

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Works like cloth, soft on hands and face. Our most popular DRC Wiper. Interfold wipers are perfect for jobs that require larger towels, Ideal for all medium-duty general purpose wiping applications. Interfold dispenser box can dispense from either the top or bottom. 25% recycled cellulose fibers. Made in the USA.

SELLARS 5020001 76.20 CA 1 5020001 White 8 Bundles/Case

M. Sellars Toolbox™ Z400 Greenx Series Big Grip™ Wipers

Refill roll is poly wrapped with a cardboard dispensing disk and a peel and reseal top to keep the towels clean and dry - allows for single sheet dispensing. Natural color. Elemental chlorine free. Ideal for all medium-duty general purpose wiping applications. Wipers are soft on hands and face and won't fall apart when wet. Made with 40% post-consumer recycled fibers. 200 sheets per roll.

SELLARS 54200 15.96 EA 6 10 X 12 Natural 6 Refills/Case
SELLARS 54202 19.04 EA 2 10 X 12 Natural 2 Buckets/Case

N. Sellars Toolbox™ Z400 Greenx Series Recycled Interfold Wipers

Food safe. Does not contain any natural latex. Portable dispenser box allows you to grab 1 sheet at a time. Ideal for most medium-duty general purpose wiping applications. Soft on hands and face, absorbent and won't fall apart when wet. Made with 40% post consumer recycled fibers. 100 sheets per box.

SELLARS 50210 9.32 BX 8 8.5 X 16.5 Natural 8 Boxes/Case



I



J



K



L



M



N



Head to Toe Protection



A

B



C



D



E



F



G

Z300 DRC Wipes - Sellars Best Light-Duty Wiper

RS Hughes Part Price Per Case Description

A. Sellars Toolbox™ Z300 Big Grip Rags

Works like cloth. Ideal for all light-duty general purpose wiping. Center pull towels are wrapped in a water resistant plastic container with a cardboard dispensing disk that allows for single sheet dispensing and also provides support for the container so that it will not collapse even when down to the last few sheets. Made with 45% recycled fibers. 275 sheets per roll.

SELLARS 20421	16.27	EA	6	10 X 12	White	6 Refills/Case
SELLARS 20420	21.38	EA	2	10 X 12	White	2 Buckets/Case

B. Sellars Toolbox™ Z300 White Quarterfold Wiper

Fold wipers are perfect for stacking out on a work bench or counter top. Works like cloth. Soft on hands and face. Ideal for all light duty general purpose wiping applications. Z300 DRC wipers are more absorbent than airlaid wipers. Made with 45% recycled cellulose fibers. 90 per bundle.

SELLARS 2010001	75.12	CA	1	11 X 18	White	12 Bundles/Case
-----------------	-------	----	---	---------	-------	-----------------

C. Sellars Toolbox™ Z300 White Jumbo Roll Wiper

Ideal for all light duty general purpose wiping applications. Offers the best balance of strength, absorbency and softness. Z300 white DRC wipers are more absorbent than airlaid wipers at same weight. Jumbo rolls are perfect for extremely messy locations as they fit on wall mount (99914) or floor stand (99911) dispensers. Made with 45% recycled fibers. 950 sheets per roll.

SELLARS 2030001	60.54	RL	1	12.5 X 12	White	1 Jumbo Roll/Case
-----------------	-------	----	---	-----------	-------	-------------------

D. Sellars Toolbox™ Z300 Interfold

Packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Soft on hands and face. Ideal for all light-duty general purpose wiping. Made with 45% recycled cellulose fibers. 135 sheets per box.

SELLARS 2020002	10.46	BX	8	8.5 X 16.5		8 Boxes/Case
-----------------	-------	----	---	------------	--	--------------

E. Sellars Toolbox™ Z300 Greenx Series Interfold

Interfold wipers are packaged in a portable pop up dispenser box allows you to grab 1 sheet at a time. Does not contain any natural latex. Ideal for all light-duty general purpose wiping applications. Recycled DRC Wipers are soft on hands and face, absorbent and won't fall apart when wet. Made with 40% post-consumer recycled fibers. 135 sheets per box.

SELLARS 20210	10.25	BX	8	8.5 X 16.5		8 Boxes/Case
---------------	-------	----	---	------------	--	--------------

F. Sellars Toolbox™ T800 Jumbo Roll

Ideal for use in wiping applications using solvents, rough surfaces/ jagged edges, or needing low lint. Rolls are designed to fit our Floor Stand (part # 99911) and Wall Mount Dispensers (part # 99914). Large quantity of sheets allows for less time spent replacing rolls. WaterWeave™ is made using high pressure water jets that weave polypropylene and cellulose fibers together. Made in the USA from imported materials.

SELLARS 88360	82.20	CA	1	88360	Red
---------------	-------	----	---	-------	-----

G. Sellars Toolbox™ Jumbo Roll Dispenser

Jumbo Roll Dispensers allow you to easily grab one sheet at a time. Floor Stand Jumbo Roll Dispensers are metal making them extremely durable. Dispensers are compatible with our jumbo roll wipers (item #'s 24310, 54310, 24310, 54310, 10252, 2030001, 50300, 60307, 70307, 70357, 80307, 70310, 78300, 78350, 88350, and 88360) and most other standard jumbo roll wipers.

SELLARS 99911	74.12	CA	1	99911
---------------	-------	----	---	-------



Sellars Reclaimed Rags

RS Hughes Part Price Per Case Description

Sellars Reclaimed Rags

Reclaimed white knit rags. Contain white knit material from t-shirts, polo shirts or similar knit apparel. All-purpose soft and durable wiping cloth will absorb both water and oil based fluids.

- H.** SELLARS 99215 56.72 EA 1 25Lbs White Knit/Polo
- H.** SELLARS 99216 107.74 EA 1 50Lbs White Knit/Polo

Reclaimed polo wiping cloths. Contains recycled knit material from t-shirts, polo shirts or similar knit apparel. All-purpose soft and durable wiping cloth, high absorbency. Economical solution for general industrial, shop and auto.

- I.** SELLARS 99205 38.58 EA 1 25Lbs Colored Knit/Polo
- I.** SELLARS 99206 75.74 EA 1 50Lbs Colored Knit/Polo

Reclaimed fleece wiping cloths. Contains recycled material from sweatshirts, sweatpants or similar fleece apparel. Rags are cut to wiper size with zippers and buttons removed. Often preferred for heavy duty and general shop and maintenance applications including larger jobs.

- J.** SELLARS 99201 29.38 CA 1 25Lbs Colored Fleece
- J.** SELLARS 99202 57.94 EA 1 50Lbs Colored Fleece
- K.** SELLARS 99203 42.12 EA 1 25Lbs White Fleece
- K.** SELLARS 99204 80.58 EA 1 50Lbs White Fleece

Highly absorbent wiping cloth. Turkish towels are extra large for expanded wiping coverage. Ideal for oil industry, janitorial supply, garage, household roofing, plumbing, painting and staining.

- L.** SELLARS 99213 60.04 EA 1 25Lbs Multi Color Turkish Towel
- L.** SELLARS 99214 117.02 EA 1 50Lbs Multi Color Turkish Towel

Highly absorbent wiping cloth. Turkish towels are extra large for expanded wiping coverage. Ideal for oil industry, janitorial supply, garage, household roofing, plumbing, painting and staining. Being white, they will not bleed when using solvents/harsh chemicals.

- M.** SELLARS 99211 72.76 EA 1 25Lbs White Turkish Towel
- M.** SELLARS 99212 142.02 CA 1 50Lbs White Turkish Towel

Contains recycled material from cotton shirts, pants or similar apparel. Rags are cut to wiper size with zippers and buttons removed. All purpose wiping cloth. Ideal for painting, furniture or wood staining. Will not bleed when using solvents/harsh chemicals.

- N.** SELLARS 99209 42.20 CA 1 25Lbs Pure White
- N.** SELLARS 99210 81.38 CA 1 50Lbs Pure White



Flammable Liquids Storage

In this section:

Cans	280-283
Cabinets - Flammable Storage	284-286
Cabinets - Chemical & Hazardous Material Storage	287
Outdoor Flammable Building Storage & Accessories	288-289



Cans



Shown with option funnel attachment, 11202Y



RS Hughes Part	Price	Per	Case	Description (Diameter x Height)
----------------	-------	-----	------	---------------------------------

A. Eagle Type I Safety Can

Eagle Type I Safety Cans meet OSHA and NFPA Code 30 requirements and are UL listed and FM approved for safe handling and storage of gasoline and other flammable liquids. They are lead free and constructed with 24-gauge hot dipped galvanized steel not lead coated terne steel like other manufacturers.

048441-22141	45.42	EA	1	UI-20S	2 Gallon, 11.25"x9.50"
048441-00447	47.76	EA	1	UI-25-S	2.5 Gallon
048441-22151	50.46	EA	1	UI-50S	5 Gallon, 12.5"x13.5"

Eagle Type I Safety Can

Eagle cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout and are 100 percent made in the USA. Eagle Manufacturing Company's 2.5 gallon, Type I yellow safety can (for diesel) meets OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of diesel. (Accepted Under CARB).

B. 048441-00457	47.76	EA	1	2.5 Gallon	UI-25-SY	Yellow
C. 048441-00467	47.76	EA	1	2.5 Gallon	UI-25-SB	Blue

Eagle Type I Safety Can W/F-15 Funnel

Eagle cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked on powder coat finish with a trilingual label, have a spring closing lid with neoprene gasket that vents at 5 psi internal pressure, have a non-sparking flame arrestor and pour spout and are 100 percent made in the USA. Eagle Manufacturing Company's 2.5 gallon, Meets OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage (Accepted Under CARB).

D. 048441-00448	52.80	EA	1	2.5 Gallon	UI-25-FS	Red
E. 048441-00458	52.80	EA	1	2.5 Gallon	UI-25-FSY	Yellow
F. 048441-00466	52.80	EA	1	2.5 Gallon	UI-25-FSG	Green
G. 048441-00468	52.80	EA	1	2.5 Gallon	UI-25-FSB	Blue

OSHA requires flammables with a flash point below 80° F be in a red can with a yellow band. Typical industry convention is:

- Red for Gasoline
- Blue for Kerosene
- Yellow for Diesel
- Green for Oil



Cans

RS Hughes Part Price Per Case Description (Diameter x Height)

H. Eagle Type II Safety Can - Flex Spout

Eagle cans are constructed of 24-gauge hot dipped galvanized steel, are the only deep drawn seamless can made, have a double interlock no-weld bottom seam, a baked on powder coat finish with a trilingual label and 100 percent made in the USA. Red for safe handling and storage of gasoline and other flammable liquids(U211S).

048441-00845	98.40	EA	1	1 Gallon	U2-11-S	Red
--------------	-------	----	---	----------	---------	-----

I. Eagle Type II Safety Can

Eagle Type II Galvanized Steel Safety Cans feature two openings. One with a pressure-relief spring closing lid for filling and one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. These cans meet OSHA and NFPA Code 30 requirements and are UL listed and FM approved.

048441-22142	99.98	EA	1	U2-26-S	2 Gal, 11.25"x9.50"
048441-22152	102.16	EA	1	U2-51-S	5 Gal, 12.25"x13.50"

J. Eagle Poly Waste Can

Eagle Poly Oily Waste Cans offer fire safe temporary storage of solvent, waste rags, shavings and other materials subject to spontaneous combustion. Won't rust or dent and are resistant to most chemical compounds. Eagle's cans feature self closing lid with foot lever.

048441-22251	67.57	EA	1	933-FL	6 Gallons, Height 16"
048441-22272	80.22	EA	1	935-FL	10 Gallons, Height 18"
048441-22261	86.56	EA	1	937-FL	14 Gallons, Height 21"

K. Eagle Plunger Can

FM Approved safety plunger cans are ideal for cleaning with flammable or volatile fluids. Brass flame arrestor dasher screens and pump assemblies comply with OSHA standards. When dasher plate is pushed down the safety can dispenses a small amount of liquid to easily moisten sponges or rags without spills.

048441-22420	76.93	EA	1	P-701	1 Quart 6.5"x8"
048441-22430	79.31	EA	1	P-702	2 Quart 8"x8.50"
048441-22440	91.40	EA	1	P-704	4 Quart 8"x10.75"



Head to Toe Protection



Cans

RS Hughes Part	Price	Per	Case	Description (Diameter x Height)
----------------	-------	-----	------	---------------------------------

A. Justrite® Funnel Attachment for Type I Steel Safety Cans

Poly-funnel folds down for filling and storage! To aid pouring into smaller openings, this two-position funnel easily attaches to Type I steel safety cans. Large rounded bowl provides protection from splashing and spillage. Innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage. Durable polypropylene material holds up to heavy use. Polypropylene Funnel; for Steel Cans only sizes 1 gallon (4L) and above.

11202Y	7.78	EA	1	1/2" x 11 1/4" (13 x 286)
--------	------	----	---	---------------------------

Justrite Type 1 Steel Safety Can

Designed with a single spout for filling and pouring, the sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig (0.2 and 0.35 bar) to guard against rupture or explosion. Made from high-grade coated steel, each can is tested to guarantee 100% leakproof construction. The tough powder-coat finish resists chemicals and stands up to demands of rigorous use. Each Justrite safety can is equipped with a stainless steel flame arrester which dissipates heat to stop flashback ignition. Cans up to 1 quart (1 L) feature a trigger-release handle, while larger capacities have a swinging handle to greatly ease carrying of heavier loads. Large label ID zone on swing-handle cans provides writing space to identify contents, department location, or individual user name. Certified by FM, UL/ULC, and TÜV, Justrite safety cans also meet OSHA and NFPA requirements, and come with a ten-year warranty.

B. 7110100	41.53	EA	1	1 Gallon Self Close Lid	Red
C. 697841-13997	44.81	EA	1	2 Gallon Self Close Lid	Red
D. JUSTRITE 7150100	49.17	EA	1	5 Gallon Self Close Lid	Red
E. 7150200	55.74	EA	1	5 Gallon Self Close Lid	Yellow

Justrite® Type I Steel Safety Cans with Funnel

High performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection. The extra long precision mesh screen is a full 3-1/2" (88 mm) to ensure safe insertion of gas nozzle with metal-to-metal contact eliminating the potential of spark and possible explosion. Self-closing lid controls vapors and spills and unique counterbalanced, ergonomic design makes it easy to use. Leakproof, positive pressure relief cap automatically vents to guard against rupture or explosion. Warning label includes large ID zone for user labeling to avoid misuse, reduce the potential for incompatible mixtures, or designate department location or individual owner. Rounded comfort handle that swings freely to help in carrying heavy loads, reinforcing ribs for bumper guard protection, and large 1/2" (13 mm) grip lip along bottom to support pouring. 100% leak tested. 10 year warranty. Meets OSHA and NFPA. FM, UL/ULC Listed. CARB Compliant. TUV certified.

F. 7120110	50.82	EA	1	2 Gallon, 9.5"x13.75"
G. 7150110	55.18	EA	1	5 Gallon, 11.75"x16.875"

Justrite Type 2 AccuFlow Steel Safety Can

Justrite's patented manifold and proportional flow-control Safe-Squeeze® trigger provides you the means to regulate the flow rate when handling flammable liquids. Fill port with ergonomic lift lever makes filling easy. Flexible 9" (229-mm) long metal hose spout helps control the pour into small openings.

H. 7210120	91.81	EA	1	1 Gallon	Red
I. 697841-14046	92.89	EA	1	2 Gallon	Red
J. 7225120	93.98	EA	1	2.5 Gal	Red
K. 697841-14067	95.08	EA	1	5 Gallon	Red
L. 697841-14072	101.64	EA	1	5 Gallon	Yellow

Cans



RS Hughes Part Price Per Case Description (Diameter x Height)

Justrite Plunger Dispensing Can

Dispense flammable liquids and solvents safely, without waste or exposure. Made of chemically resistant Ryton® and brass, the pump base is designed to leave less liquid in the bottom before having to refill. Pushing down on the pump assembly fills the upper pan with liquid. Surplus liquid drains safely back into reservoir. The perforated upper pan serves as a flame arrester. Top rim has molded edge protector for smooth, trouble-free moistening.

M. 10108	54.25	EA	1	1 Quart	Red	5.625"x7.25"
N. JUSTRITE 10208	54.26	EA	1	1/2 Gal	Red	7.25"x7.37"
O. JUSTRITE 10308	61.06	CN	1	1 Gallon	Red	10.5"x7.25"



Justrite® Oily Waste Can

Essential whenever solvent soaked cloths and wiping rags are used. The specially designed lid opens no more than 60 degrees and stay closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Sleek steel design with compact foot pedal leaves hand free and cover snaps shut when pedal is released. Swinging bail handle in rear makes it easy to carry and empty. FM Approved and UL Listed.

P. 09100	76.00	EA	1	6 Gal	11.875"x15.875"
Q. 09300	86.92	EA	1	10 Gal	13.94"x18.25"
R. 09500	98.16	EA	1	14 Gal	16.06"x20.25"
S. 09700	145.42	EA	1	21 Gal	23.44"x18.375"



Justrite Dip Tank

Use for cleaning parts and subassemblies where the volume of work does not warrant a larger rinse tank. Portable size accommodates changing production requirements. Dip tank covers stay open for convenient access; self-closing mechanism and fusible link melts at 165°F (74°C) to snap the cover shut in case of fire.

T. 697841-01059	86.84	EA	1	2 Gallon	Manual Cover	Red
U. 697841-01061	110.61	EA	1	5 Gallon	Manual Cover	Red



V. Justrite 08207 Steel Drum Funnel

Large Steel Drum Funnel for flammables with 6" Flame Arrester, self-closing cover, 2 drum bung.

697841-00122	257.96	EA	1	Self Closing	Red
--------------	--------	----	---	--------------	-----



Justrite CeaseFire Cigarette Butt Receptacle

Made of flame-retardant and sturdy polyethylene, this low maintenance smoker's friend won't rust, dent or crack. Innovative self-extinguishing design safely collects unsightly cigarette litter and reduces the risk of fire. Tie-down notches offer security and greater stability under severe weather conditions. Units include a galvanized steel bucket that collects thousands of butts. For maximum cleaning convenience, use optional disposable bucket liners. Once bucket is full, simply twist-tie closed and throw away!

W. 26800	70.71	EA	1	Pewter Gray
X. 697841-06371	70.72	EA	1	Black



Head to Toe Protection

Flammable Liquid Storage Regulations & Guidance

OSHA 1910.106 applies to flammable or combustible chemical storage. In addition, state and local codes apply that are based on either the National Fire Protection Association (NFPA 30, Flammable and Combustible Liquids Code), the International Code Council (International Fire Code) or NFPA 1, Uniform Fire Code™. Section 9.5 of the 2008 edition of NFPA covers the design, construction, and capacity of storage cabinets. In addition to passing a fire test, NFPA further requires specific cabinet construction. A notable distinction in the International Fire Code and NFPA 1, Uniform Fire Code™ is the requirement that flammable and combustible liquid storage cabinets shall be selfclosing.

















In addition to assuring that cabinets meet applicable codes, it's important to look for safety storage cabinets which carry independent third party certification, such as FM Global (FM approved) or Underwriters Laboratories (UL listed). While NFPA does not mandate requirements for the storage of nonflammable acids and corrosives, these chemicals should be properly stored for maximum safety.

Eagle Safety Cabinet features include:

- Reinforced double wall construction with 1 1/2" air space on sides, top, bottom, back and doors
- Lead-free, high-gloss, baked-on powder finish
- Continuous piano hinges
- Ground connection
- Four adjustable galvanized leveling legs
- Trilingual warning labels
- 2" raised leakproof sill
- Adjustable galvanized steel shelves that hold 350 lbs.
- Internal and external welded construction
- Two 2" internal vents with fire baffle and cap
- Flush mounted door handle with key lock
- Three-point latch system
- 4 3/4" centers for shelf brackets
- Self-latching doors

(Available in 2 to 110 gallon sizes. Manual or self closing.)

Eagle Safety Cabinet Guide

FLAMMABLE LIQUID SAFETY CABINETS				
				
				
Capacity (Gal.)	4 gal.	30 gal.	45 gal.	60 gal.
Common Name	Bench Top	Standard 30	Standard 45	Standard 60
Model Numbers & Prices	Self Close: 1903 Price: 607.22	Self Close: 3010 Price: 1,006.74	Self Close: 4510 Price: 1,236.18	Self Close: 6010 Price: 1,445.82
Door Styles	Manual Close: 1904 Price: 512.27	Manual Close: 1932 Price: 897.96	Manual Close: 1947 Price: 1,111.58	Manual Close: 1962 Price: 1,333.10
Outside Dimensions	Width: 17 1/2" W Depth: 18" D Height: 22 1/2" H	Width: 43" W Depth: 18" D Height: 44" H	Width: 43" W Depth: 18" D Height: 65" H	Width: 31 1/4" W Depth: 31 1/4" D Height: 65" H
Inside Dimensions	Width: 14 1/2" W Depth: 15" D Height: 19 1/2" H	Width: 40" W Depth: 15" D Height: 41" H	Width: 40" W Depth: 15" D Height: 62" H	Width: 28 1/4" W Depth: 28 1/4" D Height: 62" H
No. of Shelves	1	1	2	2
Extra Shelf Model No.	1902	1915	1915	1911
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	28"
Maximum Weight	74 lbs.	231 lbs.	312 lbs.	332 lbs.
Compliance				
Approvals	-			

1947 2 Door Manual Close

4510 2 Door Self Closing





PAINT & INK SAFETY CABINETS			METAL ACID /CORROSIVE		POLY ACID /CORROSIVE	
30 gal. <small>(252 Aerosol Cans)</small>	40 gal.	60 gal.	4 gal.	12 gal.	4 gal.	22 gal.
Aerosol Can Storage	Standard 40	Standard 60	Bench Top	Space Saver	Bench Top	Under Counter
PI-7710 1,441.88	PI-3010 1,127.40	PI-4510 1,408.26	CRA-1903 712.05	CRA-1924 818.87	-	-
PI-77 1,194.65	PI-32 957.30	PI-47 1,214.43	CRA-1904 613.16	CRA-1925 757.52	CRA-P04 546.15	CRA-P22 1,099.38
43" W 12" D 65" H	43" W 18" D 44" H	43" W 18" D 65" H	17½" W 18" D 22½" H	23" W 18" D 35" H	18" W 18" D 22" H	35" W 22" D 36" H
40" W 9" D 62" H	40" W 15" D 41" H	40" W 15" D 62" H	14½" W 15" D 19½" H	20" W 15" D 32" H	14" W 15" D 14¾" H	31" W* 19" D* 25½" H*
5 1977	3 1915	5 1915	1 CRA-1902	1 CRA-1909	1 CRA-PS04	2 CRA-PS22
8¾"	14¾"	14¾"	14¾"	14¾"	12"	12"
300 lbs.	253 lbs.	351 lbs.	74 lbs.	128 lbs.	35 lbs.	100 lbs.
			-	-		

To order cabinets in yellow add a "Y" before model number (to order 1975 or 1976 in yellow drop the RED from the model number)

Aerosol cabinets include wall-mounting brackets. 24-gallon cabinet is designed to hold up to 168 12-oz. aerosol cans and the 30-gallon cabinet is designed to hold up to 252 12-oz. aerosol cans

Acid & corrosive safety cabinets include:

- Special corrosion-resistant powder coat finish on all internal and external surfaces, including shelves
- Poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100 percent polyethylene construction for storage of aggressive acids

Poly acid safety cabinets have the following features:

- Sealed internal and top spill sumps, adjustable shelves and storage in the door for small bottles
- The 22-gallon has two compartments and the 4-gallon has four compartments with ½" partition in between
- Lockable doors for secure storage of dangerous acids
- Two 2" poly vents with caps, four poly leveling legs and specific warning labels

Flammable Liquids Storage

Cabinets - Flammable Storage

NO MINIMUM ORDER! 1-877-RSHUGHES

Pricing subject to change



A



B



C



D



E



F



G

NEW!
Corner Cabinets

H



I



RS Hughes Part Price Per Case Description (HxWxD)

Justrite® Sure-Grip® EX Flammable Liquid Safety Cabinets

Fully compliant to help you safely store and organize flammable liquids. Specially designed to protect personnel and facilities from the risk of fire. High performance cabinets feature all welded, double-walled 18 gauge steel with 1-1/2" of insulating air space and a fail-safe 3point stainless steel bullet latching system for optimum longevity. Exclusive U-Loc™ handle can be key locked or accepts optional padlock. Haz-Alert™ reflective warning labels offer visibility under dark conditions. For added safety, SpillSlope™ shelves direct spills into leakproof sump. Dual vents & leveling feet included. Meets OSHA & NFPA. FM Approved. 10-yr warranty.

A.	893000	890.92	EA	1	30 Gal	Manual Closing, 44x43x18	
A.	893020	996.88	EA	1	30 Gal	Self Close, 44x43x18	
B.	894500	1,103.52	EA	1	45 Gal	Manual Closing, 65x43x18	
B.	894520	1,212.38	EA	1	45 Gal	Self Close, 65x43x18	
C.	896000	1,328.90	EA	1	60 Gal	Manual Closing, 65x34x34	
C.	896020	1,444.54	EA	1	60 Gal	Self Close, 65x34x34	
D.	697841-11477	1,670.87	EA	1	90 Gal	2 Door, Manual Close	Yellow
D.	899020	1,902.86	EA	1	90 Gal	2 Door, Self Close	Yellow
E.	JUSTRITE 891200	627.32	EA	1	12 Gal	1 Door, Manual Closing,	35x23.25x18
E.	697841-11232	690.40	EA	1	12 Gal	1 Door, Self Closing,	35x23.25x18
F.	697841-14503	424.53	EA	1	4 Gal	1 Door, Manual Close	Yellow
F.	697841-11201	469.63	EA	1	4 Gal	1 Door, Manual Close	Yellow
G.	697841-15668	960.81	EA	1	30 Gal	2 Door, Manual Close	Yellow
G.	697841-15669	1,075.05	EA	1	30 Gal	2 Door, Self-Close	Yellow
H.	697841-15670	1,190.07	EA	1	45 Gal	2 Door, Manual Close	Yellow
H.	697841-15671	1,307.48	EA	1	45 Gal	2 Door, Self Close	Yellow
I.	697841-11503	2,446.39	EA	1	110 Gal	2 Door, Manual Close	Yellow
I.	697841-11509	3,142.55	EA	1	110 Gal	2 Door, Self-Close	Yellow

Exclusive Benefits

Self-Closing Doors

Required on all Hazardous Material Cabinets, the enclosed self-close mechanism provides obstruction-free access to top shelf space. Self-indexing doors close in sequence to ensure a tight closure from top to bottom.

U-Loc™ Door Handle

Flush-mount Sure-Grip® handle comes with installed cylinder lock and key set. Accepts optional padlock for added security.

Haz-Alert™ Reflective Labeling

Firefighter friendly warning labels reflect with high visibility when illuminated with a flashlight. As required by code, cabinet must be labeled "Hazardous—Keep Fire Away".

Application Specific Labels

Choose from a packet of 10 chemical specific labels, and apply to indicate contents of the cabinet. (See choices below.)



RS Hughes Part Price Per Case Description (WxDxH)

J. Justrite Chem-Cor Lined Hazardous Material Safety Cabinet

Featuring the same quality features found in Justrite's flammable cabinets — including double-wall, 18-gauge (1 mm) welded steel construction, 2" (51mm) liquid-tight containment sump, dual vents, adjustable shelves, three-point stainless steel bullet self-latching doors with U•Loc™ padlockable handle and Haz-Alert™ reflective warning labels. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance. ChemCor® thermoplastic coating on all interior surfaces provides superior protection against corrosion from drips and off-gassing from harsh chemicals. Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals. Non-porous surface resists staining and cleans up easily. Self-close door(s) shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions. Unique, concealed self-closing mechanism offers obstruction-free access to contents. Cabinets comply with NFPA 1, NFPA 400 Hazardous Material Code, and the International Fire Code. Cabinets are FM approved and come with a ten-year warranty.

697841-15453	1,018.40	EA	1	4 Gal, 22 X 17 X 17	1 Door, Self-Close
697841-15462	1,751.93	EA	1	12 Gal, 35 X 23.25 X 18	1 Door, Self-Close
697841-15466	2,110.48	EA	1	22 Gal, 35 X 35 X 22	2 Door, Self-Close
697841-15468	1,905.58	EA	1	30 Gal, 44 X 43 X 18	2 Door, Self-Close
697841-15470	2,604.25	EA	1	45 Gal, 65 X 43 X 18	2 Door, Self-Close
697841-15472	3,947.98	EA	1	60 Gal, 65 X 34 X 34	2 Door, Self-Close

J



K



M



O

Q



L



N



P

Justrite Hazardous Material Safety Cabinet

Justrite blue steel safety cabinets for corrosives have the same quality safety features as the cabinets for flammables. All models come with double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills, three-point self-latching doors and leveling feet. Self-close door(s) shuts and latches automatically when a fusible link melts at 165°F (74°C) under fire conditions. Unique, concealed self-closing mechanism offers obstruction-free access to contents. Additionally, they include polyethylene trays attached to galvanized steel shelves and a separate polyethylene liner for the bottom sump resist aggressive chemicals. Easily remove the liner for quick cleaning of drips and leaks. An all epoxy baked-on powder-coat finish, inside and out, provides increased chemical resistance.

K. 697841-15450	696.19	EA	1	4 Gal, 22 X 17 X 17	2 Door, Self-Close
L. 697841-15451	896.53	EA	1	12 Gal, 35 X 23.25 X 18	1 Door, Self-Close
M. 697841-15458	1,198.87	EA	1	22 Gal, 35 X 35 X 22	2 Door, Self-Close
N. 697841-15467	1,268.36	EA	1	30 Gal, 44 X 43 X 18	2 Door, Self-Close
O. 697841-15469	1,415.76	EA	1	45 Gal, 65 X 43 X 18	2 Door, Self-Close
P. 697841-15471	1,723.49	EA	1	60 Gal, 65 X 34 X 34	2 Door, Self-Close

Q. Justrite S23303 Document Storage Box

Safely store manuals and documents in these weather-resistant polyethylene storage boxes. Each box is bright red for high visibility and features a smooth area for labels. Use the label pack provided that includes two blank labels and labels printed "SDS" and "Instruction Manual". Boxes come with heavy-duty double-sided tape for easy installation. Accepts padlock when security is a concern.

697841-10234	71.64	EA	1		
--------------	-------	----	---	--	--



Head to Toe Protection



A

RS Hughes Part	Price	Per	Case	Description (W x D x H)
----------------	-------	-----	------	-------------------------

A. Justrite Non-Combustible Outdoor Safety Locker With Explosion Relief Panels

Non-Combustible Outdoor Safety Lockers with explosion relief panels are required for the safe storage of Class 1A or the dispensing of Class 1A and 1B flammable liquids (as defined by NFPA). Standard features include: Explosion relief panels designed to release at 20 psf, Rugged heavy gauge steel construction - backed by a 15-year structural warranty, Secondary containment - leakproof all welded sump, Removable, galvanized steel grating, Three-point keyed locking hardware, Natural draft ventilation, NFPA 704 diamond decal provides "Right to Know" information, Multiple static grounding connections, Anchoring plates for maximum hold down protection, Chemical and UV resistant coating, inside and out, Forklift channels for easy relocation, Meets EPA, NFPA 30 and NFPA 1 requirements, FM-approved - including sump capacity, wind/snow load requirements, and explosion relief panels.

697841-15848	6,300.00	EA	1	2 Drum	911021
697841-15850	7,400.00	EA	1	4 Drum	911041
697841-15852	8,900.00	EA	1	6 Drum	911061
697841-15854	11,000.00	EA	1	9 Drum	911091
697841-15856	13,800.00	EA	1	12 Drum	911121
697841-15858	17,700.00	EA	1	16 Drum	911161



B

B. Justrite Non-Combustible Outdoor Safety Locker

Safe and secure hazardous/chemical storage solution to protect your people and the environment. Standard features include: Rugged heavy gauge steel construction - backed by a 15-year structural warranty, Secondary containment - leakproof all welded sump, Removable, galvanized steel grating, Three-point keyed locking hardware, Natural draft ventilation, NFPA 704 diamond decal provides "Right to Know" information, Multiple static grounding connections, Anchoring plates for maximum hold down protection, Chemical and UV resistant coating, inside and out, Forklift channels for easy relocation, Meets EPA, NFPA 30 and NFPA 1 requirements, FM-approved - including sump capacity and wind/snow load requirements.

697841-15847	5,700.00	EA	1	2 Drum	911020
697841-15849	6,900.00	EA	1	4 Drum	911040
697841-15851	7,700.00	EA	1	6 Drum	911060
697841-15853	9,800.00	EA	1	9 Drum	911090
697841-15855	12,500.00	EA	1	12 Drum	911120
697841-15857	16,600.00	EA	1	16 Drum	911160



C

C. Justrite Agri-Turf™ Outdoor Safety Locker

Safe and secure storage solution for agricultural and turf management applications. Designed for herbicide, fungicide, pesticide, fertilizer and other agri-chemical storage, and backed by a 15-year structural warranty, this FM-approved locker has all of the same features as the non-combustible model, in addition to shelving, insulation, exterior and interior lights (most models), and exterior GFI receptacle.

697841-15883	8,000.00	EA	1	2 Drum	914020
697841-15884	9,800.00	EA	1	4 Drum	914040
697841-15885	10,900.00	EA	1	6 Drum	914060
697841-15886	13,300.00	EA	1	9 Drum	914090
697841-15887	16,200.00	EA	1	12 Drum	914120
697841-15888	20,600.00	EA	1	16 Drum	914160

RS Hughes Part Price Per Case Description (W x D x H)

D. Justrite Safety Locker Shelving

Expand storage space to accommodate bags, boxes, and smaller containers. Galvanized steel shelving. Two-tier of movable shelves, including mounting brackets. 16-in wide with 2-in lip. Back wall only.

697841-15891	640.00	EA	1	2-4 Drum	915101
697841-15892	960.00	EA	1	6,9,12 Drum	915103
697841-15893	1,280.00	EA	1	16 Drum	915105

E. Justrite Steel Loading Ramp

For added convenience when loading and unloading lockers. Constructed of steel and finished with anti-skid yellow paint.

697841-15889	1,166.00	EA	1	2 Drum	915001
697841-15890	1,166.00	EA	1	4 Drum	915003

F. Justrite Fiberglass Floor Gating with Sump Liner

For applications requiring acid and corrosive chemical spill resistance. Low density polyethylene (LDPE) sump liner and fiberglass grating.

697841-15894	1,864.00	EA	1	2 Drum	915201
697841-15895	1,940.00	EA	1	4 Drum	915203
697841-15896	2,378.00	EA	1	6 Drum	915205
697841-15897	3,046.00	EA	1	9 Drum	915207
697841-15898	3,998.00	EA	1	12 Drum	915209
697841-15899	4,862.00	EA	1	16 Drum	915211

G. Justrite Basic Fire Protection FE-227 Extinguisher Unit

Add a fire protection system as recommended for storage of flammable or combustible materials. System includes FE-227, BC type extinguisher unit. Ceiling mounted and fuse linked.

697841-15906	2,574.00	EA	1	2 Drum	915401
697841-15907	4,065.60	EA	1	4-16 Drum	915403

H. Justrite Fire Suppression - Dry Chemical System

Add an integral fire suppression system as recommended for storage of flammable or combustible materials. Includes ABC type, dry chemical system with agent cylinder, one pull station and means of remote annunciation. FM-approved and UL listed.

697841-15908	5,230.00	EA	1	6-16 Drum	915405
--------------	----------	----	---	-----------	--------

I. Justrite Electrical Package - Explosion Proof Interior Light & Fan

Explosion-proof interior light with UL listed exterior on/off switch. Explosion-proof mechanical ventilator tied to light switch for forced vapor removal at 750 CFM. Explosion-proof conduit and wiring with seal-offs.

697841-15909	6,504.00	EA	1	915501
--------------	----------	----	---	--------

J. Justrite Electrical Package - Explosion Proof Interior Light with Photocell

Explosion-proof exterior light - photocell activated. Must be ordered with Justrite 915501 Interior Light & Fan package.

697841-15910	910.58	EA	1	915503
--------------	--------	----	---	--------

K. Justrite Grounding Kit for Outdoor Safety Locker

Use in conjunction with exterior grounding connections on locker to prevent potentially dangerous electric discharges. Kit comes with 5/8" X 8' rod, wire, and connector.

697841-15911	120.00	EA	1	915505
--------------	--------	----	---	--------







Spill Control

In this section:

Sorbents - Universal	290-291
Sorbents Mats and Rugs	292
Sorbents Oily Only	292-293
Special Sorbents	294-295
Kits	296-297
Lab Pack	298-299
Rigid Spill Decks	300-303
Flexible Spill Decks & Berms	304-306
Control Devices, Diverters	307

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change

Brady SPC Sorbent Material Guide

HT High Traffic Absorbent Rolls	Economical for foot traffic, walkways, and around work stations.	Low Linting	\$\$	Heavy & Medium Weight	2-ply (SM) construction, spunbound coverstock on one side	
MRO Plus Absorbent Pads & Rolls <small>Page 13</small>	Best for industrial applications where greater durability and lower linting is needed	Medium Linting	\$\$\$	Heavy & Medium Weight	3-ply (MMM) Meltblown Polypropylene	
GP General Purpose Absorbent Pads & Rolls	Maintenance absorbent for general industrial applications	Medium Linting	\$\$	Heavy, Medium & Light Weight	Single-ply, made with MAXX technology to improve adsorption & strength	
Basic Universal Absorbent Pads & Rolls	Value absorbent for general purpose wiping, drips or leaks	Medium Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene	 NEW!



A



B



C, E



D



F, G



H

NEW ITEMS!



RS Hughes Part Price Per Case Description

A. Brady Universal Plus Pad

Chemically inert making it ideal for use with aggressive fluids. 3-ply construction makes it stronger and more durable while reducing lint. The product's green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials. A dimpled roll. Perfed to help you use only what you need. 3-ply, green, dimpled, perfed, heavy weight pad. For use with chemicals and hazardous fluids. 100/Case

662706-22177	162.19	CA	1	15" x 19"	20.5 gal/bale
--------------	--------	----	---	-----------	---------------

B. Brady Universal Plus Roll


Chemically inert making it ideal for use with aggressive fluids. 3-ply construction makes it stronger and more durable while reducing lint. The product's green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials. A dimpled roll. Perfed every 12" and up the center to help you use only what you need. For use with chemicals and hazardous fluids. 2/Case

662706-21141	237.61	BA	1	15" x 150'	39 gal/bale
--------------	--------	----	---	------------	-------------

Brady MRO Plus™ Universal Absorbent Rolls

Brady SPC's #1 Universal Sorbent, and construction makes it stronger and more durable, designed to absorb all industrial liquids, perforated to help you use only what you need. "P" is perforated every 12" to 18" depending on style and "DP" is perforated the same plus up the middle.

C. 662706-21112	132.69	CA	1	15" x 150'	24GAL/RL	MRO15P
D. 662706-21134	136.02	CA	1	15" x 150'	24GAL/RL	MRO15-DP
E. 662706-21114	203.79	CA	1	30" x 150'	49GAL/RL	MRO30P
F. 662706-21136	206.87	CA	1	30" x 150'	49GAL/RL	MRO30-DP
G. 662706-21187	144.66	CA	1	30" x 150'	38GAL/RL	MRO350-DP
H. 662706-21214	90.47	CA	1	15" x 150'	20GAL/RL	MRO315P



RS Hughes Part Price Per Case Description

I. Brady MRO Plus™ Universal Absorbent Pads 15inx19in 100/Case

The MRO Plus™ Sorbent Pads absorb all industrial liquids (water, petroleum-based and chemical-based fluids). 3-ply construction makes it stronger, more durable and reduces lint. Gray color masks drips and spills, dimpled, perfed down the middle so you can take only what you need.

662706-22101	110.59	CA	1	Hwy Wt	26GAL/CA	MRO100
662706-22128	87.51	CA	1	Med Wt	20.5GAL/CA	MRO300

J. Brady SPC GP Universal Sorbent Pad



Made with MAXX: greater performance without the extra weight. Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based). Efficient 1-ply construction, gray, dimpled, economy weight pad.

662706-22140	96.03	CA	1	15" x 19"	44GAL/CA	GP200
--------------	-------	----	---	-----------	----------	-------



K. Brady SPC BASIC™ Universal Sorbent Pad, 100/Case

662706-89277	47.00	CA	1	15" X 17"	20.5GAL/CA	BPU100 Hvy Wt Pad
662706-89278	37.78	CA	1	15" X 17"	17GAL/CA	BPU500 Lt Wt Pad

L. Brady SPC Spill Response Universal Pads and Rolls, Heavy Wt.

Small convenient size for employees to fold and carry in pockets for quick response time. Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils. Dimpled for added durability and reduced linting. Rolls are perforated every 10".

662706-89894	18.67	BL	1	7.5"x50'	3.3GAL/CA	SRP75P (Roll)
--------------	-------	----	---	----------	-----------	---------------

M. Brady SPC Re-Form™ Eco-Friendly Universal Sorbent Pad

A unique composition gives users an environmentally friendly sorbent that absorbs up to 50% more than traditional meltblown polypropylene sorbents. Re-Form™ is a Universal absorbent made from 80% recycled newsprint and cellulose. Nylon mesh construction provides extra durability and strength. Class A fire retardant. Supports corporate sustainability and LEED initiatives. 100 Pads per case.

662706-89194	81.45	CA	1	15" x 19"	40Gal/CA	RF100 Hvy Wt Pad
662706-89195	68.85	CA	1	15" x 19"	32Gal/CA	RF300 Med Wt Pad
662706-89196	54.30	CA	1	15" x 19"	24GAL/CA	RF500 Lt Wt Pad

N. Brady SPC Re-Form Plus™ Perforated Eco-Friendly Universal Sorbent Roll with Spunbond Coverstock


The same absorbency performance as the basic Re-Form material, but with an added spunbond coverstock making it ideal for handling foot traffic and wiping applications. Perfect around machines and equipment with moderate foot traffic.

662706-89201	151.27	CA	1	28.5"x150'	62Gal/RL	RFP28 Hvy Wt
662706-89202	69.82	CA	1	14.25"x150'	29Gal/RL	RFP314P Med Wt
662706-89207	120.24	CA	1	28.5"x150'	53Gal/RL	RFP328DP Med Wt

O. Brady SPC Re-Form™ Granular Universal Absorbent

100% recycled material - safe for the environment and employee use. Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact. 1:1 absorbency ratio - absorbs its own weight in oil.

662706-89758	8.33	BG	1	30lbs.	16.7Gal/BG	RFGranular
--------------	------	----	---	--------	------------	------------



Head to Toe Protection

Sorbent – Mats and Rugs

RS Hughes Part Price Per Case Description

A. Brady SPC Adhesive Absorbent Mat

Brady SPC's Adhesive Mat is a great addition to your absorbent program. The tacky underside adheres to any surface, keeping the absorbent in place to greatly reduce the likelihood of slips, trips and falls. Use your Adhesive Mat in walkways and aisles, near equipment and as a replacement for traditional rugs. Multiple Functions: all-purpose mat designed for general industrial applications, perfect for tool cribs, while adhesive rolls provide walkway, protection. gray color masks drips and spills, encouraging longer use.

662706-90237	99.00	CA	1	15" X 24"	AD1524
662706-90235	199.00	CA	1	15" x 100"	AD15100
662706-90236	299.00	CA	1	30" x 100'	AD30100



BRADY BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations. Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking. Tear resistant and will not curl or buckle, Absorbs oils, coolants, solvents and water-based fluids.

B. 662706-61132	259.46	BA	1	36"x100'	25Gal/Ca	BSM100
C. 662706-62139	696.40	BA	1	36"x300'	74Gal/Ca	BSM300
D. 662706-61138	186.88	CA	1	36"x50'	12Gal/Ca	BSM3650
D. 662706-61136	528.30	RL	1	72"x150'	40Gal/Ca	BSM72

E. Brady BattleMat™ Heavy Pad

BattleMat® is as tough as it looks, featuring an industrial camouflage and a heavy duty approach to cleaning up spills. These 2-ply gray pads are perfed and tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments. 100/Bale.

662706-22002	151.20	CA	1	15 X 19	28 gal/bale
--------------	--------	----	---	---------	-------------

F. Brady BattleMat™ Heavy Roll

BattleMat™ is as tough as it looks, featuring an industrial camouflage and a heavy duty approach to cleaning up spills. These 2-ply gray rolls are double-perfed and tough enough to take whatever you dish out. Ideal as walk-on mats or single use absorbents in manufacturing plants and similar environments. 2-ply, gray, camouflage rolls. Perfed every 1.5" and up the center. 1/Case.

662706-21145	142.69	CA	1	15 X 150FT	26 gal/bale
662706-21146	281.92	CA	1	30 X 150FT	52 gal/bale

Sorbents – Oil Only

G. Brady MAXX Enhanced ENV™ Pad

MAXX Enhanced ENV™ is an oil only sorbent that is equally as effective on land as on water. Repels water and floats indefinitely- even when saturated. 1-ply, white, economy, lightweight pads. For use with oil and petroleum based fluids. MAXX means greater performance without the extra weight. Double the coverage.

662706-16053	80.10	BA	1	15 X 19	51 gal/bale
--------------	-------	----	---	---------	-------------

H. Brady MAXX Enhanced ENV™ Roll

MAXX Enhanced ENV™ is an oil only sorbent that is equally as effective on land as on water. Repels water and floats indefinitely- even when saturated. 1-ply, white, economy, medium weight roll. For use with oil and petroleum based fluids. MAXX means greater performance without the extra weight.

662706-11036	117.26	BA	1	30 X 150FT	44 gal/bale
--------------	--------	----	---	------------	-------------



A



B



C



D



E



F

NEW ITEMS!



G



H

RS Hughes Part Price Per Case Description

I. Brady SPC™ Oil Only Sorbent Pad 15inx19in

Oil only pads for industrial or marine use. Made with MAXX® Technology for greater performance without the extra weight. Single-ply Oil Only Meltblown Polypropylene. Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications, and general industrial use. Floats indefinitely even when saturated with oil. Dimpled for added durability & reduced linting. Perforated to help you use only what you need. Packaged in a blue colored bag to streamline absorbent identification in your facility.

662706-12039 94.92 CA 1 100/cs 35Gal/Ca SPC100 Hvy Wt Pad

J. Brady SPC ENV Oil Only Sorbent Pads and Rolls

Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weigh less - which means lower disposal costs! Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water. Absorbs petroleum-based liquids and repels water. Economical single-ply construction. Floats indefinitely even when saturated with oil. The MXO1000 is perforated up the middle. All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility.

662706-12048 76.16 CA 1 15" x 19" 33Gal/Ca ENV100 Hvy Wt
662706-16049 62.83 CA 1 15" x 19" 24.5Gal/Ca ENV300 Lt Wt
662706-83243 49.37 CA 1 15"x19" 26Gal/Ca MXO1000 Lt Wt. PerF'd

Brady BASIC™ Oil Only Pads 15"x17"

Our value-priced oil only absorbent. Oil Only Meltblown Polypropylene. Absorbs petroleum-based liquids and repels water. Floats indefinitely even when saturated with oil. Economical single-ply construction. Perforated to help you reduce waste by using only what you need, dimpled for added durability and reduced linting. All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility.

J. 662706-89274 41.66 BL 1 Hwy. Wt. 20.5Gal/Ca BPO100 (100/cs)
K. 662706-89276 102.00 BL 1 Hwy. Wt. 38Gal/Roll BPO150 Perfd
J. 662706-89281 58.00 BL 1 Lt. Wt. 34Gal/Ca BPO200 (200/cs)
L. 662706-89275 33.00 BL 1 Lt. Wt. 17Gal/Ca BPO500 (100/cs)

M. Brady SPC High Visibility Safety & Chemical Mat


Specially designed chemical absorbent combines signage and absorbency in one unique product! Color-coded yellow for safety and easy separation of hazardous waste. Surfactant treatment does not react with aggressive fluids. Pads perforated every 7.5" and rolls perforated every 15".

662706-83245 122.00 CA 1 15" x 19" 22Gal/Ca CH100
662706-90119 137.73 CA 1 15" x 19" 28Gal/Ca CH200
662706-83247 215.00 EA 1 30" x 150' 40Gal/Ca CH30DP
662706-83248 131.00 BA 1 15" x 150' 30Gal/Ca CH15P
662706-90169 215.18 RL 1 30" x 300' 80Gal/Ca CH303

N. Brady SPC High Visibility Barrier-Backed Safety Mat

Brady SPC's High Visibility Barrier-Backed Safety Mat combines absorbency, durability and safety signage into one versatile product. Designed as an all-purpose absorbent for industrial applications, this mat is the perfect option for high-traffic walkways and foot paths. The barrier backing resists tearing and helps keep the mat in place while the bright color and printed message bring attention to areas where there is a high risk of slips, trips and falls. Multiple Functions: highly absorbent all-purpose mat, Non-skid, barrier-backed, 3-ply construction with spunbond, coverstock provides the ultimate durability, color-coded for safety and easy separation of hazardous waste, OO Product will not react with aggressive fluids.

662706-90221 279.00 CA 1 30" x 100' CHBB30
662706-90222 179.00 CA 1 15" x 100' CHBB15
662706-90223 162.00 CA 1 15" x 19" CHBB100





B

NEW ITEMS!



C



D



E

NEW ITEMS!



F



A

Special Sorbents

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady SPC SC-3000 Sorbent Cabinet

Fill your Sorbent Center with just about any SPC sorbent you need. Holds up to a 38 inch roll and full bales of product - no special refills required. Buy one and hang it on the wall or place it under your workbench. Buy two or three to make a custom sorbent cabinet. 50" W X 26" H X 21 1/2" D

662706-83157	382.64	CA	1	SC3000
--------------	--------	----	---	--------



B. Brady ALLWIK® SOCs (Socks)

ALLWIK® SOCS feature all-purpose poly-propylene, are wringable, incinerable, and suitable for most industrial applications.

662706-23103	88.87	CA	1	3 X 12FT 4/Case
662706-23104	142.69	CA	1	3 X 4FT 30/Case

C. Brady ALLWIK® Pillows

ALLWIK® Pillows feature a dark spunbond outer covering filled with gray polypropylene. Versatile - for use with all oil and water-based fluids. 16/Case

662706-23127	103.56	CA	1	18 X 18 28 gal/bale
--------------	--------	----	---	---------------------

D. Brady HAZWIK® Pillows

HAZWIK® Pillows feature a green spunbond outer covering (to indicate their use with hazardous materials) filled with green polypropylene. For use with chemical and hazardous fluids. 16/Case

662706-28208	111.09	CA	1	18 X 18 28 gal/bale
--------------	--------	----	---	---------------------

E. Brady Oil Only Pillows

Great for absorbing spills and leaking fluids in tight spaces. Oil Only Pillows feature a white spunbond outer covering filled with white polypropylene, are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells. For use with oil and petroleum based fluids. 16/Case

662706-18201	103.56	CA	1	17 X 19 28 gal/bale
--------------	--------	----	---	---------------------

F. Brady ALLWIK® Drip Pan

The ALLWIK® Drip Pan is durable and low-profile for use under leaky spigots and other problem areas. Single use unit. 24/Case

662706-28210	206.57	CA	1	10 X 10 24 gal/bale
--------------	--------	----	---	---------------------



G



H



I



J



K



L



M



N



O

Special Sorbents

RS Hughes Part	Price	Per	Case	Description
G. Brady SPC Drum Top Cover				
Pre-cut to fit 55-gallon drums with either one or two bungholes. Keeps drums, the floor and surrounding storage areas clean.				
662706-12106	111.46	CA	1	DT025, Oil Only
662706-22105	111.46	CA	1	DTA25, Allwik /Universal
H. Brady SPC BASIC™ Universal SOCs				
Economical absorbent SOC with a cellulose fill. Suitable for most non-aggressive fluids.				
662706-89835	47.25	CA	1	3" x 42" 40.5Gal/Ca BSC20 (20/cs)
662706-89834	82.38	CS	1	3" x 42" 81Gal/Ca BSC40 (40/cs)
I. BRADY SPC SLIKWIK® Universal SOCs				
Corn cob-filled SOC. Exceptional value for picking up of all non-aggressive liquids.				
662706-83101	103.93	CA	1	3" x 42" 20Gal/Ca SW46 (40/cs)
Brady SPC HAZWIK SOCs, Pillows and Booms				
These surfactant-treated polypropylene SOCs can be used on a wide range of chemicals, including hydrofluoric acid. They also are chemically inert, so they will not react with aggressive fluids.				
J. 662706-23206	103.31	CA	1	3"x12' 12Gal/Ca HAZ124
K. 662706-28205	103.31	CA	1	3"x4' 12Gal/Ca HAZ412
Brady SPC Oil Only SOCs				
Specialized for oil and other petroleum-based spills, Oil Only SOCs will not absorb water making them idea for outdoor use. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil based fluids.				
L. 662706-13201	84.06	CA	1	3" x 4' 12Gal/Ca OIL412 (12/cs)
M. 662706-13202	84.06	CA	1	3" x 8' 12Gal/Ca OIL806 (6/cs)
BRADY ENV® Marine Sorbent Booms - 4/CASE				
Premium Booms are lint free, easy to handle.				
N. 662706-14105	121.08	BA	1	5"x10" 32Gal/Ca ENV510
O. 662706-14063	155.40	BA	1	8"x10" 64Gal/Ca ENV810





NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change



A



B



C

Kits



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady SPC Economy Portable Spill Kit

The Economy Portable Spill Kit cCis "just right" for small spills of any material. This kit is the right price, the right size and the right value. Absorbs up to 5 gallons per kit. Kit dimensions: 20"Lx16"Wx4"H. Kit contains: (10) 15" x 19" pads, (2) 3" x 4" SOCs, (1) pair of nitrile gloves, (1) disposal bag, and an instruction sheet.

662706-89781	58.42	KT	1	Universal Kit, TAA Compliant	SKA-PP-TAA
662706-25240	55.30	KT	1	Universal Kit	SKA-PP
662706-15219	55.79	KT	1	Oil Only	4 gal/bale
662706-25245	61.84	KT	1	Hazwik®	4 gal/bale

B. Brady Attack Pac™ Portable Spill Kit

The Attack Pac™ Portable Spill Kit is an efficient, space saving, single use kit packed in puncture and UV resistant foil bag. Hang anywhere with the included grommet. Contents: (15) - 15" x 19" Pads, (3) - 3" x 4' SOCs, (1) - Pair Nitrile Gloves, (1) Disposal Bag, Goggles, Instruction Sheet. 4 kits per case.

662706-15202	355.61	CA	1	Oil Only	32 gal/bale
662706-25102	400.90	CA	1	Hazwik®	24 gal/bale

C. Brady SPC 2-Gallon Universal Spill Response Kit

Designed to be highly absorbent, durable and reduce waste. Ideal for small spills. Absorbs up to 4.5 gallons per kit. (9.75"Dx 10.5" H). Kit contains: (20) 7.5" x 10" pads, (1) pair of nitrile gloves, (1) disposal bag, (1) pair of goggles, and an instruction sheet.

662706-89897	39.38	EA	1	Universal Kit	SKA-SRP
--------------	-------	----	---	---------------	---------



D



E

Kits

RS Hughes Part Price Per Case Description

D. Brady SPC 6.5-Gallon Spill Bucket Kit

Fast and small response with easily accessible spill kit in a reusable bucket. Absorbs up to 10 gallons per kit. Kit dimensions: 14" Dia. X 18"H. Contents: 10 pads (15" x 19"), 3 SOC's (3" x 4'), 2 disposal bags, 1 pair nitrile gloves, 1 instruction sheet.

662706-25200	84.43	KT	1	Universal Kit	SKA-BKT
662706-15214	84.43	KT	1	Oil Only	9 gal/bale
662706-25103	88.13	KT	1	Hazwik®	9 gal/bale

E. Brady SPC 20-Gallon Lab Pack Spill Kit

UN approved water and chemical resistant polyethylene Lab Pack container with screw top lid for small to medium response of any material. Kit contains: (12) 15" x 19" pads, (3) 3" x 12' SOC's, (2) 18" x 18" pillows, (1) pair of nitrile gloves, (3) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-25204	294.88	KT	1	Universal Kit	SKA-20
662706-25203	354.50	KT	1	Chemical Kit	SKH-20
662706-15203	294.88	KT	1	Oil Only Kit	SKO-20

F. Brady SPC 30-Gallon Lab Pack Spill Kit

This is a 30-gallon spill kit that is ideal for small/medium spill responses. It is tough, secure and reusable with a screw-top. Kit contains: (25) 15" x 19" pads, (6) 3" x 12' SOC's, (6) 9" x 9" pillows, (1) pair of nitrile gloves, (3) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-89790	375.08	EA	1	Hazwik	SKH-30
662706-89788	318.81	EA	1	Allwik/Universal	SKA-30
662706-89789	318.81	EA	1	Oil Only	SKO-30

G. Brady SPC 55-Gallon Lab Pack Spill Kit

The 55 Gallon Drum can be easily opened and closed for a fast response to a medium sized spill of any material. Drum meets UN specifications. Kit contains: (50) 15" x 19" pads, (4) 3" x 12' SOC's, (8) 18" x 18" pillows, (1) pair of nitrile gloves, (5) disposal bags, (1) pair of goggles and an Emergency Response handbook.

662706-25206	592.72	KT	1	Hazwik	SKH-55
662706-25205	573.25	KT	1	Allwik/Universal	SKA-55
662706-15204	573.22	KT	1	Oil Only	SKO-55



F



G



Eagle Lab Packs

Model Numbers & Prices	1602 - 048441-60320 65.63	1655MB - 048441-00451 109.20
Style	Salvage Drum	Lab Pack
Closure Type	Metal Lever-Lock	Metal Lever-Lock
Inside Dimensions	Top: 19" Bottom: 16 1/4" Hgt: 26 3/8"	22 7/8" 19" 38 1/16"
Outside Dimensions	Top: 21 1/8" Bottom: 16 3/8" Hgt: 28 1/2"	23 3/4" 19 1/8" 39 1/8"
Maximum Capacity	396 lbs. 180 kg.	552 lbs. 250 kg.
Total Capacity	30 gal. 114 l.	57 gal. 213.89 l.
Maximum Container Size	16 gal.	30 gal.
Weight	18 lbs. 7.2 kg.	23.5 lbs. 10.7 kg.
Pallet Quantity	40	36
Truckload Quantity	1,000	864
UN/DOT Rating	1H2/X120/S 1H2/Y180/S	1H2/X200/S 1H2/Y250/S

Eagle Drums feature:

- Blow-molded HDPE construction
- Chemical & weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30° F to 130° F)
- Drop tested – max weight @ 0° F (48 hrs.)
- Approved for use with Packing Groups I, II and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except model 1656)
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested – three high at maximum weight capacity (24 hrs.)

Salvage Drums - for use with damaged or leaking containers of hazardous materials or used absorbent materials contaminated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test.

Overpacks - for use with larger non-damaged containers, cans and drums of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for – NO FREE LIQUIDS.

Regulatory Compliance:

Lab Packs/Open Head: DOT 49 CFR 173.12

Overpacks: DOT 49 CFR 173.25

Salvage Drums: DOT 49 CFR 173.3

Did you know?

Eagle poly drums are made seamlessly with blow-molded HDPE to help ensure a leakless environment.

Lab Packs/Open Head -

for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for – NO FREE LIQUIDS.



	1650 - 048441-60300 49.57	1600SL - 048441-00003 53.97	1661 - 048441-00028 212.43	1690 - 048441-60200 236.02
	Lab Pack	Lab Pack	Overpack	Overpack
	Screw-on lid	Screw-on lid	Screw-on lid	Screw-on lid
	19 ⁹ / ₈ " 16 ³ / ₄ " 20"	19 ⁹ / ₈ " 16 ³ / ₄ " 27"	27 ¹ / ₈ " 25 ⁵ / ₁₆ " 31 ¹ / ₄ "	27 ¹ / ₈ " 25 ⁹ / ₁₆ " 39"
	20 ³ / ₈ " 16 ³ / ₄ " 20 ³ / ₄ "	22 ¹ / ₂ " 16 ³ / ₈ " 28 ¹ / ₄ "	31" 26 ¹ / ₁₆ " 33 ³ / ₄ "	31" 26 ¹ / ₁₆ " 41 ¹ / ₄ "
	125 lbs. 57 kg.	396 lbs. 180 kg.	660 lbs. 300 kg.	660 lbs. 300 kg.
	20 gal. 76 l.	30 gal. 114 l.	65 gal. 247 l.	95 gal. 361 l.
	5 gal.	16 gal.	30 gal.	55 gal.
	13 lbs. 5.85 kg.	18 lbs. 6.3 kg.	45 lbs. 20.25 kg.	50 lbs. 22.5 kg.
	24	24	3	3
	528	720	180	180
	1H2/X57/S	1H2/X120/S 1H2/Y180/S	1H2/X300/S	1H2/X300/S

Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Salvage Drums pass 3-PSI pressure test



SCREW TOP



METAL LEVER-LOCK



Head to Toe Protection



WHEN PERFORMANCE MATTERS MOST™



A



B



C



D

Spill Decks – Rigid

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady Spill Deck



With their 21-gallon capacity, these low profile, two-drum spill decks are a cost effective means for containing potentially hazardous leaks in your drum storage and dispensing areas. Each modular deck has built in clips to easily and safely connect multiple decks to create a customized drum storage platform.

662706-83261	215.56	CA	1	26 X 52 X 6	21.2 gal/bale
--------------	--------	----	---	-------------	---------------

B. Brady Spill Pallet

Whether you are looking to comply with governmental secondary containment regulations or just want the security of knowing your facility is protected, SPC spill pallets offer ample capacity, even if an entire drum empties into the unit. Offer ample capacity for containing potentially hazardous leaks. Comply with secondary containment government regulations. Nestable to make better use of space. With 128 gallons of containment, this spill pallet has double the capacity of most four-drum spill pallets on the market!

662706-83255	335.36	CA	1	26 X 52 X 17	68.7 gal/bale
662706-83256	500.00	CA	1	52 X 52 X 17	128.9 gal/bale

C. Brady Spill Pallet Ramp

The spill pallet ramp makes it easier to move drums on and off pallet. Works well with both the two-drum and four drum spill pallets.

662706-83257	522.22	CA	1	32.5 X 70	
--------------	--------	----	---	-----------	--

D. Eagle 4 Drum Modular Platform - No Drain



Eagle's one piece 4 Drum Spill Containment Modular Platform is constructed of yellow high density polyethylene (HDPE) for excellent durability and chemical resistance. Features a sump capacity of 60.5 gallons, measures only 6.5" high and has black HDPE flat top grating which removes easily for cleaning. Forkliftable design (no drain). Platforms can be easily connected with built-in U Channels. Compatible with the Eagle Poly Pallet Ramp (Model 1689 in yellow and 1689B in black) for easier loading and unloading. Meets EPS 40 CFR 264.175 and is SPCC Compliant.

048441-60316	336.00	EA	1	4 Drum	1635	Yellow
--------------	--------	----	---	--------	------	--------



E



F



G

Spill Decks – Rigid



H



I

RS Hughes Part Price Per Case Description

Justrite EcoPolyBlend Spill Control Pallet

Keep workers safe from accidental slips indoors and avoid costly hazmat cleanup costs. EcoPolyBlend™ Black is 100% recycled polyethylene & Yellow is 35% recycled.

E. JUSTRITE 28634	393.33	EA	1	4 Drum	Yellow	28634
F. 28635	375.08	EA	1	4 Drum	Black	28635

G. Justrite EcoPolyBlend Spill Control Pallet W/Drain

Keep workers safe from accidental slips indoors and avoid costly hazmat cleanup costs. EcoPolyBlend™ Black is 100% recycled polyethylene & Yellow is 35% recycled.

697841-13262	429.07	EA	1	4 Drum	Yellow	28636
--------------	--------	----	---	--------	--------	-------



J

Justrite EcoPolyBlend Accumulation Center

Combine units to create your own customized spill-control system. EcoPolyBlend™ Black is 100% recycled polyethylene & Yellow is 45% recycled.

H. 697841-13265	131.11	EA	1	1 Drum	Yellow	28652
I. 28655	170.49	EA	1	2 Drum	Yellow	28655
J. 28657	306.89	EA	1	4 Drum	Black	28657

Justrite Dual Purpose Overpacking/Salvage Drum

Rugged yellow polyethylene is DOT/UN certified as a salvage drum to the highest "X" rating for packing of Groups I, II, III of solids up to 750-lb (340-kg). This dual purpose drum is DOT/UN approved for use as a salvage drum for dry hazardous materials, or as secondary containment for solids or liquids with a 95-gallon (360-liter) sump capacity. Durable 100% polyethylene construction is chemical and weather resistant to withstand the rigors of land, air, and sea transportation. Twist-on threaded lid makes closure safe and easy with no troublesome metal band needed. Simply use a forklift to relocate drums. Units nest when empty for compact storage.

K. 697841-05136	323.26	EA	1	95 Gallon Capacity	Yellow	28201
L. 697841-13447	317.26	EA	1	95 Gallon Capacity	Black	28203



K



L



Eagle Rigid Spill Decks feature:

- High-performance engineered plastic construction for excellent chemical resistance and impact durability for long life.
- Forklift pockets
- Removable flat top grating.
- Modular platforms easy to connect with built-in U-channel
- Most models available with and without drain



Eagle Spill Decks – Rigid

MODULAR SPILL PLATFORMS

	Yellow No Drain Price	1633 - 048441-00088 115.92	1632 - 048441-60314 210.40
	Yellow w/ Drain Price	1633D - 048441-00491 120.96	1632D - 048441-00494 218.40
	Black No Drain Price	1633B - 048441-00492 115.92	1632B - 048441-00495 210.40
Black w/ Drain Price	633BD - 048441-00493 120.96	1632BD - 048441-00496 218.40	
Common Name	1 Drum Modular Platform	2 Drum Modular Platform	
Dimensions	W D H 26 1/4" 26" 6 1/2"	26 1/4" 51 1/2" 6 1/2"	
Sump Capacity Drain Plug	12 gal.	30 gal.	
Weight	16 lbs.	32 lbs.	
Load Capacity	2,000 lbs.	5,000 lbs.	
Fork Pockets	No	Yes	
Compliance			
FOR VOLUMES LESS THAN THE CAPACITY LISTED ABOVE			
Use w/1689 Ramp	Yes	Yes	



Convenient Storage Center

SPILL CONTAINMENT PALLETS

			
1634 - 048441-60314 378.74	1635 - 048441-60316 336.00	1620ND - 048441-00473 319.20	1645ND - 048441-00469 396.48
—	1635D - 048441-00488 344.40	1620 - 048441-60101 321.06	1645 - 048441-60140 401.28
—	1635B - 048441-00489 336.00	1620BND - 048441-00475 319.20	1645BND - 048441-00471 396.48
—	1635BD - 048441-00490 344.40	1620B - 048441-00474 321.06	1645B - 048441-00470 401.28
4 Drum Modular Platform (2 Piece)	4 Drum Modular Platform	2 Drum Pallet	4 Drum Pallet
51½" 52½" 6½"	51½" 52½" 6½"	51" 26¼" 13¾"	51½" 51½" 8"
30 gal. per side	60.5 gal.	66 gal.	66 gal.
65 lbs.	65 lbs.	52 lbs.	67 lbs.
10,000 lbs.	10,000 lbs.	4,000 lbs.	8,000 lbs.
Yes	Yes	Yes	Yes
	 	 	 
Yes	Yes	No	Yes

ADD LOW COST SPILL PROTECTION TO YOUR WORKPLACE

Poly Pallet Ramps

Poly Ramp
45½"L x 32"W x 8"H
Weight: 32 lbs. – Capacity: 1,500 lbs.

For use with 1632, 1634,
1635, 1645, 1646, 1647,
1686, 1688, 1646RTC
and 1649



HDPE

100% Recyclable



R.S. HUGHES

Head to Toe Protection

Spill Control

Spill Decks and Berms – Flexible



Flexible Spill Decks & Berms

RS Hughes Part Price Per Case Description (W x D x H)

A. Eagle Quik-Deploy™ SpillNEST™

Eagle Quik-Deploy™ SpillNEST™ are a compact and affordable solution for fast response to leaks and drips. Features a 4" low profile sidewall and is available in size sizes. 100% Leak Tested before shipment and perfect for: Changing oil and fluids; Quick use under leaking vehicles; Protecting bottom surfaces while dispensing; Performing maintenance on an item with spill potential. Constructed of PVC Fabric and Made in the USA.

RS Hughes Part	Price	Per	Case	Description (W x D x H)
048441-00612	197.17	EA	1	2'x2'x4" Yellow T8001

B. Eagle Quik-Deploy™ Folding SpillNEST™

Eagle Quik-Deploy™ Folding SpillNEST™ is a compact and affordable solution for a fast response to leaks and drips. This product comes in 6 sizes and features a thinner 2" sidewall width, an extended 6" sidewall height that allows for up to 30% more spill capacity and a secure strap for easy folding and storage. Conveniently folds saving shipping and storage space. Constructed of high-quality PVC Fabric. Made in the USA.

048441-00613	259.60	EA	1	2'x2'x6" Yellow T8001FS
--------------	--------	----	---	-------------------------

C. Eagle Talon™ Spill Berm

Eagle Talon™ Spill Berm is a light weight, portable berm constructed of yellow, industrial vinyl-coated polyester. With unique snap-up supports to create a sturdy sidewall when open. Available in 7 sizes and Made in the USA.

048441-00631	859.92	EA	1	4'x4'x8" Black T8421
--------------	--------	----	---	----------------------

D. Justrite Pop-Up Pool

Economical emergency spill containment: simply unfold, shake from foam ring top, and place under leaking equipment. Use these space-saving and lightweight pools to contain spills from punctured saddle tanks, or leaking drums, hydraulic lines, pipes, and machinery. The durable vinyl fabric is 20% heavier than other models on the market, providing increased abrasion resistance and more reliable seam adhesions. Yellow color provides visibility and easy identification.

697841-15700	125.00	EA	1	20 GAL 28319
697841-15701	144.98	EA	1	66 GAL 28321
697841-15702	160.62	EA	1	100 GAL 28323
697841-15703	186.74	EA	1	150 GAL 28325



E. Justrite Mini-Berm Flex Tray

Safe and reliable for tabletop parts cleaning and fluid transfer operations involving petroleum products and acids, the Mini-Berm Flex Tray is made from a robust modified PVC-coated fabric. It features rigid corner supports and sturdy foam walls. Each berm comes with a 1-in NPT drain fitting. Simply attach hose and transfer fluids for disposal. Easy to fold and store; utility strap included. Helps comply with EPA for containment and spill prevention (SPCC).

697841-15718	222.11	EA	1	3' X 3' X 6" 28442, 30GAL
697841-15719	255.67	EA	1	4' X 4' X 6" 28444, 55GAL
697841-15720	294.65	EA	1	4' X 5' X 6" 28446, 70GAL
697841-15721	333.27	EA	1	5' X 6' X 6" 28448, 110GAL



A



B



C



D



E



F



Available in 2-in (51-mm) and 4-in (102mm) heights.



Roll-over sidewalls offer easy drum placement—foam walls quickly spring back for secure containment.



Folds up for easy storage.



G



RS Hughes Part Price Per Case Description (W x D x H)

Justrite Maintenance Spill Berm

Quickly contain minor spills and leaks during temporary storage of drums, machine parts, batteries, and equipment. Lightweight PVC coated fabric provides broad UV and chemical resistance. Compact and flexible spill containment deploys instantly in the shop or field. No assembly required—simply unfold and use. Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp. Walls quickly spring back into place with no memory loss.

F. 697841-15672	290.20	EA	1	2' X 2' X 4"	28400, 10GAL
F. 697841-15673	320.49	EA	1	2' X 4' X 4"	28402, 20GAL
F. 697841-15674	413.40	EA	1	2' X 8' X 4"	28404, 40GAL
F. 697841-15675	378.09	EA	1	4' X 4' X 4"	28406, 40GAL
F. 697841-15676	422.14	EA	1	4' X 6' X 4"	28408, 60GAL
F. 697841-15677	440.71	EA	1	4' X 8' X 4"	28410, 80GAL
F. 697841-15678	592.37	EA	1	6' X 6' X 4"	28412, 90GAL
G. 697841-15704	148.51	EA	1	2' X 2' X 2"	28414, 5GAL
G. 697841-15705	172.29	EA	1	2' X 4' X 2"	28416, 10GAL
G. 697841-15706	244.43	EA	1	4' X 4' X 2"	28418, 20GAL
G. 697841-15707	428.59	EA	1	4' X 8' X 2"	28421, 40GAL
G. 697841-15708	480.92	EA	1	6' X 6' X 2"	28422, 44GAL
G. 697841-15709	549.54	EA	1	10' X 11' X 2"	28424, 135GAL
G. 697841-15710	750.36	EA	1	10' X 18' X 2"	28426, 220GAL

H. Justrite Quickberm® Lite

Portable, versatile containment berm deploys quickly for emergency spill response. Leakproof, tough vinyl coated fabric provides broad UV and chemical resistance that withstands repeated usage. Reinforced inside supports reduce sagging and prevent tripping hazards that can be caused by outside supports. Lightweight berm folds down easily to a small size for storage in trucks, emergency vehicles, and spill kits. Add optional grates to help reduce contact with contaminated liquids by personnel or equipment. Helps comply with EPA for containment and spill prevention (SPCC).

697841-15736	524.61	EA	1	4' X 8' X 8"	28564, 159GAL
697841-15679	252.09	EA	1	4' X 4' X 8"	28556, 79GAL
697841-15680	386.76	EA	1	4' X 6' X 8"	28558, 119GAL
697841-15681	620.78	EA	1	8' X 8' X 8"	28566, 318GAL
697841-15682	825.13	EA	1	8' X 10' X 8"	28568, 398GAL



H



Spill Control

Spill Decks and Berms – Flexible

NO MINIMUM ORDER! 1-877-RSHUGHES
Pricing subject to change



RS Hughes Part Price Per Case Description (W x D x H)

A. Justrite Rigid-Lock QuickBerm® Plus

Heavy-duty construction provides long-term spill containment for vehicles, heavy equipment, tankers, and more. Superior protection and chemical resistance against the harshest of liquids, including petroleum, oils, greases, and most acids. Single-piece construction - patented Rigid-Lock wall-support system integral to berm provides unobstructed work space. Quick and easy setup - no assembly required. Durable modified PVC coated fabric withstands long-term UV exposure - great for outdoor use.

697841-15635	2,200.40	EA	1	8' X 10' X 12"	28500, 595GAL
697841-15636	3,160.33	EA	1	10' X 15' X 12"	28502, 1120GAL
697841-15637	5,407.47	EA	1	12' X 28' X 12"	28504, 2510GAL
697841-15638	8,780.93	EA	1	12' X 50' X 12"	28506, 4485GAL
697841-15639	7,918.63	EA	1	12' X 54' X 12"	28508, 4840GAL
697841-15640	8,807.44	EA	1	14' X 56' X 12"	28510, 5860GAL

B. Justrite Rigid-Lock QuickBerm®

Safe, drive-in spill containment for drums, IBC totes, and tanks. The Rigid-Lock QuickBerm® offers immediate, secure deployment and no-worry, spill-readiness. Single-piece construction - patented Rigid-Lock wall-support system integral to berm provides unobstructed work space. Quick and easy setup - no assembly required. Durable modified PVC coated fabric withstands long-term UV exposure - great for outdoor use.

697841-15641	702.31	EA	1	4' X 6' X 12"	28512, 175GAL
697841-15642	811.82	EA	1	4' X 8' X 12"	28514, 235GAL
697841-15643	966.80	EA	1	6' X 8' X 12"	28516, 355GAL
697841-15644	1,105.51	EA	1	8' X 8' X 12"	28518, 475GAL
697841-15645	1,557.78	EA	1	10' X 10' X 12"	28519, 745GAL
697841-15646	1,926.33	EA	1	12' X 12' X 12"	28522, 1075GAL
697841-15647	2,228.45	EA	1	12' X 16' X 12"	28524, 1435GAL
697841-15648	2,554.54	EA	1	12' X 20' X 12"	28526, 1795GAL
697841-15649	2,689.67	EA	1	16' X 16' X 12"	28528, 1910GAL
697841-15650	3,085.00	EA	1	16' X 20' X 12"	28530, 2390GAL
697841-15651	3,655.90	EA	1	20' X 20' X 12"	28532, 2990GAL

C. Justrite QuickBerm®


Portable, economical containment for drums, buckets, and leaky equipment. Helps you comply with EPA regulations. Dependable spill control for leak-prone containers and equipment. Sets up in mere minutes, great for efficiency and quick response under emergency spill conditions. Reinforced CriticalCorner™ design features wraparound diagonal welds for superior strength and fluid-tight reliability. Withstands a broad range of chemicals including petroleum and most acids. Durable enough for extended wear. High-visibility yellow inside supports alert against potential catch hazards inside while keeping exterior free from trip hazards.

697841-15652	633.94	EA	1	4' X 6' X 12"	28534, 175GAL
697841-15653	733.28	EA	1	4' X 8' X 12"	28536, 235GAL
697841-15654	895.17	EA	1	6' X 8' X 12"	28538, 355GAL
697841-15655	1,013.83	EA	1	8' X 8' X 12"	28539, 475GAL
697841-15656	1,406.57	EA	1	10' X 10' X 12"	28542, 745GAL
697841-15657	1,755.02	EA	1	12' X 12' X 12"	28544, 1075GAL
697841-15658	2,032.57	EA	1	12' X 16' X 12"	28546, 1435GAL
697841-15659	2,343.94	EA	1	12' X 20' X 12"	28548, 1795GAL
697841-15660	2,406.06	EA	1	16' X 16' X 12"	28550, 1910GAL
697841-15661	2,774.46	EA	1	16' X 20' X 12"	28552, 2390GAL
697841-15662	3,395.77	EA	1	20' X 20' X 12"	28554, 2990GAL



Justrite QuickBerm®/QuickBerm Plus

The difference between the QuickBerm® Plus and the standard Rigid-Lock QuickBerm® is the durability of the PVC-coated fabric. The Plus version is thicker and more durable for more frequent drive-in or -out applications. The standard QuickBerm® is better suited for infrequent drive-in or -out scenarios, pedestrian traffic, and for placing heavy materials within the working space.



RS Hughes Part Price Per Case Description (W x D x H)

D. Brady SPC Storm Drain Guard



Keeps oil, sediment, and other contaminants from entering the water system. Made from non-woven polypropylene, each drain guard will hold up to 40lbs of sediment. Flow rate is 500gpm and 700gpm bypass. Include four handling straps.

662706-89313	115.84	EA	1	36" x 48" x 18"
662706-89314	172.40	EA	1	36" x 48" x 18" With X-TEX Filter Strips
662706-89315	1,132.42	CA	1	36" x 48" x 18" 10Pack
662706-89316	1,597.92	CA	1	36" x 48" x 18" 10Pk X-TEX Filter Strips



E. Justrite Ceiling Leak Diverter

Diverters help provide a fast and economical way to protect your personnel, equipment, and inventory. Durable, puncture resistant, and watertight PVC-coated yellow fabric is designed to channel overhead pipe and ceiling leaks to containers or floor drains. Corners contain grommets for bungee or zip tie attachment. Constructed with cinched corners for quick and easy installation. Simply connect to a standard garden hose to drain water safely away. Flow rate of 3.3 gal/min (12.5 L/min).

697841-15690	67.53	EA	1	5' X 5'	28300
697841-15692	99.55	EA	1	7' X 7'	28304
697841-15694	152.94	EA	1	10' X 10'	28308
697841-15696	179.97	EA	1	12' X 12'	28312
697841-15698	275.29	EA	1	15' X 15'	28315
697841-15699	445.18	EA	1	20' X 20'	28318
697841-15691	208.17	EA	1	5' X 5'	28302 with Magnets
697841-15693	254.44	EA	1	7' X 7'	28306 with Magnets
697841-15695	369.75	EA	1	10' X 10'	28310 with Magnets
697841-15697	389.98	EA	1	12' X 12'	28314 with Magnets



F. Eagle DripNEST Leak Diverter



Eagle DripNEST™ Leak Diverters provide an instant drip diversion. Available in various sizes, this funnel style diverter will channel away liquids to minimize the risk injuries, property damage and contamination. Flow rate: 3 Gallons per minute. Includes a hose connector with cap for easy step-up. Made in the USA.

048441-00600	58.99	EA	1	3'x3'	Yellow	T8301
--------------	-------	----	---	-------	--------	-------

G. Justrite Water Filled Drain Cover

Deploy cover as a preventative measure to seal drains before washdowns, maintenance, or other cleanup tasks that may allow contaminants into nearby water systems. Features easy-open push plug for filling with standard water hose. Order a cover size that overlaps drain opening at least 6" on each edge. To prevent edges from losing contact with ground surface, do not fill over 5" in height. Long-lasting durable modified vinyl construction resists damage caused by UV rays. Helps comply with EPA for stormwater regulations.

697841-15732	99.67	EA	1	30" X 30"	28468
697841-15733	176.28	EA	1	42" X 42"	28470
697841-15734	244.24	EA	1	42" X 66"	28472
697841-15735	277.80	EA	1	58" X 58"	28474



H. Brady SPC Slikstopper

Seals drains tightly to prevent spills from spreading. Made from chemical resistant, flexible PVC. Resists water, oil and most aggressive fluids. Available in four sizes. Easy application and soap and water cleanup for re-use. 1/Case.

662706-89001	210.82	CA	1	18 X 18	PVC18
662706-89153	305.49	CA	1	24 X 24	PVC24
662706-89150	527.54	CA	1	36 X 36	PVC36
662706-89008	609.01	CA	1	42 X 42	PVC42



RS Hughes Part Price Per Case Description

I. Brady Spill Magnet™ Drain Seal, 12"

Spill Magnet Drain Seals are back with a strong magnet to tightly seal drains. Resists water, oil, and most aggressive fluids. Easy application; soap and water cleanup for re-use.

754473-96229	19.88	EA	1	Black on Yellow
--------------	-------	----	---	-----------------

Facilities Safety

In this section:

Fire Extinguishers.....	308
Lockout/Tagout.....	309-313
Facility Marking - Portable Printers Labels, Ribbons.....	314-323
Facility Marking - Portable Printers Labels, Ribbons.....	324-331
Facility Marking - Custom Signs.....	332-335
Facility Marking - GHS Labeling.....	336-337
Facility Marking - Floor Tape.....	338-340
Floor Matting.....	341-345
Flashlights.....	346-352
Emergency Portable Chargers.....	353
Batteries.....	354-355
Cutting Tools and Safety Cutters.....	356-361
Tool Lanyards.....	362
Storage Bins and Organizers.....	363-369
Storage Cases.....	369
Janitorial Supplies.....	370-378



Fire Extinguishers



A



B



C

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady Standard V Fire Sign

White on Red fire sign with picto.

754476-49377	15.80	EA	1	Acrylic, 6" H x 8" W x 4" D
754476-45368	23.49	EA	1	Polystyrene, 5 1/2" H x 10" W x 4" D



B. Brady Fire Safety Label - Fire Extinguisher Inside

White on Red self sticking polyester fire sign. 5" H x 14" W

754476-85269	8.66	EA	1	
--------------	------	----	---	--

C. Brady Fire Safety Label - Fire Extinguisher

White on Red self sticking polyester fire sign. 14" H x 10" W

754476-86091	12.35	EA	1	
--------------	-------	----	---	--

D. Brady LOFEG1G Glow-in-the-Dark Standard L Fire Sign

Red on White silk screened fire sign with picto. 8" H x 8" W

754476-45462	29.06	EA	1	
--------------	-------	----	---	--

E. Brady Fire Safety Sign - Fire Extinguisher

Red on White fire sign. 14" H x 3 1/2" W.

754476-85261	6.87	EA	1	Self-Sticking Polyester
754476-47039	13.29	EA	1	Premium Fiberglass

F. Brady SP184L Tall L Fire Sign

Red on White acrylic fire sign. 18" H x 4 1/2" W

754476-46908	20.39	EA	1	
--------------	-------	----	---	--

G. Brady SP818V Tall V Fire Sign

Red on White acrylic fire sign. 18" H x 8 1/2" W x 3 1/4" D

754476-47173	24.99	EA	1	
--------------	-------	----	---	--

Kidde Pro Line™ Multi-Purpose Pro Line™ ABC Fire Extinguishers

Pro Line™ extinguishers, from Kidde, are designed to meet most commercial and industrial applications. Their seamless aluminum cylinders feature chip-resistant paint, while their handles and levers are made from heavy-gauge metal for added strength. These dry chemical extinguishers use a non-toxic monoammonium phosphate agent that effectively fights A, B, and C class fires.

H. 466227K	46.80	EA	1	2.5 LB with Wall Hook
H. 46622701K	51.50	EA	1	2.5 LB with Vehicle Brackets
I. 466142K	30.33	EA	1	2.5 LB with Nylon Strap Bracket
J. 466112K	60.17	EA	1	5LB with Wall Hook
J. 46611201K	69.80	EA	1	5LB with Vehicle Brackets
K. 21006204K	53.08	EA	1	5LB SINGLE USE with Wall Hook
L. 466204K	80.68	EA	1	10LB with Wall Hook
M. 466206K	147.82	EA	1	20LB with Wall Hook





RS Hughes Part Price Per Case Description

N. Brady Personal Lockout Kit with Padlocks

Our personal padlock pouch gives each worker the locks, tags and hasps they'll need for their next lockout situation. Kit components include: 2-Brady Safety Padlocks, 2-Heavy Duty Lockout Tags (66520), 1-1" Lockout Hasp (65375), 1-1.5" Lockout Hasp (65276).

754476-99290 80.99 KT 1



O. Brady 3003Y Prinzing Economy Lockout Center

Filled Lockout Station, Color Coded Lock Board, 14"H x 14"W x 1-3/8"D, Material Acrylic, Yellow, Number of Pockets 1, Pocket Depth 1-1/2 In., Max. Number of Padlocks 6, Lock Type Steel, Number of Components 28, OSHA 1910.147 Standards, Includes (6) Multicolor Keyed Differently Padlocks, (1) 1 In. Steel Jaw Dia. Hasp, (1) 1-1/2 In. Steel Jaw Dia. Hasp, (10) Tags, (10) Ties.

754473-43799 151.99 EA 1

P. Brady LKX Prinzing Economy Lockout Kit

Our economy lockout kit provides 9 components to ensure equipment is either de-energized or locked out in accordance with OSHA regulation 1910.47. Kit components include: 3-1 1/2" Steel Lockout Hasps (T220), 3-Blue Prinzing Padlocks (LC041-BU), 14-2 Padlock Identifier Stickers (LID-2), 1-10 Pack Lockout Tags With Ties (LT-10), 3-Single Pole Breaker Lockouts (BL01), 2-Multi-Pole Breaker Lockouts (BL03), 1-Large Plug Lockout (PLO23), 1-Lockout Training Booklet (2112X) and 1-Rugged Polyethylene Carrying Case (7"H x 12"W x 5"D).

754476-45618 128.49 KT 1

Q. Brady LKXD Prinzing Deluxe Lockout Kit

754476-45626 281.99 EA 1

R. Brady LC203G Prinzing Lockout Station, Equipped

754473-45519 139.49 EA 1

S. Brady LC251M Prinzing Industrial Strength Lockout Station

This industrial strength lockout station includes a lockable, all metal, yellow powder-coated cabinet with one adjustable shelf. Lockout safety tips are conveniently located inside of door for frequent reminders of proper lockout procedures. Can be wall mounted or easily transported. Station size is 16"H x 14"W x 6"D. Kit components include: 3-Red padlocks (LC041-RD), 3 Yellow padlocks (LC041-YW), 1-Safetee™ Donut 1"-2 1/2" (SD02), 1-Safetee™ Donut 2 1/2" - 5" (SD04), 1-Single pole breaker lockout (BL01), 1-Package of 10 Lockout tags with ties (LT10), 2-Multi-pole breaker lockouts (BL03), 1- 1" Multiple lockout device (T218), 1-Single pole breaker lockout (BL04), 1- 1 1/2" Multiple lockout device (T220), 1-Large plug lockout (PLO23) and 1-Small plug lockout (PLO21).

754476-45532 444.99 EA 1

T. Brady LC252M Prinzing Metal Lockout Cabinet

This new Prinzing metal lockout cabinet is yellow powder-coated and comes with one adjustable shelf (extra shelves can be ordered using part number LC254M). Lockout cabinet is capable of being locked closed and can easily be wall mounted using predrilled holes in back. Lockout safety tips are printed inside cabinet door. Product dimensions are 16"H x 14"W x 6"D. Cabinet is part of our Industrial Strength Lockout Station Kit (LC251M).

754476-45533 204.49 EA 1



Five Steps to Lockout Tagout Compliance OSHA 1910.147(C)

A successful Lockout / Tagout (LOTO) program starts with a solid foundation and a written plan. After that, proactive training and employee awareness programs will ensure a safer workplace for everyone. Brady has broken down the process for LOTO OSHA compliance into five easy steps, each with their own effective elements that add up to total workplace safety.

Step 1: Develop and document a Written Lockout / Tagout Program

Step 2: Equipment-Specific Graphical Lockout Procedures

Step 3: Energy Control Point Identification

Step 4: Lockout/Tagout Employee Training and Communication

Step 5: Proper Lockout Tools and Warning Devices

Download the 5 steps to Lockout/Tagout Whitepaper to get a more detailed description of each step. http://www.bradyid.com/bradyid/downloads/downloadsPageView.do?file=LOTO_5stepsWhitePaper.pdf

Lockout/Tag Out



RS Hughes Part Price Per Case Description

A. Brady Lock Box

Portable metal lock box can hold 13 padlocks. Lock boxes require fewer locks and are lighter than hasps on delicate energy isolating devices like circuit breakers. Made of heavy-duty steel and is powder coated for extra rust resistance.

754476-65699 95.49 EA 1

B. Economy Aluminum Hasps, 1" Jaws

Non-sparking, aluminum small hasps are a great addition to your tool box. Hasps are very lightweight - only 1 1/2 ounces. With 5/8" holes for up to 6 padlocks with a maximum of 3/8" shackle diameter.

754476-03777 8.79 EA 1

754476-03778 10.06 EA 1

C. Brady Lockout Hasp

The answer to your safety concerns during group lockout situations. Hasps are constructed of vinyl-coated high tensile steel and are plated to resist rust. Lock holes are 3/8" diameter to accommodate most standard lock shackles. 12/Pack

754476-65375 8.79 EA 12 1" Diameter

754476-65376 10.46 EA 12 1.5" Diameter

D. Brady Labeled Group Lockout Hasps

Brady's Labeled Lockout Hasps combine the advantages of lockout tags and safety hasps in a single convenient product. These tough, aluminum hasps accommodate group lockouts as up to 6 workers can apply their individual locks. The permanent front- and back-side labels feature the bold DANGER DO NOT OPERATE message for equipment lockout. These labels have a write-on surface that accepts pen, pencil or permanent marker. Pen and pencil markings are erasable allowing for repeated use. Lock holes accommodate standard 1/4" and 9/32" shackle diameters. 5/Pack

754476-65961 85.49 PH 1 Silver

754476-65964 85.49 PH 1 Gold

754476-65970 85.49 PH 1 Red

754476-65971 85.49 PH 1 Silver

754476-65972 85.49 PH 1 Blue

754476-65973 85.49 PH 1 Green

754476-65974 85.49 PH 1 Gold

E. Brady Labeled Group Lockout Hasps - Mixed Colors

Combine the advantages of lockout tags and safety hasps in a single convenient product. These tough, aluminum hasps accommodate group lockouts as up to 6 workers can apply their individual locks. The permanent front- and back-side labels feature the bold DANGER DO NOT OPERATE message for equipment lockout. These labels have a write-on surface that accepts pen, pencil or permanent marker. Pen and pencil markings are erasable allowing for repeated use. Lock holes accommodate standard 1/4" and 9/32" shackle diameters. 5/Pack in a combination of colors (1) each: Red, Silver, Blue, Green, Gold.


754476-65967 85.49 PH 1

F. Brady Stoppower™ Plug Lockout

Device is simple to use - just slide over cord prongs and lock with key. Cord cannot be plugged in with Stoppower™ in place. Device cannot be removed without a key.

754473-16617 20.79 EA 1 Keyed Alike Red

754476-65673 21.66 EA 1 Red



A



B



D



C



E



F

RS Hughes Part Price Per Case Description

G. Brady Adjustable Gate Valve Lockout

Versatile lockout adjusts to fit 1" to 6 1/2" valve handles, replacing 3 conventional gate valve lockouts. Durable polypropylene is resistant to temperature changes from -13F to 194F. Comes with danger labels in English, Spanish and French.

754476-64057 36.96 EA 1 64057

H. Brady Standard Ball Valve Lockouts

Easy to use, single piece design locks quarter-turn ball valves in OFF position. Two sizes fit most valves up to 3 inches. 65666 is made of super-tough nylon (service temp -40 to 248F). 65692, 65669 and 65693 are made of powder-coated steel.

754476-65666 26.59 EA 1 65666
754476-65669 43.71 EA 1 65669
754476-65692 30.08 EA 1 65692
754476-65693 44.18 EA 1 65693

I. Brady Small Prinzing Ball Valve Lockout

Patented design and ultra-tuff polypropylene makes these ball valve lockouts the best your money can buy. Small lockout locks out pipes 1/2" to 2 1/2" in diameter. The small lockout can also be used to lock valves OPEN on pipes from 1/2" to 1 1/4" in diameter.

754476-45341 28.52 EA 1 Red
754476-45342 28.52 EA 1 Blue
754476-45343 28.52 EA 1 Green
754476-45344 28.52 EA 1 Yellow

J. Brady Large Prinzing Ball Valve Lockout

Patented design and ultra-tuff polypropylene makes these ball valve lockouts the best your money can buy. Large lockout locks out pipes 2" to 8" in diameter.

754476-45345 57.05 EA 1 Red
754476-45346 57.05 EA 1 Blue
754476-45347 57.05 EA 1 Green
754476-45348 57.05 EA 1 Yellow

K. Brady Circuit Breaker Lockout

Clamp-on 120/277 volt breaker lockouts are easy to install using patented thumbscrew design. Simply tighten lockout securely onto switch tongue, pull cover over thumbscrew and lock cover to prevent clamp from being loosened. 6/pack.

754476-65965 60.08 PH 1

L. Brady 120V Snap-On Circuit Breaker Lockout

Designed for 120V circuit breakers that have holes in the switch tongue, our snap-on breaker lockout is a "snap" to install! Dual cavities accommodate different size switch tongues and device accepts lock shackles up to 9/32" in diameter. Dimensions are 0.83"H x 0.35"W x 2.15"L.

754476-65387 5.44 EA 1 1/Pack Red
754476-65688 29.40 PH 1 6/Pack Red

M. Brady Clamp-On Breaker Lockout

Easy to install using patented thumbscrew design - no screwdrivers needed! Simply tighten lockout securely onto switch tongue, pull cover over thumbscrew and lock cover to prevent clamp from being loosened. Accepts lock shackles up to 9/32" in diameter. Made of rugged polypropylene and impact modified nylon. Cleats are included for use with breakers with long, sliding switch throws.

754476-65396 10.94 EA 1 1/Each 120/277V Red
754476-65397 12.28 EA 1 1/Each 480/600V Red
754476-65965 60.08 PH 1 6/Pack 120/277V Red
754476-65966 66.32 PH 1 6/Pack 480/600V Red



N. Brady EZ Panel Loc™ Clamp-On Breaker Lockouts

For use on breakers that do not have a hole in the switch tongue. Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumbwheel from being loosened.

754476-65810 137.23 KT 1 Red

O. Brady Universal Multi-Pole Breaker Lockout

Made of durable impact-modified nylon and is compatible with most two or three pole breakers with a tie-bar such as GE ITE, Sylvania, Challenger, Bryant, Westinghouse and General Switch Company. Simply tighten thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened.

754476-66320 60.08 PH 1 6/Pack Red
754476-66321 10.94 EA 1 Red



A

B

C

D

E



RS Hughes Part Price Per Case Description

Brady Lockout Tag - DO NOT OPERATE

Tags exceed OSHA's 50 lb pull requirement for tagout devices. Rigid polyester surface is easy to write on and stays legible longer than cardstock. 3/8" diameter brass eyelet accepts most padlock shackles. Includes 25 tags and nylon fasteners.

A. 754476-65502	70.49	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W
A. 754476-66050	42.24	PH	1	Economy Polyester	5 3/4" H X 3"W
B. 754476-65525	70.49	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W
B. 754476-66064	42.24	PH	1	Economy Polyester	5 1/2" H X 3"W
C. 754476-65520	70.49	PH	1	Hvy Duty Polyester	5 1/2" H X 3"W

Brady Cable & Chain Lockouts

Revolutionary mini cable lockout with 8' nylon cable is perfect for use on disconnect switches, small gate valves, etc. Made of impact modified steel for superior chemical, corrosion and temperature resistance properties. Push-button self-winding mechanism.

D. 754476-50940	45.49	EA	1	Steel Cable
D. 754476-51442	45.49	EA	1	Nylon Cable

Brady's original, patented cable lockout device with 6' cable is perfect for difficult lockout situations such as large gate valves or oversized devices. Simply squeeze device to tighten cable, insert your padlock to secure the handle and you're done!

E. 754476-65318	47.49	EA	1
------------------------	-------	----	---

F. Brady Padlock Center

A successful lockout program begins with the right devices stored in the right places and our lockout station boards are the perfect solution to get you started. 5-Lock Board: Wall-mounted station with 5 safety padlocks, 2 hasps and 12 tags. Boards are made of 3/16" thick bright yellow acrylic with acrylic lock rails.

754476-51181	225.49	EA	1
--------------	--------	----	---



G. Brady 16 MM Push Button Lockout Device with Standard Cover

Universal fit for IEC and NEMA buttons. Devices are removable and transparent red cover allows view of button position. The hinged eyelet accepts safety locks. Each base supplied with one yellow and one red label.

754473-91306	25.99	EA	1	Red
--------------	-------	----	---	-----

H. Brady Long Body Safety Pad Locks

Lightweight, nonconductive and non-sparking body. 3inch long body. Special 6-pin cylinder resists tampering. Fiberglass reinforced nylon body and triple-coated hardened steel shackle. Each padlock includes 1 key and one each English/Spanish and English/French "DO NOT OPERATE" labels. Lock body dimensions: 3"H X 1 1/2" W X 4/5" D.

754473-72177	16.92	EA	1	Red	123405
754473-72178	16.92	EA	1	Blue	123406
754473-72179	16.92	EA	1	Green	123407
754473-72180	16.92	EA	1	Yellow	123408
754473-72181	16.92	EA	1	Orange	123409
754473-72182	16.92	EA	1	Black	123410

I. Brady Key Retaining Steel Padlocks, 2in Shackle

Key retaining, reinforced laminated steel padlock with 2" shackle clearance. Keyed different, includes one key.

754473-20810	16.52	EA	1	Black
754473-20812	16.52	EA	1	Blue
754473-20814	16.52	EA	1	Green
754473-20816	16.52	EA	1	Red
754473-20818	16.52	EA	1	White
754473-20820	16.52	EA	1	Yellow



F



G

H



I

RS Hughes Part Price Per Case Description

J. Brady Safety Padlocks, 1 1/2" Shackle

The ultimate locks for all of your safety and security needs! Unique cylinder is insulated to protect workers from shocks when key is inserted and is 6-pin precision-machined for more unique key cuts and better tamper resistance. Reserved, paracentric keyway provides optimal security and the special design prohibits the key from being released until the padlock shackle is closed. Locks are compact and lightweight and resist impact, temperature, chemicals and corrosion. Their nonconductive, nonsparking body features a ribbed design for easier gripping and handling. Shackle clearance is 1 1/2", shackle diameter is 1/4". Lock body measures 1 3/4"H x 1 1/2"W x 4/5"D. Locks come standard with English, French and Spanish language labels. Padlocks are available keyed different. Custom keying and charting is available.

754476-99552	14.65	EA	1	Red
754476-99556	14.65	EA	1	Blue
754476-99564	14.65	EA	1	Green
754476-99570	14.65	EA	1	Yellow
754476-99576	14.65	EA	1	Orange
754476-99580	14.65	EA	1	Black
754476-51339	86.16	PK	6	Red, Bulk
754476-51344	86.16	PK	6	Blue, Bulk
754476-51345	86.16	PK	6	Green, Bulk
754476-51346	86.16	PK	6	Yellow, Bulk
754476-51347	86.16	PK	6	Orange, Bulk
754476-51353	86.16	PK	6	Black, Bulk
754473-66184	47.55	PK	1	3/Pack Brown
754473-66185	95.11	PK	1	6/Pack Brown
754473-66186	47.55	PK	1	3/Pack White
754473-66187	95.11	PK	1	6/Pack White
754473-66188	47.55	PK	1	3/Pack Purple
754473-66189	95.11	PK	1	6/Pack Purple
754473-72021	47.55	PK	1	3/Pack Orange
754473-72025	95.11	PK	1	6/Pack Orange
754473-72026	95.11	PK	1	6/Pack Black
754476-03431	47.55	EA	1	3/Pack Red
754476-03432	47.55	EA	1	3/Pack Blue
754476-03433	47.55	EA	1	3/Pack Yellow
754476-03434	47.55	EA	1	3/Pack Green
754476-03435	95.11	EA	1	6/Pack Red
754476-03436	95.11	EA	1	6/Pack Blue
754476-03437	95.11	EA	1	6/Pack Yellow
754476-03438	95.11	EA	1	6/Pack Green

K. Brady Steel Padlock, 3/4" Shackle

Made from reinforced laminated steel to withstand severe physical abuse and come with a hardened steel shackle making them extremely difficult to cut. Body plates are individually coated for superior rust protection. 5-pin cylinder offers more unique key cuts and better tamper resistance than conventional 4-pin locks. Lock body size is 1 1/3"H x 1 9/16"W x 7/8"D. Colored bumpers can be used for identification and protection and custom stamping is available. Padlocks are available keyed different. Custom keying and charting is available. Lock labels sold separately. 6 locks per package.

754476-51279	76.28	PK	6	Red
754476-51280	76.28	PK	6	Blue
754476-51281	76.28	PK	6	Green
754476-51282	76.28	PK	6	Yellow
754476-51283	76.28	PK	6	Orange
754476-51284	76.28	PK	6	Black



L. Brady Nylon Shackle 1 1/2" Safety Locks

Brady's safety padlock has a 1.5" nylon shackle. This padlock has a non-conductive, spark resistant lock body, this compact, lightweight padlocks offers a unique patented keyway which breaks any current traveling from the padlock shackle to the cylinder.

754473-72098	49.99	PK	1	3/Pack	Keyed Alike	Red
754473-72099	49.99	PK	1	3/Pack	Keyed Alike	Blue
754473-72100	49.99	PK	1	3/Pack	Keyed Alike	Green
754473-72101	49.99	PK	1	3/Pack	Keyed Alike	Yellow
754473-72102	49.99	PK	1	3/Pack	Keyed Alike	Orange
754473-72103	49.99	PK	1	3/Pack	Keyed Alike	Black
754473-72104	49.99	PK	1	3/Pack	Keyed Alike	Brown
754473-72105	49.99	PK	1	3/Pack	Keyed Alike	Purple
754473-72106	49.99	PK	1	3/Pack	Keyed Alike	White
754473-72107	99.99	PK	1	6/Pack	Keyed Alike	Red
754473-72108	99.99	PK	1	6/Pack	Keyed Alike	Blue
754473-72109	99.99	PK	1	6/Pack	Keyed Alike	Green
754473-72110	99.99	PK	1	6/Pack	Keyed Alike	Yellow
754473-72111	99.99	PK	1	6/Pack	Keyed Alike	Orange
754473-72112	99.99	PK	1	6/Pack	Keyed Alike	Black
754473-72113	99.99	PK	1	6/Pack	Keyed Alike	Brown
754473-72114	99.99	PK	1	6/Pack	Keyed Alike	Purple
754473-72115	99.99	PK	1	6/Pack	Keyed Alike	White
754473-72116	90.49	PK	1	6/Pack	Keyed Different	Red
754473-72117	90.49	PK	1	6/Pack	Keyed Different	Blue
754473-72119	90.49	PK	1	6/Pack	Keyed Different	Green
754473-72120	90.49	PK	1	6/Pack	Keyed Different	Yellow
754473-72121	90.49	PK	1	6/Pack	Keyed Different	Orange
754473-72122	90.49	PK	1	6/Pack	Keyed Different	Black
754473-72123	90.49	PK	1	6/Pack	Keyed Different	Brown
754473-72124	90.49	PK	1	6/Pack	Keyed Different	Purple
754473-72125	90.49	PK	1	6/Pack	Keyed Different	White

Brady Family of Facility Marking Printers

General Industrial Label Printers



Equipment & Facility ID



Safety & Facility Signs



Pipe and Valve Marking



RTK Container Labels



PM Inspection Labels



5S / Lean Labeling

Electrical / Telecomm Label Printers



Self-Laminating Wire Markers



Heat-Shrink Wire Markers



Terminal Block Labels



Patch Panel Labels



Outlet / Faceplate ID



Control Panel Labels

Portable Label Printers



Stock Labeling



Wire & Cable Markers



Electrical ID



Equipment ID



Warning Labels

And other small-format labeling for general industrial, electrical and datacomm applications

Printer Cartridges

Hassle-Free Cartridges

Ribbon and label materials in ONE cartridge!

- Install or remove ribbon and material in one easy step
- No need to worry about having the right ribbon for your materials
- Ribbon and material runs out at the same time (less waste!)

Easy-to-load cartridges with "No Jam" technology.

- Top-loading cartridge that snaps into place (you can't load it wrong!)
- Easy access to cartridge for quick changes
- Locking mechanism prevents labels from retracting into cartridge



Label Materials Described in this Catalog

B-422 – Polyester Labels: White label stock with glossy finish and 2 mils of adhesive for rough surface applications. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, punch block & patch panel labels and asset and inventory tracking. Agency approvals – UL, CSA, RoHS.

B-427 – Self-Laminating Vinyl Labels: Brady's most popular wire and cable marker. Self-laminating vinyl features white printable area with a clear "tail" that wraps around marker. Tail serves as overlaminates to protect the print. Superior resistance to abrasion, solvents, water, oil and dirt. Agency approvals – UL, RoHS.

B-428 – Metalized Polyester Labels: Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish. Thermal transfer printable metalized polyester with matte finish. Agency approvals – UL, CSA, AGA, RoHS.

B-483 – Ultra Aggressive Adhesive Polyester Labels: White polyester thermal transfer label with glossy finish and aggressive adhesive. Specifically designed for powder coated and low surface energy application. Agency approvals – UL, CSA, RoHS.

B-595 – Indoor/Outdoor Vinyl Tape: Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces.) Also adheres to difficult low-surface energy items (PVC piping, blow-molded equipment cases, ABS plastics, recycled plastics.) Agency approvals – RoHS.

Benchtop Printer Comparison Guide

Use the following comparison guide to quickly see which benchtop printer best fits your application needs. Then turn to the following pages to find out more about the printer, compatible materials and ribbons.



BBP[®] 31 Sign & Label Printer



BBP[®] 33 Label Printer

Printer Specifications

Description	Ultimate facility, safety and lean printer for walk-up-and-print ease of use and ease of label changeovers. Best choice for multi-user, "Lean event" labeling situations, and centrally located print areas because of its "approachable" interface and is extremely easy to use.	The first PC-connect Only Facility & Safety printer with no calibration set-up, no label waste and 20-second supply changeovers. Revolutionary ease of use makes it ideal for training multiple users and saving wasted time and wasted label cost.
Applications & Comments	Facility & safety ID, signs, pipe markers, lean/SS, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling.	Facility & safety ID, electrical, laboratory and electronics ID, signs, pipe markers, lean/SS, arc flash labels, GHS & chemical labels, equipment labels, panel & pushbutton labels, reflective & glow-in-the-dark labels, tagging, magnetic and cold-temp labeling, wire labels & sleeves, metallized, polyimide & static dissipative labeling.
Label Material Types	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, magnetic, engraved plate substitute and 8 other materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus, wash down material, reflective, 10-hour glow-in-the-dark, engraved plate substitute, 32 other materials
Types of Labels Available	some general die cut labels	Continuous material, pre-printed die cut, general die cut, wire labels & sleeves
Print Technology	Thermal Transfer	Thermal Transfer
Print Resolution	300 dpi	300 dpi
Max Print Width	4.000"	4.000"
Media Widths	0.500" to 4.250"	0.500" to 4.250"
Minimum Label Dimension	0.500"	0.250"
Color Printing Capabilities	Single print color on a label (some pre-printed multicolor supplies also available)	Single print color on a label (some pre-printed multicolor supplies also available)
Auto Cut-off	Yes	Yes
X-Y Plotter Cutting (cutting out shapes & text)	No	No
PC Connect or Stand Alone Operation	PC Connect and Stand Alone	PC Connect only
Ribbon & label roll installation	Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover	Labels: Supplied in cartridge, drops into place, 15 sec changeover Ribbon: Supplied in cartridge, snaps into place, 5 sec changeover
Calibration Required?	No (no waste)	No (no waste)
Label creation & set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)	Automatic (PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Connectivity Options	Optional: WiFi, WiFi Direct	Standard: USB, Ethernet Optional: WiFi, WiFi Direct
Compatible Software	Brady Workstation Apps, MarkWare™ Software, Windows® based driver for 3rd party software use*	Brady Workstation Apps, MarkWare™ Software, Labelmark™ Software, Codesoft™ Software, Windows® based driver for 3rd party software use*
Warranty	5 years	5 years



Portable Printer Comparison Guide



BMP[®]51 Label Printer
See page 300



BMP[®]71 Label Printer
See page 324

Printer Specifications	BMP [®] 51 Label Printer	BMP [®] 71 Label Printer
Max Labels Per Day	Average 500 labels/day	Average 1000 labels/day
Print Resolution	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer
Print Speed	25.4mm/sec (1/sec)	38mm/sec (1.5"/sec)
 Tape Widths (inches)	Various sizes from 0.235" to 1.50"	Various sizes from 0.235" to 2.00"
 Tape Widths (mm)	Various sizes from 6.4 mm to 38.1 mm	Various sizes from 6.4 to 50.8 mm
Max Label Width	1.50" (38.1mm)	2.00" (50.8mm)
Max Print Width	1.44" (36.6 mm)	1.92" (48.76 mm)
Memory	48 MB / Up to 25,000 Labels	200 MB
Materials Supported	M-, MC-, MC1- Series Cartridges (all sizes) 140+ Stock Parts	M71-, BM71-, BFTL- Series 450+ stock parts, plus TLS parts with adaptor
Continuous vs Die Cut Labels	Continuous and die cut labels	Continuous and die cut labels
Connectivity Options	Yes	Yes
PC Connectivity	USB, WiFi, LAN	USB
Software Compatibility	LabelMark [®] / Codesoft™ Software	® / Codesoft™ Software
Data Transfer from PC to printer	Yes, with Labelmark [®] Software	Yes - with Labelmark [®] Software
Wireless Connectivity	Yes	No
Stand Alone Printing	Yes	Yes
Color Capability	Single print color on a label	Single print color on a label
Keyboard	QWERTY	QWERTY, AZERTY, QWERTZ, CYRILLIC
Backlit Screen	2.7" x 1.7", backlit	3.5", backlit
Text Sizes	4 to 103pt + autosizing	4 to 174 pt + autosizing
Multi-Line Print	Yes	Yes
Print Rotation	Yes	Yes
Serialization	Yes	Yes, multiple and linked
Barcode	39 and 128	39 and 128
Symbols	450	500+
Portability	Yes	Yes
Label Types or Application Functions	Polyester (Metallized, Ultra Aggressive, & High Performance) Polyethylene Tag, Permasleeve [®] Heat Shrinking Tube, Tamper-Evident Vinyl, Polypropylene Tag, Permanent Polypropylene, Self-Laminating vinyl, Self-Laminating Polyester, Stangerbondz™ Labels, Tissue Cassette Polyester, Freezerbondz™ Labels, Repositionable Vinyl Cloth, Reflective, Indoor/Outdoor Vinyl	Polyester (Adhesive, Permanent, Metallized, Clear, Flame Retardant, Ultra Aggressive, & High Performance, Engraved Plate Substitute) Polyethylene Tag, Polyethylene, Block Vinyl, Permasleeve [®] Heat Shrinking, Polypropylene Tag, Polyimide, Vinyl (Tamper-Evident, Destructible, Repositional, Self Laminating, Indoor/Outdoor) Polyimide, Repositionable Vinyl Cloth, Nylon Cloth, Polypropylene Tape, Phosphorescent, Reflective, Teclair, ToughWash, ToughWash Metal Detectable
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking
Power Supply	AA Alkaline batteries (8), AC Power, or rechargeable lithium ion battery	Rechargeable NiMH battery, AC Power/battery charger
Weight	2.6 lbs (1.2 kg)	
Warranty	2 years	1 year



Head to Toe Protection

Facility Marking



A

Only \$99!

BMP[®]21-PLUS LABEL PRINTER

**TOUGH on the Outside.
SMART on the Inside.**

- Automatic-label formatting for wire wraps, patch panels, terminal-blocks, cable flags, circuit breaker arrays and general banner labels
- Drop-lock-and-print materials
- Passed shock and vibration testing per MIL-STD-810G Method 5.16.6 S4.6.5
- Rechargeable Li-ION battery
- Continuous-only supplies in 0.25" to 0.75" widths
- 70 total label parts, 7 materials
- Label grabber holds label after cutting
- 104 symbols for electric, smart home, safety and datacom
- 2-year warranty



B

* Printer includes label cartridge, lanyard and quick start guide (batteries not included).

** Printer kit includes: printer, label cartridge, Li-ION battery, AC power / charger, hard case, lanyard and quick start guide. US Patent No. 8.322.936.

RS Hughes Part	Price	Per	Case	Description
Brady BMP21-PLUS Handheld Printer				
A. 754473-92848	99.00	EA	1	
B. 754473-92850	195.00	EA	1	Kit with Printer and Charger



An affordable label and wire marker printer designed for the tool box



Electrical Labeling



Voice & Data Communications



Self-Laminating Wire Labels



PermaSleeve[®] Wire Marking Sleeves



General ID



Lean / 5S Labels and Operations ID



M21 Cartridges - Did You Know?



1. The necessary print ribbons for the BMP[®]21 Label Printer are self-contained within the label roll cartridge. So there's no need to order or load separate print ribbons!



2. M21 cartridges are compatible with the BMP[®]21-PLUS, BMP[®]21-LAB, BMP[®]21, IDPal[™] and LabPal[™] printer models unless otherwise noted.

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

C. Brady BMP21 Self-Laminating Vinyl Wire & Cable Labels (B-427)

Clear, wrap-around tail overlaminates white print-on area to protect text. Great for data cables or wires that are frequently handled and moved.

662820-89997	28.99	RL	1	Black on White	0.75" x 14'
662820-89998	34.99	RL	1	Black on White	1" x 14'
662820-89999	35.99	RL	1	Black on White	1.25" x 14'
662820-90000	35.99	RL	1	Black on White	1.5" x 14'

D. Brady BMP21 Vinyl Tape (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability. 5 Additional Colors Available in Vinyl Tape

662820-96663	20.99	EA	1	0.375" x 21'	Black on Orange
662820-96650	21.99	EA	1	0.5" x 21'	Black on Orange
662820-96658	24.99	EA	1	0.75" x 21'	Black on Orange
662820-96654	20.99	EA	1	0.375" x 21'	Black on White
662820-96661	21.99	EA	1	0.5" x 21'	Black on White
662820-96651	24.99	EA	1	0.75" x 21'	Black on White
662820-96657	20.99	EA	1	0.375" x 21'	Black on Yellow
662820-96653	21.99	EA	1	0.5" x 21'	Black on Yellow
662820-96665	24.99	EA	1	0.75" x 21'	Black on Yellow
662820-96664	20.99	EA	1	0.375" x 21'	White on Red
662820-96649	21.99	EA	1	0.5" x 21'	White on Red
662820-96655	24.99	EA	1	0.75" x 21'	White on Red

E. Brady BMP21 Nylon Cloth Wire & Cable Wraps (B-499)

Nylon cloth wrap-around label is highly pliable conforming to tightly curved surfaces. Text auto-repeats when in wire marker mode. Can be used for flagging with flag mode in printer.

662820-89963	23.99	RL	1	Black on White	0.375" x 16'
662820-89964	24.99	RL	1	Black on White	0.5" x 16'
662820-89965	27.49	RL	1	Black on White	0.75" x 16'

E. Brady BMP21 Terminal Block Adhesive Strips (B-499)

Narrow nylon cloth label strips for alignment on terminal blocks. Prints with user-specified spacing when using terminal block mode.

662820-90008	23.99	RL	1	Black on White	0.375" x 16'
662820-90009	24.99	RL	1	Black on White	0.5" x 16'

E. Brady BMP21 Polyester (B-423)

Voice/Data Comm - Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment. Also available White on Clear Polyester.

662820-89966	21.99	RL	1	Black on White	0.375" x 21'
662820-89967	22.99	RL	1	Black on White	0.5" x 21'
662820-89968	26.99	RL	1	Black on White	0.75" x 21'

F. Brady BMP21 PermaSleeve Heat Shrink Marker Sleeves (B-342)

PermaSleeve labels provide a wire marking solution that combines speed, ease of use, and permanence to create long-lasting, high quality identification. 3:1 heat shrink ratio, wire marker sleeve. Polyolefin fade-resistant, flame-retardant, and superior aesthetic appearance. Meets SAE, MIL-STD specs.

662820-89993	44.49	RL	1	Black on White	0.125" x 7'
662820-89994	48.49	RL	1	Black on White	0.187" x 7'
662820-89996	62.49	RL	1	Black on White	0.375" x 7'





Trade up to a better labeling experience.

Get the best label types.
Get the best label materials.

And get the printer that does it all for FREE!

Send us your qualifying continuous-supply-only printer and purchase 12 label cartridges for the Brady BMP®41 or BMP®51 printer and we'll send you the Brady printer for FREE!

BMP®41
LABEL PRINTER



BMP®51
LABEL MAKER



Wide range of materials so you can print all your jobs on one printer

Rugged industrial bumpers with a grab and go grip to be on the move with you

Simple all-in-one, drop-in cartridges for quick and easy supply change and automatic label setup

Large graphical LCD display with backlight to see exactly what you're printing

Rechargeable battery for long lasting power supply

Built-in wizard-based applications and graphics to help create and print labels quickly and easily

QWERTY style keypad and hot keys for easier typing and reducing errors

Sampling of the easy-to-use menu keys:



Trade-In Program subject to end at any time



RS Hughes Part Price Per Case Description

A. Brady BMP41 Label Printer

The BMP®41 portable Label Printer is a mid-range handheld labeling solution that can print up to 300 labels per day. Not only that, but it can print die-cut or continuous labels up to 1" wide. This printer is a rugged device that withstands harsh conditions. Whether it is sweltering or frigid, it will get the job done where you need it. Also, it is built with additional protection to survive falls of up to six feet high. With an ergonomic design, long rechargeable battery life and easy-to-use features, this printer is engineered for the worker on-the-go.


754473-92614 299.00 EA 1

Brady BMP41/BMP51/BMP53 PermaSleeve Wire Marking Heat Shrink Sleeves (B-342)

These heat-shrink sleeves are the ultimate marker in durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. PermaSleeve wire markers are available as individual die cut markers or continuous cut to length tubing. The 3:1 heat shrinkable sleeve fits snugly around your wire.

B. 754473-08286	44.49	EA	1	0.335" x 7'	Black on White
B. 754473-08287	40.99	EA	1	0.235" x 7'	Black on White
B. 754473-08288	48.99	EA	1	0.439" x 7'	Black on White
B. 754473-08289	63.33	EA	1	0.645" x 7'	Black on White
B. 754473-08308	44.49	EA	1	0.335" x 7'	Black on Yellow
B. 754473-08309	40.99	EA	1	0.235" x 7'	Black on Yellow
B. 754473-08310	48.99	EA	1	0.439" x 7'	Black on Yellow
C. 662820-99994	51.49	EA	1	0.335" x 0.75"	Black on White
C. 662820-99995	61.49	EA	1	0.439" x 0.75"	Black on White
C. 662820-99996	46.49	EA	1	0.235" x 0.75"	Black on White
C. 662820-99997	88.99	EA	1	0.645" x 0.75"	Black on White





RS Hughes Part Price Per Case Description

D. Brady BMP41/BMP51/BMP53 Self-Laminating Wire and Cable Markers Vinyl Labels (B-427)

Feature a clear, non printable area that wraps around wires and cables to serve as an overlaminare. These markers are designed to adhere to highly curved surfaces, wires and cables.

662820-64760	40.99	EA	1	1.00" x 1.50"	Black on White
662820-64761	42.99	EA	1	1.00" x 1.25"	Black on White
662820-98013	32.99	EA	1	0.75" x 1.50"	Black on White
662820-99958	44.49	EA	1	1.00" x 1.50"	Black on Yellow
662820-99959	24.49	EA	1	0.50" x 1.00"	Black on White
662820-99964	41.49	EA	1	1.00" x 2.50"	Black on White
662820-99965	48.99	EA	1	1.00" x 1.00"	Black on White
662820-99966	49.49	EA	1	1.00" x 0.75"	Black on White
662820-99969	33.49	EA	1	0.75" x 1.00"	Black on White
662820-99970	45.99	EA	1	1.00" x 2.50"	Black on Yellow
662820-99972	39.99	EA	1	1.00" x 4.00"	Black on White
662820-99974	47.49	EA	1	0.50" x 1.00"	Black on Clear
662820-99986	43.49	EA	1	1.00" x 4.00"	Black on Yellow
754473-08329	45.95	EA	1	0.75" x 25'	Black on White
754473-08330	40.99	EA	1	0.50" x 0.75"	Black on White
754473-08339	26.99	EA	1	0.50" x 1.25"	Black on White

E. Brady BMP41/BMP51/BMP53 Repositionable Vinyl Cloth Label (B-498) Wrap Around Wire & Cable Markers and Flags

Vinyl Cloth (B-498) wrap around wire and cable markers are made with an adhesive that allows the markers to be removed cleanly and reapplied if necessary. Nylon cloth (B-499) cable flags offer a permanent adhesive that cannot be removed after application.

662820-99963	27.49	EA	1	1.00" x 1.50"	Black on White
662820-99971	36.49	EA	1	0.75" x 1.00"	Black on White
662820-99975	30.99	EA	1	1.00" x 1.00"	Black on White
754473-14214	35.49	EA	1	0.50" x 0.50"	Black on White
754473-14215	35.49	EA	1	0.50" x 0.75"	Black on White
754473-14217	34.49	EA	1	0.50" x 1.00"	Black on White
754473-14547	44.49	EA	1	1.25" x 1.50"	Black on White

F. Brady BMP41/BMP51/BMP53 Nylon Cloth Material (B-499)

Permanent adhesive. Pliable for rough or smooth surfaces.

662820-99973	30.49	EA	1	1.00" x 1.00"	Black on White
--------------	-------	----	---	---------------	----------------

RS Hughes Part Price Per Case Description

G. Brady BMP41/BMP51/BMP53 Indoor/Outdoor Grade Facility and Safety Labels Vinyl Material (B-595)

Conforms well to smooth or rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. With our most aggressive adhesive, this low-shrink, continuous vinyl material works for a variety of applications, including 5S labels, pipe markers, chemical labels and more. Lasting up to 8-10 years outdoors, these labels offer excellent resistance to oils, detergents, dirt, grime and many solvents.

662820-99967	49.49	EA	1	1.00" x 25'	Black on White
662820-99968	49.49	EA	1	1.00" x 25'	Black on Yellow
662820-99978	49.49	EA	1	1.00" x 25'	Black on Orange
662820-99979	49.49	EA	1	1.00" x 25'	White on Blue
662820-99981	49.49	EA	1	1.00" x 25'	White on Red
662820-99982	39.49	EA	1	1.00" x 25'	Black on Clear
662820-99983	49.49	EA	1	1.00" x 25'	White on Green
662820-99989	49.49	EA	1	1.00" x 25'	Red on White
662820-99991	49.49	EA	1	1.00" x 25'	White on Black
662820-99992	39.49	EA	1	1.00" x 25'	White on Clear
754473-14646	26.99	EA	1	0.50" x 25'	Black on Clear
754473-14647	31.99	EA	1	0.75" x 25'	Black on Clear
754473-14650	26.99	EA	1	0.50" x 25'	Black on Orange
754473-14651	31.99	EA	1	0.75" x 25'	Black on Orange
754473-14654	26.99	EA	1	0.50" x 25'	Black on White
754473-14655	31.99	EA	1	0.75" x 25'	Black on White
754473-14658	26.99	EA	1	0.50" x 25'	Black on Yellow
754473-14659	31.99	EA	1	0.75" x 25'	Black on Yellow
754473-14662	26.99	EA	1	0.50" x 25'	Red on White
754473-14663	31.99	EA	1	0.75" x 25'	Red on White
754473-14666	26.99	EA	1	0.50" x 25'	White on Black
754473-14667	31.99	EA	1	0.75" x 25'	White on Black
754473-14671	26.99	EA	1	0.50" x 25'	White on Blue
754473-14672	31.99	EA	1	0.75" x 25'	White on Blue
754473-14675	26.99	EA	1	0.50" x 25'	White on Clear
754473-14676	31.99	EA	1	0.75" x 25'	White on Clear
754473-14679	26.99	EA	1	0.50" x 25'	White on Green
754473-14680	31.99	EA	1	0.75" x 25'	White on Green
754473-14683	26.99	EA	1	0.50" x 25'	White on Red
754473-14684	31.99	EA	1	0.75" x 25'	White on Red



BMP51 Label Maker

Get the job done FASTER and EASIER!

This printer is packed with time-saving features that can help you create the labels you need more quickly. Here are just a few:

- Fast Print speed. Prints 1 inch per second!
- Material recognition and automatic label formatting (no calibration!)
- Built-in Bluetooth technology or optional Wi-Fi card for wireless printing via a network
- Large, geographical display with backlight (on-screen indicators for remaining, material, battery and more!)
- Durable built-in cutter with label retention
- 3 power options: AA batteries, AC adaptor or rechargeable Li-Ion batter
- Robust software for advanced label design

Plus, the BMP51 Label Maker has many different labeling options to choose from – get all of your labeling done with one printer.

- Continuous and die-cut label materials available
- More than 20 material types and over 190 label parts
- Prints labels up to 1.5" wide (or continuous labels up to 40" long!)



BMP51 Label Maker

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BMP®51 Printer

The Brady BMP51 portable label printer is an excellent solution for electrical, laboratory and industrial labeling. With its ergonomic design and rugged construction the BMP51 printer is ready for any job. Some of the printer key features include: Wireless printing, Backlight screen, fully qwerty keyboard, over 300 label options, no-hassle cartridges, lithium ion rechargeable battery and an Android mobile printing app.

754473-14703	450.00	KT	1	
754473-14705	579.00	KT	1	Printer, LabelMark™ 5 Software and AC Adaptor
754473-14707	430.00	KT	1	Printer with AC Adaptor

B. Brady BMP53 Peripheral Printer

Don't need the keyboard or screen? Check out the BMP53 Label Maker. This printer has many of the same features as the BMP51 Label Maker, minus the display screen and keyboard. Create labels with LabelMark or CodeSoft Software, or using a Brady Mobile App on your smart phone. Advanced label design from the familiarity of our own PC or phone. Control who has access to label printing capabilities with a password protected computer. Small footprint takes up little desk space. Use the same label cartridge as BMP51.

754473-14706	488.10	KT	1	
754473-14708	339.00	KT	1	Printer & AC Adaptor

Facility & Safety ID Labels

C. Brady BMP51/BMP53 Indoor/Outdoor Vinyl (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

754473-14646	26.99	EA	1	0.5" x 20'	Black on Clear
754473-14648	38.56	EA	1	1.00" x 20'	Black on Clear
754473-14649	46.49	EA	1	1.50" x 20'	Black on Clear
754473-14650	26.99	EA	1	0.5" x 25'	Black on Orange
754473-14652	48.20	EA	1	1.00" x 25'	Black on Orange
754473-14653	58.49	EA	1	1.50" x 25'	Black on Orange
754473-14654	26.99	EA	1	0.5" x 25'	Black on White
754473-14656	48.20	EA	1	1.00" x 25'	Black on White
754473-14657	58.49	EA	1	1.50" x 25'	Black on White
754473-14658	26.99	EA	1	0.5" x 25'	Black on Yellow
754473-14660	48.20	EA	1	1.00" x 25'	Black on Yellow
754473-14661	58.49	EA	1	1.50" x 25'	Black on Yellow
754473-14662	26.99	EA	1	0.5" x 25'	Red on White
754473-14664	48.20	EA	1	1.00" x 25'	Red on White
754473-14665	58.49	EA	1	1.50" x 25'	Red on White
754473-14671	26.99	EA	1	0.5" x 25'	White on Blue
754473-14673	48.20	EA	1	1.00" x 25'	White on Blue
754473-14674	58.49	EA	1	1.50" x 25'	White on Blue
754473-14679	26.99	EA	1	0.5" x 25'	White on Green
754473-14681	48.20	EA	1	1.00" x 25'	White on Green
754473-14682	58.49	EA	1	1.50" x 25'	White on Green
754473-14683	26.99	EA	1	0.5" x 25'	White on Red
754473-14685	48.20	EA	1	1.00" x 25'	White on Red
754473-14686	58.49	EA	1	1.50" x 25'	White on Red

Voice and Data Comm ID

RS Hughes Part Price Per Case Description

D. Brady BMP51/BMP53 PermaSleeve™ Heat-Shrink Polyolefin (B-342)

These heat-shrink sleeves are the ultimate in marker durability, permanence and aesthetic appearance. Fast shrink rate saves time and costs during installation. Available as individual die-cut markers or continuous cut-to-length tubing.

754473-08286	44.49	EA	1	0.335" x 7'	White
754473-08287	40.99	EA	1	0.235" x 7'	White
754473-08288	48.99	EA	1	0.439" x 7'	White
754473-08289	63.33	EA	1	0.645" x 7'	White
754473-08290	46.99	EA	1	1.015" x 0.235"	White
754473-08291	51.99	EA	1	1.015" x 0.335"	White
754473-08292	61.99	EA	1	1.015" x 0.439"	White
754473-08307	89.49	EA	1	1.015" x 0.645"	White
754473-08308	44.49	EA	1	0.335" x 7'	Yellow
754473-08309	40.99	EA	1	0.235" x 7'	Yellow
754473-08310	48.99	EA	1	0.439" x 7'	Yellow

E. Brady BMP51/BMP53 ToughBond Series Polyester (B-422)

Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment. Label your ports, jacks and outlets with a variety of adhesive labels or slide-in strips.

754473-08316	48.80	EA	1	1.00" x 25'	Black on White
754473-08317	27.99	EA	1	0.375" x 25'	White
754473-08318	29.99	EA	1	0.475" x 25'	White
754473-08319	32.99	EA	1	0.5" x 0.5"	White
754473-08320	26.99	EA	1	0.5" x 25'	White
754473-08322	43.10	EA	1	1.00" x 0.5"	White
754473-08323	36.42	EA	1	1.00" x 1.00"	White
754473-08324	23.09	EA	1	1.50" x 0.5"	White
754473-08325	44.76	EA	1	1.50" x 0.75"	White

F. Brady BMP51/BMP53 Self-Laminating Vinyl (B-427)

Self-Laminating Wire & Cable Markers. Extra durable material features a clear trailer that wraps over print area to protect the printed text. Exceptional adhesion to wires. Features a clear, non-printable "tail" that wraps around the wire and serves as an overlaminate to the printed text. Protected print area offers superior chemical and abrasion resistance. Available as individual die-cut markers or continuous cut-to-length labels.

754473-08328	28.37	EA	1	0.75" x 1" x 0.375"	White
754473-08330	40.99	EA	1	0.75" x 0.5" x 0.375"	White
754473-08331	46.38	EA	1	1" x 0.5" x 0.375"	White
754473-08332	32.58	EA	1	1" x 0.75" x 0.375"	White
754473-08333	36.78	EA	1	1" x 1" x 0.375"	White
754473-08334	32.99	EA	1	1" x 1.75" x 0.375"	White
754473-08335	40.45	EA	1	1" x 20.5" x 0.75"	White
754473-08336	38.95	EA	1	1" x 4" x 1"	White
754473-08338	29.04	EA	1	1.10" x 0.25"	White



RS Hughes Part Price Per Case Description

G. Brady BMP51/BMP53 MetaLabel Series Metallized Polyester (B-428)

754473-14160	51.04	EA	1	1.00" x 0.5"	Silver
754473-14161	59.49	EA	1	1.50" x 0.5"	Silver
754473-14162	46.99	EA	1	1.50" x 0.75"	Silver
754473-14163	32.66	EA	1	2.00" x 1.00"	Silver
754473-14164	44.92	EA	1	1.13" x 0.5"	Silver

H. Brady BMP51/BMP53 ToughBond Series Polyester (B-483)

754473-14187	23.49	EA	1	0.5" x 2.00"	White
754473-14188	45.92	EA	1	1.00" x 0.5"	White
754473-14189	29.13	EA	1	2.00" x 1.00"	White

BMP51/BMP53 product table continued:

754473-08339	26.99	EA	1	1.25" x 0.5" x 0.375"	White
754473-08341	42.05	EA	1	1.25" x 1" x 0.5"	White
754473-08342	47.31	EA	1	1.5" x 0.5" x 0.5"	White
754473-08343	35.74	EA	1	1.5" x 0.75" x 0.5"	White
754473-08344	44.16	EA	1	1.5" x 1" x 0.5"	White
754473-08345	38.99	EA	1	1.5" x 6" x 1.5"	White
754473-08346	50.49	EA	1	1.5" x 1.5" x 0.5"	White
754473-14152	43.99	EA	1	1.5" x 1.75" x 0.5"	White
754473-14153	30.49	EA	1	1.5" x 2.5" x 0.75"	White
754473-14154	49.99	EA	1	1.5" x 4" x 1"	White
754473-14155	38.99	EA	1	1.5" x 6" x 1.5"	White
754473-14157	32.58	EA	1	1" x 2.5" x 0.75"	Yellow
754473-14158	42.20	EA	1	1" x 4" x 1"	Yellow
754473-14159	48.37	EA	1	1.5" x 1" x 0.5"	Yellow

Wire & Cable Markers



A



B



C



D



E

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BMP71 Label Printer

With more than 400 different label options, the NEW BMP71 Portable Label Printer is Brady's most versatile portable printer. This easy-to-use labeler can help you cut material waste, save label making time, and print crisp labels more efficiently than ever before. The BMP71 labeler can print on more than 30 types of label materials - including PermaSleeve™ wire markers, indoor/outdoor vinyl, polyester die-cut labels, flag labels, self-laminating wire markers, raised panel labels, and more. Whether you need 1/4" self-laminating wire marker labels or 2" wide vinyl pipe marker labels, this portable label printer can do it all.

662820-80182	895.00	EA	1	
--------------	--------	----	---	--

B. Brady Premium 5S Marking Kit w/ BMP71

Everything you need to clearly identify storage locations, traffic lanes, safety hazards and more is included in this 5S Marking Kit. The kit includes: Toughstripe Floor Marking Tapes: 4 Rolls of 2" floor tape (yellow, red, blue, green), 4 packages of 2" L-shaped corner marks (yellow, red, blue, green); Toolboard/workbench marking tapes: 4 rolls of 12" shadow vinyl (black, red, blue, green), 4 rolls of 1/2" border tape (black, red, blue, green), 4 rolls of 1/2" L-shaped corner marks (black, red, blue, green).

754473-18378	1,739.49	KT	1	
--------------	----------	----	---	--

C. Brady BMP71 Indoor/Outdoor Vinyl Film (B-595)

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

Part Number	Price	Per	Case	Dimensions	Color
754473-19865	51.49	EA	1	0.5" x 50'	Black
754473-19841	70.49	EA	1	1" x 50'	Black
754473-19853	106.49	EA	1	2" x 50'	Black
754473-19866	51.49	EA	1	0.5" x 50'	Blue
754473-19842	70.49	EA	1	1" x 50'	Blue
754473-19854	106.49	EA	1	2" x 50'	Blue
754473-19867	51.49	EA	1	0.5" x 50'	Brown
754473-19843	70.49	EA	1	1" x 50'	Brown
754473-19855	106.49	EA	1	2" x 50'	Brown
754473-19868	51.49	EA	1	0.5" x 50'	Clear
754473-19844	70.49	EA	1	1" x 50'	Clear
754473-19856	106.49	EA	1	2" x 50'	Clear
754473-19869	51.49	EA	1	0.5" x 50'	Gold
754473-19845	70.49	EA	1	1" x 50'	Gold
754473-19857	106.49	EA	1	2" x 50'	Gold
754473-19870	51.49	EA	1	0.5" x 50'	Green
754473-19846	70.49	EA	1	1" x 50'	Green
754473-19858	106.49	EA	1	2" x 50'	Green
754473-19871	51.49	EA	1	0.5" x 50'	Grey
754473-19847	70.49	EA	1	1" x 50'	Grey
754473-19859	106.49	EA	1	2" x 50'	Grey
754473-19879	51.49	EA	1	0.5" x 50'	Light Blue
754473-19878	70.49	EA	1	1" x 50'	Light Blue
754473-19877	106.49	EA	1	2" x 50'	Light Blue
754473-19883	106.49	EA	1	2" x 50'	Ochre

D. Brady BMP71 Polyester (B-422)

Voice/Data Comm - Durable material with permanent adhesive ideal for marking racks, bays, slots and other equipment

Part Number	Price	RL	Per	Case	Dimensions	Color
662820-80110	62.49	RL	1	0.375" x 50'	White	
662820-80111	86.99	RL	1	0.625" x 50'	White	
662820-80130	71.99	RL	1	0.475" x 50'	White	
662820-80142	62.49	RL	1	0.5" x 50'	White	
662820-92494	86.99	RL	1	1" x 50'	White	
662820-92540	129.49	RL	1	1.9" x 50'	White	


E. Brady BMP71 WorkHorse Series Clear Polyester (B-430)

Glossy polyester labels for use in a range of applications including barcoding, inventory tracking and product/asset ID.

Part Number	Price	RL	Per	Case	Dimensions	Color
662820-80143	57.99	RL	1	.5"x50'	Clear	
662820-92495	79.99	RL	1	1"x50'	Clear	
662820-92541	119.99	RL	1	1.9"x50'	Clear	
662820-92621	51.99	RL	1	1.5"x.375"	Clear	



F



G



H



I



J

RS Hughes Part Price Per Case Description

F. Brady BMP71 WorkHorse Polyester (B-423)

Glossy polyester circuit board and component ID labels for relays, solenoids, PCB's, electronic components and more.

RS Hughes Part	Price	Per	Case	Description
662820-92513	47.99	RL	1	.25"x.75" White
662820-92636	42.49	RL	1	.5"x.2" White
662820-92640	39.26	RL	1	.5"x.5" White
662820-80083	46.49	RL	1	.5"x1" White
662820-92580	51.49	RL	1	.5"x1.5" White
662820-92519	51.49	RL	1	.9"x.25" White
662820-80082	46.49	RL	1	1"x.375" White
662820-92713	42.49	RL	1	1.5"x.75" White
662820-80087	37.22	RL	1	1.5"x1" White
662820-92562	25.99	RL	1	2"x1" White
662820-92569	31.61	RL	1	3"x1" White

G. Brady BMP71 Printer Ribbons

BMP71 Ribbon. 150FT

662820-92412	61.19	EA	1	Black
662820-92415	72.49	EA	1	White



H. Brady BMP71 ToughBond Series Polyester (B-483)

Glossy polyester labels with an aggressive adhesive for use in a range of applications including barcoding, inventory tracking and product/asset ID.

662820-80084	57.11	RL	1	.5"x1" White
662820-92585	63.99	RL	1	.5"x1.5" White
662820-92529	56.09	RL	1	1"x.375" White
662820-92543	40.28	RL	1	1"x1" White
662820-92496	92.49	RL	1	1"x50' White
662820-92599	45.99	RL	1	1.5"x1" White
662820-92542	137.99	RL	1	1.9"x50' White
662820-80086	31.10	RL	1	2"x1" White
662820-92611	45.99	RL	1	3"x1.9" White
662820-80127	63.49	RL	1	4"x1.9" White
662820-80128	63.49	RL	1	4"x1.9" White
662820-92615	55.07	RL	1	4"x1.9" White
662820-92733	63.49	RL	1	4"x1.9" White
662820-92734	63.49	RL	1	4"x1.9" White

I. Brady BMP71 MetaLabel Series Metallized Polyester (B-486)

Glossy polyester labels with an aggressive adhesive for use in a range of applications including barcoding, inventory tracking and product/asset ID.

662820-92536	63.99	RL	1	0.5"x1" Silver Metallic
662820-92586	73.49	RL	1	0.5"x1.5" Silver Metallic
662820-92566	39.26	RL	1	1"x2" Silver Metallic
662820-92595	60.17	RL	1	1.5"x0.75" Silver Metallic
662820-92612	56.60	RL	1	1.9"x3" Silver Metallic

RS Hughes Part Price Per Case Description

J. Brady BMP71 Raised Panel Labels (B-593)

Thermal transfer printable raised panel labels. Designed to make legend plate creation quick, less expensive, and hassle free! Use for electrical components, electrical cabinets, push buttons, patch panels, and any other applications you can imagine. This material can also be used for rating and serial plates using alphanumeric that require name plate quality.

662820-92808	113.99	BX	1	0.49"x1.06" Black
662820-92793	102.49	BX	1	1.2"x1.5" Black
662820-92798	113.99	BX	1	1.2"x1.9" Black
662820-92803	120.99	BX	1	1.8"x1.8" Black
662820-92814	86.99	BX	1	2"x1" Black
662820-92826	68.49	BX	1	3"x1" Black
662820-92820	86.99	BX	1	4"x1" Black
662820-92809	113.99	BX	1	0.49"x1.06" Green
662820-92794	102.49	BX	1	1.2"x1.5" Green
662820-92799	113.99	BX	1	1.2"x1.9" Green
662820-92804	120.99	BX	1	1.8"x1.8" Green
662820-92815	86.99	BX	1	2"x1" Green
662820-92827	68.49	BX	1	3"x1" Green
662820-92810	113.99	BX	1	0.49"x1.06" Red
662820-92795	102.49	BX	1	1.2"x1.5" Red
662820-92800	113.99	BX	1	1.2"x1.9" Red
662820-92805	120.99	BX	1	1.8"x1.8" Red
662820-92816	86.99	BX	1	2"x1" Red
662820-92829	68.49	BX	1	3"x1" Red
662820-92822	86.99	BX	1	4"x1" Red
662820-92807	113.99	BX	1	0.49"x1.06" White
662820-92792	102.49	BX	1	1.2"x1.5" White
662820-92797	113.99	BX	1	1.2"x1.9" White
662820-92802	120.99	BX	1	1.8"x1.8" White
662820-92813	86.99	BX	1	2"x1" White
662820-92825	68.49	BX	1	3"x1" White
662820-92819	86.99	BX	1	4"x1" White
662820-92812	113.99	BX	1	0.49"x1.06" Yellow
662820-92796	102.49	BX	1	1.2"x1.5" Yellow
662820-92801	113.99	BX	1	1.2"x1.9" Yellow
662820-92806	120.99	BX	1	1.8"x1.8" Yellow
662820-92818	86.99	BX	1	2"x1" Yellow
662820-92828	68.49	BX	1	3"x1" Yellow
662820-92824	86.99	BX	1	4"x1" Yellow

BMP30 – Sign and Label Maker



High performance industrial printing just got easier!

When you need better performance, better versatility and a better price all in one easy-to-use printer, you need Brady's BBP30 sign and label printer. This entry-level printer combines a compact size with fast print speeds and a range of consumables to make sign and label printing quicker and easier.

It features:

- **Compact and efficient design:** For faster print speeds with a smaller footprint
- **User-friendly functionality:** Easy-to-load tapes and labels with automatic label set up and no calibration, and compatibility with Brady Workstation label creation apps
- **Application versatility:** 100s of durable materials that are ideal for single-color applications, including pipe identification, 5S labels, panel labels, equipment labels, emergency egress marking, pre-printed die-cut labels for safety and warning signs, GHS labels, arc flash labels and more!



WHEN PERFORMANCE MATTERS MOST™

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BBP30 Sign and Label Printer

An industrial label printer that's simple, powerful, and brilliantly fast. This label maker features full hassle-free operation with drop-in tape and ribbon cartridges, automatic label set-up, no calibration, and no sensor adjustment. BBP30 printer includes the free Brady360® 5 year warranty. Use Brady Workstation label application software to create a huge variety of labels for any application. Includes BBP30 Printer, power cord, USB cable, cleaning kit, cutter cleaning tool, and Quick Start Guide. An industrial label printer that's simple, powerful, and brilliantly fast. This label maker features full hassle-free operation with drop-in tape and ribbon cartridges, automatic label set-up, no calibration, and no sensor adjustment. BBP30 printer includes the free Brady360® 5 year warranty. Use Brady Workstation label application software to create a huge variety of labels for any application. Includes BBP30 Printer, power cord, USB cable, cleaning kit, cutter cleaning tool, and Quick Start Guide.

754473-54791	1,150.00	EA	1	
--------------	----------	----	---	--

BMP35 and 37 – Sign and Label Makers



Color Your Way to an Improved Workplace

Because safety and productivity mean the world to you, it's time to step up to the new standard by creating signs and labels that demand attention. Brady's BBP[®]35 and BBP[®]37 sign and label printers give you the power to make signs and labels in the colors and shapes you need to make an impact – right at your own facility and right when you need them.

Unprecedented Capabilities

- **Multiple Print Colors:** Print signs and labels that are more noticeable, more memorable and more effective with multiple print colors
- **Shape Cutting:** With a revolutionary built-in cutter system, cut out shapes and text, or cut around your message to create labels that look and fit just right (BBP37 printer only)
- **Label Making Made Easy:** Incredibly easy and intuitive interface so anyone can walk up and print labels. Ideal for multiple users, centralized locations and lean/5S events
- **20-Second Material Changeovers:** With automatic label setup, printers read critical information from the supply cartridge and then automatically set up the label attributes so you can start printing immediately
- **5-Inches-per-Second Print Speed:** Fast processing time and print speed mean you don't have to wait around for your labels
- **Lots of Options:** With over 300 durable parts, you have the supplies you need to meet your application needs, including GHS labels, pipe labels, gage labels, 10-year outdoor materials and beyond



RS Hughes Part Price Per Case Description

B. Brady BBP35 Multicolor Sign & Label Printer

Create colorful workplace visuals that make an impact. With automatic setup, 20-second material change out, and a 5-inch per second print speed, your signs and labels will be printed and in your hands in nearly no time at all. Choose from 28 industrial-grade label and ribbon materials that simply set or click into place without calibration or threading. The BBP35 Printer can connect to a PC but also operates as a stand-alone printer. Built-in touchscreen interface and preset label templates make label creation a breeze. Includes: BBP35 Printer; Cleaning Kit; Cutter Cleaning Tool; Power Cord; Quick Start Guide; USB Cable.

754473-95544 2,750.00 EA 1

C. Brady BBP37 Color & Cut Sign & Label Printer

Create bright and colorful labels and signs that really make an impact in your facility. With 28 different industrial grade label and ribbon materials to choose from, you can print visuals for nearly any facility application. With the XY cutter, you can create die-cut shapes and text that give you the flexibility to put your messages where you need them most. The BBP37 Printer can connect to a PC but also operates as a stand-alone printer. Built in touchscreen interface and preset label templates makes label creation a breeze. Includes: BBP37 Printer; Cleaning Kit; Cutter Cleaning Tool; Power Cord; Quick Start Guide; USB Cable.

754473-95554 3,250.00 EA 1





RS Hughes Part Price Per Case Description

A. Brady IP™ Thermal Transfer Printer


Brady's IP™ Thermal Transfer Printer is a new, smart solution for high-performance printing. The Brady IP™ Printer is a fully integrated, easy-to-use printer, material, and software system. Smart Cell technology allows the printer, materials, and ribbon to communicate with each other. The system offers material recognition, automatic formatting, and user-friendly printer features for labels, sleeves, and tags. Brady IP™ Printer detects loaded material and ribbon and displays the user information on the LCD. The material information is sent to the software, where template and settings are automatically populated. Create data on template, then click and print. Load, click, and print. It's just that simple. The Brady IP thermal transfer printer series works best when you use Brady labels, Brady ribbons and Brady software.

662820-57860	2,006.16	EA	1
--------------	----------	----	---

B. Brady IP™ WorkHorse Series White Polyester (B-423)

White polyester thermal transfer label with a glossy finish. Widely used for component identification, barcoding, asset and inventory tracking. UL rated for surfaces commonly used in solar panel manufacturing.

662820-30123	34.99	RL	1	0.25" x 0.25"	White
662820-30214	70.49	RL	1	0.375" x 0.375"	White
662820-30206	62.99	RL	1	0.5" x 0.2"	White
662820-30120	69.99	RL	1	0.65" x 0.2"	White
662820-30105	69.99	RL	1	0.75" x 0.25"	White
662820-30119	94.99	RL	1	0.9" x 0.25"	White
662820-30235	94.99	RL	1	1" x 0.25"	White
662820-30106	105.99	RL	1	1" x 0.375"	White
662820-30104	151.49	RL	1	1" x 0.5"	White
662820-30126	105.99	RL	1	1.25" x 0.25"	White
662820-30107	111.99	RL	1	1.5" x 0.25"	White
662820-30510	116.49	RL	1	1.5" x 0.25"	White
662820-30212	199.99	RL	1	1.5" x 0.5"	White
662820-30117	276.99	RL	1	1.5" x 0.75"	White
662820-30127	51.49	RL	1	2" x 0.25"	White
662820-30239	91.99	RL	1	2" x 0.5"	White
662820-30131	139.49	RL	1	2" x 1"	White
662820-30134	209.49	RL	1	3" x 1"	White
662820-30137	139.49	RL	1	3" x 2"	White
662820-30245	180.49	RL	1	4" x 2"	White



RS Hughes Part Price Per Case Description

D. Brady IP™ MetaLabel Series Metallized Polyester (B-428)

Thermal transfer printable metallized polyester with matte finish. Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish.

662820-30108	369.49	RL	1	1" x 0.5"	Silver Metallic
662820-30144	359.99	RL	1	1.25" x 0.75"	Silver Metallic
662820-30109	645.49	RL	1	1.5" x 0.75"	Silver Metallic
662820-30241	130.99	RL	1	2" x 0.5"	Silver Metallic
662820-30133	229.99	RL	1	2" x 1"	Silver Metallic
662820-30110	389.99	RL	1	2.75" x 1.25"	Silver Metallic
662820-30136	343.49	RL	1	3" x 1"	Silver Metallic
662820-30139	228.99	RL	1	3" x 2"	Silver Metallic
662820-30152	351.49	RL	1	3" x 300 ft	Silver Metallic
662820-30247	247.99	RL	1	4" x 2"	Silver Metallic

C. Brady IP™ MetaLabel Series Metallized Polyester (B-486)

Thermal transfer printable metallized polyester material. Designed for high adhesion to textured metals, powder coated surfaces and low surface energy plastics. Withstands numerous solvents and variable temperatures.

662820-20793	427.49	RL	1	1" x 0.5"	Silver Metallic
662820-20791	640.99	RL	1	1.5" x 0.5"	Silver Metallic
662820-20792	222.49	RL	1	2" x 0.5"	Silver Metallic
662820-20785	265.99	RL	1	2" x 1"	Silver Metallic
662820-20784	451.49	RL	1	2.75" x 1.25"	Silver Metallic
662820-20786	396.99	RL	1	3" x 1"	Silver Metallic
662820-20787	264.49	RL	1	3" x 2"	Silver Metallic
662820-11298	669.49	RL	1	4" x 4"	Silver Metallic

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

E. Brady IP™ WorkHorse Series Clear Polyester (B-430)

Translucent, high performance polyester material with a glossy finish. Non-colored label with permanent adhesive. Good for general purpose thermal transfer printing.

662820-30188	163.99	RL	1	2" x 1"	Clear
662820-30190	163.99	RL	1	3" x 2"	Clear
662820-30207	235.99	RL	1	3" x 300'	Clear

F. Brady IP™ ToughBond Series Polyester (B-483)

White polyester thermal transfer label with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.

662820-31329	177.49	RL	1	1" x 0.5"	White
662820-31331	163.49	RL	1	2" x 1"	White
662820-31330	281.49	RL	1	2.75" x 1.25"	White
662820-31332	245.49	RL	1	3" x 1"	White
662820-31333	163.49	RL	1	3" x 2"	White
662820-31336	198.99	RL	1	4" x 2"	White

G. Brady IP™ ToughBond Series Polyester (B-422)

White label stock with glossy finish and 2 mils of adhesive for rough surface applications, including low surface energy plastics. Designed to withstand solvent exposure. UL rated for surfaces commonly used in solar panel manufacturing. Also used for component identification, barcoding, and asset and inventory tracking.

662820-14940	181.49	RL	1	1" x 0.5"	White
662820-14957	185.99	RL	1	1.5" x 0.37"	White
662820-62282	185.99	RL	1	1.5" x 0.375"	White
662820-14942	167.49	RL	1	2" x 1"	White
662820-14944	167.49	RL	1	3" x 2"	White
662820-14946	317.49	RL	1	4" x 3"	White

H. Brady IP™ Thermal Transfer Ribbon

High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance. Ribbons include spindle.

662820-66028	106.99	EA	1	2.36" x 984'	Black
662820-66042	77.99	EA	1	2.36" x 984'	Black
662820-66047	123.99	EA	1	2.36" x 984'	Black
662820-66202	99.49	EA	1	2.36" x 984'	Black
662820-65886	208.49	EA	1	4.33" x 984'	Black
662820-65959	181.49	EA	1	4.33" x 984'	Black
662820-66044	142.49	EA	1	4.33" x 984'	Black
662820-66232	219.49	EA	1	4.33" x 984'	Black

I. Brady IP™ CleanLift Series Removable Labels (B-449)

White polypropylene label stock with matte/opaque finish and removable adhesive. Used for thermal transfer printing or write-on applications. Offers excellent solvent resistance and print performance. Not recommended for long-term outdoor use.

662820-67109	97.99	RL	1	1" x 0.5"	White
662820-67111	90.49	RL	1	2" x 1"	White
662820-67114	120.68	RL	1	4" x 2"	White
662820-67115	180.99	RL	1	4" x 3"	White



Fast. Simple. Powerful.

The way label making should be.

Two powerful printers that take on ALL your labeling needs with unprecedented ease! No more tedious, time-consuming setups. No more difficult-to-load materials. No more wasted labels. No more hassles. These printers are so simple to use and so incredibly fast to set up that most of our customers don't even believe us the first time we show them. But believe it, because it is really that easy, and you really will be that fast, and you really will avoid wasted labels.

Industrial label printing that's simple, powerful and brilliantly fast. **Exactly the way label making should be.**



Automatic label setup with no calibration

The printer "reads" critical information from your cartridges and automatically sets up the label correctly in the printer or your Brady software.

- No sensor adjustment or calibration (or wasted labels!)
- No print speed or burn temp trials and errors (or wasted labels!)
- No scrolling through lists searching for label part
- No need to set up label dimensions in software

The printer does all this for you!



20-second material changeovers

- Foolproof "drop-in" ribbon and label cartridges (anyone can do it!)
- Drop in the cartridge, lock it and start typing – that's all you need to do!
- No threading the ribbon around spools and printheads
- No need to assemble spindles or mount rolls
- Ink side of ribbon always faces the right way
- Easy-to-handle cartridges that won't roll away or get damaged



BBP31 Printer - stand-alone printing & ultimate ease of use

Still the easiest! Just walk up and print. Literally. The best choice for facility and safety and lean/5S "Kaizen event" labeling with a printer that operates stand alone or from your PC.

- Safety, facility and lean/5S applications – 275 parts, 12 materials
- Stand-alone operation ideal for mobile use and "lean events"
- Intuitive, simple to learn, very approachable – ideal for multi-user situations and events
- Compatible with powerful MarkWare™ PC software, plus has Windows® based driver for 3rd party software use (ex: print from MSWord)



BBP33 Printer - PC-only printing with expanded material options

Never-before-seen supply changeover speed and waste-free set-up in a PC-only printer. Full ranges of facility, safety & lean/5S label materials as well as die cut labels for, wire ID, lab ID and product ID.

- Safety, facility and lean/5S applications – 275 parts, 12 materials
- Wire ID, lab ID & general ID die cuts – 310 parts, 31 materials, plus custom sizes available!
- Ideal facility-wide printer where mobile use multi-user event labeling are not as important
- Compatible with LabelMark™, CodeSoft™ and MarkWare™ PC software, plus Windows® based driver for 3rd party software use (ex: print from MSWord)



A



B

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. BBP33 Label Printer with Auto Cutter

An industrial label printer that's simple, powerful and brilliantly fast. This label maker features full hassle-free operation with automatic label set-up, no calibration, no sensor adjustment and no label waste. The BBP33 printer also makes it easy for material changeovers. With foolproof "drop-in" ribbon and cartridge labels, all you have to do is drop-in the cartridge, lock and start typing. It really is that easy!

662820-98601	1,350.00	EA	1	
--------------	----------	----	---	--

B. Brady BBP31

This monochrome sign and label printer can print on labels 1/2" wide to 4" wide. Designed for ease of use and versatility, this printer features an intuitive touch screen display, simple label design, and a wide variety of material. applications.

754473-18355	1,795.00	EA	1	
--------------	----------	----	---	--

BRADY
WHEN PERFORMANCE MATTERS MOST™



RS Hughes Part Price Per Case Description

C. BP31 Heavy-Duty Print Ribbon

"Drop & Click" print ribbons for quick and easy supply changes. Ribbons are tough, smear-proof that produce long-lasting printed text. Print can withstand years in industrial areas and outdoor conditions. No calibrating, no threading, no waste.

754473-21169	105.49	RL	1	Black	4.33" x 200'
754473-21173	105.49	RL	1	Red	4.33" x 200'
754473-21174	105.49	RL	1	White	4.33" x 200'

D. BP31 Indoor/Outdoor Vinyl Tape B30 B-595

Indoor/Outdoor vinyl tape. Adhere to "difficult" surfaces. Conforms well to irregular, curved rough or textured surfaces. 8-10 year average outdoor durability.

754473-18314	236.49	RL	1	Green	4" x 100'
754473-18330	236.49	RL	1	Red	4" x 100'
754473-18334	236.49	RL	1	White	4" x 100'
754473-18336	157.49	RL	1	White	2.25" x 100'
754473-18337	104.99	RL	1	White	1.125" x 100'
754473-18338	65.99	RL	1	White	0.5 x 100'
754473-18339	236.49	RL	1	Yellow	4" x 100'
754473-18341	157.49	RL	1	Yellow	2.25" x 100'
754473-18342	104.99	RL	1	Yellow	1.125" x 100'
754473-18343	65.99	RL	1	Yellow	0.5 x 100'

E. Pre-Printed Pre-Cut Blank Sign Headers for creating multicolor ANSI and OSHA signs using Indoor/Outdoor vinyl material. Conforms well to irregular, curved, rough or textured surfaces.

754473-19119	236.49	RL	1	DANGER (ANSI)	4" x 6" (175 lbl/rl)
754473-19120	157.49	RL	1	DANGER (ANSI)	2.25" x 3" (300 lbl/rl)
754473-19121	236.49	RL	1	CAUTION (ANSI)	4" x 6" (175 lbl/rl)
754473-19122	157.49	RL	1	CAUTION (ANSI)	2.25" x 3" (300 lbl/rl)

F. Pre-Printed Pre-Cut Blank Sign Headers for creating multicolor ANSI and OSHA signs using Indoor/Outdoor vinyl material. Conforms well to irregular, curved, rough or textured surfaces.

754473-19124	157.49	RL	1	WARNING (ANSI)	2.25" x 3" (300 lbl/rl)
754473-19125	236.49	RL	1	NOTICE (ANSI)	4" x 6" (175 lbl/rl)
754473-19127	236.49	RL	1	DANGER (OSHA)	4" x 6" (175 lbl/rl)
754473-19129	236.49	RL	1	CAUTION (OSHA)	4" x 6" (175 lbl/rl)


G. BBP31 Raised Panel Labels (B-593)

Push button style engraved plate substitutes cost up to 80% less than engraved legend plates! High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.70mm thick). High performance, low cost substitute to engraved plates with a 10-year outdoor durability rating. On-demand labeling provides labels in less than 4 seconds.

754473-21144	144.99	RL	1	1.2"x1.5"	Black
754473-21154	156.49	RL	1	1.8"x1.8"	Black
754473-21143	144.99	RL	1	1.2"x1.5"	Green
754473-21153	156.49	RL	1	1.8"x1.8"	Green
754473-21141	144.99	RL	1	1.2"x1.5"	Red
754473-21151	156.49	RL	1	1.8"x1.8"	Red
754473-21140	144.99	RL	1	1.2"x1.5"	White
754473-21145	138.99	RL	1	1.2"x1.9"	White
754473-21150	156.49	RL	1	1.2"x1.9"	White
754473-21111	129.99	RL	1	2"x1"	White
754473-21117	253.99	RL	1	4"x1"	White
754473-21157	133.99	RL	1	2.4" x 2.4"	Yellow



Head to Toe Protection



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady BBP33 PermaSleeve® PS Polyolefin Wire Marking Sleeves (B-342)

A 3:1 heat shrinkable wire maker sleeve that fits snugly around wires. Can be used for identification or wire protection. Sleeves are fade-resistant and flame-retardant.

662820-96709	499.00	RL	1	2" x 1.00"	Black
662820-96761	543.99	RL	1	2" x 0.125"	Black
662820-96762	600.88	RL	1	2" x 0.375"	Black
662820-96763	525.11	RL	1	2" x 0.187"	Black
662820-96764	468.99	RL	1	2" x 0.25"	Black
662820-96765	501.07	RL	1	2" x 0.50"	Black
662820-96766	468.99	RL	1	2" x 0.094"	White
662820-96767	501.07	RL	1	2" x 0.50"	Yellow
662820-96768	407.55	RL	1	2" x 0.75"	Yellow
662820-96769	407.55	RL	1	2" x 0.75"	Black
662820-96770	468.99	RL	1	2" x 0.25"	Yellow
662820-96771	600.88	RL	1	2" x 0.375"	Yellow
662820-96772	487.99	RL	1	2" x 0.094"	Yellow
662820-96773	499.00	RL	1	2" x 1.00"	Yellow
662820-96774	407.55	RL	1	2" x 0.75"	Yellow
662820-96775	490.49	RL	1	2" x 0.094"	Black
662820-96777	499.00	RL	1	2" x 1.00"	White
662820-96784	525.11	RL	1	2" x 0.187"	White
662820-96785	468.99	RL	1	2" x 0.25"	White
662820-96786	600.88	RL	1	2" x 0.375"	White
662820-96828	365.24	RL	1	2" x 1.50"	Black
662820-96829	365.24	RL	1	2" x 1.50"	White
662820-96830	365.24	RL	1	2" x 1.50"	Yellow
662820-96831	365.24	RL	1	2" x 1.50"	Black
662820-96832	365.24	RL	1	2" x 1.50"	White
662820-96833	365.24	RL	1	2" x 1.50"	Yellow
662820-96859	490.49	RL	1	2" x 0.094"	White
662820-96860	490.49	RL	1	2" x 0.094"	Yellow
662820-96861	543.99	RL	1	2" x 0.125"	White
662820-96862	543.99	RL	1	2" x 0.125"	Yellow
662820-96863	525.11	RL	1	2" x 0.187"	White
662820-96864	525.11	RL	1	2" x 0.187"	Yellow
662820-96865	468.99	RL	1	2" x 0.25"	White
662820-96866	468.99	RL	1	2" x 0.25"	Yellow
662820-96867	600.88	RL	1	2" x 0.375"	White
662820-96868	600.88	RL	1	2" x 0.375"	Yellow
662820-96869	501.07	RL	1	2" x 0.50"	White
662820-96870	501.07	RL	1	2" x 0.50"	Yellow
662820-96871	407.55	RL	1	2" x 0.75"	White
662820-96872	499.00	RL	1	2" x 1.00"	White
662820-96873	499.00	RL	1	2" x 1.00"	Yellow
662820-96874	543.99	RL	1	2" x 0.125"	White
662820-96875	540.99	RL	1	2" x 0.125"	Yellow
662820-96876	525.11	RL	1	2" x 0.187"	White
662820-96877	525.11	RL	1	2" x 0.187"	Yellow
662820-96878	468.99	RL	1	2" x 0.25"	White
662820-96879	600.88	RL	1	2" x 0.375"	White
662820-96880	501.07	RL	1	2" x 0.50"	White
662820-96881	407.55	RL	1	2" x 0.75"	White

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

B. Brady BBP33 Polyester Labels (B-423)

B-423 WorkHorse™ Series Harsh Environment Labels are polyester thermal transfer labels intended for use in a variety of applications, including electronic PCB and component identification, bar code labeling, rating plates and solar panel identification.

662820-96916	77.10	RL	1	1" x 0.50"	Gloss White
662820-96921	109.49	RL	1	3" x 1.00"	Gloss White
662820-96927	88.49	RL	1	2" x 1.00"	Gloss White

C. Brady BBP33 Self-Laminating Vinyl (B-427)

Conformable material designed to adhere to highly curved surfaces, wires and cables. Features a white printable area with clear "tail" that wraps around marker. The clear tail serves as an over-laminate to protect the text, providing superior resistance to abrasion, dirt, oils, solvents, water and excessive handling.

662820-96710	95.49	RL	1	1.50" x 1.50"	White/Clear
662820-96711	110.49	RL	1	1.75" x 1.50"	White/Clear
662820-96722	118.99	RL	1	2.50" x 2.25"	White/Clear
662820-96834	92.49	RL	1	1.75" x 1.00"	White/Clear
662820-96836	163.99	RL	1	1.00" x 2.625"	White/Clear
662820-96848	241.00	RL	1	0.75" x 1.75"	White/Clear
662820-96882	78.99	RL	1	1.50" x 1.00"	White/Clear
662820-96931	148.99	RL	1	1.00" x 1.437"	White/Clear
662820-96932	153.99	RL	1	0.50" x 1.437"	White/Clear
662820-96933	141.99	RL	1	1.00" x 6.00"	White/Clear
662820-96934	66.49	RL	1	0.50" x 0.75"	White/Clear
662820-96935	135.41	RL	1	1.00" x 2.25"	White/Clear
662820-96936	199.00	RL	1	0.80" x 1.437"	White/Clear
662820-96937	153.99	RL	1	0.75" x 0.937"	White/Clear
662820-96938	136.86	RL	1	2.00" x 3.75"	White/Clear
662820-96939	197.18	RL	1	1.00" x 3.75"	White/Clear
662820-96941	66.99	RL	1	0.50" x 1.00"	White/Clear
662820-96942	115.49	RL	1	1.00" x 1.00"	White/Clear

RS Hughes Part Price Per Case Description

D. Brady BBP33 Vinyl Wire Markers(B-427AW)

B-427 with catalog numbers ending in "AW" are identical to B-427 self-laminating labels, but have only an all-white thermal transfer printable area. This material is designed for use in wire and cable identification. It has good clarity, conformability and self-extinguishing.

662820-96792	81.99	RL	1	1.50" x 0.75"	White
662820-96885	132.99	RL	1	2.00" x 1.00"	White

E. Brady BBP33 Polyester Labels (B-432)

B-432 WorkHorse™ Series Harsh Environment Labels are clear, thermal transfer polyester labels intended for use in a variety of applications, including rating and serial plates using alphanumerics, barcodes, graphic symbols and logos that require name plate quality.

662820-64917	27.95	RL	1	1.50" x 0.50"	Clear
662820-96843	86.99	RL	1	2.00" x 1.00"	Clear
662820-96844	128.99	RL	1	3.00" x 1.00"	Clear
662820-96894	102.99	RL	1	3.00" x 2.00"	Clear

F. Brady BBP33 Aggressive Adhesive Polyester (B-483)

B-483 ToughBond™ Series Aggressive Adhesive Labels are white, polyester thermal transfer labels designed for high adhesion to textured metals and low surface energy plastics.

662820-96796	85.99	RL	1	3.00" x 2.00"	White
662820-96915	91.49	RL	1	1.00" x 0.50"	White
662820-96919	128.99	RL	1	3.00" x 1.00"	White
662820-96924	85.49	RL	1	2.00" x 1.00"	White

G. Brady BBP33 Polyester Labels (B-489)

B-489 ToughBond™ Series Aggressive Adhesive Labels are white, thermal transfer polyester labels with a permanent, rubber-based adhesive for high adhesion to textured metals and low surface energy plastics.

662820-96798	88.49	RL	1	3.00" x 2.00"	Matte White
662820-96809	87.99	RL	1	2.00" x 1.00"	Matte White
662820-96892	132.99	RL	1	3.00" x 1.00"	Matte White
662820-96902	97.49	RL	1	1.00" x 0.50"	Matte White

H. Brady BBP33 Repositionable Vinyl Cloth Wire Markers (B-498)

B-498 CleanLift™ Series Removable Labels are vinyl cloth thermal transfer materials with a repositionable rubber-based adhesive.

662820-96712	127.49	RL	1	0.75" x 0.25"	White
662820-96713	107.49	RL	1	0.65" x 0.20"	White
662820-96714	184.99	RL	1	1.00" x 0.75"	White
662820-96715	141.49	RL	1	0.25" x 1.437"	White
662820-96716	181.99	RL	1	0.80" x 1.437"	White
662820-96806	253.99	RL	1	1.00" x 0.50"	White
662820-96807	258.99	RL	1	1.00" x 1.437"	White
662820-96849	165.99	RL	1	0.50" x 1.437"	White
662820-96904	109.49	RL	1	0.312" x 85'	White
662820-96905	109.49	RL	1	0.24" x 85'	White
662820-96912	109.49	RL	1	0.375" x 85'	White
662820-96913	160.49	RL	1	0.75" x 0.937"	White
662820-96914	176.99	RL	1	0.50" x 0.75"	White
662820-96928	203.49	RL	1	0.80" x 1.437"	White



RS Hughes Part Price Per Case Description

I. Brady BBP33 Laboratory Labels (B-499)

B-499 labels are white, nylon thermal transfer labels with a thick construction intended to last in freezers and autoclaves.

662820-96835	65.49	RL	1	0.90" x 0.50"	White
662820-96837	108.99	RL	1	1.50" x 0.75"	White
662820-96841	67.49	RL	1	1.00" x 0.375"	White
662820-96842	198.99	RL	1	0.80" x 1.437"	White
662820-96851	83.99	RL	1	0.90" x 0.50"	White
662820-96855	49.49	RL	1	0.375" x 0.375"	White
662820-96856	49.49	RL	1	0.50" x 0.50"	White
662820-96857	56.09	RL	1	1.00" x 0.375"	White
662820-96858	46.49	RL	1	0.50" x 0.75"	White
662820-96889	72.49	RL	1	2.00" x 0.25"	White
662820-96906	130.99	RL	1	2.00" x 1.00"	White

J. Brady BBP31 Heavy-Duty Print Ribbon

"Drop & Click" print ribbons for quick and easy supply changes.

662820-96947	55.49	EA	1	Black
662820-98152	55.49	EA	1	Silver
754473-21177	53.99	EA	1	Black
754473-21178	53.99	EA	1	Black
754473-21181	53.99	EA	1	White

Safety Sign Headers (OSHA 1910.145 and ANSI Z535)

Messages such as "Warning" and "Caution" may seem synonymous, but they actually deliver very different messages. ANSI and OSHA specify that safety signs must indicate and define specific hazards that, without identification, may lead to accidental injury to workers, customers or the general public. The standard headers and definitions are listed below.

DANGER	WARNING	CAUTION	NOTICE	SAFETY
<ul style="list-style-type: none"> Indicates an imminently hazardous situation which if not avoided, will result in death or serious injury. Limited to most extreme situations. Not used for property damage hazards unless personal injury risk to this level is also involved. 	<ul style="list-style-type: none"> Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury. Not used for property damage hazards unless personal injury risk to this level is also involved. Appropriate for signs placed outside of the area or on the exterior of enclosures containing a Danger-level hazard. 	<ul style="list-style-type: none"> Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury. May be used to alert against unsafe practices that may cause property damage. 	<ul style="list-style-type: none"> Indicates a statement of company policy directly or indirectly related to the safety of personnel or protection of property. Should not be associated with a hazard or hazardous situation and shall not be used in place of DANGER, WARNING or CAUTION. 	<ul style="list-style-type: none"> Indicate general instructions relative to safe work practices or indicate the location of safety equipment (e.g. eye wash station)



	754476-43039	7" x 10"	AL
	754476-22277	10" x 14"	PL
	754476-25201	10" x 14"	PL
	754476-22399	7" x 10"	PL
	754476-22400	10" x 14"	PL
	754476-40964	10" x 14"	AL
	754476-47050	10" x 14"	FB
	754476-84529	7" x 10"	SS
	754476-84530	10" x 14"	SS
	754476-87769	3.5" x 5"	SS
	754476-41262	10" x 14"	AL
	754476-84827	7" x 10"	SS
	754476-85382	7" x 10"	SS
	754476-95335	7" x 10"	PL
	754476-95341	10" x 14"	FB
	754473-71386	7" x 10"	AL
	754476-25892	10" x 14"	PL
	754476-43469	10" x 14"	AL
	754476-89087	7" x 10"	SS
	754476-89088	10" x 14"	SS
	754473-71802	7" x 10"	FB
	754476-22273	10" x 14"	PL
	754476-22587	10" x 14"	PL
	754476-41151	10" x 14"	AL
	754476-95332	10" x 14"	PL
	754476-22059	7" x 10"	PL
	754476-22060	10" x 14"	PL
	754476-40623	7" x 10"	AL
	754476-40624	10" x 14"	AL
	754473-75952	10" x 14"	AL
	754476-40625	7" x 10"	AL
	754476-40626	10" x 14"	AL
	754473-80510	7" x 10"	AL
	754473-80513	10" x 14"	AL
	754476-43496	10" x 14"	AL
	754476-42398	7" x 10"	AL
	754476-85791	7" x 10"	SS
	754476-22406	10" x 14"	PL
	754476-40970	10" x 14"	AL
	754476-69042	10" x 14"	FB
	754476-85797	7" x 10"	SS
	754476-87791	3.5" x 5"	SS
	754476-22708	10" x 14"	PL
	754476-41272	10" x 14"	AL
	754476-85407	7" x 10"	SS
	754476-85408	10" x 14"	SS
	754476-42387	10" x 14"	AL
	754476-85777	7" x 10"	SS
	754476-25457	14" x 10"	PL
	754476-43034	14" x 10"	AL
	754473-71806	7" x 10"	FB
	754476-70374	10" x 14"	FB

Custom Sign Pricing

Size	FB Premium Fiberglass B120	SS Self-Sticking Polyester B302	BGSS BradyGlo™ Self-Sticking Polyester B324	BGPL BradyGlo™ Plastic B347	PL Plastic B401	AL Aluminum B555
3½" x 5"		\$2.40				
7" x 10"	\$16.89	\$8.81	\$14.78	\$25.99	\$8.91	\$12.74
10" x 7"	\$16.89	\$8.81	\$14.78	\$25.99	\$8.91	\$12.74
10" x 14"	\$27.95	\$12.35	\$30.08	\$58.64	\$13.25	\$21.49
14" x 10"	\$27.95	\$12.35	\$30.08	\$58.64	\$13.25	\$21.49



754473-71798 7" x 10" FB
754476-43042 10" x 14" AL
754476-47101 10" x 14" FB
754476-84784 7" x 10" SS
754476-84785 10" x 14" SS



754476-22407 7" x 10" PL
754476-22408 10" x 14" PL
754476-40972 10" x 14" AL
754476-47018 10" x 14" FB
754476-84537 7" x 10" SS
754476-84538 10" x 14" SS
754476-87772 3.5" x 5" SS



754473-82697 10" x 14" SS
754476-25894 10" x 14" PL
754476-43471 10" x 14" AL



754473-77462 10" x 14" PL
754473-77463 10" x 14" SS



754476-84843 7" x 10" SS



754476-43500 10" x 14" AL



754473-80134 10" x 14" AL



754473-75241 10" x 7" SS



754476-85856 7" x 10" SS



754476-22917 7" x 10" PL
754476-22918 10" x 14" PL
754476-42440 7" x 10" AL
754476-42441 10" x 14" AL
754476-85858 7" x 10" SS
754476-85859 10" x 14" SS
754476-87790 3.5" x 5" SS



754476-22282 7" x 10" PL
754476-69408 10" x 14" FB
754476-84313 7" x 10" SS
754476-84314 10" x 14" SS



754473-77970 7" x 10" SS



754476-22924 10" x 14" PL
754476-42447 10" x 14" AL



754476-25204 7" x 10" PL
754476-25205 10" x 14" PL
754476-42781 7" x 10" AL
754476-42782 10" x 14" AL
754476-88571 7" x 10" SS
754476-88572 10" x 14" SS



754473-82960 10" x 14" AL
754473-82961 10" x 14" PL



754476-40853 10" x 14" AL



754476-22592 7" x 10" PL
754476-22593 10" x 14" PL



754476-22595 10" x 14" PL
754476-41159 10" x 14" AL



754476-25895 10" x 14" PL



754473-71393 7" x 10" AL



754473-74213 7" x 10" SS



754473-74219 7" x 10" SS



754476-25906 10" x 14" PL
754476-43483 10" x 14" AL



754473-76136 7" x 10" SS



754476-25611 10" x 14" PL
754476-43188 10" x 14" AL
754476-85097 7" x 10" SS
754476-85098 10" x 14" SS
754476-87782 3.5" x 5" SS



754476-84798 7" x 10" SS



754473-74242 10" x 14" PL
754473-74243 10" x 14" SS



754476-43499 10" x 14" AL




Head to Toe Protection

New ANSI Sign Standard

OSHA's recent Consensus Standard updates the previous sign design by adding visual pictograms, a safety alert symbol in the header, upper and lower case text, and more explanatory text regarding the nature of the hazard, how to avoid the hazard, and consequences of not avoiding the hazard.

A safety alert symbol needed for Danger, Warning and Caution signs

Text is succinct, active tense, left justified and follows character case rules



Greater use of symbols and pictograms

Communicates hazard, consequence and avoidance statements



754476-22292 7" x 10" PL
754476-22293 10" x 14" PL
754476-40856 7" x 10" AL
754476-40857 10" x 14" AL



754476-84327 10" x 14" SS



754476-22302 10" x 14" PL
754476-40866 10" x 14" AL
754476-84339 10" x 14" SS



754473-71828 7" x 10" FB
754476-84859 7" x 10" SS
754476-84860 10" x 14" SS



754476-22721 10" x 7" PL
754476-22722 14" x 10" PL



754473-73956 10" x 14" PL



754476-95366 7" x 10" SS
754476-95371 10" x 14" AL
754476-95372 10" x 14" PL



754476-85919 7" x 10" SS



754476-43354 10" x 14" AL
754476-85443 7" x 10" SS



754473-74291 7" x 10" PL
754473-74293 10" x 14" AL
754473-74294 10" x 14" PL



754476-84345 7" x 10" SS
754476-84346 10" x 14" SS



754473-71783 7" x 10" FB
754476-22312 10" x 14" PL
754476-40876 10" x 14" AL
754476-70240 10" x 14" FB
754476-84351 7" x 10" SS
754476-84352 10" x 14" SS



754476-72408 10" x 14" FB



754476-40882 10" x 14" AL
754476-84362 10" x 14" SS



754473-82504 10" x 14" SS



754473-74328 10" x 14" SS



754476-22319 7" x 10" PL
754476-40884 10" x 14" AL



754476-22321 7" x 10" PL
754476-22322 10" x 14" PL
754476-40885 7" x 10" AL
754476-40886 10" x 14" AL
754476-84366 10" x 14" SS



754476-60506 10" x 14" AL
754476-60535 10" x 14" PL
754476-60569 10" x 14" SS
754476-95013 10" x 14" FB
754476-95014 7" x 10" AL
754476-95015 7" x 10" PL
754476-95018 7" x 10" SS



754473-82043 7" x 10" AL



754476-21866 7" x 10" PL
754476-26591 10" x 14" PL
754476-62866 10" x 14" FB
754476-83839 7" x 10" SS
754476-83954 3.5" x 5" SS



754476-22424 7" x 10" PL
754476-22425 10" x 14" PL
754476-40988 7" x 10" AL
754476-40989 10" x 14" AL
754476-70248 7" x 10" FB
754476-70249 10" x 14" FB
754476-84562 7" x 10" SS
754476-84563 10" x 14" SS
754476-87748 3.5" x 5" SS



754476-19197 10" x 14" SS



754476-84564 14" x 10" SS



754473-75009 7" x 10" SS
754473-75012 10" x 14" SS



754476-84570 14" x 10" SS



754473-74984 7" x 10" SS



754473-82095 7" x 10" SS



754476-25804 10" x 14" PL
754476-73451 10" x 14" FB



NOTICE
EMPLOYEES ONLY
754476-22144 10" x 14" PL
754476-40708 10" x 14" AL
754476-84132 10" x 14" SS

NOTICE
Keep door closed.
754476-21703 7" x 10" PL
754476-46620 7" x 10" AL
754476-83654 7" x 10" SS
754476-83877 3.5" x 5" SS

NOTICE
KEEP THIS DOOR CLOSED
754476-22538 10" x 14" PL
754476-84733 10" x 14" SS

NOTICE
LIFE JACKETS MUST BE WORN BEYOND THIS POINT
754473-77803 10" x 14" AL

NOTICE
No smoking
754476-48990 14" x 10" AL

NOTICE
NO TRESPASSING
754476-22164 10" x 14" PL
754476-40728 10" x 14" AL
754476-47330 10" x 14" FB

NOTICE
NO TRESPASSING ON THIS PROPERTY UNDER PENALTY OF THE LAW
754476-95237 10" x 14" AL

NOTICE
NON-HAZARDOUS MATERIALS ONLY
754473-74660 7" x 10" SS

NOTICE
NON-POTABLE WATER
754476-40923 7" x 10" AL
754476-84467 7" x 10" SS

NOTICE
Report all injuries at once.
754476-83751 7" x 10" SS

NOTICE
SAFETY GLASSES REQUIRED BEYOND THIS POINT
754476-22626 7" x 10" PL
754476-22627 10" x 14" PL
754476-41191 10" x 14" AL
754476-47307 7" x 10" FB
754476-85035 7" x 10" SS
754476-85036 10" x 14" SS

Size	FB Premium Fiberglass B120	SS Self-Sticking Polyester B302	BGSS BradyGlo™ Self-Sticking Polyester B324	BGPL BradyGlo™ Plastic B347	PL Plastic B401	AL Aluminum B555
3½" x 5"		\$2.40				
7" x 10"	\$16.89	\$8.81	\$14.78	\$25.99	\$8.91	\$12.74
10" x 7"	\$16.89	\$8.81	\$14.78	\$25.99	\$8.91	\$12.74
10" x 14"	\$27.95	\$12.35	\$30.08	\$58.64	\$13.25	\$21.49
14" x 10"	\$27.95	\$12.35	\$30.08	\$58.64	\$13.25	\$21.49

NOTICE
SAFETY GLASSES, SAFETY SHOES AND HEARD PROTECTORS BEYOND THIS POINT
754473-77833 10" x 14" AL

NOTICE
Safety glasses required beyond this point.
754476-45068 14" x 10" PL
754476-45136 14" x 10" SS
754476-48988 14" x 10" AL

WARNING
AUTHORIZED PERSONNEL ONLY
754476-40758 10" x 14" AL

WARNING
DO NOT ENTER
754473-75395 7" x 10" AL
754473-75398 10" x 14" AL
754473-75399 10" x 14" PL

WARNING
HAZARDOUS MATERIAL STORAGE AREA
754476-43315 7" x 10" AL

WARNING
HIGH VOLTAGE
754476-84941 7" x 10" SS

WARNING
LEAD WORK AREA POISON NO SMOKING OR EATING
754476-25741 10" x 14" PL
754476-85550 10" x 14" SS

WARNING
NO TRESPASSING
754476-22202 10" x 14" PL
754476-40766 10" x 14" AL

RESTRICTED AREA
AUTHORIZED EMPLOYEES ONLY
754476-22178 10" x 14" PL
754476-40741 7" x 10" AL
754476-40742 10" x 14" AL
754476-70220 10" x 14" FB
754476-84175 7" x 10" SS

AUTHORIZED PERSONNEL ONLY
754476-22208 10" x 14" PL
754476-40772 10" x 14" AL

WARNING
Authorized personnel only
754476-45085 10" x 7" PL

AVOID A FALL
USE HANDRAILS
754473-79675 10" x 7" AL
754473-79676 10" x 7" PL

CAUTION
Slippery surface
754476-90706 10" x 7" BGPL

DANGER
Continued space. Enter by permit only.
754476-45117 10" x 7" SS

CYLINDER STORAGE AREA
754473-73331 7" x 10" PL

WARNING
RESTRICTED AMOUNTS OF CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, REPRODUCTION OR OTHER REPRODUCTIVE HAZARD MAY BE FOUND IN THIS FACILITY
754473-74724 7" x 10" SS

WARNING
RESTRICTED AMOUNTS OF CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, REPRODUCTION OR OTHER REPRODUCTIVE HAZARD MAY BE FOUND IN AND AROUND THIS FACILITY
754473-71589 7" x 10" SS
754476-58621 10" x 14" FB

DIESEL ONLY
754476-60563 7" x 10" SS




Head to Toe Protection

Globally Harmonized System (GHS) Compliance

The Globally Harmonized System (GHS) regulations are being implemented around the globe - in the U.S., Europe, and Asia, among other continents and countries. OSHA published an updated Hazard Communications standard in March 2012. The new standard incorporates the major elements of the GHS. A three year transitional period is expected, which will allow companies to have enough time to fully implement the new standards in their facilities. Starting in January, 2014 manufacturers, distributors, and employers working with, storing or transporting chemicals in the U.S. must train their employees or face possible fines from OSHA.

GHS Deadlines (These are the important dates to know):

- **December 1, 2013** – Employees Trained
- **June 1, 2015** – Comply with modified provisions
- **December 1, 2015** – Can no longer ship with old labels
- **June 1, 2016** – Update workplace labeling




A



B



C



D

RS Hughes Part Price Per Case Description

Brady GHS Signs

Post signs to reinforce label, pictogram and SDS training at a glance! Choice of fiberglass (B-140) or self-sticking signs (B-302).

RS Hughes Part	Price	EA	Per Case	Description
A. 754473-89832	24.49	EA	1	10" x 14" GHS Label Elements B-140
A. 754473-89835	12.35	EA	1	10" x 14" GHS Label Elements B-302
B. 754473-89831	24.49	EA	1	14" x 10" GHS Pictogram Overview B-140
B. 754473-89834	12.35	EA	1	14" x 10" GHS Pictogram Overview B-302
C. 754473-89833	24.49	EA	1	14" x 10" SDS Format Overview B-140
C. 754473-89836	12.35	EA	1	14" x 10" SDS Format Overview B-302

D. Brady GHS Reference Center Poster

This all inclusive poster is great for combining many of the most important changes into one easy-to-read format. Includes detailed information on: The new Safety Data Sheet (SDS) format and sections, the new Globally Harmonized System (GHS)-formatted label elements, and GHS Hazard Pictograms.

754473-89878	30.49	EA	1	133209
--------------	-------	----	---	--------

E. Brady GHS HazCom Training Program Kit

This program primarily focuses on the NEW Globally Harmonized System (GHS) elements and would assist in fulfilling an initial training requirement. This kit includes: a DVD with 2 videos on the GHS standard that will help employees understand the new GHS label elements, identify the new GHS pictograms and how to read and interpret the new GHS Safety Data Sheets. Along with the DVD, this program comes with a comprehensive instructor's guide, employee quiz, accompanying PowerPoint presentation, and 5 employee handbooks.

754473-84518	502.49	KT	1	132428
--------------	--------	----	---	--------

F. Brady GHS Hazcom Training Program Kit

A DVD-based Globally Harmonized System (GHS) training program in a bilingual English/Spanish format that will cover the training mandated by OSHA. Includes 2 videos on the GHS standard that will help employees: Understand the new GHS label elements, identify the new GHS pictograms, and read and interpret the new GHS Safety Data Sheets.

754473-89827	502.49	KT	1	133160
--------------	--------	----	---	--------



BRADY
WHEN PERFORMANCE MATTERS MOST™



RS Hughes Part Price Per Case Description

G. Brady GHS Hazcom Training Program Employee Handbooks

The Globally Harmonized System (GHS) Hazard Communication Training Program Handbooks are designed as helpful guides for your employees during their training. The employee handbooks, available in packs of 5, provide important information on the new GHS elements and serve as a valuable reference tool following training. The full GHS Hazard Communication Training Program Kit includes five handbooks.

754473-84519 16.49 PK 1 132429

H. Brady GHS Introduction Poster Pack

This poster pack includes a set of 3 informational posters. The posters outline three key topics for GHS and Hazard Communication: An overview of the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals, Information regarding the new Safety Data Sheets format and outline, Information regarding the new GHS-formatted label elements. This pack of posters is great for putting this critical information in different parts of your facility to ensure employee understanding.

754473-89876 50.99 PK 1 133207

I. Brady Hazard Communication Full Training Employee Handbook

The Hazard Communication Training Program Handbooks are designed as helpful guides for your employees during their training. The employee handbooks, available in packs of 5, provide comprehensive information regarding Hazard Communication regulations. These handbooks also serve as a valuable reference tool for employees following their training. The full Hazard Communication Training Program Kit includes five handbooks.

754473-84607 16.49 PK 1 132458

J. Brady Hazard Communication Full Training Program Kit

This program is intended to be a fully comprehensive Hazard Communication training program that can be used to fulfill a typical annual refresher requirement. It is intended to ensure the following: Employees will understand what types of hazardous materials are used in the workplace, employees will be able to read and understand labels and Safety Data Sheets, and that employees will be able to understand how to safely use hazardous materials. Training program contains a comprehensive DVD training video on OSHA's Hazard Communication Regulation (1910.1200) including the updates to GHS, a comprehensive instructor's guide, employee quiz, accompanying PowerPoint presentations and 5 employee handbooks.

754473-84606 553.49 KT 1 132457

K. Brady GHS Wallet Cards

These wallet cards outline all 9 of the new Globally Harmonized System (GHS) Hazard Pictograms. Wallet cards are a great training aid to help employees get familiar with the new hazard pictograms, and as a handy reference for when the new GHS labels are entering your facility. These cards are 2.1" W x 3.4" H and come in packs of 10.

754473-89877 21.99 PK 1



Head to Toe Protection

Brady ToughStripe™ Floor Marking Features

Superior Durability – Spend less time replacing damaged or worn lines for a better-looking, more efficient facility.

Withstands forklift traffic without tearing or lifting.

Low-profile design minimizes tears and scratches from skids, pallet jacks, etc.

Rugged polyester with ultra-aggressive adhesive.

Easy Application – Quickly lay down straight lines - without the help of coworkers. Can be easily applied by one person working alone.

Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy, uneven lines.

No special floor preparation required – just clean with common cleansers.

Painless Removal – Easily remove floor markings without damaging the floor or leaving adhesive residue. Does not chip and flake when being removed – comes off in one piece.

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Brady ToughStripe® Floor Marking, B-514 Polyester

Made with the most durable floor marking tape, ToughStripe™ Floor Marking Tape is a long-lasting, heavy-duty solution for marking floors, aisles, work cells and other designated areas.

754473-16088	44.49	RL	1	2" x 100'	Black	Floor Tape
754473-16089	44.49	RL	1	2" x 100'	White	Floor Tape
754473-16090	44.49	RL	1	2" x 100'	Yellow	Floor Tape
754473-16091	44.49	RL	1	2" x 100'	Red	Floor Tape
754473-16092	44.49	RL	1	2" x 100'	Blue	Floor Tape
754473-16093	44.49	RL	1	2" x 100'	Green	Floor Tape
754473-16094	44.49	RL	1	2" x 100'	Orange	Floor Tape
754473-16095	44.49	RL	1	2" x 100'	Black/Yellow	Floor Tape
754473-16096	44.49	RL	1	2" x 100'	Red/White	Floor Tape
754473-16097	44.49	RL	1	2" x 100'	Black/White	Floor Tape
754473-16118	64.99	RL	1	3" x 100'	Black	Floor Tape
754473-16119	64.99	RL	1	3" x 100'	White	Floor Tape
754473-16120	64.99	RL	1	3" x 100'	Yellow	Floor Tape
754473-16121	64.99	RL	1	3" x 100'	Red	Floor Tape
754473-16122	64.99	RL	1	3" x 100'	Blue	Floor Tape
754473-16123	64.99	RL	1	3" x 100'	Green	Floor Tape
754473-16124	64.99	RL	1	3" x 100'	Orange	Floor Tape
754473-16125	64.99	RL	1	3" x 100'	Black/Yellow	Floor Tape
754473-16126	64.99	RL	1	3" x 100'	Red/White	Floor Tape
754473-16127	64.99	RL	1	3" x 100'	Black/White	Floor Tape
754473-16148	84.99	RL	1	4" x 100'	Black	Floor Tape
754473-16149	84.99	RL	1	4" x 100'	White	Floor Tape
754473-16150	84.99	RL	1	4" x 100'	Yellow	Floor Tape
754473-16151	84.99	RL	1	4" x 100'	Red	Floor Tape
754473-16152	84.99	RL	1	4" x 100'	Blue	Floor Tape
754473-16153	84.99	RL	1	4" x 100'	Green	Floor Tape
754473-16154	84.99	RL	1	4" x 100'	Orange	Floor Tape
754473-16155	84.99	RL	1	4" x 100'	Black/Yellow	Floor Tape
754473-16156	84.99	RL	1	4" x 100'	Red/White	Floor Tape
754473-16157	84.99	RL	1	4" x 100'	Black/White	Floor Tape





B, C

D

E, F, G




RS Hughes Part Price Per Case Description

B. Brady ToughStripe® Floor Marking, Double Arrows, B-514 Polyester, 100 per Roll

Made with the most durable floor marking tape, ToughStripe™ Floor Marking Tape is a long-lasting, heavy-duty solution for marking floors, aisles, work cells and other designated areas.

RS Hughes Part	Price	Per	Case	Description
754473-16196	193.49	PH	1	3" x 8" Red
754473-16197	193.49	PH	1	3" x 8" Green
754473-16198	193.49	PH	1	3" x 8" Blue
754473-16199	193.49	PH	1	3" x 8" Yellow
754473-16200	193.49	PH	1	3" x 8" Black
754473-16201	193.49	PH	1	3" x 8" White



C. Brady ToughStripe® Floor Marking, Single Arrows, B-514 Polyester, 100 per Roll

RS Hughes Part	Price	Per	Case	Description
754473-16202	245.49	PH	1	4" x 10" Red
754473-16203	245.49	PH	1	4" x 10" Green
754473-16204	245.49	PH	1	4" x 10" Blue
754473-16205	245.49	PH	1	4" x 10" Yellow
754473-16206	245.49	PH	1	4" x 10" Black
754473-16207	245.49	PH	1	4" x 10" White
754473-16190	127.99	PH	1	2" x 5" Red
754473-16191	127.99	PH	1	2" x 5" Green
754473-16192	127.99	PH	1	2" x 5" Blue
754473-16193	127.99	PH	1	2" x 5" Yellow
754473-16194	127.99	PH	1	2" x 5" Black
754473-16195	127.99	PH	1	2" x 5" White



D. Brady ToughStripe® Floor Marking, Footprints, B-514 Polyester, 5 Right + 5 Left per Pack

RS Hughes Part	Price	Per	Case	Description
754473-16184	35.69	PH	1	10' x 3.5" Red
754473-16185	35.69	PH	1	10' x 3.5" Green
754473-16186	35.69	PH	1	10' x 3.5" Blue
754473-16187	35.69	PH	1	10' x 3.5" Yellow
754473-16188	35.69	PH	1	10' x 3.5" Black
754473-16189	35.69	PH	1	10' x 3.5" White



E. Brady ToughStripe® Floor Marking, Corner "L" Marks, B-514 Polyester, 20 per Pack

RS Hughes Part	Price	Per	Case	Description
754473-16208	28.04	PH	1	2" x 5" Red
754473-16209	28.04	PH	1	2" x 5" Green
754473-16210	28.04	PH	1	2" x 5" Blue
754473-16211	28.04	PH	1	2" x 5" Yellow
754473-16212	28.04	PH	1	2" x 5" Black
754473-16213	28.04	PH	1	2" x 5" White



RS Hughes Part Price Per Case Description

F. Brady ToughStripe® Floor Marking, Divider "T" Marks, B-514 Polyester, 20 per Pack

RS Hughes Part	Price	Per	Case	Description
754473-16214	28.04	PH	1	2" x 5" Red
754473-16215	28.04	PH	1	2" x 5" Green
754473-16216	28.04	PH	1	2" x 5" Blue
754473-16217	28.04	PH	1	2" x 5" Yellow
754473-16218	28.04	PH	1	2" x 5" Black
754473-16219	28.04	PH	1	2" x 5" White
754473-16226	40.28	PH	1	3" x 8" Red
754473-16227	40.28	PH	1	3" x 8" Green
754473-16228	40.28	PH	1	3" x 8" Blue
754473-16229	40.28	PH	1	3" x 8" Yellow
754473-16230	40.28	PH	1	3" x 8" Black
754473-16231	40.28	PH	1	3" x 8" White
754473-16238	58.64	PH	1	4" x 10" Red
754473-16239	58.64	PH	1	4" x 10" Green
754473-16240	58.64	PH	1	4" x 10" Blue
754473-16241	58.64	PH	1	4" x 10" Yellow
754473-16242	58.64	PH	1	4" x 10" Black
754473-16243	58.64	PH	1	4" x 10" White



G. Brady ToughStripe® Floor Marking, Center "+" Marks, B-514 Polyester, 20 per Pack

RS Hughes Part	Price	Per	Case	Description
754473-16244	28.04	PH	1	2" x 5" Red
754473-16245	28.04	PH	1	2" x 5" Green
754473-16246	28.04	PH	1	2" x 5" Blue
754473-16247	28.04	PH	1	2" x 5" Yellow
754473-16248	28.04	PH	1	2" x 5" Black
754473-16249	28.04	PH	1	2" x 5" White
754473-16250	40.28	PH	1	3" x 8" Red
754473-16251	40.28	PH	1	3" x 8" Green
754473-16252	40.28	PH	1	3" x 8" Blue
754473-16253	40.28	PH	1	3" x 8" Yellow
754473-16254	40.28	PH	1	3" x 8" Black
754473-16255	40.28	PH	1	3" x 8" White
754473-16256	58.64	PH	1	4" x 10" Red
754473-16257	58.64	PH	1	4" x 10" Green
754473-16258	58.64	PH	1	4" x 10" Blue
754473-16259	58.64	PH	1	4" x 10" Yellow
754473-16260	58.64	PH	1	4" x 10" Black





RS Hughes Part Price Per Case Description

Brady ToughStripe® Floor Marking Signs, B-534 Polyester with Anti-Skid Tread

ToughStripe® B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements. 3 mil thickness. Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1262.2-2006 and OSHA 1910.22. Black areas of signs are coated with anti-skid tread.

RS Hughes Part	Price	Per Case	Description
1. 754473-16288	40.79	EA 1	14" H x 18" W Safety Glasses Required
2. 754473-16266	40.79	EA 1	14" H x 18" W Radiation Area
3. 754473-16269	40.79	EA 1	14" H x 18" W First Aid
4. 754473-16275	40.79	EA 1	14" H x 18" W Do Not Enter
5. 754473-16276	40.79	EA 1	14" H x 18" W Chemical Storage
6. 754473-16277	40.79	EA 1	14" H x 18" W Watch Your Step
7. 754473-16278	40.79	EA 1	14" H x 18" W No Smoking
8. 754473-16280	40.79	EA 1	14" H x 18" W Ear Protection Area
9. 754473-16281	40.79	EA 1	14" H x 18" W Eye Protection Area
10. 754473-16282	40.79	EA 1	14" H x 18" W Hard Hat Area
11. 754473-16283	40.79	EA 1	14" H x 18" W Safety Goggles Required
12. 754473-16284	40.79	EA 1	14" H x 18" W Biohazard
13. 754473-16264	40.79	EA 1	17" Diameter First Aid w/ Arrow
14. 754473-16265	40.79	EA 1	17" Diameter Safety Shower w/ Arrow
15. 754473-16267	40.79	EA 1	17" Diameter Arrow Symbol
16. 754473-16268	40.79	EA 1	17" Diameter Exit w/ Arrow
17. 754473-16270	40.79	EA 1	17" Diameter Fire Extinguisher w/ Arrow
18. 754473-16271	40.79	EA 1	17" Diameter Fire Alarm w/ Arrow
19. 754473-16272	40.79	EA 1	17" Diameter Fire Hose w/ Arrow
20. 754473-16273	40.79	EA 1	17" Diameter Emergency Exit w/ Arrow
21. 754473-16274	40.79	EA 1	17" Diameter Emergency Stairs w/ Arrow
22. 754473-16279	40.79	EA 1	17" Diameter Watch Out For Fork Lift
23. 754473-16285	40.79	EA 1	17" Diameter Eye Wash w/ Arrow
24. 754473-16287	40.79	EA 1	17" Diameter Pedestrian Traffic Only
25. 754473-16289	40.79	EA 1	17" Diameter Stop w/ Octagon
26. 754473-16290	40.79	EA 1	17" Diameter Warning Forklift Traffic
27. 754473-16291	40.79	EA 1	17" Diameter Production Area
28. 754473-16286	40.79	EA 1	17" Diameter Keep Aisles Clear

WEARWELL™

ErgoDeck™ Kit Assembly Instructions

A simple, compact solution

- Each kit contains all the components for a complete mat.
- No cutting or tools required!
- Assembled in 5 minutes or less.
- Compact size reduces shipping costs and makes on-site delivery easy.
- Simply snap together and zip apart for a larger size using additional tiles.

Each ErgoDeck™ Tile has 16 secure connections:


- Four (4) female connectors on two adjacent sides
- Four (4) hidden male connectors on two adjacent sides

NO-SLIP SOLID KITS 552



PART INFORMATION				TILES		CORNER		RAMPS	
Wearwell Part No.	Size	Price	RS Hughes Part No	18" x 18"	15" x 15"	6" x 18"	6" x 9"		
552.78x42x48BYL	42" x 48"	349.13	715411-00490	4	2	3	2		
552.78x42x66BYL	42" x 66"	461.30	715411-00500	6	2	4	2		
552.78x42x84BYL	42" x 84"	573.48	715411-00510	8	2	5	2		

NO-SLIP DRAINAGE KITS 553





PART INFORMATION				TILES		CORNER		RAMPS	
Wearwell Part No.	Size	Price	RS Hughes Part No	18" x 18"	15" x 15"	6" x 18"	6" x 9"		
553.78x42x48BYL	42" x 48"	349.13	715411-00520	4	2	3	2		
553.78x42x66BYL	42" x 66"	461.30	715411-00540	6	2	4	2		
553.78x42x84BYL	42" x 84"	573.48	715411-00379	8	2	5	2		



Example:

A boxed kit for a 42" x 48" mat contains:

- 4 - 18" x 18" Tiles
- 2 - 15" x 15" Corners
- 3 - 6" x 18" Ramps
- 2 - 6" x 9" Ramps




RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

ErgoDeck With Integrated No-Slip Cleats

This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments. The patented LockSafe® Positive Interlocking System delivers secure connections but can be unlocked as needed for replacement or repositioning.

B.	715411-01039	46.07	EA	1	18 X 18	552.78x18x18BK
B.	715411-10480	426.62	CA	1	18 X 18	552.78x18x18BK-CS10
C.	715411-10490	46.07	EA	1	18 X 18	553.78x18x18BK
C.	715411-10500	426.62	CA	1	18 X 18	553.78x18x18BK-CS10



ERGODECK®

- ❖ A comfortable, ergonomic floor that will withstand heavy use.
- ❖ 100% Silicone Free PVC tiles provide maximum durability.
- ❖ Perfect for lean manufacturing, tiles can be unlocked and repositioned as work centers change to fit customer needs.
- ❖ The patented LockSafe® Positive Interlocking System delivers secure connections.
- ❖ The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation.



Available in a solid and drainage version and also two comfort levels

1 Original

For heavy use and cart traffic.

2 SOFT

For greater worker comfort.

Which ErgoDeck is right for you?

ErgoDeck Design	Extra Comfort	Dry Areas	Around Water	Hand Carts
Original Open No. 560		■	■	■
Original Solid No. 562		■		■
SOFT Open No. 564	■	■	■	
SOFT Solid No. 566	■	■		

Tiles	Price	Description/Color	Part Number	UOM
18" x 18"	328.55	Original Drainage, Black	560.78x18x18BK-CS10	Case-10
18" x 18"	512.30	Original Drainage w/ Grit, Black	561.78x18x18BK-CS10	Case-10
18" x 18"	328.55	Original Solid, Black	562.78x18x18BK-CS10	Case-10
18" x 18"	512.30	Original Solid w/ Grit, Black	563.78x18x18BK-CS10	Case-10
18" x 18"	328.55	SOFT Open, Charcoal	564.78x18x18CH-CS10	Case-10
18" x 18"	328.55	SOFT Solid, Charcoal	566.78x18x18CH-CS10	Case-10

Edging	Price	Description/Color	Part Number	UOM
6" x 18"	129.11	Ramp/Yellow	560.78x6x18YL-CS10	Case-10
6" x 15" x 15"	188.30	Outside Corner/Yellow	560.78x6x15x15YL-CS4	Case-4
6" x 18"	129.11	Ramp/Black	560.78x6x18YL-CS10	Case-10
6" x 15" x 15"	188.30	Outside Corner/Charcoal	560.78x6x15x15YL-CS4	Case-4

REJUVENATOR® CONNECT



Rejuvenator Connect is the ultimate ergonomic floor in terms of comfort and construction and #1 in resilience, comfort and long term value! Choose from 3 different styles to create a clean, consistent look in ALL areas of your facility!



Ergonomic Flooring for Unique Areas/Entire Floors

- ❖ 3' x 3' tiles that connect on all sides to create an exceptional ergonomic floor that can be fully customized to any shape or configuration. Optional 80 mm wide bevels increase safety.

Size	Price	Description/Color	Part Number	UOM
3' x 3'	219.52	Mat, Black	502.58x3x3BK	EA
2" x 39"	46.06	Female Ramp, Yellow	502.58x2x39FYL	EA
2" x 39"	46.06	Male Ramp, Yellow	502.58x2x39MYL	EA
2" x 39"	46.06	Female Ramp, Black	502.58x2x39FBK	EA
2" x 39"	46.06	Male Ramp, Black	502.58x2x39MBK	EA



A simple 2 mat configuration.

10 YEAR RESILIENCE WARRANTY ON ALL STYLES

Ergonomic Matting for Aisles Requiring Longer Lengths


- ❖ 2' x 5' and 3' x 5' sizes are available in Ends and Centres to create long runs of ergonomic matting. These mats have molded in ramps which reduce installation time and costs.

End Mat w/ Female Connectors	Centre Mat	End Mat w/ Male Connectors
------------------------------	------------	----------------------------

Size	Price	Description/Color	Part Number	UOM
2' x 5'	209.43	Center Mat, Black	502.58x2x5CBK	EA
2' x 5'	209.43	End Mat with Male Connectors, Black	502.58x2x5EFBK	EA
2' x 5'	209.43	End Mat with Female Connectors, Black	502.58x2x5EMBK	EA
3' x 5'	294.10	Center Mat, Black	502.58x3x5CBK	EA
3' x 5'	294.10	End Mat with Male Connectors, Black	502.58x3x5EFBK	EA
3' x 5'	294.10	End Mat with Female Connectors, Black	502.58x3x5EMBK	EA

Ergonomic Matting for Single Workstations

- ❖ 2' x 3', 2' x 5' and 3' x 5' single workstation mats with the same surface design as the available runners and interlocking 3' x 3' tiles give your facility a clean and consistent look with the same comfortable product throughout.




Size	Price	Description/Color	Part Number	UOM
2' x 3'	117.34	Single Mat, Black	502.58x2x3BK	EA
2' x 5'	186.23	Single Mat, Black	502.58x2x5BK	EA
3' x 5'	260.64	Single Mat, Black	502.58x3x5BK	EA

DIAMOND-PLATE MATTING



	BEST—SPONGECOTE®	BETTER—SELECT	GOOD—SMART®				
Products	UltraSoft Diamond-Plate No. 414, Diamond-Plate SpongeCote® No. 415	Diamond-Plate Select No. 495	SMART® Diamond-Plate No. 497				
Sponge base	Nitricell®—a premium Nitrile rubber composite sponge formulated for crush-resistance and extended performance.	Dense, closed cell PVC sponge designed with similar performance characteristics to others on the market.	A recycled urethane composite sponge, less durable overall, but truly designed for budget or environmentally conscious operations.				
Resilience	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good resilience, good recovery.	Good rebound, proven for use in many commercial applications as a flooring system underlayment.				
Standing Area	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" - 3" of each edge.	The sponge extends to within 2" - 3" of each edge.				
Bevel	Sponge offers built-in trip prevention bevel on standard sizes.	Sponge features rounded corners on stock sizes.	Sponge edges are not beveled.				
Warranty	4 years	3 years	1 year				
Thicknesses	Available in two thicknesses. UltraSoft Pre-beveled sponge gives mat its lay flat characteristics. Standard 9/16"	Available in two thicknesses. UltraSoft Surface lays over rounded sponge to create the bevel. Standard 9/16"	Available in two thicknesses. UltraSoft Surface lays over square sponge to create the bevel. Standard 5/8"				
Customization	Lengths, widths and shapes.	Lengths.	Lengths.				
GREEN Rating	50% Post Industrial Material	50% Post Industrial Material	>80% Post Industrial Material				
Part Numbers							
Size	UOM	414, 15/16" Thick - Price	415, 9/16" Thick - Price	495, 15/16" Thick - Price	495, 9/16" Thick - Price	497, 1" Thick - Price	497, 5/8" Thick - Price
2' x 3'	EA	79.28	59.66	70.48	53.62	54.16	39.13
3' x 5'	EA	198.10	145.06	178.28	130.98	137.30	102.69
2' x 75'	RL	1,985.28	1,438.74	1,786.24	1,294.36	n/a	1,077.54
3' x 75'	RL	2,835.32	2,055.22	2,552.48	1,849.92	n/a	1,349.64
4' x 75'	RL	3,779.38	2,740.66	3,400.88	2,465.80	n/a	n/a
Customization Information :	3' Cut up to 75' are also available. Prices listed for black only.		3' Cut up to 75' are also available. Prices listed for black only.		3' Cut up to 75' are also available. Prices listed for black only.		

24/SEVEN®



- ❖ These rubber 3' x 3' inter-connecting anti-fatigue mats keep workers productive and comfortable.
- ❖ Drainage mats feature large holes to allow fluids and debris to flow through freely.
- ❖ Solid mats feature an easy to clean textured surface for use in mostly dry areas.
- ❖ The hidden interlocking system connects on all four sides to quickly cover large areas.
- ❖ Ability to replace single tiles saves money and down time.
- ❖ Available in 3 different rubber compounds:
 1. Grease-Resistant (**GR**) for areas with water or dry debris.
 2. Cutting Fluid Resistant (**CFR**) for areas with mineral oil-based cutting fluids.
 3. 100% Nitrile (**NBR**) for areas with petroleum-based fluids.

GR	Price	Description/Color	Part Number	UOM
3' x 3'	72.49	Mat, Solid	570.58x3x3GRBK	EA
3' x 3'	65.80	Mat, Drainage	572.58x3x3GRBK	EA
3" x 39"	19.27	Male Ramp/Yellow	572.EDGINGMGRYL	EA
3" x 39"	19.27	Female Ramp/Yellow	572.EDGINGFGRYL	EA
3" x 39"	13.45	Male Ramp/Black	572.EDGINGMGRBK	EA
3" x 39"	13.45	Female Ramp/Black	572.EDGINGFGRBK	EA

NBR	Price	Description/Color	Part Number	UOM
3' x 3'	142.98	Mat, Solid	570.58x3x3NBRBK	EA
3' x 3'	109.67	Mat, Drainage	572.58x3x3NBRBK	EA
3" x 39"	34.22	Male Ramp/Yellow	572.EDGINGMNBRYL	EA
3" x 39"	34.22	Female Ramp/Yellow	572.EDGINGFNBRYL	EA
3" x 39"	25.81	Male Ramp/Black	572.EDGINGMNBRBK	EA
3" x 39"	25.81	Female Ramp/Black	572.EDGINGFNBRBK	EA

CFR	Price	Description/Color	Part Number	UOM
3' x 3'	125.94	Mat, Solid	570.58x3x3CFRFBK	EA
3' x 3'	99.02	Mat, Drainage	572.58x3x3CFRFBK	EA
3" x 39"	31.26	Male Ramp/Yellow	572.EDGINGMCFRYL	EA
3" x 39"	21.26	Female Ramp/Yellow	572.EDGINGFCFRYL	EA
3" x 39"	22.55	Male Ramp/Black	572.EDGINGMCFRFBK	EA
3" x 39"	21.47	Female Ramp/Black	572.EDGINGFCFRFBK	EA



A



B




C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Wearwell Mud Chucker, No. 229

Portable shoe scraper removes dirt from the sides and bottoms of boots or shoes. Pliable rubber fingertips on side walls. Portable or permanent.

715411-46410	41.99	EA	1	Black	2"x12"x15.25"
--------------	-------	----	---	-------	---------------

B. Wearwell Starting Line 300 Anti-Fatigue Matting

Starting Line is manufactured with a unique process using an incredibly durable material and fatigue-fighting resilient domes that bounce back time and time again! Water meet your match! Whether it's a wet area or needs hosing down for cleaning, Starting Line can take it! And at 1/3 the weight of sponge, it's never been easier to roll up and carry away! Trim & Nest Sections Together For Custom Lengths & Widths. Resists Tears, Maintain Easily.

715411-67013	856.57	EA	1	3'x75', 3/8" Thick	Black
--------------	--------	----	---	--------------------	-------

C. Wearwell Anti-fatigue and Safety Matting for Food Production Areas, No. 482

For use in Food Production areas. Available in two perfect workstation sizes, its built-in handles allow the mats to be easily picked up for cleaning. The well-designed drainage system will not harbor germs and bacteria.

715411-48216	107.09	EA	1	Terra Cotta	30"x36", 1/2" Thick
715411-48253	162.36	EA	1	Terra Cotta	30"x60", 1/2" Thick

D. Wearwell Tile-Top Sponge Base Anti-Microbial, No. 420

Designed for worker comfort in laboratories, pharmaceutical processing and any dry area worker health and safety is important. Its Micro-Pure sponge base is 100% anti-microbial and provides unsurpassed comfort. The attractive marbled vinyl surface is also 100% anti-microbial, extremely durable and offers the benefits of good chemical resistance.

715411-33061	76.58	EA	1	Black	2'x3', 1/2" Thick
715411-33328	185.32	EA	1	Black	3'x5', 1/2" Thick

E. Wearwell Soft Rock, No. 423

Soft Rock is the modern and adaptable matting solution for labs, hotels, retail outlets, and other facilities where workers stand on hard tiles and concrete. Easy to clean, Soft Rock is an affordable, anti-microbial solution that helps keep the workplace germ-free and meets ASTM G21-13 standards.

715411-10043	68.92	EA	1	2 X 3	Slate	423.12x2x3SL
715411-10743	68.92	EA	1	2 X 3	Sandstone	423.12x2x3SA
715411-10818	62.02	EA	1	2 X 3	Coal	423.12x2x3CL
715411-10893	68.92	EA	1	2 X 3	Blue Stone	423.12x2x3BL
715411-10968	68.92	EA	1	2 X 3	Granite	423.12x2x3GT
715411-11118	68.92	EA	1	2 X 3	Travertine	423.12x2x3TR
715411-10744	166.74	EA	1	3 X 5	Sandstone	423.12x3x5SA
715411-10819	150.06	EA	1	3 X 5	Coal	423.12x3x5CL
715411-10894	166.74	EA	1	3 X 5	Blue Stone	423.12x3x5BL
715411-10969	166.74	EA	1	3 X 5	Granite	423.12x3x5GT
715411-11044	166.74	EA	1	3 X 5	Slate	423.12x3x5SL
715411-11119	166.74	EA	1	3 X 5	Travertine	423.12x3x5TR

F. Wearwell Workrite II, No. 468

Ultra light design, Excellent drainage, Wide, ribbed molded-in safety edges, Natural Rubber, Overall thickness 1/2" (13 mm)

715411-14111	81.83	EA	1	3 X 5	Black	468.12x3x5BK
715411-14112	199.52	EA	1	3 X 10	Black	468.12x3x10BK
715411-14113	414.72	EA	1	3 X 20	Black	468.12x3x20BK



G



RS Hughes Part Price Per Case Description

G. Wearwell Electrically Conductive Anti-Fatigue, No. 786

Electrically Conductive Anti-Fatigue effectively protects sensitive equipment and dramatically reduces fatigue. Vinyl diamond-plate or smooth surfaces drain static electricity from personnel. Protect sensitive equipment from damage or eliminate static annoyance Nitricell® sponge base delivers 2X the resilience and 3X the life of typical sponges Lay-flat design and up to 20% more standing area than look-alikes. Attached grounding snap.

715411-04061	142.02	EA	1	Black	2'x3', 15/16" Thick
715411-04062	330.55	EA	1	Black	3'x5', 15/16" Thick
715411-60704	107.88	EA	1	Black	2'x3', 9/16" Thick
715411-60354	254.95	EA	1	Black	3'x5', 9/16" Thick

H. Wearwell Sanitizing Foot Mat, No. 222

The Sanitizing Foot Mat keeps hygienic areas free of contamination and germs. Great for food processing plants, this mat has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution. Sanitizing Foot Mat will hold one gallon of disinfectant solution - chlorine or quaternary. The New model has 2.5" Tall Walls, which allow the mat to hold up to 5.5 gallons of sanitizing solution. When filled to a practical level, the solution will totally immerse the treads and sides of the boot sole, while the fingertips release any accumulations. The larger overall size covers most doorways and allows employees to take two steps in the mat.

715411-70073	57.24	EA	1	Black	24"x32", 1/2" Wall
715411-29019	167.19	EA	1	Black/Yellow	32"x39", 2 1/2" "Tall Wall"
715411-80047	131.15	EA	1	Black	32"x39", 2 1/2" "Tall Wall"

I. Wearwell InVision Custom Anti-Fatigue Matting, No. 110

The ultimate choice for custom-printed anti-fatigue matting! Simple or complex! Choose from a simple spot print or highly detailed, edge-to-edge graphics. Image won't wear off! Your graphic is printed on the underside of a clear 1/8"-thick surface. Premium Nitricell® sponge base! Outperforms others for comfort and long-term performance.

715411-00100	193.97	EA	1	2'x3' Diamond Plate, 15/16" thick
--------------	--------	----	---	-----------------------------------



H



Wearwell InVision Custom Matting Program

How to make InVision your own:

- Call us with an order of 25 or more.
- Sign and submit the release form. This confirms that you are authorized to use the artwork for your InVision mat.
- Upload artwork directly to an FTP location. Site details will be provided upon receipt of signed release form.
- Submit signed approval of digital proof.



I



A



B



C



D



E

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Ergodyne 8940 PowerCap

ANSI 107 Class headwear. Two ultra-bright LED's in the brim; two additional LED's concealed under the brim. Four replaceable CR2032 long-life lithium batteries (included) for more than 30 hours of continuous light.

720476-23272	21.58	EA	12	Black
720476-23274	24.92	EA	12	Camo



B. Pelican HeadsUp Lite™ 2610 LED Flashlight

The 2610 provides hands-free light where you need it, when you need it. A dual mode button activates all 3 LEDs for full brightness, or just 1 to extend battery life. The adjustable cloth strap fits comfortably and securely on your head, while the rubber strap grips tightly to hard hats and helmets. Both are included, as well as 3 AAA alkaline cells. The HeadsUp Lite 2610 is ideal for reading maps and light duties around the campsite.

194280-92955	41.69	EA	1	
--------------	-------	----	---	--



C. Pelican 2760 Multi-beam Headlamp

Multi-beam functionality at your fingertips. It's the one headlamp that does it all. Tough, lightweight, super bright and loaded with multiple lighting features that include high, medium, low, flashing, downcast, and night vision red LED modes. With all these options you can light up distant trails or the map in your hands. Designed for fast and easy battery changing with a weather resistant casing (full-time battery level indicator included). The new 2760 LED headlamp. Simple, multi-beam functionality at a push of a button.

019428-11758	49.44	EA	1	Black
019428-11772	49.44	EA	1	Translucent Red

D. Pelican 2765 LED Headlamp

Pelican™ safety approved headlamps are designed for use in hazardous environments. It is not only Class I Div 1 approved but also is ultra compact and lightweight. Equipped with three uniquely positioned LEDs, It produces up to 105 lumens and provides up to 9 hours and 30 minutes of run time. The Pelican 2765 offers multiple modes (high, low, downcast, flashing). The downcast LEDs provides illumination for pathway (offering greater safety), reading space (added convenience) and most appreciated by your counterparts whenever face to face interaction is in order (no more blinding your partner). Additionally, the Pelican 2765 offers a full time battery level indicator. You will now be able to monitor your battery level throughout the life of the batteries. It is available in two colors (yellow or black) and includes both cloth and rubber straps for a variety of head / helmet applications. Count on Pelican to bring you the best in lighting design and technology.

019428-12763	53.76	EA	1	Black
019428-12764	53.76	EA	1	Yellow

E. Pelican 2780 LED Headlamp

Own the night with Main, Downcast, Flashing, and Main/Downcast Combo LED Modes. The Main LED illuminates everything in front, the Downcast LED illuminates everything below and, for an expanded view, switch to Main/Downcast Combo LED Mode. With 430 lumens of bright LED light, you'll conquer technical terrain without stumbling over dark, unseen obstacles. Plus, the flashing mode can be used as a beacon. The new Pelican™ 2780 LED Headlight: You won't miss a thing. 430 High Intensity Lumens, Downcast LED Technology, Pivoting Head For Directional Beam (70°), Includes 3 interchangeable Covers (Black, White, Photoluminescent), IPX7 - Waterproof (submerged to 1 meter for 30 min.), 4 AA Batteries Included.

019428-12879	86.02	EA	1	Black
--------------	-------	----	---	-------

RS Hughes Part Price Per Case Description

F. Pelican 3310ELS Emergency Lighting Station

When the power goes out, the Pelican™ 3310 ELS appears: a self-contained glowing beacon and flashlight that's easy to locate in the dark. Housed in a clear tamper-proof case, the Pelican™ 3310 ELS mounts to the wall in the home, office or factory, making it available during any power outage. The new Pelican™ 3310 ELS: You'll never lose it.

019428-13013 56.02 EA 1



G. Pelican 1810 Key Chain flashlight

Flat tires, missing headphones, you name it; this new everyday personal flashlight will keep you moving through the day or night. With 16 lumens of light and a keychain attachment- it's always handy. New Pelican ProGear™ 1810 LED Keychain Light: Unlock the dark. Ultra Compact and Lightweight, IPX - Water Resistant, Coin Cell Batteries (included), Twist on/off activation.

019428-12726 13.93 EA 1 Red
019428-12727 13.93 EA 1 Silver
019428-12728 13.93 EA 1 Green
019428-12736 13.93 EA 1 Blue
019428-12743 13.93 EA 1 Gold
019428-27251 13.93 EA 1 Black



H. Pelican L4™ 1830 LED Flashlight

The L4 is a handy, unbelievably bright LED flashlight that's powered by 3 AAAA alkaline cells (included). The light weight, slim profile design fits neatly in your pocket and comfortably in your hand. A tail button switch provides quick on/off or momentary activation. The clip is virtually unbreakable because it is molded to the Xenoy body as one unit. And because it is molded out of polycarbonate resin, it won't cause sparks and is safe to use in electrical environments.

PELICAN 1830C 26.31 EA 1



Pelican 1910/1920 LED Flashlight

Our new ultra compact aluminum 1910 and 1920 flashlights are designed with style and function in mind. Using readily available AAA batteries, these bright LED lights create a clean white beam. Long burntimes combined with hi-lumen output make for an efficient lighting tool; it's the perfect personal light.

I. 019428-19167 36.53 EA 1 3.6 inches, 1910
J. 194281-02883 39.84 EA 1 5.3 inches, 1920



K. Pelican 2360B Tactical Flashlight

If you like the convenience of AA alkaline batteries, but need the performance of lithium batteries, the 2360 LED is the light for you. Using 2 standard AA alkaline batteries, the new 2360 LED emits a peak output of 250 lumens. With a run time of up to 2 hours 15 minutes, the last thing you will need to worry about while on the job, is a dim flashlight or dead batteries. Built-in battery level indicator ensures you will not be left in the dark.

019428-12518 55.36 EA 1 Black



L. Pelican 2380R USB Rechargeable Flashlight

The Pelican 2380R is a brand new flashlight that brings the latest and greatest technology together into one product. By incorporating "Slide-Beam technology" (spot to flood), USB rechargeability, full time battery level indication, high performance LED, multiple modes and compact design are only some of the reasons we feel you'll agree that this is a fantastic new flashlight. The 2380R offers three modes: High/Strobe/Low. The ability to achieve over 300 lumens on high mode with a 3 hours 30 minute run time as well as 30 lumens on low mode for up to 25 hours is a testament to its versatility. The spot to flood beams are achieved instantly with the use of the patented reflector design. A single indicator LED is utilized for continuous monitoring of the battery level as well as monitoring the charge status.

019428-12184 118.29 EA 1 Black



Head to Toe Protection



A



B



C



D



E



F

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Pelican 3310PL Medium Flashlight Photoluminescent

Your days of fumbling around in the dark are over. The 3310PL LED incorporates photoluminescent technology which emits a bright glow making it highly visible in pitch black environments. And, with a run time of 190 hours (low), the new 3310PL LED proves itself invaluable in emergency situations. So get back on track with our glow-in-the-dark, high performance 3310PL LED with up to 234 lumens of uncompromising flashlight performance. The new 3310PL LED: Helping you find your light and your way.

019428-12648	43.00	EA	1	
--------------	-------	----	---	--

B. Pelican 7000 Tactical Flashlight

The First Pelican Tactical Light To Break 600 Lumens. Our new pocket sized tactical light is engineered to output 602 lumens of intense LED light, turning night into day instantly. Four light modes: high, medium, low and strobe for close quarter to long distance viewing, including tactical offensive strobe. With 4 programmable combinations now you're in complete control.

019428-12541	107.53	EA	1	Black
--------------	--------	----	---	-------

C. Pelican 7060 Tactical Flashlight

The Pelican 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is self programmable. This allows the individual user to custom tailor the various modes to their liking. The light incorporates a rechargeable Lithium-Ion battery for maximum brightness and is also lightweight compared to standard batteries.

194280-65126	232.87	EA	1	Black
--------------	--------	----	---	-------

D. Pelican 8060 Tactical Flashlight

Introducing the all new full size, full power and self programmable 8060 LED. Packed with the most advanced technology found in any duty light on the market. Powered by a rechargeable NiMH battery pack or 4C cells, the Pelican™ 8060 LED is the longest running duty light today. Full size equals full performance and, at almost 13 inches in length, you can be sure that your 8060 will deliver in any emergency. With over 800 lumens available at your fingertips and up to 69 hours of useful light will ensure that your light will keep burning even when all hell breaks loose.

194280-77853	244.36	EA	1	Black
--------------	--------	----	---	-------

E. Pelican 9410L LED Lantern

At less than 3 pounds and 1203 lumens, the new 9410L LED Lantern packs the power without the weight. Four LEDs, powered by the latest generation Lithium-Ion batteries illuminate a distance of 475 yards (435 meters). And it's loaded with innovative technology and features you have come to expect from Pelican. Whether you're on a USAR team or the 3rd shift at a refinery, you'll appreciate the compact size and high output of the new 9410L LED Lantern.

019428-12222	470.89	EA	1	Black
019428-12223	470.89	EA	1	Yellow

F. Pelican 9415 LED Lantern

At just 3 pounds and 413* lumens, the new 9415 LED Lantern packs the power without the weight. Four LEDs, powered by the latest generation Ni-MH batteries illuminate a distance of 360 yards (325* meters). And it's loaded with innovative technology and features you have come to expect from Pelican. Safety approved for the most volatile work areas, the 9415 LED Lantern is safe and one of the most compact, high output lanterns on the market.

019428-10550	515.20	EA	1	Yellow
--------------	--------	----	---	--------



RS Hughes Part Price Per Case Description

G. Pelican 9420XL Led Work Light Kit

Now you can start your day before sunrise if you have the new portable Pelican ProGear™ 9420 LED Work Light in your tool crib. Equipped with two LEDs (1000 lumens of light and 4 hours of run time), plus a 5 foot high mast deploys easily in seconds and illuminates your entire work area. With the 9420 you will get the job done without the hassle of power cords.

019428-11060 419.93 EA 1 Black

H. Pelican 9440 Remote Area Lighting System

The 9440 now offers Bluetooth remote activation with variable light control, three pre-set power levels, battery level indication and comes equipped with a lithium ion rechargeable battery. The 9440 moves fast to light up ravines, confined spaces, riverbanks, anyplace generator lights can't go. Deployed, the mast extends 7 feet high, shining light over low obstructions encountered by traditional lantern style lights. With a 125 degree beam spread and up to 5300 lumens, your entire work area will have the light you need for a safe and efficient operation. The 9440 is able to run directly from wall power if needed and can be left on charge indefinitely which makes for an invaluable emergency preparedness tool. The 9440 is maintenance free, using super tough LED lamp modules and a lithium ion battery for up to 8 hours of continuous light.

194280-98261 1,623.07 EA 1 Black
019428-09825 1,623.07 EA 1 Yellow

Pelican 9460 Remote Area Lighting System

Refined and more powerful the 9460 Remote Area Lighting System (RALS) provides convenient and ecologically responsible alternatives to wasteful generator powered lights. Engineered with the Intelligent Control System which calculates and displays current battery life, allows the user to regulate the intensity of the light and choose the desired run time. Built with versatility in mind, the 9460 RALS features two swiveling telescope masts (each extends to nearly 6 feet) and two 360 degree articulated light arrays. The system's next-generation LEDs combine to radiate up to 6,000 lumens (3,000 per light head). Powered by a rechargeable battery, the system offers up to 7 hours of peak brightness with a variety of extended run times. Built self-contained in a tough-as-nails Pelican case, the 9460 is compact and provides easy ground transport with a pull handle and stainless steel ball-bearing, polyurethane wheels.

I. 194280-88552 2,754.16 EA 1 Black
J. 019428-10969 2,921.89 EA 1 Yellow

Pelican 9490 Remote Area Lighting System

Up to 6,000 lumens (calculated), up to 24 hrs of run time, Intelligent Control (allows or various light output levels). Maintenance free LED array with 50,000 hour life expectancy, Built Pelican tough, Full time battery level indication with low level flashing indicator, Deployable mast with 340 degree rotation, Multiple deployment positions, Convenient shoulder strap, Quick release / Hot swappable battery design with 12 volt power supply. Free Bluetooth iPhone™ App Controls Multiple Units.

K. 019428-12452 1,441.93 EA 1 Yellow
L. 019428-12451 1,441.93 EA 1 Black



G



H



I



J







K

L



Head to Toe Protection

Rayovac Virtually Indestructible Light Series

				
	DIYBEAM-B	DIY2D-B	DIYHL3AAA-B	DIY3AAA-B
Lumens				
High Mode	150	140	50	120
Low Mode	50	25	11	19
Battery Runtime				
High Mode	20	12	9	5
Low Mode	78	100	40	40
Beam Distance (in feet)				
High Mode	350	316	24	160
Low Mode	195	100	15	70
Drop Test (in feet)	30	30	30	30

Flashlight Features



Lumens:
A measure of the total power of light emitted. The higher the number, the brighter the light.



Run Time:
The length of time the flashlight will run with the batteries provided.



Impact Resistance:
The degree to which a device resists damage from dropping on a solid surface.



Beam Distance:
A measure of how far from the device the beam of light reaches.



Beam Intensity:
Maximum luminous intensity typically along the central axis of a cone of light.



Water Resistant:
Water splashed against the device from any direction shall have no harmful effects.



Water Proof/Submersible:
Ingress of water in quantities causing harmful effects shall not be possible when the enclosure is temporarily immersed in water under standardized conditions of pressure and time.

RAYOVAC®



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Rayovac Indestructible Lantern

Rayovac industrial grade 150 lumen high performance LED beam lantern. 2 light modes with high and energy saver. IPX4 water resistant includes 4 C alkaline batteries. 15 foot drop tested with impact resisting internal engineering.

012800-51560	23.14	EA	4	DIYBEAM-B
--------------	-------	----	---	-----------

B. Rayovac Indestructible Flashlight

Rayovac industrial grade 140 lumen high performance LED flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 2 D alkaline batteries. 20 foot drop tested with impact resisting internal engineering.

012800-51887	31.56	EA	4	DIY2D-B
--------------	-------	----	---	---------

Rayovac 120 lumen high performance LED camouflage flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51962	29.46	EA	4	OT3AAACAMO-B Camo Body
--------------	-------	----	---	------------------------

C. Rayovac Indestructible Headlight

Industrial grade 35 lumen high performance LED headlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51563	10.51	EA	4	DIYHL3AAA-B
--------------	-------	----	---	-------------

D. Rayovac Indestructible Flashlight

Rayovac industrial grade 120 lumen high performance LED flashlight. 2 light modes with high and energy saver. IPX4 water resistant includes 3 AAA alkaline batteries. 30 foot drop tested with impact resisting internal engineering.

012800-51557	18.95	EA	4	DIY3AAA-B
--------------	-------	----	---	-----------



E



F



G



H

I



J



K



L

RS Hughes Part Price Per Case Description

Rayovac Family of Flashlights



Industrial™ Krypton Lantern™

E. 012800-45184 5.04 EA 6 IN2

Rayovac 2D Industrial Krypton Yellow Flashlight with Ring Hanger and Magnet

F. 012800-45188 7.86 EA 6 IN2-KML

Rayovac 2D Industrial Orange Safety Flashlight with Shock and Corrosion Resistance. MSHA, CSA and UL Listed.

G. 012800-45190 6.74 EA 6 IN2-MS

The 2AA Intrinsically Safe flashlight is an extremely durable, waterproof alkaline battery powered intrinsically safe flashlight. This product features a push-button tactical style on/off switch for momentary on/off. It is available in yellow with black accent.

H. 012800-52318 45.60 EA 4 IS3C

I. 012800-52317 39.46 EA 4 IS4AA

Rayovac 200 Lumen 3AAA Tactical LED Flashlight with Holster

J. 012800-51225 27.98 EA 4 RNT3AAA-B

Rayovac 80 Lumen 3AAA LED Headlight with 2 Headstraps

K. 012800-51234 19.28 EA 4 RNHL3AAA-B

Rayovac 3C 180 Lumen LED Metal Flashlight

L. 012800-50651 33.11 EA 4 SE4W3C

Rayovac Floating Lantern with 6 Volt Battery

M. 012800-51297 5.68 EA 6 EFL6V-B



M

Lumen Power Chart




A



B



C



D

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Rayovac Indestructible Sportsman Headlamp

Sportsman® Virtually Indestructible 100 Lumen 3AAA HI Performance Headlight. With optimized beams, rubber grips, and tactical switches, Rayovac® Sportsman® lights are perfect for outdoor lifestyles.

012800-51562	15.77	EA	4	OTHPHL-BA
--------------	-------	----	---	-----------

B. Rayovac® Virtually Indestructible LED 3AAA Headlight

50 Lumen 3AAA LED Headlight with Batteries. Rayovac® Virtually Indestructible lights are constructed with aluminum/titanium, offer superior engineering, and a lifetime guarantee. These bright, long-lasting durable LED lights are virtually indestructible, surviving up to a 30 foot drop test.

012800-51563	10.51	EA	4	DIYHL3AAA-B
--------------	-------	----	---	-------------

C. Rayovac Industrial Grade 500 Lumen Spotlight

Virtually Indestructible 500 Lumen 6AA LED Spotlight with Batteries. Rayovac® Virtually Indestructible lights are constructed with aluminum/titanium, offer superior engineering, and a lifetime guarantee. These bright, long-lasting \ LED lights are virtually indestructible, surviving a 30 foot drop test.

012800-51984	42.11	EA	2	DIY6AASP-B
--------------	-------	----	---	------------

D. Rayovac Industrial Grade 400 Lumne Lantern

Virtually Indestructible 400 Lumen 3D LED Lantern with Batteries. Constructed with aluminum/titanium, offer superior engineering, and a lifetime guarantee. Bright, long-lasting LED lights are virtually indestructible, surviving a 30 foot drop test.

012800-51983	36.68	EA	4	DIY3DLN-B
--------------	-------	----	---	-----------

Emergency Power Chargers - Portable Instant Chargers

RS Hughes Part Price Per Case Description

E. Rayovac Power Emergency Charger

Rayovac 2 hour power emergency charger that offers outlet-free power. Powered by 1 Rayovac Lithium CR123A battery (included). Apple 30 Pin Tip Model

012800-51976	7.88	EA	6	PS71-BT6
012800-51967	7.88	EA	6	PS72-BT6

F. Rayovac Power Back-Up Charger

Rayovac 7 hour power back-up charger with cords and batteries. Outlet-free power. Powered by 4 Rayovac Alkaline AA batteries (included).

012800-51968	15.77	EA	6	PS73-4BT6
--------------	-------	----	---	-----------

G. Rayovac USB Car and Wall Charger

Rayovac USB car and wall charger combo pack with cords. Dual auto and single wall USB chargers. Charges most USB devices. Includes one Apple 30 Pin cord and one Micro USB cord.

012800-51996	14.99	EA	6	PSUSB-2T6
--------------	-------	----	---	-----------

Rayovac Phone Boost 800

Phone Boost 800 Rechargeable 800mAh Lithium Ion Charger. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

H. 012800-52108	20.61	EA	6	PS76, Micro USB Model
I. 012800-52110	34.04	EA	6	PS78, Apple Lightning MFi Model

J. Rayovac Power Pack 2000mAh

Power Pack 2000 Rechargeable 2000mAh Lithium Ion Charger with Micro USB Cable Included. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

012800-52136	41.26	EA	4	PS80
--------------	-------	----	---	------

K. Rayovac Power Pack 6000mAh

Power Pack 6000 Rechargeable 6000mAh Lithium Ion Charger with Micro USB Cable Included. The Rayovac® Portable Power line allows you to have power wherever you are, whether it's at home, in the office, or on-the-go. Use a universal USB charger with your own cables to charge your devices at home or in your car and use a power pack as a back-up battery for ultimate portability when charging your devices.

012800-52137	61.89	EA	4	PS81
--------------	-------	----	---	------

L. Rayovac® Adventurer™ 10400 Mobile Device Charger

Adventurer™ Rechargeable 10400mAh Lithium Ion Charger with Micro USB Cable Included. Features dual USB ports to charge two devices simultaneously and a flashlight with 3 modes: high (115 lumens), low (45 lumens), and SOS signal. 4 LED battery gauge indicators show charge and discharge status. Holds charge up to 6 months.

012800-52278	52.61	EA	2	PS87
--------------	-------	----	---	------



E



F



G



H



I



J



K



L



Head to Toe Protection

Advanced High Energy Batteries

Rayovac Advanced High Energy Batteries are engineered for high-drain devices to maximize performance and keep your batteries running longer. Guaranteed fresh for 7 years with a high performance for a lower cost than lithium batteries.



Batteries



A



B



C



D



E



F



G



H



I



J



K



L

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

Rayovac Alkaline Batteries

A. Rayovac Advanced High Energy AA 6 Pack 012800-51804	6.12	PK	24	815-6HEF
B. Rayovac Advanced High Energy AAA 6 Pack 012800-51805	6.12	PK	24	824-6HEF
C. Rayovac Al-AAA Alkaline AAA Size Shrink 8 Pack 012800-00045	3.37	PK	12	AL-AAA
D. Rayovac Al-AAA-18 Alkaline AAA Size Reclosable 18 Pack 012800-47410	7.26	PK	12	ALAAA-18F
E. Rayovac Al-AA-24 Alkaline AA Size Reclosable 24 Pack 012800-47409	10.11	PK	12	ALAA-24F
F. Rayovac Al-AA Alkaline AA Size Shrink 8 Pack 012800-00043	3.37	PK	12	AL-AA
G. Rayovac Al-C Alkaline C Size Shrink 6 Pack 012800-00041	5.16	PK	12	AL-C
H. Rayovac Al-D Alkaline D Size Shrink 6 Pack 012800-00042	6.32	PK	12	AL-D
I. Rayovac Al-9V Alkaline 9-Volt Shrink 6 Pack 012800-00044	10.11	PK	12	AL-9VA
J. Rayovac Al-C Alkaline C Size Reclosable 12 Pack 012800-47411	10.53	PK	8	ALC-12F
K. Rayovac Al-D Alkaline D Size Reclosable 12 Pack 012800-47412	12.63	PK	8	ALD-12F
L. Rayovac Al-9V Alkaline 9-Volt Reclosable 8 Pack 012800-47408	13.47	PK	12	AL9V-8F



M



N



O



P



RS Hughes Part Price Per Case Description

Rayovac® Fusion™ Alkaline D Size

The energy-dense formula inside Rayovac's longest-lasting battery excels in the high-drain devices you use every day. Excels in today's most power hungry devices. Mercury Free formula. Proudly made in the USA.

M.	012800-52292	6.67	PK	12	4 Pack	813-4TFUS
N.	012800-52294	12.21	PK	4	8 Pack	813-8CTFUS

Rayovac® Fusion™ Alkaline C Size

The energy-dense formula inside Rayovac's longest-lasting battery excels in the high-drain devices you use every day. Excels in today's most power hungry devices. Mercury Free formula. Proudly made in the USA.

O.	012800-52293	6.67	PK	12	4 Pack	814-4TFUS
P.	012800-52295	12.21	PK	7	8 Pack	814-8CTFUS

Rayovac® Fusion™ Alkaline AA Size

The energy-dense formula inside Rayovac's longest-lasting battery excels in the high-drain devices you use every day. Excels in today's most power hungry devices. Mercury Free formula. Proudly made in the USA.

Q.	012800-52289	6.18	PK	24	8 Pack	815-8CTFUS
R.	012800-52296	3.93	PK	28	4 Pack	815-4TFUS
S.	012800-52298	10.11	PK	10	16 Pack	815-16SCTFUS
T.	012800-52299	14.32	PK	10	24 Pack	815-24SCTFUS

Rayovac® Fusion™ Alkaline AAA Size

The energy-dense formula inside Rayovac's longest-lasting battery excels in the high-drain devices you use every day. Excels in today's most power hungry devices. Mercury Free formula. Proudly made in the USA.

U.	012800-52290	6.18	PK	30	8 Pack	824-8CTFUS
V.	012800-52300	3.93	PK	20	4 Pack	824-4TFUS
W.	012800-52302	10.11	PK	14	16 Pack	824-16SCTFUS
X.	012800-52303	14.32	PK	14	24 Pack	824-24CTFUS

Rayovac® Fusion™ Alkaline 9-Volt

The energy-dense formula inside Rayovac's longest-lasting battery excels in the high-drain devices you use every day. Excels in today's most power hungry devices. Mercury Free formula. Proudly made in the USA.

Y.	012800-52304	6.67	PK	12	2 Pack	A1604-2TFUS
Z.	012800-52305	12.28	PK	9	4 Pack	A1604-4CTFUS



Q



R



S



T



U



V



W



X



Y



Z



Head to Toe Protection



A



B



C



D



E



F



G

G. OLFA SK-4 Self-Retracting Safety Knife

The popular Olfa spring-retractable safety cutter features a heavy-duty spring-activated blade that automatically retracts the instant the blade loses contact with the cutting surface, reducing injuries in the workplace. Slip-resistant ergonomic handle and stainless steel blade channel that holds the blade tight. For right- and left-handed use. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Cutting depth: 0.75" (19mm). Good for: cutting corrugate, shrink wrap, plastic strapping, rubber, leather, flashing etc.

091511-40062 10.63 EA 6

RS Hughes Part Price Per Case Description

A. OLFA 180 Standard Cutter

This extra heavy-duty utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip for maximum comfort and control. Heavy-gauge stainless steel blade channel protects and holds blade tight, ratchet-wheel blade lock for unlimited blade positioning. Acetone resistant handle for easy cleaning. Easy, tool-free blade change. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa HB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: cutting leather, rubber, cardboard, rope, paper, carpet, fiberglass, acetates, linoleum, plastic, etc.

091511-60001 3.69 EA 6



B. OLFA CTN-1 Classic Carton Knife

Carton cutter with segmented blades. Similar in appearance to "razor knives" with the added feature of a 6-segment snap blade. Sliding steel blade cover for additional handle strength.

091511-60039 19.77 PK 6

C. OLFA L-1 Heavy-Duty 18mm Utility Knife

This Heavy-Duty Utility Knife features a comfortable handle and a ratchet wheel blade lock. Professional strength stainless steel blade channel secures blade for the toughest of cutting jobs. Easy, tool-free blade change for convenience. Good for cutting paper, cardboard, roofing, drywall, vinyl, acetates, etc.

091511-40039 2.99 EA 24

D. OLFA L-2 HD Cutter with Rubber Grip

The brother to Olfa L-1, this heavy-duty utility knife features an anti-slip rubber grip inset and a ratchet wheel blade lock. Professional strength stainless steel blade channel secures blade for the toughest of cutting jobs. Easy, tool-free blade change for convenience. Cutting depth: 0.59" (15mm). good for: cutting paper, cardboard, roofing, drywall, vinyl, acetates, etc.

091511-60006 10.30 EA 6

E. OLFA LA-X X OLFA Design Series - Auto-Lock, HD Cutter

This heavy-duty auto-lock utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip and automatic blade lock for maximum comfort and control. Heavy-gauge stainless steel blade channel protects and holds blade tight. Acetone resistant handle for easy cleaning. Built in versatile metal pick for opening paint cans, removing switch plates and more. Easy, tool-free blade change. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa LB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: cutting leather, rubber, cardboard, rope, paper, carpet, acetates, linoleum, plastic, etc.

091511-60086 10.91 EA 6

F. OLFA XH-1 X OLFA Design Series - Ratchet-lock, XHD Cutter

This extra heavy-duty utility knife is a powerful anti-slip utility knife, featuring a professional grade fiberglass rubber grip for maximum comfort and control. Includes the double-honed ultrasharp black snap-blade - 25% sharper than the silver Olfa HB blades. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention.

091511-60085 18.40 EA 6

RS Hughes Part Price Per Case Description

H. OLFA SK-6 Flex-Guard Safety Knife

This safety knife features an automatic protection blade guard that engages the moment the blade loses contact with the cutting surface, reducing injuries in the workplace. This built-in safety guard is activated once the cut begins and can not be overridden. Users can keep their thumb on or off the blade slide during cutting. Comfortable handle design and easy blade change helps prevent injury and hand and wrist fatigue. For right- and left-handed use. Cutting depth: 0.39" (10mm). Good for: cutting corrugate boxes, cartons, packaging material, etc.

091511-40085 17.32 EA 6

I. OLFA SK-7 Compact Self-Retracting Safety Knife

Handy sized safety knife features a spring-loaded blade that self-retracts the instant it loses contact with the material being cut for increased safety in the workplace. Features a stainless steel blade channel that holds blade tight and a low-positioned blade-slide that helps reduce blade exposure when carried inside a pocket. This lightweight cutter fits any size hand and is designed for right- or left-handed use. Perfect for safely cutting cartons, packages, poster board, cardboard, corrugate, boxes and more. Easy and safe blade replacement.

091511-60004 7.57 EA 6

J. OLFA SK-8 Automatic Self-Retracting Safety Knife

This specially designed extra protection heavy-duty safety knife features a spring-loaded blade that automatically retracts the instant it loses contact with the material being cut, even when the blade slide in engaged. This feature cannot be overridden providing increased safety in the workplace. Features an anti-slip, cushion grip handle with a large blade slider for easy use. for right and left handed use. Cutting depth: 0.59" (15mm). Good for: cutting cartons, packages, poster board, cardboard, corrugate, boxes and more.

091511-40085 17.32 EA 6

K. OLFA SPC-1 9mm Snap-Off Knife

This multi-purpose 9mm utility knife is ideal for light-duty cutting jobs. Also great for applications where disposal is necessary. Easy, tool-free blade change. Uses OLFA 9mm replacement blades (AB, ABB, ASOL). 40 Knives Per Pack.

091511-60066 2.83 EA 10

L. OLFA SVR-1 Deluxe Stainless Steel Cutter

This stainless steel knife is perfect for use in moist environments where rust is a concern. Features a slide-lock, built-in pocket clip/blade snapper and a stainless steel blade channel for blade security. For right- and left-handed use. Easy, tool-free blade change. Blade is made of high-quality Japanese grade stainless steel and designed to stand-up to the most demanding jobs. Long lasting and durable - a new sharp edge with just a snap. Good for: cutting wallpaper, window films, caulking, etc.

091511-60003 8.57 EA 6

M. OLFA UTC-1 Auto-Lock Retractable Utility Knife

This retractable auto-lock utility knife helps reduce injuries in the workplace. Features elastomer on the handles for comfort and control, a heavy gauge stainless steel blade channel that holds blade tight, and a five position retractable blade for application specific requirements. Acetone resistant for easy cleaning. Blade is made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. For right- and left-handed use. Easy tool-free blade change. Good for: drywall, roofing, flooring, electrical, sign making, window tinting, maintenance, paperhangers, and mechanics.

091511-60063 10.79 EA 6



H



I



J



K



L



M

OLFA®

Best made cutting tools in the world.®



A



B



C



D

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. OLFA SK-10 Concealed Blade Safety Cutter

Concealed blade safety knife featuring an adjustable blade positioning design which allows for 4 cutting points on a single-edge utility blade. Highly productive, it delivers 4x's more cuts than a single-edge, fixed blade "gooseneck" safety knife. Uses the Olfa SKB-10 blade, a single-edge blade featuring 1 blunt edge for safer handling. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Versatile, it features a 5/32" (4mm) throat inlet to cut through a variety of materials, and a stainless steel tape slitter for box tape slitting. Acetone resistant for easy cleaning. Fits both right- and left-handed users with no blade adjustment necessary. Tool-free blade change. Good for: shrink wrap, plastic strapping, stretch wrap, plastic sheeting, bubble wrap, leather, nylon, belting, sacks, bags, tape slitting.

091511-90021	12.35	EA	6
--------------	-------	----	---

B. Olfa 45-C Heavy-Duty Rolled Materials Cutter

There's no reason to struggle cutting through multiple layers; it's hard on the material and hard on you. This OLFA® rotary cutter is ideal for medium to heavy-duty projects. It can accommodate up to six layers of thin materials. Good For: cutting strips and multiple layers at once. Cuts fabric, paper, tarp, vinyl, upholstery and more.

091511-40056	26.36	EA	6
--------------	-------	----	---

C. Olfa SCS-1 5IN Stainless Steel Serrated Edge Scissors

The OLFA stainless steel scissors are rapidly growing in popularity in both consumer and industrial applications. Extremely high quality stainless steel blades meet perfectly for precision cutting. The material being cut is held in place by the serrated blade, providing positive control. Excellent for cutting rubber used in rubber stamping.

091511-40040	19.64	EA	6
--------------	-------	----	---

D. OLFA SCS-2 Stainless Steel Serrated Edge 7" Scissors

The 7" stainless steel scissors are growing in popularity in both consumer and industrial applications. High quality stainless steel blades meet perfectly for precision cutting. Serrated blade keeps material in place. Excellent for cutting multiple layers. good for: cutting corrugate, paper, rubber, leather, foam, etc.

091511-40041	23.15	EA	6
--------------	-------	----	---

RS Hughes Part Price Per Case Description

E. Olfa AK-1/5B Art Knife W/5 Blades

Perfect for artists, this knife feels like a pen in the hand. But make no mistake - it cuts with exacting precision. Use this OLFA® art knife for delicate projects. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-40059 5.55 EA 6

F. Olfa AK-4 Cushion Grip Knife

This versatile OLFA® knife has an anti-slip, cushion-grip handle, giving you added comfort. The bottom is slightly weighted, giving the knife improved balance and stability. An anti-roll device is an extra safety feature, and blade changes can be made with a quick spin of the blade holder. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-60032 13.23 PK 6

G. Olfa AK-5 Designer Art Knife W/30 Blades

This specialized art knife/multi-use tool has a flattened handle end and an art needle. Blade case functions as storage case, disposal case, and knife stand. 30 replacement KB-5 blades & art needle included on pack. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-22001 11.49 EA 6

H. Olfa SVR-2 Stainless Steel Auto-Lock Utility Knife

You'll want to applaud the features of this OLFA® utility knife (when your hands are free). The auto-lock mechanism of this utility knife allows you to make quick and secure changes to the cutting depth with just one hand. Commonly used for window film and tint preparation. Good For: Applications such as paint, window film and packaging. Cuts tape, shrink wrap, wallpaper, film, cardboard, caulking and more.

091511-60040 7.39 EA 6

I. Olfa KB Multi-Purpose Blades (For AK-1/5B)

Whether you're a professional artist or just like to dabble, you'll appreciate the accuracy of these OLFA® blades. You'll find plenty of uses for the versatile blades, limited only by your artistic imagination. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-50013 4.45 PK 6 25 Blades

J. Olfa KB-5/30B Blades for AK-5

Whether you're a professional artist or just like to dabble, you'll appreciate the accuracy of these OLFA® blades. You'll find plenty of uses for the versatile blades, limited only by your artistic imagination. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-23001 4.51 PK 6 30 Blades

K. Olfa KB4-S/5 Precision Blades (For AK-1, AK-4 & AK-5)

If you need to make accurate cuts, you need OLFA® precision blades. They have a 23-degree angle for superior precision. These blades are good for trimming and deburring plastics, wood, films and more. Good For: arts, graphics, crafts and hobby use. For both personal use as well as industrial applications.

091511-50090 3.62 PK 6 5 Blades

L. Olfa KB4-S/100 Precision Blades - Bulk (For AK-1, AK-4 & AK-5)

If you need to make accurate cuts, you need OLFA® precision blades. They have a 23-degree angle for superior precision. These blades are good for trimming and deburring plastics, wood, films and more.

091511-61062 45.82 PK 10 100 Blades



E



F



G



H



I



J



K




L





A



B



C



D



E



F



G



H

H. Olfa LWB-3B 18mm Solid Insulation Blades (For L-2 & LA-X)

For cutting porous or slipper materials, choose these OLFA® solid insulation blades. These carbon tool steel blades have a serrated blade edge. Use these blades for cutting materials including insulation, vinyl coated pipe cover, fiberglass, wool, rope and more.

091511-23005	6.64	PK	6	3 Blades
--------------	------	----	---	----------

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. OLFA AB-10B/AB-50B Standard Blades (For 180 & SVR-1)

9mm snap-off blade is ideal for general crafts, cutting wallpaper, etc. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Long lasting and durable - a new sharp edge with just a snap. Good for: cutting, paper, art & craft applications, cardboard, shrink-wrap, etc. Fits Olfa 9mm knives. 13 cutting edges per blade.

091511-60014	5.33	PK	6	10 Blades
091511-60015	17.28	PK	6	50 Blades



B. OLFA ABB-50B Ultramax® 9mm Blades

For 180, SVR-1, SPC-1. The Olfa Ultra Sharp 9mm Snap-Off Blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. Made from a high-quality Japanese grade carbon tool steel, the Olfa black blades are double-honed for extreme sharpness and are 25% sharper than the Olfa silver heavy-duty AB blades. Long lasting, durable snap-off blade - a new sharp edge with just a snap. Blade container locks for safety. Fits most heavy-duty handles. 13 cutting edges per blade. 50 blades per pack.

091511-60050	6.89	PK	6	50 Blades
--------------	------	----	---	-----------

C. OLFA A-SOL/10B 9mm Solid Blades

For 180, SVR-1 & SPC-1. 9mm Solid Blades were designed for applications where precision is needed with the opportunity for extended blade exposure. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. 10 blades per pack.

091511-10028	71.13	EA	1	10 Blades
--------------	-------	----	---	-----------

D. OLFA LSOL-10B 18mm Solid Blades

For L-1, L-2 & LA-X. 18mm Solid Blades were designed for applications where the opportunity for extended blade exposure is needed. Made Of High-Quality Japanese Grade Carbon Tool Steel And Designed For Unparalleled Sharpness And Superior Edge Retention. 10 Blades per pack.

091511-40084	6.56	EA	6	10 Blades
--------------	------	----	---	-----------

E. OLFA LBB-10B/LBB-50B UltraMax HD Blades (For L-2 & LA-X)

The Olfa ultrasharp black heavy-duty snap-off blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. Made from a high-quality Japanese grade carbon tool steel, the Olfa black blades are double-honed for extreme sharpness and are 25% sharper than the Olfa silver heavy-duty LB blades. Long lasting, durable snap-off blade - a new sharp edge with just a snap. Blade container locks for safety. Fits most heavy-duty handles. 8 cutting edges per blade. 10 blades per pack.

091511-60036	9.39	PK	6	10 Blades
091511-60037	36.45	PK	6	50 Blades

F. OLFA HBB-20B UltraMax® XHD Blades (For XH-1)

The Olfa ultrasharp black heavy-duty snap-off blades are exclusively designed for maximum cutting performance and are ideal for applications where superior sharpness is required. Made from a high-quality Japanese grade carbon tool steel, the Olfa black blades are double-honed for extreme sharpness and are 25% sharper than the Olfa silver heavy-duty HB blades. Long lasting, durable snap-off blade - a new sharp edge with just a snap. Blade container locks for safety. Fits Olfa extra heavy-duty handles. 7 cutting edges per blade. 20 blades per pack. Good for: cutting drywall, roofing, leather, rubber, etc.

091511-50127	26.98	PK	6	20 Blades
--------------	-------	----	---	-----------

G. Olfa LFB-10B 18mm Snap-Off Speed Blades (For L-2 & LA-X)

For cutting jobs that require super speed, choose these OLFA® snap-off Speed Blades. These carbon tool steel blades have an enhanced coating and are double-honed for extreme sharpness. Use these blades for construction materials including drywall, linoleum, carpet, flooring, insulation, and roofing materials.

091511-43004	9.96	PK	6	10 Blades
--------------	------	----	---	-----------



RS Hughes Part Price Per Case Description

I. OLFA SKB-2/10B or 50B Safety Knife Blades (For SK-4 & UTC-1)

Trapezoid safety knife replacement blade helps reduce injuries in the workplace. Fits retractable safety knife models SK-4 and SK-9, and retractable auto-lock utility knife (UTC-1). Each blade features 2 cutting edges. 10 blades per pack

091511-60024	7.32	PK	6	10 Blades
091511-60025	28.00	PK	6	50 Blades

J. OLFA SKB-2/10B or 50B Safety Knife Blades (For SK-4 & UTC-1), Rounded Corners

Rounded corners to help reduce product damage and injuries in the workplace. For retractable safety knife (Sk-4), safety knife with blade guard (Sk-6), and retractable auto-lock utility knife (Utc-1). Each blade features 2 cutting edges. 10 blades or 50 blades per pack.

091511-60051	7.31	PK	6	10 Blades
091511-60052	28.16	PK	6	50 Blades

K. OLFA SKB-8/10B Safety Knife Blades for SK-8

Dual-edge, specially designed for high-quality carbon tool steel blade for maximum performance and durability. High-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Exclusive blade for the self-retracting safety knife (SK-8). Good for: cutting cartons, packages, poster board, cardboard, corrugate, boxes and more. 10/pack

091511-50125	7.11	PK	6	10 Blades
--------------	------	----	---	-----------

L. OLFA SKB-10/10B Safety Knife Blades for SK-10

Concealed blade safety knife replacement blade helps reduce injuries in the workplace. Single-edge for safer handling. Made of high-quality Japanese grade carbon tool steel and designed for unparalleled sharpness and superior edge retention. Good for: shrink wrap, plastic strapping, stretch wrap, plastic sheeting, bubble wrap, leather, nylon, belting, sacks, bags, tape slitting. For use with the concealed blade safety knife (SK-10). When used in the Olfa concealed blade safety knife (SK-10), each blade features 4 cutting edges. 10 blades per pack.

091511-90022	6.60	PK	6	10 Blades
--------------	------	----	---	-----------

Olfa RB45-10 45mm Tungsten Tool Steel Rotary Blade (For 45-C)

This OLFA® blade cuts up to six layers of fabric. Made of tungsten tool steel, the blade is exceedingly sharp and retains its edge. The replacement blade fits any OLFA® 45mm rotary cutter. Good For: cutting strips and multiple layers at once. Cuts fabric, paper, tarp, vinyl, upholstery and more.

M. 091511-50080	28.63	PK	6	5 Blades
N. 091511-50046	53.99	PK	6	10 Blades

O. OLFA DC-3 Blade Disposal Can

Handy pocket-size can for quick and safe blade disposal. Black plastic tambour door opens and closes with one thumb for easy disposal and securely covers the blade slot when not in use preventing blades from falling out. It's easy to use, just slide open the door to snap a new edge. Easily fits into a pocket, toolbox, or designers workstation and is perfect for use at construction sites, industrial worksites, garages, art departments, etc. For use with OLFA® standard-duty (AB) and heavy-duty (LB) snap-off blades and the Rounded Tip Safety Blade (RSKB, SKB-7).

091511-50113	5.35	PK	6	
--------------	------	----	---	--



I



J



K



L



M



N



O



Head to Toe Protection



A



62

B



C

D



RS Hughes Part Price Per Case Description

Ergodyne 3100 Tool Lanyards, Single Carabiner Lanyard

Tethers tools to worker to help prevent injury and lost productivity from dropped tools. Stretchable cord surrounded by tubular nylon webbing with silver mylar reflective thread. Lock stitching at both ends for extra security. Cord stretches for full range of motion (Standard: 35" to 42") (Extended: 42" to 54"). Aluminum carabiner. Adjustable barrel lock for tool attachment. Maximum safe working capacity: 10 lbs.

A. 720476-19002	8.67	EA	6	Black
B. 720476-19003	8.67	EA	6	Lime

C. Ergodyne 3001 Squids® Retractable Single Carabiner With Loop End - 2lb

Retractable tool lanyard with stainless steel carabiner attachment and choking loop end. Locks into place at desired length preventing tangles and work under tension while securing tools.

720476-19301	33.25	EA	6	Black
--------------	-------	----	---	-------

D. Ergodyne 3700 Squids® Web Tool Tails™ - 2lb

Web Tool Tails™ provide retrofit attachment points to a variety of tools and equipment up to 2lbs (0.90kg) using Squids® Tool Traps™. Ultra strength nylon webbing, fully enclosed plated D-ring for secure attachment, high tensile strength nylon thread, web catch with double stitch for more durable stopping point. Available in five color coded lengths. Maximum safe working capacity: 2 lbs. (0.9 kg) Third party tested using a 2:1 safety factor.

720476-19701	7.08	EA	6	Variety	Blk/Org
720476-19703	7.08	EA	6	3.5"	Black
720476-19704	7.08	EA	6	4.5"	Orange
720476-19705	7.08	EA	6	5.5"	Black
720476-19706	7.08	EA	6	6.5"	Orange
720476-19708	7.08	EA	6	8.5"	Black

E. Ergodyne 3750 Squids® Tape Trap™

Captures Squids® Tool Tails™ securing a safe connection to tools like no other tool attachment tape on the market. Quickly wraps on a variety of hand tools, power tools and other equipment providing security and added grip.

720476-19760	16.58	EA	6	1" x 12'	Orange	12ft Roll
720476-19761	38.25	EA	6	1" x 30'	Orange	30ft Roll



E

Storage Bins and Organizers



RS Hughes Part Price Per Case Description (LxWxH)

Akro-Mils Wire Shelving Components

Wire Shelving Components allow you to create a custom system to provide a cleaner, more organized environment and reduce lost inventory. Create a new system or add on to your already existing units. Adjustable shelving adds flexibility to your ever-changing work environment. Each shelf and upright is made from steel with a chrome finish for durability and strength. Easy set-up and installation. Components include Shelves, Uprights, Casters and Footplates.

F. AWP63UPRIGHT	19.67	EA	1	63" Chrome Upright
F. AWP74UPRIGHT	21.31	EA	1	74" Chrome Upright
F. AWP86UPRIGHT	18.22	EA	4	86" Chrome Wire Shelving Post
G. AWP63CASTER	33.62	EA	1	5" Swivel Caster w/Brake for 63" Upright
H. AWPCAST5	52.49	EA	1	5" Casters - Set of 4 (2 with Brakes)
I. AWS1436SHELF	41.00	EA	1	14" x 36" Chrome Wire Shelf
I. AWS1836SHELF	45.91	EA	1	18" x 36" Chrome Wire Shelf
I. AWS1848SHELF	43.11	EA	1	18" x 48" Chrome Wire Shelf
I. AWS2448SHELF	68.84	EA	1	24" x 48" Chrome Wire Shelf
I. AWS2460SHELF	81.93	EA	1	24" x 60" Chrome Wire Shelf

Eagle Rack Guard

Eagle Rack Guard to fit 1.5" x 3" Racking. Constructed of durable Yellow High Density Polyethylene (HDPE).

J. 048441-00887	14.40	EA	1	1.5" x 3.0"	1702	Yellow
K. 048441-00888	14.40	EA	1	3.0" x 3.0"	1703	Yellow

F

G

H

I

J

K



Head to Toe Protection



A



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Akro-Mils® Wire Shelving Starter Unit, 74in Tall

Wire shelving units help to maximize storage wherever you need it. Open-deck shelves prevent dust accumulation and durable chrome finish is rust and scratch resistant. No tools required for assembly.


AWS741224SU	127.22	EA	1	12 X 24
AWS741236SU	153.64	EA	1	12 X 36
AWS741248SU	181.84	EA	1	12 X 48
AWS741436SU	161.13	EA	1	14 X 36
AWS741824SU	144.56	EA	1	18 X 24
AWS741830SU	162.02	EA	1	18 X 30
AWS741836SU	179.93	EA	1	18 X 36
AWS741848SU	221.91	EA	1	18 X 48
AWS741860SU	266.53	EA	1	18 X 60
AWS741872SU	299.71	EA	1	18 X 72
AWS742424SU	168.33	EA	1	24 X 24
AWS742436SU	217.51	EA	1	24 X 36
AWS742448SU	262.71	EA	1	24 X 48
AWS742460SU	329.80	EA	1	24 X 60
AWS742472SU	373.40	EA	1	24 X 72
AWS743648SU	335.53	EA	1	36 X 48
AWS743660SU	451.33	EA	1	36 X 60
AWS743672SU	525.76	EA	1	36 X 72



B



C



D

AkroBin Hanging System

Rail Hanging Systems allow for fast, easy organization and parts retrieval. Single sided rail units are ideal for placement against walls to save space. Double-sided rail units can "float" in any room and be picked from both sides.

B. 30008	225.09	EA	1	1 Sided/16 Rail Rack, 36"x14-1/8"x53"
B. 30016	232.56	EA	1	2 Sided/16 Rail Rack, 36"x14-1/8"x53"

Double Sided Louvered Floor Rack - 36-3/16" x 25 x 66-3/8 hanging system allows for easy placement and configuration of AkroBins. Floor standing racks can be placed near work areas to improve productivity.

C. 30676	416.22	EA	1	
-----------------	--------	----	---	--

Wall Mounted Louvered Panel 36" L x 19" H hanging system allows for easy placement and configuration of AkroBins. Wall-mounted unit keep items off the floor and work table.

D. 30636	34.76	EA	1	
-----------------	-------	----	---	--



RS Hughes Part Price Per Case Description

E. Akro-Mils® SuperSize Stacking AkroBin

Super-Size AkroBins offer huge storage capacity and the versatility you need to make the most of your space. These heavy-duty plastic storage bins save space by securely stacking atop each other, and sitting on wire shelving and steel shelving, or steel carts and dollies. Super-Size AkroBins are resistant to weak acids and alkalis. Sturdy, one-piece construction is water, rust and corrosion-proof.

30280 BLUE	17.69	EA	1	20 X 12-3/8 X 6
30281 BLUE	16.44	EA	1	20 X 12-3/8 X 8
30282 BLUE	19.76	EA	1	20 X 12-3/8 X 12
30283 BLUE	27.13	EA	1	20 X 18-3/8 X 12
30284 BLUE	29.44	EA	1	23-7/8 X 8-1/4 X 7
30286 BLUE	28.24	EA	1	23-7/8 X 11 X 7
30287 BLUE	29.45	EA	1	23-7/8 X 11 X 10
30288 BLUE	39.11	EA	1	23-7/8 X 16.5 X 11
30289 BLUE	39.76	EA	1	23-7/8 X 18-1/4 X 12
30290 BLUE	37.38	EA	1	29-1/4 X 18-3/8 X 12
30292 BLUE	35.36	EA	1	29-7/8 X 11 X 10
30293 BLUE	38.38	EA	1	29-7/8 X 16.5 X 11



E

F. Akro-Mils Attached Lid Containers, 12 Gallon

Attached Lid Containers (ALCs) are reusable storage containers ideal for use in order picking, closed-loop distribution, and storage applications. Attached lids snap securely closed to protect contents from dust or damage. These industrial shipping containers stack for maximized storage and nest when empty saving space. Textured bottoms provide a sure grip on conveyor belts. Strong molded-in handle grips are ergonomically designed for easy lifting and carrying. Padlock eye provides security option. Reinforced steel hinge pins provide years of smooth lid operation. Available in Grey, Green, Blue, and Red.

39085 GREY	23.71	EA	6	21-1/2" x 15" x 9"
39120 GREEN	25.69	EA	6	21-1/2" x 15" x 12 1/2"
39120 GREY	25.69	EA	6	21-1/2" x 15" x 12 1/2"
39120 BLUE	25.69	EA	6	21-1/2" x 15" x 12 1/2"
39170 GREY	28.58	EA	3	21-1/2" x 15" x 17"
39280 GREY	71.71	EA	1	28" x 21" x 15 1/2"



F

G. Akro-Mils Indicator Bins

Offer effective inventory control at a glance! Bin features an orange reserve section to prevent stock-outs. Simplifies visual recognition when supplies need to be replenished. Stock, Pick, Flip and Replenish! STOCK the Indicator Bin using the divider to designate volume for the inventory reserve. PICK from the blue side of the bin until you reach the divider. FLIP the bin to the orange reserve to indicate inventory levels are low. REPLENISH the bin and repeat!

36442	3.42	EA	24	11-5/8" L x 4-1/4" W x 4" H
36462	4.47	EA	12	11-5/8" L x 6-3/4" W x 4" H
40120	10.16	PK	1	Divider for 36442 Indicator bin
40130	13.84	PK	1	Divider for 36462 Indicator bin



G

39120 BLUE	25.69	EA	1	21-1/2" x 15" x 12 1/2"
------------	-------	----	---	-------------------------



A

RS Hughes Part Price Per Case Description

A. AkroBins®

AkroBins™ - Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-mils racks, panel, rails and carts. Molded of high-impact polypropylene and are unaffected by weak acids and alkalis. Sturdy one-piece construction is water, rust and corrosion proof. Available in Red, Yellow, Blue, Stone, Green, Semi-Clear and Black.



RS Hughes Part	Price	Per	Case	Description
30210 BLACK	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 BLUE	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 GREEN	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 RED	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 SCLAR	1.67	EA	24	5-3/8" x 4-1/8" x 3"
30210 STONE	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30210 YELLOW	1.45	EA	24	5-3/8" x 4-1/8" x 3"
30220 BLACK	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30220 BLUE	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30220 GREEN	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30220 RED	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30220 SCLAR	3.00	EA	24	7-3/8" x 4-1/8" x 3"
30220 STONE	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30220 YELLOW	2.04	EA	24	7-3/8" x 4-1/8" x 3"
30230 BLACK	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30230 BLUE	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30230 GREEN	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30230 RED	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30230 SCLAR	6.55	EA	12	10-7/8" x 5-1/2" x 5"
30230 STONE	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30230 YELLOW	5.22	EA	12	10-7/8" x 5-1/2" x 5"
30240 BLACK	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30240 BLUE	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30240 GREEN	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30240 RED	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30240 SCLAR	12.87	EA	12	14-3/4" x 8-1/4" x 7"
30240 STONE	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30240 YELLOW	9.38	EA	12	14-3/4" x 8-1/4" x 7"
30250 BLACK	13.96	EA	6	14-3/4" x 16-1/2" x 7"

RS Hughes Part	Price	Per	Case	Description
30250 BLUE	13.96	EA	6	14-3/4" x 16-1/2" x 7"
30250 GREEN	13.96	EA	6	14-3/4" x 16-1/2" x 7"
30250 RED	13.96	EA	6	14-3/4" x 16-1/2" x 7"
30250 SCLAR	18.09	EA	6	14-3/4" x 16-1/2" x 7"
30250 STONE	13.96	EA	6	14-3/4" x 16-1/2" x 7"
30250 YELLOW	13.96	EA	6	14-3/4" x 16-1/2" x 7"
30260 BLACK	22.47	EA	6	18" x 11" x 10"
30260 BLUE	22.47	EA	6	18" x 11" x 10"
30260 GREEN	22.47	EA	6	18" x 11" x 10"
30260 RED	22.47	EA	6	18" x 11" x 10"
30260 SCLAR	29.75	EA	6	18" x 11" x 10"
30260 STONE	22.47	EA	6	18" x 11" x 10"
30260 YELLOW	22.47	EA	6	18" x 11" x 10"
30270 BLACK	28.99	EA	3	18" x 16-1/2" x 11"
30270 BLUE	28.99	EA	3	18" x 16-1/2" x 11"
30270 GREEN	28.99	EA	3	18" x 16-1/2" x 11"
30270 RED	28.99	EA	3	18" x 16-1/2" x 11"
30270 SCLAR	32.60	EA	3	18" x 16-1/2" x 11"
30270 STONE	28.99	EA	3	18" x 16-1/2" x 11"
30270 YELLOW	28.99	EA	3	18" x 16-1/2" x 11"

RS Hughes Part Price Per Case Description

D. Akro-Grid Divider Box

Versatile work-in-progress transfer dividable grid containers. Injection molded from industrial-grade polymers, which resist most solvents and chemicals. Akro-Grid dividable grid containers are compatible with most racks, shelving, and automated material handling equipment. Ribbed design gives added strength.


33105 BLUE	9.58	EA	20	Blue	10-7/8" x 8-1/4" x 5"
33105 GREY	9.58	EA	20	Grey	10-7/8" x 8-1/4" x 5"
33105 RED	7.84	EA	20	Red	10-7/8" x 8-1/4" x 5"
33105SCLAR	11.02	EA	20	Clear	10-7/8" x 8-1/4" x 5"
33164 BLUE	11.76	EA	12	Blue	16-1/2" x 10-7/8" x 4"
33164 GREY	11.76	EA	12	Grey	16-1/2" x 10-7/8" x 4"
33164 RED	11.76	EA	12	Red	16-1/2" x 10-7/8" x 4"
33164SCLAR	13.51	EA	12	Clear	16-1/2" x 10-7/8" x 4"
33166 BLUE	17.29	EA	8	Blue	16-1/2" x 10-7/8" x 6"
33166 GREY	17.29	EA	8	Grey	16-1/2" x 10-7/8" x 6"
33166 RED	14.15	EA	8	Red	16-1/2" x 10-7/8" x 6"
33166SCLAR	19.89	EA	8	Clear	16-1/2" x 10-7/8" x 6"
33168 BLUE	16.67	EA	6	Blue	16-1/2" x 10-7/8" x 8"
33168 GREY	20.38	EA	6	Grey	16-1/2" x 10-7/8" x 8"
33168 RED	16.67	EA	6	Red	16-1/2" x 10-7/8" x 8"
33168SCLAR	23.47	EA	6	Clear	16-1/2" x 10-7/8" x 8"
33220 BLUE	27.49	EA	2	Blue	22-3/8" x 17-3/8" x 10"
33220 GREY	33.60	EA	2	Grey	22-3/8" x 17-3/8" x 10"
33220 RED	27.49	EA	2	Red	22-3/8" x 17-3/8" x 10"
33220SCLAR	38.62	EA	2	Clear	22-3/8" x 17-3/8" x 10"
33223 BLUE	20.64	EA	6	Blue	22-1/2" x 17-3/8" x 3"
33223 GREY	20.64	EA	6	Grey	22-1/2" x 17-3/8" x 3"
33223 RED	20.64	EA	6	Red	22-1/2" x 17-3/8" x 3"
33223SCLAR	23.73	EA	6	Clear	22-1/2" x 17-3/8" x 3"
33224 BLUE	17.51	EA	6	Blue	22-3/8" x 17-3/8" x 4"
33224 GRAY	17.51	EA	6	Grey	22-3/8" x 17-3/8" x 4"
33224 RED	17.51	EA	6	Red	22-3/8" x 17-3/8" x 4"
33224SCLAR	24.62	EA	6	Clear	22-3/8" x 17-3/8" x 4"
33226 BLUE	20.80	EA	4	Blue	22-3/8" x 17-3/8" x 6"
33226 GREY	25.42	EA	4	Grey	22-3/8" x 17-3/8" x 6"
33226 RED	20.80	EA	4	Red	22-3/8" x 17-3/8" x 6"
33226SCLAR	29.22	EA	4	Clear	22-3/8" x 17-3/8" x 6"
33228 BLUE	33.31	EA	3	Blue	22-3/8" x 17-3/8" x 8"
33228 GREY	27.25	EA	3	Grey	22-3/8" x 17-3/8" x 8"
33228 RED	33.31	EA	3	Red	22-3/8" x 17-3/8" x 8"
33228SCLAR	38.31	EA	3	Clear	22-3/8" x 17-3/8" x 8"



D



E



F

E. Short Divider for the Akro-Grid Divider Box

Dividers allow subdivision of the containers down to a 1-1/8" square compartment size. Each package contains 6 dividers.


41105	6.80	PK	1	Black	For the 33105
41164	10.36	PK	1	Black	For the 33164
41166	11.64	PK	1	Black	For the 33166
41168	12.51	PK	1	Black	For the 33168
41220	28.73	PK	1	Black	For the 33220
41223	18.91	PK	1	Black	For the 33223
41224	14.98	PK	1	Black	For the 33224
41226	16.98	PK	1	Black	For the 33226
41228	27.18	PK	1	Black	For the 33228

RS Hughes Part Price Per Case Description

F. Long Divider for the Akro-Grid Divider Box

Dividers allow subdivision of the containers down to a 1-1/8" square compartment size. Each package contains 6 dividers.

42105	8.80	PK	1	Black	For the 33105
42164	13.95	PK	1	Black	For the 33164
42166	14.00	PK	1	Black	For the 33166
42168	16.75	PK	1	Black	For the 33168
42220	32.84	PK	1	Black	For the 33220
42223	21.38	PK	1	Black	For the 33223
42224	17.64	PK	1	Black	For the 33224
42226	19.32	PK	1	Black	For the 33226
42228	30.60	PK	1	Black	For the 33228



RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. Akro-Mils Shelf Bin Pick Rack System APRD120Y

Double-Sided Pick Rack system with 128 yellow shelf bins size (11 5/8L x 4 1/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 24" x 36-3/4" x 60-1/4"

APRD120Y	878.55	EA	1
----------	--------	----	---

B. Akro-Mils Shelf Bin Pick Rack System APRD150Y

Double-Sided Pick Rack system with 64 yellow shelf bins size (11 5/8L x 8 3/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 24" x 36-3/4" x 60-1/4"

APRD150Y	837.00	EA	1
----------	--------	----	---

C. Akro-Mils Shelf Bin Pick Rack System APRDMOBILE

Mobile Kit (Handle & Dolly) for Double-Sided Pick Rack.

APRDMOBILE	170.40	EA	1
------------	--------	----	---

D. Akro-Mils Shelf Bin Pick Rack System APRS120Y

Single-Sided Pick Rack system with 64 yellow shelf bins size (11 5/8L x 4 1/8W x 4H) on angled shelves keeping parts at the front of bins for easy access. 16 gauge steel construction. 12" x 36-3/4" x 60-1/4"

APRS120Y	426.22	EA	1
----------	--------	----	---

E. Akro-Mils Cabinet with Yellow AkroBins

The AkroBin Cabinet provides double-locking door protection for tools, dies, supplies, and personal belongings. Constructed of powder-coated 16-gauge steel. Louvered panels for AkroBins on doors and back wall, which hold up to 102 bins.

AC3624Y	1,260.80	EA	1	36 x 24 x 78
---------	----------	----	---	--------------

F. Akro-Mils Shelf Bins

Shelf Bins outlast corrugated bins - paying for themselves in reduced replacement cost. Won't crack or spread even when fully loaded. Available in Red, Yellow, Blue, Green and White.

30120 BLUE	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 GREEN	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 RED	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 WHITE	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30120 YELLOW	2.09	EA	24	11-5/8" x 4-1/8" x 4"
30130 BLUE	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 GREEN	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 RED	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 WHITE	3.29	EA	12	11-5/8" 6-5/8" x 4"
30130 YELLOW	3.29	EA	12	11-5/8" 6-5/8" x 4"
30138 BLUE	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 GREEN	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 RED	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 WHITE	4.02	EA	12	17-7/8" x 6-5/8" x 4"
30138 YELLOW	4.02	EA	12	17-7/8" x 6-5/8" x 4"

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

G. Akro-Mils ProCart™

Procart™ - Hinged side gates on both shelves flip up or down to convert to a flat-top or box-top cart. 400lb. Max cart load (200lbs capacity per top and bottom shelf) Non Marking, Toe-touch locking, swivel 5 wheels. Assembly required. 45-5/8" x 24" x 34-3/4"

30936GREY	301.49	EA	1
-----------	--------	----	---

RS Hughes Part Price Per Case Description

Akro-Mils TiltView Bins

TiltView bins offer users a space-saving system that will improve organization and efficiency in a variety of settings. Cabinets made of high-impact polystyrene; bins made of clear polystyrene. All six sizes of TiltView bins may be used individually, or configured into systems using any of the three optional powder-coated hanging accessories. Available in three sizes (24", 48" and 70" lengths), durable 16-gauge steel rail and frame systems create easy customizable hanging or stacking wall systems. The unique TiltView clip attaches to the back of bins for use with any new or existing Akro-Mils louvered hanging system.

H. 06702	129.55	EA	1	12-15/16 x 23-5/8 x 14
I. 06703	62.73	EA	1	7-7/8 x 23-5/8 x 9-7/16
J. 06704	57.00	EA	1	6-3/4 x 23-5/8 x 8-3/16
K. 06705	34.64	EA	1	5-3/8 x 23-5/8 x 6-1/2
L. 06706	24.40	EA	1	3-3/4 x 23-5/8 x 4-1/2
M. 06709	20.58	EA	1	2-1/2 x 23-5/8 x 3-3/16



Storage Cases

N. Pelican 1150 Small Case

Interior Dimensions: 8.18" x 5.68" x 3.62" (20.8 x 14.4 x 9.2 cm). Watertight, crushproof, and dust proof. Open cell core with solid wall design - strong, light weight, O-ring seal. Automatic Pressure Equalization Valve. Stainless steel hardware. Pick N Pluck™ with convoluted lid foam.

019428-11500	55.98	EA	1	Black
019428-11503	55.98	EA	1	Orange
019428-11506	55.98	EA	1	Yellow



O. Pelican 1400 Small Case

Interior Dimensions: 11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm). Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-14000	142.89	EA	1	Black
019428-14001	142.89	EA	1	Orange
019428-14003	142.89	EA	1	Yellow

P. Pelican 1500 Medium Case

Interior Dimensions: 16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm) Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-15000	211.60	EA	1	Black
019428-15001	211.60	EA	1	Orange
019428-15003	211.60	EA	1	Yellow

Q. Pelican 1600 Large Case

Interior Dimensions: 21.43" x 16.50" x 7.87" (54.4 x 41.9 x 20 cm). Watertight, crushproof, and dust proof, easy open Double Throw latches, open cell core with solid wall design - strong, light weight, O-ring seal, Automatic Pressure Equalization Valve, stainless steel padlock protectors, comfortable rubber over-molded handle, stainless steel hardware, level 2 Pick N Pluck™ with convoluted lid foam, personalized nameplate service available, Lifetime Guarantee of Excellence.

019428-16000	309.11	EA	1	Black
019428-16001	309.11	EA	1	Orange
019428-16003	309.11	EA	1	Yellow



Contents in these cases are not included.

Hand Towel Dispensers

RS Hughes Part Price Per Case Description

A. Kimberly-Clark Professional* Sanitouch* Hard Roll Towel Dispenser

The Sanitouch* touchless technology offers one-at-a-time dispensing to improve hygiene. The Sanitouch* Hard Roll Towel Dispenser has a 1.5" hub. Hands-free pull dispensing for improved hygiene. Key-lock mechanism for protection against waste and pilfering. Features stub roll and emergency feed knob, durable plastic casing. For use only with Scott® or Kleenex® hard roll towels. Spare Parts and Keys.

036000-09990 87.75 DI 1



B. Kimberly-Clark Professional* Sanitouch* Hard Roll Towel Dispenser

A reliable, efficient hand-drying system that is perfect for your busy workplace. Spare Parts and Keys High capacity system for less maintenance time, run-outs and complaints. Hygienic, touch-free dispensing only touch the towel you use. One-at-a-time dispensing for controlled usage and less waste Smooth and quiet operation, with no batteries needed. For use only with Kleenex® and Scott® Hard Roll Towels with 1.75 core.

036000-09996 57.63 CA 1

Sellars Hard Wound Roll Dispenser



Dispenser is made from durable plastic and comes with the proper hardware to mount on the wall. Compatible with our 350', 700' and 800' hard wound roll towels (item #'s 183208, 183210 and 183213) as well as most standard hard wound roll towels.

C. SELLARS 99900 165.36 DI 1 Motion Activated

D. SELLARS 99912 109.86 DI 1 Towel Lever

E. Sellars Multifold Towel Dispenser

Wall Mount Multi-Fold Towel Dispenser allows for easy dispensing and keeps towels off of sink or counter top areas. Wall Mount Multi-Fold Towel Dispenser is made from durable plastic and keeps towels clean and dry until needed. Compatible with our multi-fold towels (item # 183203 and 183204) as well as most 250ct multi-fold towels.

SELLARS 99903 36.43 DI 1

Hand Towels

SCOTT® Hard Roll Towels

The MOD* Dispenser System delivers one of the highest capacity towels around with 1,150 feet of SCOTT® Hard Roll Towels. Includes a stub roll feature that reduces waste and cost, fewer change outs and more satisfied users. These towels are designed with patented ABSORBENCY POCKETS*, so users need fewer towels to dry their hands. The result: more towels left in the dispenser, more time between refills, less paper waste and, in many cases, less cost for your business

F. 036000-25702 18.73 RL 6 Blue-White

100% recovered materials; minimum 60% post-consumer recycled waste (Meets minimum EPA standards); chlorine-free (ECF) bleaching; made from recycled cardboard. High-footage SCOTT® Roll Towels provide reliable quality - and can last a long, long time! Color brown. 2" core diameter & 7.36" roll diameter.

G. 036000-32848 7.03 RL 6 Brown

Right sized for small to medium sized businesses who insist on reliable performance and quality, but are short on storage space. Aligns with competitive offerings.

H. 036000-28640 10.74 RL 6 White



A



B



C



D



E



F



G



H



I



J

Item H compatible with Kimberly-Clark dispenser 036000-09990.

Item I compatible with Kimberly-Clark dispenser 036000-09996.

RS Hughes Part Price Per Case Description

I. SCOTT® High Capacity Hard Roll Towels - White, 12RL/Case



Highest capacity towel in market. Soft and absorbent. 25% more feet than the SCOTT® 1040 Roll Towel without increasing roll diameter or sacrificing performance. Meets EPA standard minimum of 40 % post-consumer waste content; chlorine-free (EFC) bleaching; greater feet per case and 25% more towels on each core (compared to 800' roll towels). 1.5" core diameter 7.87" roll diameter.

036000-01000 12.83 RL 12 1000 Feet/RL

J. SCOTT® High Capacity Hard Roll Towels

Reduce maintenance time, run-outs and complaints with this long-lasting roll towel. Highly absorbent, so you'll use less and waste less. Small cases for easy storage and handling. 1.75 core size for use only with Kimberly-Clark Professional dispensers. Meets EPA standards; FSC® and EcoLogo® certified.

036000-02000 13.68 RL 6

RS Hughes Part Price Per Case Description

Sellars Mayfair® 1-Ply Hard Wound Roll Towel

High quality embossed towel. 2inch core. Made with 100% post-consumer recycled fibers. Perfect for washrooms in office buildings, foodservice facilities, public facilities, government facilities, lodging, etc. Made in the USA.

K. SELLARS 183208	35.18	CA	1	7.875 X 350FT	Natural	12RL/CA
K. SELLARS 183212	71.16	CA	1	7.875 X 600FT	Natural	12RL/CA
K. SELLARS 183213	38.28	CA	1	7.875 X 800FT	Natural	6RL/CA
L. SELLARS 183211	51.14	CA	1	7.875 X 800FT	White	6RL/CA

M. Sellars 1-Ply Hard Wound Roll Towel

High quality embossed towel. 2inch core. Made with 100% recycled fibers. Perfect for washrooms in office buildings, foodservice facilities, public facilities, government facilities, lodging, etc. Made in the USA.

SELLARS 183217	71.16	CA	1	7.875 X 600FT	White	12RL/CA
SELLARS 183210	43.92	CA	1	7.875 X 700FT	White	6RL/CA

N. Sellars Mayfair® 2-Ply Center Pull Roll, 6/Case

High capacity white center pull towels fit many center pull dispensers allowing for quick and easy dispensing in high traffic areas. 2 ply. Tear away core. Maximum diameter 9inches. High quality embossed towel. Made with 100% recycled fibers. 600 sheet count.

SELLARS 183260	38.10	CA	1	7.875 X 10
----------------	-------	----	---	------------

O. KLEENEX® Hard Roll Towels - White, 6/Case

Soft feel, premium performance in a roll towel, preferred for hand drying performance. KLEENEX® Hard Roll Towels with new Zip-Off Top packaging have absorbency pockets that absorb lots of water fast, for superior hand drying. Meets EPA standards with a minimum of 40% post consumer waste. Smaller case for easier handling and storage. 1.75" core size. 7.9" roll diameter.

036000-50606	67.63	CA	1	600FT/RL, 6 RL/CA
--------------	-------	----	---	-------------------

P. SCOTT® Multifold Hand Towel

Designed to reduce waste and provide excellent hand drying with exclusive Absorbency Pockets™ that absorb lots of water fast. Made with Absorbency Pockets™ that absorb lots of water fast, for superior hand drying. Fits into any multi-fold towel dispenser. Meets EPA standards; FSC® and EcoLogo® certified.

036000-01804	66.44	CA	1	125 Sheets/Pack, 16 Packs/Case
036000-03650	42.31	CA	1	250 Sheets/Pack, 12 Packs/Case

Sellars 1-Ply Towel

High quality embossed towel. Made with 100% recycled fibers. Perfect for washrooms in industrial/manufacturing facilities, retail stores, cafeterias, schools, fast food restaurants, public facilities, loding, etc. Made in the USA.

Q. SELLARS 183226	31.36	CA	1	9.25 X 10.25	Natural Single Fold	250/Bundle
R. SELLARS 183223	34.20	CA	1	13.25 X 10.25	White C-Fold	200/Bundle

Sellars Mayfair® 1-Ply Towel

High quality embossed towel. Made with 100% recycled fibers. Perfect for washrooms in industrial/manufacturing facilities, retail stores, cafeterias, schools, fast food restaurants, public facilities, loding, etc. Made in the USA.

S. SELLARS 183204	29.66	CA	1	9 X 9.5	Natural Multi Fold	250/Bundle
T. SELLARS 183203	34.72	CA	1	9 X 9.5	White Multi Fold	250/Bundle

U. SCOTT® C-Fold Towels

Millions of cases have been requested over the years! Depend on SCOTT® C-Fold Towels for reliable performance.

036000-03623	36.15	CA	1
--------------	-------	----	---



K



L

Items J thru L are compatible with Sellars Dispensers 99912 & 99900



M



N



O



P

Compatible with Kimberly-Clark dispenser 036000-09996



Q



R

Compatible with Sellars dispenser 99906

Compatible with Sellars dispenser 99903



S



T



U



Toilet Paper Dispensers

RS Hughes Part Price Per Case Description

A. Kimberly-Clark Professional* Double Roll Tissue Dispenser

The Double Roll Bathroom Tissue Dispenser offers a high capacity, easy maintenance system that can help lower maintenance costs. This system can be used with both Kleenex® Brand and Scott® Brand Coreless Bathroom Tissue. Modern design, compliments any decor Double roll toilet paper dispenser Uses standard toilet tissue paper up to 5 diameter The dispenser is ADA compliant when installed properly and includes both a C-Mandrill for standard cored bath tissue and an H-Mandrill for coreless dispensing Easy-to-use and to install Access to reserve roll once lower roll is completely used. Includes spare parts and keys.

036000-09021 23.10 CA 1 Smoke

B. Kimberly-Clark JRT Jr. Escort* Jumbo Roll Bathroom Tissue Dispenser with Stub Roll



The JRT Jr. ESCORT* Jumbo Roll Tissue Dispenser with Stub Roll gives you a graceful look. It is curved and contemporary. Designed for easier access to bathroom tissue. Replaceable lock with push button option and stub roll. Spare parts attached to back wall. When installed properly, this dispenser meets the ADA Standards for Accessible Design. Includes spare parts and keys.

036000-09507 46.17 DI 1

Kimberly-Clark Coreless Double Roll Bathroom Tissue Dispenser

Scott® Coreless JRT Bath Tissue system brings you high-capacity to make it ideal for high-traffic areas and reduces your maintenance time by needing refills less often. High capacity roll means you'll refill less often, saving time Easy-to-load dispenser with keyless entry and few spare parts Smaller footprint than standard JRT dispensers Spare Parts and Keys For use only with Scott® Coreless JRT Bath Tissue

C. 036000-09602 27.12 DI 1

The sleek, durable, stainless steel Coreless Double Roll Bathroom Tissue Dispenser holds 2 full standard rolls of coreless tissue. Ideal for unique image needs and durability. These dispensers meet the ADA Standards for Accessible Design, 28CFR Part 36 (1994), local rules may vary. Includes spare parts and keys.

D. 036000-09604 16.95 CA 1

Sellars Bath Tissue Dispenser



Toilet Paper Dispenser is made from durable plastic. Bath Tissue Dispenser holds a back up roll so when the current roll is out a new one drops down. Compatible with our 2-ply white bath tissue rolls (item # 183011) as well as most standard 2-ply 500ct bath tissue rolls.

E. SELLARS 99905 35.38 DI 1 2 Roll Dispenser

Twin Roll Jumbo Bath Tissue Dispenser is made from durable plastic and allows for easy dispensing. Compatible with our 2-ply jumbo bath tissue (item # 1832161 and 183014) as well as most 2-ply 1000' jumbo bath tissue rolls. Large capacity twin tissue toilet paper dispenser holds a back up roll so when the current roll is out you can move to the next one without having to worry about replacing a new roll right away.

F. SELLARS 99907 74.60 DI 1 Twin Roll Jumbo

Single Roll Jumbo Toilet Paper Dispenser is made from durable plastic and allows for easy dispensing. Compatible with our 2-ply jumbo bath tissue (item # 1832161 and 183014) as well as most 2-ply 1000' jumbo bath tissue rolls.

G. SELLARS 99908 56.24 DI 1 Single Roll Jumbo



A



B



C



D



E



F



G





Compatible with
KC dispenser
036000-09021



H



I

Toilet Paper

RS Hughes Part Price Per Case Description

H. SCOTT® 2-ply Standard Roll Bathroom Tissue, 80 Rolls/Case

Meets EPA Standards for minimum post consumer waste content.

036000-04460 109.83 CA 1 550 Squares/RL, Core Center

I. Scott® 2-ply Standard Roll Bath Tissue

The practical choice for bath tissue, offering the ideal blend of great performance and value. Strong, soft and absorbent Provides home-like comfort at your business Meets EPA standards; FSC® and EcoLogo® certified.

036000-42108 84.80 CA 1



J. SCOTT® Coreless Standard Bathroom Tissue - White

SCOTT® Coreless 2-ply Standard Roll Bath Tissue is a high capacity, easy maintenance system which results in less run-outs and lower maintenance costs. Meets EPA guidelines for post consumer waste - minimum of 20%. Elemental chlorine-free (ECF) bleaching . Waste reduction with 100% elimination of core waste. Nearly 75% longer than standard roll bath tissue ½ less roll changes . 5 ½ roll diameter.

036000-04007 68.34 CA 1 1000 Squares/RL, 36/CA

K. Sellars 2-Ply Standard Bath Tissue



Sellars standard bath tissue is embossed to provide a soft and comfortable feel. 3.3inch core. White color achieved without the use of chlorine. Made with 100% recycled fibers. Bath tissue fits a vast array of bath tissue dispensers and is septic safe. 500 sheets per roll 96 rolls per case.

SELLARS 183011	74.88	CA	1	4.5 X 3.75	500Sheets/Roll
SELLARS 183012	62.98	CA	1	4.4 X 3.8	500Sheets/Roll
SELLARS 183220	59.92	CA	1	4 X 3.1	375Sheets/Roll

L. TRADITION* JRT Jr. Jumbo Roll Tissue - White, 12 Rolls/Case

Meets EPA Standards for minimum post consumer waste content.

036000-02129 64.08 CA 1 1000ft/RL w/ core center

M. SCOTT® Coreless JRT Jr 2-ply Bathroom Tissue - Jumbo Roll, White, 12 Rolls/Case

SCOTT® Coreless JRT Jr 2-ply Bathroom Tissue brings you high capacity, with each roll having 15% more tissue than standard Jumbo Roll Tissue Jr. rolls. Elemental chlorine-free (ECF) bleaching. Meets EPA guidelines for post consumer waste ½ minimum of 20%.Waste reduction with 100% elimination of core waste. With this system it's no keys, no cores, no headaches.15% more paper per roll . Works only with manual JRT dispensers.8.9 ½ roll diameter

036000-07006 64.68 CA 1 1150ft/rl

N. SCOTT® 100% Recycled Fiber JRT Jr. Bathroom Tissue

100% recycled fiber. Meets EPA minimum post consumer waste content.

036000-67805 115.32 CA 1



J

Compatible with
KC dispenser
036000-09021
& 036000-09604

Compatible with
Sellars dispenser 99905



K



Compatible with KC
dispenser 036000-
09507

L



M

Compatible with KC dispenser
036000-09602



N

Compatible with
KC dispenser
036000-09507



Head to Toe Protection



A



B



C



D



E

Facial Tissue

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. KLEENEX* Facial Tissue - White

036000-21400	2.07	EA	36	100 Sheets/EA
036000-21606	2.29	BX	48	125 Sheets/BX

B. SURPASS* Facial Tissue

SURPASS* Facial Tissue. Available with higher tissue count per box than standard tissue boxes. The SIGNAL* feature alerts you when it's time to change the box. Meets EPA standards for minimum post consumer waste content.

036000-03131	15.66	CA	1	
--------------	-------	----	---	--

Kitchen Towels



C. SCOTT® Kitchen Roll Towels - White, 20 RL/Case

More sheets on a roll to last longer. Smaller case for easier handling and storage. Made with ABSORBENCY POCKETS* for a soft and absorbent performance to handle tough spills and clean-up. 4.9" roll diameter.

036000-41482	46.20	CA	1	128 Sheets/RL
--------------	-------	----	---	---------------



D. Sellars Mayfair® 2-Ply Kitchen Roll Towel



Economica. Perfect for light duty cleaning and wiping of general office, kitchens, lunch room, coffee areas, etc. 2 ply. 85 embossed sheets. 100% recycled fibers.

SELLARS 183264	58.50	CA	1	11 X 9	30RL/CA
----------------	-------	----	---	--------	---------

Toilet Seat Covers

E. SCOTT® Personal Seat Covers

SCOTT® Personal Seats are flushable and offer sanitary protection, help reduce litter and clogging. Meets EPA guidelines for post consumer waste.

036000-07410	5.17	BX	24	125 Sheets/BX
--------------	------	----	----	---------------



Air Fresheners

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

SCOTT® Continuous Air Freshener Refill

Whatever you choose, the SCOTT® Continuous Air Freshener System will keep your restrooms fresh, your costs down - and your maintenance at a minimum. Use with dispenser #92620 (White).

F. 036000-91067	14.20	PH	6	Citrus
G. 036000-91072	14.20	PH	6	Ocean



Washroom Soap

H. SCOTT* Pink Lotion Skin Cleanser, 800ml refill

Peach fragrance provides gentle cleaning and easy to rinse lather. Use with KC Professional Windows* dispenser #91182.

036000-91220	4.05	PH	12
--------------	------	----	----



I. Kleenex Luxury Foam Skin Cleanser

Luxurious, moisturizing, pink foam soap. Sealed container keeps soap free of contaminants. High capacity for less refilling and maintenance time. Easy-to-load cassette clicks right into place. Bottle is recyclable after the pump is removed. For use only with the Kimberly-Clark Professional* Cassette Skin Care Dispenser.

036000-91552	11.83	EA	6
--------------	-------	----	---



J. Kleenex Foam Hair & Body Wash 1.0L

KLEENEX® Foam Hair & Body Wash is protein enriched with emollients and other skin conditioning agents. Rinses clean without leaving a soapy residue.

036000-91553	12.05	EA	6
--------------	-------	----	---

K. SCOTT* Gentle Lotion Skin Cleanser

SCOTT* Gentle Lotion Skin Cleanser creates a rich, creamy, easy to rinse lather that is pH balanced to be gentle on the skin.

036000-91721	86.14	CA	1
--------------	-------	----	---

L. SCOTT* Hair & Body Wash

SCOTT* Hair & Body Wash is protein enriched with emollients and other skin conditioning agents. Rinses clean without leaving a soapy residue.

036000-91726	60.27	EA	2
--------------	-------	----	---



M. SCOTT* Super Duty Skin Cleanser with Grit

Formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-91748	139.80	CA	1
--------------	--------	----	---



Head to Toe Protection

Washroom Soap

RS Hughes Part	Price	Per	Case	Description
----------------	-------	-----	------	-------------

A. SANITUFF® Push Dispenser

Holds one 3.5L or one 8L refill. Features a keyless locking system, soap level view window and large push lever for dispensing.

036000-92013	21.36	EA	1	Black
--------------	-------	----	---	-------

B. Kimberly-Clark Professional* Cassette Skin Care Dispenser

Soap dispenser maintenance is quick and easy! The Cassette Skin Care System dispenser offers easy, no fuss refill loading, and flexibility to refill with any Kleenex® Cassette Skin Care foam or liquid formula. Perfect for the restroom or break room sink. High capacity for less refilling and maintenance time. Easy-to-load cassettes click right into place. Spare Parts and Keys Works only with Kleenex® Cassette Skin Care Soap or Sanitizer.

036000-92145	1.69	EA	1	Black
--------------	------	----	---	-------



C. Scott Super Duty with Grit 1.0L

Original SCOTT® Super Duty Skin Cleanser with Grit is formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-40551	11.02	DI	6	
--------------	-------	----	---	--



D. Kleenex Foam Hand Sanitizer 1.0L

KLEENEX® Moisturizing Foam Hand Sanitizer is effective against a wide range of microorganisms. This clear 62% Ethyl Alcohol formula dispenses as a luxury foam with a light fresh fragrance. It effectively kills 99.99% of germs on hands in less than 15 seconds, without the use of water. Our proprietary formula contains moisturizers and conditioners to hydrate the skin.

036000-91560	21.39	EA	6	
--------------	-------	----	---	--

E. Scott Skin Relief Lotion 1.0L

SCOTT® Skin Relief Lotion is specially designed for industrial and manufacturing customers. This formula is fragrance, dye and silicone free.

036000-35365	10.14	EA	6	
--------------	-------	----	---	--

F. Scott Naturally Tough Orange 1.0L (waterless grit)

SCOTT® Naturally Tuff Orange Skin Cleanser with Grit is formulated to knock out the dirt on your hands. It is composed of polymer beads that provide scrubbing without the abrasion that can be associated with pumice or walnut shell grits. This formula is CA Prop 65 compliant.

036000-40552	9.20	EA	6	
--------------	------	----	---	--

G. SCOTT® Super Duty Skin Cleanser with Grit 3.5L BIB

SCOTT® Super Duty Skin Cleanser with Grit 3.5L BIB is formulated to clean the toughest dirt, including grease and tar. It contains no petroleum solvents. Rounded polymer beads provide scrubbing action without the abrasion associated with pumice or walnut shell grits found in other products.

036000-41863	38.41	BX	2	
--------------	-------	----	---	--

H. SCOTT® Naturally Tuff Orange Skin Cleanser with Grit

SCOTT® Naturally Tuff Orange Skin Cleanser with Grit is formulated to knock out the dirt on your hands. It is composed of polymer beads that provide scrubbing without the abrasion that can be associated with pumice or walnut shell grits.

036000-91045	56.19	EA	2	
--------------	-------	----	---	--



Waterless Hand Wipes

RS Hughes Part Price Per Case Description

I. WYPALL* Waterless Hand Wipes - Orange, Citrus/Green, 50 Count

Heavy Duty Hand Cleaning Wipes. Pre-moistened wipes with a heavy-duty waterless cleanser. Gets hands clean in the same place they got dirty. Now in 50 count canister.

036000-58310 9.99 CN 8



WYPALL Waterless Hand Wipes

Heavy Duty Hand Cleaning Wipes, Pre-moistened wipes with a heavy-duty waterless cleanser. Gets hands clean in the same place they got dirty. Green-White color, Orange / Citrus Fragrance. Size: 10"x12"

J. 036000-91054 0.69 EA 100
K. 036000-91367 11.46 BG 6 75 Sheets/Bag
L. 036000-91371 14.59 CN 6 75 Sheets/Container

M. Sellars Grab N Scrub™ Anti-Bacterial Wipes

Anti-bacterial hand cleaner is ideal for light as well as heavy-duty cleaning of hands without the need for soap and water. Kills 99.9% of common germs. Dual texture. Fresh citrus scent. Hand cleaner cuts thru oil, tar, grease, paint, lubricants, ink, wax, adhesives and more. 72 wipes per bucket with 6 buckets per case. Wipe size is 10 X 12.25.

SELLARS 90172 15.66 EA 6 10 X 12.25

N. Sellars Toolbox® Grab N Scrub™ Refill Pack

Refill pack for anti-bacterial Grab N' Scrub wipes item 90172. 72 wipes per pack with 8 refill packs per case. Wipe size is 10 X 12.25.

SELLARS 90178 11.75 EA 8 10 X 12.25 8 Refills/Case



Industrial Soaps

O. Permatex® Fast Orange Smooth Lotion Hand Cleaner (1 Gallon Bottle With Pump)

686226-23218 33.44 GA 4



P. Stoko® Kresto® Heavy Duty Hand Cleaner (400ml Flip-Top Bottle)

Kresto® Heavy Duty Hand Cleaner is engineered to be tough on grease, oil, and the strongest soils but gentle on hands. Plus its all-natural walnut shell scrubbers won't clog drains or harm the environment. 9/Case.

34736SK 9.75 EA 9



Head to Toe Protection



A

B

C

Surface Cleaners

RS Hughes Part Price Per Case Description

A. KIMTECH[®] Surface Sanitizer Wipes - White

The Ultimate One-Step Sanitizing Weapon! KIMTECH PREP[®] Surface Sanitizer Wipes will make your sanitizing wiping needs - simple! You get a fresh, clean KIMTECH[®] wipe every time! Eliminates bacteria transfer between dirty rags and surfaces. Kill 99.999% of bacterial (on hard, non-porous surfaces).

036000-58040 10.82 PH 8 30 Sheets/PH



B. Scott 24hr Disinfecting Spray

Most surface disinfectants work for the moment. But germs can be quickly reintroduced just by touching and handling the surface again. New SCOTT 24 Hour Sanitizing Spray kills 99.9% of bacteria for 24 hours ** even after multiple touches. - Eliminates 99.9% of cold and flu viruses and Norovirus - Kills a broad spectrum of bacteria, viruses, and fungi - Patent pending formulation is durable enough to withstand continuous touches, even on high contact areas - Protects from germs between each daily cleaning - Cuts through common grease, dirt and grime - Not harmful to most surfaces - Bleach-free with no rinsing required - Light, fresh fragrance - EPA registration number 9402-14.

036000-36700 8.71 B0 9



C. SCOTT[®] 24 Hour Sanitizing Wipes

Most surface disinfectants work for the moment. But germs can be quickly reintroduced just by touching and handling the surface again. New SCOTT 24 Hour Sanitizing Wipes kill 99.9% of bacteria for 24 hours ** even after multiple touches. - Eliminates 99.9% of cold and flu viruses - Kills a broad spectrum of bacteria, viruses, and fungi - Patent pending formulation is durable enough to withstand continuous touches, even on high contact areas - Protects from germs between each daily cleaning - Cuts through common grease, dirt and grime - Not harmful to most surfaces - Bleach-free with no rinsing required - Light, fresh fragrance - EPA Reg. No. 9402-17.

036000-41524 6.17 BX 12



D

E

F



G

H

RS Hughes Part Price Per Case Description

G. Stoko[®] Stokolan[®] Conditioning Hand Cream, 100ml Tube, 12/Case

Stokolan[®] Conditioning Cream is silicone-free in a concentrated formula that helps replace lost moisture and oils. Ideal for chapping, chafing, and irritated skin.

33869SK 5.88 EA 12



H. Stoko[®] Durapro[®] Before Work Hand Cream (100ml Tube)

Durapro[®] is silicone free and specially formulated for skin exposed to water-based substances, such as water-mixed oils and cooling agents, dyestuff solutions, acids, alkalis, and salts. Use when working with cement, lime, and fertilizers. 12/Case.

33870SK 7.24 EA 12

Hand Sanitizers

D. 3M[™] Avagard[™] D Instant Hand Antiseptic with Moisturizers 9222

Instant hand antiseptic provides fast, effective bacterial kill without being hard on skin. 3 fl. oz., 88 mL personal size bottle.

707387-50864 3.22 EA 48



Hand Cream

Stoko[®] Travabon[®] Cream

Silicone and oil-free, Travabon[®] Cream is specially formulated to suspend dirt, grease, and oil for easy cleanup when applied before work.

E. 33866SK 5.93 EA 12 100ml Tube, 12/case

F. 33868SK 39.39 EA 12 1,000ml Soft Bottle, 4/case, use dispenser 29187SK (white)





Eye and Face Products Warning

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and / or splash see supervisor, read User Instructions and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Fall Protection Products Warning

Compliant fall protection and emergency rescue systems help prevent serious injury during fall arrest. Users must read and understand the User Instructions provided with the product and be properly trained by their employer prior to use per OSHA 1910.66 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For proper use, see supervisor, User Instructions, or call 3M PSD Technical Service at 800-243-4630. In Canada, call 800-267-4414.

Hard Hat Warning

These hardhats provide limited protection only. Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death. For proper use, see supervisor, or User Instructions, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Hearing Protection Products Warning

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M PSD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury. Choking Hazard - Keep away from infants and small children.

Protective Coverall Warning

These protective coveralls help protect against certain liquid splashes and hazardous dusts. Before use wearer must read and understand the User Instructions provided as part of the product packaging. Failure to follow all instructions on the use of these protective clothing products and/or failure to wear the complete product during all periods of exposure may adversely affect the wearer's health, or lead to severe or life threatening illness or permanent disability. Final determination as to the suitability of these products for a particular use is the employer's responsibility. For proper use and selection see Supervisor, User Instructions or call 3M PSD Technical Service in USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Respiratory Products Warning

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the USER Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in sickness or death. For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

Sorbent Product Warning

Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the and health standards, contact your supervisor, or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Welding Helmet Warning

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. Misuse may result in permanent eye injury and vision loss. Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For proper use, see supervisor, or User Instructions or call 3M PSD Technical Service in U.S.A. 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Brady Client Services



Visual Workplace Services Brady Client Services

Improve workplace safety with visuals.

Sustainability and safety expertise are the backbone to each of our field service offerings. From Visual Workplace Audits and Installation Services to Visual Procedure Writing Services and Safety Training Seminars, Brady Client Services' safety practitioners partner with you to create a safe, best-practice workplace you can maintain for years to come.

Visual Procedure Writing Services

When utilizing Brady's Procedure Writing Services, you can rest assured that your procedures will be created and installed by industry experts who author over 26,000 procedures annually. In addition to creating OSHA-compliant procedures, we employ industry best practices to create highly visual, standardized procedures that make it easy for employees to use in their everyday work environment. Procedure writing services include: Lockout Tagout, Confined Space and Safe Operating Procedure Writing Services.



**Contact
RS Hughes Today
for more information**




Lockout/Tagout Procedure Writing Service

The foundation of a successful, compliant lockout program is highly visual, standardized procedures placed where employees use them most – directly on machinery and equipment. Our field engineers take care of every detail including:

- Evaluating your needs and equipment requirements by identifying potential hazardous energy sources
- Authoring all visual procedures within our LINK360® software or a format of our client's choosing
- Printing, laminating and installing procedures and associated color-coded energy source tags
- Collaborating with your team during the process to provide the tools and knowledge necessary to sustain the program in-house

Sustainability: Looking for a turnkey solution? Brady Client Services also offers Procedure Auditing Services, Lockout Tagout training and our LINK360® procedure creation and management software to help you sustain and improve upon your progress.

Brady Client Services



Confined Space Procedure Writing Service

To ensure safe employee entry, all confined spaces in your facility must have written permit procedures. Brady's qualified field engineers will come on-site and produce confined space entry procedures for each of your identified confined spaces, providing full compliance with OSHA, best safety practices and your internal written confined space program.

While on-site, our field engineers will:

- Gather the necessary steps and information to properly identify and classify confined spaces
- Author all visual procedures within our LINK360® software or a format of our client's choosing
- Print, laminate and install the procedures
- Collaborate with your team during the process to provide the tools and knowledge necessary to sustain the program in-house

Sustain Your Solution In-house: Looking for a turnkey solution? Brady Client Services also offers Confined Space Training and our LINK360® procedure creation and management software to help you sustain and improve upon your progress.



Visual Workplace Audits

A visual workplace is a safe workplace. A visual workplace incorporates the proper signage, pipe marking and other visual directives, allowing employees to easily locate and understand their workplace environment. Brady's Visual Workplace Audits take a continuous improvement approach and provide you with a best-fit, realistic plan to improve your visual workplace. How do we do this? Once an audit is completed, our clients receive a detailed audit report that provides facility photos of areas for improvement, numbered pins showing points of install, and custom and stock product recommendations.

Areas of audit focus can include:

- Personal Protection Equipment (PPE) Signage
- General Hazard Identification Signage
- Exit & Egress Signage
- Traffic Control Signage
- Confined Space Signage
- Electrical Hazard Signage

Sustain Your Solution In-house: Once the report is in our clients' hands, Brady offers the products and Visual Workplace Installation Services they need to make that plan a reality.

Brady Client Services



Safety Training and Seminars

When it comes to workplace safety, there's no such thing as being too informed. That's why Brady offers training solutions focused on your industry needs and what we do best: Hazcom / GHS, lockout tagout and confined spaces.

Brady Client Services offers a variety of continued education opportunities for your team, including instructor-led seminars and custom training programs. Each session is performed by a member of Brady's engagement team with experience in field-based environmental health and safety operations and more.

Safety training and seminar topics include:

- Lockout Tagout for Authorized Employees
- Lockout Tagout for Affected Employees
- Hazcom / GHS

Customizable for Your Safety Needs: Require training, but don't see the topic you are interested in above? Contact us today to see how our expertise spans over a variety of compliance, safety and best practice topics.



5S+ Rapid Improvement Event

Let Brady's lean implementation leader guide your team to help increase overall equipment effectiveness (OEE), productivity and more. Brady's lean implementation leader comes to your facility to work alongside your employees where the work needs to happen – on the production floor. :

Throughout the event, we work with your team to:

- Address your current areas of improvement
- Increase overall equipment effectiveness (OEE)
- Eliminate process variability
- Focus on your companies' key performance indicators (KPIs)
- Understand the role 5S+ plays in not only reaching, but exceeding your company goals and cost incentives

Once you complete the 3-day hands-on workshop, you will receive a sustainability and transition plan to ensure that you can continue to work towards the goals established in the event. In addition, our clients benefit from continued Brady support throughout their lean journey.

Interested in a custom 5S+ Event? Brady's lean implementation leader can customize events from 1-2 days to a week or longer.

Brady Client Services



Visual Workplace Installation Services

Our turnkey installation service allows you to focus on your everyday operations, while we install the visually communicative tools necessary to keep your facility safe and compliant. We manage all projects and Paint Platoon USA™, a premier provider of painting, coating and marking services, serves your floor marking, painting and installation needs. Their installation experience, in conjunction with our visual workplace expertise, help you create your ideal visual workplace.

We install the visual directives necessary to keep your facility safe including:

- Safety Signage Installation
- Pipe Marking Installation
- Floor Marking and Painting
- Kaizen Painting



Visual Workplace Production Services

Hosting an internal Kaizen, 5S or Kanban event, or creating a model area or cell in your workplace? Let a Brady production specialist help.

Each production specialist is an expert on labeling and signage, as well as industry requirements. We aid in your lean events by coming on-site with Brady printers and materials to guide your team, and create and print the labels your event requires. We set up your personal signage shop to help you standardize your visual controls.

At event completion, your model area will not only help you standardize the rest of the facility, but it will also guide you on multi-facility standardization.

Standardization of visuals for:

- Storage Locations
- Equipment Identification
- Line Identification
- Valves
- Gauge Ranges

ADHESIVES & SEALANTS

3M ADHESIVES

Full line of adhesives, epoxies, urethanes, acrylics, aerosols, contact cement, hot melt adhesives and dispensing applicators.

LOCTITE/HENKEL

Full line of threadlocking, instant adhesives, gasketing, UV curing adhesives, epoxies and turn-key dispensing equipment.

MOMENTIVE SILICONES

RTV silicone adhesives, 1 and 2 part systems.

DEVCON

Epoxy, methacrylate adhesives, urethanes, metal-filled epoxies, plastic steel, floor sealing and patching compounds.

DAP Caulks, sealants, adhesives, and other patch and repair products.

PLEXUS

Structural adhesives for bonding engineered plastics, advanced composites, metals and dissimilar substrates.

PERMATEX

Threadlockers, thread sealants, gasket makers, anti-seize and hand cleaners.

HYSOL

Full line of 1 and 2 part epoxy and urethane adhesives for structural bonding, potting and encapsulating.

TETRA ETCH

For etching Teflon to improve potting and bonding.

PAINTS & COATINGS

3M High performance adhesives for the electrical and electronics industry. Premium fillers, putties and glazes.

WD-40 Rust preventative and lubricant.

LPS

High performance specialty MRO chemicals that clean, repair, lubricate and protect.

LOCTITE/HENKEL

Sealing, gasketing, lubricants, coatings, hand cleaning compounds and all purpose cleaners.

SPRAYON/KRYLON

Complete line of aerosols, paints, enamels, cleaners, rust preventatives, mold release agents and specialty coatings.

SLIDE Mold releases, lubricants, cleaners, rust preventatives and purging compounds.

SSP Silicone lubricants and compounds.

DYKEM/DYMON

Scrubs in-a-Bucket, industrial marking pens, graffiti remover and layout fluids.

ABRASIVES

3M ABRASIVES

3M™ Cubitron™II abrasives raise the bar for grinding performance and productivity. 3M™ Trizact™ abrasive belts, discs, PG wheels, sheets, rolls, microfinishing and lapping films.

3M POWER TOOLS

Air-Powered Sanding Tools, orbital and random orbital sanders, die grinders, buffers that will optimize your finishing results.

SCOTCH-BRITE™

3M's trusted surface conditioning products for metals and most synthetics, sheets, rolls, discs, brushes, wheels, hand pads and belts for cleaning, deburring and polishing.

DYNABRADE

Power air tools for belt sanding, polishing and grinding.

WEILER

Surface conditioning solutions, power and wire brushes.

TAPES

3M TAPES

Masking, foam, packaging, PTFE, UHMW, vinyl, glass cloth, aluminum foil, polyester, slick surface, damping, duct, cloth tapes and sandblast stencils.

3M BONDING & JOINING SYSTEMS

Double-sided pressure sensitive tapes that bond with strength enough to replace rivets, bolts, welds and similar mechanical or fusion fastening. Scotchmate hook and loop, dual lock fasteners and bumpers.

3M COMMERCIAL GRAPHICS

Vinyl tapes for lettering and signage. High performance and intermediate films for electronic cutting and thermal transfer.

POLYKEN Cloth and duct tape to military specifications.

START

Wide variety of light, industrial, and heavy duty tape dispensers.

3M POLYMASK

Surface protection tapes for hard surface and outdoor UV protection. Short-term protection against scratching, marring, chipping, abrasion and UV light.

LABELS, MARKERS & PRINTERS

BRADY

Computer printable labels and tags for wire and component identification, software and printing systems, sleeving for wire identification, numbers and letters, health and safety signs, custom labels printed in-house.

SHIPPING & PACKAGING

3M PACKAGING SYSTEMS

3M-Matic™ box sealing machines, packing slip envelopes, filament tapes and dispensers, manual and systems length box sealing tape.

3M HOT MELT ADHESIVES

For box sealing and assembly.

STRETCH FILM

The easiest way to palletize your shipments.

PACK-MAIL-SHIP

Full selection of boxing, packing and shipping supplies.

HENKEL

Adhesive equipment, hot melt, one and two part adhesives for the packaging industry.

ELECTRICAL & ELECTRONIC COMPONENTS

3M STATIC CONTROL

Full range of ESD products, workstation and personal grounding.

3M SCOTCH ELECTRICAL

Vinyl, rubber, hi-voltage, insulation, EMI/RFI shielding, thermally and electrically conductive tapes. 3M NOVEC high performance contact cleaner, 3M heat shrink products.

HENKEL ELECTRONICS UV

Curable adhesives, conformal coatings, instant adhesives, thermally conductive adhesives, chipbonders, adhesives for surface mount devices and turn-key dispensing equipment.

BRADY

Computer printable labels and tags for wire and component identification, software and printing systems.

LINDSTROM

Precision tools for electronic, electromechanical and medical device assembly, rework and repair.

KESTER

Solder paste, wax, bar & flux. Lead-free technology.

METCAL

Precision systems for the electronics bench. Soldering, desoldering and rework systems, tips and cartridges for soldering applications.

CHEMTRONICS

Dusters, cleaner degreasers, solder wick, desoldering braids, flux removers and freeze sprays.

STEINEL

Electronic hot air guns.

WELLER

Soldering and rework stations, soldering irons, tips and fume extraction.

COVENTRY

Cleanroom swabs and wipes.

CCI-CONDUCTIVE CONTAINERS, INC.

ESD protective packaging, static-shielding corrugated totes, trays, bins and in-plant handlers.

MOMENTIVE SILICONES

Solventless silicone dielectric gels, silicone conformal coatings, molding products, 1 and 2 part non-corrosive adhesives.

EXCELTA

Precision tools, tweezers, cutters & pliers

MENDA

High performance dispenser pumps, specialty tools and accessories.

DESCO

Quality products for ESD control, mats, personal grounding, ionization, tools and test equipment.

PROTEKTIVE PAK

ESD material handling and packaging.

TECHSPRAY

Cleaners, coatings and other chemicals and tools that improve efficiency and performance.

FULL RANGE OF PRODUCTS

Chemicals, tools and furnishings for electronics manufacturing and maintenance plus workstations, cabinets, shelving, work surfaces and packaging stations, ESD and ergonomic cleanroom, office seating and more.

FACILITIES MAINTENANCE

3M DEVCON • BRADY • NOTRAX • WEARWELL

Anti-slip surfacing material, floor mats, floor marking tape and dots, epoxy compounds and tacky mats.

3M PURIFICATION

Providing fluid, air, gas filtration and separation solutions to a wide range of users in processing and manufacturing industries.

KIMBERLY-CLARK

Full range of disposable shop towels and industrial wipes.

RAYOVAC

Alkaline, heavy duty and rechargeable batteries, performance lights, lanterns and industrial flashlights.

WEILER

Brooms, mops & other maintenance products.

HOSPECO

Multi-purpose, disposable, light to heavy weight wipers. Cloth and shop towel replacements for industrial and hi-tech applications.

PURITAN

Purswab precision cleaning applicators, available with cotton and polyurethane foam tips.

PELICAN

High intensity waterproof flashlights and cases.

SIMPLE GREEN

Non-toxic/biodegradable cleaners, degreasers and deodorizers.

SAFETY

PERSONAL PROTECTION EQUIPMENT

Safety glasses, face shields, hardhats, ear plugs and muffs.

RESPIRATORY PROTECTION

Disposable respirators, cartridges, powered air purifying and supplied air respirators.

HAND PROTECTION

Several varieties of gloves for protection.

PROTECTIVE CLOTHING

Safety apparel, disposable, high visibility clothing, rain gear.

CLEAN ROOM PRODUCTS

Clothing, gloves and finger cots, swabs and wipes, stationery and tacky mats.

SAFETY PRESCRIPTION EYEWEAR SERVICE

WELDING

Helmets, respirators, gloves, flame resistant clothing, anti-fatigue matting, glasses.

FOOT PROTECTION

Boots, knee pads, toe caps.

FIRST AID

First aid kits and cabinets, eyewash stations, first aid supplies, back and wrist supports, heat stress, AEDS, bloodborne pathogen kits.

FALL PROTECTION

Harnesses, lanyards and cross arm straps, anchors, roofing kits, tripods.

FACILITY

Flammable liquid storage, spill control, lockout/tagout devices, facility marking floor tape and signs, portable printers, labels & ribbons, tool bags and lanyards, cutting tools, storage bins and organizers, wipes, janitorial supplies.

CONVERTING



Die Cutting • Kiss Cutting • Cut to Length • Slitting • Sheeting • Laminating • Rewinding • Flexographic Printing • Kit Assembly • Plus More!

- We engineer die-cut solutions to your designs and specifications.
- We convert a wide variety of materials including: tapes, PSA's, VHB, EMI/RFI, coppers, Safety-Walk™, aluminums, foams, Teflon®, Kapton®, UHMW, bumpons, fabrics, foils, hook & loop, films, magnets, paper, plastics, surface protection products & more!
- Established in 1959 - Over 50 years of experience in the converting industry!
- ISO 9001: 2008 Registered Firm.
- Free Quotations.
- Los Angeles and Chicago Locations with sales representatives across the USA and Mexico to best serve you.

TOLL FREE: (888) 932-8836

www.saunderscorp.com



GET TO KNOW YOUR RS HUGHES LOCATION

State/City	Address	Email	Phone	Fax
Alabama				
Birmingham	289 E. Cahaba Valley Pkwy North, Pelham, AL 35124	birmingham@rshughes.com	205-591-5710	205-591-5712
Arizona				
Phoenix	236 East Pima Street, Ste 108, Phoenix, AZ 85004	phoenix@rshughes.com	602-275-5565	602-275-5025
Tucson	3951 E. Michigan St, Suite 178, Tucson AZ, 85714	tucson@rshughes.com	520-889-8686	520-889-9881
California				
Los Angeles	10639 Glenoaks Blvd, Pacoima, CA 91331	losangeles@rshughes.com	818-686-9111	818-686-1973
Anaheim	1219 S Allec Street, Anaheim, CA 92805	anaheim@rshughes.com	714-781-5730	714-781-5731
San Diego	2575 Pioneer Ave, Ste 102, Vista, CA 92081	sandiego@rshughes.com	760-597-0222	760-597-8924
Riverside	880 Columbia Ave, Unit 3, Riverside, CA 92507	riverside@rshughes.com	951-787-9966	951-787-8645
Sunnyvale	1162 Sonora Court, Sunnyvale, CA 94086	sunnyvale@rshughes.com	408-739-3211	408-739-5889
Oakland	2405 Verna Court, San Lenadro, CA 94577	oakland@rshughes.com	510-562-3348	510-562-4277
Sacramento	8120-C Berry Ave, Sacramento, CA 95828	sacramento@rshughes.com	916-737-7484	916-737-7490
Colorado				
Denver	3870 Paris Street Suite #3, Denver, CO 80239	denver@rshughes.com	303-371-9440	303-371-2670
Florida				
Orlando	4424-B Seaboard Road, Orlando, FL 32808	orlando@rshughes.com	407-297-6800	407-292-5488
Tampa	7721 Anderson Road, Tampa, FL 33634	tampa@rshughes.com	813-882-4755	813-881-1591
Jacksonville	4815 Executive Park Ct, Ste 206, Jacksonville, FL 32216	jacksonville@rshughes.com	904-642-6493	904-642-7866
Miami	3840 Executive Way, Miramar, FL 33025	miami@rshughes.com	954-237-2700	954-237-2709
Georgia				
Atlanta	1155 Allgood Rd, Ste 2, Marietta, GA 30062	atlanta@rshughes.com	770-971-0185	770-971-0186
Illinois				
Chicago	307 E. North Avenue, Carol Stream IL, 60188	chicago@rshughes.com	630-344-6441	630-344-6440
Indiana				
Indianapolis	5058 W. 79th Street, Indianapolis, IN 46268	indianapolis@rshughes.com	317-879-2400	317-879-2405
Maryland				
Baltimore	2624 Lord Baltimore Dr, Ste H, Baltimore, MD 21244	baltimore@rshughes.com	443-893-7767	443-893-2480
Massachusetts				
Boston	19 Brigham Street, Unit 7A, Marlborough, MA 01752	boston@rshughes.com	508-303-8822	508-303-6622
Michigan				
Detroit	47705 West Road, Ste B103, Wixom, MI 48393	detroit@rshughes.com	734-451-2211	734-451-9808
Minnesota				
Brooklyn Park/Minneapolis	9210 Wyoming Ave N Ste 225, Brooklyn Park, MN 55445	minneapolis@rshughes.com	763-488-1617	763-488-1621
Missouri				
Kansas City	1612 N. Topping Ave, Kansas City, MO 64120	kansascity@rshughes.com	816-241-1069	816-241-1612
Nevada				
Las Vegas	4535 Statz Street, Suite J, North Las Vegas, NV 89081	lasvegas@rshughes.com	702-895-7724	702-895-7725
New Mexico				
Albuquerque	6100-B Jefferson NE, Albuquerque, NM 87109	albuquerque@rshughes.com	505-344-6310	505-344-8263
New York				
Long Island	100 E Tec Street, Hicksville, NY 11801	longisland@rshughes.com	516-822-1492	516-822-1536

5 0 + L O C A T I O N S I N U . S . A N D M E X I C O

State/City	Address	Email	Phone	Fax
North Carolina				
Raleigh	1100 Corporation Pkwy, Ste 115, Raleigh, NC 27610	raleigh@rshughes.com	919-231-3800	919-231-9646
Ohio				
Cleveland/Solon	31200 Solon Road, Unit 14, Solon, OH 44139	cleveland@rshughes.com	440-498-8161	440-498-8166
Cincinnati	2941 E. Kemper Road, Cincinnati, OH 45241	cincinnati@rshughes.com	513-772-0780	513-772-0787
Oklahoma				
Tulsa	2720 North Sheridan Road Unit D, Tulsa, OK 74115	tulsa@rshughes.com	918-836-5954	918-836-6434
Oregon				
Portland	5916 NE 112th Ave, Portland, OR 97220	portland@rshughes.com	503-289-6715	503-289-7487
South Carolina				
Columbia	103 Trade Zone Dr, Ste 36C, West Columbia, SC 29170	columbia@rshughes.com	803-454-6200	803-454-6205
Texas				
Dallas	10756 N Stemmons Freeway, Dallas, TX 75220	dallas@rshughes.com	214-351-2300	214-351-2959
Houston	6001 Stonington St Ste. 140, Houston, TX 77040	houston@rshughes.com	713-691-5444	713-691-3336
Austin	8606 Wall Street Suite 400, Austin, TX 78754	austin@rshughes.com	512-835-2822	512-835-7529
El Paso	1410 Gail Borden, Suite A-1, El Paso TX, 79935	elpaso@rshughes.com	915-593-5533	915-593-5571
Fort Worth	5145 MLK Frwy (US 287), Fort Worth, TX 76119	fortworth@rshughes.com	817-332-3292	817-338-1337
McAllen	317 East Cedar Ave, Unit F, McAllen, TX 78501	mcallen@rshughes.com	956-618-0900	956-618-5641
San Antonio	5018 Service Center Drive, San Antonio, TX 78218	sanantonio@rshughes.com	210-661-5498	210-661-5889
Utah				
Salt Lake City	3455 West 1820 South, Salt Lake City, UT 84104	saltlake@rshughes.com	801-973-4211	801-972-0825
Washington				
Seattle	7031 South 193rd Street, Kent, WA 98032	seattle@rshughes.com	206-767-4463	206-763-9512
Wisconsin				
Milwaukee	12020 W. Feerick St., Unit G, Wauwatosa, WI 53222	milwaukee@rshughes.com	414-465-1846	414-465-1878
Mexico				
Juarez	Carretera Internacional #208 Col Waterfill, Distrito Bravos C.P. 32350 Cd. Juarez Chih., Mexico	juarez@rshughes.com	011-52-65-6625-8411	011-52-65-6625-8421
Juarez (USA)			011-52-65-6625-8411	
Monterrey	Calle Artemio Elizondo #1021, CP 66600 Parque Ind Eli-Can Col Milagro, Apodaca, NL, Mexico	monterrey@rshughes.com	011-52-81-8386-6833	011-52-63-1320-7338
Monterrey (USA)				
Nogales	Av.de la Calidad No.2 Esq. Calle de la Industria Maquiladora Parque Industrial Nuevo Nogales, CP 84094 Nogales, Sonora, Mexico	nogales@rshughes.com	011-52-63-1320-7337	011-52-66-4623-8779
Nogales (USA)			011-52-0889-8686	
Tijuana/Mexicali	Alejandro Humbolt #17526 Fracc. Garita De Otay, CP 22430 CD Tijuana, Baja California, Mexico	tijuana@rshughes.com	011-52-66-4623-8221	011-52-66-4623-8779
Tijuana (USA)			011-52-76-0597-0222	
Reynosa	Ave. San Rafael Lote 27-A 3er Sector, Moll Industrial, Reynosa, Tamps, Mexico	reynosa@rshughes.com	011-52-89-9926-0028	011-52-89-9926-0017
Reynosa (USA)			011-52-95-6618-0900	
Queretaro	Carretera Estatal 500 No 38700, "El Paraiso-Chichimequillas" Bodega No. 7 Santa Rosa De Jauregui, Qro. CP 76220	queretaro@rshughes.com	011-52-44-2240-9627	
Queretaro (USA)			011-52-97-2968-9122	

R.S. Hughes: Your Safety Products Headquarters

R.S. Hughes

1162 Sonora Ct.
Sunnyvale, CA 94086

PRSRTP BPM
U.S. POSTAGE
PAID
PERMIT #6563
SLC UT 84115

- **In business since 1954, Employee Owned and Operated**
- **Local management teams; local inventory, purchasing and support**
- **Inventory stocked and decisions made locally**
- **No minimum order**
- **Local customer service at every location**
- **We break cases on stock items**
- **Immediate access to a trained salesperson**
- **Order how you want: phone, fax, website, EDI**
- **Open credit lines or corporate credit cards**

R.S. Hughes 50+ Stocking Locations:



**Check out our
Trade-in Program
for 3M™ Reusable
Respirators**

see page 74



877-774-8443
rshughes.com

GLOBAL INDUSTRIAL SUPPLIER

FREE
Ground Shipping
Online Orders of \$99 or more*

- *Offer Details:**
- For online orders of \$99 or more.
 - Some restrictions apply. Shipping charges will apply to products requiring special handling: hazardous material, oversized, etc.
 - Look for this image to know what products qualify for free shipping. In the shopping cart these products are listed in the "Free Ground Shipping" section.
 - Offer applies to Ground Shipping only.
 - For shipping destinations in Continental United States only.

Offer subject to change.

