Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu STYLISTIC Q572 Tablet PC

Your Professional BusinessPad

The Fujitsu STYLISTIC Q572 is the ideal lightweight 25.7 cm (10.1-inch) tablet PC for mobile professionals in business, government and SME. With pen and finger support, the slim 732 g device provides perfect flexibility to accomplish your daily tasks. Its swappable battery lets you deliver from start to finish and numerous interfaces as well as a docking option bring full convenience to your desk. 4G/LTE ensures ultimate connectivity anywhere and enterprise-class security features enhance data protection in sensitive environments.

User Experience

Intuitive user friendly interface to boost productivity

■ Multiple touch input, superior ergonomics, screen auto-rotation and content reflow, integrated WLAN, Bluetooth and 3G/UMTS or 4G/LTE (incl. GPS)

Content Creation and Collaboration

Rapid content creation and painless collaboration

 Data entry via pen based handwriting recognition or onscreen keyboard with predictive text, antiqlare wide-angle display for indoor/outdoor use, swappable battery, HDMI

Security and Manageability

Perfect data protection against unauthorized users

Advanced Theft Protection (Computrace®), SmartCard reader, Full Disk Encryption (FDE), fingerprint sensor, optional embedded TPM module





















Components

Operating systems	
Operating system	Windows 8
	Windows 8 Pro
Operating system compatible	Windows 8
· · · ·	Windows® 7
Hard disk drives (internal)	SSD mSATA, 256 GB
, ,	SSD mSATA, 128 GB, Opal TCG
	SSD mSATA, 128 GB, FDE
	SSD mSATA, 64 GB, Opal TCG
	SSD mSATA, 64 GB, FDE
Hard disk notes	
natu disk flotes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software.
	Up to 18 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
Wireless technologies	
Antennas	1x dual band for WLAN, 2x for UMTS/LTE, 1x for Bluetooth (on Bluetooth module)
Integrated WLAN	Ralink RT3572 a,b,g,n
WLAN notes	Import and usage according to country-specific regulations.
UMTS/GPS notes	Import and usage according to country-specific regulations. Including GPS functionality
	,
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
Display	
Base unit	STYLISTIC Q572 dual digitizer
General system information	
Processor	AMD Dual-Core Z-60 APU (1.0 GHz), 1 MB,
Chipset	AMD A68M FCH
BIOS features	BIOS Flash EPROM
	BIOS based on Phoenix SecureCore
Display	
Display	25.7 cm (10.1-inch), IPS dual digitizer, (HD), Anti-glare touchscreen, 1366 x 768 pixel (recommended), 500:1, 400
- :- k := 1	cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid.
	Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Aspect ratio	16:9
Brightness - typical	400 cd/m²
Contrast - typical	500:1
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Graphics	<u> </u>
TFT resolution (HDMI)	up to 1920 x 1200
Graphics brand name	AMD Radeon™ HD 6250
Graphics features	DirectX 11
Graphics notes	Shared memory depending on main memory size and operating system
diahilics linces	3D accelerator
	50 acceleration

Page 2 / 6

Interfaces	
Memory card slots	1 SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB
SmartCard slot	1
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)
USB 2.0 total	2
HDMI	1
DC-in	1
Audio: line-in / microphone	
Audio: line-out / headphone	1
Internal microphones	2 (digital)
Docking connector for Port Replicator	1
Wired communication	
LAN	10/100 Mbit/s (via cradle only)
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Camera	Built-in webcams, HD (0.9 megapixel) front camera plus 5.0 megapixel rear camera
Dower supply	
Power supply Notes	60W AC Adapter for usage with system
1st battery	Lithium polymer battery 2-cell, 5.000 mAh, 36 Wh
Runtime 1st battery	~ 6 h
Battery charging time	252min (5.000mAh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	273.5 x 176 x 13.9 mm
Weight	0.732 kg
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 85 % (running)
Additional Software	
Additional software (preinstalled)	Adobe® Reader® Microsoft® Touch Pack for Windows® 7 Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 60 days version Application Panel Auto Rotation Utility Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Don't forget Office.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) CyberLink YouCam Recovery DVD (Windows® 7) SmartCase Logon+ (only with Windows® 7)

Manageability	
Manageability technology	DeskUpdate Driver management
, ,,	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	WoL (Wake on LAN)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
Connected standards	Alarm Management
Supported standards	WMI PXE
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
	ntip.//www.ndji.dd.com/nd/midnagcability
Security	
System protection	- III CO I
Audit proof protection	Norton Internet Security (incl. Firewall) 60 days version Write protect option for the Flash EPROM
	Control of all USB interfaces
	User and supervisor BIOS password
	Optional: Trusted platform module (TPM 1.2)
	Advanced Theft Protection (Computrace® only)
Access protection	Integrated Fingerprint Sensor
	User and supervisor BIOS password
	Hard disk password
	OmniPass security software
	Smartcard reader (integrated)
Product	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Cradle	
DC-in	1
USB 2.0 total	3
Ethernet (RJ-45)	10/100
Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services	
Recommended Service	9x5, Response Time: Next Business Day
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Cradle STYLISTIC Q572	The Cradle STYLISTIC Q572 lets you dock your tablet PC for better ergonomics at your desk and an instant connection to your favorite accessories as well as wired network access. It charges your battery while cradling your tablet at an optimal viewing angle for working in the office.	
Second Battery STYLISTIC Q572	With an additional battery you can maximize the run-time of your tablet and work however long it takes to get the job done.	Order Code: S26391-F1216-L100
Car/Truck Power Adapter 90	People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.	Order Code: S26391-F2613-L610
Tablet Sleeve 11	The Fujitsu Tablet Sleeve 11 is a thin tailored sleeve for your Fujitsu Tablet. It is the ideal match for tablets up to 29.5 cm (11.6-inch) and provides thin and light protection for your tablet when you are on the go. Enjoy sophisticated design with high quality PU leather and nylon accented by tasteful red highlights.	Order Code: S26391-F1191-L311
CELVIN® Drive M200	The CELVIN Drive M200 is an ultra-portable and high-class storage device. Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever.	Order Code: S26341-F103-L500
	backup easier and faster than ever.	

Page 5 / 6 www.fujitsu.com/fts/tabletpc

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q572, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu STYLISTIC Q572, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-02-05 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions