

TABLE OF CONTENTS



TWIN TRACK SLIDING DOORS WITH BOTTOM CARRIAGE SYSTEM

<i>Gemini Series</i>	002
SYSTEM GEMINI 10	004
Line GEMINI.....	012
Line 10-ka II.....	014
Line CORONA.....	016
Line FOX.....	018
Line JULIA.....	020
Line KARAT.....	022
Line ROMEO.....	024
<i>Comfort Series</i>	026
SYSTEM COMFORT 10	028
Line MASTER.....	036
Line FUTURE.....	038
Line STAR.....	040
SYSTEM EKONOMIK 10	042



TWIN TRACK SLIDING ANGLED DOORS WITH BOTTOM CARRIAGE SYSTEM

<i>Everest Series</i>	048
SYSTEM GEMINI EVEREST 10	050
Line FOX.....	056
Furniture & decorative profile.....	058
SELF CLOSE SEVROMATIC.....	066
SOFT-CLOSE.....	070

GEMINI SERIES





Product line Gemini was designed after many years of consultation with our clients. This product group ensures:

OPTIMAL COMFORT

Systems included in this line are based on tracks characterised by a narrow width. Doors built on these tracks do not unnecessarily take up too much space within the wardrobe; however they still allow the use of ergonomic handles with a good grip.

MAXIMUM UNIVERSALITY

In the product line Gemini you find two systems: GEMINI 10 and GEMINI 18. The systems differ from each other in door construction, but use the same top and bottom track, which enables the easy choice of door filling technologies. We can choose between frame system GEMINI 10, suitable for use with 10mm board, and board system GEMINI 18, based on 18mm board. The advantage of this system is that the changes in door technology are not followed by the need for track change, nor does this affect the space taken inside the wardrobe.

This feature has been duly appreciated by professionals in the furniture making trade, as a solution ensuring safety and flexibility in case of necessity to differ from the original project, and by the distributors of furniture accessories as this reduces the amount of stock needed.

EVERLASTING DESIGN

System Gemini offers a large array of designer handles. Many profiles are made with our patented DECOR technology, allowing easy and inexpensive decoration with decorative foil. The available number of decorative foil patterns allows endless possibilities for creating interesting colouristic compositions.

■ SYSTEM GEMINI 10

Line GEMINI
Line 10-ka
Line CORONA
Line FOX
Line JULIA
Line KARAT
Line ROMEO

■ SYSTEM GEMINI 10 EVEREST

Line FOX



SYSTEM


GEMINI 10

Twin track sliding doors with bottom carriage system



DECOR

8 kg	14 kg	16 kg	25 kg	35 kg
40 kg	45 kg	50 kg	60 kg	70 kg
100 kg	120 kg			
10 mm BOARD	16 mm BOARD	18 mm BOARD	16-40 mm BOARD	16-50 mm BOARD
BOARD+ MIRROR	4 mm MIRROR	4.5 mm GLASS	6 mm GLASS	8-12 mm GLASS
PARTS	ONE PACK	Programme VICTORIA ABC	EASY BUY	




CHARACTERISTICS

▶ Application	Sliding doors
▶ Track	Twin
▼ Carriage system	Bottom
▶ Top guide	Ball bearing carriage
▶ Bottom guide	Ball bearing carriage (load bearing)
▶ Construction	Frame
▶ Filling thickness	10 mm
▶ Filling type	10 mm MFC or 4.5 mm safety glass or 4 mm mirror
▶ Max. door load	50 kg
▶ Max. handle length	3.50 m
▶ Max. track length	6.00 m
▶ Textile door stops	Yes
▶ Anti-dust brushes	Yes
▶ Sales programme	Components are available individually
▶ Decorative profile programme	DECOR

USAGE

- ▶ Built-in furniture, walk-in wardrobes, wardrobes, attics




Basic system components


Handle **GEMINI Decor**



DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02284	SILVER	2700	10	ITEM	
02283	BRONZE	2700	10	ITEM	
02285	GOLD	2700	10	ITEM	



Handle **10-KA II**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02287	SILVER	2700	20	ITEM	
02286	BRONZE	2700	20	ITEM	
02288	GOLD	2700	20	ITEM	




Handle **CORONA Decor**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01544	SILVER	2700	10	ITEM	
01546	BRONZE	2700	10	ITEM	
01545	GOLD	2700	10	ITEM	
01549	SILVER	3500	10	ITEM	
01548	BRONZE	3500	10	ITEM	
01550	GOLD	3500	10	ITEM	




Masking profile "**AKCENT**"

i Masking profile for CORONA handle




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00013	SILVER	2700	120	ITEM	
00005	BRONZE	2700	120	ITEM	
00017	GOLD	2700	120	ITEM	
00015	SILVER	3500	120	ITEM	
00007	BRONZE	3500	120	ITEM	
00019	GOLD	3500	120	ITEM	



Handle **FOX**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02422	SILVER	2700	20	ITEM	
02423	BRONZE	2700	20	ITEM	
02424	GOLD	2700	20	ITEM	
02425	BRONZE with brushed effect	2700	20	ITEM	






Handle **JULIA II**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02713	SILVER	2700	20	ITEM	
02711	BRONZE	2700	20	ITEM	
02714	GOLD	2700	20	ITEM	



Handle **KARAT**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
03173	SILVER	2700	20	ITEM	
03172	BRONZE	2700	20	ITEM	



Handle **ROMEO II**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02692	SILVER	2700	20	ITEM	
02690	BRONZE	2700	20	ITEM	
02693	GOLD	2700	20	ITEM	




Upper horizontal profile **Decor**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02912	SILVER	1700	24	ITEM	
02908	BRONZE	1700	24	ITEM	
02916	GOLD	1700	24	ITEM	
03042	BRONZE with brushed effect	1700	24	ITEM	
02913	SILVER	2350	24	ITEM	
02909	BRONZE	2350	24	ITEM	
02917	GOLD	2350	24	ITEM	
03043	BRONZE with brushed effect	2350	24	ITEM	
02914	SILVER	3000	24	ITEM	
02910	BRONZE	3000	24	ITEM	
02918	GOLD	3000	24	ITEM	
03044	BRONZE with brushed effect	3000	24	ITEM	
02915	SILVER	6000	24	ITEM	
02911	BRONZE	6000	24	ITEM	
02919	GOLD	6000	24	ITEM	




Basic system components


Lower horizontal profile **Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00161	SILVER	1700	12	ITEM	
00152	BRONZE	1700	12	ITEM	
00164	GOLD	1700	12	ITEM	
02490	BRONZE with brushed effect	1700	12	ITEM	
00162	SILVER	2350	12	ITEM	
00153	BRONZE	2350	12	ITEM	
00165	GOLD	2350	12	ITEM	
02491	BRONZE with brushed effect	2350	12	ITEM	
00163	SILVER	3000	12	ITEM	
00155	BRONZE	3000	12	ITEM	
00166	GOLD	3000	12	ITEM	
02492	BRONZE with brushed effect	3000	12	ITEM	
02764	SILVER	6000	12	ITEM	
02763	BRONZE	6000	12	ITEM	
02827	GOLD	6000	12	ITEM	




Top track **GEMINI Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01023	SILVER	1700	12	ITEM	
01008	BRONZE	1700	12	ITEM	
01030	GOLD	1700	12	ITEM	
02501	BRONZE with brushed effect	1700	12	ITEM	
01025	SILVER	2350	12	ITEM	
01010	BRONZE	2350	12	ITEM	
01032	GOLD	2350	12	ITEM	
02498	BRONZE with brushed effect	2350	12	ITEM	
01026	SILVER	3000	12	ITEM	
01011	BRONZE	3000	12	ITEM	
01033	GOLD	3000	12	ITEM	
02499	BRONZE with brushed effect	3000	12	ITEM	
01469	SILVER	4050	12	ITEM	
01439	BRONZE	4050	12	ITEM	
01462	GOLD	4050	12	ITEM	
02500	BRONZE with brushed effect	4050	12	ITEM	
01391	SILVER	6000	12	ITEM	
01390	BRONZE	6000	12	ITEM	
01392	GOLD	6000	12	ITEM	



Bottom track **GEMINI Decor**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00809	SILVER	1700	12	ITEM	
00798	BRONZE	1700	12	ITEM	
00816	GOLD	1700	12	ITEM	
00811	SILVER	2350	12	ITEM	
00800	BRONZE	2350	12	ITEM	
00818	GOLD	2350	12	ITEM	
00812	SILVER	3000	12	ITEM	
00801	BRONZE	3000	12	ITEM	
00819	GOLD	3000	12	ITEM	
01474	SILVER	4050	12	ITEM	
01478	BRONZE	4050	12	ITEM	
01476	GOLD	4050	12	ITEM	
02430	SILVER	6000	12	ITEM	
02429	BRONZE	6000	12	ITEM	
02431	GOLD	6000	12	ITEM	






Bottom track **ELEGANT Decor** DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01277	SILVER	1700	12	ITEM	
01269	BRONZE	1700	12	ITEM	
01281	GOLD	1700	12	ITEM	
02494	BRONZE with brushed effect	1700	12	ITEM	
01278	SILVER	2350	12	ITEM	
01270	BRONZE	2350	12	ITEM	
01282	GOLD	2350	12	ITEM	
02495	BRONZE with brushed effect	2350	12	ITEM	
01279	SILVER	3000	12	ITEM	
01271	BRONZE	3000	12	ITEM	
01283	GOLD	3000	12	ITEM	
02496	BRONZE with brushed effect	3000	12	ITEM	
01470	SILVER	4050	12	ITEM	
01438	BRONZE	4050	12	ITEM	
01512	GOLD	4050	12	ITEM	
02497	BRONZE with brushed effect	4050	12	ITEM	
02427	SILVER	6000	12	ITEM	
02426	BRONZE	6000	12	ITEM	
02428	GOLD	6000	12	ITEM	




Top carriage **DUO** positioner




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20104	100	COLLECTIVE PACKAGING	

stopper for bottom carriage **HI-TEC**




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20080	1000	ITEM	

Guiding carriage **10-KA WPI0-DUO**



i Code 10038 applies to left or right carriage

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10038	100	ITEM	



SET: Guiding carriage **10-KA WPI0-DUO Blister**




i Set includes two carriages, left and right, fully packaged

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10045	50	SET	

Guiding carriage
GEMINI WPGm.-DUO



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10040	100	ITEM	




SET: Guiding carriage
GEMINI WPGm.-DUO Blister  Set includes two carriages, left and right, fully packaged



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10049	50	SET	

Self-close
SEVROMATIC SV-25 & SV-50  Each set includes 2 items R & L



CODE	KG	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20139	25	24	COLLECTIVE PACKAGING	
20200	50	24	COLLECTIVE PACKAGING	



Bottom carriage
WD 10C HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10044	100	ITEM	

SET: Bottom carriage
WD 10C HI-TEC Blister  Set includes two carriages, fully packaged



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10050	50	SET	



Bottom carriage
WD 10V HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10043S	100	ITEM	


SET: Bottom carriage
WD 10V HI-TEC Blister



i Set includes two carriages and stopper HI-TEC, fully packaged

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10051	50	SET	

H10 profile




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00207	SILVER	3000	30	ITEM	
00204	BRONZE	3000	30	ITEM	
00208	GOLD	3000	30	ITEM	
02493	BRONZE <small>with brushed effect</small>	3000	30	ITEM	




H10 profile - Decor



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01617	SILVER	3000	30	ITEM	
01616	BRONZE	3000	30	ITEM	
01618	GOLD	3000	30	ITEM	



H30 profile - Decor



DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00222	SILVER	3000	20	ITEM	
00219	BRONZE	3000	20	ITEM	
00223	GOLD	3000	20	ITEM	



Basic system components


**TEXTILE DOOR STOP
and ANTI-DUST BRUSHES**



CODE	NAME	A (mm)	B (mm)	INSTALATION	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20020	TEXTILE DOOR STOP	4.8	4	INSERTED	550	RM	
20024	ANTI-DUST BRUSH	4.8	13	INSERTED	200	RM	
20094	TEXTILE DOOR STOP	14.5	4	INSERTED	150	RM	


20020	20094	20094	20094	20094	20024		
Handle CORONA	Handle ROMEO II	Handle JULIA II	Handle IO-KA II				
20094	20094	20094					
Handle FOX	Handle GEMINI	Handle KARAT					

**Screws SMART, UNIX
and SELF-TAPPING**




CODE	NAME	DIMENSION (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20041	SCREW SMART	2.5 x 18	100	COLLECTIVE PACKAGING	
20092	SCREW SMART	2.5 x 25	100	COLLECTIVE PACKAGING	
20107	COUNTERSUNK SCREW UNIX	3 x 13	100	COLLECTIVE PACKAGING	
20001	SELF-TAPPING SCREW	6.3 x 32	2000	COLLECTIVE PACKAGING	

SEAL




CODE	X (mm)	W (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20031	4	10	100	MB.	
20032	4.5	10	100	MB.	
20033	6	10	100	MB.	
20052	8	10	100	MB.	




COMPONENTS

<p>Handle Gemini-Decor</p> <p>textile door stop (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage Gemini WPGm-DUO</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.



Dimensions of opening






handle length = door height

door filling - # 10 mm board, # 4 mm mirror
or # 4.5 mm safety glass

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 46 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 62 \text{ mm}$
mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$


number of doors - N	2	3
total overlap - Z	32 mm	64 mm

visual design - 4 wings	
	$w = (W + 93) : 4$
	$w = (W : 2 + 29) : 2$




Installation method for fitting 10 mm board (diag. A)
and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile



ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.




COMPONENTS

<p>Handle 10-ka II</p> <p>brush door buffer (no glue required) 4.8 mm x 13 mm</p> <p>brush door buffer (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage 10-ka WP 10 DUO</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.

Dimensions of opening







handle length = door height

door filling - # 10 mm board, # 4 mm mirror
or # 4.5 mm safety glass

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 36 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 53 \text{ mm}$
mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$


number of doors - N	2	3
total overlap - Z	35 mm	70 mm

visual design - 4 wings	
	$w = (W + 102) : 4$
	$w = (W : 2 + 32) : 2$




Installation method for fitting 10 mm board (diag. A)
and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile



ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.



ATTENTION:
In order to drill handle holes precisely and quickly, we recommend using our drill jig (index 20173)

COMPONENTS

<p>Handle CORONA</p> <p>Length 2.7 m, 3.5 m</p>	<p>Profile Akcent</p> <p>textile door stop (no glue required) 4.8 mm x 4 mm</p> <p>Length 2.7 m, 3.5 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage Gemini WPGm-DUO</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>	<p>Bottom carriage WD 10 V HI-TEC.</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.


Option: bottom track **ELEGANT**

With Corona set you may also use bottom track **Elegant** along with bottom carriage WD 10 V HI-TEC. Fitting measurements are not affected.

Stopper HI-TEC

Fastening of bottom track (special screw)

Dimensions of opening





handle length = door height


door filling - # 10 mm board

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 103 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 120 \text{ mm}$

number of doors - N	2	3
total overlap - Z	60 mm	120 mm

visual design - 4 wings

	$w = (W + 177) : 4$
	$w = (W : 2 + 57) : 2$




door filling - glass or mirror # 4mm.


mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile




ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.



You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.

Dimensions of opening







handle length = door height

door filling - # 10 mm board, # 4 mm mirror
or # 4.5 mm safety glass

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 20 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 37 \text{ mm}$
mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$



number of doors	- N	2	3
total overlap	- Z	36 mm	72 mm

visual design - 4 wings	
	$w = (W + 105) : 4$
	$w = (W : 2 + 33) : 2$




Installation method for fitting 10 mm board (diag. A)
and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile



ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.




COMPONENTS


<p>Handle Julia II</p> <p>textile door stop (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage Gemini WPGm-DUO</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.


With Romeo set you may also use bottom track **Elegant** along with bottom carriage WD 10 V HI-TEC. Fitting measurements are not affected.



Option: bottom track ELEGANT




Dimensions of opening




Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile



- with lower profile





handle length = door height


door filling - # 10 mm board

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 25 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 42 \text{ mm}$

number of doors - N	2	3
total overlap - Z	22 mm	44 mm

visual design - 4 wings

	$w = (W + 63) : 4$
	$w = (W : 2 + 19) : 2$





door filling - glass or mirror # 4mm.


mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.



ATTENTION:
In order to drill handle holes precisely and quickly, we recommend using our drill jig (index 20173)




Option: bottom track **ELEGANT**

With Karat set you may also use bottom track **Elegant** along with bottom carriage **WD 10 V HI-TEC**. Fitting measurements are not affected.

COMPONENTS

<p>Handle FOX</p> <p>textile door stop (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage Gemini WPGm-DUO</p>	<p>Upper horizontal profile Decor (A) Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>


You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.



Stopper **HI-TEC**

Fastening of bottom track (special screw)

Dimensions of opening





handle length = door height


door filling - # 10 mm board, # 4 mm mirror
or # 4.5 mm safety glass

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 41 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 58 \text{ mm}$
mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

number of doors - N	2	3
total overlap - Z	30 mm	60 mm


visual design - 4 wings

	$w = (W + 87) : 4$
	$w = (W : 2 + 27) : 2$




Installation method for fitting 10 mm board (diag. A)
and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile



ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.



ATTENTION:

In order to drill handle holes precisely and quickly, we recommend using our drill jig (index 20173)



COMPONENTS

<p>Handle Romeo II</p> <p>textile door stop (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m</p>	<p>Top track Gemini-Decor</p> <p>76 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>	<p>Bottom track Gemini-Decor</p> <p>53 mm</p> <p>Length 1.7 m, 2.35 m, 3 m, 4.05 m, 6 m</p>
<p>Guiding carriage Gemini WPGm-DUO</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m</p>	<p>Bottom carriage WD 10 C HI-TEC.</p>


You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using mirror or safety glass, you must also remember to purchase seals.

Option: bottom track **ELEGANT**

With Romeo set you may also use bottom track **Elegant** along with bottom carriage WD 10 V HI-TEC. Fitting measurements are not affected.



Dimensions of opening






handle length = door height

door filling - # 10 mm board




door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 25 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 42 \text{ mm}$

number of doors - N	2	3
total overlap - Z	22 mm	44 mm

visual design - 4 wings	
	$w = (W + 63) : 4$
	$w = (W : 2 + 19) : 2$



Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)



door filling - glass or mirror # 4mm.

mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.

COMFORT SERIES





COMFORT

COMFORT series products combine prestige and functionality. They constitute the most exclusive series of sliding door systems within our range. Substantial profiles ensure rigid construction strength and the best functionality. Thanks to the wider tracks, we gained the ability to incorporate comfortable and ergonomic handles. We recommend this system to individuals who, above all, value the feel of quality during operation.

■ SYSTEM COMFORT 10

Line MASTER


Line FUTURE

Line STAR





SYSTEM

COMFORT 10



DECOR

Twin track sliding doors with bottom carriage system




CHARACTERISTICS


▶ Application	Sliding doors
▶ Track	Twin
▼ Carriage system	Bottom
▶ Top guide	Ball bearing carriage
▶ Bottom guide	Ball bearing carriage (load bearing)
▶ Construction	Frame
▶ Filling thickness	10 mm
▶ Filling type	10 mm MFC or 4.5 mm safety glass or 4 mm mirror
▶ Max. door load	50 kg
▶ Max. handle length	3.50 m
▶ Max. track length	6.00 m
▶ Textile door stops	Yes
▶ Anti-dust brushes	Yes
▶ Sales programme	Components are available individually
▶ Decorative profile programme	DECOR

USAGE


- ▶ Built-in furniture, walk-in wardrobes, wardrobes, attics




Handle **FUTURE II**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02376	SILVER	2700	20	ITEM	
02377	BRONZE	2700	20	ITEM	
02378	GOLD	2700	20	ITEM	
02379	SILVER	3500	20	ITEM	
02380	BRONZE	3500	20	ITEM	
02381	GOLD	3500	20	ITEM	



Handle **MASTER**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00496	SILVER	2700	10	ITEM	
00494	BRONZE	2700	10	ITEM	
00498	GOLD	2700	10	ITEM	
00497	SILVER	3000	10	ITEM	
00495	BRONZE	3000	10	ITEM	
00499	GOLD	3000	10	ITEM	




Handle **STAR**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
03210	SILVER	2700	20	ITEM	
03209	BRONZE	2700	20	ITEM	
03211	GOLD	2700	20	ITEM	



Upper horizontal profile **Decor**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02912	SILVER	1700	24	ITEM	
02908	BRONZE	1700	24	ITEM	
02916	GOLD	1700	24	ITEM	
03042	BRONZE with brushed effect	1700	24	ITEM	
02913	SILVER	2350	24	ITEM	
02909	BRONZE	2350	24	ITEM	
02917	GOLD	2350	24	ITEM	
03043	BRONZE with brushed effect	2350	24	ITEM	
02914	SILVER	3000	24	ITEM	
02910	BRONZE	3000	24	ITEM	
02918	GOLD	3000	24	ITEM	
03044	BRONZE with brushed effect	3000	24	ITEM	
02915	SILVER	6000	24	ITEM	
02911	BRONZE	6000	24	ITEM	
02919	GOLD	6000	24	ITEM	




Lower horizontal profile **Decor****DECOR**


3



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00161	SILVER	1700	12	ITEM	
00152	BRONZE	1700	12	ITEM	
00164	GOLD	1700	12	ITEM	
02490	BRONZE with brushed effect	1700	12	ITEM	
00162	SILVER	2350	12	ITEM	
00153	BRONZE	2350	12	ITEM	
00165	GOLD	2350	12	ITEM	
02491	BRONZE with brushed effect	2350	12	ITEM	
00163	SILVER	3000	12	ITEM	
00155	BRONZE	3000	12	ITEM	
00166	GOLD	3000	12	ITEM	
02492	BRONZE with brushed effect	3000	12	ITEM	
02764	SILVER	6000	12	ITEM	
02763	BRONZE	6000	12	ITEM	
02827	GOLD	6000	12	ITEM	

Top track **COMFORT** Decor**DECOR**


4




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02834	SILVER	1700	12	ITEM	
02829	BRONZE	1700	12	ITEM	
02839	GOLD	1700	12	ITEM	
02835	SILVER	2350	12	ITEM	
02830	BRONZE	2350	12	ITEM	
02840	GOLD	2350	12	ITEM	
02836	SILVER	3000	12	ITEM	
02831	BRONZE	3000	12	ITEM	
02841	GOLD	3000	12	ITEM	
02837	SILVER	4050	12	ITEM	
02832	BRONZE	4050	12	ITEM	
02842	GOLD	4050	12	ITEM	
02838	SILVER	6000	12	ITEM	
02833	BRONZE	6000	12	ITEM	
02843	GOLD	6000	12	ITEM	

Bottom track **COMFORT**

5a




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00883	SILVER	1700	12	ITEM	
00873	BRONZE	1700	12	ITEM	
00888	GOLD	1700	12	ITEM	
00884	SILVER	2350	12	ITEM	
00875	BRONZE	2350	12	ITEM	
00889	GOLD	2350	12	ITEM	
00885	SILVER	3000	12	ITEM	
00876	BRONZE	3000	12	ITEM	
00890	GOLD	3000	12	ITEM	
01495	SILVER	4050	12	ITEM	
01494	BRONZE	4050	12	ITEM	
01496	GOLD	4050	12	ITEM	
02706	SILVER	6000	12	ITEM	
02705	BRONZE	6000	12	ITEM	
02707	GOLD	6000	12	ITEM	



Bottom track **DOUBLER II Decor**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02849	SILVER	1700	12	ITEM	
02844	BRONZE	1700	12	ITEM	
02854	GOLD	1700	12	ITEM	
02850	SILVER	2350	12	ITEM	
02845	BRONZE	2350	12	ITEM	
02855	GOLD	2350	12	ITEM	
02851	SILVER	3000	12	ITEM	
02846	BRONZE	3000	12	ITEM	
02856	GOLD	3000	12	ITEM	
02852	SILVER	4050	12	ITEM	
02847	BRONZE	4050	12	ITEM	
02857	GOLD	4050	12	ITEM	
02853	SILVER	6000	12	ITEM	
02848	BRONZE	6000	12	ITEM	
02858	GOLD	6000	12	ITEM	




Covering strip for bottom track
DOUBLER II Decor

DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02864	SILVER	1700	12	ITEM	
02859	BRONZE	1700	12	ITEM	
02869	GOLD	1700	12	ITEM	
02865	SILVER	2350	12	ITEM	
02860	BRONZE	2350	12	ITEM	
02870	GOLD	2350	12	ITEM	
02866	SILVER	3000	12	ITEM	
02861	BRONZE	3000	12	ITEM	
02871	GOLD	3000	12	ITEM	
02867	SILVER	4050	12	ITEM	
02862	BRONZE	4050	12	ITEM	
02872	GOLD	4050	12	ITEM	
02868	SILVER	6000	12	ITEM	
02863	BRONZE	6000	12	ITEM	
02873	GOLD	6000	12	ITEM	




Top carriage **DUO** positioner



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20104	100	COLLECTIVE PACKAGING	

stopper for
bottom carriage **HI-TEC**



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20080	1000	ITEM	




Guiding carriage
FUTURE WPFt.-DUO



i Code 10042 applies to left or right carriage

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10042	100	ITEM	



SET: Guiding carriage
FUTURE WPFt.-DUO Blister **i** Set includes two carriages, left and right, fully packaged




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10048	50	SET	


Guiding carriage
MASTER WPMs.-DUO



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10086	100	ITEM	



Self-close
SEVROMATIC SV-25 & SV-50 **i** Each set includes 2 items R & L



CODE	KG	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20139	25	24	COLLECTIVE PACKAGING	
20200	50	24	COLLECTIVE PACKAGING	



Bottom carriage
WD 10C HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10044	100	ITEM	

SET: Bottom carriage
WD 10C HI-TEC Blister **i** Set includes two carriages, fully packaged



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10050	50	SET	

Bottom carriage
WD 10V HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10043S	100	ITEM	

SET: Bottom carriage
WD 10V HI-TEC Blister

 Set includes two carriages and stopper HI-TEC, fully packaged




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10051	50	SET	

H10 profile



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00207	SILVER	3000	30	ITEM	
00204	BRONZE	3000	30	ITEM	
00208	GOLD	3000	30	ITEM	
02493	BRONZE <small>with brushed effect</small>	3000	30	ITEM	




H10 profile - Decor



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01617	SILVER	3000	30	ITEM	
01616	BRONZE	3000	30	ITEM	
01618	GOLD	3000	30	ITEM	



H30 profile - Decor




DECOR





CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00222	SILVER	3000	20	ITEM	
00219	BRONZE	3000	20	ITEM	
00223	GOLD	3000	20	ITEM	




**TEXTILE DOOR STOP
and ANTI-DUST BRUSHES**

CODE	NAME	A (mm)	B (mm)	INSTALATION	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20024	ANTI-DUST BRUSH	4.8	13	INSERTED	200	RM	
20094	TEXTILE DOOR STOP	14.5	4	INSERTED	200	RM	


**Screws SMART, UNIX
and SELF-TAPPING**

CODE	NAME	DIMENSION (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20041	SCREW SMART	2.5 x 18	100	COLLECTIVE PACKAGING	
20092	SCREW SMART	2.5 x 25	100	COLLECTIVE PACKAGING	
20107	COUNTERSUNK SCREW UNIX	3 x 13	100	COLLECTIVE PACKAGING	
20001	SELF-TAPPING SCREW	6.3 x 32	2000	COLLECTIVE PACKAGING	

SEAL

CODE	X (mm)	W (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20031	4	10	100	RM	
20032	4.5	10	100	RM	
20033	6	10	100	RM	
20052	8	10	100	RM	







COMPONENTS

<p>Handle Master</p> <p>brush door buffer (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m, 3.0 m</p>	<p>Top track Comfort-Decor</p> <p>94 mm</p> <p>Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m</p>	<p>Bottom track Comfort</p> <p>62 mm</p> <p>Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m</p>
<p>Guiding carriage Master WPMs-Duo</p> <p>Length 2.7 m, 3.0 m</p>	<p>Upper horizontal profile Decor (A)</p> <p>Horizontal profile Decor (B)</p> <p>Length A / B 1.7 m, 2.35 m, 3.0 m, 6.0 m</p>	<p>Bottom carriage WD 10 C HI-TEC</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using safety glass or mirror, you must also remember to purchase seals.



Dimensions of opening



handle length = door height


door filling - # 10 mm board

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 25 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 42 \text{ mm}$

number of doors - N	2	3
total overlap - Z	22 mm	44 mm

visual design - 4 wings

	$w = (W + 63) : 4$
	$w = (W : 2 + 19) : 2$




door filling - glass or mirror # 4mm.


mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile




ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.




ATTENTION:
In order to drill handle holes precisely and quickly, we recommend using our drill jig (index 20173)




OPTION: bottom track DOUBLER


With handle **Future** you may also use bottom track **Doubler II** with covering strip along with bottom carriage **WD10V HI-TEC**. Fitting measurements are not affected.




COMPONENTS





Length 2.7 m, 3.5 m




Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m



Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m




Length A / B 1.7 m, 2.35 m, 3.0 m, 6.0 m



You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using safety glass or mirror, you must also remember to purchase seals.

Dimensions of opening







handle length = door height

door filling - # 10 mm board

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 51 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 68 \text{ mm}$

number of doors - N	2	3
total overlap - Z	37 mm	74 mm

visual design - 4 wings	
	$w = (W + 108) : 4$
	$w = (W : 2 + 34) : 2$




door filling - glass or mirror # 4mm.


mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile




- with lower profile



ATTENTION!


Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.




COMPONENTS

<p>Handle Star</p> <p>brush door buffer (no glue required) 14.5 mm x 4 mm</p> <p>Length 2.7 m, 3.0 m</p>	<p>Top track Comfort-Decor</p> <p>94 mm</p> <p>Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m</p>	<p>Bottom track Comfort</p> <p>62 mm</p> <p>Length 1.7 m, 2.35 m, 3.0 m, 4.05 m, 6.0 m</p>
<p>Guiding carriage Master WPMs-Duo</p> <p>Length A / B 1.7 m, 2.35 m, 3.0 m, 6.0 m</p>	<p>Upper horizontal profile Decor (A) Horizontal profile Decor (B)</p> <p>Length A / B 1.7 m, 2.35 m, 3.0 m, 6.0 m</p>	<p>Bottom carriage WD 10 C HI-TEC</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door). When using safety glass or mirror, you must also remember to purchase seals.



Dimensions of opening





handle length = door height



door filling - # 10 mm board

door height - h	$h = H - 38 \text{ mm}$
board height - hb	$hb = h - 60 \text{ mm}$
door width - w	$w = (W - 3 + Z) : N$
board width - wb	$wb = w - 40 \text{ mm}$
horizontal profile length - L upper horizontal profile length - U	$L = U = w - 57 \text{ mm}$

number of doors - N	2	3
total overlap - Z	30 mm	60 mm

visual design - 4 wings

	$w = (W + 87) : 4$
	$w = (W : 2 + 27) : 2$




door filling - glass or mirror # 4mm.


mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$

Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle



- with upper profile



- with lower profile





ATTENTION!

Mirror (4mm) should be used with a safety backing film. Safety glass (4.5mm) comprises of two thin layers with a film in-between. Both mirror and glass need fitting seals.

SYSTEM EKONOMIK



Twin track sliding doors with bottom carriage system




CHARACTERISTICS

▶ Application	Sliding doors
▶ Track	Twin
▼ Carriage system	Bottom
▶ Top guide	Ball bearing carriage
▶ Bottom guide	Ball bearing carriage (load bearing)
▶ Construction	Frame
▶ Filling thickness	10 mm
▶ Filling type	10 mm MFC or 4 mm mirror
▶ Max. door load	35 kg
▶ Max. handle length	2.70 m
▶ Max. track length	6.00 m
▶ Textile door stops	Yes
▶ Anti-dust brushes	No
▶ Sales programme	EASY BUY + Components are available individually
▶ Decorative profile programme	N/A


USAGE

- ▶ Built-in furniture, walk-in wardrobes, wardrobes, attics




Basic system components


Handle **EKONOMIK**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02552	SILVER	2700	20	ITEM	




Horizontal strip **EKONOMIK**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02557	SILVER	2000	24	ITEM	
02558	SILVER	3000	24	ITEM	



Top track **EKONOMIK**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02553	SILVER	2000	12	ITEM	
02554	SILVER	3000	12	ITEM	
02894	SILVER	6000	12	ITEM	



Bottom track **EKONOMIK**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02555	SILVER	2000	12	ITEM	
02556	SILVER	3000	12	ITEM	
02895	SILVER	6000	12	ITEM	



Covering strip
for bottom track **EKONOMIK**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20159	-	2000	50	ITEM	
20172	-	3000	25	ITEM	
20193	-	6000	12	ITEM	




Top carriage **DUO** positioner



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20104	100	COLLECTIVE PACKAGING	

stopper for bottom carriage **HI-TEC**



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20080	1000	ITEM	

Top carriage **EKONOMIK WPEk.-DUO**




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10071	100	ITEM	

Bottom carriage **WD10V EKONOMIK**




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10099	60	ITEM	


TEXTILE DOOR STOP



CODE	NAME	A (mm)	B (mm)	INSTALATION	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20020	TEXTILE DOOR STP	4.8	4	INSERTED	550	RM	




Screws **SMART, UNIX and SELF-TAPPING**



CODE	NAME	DIMENSION (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20160	SELF-TAPPING SCREW	2.9 x 6.5	100	COLLECTIVE PACKAGING	
20153	SCREW UNIX	3 x 10	1	COLLECTIVE PACKAGING	
20165	SCREW UNIX	3 x 16	100	COLLECTIVE PACKAGING	
20041	SCREW SMART	2.5 x 18	100	COLLECTIVE PACKAGING	

SEAL



CODE	X (mm)	W (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20031	4	10	100	RM	

EKONOMIK E20-I SET and EKONOMIK E30-I SET



i Complete profile sets in silver



SET COMPONENTS	CODE	EKONOMIK E20-I SET	EKONOMIK E30-I SET
SET CODE		02559 (2m)	02560 (3m)
Horizontal strip EKON. 2 m / 3 m	02557 / 02558	2 pcs	2 pcs
Handle EKONOMIK 2.7 m	02552	4 pcs	6 pcs
Bottom track EKON. 2 m / 3 m	02555 / 02556	1 pc	1 pc
Top track EKONOMIK 2 m / 3 m	02553 / 02554	1 pc	1 pc
	DOOR WING No.	2	3
	NET PRICE		

EKONOMIK E20-2 SET and EKONOMIK E30-2 SET





i Complete accessory sets




SET COMPONENTS	CODE	EKONOMIK E20-I SET	EKONOMIK E30-I SET
SET CODE		10105 (2m)	10106 (3m)
Bottom carriage WD10 V EKON.	10099	4 pcs	6 pcs
Top carriage EKON. WPEK.-DUO	10101	4 pcs	6 pcs
Finishing profile for bottom track	20159	1 pc	1 pc
Brush door buffer without glue	20020	11 rm	17 rm
Self-tapping screw 2.9 x 6.5	20160	48 pcs	72 pcs
Toothed washer EKON. 3 x 6	20166	48 pcs	72 pcs
Top carriage DUO positioner	20104	2 pcs	4 pcS
Dome head screw 3.0 x 10	20153	16 pcs	24 pcs
Countersunk screw 3.0 x 16	20165	12 pcs	18 pcs
Screw Smart 2.5 x 18	20041	6 pcs	9 pcs
Assembly instructions	15136	1 pc	1 pc
	DOOR WING No.	2	3
	NET PRICE		

Door fitting order




Fastening of positioners for top carriage with centre door wing




Top and bottom carriage fastening

ATTENTION! 2 screws for additional carriage fastening (ONLY with chipboard filling!)



ATTENTION! Screws for additional handle fastening (ONLY with chipboard filling! screws 3x10 - 4 pieces per handle)



ATTENTION! 2 screws for additional carriage fastening (ONLY with chipboard filling!)


Top carriage positioner

Door filling: mirror or coloured glass 4mm + seals


Max. weight of 35kg per door

Door filling: 10 mm board

Max. weight of 35kg per door



Important dimension



COMPONENTS

Handle EKONOMIK

textile door stop (inserted) 4.8mm x 4mm

Length: 2.7m

Top track EKONOMIK

Length: 2.0m 3.0m

Bottom track EKONOMIK

Length: 2.0m 3.0m

Horizontal profile EKONOMIK

Length: 2.0m 3.0m

Screws

- Toothed washer 3x6
Fastening of carriages
- Self-tapping screw with washer head 2.9x6.5
Fastening of carriages
- Countersunk screw 3x16
Fastening of tracks
- Dome head screw 3x10
Fastening of handle (with chipboard filling)

Bottom carriage EKONOMIK


Top carriage EKONOMIK

Covering strip for bottom track EKONOMIK

Length: 2.0m 3.0m

Size calculation method for board for system EKONOMIK

Dimensions of opening








ATTENTION !
Mirror (4mm) must be used with a safety backing film.

door filling - 10 mm board, 4 mm mirror

door height - h	$h = H - 32 \text{ mm}$
board height - hb	$hb = h - 32 \text{ mm}$
door width - w	$w = (W - 3 \text{ mm} + Z) : N$
board width - wb	$wb = w - 2 \text{ mm}$
horizontal profile length - P	$P = w - 48 \text{ mm}$
mirror height - hm	$hm = hb - 4 \text{ mm}$
mirror width - wm	$wm = wb - 4 \text{ mm}$


number of doors - N	2	3
total overlap - Z	25 mm	50 mm

visual design - 4 wings	
	$w = (W + 72) : 4$
	$w = (W : 2 + 22) : 2$




Installation method for fitting 10 mm board (diag. A) and 4 mm mirror or glass (diag. B)


- with handle Ekonomik



- top carriage



- bottom carriage



GEMINI EVEREST





GEMINI 10 EVEREST

System Gemini 10 Everest was created on the basis of Sevroll's customers' most popular and appreciated system - Gemini 10. They use the same tracks and carriage system. Additionally, it includes the use of our special track Everest as well as guiding carriage Everest Fox.

Due to the necessity of angled joints in the handle, for this system we recommend handle Fox.

The system construction enables the simple build of door wings for wardrobes located in attics or under stairways.



SYSTEM


GEMINI 10 EVEREST

Twin track sliding angled doors with bottom carriage system



DECOR

8 kg	14 kg	16 kg	25 kg	35 kg
40 kg	45 kg	50 kg	60 kg	70 kg
100 kg	120 kg			
10 mm BOARD	16 mm BOARD	18 mm BOARD	16-40 mm BOARD	16-50 mm BOARD
BOARD+ MIRROR	4 mm MIRROR	4.5 mm GLASS	6 mm GLASS	8-12 mm GLASS
PARTS	ONE PACK	Programme VICTORIA ABC	EASY BUY	




CHARACTERISTICS

▶ Application	Sliding doors
▶ Track	Twin
▼ Carriage system	Bottom
▶ Top guide	Ball bearing carriage
▶ Bottom guide	Ball bearing carriage (load bearing)
▶ Construction	Frame
▶ Filling thickness	10 mm
▶ Filling type	10 mm MFC or 4.5 mm safety glass or 4 mm mirror
▶ Max. door load	50 kg
▶ Max. handle length	2.70 m
▶ Max. track length	6.00 m
▶ Textile door stops	Yes
▶ Anti-dust brushes	Yes
▶ Sales programme	Components are available individually
▶ Decorative profile programme	DECOR


USAGE

- ▶ Built-in furniture, walk-in wardrobes, wardrobes, attics






Handle **FOX**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02422	SILVER	2700	20	ITEM	
02423	BRONZE	2700	20	ITEM	
02424	GOLD	2700	20	ITEM	
02425	BRONZE with brushed effect	2700	20	ITEM	




Upper horizontal profile **Decor**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02912	SILVER	1700	24	ITEM	
02908	BRONZE	1700	24	ITEM	
02916	GOLD	1700	24	ITEM	
03042	BRONZE with brushed effect	1700	24	ITEM	
02913	SILVER	2350	24	ITEM	
02909	BRONZE	2350	24	ITEM	
02917	GOLD	2350	24	ITEM	
03043	BRONZE with brushed effect	2350	24	ITEM	
02914	SILVER	3000	24	ITEM	
02910	BRONZE	3000	24	ITEM	
02918	GOLD	3000	24	ITEM	
03044	BRONZE with brushed effect	3000	24	ITEM	
02915	SILVER	6000	24	ITEM	
02911	BRONZE	6000	24	ITEM	
02919	GOLD	6000	24	ITEM	




Lower horizontal profile **Decor**



DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00161	SILVER	1700	12	ITEM	
00152	BRONZE	1700	12	ITEM	
00164	GOLD	1700	12	ITEM	
02490	BRONZE with brushed effect	1700	12	ITEM	
00162	SILVER	2350	12	ITEM	
00153	BRONZE	2350	12	ITEM	
00165	GOLD	2350	12	ITEM	
02491	BRONZE with brushed effect	2350	12	ITEM	
00163	SILVER	3000	12	ITEM	
00155	BRONZE	3000	12	ITEM	
00166	GOLD	3000	12	ITEM	
02492	BRONZE with brushed effect	3000	12	ITEM	
02764	SILVER	6000	12	ITEM	
02763	BRONZE	6000	12	ITEM	
02827	GOLD	6000	12	ITEM	




Track **EVEREST Decor**

DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02382	SILVER	3000	24	ITEM	
02383	BRONZE	3000	24	ITEM	
02384	GOLD	3000	24	ITEM	







SYSTEM

GEMINI 10 Everest


Basic system components

Top track **GEMINI Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01023	SILVER	1700	12	ITEM	
01008	BRONZE	1700	12	ITEM	
01030	GOLD	1700	12	ITEM	
02501	BRONZE with brushed effect	1700	12	ITEM	
01025	SILVER	2350	12	ITEM	
01010	BRONZE	2350	12	ITEM	
01032	GOLD	2350	12	ITEM	
02498	BRONZE with brushed effect	2350	12	ITEM	
01026	SILVER	3000	12	ITEM	
01011	BRONZE	3000	12	ITEM	
01033	GOLD	3000	12	ITEM	
02499	BRONZE with brushed effect	3000	12	ITEM	
01469	SILVER	4050	12	ITEM	
01439	BRONZE	4050	12	ITEM	
01462	GOLD	4050	12	ITEM	
02500	BRONZE with brushed effect	4050	12	ITEM	
01391	SILVER	6000	12	ITEM	
01390	BRONZE	6000	12	ITEM	
01392	GOLD	6000	12	ITEM	

Bottom track **GEMINI Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00809	SILVER	1700	12	ITEM	
00798	BRONZE	1700	12	ITEM	
00816	GOLD	1700	12	ITEM	
00811	SILVER	2350	12	ITEM	
00800	BRONZE	2350	12	ITEM	
00818	GOLD	2350	12	ITEM	
00812	SILVER	3000	12	ITEM	
00801	BRONZE	3000	12	ITEM	
00819	GOLD	3000	12	ITEM	
01474	SILVER	4050	12	ITEM	
01478	BRONZE	4050	12	ITEM	
01476	GOLD	4050	12	ITEM	
02430	SILVER	6000	12	ITEM	
02429	BRONZE	6000	12	ITEM	
02431	GOLD	6000	12	ITEM	

Bottom track **ELEGANT Decor****DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01277	SILVER	1700	12	ITEM	
01269	BRONZE	1700	12	ITEM	
01281	GOLD	1700	12	ITEM	
02494	BRONZE with brushed effect	1700	12	ITEM	
01278	SILVER	2350	12	ITEM	
01270	BRONZE	2350	12	ITEM	
01282	GOLD	2350	12	ITEM	
02495	BRONZE with brushed effect	2350	12	ITEM	
01279	SILVER	3000	12	ITEM	
01271	BRONZE	3000	12	ITEM	
01283	GOLD	3000	12	ITEM	
02496	BRONZE with brushed effect	3000	12	ITEM	
01470	SILVER	4050	12	ITEM	
01438	BRONZE	4050	12	ITEM	
01512	GOLD	4050	12	ITEM	
02497	BRONZE with brushed effect	4050	12	ITEM	
02427	SILVER	6000	12	ITEM	
02426	BRONZE	6000	12	ITEM	
02428	GOLD	6000	12	ITEM	



Top carriage **DUO** positioner



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20104	100	COLLECTIVE PACKAGING	

stopper for bottom carriage **HI-TEC**



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20080	1000	ITEM	

SET: ZE-Fox


i Set includes 2 Everest Fox carriages and 2 Everest Fox joiners




CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10113	50	COLLECTIVE PACKAGING	

Guiding carriage **10-KA WP10-DUO**

i Code 10038 applies to left or right carriage



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10038	100	ITEM	



SET: Guiding carriage 10-KA WP10-DUO Blister

i Set includes two carriages, left and right, fully packaged



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10045	50	SET	



SYSTEM

GEMINI 10 Everest

Basic system components

Bottom carriage

WD 10C HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10044	100	ITEM	

SET: Bottom carriage

WD 10C HI-TEC Blister

i Set includes two carriages, fully packaged

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10050	50	SET	

Bottom carriage

WD 10V HI-TEC



CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10043S	100	ITEM	


SET: Bottom carriage

WD 10V HI-TEC Blister

i Set includes two carriages and stopper HI-TEC, fully packaged

CODE	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10051	50	SET	

H10 profile




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	UNIT OF MEASURE	NET PRICE PER ITEM
00207	SILVER	3000	30	PCS.	
00204	BRONZE	3000	30	PCS.	
00208	GOLD	3000	30	PCS.	
02493	BRONZE with brushed effect	3000	30	PCS.	



H10 profile - Decor

**DECOR**

CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01617	SILVER	3000	30	ITEM	
01616	BRONZE	3000	30	ITEM	
01618	GOLD	3000	30	ITEM	






H30 profile - Decor




DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00222	SILVER	3000	20	ITEM	
00219	BRONZE	3000	20	ITEM	
00223	GOLD	3000	20	ITEM	




**TEXTILE DOOR STOP
and ANTI-DUST BRUSHES**



CODE	NAME	A (mm)	B (mm)	INSTALATION	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20094	TEXTILE DOOR STOP	14.5	4		150	RM	
20024	ANTI-DUST BRUSH	4.8	13		200	RM	




**Screws SMART, UNIX
and SELF-TAPPING**




CODE	NAME	DIMENSION (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20041	SCREW SMART	2.5 x 18	100	COLLECTIVE PACKAGING	
20092	SCREW SMART	2.5 x 25	100	COLLECTIVE PACKAGING	
20107	COUNTERSUNK SCREW UNIX	3 x 13	100	COLLECTIVE PACKAGING	
20001	SELF-TAPPING SCREW	6.3 x 32	2000	COLLECTIVE PACKAGING	

SEAL



CODE	X (mm)	W (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20031	4	10	100	RM	
20032	4,5	10	100	RM	
20033	6	10	100	RM	
20052	8	10	100	RM	



COMPONENTS


<p>Handle Fox</p> <p>anti-dust brush inserted 4.8x13mm</p> <p>trxtile brush stop inserted 14.5x4mm</p> <p>Length 2.7m</p>	<p>Top track Gemini Decor</p> <p>76 mm</p> <p>Length 2.7m, 2.35m, 3m, 4.05m, 6m.</p>	<p>Bottom track Elegant</p> <p>Length 2.7m, 2.35m, 3m, 4.05m, 6m.</p>
--	---	--

<p>Set Everest-Fox</p> <p>carriage Everest Fox</p> <p>Joiner Everest Fox</p> <p>M6 x 6 - 8 pcs.</p> <p>2.9x12 - 4 pcs.</p>

You must remember to purchase self-tapping screws to construct each door (4 screws per door) When using mirror you must also remember to purchase seals

<p>Track for angle doors Everest</p> <p>Length 3 m.</p>	<p>Bottom horizontal profile Decor (A)</p> <p>Top horizontal profile Decor (B) r (B)</p> <p>Length A, B 1.7 m, 2.35 m, 3 m, 6 m.</p>	<p>Bottom carriage WD10V HI-TEC</p>	<p>Guiding carriage 10-ka WP10-Duo</p> <p>L R</p>
--	--	--	--

Dimensions of opening






L - length of track Everest
X - angle width
wa - width of the wing with angle section $wa \geq X$


door filling - 10mm board, 4mm mirror

door height	- h	$h = H - 38 \text{ mm}$
board height	- hb	$hb = h - 60 \text{ mm}$
door width	- w (wa)	$w = (W - 3 \text{ mm} + Z) : N$
board width	- wb	$wb = w - 20 \text{ mm}$
horizontal profile length	- P	$P = G = w - 37 \text{ mm}$
top profile length	- G	
mirror height	- hm	$hm = hb - 4 \text{ mm}$
mirror width	- wm	$wm = wb - 4 \text{ mm}$

number of doors	- N	3	4
total door overlap	- Z	72 mm	108 mm






Installation method for Fox joiner






Track for angle doors Everest

Vertical regulation of the guiding carriage



Horizontal regulation of the guiding carriage



hole positioning for carriage Everest Fox installation

carriage installation

FURNITURE & DECORATIVE
PROFILE




Flat bars and c-profiles

Mid-rail **S10**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02336	SILVER	3000	120	ITEM	
02337	BRONZE	3000	120	ITEM	
02338	GOLD	3000	120	ITEM	




Mid-rail **S20**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02293	SILVER	3000	60	ITEM	
02292	BRONZE	3000	60	ITEM	
02294	GOLD	3000	60	ITEM	




Flat bar **D20**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02296	SILVER	3000	60	ITEM	




C-profile **16**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02033	SILVER	3000	50	ITEM	
02032	BRONZE	3000	50	ITEM	
02034	GOLD	3000	50	ITEM	




C-profile **16-Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00024	SILVER	3000	50	ITEM	
00023	BRONZE	3000	50	ITEM	
00025	GOLD	3000	50	ITEM	



C-profile **18**



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00031	SILVER	3000	50	ITEM	
00029	BRONZE	3000	50	ITEM	
00032	GOLD	3000	50	ITEM	




C-profile **18-Decor**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00036	SILVER	3000	50	ITEM	
00035	BRONZE	3000	50	ITEM	
00037	GOLD	3000	50	ITEM	




C-profile **36-Decor**



DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02290	SILVER	3000	20	ITEM	
02289	BRONZE	3000	20	ITEM	
02291	GOLD	3000	20	ITEM	




C-profile **Duo-Decor 16**



DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02114	SILVER	3000	20	ITEM	
02115	BRONZE	3000	20	ITEM	
02113	GOLD	3000	20	ITEM	



C-profile **MINI-18**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02334	SILVER	3000	20	ITEM	
02333	BRONZE	3000	20	ITEM	
02335	GOLD	3000	20	ITEM	



Profile **A**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01231	SILVER	3000	20	ITEM	
00227	BRONZE	3000	20	ITEM	
00230	GOLD	3000	20	ITEM	




Joiners


Profile **H04 SECRET LINE**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01710	SILVER	3000	60	ITEM	
01711	BRONZE	3000	60	ITEM	
01712	GOLD	3000	60	ITEM	



Profile **H08 SLIME LINE**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00199	SILVER	3000	60	ITEM	
01877	BRONZE	3000	60	ITEM	
01878	GOLD	3000	60	ITEM	



Łącznik **H10**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00207	SILVER	3000	30	ITEM	
00204	BRONZE	3000	30	ITEM	
00208	GOLD	3000	30	ITEM	
02493	BRONZE <small>with brushed effect</small>	3000	30	ITEM	



H-profile **H10-Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01617	SILVER	3000	30	ITEM	
01616	BRONZE	3000	30	ITEM	
01618	GOLD	3000	30	ITEM	



H-profile **H18-Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00215	SILVER	3000	60	ITEM	
00212	BRONZE	3000	60	ITEM	
00216	GOLD	3000	60	ITEM	
02937	BRONZE <small>with brushed effect</small>	3000	60	ITEM	



H-profile **H30-Decor**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00222	SILVER	3000	20	ITEM	
00219	BRONZE	3000	20	ITEM	
00223	GOLD	3000	20	ITEM	




Profile **H18-MAXIM**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01881	SILVER	1800	30	ITEM	
02980	BRONZE	1800	30	ITEM	
01882	GOLD	2500	30	ITEM	
02981	BRONZE <small>with brushed effect</small>	2500	30	ITEM	




Profile **H25-MAXIM**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01883	SILVER	1800	20	ITEM	
02983	BRONZE	1800	20	ITEM	
01884	GOLD	2500	20	ITEM	
02984	BRONZE <small>with brushed effect</small>	2500	20	ITEM	




T-profile **04-Decor**



DECOR



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00691	SILVER	3000	60	ITEM	
00688	BRONZE	3000	60	ITEM	
00692	GOLD	3000	60	ITEM	




T-profile **18-Decor**




DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
01373	SILVER	3000	60	ITEM	
01370	BRONZE	3000	60	ITEM	
01374	GOLD	3000	60	ITEM	



T-profile **ZW**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00706	SILVER	3000	60	ITEM	
00703	BRONZE	3000	60	ITEM	
00707	GOLD	3000	60	ITEM	




Angle sections


Angle section **10x10**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02446	SILVER	3000	120	ITEM	
02447	BRONZE	3000	120	ITEM	
02448	GOLD	3000	120	ITEM	



Angle section **10x18**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02449	SILVER	3000	120	ITEM	
02450	BRONZE	3000	120	ITEM	
02451	GOLD	3000	120	ITEM	




Angle section **18x18**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02452	SILVER	3000	60	ITEM	
02453	BRONZE	3000	60	ITEM	
02454	GOLD	3000	60	ITEM	




Angle section **18x36**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02455	SILVER	3000	60	ITEM	
02456	BRONZE	3000	60	ITEM	
02457	GOLD	3000	60	ITEM	




Angle section **22x22**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02458	SILVER	3000	30	ITEM	
02459	BRONZE	3000	30	ITEM	
02460	GOLD	3000	30	ITEM	



Angle section **36x36**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02461	SILVER	3000	30	ITEM	
02462	BRONZE	3000	30	ITEM	
02463	GOLD	3000	30	ITEM	




Angle sections **K2-Decor**




DECOR




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00078	SILVER	1700	60	ITEM	
00069	BRONZE	1700	60	ITEM	
00081	GOLD	1700	60	ITEM	
02934	BRONZE with brushed effect	1700	60	ITEM	
00079	SILVER	2350	60	ITEM	
00070	BRONZE	2350	60	ITEM	
00082	GOLD	2350	60	ITEM	
02935	BRONZE with brushed effect	2350	60	ITEM	
00080	SILVER	3000	60	ITEM	
00071	BRONZE	3000	60	ITEM	
00083	GOLD	3000	60	ITEM	
02936	BRONZE with brushed effect	3000	60	ITEM	



Angle sections **MINI**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00102	SILVER	1700	120	ITEM	
00093	BRONZE	1700	120	ITEM	
00108	GOLD	1700	120	ITEM	
00103	SILVER	2350	120	ITEM	
00094	BRONZE	2350	120	ITEM	
00109	GOLD	2350	120	ITEM	
00104	SILVER	3000	120	ITEM	
00095	BRONZE	3000	120	ITEM	
00110	GOLD	3000	120	ITEM	



Angle sections **ZW**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
00058	SILVER	1700	60	ITEM	
00052	BRONZE	1700	60	ITEM	
00061	GOLD	1700	60	ITEM	
00059	SILVER	2350	60	ITEM	
00053	BRONZE	2350	60	ITEM	
00062	GOLD	2350	60	ITEM	
00060	SILVER	3000	60	ITEM	
00054	BRONZE	3000	60	ITEM	
00063	GOLD	3000	60	ITEM	



Handle drawer **006**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02464	SILVER with brushed effect	3000	10	ITEM	
02465	BRONZE with brushed effect	3000	10	ITEM	
02466	GOLD with brushed effect	3000	10	ITEM	



Handle drawer **007**




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
02467	SILVER with brushed effect	3000	20	ITEM	
02468	BRONZE with brushed effect	3000	20	ITEM	
02469	GOLD with brushed effect	3000	20	ITEM	




Handle, hinges and lock

Handle drawer **008**

i Can be used with end caps, left (222439) and right (222438)



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
50414	SILVER	3000	20	ITEM	



Furniture hinge




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
22346	BRASS	-	10	ITEM	

Clip hinge



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
134-126	SILVER	-	400	ITEM	
134-124	BRONZE	-	400	ITEM	
134-125	GOLD	-	400	ITEM	

Big clip hinge



CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20147	SILVER	-	200	ITEM	

Lock for sliding doors




CODE	COLOUR	LENGTH (mm)	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20161	SILVER	-	1	ITEM	

SELF-CLOSE

SEVROMATIC

Self-close for sliding doors




CHARACTERISTICS

▶ Application	Sliding doors
▶ Track	Twin and single
▼ Carriage system	Top
▶ Top guide	Ball bearing carriage + Sevromatic
▶ Bottom guide	Carriage WD 10V, WD 10C, WD 18V, WD 18C
▶ Construction	Frame and board
▶ Filling thickness	18 mm, 16 mm, 10 mm
▶ Filling type	18 i 10 mm MFC, 4,5-6 mm safety glass, 4 mm mirror
▶ Max. door load:	25 kg and 50 kg

USAGE

- ▶ Single and twin track sliding doors






Self-close for sliding doors

SEVROMATIC SV-25 i SV-50

i Each set includes 2 items R & L




CODE	KG	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
20139	25	24	COLLECTIVE PACKAGING	
20200	50	24	COLLECTIVE PACKAGING	



i Set components

NAME	AMOUNT IN THE SET
self-close mechanism	2 PCS
self-close catch	2 PCS
spacer	2 PCS
fastening pin	2 PCS
washer	5 PCS
bolt M 2,5 x 12	8 PCS
screw 4 x 22	6 PCS
screw 4 x 20	2 PCS
screw 3,5 x 30	4 PCS
assembly instructions	1 PC






Assembly of self-close mechanism with systems: **GEMINI 10, COMFORT 10, MAXIM 18, SINGLE 10**


ATTENTION !

Self-close mechanisms are specific to left or right door wings.
The symbols **L** - left, **R** - right are marked on the underside of the mechanism.





Sevromatic SV-25 - for doors with
carriages 14-25 kg


Sevromatic SV-50 - for doors with
carriages 25-50 kg



Optimal operational effect
of self-close will be obtained
when the ratio of door height
to door width h/w is between
1/1 and **3/1**



Depending on handle style used:
ROMEO, JULIA, GEMINI, 10-KA, CORONA
- regulate first - **4**
- fasten screws - **5**




COMPONENTS



Self-close for sliding doors Sevromatic SV-25, SV-50

			fastening pin	- 2 szt.		screw 4 x 20	- 6 pcs	
			fastening washer	- 4 szt.		screw 4 x 20	- 2 pcs	
			washer	- 2 szt.		screw 3,5 x 30	- 4 pcs	
			bolt M 3 x 12	- 2 szt.				

Assembly of self-close mechanism with systems: GEMINI 18, COMFORT 18.




Assembly of self-close mechanism with systems: GEMINI 10, GEMINI 18, COMFORT 10, COMFORT 18 MAXIM 18, SINGLE 10




Calculation of catch position from the wardrobe side.

$$N = 110 \text{ mm} + X$$

distance X is variable and dependant on handle style used, examples:



Fastening method of self-close catch.



1. fix self-close catch with screws 4x20

2. regulate (regulation on two levels), and then block with screws 4x20




For correct operation of **SOFT CLOSE** system you should:

- (A) - fasten **top absorber** according to the instructions
- (B) - fasten **bottom absorber** according to the instructions
- (C) - fasten **positioner for top carriage DUO** according to the instructions
- (D) - position **bottom stopper** at the relevant distance from the side wall


System **SOFT CLOSE** can be used in sliding doors with systems

- GEMINI 10 - bottom track **ELEGANT**,
- COMFORT 10 - bottom track **DOUBLER II**,
- SINGLE 10 - bottom track **HIDE "M"; HIDE "W" HIDE "G"**.


(A) Fastening of top absorber




(B) Fastening of bottom absorber



COMPONENTS




C Fastening of top carriage DUO positioner.



C Positioning of bottom stopper.


Bottom stopper should be inserted into track prior to track assembly



L - distance between the wall and the centre line of bottom carriage **WD 10 V HI-TEC** roller is dependant on handle profile used. Bottom stopper must be positioned in a way that, after door closing, bottom carriage **WD 10 V HI-TEC** roller is stopped in the positioning gap.

Fastening of absorber in doors with handle CORONA.

In doors with handle **CORONA**, system **SOFT CLOSE** can be fastened without absorber adapter and carriage spacer



SEVROLL offers absorbers with varied resistance:

- **HARD 1:** door weight **30-50 kg**,
- **HARD 2:** door weight **15-30 kg**,
- **HARD 3:** door weight **10-15 kg**,
- **HARD 4:** door weight **< 10 kg**.