

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environmen t/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product ts given in this declaration.			
Type of product *	ess Point			
Commercial name *	M430, MSM460, MSM466			
Model number *	650A, J9651A, J9652A, J9653A, J9654, J9590A, J9591A, J9589A, J9618A,			
	9655A, J9621A, J9622A, J9620A, J9619A, J9656A			
Issue date *	une 1, 2013			
Intended market *	Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		\boxtimes

Model number *	MSM430, MSM460, MSM466		
Issue date *	June 1, 2013	Logo	(p)

Product	Require		met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium	ι, 🔀		
	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal			
D4 of	reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
D4 0*	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\square
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
<u>.</u>	aromatic amines. (See legal reference and Note B1)			لات
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square		
	microgram/cm ² /week (see legal reference).			
D 4 40	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\bowtie		
	www.hp.com/go/reach			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			\bowtie
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			\boxtimes
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
FZ.3			\boxtimes	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		++	<u> </u>
			<u> </u>	<u> </u>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\bowtie		
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			\boxtimes
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\bowtie
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			\square
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			<u> </u>
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔀		
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.2* P5.3*		<u>1</u> Ir		Ħ
	Plastic packaging material is marked according to ISO 11469 reterring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	number * MSM430, MSM460, MSM466						
Issue dat	e *	June 1, 2013	ogo				
Dueslass				Dam			
Item		mental attributes - Market requirements - Environmental conscious des atory to fill in. Additional information regarding each item may be found under P14.	sign		ure es	Ment No	n.a.
P6		nt information		•	00	110	11.0.
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).			\boxtimes		
P7	Design Disasse	mbly, recycling					
P7.1*		t have to be treated separately are easily separable			\triangleleft		
P7.2*		naterials in covers/housing have no surface coating. ng powder coat on bottom housing		Ī			
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.			\triangleleft		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			\triangleleft		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly ava	ailable too	ls.	\leq		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			\leq		
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives				\square	
P7.8*	Upgradir	ng can be done using commonly available tools		[\boxtimes	
P7.9.	Spare pa	arts are available after end of production for: 5 years					
P7.10		s available after end of production for: Lifetime warranty					
D7 ((*		and substance requirements					
P7.11*		cover/housing material type: type: Sabic ATX200 Material type: ADC12 Material ty	VDO.				
P7.12		I cable insulation materials of power cables are PVC free.	ype.	1	\triangleleft		
P7.13		I cable insulation materials of signal cables are PVC free			$\overline{\mathbf{A}}$	⊢⊢	╞
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			$\overline{\langle}$	H	⊢⊢
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IE	EC61249-		$\overline{\mathbf{X}}$		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		[
P7.17		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	s):	[
	ISO 1043	Il specifications of flame retardants in printed circuit boards (without components) >25 3-4:	ig accordi	ng			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/pr ations above 0.1%:	reparatio	ns in [
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4:		r	_	_	
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R4	ō, [
P7.20		plastic parts' weight >25g, recycled material content is 0%.					
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.					
P7.22	If mercur	urces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg		\triangleleft		
P8	Batterie						
P8.1*	-	chemical composition:					
P8.2	Batteries	meet the requirements of the following voluntary program/s:					\bowtie

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MSM430, MSM460, MSM466				
Issue date *	June 1, 2013	Logo			
Product environ	mental attributes - Market requirements (continued)		Requirement met		
14					

P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC Power level at 115 V AC Power level at 230 V AC Reference / Standard for energy mode *	
Energy mode * Power level at Power level at Power level at Reference / Standard for energy	
100 V AC 115 V AC 230 V AC 1 modes and test method *	\boxtimes
W W W	
W W W	
W W W	
EPS No-load W W W	
(External power supply /	
charger plugged in the wall	
outlet but disconnected from	
the product.)	
PTEC * W W W Typical Energy Consumption	\square
Typical Energy Consumption	
TEC * kWh/week kWh/week	\square
Typical Energy Consumption	
ETEC * kWh/year kWh/year kWh/year	\square
Display resolution* : Megapixels	\square
Print Speed * : Images per minute	\square
Default time to enter energy save mode: minutes	
P9.2* Information about the energy save function is provided with the product.	\boxtimes
P9.3* The product meets the energy requirements of the following voluntary program/s:	
ENERGY STAR® version: Tier: Product category:	\boxtimes
Others specify:	
P10 Emissions Noise emission – Declared according to ISO 9296	
Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared Declared A-weighted	
sound power sound pressure rever L _{pAm} (db)	
level L _{WAd} (B) Operator position Bystander positions	
Desktop	
or Desk side (only if product is not operator attended)	
Idle * *	
Operation * *	\mathbb{X}
Other mode	
Measured according to: ISO7779 ECMA-74	1
Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	\boxtimes

Model number *	MSM430, MSM460, MSM466		
Issue date *	June 1, 2013	Logo	(IP)

duct e	environmental attributes - Market requirements (continued)	Require	ment	: me
		Yes	No	n.a
	Chemical emissions from printing products			
.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:			X
.4	Typical emission rate (print phase) is (mg/h):			X
	Dust Ozone Styrene Benzene TVOC			
.5	Chemical emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC			\ge
	Electromagnetic emissions			
	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\ge
	Consumable materials for printing products			
.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\geq
	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of 🗌		\ge
.3*	2-sided (duplex) printing/copying is an integrated product function.			X
	Ergonomics for computing products			
.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\mathbf{X}
.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
	Packaging and documentation			
	Product packaging material type(s): Corrugated Paper weight (kg): 0.39kg (box), 0.984kg (unit), 1.58kg (total) Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): weight (kg):			
.2*	Product plastic packaging is free from PVC.	\square		
	Specify media for user and product documentation (tick box): Electronic , Paper Other			
	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 100%			
.5	User and product documentation do not contain chlorine bleached paper	\square		
	Additional information (See Note B4)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19