

# LPC502



Game cool, game on!

### **Product Features**

- · PSU-Tunnel Design (aka PSU shroud) for a neat and clean build
- · Dual 240mm liquid cooling support to fulfill gamers' cooling needs
- · 2 x ENERMAX patented circular-type LED fans included to create incredible illumination
- · Massive meshed panels design for superb ventilation
- · 2 x high-speed USB 3.0 and 2 x USB 2.0 ports for easy access to external peripherals
- · Support up to 7 fans for optimal cooling potential

### Feature Close-up



Massive front and top mesh design with 3 cooling fans
Massive mesh areas in the front and top panels, along with 3 cooling fans (incl. 2 x ENERMAX patented circular-type LED fans) for superb ventilation.



#### Dual 240mm liquid cooling support

Superb liquid cooler support in the top (60mm clearance) and front (65mm clearance) panels.



#### Complete and easy access front I/O panel

LPC502 includes 2 x USB 3.0 and 2 x USB 2.0 with HD Audio socket for your convenience.



#### **PSU-Tunnel Design**

Users can enjoy the freedom of gaining the maximum interior space for advanced cooling performance and cable management. (Supports PSU up to 160mm in length).



#### Tinted acrylic side panel

Provides low profile mysterious look for your interior rigs.



#### Flexible System configuration

Supports up to  $2 \times 5.25''$  ODD,  $2 \times 3.5''$  HDD, and  $5 \times 2.5''$  SSD / HDD ( $2 \times 2.5''$  Converted from 3.5'' tray) to satisfy your storage needs.



User-friendly installation

Quick-release ODD bay covers and HDD trays for easy installation.



Supports CPU cooler up to 167mm in height



Supports the latest long VGA card (390mm Max.)



**Advanced Cooling System** 

# Product Specifications

Model Name			LPC502W-BL(2U3)	LPC502B-BL(2U3)	LPC502W	LPC502B	
Panel Color			White	Black	White	Black	
Dimensions			VVIIIC				
			D 465 x W 213 x H 525 mm				
Material			0.6 mm SPCC				
M / B Type			ATX, Mico ATX, Mini ITX				
I/O			USB 3.0 x 2, USB 2	2.0 x 2, HD Audio	USB 3.0 x 1, USB 2.0 x 2, HD Audio		
	5.	.25″	2				
Drive Bay	s 3.	.5″	2				
	2.	.5"	5 (2 x Converted from 3.5" trays)				
Expansion Slots		ts	7				
	Front		2 x 140 /	120 mm	2 x 140 / 120 mm		
Fan Slots			(2 x 120 mm Circular L	LED fans pre-installed)			
	Тор		2 x 120 mm				
	Rear		1 x 120 mm (1 x 120 mm fan pre-installed)				
	PSU	Tunnel	2 x 120 mm				
Front		Front	280 / 240 mm (65mm clearance)				
Liquid Co	oling	Тор	240 mm (60mm clearance)				
		Rear	120 mm				
PSU			Standard ATX Type				
Maximum			VGA Card Length: 390 mm				
Compatibility			CPU Cooler Height: 167 mm				

## Shipping Information

Model		LPC502W-BL(2U3)	LPC502B-BL(2U3)		
Barcode	EAN	4710445321634	4710445321641		
	UPC	847407001632	847407001649		
Carton Dimension		D 574 x W 265 x H 525 mm			
Gross Weight / Carton		5.25 / 6.42 kg			







