















## PRODUCT GUIDE 2016



## HD-TVI/AHD/Ex-SDI CAMERA


<p><b>TVI/AHD</b>      <b>Fixed Bullet</b></p>  <p>3.6mm IR 60ft IP66 DC12V</p> <p>Metal, True D/N ICR, 3DNR</p> <p><b>1080P</b> VTC-8AB3</p>	<p><b>TVI/AHD</b>      <b>Varifocal Bullet</b></p>  <p>2.8~12mm IR 150ft IP66 DC12V</p> <p>Metal, True D/N ICR, 3DNR</p> <p><b>1080P</b> VTC-8AB21</p>	<p><b>TVI/Ex-SDI</b>      <b>Varifocal Bullet</b></p>  <p>2.8~12mm 42 IR 150ft IP66 DC12V</p> <p>Metal, True D/N ICR, 3DNR, 2nd Video out</p> <p><b>1080P</b> VAC-8Z4B21</p>
<p><b>TVI/Ex-SDI</b>      <b>Varifocal Bullet</b></p>  <p>2.8~12mm 8 Int. IR 200ft <b>True WDR</b></p> <p><b>Auto IR Adjust</b>      AC/DC Metal, IP66, True D/N ICR, 3DNR, 2nd Video out</p> <p><b>1080P</b> VAC-8SWLB21A</p>	<p><b>TVI/Ex-SDI</b>      <b>Varifocal Bullet</b></p>  <p>6~50mm 8 Int. IR 200ft <b>True WDR</b></p> <p><b>Auto IR Adjust</b>      AC/DC Metal, IP66, True D/N ICR, 3DNR, 2nd Video out</p> <p><b>1080P</b> VAC-8SWLB55A</p>	<p><b>Ex-SDI</b>      <b>Fixed Bullet</b></p>  <p>3.6mm 24IR 80ft <b>True WDR</b></p> <p>DC12V Metal, ICR, OSD, 3DNR, IP66, 2nd Video out</p> <p><b>1080P</b> MVC-8SB3</p>
<p><b>Ex-SDI</b>      <b>Fixed Eyeball</b></p>  <p>3.6mm 24IR 80ft <b>True WDR</b></p> <p>DC12V Metal, ICR, OSD, 3DNR, IP66, 2nd Video out</p> <p><b>1080P</b> MVC-8SE3</p>	<p><b>Ex-SDI</b>      <b>Motorized Eyeball</b></p>  <p><b>Motorized 2.8~12mm</b> 36IR 120ft <b>True WDR</b></p> <p>DC12V Metal, ICR, OSD, 3DNR, IP66, 2nd Video out</p> <p><b>1080P</b> MVC-8SE21M</p>	<p><b>Ex-SDI</b>      <b>Motorized Bullet</b></p>  <p><b>Motorized 2.8~12mm</b> 36IR 120ft <b>True WDR</b></p> <p>DC12V Metal, ICR, OSD, 3DNR, IP66, 2nd Video out</p> <p><b>1080P</b> MVC-8SB21M</p>
<p><b>TVI</b>      <b>Fixed Eyeball</b></p>  <p>3.6mm 24IR 80ft IP66 DC12V</p> <p>Metal, ICR, 3DNR, 2nd Video out, White or Gray</p> <p><b>1080P</b> VTC-8SE3</p>	<p><b>TVI</b>      <b>Motorized Eyeball</b></p>  <p><b>Motorized 2.8~12mm</b> 36IR 120ft <b>True WDR</b></p> <p>DC12V Metal, OSD, ICR, 3DNR, IP66, 2nd Video, Control thru Coax, White or Gray</p> <p><b>1080P</b> VTC-8SE21M</p>	<p><b>TVI/AHD</b>      <b>Varifocal Eyeball</b></p>  <p>2.8~12mm Matrix IR 90ft IP66 DC12V</p> <p>Metal, True D/N ICR, 3DNR</p> <p><b>1080P</b> VTC-8AEM21</p>

# HD-TVI/AHD/Ex-SDI CAMERA


TVI/AHD Fixed Mini Vandal	
	2.8 or 3.6mm
	IR 60ft
	IP66
	DC12V
Metal, True D/N ICR, 3DNR	
<b>1080P (2.8mm)</b>	<b>1080P(3.6mm)</b>
VTC-8AV2	VTC-8AV3


TVI Mini Dome	
	2.8mm
	12IR 40ft
	<b>Microphone</b>
	DC12V
True D/N ICR, 3DNR, DC12V, Indoor only, Built in microphone	
<b>1080P</b>	
VTC-8SD2M	


TVI/Ex-SDI Varifocal Indoor	
	2.8~12mm
	30IR 90ft
	<b>True WDR</b>
	AC/DC
TVI & Ex-SDI ready	
Plastic, OSD, ICR, 3DNR, 2nd Video out	
<b>1080P</b>	
VAC-8SDW21A	

TVI/AHD Varifocal Vandal	
	2.8~12mm
	36IR 120ft
	IP66
	DC12V
Metal, True D/N ICR, 3DNR	
<b>1080P</b>	
VTC-8AV21	


TVI/Ex-SDI Varifocal Vandal	
	2.8~12mm
	36IR 120ft
	<b>True WDR</b>
	1080P
Metal, IP66, OSD, ICR, 3DNR, 2nd Video out	
<b>1080P(AC/DC)</b>	<b>1080P(DC12V)</b>
VAC-8SVW21A	VAC-8SVW21







TVI/Ex-SDI Varifocal Vandal	
	<b>Motorized 2.8~12mm</b>
	36IR 120ft
	<b>True WDR</b>
	AC/DC
Metal, IP68, OSD, ICR, 3DNR, 2nd Video out	
<b>1080P</b>	
VAC-8SVW21M	

TVI/Ex-SDI Varifocal Vandal	
	2.8~12mm
	8int IR 200ft
	<b>True WDR</b>
	AC/DC
<b>Auto IR Adjust</b>	
Metal, IP66, OSD, ICR, 3DNR, 2nd Video out	
<b>1080P</b>	
VAC-8SLV21A	




TVI/Ex-SDI Varifocal Vandal	
	<b>6~50mm</b>
	8int IR 200ft
	<b>True WDR</b>
	AC/DC
<b>Auto IR Adjust</b>	
Metal, IP66, OSD, ICR, 3DNR, 2nd Video out	
<b>1080P</b>	
VAC-8SLV65A	




TVI License Plate	
	<b>LPR</b>
	6~50mm
	36IR 120ft
	<b>upto 50mph</b>
	AC/DC
Metal, IP66, True WDR, ICR, 3DNR, 2nd Video out, Mount not included	
<b>1080P</b>	
VTC-8LPR	

TVI 20x PTZ	
	20x Opt. Zoom
	IR 300ft
	IP66
	AC24V
True D/N ICR, Glass wiper	
<b>1080P</b>	
VTC-8PT20XR	





Wall / Ceiling Mount			Junction Box		
					
Mount for VTC-8AV21			Junction Box for all other cameras	Junction Box for VTC-8AV21	Junction Box for Mini Vandal
<b>wall</b>	<b>ceiling</b>	<b>wall</b>			
VLCM-W20	VLCM-C20	VLCM-W30	VLCM-JB10	VLCM-JB20	VLCM-JB30

# HD-TVI/AHD/IP/ANALOG DVR




Video Input type	TVI/IP/Analog		TVI/IP/Analog	TVI/IP/Analog	TVI/Analog
<b>Lite HD/G1</b>					
Model	<b>VTD-L104</b>	<b>VTD-L108</b>	<b>VTD-L216</b>	<b>VTD-L816</b>	<b>VTD-L832</b>
Price					
CH (BNC + IP)	5 CH	12 CH	24 CH	24 CH	32 CH
Input CH (BNC)	4 CH	8 CH	16 CH	16 CH	32 CH
Input IP/Access bandwidth	IPC*1/6Mbps	IPC*4/24Mbps	IPC*8/24Mbps	IPC*8/24Mbps	N/A
Video Output	1@HDMI(1080P) / 1@ VGA(1080P)		1@HDMI(1080P) / 1@ VGA(1080P)	1@HDMI(1080P) / 1@ VGA(1080P)	
Live	Realtime upto 1080P		Realtime upto 1080P	Realtime upto 1080P	
Recording (BNC)	1080P@60fps 720P@120fps	1080P@120fps 720P@240fps	1080P@240fps 720P@480fps	1080P@240fps 720P@480fps	1080P@480fps 720P@960fps
Recording (IP)	1080P@15fps	1080P@120	1080P@120	1080P@120	N/A
Playback	4CH	8CH	8CH	8CH	
HDD & ODD	1 SATA		2 SATA	8 SATA	
Audio I/O	RCA*1 In / RCA*1 Out		RCA*1 In / RCA*1 Out	RCA*16 In / RCA*1 Out	
2-way audio	Take up channel one audio input		Take up channel one audio input	RCA * 1	
Alarm I/O	N/A		N/A	16 in / 4 out	
Port	RS-485 *1, USB 2.0 *2		RS-485 *1, USB 2.0 *2	RS-485 *2, USB 2.0 *2, Remote Controller	
Network	Mobile app(SuperLive Pro), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10users online				
Rackmount ear	N/A		N/A	Included	
Power supply	DC12V		DC12V	ATX	
Dimensions (inch)	10.0*8.3*1.7 (1U)	11.8*10.6*2.3 (1U)	17.0*11.8*2.3 (1U)	17.0*17.7*3.5 (2U)	
Made in	China		China	China	

Video Input type	TVI/AHD/IP/Analog		TVI/AHD/IP/Analog	TVI/AHD/IP/Analog	
<b>Lite HD/G2</b>					
Model	<b>VTD-2104</b>	<b>VTD-2108</b>	<b>VTD-2216</b>	<b>VTD-2816</b>	<b>VTD-2832</b>
Price					
CH (BNC + IP)	5 CH	10 CH	18 CH	18 CH	32 CH
Input CH (BNC)	4 CH	8 CH	16 CH	16 CH	32 CH
Input IP	IPC*1/ upto 5MP	IPC*2/ upto 5MP	IPC*2/ upto 5MP	IPC*2/ upto 5MP	N/A
Video Output	1@HDMI(4K) / 1@ VGA(1080P)		1@HDMI(4K) / 1@ VGA(1080P)	1@HDMI(4K) / 1@ VGA(1080P)	
Spot Out	CVBS		CVBS	CVBS	
Live	Realtime upto 5MP		Realtime upto 4K	Realtime upto 5MP	
Recording (BNC)	1080P@48fps 720P@120fps	1080P@96fps 720P@240fps	1080P@192fps 720P@480fps	1080P@192fps 720P@480fps	
Recording (IP)	1080P@12fps	1080P@24fps	1080P@24fps	1080P@24fps	
Playback	4CH	8CH	16CH	16CH	
HDD & ODD	1 SATA		2 SATA	8 SATA	
Audio I/O	RCA*1 In / RCA*1 Out		RCA*4 In / RCA*1 Out	RCA*16 In / RCA*1 Out	
2-way audio	Take up channel one audio input		Take up channel one audio input	RCA * 1	
Alarm I/O	N/A		N/A	16 in / 4 out	
Port	RS-485 *1, USB 2.0 *2		RS-485 *1, USB 2.0 *2	RS-485 *2, USB 2.0 *2, Remote Controller	
Network	Mobile app(SuperLive Pro), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10users online				
Rackmount ear	N/A		N/A	Included	
Power supply	DC12V		DC12V	ATX	
Dimensions (inch)	10.0*8.3*1.7 (1U)	11.8*10.6*2.3 (1U)	17.0*11.8*2.3 (1U)	17.0*17.7*3.5 (2U)	
Made in	China		China	China	

## HD-TVI/AHD/ANALOG DVR


Video Input type	AHD/Analog			TVI/AHD/Analog		TVI/AHD/Analog
<b>EZ-HD DVR</b>						
Model	<b>EL3-A04061</b>	<b>EL3-A08121</b>	<b>EL3-A16242</b>	<b>PR3-TA084</b>	<b>PR3-TA164</b>	<b>PM4-TA165</b>
Price						
Input CH	4 CH	8 CH	16 CH	8 CH	16 CH	16 CH
Video Output	1@HDMI(1080P) / 1@ VGA(1080P)			1@HDMI(1080P) / 1@ VGA(1080P)		
Live	Realtime upto 1080P			Realtime upto 1080P		
Recording (BNC)	1080P@60fps 720P@120fps	1080P@120fps 720P@240fps	1080P@240fps 720P@480fps	1080P@240fps 720P@240fps	1080P@480fps 720P@480fps	
Spot Out	N/A	N/A	N/A	1 HD Spot(Programable) / 1 BNC Spot		1*HD / 2 BNC Spot
Playback	4CH	8CH	16CH	8 CH	16 CH	16 CH
HDD & ODD	1 SATA		2 SATA	2 SATA		5 SATA
Audio I/O	RCA*4 In / RCA*1 Out	RCA*8 In / RCA*1 Out	RCA*4 In / RCA*1 Out	RCA*4 In / RCA*1 Out		RCA*16 In / RCA*1 Out
2-way audio	RCA * 1			RCA * 1		
Alarm I/O	N/A	4 in / 1 out	8 in / 1 out	10 in / 2 out	18 in / 2 out	18 in / 8 out
Port	RS-485 *1, USB 2.0 *2			RS-485 *2, USB 2.0 *3		
Network	Mobile app(nViewer), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10 users online					
Rackmount ear	N/A			Optional		Included
Power supply	DC12V			DC12V		ATX
Dimensions (inch)	10.0*9.3*1.7 (1U)		13.8*11.8*1.7 (1U)	14.2*14.2*2.6 (1.5U)		16.9*14.5*3.5 (2U)
Made in	Korea					

## HD-SDI/Ex-SDI/ANALOG DVR


Video Input type	HD-SDI	Ex-SDI	HD-SDI		HD-SDI	Ex-SDI
<b>Ex-SDI Hybrid DVR</b>						
Model	<b>FCD-104R</b>	<b>FCD-104RE</b>	<b>FCD-208H</b>	<b>FCD-216H</b>	<b>FCD-416H</b>	<b>FCD-416HE</b>
Price						
Input CH	4 CH	4 CH	8 CH	16 CH	16 CH	
Video Output	1@HDMI(1080P) / 1@ VGA(1080P)		1@HDMI(1080P) / 1@ VGA(1080P)		1@HDMI(1080P) / 1@ VGA(1080P) /1@BNC	
Live	Realtime upto 1080P		Realtime upto 1080P		Realtime upto 1080P	
Recording (BNC)	1080P@120fps 720P@120fps		1080P@120fps 720P@240fps	1080P@240fps 720P@480fps	1080P@240fps 720P@480fps	
Spot Out	N/A		N/A		1 BNC Spot (Multi)	
Playback	4CH		8 CH	16 CH	16 CH	
HDD & ODD	1 SATA		2 SATA & 1 ODD		4 SATA & 1 ODD	
Audio I/O	RCA*2 In / RCA*1 Out		RCA*8 In / RCA*1 Out		RCA*16 In / RCA*1 Out	
Alarm I/O	2 in / 1 out		8 in / 2 out		16 in / 2 out	
Port	RS-485 *1, RS-232*1, USB 2.0 *2		RS-485 *1, RS-232*1, USB 2.0 *2		RS-485 *1, RS-232*1, USB 2.0 *4	
POS	upto 4 POS / RS232					
Network	Mobile app(Mviewer Pro), TCP/IP, UDP, DHCP, DNS, PPPOE, DDNS, upto 10 users online					
Rackmount ear	N/A		Optional		Included	
Power supply	DC12V		DC12V		12V, 6.67A (100W)	
Dimensions (inch)	11.8*10.8*2.0 (1U)		13.8*13.8*3.0 (1.5U)		17.0*15.0*3.5 (2U)	
Made in	Korea					


**IP CAMERA**





H.265/H.264	Fixed Bullet
	3.6mm IR 60ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP @ 30fps	
VIC-3OB3	

H.265/H.264	Fixed Bullet
	3.6mm IR 60ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
5MP @ 30fps	
VIC-5SB3	

H.264	Vaffocal Bullet
	2.8~12mm IR 150ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP @ 15fps	
VIC-315AB21	

H.265/H.264	Vaffocal Bullet
	3.3~12mm IR 150ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66, SD card	
3MP(3.3~12mm)	5MP(3.6~10mm)
VIC-3OB31	VIC-5SB31

H.265/H.264	Vaffocal Bullet
	<b>Motorized Varifocal</b> IR 150ft <b>True WDR</b> PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP(2.8~12mm)	4MP(3.3~12mm)
VIC-330AB21M	VIC-4OB31M


H.264	Vaffocal Bullet
	<b>7~22mm</b> IR 150ft <b>True WDR</b> PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP @ 30fps	
VIC-330AB72	


H.265/H.264	Fixed mini Vandal
	2.8 or 3.6mm IR 60ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP @ 30fps	5MP @ 30fps
VIC-3OV2/3	VIC-5SV2/3

H.265/H.264	Vaffocal Vandal
	3.3~12mm 36IR 120ft Digital WDR DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP(3.3~12mm)	5MP(3.6~10mm)
VIC-3OV31	VIC-5SV31




H.264	Vaffocal Vandal
	<b>Motorized Varifocal</b> 36IR 120ft <b>True WDR</b> DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP(2.8~12mm)	4MP(3.3~12mm)
VIC-330AV21M	VIC-4OV31M




H.265/H.264	Fixed Eyeball
	2.8mm or 3.6mm 2 Matrix IR Digital WDR DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP (2.8mm)	3MP (3.6mm)
VIC-3OE2	VIC-3OE3

H.264	Varifocal Eyeball
	2.8~12mm Matrix IR 90ft Digital WDR PoE/DC12V
Metal, True D/N ICR, 3DNR, IP66	
3MP@15fps	
VIC-315AEM21	

H.264	20x PTZ
	20x Opt. Zoom IR 300ft IP66 AC24V
True D/N ICR, Glass wiper	
2MP@30fps	
VIC-2SPT20XR	

# NVR

Lite PoE NVR	IP PoE NVR	IP PoE NVR	IP PoE NVR
<b>H.264</b>			
Model	<b>VIN-108-64P4</b>	<b>VIN-216-128P8</b>	<b>VIN-832-256P16</b>
Price			
Input IP	8CH, 3Mp/1080P/960P/720P	16CH, 3Mp/1080P/960P/720P	32CH, 3Mp/1080P/960P/720P
Max. Bandwidth	64 Mbps	128 Mbps	256 Mbps
Video Output	1@HDMI(1080P) / 1@ VGA(1080P)	1@HDMI(1080P) / 1@ VGA(1080P)	1@HDMI(1080P) / 1@ VGA(1080P)
PoE port	4 port	8 port	16 port
Live CH/Res.	8CH, 3Mp/1080P/960P/720P	16CH, 3Mp/1080P/960P/720P	32CH, 3Mp/1080P/960P/720P
Recording Res.	3MP(2048x1536)/1080P(1920x1080)/960P(1280x960)/720P(1280x720)		
Recording fps	240fps	480fps	960fps
Recording Bit Rate	256Kbps~12Mbps	256Kbps~12Mbps	256Kbps~12Mbps
Playback	4CH	4CH	4CH
HDD	1 SATA	2 SATA	8 SATA
Audio I/O	8 CH IPC input / RCA*1 Out	16 CH IPC input / RCA*1 Out	32 CH IPC input / RCA*1 Out
2-way audio	RCA*1	RCA*1	RCA * 1
Alarm I/O	support IPC alarm input	4 CH local input,support IPC alarm input	16 CH local input,support IPC alarm input
Port	RS-485 *1, USB 3.0*1, USB 2.0 *1	RS-485 *1, USB 3.0*1, USB 2.0 *1	RS-485 *1, USB 3.0*1, USB 2.0 *1
Network	TCP/IP, UDP, DHCP, DNS, PPOE, DDNS, upto 20users online		
Rackmount ear	N/A	N/A	Included
Power supply	DC12V / DC48V(PoE)	ATX	ATX
Dimensions (W*D*H) inch	10.0*8.3*1.7 (1U)	17.0*11.8*2.3 (1U)	17.0*17.7*3.5 (2U)

H.265 PoE NVR	IP PoE NVR	IP PoE NVR	IP PoE NVR
<b>H.265 / H.264</b>			
Model	<b>VIN-5104-40P4</b>	<b>VIN-5108-64P8</b>	<b>VIN-5832-160P16</b>
Price			
Input IP	4CH, 120fps@ 5Mp/3Mp/1080P/960P/720P	8CH, 240fps@ 5Mp/3Mp/1080P/960P/720P	32CH, 960fps@ 5Mp/3Mp/1080P/960P/720P
Max. Bandwidth	40 Mbps in/out	64 Mbps in/out	160 Mbps in/out
Video Output	1@HDMI(4K) / 1@ VGA(1080P)	1@HDMI(4K) / 1@ VGA(1080P)	1@HDMI(4K) / 1@ VGA(1080P)
PoE port	4 port	8 port	16 port
Live CH/Res.	4CH, 5Mp/2K/3Mp/1080P/960P/720P	8CH, 5Mp/2K/3Mp/1080P/960P/720P	32CH, 5Mp/2K/3Mp/1080P/960P/720P
Recording Res. / CH	5MP(2592x1944)/2K(2560x1440)/3MP(2048x1536)/1080P(1920x1080)/960P(1280x960)/720P(1280x720)		
Recording fps	120fps	240fps	960fps
Recording Bit Rate	64Kbps~10Mbps	64Kbps~10Mbps	64Kbps~10Mbps
Playback	4CH	8CH	16CH
HDD	1 SATA	1 SATA	8 SATA
Audio I/O	8 CH IPC input / RCA*1 Out	16 CH IPC input / RCA*1 Out	32 CH IPC input / RCA*1 Out
2-way audio	RCA*1	RCA*1	RCA * 1
Alarm I/O	support IPC alarm input	support IPC alarm input	16 CH local input,support IPC alarm input
Port	RS-485 *1, USB 3.0*1, USB 2.0 *1	RS-485 *1, USB 3.0*1, USB 2.0 *1	RS-485 *1, USB 3.0*1, USB 2.0 *1
Network	TCP/IP, UDP, DHCP, DNS, PPOE, DDNS, upto 20users online		
Rackmount ear	N/A	N/A	Included
Power supply	DC12V / DC48V(PoE)	DC12V / DC48V(PoE)	ATX
Dimensions (W*D*H) inch	10.0*8.3*1.7 (1U)	10.0*8.3*1.7 (1U)	17.0*17.7*3.5 (2U)
Made in	China	China	China

# CCTV ACCESSORIES

**Micro Phone**




Microphone,  
Current: 5 mA, RCA,  
DC12V

Single zone audio surveillance kit,  
DC12V Power included

Single	Kit
ACC-MIC-AM01	ACC-MIC-SM5


**DC plug Pigtail**



PIGTAIL CONNECTOR, 2.1 mm DC Jack  
Pigtail

male (10 pack)	female (10 pack)
ACC-PIGTAIL-M*10	ACC-PIGTAIL-F*10


**DC plug terminal**



DC screw Connector Terminal Block,  
2.1mm Plug, male

male (10 pack)	female (10 pack)
DC-SCREW-M*10	DC-SCREW-F*10


**DC plug Pigtail**



1 in multi out DC connector pigtail,  
2.1mm x 5.5mm, for the Power supply side

4 out	8 out
ACC-PGT-4M	ACC-PGT-8M

**Warning Sign**




4" 11"

CCTV Warning Sign

4x4 Sticker	11x11 Board
ACC-DTV-205	ACC-STV-204

**HD SDI converter**




HD SDI to HDMI Converter & Repeater

HD-SDI to Fiber Optic Digital Video Extender

to HDMI	to Fiber
XHD-CR-11HM	XHD-FO-BLN

**VIDEO DISTRIBUTION AMPLIFIER**



VIDEO DISTRIBUTION AMPLIFIER for  
Analog / HD-TVI / CVI / AHD,  
16inputs,48outputs, AC110

16 in / 48 out
ACC-VDA-1648


**Video Isolator**



Video Anti-jamming Filter, Video Isolator for TVI/AHD/CVI/analog , 1 BNC Male, 1 BNC Female

ACC-VF001
-----------

**TVI to HDMI Converter / Extender**




1080P TVI to HDMI Converter and Repeater(1000ft)

HDMI Extender thru CAT5, 360ft

TVI in/HDMI out	Pair
XHD-T2MCR	XHD-HDMI-60E


**HD Balun (TVI, CVI, AHD,analog) Pair**



HD TVI, CVI, AHD, CCTV BALUN PAIR,  
OVER UTP(CAT5), 1000FT,  
Passive+Passive

Straight	Cable Type
BLN-1KPSHD	BLN-1KPSHD-CBL

**HD-SDI/Ex-SDI**




TVI,CVI,AHD Balun with Power, 1000ft, Stackable

Ex-SDI, HD-SDI Balun, 1000ft, Stackable

Video/Power	Cable type
BLN-1KPTH	BLN-1KSDI-CBL

**16CH TVI Balun Kit**



TVI, CVI, AHD 16CH Balun Kit, Video & Power Supply DC12V 20A, 1.25A/CH,  
Video 2000ft, Power upto 700ft

16CH Box & 16 Baluns
BLN-VPS16TR





# CCTV ACCESSORIES




## BNC Connectors

					
BNC TWIST-ON	BNC-CRIMP 2PC	BNC COMPRESSION MALE	BNC BARREL	BNC-RCA-FEMALE	BNC - RCA MALE
BNC-TW	BNC-CR	BNC-COMPR	BNC-BA	BNC-RCA-F	BNC-RCA-M

## Camera Mounts

	
CAMERA BRACKET BEIGE T-BAR	HOUSING MOUNT 285MM ALUMINUM
CM-BR-203(T)	HM-205




## Camera Housing

		
OUTSIDE CAMERA HOUSING 142X115X392mm	Outdoor, Top open, AC24V	OUTSIDE PLASTIC HOUSING W/ WIRE PASSTHROUGH WITH METAL BRACKET(HM-208)
	Heater & Blower	Heater & Blower
HS-605	HS-605HB	HS-619-WM

## Weather-resistant IR Illuminator

	
112 Leds, 60 Degree angle / 110VAC	77 Leds, 80 Degree angle / DC12V
250ft	100ft
IRI-SAL-80	IRI-SAL-30

## Power adaptor

			
12VDC 1,000mA TRANSFORMER	12VDC 2,000mA TRANSFORMER	12VDC 5A - Include IEC Power Cord	24V AC-Input 120VAC 60Hz AC
DC12V / 1 Amp	DC12V / 2 Amp	DC12V / 5 Amp	AC24V / 1.67Amp
PS-10DC12	PS-20DC12	PS-50DC12	PS-24VAC40

## 4CH Power adaptor


4CH Power Supply, LED indicator, Built in PTC Fuse, 4 Terminal blocks
DC12V / 5 Amp
PS-50DC4CH

## Power Box

					
AC24V, 9CH BOX, 5 Amp	AC24V, 18CH BOX, 20 Amp	DC12V, 9CH, 5 Amp	DC12V, 9CH, 10Amp	DC12V, 18CH, 20Amp	DC12V, 18CH, 29Amp, UL Listed
AC / 9CH	AC / 18CH	9CH / 5A	9CH / 10A	18CH / 20A	18CH / 29A
PS-A0905	PS-A1820	PS-D0905	PS-D0910	PS-D1820	PS-D1829U

# CCTV ACCESSORIES

## Premade Cables



Fusion Premade Cable for HD-TVI / CVI / AHD / 960H, BNC M-M, Power M-F, Black

50ft	100ft	150ft
PM50-MC	PM100-MC	PM150-MC

## BNC Patch Code



Patch cord  
PREMADE single,  
M to M

3.2ft
CA-PMP-10B



Patch cord  
PREMADE 4ch,  
M to M

6ft
CA-PM6F4B

## HDMI cables



HDMI CABLE M/M 19PIN 30AWG SOLID COPPER GOLD PLATED

3ft	6ft	10ft
CA-HDMI-3	CA-HDMI-6	CA-HDMI-10

## CAT5e Cable



UTP CAT 5E, 4 PAIR, 350MHZ, F/C, 1000FT

Full Copper	CCA
CA-CAT5-1KW	CA-CAT5-1KW-A

## CAT6 Cable



UTP CAT6E, 4 PAIR, PVC, 23 AWG, 550MHZ, UL Listed,

	SHIELDED	PLENUM
CA-CAT6-1K	CAT6-1K-SH	CAT6-1K-PLE

## Coax and Power Siamese Cable 500ft



SIAMESE CABLE, 95% RG59 COAX + 18/2 POWER, BLACK or White, 500FT, SPLITTYPE, UL Listed

Full Copper	CCA
CA-CBS-05W(B)	CA-CBS-05W(B)-A

## Coax and Power Siamese Cable 1000ft



SIAMESE CABLE, 95% RG59 COAX + 18/2 POWER, BLACK or White, 1000FT, SPLITTYPE, UL Listed

Full Copper	CCA
CA-CBS-10W(B)	CA-CBS-10W(B)-A

## PoE Switches



802.3af (PoE) Max 15.4W/Per Port		802.3at (PoE+) Max 30W/Per Port	
4 PoE + 1 uplink	8 PoE	16 PoE Gigabit	24PoE + 2 SFP up
PL-FSD-504HP	PL-FSD-808HP	PL-GSW-1600HP	PL-FGSW-2624HPS4

## GB Non POE Switch



10/100/1000Mbps Fast Ethernet Switch

24 port	24 + 4 SFP
PL-GSW-2401	PL-GSW-2404SF

## Injector / Extender



IEEE 802.3at PoE+

Injector (30W)	Extender (300ft)
PL-POE-161	PL-POE-E201

## Converter / Module



10/100/1000Base-T to 1000Base-SX Managed, 550m

Media Converter	SFP GBIC module
PL-GT902	PL-MGB-SX

**CCTV ACCESSORIES**


**LCD Monitor Mounts**



Fit for most 13"-27", \* VESA  
:50x50,75x75,100x100, 66lbs



15° tilt, Mounting Lenth: 40" to 62",  
Available for sloped ceiling, 200lbs



-10°~0° tilt, Mounting profile:  
46mm/1.8", 165lbs

Flat	2 arms	13" - 42"	37" - 70"	23" - 55"	37" - 70"
LM-W12FL	LM-W12A2	LM-CS14T	LM-CS37T	LM-WL25T	LM-WL37T

**LCD Monitor Mounts**



-15°~+5° tilt; 118° swivel; -3°~+3° level  
adjustment, Mounting profile: 92-  
380mm/3.6~15", 88lbs

26" - 55"	37" - 70"
LM-WA25WS	LM-WA37WS

**BlackVue Dashcam**



Blackvue Cloud, Car Black Box, WIFI,  
GPS, 1080p HD @ 30fps, H.264, Built-in G  
Sensor, 16 GB SD Card Included

Blackvue Cloud, Car Black Box, WIFI,  
GPS, 1080p HD @ 30fps, H.264, Built-in G  
Sensor, 16 GB SD Card Included

1CH	2CH	2CH IR	2CH Truck IR
DR650GW-1CH	DR650GW-2CH	DR650GW-2CH-IR	DR650GW-2-TRK-IR

**BlackVue Dashcam**



Power Magic Pro,  
Protect battery  
discharge

Extra Cigarjack 15ft



1-hour charge / 12-  
hour, 3000mA  
Battery Pack



Dashcam mount  
for DR650 Front  
Extra Mount

PWR-M-PRO	BV-CIGARJACK	BV-B-112	BV-M-65
-----------	--------------	----------	---------

**SAMSUNG Digital door lock**



Mortize with Push-Pull Type

Finger Print

SHS-P717	SHS-P718
----------	----------

**SAMSUNG Digital door lock**



Universal Latch (60 or 70mm), TOUCH  
SCREEN DEADBOLT LOCK

with Override Key

without Key

SHS-3320	SHS-3321
----------	----------

**SAMSUNG Digital door lock**



Mortize with handle Type



RFID extra Card or Sticker

SHS-H505	SHS-H705	Card	Key tag	Sticker Tag
		RFID-CARD	RFID-KEY	AKT300

## CCTV ACCESSORIES

### DVR Lockbox



Lockbox for DVR or NVR, with Fan

18x18x5"	21x21x8"	21x24x8"
EXL-LB18	EXL-LB21	EXL-LB24

### Lockbox Wall mount



Lockbox Horizontal or Vertical Wall mount kit

Horizontal	Vertical
EXL-LBWM-H	EXL-LBWM-V

### CCTV Tester



HD TVI / analog Camera Tester    IP/TVI/AHD/ CVI/analog

3.5" LCD	7" LCD	7" LCD
M-TM-35T	M-TM-TA7	M-TM-70TCA

### Police Body worn Camera



1080P Full HD



8 Port Docking station



PTT cable



Epaulette



Suction-cup Bracket



Mini Camera

32GB	Charging/Transfer				
DPC-TM6-32	DPC-DS900	DPC-AC-PTC	DPC-AC-EP	DPC-AC-SCB1	DPC-AC-MC2

### VtrackPro Fleet Cam



VtrackPro™ 3CH Main Unit



Outside Rear IR for 3rd Cam



In-Cabin IR for 3rd Cam



Vandal Proof Dome IR for 3rd Cam



VtrackPro™ 7" LCD Monitor



Emergency foot switch

FPRO-300	FPRO-RCO	FPRO-RCI	FPRO-RCVD	FPRO-LCM	FPRO-EFS
----------	----------	----------	-----------	----------	----------

## PRODUCT GUIDE

No.01 | May 2016

VERSITON VIDEO TECHNOLOGY