





MODEL	PRODUCT DESCRIPTION
<p>InFocus Mondopad 55" IFC-INF5520</p>  <p>SRP : 399,000.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 55", LCD - Full HD 1920x1080 - Input: USB Type-A x 6, HDMI 1.3 x 2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audio x 2 - 3.5 mm stereo mini-jack, USB B to touch screen controller board, Ethernet (RJ45 x 2) - Output: RCA audio stereo (L/R) output for sound bar or other external AV system - Stereo 7Wx2 - Operating System: Windows 7 Pro 64bit - Multi touch screen system with support for 2 touch and Windows 7 gesturing - Included Software: Microsoft Office Home & Business 32bit, - Mondopad interface software - คุณสมบัติเด่น: Multi Touch Screen 55"+VDO Conference built in CPU Module, WIFI, WIDI - อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus
<p>InFocus Mondopad 55" IFC-INF5520a</p>  <p>SRP : 424,790.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 55", LCD - Full HD 1920x1080 - Input: HDMI 2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audio 2, 3.5 mm stereo mini-jack, USB Type-B to touch screen controller board - Output: RCA stereo audio output for sound bar or other external AV system Stereo 7Wx2 - Output: RCA stereo audio output for sound bar or other external - Operating System: Windows 7 Pro 64bit, compatible with Windows 8, Multi-touch system with support for 5 point - gestures and Windows 8, Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI, WIDI - Included Software: Microsoft Office Home & Business 32bit, Mondopad interface software - คุณสมบัติเด่น: Multi Touch Screen 55", VDO Conference, Sharing, and Annotation - อุปกรณ์ในกล่อง: รีโมท,VGA cable, ปากกา Stylus
<p>InFocus Mondopad 70" IFC-INF7021</p>  <p>SRP : 911,640.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 70", LED - Full HD 1920x1080 - Input: HDMI x 2, VGA (HD15 VESA), 3.5mm stereo mini-jack, RCA stereo audio in, 3.5mm stereo audio in, USB Type-B to touch screen controller board - Output: RCA audio stereo (L/R) output, 3.5mm stereo mini jack out for sound bar - Operating System: Windows 7 Pro 64bit, compatible with Windows Multi-touch system with support for 5 point gestures and Windows 8, Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI, WIDI - Included Software: Microsoft Office Home & Business 32bit, - Mondopad interface software - คุณสมบัติเด่น: Multi Touch Screen 70", VDO Conference, Sharing, and Annotation - อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus
<p>Computer, I5-2520M, 120SSD, 4GBDDR, Box Stand Alone IFC-INF-MCENTER</p>  <p>SRP : 169,060.- (exc.vat)</p>	<ul style="list-style-type: none"> - Intel Core i5 - Memory: 4 GB of DDR3, 8GB max - Hard Drive: SATA 6Gb/s SSD Intel 520 series 120GB - WIFI available - Input: USB 3.0, USB 2.0x4, eSATA/USB, CF Slot, 3.5mm stereo audio in, 3.5mm microphone input, Ethernet (RJ45x2) - Output: VGA, HDMI, DVI-I, DisplayPort S/PDIF, 3.5mm stereo audio out - Operation System: Windows 7 Pro 64bit - Included Software: Microsoft Office Home & Business 32bit, Mondopad interface software - Webcam Compatibility: Up to 720P 30Hz YUV and MJPEG USB webcams are compatible

InFocus Big Touch



MODEL

PRODUCT DESCRIPTION

BigTouch 55" All in One

IFC-INF55WIN8



SRP : 361,660.- (exc.vat)

- Multi touch screen 55" LCD
- Full HD 1920x1080
- 89 viewing angle
- Input: HDMIx2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audiox2, 3.5 mm stereo
- mini-jack, USB Type-B to touch screen controller board
- Output: RCA audio stereo (L/R) output Stereo 7Wx2
- PC: Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI
- Operation System: Window 8 Pro
- อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus

Big Touch 70" All in One

IFC-INF7011



SRP : 832,460.- (exc.vat)

- Multi touch screen 70" LED
- Full HD 1920x1080
- 176 viewing angle
- Input: HDMI x 2, VGA (HD15 VESA), 3.5mm stereo mini-jack, RCA stereo audio in, 3.5mm stereo audio in, USB Type-B to touch screen controller board
- Output: RCA audio stereo (L/R) output, 3.5mm stereo mini jack Stereo 7Wx2
- PC: Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI
- Operation System: Window 8 Pro
- อุปกรณ์ในกล่อง: รีโมท,VGA cable, ปากกา Stylus

InFocus J Touch

J Touch Panel 60"

IFC-INF6001



SRP : 186,180.- (exc.vat)

- Multi touch screen 60" LCD
- Full HD 1920x1080
- Making screen annotation and interactive function much easy
- Built-in speaker x2

J Touch Panel 70"

IFC-INF7001



SRP : 334,910.- (exc.vat)

- Multi touch screen 70" LCD
- Full HD 1920x1080
- Making screen annotation and interactive function much easy
- Built-in speaker x2




LED TV & SMART TV

310

SAMSUNG LFD Professional LCD Monitor

ทุกชุดรับประกัน 1 ปี







MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD ED Series ED32C - 32" ED55C - 55" ED40C - 40" ED65C - 65" ED46C - 46" ED75C - 75"</p>  <p>SRP : Call</p>	<p>Display * Direct-LED Backlight Native Resolution * 1366 x 768 (16:9) - 32" * 1920 x 1080 (16:9) - 40", 46", 55", 65", 75" Brightness (Max) * 330 nits (32"), 350 nits (40", 46", 55"), 330 nits (65", 75") Contrast Ratio * 4000:1 (32", 65", 75") and 5000:1 (40", 46", 55") Input * VGA (D-Sub 15-pin), HDMI, Stereo Mini Jack, RS232C (thru Stereo Jack) Output * Stereo Mini Jack, RS232C (thru Stereo Jack) External Control * RS232C (in/out) (thru Stereo Jack) Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Built-in Speaker (10W + 10W), PIP/PBP, Narrow Beze, Landscape / Portrait Included * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD MD Series MD32C - 32" MD55C - 55" MD40C - 40" MD65C - 65" MD46C - 46"</p>  <p>SRP : Call</p>	<p>Display * LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 350 nits (32", 40", 46", 55") and 450 nits (65") Contrast Ratio * 5000:1 (32", 40", 46", 55") and 4000:1 (65") Input * Analog D-SUB, DVI-D, HDMI, Component (CVBS Common), Stereo mini Jack Output * Stereo mini Jack External Control * RS232C(in/out) thru stereo jack, RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Magic Clone (to USB), Auto Source Switching & Recovery, RS232C / RJ45 MDC, Plug and Play (DDC2B), PIP / PBP, Video Wall (10 x 10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD ME Series ME32C - 32" ME55C - 55" ME40C - 40" ME65C - 75" ME46C - 46" ME95C - 95"</p>  <p>SRP : Call</p>	<p>Display * e-LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 450 nits Contrast Ratio * 5000:1 Contrast ratio Input * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component(CVBS Common), Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C(in/out) thru stereo jack, RJ45 External Sensor * IR, Ambient Light Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Built In MagicInfo(Lite, Premium-S, Videowall-S) Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>

LED TV & SMART TV

SAMSUNG LFD Professional LCD Monitor

ทุกชุดรับประกัน 1 ปี





MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD DE Series DE40C - 40" DE46C - 46" DE55C - 55"</p>  <p>SRP : Call</p>	<p>Display * 60Hz led BIU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 700 nits Contrast Ratio * 4000:1 Contrast Ratio Input * D-Sub, DVI-D, Display Port (1.2), Component (CVBS common), HDMI, Stereo mini Jack Output * Stereo mini Jack, DP1.2 (Loop-out) External Control * RS-232C (In/Out) thru Stereo Jack, RJ-45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Anit Reflection, Non Glossy Design, Built in MagicInfo Lite, * Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10) Included * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD LE Series LE32C - 32" LE46C - 46" LE55C - 55"</p>  <p>SRP : Call</p>	<p>Display * LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 350 nits (32") and 700 nits (46", 55") Contrast Ratio * 3000:1 (32") and 4000:1 (46", 55") Input * Analog D-SUB, DVI, HDMI 1, HDMI 2, CVBS Component (D-sub 15pin), Stereo mini Jack Output * Stereo mini Jack External Control * RS232C (in/out) thru stereo jack Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD PE Series PE40C - 40" PE46C - 46" PE55C - 55"</p>  <p>SRP : Call</p>	<p>Display * LED BLU - Premium 24/7 Native Resolution * 1920x1080 (16:9) Brightness (Max) * 700 nits Contrast Ratio * 4000:1 Contrast ratio Input * D-Sub, DVI-D, Display Port(1.2), Component (CVBS common), HDMI, Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C (in/out) thru stereo jack, RJ45 Special Feature * Anit Reflection, Non Glossy Design, Magic Clone (to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10), Built In MagicInfo (Lite, Premium-S, Videowall-S) Included * Quick Setup Guide, Warranty Card, Application CD, Power Cord, D-Sub cable, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD UE Series UE46C - 46" UE55C - 55"</p>  <p>SRP : Call</p>	<p>Display * e-LED BLU - Video Wall Native Resolution * 1920x1080 (16:9) Brightness (Max) * 500 nits Contrast Ratio * 5000:1 Contrast Ratio Input * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component (CVBS Common) Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C(in/out) thru stereo jack, RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * LED Slim Video wall, ACM Support (Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B) Included * PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo (Lite, Premium-S, Videowall-S) Warranty * 3 Years</p>

LED TV & SMART TV

SAMSUNG LFD Professional LCD Monitor

ทุกชุดรับประกัน 1 ปี



MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD UD Series UD46B-C - 46" UD46C - 46" UD55C - 55"</p>  <p>SRP : Call</p>	<p>Display * D-LED DID - Video Wall 24/7 * 1920x1080 (16:9) Native Resolution Brightness (Max) * 450 nits (UC46B-C) and max 700 nits (UC46C, UC55C) Contrast Ratio * 3500:1 contrast ratio Input * Analog D-SUB, DVI-D, HDMI1,HDMI2, Component, CVBS, Stereo mini Jack Output * Stereo mini Jack, DVI-D (Loop-out) External Control * RS232C(in/out), RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, DVI Digital Daisy Chain, Smart Scheduling, Smart F/W update, Clock Battery Warranty * 3 Years</p>
<p>Samsung LFD Outdoor OL46B - 46"</p>  <p>SRP : Call</p>	<p>Display * S-PVA(E-DID) * 1920x1080 (16:9) Native Resolution Brightness (Max) * 1500 cd/m2 Contrast Ratio * 4,000:1 Contrast ratio Input * Analog D-SUB, DVI-D, Display Port, CVBS, HDMI1,HDMI2, Component(D-sub 15pin), RCA(L/R) , Stereo mini Jack Output * Stereo mini Jack External Control * RJ45, RS232C(in/out) Special Feature * Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Pivot Display, Button Lock, Smart Scheduling, Smart F/W update Warranty * 3 Years</p>

LED TV & SMART TV

Samsung LFD Options









Option	Model Code	Product
Wall Mount	WMN22UDPD WMTL4001D WMN460UTD WMN5770D WMN7070D WMN8270D WMN4270SD WMN4070SD WMN4655MD WMN4675MD (NEW) WMN22UDPD WMN250MD CML400D CML450D STN-L32D STN-L65D STN-L75D STN-L75E (NEW) STN-L4055AD STN-SF40	UD22B 320MX-3, 320TSn-3 460UT-2, UT-B 400/460MX-3, 400/460/550DX-3, 460UX-3, 400/460TS-3, PDP64 700DX-2, 700TSn-2, 650TS-2 (Landscape only) 820DXn-2, 820TSn-2 ME46, ME55, UE46, UE55, DE46, DE55, PE46, PE55, MD46, MD55, LE46, LE55, HD46, HD55, ED46, ED55 ME32, ME40, DE40, PE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 UE46A, UE55A, UD46A, UD55A, ME65B, ME75B(Landscape Only) UE46, UE55, UD46, UD55, ME65, ME75, ED65, ED75 (including of overlay touch) UD22B ME40A, ME46A, ME55A, ME32B, ME40B, ME46B, ME55B, DE40C, DE46C, DE55C ME32, ME40, DE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 ME46, ME55, ME65, ME75, UE46, UE55, DE46, DE55, MD46, MD55, LE46, LE55, ED46, ED55, ED65, ED75, HD46 320MX-3, 320TSn-3, ED32, ED40, MD32, MD40, ME32, DE40, PE40, LE32 650MX, 650TS ME75B ED75C ME40, ME46, ME55, ME65, UE46, UE55, DE46, DE55, PE46, PE55, LE46, LE55, MD46, MD55, ED46, ED55, ED65 SUR40
Welcome B'd	STN-520WE MID40/EN MID40-UX3 MID-UX40MB MID46-UX3 MID-UX46MB MID462-UT2 MID462DS MID462MB MID4046K MID462K MID-UD46MB MID-UD46FS MID-UD55MB MID-UD55FS	400/460MX-3, 400/460/550DX-3, 400/460UX-3, 400/460TS-3, LFD LED (32"-65", without PIM, SBBA) 400UXn series 400UX-3 400UX-3 460UX-3 460UX-3 460UT-2, UT-B 460UT-2, UT-B 460UT-2, UT-B 400/460UX series 460UT-2, UD55A, UD46A UD46A UD46A UD55A UD55A
Overlay Protection Glass	CY-PG32LBC CY-PG40LBC CY-PG46LBC CY-PG55LBC	ME32A, ME32B ME40A, ME40B, DE40A ME46A, ME46B, DE46A ME55, DE55A
Overlay Protection Glass + Touch for 12	CY-TM32LBC CY-TM40LBC CY-TM46LBC CY-TM55LBC CY-TM65LBC CY-TM75LBC	ME32B ME40B ME46B ME55B ME65B ME75B, ME75C
Overlay Protection Glass + Touch for 13	CY-TM32LCA (NEW) CY-TM40LCA (NEW) CY-TM46LCA (NEW) CY-TM55LCC (NEW) CY-TE65LCC (NEW) CY-TE75LCC (NEW)	ME32B, ME32C ME40B, ME40C ME46B, ME46C ME55B, ME55C MD65C, ED65C ED75C
SIRCH	CY-HDS01A	HD all Line up
HD Simple Remote Controller	CY-HDR1110A/ZA (NEW) CY-HDR1110A (NEW)	North America HD World Wide HD (Except North America models)
HD External Clock	CY-HDCB01 (NEW)	EU, CIS, MEA (except Saudi), ASIA, China, Hong Kong 670, 675 models
Magic IWB	CY-MIWB	ME + Touch Overlay
External Brightness & IR Sensor	CY-EBIS CY-EBISA	400UX-3, 460UX-3, 460UT-2, 460UT-B ME40A, ME46A, ME55A, DE40A, DE46A, DE55A, UE46A, UE55A, UD22B, UD46A, UD55A
Set Back Box	SBB-D16AX2 SBB-D32AX2 SBB-D32AV2 SBB-Q16AX4 SBB-Q32AX4 SBB-Q32AV4 SBB-SMDFAD SBB-SMDTBD SBB-PD32BV2 SBB-PQ32BV4 SBB-PQ28BP4	SIM/SBB Type for New LED Model) / CPU Dual, SSD 16G, DDR 2G → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Dual, SSD 32G, DDR 2G → New model "C" series for LFD "C" Series Dual/32G/2G/Win7e (W05 production) → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Quad, SSD 16G, DDR 4G SIM/SBB Type for New LED Model / CPU Quad, SSD 32G, DDR 4G → New model "C" series for LFD "C" Series Quad/32G/4G/Win7e (W05 production) → New model "C" series for LFD "C" Series Memory 2G / SSD 32GB, 32G/2G/Win7e (W02 production) 64G/2G, USD450 is promotion price. MP: W31(32GB SSD, 2GB DDR3 SO DIMM X1) MP: W31(32GB SSD, 4GB DDR3 SO DIMM X1) MP: W31(128GB SSD, 4GB DDR3 SO DIMM X1)

LED TV & SMART TV

Philips Smart TV



MODEL	PRODUCT DESCRIPTION
<p>55PFL6007H/12 PHL-55PFL6007H/12</p>   <p>SRP : 64,990.- (inc.Vat)</p>	<p>55", PMR600 Hz, Narrow bezel, Ambi2, Smart TV, 3D</p> <p>Panel Type : Easy 3D Clarity (Passive), LED Pixel Precise HD Aspect Ratio : 16:9 (Widescreen) Panel Size : 55" Resolution : 1920 x 1080p Full HD, Picture Motion Resolution 400 PMR Brightness : 400 cd/m2 Contrast Ratio (Dynamic) : 500,000 : 1 CPU : Dual core Smart Apps : Net TV: Catch-up TV, Online Video stores, Open Internet browser, Online apps • Control: MyRemote app (iOS & Android), USB Keyboard & Mouse support • SimplyShare: DLNA media browser, USB media browser, WiFi Smart Screen • Program: Pause TV, USB recording</p> <p>Sound output : 2 x 10 W RMS AVL, Clear sound, Incredible surr, Clear bass Signal Input : 4 x HDMI, 3 x USB Special Feature : Ambi-Light 2 sides Dimension (product) : 1240.8 x 788.15 x 30.2</p>
<p>46PFL8007K/12 PHL-46PFL8007K/12</p>   <p>SRP : 69,990.- (inc.Vat)</p>	<p>46", PMR800 Hz, Narrow bezel, Ambi3, Smart TV, 3D, Pixel Precise HD</p> <p>Panel Type : 3D Max (Active), LED Perfect Pixel Precise HD Aspect Ratio : 16:9 (Widescreen) Panel Size : 46" Resolution : 1920 x 1080p Full HD, Picture Motion Resolution 800 PMR Brightness : 400 cd/m2 Contrast Ratio (Dynamic) : 500,000 : 1 CPU : Dual core Smart Apps : Net TV: Catch-up TV, Online Video stores, Open Internet browser, Online apps • Control: MyRemote app (iOS & Android), USB Keyboard & Mouse support • SimplyShare: DLNA media browser, USB media browser, WiFi Smart Screen • Program: Pause TV, USB recording</p> <p>Sound output : 40W (2 x 20W) AVL, Clear sound, Incredible surr, Clear bass Signal Input : 5 x HDMI, 3 x USB Special Feature : Ambi-Light 3 sides, Skype Dimension (product) : 1042 x 599 x 29.8</p>
<p>55PFL8007K/12 PHL-55PFL8007K/12</p>   <p>SRP : 109,990.- (inc.Vat)</p>	<p>55", PMR800 Hz, Narrow bezel, Ambi3, Smart TV, 3D, Pixel Precise HD</p> <p>Panel Type : 3D Max (Active), LED Perfect Pixel Precise HD Aspect Ratio : 16:9 (Widescreen) Panel Size : 55" Resolution : 1920 x 1080p Full HD, Picture Motion Resolution 800 PMR Brightness : 400 cd/m2 Contrast Ratio (Dynamic) : 500,000 : 1 CPU : Dual core Smart Apps : Net TV: Catch-up TV, Online Video stores, Open Internet browser, Online apps • Control: MyRemote app (iOS & Android), USB Keyboard & Mouse support • SimplyShare: DLNA media browser, USB media browser, WiFi Smart Screen • Program: Pause TV, USB recording</p> <p>Sound output : 40W (2 x 20W) AVL, Clear sound, Incredible surr, Clear bass Signal Input : 5 x HDMI, 3 x USB Special Feature : Ambi-Light 3 sides, Skype Dimension (product) : 1235 x 706 x 29.8</p>

LED TV & SMART TV

Philips Smart TV

1 year Warranty



MODEL

PRODUCT DESCRIPTION

**Series 4008
Philips Ultra Slim LED TV**

NEW



Description

Panel Size : 32"/42"/46"
Aspect Ratio : 16:9
Resolution : 1920x1080p
Brightness : 300 cd/m2
Contrast Ratio (Dynamic)
Sound output : 20w(2x10w) RMS, AVL Clear sound
Signal Input : HDMI, Component, AV, PC-in VGA+Audio L/R
Special Feature : -
Dimension (product) : 1142x726x158 mm /20.1 kg.
3D Glasses

Product **SRP (Inc. Vat)**

PHL Ultra Slim LED TV 32"Series 4008	11,990.-
PHL Ultra Slim LED TV 42" Series 4008	17,990.-
PHL Ultra Slim LED TV 46" Series4008	27,990.-

**Series 4208
Philips Smart LED TV**

NEW



Description

Panel Size : 32" / 42"
Aspect Ratio : 16:9
Resolution : 1366 x 768p
Brightness : 300 cd/m2
Contrast Ratio (Dynamic) : 100,000:1
Sound output : 20W (2x10w) RMS, AVL, Clear Sound
Signal Input : HDMI:2, Component (YPbPr):1, AVx1, USBx1, เสาอากาศ IEC75

Special Feature
Dimension (product)

Product **SRP (Inc. Vat)**

PHL Smart LED TV 42" Series4208	21,990.-
PHL Smart LED TV 46" Series4208	32,990.-

**Series5008
Philips 3D Smart Ultra Slim LED TV**

NEW



Description

Panel Type : 3D:2 Player Full Screen Gaming
Aspect Ratio : 16:9
Panel Size : 42"/ 46"
Resolution : 1920x1080p
Brightness : 300 cd/m2
Contrast Ratio (Dynamic) : -
Smart Apps : Catch-up TV.Neflix.online app, Online Video stores, Open, Internet browser, Youtube, Facebook, Skype, Twitter, TV program guide
Sound output : 20W RMS, AVL, Clear sound, Incredible surr,
Signal Input : HDMIx1 ,YPbPrx1,USBx2
Special Feature
Dimension (product) : 46" :1222x725x134mm / 14kg.
3D Glasses

Product **SRP (Inc. Vat)**

PHL 3D Smart Ultra Slim LED TV42"Series5008	29,990.-
PHL 3D Smart Ultra Slim LED TV46"Series5008	39,990.-

LED TV & SMART TV

316

Philips Smart TV

1 year Warranty



MODEL

PRODUCT DESCRIPTION

**Series6008
Philips 3D Ultra Slim Smart LED TV**



Description

Display : LED Full HD
Aspect Ratio : 16:9 (Widescreen)
Panel Size : 47"/55"/60"
Resolution : 1920 x 1080p Full HD, Picture Motion Resolution 800 PMR
Brightness : 400 cd/m2
Contrast Ratio : 500,000 : 1
(Dynamic)
CPU : Dual core
Smart Apps : Interactive TV:HbbTV /Smart TV apps Catch-up TV, Netflix, Online apps, Online Video shops, Open Internet browser
 You tube/ Social TV:Facebook,Skype, Twitter /TV Program guide
Sound output : 20W (2 x 10W) AVL, Clear sound, Incredible surr, Pure bass
Signal Input : 4 x HDMI, 3 x USB, YPbPrx1, RGB/CVBSx1
Special Feature : Ambi-Light 2 sides XL
Dimension (product) : 47" (1240 x 789 x 132cm) /20 kg
3D Glasses

Product **SRP (Inc. Vat)**

PHL 3D Ultra Slim Smart LED TV 47"Series6008	46,990.-
PHL 3D Ultra Slim Smart LED TV 47"Series6008	59,990.-
PHL 3D Ultra Slim Smart LED TV 47"Series6008	99,990.-

**Series8008
Philips 3D Smart LED TV**



Description

Panel Type : 3D Max (Active), 2 Player Full Screen Gaming
Aspect Ratio : 16:9 (Widescreen)
Panel Size : 46" / 55"
Resolution : 1920 x 1080p Full HD
Brightness : 450 cd/m2
Contrast Ratio : 500,000 : 1
(Dynamic)
CPU : Dual core
Smart Apps : Net TV: Catch-up TV, Online Video stores, Open Internet browser, You tube, Online apps
 • Control: MyRemote app (iOS & Android),
 • Social TV: Facebook, Skype, Twitter, wifi Smart Screen , Simply Share
 • TV program guide
Sound output : 300W (2 x 15W) AVL, Clear sound, Incredible surr, Clear bass
Signal Input : 4 x HDMI, 3 x USB
Special Feature : Ambi-Light 3 sides XL, Wall colour adaptive, Lounge light mode
Dimension (product) : 46" (1240x781x132mm)19.6kg.
3D Glasses

Product **SRP (Inc. Vat)**

PHL 3D Smart LED TV 46"Series8008	Soon
PHL 3D Smart LED TV 55"Series8008	Soon

**Series8908
Philips 3D Designline LED TV**



Description

Panel Type : 3D Max ,2 Player Full Screen Gaming
Aspect Ratio : 16:9 (Widescreen)
Panel Size : 55"
Resolution : 1920 x 1080p Full HD, Picture Motion Resolution 800 PMR
Brightness : 450 cd/m2
Contrast Ratio : 500,000 : 1
(Dynamic)
CPU : Dual core
Smart Apps : Net TV: Catch-up TV, Online Video stores, Open Internet browser, Online apps
 • Control: MyRemote app (iOS & Android), USB Keyboard & Mouse support
 • SimplyShare: DLNA media browser, USB media browser, WiFi Smart Screen
 • Program: Pause TV, USB recording
Sound output : 30W (2 x 15W) AVL, Clear sound, Incredible surr, Clear bass
Signal Input : 4 x HDMI, 3 x USB
Special Feature : Ambi-Light 3 sides,
Dimension (product) : 55" (1235 x 706 x 29.8cm)
3D Glasses

Product **SRP (Inc. Vat)**

PHL 3D Designline LED TV 55"Series8908	Soon
--	------

LED TV & SMART TV

317