

All-in-One : Wireless-G



All-in-One : Wireless-N



| Brand | LINKSYS | ZyXEL |
|----------------|-------------------------------|--|
| Part | WRT54GL | AMG1302-T10B |
| Sale Code | LSS-WRT54GL | ZXL-AMG1302-T10B |
| Ports | 4 Ports 10/100 | 4 ports 10/100 |
| Standards | 802.11b,g | 802.11b , 802.11g , 802.11n |
| Speed Wireless | 54Mbps | 300 Mbps |
| Feature | MIMO | Support SPI Firewall, URL Key Blocking & QoS |
| Security | WEP, WPA, WPA2 | WEP/WPA/WPA2 |
| Other | Open Souce firmware DD-WRT | 2 x 7dBi Antenna |
| Warranty | 2 Years | Limited Lifetime |
| SRP | 1,890 | 740 |

Range Extender



| Brand | LINKSYS | LINKSYS |
|----------------|-----------------------------------|---------------------------------------|
| Part | RE4100W-TH | RE7000-AH |
| Sale Code | LSS-RE4100W-TH | LSS-RE7000-AH |
| Speed Wireless | 300Mbps (2.4GHz) + 300Mbps (5GHz) | 600Mbps (2.4GHz) + 1300Mbps (5GHz) |
| Ports | 1 Port 10/100/1000 | 1 Port 10/100/1000 |
| Feature | Dual Band | MU-MIMO |
| Other | | Seamless Roaming Access Point Mode |
| Warranty | 3 Years | 3 Years |
| SRP | 1,990 | 3,990 |

Wireless Router : N300



| Brand | D-Link | Asus | Linksys |
|----------------|---------------------------------|-----------------------------|---|
| Part | DIR-605L | RT-N12HP | E2500-AP |
| Sale Code | DLK-DIR-605L | ASU-RT-N12HP | LSS-E2500-AP |
| Ports | 4 ports 10/100 | 4 ports 10/100 | 4 Ports 10/100 |
| Standards | 802.11b , 802.11g , 802.11n | 802.11b , 802.11g , 802.11n | 802.11b, g, n |
| Speed Wireless | 300 Mbps | 300 Mbps | 300Mbps (2.4GHz) + 300Mbps (5GHz) |
| Feature | | | Dual Band/ MIMO/ Parental Control /Guest Access |
| Security | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 |
| Other | Cloud router , 2x 5 dBi Antenna | 2x 9 dBi Antenna | |
| Warranty | Limited Lifetime | 5 Years | 3 Years |
| SRP | 890 | 1,790 | 2,290 |

WIRELESS & ROUTER

Wireless Router : AC



| Brand | Linksys | Linksys | Linksys |
|----------------|---|---|---|
| Part | EA7500-AH | EA8300-AH | EA9500-AH |
| Sale Code | LSS-EA7500-AH | LSS-EA8300-AH | LSS-EA9500-AH |
| Ports | 4 Ports 10/100/1000 | 4 Ports 10/100/1000 | 4 Ports 10/100/1000 |
| Standards | 802.11a, b, g, n, ac | 802.11a, b, g, n, ac | 802.11a, b, g, n, ac |
| Speed Wireless | 600Mbps (2.4GHz) + 1300Mbps (5GHz) | 400Mbps (2.4GHz) + 867Mbps(5GHz) + 867Mbps(5GHz) | 1000Mbps (2.4GHz) + 2133Mbps (5GHz) + 2133Mbps (5GHz) |
| Feature | 3+1 Antennas / MU-MIMO Seamless Roaming Beam forming / Traffic Prioritize | Tri-Band / 2x2 MU-MIMO Seamless Roaming Beam forming / Traffic Prioritize | Tri Band / 4x4 MU-MIMO (Up to 8 Streams) Seamless Roaming Beam forming / Traffic Prioritize |
| Security | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 |
| Other | Linksys Smart WiFi Cloud App 1 Ports USB 2.0 + 1 Ports USB 3.0 | Linksys Smart WiFi Cloud App 1 Ports USB 3.0 | Linksys Smart WiFi Cloud App 1 Ports USB 2.0 + 1 Ports USB 3.0 |
| Warranty | 3 Years | 3 Years | 3 Years |
| SRP | 5,990 | 6,990 | 13,990 |



| Brand | Linksys | Linksys | D-Link |
|----------------|---|---|--|
| Part | WRT1200AC-AP | WRT1900AC-AP | DIR-890L |
| Sale Code | LSS-WRT1200AC-AP | LSS-WRT1900AC-AP | DLK-DIR-890L |
| Ports | 4 ports 10/100/1000 , 1USB3.0 , 1eSATA | 4 ports 10/100/1000 , 1USB3.0 , 1eSATA | 4 ports 10/100/1000, USB2.0, USB3.0 |
| Standards | 802.11a ,11b , 11g ,11n , 11ac | 802.11a ,11b , 11g ,11n , 11ac | 802.11a ,11b , 11g ,11n , 11ac |
| Speed Wireless | 400Mbps (2.4GHz) + 867Mbps (5GHz) | 600Mbps (2.4GHz) + 1300Mbps (5GHz) | 600Mbps (2.4GHz) + 1300Mbps x 2 (5GHz) |
| Feature | DHCP, NAT , TCP/IP , MAC Address Filtering, URL Filtering, SPI, VPN Pass Through (L2TP, PPTP) | DHCP, NAT , TCP/IP , MAC Address Filtering, URL Filtering, SPI, Port Forwarding VPN Pass Through (L2TP, PPTP) WEP, WPA, WPA2 | WEP, WPA, WPA2 6 Antenna |
| Security | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 |
| Other | CPU 1.3 GHz Dual-Core ARM Processor | CPU 1.2 GHz Dual-Core ARM + Beamforming Technology | |
| Warranty | 3 Year | 3 Year | Limited Lifetime |
| SRP | 6,490 | 7,990 | 8,900 |

Wireless Access Point



| Brand | D-Link | D-Link | ZyXEL |
|----------------|--------------------------------|-----------------------------------|-----------------------------|
| Part | DAP-1360 | DAP-1665 | WAP-3205v3 |
| Sale Code | DLK-DAP-1360 | DLK-DAP-1665 | ZXL-WAP-3205v3 |
| Ports | 1 port 10/100 | 1 port 10/100/1000 | 1 port 10/100 |
| Standards | 802.11b , 802.11g , 802.11n | 802.11b , 802.11g , 802.11n | 802.11b , 802.11g , 802.11n |
| Speed Wireless | 300Mbps | 300Mbps (2.4GHz) + 867Mbps (5GHz) | 300Mbps |
| Feature | AP,Repeater,Bridge | AP,Repeater,Bridge | AP,Repeater,Bridge |
| Security | WEP,WPA,WPA2 | WEP,WPA,WPA2 | |
| Other | 2 x 2 dBi (เปลี่ยนเสาอากาศได้) | 2 x 5dBi | 2 x 5 dBi |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 950 | 2,890 | 1,190 |

Wireless Access Point with PoE



| Brand | Linksys | Linksys |
|----------------|--|---|
| Part | LAPN300-AP | LAPN600-AP |
| Sale Code | LSS-LAPN300-AP | LSS-LAPN600-AP |
| Ports | 1 port 10/100/1000 | 1 port 10/100/1000 |
| Standards | 802.11b , 802.11g , 802.11n | 802.11a , 802.11b , 802.11g , 802.11n , 802.11ac |
| Speed Wireless | 300Mbps | 300Mbps (2.4GHz) + 300Mbps (5GHz) |
| Feature | 8 Multiple SSIDs , 9 VLANs , SSID to VLAN Mapping , MAC Address Filtering, SSID Broadcast enable/disable, Web Based Management | 16 Multiple SSIDs , 17 VLANs , SSID to VLAN Mapping , Band Steering, MAC Address Filtering, SSID Broadcast enable/disable, Web Based Management |
| Security | WEP, WPA-PSK, WPA-TKIP, WPA2 AES, 802.1x | WEP, WPA-PSK, WPA-TKIP, WPA2 AES, 802.1x |
| Other | IEEE 802.3af/at | IEEE 802.3af/at |
| Warranty | Limited Lifetime | Limited Lifetime |



| | | |
|-----|-------|-------|
| SRP | 4,190 | 6,190 |
|-----|-------|-------|



| Brand | Linksys | Linksys |
|----------------|---|---|
| Part | APAC1200-AP | LAPAC1750-AP |
| Sale Code | LSS-LAPAC1200-AP | LSS-LAPAC1750-AP |
| Ports | 1 port 10/100/1000 | 1 port 10/100/1000 |
| Standards | 802.11a , 802.11b , 802.11g , 802.11n , 802.11ac | 802.11a , 802.11b , 802.11g , 802.11n , 802.11ac |
| Speed Wireless | 300Mbps (2.4GHz) + 900Mbps (5GHz) | 450Mbps (2.4GHz) + 1300Mbps (5GHz) |
| Feature | 16 Multiple SSIDs , 17 VLANs , SSID to VLAN Mapping , Band Steering, MAC Address Filtering, SSID Broadcast enable/disable, Web Based Management | 16 Multiple SSIDs , 17 VLANs , SSID to VLAN Mapping , Band Steering, MAC Address Filtering, SSID Broadcast enable/disable, Web Based Management |
| Security | WEP, WPA-PSK, WPA-TKIP, WPA2 AES, 802.1x | WEP, WPA-PSK, WPA-TKIP, WPA2 AES, 802.1x |
| Other | IEEE 802.3af/at | IEEE 802.3af/at |
| Warranty | Limited Lifetime | Limited Lifetime |

| | | |
|-----|-------|--------|
| SRP | 8,490 | 11,290 |
|-----|-------|--------|



| Brand | Linksys |
|----------------|--|
| Part | LAPAC2600-AH |
| Sale Code | LSS-LAPAC2600-AH |
| Ports | 2 Ports 10/100/1000 |
| Standards | 802.11a, b, g, n, ac |
| Speed Wireless | 600Mbps (2.4GHz) + 1733Mbps (5GHz) |
| Feature | Dual Band / Clustering Captive Portal / MU-MIMO |
| Security | WEP, WPA, RADIUS |
| Other | POE+ (11af, 11at) Link Aggregate |
| Warranty | Limited Lifetime |

| | |
|-----|--------|
| SRP | 19,990 |
|-----|--------|

Wireless Access Point with PoE



| Brand | D-Link | D-Link | D-Link |
|----------------|-----------------------------|-----------------------------------|------------------------------------|
| Part | DAP-2360 | DAP-2660 | DAP-2695 |
| Sale Code | DLK-DAP-2360 | DLK-DAP-2660 | DLK-DAP-2695 |
| Ports | 1 port 10/100/1000 | 1 port 10/100/1000 | 1 port 10/100/1000 |
| Standards | 802.11b , 802.11g , 802.11n | 802.11a , 11b , 11g , 11n , 11ac | 802.11a , 11b , 11g , 11n , 11ac |
| Speed Wireless | 300Mbps | 300Mbps (2.4GHz) + 867Mbps (5GHz) | 450Mbps (2.4GHz) + 1300Mbps (5GHz) |
| Feature | AP, Repeater, Bridge | | |
| Security | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 |
| Other | 2 x 5 dBi | | |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 4,350 | 6,900 | 9,300 |

Wireless Adapter



| Brand | D-Link | D-Link | D-Link | D-Link |
|----------------|------------------|------------------|------------------|------------------|
| Part | DWA-123 | DWA-132 | DWA-137 | DWA-182 |
| Sale Code | DLK-DWA-123 | DLK-DWA-132 | DLK-DWA-137 | DLK-DWA-182 |
| Speed Wireless | 150Mbps | 300Mbps | 300Mbps | 300Mbps (2.4GHz) |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 240 | 359 | 590 | 990 |



| Brand | LINKSYS | LINKSYS | HPNetworking |
|----------------|-----------------------------------|-----------------------------------|----------------------|
| Part | WUSB6100M | WUSB6300-AS | HPQ-JD039A |
| Sale Code | LSS-WUSB6100M | LSS-WUSB6300-AS | IEEE 802.11 n |
| Speed Wireless | 150Mbps (2.4GHz) + 433Mbps (5GHz) | 300Mbps (2.4GHz) + 867Mbps (5GHz) | WPA / WPA2 with TKIP |
| Warranty | 1 Year | 1 Year | 3 Years |
| SRP | 2,490 | 2,290 | 3,950 |

Powerline



| Brand | ZyXEL | ZyXEL | ZyXEL |
|----------------|-----------------------|-----------------------|-----------------------|
| Part | PLA4201TwinPac | PLA4231 | PLA4231_Bundle |
| Sale Code | ZXL-PLA4201TwinPac | ZXL-PLA4231 | ZXL-PLA4231_B1 |
| Ports | | 1 port 10/100 | |
| Speed Wireless | | Speed 300 Mbps | |
| Feature | Speed ในสายไฟ 500Mbps | Speed ในสายไฟ 500Mbps | Speed ในสายไฟ 500Mbps |
| Security | | | |
| Other | PLA4201 จำนวน 2 ตัว | | PLA4201 + PLA4231 |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 1,700 | 2,060 | 2,890 |

INSTANT ACCESS POINT



HPE OfficeConnect OC20 802.11ac Access Points

Brand HPE OfficeConnect
 Model HPE OC20 802.11ac (RW) Access Point
 Part Number JZ074A

Right sized for small business
 2x2 dual radio 802.11ac Wave1
 Clustering of up to 8 Aps - Ideal for SMB
 Fast ultra-simple set-up via mobile app
 Remote monitoring of network from anywhere

SRP 6,200



| Brand | HPE ARUBA | HPE ARUBA | HPE ARUBA |
|----------------|---|--|--|
| Model | Aruba IAP-103 (RW) Instant 2x2:2 11n AP | Aruba IAP-207 (RW) Instant 2x2:2 11ac AP | Aruba IAP-305 (RW) Instant 2x/3x 11ac AP |
| Part Number | JW190A | JX954A | JX945A |
| Wireless Radio | Indoor, dual radio, 5-GHz and 2.4-GHz 802.11n 2x2:2 | Indoor, dual radio, 5GHz 802.11ac 2x2 MIMO and 2.4GHz 802.11n 2x2 MIMO | Indoor, dual radio, 5GHz 802.11ac 3x3 MIMO and 2.4GHz 802.11n 2x2 MIMO |
| SRP | 12,310 | 12,310 | 21,300 |



| Brand | HPE ARUBA | HPE ARUBA | HPE ARUBA |
|----------------|--|--|--|
| Model | Aruba IAP-315 (RW) Instant 2x/4x 11ac AP | Aruba IAP-335 (RW) Instant 4x4:4 11ac AP | Aruba IAP-205H (RW) Instnt 2x2:2 11ac AP |
| Part Number | JW811A | JW823A | JW216A |
| Wireless Radio | Indoor, dual radio, 5 GHz 802.11ac 4x4 MIMO and 2.4 GHz 802.11n 2x2 MIMO | Indoor, dual radio, 5 GHz 802.11ac 4x4 MIMO and 2.4 GHz 802.11n 4x4 MIMO | Indoor, dual radio, 5-GHz 802.11ac and 2.4-GHz 802.11n 2x2:2 |
| SRP | 30,500 | 52,010 | 21,300 |



| Brand | HPE ARUBA | HPE ARUBA | HPE ARUBA |
|----------------|--|---|---|
| Model | Aruba IAP-228 (RW) Hardened Instant AP | Aruba IAP-275 (RW) Outdoor Instant AP | Aruba PD-3501G-AC 1p GE 802.3af Midspan |
| Part Number | JW245A | JW254A | JW627A |
| Wireless Radio | Indoor, dual radio, 5 GHz 802.11ac and 2.4 GHz 802.11n | Outdoor, dual radio, 5-GHz 802.11ac and 2.4-GHz 802.11n | |
| SRP | 45,910 | 61,100 | 3,110 |

WIRELESS ACCESS POINT



| Brand | ZyXEL | ZyXEL | ZyXEL |
|----------|---|--|--|
| Model | NWA1100-NH | NWA1123-ACV2 | NWA5123-AC |
| P/N | ZXL-NWA1100-NH | ZXL-NWA1123-ACV2 | ZXL-NWA5123-AC |
| Feature | "802.11b/g/n (External Antenna 5dBi) บริหารจัดการด้วย ZyXEL AP Configurator" | "802.11 a/b/g/n/ac Dual-Radio บริหารจัดการด้วย ZyXEL AP Configurator" | "802.11 a/b/g/n/ac Dual-Radio Embedded 2x2 3dBi/4dBi antenna" |
| Warranty | Limited Lifetime (ARS* 1Y) | Limited Lifetime (ARS* 1Y) | Limited Lifetime |
| SRP | 3,478 | 6,634 | 8,004 |



| Brand | ZyXEL | ZyXEL | ZyXEL |
|----------|--|--|---|
| Model | NWA5301-NJ | WAC6502D-E | WAC6502D-S |
| P/N | ZXL-NWA5301-NJ | ZXL-WAC6502D-E | ZXL-WAC6502D-S |
| Feature | "802.11 b/g/n Wall Plate Support data rate up to 300Mbps Embedded 2x2 4.5dBi 2-in-1 design Standalone/Managed AP" | "802.11ac Dual Radio External antenna 2x2 Support data rate up to 1166Mbps 2-in-1 design Standalone/Managed AP" | "802.11ac Dual Radio Smart Antenna 2x2 Support data rate up to 1166Mbps 2-in-1 design Standalone/Managed AP" |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 5,243 | 17,323 | 19,158 |



| Brand | ZyXEL | ZyXEL | ZyXEL |
|----------|---|--|---|
| Model | WAC6103D-I | WAC6503D-S | WAC6553D-E |
| P/N | ZXL-WAC6103D-I | ZXL-WAC6503D-S | ZXL-WAC6553D-E |
| Feature | "802.11ac Dual Radio Dual-optimized Antenna 3x3 Support data rate up to 1750Mbps Dual-optimized Antenna 3x3 4dBi/5dBi 2-in-1 design Standalone/Managed AP " | "802.11ac Dual Radio Smart Antenna 3x3 Support data rate up to 1750Mbps Smart antenna 3x3 4dBi/6dBi antenna 2-in-1 design Standalone/Managed AP" | "802.11ac Dual Radio Outdoor AP Support data rate up to 1750Mbps 6 N-type connectors for external antenna (antenna not included) 2-in-1 design Standalone/Managed AP" |
| Warranty | Limited Lifetime | Limited Lifetime | Limited Lifetime |
| SRP | 19,003 | 25,605 | 45,079 |



| Brand | ZyXEL | ZyXEL |
|----------|---|---|
| Model | NXC-2500 | NXC-5500 |
| P/N | ZXL-NXC-2500 | ZXL-NXC-5500 |
| Feature | "Wireless LAN Controller for NWA3000/5000 Series and WAC Series Default license managed 8APs (support up to 64APs by extened license)" | "Wireless LAN Controller for NWA3000/5000 Series and WAC Series Default license managed 64APs (support up to 512APs by extened license)" |
| Warranty | Limited Lifetime | Limited Lifetime |
| SRP | 21,293 | 159,954 |

WIRELESS & ROUTER

WIRELESS ACCESS POINT



*สินค้า WAC Series ทุกรุ่นไม่มี Power Adapter ต้องใช้งานร่วมกับ PoE12-HP หรือ PoE Switch ของ ZyXEL ใต้กลุ่มนี้"

| Brand | LINKSYS | ZyXEL |
|----------|--|---|
| Model | LACPI30-AP | PoE12-HP |
| P/N | LSS-LACPI30-AP | ZXL-POE12-HP |
| Feature | POE+ (11af/11at) / Work with UTP Cat5e or higher up to 100m distance | "1 Gigabit PoE Injector IEEE 802.3af 15.4Watt, 802.3at 30Watt |
| Warranty | 2 years | Limited Lifetime |
| SRP | 2,790 | 1,808 |

Mobility Controller

Aruba 7000 Series Mobility Controller
Product Summary



- 7005 Mobility Controller is a compact, fanless entry-level branch platform that can be powered by a power-over-Ethernet (PoE) switch.
- 7008 Mobility Controller is a compact, fanless entrylevel branch platform with 8 integrated PoE and PoE+ switch ports for small branch locations with some PoE requirements
- 7010 Mobility Controller is designed for mid-sized branch deployments that require several PoE and PoE+ switch ports.
- 7024 Mobility Controller is designed for mid-sized branch offices that require up to 24 switch ports for unified wired and wireless access.
- 7030 Mobility Controller is ideal for mid- to large- sized branch deployments that require unprecedented scale and performance."

| Features | 7005 | 7008 | 7010 | 7024 | 7030 |
|--|---------|---------|-------------|-------------|-------------|
| Maximum AP licenses | 16 | 16 | 32 | 32 | 64 |
| Maximum concurrent users/devices | 1,024 | 1,024 | 2,048 | 2,048 | 4,096 |
| Maximum VLANs | 4,094 | 4,094 | 4,094 | 4,094 | 4,094 |
| Active firewall sessions | 16,384 | 16,384 | 32,768 | 32,768 | 65,536 |
| Concurrent GRE tunnels | 256 | 256 | 512 | 512 | 1,024 |
| Concurrent IPsec sessions | 512 | 512 | 1,024 | 1,024 | 2,048 |
| Mobility Access Switch tunneled-node ports | 512 | 512 | 1,024 | 1,024 | 2,048 |
| Firewall throughput | 2 Gbps | 2 Gbps | 4 Gbps | 4 Gbps | 8 Gbps |
| Form factor/footprint | Compact | Compact | 1 rack unit | 1 rack unit | 1 rack unit |
| 10/100/1000BASE-T | 4 | 8 | 16 | 24 | 8 (combo) |
| GBIC or SFP ports | N/A | N/A | 2 SFP | 2 SFP+ | 8 (combo) |
| USB 2.0 | Yes (1) | Yes (2) | Yes (2) | Yes (1) | Yes (1) |
| Console port (micro USB/RJ-45) | Yes | Yes | Yes | Yes | Yes |
| SRP (Licenses per AP) | call | call | call | call | call |

WIRELESS & ROUTER

Powerline



| Brand | ZyXEL | ZyXEL | ZyXEL |
|----------|--------------------|--|---|
| Model | PLA5206V2 | PLA5206V2Twin | PLA4201 |
| P/N | ZXL-PLA5206V2 | ZXL-PLA5206V2Twin | ZXL-PLA4201 |
| Feature | 1 port 10/100/1000 | Speed ในสายไฟ 1Gbps | 1 port 10/100 |
| Warranty | Limited Lifetime | Speed ในสายไฟ 1Gbps PLA4206 จำนวน 2 ตัว Limited Lifetime | Speed ในสายไฟ 500Mbps Limited Lifetime |
| SRP | 1,540 | 2,880 | 950 |