HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁷ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁸
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

Model	HP Color LaserJet Managed Flow MFP E877z				
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)	
Print speed (A4 and letter, Black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm	
Scan speed (A4 and letter, Black and color) ⁴	150 ppm/300 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	300 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. An administrator must enable the easy-access USB port before use. The E877 series Flow models include a 300-sheet ADF. The E877 series and models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (As). Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime-powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HGE - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HHE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HKE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HKE - HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HKE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx U03HNE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE - HP 4 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HNE - HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HSPE - HP 1 year Post Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx U03HTPE - HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE - HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HTPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE - HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE - HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx U03HWPE - HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx U03HWPE - HP 1 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HYPE - HP 2 year POst Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HWPE - HP 3 year PW Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HYPE - HP 2
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

	*Available with optional color panel accessories					
Accessories	15507A UNIVERSITY STORY SOURCE OF					
	155P7A HP Laser Jet InnerFinisher 2/3 Hole Punch					
	190A2A HP Color Laser Jet Department Lunar Gray Color Panel					
	19044 HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel					
	190A5A HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel					
	19088A HP LaserJet Department Stand Lunar Gray Color Panel					
	190B2A HP Color Laser Jet Department Comet Red Color Panel					
	19084A HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel					
	19085A HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel					
	19088A HP LaserJet Department Stand Comet Red Color Panel					
	190C2A HP Color LaserJet Department Cosmic Green Color Panel					
	190C4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel					
	190C5A HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel					
	190C8A HP Laser Jet Department Stand Cosmic Green Color Panel 190D2A HP Color Laser Jet Department Constellation Yellow Color Panel					
	190F4A HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel					
	190F5A HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel					
	190F8A HP LaserJet Department Stand Aurora Purple Color Panel					
	2NR12A HP Removable Hard Drive Enclosure					
	2TD64A HP Accessibility Kit					
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory					
	478C2A HP Printing Voice Assistant					
	4QL32A HP Legic Secure USB Reader					
	4XN67A Internal USB Expansion Kit					
	5QK14A HP MFP 810 Analog Dual Fax					
	6GW47A HP LaserJet 2x520 sheet Department Paper Tray/Stand					
	6GW49A HP LaserJet Inner Finisher					
	6GWSOA HP LaserJet Department Job Separator					
	6GW51A HP Laser Jet Booklet Finisher 6GW53A HP Laser Jet Department Stand					
	6GW55A HP Laser Jet Stapler/Stacker Finisher 6GW56A HP Laser Jet 3000 sheet Department High Capacity Paper Tray/Stand					
	· · · · · · · · · · · · · · · · · · ·					
	· · · · · · · · · · · · · · · · · · ·					
	6HN30A HP Laser Jet Workflow Accelerator Card 6HN31A HP 500GB CCC, FIPS, TAA Hard Disk Drive					
	7ZA08A HP MFP 800 Analog Single Fax 8FP31A HP Jetdirect LAN Accessory					
	· ·					
	·					
	BSL31A HP Foreign Interface Harness CC543B HP SmartCard NIPRNet Solution for US Government					
	1930 HP SINATCARD MIPKNET Solution for US Government 198304 HP SmartCard SIPRNet Solution for US Government					
	TODOUR HE STRATEGIC SHERREL SOLUTION OF GOVERNMENT. X3003A HP USB Universal Card Reader STORY OF THE STRATEGIC SHERREL SOLUTION OF GOVERNMENT. X3003A HP USB Universal Card Reader					
	Y1610A HP LaserJet Hole Punch 2/3 Accessory					
	Y1613A HP LaserJet Inde Point 27 Accessory Y1613A HP LaserJet Inder/Booklet Stables					
	Y1G14A HP Laser Jet Stapler/Stacker Finisher Staples Y1G22A HP Laser Jet Paper Tray Heaters Accessory					
	YTCOSA HP HIPS Keadre Reader					
	17/COSA — IP FIIIP X EVSLYTOKE REGUET YTCOTA — HP SIM for HID iClass for HIP2 Reader					
Speed Licenses	8EP60AAE HP Color LaserJet Managed MFP E877 40 to 50ppm License					
	BEP61AAE HP Color LaserJet Managed MFP E877 40 to 60ppm License					
	8EP62AAE HP Color LaserJet Managed MFP E877 40 to 70ppm License					
	8LB48AAE HP Color LaserJet Managed MFP E877 50 to 60ppm License					
	8LB49AAE HP Color LaserJet Managed MFP E877 60 to 70ppm License					
	8LB50AAE HP Color LaserJet Managed MFP E877 50 to 70ppm License					

^{*} Inner finisher/inner finisher hole punches are not compatible with 70ppm ** HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Technical specifications

Functions	Print, copy, scan, fax (optional)						
Print speed ^{3,2}	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE		
	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE		
	First page out Letter Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AAE)		
	First page out Letter Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AAE)		
rint resolution	Black (best): Up to 1200 x 1200 c (normal): Up to 600 x 600 dpi; Co		to 600 x 600 dpi; Black (fine lines): Up to 10 dpi	1200 x 1200 dpi; Color (best): Up to	1200 x 1200 dpi full speed; Col o		
Print technology	Laser						
rint cartridges number	4 (1 each black, cyan, magenta, y	vellow)					
tandard print languages	HP PCL 5c, HP PCL 6, HP Postscri	pt level 3 emulation, PDF (v 1.7),	, AirPrint™ compatible				
rinter smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB						
olor scanning	Yes						
can speed Normal	Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex: Up to 300 ipm (b&w), up to 300 ipm (color)						
can type / Technology	Flatbed, ADF / Platen Scanner CC	D Digital-CIS					
can resolution	Hardware: Up to 600×600 dpi; C	ptical: Up to 600 x 600 dpi					
can file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)						
can input modes	Front panel applications: Copy; Fo	ax; Scan to Email; Scan to Netwo	rk Folder; Scan to USB; Scan to Job Stora	ge; Open Extensibility Platform (OXP), HP Workpath applications		
can Size	ADF Maximum: 11 x 17 in ADF Mi	nimum: 2.7 x 5 in Flatbed: 11.69	0 x 17 in				
canner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps						
Ouplex ADF scanning	Yes, single pass duplex scanning						
DF capacity	Standard, 300 sheets						
wain version	Version 2.4						
t depth / Grayscale levels	24-bit/256						
igital sending standard	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination; embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatical strainten						
	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto	DF: image adjustments (darknes	ss, contrast, background cleanup, sharpne	ess); optimized text/picture (auto, text) nage preview; blank page suppression ument editing; auto paper color rem	kt, mixed, printed picture, on; scan to multi destination; loval; job separation; automatica		
atures	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mu	ss, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc	nage preview; blank page suppression ument editing; auto paper color rem	on; scan to multi destination; loval; job separation; automatica		
atures	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto	DF: image adjustments (darknes	ss, contrast, background cleanup, sharpne	ess); optimized text/picture (auto, te: nage preview; blank page suppressi ument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE		
atures	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex	DF; image adjustments (darknes; ID scan; job build; watermark; sorientation, auto¬page-crop; mu Up to 40 cpm Up to 40 cpm Up to 40 cpm	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; in ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	nage preview; blank page suppressi ument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE		
atures	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; in ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	nage preview; blank page suppression ument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE)	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE		
eatures Copy speed ⁷	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex	DF; image adjustments (darknes; ID scan; job build; watermark; sorientation, auto¬page-crop; mu Up to 40 cpm Up to 40 cpm Up to 40 cpm	ss, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE)	nage preview; blank page suppressi ument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE)		
atures	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	ss, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with		
opy speed ⁷	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	nage preview; blank page suppressi ument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE)		
opy speed ⁷	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with		
opy speed opposed oppo	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE)	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with		
copy speed of copies copier resize copier settings	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color Black (text and graphics):; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content ories	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and g	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) as fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ptimized text/picture (Auto, text, mixps; book mode scans; erase edges;	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with BEP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) ked, printed picture, photograph) automatically detect		
opy speed opposed oppo	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics):; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Pa Up to: 33.6 kbps / Letter: 3 sec p	DF; image adjustments (darknes; sorientation, autonpage-crop; mi Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation; collation; booklet; ID scanway; Image Shift; Paper Selection; upper Color Removal; Job Separatier page	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) as fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ptimized text/picture (Auto, text, mixps; book mode scans; erase edges;	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with BEP62AAE Up to 70 cpm (with BEP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) ked, printed picture, photograph) automatically detect		
copy speed copy resolution copies copier resize copier settings	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previate c	DF; image adjustments (darknes; sorientation, auto-page-crop; mi Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation; collation; booklet; ID scatw; Image Shift; Paper Selection; per Color Removal; Job Separatier page (400 x 400 dpi for received faxe	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) as fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi itrast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten;	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ptimized text/picture (Auto, text, mixps; book mode scans; erase edges; lentation; Auto Tone; Crop to page; N	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) ked, printed picture, photograph) automatically detect fulti-feed Detection; Reverse and		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color Black (text and graphics); ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Pa Up to 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; U forwarding supported: Yes Fax pl	DF; image adjustments (darknes; sorientation, autonpage-crop; mill Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation), collation; booklet; ID scanitation; collation; collation; booklet; ID scanitation; collation; collation; booklet; ID scanitation; collation; c	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) as fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) eptimized text/picture (Auto, text, mixings; book mode scans; erase edges; lentation; Auto Tone; Crop to page; Nedlayed sending: No Distinctive ring ve only) Fax telephone mode suppo	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) detection; Reverse and detection; Reverse and detection supported: No Fax red; No Junk barrier supported:		
opy speed oppy resolution aximum number of copies opper resize opper settings ax speed ax resolution ax Features	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing, Auto Petro, Document Editing, Auto Petro, Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; Uforwarding supported: Yes Fax pl Maximum speed dialing numbers supported: No	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, autonpage-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and g) mage adjustments (darkness, contation; collation; booklet; ID scan; lamage Shift; Paper Selection; per Color Removal; Job Separatier page (400 x 400 dpi for received faxe p to 500 pages Auto fax reductione TAM interface supported: N s: Up to 1000 numbers (each wit	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) as tast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi itrast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; s only); Black (standard): 203 x 98 dpi on supported: Yes Auto-redialing: Yes Fax polling supported: Yes (poll to recei	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) as fast as 4.9 sec (with 8EP61AAE) delayed sending: No Distinctive ring we only) Fax telephone mode suppo dd: Yes Remote retrieval capability sud:	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)		
ppy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Path Color State	DF; image adjustments (darknes; sorientation, autonpage-crop; mill Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec 600 x 600 dpi; Color (text and gone) As fast as 6.5 sec	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes Auto-redialing: Yes Fax of Fax polling supported: Yes (poll to receith 210 destinations) PC interface supported	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) as fast as 4.9 sec (with 8EP61AAE) delayed sending: No Distinctive ring we only) Fax telephone mode suppo dd: Yes Remote retrieval capability sud:	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)		
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Path Color (Description) Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages: Uf orwarding supported: Yes Fax pl Maximum speed dialing numbers supported: No 1 Gigabit Ethernet 10/100/1000 3.0 (host)	DF; image adjustments (darknes; ID scan; job build; watermark; s orientation, auto¬page-crop; mi Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and g mage adjustments (darkness, contation; collation; booklet; ID scans; Image Shift; Paper Selection; per Color Removal; Job Separatier page (400 x 400 dpi for received faxe p to 500 pages Auto fax reductione TAM interface supported: N is: Up to 1000 numbers (each with T network; 1 Hardware Integration)	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes Auto-redialing: Yes Fax of Fax polling supported: Yes (poll to receith 210 destinations) PC interface supported	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) as fast as 4.9 sec (with 8EP61AAE) delayed sending: No Distinctive ring we only) Fax telephone mode suppo dd: Yes Remote retrieval capability sud:	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AEE) As fast as 4.3 sec (with 8EP62AAEE) As fast as 4.3 sec (with 8EP62AAEEE) As fast as 4.3 sec (with 8EP62AEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE		
opy speed oppy speed oppy resolution aximum number of copies oppier resize oppier settings opp	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color Black (text and graphics); ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Pa Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; U forwarding supported: Yes Fax pl Maximum speed dialing numbers supported: 1 Gigabit Ethernet 10/100/1000 3.0 (host) Standard (built-in GIGABIT 10/10 Optional, enabled with purchase	DF; image adjustments (darknes; sorientation, autonpage-crop; mill Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation), collation, booklet; ID scanitation; collation; collation; collation; collation; collation; collation; por page (400 x 400 dpi for received faxe proper Color Removal; Job Separation TAM interface supported: No: Up to 1000 numbers (each with T network; 1 Hardware Integration) of a hardware accessory	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes Auto-redialing: Yes Fax of Fax polling supported: Yes (poll to receith 210 destinations) PC interface supported	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) as fast as 4.9 sec (with 8EP61AAE) delayed sending: No Distinctive ring we only) Fax telephone mode suppo dd: Yes Remote retrieval capability sud:	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AEE) As fast as 4.3 sec (with 8EP62AAEE) As fast as 4.3 sec (with 8EP62AAEEE) As fast as 4.3 sec (with 8EP62AEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE		
opy speed operation laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities opieless capability lobile printing capability	SSL; auto color sense; compact P photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Color Black (text and graphics); ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content orier color/monochrome; image previe Retry; Document Editing; Auto Pa Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; U forwarding supported: Yes Fax pl Maximum speed dialing numbers supported: 1 Gigabit Ethernet 10/100/1000 3.0 (host) Standard (built-in GIGABIT 10/10 Optional, enabled with purchase	DF; image adjustments (darknes; sorientation, autonpage-crop; mill Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation), collation, booklet; ID scanitation; collation; collation; collation; collation; collation; collation; por page (400 x 400 dpi for received faxe proper Color Removal; Job Separation TAM interface supported: No: Up to 1000 numbers (each with T network; 1 Hardware Integration) of a hardware accessory	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes (poll to recei th 210 destinations) PC interface supported: Description of the process of the proc	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) as fast as 4.9 sec (with 8EP61AAE) delayed sending: No Distinctive ring we only) Fax telephone mode suppo dd: Yes Remote retrieval capability sud:	on; scan to multi destination; oval; job separation; automatica Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE Up to 70 cpm (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AEE) As fast as 4.3 sec (with 8EP62AAEE) As fast as 4.3 sec (with 8EP62AAEEE) As fast as 4.3 sec (with 8EP62AEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE		
opy speed operation operat	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content oriet color/monochrome; image previe Retry; Document Editing; Auto Pe Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; U forwarding supported: Yes Fax pl Maximum speed dialing numbers supported: No 1 Gigabit Ethernet 10/100/1000 3.0 (host) Standard (built-in GIGABIT 10/10 Optional, enabled with purchase Apple AirPrint™; Mopria™ Certifie Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1	DF; image adjustments (darknes; sorientation, auto-page-crop; mi Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation), collation; booklet; ID scaw, image Shift; Paper Selection; per Color Removal; Job Separatier page (400 x 400 dpi for received faxe pto 500 pages Auto fax reductione TAM interface supported: N is: Up to 1000 numbers (each wit T network; 1 Hardware Integration) T network; 1 Hardware Integration of a hardware accessory di Wi-Fi® Direct Printing; NFC Tou-4GHz) / Storage: Standard, emb.	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir ulti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes (poll to recei th 210 destinations) PC interface supported: Description of the process of the proc	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ptimized text/picture (Auto, text, misps; book mode scans; erase edges; tentation; Auto Tone; Crop to page; Nodelayed sending: No Distinctive ring ve only) Fax telephone mode suppo ed: Yes Remote retrieval capability suppressive text (host); 1 SuperSpeed Used USB 2.0 (host); 1 SuperSpeed Used USB 2.0 (host); 1 SuperSpeed Uses Standard, HP LaserJet 500GB Hard	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)		
copy speed operation laximum number of copies copier resize copier settings	SSL; auto color sense; compact F photograph); content orientation embedded OCR; auto-tone, auto straighten Letter Black Letter Color Letter Black Duplex Letter Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; in Up; N or Z-ordering; content oriet color/monochrome; image previe Retry; Document Editing; Auto Pe Up to: 33.6 kbps / Letter: 3 sec p Black (best): Up to 300 x 300 dpi Fax memory: Up to 500 pages; U forwarding supported: Yes Fax pl Maximum speed dialing numbers supported: No 1 Gigabit Ethernet 10/100/1000 3.0 (host) Standard (built-in GIGABIT 10/10 Optional, enabled with purchase Apple AirPrint™; Mopria™ Certifie Standard:6GB; Maximum:6GB Quad Core (1.6GHz), Dual Core (1	DF; image adjustments (darknes; sorientation, auto-page-crop; mi Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec 600 x 600 dpi; Color (text and governation), collation; booklet; ID scaw, image Shift; Paper Selection; per Color Removal; Job Separatier page (400 x 400 dpi for received faxe pto 500 pages Auto fax reductione TAM interface supported: N is: Up to 1000 numbers (each wit T network; 1 Hardware Integration) T network; 1 Hardware Integration of a hardware accessory di Wi-Fi® Direct Printing; NFC Tou-4GHz) / Storage: Standard, emb.	is, contrast, background cleanup, sharpne tamps; book mode scans; erase edges; ir liti-feed detection; reverse and retry; doc Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) raphics): Up to 600 x 600 dpi strast, background cleanup, sharpness); on; job build; job storage; watermark; stam collate; Blank Page Suppression; Auto Orion; Automatically Straighten; sonly); Black (standard): 203 x 98 dpi on supported: Yes Auto-redialing: Yes Fax of Fax polling supported: Yes (poll to recein to 210 destinations) PC interface supported: Por Pocket 2nd generation (HIP2); 1 Hi-Speculated 500 GB hard disk drive / Hard d	nage preview; blank page suppressiument editing; auto paper color rem Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ptimized text/picture (Auto, text, misps; book mode scans; erase edges; tentation; Auto Tone; Crop to page; Nodelayed sending: No Distinctive ring ve only) Fax telephone mode suppo ed: Yes Remote retrieval capability suppressive text (host); 1 SuperSpeed Used USB 2.0 (host); 1 SuperSpeed Used USB 2.0 (host); 1 SuperSpeed Uses Standard, HP LaserJet 500GB Hard	on; scan to multi destination; loval; job separation; automatica Up to 70 cpm (with 8EP62AAE As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) Red, printed picture, photograph) automatically detect fullti-feed Detection; Reverse and detection supported: No Fax ted: No Junk barrier supported: No Telephone handset SB 3.0 (device); 1 SuperSpeed US		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes;
	Input Capacities, Max: Up to 6,140 sheets;
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets Transparencies;
	Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1. 2. 3: 16 to 86.5 lb bond
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement,
	Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in
What's in the box	5QK08A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	W x d x h : 25.2 x 29.4 x 36.8 in; Maximum : 65.2 x 51.2 x 59.2 in;
Product weight	230.6 lb;
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNBPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity, SNBPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted Posterion (Enchange of Start Security Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager,
	Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows 8; Windows Server; Linux; Citrix; UNIX
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at
	60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 55dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A)
	scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm
Operating environment	Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 86°F; Storage temperature range: 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of
- compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/
- Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

 4 HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.
- 5 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP Future Smart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- 6 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
 7 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
- 8 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines.
 9 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁴ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

 ⁷ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document.
- ⁸ Acoustic values are subject to change. For current information see https://www.hp.com/support

















