

Ordering Information

Commercial model number: CC524A (BGJ) CC524A (201/Gov't) CC524A (AAZ/220 volt model)

Canada model number: CC524A

Sidebar

In the box:

Print cartridge (1 each black, cyan, yellow, magenta) Installation guide Drivers and electronic documentation on CD-ROM Warranty cards Power cord 250-sheet tray Telecom cord Built-in fax 3 x 500-sheet tray with cabinet 500-sheet inline stapler/ stacker

Software:

Windows Installer HP PCL 6 discrete driver Mac Installer HP Postscript emulation driver

Standard warranty: 1 year onsite

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service

U2010E

Next Business Day Onsite with DMR: 3 years

U6W62E

Optional Care Pack Services

Installation with Network Setup Service

Same Day Onsite, Standard Business Hours: 3 years U6W56E

U2010E

Get standout color, robust scanning features, and high-volume paper capacity in a versatile MFP.

Do more—with big media sizes, broad capabilities, and brilliant color— on this affordable A3 MFP. Preview and control jobs on the touchscreen. Copy, scan and fax¹—and print from smartphones and tablets from virtually anywhere with HP ePrint.²

Keep large scan and copy jobs moving with a high-capacity automatic document feeder. Robust paper capacity reduces reloading. Print right at the device, using the easy-access USB. Manage access to color printing to help control operating costs.

Enhance performance. Use customizable HP Quick Sets to launch one-touch workflows. Preview and edit scans on the large touchscreen for digital sending³ to e-mail, fax¹ or network folder. Automatically remove blank pages from scanned documents.

Help grow your investment with an MFP that simplifies solution deployment and firmware updates. Robust security features safeguard sensitive data. Management tools optimize company-wide printing policies and help trim operating costs.

Compatible Operating Systems

Standard Desktop

Windows XP	SP2 or higher
Windows Server 2003	SP1 or higher
Windows Server 2008	32/64-bit
Windows Vista®	*
Windows® 7	*
Windows® 8	*
Linux	See http://www.hplip.net
Mac OS	Mac OS X v 10.6, 10.7

Additional Information

Sales	www.hp.com
	Data Sheet 4AA4-3370ENUC
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Brand Specifications

PRINTER	
Print Technology	Laser
AIO/MFP Functions	Color printing, color copying, color scanning,



Enlarge Image

Same Day	U6W58E		black and white faxing, digital send, easy access
Onsite,		Print Speed Black, Letter:	USB, offset and staple capabilities
Standard		ISO/Best Quality	Up to 30 ppm ⁴
Business		Print Speed Color, Letter:	
Hours: 4 years		ISO/Best Quality	Up to 30 ppm ^₄
Same Day	U6W60E	First Page Out	As fast as 10.5 sec from Ready mode
Onsite,		Processor	800 MHz
Standard		Paper Trays, Std	5
Business			5
Hours: 5 years		Paper Trays, Max	
Same Day	U6W57E	Input Capacity, Std	1,850 sheets
Onsite,	0000J/E	Input Capacity, Max	1,850 sheets
Extended		Output Capacity, Std	750 sheets
Business		Output Capacity, Max	750 sheets
Hours: 3 years		Envelope Input, Std	10
Same Day		Envelope Feeder	No
Onsite,	U6W59E	Two-Sided Printing	Automatic (standard)
Extended		Typefaces	105 internal TrueType fonts scalable in HP PCL,
Business			92 internal scalable fonts in HP Postscript level
Hours: 4 years			3 emulation (Euro symbol built-in); 1 internal
,			Unicode Fonts (Andale Mono WorldType); 2
Same Day	U6W61E		Internal Windows Vista 8 Fonts (Calibri,
Onsite,			Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet
Extended			Fonts and IPDS Emulation available at hp.com/
Business			go/laserjetfonts
Hours: 4 years		Print Quality, Black Best	Up to 600 x 600 dpi
Next Business	U6W62E	Print Quality, Color Best	Up to 600 x 600 dpi
Day Onsite	OOVVOZE	Print Resolution Technology	HP ImageREt 3600, Pantone Calibrated
with DMR: 3		••	
years		Print Cartridges	4 (1 each black, cyan, magenta, yellow)
-		Print Languages, Std	HP PCL 6, HP PCL 5c (HP PCL 5c driver
Next Business	U6W63E		available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4),
Day Onsite with DMR: 4			Apple AirPrint™
years		Printer Management	HP Web Jetadmin, HP Utility (Mac)
-		Display Type	8.07-inch (20.5 cm) touchscreen color graphic
Next Business	U6W64E	Display Type	display (CGD)
Day Onsite			display (CGD)
with DMR: 5		SCANNER	
years			
Next Business	U6W71E	Scan Speed	Up to 14 ipm (black and white), up to 14 ipm
Day Onsite			(color) from ADF; ⁵ up to 30 ppm (black and
Call-to-Repair			white), up to 30 ppm (color) from Normal speed,
with DMR: 3			letter
years		Scan Resolution, Enhanced	Up to 600 dpi
Next Business		Scan Resolution, Optical	Up to 600 dpi
Day Onsite	U6W72E	Grayscale Levels	256
Call-to-Repair			
with DMR: 4		COPIER	
years			
-		Copy Speed, Max, Black	Up to 30 cpm
Next Business	U6W73E	Copy Speed, Max, Color	Up to 30 cpm
Day Onsite		Copy Resolution, Black Text	Up to 600 x 600 dpi
Call-to-Repair		Copy Resolution, Black Graphics	Up to 600 x 600 dpi
with DMR: 5		Copy Resolution, Color Text And Graphics	•
years		Copier Settings	Sides, collate, paper selection, color/black,
Second	U6W74E		reduce/enlarge, image adjustment, content
Business Day			orientation, pages per sheet, booklet formate,
Onsite Call-to-			dge to edge, optimize text/picture, original size,
Repair with			job build
DMR: 3 years		Number Of Copies, Max	9999
Second		Copier Reduce/Enlarge	25–400%
Business Day	U6W75E	EAX	
Onsite Call-to-		FAX	
Repair with		Fax Speed	3 sec per page ⁶
DMR: 4 years		Fax Resolution, Best	Up to 300 x 300 dpi (400 x 400 dpi for received
		T UN INSOINTION, DESL	


Second			faxes only)
Business Day	U6W76E	PC Fax Interface	Yes
Onsite Call-to-		Speed Dialing, Max Numbers	100 numbers (each with 100 destinations)
Repair with		Fax Forwarding	Yes
DMR: 5 years		Fax Blocking	Yes
Maintenance			100
Kit	U6Y79E	DIGITAL SENDING	
Replacement Service (Fuser)		Digital Sending Features, Std	Scan to e-mail; Save-to-Network Folder; Save- to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
Maintenance Kit Replacement Service (Transfer)	U6Y83E	Digital Sending Features, Opt	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send- to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Maintenance Kit Replacement Service (ADF)	U6Y84E	Digital Sending File Formats	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Post Warranty Service,	UU927PE	GENERAL	
Remote User		Duty Cycle, Monthly	Up to 120,000 pages ^ℤ
Assistance			2,500 to 7,500 pages ⁸
Support: 1		Recommended Monthly Volume	
year		ADF Capacity	100 sheets
Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year	U6W79PE	Media Types	Paper (plain, light, bond, recycled, mid-weight, heavy, extra heavy, mid-weight glossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, HP tough paper, opaque film, user-defined
Post Warranty Service, Same Day Onsite, Extended Business	U6W80PE	Media Sizes, Std	Tray 1: Letter, letter-R, executive, legal, statement, 8.5 x 13 in, 11 x 17 in, 12 x 18 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No 10, Monarch); tray 2, 3, 4, 5: Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in
Hours: 1 year Post Warranty Service, Next Business Day Onsite: 2 years	U6W78PE	Media Sizes, Std, Metric	Tray 1: A3; A4; A4R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 8K; 16K; Postcard (JIS); Dpostcard (JIS); envelopes (B5, C5, C6, DL); tray 2, 3, 4, 5: A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); 8K; 16K; Dpostcard (JIS)
Post Warranty Service, Next Business Day	U6W81PE	Media Sizes, Custom	Tray 1: 3 x 5 in to 12.6 x 18.5 in; tray 2: 5.83 x 7.16 in to 11.7 x 17 in; tray 3, 4, 5: 8.27 x 5.26 in to 11.7 x 17 in
Onsite with DMR: 1 year Post Warranty	U6W84PE	Media Sizes, Custom, Metric	Tray 1: 76 x 127 to 320 x 470 mm; tray 2: 148 to 182 to 297 x 432 mm; tray 3, 4, 5: 210 x 148 to 297 x 432 mm; (maximum print width is 312 mm on media sizes up to 320 mm)
Service, Next Business Day Onsite Call-to- Repair with DMR: 1 year		Media Weights	Tray 1: 16 to 58 lb (plain), 28 to 58 lb (glossy), 43 to 58 lb (cardstock, card glossy); tray 2: 16 to 58 lb (plain), 28 to 34 lb (glossy), 43 to 58 lb (card glossy); trays 3, 4, 5: 16 to 47 lb (plain), 28 to 53 lb (glossy), 47 to 58 lb (card glossy)
Post Warranty Service, Second Business Day Onsite Call-to- Repair with	U6W85PE	Media Weights, Metric	Tray 1: 60 to 220 g/m ² (plain), 105 to 220 g/m ² (glossy); 163 to 220 g/m ² (cardstock, card glossy); tray 2: 60 to 130 g/m ² (plain), 105 to 200 g/m ² (glossy), 176 to 220 g/m ² (card glossy); trays 3, 4, 5: 60 to 175 g/m ² (plain), 105 to 220 g/m ² (glossy)
DMR: 1 year		Connectivity, Std	Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface (FIH), Hardware Integration Pocket (HIP Pocket), 2 Internal USB 2.0 Host, Fax port

Mobile Printing CapabilityHP ePrint, Apple AirPrint™Memory, Std1536 MBMemory, Max1536 MBHard Disk DriveStandard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)Power Supply TypeBuilt-in power supplyPower Supply RequiredInput voltage: 110 to 127 VAC (+/ 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)Power Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off) [®] Typical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesMac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Dimensions, Metric856 x 760 x 1553 mmShipping Dimensions, Metric26.7 kgPallet Dimensions, Metric276.7 lbShipping Veight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmShipping Veight, Metric126.7 kgPallet Uimensions126.7 kgPallet Weight276.7 lbPallet Weight Per Pallet1	Connectivity, Opt	HP Jetdirect wireless print drivers
Memory, Max1536 MBHard Disk DriveStandard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)Power Supply TypeBuilt-in power supply Power Supply RequiredPower Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off) ^a Typical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 in Shipping Weight, MetricShipping Weight, Metric126.7 kgPallet Dimensions, Metric276.7 lbPallet Weight, Metric276.7 lbPallet Weight, Metric126.7 kg	Mobile Printing Capability	HP ePrint, Apple AirPrint™
Hard Disk DriveStandard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)Power Supply TypeBuilt-in power supply Input voltage: 110 to 127 VAC (+/-10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)Power Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off)gTypical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric236.7 x 29.9 x 61.1 inPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight, Metric126.7 kg	Memory, Std	1536 MB
Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)Power Supply TypeBuilt-in power supply Input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)Power Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off) ⁹ Typical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric276.7 lbShipping Weight, Metric276.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg		1536 MB
Power Supply RequiredInput voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)Power Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off)ªTypical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesMac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight, Metric126.7 kg		Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
(+/- 3 Hz), 60 Hz (+/- 3 Hz)Power Consumption686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off)9Typical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesMac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Dimensions, Metric856 x 760 x 1553 mmShipping Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg		
watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off)ªTypical Electricity Consumption (TEC)5.421 kWh/WeekENERGY STAR® QualifiedYesMac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg	Power Supply Required	
ENERGY STAR® QualifiedYesMac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions32.7 x 29.9 x 61.1 inPallet Dimensions276.7 lbPallet Weight276.7 lbPallet Weight276.7 lbPallet Weight276.7 lb	Power Consumption	watts (Ready), 14.8 watts (Sleep), 0.5 watts
Mac CompatibleYesDimensions (W x D x H)39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight276.7 lb	Typical Electricity Consumption (TEC)	5.421 kWh/Week
Dimensions (W x D x H) 39.8 x 45.6 x 60.8 in (maximum), 29.3 x 26.3 x 47.2 in (minimum) Weight 237.4 lb Dimensions, Metric 1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum) Weight, Metric 107.7 kg Shipping Dimensions 33.7 x 29.9 x 61.1 in Shipping Weight 276.7 lb Shipping Weight, Metric 126.7 kg Pallet Dimensions, Metric 857 x 760 x 1553 mm Pallet Dimensions, Metric 857 x 760 x 1553 mm Pallet Weight 276.7 lb Pallet Weight 126.7 kg Pallet Dimensions 32.7 x 29.9 x 61.1 in Pallet Weight 276.7 lb	ENERGY STAR® Qualified	Yes
47.2 in (minimum)Weight237.4 lbDimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric126.7 kgPallet Weight276.7 lbPallet Weight276.7 lbPallet Weight276.7 lbPallet Weight, Metric126.7 kg	Mac Compatible	Yes
Dimensions, Metric1012 x 1158 x 1544 mm (maximum), 745 x 668 x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric126.7 kgPallet Weight276.7 lbPallet Weight, Metric126.7 kg	Dimensions (W x D x H)	
x 1198 mm (minimum)Weight, Metric107.7 kgShipping Dimensions33.7 x 29.9 x 61.1 inShipping Weight276.7 lbShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric276.7 lbPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric857 x 760 x 1553 mmPallet Dimensions, Metric126.7 kgPallet Weight276.7 lbPallet Weight, Metric126.7 kg		237.4 lb
Shipping Dimensions $33.7 \times 29.9 \times 61.1$ inShipping Weight 276.7 lbShipping Dimensions, Metric $856 \times 760 \times 1553$ mmShipping Weight, Metric 126.7 kgPallet Dimensions $33.7 \times 29.9 \times 61.1$ inPallet Dimensions, Metric $857 \times 760 \times 1553$ mmPallet Dimensions, Metric 276.7 lbPallet Weight 276.7 lbPallet Weight, Metric 126.7 kg	Dimensions, Metric	
Shipping Weight276.7 lbShipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions33.7 x 29.9 x 61.1 inPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg	Weight, Metric	107.7 kg
Shipping Dimensions, Metric856 x 760 x 1553 mmShipping Weight, Metric126.7 kgPallet Dimensions33.7 x 29.9 x 61.1 inPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg		33.7 x 29.9 x 61.1 in
Shipping Weight, Metric126.7 kgPallet Dimensions33.7 x 29.9 x 61.1 inPallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg		
Pallet Dimensions 33.7 x 29.9 x 61.1 in Pallet Dimensions, Metric 857 x 760 x 1553 mm Pallet Weight 276.7 lb Pallet Weight, Metric 126.7 kg		856 x 760 x 1553 mm
Pallet Dimensions, Metric857 x 760 x 1553 mmPallet Weight276.7 lbPallet Weight, Metric126.7 kg	Shipping Weight, Metric	126.7 kg
Pallet Weight276.7 lbPallet Weight, Metric126.7 kg		
Pallet Weight, Metric 126.7 kg	•	
Quantity Per Pallet 1	. .	•
	Quantity Per Pallet	1

HP LaserJet Enterprise 700 color MFP M775



ADF Color graphic display Stapler/stacker Output tray Tray 1 100-sheet multipurpose Tray 2 250-sheet Tray 3 with cabinet 3,500 sheet



Jetdirect Products

<u>HP Jetdirect 2800w NFC/Wireless Direct Accessory</u> (J8029A) <u>HP Jetdirect ew2500 802.11b/g Wireless Print Server</u> (J8021A) <u>HP Jetdirect 2700w USB Wireless Print Server</u> (J8026A)

Accessories

HP 650 LaserJet Printing Supplies

HP Color LaserJet CE980A Toner Collection Unit (CE980A)

HP Digital Sending Software

HP Digital Sending Software 5.0 (HPDSS5)

HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

Maintenance kits

HP LaserJet CE514A 110V Maintenance Kit (CE514A) HP LaserJet CE515A 220V Maintenance Kit (CE515A) HP 100 ADF Roller Replacement Kit (L2718A)

LaserJet font solutions

HP BarCode Printing Solution (HG271TT)

HP MICR Printing Solution - USB (HG277TT) HP BarCodes and More v.2 - USB (HG281TS) HP Scalable BarCodes v.2 - USB (HG282TT) HP MICR Font v.2 - USB (HG283TS)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 651A Black Original LaserJet Toner Cartridge (CE340A) HP 651A Cyan Original LaserJet Toner Cartridge (CE341A) HP 651A Yellow Original LaserJet Toner Cartridge (CE342A) HP 651A Magenta Original LaserJet Toner Cartridge (CE343A) HP LaserJet CE516A Transfer Kit (CE516A)

Compatible Paper Products

Top Recommended Papers

Top Recommended Pa	apers		
HP Premium Glossy P	Presentation Paper		
8.5 x 11 in	32 lb	250 sheets	CG988A
11 x 17 in	32 lb	250 sheets	Q2547A
HP Laser Glossy Broo	hure Paper		
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
			decorni
HP Premium Choice L	-		
8.5 x 11 in	32 lb	3000 (500 sheets/6 reams)	<u>HPU1132</u>
HP Brochure and Pres			
HP Premium Glossy P			
8.5 x 11 in	32 lb	250 sheets	<u>CG988A</u>
11 x 17 in	32 lb	250 sheets	<u>Q2547A</u>
HP Laser Matte Broch	ure Paper		
8.5 x 11 in	52 lb	100 sheets	<u>Q8824A</u>
8.5 x 11 in	40 lb	150 sheets	Q6543A
HP Laser Glossy Tri-fo	old Brochure Paper		
8.5 x 11 in	40 lb	150 sheets	Q6612A
HP Laser Glossy Broo	chure Paper		
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
HP Everyday Papers HP Premium Choice L	aser Paper		
8.5 x 11 in	32 lb	3000 (500 sheets/6 reams)	HPU1132
HP LaserJet Paper			
8.5 x 11 in	24 lb	5000 (500 sheets/10 reams)	HPJ1124
8.5 x 11 in	24 lb	2500 (500 sheets/5 reams)	HPJ115RC

HP All-in-One Printing Paper

8.5 x 11 in	22 lb	500 sheets	<u>HPT1122</u>
8.5 x 11 in	22 lb	2,500 sheets	<u>HPT115</u>

HP Multipurpose Paper

8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
11 x 17 in	20 lb	500 sheets	HPM1720
HP Office Paper			

HP Office Papel 8.

8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
· · ·			

8.5 x 14 in	20 lb	500 sheets	HPC8514
11 x 17 in	20 lb	500 sheets	HPC1117
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2500	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Pa	ber		
8.5 x 11 in	20 lb	5000	HPBC11
HP Everyday Copy and	l Print Paper		
8.5 x 11 in	20 lb	5000	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise 700 color MFP M775dn.
- 2. Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.
- 3. HP Digital Sending Software must be purchased separately.
- 4. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 5. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance and application software.
- 6. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 7. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 8. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 9. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.