

HP Color LaserJet Enterprise flow M880z Multifunction Printer New



Ordering Information

Commercial model number:
A2W75A (BGJ/AAZ/201)

Canada model number:
A2W75A

Sidebar

In the box:

Print cartridge (1 each black, cyan, yellow, magenta)
Image drums (1 each black, cyan, magenta, yellow)
Software and documentation on CD-ROM
Power cord
HP Jetdirect Gigabit Ethernet Print Server (embedded)
100-sheet multipurpose tray 1
500-sheet input tray 2
Automatic duplexer (built-in)
Encrypted Hard Drive
Fax
Fax cable
3 x 500-sheet paper input

Software:

HP PCL 6 Discrete Printer Driver
Mac SW Link to Web (Mac Installer)
Windows Installer

Standard warranty:

1 year next business day onsite

Replaces

[HP Color LaserJet CM6030 Multifunction Printer](#) CE664A [Compare](#)

[HP Color LaserJet CM6030f Multifunction Printer](#) CE665A [Compare](#)

[HP Color LaserJet CM6040f Multifunction Printer](#) Q3939A [Compare](#)

HP Care Pack Options

Streamline and accelerate workflows across your business with a top-of-the-line enterprise MFP.

Accelerate business workflows and easily connect users throughout your office. Share documents without delay, using flexible send-to options. Complete big jobs fast, thanks to versatile paper-handling tools.



[Enlarge Image](#)

Boost productivity and avoid delays. Employees can scan two-sided documents in one pass and add professional finishing touches with minimal effort.

Eliminate the wires and complications from mobile printing. Enable easy printing from smartphones, tablets, and laptops at work, home, or on the go. Give users simple access through wireless direct printing and touch-to-print technology.^{1,2}

Help protect your printer investment and manage printing across the enterprise. Easily upgrade and add capabilities as your needs change. Manage the printing fleet from a single location. Expect high efficiency for the long term.

Compatible Operating Systems

Standard Desktop

Windows XP	32-bit/64-bit (SP2 or higher)
Windows Server 2003	32-bit/64-bit (SP1 or higher)
Windows Server 2008	32-bit/64-bit
Windows Server 2012	64-bit
Windows Vista®	32-bit/64-bit
Windows® 7	32-bit/64-bit
Windows® 8	32-bit/64-bit
Mac OS	Mac OS X v10.6.8, 10.7.5, 10.8
Other	For the latest operating system support see: Air Print (support.apple.com/kb/ht4356); Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX JetDirect (hp.com/go/jetdirectunix_software)

Additional Information

Sales

www.hp.com
[Data Sheet A2W75A](#)

Technical Support

www.hp.com/support

Third-party solutions

www.hpgsc.com

Reseller

<http://hp.com/partners/us>

Services

<http://www.hp.com/go/services>

Recommended Care Pack Services

Installation with Network Setup Service **U2014E**

Next Business Day Onsite with DMR: 3 years **U8D23E**

Optional Care Pack Services

Installation with Network Setup Service **U2014E**

Same Day Onsite, Standard Business Hours: 3 years **U8D17E**

Same Day Onsite, Standard Business Hours: 4 years **U8D19E**

Same Day Onsite, Standard Business Hours: 5 years **U8D21E**

Same Day Onsite, Extended Business Hours: 3 years **U8D18E**

Same Day Onsite, Extended Business Hours: 4 years **U8D20E**

Same Day Onsite, Extended Business Hours: 5 years **U8D22E**

Next Business Day Onsite with DMR: 3 years **U8D23E**

Next Business Day Onsite with DMR: 4 years **U8D24E**

Next Business Day Onsite with DMR: 5 years **U8D25E**

Next Business Day Onsite Call-to-Repair with DMR: 3 years **U8D32E**

Supplies and accessories

www.hp.com

Brand Specifications

PRINTER

Print Technology	Laser
AIO/MFP Functions	Color printing, color copy, color scanning, black and white faxing
Print Speed Black, Letter: ISO/Best Quality	Up to 45 ppm ⁴
Print Speed Color, Letter: ISO/Best Quality	Up to 45 ppm ⁴
First Page Out	As fast as 11 sec from Ready mode
Processor	800 MHz
Paper Trays, Std	5
Paper Trays, Max	5
Input Capacity, Std	2,100 sheets (100-sheet multipurpose tray, 4 x 500-sheet input tray)
Input Capacity, Max	2,100 sheets (75 g/m ² media)
Output Capacity, Std	500 sheets (75 g/m ² media)
Output Capacity, Max	3,000 sheets (75 g/m ² media) with an optional output device.
Envelope Input, Std	10
Envelope Feeder	No
Two-Sided Printing	Automatic (standard)
Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Print Quality, Black Best	Up to 1200 x 1200 dpi
Print Quality, Color Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ImageREt 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated
Print Cartridges	4 (1 each black, cyan, magenta, yellow)
Print Languages, Std	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Display Type	8" SVGA 800 x 600 dpi resolution capacitive-touch display with gesture support and extended keyboard

SCANNER

Scan Speed	Up to 85 ipm (black and white), up to 63 ipm (color) from ADF; ⁵ up to 70 ppm (black and white), up to 68 ppm (color) from Normal speed, letter
Scan Resolution, Enhanced	Up to 600 x 600 dpi
Scan Resolution, Optical	Up to 600 dpi
Grayscale Levels	256

COPIER

Copy Speed, Max, Black	Up to 45 cpm
Copy Speed, Max, Color	Up to 45 cpm
Copy Resolution, Black Text	Up to 600 x 600 dpi
Copy Resolution, Black Graphics	Up to 600 x 600 dpi
Copy Resolution, Color Text And Graphics	Up to 600 x 600 dpi

Next Business Day Onsite Call-to-Repair with DMR: 4 years

U8D33E

Next Business Day Onsite Call-to-Repair with DMR: 5 years

U8D34E

Second Business Day Onsite Call-to-Repair with DMR: 3 years

U8D35E

Second Business Day Onsite Call-to-Repair with DMR: 4 years

U8D36E

Second Business Day Onsite Call-to-Repair with DMR: 5 years

U8D37E

Maintenance Kit Replacement Service (ADF)

U0QR5E

Maintenance Kit Replacement Service (Fuser)

U0QR8E

Maintenance Kit Replacement Service (Transfer)

U0QS0E

Post Warranty Service, Remote User Assistance Support: 1 year

UU926PE

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

U8D40PE

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

U8D41PE

Post Warranty Service, Next Business Day Onsite: 2 years

U8D39PE

Copier Settings

Sides, collate, paper selection, color/black, reduce/enlarge, image adjustment, content orientation

Number Of Copies, Max

9999

Copier Reduce/Enlarge

25–400%

FAX

Fax Speed

13 sec per page

Fax Memory

Incoming fax can be stored to disk

Fax Resolution, Best

Up to 300 x 300 dpi

PC Fax Interface

Yes, PC fax send only

Speed Dialing, Max Numbers

100 numbers

Fax Forwarding

Yes

Fax Blocking

Yes, as blocked fax numbers

DIGITAL SENDING

Digital Sending Features, Std

Scan to e-mail; Save-to-Network Folder; Scan to SharePoint; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL

Digital Sending Features, Opt

Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management

Digital Sending File Formats

Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)

GENERAL

Duty Cycle, Monthly

Up to 200,000 pages⁶

Recommended Monthly Volume

5000 to 25,000 (pages)⁷

ADF Capacity

200 sheets (20 lb, 75 g/m²)

Media Types

Cut sheet paper, labels, transparencies, glossy paper, glossy film, photo media, tough paper, envelopes

Media Sizes, Std

Tray 1: Letter, letter-R, legal, executive, ledger (11 x 17), 8.5 x 13, 12 x 18, statement, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, 3 x 5 Index card, envelopes (No. 9, No.10, Monarch); tray 2: letter, letter-R, legal, executive, ledger (11 x 17), 8.5 x 13; tray 3, 4, 5: letter, letter-R, legal, executive, ledger (11 x 17), 8.5 x 13, 12 x 18

Media Sizes, Std, Metric

Tray 1: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (7.75 x 10.75), 16K (195 x 270), 16K (184 x 260), 16K (7.75 x 10.75), RA3, SRA3, A6, B6 (JIS), Photo 2L, DPostcard (JIS), B5, C5, C6, DL; tray 2: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), 8.5 x 13, RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K (7.75 x 10.75), 16K (195 x 270), 16K (184 x 260), 16K (7.75 x 10.75); tray 3, 4, 5: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), 8.5 x 13, RA4, SRA4, 8K (270 x 390), 8K (260 x 368), 8K(7.75 x 10.75), 16K (195 x 270), 16K (184 x 260), 16K

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

U8D42PE

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year

U0LV9PE

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

U0LW0PE

Media Sizes, Custom	(7.75 x 10.75), RA3, SRA3 Tray 1: 3 x 5 in to 12.6 x 18 in; tray 2: 5.8 x 8.3 in to 11.7 x 17 in; tray 3, 4, 5: 5.8 x 8.3 in to 12.6 x 18 in
Media Sizes, Custom, Metric	Tray 1: 76.2 x 127 to 320 x 457.2 mm; tray 2: 148 x 210 to 297 x 432 mm; tray 3, 4, 5: 148 x 210 to 320 x 457 mm
Media Weights	16 to 58 lb
Media Weights, Metric	60 to 220 g/m ²
Connectivity, Std	2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T, Foreign Interface, Hardware Integration Pocket (HIP), 2 Internal USB Host, Fax
Connectivity, Opt	HP Jetdirect external and wireless print servers
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional)
Memory, Std	1.5 GB
Memory, Max	1.5 GB
Hard Disk Drive	Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Power Supply Type	Built-in power supply
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 10.5 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A (Not dual voltage, power supply varies by part number with # Option code identifier)
Power Consumption	1100 watts (Printing), 1100 watts (Copying), 80 watts (Ready), 8.0 watts (Sleep), 1.2 watt (Auto-Off), 0.4 watts (Off) ⁸
Typical Electricity Consumption (TEC)	6.319 kWh/Week
ENERGY STAR® Qualified	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	39.4 x 31.5 x 47.2 in (maximum), 27.7 x 25 x 47.2 in (minimum)
Weight	332 lb
Dimensions, Metric	1000 x 800 x 1199 mm (maximum), 704 x 635 x 1199 mm (minimum)
Weight, Metric	150.6 kg
Shipping Dimensions	33.71 x 31.11 x 61.7 in
Shipping Weight	381.3 lb
Shipping Dimensions, Metric	856 x 790 x 1567 mm
Shipping Weight, Metric	173.33 kg
Pallet Dimensions	33.71 x 31.11 x 61.7 in
Pallet Dimensions, Metric	856 x 790 x 1567 mm
Pallet Weight	381.3 lb
Pallet Weight, Metric	173.33 kg
Quantity Per Pallet	1

Jetdirect Products

[HP Jetdirect 2800w NFC/Wireless Direct Accessory \(J8029A\)](#)

[HP Jetdirect 2700w USB Wireless Print Server \(J8026A\)](#)

Accessories

Paper-handling accessories

HP LaserJet Stapler/Stacker (A2W80A)

HP LaserJet Booklet Maker/Finisher with 2/3 hole punch (A2W84A)

HP Staple Cartridge Refill (C8091A)

HP 2-pack 2000-staple Cartridge (CC383A)

Maintenance kits

HP Color LaserJet 110 Volt Fuser Kit (C1N54A)

HP Color LaserJet 220 Volt Fuser Kit (C1N58A)

HP LaserJet ADF Roller Replacement Kit (C1P70A)
HP LaserJet Transfer and Roller Kit (D7H14A)

Other

HP LaserJet Smpd/Trdl Chns Ovrls Keybrd (A7W12A)
HP LaserJet Dnsh/Frnch/Ger Ovrls Keybrd (A7W13A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 827A Black Original LaserJet Toner Cartridge ([CF300A](#))
HP 827A Cyan Original LaserJet Toner Cartridge ([CF301A](#))
HP 827A Yellow Original LaserJet Toner Cartridge ([CF302A](#))
HP 827A Magenta Original LaserJet Toner Cartridge ([CF303A](#))
HP 828A Black LaserJet Image Drum ([CF358A](#))
HP 828A Cyan LaserJet Image Drum ([CF359A](#))
HP 828A Yellow LaserJet Image Drum ([CF364A](#))
HP 828A Magenta LaserJet Image Drum ([CF365A](#))

Compatible Paper Products

Top Recommended Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
11 x 17 in	32 lb	250 sheets	Q2547A

HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	HPU1132
-------------	-------	------------	-------------------------

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	CG988A
11 x 17 in	32 lb	250 sheets	Q2547A

HP Laser Matte Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q8824A
8.5 x 11 in	40 lb	150 sheets	Q6543A

HP Laser Glossy Tri-fold Brochure Paper

8.5 x 11 in	40 lb	150 sheets	Q6612A
-------------	-------	------------	------------------------

HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Everyday Papers

HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	HPU1132
-------------	-------	------------	-------------------------

HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R

HP All-in-One Printing Paper

8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115

HP Multipurpose Paper

8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
11 x 17 in	20 lb	500 sheets	HPM1720

HP Office Paper

8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
11 x 17 in	20 lb	500 sheets	HPC1117
8.5 x 11 in	20 lb	500 sheets	HPC8511R

HP Office Quickpack

8.5 x 11 in	20 lb	2,500 sheets	HP2500S
-------------	-------	--------------	-------------------------

HP Recycled Paper

8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C

HP Business Copy Paper

8.5 x 11 in	20 lb	500 sheets	HPBC11
-------------	-------	------------	------------------------

HP Everyday Copy and Print Paper

8.5 x 11 in	20 lb	500 sheets	HPA510
-------------	-------	------------	------------------------

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

1. Touch-to-print capability is standard in the HP Color LaserJet Enterprise flow MFP M880z+ D7P71A model, and may be added as an option to the HP Color LaserJet Enterprise M880z + A2W76A and M880z A2W75A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting.
2. Wireless direct printing is standard in the HP Color LaserJet Enterprise flow MFP M880z+ D7P71A model, and may be added as an option to the HP Color LaserJet Enterprise M880z + A2W76A and M880z A2W75A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.
3. Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to a HP Web-connected printer. App or software may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.
4. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
5. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance and application software.
6. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
7. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
8. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.