

HP Color LaserJet Enterprise M651dn Printer

New



Ordering Information

Commercial model number:
CZ256A (BGJ)

Canada model number:
CZ256A

Sidebar

In the box:

Print cartridges (1 each black, cyan, magenta, yellow)
Software drivers and documentation on CD-ROM
Documentation (Hardware Install Guide)
Power cord
HP Jetdirect Gigabit Ethernet embedded print server
100-sheet multipurpose tray 1
500-sheet input tray 2
Support flyer
Automatic duplexer (built-in)

Software:

Windows-compatible:

HP Installer/Uninstaller
HP PCL 6 print driver
Wizard
Scan to Folder Setup Wizard
Scan to e-mail setup Wizard
HP Send Fax
DXP (Device Experience)
HP Help & Learn Center
Product Registration Assist

Mac-compatible:

HP Installer/Uninstaller
HP Postscript driver
HP Utility
HP Alerts
HP Firmware Updater

Standard warranty:

1 year onsite

Replaces

[HP Color LaserJet Enterprise CP4525n Printer](#) CC493A [Compare](#)

[HP Color LaserJet Enterprise CP4525dn Printer](#) CC494A [Compare](#)

[HP Color](#) CC495A

Count on reliable performance and handle high-volume color printing in the office and on the go.

Achieve the results your business demands. Print high-quality color documents page after page and complete printing tasks with confidence.



Help workteams keep up with the pace of business—enable printing from any location in your office or on the go with mobile printing options.

Make a smart investment with a printer that can change with the times. Easily upgrade and extend solutions—and keep sensitive data safe.

Keep work moving—and spend less time reloading supplies—with high-capacity cartridges and room for up to 3100 sheets. This printer's intuitive color touchscreen makes job setup quick and simple.¹



[Enlarge Image](#)

Compatible Operating Systems

Standard Desktop

Windows XP	32/64-bit (SP3 or greater)
Windows Server 2003	32/64-bit (SP2 or greater)
Windows Server 2008	32/64-bit
Windows Server 2012	64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Windows® 8	32/64-bit
Mac OS	Mac OS X v 10.6, 10.7, 10.8, 10.9
Other	For the latest operating system support see: Air Print http://support.apple.com/kb/ht4356 , Android Citrix and Windows® Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver http://www.hp.com/go/eprintsoftware , Linux (http://www.hplip.net), Novell (http://www.novell.com/iprint), SAP device types http://www.hp.com/go/sap/drivers , SAP Print http://www.hp.com/go/sap/print , UNIX http://www.hp.com/go/unix , UNIX JetDirect http://www.hp.com/go/jetdirectunix_software , Unix Model Scripts http://www.hp.com/go/unixmodelscripts

Additional Information

Sales

www.hp.com
[Data Sheet 4AA5-0559ENUC](#)

Technical Support

www.hp.com/support

Third-party solutions

www.hpgsc.com

Reseller

<http://hp.com/partners/us>

Services

<http://www.hp.com/go/services>

Brand Specifications

PRINTER

Print Technology	Laser
Print Speed Black, Letter:	
ISO/Best Quality	Up to 45 ppm ²
Print Speed Color, Letter:	
ISO/Best Quality	Up to 45 ppm ²
First Page Out	As fast as 9.0 sec from Ready mode
Processor	800 MHz
Paper Trays, Std	2
Paper Trays, Max	5
Input Capacity, Std	600 sheets (500-sheet input tray, 100-sheet multi-purpose tray, automatic two-sided printing)
Input Capacity, Max	3,100 sheets
Output Capacity, Std	500 sheets
Output Capacity, Max	500 sheets
Envelope Input, Std	10
Envelope Feeder	No
Two-Sided Printing	Automatic (standard)
Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Prints Color	Yes
Print Quality, Color Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP ImageRet 4800, 600 x 600 dpi, HP ProRes 1200 (1200 x 1200 dpi), Pantone® Calibrated
Print Languages, Std	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF and AirPrint (URF and PDF)
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Display Type	4.3-inch (10.9 cm) resistive touchscreen WQVGA (480 x 272 resolution) with Home button

GENERAL

Duty Cycle, Monthly	Up to 120,000 pages
Recommended Monthly Volume	2,000 to 17,000 pages
Media Types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy, preprinted, prepunched, colored, rough), color transparency, labels, letterhead, envelope, opaque film
Media Sizes, Std	Multipurpose tray: letter, legal, 5 x 8 in, 8.5 x 13 in, statement, executive, postcard, 3 x 5 in, 4 x 6 in, envelopes (No. 9, No. 10, Monarch), 500-sheet input trays: letter, legal, 5 x 8 in, 8.5 x 13 in, statement, executive
Media Sizes, Std, Metric	Multipurpose tray: A4; A5; A6; B5 (JIS); B6 (JIS); 16K; postcard; Dpostcard; envelopes (C5, B5, C6, DL, ISO); 500-sheet input trays: A4; A5; B5 (JIS); 16K
Media Sizes, Custom	Multipurpose tray: 3 x 5 in to 8.5 x 14 in; 500-sheet input trays: 5.83 x 8.27 in to 8.5 x 14 in; optional HP Postcard Media Insert Tray (must be installed in tray 2): 4 x 6 in
Media Sizes, Custom, Metric	Multipurpose tray: 76 x 127 to 216 x 356 mm;

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service **H2872E**

Next Business Day Onsite with DMR: 3 years **U1UJ8E**

Optional Care Pack Services

Installation with Network Setup Service **H2872E**

Same Day Onsite, Standard Business Hours: 3 years **U1UJ2E**

Same Day Onsite, Standard Business Hours: 4 years **U1UJ4E**

Same Day Onsite, Standard Business Hours: 5 years **U1UJ6E**

Same Day Onsite, Extended Business Hours: 3 years **U1UJ3E**

Same Day Onsite, Extended Business Hours: 4 years **U1UJ5E**

Same Day Onsite, Extended Business Hours: 5 years **U1UJ7E**

Next Business Day Onsite with DMR: 3 years **U1UJ8E**

Next Business Day Onsite with DMR: 4 years **U1UJ9E**

Next Business Day Onsite with DMR: 5 years **U1UK0E**

Next Business Day Onsite Call-to-Repair with DMR: 3 years

U1UK4E

Next Business Day Onsite Call-to-Repair with DMR: 4 years

U1UK5E

Next Business Day Onsite Call-to-Repair with DMR: 5 years

U1UK6E

Second Business Day Onsite Call-to-Repair with DMR: 3 years

U1UK7E

Second Business Day Onsite Call-to-Repair with DMR: 4 years

U1UK8E

Second Business Day Onsite Call-to-Repair with DMR: 5 years

U1UK9E

Maintenance Kit Replacement Service (Transfer)

U1ZQ9E

Maintenance Kit Replacement Service (Fuser)

U1ZR0E

Post Warranty Service, Remote User Assistance Support: 1 year

HC130PE

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

U1UL2PE

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

U1UL3PE

Post Warranty Service, Next Business Day

U1UL1PE

	500-sheet input trays: 148 x 210 to 216 x 356 mm; optional HP Postcard Media Insert Tray (must be installed in tray 2): 10 x 15 cm
Media Weights	Multipurpose tray: 16 to 58 lb; 500-sheet input trays, automatic two-sided printing unit: 16 to 32 lb plain paper; 28 to 58 lb glossy paper
Media Weights, Metric	Multipurpose tray: 60 to 220 g/m ² , 500-sheet input trays, automatic two-sided printing unit: 60 to 120 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper)
Connectivity, Std	Hi-Speed device USB 2.0, 2 Host USB 2.0 (for third party connections), Accessory (for Kensington Lock), Ethernet
Connectivity, Opt	HP Jetdirect internal and wireless print servers
Mobile Printing Capability	HP ePrint, Optional Wireless direct printing, Apple AirPrint™, Mobile Apps
Memory, Std	1.5 GB (system memory)
Memory, Max	1.5 GB (system memory)
Hard Disk Drive	None
Power Supply Type	Built-in power supply
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Power Consumption	Printing: 650 watts, Manual Off: 0.1 watts, Sleep: 8.5 watts, Ready: 67 watts, Auto-Off/Manual On: 0.1W, Auto off/Wake on LAN: 1.9 watts ³
Typical Electricity Consumption (TEC)	4.7 kWh/Week
ENERGY STAR® Qualified	Yes
Mac Compatible	Yes
Dimensions (W x D x H)	32.3 x 34 x 20.5 in (maximum), 21.7 x 20.5 x 18 in (minimum)
Weight	86.2 lb
Dimensions, Metric	819 x 863 x 521 mm (maximum), 550 x 520 x 455 mm (minimum)
Weight, Metric	39.1 kg
Shipping Dimensions	29.5 x 26.7 x 23.5 in
Shipping Weight	98.1 lb
Shipping Dimensions, Metric	750 x 678 x 597 mm
Shipping Weight, Metric	44.6 kg
Pallet Dimensions	30.3 x 54.7 x 99.5 in
Pallet Dimensions, Metric	770 x 1890 x 2526 mm
Pallet Weight	834 lb
Pallet Weight, Metric	380 kg
Quantity Per Pallet	8

Jetdirect Products

[HP 1200w NFC/Wireless Mobile Print Accessory \(E5K46A\)](#)
[HP Jetdirect 2800w NFC/Wireless Direct Accessory \(J8029A\)](#)
[HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)
[HP Jetdirect 2700w USB Wireless Print Server \(J8026A\)](#)

Accessories

Paper-handling accessories

HP Postcard Media Insert Tray (CC497A)
HP LaserJet 500-sheet Paper Tray (CZ261A)
HP 2x500/1x1500-sheet Paper Feeder and Stand (CZ263A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 648A Toner Collection Unit ([CE265A](#))
HP 652A Black Original LaserJet Toner Cartridge ([CF320A](#))

Onsite: 2 years

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

U1UL4PE

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year

U1UL6PE

Post Warranty Service, Second Business Day Onsite Call-to-Repair with DMR: 1 year

U1UL7PE

HP 654X High Yield Black Original LaserJet Toner Cartridge ([CF330X](#))
HP 654A Cyan Original LaserJet Toner Cartridge ([CF331A](#))
HP 654A Yellow Original LaserJet Toner Cartridge ([CF332A](#))
HP 654A Magenta Original LaserJet Toner Cartridge ([CF333A](#))
HP Color LaserJet CE246A 110V Fuser Kit ([CE246A](#))
HP Color LaserJet CE247A 220V Fuser Kit ([CE247A](#))
HP Color LaserJet CE249A Image Transfer Kit ([CE249A](#))

Compatible Paper Products

Top Recommended Papers

HP Premium Glossy Presentation Paper			
8.5 x 11 in	32 lb	250 sheets	CG988A
HP Laser Glossy Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
HP Premium Choice Laser Paper			
8.5 x 11 in	32 lb	500 sheets	HPU1132

HP Brochure and Presentation Papers

HP Premium Glossy Presentation Paper			
8.5 x 11 in	32 lb	250 sheets	CG988A
HP Laser Matte Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q8824A
8.5 x 11 in	40 lb	150 sheets	Q6543A
HP Laser Glossy Tri-fold Brochure Paper			
8.5 x 11 in	40 lb	150 sheets	Q6612A
HP Laser Glossy Brochure Paper			
8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A

HP Everyday Papers

HP Premium Choice Laser Paper			
8.5 x 11 in	32 lb	500 sheets	HPU1132
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Paper			
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	HPT115
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C

HP Business Copy Paper

8.5 x 11 in

20 lb

500 sheets

[HPBC11](#)**HP Everyday Copy and Print Paper**

8.5 x 11 in

20 lb

500 sheets

[HPA510](#)

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1 . Maximum paper capacity requires purchase of additional paper trays for the HP Color LaserJet Enterprise M651n and HP Color LaserJet Enterprise M651dn.
- 2 . Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 3 . Values subject to change. Power numbers are the highest values measured using all standard voltages. See <http://www.hp.com/support> for current information.