HP Officejet Enterprise Color X585f Multifunction Printer New



Ordering Information

Commercial model number: B5L05A (BGJ)

Canada model number: B5L05A (BGJ)

Sidebar

In the box:

4 introductory Officejet print cartridges (1 each black, cyan, magenta, yellow)
Hardware Install Guide
Warranty card
Power cord
Software and electronic documentation on CD-ROM
Fax

Software:

HP PCL 6 Discrete Printer Driver Mac Software Link to Web (Mac Installer) Windows Installer

Standard warranty:

1 year onsite; 1 year technical phone support, chat, and e-mail

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service

H2872E

Next Business
Day Onsite

U1PC8E

with DMR: 3 years

Optional Care Pack Services

Installation with Network Setup Service

H2872E

Same Day Onsite, Standard Business Hours: 3 years

U1PC2E

Same Day Onsite, Standard

Business

U1PC4E

An HP Officejet for the enterprise—up to twice the speed and half the cost per page of lasers.^{1,2}

Keep productivity high while keeping your bottom line in mind. These powerful HP MFPs deliver color documents at up to twice the speed and half the cost per page of color lasers. 12 Proven HP PageWide Technology makes it possible.

Designed for the demands of business, this MFP delivers the enterprise features you need. Make it easy on IT, with advanced security and management solutions, easy upgrades and mobile printing options.

Bolster your fleet with an MFP that goes the distance. Load large projects and let it handle the job while employees move on with business. Like an HP LaserJet, this MFP is built to last.



🔍 Enlarge Image

Compatible Operating Systems

Standard Desktop

| Windows XP | 32/64-bit (SP3 or higher) |
|---------------------|---|
| Windows Server 2003 | 32/64-bit (SP2 or higher) |
| Windows Server 2008 | 32/64-bit |
| Windows Server 2012 | 64-bit |
| Windows Vista® | 32/64-bit |
| Windows® 7 | 32/64-bit |
| Windows® 8 | 32/64-bit |
| Mac OS | Mac OS X v10.6, 10.7, 10.8 |
| Other | For the latest operating system support see: Air Print http://support.apple.com/kb/ht4356; Android; Citrix and Windows Terminal Services (http://www.hp.com/go/upd); HP ePrint Software Driver http://www.hp.com/go/eprintsoftware; Linux (http://www.hplip.net); Novell (http://www.novell.com/iprint); SAP device types http://www.hp.com/go/sap/drivers; SAP Print http://www.hp.com/go/sap/print); UNIX Http://www.hp.com/go/letdirectunix_software; Unix Model Scripts http://www.hp.com/go/unixmodelscripts |

Additional Information

| Sales | www.hp.com |
|--------------------------|-------------------------------|
| | Data Sheet 4AA5-1785ENUC |
| Technical Support | www.hp.com/support |
| Third-party solutions | www.hpgsc.com |
| Reseller | http://hp.com/partners/us |
| Services | http://www.hp.com/go/services |
| Supplies and accessories | www.hp.com |

| Hours: 4 years | | | |
|---|----------|--|--|
| Same Day | U1PC6E | Brand Specifications | |
| Onsite, Standard | | PRINTER | |
| Business Hours: 5 years | | Print Technology | HP Pagewide Technology with pigmented inks |
| Same Day | U1PC3E | AIO/MFP Functions | Color printing, color copying, color scanning, color faxing |
| Onsite, | O II OOL | Print Speed Black, Letter: | Color laxing |
| Extended | | ISO/Best Quality | Up to 44 ppm laser comparable ³ |
| Business | | Draft Quality | Up to 72 ppm³ |
| Hours: 3 years | | Print Speed Color, Letter: | |
| Same Day | U1PC5E | ISO/Best Quality | Up to 44 ppm laser comparable ³ |
| Onsite, | | Draft Quality | Up to 72 ppm ³ |
| Extended | | First Page Out | As fast as 10 sec from Ready mode |
| Business Hours: 4 years | | Processor | 796 MHz |
| _ | | Paper Trays, Std | 2 |
| Same Day | U1PC7E | Paper Trays, Max | 3 |
| Onsite, | | Input Capacity, Std | 550 sheets |
| Extended Business | | Input Capacity, Max | 1,050 sheets |
| Hours: 5 years | | Output Capacity, Std | 300 sheets |
| _ | | Output Capacity, Max Envelope Input, Std | 300 sheets 30 |
| Next Business | U1PC8E | Envelope Input, Std Envelope Feeder | No |
| Day Onsite with DMR: 3 | | Two-Sided Printing | Automatic (standard) |
| years | | Typefaces | 105 internal TrueType fonts scalable in HP PCL, |
| Next Business Day Onsite with DMR: 4 years | U1PC9E | Турстассэ | 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via |
| Next Business Day Onsite with DMR: 5 | U1PD0E | Drint Quality Block Boot | third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http:// www.hp.com/go/laserjetfonts |
| years Next Business Day Onsite Call-to-Repair with DMR: 3 | U1PD4E | Print Quality, Black Best | Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium Inkjet Presentation Paper Matte, and HP Inkjet Brochure Paper Matte and 600 x 600 input dpi) |
| years Next Business | U1PD5E | Print Quality, Color Best | Up to 2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi) |
| Day Onsite | O II D3L | Print Cartridges | 4 (1 each black, cyan, magenta, yellow) |
| Call-to-Repair | | Print Languages, Std | HP PCL 6, HP PCL 5c (HP PCL 5c driver |
| with DMR: 4 years | | | available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4) |
| Next Business | U1PD6E | Printer Management | HP Web Jetadmin, HP Utility (Mac) |
| Day Onsite Call-to-Repair | O II BOL | Display Type | 8.0-inch (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) |
| with DMR: 5 years | | SCANNER | |
| Second Business Day Onsite Call-to- | U1PD7E | Scan Speed | Up to 44 ipm (black and white); up to 44 ipm (color); duplex: up to 16 ipm (black and white), up to 16 ipm (color) |
| Repair with | | Scan Resolution, Enhanced | Up to 600 dpi |
| DMR: 3 years | | Scan Resolution, Optical | Up to 600 dpi |
| Second | U1PD8E | Grayscale Levels | 256 |
| Business Day | | Scan to E-mail | Yes |
| Onsite Call-to- | | COPIER | |
| Repair with DMR: 4 years | | | |
| - | | Copy Speed, Max, Black | Up to 72 cpm; up to 44 cpm laser comparable |
| Second | U1PD9E | Copy Speed, Max, Color | Up to 72 cpm; up to 44 cpm laser comparable |
| Business Day Onsite Call-to- Repair with | | Copy Resolution, Black Text | Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF) |

| DMR: 5 years | | Copy Resolution, Black Graphics | Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi |
|--|---------|--|---|
| Maintenance Kit | U1W21E | Copy Resolution, Color Text And Graphics | (ADF) Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF) |
| Replacement Service (Drum) | | Copier Settings | Two-sided copying, scalability, image adjustments (darkness, contrast, background |
| Post Warranty Service, Remote User | HC130PE | | cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage |
| Assistance | | Number Of Copies, Max | 9999 |
| Support: 1 year | | Copier Reduce/Enlarge | 25–400% |
| Post Warranty | U1PE2PE | FAX | |
| Service, Same | | Fax Speed | 3 sec per page |
| Day Onsite, | | Fax Memory | Not available |
| Standard Business Hours: 1 year | | Fax Resolution, Best | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) |
| riours. I year | | PC Fax Interface | Yes |
| Post Warranty | U1PE3PE | Speed Dialing, Max Numbers | 9,999 numbers |
| Service, Same | | Fax Forwarding | Yes |
| Day Onsite, | | Fax Blocking | Yes |
| Extended Business | | | res |
| Hours: 1 year | | DIGITAL SENDING | |
| Post Warranty Service, Next Business Day | U1PE1PE | Digital Sending Features, Std | Scan to E-mail; Save-to-Network Folder; Save- to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL |
| Onsite: 2 years Post Warranty Service, Next Business Day | U1PE4PE | Digital Sending File Formats | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| Onsite with DMR: 1 year | | GENERAL | |
| Post Warranty | U1PE6PE | Duty Cycle, Monthly | Up to 75,000 pages ⁴ |
| Service, Next | | Recommended Monthly Volume | 2,000 to 6,000 pages ⁵ |
| Business Day | | - | 50 sheets |
| Onsite Call-to- | | ADF Capacity | |
| Repair with DMR: 1 year | | Media Types | Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, |
| Post Warranty Service, Second Business Day Onsite Call-to- | U1PE7PE | | soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) |
| Repair with DMR: 1 year | | Media Sizes, Std | Tray 1: Letter, oficio, legal, statement, executive, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); tray 2: letter, statement, executive, envelopes (No. 10); optional tray 3: |
| | | - N. I. O. O. I. N. I. | letter, oficio, legal, statement, executive |
| | | Media Sizes, Std, Metric | Tray 1: Oficio; A4; A5; A6; B5 (JIS); B6 (JIS); 16K; 10 x 15 cm; L; Hagaki; envelopes (B5; C5; C6; DL; Chou #3; Chou #4); tray 2: A4; A5; B5 (JIS); 16K; envelopes (DL; B5; C5; Chou #3); optional tray 3: A4; A5; B5 (JIS); 16K |
| | | Media Sizes, Custom | Tray 1: 3 x 5 in to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in |
| | | Media Sizes, Custom, Metric | Tray 1: 76 x 127 to 216 x 356 mm; tray 2: 102 x 210 to 216 x 297 mm; optional tray 3: 102 x 210 to 216 x 356 mm |
| | | Media Weights | Tray 1: 16 to 32 lb (plain paper), 33 to 80 lb (photo), 20 to 24 lb (envelope), 32 to 48 lb (brochure), 90 to 110 lb (card); tray 2: 16 to 32 lb (plain paper), 33 to 66 lb (photo), 20 to 24 lb (envelope), 32 to 48 lb (brochure), 90 to 110 lb |

| | (card); optional tray 3: 16 to 32 lb (plain paper), 33 to 66 lb (photo), 32 to 48 lb (brochure), 90 to 110 lb (card) |
|---|--|
| Media Weights, Metric | Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); tray 2: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 75 to 90 g/m² (envelope), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card); optional tray 3: 60 to 120 g/m² (plain paper), 125 to 250 g/m² (photo), 120 to 180 g/m² (brochure), 163 to 200 g/m² (card) |
| Connectivity, Std | 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface, Hardware Integration Pocket, 2 Internal USB Host, FAX modem port |
| Connectivity, Opt | HP Jetdirect external and wireless print servers; 802.11b/g/n wireless LAN (station mode), networking accessory, 802.11b/g wireless LAN (Access Point Mode) networking accessory |
| Mobile Printing Capability | HP ePrint, Apple AirPrint™, Mobile Apps, optional Touch to Print, optional Wireless Direct printing |
| Memory, Std | 1792 MB (system memory) |
| Memory, Max | 1792 MB (system memory) |
| Hard Disk Drive | Standard, 320 GB |
| Power Supply Type | Internal (Built-in) power supply |
| Power Supply Required | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) |
| Power Consumption | 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) ⁶ |
| Typical Electricity Consumption (TEC) | 2.8 kWh/Week (Energy Star); 1.9 kWh/Week (Blue Angel) |
| ENERGY STAR® Qualified | Yes |
| Mac Compatible | Yes |
| Dimensions (W x D x H) | 31.5 x 26.4 x 23.8 in (maximum), 21 x 21.5 x 22.6 in (minimum) |
| Weight | 80 lb |
| Dimensions, Metric | 800 x 670 x 604 mm (maximum), 533 x 546 x 574 mm (minimum) |
| Weight, Metric | 36.3 kg |
| Shipping Dimensions | 27.9 x 25.1 x 29.2 in |
| Shipping Weight | 99 lb |
| Shipping Dimensions, Metric | 709 x 638 x 742 mm |
| Shipping Weight, Metric | 45 kg |
| Pallet Dimensions | E2 E v 20 0 v 0E C : |
| | 53.5 x 29.8 x 95.6 in |
| Pallet Dimensions, Metric | 1360 x 756 x 2428 mm |
| Pallet Dimensions, Metric Pallet Weight | 1360 x 756 x 2428 mm 624 lb |
| Pallet Dimensions, Metric | 1360 x 756 x 2428 mm |

Jetdirect Products

HP Jetdirect 2800w NFC/Wireless Direct Accessory (J8029A)

HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A)

HP Jetdirect 2700w USB Wireless Print Server (J8026A)

Accessories

Paper-handling accessories

HP Officejet Enterprise 500-Sheet Input Tray (B5L07A) HP Officejet Enterprise Printer Cabinet and Stand (B5L08A)

Compatible Supplies HP Ink Supplies

HP 980 Cyan Original Ink Cartridge (D8J07A)
HP 980 Magenta Original Ink Cartridge (D8J08A)

HP 980 Yellow Original Ink Cartridge (D8J09A)

HP 980 Black Original Ink Cartridge (D8J10A)
HP Officejet Enterprise Ink Collection Unit (B5L09A)

Compatible Paper Products

Top Recommended Papers

| HP Inkjet Matte Presentat | ion Paper | | |
|---------------------------|-----------|--------------|---------------|
| 8.5 x 11 in | 32 lb | 100 | <u>D0Z55A</u> |
| HP Inkjet Glossy Brochur | e Paper | | |
| 8.5 x 11 in | 48 lb | 50 sheets | <u>C6817A</u> |
| HP All-in-One Printing Pa | per | | |
| 8.5 x 11 in | 22 lb | 2,500 sheets | <u>HPT115</u> |
| HP Advanced Glossy Pho | oto Paper | | |
| 4 x 6 in, borderless | 66 lb | 100 sheets | Q6638A |
| 8.5 x 11 in | 66 lb | 50 sheets | <u>Q7853A</u> |

HP Brochure and Presentation Papers

| HP Inkjet Matte Prese | ntation Paper | | |
|-------------------------|--------------------|------------|---------------|
| 8.5 x 11 in | 32 lb | 100 | <u>D0Z55A</u> |
| HP Inkjet Glossy Broo | chure Paper | | |
| 8.5 x 11 in | 48 lb | 50 sheets | <u>C6817A</u> |
| 8.5 x 11 in | 48 lb | 150 sheets | <u>Q1987A</u> |
| HP Inkjet Matte Broch | ure Paper | | |
| 8.5 x 11 in | 48 lb bond | 150 sheets | <u>CH016A</u> |
| HP Inkjet Glossy Tri-fe | old Brochure Paper | | |
| 8.5 x 11 in | 48 lb | 100 sheets | <u>C7020A</u> |
| HP Inkjet Matte Tri-fol | d Brochure Paper | | |
| 8.5 x 11 in | 48 lb | 100 sheets | <u>Q5443A</u> |
| HP Premium Inkjet Tr | ansparency Film | | |
| 8.5 x 11 in | | 20 sheets | <u>C3828A</u> |

HP Everyday Papers

| The Everyday Lapers | | | |
|------------------------------|-------|---------------------------|----------------|
| HP Bright White Inkjet Paper | | | |
| 8.5 x 11 in | 24 lb | 2500 (500 sheets/5 reams) | HPB1124 |
| HP Color Inkjet Paper | | | |
| 8.5 x 11 in | 24 lb | 2500 (500 sheets/5 reams) | HPK115 |
| 8.5 x 11 in | 24 lb | 2400 (400 sheets/6 reams) | <u>HPK400</u> |
| HP All-in-One Printing Paper | | | |
| 8.5 x 11 in | 22 lb | 500 sheets | HPT1122 |
| 8.5 x 11 in | 22 lb | 2,500 sheets | <u>HPT115</u> |
| HP Multipurpose Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPM1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPM1120C |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPM115RC |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | <u>HPM113H</u> |
| 8.5 x 14 in | 20 lb | 500 sheets | HPM1420 |
| HP Office Paper | | | |
| 8.5 x 11 in | 20 lb | 2,500 sheets (5 reams) | HPC115RC |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPC8511C |
| 8.5 x 11 in, 3-hole punch | 20 lb | 500 sheets | HPC3HP |
| 8.5 x 14 in | 20 lb | 500 sheets | <u>HPC8514</u> |

| 8.5 x 11 in | 20 lb | 2500 | HP2500S |
|--|---------------|-------------------------|---------------|
| HP Recycled Paper | | | |
| 8.5 x 11 in | 20 lb | 500 sheets | HPE1120R |
| 8.5 x 11 in | 20 lb | 5,000 sheets (10 reams) | HPE1120C |
| | | o,ooo onooto (10 10amo) | 111 211200 |
| H P Business Copy Pa r 8.5 x 11 in | er 20 lb | 5000 | LIDDC11 |
| 8.5 X 11 III | 20 10 | 5000 | HPBC11 |
| HP Everyday Copy and | Print Paper | | |
| 8.5 x 11 in | 20 lb | 5000 | HPA510 |
| HP Photo Papers HP Everyday Glossy P | hoto Panor | | |
| 5 x 7 in | 53 lb | 60 sheets | CH097A |
| 3 X 7 III | 33 10 | oo sheets | CHOSTA |
| HP Advanced Glossy F | | | |
| 5 x 7 in | 66 lb bond | 20 sheets | CG812A |
| 5 x 7 in | 66 lb | 60 sheets | Q8690A |
| 8.5 x 11 in | 66 lb | 25 sheets | Q7852A |
| 8.5 x 11 in | 66 lb | 50 sheets | Q7853A |
| 8.5 x 11 in | 66 lb | 100 sheets | Q7854A |
| HP Premium Plus Glos | s Photo Paper | | |
| 4 x 6 in | 80 lb | 60 sheets | CR665A |
| 4 x 6 in | 80 lb | 100 sheets | CR668A |
| 5 x 7 in | 80 lb | 60 sheets | CR669A |
| 8.5 x 11 in | 80 lb | 25 sheets | CR670A |
| 8.5 x 11 in | 80 lb | 50 sheets | CR664A |
| HP Premium Plus Soft- | | | 1 |
| 4 x 6 in | 80 lb | 100 sheets | CR666A |
| 8.5 x 11 in | 80 lb | 25 sheets | CR671A |
| 8.5 x 11 in | 80 lb | 50 sheets | CR667A |
| 0.5 X 11 III | 00 10 | JO SHEELS | CINOUTA |
| HP Iron-on Transfers | | | |
| 8.5 x 11 in | | 12 sheets | <u>C6049A</u> |
| HP Photo Card Packs | | | |
| 5 x 7 in | 66 lb | 10 | SF788A |
| 4 x 6 in, 5 x 7 in | 66 lb | 15 | SF791A |
| · · · · · · · · · · · · · · · · · · · | | · · | |

500 sheets

HPC8511R

20 lb

8.5 x 11 in

HP Office Quickpack

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. Comparison based on manufacturers' published specifications of fastest-available color mode (as of December 2013) and includes color laser MFPs equal to \$3,000 USD, based on market share as reported by IDC as of Q3 2013 and HP internal testing of printer in fastest-available color mode (sample 4-page category documents tested from ISO 24734). For more information, see http://www.hp.com/go/printerspeeds.
- 2. Cost-per-page (CPP) claim is based on the majority of color laser MFPs equal to \$3,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see http://www.hp.com/go/officejet. CPP based on HP 980 ink cartridges' estimated street price. For more information, see http://www.hp.com/go/learnaboutsupplies.
- 3. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 4 . Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP

Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

- 5. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 6. Power requirements are based on the country/region where the printer is sold. This will damage the printer and void the product warranty. Power consumption in Sleep mode depends on customer network switch capability, user configuration and network activity.