HP LaserJet Enterprise MFP M631 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security. ¹

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Enterprise Flow MFP M631h



HP LaserJet Enterprise MFP M631z

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.²
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.6
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.⁵

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.5
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages —every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate

software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. HP Web. letadmin is available for download at no additional charge at http://www.hp.com/go/webietadmin

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Growing and odcument Complexity.

More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original Laser Jet Toner Cartridges with HP 87X High Yield Black Original Laser Jet Toner Cartridges with HP 87X High Yield Black Original Laser Jet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies

Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/liclaims

HP 37X High Yield Black Original Laser Jet Toner Cartridges not included; please purchase separately.

⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

9 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. 1,000-sheet 3-bin stapler/stacker with job offset
- 4. Left door access to toner cartridges
- 5. Automatic two-sided printing
- 6. 550-sheet input tray 2
- 7. 3x550-sheet paper feeder and stand
- 8. 150-sheet ADF with single-pass, two-sided scanning
- 9. 8.0-inch (20.3 cm) intuitive icon-based color touchscreen
- 10. HP High-Performance Secure Hard Disk
- 11. Wi-Fi Direct printing⁶/Bluetooth Low Energy⁸
- 12. Right door (access to print path)
- 13. 100-sheet multipurpose tray 1
- 14. Host USB port
- 15. Hi-speed USB 2.0 printing port
- 16. Slot for cable-type security lock
- 17. Gigabit Ethernet port
- 18. Fax port





Series at a glance





Model	HP LaserJet Enterprise Flow MFP M631h	HP LaserJet Enterprise MFP M631z
Model	HP LaserJet Enterprise Flow MFP M631h	HP LaserJet Enterprise MFP M631z
Part number	J8J64A	J8J65A
Print speeds (letter/A4) ³	Up to 55/52 ppm	
Fax capabilities	Optional	√
HP High-Performance Secure Hard Disk	√	
100-sheet tray 1, 550-sheet tray 2		√
550-sheet paper feeder ⁴	Optional (up to four)	Optional (up to one)
1x550-sheet paper feeder with stand and cabinet ⁴	Optional	Not available
3x550-sheet paper feeder and stand ⁴	Optional	√
1x550 and 2,000-sheet HCI feeder and stand ⁴	Optional	Not available
Envelope feeder	Optional (up to two)	Optional (up to one)
3-bin stapler/stacker with job offset	Not available	√
Advanced workflow features, including pull-out keyboard ⁵	√	Not available
Direct mobile printing	Optional wireless direct ⁶ /NFC ⁷	Embedded Wi-Fi Direct ⁶ /Bluetooth Low Energy ⁸
Wireless networking	Optional ⁹	

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

² An administrator must enable the easy-access USB port before use.
³ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

4 Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

occument complexity.

The pull-out keyboard and HP EveryPage are only available on the HP LaserJet Enterprise Flow MFP M631h, Flow MFP M632z, and Flow MFP M632z models.

We in Direct printing is embedded in the HP LaserJet Enterprise M631z and Flow M633z models. All other models can add wireless direct with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory.

Mobile device needs to be connected directly to the signal of a Wi-Fi Direct* supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance.

Touch-to-rprint capability on the added to all models (excent M631z and Flow M633z) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field

The contrigon fritories is a registered trademark of wi-Fi Alliance.

7 Touch-to-print capability can be added to all models (except M631z and Flow M633z) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/gobusinessmobileprinting.

8 Bluetooth Low Energy is standard only on the HP Laser Jet Enterprise MFP M631z and Flow MFP M633z models, and it cannot be added to other models. Bluetooth® is a trademark owned by its proprietor and used by HP.

Inc. under license.

9 All models can add wireless networking with the purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Windows® 10

AirPrint

For carepack availability visit: hp.com/go/cpc:

Top features

Only HP Enterprise MFPs repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds of up to 55 pages per minute, 4 fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.⁵

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm⁸—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

2EH31A HP MFP Analog Fax Accessory 700

2MU47A HP Accessibility Assistant

2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM

2NR12A HP Removable Hard Drive Enclosure

2TD64A HP Accessibility Kit

3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

5ELO3A HP TAA Version Secure Hard Disk Drive

A7W13A HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland

B5L28A HP Internal USB Ports

B5L31A HP Foreign Interface Harness

CC487A HP LaserJet MFP Analog Fax Accessory 500

CC543B HP SmartCard NIPRNet Solution for US Government

E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM

E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM

F5S62A HP Trusted Platform Module Accessory

J8030A HP Jetdirect 3000w NFC/Wireless Accessory

J8031A HP Jetdirect 2900nw Print Server

J8J89A HP LaserJet 550-sheet Feeder Tray

J8J90A HP LaserJet Envelope Feeder

J8J91A HP Laser let 1x550 Paper Feeder and Cabinet

J8J92A HP Laser let 1x550-sheet and 2000-sheet HCL Feeder and Stand

J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet

J8J95A HP 300 ADF Roller Replacement Kit J8J96A HP Staple Cartridge Refill

Supplies

HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A

HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 yield) CF237X

HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield) CF237Y

Services

U9NK2E - HP 5 year Next Business Day HW Support w/Defective Media Retention

U9NK5E - HP 5 year 4 hour 9x5 Hardware Support w/Defective Media Retention

U9NK8E - HP 5 year 4 hour 13x5 Hardware Support w/Defective Media Retention

U9NL1E - HP 5 year NBD Call To Repair HW Support w/Defective Media Retention

U9NL4E - HP 5 year Next Business Day Parts Exchange Service

U9NL7E - HP 5 year Next Business Day + max 5 Maintenance Kit HW Support


U9NL9PE - HP 5 year Next Business Day + max 5 Maintenance Kit HW Support

U9NM1PE - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR

U9NM3PE - HP 2 year Post Warranty 4 hour 13x5 Hardware Support w/DMR

U9NM5PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention

U9NM7PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention



² Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

³ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more

information, see http://www.hp.com/go/learnaboutsupplie filtorination, see http://www.hp.com/gor/earlineoutsuppnes
6 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims

The 3rX High Yield Black Original Laser let Toner Cartridges not included; please purchase separately.

7 HP 3rX High Yield Black Original Laser let Toner Cartridges not included; please purchase separately.

8 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

9 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

HP LaserJet Enterprise MFP M631 series

Print Print speed ^{6,0,7} Print resolution Print technology Print certology Print technology Print technology Print technology Print cartridges number 1 (black) Standard print languages Printer smart software features Printer management / HP Printer management / HP Scan resolution Printer management / HP Scan resolution Scan file format Scan speed ¹¹ Scan speed ¹¹ Scan speed ¹¹ Digital sending standard features Bit depth / Grayscale levels Digital sending standard features Bit depth / Grayscale levels Digital sending standard features Digital sending standard features Bit depth / Grayscale levels Digital sending standard features Digital sending standard features Bit depth / Grayscale levels Digital sending standard features Digital sending standard features Bit depth / Grayscale levels Digital sending standard features Scan speed ¹¹ Digital sending standard features Digital sending standard features Scan to E-mail Send to Internal: 30 bit Scan to Internal: 30 bit Sc	can; AlO multitasking supported: Yes	I8165A	
Print Print speeds, 7, Print resolution Print resolution Print technology Print technology Print technology Print technology Print resolution Print resolution Print technology Print resolution Print resolution Standard print languages Printer smart software features Printer smart software features Printer management / HP Printer smart software features Printer management / HP Printer proview, 6 Printer printer, 4 Printer proview, 6 Printer	,	Print, Copy, Scan, Fax; AIO multitasking supported : Yes	
Print technology Printer management / HP Print preview, celetures Printer management / HP Printer Manag			
Print technology Print cartridges number Standard print languages Printer smart software features Printer smart software Front parel Scan Stan Spead II Digital Send: Piscenchable Scan Size ADF: 8.5 x 34.C Scan size ADF: 8.5 x 34.C Scan speed II Digital sending standard Scan speed II Digital sending standard Scan speed II Scan to E-mail Scan to E-mail Scan to E-mail Scan to E-mail Scan Size Copy Speed Black (ISO): Up Black (text and Up to 83 ppm Oppinize text/f dpi; Auto did in box Internal: 30 bit Internal: 30 bit Internal: 30 bit Scan to E-mail Scan t	55 ppm Black; 2-sided : Up to 45 ppm Black; First page out: As fast as 5.3 sec Black; Print speed (Lands Jp to 1200 x 1200 dpj; Black (normal) FastRes1200; Black (fine lines) Up to 1200 x 1200 dpj	scape, A5): Up to 80 ppm Black	
Standard print languages Printer smart software eatures Printer smart software eatures Printer management / HP Put Advanta Scan type / Technology Scan file format Mirit Agree Scan file format Mirit Apple Scan Stee ADF: 8,5 x 340 Scan Stee ADF: 8,5 x 340 Scan speed II Up to 83 ppm I Optimize text/I Optimize te	esolution technology: FastRes 1200; 1200 x 1200 dpi		
Printer smart software relatures Printer management / HP DetAdvanta Scan Scan Step / Technology Scan resolution Scan resolution Scan resolution Scan speed 11 Scan speed 12 Scan speed 1			
Printer management / HP bureSureSupply Perinter management / HP bureSureSupply Scan Scan Scan Scan Scan Scan Scan Scan	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Scan type / Technology Scan type / Technology Scan type / Technology Scan type / Technology Scan resolution Scan resolution Scan speed Digital Send: Pl Searchable Pol MTIFE, XPS, PD HTML (DCR), CC Scan input modes Scan Size ADF: 8.5 x 3.4.0 ADF: 8.5 x 3.			
Scan type / Technology Scan type / Technology Scan type / Technology Scan resolution Hardware: 600 Digital Send: Pl Searchable PD Scan Size Scan Size ADF: 8.5 x 34.0 Scan speed¹¹ Up to 83 ppm! Optimize text/f dpi, Auto deter orientation, En Internal 30 bit Scan Size Scan Size Scan speed¹¹ Up to 83 ppm! Optimize text/f dpi, Auto deter orientation, En Internal 30 bit Scan to E-mail: Send to Internal 30 bit Scan to E-mail: Send to Internal 50 bit Scan to E-mail: Send to Internal 50 bit Scan to E-mail: Send to Internal 70 pc for the send	tage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Pri	inter Administrator Resource Kit for HP Universal Print Driver/ Yes	
Scan file format Scan file file file for file file file file file file file file	d, ADF; Technology: Charge Coupled Device (CCD)		
Scan input modes Scan input modes Scan Size Scan Size ADF:8.5 x 34.6 Scan Size ADF:8.5 x 34.6 Optimize text/f dip/, Auto detect orientation; En included in box internal: 30 bit depth / Grayscale levels Digital sending standard features Digital sending standard features Copy Copy Copy seped Black (ISO): Up Copy resolution Black (ISO): Up Copy (different Page; OR R Fax Speeds Fax Features Fax Features Fax Features Fax Features Fax Features Fax telephone Connectivity Standard connectivity Standard connectivity Standard: 1.5 (Processor speed) Diversige (ISO) Wireless capability Mobile printing capability Mobile printing capability Memory Processor speed Duty cycle (monthly) Letterly to 3C Paper handling Input Standard: 500- Sheets Autoromatic (Standard, 150 Duplex Options Autormatic (Standard, 150 Envelope feeder Standard paper trays Wedia types Media weight Media sizes Media Sizes Custom Standard speer (I) In	00 x 600 dpi; Optical: up to 600 dpi	I	
Scan input modes Scan Size ADP: 8.5 x 3A.0 Scan Size ADP: 8.5 x 3A.0 Digital sending standard features Bit depth / Grayscale levels	PDF, HI-Compression PDF, IPEG, TIFF, MTIFF, XPS, PDFIA, TEXT (DCR), Unicode TEXT (DCR), RTF (DCR), DF (DCR), Searchable PDFIA (DCR), HTML (DCR), CSV (DCR), Scan to easy access USB: PDF, IPEG, TIFF, DFIA, TEXT (DCR), Unicode TEXT (DCR), RTF (DCR), Searchable PDF (DCR), Searchable PDFIA (DCR), CSV (DCR), Print from easy access USB: PDF, PS, Pint Ready (Hise, Lyrn, pd., LAT).	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Scan speed11 Scan speed11 Scanner advanced features Scanner advanced features Bit depth / Grayscale levels Digital sending standard features Scan to E-mail. Send to Internal: 30 bit Inter	applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to Share	Point; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN	
Scanner advanced features Bit depth / Grayscale levels Bit depth / Grayscale levels Bit depth / Grayscale levels Internal: 30 bit find detection included in box included	1.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbed: 8.5 x 14 in n (b&w), up to 83 ppm (color) Duplex: Up to 167 ipm (b&w), up to 167 ipm (color)	Up to 69 ppm (b&w), up to 69 ppm (color) Duplex: Up to 111 ipm (b&w), up to 111 ipm (color)	
Bit depth / Grayscale levels Bit depth / Grayscale levels Digital sending standard features Copy Copy Copy speed Copy speed Copy resolution Maximum Number of Copies Copier settings Fax resolution Fax Fax speeds Fax resolution Fax smart software features Fax resolution Fax smart software features Fax features Fax resolution Fax smart software features Fax resolution Fax smart software features Fax felephone Connectivity Standard connectivity Memory Standard connectivity Frocessor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Repair (1) fo 3C Standard; 150 Standard; 150 Standard; 500 Standard	t/picture: Image adjustments: Job build: Output quality setting: Selectable scan resolution 75 to 600		
Bit depth / Grayscale levels Digital sending standard features Copy Copy Copy speed Copy speed Copy resolution Maximum Number of Copies Copier resize Copier resize Copier settings Fax speed Fax resolution Fax smart software features Fax Features Fax speed Fax resolution Fax smart software features Fax felephone Connectivity Standard connectivity Optional, enable Accessory J80 Accessory J80 Fax features Fax telephone Intervolve (Tax optional) Letter	ect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto imbedded Optical Character Recognition (OCIA), Auto crop to page; Auto-tone; Scan software not Ox. HP Scan and TWAIN driver available for download at http://hp.com/support PDF, JPG, TIF, MTIF	Optimize text/picture; Image adjustments; Job build: Output quality setting; Selectable scan resolution 75 to 600 dp; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support PDF, JPG, TII, MTIF	
Copy Copy speed Copy speed Copy resolution Maximum Number of Copies Copier resize Copier resize Copier settings Fax Fax speeds Fax resolution Fax smart software features Fax features Fax Features Fax Features Fax Features Fax felephone Connectivity 1. Hi-Speed Deventwork; 1. Hair Ves, via HP Jeth Coptional, enabl Accessory J803 Mobile printing capability Memory Standard: 1.50 Forcessor speed 1. 2GHz / Hard Duty cycle (monthly) Letter: Jp to 30 Paper handling Input Standard: 1.90 Forwelope feeder Ves, 75 (option Standard paper trays Paper (plain, lig feeder 1: 1.61 to 1.61 to 3.21 b Media views Paper (plain, lig feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media	ox. Hr Scarland (www. diver available for download at http://rip.com/support PDF, JPG, hr, Minr oit ; External: 24 bit / 256		
Copy Copy speed Copy speed Copy resolution Maximum Number of Copies Copier resize Copier resize Copier settings Fax Fax speeds Fax resolution Fax smart software features Fax features Fax Features Fax Features Fax Features Fax felephone Connectivity 1. Hi-Speed Deventwork; 1. Hair Ves, via HP Jeth Coptional, enabl Accessory J803 Mobile printing capability Memory Standard: 1.50 Forcessor speed 1. 2GHz / Hard Duty cycle (monthly) Letter: Jp to 30 Paper handling Input Standard: 1.90 Forwelope feeder Ves, 75 (option Standard paper trays Paper (plain, lig feeder 1: 1.61 to 1.61 to 3.21 b Media views Paper (plain, lig feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media Sizes Custom Feeder 1: 1.61 to 1.61 to 3.21 b Media	ail; Save-to-Network Folder: Save-to-USB drive; Send to Sharepoint; Send to FTP. Send to LAN Fax: net Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto ent; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fi Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content;	
Copy speed Copy resolution Maximum Number of Copies Copier settings Copier settings Copier settings Copier settings Copier settings Fax Fax Features Fax telephone Connectivity 1 Hi-Speed Developed Peatures Peatures Peatures Fax features Fax features Fax telephone Connectivity 1 Hi-Speed Developed Peatures Peatures Peatures Peatures Peatures Perocessory J803 Mobile printing capability Memory Standard: 1.00 Paper handling Input 100-sheet multistander; bio Standard; bio Standa	ent; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To	Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	
Copy resolution Maximum Number of Copies Copier resize Copier settings Copier settings Copier settings Copier settings Copier settings Copier settings Fax Features Fax resolution Fax speeds Fax resolution Fax smart software features Fax Helephone Connectivity Standard connectivity I Hi-Speed Dee network: I Hair Speed See network: I Hair Market Fax Helephone Connectivity Standard connectivity Mireless capability Mobile printing capability Mobile printing capability Mobile printing capability Memory Standard: 1.5 CP Processor speed Duty cycle (monthly) Lettertly to 3C Paper handling Input Standard: 1.5 CP Duplex Options Auto document feeder Capacity Standard paper trays Wedia types Media weight Media weight Media sizes Cupies Custom Dimensions (w x d x h) Dimensions (w x d x h) Pay Pay Alack (F237) Warranty features Den-year, next Control panel Software included HP Laser let Mi Replacement cartridges ³ Marci 102.03 cm Pay Alack (F237) Warranty features Den-year, next Control panel Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible network Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible network Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating Systems Minimum system Feedure 1.3 (20.3 cm Android, Linux Compatible operating			
Maximum Number of Copies Up to 9999 copier resize 25 to 400% Two-copier settings Two-sided cop Copy (different Fax Fax speeds Fax resolution Fax smart software features Fax F	Ip to 52 cpm; First copy out : As fast as 4.8 sec Black; 2-sided : Up to 45 cpm Black nd graphics) : Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)		
Copier settings Fax Fax Fax speeds Fax resolution Fax smart software features Fax features Fax features Fax Features Fax features Fax features Fax telephone Connectivity Standard connectivity Standard connectivity Method for the fact of the fact o			
Copy (different Fax Fax speed 5 Fax resolution Fax speed 5 Fax resolution Fax smart software features Fax Features Fax Features Fax telephone Fax smart software features Fax telephone Fax smart software features Fax telephone Fax telephone Fax telephone The Speed Denetwork: 1 Har Speed Denetwork: 1 Har Optional, enable Accessory J803 Mobile printing capability Memory Processor speed 1.2GHz / Hard Duty cytle (monthly) Paper handling Input 100-sheet multistandard; bpt Standard: 500-sheets Duty cytle (monthly) Standard: 500-sheets Dupplex Options Automatic Ista Auto document feeder Standard, 150 Envelope feeder Ves, 75 (option Standard apaper trays Paper (plain, lig Media byes Paper (plain, lig Feeder 1: 1.6 to 16 to 3.2 lb Media Sizes Custom Feeder 1: 1.6 to 16 to 3.2 lb Media Sizes Custom Feeder 1: 3.x 5 Dimensions (w x d x h) Dimensions (w x d x h) Power apper ficiency compliance Control panel Display Software included HP 37A Black Compatible operating Systems For Standard Informatic Internal Transmitted Internal Transmit Internal Internal Transmit	poving, scalability, image adjustments (darkness, contrast, background cleanup, sharpness). N-up. N or	Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B	
Fax speeds Fax resolution Fax smart software features Fax Features Fax Features Fax Features Fax Features Fax telephone Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Forcessor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Louter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Letter:Up to 3C Processor speed 1.26Hz / Hard Duty cytle (monthly) Louter:Up to 3C Rapper handling Input Standard: 500 Standard: 5	nt média sizes)	у	
Fax Features Fax Features Fax telephone Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Standard: 1.5 (Processor speed Duty cycle (monthly) Paper handling Input Standard: 1.5 (Paper handling Input Standard: 1.5 (Standard:		Up to:33.6 kbps / Letter:3 sec per page	
Fax Features Connectivity Standard connectivity Network capabilities Wireless capability Mobile printing capability Processor speed 1.26Hz / Hard Duty cycle (monthly) Paper handling Input Standard: 1.50 Standard: 5.00 Sheets Duplex Options Automatic (sta Auto document feeder capacity Envelope feeder Yes, 75 (option Standard paper trays Paper (plain, lig feeder 1: Lette Ko, 5. x, 7, 5. x 8 Media sizes Media sizes Media sizes Custom Feeder 1: 2.3 t.5 Dimensions (w x d x h) Warranty features Weight Warranty features Control panel Display Bo-in (20.3 cm Lone-year, next Compatible operating Systems Compatible network operating systems Minimum system Minimum system Money Oversupply Power 3 10 Power supply Powe		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number	
Connectivity Standard connectivity Network capabilities Ves, via HP Jett (optional). Wireless capability Mobile printing capability Memory Standard: 1,5 (optional). Wireless capability Memory Standard: 1,5 (optional). Duty cycle (monthly) Letter:Up to 3C Paper handling Input 100-sheet mul Standard: 500-		confirmation; Holiday fax schedule	
Standard connectivity It-Is-speed De network (1 Bar Network Capabilities Wireless capabilities Wireless capability Mobile printing capability Mobile printing capability Memory Standard: 1.5 (Processor y Boo Divy cycle (monthly) Lettertly to 3(Paper handling Input Standard: 1.5 (Processor speed Duty cycle (monthly) Lettertly to 3(Paper handling Input Standard: 1.5 (Standard:	e mode supported: No	Fax memory. Greater than 500. Auto fax reduction supported. Yes, Auto-redailing: Yes: Fax delayed sending: No. Distinctive ring detection supported. Ye, Fax polling supported. Yes, Fax ploine TAM interface supported. Yes, Pax polling supported. Yes (poll to receive only). Fax telephone mode supported. No. Junk barrier supported. Yes, Maximum speed disting numbers: 10 to 1000 numbers (each with 21 to destinations). PC interface supported. Yes, Remote retrieval capability supported. No., Telephone handset supported. Yes	
Network capabilities Network Hamily	150 2 0 2 Hart 150 (1 million and 1 million		
Wireless capability	levice USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T ardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy	
Memory		-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking	
Memory Standard: 1.5 f Processor speed 1.26/12 / Hard Duty cycle (monthly) Letter/Lip to 3C Paper handling 100-sheet multipaper Input \$100-sheet multipaper Output \$200-sheet multipaper Dutpet Options Automatic (sta Auto document feeder \$100-sheet multipaper Capacity \$100-sheet multipaper Envelope feeder \$100-sheet multipaper Standard spaper trays 2 Media types Paper (plain, lig feeder 1: 16 to 16 to 32 lb Media sizes \$100-sheet multipaper Media sizes \$100-sheet multipaper Media sizes \$100-sheet multipaper Paper (plain, lig feeder 1: 16 to 16 to 32 lb \$100-sheet multipaper Polimensions (w x d x h) \$20.15 x 22 x 2 open, all feeder 1: 3 x 5 open, all feeder 1: 3 x 5 Weight 73.2 lb \$100-sheet multipaper Warranty features \$100-sper lt Multipaper Energy efficiency compliance \$100-sper lt Multipaper Control panel \$100-sper lt Multipaper Display \$100-sper lt Multipaper <td>abled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless 030A</td> <td>Built-in Wi-Fi Direct, Bluetooth low energy (BLE)</td>	abled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless 030A	Built-in Wi-Fi Direct, Bluetooth low energy (BLE)	
Processor speed 1.2GHz / Hard Duty cyte (monthly) Letter/Up to 30 Paper handling 100-sheet multipaper handrig Up to 30 Input 100-sheet multipaper handrig Up to 30 Output Standard; Up to 31 Output Standard; 500-sheet multipaper handrig (standard; Up to 32 Output Automatic (standard; Up to 32 Auto document feeder capacity Standard, 150 Envelope feeder Yes, 75 (option Standard paper trays) Zemedia types Paper (plain, lig feeder 1: 1.6 to 32 to 16 to 16 to 32 to 17 to 16 to 32 to 16 to 16 to 32 to 16 to 32 to 16 to 16 to 32 t	ple AirPrint™; Mopria™-certified; Google Cloud Print 2.0		
Duty cycle (monthly) Letter:Up to 3C Paper handling 100-sheet multipage Input \$100-sheet multipage Output \$5andard; Up to \$100 sheets Duplex Options Automatic (stale Auto document feeder capacity) Examination of Standard, 150 sheets \$100 sheets Duplex Options Automatic (stale Auto document feeder capacity) Examination of Standard paper trays 2 Media very paper (plain, lighted paper) \$150 at lighted paper (plain, lighted paper) Media weight \$160 at lighted paper (plain, lighted paper) Media Sizes \$160 at lighted paper (plain, lighted paper) Media Sizes Custom \$160 at lighted paper (plain, lighted paper) Meight \$13.2 lb Warias in the box¹ \$173.2 lb Mary Sizes (was at very paper) \$173.2 lb Warranty features \$180 at lighted paper (plain, lighted paper) Control panel \$100 at lighted paper (plain, lighted paper) Ontrol panel \$100 at lighted paper) Ostrol panel \$100 at lighted paper (plain, lighted paper) Compatible operating systems \$100 at lighted paper (plain, lighted paper) <td>5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total d disk: Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encrypi</td> <td>Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2 GB Total tion or greater)</td>	5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total d disk: Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encrypi	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2 GB Total tion or greater)	
Input	300,000 pages; Recommended monthly page volume: 5000 to 30,000		
Standard: Upt Standard: Standard	nultipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Up to 650 sheets	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder, 3x550-sheet	
Duplex Options Automatic (sta Auto document feeder capacity Yes, 75 (option Standard, 150 Standard, 150 Standard, 150 Standard paper trays 2 Paper (plain, lighted trays) Paper (plain, lighte	to 75 envelopes 0-sheet ouput feeder, two-sided printing; Up to 500 sheets Standard; Transparencies: Up to 200	input feeder with stand; Up to 2300 sheets Standard; Up to 75 envelopes Standard: 500-sheet ouput feeder, 500 sheet output stapler stacker, two-sided printing; Up to 1000 sheets	
Auto document feeder capacity Envelope feeder Yes, 75 (option Standard paper trays) Media types Media types Media weight Media weight Media sizes Media Si		Standard; Transparencies: Up to 200 sheets	
Capacity Capacity			
Standard paper trays 2			
Media weight		5	
Media sizes	light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy ro to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Automatic Duplexer:		
Media Sizes Custom feeder 1: 3 x 5 Dimensions (w x d x h) 20.15 x 22 x 2 Dimensions (w x d x h) 20.15 x 22 x 2 Dimensions (w x d x h) 73.2 lb What's in the box 1 HP Laserlet Mt Replacement cartridges 3 HP 37A Black (F237Y Warranty features Dne-year, next Energy efficiency compliance Control panel 8.0-in (20.3 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.5 pin 10.20 cm Home button in Control panel 10.20 cm Home butto		feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain)	
Dimensions (w x d x h)	ter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 8; feeder 2: letter, executive	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, x 6, 5 x 7, 5 x 8; feeder 2,3: letter, executive; feeder 4: Letter, Legal	
Weight 73.2 lb What's in the box¹ HP Laser let M. Replacement cartridges³ (F237)* Warranty features One-year, next Energy efficiency compliance ENERGY STAR® Control panel Boylon (20.3 or Home button (0 Display B.O-in (20.3 or Home button)* Software included HP Connected, Compatible operating systems 42.1, Linux Ub editions, Window Serve (10.4 or Home button)* Compatible network operating systems (10.5 internal Tracever 20.12, Linux Ub editions, Window Serve (10.5 internal Service 20.12, Linux Ub editions, Window Serve (10.5 internal Serve 20.12, Linux	5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in	Feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in, feeder 3: 3.90 x 5.83 to 8.5 x 11 in, feeder 4: 8. x 11 to 8.5 x 14	
Weight 73.2 lb What's in the box¹ HP LaserJet M. Replacement cartridges³ F237V Warranty features Control panel ENERGY STAR® Control panel Bibly B.O-in (20.3 or Home button (0 Display B.O-in (20.3 or Home button) (0 Display B.O-in (20.3 or Home button) (0 Display B.O-in (20.3 or Home button) (0 Display B.O-in (20.3 or Compatible operating Systems Compatible operating Systems Compatible network operating systems Compatible network operating systems Part (20.3 or Server 20.12, Linux Ub editions, Windows Serve Compatible network operating systems Part (20.3 or Server 20.12, Linux Ub editions, Windows Serve Ierminal Servic www.novell.co Ierminal Servic Windows Serve Ierminal Servic Windows Se	25.2 in; Maximum: 40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door ders open and extended, ADF open)	26 x 25.9 x 48.5 in; Maximum : 40.5 x 35 x 59.1 in (right side jam access door open, left side cartridge door open, feeders open and extended, ADF open)	
Replacement cartridges ³		137.8 lb	
Marranty features One-year, next	Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers : « Original LaserJet Toner Cartridge (11,000 yield) CF237A; HP 37X High Yield Black Original LaserJet Tor	and documentation; Documentation (Hardware Install Guide); Power cord ner Cartridge (25,000 yield) CF237X; HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield)	
Energy efficiency compliance Control panel B.O-in (20.3 cm Home button (10 Display) I Display B.O-in (20.3 cm Home button (10 Display) Android, Lindux 42.1), Linux Ub editions, Window Systems Compatible operating Systems Compatible network operating systems Compatible network operating systems Compatible network operating systems Minimum system requirements PC2: Ga availat Macci. 1.3 GB availat (13 GB availat (14 Base) (14		al requirements. Go to hp.com/support to learn about HP award winning service and support options in your region	
Home button (i)	regulatified; CECP; EPEAT® Silver	acrequirements. Go to rip.com/support to team about Fir award winning service and support options in your region	
Display Software included HP Connected, Fonts and typefaces Compatible operating Systems Compatible network operating systems Minimum system Minimum system requirements Power 3 10 Roft (1-1)	cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated n (for quick return to the Home menu); Pull-out Keyboard	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	
Fonts and typefaces Compatible operating systems Android, Linux 42.1), Linux Ub editions, Wind Uctive MetaFrar Server 20.12 32- and 64-bit Windows Serve Terminal Servit www.novell.compatible network operating systems Minimum system Minimum system PC2 GB availat MetaFrar Server 20.12 32- /64-bit Standar Minimum system PC2 GB availat MetaFrar	cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Hom		
Compatible operating Android, Idinux 42.1), Linux Ub editions, Winde Compatible network operating systems Compatible network operating systems Compatible network operating systems Minimum system Android State Stat	d, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welco True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro s	symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri,	
Compatible perdung 42.1), Linux Ub editions, Winde Compatible network operating systems Minimum system Minimum system requirements Power spop Power spop Power spop Harzing Spop Vir. 132, 64 Power spop Power spop Vir. 132, 64 Power spop Vir. 132, 64 Power spop Vir. 132, 64 Power spop Vir. 132, 164 Power spop Vir. 132, 164 Rat. 2.19 kWh	105 internal TrueType fronts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria), Additional front solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts Android, Linux Boss (5,0), Linux Debian (7,0, 7,1, 7,2, 7,3, 7,4, 7,5, 7,6, 7,7, 7,8, 7,9, 8,0, 8,1, 8,2, 8,3, 8,4, 8,5, 8,6), Linux Fedora (22, 23, 24), Linux Mint (17, 17, 1, 17, 2, 17,3, 18), Linux Red Hat Enterprise (6,0,7,0), Linux SUSE (13, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10		
Compatible network compatible network operating systems Minimum system Minimum system Minimum system PC2: G6 availat Mac: 1.3 G8 availat Power 310 Power 310 Mac 2.4 132, 6 A; Mac 2.4 132, 1 A; Mac 2.4 132, 1 A; Mac 2.4 1342, 1 A; Mac 2.4 1342, 1 A; Mac 2.4 1342, 1 A; Mac 2.4 1 A;	42.1), Linux Ubuntu (12.04, 14.04, 15, 10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 EL Capitan, UNIX, Window's 10 all 32-8. 64-bit editions (excluding RT OS for Tablets), Window's 7 all 32-8. 64-bit editions (excluding RT OS for Tablets), Window's N2 PS 33-25. 64-bit editions (excluding RT OS for Tablets), Window's N2 PS 33-25. bit editions (N2 Home, N2 PS ro, et al. 22 PS rotations).		
operating systems Iel Iminat Service Iel Iminat Service Iel Iminat Iel	ame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), City Presentation Server (A 0/4 5 City VocApp 5.0 (Plus Feature Park 2.8.2) for Windows S.	itrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows	
operating systems Iel Iminat Service Iel Iminat Service Iel Iminat Iel	oit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and	itrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows erver 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Service trix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for 108 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2	
## Distanciar PC2 GB availal PC2 GB	vices, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1 com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ (.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster &	
Minimum system PC2 GB availal Mac 1.3 GB av Power 910 Power 910 Power 12,1 GB av BA: 2,219 kWh	vices), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Wir it (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/20	.0. Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers Cluster & Terminal Services, Windows Server 2003/2008 R2 23-bit (SP1/SP5), Standard/Enterprise (+ Cluster & ndows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/20/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/20/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/Datacenter (+ Cluster & Terminal Services), Windows Server 2018/ 12 R2 64-bit Standard/Foundation/EssentialS/ 12 R2 64-bit Standard/Foundation/Essentia	
requirements Mac: 1.3 GB av. Power 9 10 Power 3 LB A: 2.219 kWh	ard/Essential/Datacenter (+ Cluster & Terminal Services) lable hard disk space; OS hardware requirements see microsoft.com;		
	available hard drive space; Internet; OS hardware requirements see Apple.com for more info	12 (1/ 100/) E0	
	y type, built in 1-159 of 2200 Power Supply, Power Supply required: Input voltage: 100V to 127V nomin %; Power consumption ² : 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (#houses: Post tochnical electricity consumption (TEC): 2.219 http://www.	ual (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (Auto Off/Manual On), <0.1 watts (Manual Off); Typical electricity consumption (TEC) number: ES: 2.348 kWh/week;	
		Acoustic power emissions: 6.9 Bel	
70% RH	ver emissions: 6.9 Bel	ature range: -4 to 104° F. Operating hymidity range: 10 to 80% RH. Peroppended operating hymidity range: 30 to	
	rer emissions: 6.9 Bel mperature range: 59 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage tempera		
Security management 140 validated of with Red Balloo management:	rer emissions: 6.9 Bel mperature range: 59 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage tempera	try advanced authentication solutions (e.g., bage readers); Network: IPsec/firewall with Certificate; Pre-Shared Key -TLS); SMMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS e: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection grity (Thecking with self-healing capability, Whitelisting - loads only known good code (DLLS, EXES,); Security	

Data sheet | HP LaserJet Enterprise MFP M631 series

- 1 Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on
- ³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 4 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- 5 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
- 6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- ⁷ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- ⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 9 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 v device.

 10 Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- 11 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ¹² Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support

To learn more, visit hp.com

