



May 2022 Update

Effective May 16, 2022, OFS and Carolina will implement a 9% increase on list prices.

The 9% is not reflected in the January 2022 price list.

For the most accurate pricing (options, grades, etc.) please reference your eTools (CET Designer, ProjectMatrix, 2020, etc)





Surcharge

Effective April 4, 2022, a 3% surcharge on net prices will be applied.





WILSONART | HIGH PRESSURE LAMINATES

10774 00		1000 70	D 10 1	TUE 5011	OWING WILL COMART
10734-60 10745-60	Limber Maple Fonthill Pear	4886-38 4887-38	Pearl Soapstone Tan Soapstone		OWING WILSONART D PATTERN HPL'S
10745-60	Kensington Maple	4888-38	Rustic Slate		LABLE AT STANDARD
1500-60	Grey	4904-38	Desert Springs		ES WITH EXTENDED
1503-60	Putty	4905-38	Spicewood Springs	LEAD TIM	
1530-60	Beige	4907-38	Deep Springs	LEAD IIII	E3.
1530-60	Light Beige	4909-60	Ginseng Tea	1572-38	Antique White
1570-60	White	4909-80	Soft Gold Mesh	1573-38	Frosty White
1572-60	Antique White	4912-38	Gilded Mesh	4550-60	Granite
1572-60	Frosty White	4913-60	Eggplant	4551-60	Blackstar Granite
1595-60	Black	4915-60	Tangerine	4552-60	Ebony Star
1787-60	Oxide	4918-60	Sprout	4595-60	Bahia Granite
2932-60	Almond Leather	4919-60	Blue Agave	4724-60	Milano Amber
4142-60	Grey Glace	4924-38	White Carrara	4725-60	Milano Brown
4143-60	Neutral Glace	4929-38	Bordeaux Juparana	4726-60	Milano Quartz
4166-60	Pampas	4931-38	White Juparana	4781-60	Sunstone
4168-60	Grey Pampas	4932-38	Golden Juparana	4835-60	Tumbled Roca
4170-60	Beige Pampas	7054-60	Wild Cherry	4860-38	Silver Alchemy
4621-60	White Nebula	7061-60	Natural Pear	4861-38	Gold Alchemy
4623-60	Graphite Nebula	7806-60	Bannister Oak	7039-38	Windsor Mahogany
4630-60	Cloud Nebula	7816-60	Solar Oak	7039-60	Windsor Mahogany
4633-60	Natural Nebula	7850-60	Beigewood	7040-60	Figured Mahogany
4651-60	Navy Legacy	7909-60	Fusion Maple	7054-38	Wild Cherry
4656-60	Bronze Legacy	7911-60	Manitoba Maple	7110-60	Montana Walnut
4663-60	Tawny Legacy	7921-38	Tuscan Walnut	7122-38	Empire Mahogany
4667-60	Green Tigris	7925-38	Monticello Maple	7122-60	Empire Mahogany
4669-60	Natural Tigris	7928-38	Castle Oak	7209-60	Nepal Teak
4674-60	Evening Tigris	7929-38	Huntington Maple	7885-60	English Oak
4745-60	Maroochy Brush	7937-38	River Cherry	7919-38	Amber Cherry
4746-60	Woolamai Brush	7938-38	New Age Oak	7919-60	Amber Cherry
4762-60	Mystique Dawn	7946-38	Brazilwood	7921-60	Tuscan Walnut
4779-60	Pewter Brush	7953-38	Harvest Maple	7922-38	Brighton Walnut
4783-60	White Tigris	7954-38	Natural Rift	7922-60	Brighton Walnut
4794-60	Windswept Bronze	D14-60	Port	7923-60	Versailles Anigre
4795-60	Windswept Pewter	D25-60	Atlantis	7924-38	Biltmore Cherry
4796-60	Burnished Chestnut	D30-60	Natural Almond	7924-60	Biltmore Cherry
4810-60	Titanium EV	D307-60	Hollyberry	7925-60	Monticello Maple
4811-60	Silicon EV	D315-60	Platinum	7928-60	Castle Oak
4813-60	Nickel EV	D321-60	Brittany Blue	7929-60	Huntington Maple
4814-60	Tungsten EV	D327-60	Pepperdust	7933-60	Cafelle
4820-60	Carbon EV	D354-60	Designer White	7935-60	Shaker Cherry
4823-60	Antique Brush	D379-60	Indigo	7936-60	Williamsburg Cherry
4835-38	Tumbled Roca	D381-60	Fashion Grey	7937-60	River Cherry
4841-60	Desert Zephyr	D403-60	White Sand	7938-60	New Age Oak
4842-60	Canyon Zephyr	D417-60	Lapis Blue	7939-38	Blond Echo
4843-60	Misted Zephyr	D431-60	Alabaster	7941-38	Tan Echo
4844-60	Loden Zephyr	D439-60	Wallaby	7942-38	Cocobala
4845-60	Twilight Zephyr	D495-60	Coffee Bean	7943-38	Colombian Walnut
4846-60	Morro Zephyr	D50-60	Khaki Brown	7944-38	Madagascar
4856-60	Cloud Zephyr	D90-60	North Sea	7945-38	Xanadu
4857-60	Shadow Zephyr	D91-60	Slate Grey	7947-38	Rio
4859-60	Spiced Zephyr	D92-60	Dove Grey	7948-38	Mambo
4869-60	Western White	D96-60	Shadow	7949-38	Asian Night
4871-60	Western Suede			7951-38	Asian Sun
4876-38	Sheer Mesh			7952-38	Asian Sand
4877-38	Grey Mesh			7957-38	Zanzibar
4878-38	Pewter Mesh			7959-38	Hampton Walnut
4879-38	Steel Mesh			7960-38	Studio Teak
4880-38	Carbon Mesh			7962-38	Aloe
4882-38	Oiled Soapstone			D12-60	Regimental Red
4883-38	Sable Soapstone			D26-60	Persian Blue
4885-38	Green Soapstone			D315-38	Platinum





VENEER

Exposed surfaces are number one select cherry, walnut, maple or oak veneers. Optional sketch face veneer patterns are available on some conference table tops. Select straight and quarter grain patterns are used overall to maintain consistency between individual units. CT5 edge profile tops are number one select cherry or maple veneers.

TOPS

Conference tops utilize 5-ply construction with mitered corners. High pressure laminate tops are 3-ply construction with .050 thickness for high impact resistance.

Tables are profiled on all sides. Two-piece conference tops are joined together with wooden dowels. Under-top mending plates and butterfly bolts ensure permanent connection.

2mm edges on 1.1875" thick tops utilize 3-ply construction with externally banded hardwood.

Launch edge profile tops are 1.1875" thick utilizing 3-ply construction.

CT5 edge profile tops are 1.5" thick utilizing 5-ply construction.

BASES

Bases are attached to tops using support panels and wood screws. Wire access doors for cylinder bases are 2" from the bottom. See pages 545-567 for base options

ASSEMBLY

Structural joints are secured by 16-gauge steel angle brackets and wood glue blocks. Adjustable levelers feature insert nuts to prevent glide tear out.

WOOD FINISHES

OSL Oslo (Quartered) MRO Linen (Quartered) Blonde (Flat Cut) Honey (Flat Cut) MBM MHM Desert (Quartered) DST PCO MNW Pecan (Quartered) Root (Quartered) Sienna (Flat Cut) MGW MMC Toffee (Quartered) Mocha (Flat Cut) Steel (Quartered) BUW Burnished (Flat Cut) Ebony (Flat Cut) **EBY**

Studio Veneer (10% upcharge)

SFO Salvaged Linen (Planked) SFW Salvaged Root (Planked)


LAMINATE FINISHES


COP Linen (Quartered) Blonde (Flat Cut) Honey (Flat Cut) DSP Desert (Quartered) PCP Pecan (Quartered) NWP Root (Quartered) Sienna (Flat Cut) Toffee (Quartered) Mocha (Flat Cut) CHP MEP CMP STP Steel (Quartered) BUP Burnished (Flat Cut)


Note: EK edge profile is not available in laminate




QUICK REFERENCE GUIDE









Our unsurpassed conference offering includes an array of top shapes and sizes, numerous base styles, some with wire management capabilities, edge choices that complement our casegoods and distinct veneer patterns. available in cherry, walnut, maple or oak wood species.

Four top shapes are available in sizes ranging from 36" diameter to 48"D x 192"W rectangular.









GRAIN PATTERNS

Some tops are available in a choice of straight, long, sketch border, or sunburst veneer grain patterns. Below are the options available on each top shape.

Long Grain





Long Grain





Sketch Border



Sketch Border





Four top shapes are available in sizes ranging from 36" diameter to 48"D x 144"W rectangular.









list

2,361



Meeting Room

ROUND TOP STANDARD FEATURES

- Round Lumber Banded Edge; EK Cutback Edge is not Lumber Banded
- One-Piece Top
- One Base Required
- Straight Grain Tops available in Laminate
- Sketch Border and Sunburst not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base



• NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.1875" THICK



Straight Grain



Sketch Border



•	Seats	Three	to	Fou

CT1-36-4G

Straight Grain

CT1-42-4G	Straight Grain	42	42	1.19	60	5	\$ 2,594
CT1-42-4B	Sketch Border (available in flat cut veneer only)	42	42	1.19	60	5	\$ 4,089
CT1-42-4S	Sunburst	42	42	1.19	60	5	\$ 3,770

• Seats Four

CT1-48-4G	Straight Grain	48	48	1.19	75	7	\$ 3,179
CT1-48-4B	Sketch Border (available in flat cut veneer only)	48	48	1.19	75	7	\$ 4,841
CT1-48-4S	Sunburst	48	48	1.19	75	7	\$ 4,403

• Seats Four to Five

CT1-60-4G	Straight Grain	59.5	59.5	1.19	107	10	\$ 4,891
CT1-60-4B	Sketch Border (available in flat cut veneer only)	59.5	59.5	1.19	107	10	\$ 7,467
CT1-60-4S	Sunburst	59.5	59.5	1.19	107	10	\$ 7,356

[•] Seats Seven

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge)	EF Square EG Sierra	QR No Power Cutout - Standard QV Power Cutout Centered over Base NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EH Concave DT Transitional EJ Galiant DR Bevel	
	DS Reed DU Radius EK Launch 2" Knife (not available in laminate)	

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT1-36-4G

Finish	Edge	Power Cutout
OSL	EH	QR

list



Meeting Room

model

ROUND TOP, 2MM EDGE STANDARD FEATURES

- Round 2mm Edge
- One-Piece Top
- One Base Required
- Straight Grain Tops available in Laminate
- Sketch Border and Sunburst not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



 NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.1875" THICK



Straight Grain



Sketch Border



CT2-36-4G	Straight Grain	36	36	1.19	45	4	\$ 1,464
Seats Three	to Four						
CT2-42-4G	Straight Grain	42	42	1.19	60	5	\$ 1,815
CT2-42-4B	Sketch Border (available in flat cut veneer only)	42	42	1.19	60	5	\$ 3,686
CT2-42-4S	Sunburst	42	42	1.19	60	5	\$ 3,398
• Seats Four							
CT2-48-4G	Straight Grain	48	48	1.19	75	7	\$ 2,285
CT2-48-4B	Sketch Border (available in flat cut veneer only)	48	48	1.19	75	7	\$ 4,605
CT2-48-4S	Sunburst	48	48	1.19	75	7	\$ 4,237
Seats Four t	o Five						
CT2-60-4G	Straight Grain	59.5	59.5	1.19	107	10	\$ 3,380
CT2-60-4B	Sketch Border	59.5	59.5	1.19	107	10	\$ 6,719

1.19

10

\$ 6,151

OPTIONS

Finish	Edge	Power Cutout
Veneer		QR No Power Cutout - Standard
Quartered		QV Power Cutout Centered over Base
OSL DST MNW MGO		
MRO PCO MGW	DN Square	NOTE: Grommets and Power Supplies must
Flat Cut		be ordered separately (see pages 574-580)
MBM MLC BUW		
MHM MMC EBY		
Studio Veneer Planked (10% upcharge)		
SFO SFW		
Woodgrain Laminate		
Quartered		
COP DSP PCP NWP MEP STP		
Flat Cut		
BEP HNP CHP CMP BUP		

(available in flat cut veneer only)

Sunburst

.....

SPECIFY: Finish \mid edge \mid power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT2-36-4G

Finish	Edge	Power Cutout
OSL	DN	QR

[•] Seats Seven



ROUND LAMINATE INSERT TOP STANDARD FEATURES

- External Lumber Banded Top
- Laminate Insert
- One-Piece Top
- One Base Required
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



 NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.1875" THICK



model	w	d	h	wt	cu ft	list
CTX4G-36	36	36	1.19	45	4	\$ 2,140
Seats Three to Four						
CTX4G-42	42	42	1.19	60	5	\$ 2,332
Seats Four						
CTX4G-48	48	48	1.19	75	7	\$ 2,915
Seats Four to Five						
CTX4G-54	54	54	1.19	90	8	\$ 4,040
Seats Five to Six						
CTX4G-60	59.5	59.5	1.19	107	10	\$ 4,596

· Seats Seven

OPTIONS

Top Finish	Edge Finish			Edge Shape	Power Cutout
HPL Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP For other laminates including Wilsonart, Nevamar and Pionite laminates, contact you Customer Representative for price and availability.	OSL MHM MRO DST MBM PCO	MNW MMC MLC MGO MGW BUW	EBY	EF Square DR Bevel DS Reed DU Radius EL Bullnose	QR No Power Cutout - Standard QV Power Cutout Centered over Base NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)

HOW TO ORDER

SPECIFY: Top finish | edge finish | edge shape | power cutout. See page 515 for the designator finish name.

MODEL	NUMBER

CTX4G-36

Top Finish	Edge Finish	Edge Shape	Power Cutout
СОР	OSL	EF	QR



ROUND TOP STANDARD FEATURES

- Round Lumber Banded Edge
- One-Piece Top
- One Base Required
- Available in Straight Grain only
- Available in Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



 NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.5" THICK



model	w	d	h	wt	cu ft	list
CT5-36RT	36	36	1.5	55	4	\$ 2,594
Seats Three to Four						
CT5-42RT	42	42	1.5	74	5	\$ 3,061
Seats Four						
CT5-48RT	48	48	1.5	93	7	\$ 3,656
Seats Four to Five						
CT5-54RT	54	54	1.5	111	8	\$ 4,279
Seats Five to Six						
CT5-60RT	59.5	59.5	1.5	132	10	\$ 5,306

• Seats Seven

OPTIONS

OPTIONS		
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO		QR No Power Cutout - Standard QV Power Cutout Centered over Base
MRO PCO MGW Flat Cut MBM MLC BUW	DW Ace	NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)
MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	AA Bay	
Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP Flat Cut	AB Index	
BEP HNP CHP CMP BUP		
	AC Radius	
	AD Reed	

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT5-36RT

Finish	Edge	Power Cutout
OSL	DW	QR



ROUND TOP STANDARD FEATURES

- Round Lumber Banded Edge
- Solid Hardwood Rims are Finished to Match Worksurface Veneer Species
- One-Piece Top
- One Base Required
- Available in Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



 NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.5" THICK



model	w	d	h	wt	cu ft	list
CT6-36RT	36	36	1.5	55	4	\$ 2,594
Seats Three to Four						
CT6-42RT	42	42	1.5	74	5	\$ 3,061
Seats Four						
CT6-48RT	48	48	1.5	93	7	\$ 3,656
Seats Four to Five						
CT6-54RT	54	54	1.5	111	8	\$ 4,279
Seats Five to Six						
CT6-60RT	59.5	59.5	1.5	132	10	\$ 5,306

· Seats Seven

OPTIONS

Finish	Edge	Power Cutout
Veneer <i>Quartered</i>		QR No Power Cutout - Standard QV Power Cutout Centered over Base
OSL DST MNW MGO		av 1 ower editode centered over base
MRO PCO MGW	AA Bay	NOTE: Grommets and Power Supplies must
Flat Cut MBM MLC BUW		be ordered separately (see pages 574-580)
MHM MMC EBY		
Studio Veneer Planked (10% upcharge) SFO SFW	AB Index	
3FO 3FW		
Woodgrain Laminate		
Quartered COP DSP PCP NWP MEP STP		
Flat Cut	AC Radius	
BEP HNP CHP CMP BUP		
	AD Reed	

HOW TO ORDER

SPECIFY: Finish \mid edge \mid power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT6-36RT

Finish	Edge	Power Cutout
OSL	AA	QR



model

ROUND TOP, 2MM EDGE STANDARD FEATURES

- One-Piece Top
- One Base Required
- Straight Grain Tops available in Laminate
- Sketch Border and Sunburst not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



• NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.5625" THICK



Straight Grain



Sketch Border



	%A
57/	

model		W	d	n	wt	cu ft	lis	it
CT7-36-4G	Straight Grain	36	36	1.56	55	4	\$	1,613
• Seats Three	to Four							
CT7-42-4G	Straight Grain	42	42	1.56	74	5	\$	1,996
CT7-42-4B	Sketch Border (available in flat cut veneer only)	42	42	1.56	74	5	\$	4,056
CT7-42-4S	Sunburst	42	42	1.56	74	5	\$	3,738
• Seats Four								
CT7-48-4G	Straight Grain	48	48	1.56	93	7	\$	2,513
CT7-48-4B	Sketch Border (available in flat cut veneer only)	48	48	1.56	93	7	\$	5,066
CT7-48-4S	Sunburst	48	48	1.56	93	7	\$	4,661
Seats Four t	o Five							
CT7-60-4G	Straight Grain	59.5	59.5	1.56	132	10	\$	3,718
CT7-60-4B	Sketch Border (available in flat cut veneer only)	59.5	59.5	1.56	132	10	\$	7,392
CT7-60-4S	Sunburst	59.5	59.5	1.56	132	10	\$	6,765

[•] Seats Seven

OPTIONS

Finish	Edge	Power Cutout
Veneer	AE Square	QR No Power Cutout - Standard QV Power Cutout Centered over Base NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT7-36-4G

Finish	Edge	Power Cutout
OSL	AE	QR



ROUND TOP STANDARD FEATURES

- Round Lumber Banded Edge
- One-Piece Top
- One Base Required
- Straight Grain Tops available in Laminate
- Sketch Border and Sunburst not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



 NOTE: All Round Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

1.875" THICK



Straight Grain



Sketch Border



	w	d	h	wt	cu ft	lis	t
Straight Grain	36	36	1.88	47	4	\$	2,594
to Four							
Straight Grain	42	42	1.88	63	5	\$	3,061
Sketch Border (available in flat cut veneer only)	42	42	1.88	63	5	\$	4,616
Sunburst	42	42	1.88	63	5	\$	4,121
Straight Grain	48	48	1.88	79	7	\$	3,656
Sketch Border (available in flat cut veneer only)	48	48	1.88	79	7	\$	5,182
Sunburst	48	48	1.88	79	7	\$	4,719
Five							
Straight Grain	59.5	59.5	1.88	112	10	\$	5,306
Sketch Border (available in flat cut veneer only)	59.5	59.5	1.88	112	10	\$	8,168
Sunburst	59.5	59.5	1.88	112	10	\$	7,783
	Straight Grain Sketch Border (available in flat cut veneer only) Sunburst Straight Grain Sketch Border (available in flat cut veneer only) Sunburst Five Straight Grain Sketch Border (available in flat cut veneer only) Sunburst	Straight Grain 36 Straight Grain 42 Sketch Border (available in flat cut veneer only) Sunburst 42 Straight Grain 48 Sketch Border (available in flat cut veneer only) Sunburst 48 Sketch Border (available in flat cut veneer only) Sunburst 48 Five Straight Grain 59.5 Sketch Border (available in flat cut veneer only)	Straight Grain 36 36 Sto Four 36 36 Straight Grain 42 42 Sketch Border (available in flat cut veneer only) 42 42 Sunburst 42 42 Straight Grain 48 48 Sketch Border (available in flat cut veneer only) 48 48 D Five 30 59.5 59.5 Sketch Border (available in flat cut veneer only) 59.5 59.5	Straight Grain 36 36 1.88 Sto Four 20 42 42 1.88 Sketch Border (available in flat cut veneer only) 42 42 42 1.88 Sunburst 42 42 1.88 Straight Grain 48 48 1.88 Sketch Border (available in flat cut veneer only) 48 48 1.88 D Five Straight Grain 59.5 59.5 1.88 Sketch Border (available in flat cut veneer only) 59.5 59.5 1.88	Straight Grain 36 36 1.88 47 Sto Four 42 42 1.88 63 Sketch Border (available in flat cut veneer only) 42 42 1.88 63 Sunburst 42 42 1.88 63 Straight Grain 48 48 1.88 79 Sketch Border (available in flat cut veneer only) 48 48 1.88 79 D Five Straight Grain 59.5 59.5 1.88 112 Sketch Border (available in flat cut veneer only) 59.5 59.5 1.88 112	Straight Grain 36 36 1.88 47 4 Sto Four 20 Four 36 36 1.88 47 4 Straight Grain 42 42 1.88 63 5 Sketch Border (available in flat cut veneer only) 42 42 1.88 63 5 Straight Grain 48 48 1.88 79 7 Sketch Border (available in flat cut veneer only) 48 48 1.88 79 7 D Five Straight Grain 59.5 59.5 1.88 112 10 Sketch Border (available in flat cut veneer only) 59.5 59.5 1.88 112 10	Straight Grain 36 36 1.88 47 4 \$ Sto Four Straight Grain 42 42 1.88 63 5 \$ Sketch Border (available in flat cut veneer only) 42 42 1.88 63 5 \$ Straight Grain 48 48 1.88 79 7 \$ Sketch Border (available in flat cut veneer only) 48 48 1.88 79 7 \$ Straight Grain 48 48 1.88 79 7 \$ 9 Five Straight Grain 59.5 59.5 1.88 112 10 \$ Sketch Border (available in flat cut veneer only) 59.5 59.5 1.88 112 10 \$

[•] Seats Seven

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EM 1.875" Radius EN 1.875" Square EP 1.875" Sierra EQ 1.875" Bevel ER 1.875" Reed HIR 1.875" Corona	QR No Power Cutout - Standard QV Power Cutout Centered over Base NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT3-36-4G

Finish	Edge	Power Cutout
OSL	EM	QR



SQUARE LAMINATE INSERT TOP STANDARD FEATURES

- External Lumber Banded Top
- One-Piece Top
- One Base Required

- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Square Tops	

1.1875" THICK



model	W	d	h	wt	cu f	ft li:	st
CTX5G-36	36	36	1.19	47	4	\$	1,769
CTX5G-42	42	42	1.19	63	5	\$	2,060
CTX5G-48	48	48	1.19	78	7	\$	2,371
CTX5G-54	54	54	1.19	94	8	\$	3,301

Seats Four

OPTIONS

Top Finish	Edge I	Finish				Edge Shape	Power Cutout
HPL Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP For other laminates including Wilsonart, Nevamar and Pionite laminates, contact you Customer Representative for price and availability.	OSL MRO MBM	MHM DST PCO	MNW MLC MGW	MMC MGO BUW	ЕВУ	EF Square DR Bevel DS Reed DU Radius EL Bullnose	QR No Power Cutout - Standard QV Power Cutout Centered over Base NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580)

HOW TO ORDER

 ${\sf SPECIFY: Top\ finish\ |\ edge\ finish\ |\ edge\ shape\ |\ power\ cutout.\ See\ page\ 515\ for\ the\ designator\ finish\ name.}$

MODEL NUMBER

CTX5G-36

Top Finish	Edge Finish	Edge Shape	Power Cutout
СОР	OSL	EF	QR

CTX5G-60 59.5 59.5 1.19 112 10 \$ 3,886

[•] Seats Six



RECTANGULAR TOP STANDARD FEATURES

- Rectangular Lumber Banded Edge; EK Cutback Edge is not Lumber Banded
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops

1.1875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

		wt	cu ft	list
36	1.19	114	9	\$ 2,950
i 42	1.19	157	13	\$ 4,299

· Seats Eight

1.1875" THICK



Long Grain

model	w	d	h	wt	cu ft	list
CT1-12048-1G	120	48	1.19	234	20	\$ 7,369

- Seats 10
- · Three Bases Required
- Two 5' Pieces

CT1-14448-1G 144 48 1.19 284 24 \$ 8

- Seats 12
- · Three Bases Required
- Two 6' Pieces


CT1-16848-1G	168	48	1.19	307	26	\$ 9,724

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT1-19248-1G	192	48	1.19	330	30	\$ 11,194

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS



HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT1-7236-1G

Finish	Edge	Power Cutout
OSL	EH	QR



RECTANGULAR TOP, 2MM EDGE STANDARD FEATURES

- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base

Rectangular Tops

1.1875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu f	t list
CT2-7236-1G	72	36	1.19	114	9	\$ 2,337
Seats Six						
CT2-9642-1G	96	42	1.19	157	13	\$ 3,644

• Seats Eight

1.1875" THICK



Long Grain

model	w	d	h	wt	cu ft	list
CT2-12048-1G	120	48	1.19	234	20	\$ 5,489

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT2-14448-1G	144	48	1.19	284	24	\$ 6,372

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT2-16848-1G	168	48	1.19	307	26	\$ 7.631

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT2-19248-1G	192	48	1.19	330	30	\$ 8,668

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer	DN Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT2-7236-1G

Finish	Edge	Power Cutout
OSL	DN	QR



RECTANGULAR LAMINATE INSERT TOP STANDARD FEATURES

- External Lumber Banded Top
- Two Bases Required
- One-Piece Top

- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

R	Rectangular Tops							

1.1875"	тніск

model	W	d	h	wt	cu f	t list
CTX1G-7236	72	36	1.19	114	9	\$ 2,586
Seats Six						
CTX1G-9642	96	42	1.19	157	13	\$ 3,673

[•] Seats Eight

OPTIONS

Top Finish	Edge	Finish				Edge Shape	Power Cutout
HPL Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP For other laminates including Wilsonart, Nevamar and Pionite laminates, contact you Customer Representative for price and availability.	OSL MRO MBM	MHM DST PCO	MNW MLC MGW	MMC MGO BUW	EBY	EF Square DR Bevel DS Reed DU Radius EL Bullnose	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).

HOW TO ORDER

 ${\sf SPECIFY: Top\ finish\ |\ edge\ finish\ |\ edge\ shape\ |\ power\ cutout.\ See\ page\ 515\ for\ the\ designator\ finish\ name.}$

MODEL	NUMBER

CTX1G-7236

Top Finish	Edge Finish	Edge Shape	Power Cutout
COP	OSL	EF	QR



RECTANGULAR LAMINATE INSERT TOP STANDARD FEATURES

- External Lumber Banded Top
- Laminate Insert
- Three Bases RequiredTwo-Piece Top

- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops					

1	187	75"	т	НΙ	CI	K

model	w	d	h	wt	cu ft	list
CTX1G-12048	120	48	1.19	234	20	\$ 6,914

- Seats 10
- Two 5' Pieces

CTX1G-14448	144	48	1.19	284	24	\$ 7,772

- Seats 12
- Two 6' Pieces

OPTIONS

Top Finish	Edge F	inish				Edge Shape	Power Cutout
HPL Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP For other laminates including Wilsonart, Nevamar and Pionite laminates, contact you Customer Representative for price and availability.	OSL MRO MBM	MHM DST PCO	MNW MLC MGW	MMC MGO BUW	EBY	EF Square DR Bevel DS Reed DU Radius EL Bullnose	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).

HOW TO ORDER

SPECIFY: Top finish | edge finish | edge shape | power cutout. See page 515 for the designator finish name.

MODEL	NUMBER

CTX1G-12048

Top Finish	Edge Finish	Edge Shape	Power Cutout
СОР	OSL	EF	QR



RECTANGULAR TOP STANDARD FEATURES

- Rectangular Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops

1.5" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	1	d	h	wt	cu ft	list	:
CT5-7236RT	7.	2	36	1.5	141	9	\$	3,179
Seats Six								
CT5-9642RT	9	6	42	1.5	194	13	\$	4.833

• Seats Eight

1.5" THICK



Long Grain

model	w	d	h	wt	cu ft	list
CT5-12048RT	120	48	1.5	290	20	\$ 8,015

- Seats 10
- · Three Bases Required
- Two 5' Pieces

CT5-14448RT	144	48	1.5	352	24	\$ 9,074
-------------	-----	----	-----	-----	----	----------

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT5-16848RT	168	48	1.5	381	26	\$ 10,315

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT5-19248RT	192	48	1.5	409	30	\$ 12,085

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

OPTIONS		
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	DW Ace AA Bay	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Guartered COP DSP PCP NWP MEP STP Flat Cut	AB Index	
BEP HNP CHP CMP BUP	AC Radius	
	AD Reed	

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT5-7236RT

Finish	Edge	Power Cutout
OSL	DW	QR



RECTANGULAR TOP, 2MM EDGE STANDARD FEATURES

- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- Two Bases Required
- One-Piece Top

- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops						

1.5625" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu f	t list	
CT7-7236-1G	72	36	1.56	141	9	\$ 2,5	569
• Seats Six							
CT7-9642-1G	96	42	1.56	194	13	\$ 4,	,012
·							

• Seats Eight

1.5625" THICK



Long Grain

model	W	d	h	wt	cu ft	list
CT7-12048-1G	120	48	1.56	290	20	\$ 6,039

- Seats 10
- · Three Bases Required
- Two 5' Pieces

CT7-14448-1G	144	48	1.56	352	24	\$ 7,009

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT7-16848-1G	168	48	1.56	381	26	\$ 8,393

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT7-19248-1G	192	48	1.56	409	30	\$ 9,536

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

01 110110		·
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	AE Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT7-7236-1G

Finish	Edge	Power Cutout
OSL	AE	QR



RECTANGULAR TOP STANDARD FEATURES

- Rectangular Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops

1.875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list
CT3-7236-1G	72	2 36	1.88	118	9	\$ 3,179
Seats Six						
CT3-9642-1G	96	5 42	1.88	162	13	\$ 4.833

• Seats Eight

1.875" THICK



Long Grain

model	w	d	h	wt	cu ft	list
CT3-12048-1G	120	48	1.88	238	20	\$ 8,015

- Seats 10
- · Three Bases Required
- Two 5' Pieces

CT3-14448-1G	144	48	1.88	289	24	\$ 9,074
--------------	-----	----	------	-----	----	----------

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT3-16848-1G	168	48	1.88	313	26	\$ 10,315

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT3-19248-1G	192	48	1.88	337	30	\$ 12,085

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EM 1.875" Radius EN 1.875" Square EP 1.875" Sierra EQ 1.875" Bevel ER 1.875" Reed HIR 1.875" Corona	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT3-7236-1G

Finish	Edge	Power Cutout
OSL	EM	QR



RECTANGULAR TOP STANDARD FEATURES

- Rectangular Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability

Rectangular Tops

3.75" (ES) OR 3.625" (ET) THICK



Long Grain

- Two Bases Required
- One-Piece Top

w	d	h	wt	cu ft	list
72	36	3.75	122	9	\$ 3,363
96	42	3.75	168	13	\$ 5,186
	72	72 36	72 36 3.75	72 36 3.75 122	72 36 3.75 122 9

• Seats Eight

3.75" (ES) OR 3.625" (ET) THICK



Long Grain

model	w	d	h	wt	cu ft	list
CT4-12048-1G	120	48	3.75	243	20	\$ 8,072

- Seats 10
- · Three Bases Required
- Two 5' Pieces

CT4-14448-1G	144	48	3.75	294	24	\$ 9,429

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT4-16848-1G	168	48	3.75	320	26	\$ 10,491

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT4-19248-1G	192	48	3.75	344	30	\$ 12,329

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	ES 3.75" Sierra	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
	ET 3.625" Galiant	

HOW TO ORDER

SPECIFY: Finish \mid edge \mid power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT4-7236-1G

Finish	Edge	Power Cutout
OSL	ES	QR



BOAT-SHAPED TOP STANDARD FEATURES

- Boat-Shaped Lumber Banded Edge; EK Cutback Edge is not Lumber Banded
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- Sketch Border not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



1.1875" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list
CT1-9642-2G	Long Grain	96	42	1.19	154	13	\$ 5,891
CT1-9642-2B	Sketch Border	96	42	1.19	154	13	\$ 8,611

- Seats Eight
- Two Bases Required
- · One-Piece Top

1.1875" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list	
CT1-12048-2G	Long Grain	120	48	1.19	228	20	\$	8,154
CT1-12048-2B	Sketch Border	120	48	1.19	228	20	\$	11,189

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT1-14448-2G	Long Grain	144	48	1.19	278	24	\$ 9,429
CT1-14448-2B	Sketch Border	144	48	1.19	278	24	\$ 13.515

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT1-16848-2G	Long Grain	168	48	1.19	301	26	\$ 10.603
C11 100-0 20	Long Grain	100	40	1.10	501	20	Ψ 10,000

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT1-19248-2G	Long Grain	192	48	1.19	324	30	\$ 12,374

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Einich	Edgo	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EF Square EG Sierra EH Concave DT Transitional EJ Galiant DR Bevel DS Reed DU Radius EK Launch 2" Knife (not available in laminate)	Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT1-9642-2G

Finish	Edge	Power Cutout
OSL	EH	QR



BOAT-SHAPED TOP, 2MM EDGE STANDARD FEATURES

 Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)

Sketch Border not available in Oak or Laminate
 See pages 545-567 for Base Options

• See pages 570-571 for Power Supply and Base Applicability



1.1875" THICK



Long Grain



Sketch Border

model		W	d	h	wt	cu ft	list	
CT2-9642-2G	Long Grain	96	42	1.19	154	13	\$ 3,	914
CT2-9642-2B	Sketch Border	96	42	1.19	154	13	\$ 7,	679

- Seats Eight
- Two Bases Required
- One-Piece Top

1.1875" THICK



Long Grain



Sketch Border

model		W	d	h	wt	cu ft	list
CT2-12048-2G	Long Grain	120	48	1.19	228	20	\$ 6,020
CT2-12048-2B	Sketch Border	120	48	1.19	228	20	\$ 10,719

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT2-14448-2G	Long Grain	144	48	1.19	278	24	\$ 6,963
CT2-14448-2B	Sketch Border	144	48	1.19	278	24	\$ 12.603

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT2-16848-2G Long Grain 168 48 1.19 301 26 \$	Grain 168 48 1.19 301 26	\$ 8,196
--	--------------------------	----------

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT2-19248-2G	Long Grain	192	48	1.19	324	30	\$ 9,380

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

01 110113		
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	DN Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Guartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT2-9642-2G

Finish	Edge	Power Cutout
OSL	DN	QR



BOAT-SHAPED TOP STANDARD FEATURES

- Boat-Shaped Lumber Banded Edge
- Available in Long Grain only
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base



1.5" THICK



Long	Grain
Long	Gran

model	w	d	h	wt	cu fl	list
CT5-9642BT	96	42	1.5	190	13	\$ 6,657

- Seats Eight
- Two Bases Required
- One-Piece Top

1.5" THICK



Long Grain

model	W	d	h	wt	cu ft	list
CT5-12048BT	120	48	1.5	282	20	\$ 8,839

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT5-14448BT	144	48	1.5	344	24	\$ 10,016

- Seats 12
- Three Bases Required
- Two 6' Pieces

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT5-19248BT	192	48	1.5	401	30	\$ 13,379

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

OPTIONS		
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	DW Ace	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut	AB Index	
BEP HNP CHP CMP BUP	AC Radius	
	AD Reed	

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT5-9642BT

Finish	Edge	Power Cutout
OSL	DW	QR



BOAT-SHAPED TOP, 2MM EDGE STANDARD FEATURES

- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 570-571 for Power Supply and Base Applicability
- **Boat-Shaped Tops**

• Sketch Border not available in Oak or Laminate

• See pages 545-567 for Base Options

1.5625" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list
CT7-9642-2G	Long Grain	96	42	1.56	190	13	\$ 4,307
CT7-9642-2B	Sketch Border	96	42	1.56	190	13	\$ 8,447

- Seats Eight
- Two Bases Required
- One-Piece Top

1.5625" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list
CT7-12048-2G	Long Grain	120	48	1.56	282	20	\$ 6,623
CT7-12048-2B	Sketch Border	120	48	1.56	282	20	\$ 11,793

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT7-14448-2G	Long Grain	144	48	1.56	334	24	\$ 7,659
CT7-14448-2B	Sketch Border	144	48	156	334	24	\$ 13.866

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT7-16848-2G	Long Grain	168	48	1.56	373	26	\$ 9,016

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT7-19248-2G	Long Grain	192	48	1.56	401	30	\$ 10,316

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Ouartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	AE Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT7-9642-2G

Finish	Edge	Power Cutout
OSL	AE	QR

imagine a place® ofs.com 800.521.5381 January 2022 Pricing 536



BOAT-SHAPED TOP STANDARD FEATURES

- Boat-Shaped Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- Sketch Border not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



1.875" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list
CT3-9642-2G	Long Grain	96	42	1.88	158	13	\$ 6,657
CT3-9642-2B	Sketch Border	96	42	1.88	158	13	\$ 9,242

- Seats Eight
- Two Bases Required
- One-Piece Top

1.875" THICK



Long Grain



Sketch Border

model		W	d	h	wt	cu ft	list
CT3-12048-2G	Long Grain	120	48	1.88	233	20	\$ 8,839
CT3-12048-2B	Sketch Border	120	48	1.88	233	20	\$ 12,065

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT3-14448-2G	Long Grain	144	48	1.88	283	24	\$ 10,016
CT3-14448-2B	Sketch Border	144	48	1.88	283	24	\$ 14.331

- Seats 12
- · Three Bases Required
- Two 6' Pieces

CT3-16848-2G Lor	ong Grain	168	48	1.88	307	26	\$ 11,554
------------------	-----------	-----	----	------	-----	----	-----------

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT3-19248-2G	Long Grain	192	48	1.88	331	30	\$ 13,379

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP	EM 1.875" Radius EN 1.875" Square EP 1.875" Sierra EQ 1.875" Bevel	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Flat Cut BEP HNP CHP CMP BUP	ER 1.875" Reed HIR 1.875" Corona	

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT3-9642-2G

Finish	Edge	Power Cutout
OSL	ЕМ	QR



BOAT-SHAPED TOP STANDARD FEATURES

- Boat-Shaped Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- Sketch Border not available in Oak or Laminate
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base
 Applicability



3.75" THICK



Long Grain



Sketch Border

model		w	d	h	wt	cu ft	list
CT4-9642-2G	Long Grain	96	42	3.75	162	13	\$ 6,657
CT4-9642-2B	Sketch Border	96	42	3.75	162	13	\$ 9,305

- Seats Eight
- Two Bases Required
- One-Piece Top

3.75" THICK



Long Grain



Sketch Border

model		W	d	h	wt	cu ft	list
CT4-12048-2G	Long Grain	120	48	3.75	238	20	\$ 8,839
CT4-12048-2B	Sketch Border	120	48	3.75	238	20	\$ 12,260

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT4-14448-2G	Long Grain	144	48	3.75	288	24	\$ 10,136
CT4-14448-2B	Sketch Border	144	48	3 75	288	24	\$ 14 454

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT4-16848-2G	Long Grain	168	48	3.75	313	26	\$ 11,554

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT4-19248-2G	Long Grain	192	48	3.75	338	30	\$ 13,849

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

OF HONS		
Finish	Edge	Power Cutout
Veneer Quartered QUartered OST MRO PCO MGW Flat Cut MBM MLC BUW MHM MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	ES 3.75" Sierra	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT4-9642-2G

Finish	Edge	Power Cutout
OSL	ES	QR



RACETRACK TOP STANDARD FEATURES

- Racetrack Lumber Banded Edge; EK Cutback Edge is not Lumber Banded
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



1.1875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list
CT1-7236-3G	72	36	1.19	105	9	\$ 3,656
• Seats Six						
CT1-9642-3G	96	42	1.19	152	13	\$ 5.719
C11-9642-3G	96	42	1.19	152	15	\$ 5,719

• Seats Eight

1.1875" THICK



Long	Grain

model	w	d	h	wt	cu ft	list
CT1-12048-3G	120	48	1.19	224	20	\$ 7,369

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT1-14448-3G	144	48	1.19	274	24	\$ 9,139
--------------	-----	----	------	-----	----	----------

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT1-16848-3G	168	48	1.19	297	26	\$ 10,315

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT1-19248-3G	192	48	1.19	320	30	\$ 11,786

- Seats 16
- Three or Four Bases Required
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Guartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	EH Concave DT Transitional	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EJ Galiant DR Bevel DS Reed DU Radius EK Launch 2" Knife	

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT1-7236-3G

Finish	Edge	Power Cutout
OSL	EH	QR



RACETRACK TOP, 2MM EDGE STANDARD FEATURES

- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



1.1875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list
CT2-7236-3G	72	36	1.19	105	9	\$ 2,559
Seats Six						
CT2-9642-3G	96	42	1.19	152	13	\$ 3,958

• Seats Eight

1.1875" THICK



Lona	Grain

model	W	d	h	wt	cu ft	list
CT2-12048-3G	120	48	1.19	224	20	\$ 6,152

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT2-14448-3G 144 48 1.19 274 24 \$ 7

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT2-16848-3G	168	48	1.19	297	26	\$ 8,411

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT2-19248-3G	192	48	1.19	320	30	\$ 9,511

- Seats 16
- Three or Four Bases Required
- Two 8' Pieces

OPTIONS

011003		
Finish	Edge	Power Cutout
Veneer Guartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	DN Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Guartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER


CT2-7236-3G

Finish	Edge	Power Cutout
OSL	DN	QR



RACETRACK LAMINATE INSERT TOP STANDARD FEATURES

- External Lumber Banded Top
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



1.1875" THICK



- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list
CTX3G-7236	72	36	1.19	105	9	\$ 3,458

• Seats Six

CTX3G-9642	96	42	1.19	152	13	\$ 4,856

• Seats Eight

1.1875" THICK



· Three Bases Required

model	w	d	h	wt	cu ft	list
CTX3G-12048	120	48	1.19	224	20	\$ 7,092

- Seats 10
- Two 5' Pieces

CTX3G-14448	144	48	1.19	274	24	\$ 8,548

- Seats 12
- Two 6' Pieces

OPTIONS

Top Finish	Edge	Finish				Edge Shape	Power Cutout
HPL Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP For other laminates including Wilsonart, Nevamar and Pionite laminates, contact you Customer Representative for price and availability.	OSL MRO MBM	MHM DST PCO	MNW MLC MGW	MMC MGO BUW	EBY	EF Square DR Bevel DS Reed DU Radius EL Bullnose	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).

HOW TO ORDER

SPECIFY: Top finish | edge finish | edge shape | power cutout. See page 515 for the designator finish name.

MODEL	NUMBER

CTX3G-7236

Top Finish	Edge Finish	Edge Shape	Power Cutout	
СОР	OSL	EF	QR	

\$ 6,306

list

\$ 8,427



Meeting Room

RACETRACK TOP STANDARD FEATURES

- Racetrack Lumber Banded Edge
- Available in Long Grain only
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without Grain Match)
- See pages 545-567 for Base Options
- See pages 570-571 for Power Supply and Base Applicability



188

277

13

20

1.5" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	W	d	h	wt	cu ft	list
CT5-7236AT	72	36	1.5	130	9	\$ 4,299
Seats Six						

42

1.5

1.5

96

120

• Seats Eight

1.5" THICK



n	model					
C	CT5-12048AT					
	Seats 10					

Three Bases Required

• Two 5' Pieces

CT5-14448AT	144	48	1.5	339	24	\$ 10,016
-------------	-----	----	-----	-----	----	-----------

48

- Seats 12
- · Three Bases Required
- Two 6' Pieces

CT5-16848AT	168	48	1.5	368	26	\$ 11,194

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT5-19248AT	192	48	1.5	397	30	\$ 13,078

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

OPTIONS		
Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	DW Ace	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut	AB Index	
BEP HNP CHP CMP BUP	AC Radius	
	AD Reed	

HOW TO ORDER

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name.

MODEL NUMBER

CT5-7236AT

Finish	Edge	Power Cutout
OSL	DW	QR



RACETRACK TOP, 2MM EDGE STANDARD FEATURES

- Available in Long Grain only
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without
- See pages 545-567 for Base Options

• See pages 570-571 for Power Supply and Base Applicability



1.5625" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list	
CT7-7236-3G	72	36	1.56	130	9	\$ 2,815	
Seats Six							
 CT7-9642-3G	96	42	1.56	188	13	\$ 4,353	

• Seats Eight

1.5625" THICK



Lona	Grain

model	w	d	h	wt	cu ft	list
CT7-12048-3G	120	48	1.56	277	20	\$ 6,766

- Seats 10
- Three Bases Required
- Two 5' Pieces

	144 48	1.56	339	24	\$	7,801
--	--------	------	-----	----	----	-------

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT7-16848-3G	168	48	1.56	368	26	\$ 9,253

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT7-19248-3G	192	48	1.56	397	30	\$ 10,463

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW	AE Square	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT7-7236-3G

Finish	Edge	Power Cutout
OSL	AE	QR

800.521.5381 January 2022 Pricing ofs.com imagine a place® 543



RACETRACK TOP STANDARD FEATURES

- Racetrack Lumber Banded Edge
- Available with Grain Matched Laminate Top up to 12' only (Laminate available in Larger Sizes without
- See pages 545-567 for Base Options

• See pages 570-571 for Power Supply and Base Applicability



1.875" THICK



Long Grain

- Two Bases Required
- One-Piece Top

model	w	d	h	wt	cu ft	list
CT3-7236-3G	72	36	1.88	109	9	\$ 4,299
Seats Six						
CT3-9642-3G	96	42	1.88	156	13	\$ 6.306

• Seats Eight

1.875" THICK



Ž	3
3	
Long Gr	ain

model	W	d	h	wt	cu ft	list
CT3-12048-3G	120	48	1.88	228	20	\$ 8,427

- Seats 10
- Three Bases Required
- Two 5' Pieces

CT3-14448-3G	144	48	1.88	279	24	\$ 10,016
--------------	-----	----	------	-----	----	-----------

- Seats 12
- Three Bases Required
- Two 6' Pieces

CT3-16848-3G	168	48	1.88	303	26	\$ 11,194

- Seats 14
- Three Bases Required
- Two 7' Pieces

CT3-19248-3G	192	48	1.88	327	30	\$ 13,078

- Seats 16
- Three or Four Bases Required; see page 550
- Two 8' Pieces

OPTIONS

Finish	Edge	Power Cutout
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Studio Veneer Planked (10% upcharge) SFO SFW Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP	EM 1.875" Radius EN 1.875" Square EP 1.875" Sierra EQ 1.875" Bevel	QR No Power Cutout - Standard NOTE: Grommets and Power Supplies must be ordered separately (see pages 574-580). To order Power Cutout, select location (see pages 570-571).
Flat Cut BEP HNP CHP CMP BUP	ER 1.875" Reed HIR 1.875" Corona	

SPECIFY: Finish | edge | power cutout. See page 515 for the designator finish name

MODEL NUMBER

CT3-7236-3G

Finish	Edge	Power Cutout
OSL	ЕМ	QR

ofs.com January 2022 Pricing imagine a place® 800.521.5381 544



Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR ROUND AND SQUARE TOPS





NOTE: All round and square conference tops require additional weight in the base when using cylinder bases to prevent the table from tipping over. OFS provides instruction sheets and clear 6 ml bags with base. Customer must provide dry sand for the additional weight.

36"D TOPS

































42"D AND 48"D TOPS



CBH-F










CB-L (For Round Tops)



CB-T (For Round Tops)



MXB-32 (For 42"D Tops)























MLC-1








546



Meeting Room

Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR ROUND AND SQUARE TOPS



NOTE: All round and square conference tops require additional weight in the base when using cylinder bases to prevent the table from tipping over. OFS provides instruction sheets and clear 6 ml bags with base. Customer must provide dry sand for the additional weight.

54"D AND 59 1/2"D TOPS




















MCB-28





TSX38 (For 54" Round and Square Tops)

800.521.5381 ofs.com imagine a place® January 2022 Pricing



Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR RECTANGULAR, BOAT-SHAPED AND RACETRACK TOPS (BASES INSET 20")



72"W X 36"D TOPS



CBD-B (2 Qty.) 26" Between Bases



CBD-S (2 Qty.) 35.75" Between Bases



CBD-U (2 Qty.) 35.4375" Between Bases



CBD-Y (2 Qty.) 36.75" Between Bases



CBD-12 (2 Qty.) 27" Between Bases



MTB2 (2 Qty.) 39" Between Bases



MCB-23 (2 Qty.) (For Rectangular and Racetrack Tops) 13" Between Bases

96"W X 42"D TOPS



CB-A (2 Qty.) 34.9375" Between Bases



CB-B (2 Qty.) 30.5" Between Bases



CB-C (2 Qty.) 34.375" Between Bases



CB-D (2 Qty.) 44.3125" Between Bases



CB-24EB (2 Qty.) 41.25" Between Bases



CB-S (2 Qty.) 43.75" Between Bases



43.4375" Between Bases



48.5625" Between Bases



CB-Y (2 Qty.) 44.75" Between Bases



CB-03 (2 Qty.) 35" Between Bases



CBH-03 (2 Qty.) 25" Between Bases



CB-05 (2 Qty.) 33.25" Between Bases



CBH-05 (2 Qty.) 23.25" Between Bases



CB-12 (2 Qty.) 35" Between Bases



47" Between Bases





Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR RECTANGULAR, BOAT-SHAPED AND RACETRACK TOPS (BASES INSET 20")



120"W X 48"D AND 144"W X 48"D TOPS



CB-A (2 Qty.) + CB-D Base 28" Between Bases (120) 40" Between Bases (144)



CB-B (2 Qty.) + CB-Y Base 26" Between Bases (120) 38" Between Bases (144)



CB-C (2 Qty.) + CB-D Base 27.75" Between Bases (120) 39.75" Between Bases (144)



CB-D (3 Qty.) 32.6875" Between Bases (120) 44.6875" Between Bases (144) 41.625" Between Bases (144)



CB-24EB (3 Qty.) 29.625" Between Bases (120)



CB-S (3 Qty.) 32.125" Between Bases (120) 44.125" Between Bases (144)



CB-U (3 Qty.) 31.8125" Between Bases (120) 43.8125" Between Bases (144)



CB-2V (2 Qty.) + CB-U Base 34.375" Between Bases (120) 46.375" Between Bases (144)



CB-Y (3 Qty.) 33.125" Between Bases (120) 45.125" Between Bases (144)



CB-03 (3 Qty.) 25.5" Between Bases (120) 37.5" Between Bases (144)



CB-03 (2 Qty.) + CB-03 Base 21" Between Bases (120) 33" Between Bases (144)



CB-05 (3 Qty.) 23.75" Between Bases (120) 35.75" Between Bases (144)



CB-05 (2 Qty.) + CBH-05 Base 19.25" Between Bases (120) 31.25" Between Bases (144)



CB-12 (3 Qty.) 25.5" Between Bases (120) 37.5" Between Bases (144)



MTB2 (3 Qty.) 34.5" Between Bases (120) 46.5" Between Bases (144)



MCB-28 (3 Qty.) 6" Between Bases (120) 18" Between Bases (144)

120"W X 48"D TOPS ONLY



CB-B (2 Qty.) + CBH-F Base 17.3125" Between Bases (120)

144"W X 48"D TOPS ONLY



CB-B (2 Qty.) + CBU-F Base 29.25" Between Bases (144)



CBH-03 (3 Qty.) 24" Between Bases (144)



CBH-05 (3 Qty.) 22.25" Between Bases (144)

ofs.com imagine a place® 800.521.5381 January 2022 Pricing



Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR RECTANGULAR, BOAT-SHAPED AND RACETRACK TOPS (BASES INSET 20")



168"W X 48"D TOPS



CB-A (2 Qty.) + CB-D Base 52" Between Bases



CB-B (2 Qty.) +

CB-L (3 Qty.)



CB-B (2 Qty.) + CB-Y Base 50" Between Bases



CB-C (2 Qty.) + CB-D Base 51.75" Between Bases



CB-D (3 Qty.) 56.6875" Between Bases



CB-24EB (3 Qty.) 53.625" Between Bases



CBH-F (3 Qty.) 32.125" Between Bases



25.4375" Between Bases



CB-M (3 Qty.) 33" Between Bases



CB-Q (3 Qty.) 34.5625" Between Bases



CB-R (3 Qty.) 29.875" Between Bases



CB-S (3 Qty.) 56.125" Between Bases



CB-T (3 Qty.) 29.0625" Between Bases



CB-U (3 Qtv.) 55.8125" Between Bases



CB-2V (2 Qty.) + CB-U Base 58.375" Between Bases



CB-Y (3 Qtv.) 57.125" Between Bases



CB-03 (3 Qty.) 49.5" Between Bases



CB-03 (2 Qty.) + CBH-03 Base 45" Between Bases



CBH-03 (3 Qty.) 36" Between Bases



CBH-04 (3 Qtv.) 27.5" Between Bases



CB-05 (3 Qty.) 47.75" Between Bases



CB-05 (2 Qtv.) + CBH-05 Base 43.25" Between Bases



CBH-05 (3 Qty.) 34.25" Between Bases



CBH-06 (3 Qty.) 25.75" Between Bases



CB-12 (3 Qty.) 49.5" Between Bases



CBM-07 (3 Qty.) 29.375" Between Bases



MTB2 (4 Qty.) 38.375" Between Bases



MCB-28 (3 Qty.) 30" Between Bases



Our conference offering includes numerous base choices to complement our tops. For easy selection of bases we have compiled this quick reference guide of compatible bases with tops. After base is selected see pages 553-568 for specifications and ordering.

BASE OPTIONS FOR RECTANGULAR, BOAT-SHAPED AND RACETRACK TOPS (BASES INSET 20")



192"W X 48"D TOPS



CB-A (2 Qty.) + CB-D Base (2 Qty.) 41" Between Bases



CB-B (2 Qty.) + CB-Y Base (Qty.) 40" Between Bases



CB-C (2 Qty.) + CB-D Base (2 Qty.) 41" Between Bases



CB-D (4 Qty.) 44.75" Between Bases



CB-24EB (4 Qty.) 41.75" Between Bases



CBH-F (3 Qty.) 44.125" Between Bases



CBU-F (3 Qty.) 37.375" Between Bases



CB-L (3 Qty.) 37.4375" Between Bases



CB-M (3 Qty.) 45" Between Bases



CBU-M (3 Qty.) 37.5" Between Bases



CB-Q (3 Qty.) 46.5625" Between Bases



CB-R (3 Qty.) 41.875" Between Bases



CBU-R (3 Qty.) 35.25" Between Bases



CB-S (4 Qty.) 44.25" Between Bases



CB-T (3 Qty.) 41.0625" Between Bases



CB-U (4 Qty.) 44" Between Bases



CB-2V (2 Qty.) + CB-U Base (2 Qty.) 45.25" Between Bases



CB-Y (4 Qty.) 45.25" Between Bases



CB-03 (4 Qty.) 38.375" Between Bases



CBH-03 (3 Qty.) 48" Between Bases



CBH-04 (3 Qty.) 39.5" Between Bases



CBU-04 (3 Qty.) 37.5" Between Bases



CB-05 (4 Qty.) 37.5" Between Bases



CBH-05 (3 Qty.) 46.25" Between Bases



CBH-06 (3 Qty.) 37.75" Between Bases



CBU-06 (3 Qty.) 34.75" Between Bases



CB-12 (4 Qty.) 38.375" Between Base:



CBM-07 (3 Qty.) 41.375" Between Bases



MTB2 (4 Qty.) 46.375" Between Bases



MCB-28 (3 Qty.) 42" Between Bases

ofs.comimagine a place®800.521.5381January 2022 Pricing550



BASE STANDARD FEATURES

- Adjustable Levelers
- Overall Height with Top 29.9375"
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

CURVED



model	w	d	h	wt	cu ft	list
СВ-А	22.13	11.25	28.75	35	7	\$ 1,890

· Black Vein Line, no Brass

HALF ROUND FOR 6' TOPS ONLY



model	W	d	h	wt	cu ft	list
CBD-B	18	9	28.75	35	7	\$ 1,419

• 8"W x 8"D Wire Access Door Option

HALF ROUND



model	W	d	h	wt	cu ft	list
СВ-В	24	12	28.75	41	9	\$ 1,577

- 8"W x 8"D Wire Access Door Option
- NOTE: Cannot be used with Conference Table Tops less than 8' in Length. For Conference Table Tops where Three or Four Bases are Required, order Two CB-B for the End Bases and CB-Y for the Center Base(s).

U-SHAPED



model	w	d	h	wt	cu ft	list
CB-C	24	11.25	28.75	95	7	\$ 2,051

- Black Vein Line, no Brass
- Center Black Metal Panel
- NOTE: Cannot be used with Conference Table Tops less than 8' in Length. For Conference Table Tops where Three or Four Bases are Required, order Two CB-C for the End Bases and CB-D for the Center Base(s).

Wire Access Door
RA No Wire Access Door - Standard RB Wire Access Door \$222
(

SPECIFY: Finish | wire access door. See page 515 for the designator finish name

MODEL NUMBER

CB-A

Finish	Wire Access Door
OSL	RA

ofs.com imagine a place® 800.521.5381 January 2022 Pricing 551



BASE STANDARD FEATURES

• Adjustable Levelers

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

SINGLE PANEL



model	w	d	h	wt	cu ft	lis	t
CB-D	24	2.94	28.75	60	5	\$	1,736

- Black Vein Line, no Brass
- Overall Height with Top 29.9375"
- Arm Clearance:
 1.1875" Top-28.75"
 2" Top-28"
 3.75" Top-26.25"
- Notches in Top for Pass-Thru Wire Management
- NOTE: Cannot be used with Conference Table Tops less than 8' in Length

ELLIPSE



model	W	d	h	wt	cu ft	list
CB-24EB	24	6	28.75	50	5	\$ 1,718

- Veneer Ellipse Base
- Overall Height with Top 29.875"
- Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Cannot be used with Conference Table Tops less than 8' in Length

SMALL CYLINDER FOR 36"D TOPS



model	W	d	h	wt	cu ft	list
CB-F	18	18	28.75	88	12	\$ 1,577

- Veneer
- Overall Height with Top 29.9375"
- Arm Clearance:
 1.1875" Top-28.75"
 2" Top-28"
- Notches in Top for Pass-Thru Wire Management

NOTES:

- Use with 36" Round and 36" Square Conference Table Tops only
- All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides a Clear 6ml Bags for the Dry Sand with CB-F Base.

OPTIONS

Finish

Veneer Quartered

MRO PCO MGW
Flat Cut
MBM MLC BUW
MHM MMC EBY

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name.

MODEL NUMBER

CB-D

Finish



BASE STANDARD FEATURES

- · Adjustable Levelers
- Overall Height with Top 29.9375"
- Arm Clearance:
 1.1875" Top-28.75"
 2" Top-28"
 3.75" Top-26.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

CYLINDER



model	w	d	h	wt	cu ft	list
СВН-F	20	20	28.75	55	12	\$ 1,657

- Veneer
- · Notches in Top for Pass-Thru Wire Management
- 8"W x 8"D Wire Access Door Option

NOTES:

- Use with 42" and 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table Tops.
- Cannot be used with 36" Round or Square Conference Tops. Not recommended for use with 6', 8', 10' or 12'
 Conference Tops. For 54" and 59.5" Round and Square Conference Tops, use CBU-F below.
- All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent
 the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide
 Dry Sand for the Additional Weight.

CYLINDER



model	W	d	h	wt	cu ft	list	
CBU-F	24	24	28.75	55	18	\$	1,718

- Veneer
- Notches in Top for Pass-Thru Wire Management
- 8"W x 8"D Wire Access Door Option

NOTES:

- Use with 54" and 59.5" Round and Square Conference Table Tops. Use with 16' Conference Table Tops.
- All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

DUNCAN PHYFE



model	W	d	h	wt	cu ft	list
CB-L	36	36	28.75	40	15	\$ 2,037

- Brass Toe Caps
- Not available in Quartered Veneer Finishes

NOTES:

- Use with Round or Square Conference Table Tops. Use with 14' or 16' Conference Table Tops.
- Not recommended for 6', 8', 10' or 12' Conference Table Tops

OPTIONS

OPTIONS	
Finish	Wire Access Door (CBH-F and CBU-F only)
Veneer	RA No Wire Access Door - Standard
Quartered	
OSL DST MNW MGO	
MRO PCO MGW	
Flat Cut	$ \setminus \downarrow \rangle$
MBM MLC BUW	
MHM MMC EBY	RB Wire Access Door \$222

HOW TO ORDER

SPECIFY: Finish | wire access door (if applicable). See page 515 for the designator finish name.

MODEL	NUMBER

СВН-Б

CBITT	
Finish	Wire Access Door (CBH-F and CBU-F only)
OSL	RA

ofs.com imagine a place® **800.521.5381** January 2022 Pricing 553



BASE STANDARD FEATURES

- Veneer
- Black Reveal at Bottom
- · Adjustable Levelers
- Overall Height with Top 29.9375"
- Notches in Top for Pass-Thru Wire Management
- 8"W x 8"D Wire Access Door Option

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

CYLINDER



model	W	d	h	wt	cu ft	list
СВ-М	20	20	28.75	58	12	\$ 1,769

• Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

NOTES:

- Use with 42" and 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table Tops.
- Cannot be used with 36" Round or Square Conference Tops. Not recommended for use with 6', 8', 10' or 12' Conference Tops. For 54" and 59.5" Round and Square Conference Tops, use CBU-M below.

CYLINDER



model	w	d	h	wt	cu ft	list
CBU-M	24	24	28.75	68	18	\$ 1,982

- Arm Clearance:
 1.1875" Top-28.75"
 2" Top-28"
- NOTE: Use with 54" and 59.5" Round and Square Conference Table Tops. Use with 16' Conference Table Tops.

OPTIONS

Finish	Wire Access Door
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW	RA No Wire Access Door - Standard
MHM MMC EBY	RB Wire Access Door \$222

HOW TO ORDER

SPECIFY: Finish \mid wire access door. See page 515 for the designator finish name.

MODEL NUMBER

СВ-М

Finish	Wire Access Door
OSL	RA

ofs.comimagine a place®800.521.5381January 2022 Pricing554



BASE STANDARD FEATURES

- Adjustable Levelers
- Overall Height with Top 29.9375"
- Notches in Top for Pass-Thru Wire Management

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

CROSS



model	w	d	h	wt	cu ft	list
CB-Q	24	24	28.75	59	19	\$ 1,523

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Not recommended for use with 6', 8', 10' or 12' Conference Table Tops. For 36" Round and Square Conference Table Tops, use CBD-Q below. For 54" and 59.5" Round and Square Conference Table Tops, use CBU-Q below.

CROSS



model	W	d	h	wt	cu ft	list
CBD-Q	20	20	28.75	47	15	\$ 1,523

- Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 36" Round and 36" Square Conference Table Tops only

CROSS



model	w	d	h	wt	cu ft	list
CBU-Q	36	36	28.75	78	19	\$ 1,566

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 54" and 59.5" Round and Square Conference Table Tops only

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC MHM MMC

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CB-Q

Finish



BASE STANDARD FEATURES

- · Adjustable Levelers
- Overall Height with Top 29.9375"
- Notches in Top for Pass-Thru Wire Management

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

CYLINDER



model	w	d	h	wt	cu ft	list
CB-R	22.25	22.25	28.75	63	12	\$ 2,003

- Veneer
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- 8"W x 8"D Wire Access Door Option

NOTES:

- Use with 42" and 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table Tops.
- Cannot be used with 36" Round or Square Conference Table Tops. Not recommended for use with 6', 8', 10' or 12' Conference Table Tops. For 54" and 59.5" Round and Square Conference Table Tops, use CBU-R below.
- · All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides Instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

CYLINDER



model	w	d	h	wt	cu ft	list
CBU-R	26.25	26.25	28.75	73	18	\$ 2,212

- Veneer
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- 8"W x 8"D Wire Access Door Option

- Use with 54" and 59.5" Round and Square Conference Table Tops. Use with 16' Conference Table Tops.
- · All Round and Square Conference Tops require Additional Weight in the Base when using Cylinder Bases to prevent the Table from tipping over. OFS provides instruction Sheets and Clear 6ml Bags with Base. Customer must provide Dry Sand for the Additional Weight.

TRADITIONAL PANEL



model	W	d	h	wt	cu ft	list
CB-S	25.06	3.5	28.75	62	5	\$ 1,289

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- 3.75" Top-26.25"
- NOTE: Cannot be used with Round or Square Conference Table Tops. For 6' Conference Table Tops, use CBD-S on

OPTIONS	
Finish	Wire Access Door (CB-R and CBU-R only)
Veneer	RA No Wire Access Door - Standard
Quartered	
OSL DST MNW MGO MRO PCO MGW	
Flat Cut	
MBM MLC BUW	
MHM MMC EBY	RB Wire Access Door \$222

SPECIFY: Finish | wire access door (if applicable). See page 515 for the designator finish name

MODEL NUMBER

CB-R

Finish	Wire Access Door (CB-R and CBU-R only)
OSL	RA

ofs.com imagine a place® 800.521.5381 January 2022 Pricing 556



BASE STANDARD FEATURES

- · Adjustable Levelers
- Overall Height with Top 29.9375"
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

TRADITIONAL PANEL FOR 36"D X 72"W TOP



- model wt cu ft list CBD-S 22.06 3.5 28.75 50 5 \$ 1,289
- Notches in Top for Pass-Thru Wire Management
- NOTE: Use with 72"W x 36"D Conference Table Tops only

QUEEN ANNE



model	w	d	h	wt	cu ft	list
СВ-Т	36	36	28.75	40	15	\$ 1,820

- Not available in Quartered Veneer Finishes
- NOTE: Not recommended for 6', 8', 10' or 12' Conference Table Tops

DOUBLE COLUMN PANEL



model	w	d	h	wt	cu ft	list
CB-U	25.19	3.81	28.75	60	5	\$ 1,477

- · Notches in Top for Pass-Thru Wire Management
- NOTE: Cannot be used with Round or Square Conference Table Tops. Cannot be used with Conference Table Tops less than 8' in Length. For 6' Conference Table Tops, use CBD-U below.

DOUBLE COLUMN PANEL FOR 36"D X 72"W TOP



model	w	d	h	wt	cu ft	list
CBD-U	22.19	3.81	28.75	60	5	\$ 1,477

- Notches in Top for Pass-Thru Wire Management
- NOTE: Use with 72"W x 36"D Conference Table Tops only

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC MHM MMC

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CBD-S

Finish



BASE STANDARD FEATURES

- Adjustable Levelers
- Overall Height with Top 29.9375"
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

DOUBLE COLUMN PANEL



model	w	d	h	wt	cu ft	list
CB-2V	29.75	11.25	28.75	58	4	\$ 1,772

- Packed Two per Carton
- NOTE: Cannot be used with Conference Table Top less than 8' in Length. For Conference Table Tops where Three or Four Bases are Required, order Two CB-2V for the End Bases and CB-U for the Center Bases(s).

TRIPLE COLUMN PANEL



model	w	d	h	wt	cu ft	list
CB-3V	29.75	26	28.75	87	6	\$ 2,645

- · Packed Three per Carton
- NOTE: For Round and Square Conference Tables Tops. Cannot be used with 36" Round or Square Conference Table Tops.

PANEL



model	W	d	h	wt	cu ft	list
CB-Y	24	2.5	28.75	42	5	\$ 946

• NOTE: Cannot be used with Round or Square Conference Table Tops. For 6' Conference Table Tops, use CBD-Y below.

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC мнм ммс

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CB-2V

Finish

OSL

ofs.com



BASE STANDARD FEATURES

- Adjustable Levelers
- Overall Height with Top 29.9375"
- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

PANEL FOR 36" X 72" TOP



model	w	d	h	wt	cu ft	list
CBD-Y	21	2.5	28.75	37	5	\$ 946

• NOTE: Use with 72"W x 36"D Conference Table Tops only

THICK



model	w	d	h	wt	cu ft	list
CBD-12	21	8	28.75	38	4	\$ 890

- Removable Wire Access Panel on One Side and Notched at Top for Pass-Thru Wire Management on Other Side
- NOTE: Use with 72"W Rectangular and Racetrack Tops

CB-12	24	8	28.75	44	5	\$ 1,031

- Removable Wire Access Panel on One Side and Notched at Top for Pass-Thru Wire Management on Other Side
- NOTE: Use with 96", 120", 144", 168" and 192"W Rectangular, Boat Shaped and Racetrack Tops

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC MHM MMC

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CBD-Y

Finish



BASE STANDARD FEATURES

- · Vein-Lined
- Full Access Door
- · Adjustable Levelers
- · Overall Height with Top 29.9375"
- Notches in Top for Pass-Thru Wire Management

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

PANEL



model	w	d	h	wt	cu ft	list
CB-03	25	8	28.75	35	7	\$ 1,629

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Cannot be used with Round or Square Conference Table Tops. Not recommended for use with 6' Conference Table Tops.

COLUMN



model	w	d	h	wt	cu ft	list
CBH-03	25	17	28.75	38	10	\$ 1,629

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Cannot be used with Round or Square Conference Table Tops. Not recommended for use with 6' Conference Table Tops. Use as Center Base only with Two CB-03 for 10' Conference Table Tops.

COLUMN



model	w	d	h	wt	cu ft	list
CB-04	17	17	28.75	40	10	\$ 1,552

- Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 36" Round and 36" Square Conference Table Tops only

COLUMN



model	w	d	h	wt	cu ft	list
CBH-04	21	21	28.75	57	20	\$ 1,552

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 42" and 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table Tops.

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO мвм MLC MHM MMC

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CB-03

Finish



BASE STANDARD FEATURES

- Full Access Door
- Adjustable Levelers
- Overall Height with Top 29.9375"

· Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"

• Notches in Top for Pass-Thru Wire Management

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

COLUMN



model	w	d	h	wt	cu fl	t list
CBU-04	25	25	28.75	70	20	\$ 1,619

- Vein-Lined
- NOTE: Use with 54" and 59.5" Round and Square Conference Table Tops. Use with 16' Conference Table Tops.

PANEL



model	w	d	h	wt	cu ft	list
CB-05	25	9.75	28.75	70	7	\$ 1,511

• NOTE: Cannot be used with Round or Square Conference Table Tops. Not Recommended for use with 6' Conference

COLUMN



model	w	d	h	wt	cu ft	list
CBH-05	25	18.75	28.75	38	10	\$ 1,511

• NOTE: Cannot be used with Round or Square Conference Table Tops. Not Recommended for use with 6' Conference Table Tops. Use as Center Base only with Two CB-05 for 10' Conference Table Tops.

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC MHM MMC

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CBU-04

Finish



BASE STANDARD FEATURES

- Full Access Door
- Adjustable Levelers
- Overall Height with Top 29.9375"
- Notches in Top for Pass-Thru Wire Management

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

COLUMN



model	w	d	h	wt	cu ft	list
CB-06	18.75	18.75	28.75	42	10	\$ 1,491

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 36" Round and Square Conference Table Tops

COLUMN



model	W	d	h	wt	cu ft	list
CBH-06	22.75	22.75	28.75	59	20	\$ 1,491

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 42" or 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table Tops.

COLUMN



model	w	d	h	wt	cu ft	list
CBU-06	26.75	26.75	28.75	73	20	\$ 1,786

- · Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Use with 54" and 59.5" Round and Square Conference Table Tops. Use with 16' Conference Table Tops.

OPTIONS

Finish

Veneer

Quartered
OSL DST
MRO PCO
Flat Cut MNW MGO MBM MLC MHM MMC

SPECIFY: Finish. See page 515 for the designator finish name

MODEL NUMBER

CB-06

Finish



BASE STANDARD FEATURES

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

COLUMN WITH SATIN DISC



model	w	а	n	wt	cu rt	list
CHB-01	21	21	28	35	10	\$ 954

- Satin Column
- Satin Disc
- Overall Height with Top 29.1875"
- Arm Clearance:
 1.1875" Top-28.75"
 2" Top-28"
- NOTE: Use with 36" Round and Square Tops only

COLUMN WITH POLISHED CHROME DISC



model	w	d	h	wt	cu ft	list
CHB-02	21	21	28	35	10	\$ 954

- Satin Column
- Polished Chrome Disc
- Overall Height with Top 29.1875"
- Arm Clearance: 1.1875" Top-28.75" 2" Top-28"
- NOTE: Use with 36" Round and Square Tops only

HOW TO ORDER

MODEL NUMBER



BASE STANDARD FEATURES

• Adjustable Levelers

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

METAL CROSS



model	w	d	h	wt	cu ft	list
CBM-07	32	32	27.88	20	2	\$ 1,020

- Black Powder Coat
- Overall Height with Top 30"
- Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"
- NOTE: Use with 36", 42" and 48" Round and Square Conference Table Tops. Use with 14' and 16' Conference Table

METAL T



model	w	d	h	wt	cu ft	list
MTB2	34	2	27.75	26	1	\$ 312

- For Rectangular, Boat-Shaped and Racetrack Tops
- Arm Clearance 27.75"

METAL X



model	w	d	h	wt	cu ft	list	
MXB-32	32	32	27.75	32	4	\$	321

- For 36" and 42"W Tops
- Arm Clearance 27.75"

OPTIONS

Finish (MTB2 and MXB-32 only)

BKO Onyx SLV Silver

HOW TO ORDER

SPECIFY: Finish (if applicable).

MODEL NUMBER

Finish (MTB2 and MXB-32 only)

вко

ofs.com



BASE STANDARD FEATURES

- Adjustable Levelers
- Arm Clearance 27.75"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

METAL X



model	w	d	h	wt	cu ft	list
TSX38	38	38	27.75	23	15	\$ 813

• For 48" Round and Square and 54" Round Tops

METAL X4



model	w	d	h	wt	cu ft	list
MX4-30	30	30	27.75	53	4	\$ 939

For 36" and 42"W Tops

METAL X4



model	w	d	h	wt	cu ft	list
MX4-38	38	38	27.75	58	4	\$ 1,182

• For 48", 54" and 59.5"W Tops

OPTIONS

Finish	Glide/Caster (TSX38 only)
TSX38	A4F Glides - Standard
BWT Bone White	A6C Black Dual Wheel Casters \$96
CHLK Chalk	
SGLD Gold	
GRPH Graphite	
MSL Luster Grey	
H1P Oiled Bronze	
BKO Onyx	
POLR Polar	
SBRZ Soft Bronze	
STON Stone	
H1F Warm Grey	
MX4-30, MX4-38	
RC Black	
RD Pewter	

HOW TO ORDER

SPECIFY: Finish | glide/caster (if applicable).

MODEL NUMBE	R
-------------	---

TSX38

Finish	Glide/Caster (TSX38 only)
вwт	A4F

ofs.comimagine a place®800.521.5381January 2022 Pricing565



BASE STANDARD FEATURES

- Adjustable Levelers
- Arm Clearance 28.25"

NOTES:

- Price Listed is the Single Base Price. Refer to the Base Option Guide on pages 547-550 for the Number of Bases to Specify for Your Selected Conference Top.
- The Overall Height includes a Support Panel and Levelers at Lowest Point. Levelers can increase Height up to One Additional Inch.

METAL CIRCULAR



model	w	d	h	wt	cu ft	list	
MCB-23	23	23	28.25	46	2	\$	951

- For 36" and 42"W Round Tops, 72" Rectangular and Racetrack Tops and for 96"W Rectangular, Boat-Shaped and Racetrack Tops
- 4" Diameter Post

METAL CIRCULAR



1110 0101	•••	u	- 11	WL	cu ft	list
MCB-28	28	28	28.25	50	4	\$ 1,158

- For 36" and 42"W Square Tops, 48" and 54" Round Tops and for 120", 144", 168" and 192"W Rectangular, Boat-Shaped and Racetrack Tops
- 6" Diameter Post

METAL LEG



model		w	d	h	wt	cu ft	list
MLX-1	Black, Set of Four	4	4	28.25	43	2	\$ 842
MLC-1	Satin Nickel, Set of Four	4	4	28.25	43	2	\$ 842

- For Round and Square Tops
- 5"W x 5"D Connector Plate
- $\bullet\,$ Leg is 2.5" Diameter at the Top, Tapering to Approximately 1" Diameter at the Bottom

OPTIONS

Finish (MCB-23 and MCB-28 only)

Standard Powder Coats BWT Bone White

CHLK Chalk SGLD Gold

GRPH Graphite

MSL Luster Grey H1P Oiled Bronze

BKO Onyx

POLR Polar

SBRZ Soft Bronze

STON Stone

H1F Warm Grey

Super Matte Powder Coats

Studio Powder Coats (10% Upcharge)

HERN Heron LATT Latte

MOSS Moss RUST Rust

TURM Turmeric

H1FA Warm Grey

HOW TO ORDER

MODEL NUMBER

MCB-23

ofs.com

Finish (MCB-23 and MCB-28 only)

SPECIFY: Finish (if applicable).

BWT



PANEL BEAM BASE STANDARD FEATURES

- Two Panel Bases
- Full Access Door
- Support Beams Replace Center Base and create a Power/Data Channel
- Overall Height with Top 29.9375"
- Shipped KD

· Arm Clearance: 1.1875" Top-28.75" 2" Top-28" 3.75" Top-26.25"



model	w	d	h	wt	cu ft	list
CB-05BK8027	80	27	28.75	168	12	\$ 5,417
• Use with 120"W x 48"D Top, 60.5" B/Bases						
CB-05BK10427	107	27	28.75	188	13	\$ 5,823
• Use with 144"W x 48"D Top, 84.5" B/Bases						
CB-05BK12827	128	27	28.75	208	13	\$ 6,224
• Use with 168"W x 48"D Top, 108.5" B/Bases						
CB-05BK15227	152	27	28.75	228	26	\$ 6,624

• Use with 192"W x 48"D Top, 132.5" B/Bases

OPTIONS

Finish Veneer

Quartered

MNW MMC EBY MLC MGO OSL MHM MRO DST MBM PCO Flat Cut MBM MLC MHM MMC

SPECIFY: Finish. See page 515 for the designator finish name.

MODEL NUMBER

CB-05BK8027

Finish



POWER CUTOUT LOCATIONS

To order, add location code(s) to model number.

Example: CT5-12048BT | MLC | DW | B7G

Model Number Finish Edge Power Cutout

NO CUTOUT

QR No cutout

POWER CUTOUTS WHEN USED WITH BEAM BASES ONLY (Page 569)

B7G Cente



B7H Left side



B7K Centered in left side



B7M 2 cutouts in left side



B7H Left side B7J Right side



B7M 2 cutouts in left side B7N 2 cutouts in right side



Note: For a tapered top the left side location is at the narrow end.



B7L Centered in right side



B7N 2 cutouts in right side



B7K Centered in left side B7L Centered in right side





POWER CUTOUT LOCATIONS

To order, add location code(s) to model number.

Example: CT1-36-4G | MHM | EH | QV

Model Number Finish Edge Power Cutout

NO CUTOUT

QR No cutout

POWER CUTOUTS BETWEEN BASES

QS Between 1st Base and 2nd Base













QT

QU Between 3rd Base and 4th Base





POWER CUTOUTS OVER BASES

QV Over 1st Base










QW Over 2nd Base

QS


















QY Over 4th Base







POWER SUPPLY AND BASE MATRIX

The Power Supplies pages 574-577 can be used centered over select bases or between bases.

When ordering power supply **centered over base(s)**, refer to matrix for applicability.

- Y = Power supply will work over this base
- R = Power supply will work if ROTATED to run with base. Conference top must indicate ROTATED power supply
- X = Power supply will not work over base

Description	Model No.	PS-37				PS-66B PS-66S PS-67B PS-67S PS-68B	PS-69B	PS-70B PS-70S PS-99B	PS-71B
Curved	CB-A	PS-38 X	PSH-16PP X	PS-41 X	PS-43 X	PS-68S X	PS-69S X	PS-99S X	PS-71S X
Half Round	CBD-B	X	R	X	X	Y	R	R	X
Half Round	СВ-В	X	Y	X	X	Y	R	R	X
Curved	CB-C	X	X	X	X	X	X	X	X
Panel	CB-D	X	X	X	X	X	X	X	X
Ellipse	CB-24EB	X	X	X	X	X	X	X	X
Cylinder	CB-F	X	Y	X	Y	Y	Y	Y	Y
Cylinder	CBH-F	Y	Y	X	Y	Y	Y	Y	Y
Cylinder	CBU-F	Y	Y	Y	Y	Y	Y	Y	Y
Duncan Phyfe	CB-L	X	X	X	X	×	X	X	X
Cylinder	СВ-М	Y	Y	X	Y	Y	Y	Y	Y
Cylinder	СВU-М	Y	Y	Υ	Y	Y	Y	Y	Y
Cross	CB-Q	X	×	X	X	×	X	X	X
Cross	CBD-Q	X	×	X	X	×	X	X	X
Cross	CBU-Q	X	×	X	X	×	X	X	X
Cylinder	CB-R	Y	Y	X	Y	Y	Y	Υ	Y
Cylinder	CBU-R	Y	Y	Υ	Y	Y	Y	Υ	Y
Panel	CB-S	Х	Х	Х	Х	×	Х	Х	Х
Panel	CBD-S	Х	×	Х	Х	×	X	Х	Х
Queen Anne	СВ-Т	Х	×	Х	Х	×	Х	Х	Х
Panel	CB-U	Х	×	Х	Х	×	Х	Х	Х
Panel	CBD-U	Х	×	Х	Х	X	Х	Х	Х
Panel	CB-2V	Х	X	Х	Х	×	Х	Х	Х
Panel	CB-3V	Х	X	Х	Х	×	Х	Х	Х
Panel	СВ-Ү	Х	×	Х	Х	×	Х	Х	Х
Panel	CBD-Y	Х	×	Х	Х	×	Х	Х	Х
Column	CB-03	X	Y	Х	Х	Y	R	R	X
Column	CBH-03	R	Y	Х	Y	Y	Y	Y	Y
Column (Square)	CB-04	Х	Y	Х	Y	Y	Y	Y	Y
Column (Square)	CBH-04	Y	Y	Х	Y	Y	Y	Υ	Y
Column (Square)	CBU-04	Υ	Υ	Х	Y	Υ	Υ	Υ	Υ
Column	CB-05	X	Υ	X	X	Υ	R	R	X
Column	CBH-05	R	Y	Х	Y	Y	Y	Υ	Υ
Column (Square)	CB-06	Х	Y	Х	Y	Y	Υ	Υ	Υ
Column (Square)	СВН-06	Y	Y	Х	Y	Y	Υ	Υ	Υ
Column (Square)	CBU-06	Y	Y	Х	Y	Y	Y	Υ	Y
Thick Panel	CB-12	Х	Y	Х	Х	Y	R	R	Х
Thick Panel	CBD-12	X	Y	Х	X	Y	R	R	Х

ofs.comimagine a place®800.521.5381January 2022 Pricing570



POWER SUPPLY AND BASE MATRIX

The Power Supplies pages 574-577 can be used centered over select bases or between bases.

When ordering power supply **centered over base(s)**, refer to matrix for applicability.

Y = Power supply will work over this base

R = Power supply will work if ROTATED to run with base. Conference top must indicate ROTATED power supply

X = Power supply will not work over base

							PS-88W			
Description	Model No.	PS-74	PC 70	PS-79B	PS-80B	PS-81B	PS-88B PS-88W-BC	PS-91W	PS-92W	C
Curved	СВ-А	PS-75 X	PS-78 X	PS-79S X	PS-80S X	PS-81S X	PS-88B-BC X	PS-91W-BC X	PS-92W-BC X	Grommet X
Half Round	CBD-B	Y	R	×	X	X	R	Y	Υ	Y
Half Round	СВ-В	Y	R	R	R	X	R	Y	Υ	Y
Curved	CB-C	X	×	X	X	X	×	X	X	X
Panel	CB-D	X	X	×	X	X	×	×	X	X
Ellipse	CB-24EB	Y	X	X	X	X	×	Y	Υ	Y
Cylinder	CB-F	Y	Y	X	Y	X	Y	Y	Y	Y
Cylinder	СВН-F	Y	Y	Y	Y	Y	Y	Y	Υ	Y
Cylinder	CBU-F	Y	Y	Y	Y	Y	Y	Y	Y	Y
Duncan Phyfe	CB-L	X	X	×	X	X	X	X	X	X
Cylinder	СВ-М	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cylinder	СВИ-М	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cross	CB-Q	X	×	X	X	X	X	Y	X	Y
Cross	CBD-Q	X	X	X	X	X	×	Y	X	Y
Cross	CBU-Q	X	X	X	X	X	X	Y	X	Y
Cylinder	CB-R	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cylinder	CBU-R	Y	Y	Y	Y	Y	Y	Y	Y	Y
Panel	CB-S	X	×	X	X	X	X	X	X	X
Panel	CBD-S	X	X	X	X	X	×	X	X	X
Queen Anne	СВ-Т	X	×	X	X	X	×	X	X	X
Panel	CB-U	X	X	X	X	X	×	×	X	X
Panel	CBD-U	X	X	X	X	X	×	X	X	X
Panel	CB-2V	X	×	X	X	X	×	X	X	X
Panel	CB-3V	X	×	X	X	X	X	X	X	X
Panel	CB-Y	X	X	X	X	X	×	X	X	X
Panel	CBD-Y	X	×	X	X	X	×	X	X	X
Column	CB-03	Y	R	R	R	X	R	Y	Y	Y
Column	CBH-03	Y	Y	R	Y	R	Y	Y	Y	Y
Column (Square)	CB-04	Y	Y	×	Y	X	Y	Y	Y	Y
Column (Square)	CBH-04	Y	Y	Y	Y	Y	Y	Y	Y	Y
Column (Square)	CBU-04	Y	Y	Y	Y	Y	Y	Y	Y	Y
Column	CB-05	Y	R	R	R	X	R	Y	Y	Y
Column	CBH-05	Y	Y	R	Y	R	Y	Y	Y	Y
Column (Square)	CB-06	Y	Y	×	Y	X	Y	Y	Y	Y
Column (Square)	CBH-06	Y	Y	Y	Y	Y	Y	Y	Y	Y
Column (Square)	CBU-06	Y	Y	Y	Y	Y	Y	Y	Y	Y
Thick Panel	CB-12	Y	R	R	R	X	R	Y	Y	Y
		-								Y
Thick Panel	CBD-12	Y	R	R	R	Х	R	Y	Y	

ofs.com imagine a place® 800.521.5381 January 2022 Pricing 571



POWER SUPPLY STANDARD FEATURES




















model		w	d	h	wt	cu ft	lis	t
PS-41	SILVER	16	4.44	2.38	8	.2	\$	1,160

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- Side by Side (Accessible from Both Sides)
- · Anodized Aluminum Finish
- Two 15 Amp Outlets Each Side
- Two Blank Data Ports Each Side
- 72"W Power Cord Each Side
- UL Listed

model		w	d	h	wt	cu ft	list
PS-43	SILVER	8.31	8.06	2.38	8	.2	\$ 858

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- Front and Back (Accessible from Both Sides)
 - 72"W Power Cord Each Side

• Two Blank Data Ports Each Side

- · Anodized Aluminum Finish • Two 15 Amp Outlets Each Side
- UL Listed

odel	w	d	h	w

- list mo PS-55 **BLACK** 5.44 3.38 2.13 0.5 \$ 216 PS-55W WHITE 5.44 3.38 2.13 0.5
- · Mounts below Worksurface
- Two 12 Amp Power Outlets (Front)
- Two 2.1 Amp USB Charging Ports

- · Mounting Bracket Included
- · One Power Outlet (Back)
- 10' Power Cord

model		w	d	h	wt	cu ft	list	
RJ-11	Voice Hard Wire Jack	n/a	n/a	n/a	n/a	0.1	\$	46
RJ-45	Voice and Data Hard Wire Jack	n/a	n/a	n/a	n/a	0.1	\$	42

· Black Only

model	w	d	h	wt	cu ft	list	
PS-77	12.5	2.25	1.75	3	0.25	\$	188

- Black Power Supply
- Mounts below Worksurface
- Mounting Tabs on Short Sides (Screws not included)
- Six 12 Amp Outlets

- · Overload Switch
- · Surge Protection
- · Aluminum Housing
- 10' Power Cord

model		w	d	h	wt	cu ft	list
PS-37	BLACK	15	9	4.75	12	2	\$ 2,651
PS-38	SILVER	15	9	4.75	12	2	\$ 2,668

- Requires Cutout to be Machined at a Factory Contact your Customer Service Representative for Ordering Information
- Six 12 Amp Power Outlets
- Two RJ-45 Cat6 Data Jacks
- · One HDMI Port

- One VGA Port
- · One Mini Stereo
- 10' Power Cord
- list model cu ft PS-81B BLACK 15.5 9.5 6.75 1,971 \$ PS-81S SILVER \$ 1,971 15.5 9.5 6.75 8
- Requires Cutout to be Machined at a Factory Contact your Customer Service Representative for Ordering Information
- Six 12 Amp Power Outlets
- Two 2 Port 4.2 Amp USB Charging Ports
- One HDMI Port

- · One VGA Port
- RJ-11 Voice Jack
- RJ-45 Cat6 Data Jack
- Two Grommet Openings for Wire Pass-Thru
- 10' Power Cord

HOW TO ORDER

MODEL NUMBER

PS-41



POWER SUPPLY STANDARD FEATURES

• UL Listed

• Requires Cutout to be Machined at a Factory -Contact your Customer Service Representative for Ordering Information



model		w	d	h	wt	cu ft	lis	t
PS-71B	BLACK	8.13	8.21	2.75	7	0.5	\$	938
PS-71S	SILVER	8.13	8.21	2.75	7	0.5	\$	938

· Anodized Aluminum Finish


SIDE 1:

- Two 12 Amp Outlets
- One 4.2 Amp USB Module with Two Ports
- · One VGA Coupler
- 10' Power Cord

SIDE 2:

- Two 12 Amp Outlets
- One 4.2 Amp USB Module with Two Ports
- · One HDMI Coupler
- 10' Power Cord






- Two 15 Amp Outlets
- 10' Power Cord



model		W	d	h	wt	cu ft	list	
PS-75	BLACK	3.5	3.5	2.6	1	0.25	\$	193

- · One 15 Amp Outlet
- One 4.2 Amp USB Module with Two Ports

٥.၁	2.0	0.23	φ	193
•	10' Power Cord			



- Hinged Lid with Cord Management when Closed
- · Anodized Aluminum Finish
- Pass Thru Wire Management Area
- Two 15 Amp Outlets

- Two 2.1 Amp USB Charging Ports
- · One Open Data Port
- 6' Power Cord



model		W	а	n	wt	cu rt	IIST
PS-79B	BLACK	15.88	4.38	4.38	8	0.6	\$ 1,549
PS-79S	SILVER	15.88	4.38	4.38	8	0.6	\$ 1,549

- · One Touch Open and Close
- Safety Photo Electronic Eye Prevents Rotation when Unit is being Used
- · Anodized Aluminum Finish
- Three 15 Amp Outlets
- · One CAT6 Data Module

- · One HDMI Port
- One 3.5mm Audio Module
- One Two Port USB Charging Port One VGA Port
- 12' Power Cord



model	w	d	h	wt	cu ft	list	
PS-92W	WHITE	4	4	3.25	3	0.5	\$ 289
PS-92B	BLACK	4	4	3.25	3	0.5	\$ 289

- · One Power Outlet
- One USB-A Charging Port

- · One USB-C Charging Port
- 10' Power Cord

HOW TO ORDER

MODEL NUMBER



POWER SUPPLY STANDARD FEATURES

• UL Listed




model		w	d	h	wt	cu ft	list
PS-80B	BLACK	11.75	4.38	4.38	6	0.4	\$ 1,379
PS-80S	SILVER	11.75	4.38	4.38	6	0.4	\$ 1,379

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- One Touch Open and Close
- Safety Photo Electronic Eye Prevents Rotation when Unit is being Used
- Anodized Aluminum Finish


Two 1	5 A	mp (Out	lets
-------	-----	------	-----	------

- One HDMI Port
- One 2.1 Amp Port USB Charging Port
- 12' Power Cord



model		w	d	h	wt	cu ft	list
PS-87W	WHITE	8	3.25	3.75	4	0.5	\$ 827
PS-87B	BLACK	8	3.25	3.75	4	0.5	\$ 827

- Mobile Table Top Unit
- One Power Outlet
- One USB Charging PortBluetooth Speaker
- 10' Power Cord



model		w	d	h	wt	cu ft	list
PS-88W	WHITE	8	3	2.5	3	0.5	\$ 827
PS-88B	BLACK	8	3	2.5	3	0.5	\$ 827

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- · One Power Outlet
- Bluetooth Speaker
- One USB Charging Port
- 10' Power Cord



model		w	d	h	wt	cu ft	list	
PS-91W	WHITE	3.88	3.88	4.31	2	0.25	\$ 5	534
PS-91B	BLACK	3.88	3.88	4.31	2	0.25	\$ 5	534

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- Two 15 Amp Outlets

• 10' Power Cord

- One Duplex USB-A Charger
- One USB-C (18 Watt) Charger

model		w	d	<u>h</u>	wt	cu ft	list
PS-93W	WHITE	7.38	7	4.38	3	0.5	\$ 579
PS-93B	BLACK	7.38	7	4.38	3	0.5	\$ 579

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- One Power Outlet

Two Wireless Charging Mats

• Two USB-A Charging Ports

• 10' Power Cord



model	w	d	h	wt	cu ft	list	
PS-100BE	3.6	3.9	2.1	2	0.25	\$	382
Beech Shell with Clear Finish	• Dus	k Braided	Cord				
PS-100BK	3.6	3.9	2.1	2	0.25	\$	382
Beech Shell with Black Finish	• Blac	k with Wh	nite Pinstripe	e Braided Co	ord		
PS-100WL	3.6	3.9	2.1	2	0.25	\$	382
- Malaut Chall with Class Finish	. Dlac	ما/۸/ ماطنینیا	ika Dinakuina	Dunial and Ca	- ual		

- Walnut Shell with Clear Finish
- Black with White Pinstripe Braided Cord
- One Power OutletOne USB-A Charging Port

One USB-C Charging Port9' Braided Power Cord

HOW TO ORDER


MODEL NUMBER

PS-80B




POWERSUPPLY STANDARD FEATURES

• UL Listed



model		w	d	h	wt	cu ft	list
PS-87W-BC	WHITE	8	3.25	3.75	4	0.5	\$ 1,088
PS-87B-BC	BLACK	8	3.25	3.75	4	0.5	\$ 1,088

- Mobile Table Top Unit
- · One Power Outlet
- One USB Charging Port
 10' Braided Power Cord
- · Bluetooth Speaker



model		w	d	h	w	t cu f	t list
PS-88W-BC	WHITE	8	3	2.5	3	0.5	\$ 1,088
PS-88B-BC	BLACK	8	3	2.5	3	0.5	\$ 1,088

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- One Power Outlet
- One USB Charging Port
- Bluetooth Speake10' Braided Power Cord



model		w	d	h	wt	cu ft	list
PS-91W-BC	WHITE	3.88	3.88	4.31	2	0.25	\$ 630
PS-91B-BC	BLACK	3.88	3.88	4.31	2	0.25	\$ 630

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- Two 15 Amp Outlets

- One USB-C (18 Watt) Charger
- One Duplex USB-A Charger
- 10' Braided Power Cord



model		w	d	h	wt	cu ft	lis	t
PS-92W-BC	WHITE	4	4	3.25	3	0.5	\$	374
PS-92B-BC	BLACK	4	4	3.25	3	0.5	\$	374

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- One Power Outlet

- One USB-C Charging Port
- One USB-A Charging Port
- 10' Braided Power Cord



model		w	d	h	wt	cu f	t li	st
PS-93W-BC	WHITE	7.38	7	4.38	3	0.5	\$	731
PS-93B-BC	BLACK	7.38	7	4.38	3	0.5	\$	731

- Requires Cutout to be Machined at a Factory Contact Your Customer Service Representative for Ordering Information
- · One Power Outlet

- Two Wireless Charging Mats
- Two USB-A Charging Ports
- 10' Braided Power Cord

OPTIONS

Cord

BC1 Dusk BC4 Brass

BC15 Zig Zag Fog/Storm

BC17 Zig Zag Berry/Poppy

HOW TO ORDER

SPECIFY: Cord

MODEL NUMBER

PS-87W-BC

Cord BC1

ofs.com



POWER SUPPLY STANDARD FEATURES

IISLE POWER STATION



model		w	d	h	wt	cu f	t list
PS-96S	SILVER	18	18	25.5	25	8	\$ 2,388

- · Twelve Power Outlets
- Three USB Charging Ports
- Three USB-C Charging Ports
- 9' Power Cord
- UL Listed

SCEPTER POWER STATION



model		W	d	h	wt	cu ft	list
PS-98B	BLACK	11.28	11.28	31.18	15	4	\$ 2,401
PS-98W	WHITE	11.28	11.28	31.18	15	4	\$ 2,401

- Three Wireless Charging Sleeves (One Each Side)
- Three Power Outlets (One Each Side)
- One Duplex USB-A Charging Port (Two Sides)
- One USB-C 60 Watt Charging Port (One Side)
- 10' Power Cord
- UL Listed

WIRELESS CHARGING UNIT



model		w	d	h	wt	cu ft	list
WC-2	BLACK	4.5	4.5	1.375	0.1	0.5	\$ 427

- Field Installed Wireless Charging Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed

- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 5' Cord

WIRELESS CHARGING MULTI UNIT



model		w	d	h	wt	cu ft	list
WC-MU	BLACK	4.5	4.5	1.375	2	0.25	\$ 589

- Field Installed Wireless Charging Multi Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed
- UL Listed

- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 15' Multi Unit Cord (can use up to 4 Pucks)
- 4' From Hub to Plug, 11' From Hub to Each Puck

OPTIONS

Number of Pucks (WC-MU only)

One Standard Two \$350 Three \$700 Four \$1,050

HOW TO ORDER

SPECIFY: Number of Pucks

MODEL NUMBER

WC-MU

Number of Pucks (WC-MU only)

One



POWER AND DATA STANDARD FEATURES

ROUND GROMMET



model		W	d	h	wt	cu ft	list
CGB-1	Black	2	2	0.75	1	0.1	\$ 49
CGN-1	Satin Silver	2	2	0.75	1	0.1	\$ 49
CBB-1	Antique Brass	2	2	0.75	1	0.1	\$ 49

- Field Installable for Cutout to be machined at Factory, Contact your Customer Service Representative for Ordering Information
- Inside Dimensions with Insert .5625" Diameter
- Inside Dimensions without Insert 1.8125" Diameter

RECTANGULAR GROMMET



model		W	d	h	wt	cu ft	list	
RGB-1	Black	3.38	2	0.75	1	0.1	\$	82
RGN-1	Nickel	3.38	2	0.75	1	0.1	\$	82
RGS-1	Antique Brass	3.38	2	0.75	1	0.1	\$	82

- $\bullet \ \ \text{Requires Cutout to be machined at Factory, Contact your Customer Service Representative for Ordering Information}$
- Inside Dimensions with Inserts 1.5"W x .75"D
- Inside Dimensions without Inserts 2.9375"W x 1.5"D

WIRE MANAGER



model	h	wt	cu ft	list	
WM-HA6	48	1	0.1	\$	102

- Fabric Wire Manager Closed by Velcro
- Easily Cut to Different Lengths if Needed
- Can Access Wires Anywhere in the Length
- Use when Power Infeed is Routed Outside of Legs

OPTIONS

Finish (WM-HA6 Only)

BLK8 Black GRY8 Grey WHT8 White

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER

WM-HA6

Finish (WM-HA6 Only)

ofs.com



POWER SUPPLY (VESTA) STANDARD FEATURES



body finish	W	d	h	wt	cu ft	list
BLACK	12	12	28.25	14	4	\$ 1,470
FOG	12	12	28.25	14	4	\$ 1,470
STORM	12	12	28.25	14	4	\$ 1,470
WHITE	12	12	28.25	14	4	\$ 1,470
	FOG STORM	FOG 12 STORM 12	FOG 12 12 STORM 12 12	FOG 12 12 28.25 STORM 12 12 12 28.25	FOG 12 12 12 28.25 14 STORM 12 12 28.25 14	FOG 12 12 28.25 14 4 STORM 12 12 28.25 14 4

[•] UL Listed

Body Finish Shown in Shaded Area



Accent Finish Shown in Shaded Area

OPTIONS					
Power		Accent Finish	Cord		
		When PS-90B is specified:			
	X9 No Lower Power Outlet - Standard 10' Cord Top:	H8P Black	X9 No Cord (H7S only) H7U Standard Black Cord No Braid	BC8 Black Braid \$68 BC14 Pinstripe Black-White Braid \$68	
	One 15 Amp Outlet Two 2.1 Amp USB Charging Ports	H8N Fog	X9 No Cord (H7S only) H7U Standard Black Cord No Braid	BC8 Black Braid \$68 BC6 Fog Braid \$68	
	One 18 WATT USB-C Charging Port	H8Q Storm	X9 No Cord (H7S only) H7U Standard Black Cord No Braid	BC8 Black Braid \$68 BC4 Brass Braid \$68	
ex-		When PS-90F is specified:			
		H8R Berry	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC4 Brass Braid \$68 BC6 Fog Braid \$68	BC7 Berry Braid \$68
	H7Q Two Lower Power Outlets \$18 10' Cord Top:	H8P Black	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC6 Fog Braid \$68 BC14 Pinstripe Black-White Braid \$68	BC15 Zig Zag Fog-Storm Braid \$68
	One 15 Amp Outlet Two 2.1 Amp USB Charging Ports One 18 WATT USB-C Charging Port	H8X Honey	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC4 Brass Braid \$68 BC6 Fog Braid \$68	BC2 Poppy Braid \$68
		H8W Peacock	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC6 Fog Braid \$68	
Page 5		H8U Poppy	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC6 Fog Braid \$68 BC10 Storm Braid \$68	BC19 Chevron Poppy-Fog Braid \$68
		H8Q Storm	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC1 Dusk Braid \$68 BC10 Storm Braid \$68	BC15 Zig Zag Fog-Storm Braid \$68
	H7R Three Lower Power Outlets \$48 10' Cord Top:	H8V White	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC14 Pinstripe Black-White Braid \$68	BC19 Chevron Poppy-Fog Braid \$68
	One 15 Amp Outlet Two 2.1 Amp USB Charging Ports	When PS-90S is specified:			
	One 18 WATT USB-C Charging Port	H8P Black	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC8 Black Braid \$68 BC10 Storm Braid \$68	
		H8N Fog	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC6 Fog Braid \$68 BC10 Storm Braid \$68	BC15 Zig Zag Fog-Storm Braid \$68
		When PS-90W is specified:			
	H7S Battery Operated \$1,256	H8R Berry	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC7 Berry Braid \$68 BC4 Brass Braid \$68	BC2 Poppy Braid \$68
	Removable Charging Cord Top: Three 2.1 Amp USB Charging Ports	H8S Dusk	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC4 Brass Braid \$68 BC1 Dusk Braid \$68	BC10 Storm Braid \$68
	One 18 WATT USB-C Charging Port	H8N Fog	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC7 Berry Braid \$68 BC6 Fog Braid \$68	BC15 Zig Zag Fog-Storm Braid \$68
		H8T Navy	X9 No Cord (H7S only) BC4 Brass Braid \$68	BC2 Poppy Braid \$68	
		H8Q Storm	X9 No Cord (H7S only) H7T Standard White Cord No Braid	BC1 Dusk Braid \$68 BC10 Storm Braid \$68	

HOW TO ORDER
SPECIFY: Power | accent finish | cord.

MODEL NUMBER

PS-90B

Power	Accent Finish	Cord
Х9	H8P	нти

imagine a place ${\mathbb R}$ January 2022 Pricing 578 ofs.com 800.521.5381





VENEER

Exposed surfaces are number one select cherry, walnut, maple, or oak veneers. Select straight and quarter grain patterns are used overall to maintain consistency between individual units.

Casegoods tops are 1.1875" thick. Conference wall components tops are profiled on front side only. Freestanding conference casegoods tops are profiled 3 sides. High pressure laminate tops are available on credenzas and mobile carts.

Structural joints are secured by 16-gauge steel angle brackets and wood glue blocks. Adjustable levelers feature insert nuts to prevent glide tear out.

PULL OPTION

Select from pulls that match OFS casegoods series.

	Pull Name	Pull Finish
	Aura	Standard Powder Coat BWT Bone White
	Awe (Not Available when EG Edge is Specified)	
<u> </u>	Axis	GRPH Graphite MSL Luster Grey
	Crest	HIP Oiled Bronze BKO Onyx
f	Empire	POLR Polar SBRZ Soft Bronze STON Stone
	Era	H1F Warm Grey
<u> </u>	Forte	
	Grace	
	Grip	
\odot	Icon	
8	Pure	
	Soul	
	Tab (Not Available when EG Edge is Specified)	

	Pull Name	Pull Finish		
T	Classic	сс	Antique Brass	
Q	Executive	СВ	Antique Brass	
	Legacy	вх	Antique Brass	
	Matrix	BY	Satin Nickel	

579

800.521.5381 imagine a place® January 2022 Pricing



CONFIGURATIONS - WALL UNIT



model		w	d	h		list
MR-0001CFG	Total Unit Dimensions	103.25	24	72	Unit Total	\$ 16,499

CONSISTS OF:

LEFT HINGE DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-1824GLDC		18.63	24	72	117	23	\$ 5,12
	depth with EG edge		24.75				
	depth with EV edge		25				
MR-1824GRDC		18.63	24	72	117	23	\$ 5,12
	depth with EG edge		24.75				
	depth with EV edge		25				

RIGHT HINGE DISPLAY CABINET

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Door
- Surface-Mounted 12 Volt Halogen Lamp UL Listed
- One Adjustable Wood Shelf behind Bottom Wood Door
- Unfinished Back
- Adjustable Levelers
- Inside Depth 15.625"

STORAGE CREDENZA

model		w	d	h	wt	cu ft	list
MR-6624SC		66	24	29	275	33	\$ 4,856
	depth with EG edge	е	24.75				
	depth with EV edge	25					

- Shaped Front Side
- One Adjustable Wood Shelf behind each set of Doors
- Unfinished Back
- · Adjustable Levelers

STORAGE BRIDGE

model		w	d	h	wt	cu ft	list	
MR-6624BR		66	24	3	48	6	\$	1,401
depth with EG e		е	24.75					
	depth with EV edg	е	25					

- Shaped Front Side
- Overhead Storage Bridge

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Projection Screen
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP NOTE: Laminate available on Credenza only	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$1,509	RG No Vent - Standard RH Vented \$112	QM No Screen • Standard QN Screen \$341

HOW TO ORDER

 $SPECIFY: Finish \mid edge \mid pull \mid pull \mid finish \mid finished back \mid vented back \mid projection screen. See page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the projection screen is a page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the page 515 for the designator finish name in the pa$

MODEL NUMBER

MR-0001CFG

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Projection Screen
OSL	EF	Grip	BWT	LW	RG	QM



CONFIGURATIONS - WALL UNIT



model		w	d	h		list
MR-0002CFG	Total Unit Dimensions	163.88	24	72	Unit Total	\$ 23,482

CONSISTS OF:

LEFT HINGE STORAGE CABINET

model		w	d	h	wt	cu ft	list
MR-1824LSC		18.63	24	72	117	23	\$ 4,142
	depth with EG edge	e	24.75				
	depth with EV edge	9	25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers

STORAGE CABINET

model		w	d	h	wt	cu ft	list
MR-3724SC		37.25		72	225	43	\$ 5,996
	depth with EG edge	•	24.75				
	depth with EV edge)	25				

- · Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers



CONFIGURATIONS - WALL UNIT - CONTINUED

STORAGE CREDENZA

model		w	d	h	wt	cu ft	list
MR-6624SC		66	24	29	275	33	\$ 4,856
	depth with EG edge		24.75				
	depth with EV edg	е	25				

- Shaped Front Side
- One Adjustable Wood Shelf behind each Set of Doors
- Unfinished Back
- Adjustable Levelers

STORAGE BRIDGE

model		W	d	h	wt	cu ft	list
MR-6624BR		66	24	3	48	6	\$ 1,401
	depth with EG edge	е	24.75				
	depth with EV edge	е	25				

- · Shaped Front Side
- Overhead Storage Bridge

STORAGE WARDROBE

model		w	d	h	wt	cu ft	list
MR-3724SW		37.25	24	72	217	43	\$ 5,996
depth with EG ed		Э	24.75				
	depth with EV edge	9	25				

• Shaped Front Side

LEFT SIDE:

- Three Adjustable Wood Shelves
- One Stationary Wood Shelf

RIGHT SIDE:

- Full Length Storage with Hanging Bar
- One Adjustable Wood Shelf
- Unfinished Back
- Adjustable Levelers

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$2,209	RG No Vent - Standard RH Vented MR-1824LSC \$77 MR-6624SC \$112	QE No Shelf - Standard QF Shelf \$543	QM No Screen - Standard QN Screen \$341
NOTE: Laminate available on Credenza only	FE Corona EG Sierra						

HOW TO ORDER

 $SPECIFY: Finish \mid edge \mid pull \mid pull \mid finish \mid finished back \mid vented back \mid swivel shelf \mid projection screen. See page 515 for the designator finish name finish projection screen in the projection of the designation of the projection screen in the projection of the projection o$

MODEL NUMBER

MR-0002CFG

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
OSL	EF	Grip	BWT	LW	RG	QF	QM



CONFIGURATIONS - WALL UNIT



model		w	d	h		list
MR-0003CFG	Total Unit Dimensions	182.5	24	72	Unit Total	\$ 31,108

CONSISTS OF:

OPEN DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-1824OC		18.63	24	72	105	23	\$ 3,380
	depth with EG edge	•	24.75				
	depth with EV edge	•	25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers

STORAGE CABINET

model		w	d	h	wt	cu ft	list
MR-3724SC		37.25	24	72	225	43	\$ 5,996
	depth with EG edge	е	24.75				
	depth with EV edge	9	25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers

STORAGE CREDENZA

model		w	d	d h	wt	cu ft	list	
MR-6624SC		66	24	29	275	33	\$ 4,856	
	depth with EG edge		24.75					
	depth with EV edge	е	25					

- Shaped Front Side
- One Adjustable Wood Shelf Behind Each Set Of Doors
- Unfinished Back
- Adjustable Levelers



CONFIGURATIONS - WALL UNIT - CONTINUED

STORAGE BRIDGE

model		w	d	h	wt	cu ft	list
MR-6624BR		66	24	3	48	6	\$ 1,401
	depth with EG edg	е	24.75				
	depth with EV edg	е	25				

- · Shaped Front Side
- Overhead Storage Bridge

LEFT HINGE DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-1824GLDC		18.63	24	72	117	23	\$ 5,121
	depth with EG edge	Э	24.75				
	depth with EV edge	9	25				

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Door
- One Adjustable Wood Shelf behind Bottom Wood Door
- Surface Mount 12 Volt Halogen Lamp (UL Listed)
- Unfinished Back
- Adjustable Levelers

RIGHT HINGE DISPLAY CABINET

MR-1824GRDC		18.63	24	72	117	23	\$ 5,121
	depth with EG edge		24.75				
	depth with EV edge		25				

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Door
- One Adjustable Wood Shelf behind Bottom Wood Door
- Surface Mount 12 Volt Halogen Lamp (UL Listed)
- Unfinished Back
- · Adjustable Levelers

RIGHT HINGE STORAGE CABINET

model		w	d	h	wt	cu ft	list
MR-1824RSC		18.63	24	72	117	23	\$ 4,142
	depth with EG edge		24.75				
	depth with EV edge		25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers

OPTIONS

OPTIONS	v					,	,
Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
Veneer Ouartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate	EF Square EH Concave	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$2,971	RG No Vent - Standard RH Vented MR-6624SC \$112 MR-1824RSC \$77	QE No Shelf - Standard QF Shelf \$543	QM No Screen - Standard QN Screen \$341
COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	DT Transitional DR Bevel DS Reed DU Radius						
NOTE: Laminate available on Credenza only	FE Corona EG Sierra						

HOW TO ORDER

 $SPECIFY: Finish \mid edge \mid pull \mid pull \mid finish \mid finished back \mid vented back \mid swivel shelf \mid projection screen. See page 515 for the designator finish name. The projection screen is a projection of the designation of the projection of the proje$

MODEL NUMBER

MR-0003CFG

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
OSL	EF	Grip	BWT	LW	RG	QF	QM

585



Meeting Room

CONFIGURATIONS - WALL UNIT



model		w	d	h		list
MR-0004CFG	Total Unit Dimensions	111.75	24	72	Unit Total	\$ 20,820

CONSISTS OF:

OPEN DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-1824OC		18.63	24	72	105	23	\$ 3,380
	depth with EG edge	•	24.75				
	depth with EV edge	•	25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers
- Inside Depth 15.625"

DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-3724GDC		37.25	24	72	225	43	\$ 8,064
	depth with EG edge	•	24.75				
	denth with EV edge	,	25				

- Shaped Front Sids
- Two Adjustable Glass Shelves behind Top Glass Doors
- Surface-Mounted 12 Volt Halogen Lamp UL Listed
- One Adjustable Wood Shelf behind Bottom Wood Doors
- Unfinished Back
- Adjustable Levelers
- Inside Depth 15.625"



CONFIGURATIONS - WALL UNIT - CONTINUED

STORAGE WARDROBE

model		w	d	h	wt	cu ft	list
MR-3724SW		37.25	24	72	217	43	\$ 5,996
	depth with EG edge	•	24.75				
	depth with EV edge	•	25				

• Shaped Front Side

LEFT SIDE:

- Three Adjustable Wood Shelves
- One Stationary Wood Shelf

RIGHT SIDE

- Full Length Storage with Hanging Bar
- One Adjustable Wood Shelf
- · Vented Back
- Unfinished Back
- Adjustable Levelers

OPEN DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-1824OC		18.63	24	72	105	23	\$ 3,380
	depth with EG edge	•	24.75				
	depth with EV edge	9	25				

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers
- Inside Depth 15.625"

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut Flat Cut Flat Cut	EF Square EH Concave	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$2,083
MBM MLC BUW MHM MMC EBY				
Woodgrain Laminate Quartered	DT Transitional DR Bevel			
COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	DS Reed DU Radius			
NOTE: Laminate available on Credenza only	FE Corona EG Sierra			
	EV Launch			

HOW TO ORDER

 ${\sf SPECIFY: Finish \ | \ edge \ | \ pull \ | \ pull \ finish \ | \ finished \ back. \ See \ page \ 515 \ for \ the \ designator \ finish \ name \ page \ for \ page \ page \ for \ page \ pag$

MODEL NUMBER

MR-0004CFG

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



CONFIGURATIONS - WALL UNIT



STORAGE WARDROBE

STORAGE CABINET

model		w	d	h		list
MR-0005CFG	Total Unit Dimensions	163.88	24	72	Unit Total	\$ 23,482

CONSISTS OF:

model		w	d	h	wt	cu ft	list
MR-3724SW		37.25	24	72	217	43	\$ 5,996
	depth with EG edge	EG edge					
	depth with EV edge	•	25				

· Shaped Front Side

- Three Adjustable Wood Shelves
- One Stationary Wood Shelf

RIGHT SIDE:

- Full Length Storage with Hanging Bar
- One Adjustable Wood Shelf
- · Vented Back
- Unfinished Back
- Adjustable Levelers

model		w	d	h	wt	cu ft	list	
MR-3724SC		37.25	24	72	225	43	\$ 5,996	
	depth with EG edge		24.75					
	depth with EV edge	•	25					

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- Unfinished Back
- Adjustable Levelers

imagine a place®



CONFIGURATIONS - WALL UNIT - CONTINUED

STORAGE CREDENZA

model		w	d	h	wt	cu ft	list
MR-6624SC		66	24	29	275	33	\$ 4,856
	depth with EG edg	depth with EG edge					
	depth with EV edg	е	25				

- Shaped Front Side
- One Adjustable Wood Shelf behind each set of Doors
- Unfinished Back
- Adjustable Levelers

STORAGE BRIDGE

model		w	d	h	wt	cu ft	list	
MR-6624BR		66	24	3	48	6	\$ 1,401	
	depth with EG edge		24.75					
	depth with EV edge	е	25					

- · Shaped Front Side
- Overhead Storage Bridge

RIGHT HINGE STORAGE CABINET

model		w	d	h	wt	cu ft	list	
MR-1824RSC		18.63	24	72	117	23	\$ 4,142	
	depth with EG edge	9	24.75					
	depth with EV edge	9	25					

- Shaped Front Side
- Three Adjustable Wood Shelves
- Two Stationary Wood Shelves
- · Unfinished Back
- · Adjustable Levelers

OPTIONS

Finish	Edge		Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
Veneer	EF Square DT Transitional DS Reed	EH Concave DR Bevel DU Radius	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$2,209	RG No Vent - Standard RH Vented MR-6624SC \$112 MR-1824RSC \$77	QE No Shelf - Standard QF Shelf \$543	QM No Screen - Standard QN Screen \$341
NOTE: Laminate available on Credenza only	FE Corona EV Launch	EG Sierra						

HOW TO ORDER

 $SPECIFY: Finish \mid edge \mid pull \mid pull \mid finish \mid finished back \mid vented back \mid swivel shelf \mid projection screen. See page 515 for the designator finish name finish projection screen in the projection of the designation of the projection screen in the projection of the projection o$

MODEL NUMBER

MR-0005CFG

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
OSL	EF	Grip	BWT	LW	RG	QF	QM



CONFIGURATIONS - WALL UNIT



model		w	d	h		list
MR-0006CFG	Total Unit Dimensions	140.5	24	72	Unit Total	\$ 14,321

CONSISTS OF:

DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-3724GDC		37.25	24	72	225	43	\$ 8,064
	depth with EG edge		24.75				
	depth with EV edge	•	25				

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Doors
- Surface-Mounted 12 Volt Halogen Lamp UL Listed
- One Adjustable Wood Shelf behind Bottom Wood Doors
- Unfinished Back
- · Adjustable Levelers
- Inside Depth 15.625"

STORAGE CREDENZA

model		w	d	h	wt	cu ft	list
MR-6624SC		66	24	29	275	33	\$ 4,856
	depth with EG edg	ge	24.75				
	depth with EV ed	10	25				

- Shaped Front Side
- One Adjustable Wood Shelf behind each Set of Doors
- Unfinished Back
- Adjustable Levelers



CONFIGURATIONS - WALL UNIT - CONTINUED

STORAGE BRIDGE

model		w	d	h	wt	cu ft	list
MR-6624BR		66	24	3	48	6	\$ 1,401
	depth with EG edg	е	24.75				
	depth with EV edg	е	25				

- Shaped Front Side
- Overhead Storage Bridge

DISPLAY CABINET

model		w	d	h	wt	cu ft	list
MR-3724GDC		37.25	24	72	225	43	\$ 8,064
	depth with EG edge	•	24.75				
	depth with EV edge	•	25				

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Doors
- Surface-Mounted 12 Volt Halogen Lamp UL Listed
- One Adjustable Wood Shelf behind Bottom Wood Doors
- Unfinished Back
- Adjustable Levelers
- Inside Depth 15.625"

OPTIONS

Finish	Edge		Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY	EF Square	EH Concave	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$1,924	RG No Vent - Standard RH Vented MR-6624SC \$112	QE No Shelf - Standard QF Shelf \$543	QM No Screen - Standard QN Screen \$341
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	DT Transitional DS Reed	DU Radius						
NOTE: Laminate available on Credenza only	FE Corona	EG Sierra						

HOW TO ORDER

 $SPECIFY: Finish \mid edge \mid pull \mid pull \mid finish \mid finished back \mid vented back \mid swivel shelf \mid projection screen. See page 515 for the designator finish name in the projection screen of the projec$

MODEL NUMBER

MR-0006CFG

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back	Swivel Shelf	Projection Screen
OSL	EF	Grip	BWT	LW	RG	QF	QM



24"D OPEN DISPLAY CABINET/BOOKCASE STANDARD FEATURES


• Shaped Front Side

- Unfinished Back
- Three Adjustable Wood Shelves


• Two Stationary Wood Shelves

• Adjustable Levelers

• Inside Depth 15.625"



model	w	d	h	wt	cu ft	list
MR-1824OC	18.63	24	72	105	23	\$ 3,380
	depth with EG edge	24.75				
	depth with EV edge	25				



model	w	d	h	wt	cu ft	list
MR-3724OC	37.25	24	72	201	43	\$ 4,904
	depth with EG edge	24.75				
	depth with EV edge	25				

OPTIONS

OPTIONS Finish	Edge	Finished Back
Veneer Guartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra	LW Unfinished LX Finished MR-1824OC \$338 MR-3724OC \$490

HOW TO ORDER

SPECIFY: Finish \mid edge \mid finished back. See page 515 for the designator finish name.

MODEL	NUMBER

MR-1824OC

Finish	Edge	Finished Back
OSL	EF	LW



24"D DISPLAY CABINET WITH OPEN TOP AND WOOD BOTTOM DOOR(S) STANDARD FEATURES

• Shaped Front Side

- Unfinished Back
- Two Adjustable Wood Shelves in Open Section
- Adjustable Levelers

• Inside Depth 15.625"





model		w	d	h	wt	cu ft	list
MR-1824WLDC	LEFT HINGED	18.63	24	72	110	23	\$ 3,81
MR-1824WRDC	RIGHT HINGED	18.63	24	72	110	23	\$ 3,81
	depth with EG	edge	24.75				
	depth with EV	edge edge	25				



model	w	d	h	wt	cu ft	list
MR-3724WDC	37.25	24	72	211	43	\$ 5,666
	depth with EG edge	24.75				
	depth with EV edge	25				

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished MR-1824WLDC, MR-1824WRSD \$382 MR-3724WDC \$567

HOW TO ORDER

 ${\sf SPECIFY: Finish \ | \ edge \ | \ pull \ | \ pull \ finish \ | \ finished \ back. \ See \ page \ 515 \ for \ the \ designator \ finish \ name.}$

MODEL NUMBER

MR-1824WLDC

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



4"D DISPLAY CABINET WITH GLASS TOP AND WOOD BOTTOM DOOR(S) STANDARD FEATURES

- Shaped Front Side
- Two Adjustable Glass Shelves behind Top Glass Door(s)
- Surface-Mount 12 Volt Halogen Lamp UL Listed
- One Adjustable Wood Shelf behind Bottom Wood Door(s)
- Unfinished Back
- Adjustable Levelers



model		w	d	h	wt	cu ft	list	
MR-1824GLDC	LEFT HINGED	18.63	24	72	117	23	\$	5,121
MR-1824GRDC	RIGHT HINGED	18.63	24	72	117	23	\$	5,121
	depth with	EG edge	24.75					
	depth with	EV edge	25					

• Inside Depth 15.625"



model	w	d	h	wt	cu ft	list
MR-3724GDC	37.25	24	72	225	43	\$ 8,064
	depth with EG edge	24.75				
	depth with EV edge	25				

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished MR-1824GLDC, MR-1824GRDC \$512 MR-3724GDC \$806

HOW TO ORDER

 ${\sf SPECIFY: Finish \ | \ edge \ | \ pull \ | \ pull \ finish \ | \ finished \ back. \ See \ page \ 515 \ for \ the \ designator \ finish \ name \ page \ for \ page \ page \ for \ page \ pag$

MODEL NUMBER

MR-	18240	SLDC

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



230"D OPEN DISPLAY CABINET/BOOKCASE STANDARD FEATURES

• Shaped Front Side


- Unfinished Back
- Three Adjustable Wood ShelvesTwo Stationary Wood Shelves
- Adjustable Levelers

• Inside Depth 15.625"



model	w	d	h	wt	cu ft	list
MR-1830OC	18.63	30	72	117	31	\$ 3,816
	depth with EG edge	30.75				
	depth with EV edge	31				

OPTIONS



HOW TO ORDER

SPECIFY: Finish \mid edge \mid finished back. See page 515 for the designator finish name.

MODEL	NUMBER	

MR-18300C

Finish	Edge	Finished Back
OSL	EF	LW



0"D DISPLAY CABINET WITH OPEN TOP AND WOOD BOTTOM DOOR(S) STANDARD FEATURES

• Shaped Front Side

Unfinished Back Adjustable Levelers

• Two Adjustable Wood Shelves in Open Section

One Adjustable Wood Shelf behind Door



model		w	d	h	wt	cu ft	list
MR-1830WLDC	LEFT HINGED	18.63	30	72	122	31	\$ 4,194
MR-1830WRDC	RIGHT HINGED	18.63	30	72	122	31	\$ 4,194
	depth with	EG edge	30.75				
	depth with	EV edge	31				

• Inside Depth 15.625"

OPTIONS

OPTIONS	1			
Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$419

HOW TO ORDER

SPECIFY: Finish | edge | finished back. See page 515 for the designator finish name.

MR-1830WLDC

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



330"D DISPLAY CABINET WITH GLASS TOP-WOOD BOTTOM DOOR STANDARD FEATURES

• Shaped Front Side

• Two Adjustable Glass Shelves behind Top Glass

• Surface-Mounted 12 Volt Halogen Lamp - UL Listed Adjustable Levelers

One Adjustable Wood Shelf behind Bottom Wood

• Unfinished Back



model		w	d	h	wt	cu ft	list
MR-1830GLDC	LEFT HINGED	18.63	30	72	129	31	\$ 5,447
MR-1830GRDC	RIGHT HINGED	18.63	30	72	129	31	\$ 5,447
	depth with	EG edge	30.75				
	depth with	EV edge	31				
							-

• Inside Depth 15.625"

OPTIONS				
Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$545

 ${\sf SPECIFY: Finish \ | \ edge \ | \ pull \ | \ pull \ finish \ | \ finished \ back. \ See \ page \ 515 \ for \ the \ designator \ finish \ name \ page \ for \ page \ page \ for \ page \ pag$

MODEL NUMBER

MR-1830GLDC

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



24"D STORAGE CABINET STANDARD FEATURES

• Shaped Front Side

• Three Adjustable Wood Shelves

• Two Stationary Wood Shelves

• Unfinished Back



model		w	d	h	wt	cu ft	list
MR-1824LSC	LEFT HINGED	18.63	24	72	117	23	\$ 4,142
MR-1824RSC	RIGHT HINGED	18.63	24	72	117	23	\$ 4,142
	depth with	EG edge	24.75				
	depth with	EV edge	25				
•							

• Adjustable Levelers



model	w	d	h	wt	cu ft	list
MR-3724SC	37.25	24	72	225	43	\$ 5,996
	depth with EG edge	24.75				
	depth with EV edge	25				

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC BBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished MR-1824LSC, MR-1824RSC \$414 MR-3724SC \$600	RG No Vent - Standard RH Vented MR-1824LSC, MR-1824RSC \$77 MR-3724SC \$112

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back | vented back. See page 515 for the designator finish name.

MODEL NUMBER

MR-1824LSC

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	EF	Grip	BWT	LW	RG

January 2022 Pricing 597 ofs.com imagine a place ${\bf @}$ 800.521.5381



30"D STORAGE CABINET STANDARD FEATURES

• Shaped Front Side

• Three Adjustable Wood Shelves

• Two Stationary Wood Shelves

Unfinished Back



model		w	d	h	wt	cu ft	list
MR-1830LSC	LEFT HINGED	18.63	30	72	129	31	\$ 4,576
MR-1830RSC	RIGHT HINGED	18.63	30	72	129	31	\$ 4,576
	depth with EG edge		30.75				_
	depth with	n EV edge	31				

• Adjustable Levelers

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$458	RG No Vent - Standard RH Vented \$77

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back | vented back. See page 515 for the designator finish name.

MODEL NUMBER

MR-1830LSC

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	EF	Grip	BWT	LW	RG



24"D STORAGE WARDROBE STANDARD FEATURES

• Shaped Front Side • Unfinished Back • Adjustable Levelers



model		w	d	h	wt	cu ft	list
MR-1824LSW	LEFT HINGED	18.63	24	72	112	23	\$ 3,380
MR-1824RSW	RIGHT HINGED	18.63	24	72	112	23	\$ 3,380
	depth with E	G edge	24.75				
	depth with E	V edge	25				

- Full Length Storage with Hanging Bar
- One Adjustable Wood Shelf



model	w	d	h	wt	cu ft	list
MR-3724SW	37.25	24	72	217	43	\$ 5,996
	depth with EG edge	24.75	5			
	depth with EV edge	25				

LEFT SIDE:

- Three Adjustable Wood Shelves
- One Stationary Wood Shelf

RIGHT SIDE:

- Full Length Storage with Hanging Bar
- One Adjustable Wood Shelf

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished MR-1824LSW, MR-1824RSW \$338 MR-3724SW \$600

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back. See page 515 for the designator finish name.

MODEL NUMBER

MR-1824LSW

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	BWT	LW



30"D STORAGE WARDROBE STANDARD FEATURES

• Shaped Front Side

• One Adjustable Wood Shelf

• Adjustable Levelers

• Full Length Storage with Hanging Bar



model		w	d	h	wt	cu ft	list
MR-1830LSW	LEFT HINGED	18.63	30	72	124	31	\$ 3,707
MR-1830RSW	RIGHT HINGED	18.63	30	72	124	31	\$ 3,707
	depth wit	h EG edge	30.75				
	depth wit	h EV edge	31				

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY NOTE: Not available in Laminate	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$371
	FE Corona EG Sierra			

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back. See page 515 for the designator finish name

MODEL NUMBER

MR-1830LSW

Finish	Edge	Pull	Pull Finish	Finished Back
OSL	EF	Grip	вwт	LW

January 2022 Pricing 600 ofs.com imagine a place ${\bf @}$ 800.521.5381



STORAGE CREDENZA STANDARD FEATURES

• Shaped Front Side • Unfinished Back • Adjustable Levelers

• One Adjustable Wood Shelf behind each Set of Doors

24"D STORAGE CREDENZAS



model	w	d	h	wt	cu ft	list
MR-6624SC	66	24	28.5	275	33	\$ 4,856
	depth with EG edge	24.75				
	depth with EV edge	25				

• NOTE: Credenzas can be Special Ordered with Laminate to match Laminate Insert Conference Tables. Conference Bullnose Edge not available on Credenzas. Contact Customer Service for a Price Quotation.

30"D STORAGE CREDENZAS



model	w	d	h	wt	cu ft	list
MR-6630SC	66	30	28.5	289	41	\$ 5,342
	depth with EG edge	30.75				
	depth with EV edge	31				

• NOTE: Credenzas can be Special Ordered with Laminate to match Laminate Insert Conference Tables. Conference Bullnose Edge not available on Credenzas. Contact Customer Service for a Price Quotation.

OPTIONS

Top Finish	Edge/Chassis Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Guartered OBT MRW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Guartered COP PCP MEP DSP NWP STP Flat Cut BEP CMP HNP CMP	OSL PCO MGO MRO MNW BUW MBM MLC EBY MHM MGW DST MMC	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius FE Corona EG Sierra EV Launch	See page 582 for full list of pull options	See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished MR-6624SC \$486 MR-6630SC \$534	RG No Vent - Standard RH Vented \$112

HOW TO ORDER

 $SPECIFY: Top \ finish \ | \ edge/chassis \ finish \ | \ edge \ | \ pull \ | \ pull \ finish \ | \ finished \ back \ | \ vented \ back. See \ page 515 \ for \ the \ designator \ finish \ name \ | \ page \ finish \ | \ page \$

MODEL NUMBER

MR-6624SC

Top Finish	Edge/Chassis Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	OSL	EF	Grip	вwт	LW	



STORAGE BRIDGE STANDARD FEATURES

- Shaped Front Side
- Overhead Storage Bridge

OPTIONAL PROJECTION SCREEN:


- 50"W x 50"H Projection Screen (QN)
- Field Installed

24"D



model	w	d	h	wt	cu ft	list	
MR-6624BR	66	24	3	48	6	\$ 1	1,401
	depth with EG edge	24.75					
	depth with EV edge	25					

OPTIONS



HOW TO ORDER

SPECIFY: Finish | edge | projection screen. See page 515 for the designator finish name

MODEL NUMBER

MR-6624BR

Finish	Edge	Projection Screen
OSL	EF	QN



STORAGE CREDENZA STANDARD FEATURES

• Shaped Three Sides

• Unfinished Back

• Concealed Hinges

· Adjustable Levelers



model	w	v	d	h	wt	cu ft	list
SC-3621	3	4.06	20.06	28.5	157	13	\$ 2,885
	size with EG edge 3	5.5	20.75				
	size with EV edge 3	6.06	21.06				

- Two Doors
- One Adjustable Shelf



model	w	, d	h	wt	cu ft	list
SC-5421	52	2.06 20.0	6 28.5	229	20	\$ 3,947
	size with EG edge 53	3.5 20.7	5			
	size with EV edge 54	4.06 21.0	6			

- Three Doors
- Storage Drawer behind Left Door at Top
- Two Adjustable Shelves



model		w	d	h	wt	cu ft	list	
SC-7421		72.06	20.06	28.5	286	27	\$	5,611
	size with EG edge	73.5	20.75					
	size with EV edge	74.07	21.06					

- Four Doors
- Storage Drawer behind Left Door at Top
- Two Adjustable Shelves

OPTIONS

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Guartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Guartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius EV Launch	AS No Pulls - Standard NOTE: Optional pulls are available on OFS Conference Casegoods at no upcharge. See page 582 for pull options and designators. To order, add designator to model number and note pull option on purchase order.	AS No Pulls - Standard See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished SC-3621 \$289 SC-5421 \$395 SC-7421 \$561	RG No Vent - Standard RH Vented SC-3621 \$77 SC-5421 \$112 SC-7421 \$112
Veneer Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Flat Cut BEP CHP BUP HNP CMP	EG Sierra				

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back | vented back. See page 515 for the designator finish name.

MODEL NUMBER

SC-3621

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	EF	AS	AS	LW	RG



AUDIO/VISUAL CONSOLE STANDARD FEATURES

- Shaped Four Sides
- Shaped Three Sides (EG Edge only)
- Two Doors
- Concealed Hinges

- Pull-Out VCR Shelf with Ball Bearing Slides
- One Adjustable Shelf
- Six Outlet Power Supply with Surge Suppressor UL Listed
- Wire Management Grommet
- Unfinished Back
- 3" Diameter Industrial Strength Casters



model		w	d	h	wt	cu ft	list
AC-3834		36	24	34.38	175	19	\$ 4,854
	size with EG edge	37.5	24.75				
	size with EV edge	38.06	26.06				

OPTIONS

OPTIONS					
Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius EV Launch	AS No Pulls - Standard NOTE: Optional pulls are available on OFS Conference Casegoods at no upcharge. See page 582 for pull options and designators. To order, add designator to model number and note pull option on purchase order.	AS No Pulls - Standard See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished \$485	RG No Vent - Standard RH Vented \$77
Veneer Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Flat Cut BEP CHP BUP HNP CMP	EG Sierra				

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back | vented back. See page 515 for the designator finish name.

MODEL NUMBER

AC-3834

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	EF	AS	AS	LW	RG



BUFFET CREDENZA STANDARD FEATURES

• Shaped Three Sides • Unfinished Back • Adjustable Levelers

FOUR DOORS



model		w	d	h	wt	cu ft	list
BC-7036A		72.06	20.06	36	307	37	\$ 7,895
	size with EG edge	73.5	20.75				
	size with EV edge	74.06	21.06				

- 30" Full Height Doors
- One Adjustable Shelf

FRONT PULL-OUT SHELVES



model		w	d	h	wt	cu ft	list
BC-7036B		72.06	20.06	36	311	37	\$ 7,895
	size with EG edge	73.5	20.75				
	size with EV edge	74.06	21.06				

- Two Front Pull-Out Shelves (Bronze Knob Standard)
- Two Open Storage Compartments
- Additional Storage below

FRONT PULL-OUT SHELVES AND DRAWERS



model	w	d	h	wt	cu ft	list
BC-7036C	72.0	06 20.06	36	314	37	\$ 8,056
	size with EG edge 73.5	20.75	5			
	size with EV edge 74.0	21.06				

- Two Front Pull-Out Shelves (Bronze Knob Standard)
- Two Drawers
- Storage Space

OPTIONS

OPTIONS					
Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	EF Square EH Concave DT Transitional DR Bevel DS Reed DU Radius EV Launch	AS No Pulls - Standard NOTE: Optional pulls are available on OFS Conference Casegoods at no upcharge. See page 582 for pull options and designators. To order, add designator to model number and note pull option on purchase order.	AS No Pulls - Standard See page 582 for full list of pull finishes	LW Unfinished - Standard LX Finished BC-7036A \$790 BC-7036B \$790 BC-7036C \$806	RG No Vent - Standard RH Vented \$112
Veneer Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Flat Cut	EG Sierra				
BEP CHP BUP HNP CMP					

HOW TO ORDER

SPECIFY: Finish | edge | pull | pull finish | finished back | vented back. See page 515 for the designator finish name.

MODEL NUMBER

BC-7036A

Finish	Edge	Pull	Pull Finish	Finished Back	Vented Back
OSL	EF	AS	AS	LW	RG



VISUAL PRESENTATION BOARD STANDARD FEATURES

- Non-Glare Marker Board
- Display Rail with Adjustable Hooks for Flipchart
- Set of Four Dry Markers and Eraser
- Storage Compartment for Eraser and Markers
- Flipchart Standard, Refill sold below
- Specify Fabric for Tackboard

• Field Installed

• Must Specify Fabric



model	w	d	h	wt	cu ft	list
VP-4848	48	5.25	48	132	12	\$ 4,166

- 48"W x 48"H Visual Board
- COM Requires 1.5 Yards

OPTIONS

Finish	Edge	Fabric/Grade
Veneer Quartered		Grade, Vendor, Pattern, Color
OSL DST MNW MGO		See pricing below
MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY	BZ Visual DR Bevel	NOTE: See OFS Seating Price List for fabric selection. A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabrics. See OFS Seating
NOTE: Not available in Laminate		Price List for COM Ordering Instructions.

Tackboard Upcharge Per Grade yds sq ft com

com (54")	col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	0	25	53	88	138	208	279	349	420	490	561	631	702	772	843	n/a	n/a	n/a

HOW TO ORDER

SPECIFY: Finish | edge | textile pattern and color. See page 515 for a full list of finishes and graded-in fabric options.

MODEL NUMBER

VP-4848

Finish	Edge	Fabric/Grade
OSL	BZ	Grade 3, Momentum, Hue, Smoke



VISUAL PRESENTATION BOARD STANDARD FEATURES

HEADER



model	w	d	h	wt	cu ft	list
VPH-48	48	5.38	1.19	5	1	\$ 530
	depth with EV edge	6.38				

[•] Use with 48"W Visual Presentation Board

FLIPCHART REFILL

model	w	d	h	wt	cu ft	list
FC	20	n/a	24	n/a	n/a	\$ 69

[•] Flipchart Refill-Quantity Two

OPTIONS

Finish

Veneer
Quartered
OSL DST MNW MGO
MRO PCO MGW
Flat Cut
MBM MLC BUW
MHM MMC EBY

NOTE: Not available in Laminate

Edge (VPH-48 only)

EF Square
EH Concave

EH Concave

DT Transitional
DR Bevel

DS Reed
DU Radius

EV Launch

HOW TO ORDER

SPECIFY: Finish | edge (if applicable). See page 515 for the designator finish name.

VPH-48

VPN=40	
Finish	Edge (VPH-48 only)
OSL	BZ



VISUAL PRESENTATION BOARD STANDARD FEATURES

- Non-Glare Marker Board
- Display Rail with Adjustable Hooks for Flipchart
- Set of Four Dry Markers and Eraser
- Storage Compartment for Eraser and Markers
- Flipchart Standard, Refill sold below
- Specify Fabric for Tackboard

• Field Installed

• Must Specify Fabric



model	w	d	h	wt	cu ft	list
VPM-4848	48	5.5	48	132	12	\$ 4,347

- 48"W x 48"H Visual Board
- COM Requires 1.5 Yards

0	P	T	IC	10	٧S	
		=				

Finish	Fabric/Grade
Veneer	Grade, Vendor, Pattern, Color
Quartered	
OSL DST MNW MGO	See pricing below
MRO PCO MGW	
Flat Cut	NOTE: See OFS Seating Price List for fabric
MBM MLC BUW	selection. A sample of all COM fabrics must
MHM MMC EBY	be submitted to OFS for preliminary approval
	prior to shipment of fabrics. See OFS Seating
NOTE: Not available in Laminate	Price List for COM Ordering Instructions.

Tackboard Upcharge Per Grade

yds	sq ft		com																	
com (54")	col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1.5	n/a	0	25	53	88	138	208	279	349	420	490	561	631	702	772	843	n/a	n/a	n/a	_

HOW TO ORDER

SPECIFY: Finish | textile pattern and color. See page 515 for a full list of finishes and graded-in fabric options.

MODEL	NUMBER	

VPM-4848

Finish	Fabric/Grade
OSL	Grade 3, Momentum, Hue, Smoke



VISUAL PRESENTATION BOARD STANDARD FEATURES

CROWN



model	w	d	h	wt	cu ft	list
VPC-48	48	4.75	6	3	2	\$ 474

- Use with 48"W Visual Presentation Board
- Not available in Quartered Veneer Finishes

FLIPCHART REFILL

model	W	d	h	wt	cu ft	list
FC	20	n/a	24	n/a	n/a	\$ 69

• Flipchart Refill-Quantity Two

OPTIONS

Finish

Veneer Quartered

OSL DST MNW MGO
MRO PCO MGW
Flat Cut
MBM MLC BUW
MHM MMC EBY

NOTE: Not available in Laminate

HOW TO ORDER

SPECIFY: Finish. See page 515 for the designator finish name.

MODEL NUMBER

VPC-48

Finish OSL

OSL



LECTERN STANDARD FEATURES

- Two Adjustable Shelves
- Scuff Guard on Bottom Shelf
- Wire Management Grommets
- 2.375" Diameter Twin Wheel Casters

OPTIONAL LECTERN LIGHT (PL) - UL LISTED:

• Factory Installed

OPTIONAL POWER SUPPLY (PM) - UL LISTED:

- Six Outlet Power Supply with Surge Suppressor
- Factory Installed

ONE-PIECE



model	w	d	h	wt	cu ft	list
LO-48	26	5.5 21	47.5	118	17	\$ 2,950
	size with CA edge 28	21.	.75			

TWO-PIECE



model	w	d	h	wt	cu ft	list
LT-48	26.5	21	47.5	144	17	\$ 3,363
	size with CA edge 28	21.75				

OPTIONS

Finish	Edge	Light	Power Supply
Veneer Guartered OSL DST MNW MGO MRO PCO MGW Flat Cut	CT Lectern	NV No Light - Standard PL Light \$94	UZ No Power - Standard PM Power Supply \$199
MBM MLC BUW MHM MMC EBY			
NOTE: Not available in Laminate	DR Bevel		
	CA Lectern		

HOW TO ORDER

 ${\sf SPECIFY: Finish \ | \ edge \ | \ light \ | \ power \ supply}. \ See \ page \ 515 \ for \ the \ designator \ finish \ name.}$

MODEL NUMBER

LO-48

Finish	Edge	Light	Power Supply
OSL	ст	NV	UZ



MOBILE CART STANDARD FEATURES

Edge Shape

NOTE:

When laminate finish option is selected, top only will be laminate.

Mobile Carts can be Special Ordered with Laminate with Square Edge only to Match Laminate Insert Conference Tables. Contact your Customer Service Representative for a Price Quotation.

OVERHEAD PROJECTION





model	W	d	h	wt	cu ft	list
OPC-2425	26.38	25	29.5	128	16	\$ 2,642

• Two 12"W Side Wood Shelves Lift and Lock for Additional Work Surface - 48.25"W x 25"D

UPPER SECTION:

• Shelf Supports for Three-Position Height Adjustment on Top

LOWER SECTION:

- Single Door
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

UTILITY





model	w	d	h	wt	cu ft	list
UC-2419	27.5	25	29.5	131	16	\$ 3,038

 \bullet Two 12"W Side Wood Shelves Lift and Lock for Additional Work Surface - 49.75"W x 25"D

UPPER SECTION:

• Storage Opening

LOWER SECTION:

- Single Door
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

COMPUTER





model	w	d	h	wt	cu ft	list
CC-2419	27.5	25	29.5	135	16	\$ 3,552

 $\bullet\,$ Two 12"W Side Wood Shelves Lift and Lock for Additional Work Surface - 49.75"W x 25"D

UPPER SECTION:

· Keyboard Drawer

LOWER SECTION:

- Single Door
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

OPTIONS

OPTIONS		
Finish	Pull	Pull Finish
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY	See page 582 for full list of pull options	See page 582 for full list of pull finishes
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

HOW TO ORDER

SPECIFY: Finish | pull | pull finish. See page 515 for the designator finish name

MODEL NUMBER

OPC-2425

Finish	Pull	Pull Finish
OSL	Grip	вwт



MOBILE SERVICE CART STANDARD FEATURES

Edge Shape

 Two 12"W Side Wood Shelves Lift and Lock for Additional Work Surface - 61.75"W x 25"D

UPPER SECTION:

Storage Drawer

LOWER SECTION:

- Double Doors
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

NOTE:

Mobile Carts can be Special Ordered with Laminate with Square Edge only to Match Laminate Insert Conference Tables. Contact your Customer Service Representative for a Price Quotation.

When laminate finish option is selected, top only will be laminate.

SERVICE





model	w	d	h	wt	cu ft	list
CS-3625	39.5	25	36.5	161	26	\$ 3,643

OPTIONS

OPTIONS		
Finish	Pull	Pull Finish
Veneer <i>Quartered</i> OSL DST MNW MGO MRO PCO MGW <i>Flat Cut</i> MBM MLC BUW MHM MMC EBY	See page 582 for full list of pull options	See page 582 for full list of pull finishes
Woodgrain Laminate Quartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

HOW TO ORDER

SPECIFY: Finish | pull | pull finish. See page 515 for the designator finish name

MODEL N	JMBER
---------	-------

CS-3625

Finish	Pull	Pull Finish
OSL	Grip	вwт



MOBILE HOSPITALITY CART STANDARD FEATURES

Edge Shape

UPPER SECTION:

- Storage Opening
- Front Pull-Out Wood Shelf

LOWER SECTION:

- Double Doors
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

NOTE

Mobile Carts can be Special Ordered with Laminate with Square Edge only to Match Laminate Insert Conference Tables. Contact your Customer Service Representative for a Price Quotation.

When laminate finish option is selected, top only will be laminate.





model	w	d	h	wt	cu ft	list
HC1-3025	30	25	36.5	137	20	\$ 3,109





model	w	d	h	wt	cu ft	list
HC1-3625	36	25	36.5	149	24	\$ 3,263

OPTIONS

OPTIONS		
Finish	Pull	Pull Finish
Veneer Quartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY	See page 582 for full list of pull options	See page 582 for full list of pull finishes
Woodgrain Laminate Guartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP		

HOW TO ORDER

SPECIFY: Finish | pull | pull finish. See page 515 for the designator finish name

MODEL	NUMBER

HC2-3025

Finish	Pull	Pull Finish
OSL	Grip	BWT



MOBILE HOSPITALITY CART STANDARD FEATURES

Edge Shape

UPPER SECTION:

- Storage Opening
- Two Side Pull-Out Wood Shelves

LOWER SECTION:

- Double Doors
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

NOTE:

Mobile Carts can be Special Ordered with Laminate with Square Edge only to Match Laminate Insert Conference Tables. Contact your Customer Service Representative for a Price Quotation.

When laminate finish option is selected, top only will be laminate





model	w	d	h	wt	cu ft	list
HC2-3025	30	25	36.5	143	20	\$ 3,109

OPTIONS

Finish	Pull	Pull Finish
Veneer Couartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Couartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	See page 582 for full list of pull options	See page 582 for full list of pull finishes

HOW TO ORDER

SPECIFY: Finish | pull | pull finish. See page 515 for the designator finish name.

MODEL	NUMBER

HC2-3025

Finish	Pull	Pull Finish
OSL	Grip	BWT



MOBILE HOSPITALITY CART STANDARD FEATURES

Edge Shape

UPPER SECTION:

- Storage Opening
- Two Side Pull-Out Wood Shelves

LOWER SECTION:

- Double Doors
- One Adjustable Wood Shelf
- 2.375" Black Nylon Twin Wheel Hooded Casters with Brake

NOTE:

Mobile Carts can be Special Ordered with Laminate with Square Edge only to Match Laminate Insert Conference Tables. Contact your Customer Service Representative for a Price Quotation.

When laminate finish option is selected, top only will be laminate





model	w	d	h	wt	cu ft	list
HC2-3625	36	25	36.5	155	24	\$ 3,263

OPTIONS

Finish	Pull	Pull Finish
Veneer Couartered OSL DST MNW MGO MRO PCO MGW Flat Cut MBM MLC BUW MHM MMC EBY Woodgrain Laminate Couartered COP DSP PCP NWP MEP STP Flat Cut BEP HNP CHP CMP BUP	See page 582 for full list of pull options	See page 582 for full list of pull finishes

HOW TO ORDER

SPECIFY: Finish | pull | pull finish. See page 515 for the designator finish name.

MODEL	NUMBER

HC2-3025

Finish	Pull	Pull Finish
OSL	Grip	BWT