Kensington

CA1100E USB-C to Gigabit Ethernet Adapter

Part number: K33475WW UPC code: 8589633475





Harnessing the speed and reliability of an Ethernet connection for the latest USB-C and Thunderbolt 3 devices, the Kensington CA1100E USB-C to Gigabit Ethernet Adapter provides a stable wired connection to the internet or intranet with a simple plug and play connection. The perfect accessory for the latest laptops without Ethernet ports, the Kensington CA1100E USB-C to Gigabit Ethernet Adapter allows you to securely transfer and download even the largest of files with the confidence that only a wired connection can provide.

FEATURES

- Wired network connection
- Gigabit transfer speeds
- Plug & Play Design
- USB-C and Thunderbolt 3 compatible
- Compact and lightweight

BENEFITS

- · Wired network connection provides a direct and secure connection to your internet or LAN via a USB-C (male) connector for your device's USB-C or Thunderbolt 3 port, and an RJ45 (female) port for the Ethernet
- Gigabit transfer speeds supports 10/100/1000 BASE-T performance
- · Plug and Play Design uses native driver support to allow quick connections with Windows, Mac and Chrome operating systems, and USB-powered to eliminate the need for an external power source
- USB-C and Thunderbolt 3 compatible to accommodate the latest laptops and evolving computing environments
- Compact and lightweight makes it an ideal travel accessory for on-the-go professionals

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.



Technical Specifications

SYSTEM REQUIREMENT

- Plug and play: Uses native driver support to allow quick connections with Windows, Mac and Chrome operating systems, and USB-powered to eliminate the need for an external power source
- Operating systems supported: Windows 10, 8.1, macOS 10.10 or later, Chrome OS 44 and above

HOST CONNECTIVITY

• Host docking connector: USB-C 3.1 gen 1 and 2 and Thunderbolt 3 USB-C port

I/O PORTS

- **USB-C** connector (male)
- **Ethernet LAN port (female)**

PRODUCT DIMENSIONS

• Unit dimensions:

o Width: 25mm (0.984in) o Length: 195mm (7.67in)

o Height: 15mm (0.59in)

Cable length: up to 100mm

Unit weight: 25g

Enclosure colour and material: Black + ABS

PACKAGING DIMENSIONS

• Packaging style: B2B Plastic Bag

Packaging dimensions:

o Width: 110mm (4.33in)

o Length: 180mm (7.09in)

o Height: 1mm (0.04in)

Packaging weight: 15g (0.03lbs)

Master carton: 5 pcs

Package content:

o CA1100E USB-C to Gigabit Ethernet Adapter

Warranty card

Compliance insert



ENVIRONMENTAL

• Operating temperature: 10 to 40°C (50 to 104°F) • Storage temperature: -10 to 60° C (14 to 140° F) • Relative humidity: 5% to 95% non-condensing

COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

• Country of origin: China

• Warranty: 2-years limited warranty

Certifications and compliance: FCC, CE, REACH, WEEE, RoHS

Kensington

FRONT

