



UP TO 35 PPM BLACK



UP TO 35 PPM COLOR



DUPLEX



# Lexmark X730 Series

FAX

NETWORI

A 44 44 444

Lexmark X734de

Lexmark X736de

Lexmark X738de

Lexmark X738dte

Color, power and productivity with the right touch



## Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

Osurce: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service. August 2008

If you want to make an impact with color but need the competitive advantage of multifunction efficiency too, then get to know the Lexmark X730 Series. It not only prints, copies, scans and faxes in both black and color, but also provides outstanding performance and value. You can count on speed and reliability, versatile paper handling, customized solutions and a rich range of features – all easily accessible via Lexmark's award-winning color touch screen. Experience the giant benefits of a color copier, without the giant size and price!



## **Unique productivity**

A simple touch of the extra-large, intuitive color touch screen is all it takes to move your workflow into high gear. You get fast, high-quality color printing, copying, faxing and scanning – all in one multifunction workhorse.

- Boost efficiency with rapid duplex scanning (Lexmark X736de, Lexmark X738de, Lexmark X738dte)
- Get your print and copy jobs faster with the instant warm-up fuser and scanner lamp
- Eliminate paper-intensive processes by easily scanning to various destinations and formats
- Save time with advanced copy functions, including copy shortcuts, ID card copy, proof-then-copy (hard disk required) and others



## Any document, any time

Whatever you want to print – from presentations and reports to labels, envelopes and even banners – the Lexmark X730 Series provides the perfect partner. With its excellent print quality, powerful productivity and robust paper-feeding design, you'll be fully equipped with the features you need to accelerate your workflow.

- Produce stunning graphics and images with Lexmark's advanced color laser toner formula
- Add stackable input drawers or a high-capacity feeder to run longer without interruption
- Specialty Media Drawer option adds versatility and is ideal for large stacks of envelopes
- Run preprinted forms easily and reliably with improved feed design and edge alignment



## **Cutting-edge security**

The Lexmark X730 Series is equipped with state-of-the-art security to protect your valuable corporate data. It also features customizable user-access controls, allowing you to enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks
- Optional integrated card reader available (contact your Lexmark representative to learn more)

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You'll save time, costs and office space, while powering fewer devices.

- $\bullet$  All models include built-in duplex printing to save paper
- Instant warm-up fuser and scanner lamp cut energy consumption
- Eco-Mode reduces power consumption
- Quiet Mode setting allows ultra-quiet operation
- Lexmark Cartridge Collection Program offers free, convenient recycling





## Lexmark X730 Series

## Explore the features that keep you moving



## Loads of benefits packed into one device!

### What can Lexmark color multifunction do for your business?

If you're still struggling with multiple devices throughout your office - printers, scanners, copiers and fax machines - then your productivity potential is out of reach. Fortunately, with Lexmark's advanced multifunction technology, there's an easy fix!

Solidly robust and competitively fast, Lexmark's color laser MFPs let you unite all your critical document functions into one high-performance solution. By operating and managing fewer devices, you'll optimize office space and save money on hardware, consumables, service contracts and even electricity. Even better, you'll have all the office tools you need to enhance productivity. Combine that with brilliant Lexmark color that empowers your documents, and there's virtually nothing you can't achieve.

### **Multitalented copying**

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to interrupt long print runs temporarily; ID Card Copy to copy both sides of a card on to a single sheet; and Sample Copy (hard disk required), which lets you stop and take a good look at the first copy before releasing the rest of the job – a great way to save time and reduce paper and toner waste.

#### Personalized user settings

A real efficiency booster, Lexmark's innovative MyMFP feature lets users save and retrieve their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

#### Peace-of-mind service

The Lexmark X730 Series comes standard with Lexmark's 1-Year Onsite Service warranty, which provides you with next-business-day response. You can also extend your warranty with a customized offering to match your specific needs

(For full details see the Lexmark Statement of Limited Warranty on www.lexmark.com.)

## t single sneet; and breakthrough color technology to stop and take a good print communications. Lexmark to be in h = a great way to complete uith equitions and the complete of the complete o

Color science at work for you

At Lexmark, great color is more than a marketing promise – it's a serious investment. Our development team is dedicated to delivering breakthrough color technology that truly enhances the value of your print communications. Lexmark's advanced color laser toner formula, combined with new temperature- and humidity-sensing technology, ensures excellent color reproduction and consistent quality from first page to last, across various media types and work environments.



### Lexmark's Embedded Solutions Framework

Experience more productivity than you could ever imagine! Lexmark's new multifunction devices are solutions-capable. That means they can be easily customized to meet your unique printing needs. Contact your Lexmark representative to find out how simple it is to tailor your MFP with one or more of Lexmark's leading industry solutions. With the touch of an icon you can transform your hardcopy documents into digital workflow, helping you print less, save time, lower costs and reduce the environmental impact of printing.

### Efficient traffic shaping

When you e-mail a large file from your Lexmark X730 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

#### Effortless manageability

Take a load off your IT department. These devices are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. Once up and running, on-screen custom messaging makes life simpler too, by providing users with crystal-clear information, like «Toner Low, Call Placed.» What's more, Lexmark MarkVision Professional software provides simplified remote management and automated tools to keep your workday flowing!

## Get exactly the performance you need



## Lexmark X734de

Color laser MFP with business-class quality and functionality

- Offers print, copy, scan and fax
- Up to 30 ppm print speeds in black and color
- Fast 600MHz processor
- 650-sheet standard input, 3,200 maximum
- Ships with 4,000-page\* starter Return Program Toner Cartridges
- Replacement yields: 8,000\*-page black, 6,000\*-page color
- Recommended monthly volume: 2,500 to 9,200 pages



## Lexmark X736de

More performance, lower cost per page, includes duplex scanning

- Up to 35 ppm print speeds in black and color
- Powerful 900MHz processor
- Duplex scanning capability
- 650-sheet standard input, 3,200 maximum
- Ships with 6,000-page\* starter Return Program Toner Cartridges
- Lexmark High Yield Toner Cartridges:
   12,000\*-page black, 10,000\*-page color
- Recommended monthly volume: 3,000 to 10,000 pages



## Lexmark X738de

The ideal platform for advanced workflow solutions

- Up to 35 ppm print speeds in black and color
- Powerful 900MHz processor
- 80GB hard disk standard for expanded functionality
- Duplex scanning capability
- 650-sheet standard input, 3,200 maximum
- Ships with 6,000-page\* starter Return Program Toner Cartridges
- Lexmark High Yield Toner Cartridges:
   12,000\*-page black, 10,000\*-page color
- Recommended monthly volume: 3,000 to 10,000 pages

	Lexmark X734de	Lexmark X736de	Lexmark X738de
Printing			
Print Technology		Color Laser	
Print Speed (Letter, Black): Up to	30 ppm	35 ppm	35 ppm
Print Speed (Letter, Color): Up to	30 ppm	35 ppm	35 ppm
Time to First Page (Black)		As fast as <10 seconds	
Time to First Page (Color)		As fast as <10 seconds	
Print Resolution, Black	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)		
Print Resolution, Color		1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi	
Memory, Standard		512 MB	
Memory, Maximum		1536 MB	
Hard Disk	Option available	Option available	Included in configuration
Print Noise Level, Operating	Option available	53 dBA	inoladea in configuration
Noise Level, Idle			
<u> </u>		35 dBA	
Maximum Monthly Duty Cycle: Up to	1	85,000 pages per month	
Recommended Monthly Page Volume	2,500 - 9,200 pages	3,000 - 10,000 pages	3,000 - 10,000 pages
Supplies			
Supplies Yield	6,000*-page color Toner Cartridges (CMY),	6,000*-page color Toner Cartridges (CMY),	6,000*-page color Toner Cartridges (CMY),
(*Average continuous black or continuous composite CMY	8,000*-page Black Toner Cartridge	8,000*-page Black Toner Cartridge, 10,000*-page	8,000*-page Black Toner Cartridge, 10,000*-pag
declared cartridge yield up to this number of standard pages in		color High Yield Toner Cartridges (CMY), 12,000*-	color High Yield Toner Cartridges (CMY), 12,000
accordance with ISO/IEC 19798.)	1	page Black High Yield Toner Cartridge	page Black High Yield Toner Cartridge
	1		
Cartridge(s) Shipping with Product	4,000*-page Black starter Return Program Toner	6,000*-page color (CMY) starter Return Program	6,000*-page color (CMY) starter Return Program
	Cartridge, 4,000*-page color (CMY) starter Return	Toner Cartridges, 6,000*-page Black starter Return	
	Program Toner Cartridges	Program Toner Cartridge	Program Toner Cartridge
Copying	1 Togram Tohor Cardiagos	1 Togram Torior Caralogo	1 Togram Torior Gardings
Copy Speed (Letter, Black): Up to	20.000	OF anna	OF nom
ADF Scan	30 cpm	35 cpm	35 cpm
	Simplex	RADF (Reversing Duplex)	RADF (Reversing Duplex)
Scanning Resolution		600 X 600 dpi	
Reduce / Enlarge Range		25 - 400 %	
Faxing			
Modem Speed		33.6 Kbps	
Paper Handling			
Paper Handling Standard	250-Sheet Output Bir	n, Integrated Duplex, 100-Sheet Multipurpose Feeder,	550-Sheet Input Tray
Paper Handling Optional	550-Sheet Drawer,	, 2,000-Sheet High-Capacity Feeder, 550-Sheet Spec	cialty Media Drawer
Paper Input Capacity, Standard: Up to		650 pages 20 lb or 75 gsm bond	
Paper Input Capacity, Maximum: Up to		3200 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Standard: Up to		250 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Maximum: Up to		. 0	
		250 pages 20 lb or 75 gsm bond	
ADF Paper Input Capacity : Up to		250 pages 20 lb or 75 gsm bond	
ADF Paper Input Capacity : Up to Media Types Supported	Card Stock Envelones Glassy Pener E	50 pages 20 lb or 75 gsm bond	Refer to the Card Stock & Lahel Guide
Media Types Supported		50 pages 20 lb or 75 gsm bond Paper Labels, Plain Paper, Transparencies, Vinyl Labels	
		50 pages 20 lb or 75 gsm bond Paper Labels, Plain Paper, Transparencies, Vinyl Labels 35 Ervelope, C5 Ervelope, DL Envelope, B5, Executi	
Media Types Supported Media Sizes Supported		50 pages 20 lb or 75 gsm bond Paper Labels, Plain Paper, Transparencies, Vinyl Labels	
Media Types Supported  Media Sizes Supported  Compatibility	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E	50 pages 20 lb or 75 gsm bond Paper Labels, Plain Paper, Transparencies, Vinyl Labels 35 Ervelope, C5 Envelope, DL Envelope, B5, Executi Oficio	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E	50 pages 20 lb or 75 gsm bond Paper Labels, Plain Paper, Transparencies, Vinyl Labels 36 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio 44, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP
Media Types Supported  Media Sizes Supported  Compatibility	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels 35 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio  74, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, ar Data Stream (PPDS), PostScript 3 Emulation, xHTM	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv  PCL 5c Emulation, PCL 6 Emulation, Personal Printe	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio  14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,  br Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa  TCP, UDP  L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio  14, IPWSPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,  br Data Stream (PPDS), PostScript 3 Emulation, xHTM Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified F	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa  TCP, UDP  L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape  Port, Front USB 2.0 Specification Hi-Speed Certified
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio  14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,  br Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa  TCP, UDP  L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape  Port, Front USB 2.0 Specification Hi-Speed Certified
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executi Oficio  14, IPWSPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,  br Data Stream (PPDS), PostScript 3 Emulation, xHTM Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified F	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa  TCP, UDP  L, PDF 1.6, Direct Image, Microsoft XPS (XML Paper)  Port, Front USB 2.0 Specification Hi-Speed Certified at (Type A)
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir	50 pages 20 lib or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,  B7 Data Stream (PPDS), PostScript 3 Emulation, xHTM  Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pc  A), Rear USB 2.0 Specification Hi-Speed Certified Pc	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certified art (Type A) envices, Server 2003 x64, Server 2003 x64 running
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels 35 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, or Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pcaper USB 2.0 Specification Hi-Speed Certified Pcaper Terminal Services, 2000 Server running Terminal Services.	ve, Folio, JIS-B5, Legal, Letter, Statement, Universe TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) ervices, Server 2003 x64, Server 2003 x64 running
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, or Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Fic.  A), Rear USB 2.0 Specification Hi-Speed Certified Point Terminal Services, 2000 Server running Running Running Running Running Running Running Running	ve, Folio, JIS-B5, Legal, Letter, Statement, Universe TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) ervices, Server 2003 x64, Server 2003 x64 running
Media Types Supported  Media Sizes Supported  Compatibility Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels 35 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, or Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pcaper USB 2.0 Specification Hi-Speed Certified Pcaper Terminal Services, 2000 Server running Terminal Services.	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pap Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) ervices, Server 2003 x64, Server 2003 x64 running
Media Types Supported  Media Sizes Supported  Compatibility Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	50 pages 20 lib or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  Bé Ervelope, C5 Ervelope, DL Ervelope, B5, Executive Oficio  14. IPX/SPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, or Data Stream (PPDS), PostScript 3 Emulation, xHTMl Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pcing Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, 2008 running Terminal Services, 2008 x, Mac OS 9.x	ve, Folio, JIS-B5, Legal, Letter, Statement, Universe TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) envices, Server 2003 x64, Server 2003 x64 running rices, Server 2008 x64 running Terminal Services
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General  Function	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Ervelope, C5 Ervelope, DL Ervelope, B5, Executive Oficio  14. IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, ar Data Stream (PPDS), PostScript 3 Emulation, xHTMl Specification)  atton Hi-Speed Certified (Type B), PictBridge Certified Poing Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, 2000 Server 2008 running Termin	ve, Folio, JIS-B5, Legal, Letter, Statement, Universe TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) envices, Server 2003 x64, Server 2003 x64 running tices, Server 2008 x64 running Terminal Services
Media Types Supported Media Sizes Supported  Compatibility Network Protocol Support Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General Function Product Warranty	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Ervelope, C5 Ervelope, DL Ervelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, br. Data Stream (PPDS), PostScript 3 Emulation, xHTMl Specification)  atton Hi-Speed Certified (Type B), PictBridge Certified Pr. A), Rear USB 2.0 Specification Hi-Speed Certified Pr. A), Rear USB 2.0 Specification Hi-Speed Certified Pr. Comparent Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 running, Color Network 1-Year Onsite Service, Next Business Day	ve, Folio, JIS-B5, Legal, Letter, Statement, Universe TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifier art (Type A) envices, Server 2003 x64, Server 2003 x64 running tices, Server 2008 x64 running Terminal Services
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General  Function  Product Warranty  Product Certifications	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe  Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPWSPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, ar Data Stream (PPDS), PostScript 3 Emulation, xHTMl Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pcng Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, 2003 Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64, Server 2008 running Terminal Services, Color Seanning, Color Network:  1-Year Onsite Service, Next Business Day www.lexmark.com	ve, Folio, JIS-B5, Legal, Letter, Statement, Universal TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certifled art (Type A) envices, Server 2003 x64, Server 2003 x64 running tices, Server 2008 x64 running Terminal Services
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General  Function  Product Warranty  Product Certifications  Size (in H x W x D)	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifics Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,  Color Co	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPX/SPX, AppleTalk M, LexLink (DLC), TCP/IP IPv6, ar Data Stream (PPDS), PostScript 3 Emulation, xHTM Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pc A), Rear USB 2.0 Specification Hi-Speed Certified Pc ng Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, 2000 Server sunning Terminal Services, Server 2008 x64, Server 2008 running Terminal Services, Mac OS 9.x  1-Year Onsite Service, Next Business Day www.lexmark.com  31.0 x 21.5 x 24.5 in.	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certified art (Type A) envices, Server 2003 x64, Server 2003 x64 running rices, Server 2008 x64 running Terminal Services Scanning
Media Types Supported  Media Sizes Supported  Compatibility  Network Protocol Support  Printer Languages (Standard)  Standard Ports  Microsoft Windows Operating Systems Supported  Apple Macintosh Operating Systems Supported  General  Function  Product Warranty  Product Certifications	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, E  TCP/IP IPv PCL 5c Emulation, PCL 6 Emulation, Personal Printe Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specifica Port (Type 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,  Color Co	50 pages 20 lb or 75 gsm bond  Paper Labels, Plain Paper, Transparencies, Vinyl Labels  B5 Envelope, C5 Envelope, DL Envelope, B5, Executive Oficio  14, IPWSPX, AppleTalk <sup>TM</sup> , LexLink (DLC), TCP/IP IPv6, ar Data Stream (PPDS), PostScript 3 Emulation, xHTMl Specification)  ation Hi-Speed Certified (Type B), PictBridge Certified Pcng Terminal Services, 2000 Server running Terminal Services, 2000 Server running Terminal Services, 2003 Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64, Server 2008 running Terminal Services, Color Seanning, Color Network:  1-Year Onsite Service, Next Business Day www.lexmark.com	ve, Folio, JIS-B5, Legal, Letter, Statement, Universa TCP, UDP L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape Port, Front USB 2.0 Specification Hi-Speed Certified at (Type A) envices, Server 2003 x64, Server 2003 x64 running tices, Server 2008 x64 running Terminal Services Scanning  97.5 lb.

### Maximum Monthly Duty Cycl

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

### Recommended Monthly Page Volume


Recommended Monthly Page Volume- is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

### Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company, AppleTalik, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

# Lexmark X730 Series

## Lexmark X734de



Part #	Model
MS00300	Lexmark X734de
Part #	Laser Toner/Print Cartridge
C734A1KG	C734, C736, X734, X736, X738 Black Return Program Toner Cartridge
C734A1CG	C734, C736, X734, X736, X738 Cyan Return Program Toner Cartridge
C734A1MG	C734, C736, X734, X736, X738 Magenta Return Program Toner Cartridge
C734A1YG	C734, C736, X734, X736, X738 Yellow Return Program Toner Cartridge
C734A2KG	C734, C736, X734, X736, X738 Black Toner Cartridge
C734A2CG	C734, C736, X734, X736, X738 Cyan Toner Cartridge
C734A2MG	C734, C736, X734, X736, X738 Magenta Toner Cartridge
C734A2YG	C734, C736, X734, X736, X738 Yellow Toner Cartridge
C734X77G	Waste Toner Box
C734X20G	C734, C736, X734, X736, X738 Photoconductor Unit
C734X24G	C734, C736, X734, X736, X738 Photoconductor Unit, 4-Pack
Part #	Paper & Transparencies
12A5950	Glossy Laser Paper, Letter (200 sheets)
12A8240	Professional Color Laser Transparencies, Letter
Part #	Paper Handling
27S2100	C734, C736, X734e, X736e, X738e 550-Sheet Drawer
27S2400	2,000-Sheet High Capacity Feeder
27S2650	C734, C736, X734e, X736e, X738e 550-Sheet Specialty Media Drawer
27S2190	4.8 inch (12.2 cm) Spacer
Part #	Furniture
16M1210	C734, C736, X734, X736, X738 Caster Base
Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245	256MB Flash Card
14F0102	80+GB Hard Disk
30G0828	Japanese Font Card
30G0825	Korean Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829	Lexmark PrintCryption Card

MS00497 MS00498	X734, X736, X738 Forms and Bar Code Card X734, X736, X738 Card for IPDS/SCS/TNe
Part #	Connectivity
14F0037 14F0042	MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14F0040 14T0145 14T0220 1021294 14F0000 1021231 14F0100	MarkNet N8150 802-11b/g/n Wireless Print Server Lexmark N4056 802-11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server USB Cable (2-meter) Parallel 1284-B Interface Card Parallel (2able (10-foot)
Part #	Extended Warranties
2350816 2350817 2350818 2350819 2350820	2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
40X5093 40X5096 40X5187 40X5188 40X5189 40X5168 40X5152	C73x, X73x Fuser Maintenance 110-120V C73x, X73x Transfer Belt Maintenance ADF Separator Pad ADF Pick Assembly ADF Pick Pad Pick Tire Pick Tire, Special Media Drawer
Part #	Installation Service
2350832	X734 Install, De-Install Service

#### In the box

Mode


Part #

Lexmark X734de Color Laser Multifunction Printer, up to 6,000\*-page starter Color (CMY) Return Program Toner Cartridges, up to 6,000\*-page starter Black Return Program Toner Cartridge, photoconductor unit, software and documentation CD, power cord(s), RJ-11 phone cable or adapter (country dependent), setup guides (network and local attachment), Statement of Limited Warranty, operator panel language overlays, Lexmark Cartridge Collection Program information

## Lexmark X736de

Paper Handling Standard

Paper Handling Optional



Paper Handling Standard

Paper Handling Optional

MS00301	Lexmark X736de
Part #	Laser Toner/Print Cartridge
C736H1KG	C736, X736, X738 Black High Yield Return Program Toner Cartridge
C734A1KG	C734, C736, X734, X736, X738 Black Return Program Toner Cartridge
C736H1CG	C736, X736, X738 Cyan High Yield Return Program Toner Cartridge
C734A1CG	C734, C736, X734, X736, X738 Cyan Return Program Toner Cartridge
C736H1MG	C736, X736, X738 Magenta High Yield Return Program Toner Cartridge
C734A1MG	C734, C736, X734, X736, X738 Magenta Return Program Toner Cartridge
C736H1YG	C736, X736, X738 Yellow High Yield Return Program Toner Cartridge
C734A1YG	C734, C736, X734, X736, X738 Yellow Return Program Toner Cartridge
C736H2KG C734A2KG C736H2CG C736H2CG C736H2MG C736H2MG C736H2YG C734A2YG C734X77G C734X2OG C734X24G	C736, X736, X738 Black High Yeld Toner Cartridge C734, C736, X734, X736, X738 Black Toner Cartridge C736, X736, X738 Cyan High Yield Toner Cartridge C736, X736, X738 Cyan High Yield Toner Cartridge C736, X736, X738 Magenta High Yield Toner Cartridge C736, X736, X738 Magenta High Yield Toner Cartridge C734, C736, X734, X736, X738 Magenta Toner Cartridge C734, C736, X734, X736, X738 Yellow Toner Cartridge Waste Toner Box C734, C736, X734, X736, X738 Photoconductor Unit C734, C736, X734, X736, X738 Photoconductor Unit, 4-Pack
Part #	Paper & Transparencies
12A5950 12A8240	Glossy Laser Paper, Letter (200 sheets) Professional Color Laser Transparencies, Letter
Part #	Paper Handling
27S2100 27S2400 27S2650 27S2190	C734, C736, X734e, X738e, X738e 550-Sheet Drawer 2,000-Sheet High Capacity Feeder C734, C736, X734e, X736e, X738e 550-Sheet Specialty Media Drawer 4.8 inch (12.2 cm) Spacer
Part # 16M1210	Furniture C734, C736, X734, X736, X738 Caster Base
TOWITZIU	Uror, Urou, Aron, Arou, Arou Udalei Dase

Part #	Memory Options
1025041 1025042 1025043	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM
14F0245	256MB Flash Card
14F0102 30G0828	80+GB Hard Disk Japanese Font Card
30G0825	Korean Font Card
30G0826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829 MS00497 MS00498	Lexmark PrintCryption Card X734, X736, X738 Forms and Bar Code Card X734, X736, X738 Card for IPDS/SCS/TNe
Part #	Connectivity
14F0037 14F0042	MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14F0040	MarkNet N8150 802.11b/g/n Wireless Print Server
14T0145 14T0220	Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server
1021294	USB Cable (2-meter)
14F0000	Parallel 1284-B Interface Card
1021231 14F0100	Parallel Cable (10-foot) BS-232C Serial Interface Card
Part #	Extended Warranties
2350834	2-Years Total Onsite Service, Next Business Day
2350835	3-Years Total Onsite Service, Next Business Day
2350836 2350837	4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day
2350838	1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
40X5093	C73x, X73x Fuser Maintenance 110-120V
40X5096	C73x, X73x Transfer Belt Maintenance
40X5187 40X5188	ADF Separator Pad ADF Pick Assembly
40X5189	ADF Pick Pad
40X5168	Pick Tire
40X5152	Pick Tire, Special Media Drawer
Part #	Installation Service
2350850	X736 Install, De-Install Service

### Other models available

MS00321 - Lexmark X738de: duplex printing and scanning with hard disk standard

MS00322 - Lexmark X738dte: duplex printing and scanning with hard disk standard and extra input drawer

### In the box

Lexmark X736de Color Laser Multifunction Printer, up to 6,000\*-page starter Color (CMY) Return Program Toner Cartridges, up to 6,000\*-page starter Black Return Program Toner Cartridge, photoconductor unit, software and documentation CD, power cord(s), RJ-11 phone cable or adapter (country dependent), setup guides (network and local attachment), Statement of Limited Warranty, operator panel language overlays, Lexmark Cartridge Collection Program information

### Lexmark's guarantee to you

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailed on www.lexmark.com/services.



### Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

### Cost-saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold, multi-up and support of recycled paper help reduce paper consumption
- Eco-Mode reduces power consumption and Quiet-Mode reduces noise
- Lexmark Cartridge Collection Program helps reduce waste



