



**BushBlitz**

SPECIES DISCOVERY PROGRAM



BUSH BLITZ SPECIES DISCOVERY PROGRAM



# Paroo-Darling National Park and Paroo-Darling State Conservation Area NSW Supplement



Australian Government



# Contents

|                                     |    |
|-------------------------------------|----|
| Appendix A: Species Lists           | 3  |
| Fauna                               | 4  |
| Vertebrates                         | 4  |
| Mammals                             | 4  |
| Birds                               | 4  |
| Reptiles                            | 9  |
| Frogs and Toads                     | 10 |
| Invertebrates                       | 11 |
| Butterflies and Moths               | 11 |
| Damselflies and Dragonflies         | 11 |
| Snails — Freshwater                 | 11 |
| Flora                               | 12 |
| Flowering Plants                    | 12 |
| Appendix B: Threatened Species      | 15 |
| Fauna                               | 16 |
| Vertebrates                         | 16 |
| Mammals                             | 16 |
| Birds                               | 16 |
| Reptiles                            | 16 |
| Flora                               | 17 |
| Flowering Plants                    | 17 |
| Appendix C: Exotic and Pest Species | 19 |
| Fauna                               | 20 |
| Vertebrates                         | 20 |
| Mammals                             | 20 |

# Key

- \* = New record for this reserve
- ^ = Exotic/Pest
- # = EPBC listed
- ~ = TSC (NSW) listed
- † = FMA (NSW) listed
- ‡ = NCA (Qld) listed

EPBC = *Environment Protection and Biodiversity Conservation Act 1999* (Commonwealth)

FMA = *Fisheries Management Act 1994* (New South Wales)

NCA = *Nature Conservation Act 1992* (Queensland)

TSC = *Threatened Species Conservation Act 1995* (New South Wales)

Colour coding for entries:

**Black** = Previously recorded on the reserve and found on this survey

**Brown** = **Putative new species**

**Blue** = Previously recorded on the reserve but not found on this survey





# Appendix A: Species Lists

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2014



# Fauna

## Vertebrates

| Mammals          |  |                        |
|------------------|--|------------------------|
| Family           | Species                                    | Common name            |
| Acrobatidae      | <i>Acrobates pygmaeus</i>                  | Feathertail Glider     |
| Canidae          | <i>Vulpes vulpes</i> ^ *                   | Fox, Red Fox           |
| Dasyuridae       | <i>Sminthopsis macroura</i> ~              | Stripe-faced Dunnart   |
| Leporidae        | <i>Oryctolagus cuniculus</i> ^ *           | Rabbit                 |
| Macropodidae     | <i>Macropus fuliginosus</i>                | Western Grey Kangaroo  |
|                  | <i>Macropus giganteus</i>                  | Eastern Grey Kangaroo  |
| Molossidae       | <i>Mormopterus</i> sp. 03 (little penis) * | Free-tailed Bat        |
|                  | <i>Mormopterus</i> sp. 04 (big penis) *    | Free-tailed Bat        |
| Vespertilionidae | <i>Chalinolobus gouldii</i> *              | Gould's Wattled Bat    |
|                  | <i>Chalinolobus picatus</i> ~ *            | Little Pied Bat        |
|                  | <i>Nyctophilus geoffroyi</i> *             | Lesser Long-eared Bat  |
|                  | <i>Nyctophilus gouldi</i> *                | Gould's Long-eared Bat |
|                  | <i>Scotorepens greyii</i> *                | Little Broad-nosed Bat |

| Birds        |                                 |                           |
|--------------|---------------------------------|---------------------------|
| Family       | Species                         | Common name               |
| Acanthizidae | <i>Acanthiza chrysorrhoa</i>    | Yellow-rumped Thornbill   |
|              | <i>Acanthiza uropygialis</i>    | Chestnut-rumped Thornbill |
|              | <i>Aphelocephala leucopsis</i>  | Southern Whiteface        |
|              | <i>Smicromis brevirostris</i>   | Weebill                   |
| Accipitridae | <i>Accipiter cirrhocephalus</i> | Collared Sparrowhawk      |
|              | <i>Accipiter fasciatus</i>      | Brown Goshawk             |
|              | <i>Aquila audax</i>             | Wedge-tailed Eagle        |
|              | <i>Circus assimilis</i>         | Spotted Harrier           |
|              | <i>Elanus axillaris</i>         | Black-shouldered Kite     |
|              | <i>Haliaeetus leucogaster</i>   | White-bellied Sea-eagle   |
|              | <i>Haliastur sphenurus</i>      | Whistling Kite            |





| Birds        |                                      |                                  |
|--------------|--------------------------------------|----------------------------------|
| Family       | Species                              | Common name                      |
| Accipitridae | <i>Hamirostra melanosternon</i> ~    | Black-breasted Buzzard           |
|              | <i>Hieraaetus morphnoides</i> ~      | Little Eagle                     |
|              | <i>Milvus migrans</i>                | Black Kite                       |
| Aegothelidae | <i>Aegotheles cristatus</i>          | Australian Owlet-nightjar        |
| Alaudidae    | <i>Mirafra javanica</i>              | Horsfield's Bushlark             |
| Alcedinidae  | <i>Dacelo novaeguineae</i>           | Laughing Kookaburra              |
|              | <i>Todiramphus pyrrhopygius</i>      | Red-backed Kingfisher            |
|              | <i>Todiramphus sanctus</i>           | Sacred Kingfisher                |
| Anatidae     | <i>Anas castanea</i>                 | Chestnut Teal                    |
|              | <i>Anas gracilis</i>                 | Grey Teal                        |
|              | <i>Anas rhynchotis</i>               | Australasian Shoveler            |
|              | <i>Anas superciliosa</i>             | Pacific Black Duck               |
|              | <i>Aythya australis</i>              | Hardhead                         |
|              | <i>Biziura lobata</i>                | Musk Duck                        |
|              | <i>Chenonetta jubata</i>             | Australian Wood Duck, Maned Duck |
|              | <i>Cygnus atratus</i>                | Black Swan                       |
|              | <i>Malacorhynchus membranaceus</i>   | Pink-eared Duck                  |
|              | <i>Stictonetta naevosa</i> ~         | Freckled Duck                    |
|              | <i>Tadorna tadornoides</i>           | Australian Shelduck              |
| Anhingidae   | <i>Anhinga novaehollandiae</i>       | Australasian Darter              |
| Ardeidae     | <i>Ardea intermedia</i>              | Intermediate Egret               |
|              | <i>Ardea modesta</i>                 | Eastern Great Egret              |
|              | <b><i>Ardea pacifica</i></b>         | <b>White-necked Heron</b>        |
|              | <i>Egretta garzetta</i>              | Little Egret                     |
|              | <i>Egretta novaehollandiae</i>       | White-faced Heron                |
|              | <i>Nycticorax caledonicus</i>        | Nankeen Night Heron              |
| Artamidae    | <i>Artamus cinereus</i>              | Black-faced Woodswallow          |
|              | <i>Artamus leucorhynchus</i>         | White-breasted Woodswallow       |
|              | <i>Artamus personatus</i>            | Masked Woodswallow               |
|              | <i>Artamus superciliosus</i>         | White-browed Woodswallow         |
|              | <i>Cracticus nigrogularis</i>        | Pied Butcherbird                 |
|              | <i>Cracticus tibicen</i>             | Australian Magpie                |
|              | <i>Cracticus torquatus</i>           | Grey Butcherbird                 |
| Cacatuidae   | <i>Cacatua sanguinea</i>             | Little Corella                   |
|              | <b><i>Eolophus roseicapillus</i></b> | <b>Galah</b>                     |
|              | <i>Lophochroa leadbeateri</i> ~      | Major Mitchell's Cockatoo        |
|              | <b><i>Nymphicus hollandicus</i></b>  | <b>Cockatiel</b>                 |



| Birds         |                                 |                                |
|---------------|---------------------------------|--------------------------------|
| Family        | Species                         | Common name                    |
| Campephagidae | <i>Coracina maxima</i>          | Ground Cuckoo-shrike           |
|               | <i>Coracina novaehollandiae</i> | Black-faced Cuckoo-shrike      |
|               | <i>Coracina papuensis</i>       | White-bellied Cuckoo-shrike    |
|               | <i>Lalage sueurii</i>           | White-winged Triller           |
| Caprimulgidae | <i>Eurostopodus argus</i>       | Spotted Nightjar               |
| Casuariidae   | <i>Dromaius novaehollandiae</i> | Emu                            |
| Charadriidae  | <i>Charadrius australis</i>     | Inland Dotterel, Inland Plover |
|               | <i>Charadrius ruficapillus</i>  | Red-capped Plover              |
|               | <i>Charadrius veredus</i>       | Oriental Plover                |
|               | <i>Eseyornis melanops</i>       | Black-fronted Dotterel         |
|               | <i>Erythronys cinctus</i>       | Red-kneed Dotterel             |
|               | <i>Vanellus miles</i>           | Masked Lapwing                 |
|               | <i>Vanellus tricolor</i>        | Banded Lapwing                 |
| Climacteridae | <i>Climacteris affinis</i>      | White-browed Treecreeper       |
|               | <i>Climacteris picumnus</i>     | Brown Treecreeper              |
| Columbidae    | <i>Geopelia cuneata</i>         | Diamond Dove                   |
|               | <i>Geopelia striata</i>         | Peaceful Dove                  |
|               | <i>Ocyphaps lophotes</i>        | Crested Pigeon                 |
|               | <i>Phaps chalcoptera</i>        | Common Bronzewing              |
| Corcoracidae  | <i>Corcorax melanorhamphos</i>  | White-winged Chough            |
|               | <i>Struthidea cinerea</i>       | Apostlebird                    |
| Corvidae      | <i>Corvus bennetti</i>          | Little Crow                    |
|               | <i>Corvus coronoides</i>        | Australian Raven               |
| Cuculidae     | <i>Cacomantis pallidus</i>      | Pallid Cuckoo                  |
|               | <i>Chalcites basalis</i>        | Horsfield's Bronze-cuckoo      |
| Estrildidae   | <i>Taeniopygia guttata</i>      | Zebra Finch                    |
| Falconidae    | <i>Falco berigora</i>           | Brown Falcon                   |
|               | <i>Falco cenchroides</i>        | Nankeen Kestrel                |
|               | <i>Falco hypoleucos</i> ~       | Grey Falcon                    |
|               | <i>Falco longipennis</i>        | Australian Hobby               |
|               | <i>Falco subniger</i>           | Black Falcon                   |
| Glareolidae   | <i>Stiltia isabella</i>         | Australian Pratincole          |
| Gruidae       | <i>Grus rubicunda</i> ~         | Brolga                         |
| Hirundinidae  | <i>Cheramoeca leucosterna</i>   | White-backed Swallow           |
|               | <i>Hirundo neoxena</i>          | Welcome Swallow                |
|               | <i>Petrochelidon ariel</i>      | Fairy Martin                   |
|               | <i>Petrochelidon nigricans</i>  | Tree Martin                    |





| Birds             |  |                                      |
|-------------------|--|--------------------------------------|
| Family            | Species                                | Common name                          |
| Laridae           | <i>Chlidonias hybrida</i>              | Whiskered Tern                       |
|                   | <i>Chroicocephalus novaehollandiae</i> | Silver Gull                          |
|                   | <i>Gelochelidon nilotica</i>           | Gull-billed Tern                     |
|                   | <i>Hydroprogne caspia</i>              | Caspian Tern                         |
| Maluridae         | <i>Malurus lamberti</i>                | Variiegated Fairy-wren               |
|                   | <i>Malurus leucopterus</i>             | White-winged Fairy-wren              |
|                   | <i>Malurus splendens</i>               | Splendid Fairy-wren                  |
| Megaluridae       | <i>Cincloramphus cruralis</i>          | Brown Songlark                       |
|                   | <i>Cincloramphus mathewsi</i>          | Rufous Songlark                      |
|                   | <i>Megalurus gramineus</i>             | Little Grassbird                     |
| Meliphagidae      | <i>Acanthagenys rufogularis</i>        | Spiny-cheeked Honeyeater             |
|                   | <i>Ashbyia lovensis</i>                | Gibberbird                           |
|                   | <i>Certhionyx variegatus</i> ~         | Pied Honeyeater                      |
|                   | <i>Epthianura aurifrons</i>            | Orange Chat                          |
|                   | <i>Epthianura tricolor</i>             | Crimson Chat                         |
|                   | <i>Gavicalis virescens</i>             | Singing Honeyeater                   |
|                   | <i>Manorina flavigula</i>              | Yellow-throated Miner                |
|                   | <i>Ptilotula penicillatus</i>          | White-plumed Honeyeater              |
|                   | <i>Purnella albifrons</i>              | White-fronted Honeyeater             |
|                   | <i>Sugomel niger</i>                   | Black Honeyeater                     |
| Meropidae         | <i>Merops ornatus</i>                  | Rainbow Bee-eater                    |
| Monarchidae       | <i>Grallina cyanoleuca</i>             | Magpie-lark                          |
|                   | <i>Myiagra inquieta</i>                | Restless Flycatcher                  |
| Motacillidae      | <i>Anthus novaeseelandiae</i>          | Australasian Pipit, Australian Pipit |
| Nectariniidae     | <i>Dicaeum hirundinaceum</i>           | Mistletoebird                        |
| Otididae          | <i>Ardeotis australis</i>              | Australian Bustard                   |
| Pachycephalidae   | <i>Colluricincla harmonica</i>         | Grey Shrike-thrush                   |
|                   | <i>Oreoica gutturalis</i>              | Crested Bellbird                     |
|                   | <i>Pachycephala rufiventris</i>        | Rufous Whistler                      |
| Pardalotidae      | <i>Pardalotus rubricatus</i>           | Red-browed Pardalote                 |
|                   | <i>Pardalotus striatus</i>             | Striated Pardalote                   |
| Pelecanidae       | <i>Pelecanus conspicillatus</i>        | Australian Pelican                   |
| Petroicidae       | <i>Melanodryas cucullata</i> ~         | Hooded Robin                         |
|                   | <i>Petroica goodenovii</i>             | Red-capped Robin                     |
| Phalacrocoracidae | <i>Microcarbo melanoleucos</i>         | Little Pied Cormorant                |
|                   | <i>Phalacrocorax carbo</i>             | Great Cormorant                      |
|                   | <i>Phalacrocorax sulcirostris</i>      | Little Black Cormorant               |
|                   | <i>Phalacrocorax varius</i>            | Pied Cormorant                       |



| Birds            |   |                                |
|------------------|---|--------------------------------|
| Family           | Species                                     | Common name                    |
| Phasianidae      | <i>Coturnix pectoralis</i>                  | Stubble Quail                  |
|                  | <i>Coturnix ypsilophora</i>                 | Brown Quail                    |
| Podicipedidae    | <i>Poliiocephalus poliocephalus</i>         | Hoary-headed Grebe             |
|                  | <i>Tachybaptus novaehollandiae</i>          | Australasian Grebe             |
| Pomatostomidae   | <i>Pomatostomus halli</i> ~                 | Hall's Babbler                 |
|                  | <i>Pomatostomus ruficeps</i>                | Chestnut-crowned Babbler       |
|                  | <i>Pomatostomus superciliosus</i>           | White-browed Babbler           |
|                  | <b><i>Pomatostomus temporalis</i></b>       | <b>Grey-crowned Babbler</b>    |
|                  | <i>Pomatostomus temporalis temporalis</i> ~ | Grey-crowned Babbler           |
| Psittacidae      | <i>Barnardius zonarius</i>                  | Australian Ringneck            |
|                  | <i>Barnardius zonarius barnardi</i>         | Australian Ringneck            |
|                  | <i>Melopsittacus undulatus</i>              | Budgerigar                     |
|                  | <i>Neophema chrysostoma</i>                 | Blue-winged Parrot             |
|                  | <i>Neopsephotus bourkii</i>                 | Bourke's Parrot                |
|                  | <b><i>Northiella haematogaster</i></b>      | <b>Blue Bonnet, Bluebonnet</b> |
|                  | <i>Psephotus haematonotus</i>               | Red-rumped Parrot              |
|                  | <b><i>Psephotus varius</i></b>              | <b>Mulga Parrot</b>            |
| Psophodidae      | <i>Cinclosoma castaneothorax</i>            | Chestnut-breasted Quail-thrush |
|                  | <i>Cinclosoma castanotum</i> ~              | Chestnut Quail-thrush          |
|                  | <i>Psophodes cristatus</i>                  | Chirruping Wedgebill           |
| Rallidae         | <i>Fulica atra</i>                          | Eurasian Coot                  |
|                  | <i>Gallinula tenebrosa</i>                  | Dusky Moorhen                  |
|                  | <i>Porphyrio porphyrio</i>                  | Purple Swamphen                |
|                  | <i>Tribonyx ventralis</i>                   | Black-tailed Native-hen        |
| Recurvirostridae | <i>Himantopus himantopus</i>                | Black-winged Stilt             |
|                  | <i>Recurvirostra novaehollandiae</i>        | Red-necked Avocet              |
| Rhipiduridae     | <i>Rhipidura albiscapa</i>                  | Grey Fantail                   |
|                  | <i>Rhipidura leucophrys</i>                 | Willie Wagtail                 |
| Scolopacidae     | <i>Actitis hypoleucos</i>                   | Common Sandpiper               |
|                  | <i>Calidris acuminata</i>                   | Sharp-tailed Sandpiper         |
|                  | <i>Gallinago hardwickii</i>                 | Latham's Snipe                 |
|                  | <i>Tringa nebularia</i>                     | Common Greenshank              |
| Strigidae        | <i>Ninox novaeseelandiae</i>                | Southern Boobook               |







| Birds             |                                 |                          |
|-------------------|---------------------------------|--------------------------|
| Family            | Species                         | Common name              |
| Threskiornithidae | <i>Platalea flavipes</i>        | Yellow-billed Spoonbill  |
|                   | <i>Platalea regia</i>           | Royal Spoonbill          |
|                   | <i>Plegadis falcinellus</i>     | Glossy Ibis              |
|                   | <i>Threskiornis molucca</i>     | Australian White Ibis    |
|                   | <i>Threskiornis spinicollis</i> | Straw-necked Ibis        |
| Turnicidae        | <i>Turnix pyrrhоторax</i>       | Red-chested Button-quail |
|                   | <i>Turnix velox</i>             | Little Button-quail      |
| Tytonidae         | <i>Tyto javanica</i>            | Eastern Barn Owl         |

| Reptiles        |                                       |   |
|-----------------|---------------------------------------|---|
| Family          | Species                               | Common name   |
| Agamidae        | <i>Ctenophorus nuchalis</i>           | Central Netted Dragon   |
|                 | <i>Pogona barbata</i>                 | Bearded Dragon, Common Bearded Dragon, Eastern Bearded Dragon |
|                 | <i>Pogona vitticeps</i>               | Central Bearded Dragon  |
|                 | <i>Tympanocryptis tetraporophora</i>  | Eyrean Earless Dragon   |
| Boidae          | <i>Morelia spilota metcalfei</i>      | Carpet Python, Diamond Python                                 |
| Diplodactylidae | <i>Diplodactylus conspicillatus</i> ~ | Fat-tailed Diplodactylus, Fat-tailed Gecko                    |
|                 | <i>Diplodactylus tessellatus</i>      | Tessellated Gecko   |
|                 | <i>Rhynchoedura ormsbyi</i>           | Eastern Beaked Gecko  |
|                 | <i>Strophurus ciliaris</i>            | Northern Spiny-tailed Gecko                                   |
| Elapidae        | <i>Furina diadema</i> *               | Red-naped Snake   |
|                 | <i>Pseudechis australis</i> *         | King Brown Snake, Mulga Snake                                 |
|                 | <i>Suta suta</i>                      | Curl Snake, Myall Snake                                       |
| Gekkonidae      | <i>Gehyra variegata</i>               | Tree Dtella   |
|                 | <i>Heteronotia binoei</i>             | Bynoe's Gecko   |
|                 | <i>Lucasium steindachneri</i>         | Box-patterned Gecko   |
|                 | <i>Lucasium stenodactylum</i> ~       | Crowned Gecko, Sand-plain Gecko                               |
|                 | <i>Underwoodisaurus milii</i>         | Barking Gecko, Thick-tailed Gecko                             |



| Reptiles  |                                   |   |
|-----------|-----------------------------------|---|
| Family    | Species                           | Common name   |
| Scincidae | <i>Ctenotus brooksi</i> ~         | Brooks Ctenotus   |
|           | <i>Ctenotus leonhardii</i>        | Leonhardi's Ctenotus  |
|           | <i>Ctenotus regius</i> *          | Pale-rumped Ctenotus, Royal Ctenotus                                      |
|           | <i>Ctenotus</i> sp. *             | Ctenotus  |
|           | <i>Eremiascincus richardsonii</i> | Broad-banded Sand-swimmer   |
|           | <i>Lerista punctatovittata</i>    | Eastern Robust Slider   |
|           | <i>Lerista timida</i> *           | Timid Slider  |
|           | <i>Morethia boulengeri</i> *      | Boulenger's Snake-eyed Skink, South-eastern Morethia Skink                |
|           | <i>Tiliqua rugosa</i>             | Bobtail, Boggi, Pinecone Lizard, Shingle-back, Sleepy Lizard, Stumpy-tail |
| Varanidae | <i>Varanus gouldii</i>            | Gould's Goanna  |
|           | <i>Varanus varius</i> *           | Lace Monitor  |

| Frogs and Toads |                                   |   |
|-----------------|-----------------------------------|---|
| Family          | Species                           | Common name                                 |
| Hylidae         | <i>Cyclorana platycephala</i>     | Water-holding Frog                          |
|                 | <i>Litoria caerulea</i>           | Green Tree Frog                             |
|                 | <i>Litoria peronii</i>            | Peron's Tree Frog                           |
|                 | <i>Litoria rubella</i>            | Desert Tree Frog, Red Tree Frog             |
| Myobatrachidae  | <i>Limnodynastes fletcheri</i>    | Barking Frog, Long-thumbed Frog, Marsh Frog |
|                 | <i>Limnodynastes tasmaniensis</i> | Spotted Grass Frog, Spotted Marsh Frog      |
|                 | <i>Neobatrachus sudellae</i>      | Sudell's Frog                               |





## Invertebrates

### Butterflies and Moths

| Family   | Species                 |
|----------|-------------------------|
| Pieridae | <i>Elodina padusa</i> * |

### Damselflies and Dragonflies

| Family         | Species                        |
|----------------|--------------------------------|
| Coenagrionidae | <i>Ischnura aurora</i> *       |
| Libellulidae   | <i>Diplacodes bipunctata</i> * |
|                | <i>Orthetrum caledonicum</i> * |
|                | <i>Pantala flavescens</i> *    |

### Snails — Freshwater

| Family      | Species                    |
|-------------|----------------------------|
| Planorbidae | <i>Glyptophysa gibbosa</i> |



# Flora

| Flowering Plants |  |
|------------------|--|
| Family           | Species  |
| Aizoaceae        | <i>Tetragonia moorei</i>                                   |
| Amaranthaceae    | <i>Ptilotus nobilis</i> subsp. <i>nobilis</i> *            |
|                  | <i>Ptilotus obovatus</i> *                                 |
|                  | <i>Ptilotus polystachyus</i>                               |
|                  | <i>Ptilotus sessilifolius</i> *                            |
|                  | <i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i> *  |
|                  | <i>Ptilotus</i> sp. *                                      |
| Amaryllidaceae   | <i>Calostemma purpureum</i>                                |
| Apocynaceae      | <i>Marsdenia australis</i> *                               |
|                  | <i>Sarcostemma</i> sp. *                                   |
| Asteraceae       | Asteraceae sp. *   |
|                  | <i>Calotis plumulifera</i>                                 |
|                  | <i>Centipeda crateriformis</i>                             |
|                  | <i>Minuria integerrima</i> *                               |
|                  | <i>Olearia pimeleoides</i>                                 |
|                  | <i>Rutidosia helichrysoides</i>                            |
|                  | <i>Senecio lanibracteus</i>                                |
|                  | <i>Heliotropium curassavicum</i> *                         |
| Capparaceae      | <i>Apophyllum anomalum</i> *                               |
| Caryophyllaceae  | <i>Spergularia marina</i> *                                |
| Casuarinaceae    | <i>Casuarina cristata</i> *                                |
|                  | <i>Casuarina pauper</i> *                                  |
| Chenopodiaceae   | <i>Atriplex nessorhina</i>                                 |
|                  | <i>Atriplex spongiosa</i>                                  |
|                  | <i>Atriplex stipitata</i> *                                |
|                  | <i>Atriplex suberecta</i>                                  |
|                  | <i>Chenopodium desertorum</i> subsp. <i>microphyllum</i> * |
|                  | <i>Dissocarpus paradoxus</i> *                             |
|                  | <i>Einadia nutans</i> subsp. <i>linifolia</i> *            |
|                  | <i>Einadia nutans</i> subsp. <i>nutans</i> *               |
|                  | <i>Enchylaena tomentosa</i> *                              |
|                  | <i>Maireana decalvans</i>                                  |

| Flowering Plants |   |
|------------------|---|
| Family           | Species   |
| Chenopodiaceae   | <i>Maireana tomentosa</i>                               |
|                  | <i>Sclerolaena ericantha</i>                            |
|                  | <i>Sclerolaena muricata</i> *                           |
|                  | <i>Sclerolaena</i> sp. *                                |
| Cupressaceae     | <i>Callitris glaucophylla</i> *                         |
| Cyperaceae       | <i>Cyperus gymnocaulos</i> *                            |
| Eriocaulaceae    | <i>Eriocaulon carsonii</i> ~ #                          |
| Euphorbiaceae    | <i>Euphorbia tannensis</i>                              |
|                  | <i>Euphorbia tannensis</i> subsp. <i>eremophila</i>     |
| Fabaceae         | <i>Acacia brachystachya</i>                             |
|                  | <i>Acacia colletioides</i> *                            |
|                  | <i>Acacia jennerae</i> *                                |
|                  | <i>Acacia ligulata</i> *                                |
|                  | <i>Acacia loderi</i>                                    |
|                  | <i>Acacia melvillei</i> *                               |
|                  | <i>Acacia oswaldii</i> *                                |
|                  | <i>Acacia</i> sp. *                                     |
|                  | <i>Acacia stenophylla</i>                               |
|                  | <i>Acacia victoriae</i> *                               |
|                  | <i>Petalostylis labicheoides</i>                        |
|                  | <i>Senna artemisioides</i>                              |
|                  | <i>Senna artemisioides</i> subsp. <i>x petiolaris</i> * |
|                  | <i>Sesbania cannabina</i>                               |
|                  | <i>Swainsona affinis</i>                                |
|                  | <i>Swainsona burkitti</i> *                             |
| Lentibulariaceae | <i>Utricularia dichotoma</i>                            |
| Loranthaceae     | <i>Amyema lucasii</i> *                                 |
|                  | <i>Amyema miraculosa</i> subsp. <i>boormanii</i> *      |
|                  | <i>Amyema quandang</i> *                                |
| Malvaceae        | <i>Abutilon oxycarpum</i> var. <i>subsagittatum</i> *   |





| Flowering Plants |   |
|------------------|---|
| Family           | Species   |
| Molluginaceae    | <i>Glinus orygioides</i>                          |
| Myrtaceae        | <i>Eucalyptus camaldulensis</i>                   |
|                  | <i>Eucalyptus dumosa</i> *                        |
|                  | <i>Eucalyptus gracilis</i> *                      |
|                  | <i>Eucalyptus populnea</i> subsp. <i>bimbil</i> * |
|                  | <i>Eucalyptus socialis</i> *                      |
| Phrymaceae       | <i>Mimulus repens</i>                             |
| Pittosporaceae   | <i>Pittosporum angustifolium</i> *                |
| Plantaginaceae   | <i>Stemodia florulenta</i>                        |
|                  | <i>Stemodia glabella</i>                          |
| Poaceae          | <i>Austrostipa</i> sp. *                          |
|                  | <i>Sporobolus mitchellii</i> *                    |
| Proteaceae       | <i>Grevillea striata</i> *                        |
|                  | <i>Hakea leucoptera</i> *                         |
| Rutaceae         | <i>Flindersia maculosa</i>                        |
|                  | <i>Geijera parviflora</i> *                       |
| Sapindaceae      | <i>Alectryon oleifolius</i> *                     |
|                  | <i>Dodonaea petiolaris</i>                        |
|                  | <i>Dodonaea viscosa</i> *                         |

| Flowering Plants |                                |
|------------------|--------------------------------|
| Family           | Species                        |
| Scrophulariaceae | <i>Eremophila polyclada</i> *  |
|                  | <i>Eremophila sturtii</i> *    |
|                  | <i>Myoporum montanum</i> *     |
| Solanaceae       | <i>Solanum ellipticum</i> *    |
|                  | <i>Solanum</i> sp. *           |
| Thymelaeaceae    | <i>Pimelea trichostachya</i> * |
| Zygophyllaceae   | <i>Zygophyllum eremaeum</i> *  |



# Notes





# Appendix B: Threatened Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2014



# Fauna

## Vertebrates

| Mammals          |                               |                      |                                       |
|------------------|-------------------------------|----------------------|---------------------------------------|
| Family           | Species                       | Common name          | Status                                |
| Dasyuridae       | <i>Sminthopsis macroura</i>   | Stripe-faced Dunnart | TSC—Vulnerable                        |
| Vespertilionidae | <i>Chalinolobus picatus</i> * | Little Pied Bat      | TSC—Vulnerable<br>NCA—Near Threatened |

| Birds          |   |                           |                                       |
|----------------|---|---------------------------|---------------------------------------|
| Family         | Species                                   | Common name               | Status                                |
| Accipitridae   | <i>Hamirostra melanosternon</i>           | Black-breasted Buzzard    | TSC—Vulnerable                        |
|                | <i>Hieraaetus morphnoides</i>             | Little Eagle              | TSC—Vulnerable                        |
| Anatidae       | <i>Stictonetta naevosa</i>                | Freckled Duck             | TSC—Vulnerable                        |
| Cacatuidae     | <i>Lophochroa leadbeateri</i>             | Major Mitchell's Cockatoo | TSC—Vulnerable<br>NCA—Vulnerable      |
| Falconidae     | <i>Falco hypoleucos</i>                   | Grey Falcon               | TSC—Endangered<br>NCA—Near Threatened |
| Gruidae        | <i>Grus rubicunda</i>                     | Brolga                    | TSC—Vulnerable                        |
| Meliphagidae   | <i>Certhionyx variegatus</i>              | Pied Honeyeater           | TSC—Vulnerable                        |
| Otididae       | <i>Ardeotis australis</i>                 | Australian Bustard        | TSC—Endangered                        |
| Petroicidae    | <i>Melanodryas cucullata</i>              | Hooded Robin              | TSC—Vulnerable                        |
| Pomatostomidae | <i>Pomatostomus halli</i>                 | Hall's Babbler            | TSC—Vulnerable                        |
|                | <i>Pomatostomus temporalis temporalis</i> | Grey-crowned Babbler      | TSC—Vulnerable                        |
| Psophodidae    | <i>Cinclosoma castanotum</i>              | Chestnut Quail-thrush     | TSC—Vulnerable                        |

| Reptiles        |                                     |  |                |
|-----------------|-------------------------------------|--|----------------|
| Family          | Species                             | Common name                                | Status         |
| Diplodactylidae | <i>Diplodactylus conspicillatus</i> | Fat-tailed Diplodactylus, Fat-tailed Gecko | TSC—Endangered |
| Gekkonidae      | <i>Lucasium stenodactylum</i>       | Crowned Gecko, Sand-plain Gecko            | TSC—Vulnerable |
| Scincidae       | <i>Ctenotus brooksi</i>             | Brooks Ctenotus                            | TSC—Vulnerable |








# Flora

| Flowering Plants |                            |                             |                                 |
|------------------|----------------------------|-----------------------------|---------------------------------|
| Family           | Species                    | Common name                 | Status                          |
| Eriocaulaceae    | <i>Eriocaulon carsonii</i> | Salt Pipewort, Button Grass | EPBC—Endangered; TSC—Endangered |



# Notes





# Appendix C: Exotic and Pest Species

Nomenclature and taxonomy used in this appendix are consistent with that from the Australian Faunal Directory (AFD), the Australian Plant Name Index (APNI) and the Australian Plant Census (APC).

Current at March 2014



# Fauna

## Vertebrates

| Mammals   |                                |              |
|-----------|--------------------------------|--------------|
| Family    | Species                        | Common name  |
| Canidae   | <i>Vulpes vulpes</i> *         | Fox, Red Fox |
| Leporidae | <i>Oryctolagus cuniculus</i> * | Rabbit       |





© Copyright Commonwealth of Australia, 2014.



*Paroo-Darling National Park and Paroo-Darling State Conservation Area NSW 2009–2010. A Bush Blitz supplement* is licensed by the Commonwealth of Australia for use under a Creative Commons By Attribution 3.0 Australia licence with the exception of the Coat of Arms of the Commonwealth of Australia, the logo of the agency responsible for publishing the report, content supplied by third parties, and any images depicting people. For licence conditions see:

<http://creativecommons.org/licenses/by/3.0/au/>

This report should be attributed as '*Paroo-Darling National Park and Paroo-Darling State Conservation Area NSW 2009–2010. A Bush Blitz supplement*, Commonwealth of Australia 2014'.

The Commonwealth of Australia has made all reasonable efforts to identify content supplied by third parties using the following formats '[name of creator] © Copyright, [name of copyright holder]' or © Copyright, [name of copyright holder]']

### Disclaimer

The views and opinions expressed in this publication are those of the authors and do not necessarily reflect those of the Australian Government or the Minister for the Environment.

While reasonable efforts have been made to ensure that the contents of this publication are factually correct, the Commonwealth does not accept responsibility for the accuracy or completeness of the contents, and shall not be liable for any loss or damage that may be occasioned directly or indirectly through the use of, or reliance on, the contents of this publication.

**PUBLISHER** ABRS, Canberra  
**EDITOR** ABRS  
**LAYOUT** Great Impressions  
**DESIGN TEMPLATE** ABRS  
**FRONT COVER** White-breasted Woodswallow (*Artamus leucorhynchus*), At A Glance Pty Ltd  
 © Copyright, Department of the Environment

All publications are available online at:

[www.bushblitz.org.au](http://www.bushblitz.org.au)

This supplement contains the appendices from the Bush Blitz survey report:

- + North-western NSW and southern Qld 2009–2010 including Culgoa Floodplain, Culgoa, Gundabooka, Mount Grenfell (proposed), Paroo-Darling, Toorale National Parks; Gundabooka, Paroo-Darling, Toorale State Conservation Areas; Culgoa, Ginghet, Ledknapper, Quanda Nature Reserves; and Mount Grenfell Historic Site. ISBN 978 0 642 56880 9

Supplements available:

- + Culgoa Floodplain National Park Qld
- + Culgoa National Park and Culgoa Nature Reserve NSW
- + Gundabooka National Park and Gundabooka State Conservation Area NSW
- + Paroo-Darling National Park and Paroo-Darling State Conservation Area NSW
- + Toorale National Park and Toorale State Conservation Area NSW
- + Mount Grenfell Historic Site and proposed Mount Grenfell National Park NSW
- + Ginghet Nature Reserve NSW
- + Ledknapper Nature Reserve NSW
- + Quanda, Nombinnie and Nocolche Nature Reserves NSW

### What is Bush Blitz?

Bush Blitz is a multi-million dollar partnership between the Australian Government, BHP Billiton and Earthwatch Australia to document plants and animals in selected properties across Australia's National Reserve System.

This innovative partnership harnesses the expertise of many of Australia's top scientists from museums, herbaria, universities, and other institutions and organisations across the country.



Bush Blitz survey report



North-western NSW and southern Qld + 2009–2010  
Paroo-Darling National Park and Paroo-Darling State Conservation Area NSW

