





PRICE LIST US EDITION JULY 2022

INDEX

SIDE CHAIRS

Flite	4
Start	5
Jem	6
Caboodle	
Melo Side	24

SPECIALITY STOOLS/URETHANE

Jem	7
Polyurethane	17
General Purpose	18
Medical	18
Dental	19
Pronto Sit Stand	37

EXECUTIVE TASK

Leather On Demand	14
Bailey	16
Rika	26

MESH BACK TASK

Dandy	20
Nifty	21
Melo Task	23
Rika	
Pronto Mesh Heavy Duty	

PRONTO SERIES

Sit/Stand	. 37
Bantam	. 38
Petite	. 42
Mid Back	. 46
High Back	. 50
24/7 Heavy Duty	. 54

HEAVY DUTY TASK

Big & Tall	. 32
Shield	. 34
Pronto 24/7	. 54

SMALL FOOT PRINT TASK

Snap	29
Dandy	20

MISCELLANEOUS PARTS/ACCESSORIES

Arm Options	. 58
Caster Options	. 58
Arm Pad Options	. 59
Accessories	. 59
Parts List	60

STOOLS

Nifty	21
Melo Task	24
Rika	
Snap	29
Pronto Mesh Heavy Duty	36
Pronto	42



Prices

All prices are suggested manufacturer's list and are subject to change without notice. Prices in effect at the time of the order acceptance shall apply.

Shipping Cartons/Blanket Wrap

All products are delivered in a box and assembly may be required. Blanket wrapped shipments can be prearranged with Customer Service for full truckload quantities only. Additional fees may apply.

Freight Terms & Claims

All shipments are subject to the standard freight program which requires a minimum of twelve (12) chairs for free freight, or \$25 net per chair when ordering eleven (11) or fewer to the contiguous 48 United States. Prepaid freight is based upon standard ground shipments. Additional charges may apply for any special delivery requests such as inside or residential delivery or liftgate service. A \$40 charge applies for all "Call Before Delivery" requests. Buzz Seating reserves the right to determine the most economical shipment method and is not responsible for delays that may occur during transit. If any delivered product arrives damaged or missing parts, Buzz Seating must be notified within fourteen (14) calendar days of receipt of product. Purchaser waives any right to claim damage or missing parts and incurred charges will be the responsibility of the receiver for claims received after fourteen (14) calendar days.

Product Design

Buzz Seating reserves the right to make changes in design or material to discontinue products and/or change components at its discretion. Chair dimensions are often interpreted differently depending upon the manner in which measured. Actual dimensions can vary slightly depending on model and options selected.

To Order

Specify model number and all other applicable information on a purchase order. Orders will be immediately acknowledged identifying the products ordered, price and scheduled ship date. Customers are responsible to review order acknowledgments for accuracy. Please note that verbal orders cannot be accepted.

Changes and Cancellations

Orders that have entered any stage of production cannot be canceled without penalty. Order changes must be in writing and, upon review, a decision will be made if the change can be accepted and/or calculation of applicable or additional costs or fees due to change(s).

Returns

Authorization for return must be requested and approved by Buzz Seating prior to the return of the product. Returns are subject to a 35% restocking charge of the net sale and applicable shipping costs. Unauthorized returns will not be accepted.

Shipping Terms

Orders are shipped as soon as possible or as requested by the purchaser. Factors such as quantity or fabric selection can affect shipping schedules. Buzz Seating is not responsible or liable for any financial consequences resulting from production, shipping or delivery delays.

CAL 117-2013 and CAL 133

Buzz Seating's entire line meets CAL 117-2013 fire standards. CAL 133 is available on most models. Burn certificates available upon request. Check with Customer Service for additional information.

Authorized Dealer Requirement

To become an authorized Buzz Seating dealer, a dealer must be willing and able to provide full dealer services to the end user, including, but not limited to, design, product demonstrations, on-site installation, delivery, repairs, service, and warranty work. Additionally, Buzz Seating reserves the right to designate and authorize a dealer of record of its choice as it relates to a specific project, order or contract.

E-Commerce

Buzz Seating does not permit the marketing or sale of its products via e-commerce websites without the express written consent of the company.

Credit Terms and Policy

Where credit has been established, terms are net 30 days. A service charge of 1-1/2% per month or the maximum allowed by law will be imposed on all past due accounts. New accounts are required to submit a dealer application before an order can be processed. A minimum 50% deposit is required with the first order. Initial orders of \$1,000 or less require full prepayment. Once credit has been established, deposits are only required based upon payment history, unusual circumstances, or large orders. Payments made by credit card are subject to a 4% fee.

Warranty

Buzz Seating warrants to the original purchaser that components and workmanship will be free from defects under normal use from the date of original purchase as described below. As the sole remedy under this warranty, the company will repair or replace, at its discretion, without charge to original purchaser only the defective products or parts as follows:

Components

LIFETIME WARRANTY which is the entire time owned by the original end user for all chair components including pneumatic cylinder, mechanism, base, and casters.

Upholstery and Foam

5 year warranty on upholstery and foam; 10 year warranty on mesh. COM is not covered under the Buzz Seating warranty.

Normal use is defined under this warranty as standard commercial use based upon the product being properly utilized in a typical office environment, 8 hours per day, 5 days per week, with a weight limit not to exceed specified chair model weight. See specific chair series price book pages for weight limits and/or amended warranty information.

Normal wear and tear is not warrantied. Damages from misuse, abuse, alterations, accident or negligence are not covered. Buzz Seating is not responsible for incidental or consequential damages. Any labor or travel cost regarding installation, service, or repairs are the full responsibility of the dealer. Orders processed by Buzz Seating are done so with unconditional and full acceptance by the purchaser of Buzz Seating's published terms, conditions, and warranties. Absent Buzz Seating's willful misconduct or gross negligence, Buzz Seating shall not be liable for any damages or loss arising from the products, including personal injury or damage to property.

Except for the express representations and warranties set forth herein, Buzz Seating expressly disclaims and makes no warranties or representations, either express or implied on the products, including, but not limited to, any warranty of quality, design, condition, merchantability, or fitness for any purpose, or any warranty against patent infringement or latent defects. Except as expressly contained herein, all products are acquired as is, where is, with all faults, and without express or implied warranty of any kind.

Force Majeure

Buzz Seating shall not be liable for delay or failure to perform due to any event reasonably beyond its control, including but not limited to: fire, flood, strike, act of God, act of any governmental authority or of customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations. In the event of a delay due to any such cause, Buzz Seating, at its sole discretion, may extend the date of delivery or time from completion as reasonably necessary to overcome the effect of such delay, to allocate any available supply of goods in a manner it deems reasonable, or to cancel any order. Should a qualifying event occur, Buzz Seating will immediately notify the customer's authorized representative by phone and email.

Buzz Seating strives to utilize North American manufactured components and labor whenever possible.

NAFTA Compliant / TAA Compliant

All products meet or exceed ANSI/BIFMA Standards

©2003-2023 Buzz Seating, Inc. All rights reserved.

COM (Customer's Own Material)

COM Approval

All COM fabric must be approved for use by Buzz Seating. It is recommended that a full yard of sample upholstery be submitted for testing and approval prior to processing an order. Many upholsteries are already pre-approved and do not require sampling. Please check with Customer Service for direction.

Yardage Requirements

For plain, non-directional, solid color or non-patterned upholstery, please follow the yardage requirements printed in this price book for each chair; however orders of 10 chairs or more usually require less yardage due to upholstery yield. Some repeat or patterned upholstery may require additional yardage. Contact Customer Service for exact yardage requirements.

Production Scheduling and Shipping

COM fabrics will be scheduled immediately into production upon receipt of the fabric at our plant location.

Submitting COM Upholstery

For identification purposes, it is important to reference the dealer's name and purchase order number on all upholstery rolls. Upholstery that requires special application or direction must be clearly explained by completion and submission of the form below. It is very important to follow all instructions listed regarding submission of COM upholstery.

Please Note

OM Ear

COM fabric will be inspected at our plant for quality issues. Buzz Seating will not be held responsible for defects, color, dye lot variations, or material flaws regarding COM fabric. Buzz Seating does not provide warranty for COM fabrics. Excess yardage will not be returned unless requested. A written request must be received at the time of order for return of excess COM yardage. Shipping charges are applicable.

Custom Upholstery Requests

Buzz Seating offers a graded-in program for many upholstery suppliers that is published on the website. For any COM not listed, contact Customer Service for direction. Buzz Seating assumes no liability or warranty for any COM material. Only upholstery specifically carded within the Buzz Seating program will retain the published warranty.

Please Check One:	Upholstery and form for pre-testing and approval only Upholstery and form for actual order	Please circle for correct upholstery
Name	Phone	direction application
Contact Person	Fax	
Address	Email	
		<()>
Purchase Order Numbe	r	Horizontal
Chair Mode	9I	
Qty Ordere	d	
Yardage Required Per Cha	ir	
COM Mill Supplie	r	
COM Upholstery Name/Numbe	ır	Vertical
COM Upholstery Cold	r	
	d	NOTE
	TOMER SERVICE FOR ADDRESS TO SHIP COM UPHOLSTERY	Be sure to follow COM instructions above
	Top of Chair	
lf.	Attach Upholstery Here (Place upholstery in the direction it should be applied to the chair. not returned with upholstery direction specified, factory will make judge	ment.)
	Bottom of Chair	

GSA CONTRACT



- Special Item Numbers Awarded:

 33721
 Multipurpose Seating

 33721
 Stacking Chairs
- 1b. Lowest Priced Item: 33721 PRB01 \$535.00 33721 FL00 \$395.00
- 1c. Hourly rates: Not Applicable
- 2. Maximum order: \$250,000.00
- Mimimum order: \$100.00
- Georgaphic coverage: The 48 contiguous states and the District of Columbia, Alaska, Hawaii, Puerto Rico, and the Virgin Islands
- 5. Point of production: Cincinnati, OH and Cambridge, ON
- Discount from list: 60%
- 7. Quantity discounts: \$50,000.00-\$99,999.00 extra 1% off net \$100,000.00-\$149,000.00 extra 2% off net \$150,000.00-\$200,000.00 extra 3% off net
- 8. Prompt payment terms: Net 30 Days
- 9a. Notification that government purchase cards are accepted or not accepted above the micro-purchase threshold Yes-Credit Cards accepted-Visa and Mastercard
- 9b. Notification whether government purchase cards are accepted or not accepted above the micro-purchase threshold Yes-Credit Cards accepted-Visa and Mastercard
- 10. Foreign items: None
- 11a. Time of delivery: 14 days after receipt of order
- 11b. Expedited delivery: Available on all products-Contact Factory
- 11c. Overnight and 2-day delivery: Available on all products-Contact Factory
- 11d. Urgent requirements: As per clause I-FSS-100 A, to effect a faster delivery, please contact the local dealer or factory
- 12. F.O.B. points: Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico and the Virgin Islands

GSA Contract No. GS-28F-0040U TIN# 03-053-1579 SIN# 33721 Schedule MAS Office Furniture Contract Period: September 01, 2008 – August 31, 2028 Business Size: Small

- 13a. Ordering address: Buzz Seating, Inc. 4774 Interstate Drive Cincinnati, OH 45246 Tel: (877) 263-5737 Fax: (513) 772-7328 Email: customerservice@buzzseating.com Authorized dealer should be noted on order
- 13b. Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3
- 14. Payment address: Buzz Seating, Inc. PO Box 31379 Cincinnati, OH 45231 Tel: (877) 263-5737 Fax: (513) 772-7328
- 15. Warranty provisions: Buzz Seating offers a lifetime warranty against manufacturer's defects on components and 5 years on fabric and foam
- 16. Export packing charges: Quoted on request
- Terms and conditions of government purchase card acceptance: A. Credit card number
 - B. Credit card expiration date
 - C. Individual's name as it appears on credit card & CVC code
 - D. Telephone number to whom credit card is issued
- 18. Terms and conditions of rental, maintenance and repair: Not applicable
- 19. Terms and conditions of installation: Contact Factory
- 20. Terms and conditions of repair parts: Contact Factory
- 20a. Terms and conditions for any other services: Contact Factory
- 21. Servicing Dealers: Available upon request
- 22. List of participating dealers: Available upon request
- 23. Preventive maintenance: Contact Factory
- 24a. Special attributes such as environmental attributes: Not Applicable
- 24b. Not Applicable
- 25. Unique Entity Identifier (UEI): USUQSLEY3MN3
- 26. Central Contractor Registration: Buzz Seating, Inc. is registered and current in The System for Award Management (SAM.gov)



ARMLESS VERSION



ARM VERSION

Actual dimensions will vary depending on model and options selected.


Perfect meeting room chair

- 7/8" steel frame
- 14 gauge steel
- Arm or armless
- Black frame

- Stackable 3-4 high
- Multiple options
- Ships fully assembled

	300 lb. Capacity				All price	es are LIST	
Model	Arm Options	1	COM 2	Uphol: 3	stery Gra 4	de 5	6
<u>FLS00</u>	armless	395	425	455	490	535	590
<u>FLS10</u>	with arms	450	480	510	545	590	645

	300 lb. Capacity				All price	es are LIST	
Model	Arm Options	1	COM 2		stery Gra 4	de 5	6
<u>FLR00</u>	armless	395	425	455	490	535	590
<u>FLR10</u>	with arms	450	480	510	545	590	645



Back Panel Options

- Standard upholstered back panel. (DEFAULT) SB
- BB Ballistic nylon back - recommended (no upcharge)
- BP Bumper back trim - recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered, a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

	Additional Options	
MODEL#	Α	DD
CAL133	California Technical Bulletin 133	115
MF	Memory foam 1" layered seat	105
EF	1" Extra seat foam	46
GB	Adjustable width ganging brackets	35 / pair
GLSLG2	Self leveling chrome glides (set of 4)	29
CF/CFC	Chrome and custom color frame finish available. Minimum order quantity and extended lead time applies. Contact Customer Service for further information	

Dimensions: Weight: COM Require	seat width 19.5" seat depth 20" 17.5 lbs.	seat height from floor 18" er chair	back width 19.5" back height 16" overall outside width overall outside width overall outside depth overall outside height	19.75" armless 23.5" with arms 21.25" 31.5"	GB GLSLG2 CF/CFC	Adjustable width ganging brackets Self leveling chrome glides (set of 4) Chrome and custom color frame finis available. Minimum order quantity an extended lead time applies. Contact Customer Service for further informat	d
	R , please specify: EXAMPLE	model FLR00	back panel SB	options GLSLG2	fabric pattern MOGULS	fabric color FLARE 2188	price 424
11 or fev	F PROGRAM wer \$25 net per chair ore free shipping					GSA Contract H	Iolder



14 gauge steel tube frame 20" wide seat (actual seat)

Strong and solid lobby or side chair

- 7/8" steel frame
- 14 gauge steel
- Arm or armless
- Black frame

- Sled base
- Easy mobility
- Timeless design
- Ships fully assembled

	300 lb. Capacity					All price	es are LIST
Model	Arm Options	1	COM 2	Uphol: 3	stery Gra 4	de 5	6
<u>ST00</u>	armless	465	495	525	560	605	660
<u>ST10</u>	urethane arm pads	510	540	570	605	650	705

Arm Options	Options	Back Panel Options
	Adjustable Width Ganging Brackets	 SB Standard upholstered back panel. (DEFAULT) BB Ballistic nylon back – recommended (no upcharge) BP Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection. Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered, a 35 list upcharge applies. Refer to web site for BP color selections. DEFAULT IS SB UNLESS SPECIFIED OTHERWISE
		Additional Options <u>MODEL#</u> <u>ADD</u>
		CAL133 California Technical Bulletin 133 115
		MF Memory foam 1" layered seat 105

EF

GB

1" Extra seat foam

Adjustable width ganging brackets

1" Extra Seat Foam

Actual dimensions will vary depending on model and options select	ted.

		•	
Dimensions:	seat width 20"	seat height from floor	back width 20"
	seat depth 18"	17"	back height 17.5"
Weight:	25 lbs.		overall outside width 22"
COM Require	ements: 1.50 yards pe	r chair	

TO ORDER, please specify:	model	back panel	options	fabric pattern	fabric color	price
EXAMPLE	ST10	BB	MF	MOGULS	FLARE 2188	615






46

35 / pair

JEMChair[™]



The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black arms
- Stackable 3 high








Shown with **CC09** carpet casters (not stackable)



Polyurethane Version



FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more free shipping



- Compound double curved back for extreme comfort
- Optional casters

- Waterfall seat front
- Wall saver legs
 - Nylon black glides (standard)
 - Ships fully assembled

		750 lb. Capacity					All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
JEM00BK	black	armless	455	495	545	595	655	725
JEM00GR	gray	armless	455	495	545	595	655	725

		750 lb. Capacity						es are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
JEM10BK	black	with arms	520	560	610	660	720	790
JEM10GR	gray	with arms	520	560	610	660	720	790

	Additional Options				
MODEL	<u>#</u> A	DD			
CAL133	California Technical Bulletin 133	115			
CC09	Black carpet casters (set of 4) (350 lb. capacity)	46			
HC09	Black hard floor casters (set of 4) (350 lb. capacity)	46			
EF	1" Extra seat foam	46			
GB	Adjustable width ganging brackets	35 / pair			
CF/CFC Chrome and custom color frame finishes available. Minimum order quantity and extended lead time applies. Contact Customer Service for further information.					

Polyurethane Version: • Extended lead time

Grade 4 pricing

JEM10BK

Minimum order quantity

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

BB Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.



1" Extra Seat Foam

FLARE 2188

Adjustable Width Ganging Brackets

price

566

Dimensions: Weight: JEM00 JEM10 COM Requirer	seat width 19.5" seat depth 18.5" 18 lbs. 21 lbs. ments: 1.25 yards per	seat height from floor 17.5" r chair	back width 19.5" back height 16" overall outside width overall outside width overall outside depth overall outside height overall height at arm	21.5" armless 25" with arms 24" 33.5" 27"
model	options	fabric pa	attern	fabric color

MOGULS

Actual dimensions will vary depending on model and options selected.


EF



The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black arms
- Stackable 3 high





- Compound double curved back
- for extreme comfort
- Optional casters

- Waterfall seat front
- Wall saver legs
 - Nylon black glides (standard)
 - Ships fully assembled

		750 Ib. Capacity All						All prices are LIST	
Model	Frame Color	Description	1	COM 2	Uphol: 3	stery Gra 4	ide 5	6	
JEM00+3BK	black	armless	695	745	825	935	1045	1170	
<u>JEM00+3GR</u>	gray	armless	695	745	825	935	1045	1170	

('



Shown with CC09 black carpet casters (not stackable)

			750 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	de 5	6
<u>JEM10+3BK</u>	black	with arms	760	810	890	1000	1110	1235
<u>JEM10+3GR</u>	gray	with arms	760	810	890	1000	1110	1235

Additional Options			
MODEL	<u>#</u>	DD	
CAL133	California Technical Bulletin 133	130	
CC09	Black carpet casters (set of 4) (350 lb. capacity)	46	
HC09	Black hard floor casters (set of 4) (350 lb. capacity)	46	
EF	1" Extra seat foam	52	
GB	Adjustable width ganging brackets	35 / pair	
CF/CFC	Chrome and custom color frame fin available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform	and t	

. ..

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- BB Ballistic nylon back - recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.



1" Extra Seat Foam

Adjustable Width Ganging Brackets

Dimensions:	seat width 22.5"	seat height from floor	back width 22.5"	
	seat depth 18.5"	17.5"	back height 16"	
Weight:			overall outside width	24.5" armless
JEM00+3	24 lbs.		overall outside width	28" with arms
JEM10+3	28 lbs.		overall outside depth	24"
			overall outside height	33.5"
COM Requirements: 2.25 yards per chair			overall height at arm	27"

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	JEM10+3BK	-	MOGULS	FLARE 2188	760





The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black arms



 Waterfall sea 	t front
-----------------------------------	---------

- Full sized back
- Compound double curved back
 for extreme comfort
- Wall saver legs
- Nylon black glides
- · Ships fully assembled

	750 lb. Capacity All prices are LIST			es are LIST				
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	de 5	6
JEM00+6BK	black	armless	800	850	930	1040	1150	1275
<u>JEM00+6GR</u>	gray	armless	800	850	930	1040	1150	1275

1	I and

			750 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	de 5	6
<u>JEM10+6BK</u>	black	with arms	865	915	995	1105	1215	1340
<u>JEM10+6GR</u>	gray	with arms	865	915	995	1105	1215	1340

Additional Options				
MODEL# ADD				
CAL133	California Technical Bulletin 133	145		
EF	1" Extra seat foam	64		
GB	Adjustable width ganging brackets	35 / pair		
CF/CFC	Chrome and custom color frame fir available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform	and t		

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 25.5"

seat depth 18.5"

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.



1" Extra Seat Foam

back width 25.5"

back height 16"



Adjustable Width Ganging Brackets

	JEM10+6	30 lbs. 34 lbs. ents: 3 yards per chair	overall outside width overall outside width overall outside depth overall outside height overall height at arm	27.5" armless 31" with arms 24" 33.5" 27"	
TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	JEM10+6BK	–	MOGULS	FLARE 2188	865

seat height from floor

17.5"





- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black arms

- Waterfall seat front
- Full sized back
- Compound double curved back for extreme comfort
- Wall saver legs
- Soft black multi surface glides (standard)
- Ships fully assembled

Б

24" seat height



27" seat height

Use for work surfaces up to 36" high

			350 lb. C	apacity			All price	s are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
JEM24S00BK	black	armless	650	690	740	785	845	915
JEM24S00GR	gray	armless	650	690	740	785	845	915
JEM24S10BK	black	with arms	715	755	805	850	910	980
<u>JEM24S10GR</u>	gray	with arms	715	755	805	850	910	980

			350 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
JEM27S00BK	black	armless	650	690	740	785	845	915
JEM27S00GR	gray	armless	650	690	740	785	845	915
JEM27S10BK	black	with arms	715	755	805	850	910	980
JEM27S10GR	gray	with arms	715	755	805	850	910	980

overall outside width 21.5" armless

Additional Options					
MODEL	<u>#</u> A	<u>DD</u>			
CAL133	California Technical Bulletin 133	115			
EF	1" Extra seat foam	46			
GB	Adjustable width ganging brackets	35 / pair			
CF/CFC	Chrome and custom color frame fir available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform	and t			

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

BB Ballistic nylon back - recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.



1" Extra Seat Foam



Adjustable Width Ganging Brackets

Actual dimensions will vary depending on model and options selected. Dimensions: seat width 19.5" back width 19.5" seat depth 18.5" back height 16"

	seat depth 18.5"	back height 16"	overall outside width 25" with arms
Weight:			
JEM24S	25 lbs.	seat height from floor 24"	overall outside height 40"
JEM27S	27 lbs.	seat height from floor 27"	overall outside height 43"

COM Requirements: 1.25 yards per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	JEM24S00BK	EF	MOGULS	FLARE 2188	696





- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black arms



30" seat height

Use for work surfaces up to 42" high

 $\neg \frown$

 $\overline{}$

Additional Options					
MODEL	DD				
CAL133	California Technical Bulletin 133	115			
EF	1" Extra seat foam	46			
GB	Adjustable width ganging brackets	35 / pair			
CF/CFC	Chrome and custom color frame fin available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform	and t			

- Full sized back
- Compound double curved back

· Waterfall seat front

- for extreme comfort
- Wall saver legs
- Soft black multisurface glides (standard)
- · Ships fully assembled

			350 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
JEM30S00BK	black	armless	650	690	740	785	845	915
JEM30S00GR	gray	armless	650	690	740	785	845	915
JEM30S10BK	black	with arms	715	755	805	850	910	980
JEM30S10GR	gray	with arms	715	755	805	850	910	980

Back Panel Optic	ons
------------------	-----

Standard upholstered back panel. (DEFAULT) SB

BB Ballistic nylon back - recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.



1" Extra Seat Foam



Adjustable Width Ganging Brackets

Actual dimensions will vary depending on model and options selected.								
Dimensions:	seat width 19.5"	back width 19.5"	overall outside width	21.5" armless				
	seat depth 18.5"	back height 16"	overall outside width	25" with arms				
Weight:								
JEM30S	30 lbs.	seat height from floor 30"	overall outside height	46"				

COM Requirements: 1.25 yards per chair



11

Caboodle[®] Nesting Chair Mesh Back Series





	Additional Options	
MODEL#		<u>ADD</u>
HC02	Black hard floor casters (set of 4)	46

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 18.5"	back width: 18.25"	overall outside width: 22.75" armless overall outside width: 24.75" with arms	overall outside depth: 24"	seat height from floor: 19"
seat depth: 18"	back height: 17"		overall outside height: 34"	overall height at arm: 25.25"
Weight CA00 (armless): 18 lb: CA10 (with arms) 21 ll				
TO ORDER, please specify:	model	options	pri	
EXAMPLE	CA10BK	HC02	48	
GSA Contract Ho	lder		Two chairs per box	FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more free shipping

 $\cap \cap$







LOD189BK BLACK



LOD45BK BLACK LOD45GR2T GRAY LOD45LA2T LATTE midback



LOD48BK BLACK LOD48GR2T GRAY LOD48LA2T LATTE highback



LOD50BK BLACK side chair



LOD55BK BLACK midback



LOD58BK BLACK highback



LOD65BK BLACK LOD65BN BROWN LOD65WH WHITE midback



LOD68BK BLACK LOD68BN BROWN LOD68WH WHITE highback



LOD151BK BLACK LOD151AL ALMOND ottoman



LOD157BK BLACK LOD157AL ALMOND highback

Lifetime Warranty



LOD75BK BLACK LOD75GR GRAY midback



LOD85BK BLACK LOD85BN BROWN LOD85AL ALMOND LOD85WH WHITE midback



LOD20BK BLACK LOD20TP TAUPE LOD20BN BROWN lobby





LOD78BK BLACK LOD78GR GRAY highback



LOD88BK BLACK LOD88BN BROWN LOD88AL ALMOND LOD88WH WHITE highback



LOD28BK BLACK LOD28TP TAUPE LOD28BN BROWN

Ships KD with assembly required. *Note:* Ships with all purpose casters.

Model	List
LOD20BK BLACK lobby	690
LOD20TP TAUPE lobby	690
LOD20BN BROWN lobby	690
LOD28BK BLACK	1190
LOD28TP TAUPE	1190
LOD28BN BROWN	1190
LOD45BK BLACK midback	1185
LOD45GR2T GRAY midback	1185
LOD45LA2T LATTE midback	1185
LOD48BK BLACK highback	1290
LOD48GR2T GRAY highback	1290
LOD48LA2T LATTE highback	1290
LOD50BK BLACK side chair	895
LOD55BK BLACK midback	895
LOD58BK BLACK highback	1010
LOD65BK BLACK midback	1185
LOD65BN BROWN midback	1185
LOD65WH WHITE midback	1185
LOD68BK BLACK highback	1290
LOD68BN BROWN highback	1290
LOD68WH WHITE highback	1290
LOD75BK BLACK midback	1185
LOD75GR GRAY midback	1185
LOD78BK BLACK highback	1290
LOD78GR GRAY highback	1290
LOD85BK BLACK midback	1245
LOD85BN BROWN midback	1245
LOD85AL ALMOND midback	1245
LOD85WH WHITE midback	1245
LOD88BK BLACK highback	1385
LOD88BN BROWN highback	1385
LOD88AL ALMOND midback	1385
LOD88WH WHITE highback	1385
LOD151BK BLACK ottoman	395
LOD151AL ALMOND ottoman	395
LOD157BK BLACK highback	1495
LOD157AL ALMOND highback	1495
LOD189BK BLACK	1495

Additional Options

MODEL#		ADD
BACO Ba	se collar (adds 3/4" to seat height)	6

Bailey[™] Series




- Simple synchro tilt
- Optional drop-away or height-adjustable arms
- Molded foam seat

- Convex back
- · Back and seat upholstered in same or contrasting fabrics
- Ships KD with assembly required

	P4		300 lb. Capacity All price				es are LIST		
Model	Arm Pad Option		Arm Pad Options		СОМ	Uphol	stery Grad	е	
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
<u>BA02</u>	swivel synchro	armless	-	795	820	845	870	895	920
	nanagement, conference room	DA drop away	BAP , BT	920	945	970	995	1020	1045
and meeting applications. Simple adjust- ments.	VF fixed	-	900	925	950	975	1000	1025	
		ATS adj. T	BAP, BT	920	945	970	995	1020	1045
		ATS/AW adj. T	BAP, BT	935	960	985	1010	1035	1060

Ships with CC07-SL black & silver non-hooded carpet casters and CY06 height cylinder





Self-skinned polyurethane

Chair Version

- Chair or stool version
- Hard floor soft wheel casters
- · Industrial, medical or lab applications
- Easy cleaning
- Ships KD with assembly required



Chair 24" base



Stool 26" base

Chair Version	300 lb. Capacity	All prices are LIST
Model	Description	Chair
<u>UR4001</u>	Basic Task (1 <i>paddle)</i> Swivels 360°, pneumatic cylinder seat height adjustment	345
<u>UR4003</u>	Posture Back (2 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, back height adjustment	455

Ships with CY02 height cylinder and includes HC01 hard floor casters.

Stool Version	300 lb. Capacity	All prices are LIST
Model	Description	Chair
<u>UR4001-XSP</u>	Basic Task <i>(1 paddle)</i> Swivels 360°, pneumatic cylinder seat height adjustment	501
<u>UR4003-XSP</u>	Posture Back (2 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, back height adjustment	611

options

MSLC

Ships with CY05 10" cylinder, footring and HC01 hard floor casters.

Additional Options					
MODEL#		<u>ADD</u>			
GLBG	Stationary bell glides (set of 5)	41			
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69			
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75			
CC01	Carpet casters-black only (set of 5)	N/C			

Actual dimensions will vary depending on model and options selected.

model

UR4001-XSP

	seat depth 17"	seat height from floor stool	21"-31"	back height	18"-20"
Weight:	approx. 30 lbs. chair approx. 33 lbs. stool				

TO ORDER, please specify: EXAMPLE

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping $\cap \cap$ \bigcap



price

579

- 3" Back height adjustment
- 16" diameter seat
- Dual seat height adjustment handles
- Self pivoting spring back

Coordinating colors back bar, control &

300 lb. Capacity

- handles, base and casters
- Partial assembly required

Only available in medical grade high performance upholstery.

All prices are LIST

General Purpose	Medical I 2	High G 3	r Vinyl 5		
<u>MDS26</u>	Basic unit, 22" base	18-23" seat height	320	340	380
MDS26-CY04	Stool height, 24" base	21-29" seat height	361	381	421
MDS26-CY05	Extended stool height, 24" base	24-34" seat height	384	404	444

Ships with matching color HC01 soft wheel hard floor casters.



		300 lb. Capacity		All pri	ices are LIST
General Purpos	se Stool With Back		Medical 2	High G 3	ör Vinyl 5
MDS36	Basic unit, 22" base	18-23" seat height	475	505	565
MDS36-CY04	Stool height, 24" base	21-29" seat height	516	546	606
MDS36-CY05	Extended stool height, 24" base	24-34" seat height	539	569	629
MDS36-SP	Stool height with 18" adjustable footring, 24" base	21-29" seat height	608	638	698
MDS36-XSP	Extended stool height with 18" adjustable footring, 24" base	24-34" seat height	631	661	721

Ships with matching color **HC01** soft wheel hard floor casters.

		300 lb. Capacity		All pi	rices are LIS
Assistant Stool			Medica	l High	Gr Vinyl
Assistant otool			2	3	5
<u>MDS16</u>	Basic unit, 24" base	17-22" seat height	695	720	770
MDS16-CY04	Stool height, 24" base	20-28" seat height	736	761	811

Ships with matching color HC01 soft wheel hard floor casters.





TO ORDER, please specify:	model	color combo	options	fabric pattern	fabric color	price
EXAMPLE	MDS26	BLACK	-	SPIRIT	413 DOVE	320











Black base/casters Not available on MDS16

REQUIRED Specify the following:

Dk Gray base/casters Lt Gray base/casters

Black Combo: Black mechanism, base, casters and cylinder Lt Gray mechanism, base, casters and chrome cylinder Lt Gray Combo: *Dk Gray Combo: Dk Gray mechanism, base, casters and chrome cylinder *Sand Combo: Sand mechanism, base, casters and chrome cylinder * limited stock - discontinuing. Call customer service



Additional Options

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	
	Seat Unit	60
	Seat and Back Unit	120
BASE22-A	Medical aluminum base (not available on stools)	130
СССН	Chrome hooded carpet casters (set of 5)	52
нссн	Chrome hooded hard floor casters (set of 5)	52
CC01	Carpet casters-black only (set of 5)	N/C
FR18	Sure Grip Footring 18"	92

Back Panel Options

BP Ships with black bumper trim unless another color is specified. Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear.

Stool seat height

Basic unit

seat height

Extended stool seat height



Basic unit seat height



Stool seat height



Extended stool seat height

Actual dimensions will vary depending on model and options selected. Dimensions: MDS36 back width 15.5"

MDS36 back height 11.5" Seat width 16" COM Requirements: Seat: .75 yards Back: 1.25 yards Actual dimensions will vary depending on model and options selected. Dimensions: MDS16 back width 15.5"

MDS16 back height 11.5" Seat width 16" COM Requirements: Seat: .75 yards Arm: .5 yards











- Upholstered seat and black mesh back
- Simple synchro tiltTilt tension adjustment

- Height adjustable arms
- Ships KD with assembly required

	300 lb. Capacity	All prices are LIST
Model		Stock Black
DANDY		575

Ships with CC07 hooded carpet casters and CY10 height cylinder



Additional Option				
MODEL#		<u>ADD</u>		
HC07	Hard floor casters (set of 5)	46		


Actual dimensions will vary depending on model and options selected. **Dimensions:** seat width 21" back width 19.5" seat depth 20.5" back height 20" seat height from floor 18"-22" **Weight:** 34 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify: EXAMPLE model DANDY options - fabric pattern MOGULS fabric color FLARE 2188 price 575









- Upholstered seat and black mesh back
- Synchro tilt with 4 position lock
- Tilt tension adjustment
- Seat slider

- Height and width adjustable arms
- Lumbar adjustment
- Ships KD with assembly required



		ک	00 Ib. C	aþacity			All pric	es are LIST
Madal		Steel Block		СОМ	Uphol	stery Gr	ade	
Model		Stock Black	1	2	3	4	5	6
NIFTY-L	synchro tilt	850	960	990	1020	1055	1110	1170

Ships with CC07 non-hooded carpet casters and CY07 height cylinder

	300 ІЬ. Саро	acity All prices are LIST
Model		Stock Black List
NIFTY-L-SP	seat height from floor 23"-31"	983
NIFTY-L-XSP	seat height from floor 25"-35"	1006

Ships with CC07 non-hooded carpet casters and CY04 or CY05 height cylinder

Stool version non-tilting. Seat height adjustment only.

	Additional Option		
MODEL#		ADD	
HC07	Hard floor casters (set of 5)	46	

Actual dimensions will vary depending on model and options selected. **Dimensions:** seat width 20.5" back width 19.75" seat depth 19"-21.5" (stool 19") back height 23" seat height from floor 19"-21.5" (chair) seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool) **Weight:** Chair 43 lbs. Stool 50 lbs. **COM Requirements:** 1 yard per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	NIFTY-L	HC07	MOGULS	FLARE 2188	896





Mesh back companion chair

- 7/8" steel frame
- 14 gauge steel
- Arm or armless

Ships fully assembled.

 Black frame Stackable

Durable mesh back

- Deep waterfall front seat edge
- Multiple mesh colors



			300 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2		stery Gra 4	de 5	6
ME00BK	black	armless	380	400	420	440	460	480

	-	T
	T	
		L

			300 lb. C	apacity			All price	es are LIST
Model	Frame Color	Description	1	COM 2	Uphols 3	stery Gra 4	de 5	6
ME10BK	black	with arms	435	455	475	495	515	535

T	
	•

Additional Options				
MODEL	<u># A</u>	<u>NDD</u>		
CAL133	California Technical Bulletin 133	60		
CC09	Black carpet casters (set of 4)	46		
HC09	Black hard floor casters (set of 4)	46		
GB	Adjustable width ganging brackets	35 / pair		
CF/CFC	Chrome and custom color frame fur available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform	and ct		

	Colored Mesh	
MODEL#	COLOR	ADD
MM001	Red	65
MM003	Green	65
MM005	Dk Gray	65
MM000	Black mesh is default	0

See www.melochair.com for actual mesh colors

AL.

AN STREET

Dimensions: seat	S.	or back width 17.5" back height 17" overall outside width 18.	25" with arms 5"	Red Green Dk Gray Black	
TO ORDER, please specify:	model optic	ns fabric pattern	fabric color	back mesh color	price
EXAMPLE	ME10BK -	MOGULS	FLARE 2188	MM001	500









- Poly mesh back
- Upholstered seat
- Free floats in unlocked position
- Tilt tension adjustment

· Ships KD with assembly required

		2	75 lb. Capaci	ty All prices	are LIST		
Model	Arm Options	1	COM 2	Upholstery Gra 3	de 4	5	6
MEHB02 swivel tilt	armless	525	540	555	570	595	630
	ZH fixed conference room	555	570	585	600	625	660
	FH fixed with pad	560	575	590	605	630	665
T	AT adj. T with pad	650	665	680	695	720	755

Ships with CC01 hooded carpet casters and CY14 height cylinder

Swivel Tilter (1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position.

HIGHBACK

Arm Options

ZH fixed conference room







AT adj. T height adjustment w/BAP

TO ORDER, please specify:

EXAMPLE

	MELO BASIC		
MODEL#	<u>A</u>	DD	
CAL133	California Technical Bulletin 133	60	
HC01	Hard floor casters (set of 5)	41	

Additional Options

	Colored Mesh	
MODEL#	<u>COLOR</u>	<u>ADD</u>
MM001	Red	65
MM003	Green	65
MM005	Dk Gray	65
MM000	Black mesh is default	0

See www.melochair.com for actual mesh colors





Dk Gray

Black

 Actual dimensions will vary depending on model and options selected.

 Dimensions:
 seat width 21"
 back width 20.5"

 seat depth 21"
 back height 22" highback

 Weight:
 approx. 36-38 lbs.

 COM Requirements:
 1 yard per chair

options

HC01

fabric patternfabric colorMOGULSFLARE 2188

back mesh color MM000

price 596



model

MEHB02

arm

ΖH




Ships partially assembled.

Poly Mesh E	Back				300	lb. Capac	ity		s are LIST
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Uphols 3	tery Grade 4	5	6
MEMB04	synchro tilt	armless	-	625	640	655	670	695	730
		DA drop away	BAP , BT	750	765	780	795	820	855
		VF fixed	-	730	745	760	775	800	835
	I	ATS adj. T	BAP, BT	750	765	780	795	820	855
		ATS/AW adj. T	BAP, BT	765	780	795	810	835	870
5	~	MAT/AW multi-function	-	825	840	855	870	895	930
5		Ships with CC07-SL black & silve	r non-hooded carpet casters and	d CY06 heigl	ht cylinder				

MIDBACK

עסווא	ACK				300	lb. Capac	ity	All price	s are LIST
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Uphols 3	tery Grad 4	e 5	6
MEHB04	synchro tilt	armless	-	650	665	680	695	720	755
		DA drop away	BAP , BT	775	790	805	820	845	880
		VF fixed	-	755	770	785	800	825	860
T	T	ATS adj. T	BAP, BT	775	790	805	820	845	880
		ATS/AW adj. T	BAP, BT	790	805	820	835	860	895
		MAT/AW multi-function	-	850	865	880	895	920	955
6	2.	Ships with CC07-SL non-hooded c	arpet casters and CY06 height c	cylinder					

HIGHBACK Most popular






Stool version non-tilting. Seat height adjustment only.







Petite (PTS) seat width 121 seat width 120 seat depth 21" seat height Hig seat depth 19" Mi seat depth 19" seat height from floor 16"-23" (chair) seat height from floor 24"-32" (stool) Weight: approx. 36-38 lbs. COM Requirements: 1 yard per chair

20.5" Highback 22" Midback 18"

Dk Gray

Black

25

Rika Chair[®] Upholstered Seat Mesh Back



- Upholstered seat and black mesh back
- Synchro tilt with 4 position lock
- Free floats in unlocked position
- Tilt tension adjustment
- Seat slider

- Adjustable lumbar support
 - Multifunction arms on chair
 - Height and width adjustable arms on stool
 - Ships KD with assembly required



		300 lb. C	apacity			All pric	es are LIST
Ma J.I			СОМ		Upholstery Grade		
Model	Stock Black	1	2	3	4	5	6
<u>RIK-FAB</u>	995	1105	1135	1165	1200	1255	1315

Ships with CC07 non-hooded carpet casters and CY08 height cylinder



	300 lb. Capacity	All prices are LIST
Model		Stock Black List
RIK-FAB-SP	seat height from floor 23"-31"	1128
RIK-FAB-XSP	seat height from floor 25"-35"	1151
Ships with CC07 non-hooded carpet	casters and CY04 or CY05 height cylinder and 20" footring	

Stool version non-tilting. Seat height adjustment only.



D	

Optional Headrest

Additional Options				
MODEL#		ADD		
RAHR	Adj. headrest black mesh	130		
BASE-PAB	Polished aluminum base (raises seat height)	130		
HC07	Hard floor casters (set of 5)	46		





Stock Black Stock Black Seat Mesh Back

Actual dimensions will vary depending on model and options selected.
Dimensions:
seat width 20" back width 21"
seat depth 20"-22.25" back height 23.5"
seat height from floor 17"-20" with short cylinder (CY07)
18"-22" with standard cylinder
19"-24" with tall cylinder (CY09)

If upgrading to PAB please add 1" to seat height. Please specify if CY07 or CY09 is needed.

seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

Weight:Chair 45 lbs.StoCOM Requirements:1 yard per chair

Stool 52 lbs.







Rika Chair® All Mesh



- Mesh seat and back
 - 2 mesh colors
 - Synchro tilt with 4 position lock
 - Free floats in unlocked position
 - Tilt tension adjustment

- Seat slider
- Adjustable lumbar support
- Multifunction arms on chair
- Height and width adjustable arms on stool
- Ships KD with assembly required



	300 lb. Capacity	All prices are LIST
Model	Mesh Color	List
RIK-B	Black	1140
RIK-G	Gray	1140
Ships with CC07 non-ho	ooded carpet casters and CY08 height cylinder	

		300 lb. Capacity	All prices are LIST				
Model	Mesh Color		List				
<u>RIK-B-SP</u>	Black	seat height from floor 23"-31"	1273				
<u>RIK-B-XSP</u>	Black	seat height from floor 25"-35"	1296				
Ships with CC07 non-hooded carpet casters and CY04 or CY05 height cylinder and 20" footring							

Stool version non-tilting. Seat height adjustment only.





Optional Headrest

Additional Options					
MODEL#		<u>ADD</u>			
RAHR	Adj. headrest black or gray mesh	130			
BASE-PAB	Polished aluminum base (raises seat height)	130			
HC07	Hard floor casters (set of 5)	46			



See www.rikachair.com for actual mesh colors

 Actual dimensions will vary depending on model and options selected.

 Dimensions:

 seat width
 21.5"

 back width
 21"

 seat depth
 20"-22.25"

 back height
 23.5"

seat height from floor 16"-19" with short cylinder (CY07) 17"-21" with standard cylinder 18"-23" with tall cylinder (CY09) If upgrading to PAB please add 1" to seat height. Please specify if CY07 or CY09 is needed. seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

 seat height from floor
 23"-31" (stool)
 seat height from floor
 25"-35" (extended stool)

 Weight:
 Chair 45 lbs.
 Stool 52 lbs.

TO ORDER, please specify:	model	options	Price
EXAMPLE	RIK-B	RAHR	1270

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more free shipping



Rika Chair[®] Leather Seat Mesh Back



- Leather seat and black mesh back
- Aluminum package
- 2 leather colors
- Synchro tilt with 4 position lock
- Free floats in unlocked position
- Tilt tension adjustment
- Seat slider
- Adjustable lumbar support
- Multifunction arms
- · Ships KD with assembly required



	300 lb. Capacity	All prices are LIST
Model	Leather Color	List
RIK-BL	Black	1270
<u>RIK-RL</u>	Red	1270

Ships with CC07 non-hooded carpet casters and CY08 height cylinder





Optional Headrest

Additional Options					
MODEL#		ADD			
RAHR	Adj. headrest black mesh	130			
BASE-PBB	Poly black base (reduces seat height)	NC			
HC07	Hard floor casters (set of 5)	46			



See rikachair.com for actual leather colors

```
Actual dimensions will vary depending on model and options selected.
Dimensions:
seat width 20" back width 21"
seat depth 20"-22.25" back height 23.5"
seat height from floor 18"-21" with short cylinder (CY07)
19"-23" with standard cylinder
20"-25" with tall cylinder (CY09)
If upgrading to RIK-PBB please subtract 1" from seat height.
Please specify if CY07 or CY09 is needed.
```

Weight: 46 lbs.







Sna[™] Series





Ships with CC01 hooded carpet casters and CY13 height cylinder

Model	Arm Options	COM Upholstery Grade						
	Annopuons	1	2	3	4	5	6	
SN-UPB	armless chair, upholstered back	590	610	630	650	670	690	
	FA upholstered back, fixed arms	620	640	660	680	700	720	
Ships with CC01 hooded carpet casters and CY13 height cylinder								

Low back chair without armrest





Powder coated steel back rest support



Urethane seat option

11 or fewer \$25 net per chair 12 or more **free** shipping

 $\overline{\bigcirc}$

 $\overline{\mathbf{n}}$

low	hack	chair	with	fixed	armrest
LUW	Dack	Chai	WILLI	IIVEO	annest





Perforated plastic back shell



XSP Extended Stool Package Seat height 22.5"-33"



Upholstered Back



Ships partially assembled.

FA Cantilevered Fixed Arms

Weight: approx.	24 lbs.	COM Requirements:	Seat: .75 yards per chair Back: .75 yards per chair				
TO ORDER, please specify:	model	arm	options	fabric pattern	fabric color	price	
EXAMPLE	SN	FA	MSLC	MOGULS	FLARE 2188	594	
FREIGHT PROGRAM	7				٥		

ack chair wi	th fixed armrest	
3.5″	21.5″	

MODEL#		<u>ADD</u>
URSEAT	Black urethane seat	60
XSP	Extended stool package	156
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5) (use with plastic base only)	75
CAL133	California Technical Bulletin 133 Seat Seat & Back	60 120

Additional Options

Big & Tall 350 lb. Series



Heavy duty components

Basic or full function mechanism

 \bullet 5 prong 27" nylon base

Heavy duty CC01-HD casters

CY02-HD2 height cylinder

- Built to last
- Partial assembly required

6					350 lb. Capacity			All pi	All prices are LIST	
Model		Arm Options	Arm Pad Options (default pad in bold)	1	2	сом З	Upholsto 4	ery Grade 5	6	
<u>BC01</u>	basic task ratchet back	armless	-	1135	1175	1215	1275	1335	1395	
Stool package available		DA drop away	BAP , BT	1260	1300	1340	1400	1460	1520	
		AT/AW adj. T	BAP , BT	1260	1300	1340	1400	1460	1520	
		AL adj. loop	-	1320	1360	1400	1460	1520	1580	

						350 lb. Capac	ity	All pi	rices are LIST
Model		Arm Options	Arm Pad Options	1	2	COM 3	Upholste 4	ery Grade 5	6
		-	(default pad in bold)		2	3	4	5	0
<u>BC08</u>	multi tilter ratchet back	armless	-	1265	1305	1345	1405	1465	1525
		DA drop away	BAP , BT	1390	1430	1470	1530	1590	1650
		AT/AW adj. T	BAP , BT	1390	1430	1470	1530	1590	1650
		AL adj. loop	-	1450	1490	1530	1590	1650	1710

Most popular (recommended)					350 lb. Capacity All prices are LIS				rices are LIST
Model		Arm Options	Arm Pad Options (default pad in bold)	1	2	СОМ З	Upholste 4	ery Grade 5	6
<u>BC09</u>	multi tilt ratchet back integrated seat slider	armless	-	1300	1340	1380	1440	1500	1560
		DA drop away	BAP , BT	1425	1465	1505	1565	1625	1685
		AT/AW adj. T	BAP , BT	1425	1465	1505	1565	1625	1685
		AL adj. loop	-	1485	1525	1565	1625	1685	1745

Actual dimens	sions will vary dependi	ng on model and options selected.	
Dimonsions:	cost width 25"	cost boight from floor obsir	10"-2

 Dimensions: seat width 25" seat depth 23"
 seat height from floor chair 19"-24"
 back width back height
 22" 23"-25.5"

 Weight:
 approx. 49 lbs. chair

COM Requirements: 2 yards per chair



· · · · · · · · · · · · · · · · · · ·	model arr BC08 AL		back panel BB	options -	fabric patte MOGULS		price 1450	
Mechanism Functions	Arm	Options	Arm Pad Optio	าร	I	Back Panel Options		
asic Task - Heavy Duty Version paddle)					SB Standard up	holstered back panel. (DEFAULT)	
vivels 360°, pneumatic cylinder seat heigh justment, back depth adjustment, interna					BB Ballistic nylo	on back – recommended (<i>no up</i> o	charge)	
chet back height adjustment.					BP Bumper back trim – recommended (<i>no upcharge</i>) Choose from 6 colors. Refer to web site for selection			
	DA dı	op away	BAP Buzz arm pao (default pad if non specified except for A	e TS)	regardless of optior BB or BP is recom additional upcharg	ot responsible for back panel n chosen. For additional back we umended. One option is provide ge. If both options are order Refer to web site for BP color se	ar protecti d without ed a 45	
	\bigwedge	®				LESS SPECIFIED OTHERWISE		
ulti Tilter - Heavy Duty Version paddles)	AL adj	loop arm	BT bullet arm pad	- 1	MODEL#		ADD	
vels 360°, pneumatic cylinder seat heigh ustment, seat and back tilt as unit, fre	int v	nmended)			CAL133 Ca	lifornia Technical Bulletin 133	140	
algustnerit, seat and back till as unit, mee floats in unlocked position, infinite position tilt ock, tilt tension control, internal ratchet back neight adjustment, infinite back angle adjust-	ilt				GLBG Sta	ationary bell glides (set of 5)	41	
					HC01-HD Ha	rd floor casters (set of 5)	75	
nt.						If-braking hard floor casters ake when unoccupied (set of 5)	69	

AT/AW adj. T includes height and width adjustment

Multi Tilt w/Integrated Seat Slider - Heavy Duty Version

(4 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

MSRLC

FR20

SP-HD

Warranty: Big & Tall Series

Self-braking hard floor casters

brake when occupied (set of 5)

"Sure Grip" footring only

Stool package

75

92

196

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

Big & Tall 500 lb. Series



Heavy duty components

Basic or full function mechanism

Extended shipping time required.

6 prong 27" steel base

Chair or stool

Heavy duty MSSHD casters

• CY02-SHD height cylinder

Built to last

• Partial assembly required

*Ships in 2 boxes on a skid via LTL.						500 lb. Capac	ity	All p	rices are LIST
Model			Arm Pad Options			СОМ	Upholstery Grade		
		Arm Options	(default pad in bold)	1	2	3	4 5		6
BC01HD	basic task ratchet back	armless	-	1570	1610	1650	1710	1770	1830
		DA drop away	BAP , BT	1695	1735	1775	1835	1895	1955
Stool package available		AT/AW adj. T	BAP , BT	1695	1735	1775	1835	1895	1955
		AL adj. loop	-	1755	1795	1835	1895	1955	2015

						500 lb. Capacity			rices are LIST
		A	Arm Pad Options			СОМ	Upholste	ery Grade	
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
BC08HD	multi tilter ratchet back	armless	-	1700	1740	1780	1840	1900	1960
		DA drop away	BAP , BT	1825	1865	1905	1965	2025	2085
		AT/AW adj. T	BAP , BT	1825	1865	1905	1965	2025	2085
		AL adj. loop	-	1885	1925	1965	2025	2085	2145

Most popular (ı	Most popular (recommended)					500 lb. Capaci	ity	All pi	rices are LIST
Model	Arm Options		Arm Pad Options (default pad in bold)	1	2	СОМ З	Upholste 4	ery Grade 5	6
BC09HD	multi tilt ratchet back integrated seat slider	armless	-	1735	1775	1815	1875	1935	1995
		DA drop away	BAP , BT	1860	1900	1940	2000	2060	2120
		AT/AW adj. T	BAP , BT	1860	1900	1940	2000	2060	2120
		AL adj. loop	-	1920	1960	2000	2060	2120	2180

Actual dimensions will vary depending on model and options selected.

Dimensions:	seat width	25"	seat height from floor chair	19"-24"	back width	22"
Weight:	seat depth approx. 79	23" lbs. heavy duty	chair		back height	23"-25.5"

COM Requirements: 2 yards per chair



TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabri	c pattern	fabric color	price
EXAMPLE	BC08HD	AL	-	BB	-		DGULS	FLARE 2188	1885
Mechanism Functions		Arm Option	าร	Arm Pad Option	าร		Back	Panel Options	
asic Task - Heavy Duty Versior	ı					SB Stand	ard upholster	ed back panel. (DEFAULT)
vivels 360°, pneumatic cylinder seat he						BB Ballist	ic nylon back	- recommended (no upo	charge)
Jjustment, back depth adjustment, inte tchet back height adjustment.	ernal					BP Bumper back trim – recommended (<i>no upcharge</i>) Choose from 6 colors. Refer to web site for selection			
		DA drop away		BAP Buzz arm pad (default pad if none specified except for ATS)		Buzz Seating is not responsible for back panel wear regardless of option chosen. For additional back wear pro BB or BP is recommended. One option is provided wit additional upcharge. If both options are ordered a upcharge applies. Refer to web site for BP color selectio			ear protec ed withou ed a 45
						DEFAULT IS S	SB UNLESS SI	PECIFIED OTHERWISE	
	[Addit	ional Options	
ulti Tilter - Heavy Duty Version	n	AL adj. loop a		BT bullet arm pad		MODEL#			ADD
paddles)		(recommende	:d)			CAL133	California	Technical Bulletin 133	140
vivels 360°, pneumatic cylinder seat he justment, seat and back tilt as unit,	free					GLBG	Stationar	y bell glides (set of 5)	41
ats in unlocked position, infinite positio ck, tilt tension control, internal ratchet b						FR20	"Sure Grip	o" footring only	92

Multi Tilt w/Integrated Seat Slider - Heavy Duty Version

ment.

(4 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjust-

AT/AW adj. T includes height and width adjustment

Warranty: Big & Tall Series

Stool package

SP-HD

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

196

All prices are LIST

- Provides freedom of movement
- Heavy duty components
- Synchro mechanism
- Standard and heavy duty version

Extended shipping time required. *Ships in 2 boxes on a skid via LTL.

- Ballistic nylon
- Built to last
- Drop away arms
- Partial assembly required

500 lb. Capacity

350 lb. Capacity All prices are LIST **Ballistic Nylon** Model **Arm Options** 3 synchro/seat slider ratchet back <u>SH04</u> 1635 armless 19-23.5" seat height range. 1760 DA drop away AL adj. loop 1825

> Ships with 5 prong 27" nylon base, heavy duty CC01-HD hooded carpet casters and CY02-HD2 height cylinder

Chair Version 350 lb. capacity



Model		Arm Options	Ballistic Nylon 3
SH04HD	synchro/seat slider ratchet back	armless	2085
19-23.5" seat height range.		DA drop away	2210
		AL adj. loop	2275

Ships with 6 prong 27" steel base, MSSHD non-hooded multipurpose casters and CY02-SHD height cylinder

Chair Version 500 lb. capacity



Actual dimensions will vary depending on model and options selected.

Dimensions:	seat
	seat
Weight:	appro

ions:	seat width 22"	
	seat depth 21"-23.5"	
	approx. 59 lbs. chair	
	approx. 90 lbs. heavy duty chair	

back width 22" back height range 24"-29" seat height range 19.5"-24"



TO ORDER, please specify:	model	arm	options	fabric color	price
EXAMPLE	SH04HD	DA	•	BLUE	2210

Maa	hanism	Euro	ationa	
wee	16 III SIII		9110115	

Synchro Tilter -Heavy Duty Version


(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control, internal 5" ratchet back height adjustment, integrated seat slider.

	Arm Options	Arm Pad		Back Panel Options	
			BB Balli	stic nylon back standard	
ht nd			Buzz Seatir	ng is not responsible for back panel wear o	r tear.
on et		BAP Buzz arm pad		Additional Options	
	DA drop away		MODEL#		<u>ADD</u>
			CAL133	California Technical Bulletin 133	140
			GLBG	Stationary bell glides (set of 5)	41
			HC01-HD	Hard floor heavy duty casters (set of 5) (SH04 only)	75
			MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69

AL adj. loop arm

HC01-HD	Hard floor heavy duty casters (s (SH04 only)
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5 (SH04 only)
MSRLC	Self-braking hard floor casters brake when occupied (set of 5) (SH04 only)
PILLOW	Lumbar Pillow



Warranty: Shield Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

75

175

.

. .

. . .

Synchro Tilter (2 paddles)

lock, tilt tension control.

DA drop away

ATS/AW adj. T includes height and width adjustment

Heavy Duty

Ships partially assembled.

Poly Mesh Back				35	0 lb. Capa	city	All price	s are LIST
Model	Arm Options	Arm Pad Options		СОМ	Uphol	stery Grad	e	
Model	Annoptions	(default pad in bold)	1	2	3	4	5	6
PRM04HD synchro tilt fixed back	armless	-	855	875	895	915	945	985
HIGHBACK	DA drop away	BAP , BT	980	1000	1020	1040	1070	1110
	VF fixed	-	960	980	1000	1020	1050	1090
	ATS adj. T	BAP, BT	980	1000	1020	1040	1070	1110
-	ATS/AW adj. T	BAP, BT	995	1015	1035	1055	1085	1125
	MAT/AW multi-function	-	1055	1075	1095	1115	1145	1185
	Upgrades include: Heavy of	density seat foam with men	nory foam t	topper				

ades include: Heavy density seat foam with memory foam topper

Ships with CC07-SL non-hooded carpet casters and CY06 height cylinder

Mechanism Functions

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt

Arm Options

VF fixed

chrome with soft urethane pad

ATS adj. T height adjustment

MAT/AW multi-function

(no arm pad option)

Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad (recommended & default for ATS)

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	60
EF	1" extra seat foam	46
SS (MESH)	Sliding seat depth adjustment (Not available on stools. AW (adj. width arm brackets) cannot be included if SS (sliding seat depth adjustment) is ordered)	87
GLBG	Stationary bell glides (set of 5)	41
HC07	Hard floor casters (set of 5)	46
*SP	Stool package includes 8" cylinder and "Sure Grip" footring. Seat height extends from 24"-32".	133
FR20	"Sure Grip" footring	92

Additional Options

*When converting to a stool, the tilt feature is disengaged by the factory before shipping.

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

Actual dimensions will vary depending on model and options selected. Dimensions: seat width 21" seat depth 21" back width 20.5" back height 22" seat height from floor 16"-23" Weight: approx. 40 lbs. COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	arm	arm pad	options	fabric pattern	fabric color	price
EXAMPLE	PRM04HD	ATS	ВТ	EF	ANCHORAGE	ΟΝΥΧ	1026





•	U	ph	0	lster	ed	se	at

- Infinite angle lock
- Tension adjustment

Weight activated locking casters

Partial assembly required

		300 lb. C	apacity			All price	s are LIST
Model			СОМ	Uphols	tery Grad	le	
Model		1	2	3	4	5	6
PR00-CY05	10" cylinder only	885	900	915	930	950	980
PR00-XSP	10" cylinder and foot ring	980	995	1010	1025	1045	1075

Ships with MSRLC hooded multipurpose casters

	Additional Options		
MODEL#		<u>ADD</u>	
CAL133	California Technical Bulletin 133		60
GLBG	Stationary bell glides (set of 5)		N/C





20" Footring

Actual dimensions will vary depending on model and options selected. Dimensions: seat width 18" seat depth 16" seat height from floor 26"-36" Weight: approx. 29 lbs. COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	PR00-XSP	GLBG	MOGULS	FLARE 2188	980

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more free shipping



Pronto Bantam Series



• For the person 4'10" or smaller

- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

	4 *		300 lb. Capacity				All price	es are LIST	
N A 1 - 1		Arm Pac	Arm Pad Options		СОМ	Uphol	stery Grad	е	
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRB01	basic task fixed back	armless	-	535	575	615	670	725	780
Use for basic tas Simple adjustme	k and minimal use situations.	DA drop away	BAP , BT	660	700	740	795	850	905
	ents.	VF fixed	-	640	680	720	775	830	885
		AT adj. T	BAP , BT	660	700	740	795	850	905
		ATS adj. T	BAP, BT	660	700	740	795	850	905
		MAT multi-function		680	720	760	815	870	925

Ships with CC01 hooded carpet casters and CY01 height cylinder

				300 lb. Capacity				All price	s are LIST
Madal			Arm Pad Options	ad Options		Uphol	Istery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRB02	swivel tilter ratchet back	armless	-	580	620	660	715	770	825
		DA drop away	BAP , BT	705	745	785	840	895	950
and meeting a ments.	applications. Simple adjust-	VF fixed	-	685	725	765	820	875	930
		AT/AW adj. T	BAP , BT	705	745	785	840	895	950
		ATS adj. T	BAP, BT	705	745	785	840	895	950
		ATS/AW adj. T	BAP, BT	725	765	805	860	915	970
		MAT/AW multi-function	-	780	820	860	915	970	1025

Ships with CC01 hooded carpet casters and CY01 height cylinder

				300 lb. Capacity				All pric	es are LIST
			Arm Pad Options	CO		Uphol	stery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRB03	posture back ratchet back	armless	-	645	685	725	780	835	890
	use and tasking situations	DA drop away	BAP , BT	770	810	850	905	960	1015
that require some for stools.	adjustability. Ideal control	VF fixed	-	750	790	830	885	940	995
** AW (adj. width	vidth arm brackets) cannot be PRB03 series if SS (sliding seat ment) is ordered.	AT/AW adj. T	BAP , BT	770	810	850	905	960	1015
included with PRB(depth adjustment)		ATS adj. T	BAP, BT	770	810	850	905	960	1015
		ATS/AW adj. T	BAP, BT	790	830	870	925	980	1035
		MAT/AW multi-function	-	845	885	925	980	1035	1090

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions:	seat width	16"	seat height from floor	back width 16"
	seat depth	14"	14"-17"	back height 19"-22"

Weight: 45 lbs. COM Requirements: 2 yards per chair



TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRB03	AT/AW	BAP	SB	MF	MOGULS	FLARE 2188	875

NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions	Arm Options	Arm Pad Options		Back Panel Options	
Basic Task			SB Stand	ard upholstered back panel. (DEFAULT)	
(1 paddle) Swivels 360°, pneumatic cylinder seat			BB Ballis	tic nylon back – recommended (no upch	arge)
height adjustment, back depth adjust- ment.				er back trim – recommended (<i>no upcha</i> se from 6 colors. Refer to web site for se	
	DA drop away	BAP Buzz arm pad (default pad if none specified except for ATS)	regardless o BB or BP is additional up	g is not responsible for back panel w f option chosen. For additional back wea recommended. One option is provided ocharge. If both options are ordered a 45 l er to web site for BP color selections.	r protectio I without a
			DEFAULT IS S	SB UNLESS SPECIFIED OTHERWISE	
				Additional Options	
	VF fixed chrome with soft urethane pad	BT bullet arm pad	MODEL#		ADD
<mark>Swivel Tilter</mark> 1 paddle)			CAL133	California Technical Bulletin 133	115
wivels 360°, pneumatic cylinder seat leight adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or ocks in upright position, internal ratchet back height adjustment.			MF	1" layer memory foam over upgraded high density foam seat	105
	\uparrow		EF	1" extra seat foam	46
			GLBG	Stationary bell glides (set of 5)	41
	AT/AW adj. T includes		HC01	Hard floor/multisurface casters (set o	of 5) 41
	height and width adjustment		MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
			MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
	¢ _		FR20	"Sure Grip" footring	92
Posture Back (2 padles) Swivels 360°, pneumatic cylinder seat	ATS adj. T height adjustment			dth arm brackets) cannot be included with g seat depth adjustment) is ordered.	PRB03 seri
neight adjustment, infinite back angle adjustment, internal ratchet back height adjustment.					
	ATS/AW adj. T includes height and width adjustment				

MAT/AW multi-function (no arm pad option)

Pronto Bantam Series



• For the person 4'10" or smaller

- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

		300 lb. Capacity					All prices are LIST		
	Arm Options	Arm Pad Options		СОМ	Upholstery Grade				
Model		(default pad in bold)	1	2	3	4	5	6	
PRB04 synchro tilter ratchet back	armless	-	645	685	725	780	835	890	
Smooth and simple ride. Synchronized	DA drop away	BAP , BT	770	810	850	905	960	1015	
movement between seat and back. Any application.	VF fixed	-	750	790	830	885	940	995	
**AW (adj. width arm brackets) cannot be	AT/AW adj. T	BAP , BT	770	810	850	905	960	1015	
included with PRB24 series if SS (sliding seat depth adjustment) is ordered.	ATS adj. T	BAP, BT	770	810	850	905	960	1015	
	ATS/AW adj. T	BAP, BT	790	830	870	925	980	1035	
	MAT/AW multi-function	-	845	885	925	980	1035	1090	

Ships with CC01 hooded carpet casters and CY01 height cylinder

				300 lb. Capacity				All prices are LIST	
Model		Arm Options	Arm Pad Options (default pad in bold)	1	СОМ	-	stery Grade		
<u>PRB08</u>	multi tilter ratchet back	armless	-	785	2 825	3 865	4 920	5 975	6 1030
	ns that require maximum	DA drop away	BAP , BT	910	950	990	1045	1100	1155
, ,	Itipurpose full 6 function ol. Recommended for its	VF fixed	-	890	930	970	1025	1080	1135
infinite range and o	ease of adjustments.	AT/AW adj. T	BAP , BT	910	950	990	1045	1100	1155
		ATS adj. T	BAP, BT	910	950	990	1045	1100	1155
		ATS/AW adj. T	BAP, BT	930	970	1010	1065	1120	1175
		MAT/AW multi-function	-	985	1025	1065	1120	1175	1230

Ships with CC01 hooded carpet casters and CY01 height cylinder

Most popula	st popular (recommended)				300 lb. Capacity				All prices are LIST	
			Arm Pad Options		СОМ	Uphol	stery Grad	e		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRB09	multi tilt ratchet back integrated seat slider	armless	-	810	850	890	945	1000	1055	
	y application. An all inclusive	DA drop away	BAP , BT	935	975	1015	1070	1125	1180	
ratchet back	lue price. Includes an internal height adjustment and seat	VF fixed	-	915	955	995	1050	1105	1160	
slider.		AT adj. T	BAP , BT	935	975	1015	1070	1125	1180	
		ATS adj. T	BAP, BT	935	975	1015	1070	1125	1180	
	MAT multi-fur		-	1010	1050	1090	1145	1200	1255	
		Obine with COOT be added as an	to a stars and OVO1 beingt and a	_						

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions:	seat width	16"	seat height from floor	back width	16"
	seat depth	14"	14"-17"	back height	19"-22"

Weight: 45 lbs. COM Requirements: 2 yards per chair



TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRB08	DA	BAP	BB	-	MOGULS	FLARE 2188	910


NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions

Synchro Tilter

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.



BT bullet arm pad

Multi Tilter (3 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment.


VF fixed

chrome with soft urethane pad

AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment

MAT/AW multi-function (no arm pad option)

- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge

Additional Options

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)) 41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92
FOOTNOTE:		

** AW (adj. width arm brackets) cannot be included with PRB08 series if SS (sliding seat depth adjustment) is ordered.

Multi Tilt w/Integrated Seat Slider

(4 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Pronto Petite Series



Sized for the petite individual

- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

				300 lb. Capacity					All prices are LIST	
Model			Arm Pad Options		СОМ	Uphol	stery Grad	е		
		Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRP01	basic task fixed back	armless	-	545	585	625	680	735	790	
	sk and minimal use situations.	DA drop away	BAP , BT	670	710	750	805	860	915	
Simple adjustme	ents.	VF fixed	-	650	690	730	785	840	895	
Stool options a	available on PRP01	AT adj. T	BAP , BT	670	710	750	805	860	915	
		ATS adj. T	BAP, BT	670	710	750	805	860	915	
		MAT multi-function	-	745	785	825	880	935	990	

Ships with CC01 hooded carpet casters and CY01 height cylinder

					300 lb. Ca	All pric	es are LIST		
			Arm Pad Options		СОМ	COM Upholstery Grade			
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRP02	swivel tilter ratchet back	armless	-	590	630	670	725	780	835
Great for mid management, conference room		DA drop away	BAP , BT	715	755	795	850	905	960
and meeting a ments.	pplications. Simple adjust-	VF fixed	-	695	735	775	830	885	940
		AT/AW adj. T	BAP , BT	715	755	795	850	905	960
		ATS adj. T	BAP, BT	715	755	795	850	905	960
		ATS/AW adj. T	BAP, BT	735	775	815	870	925	980
		MAT/AW multi-function	-	790	830	870	925	980	1035

Ships with CC01 hooded carpet casters and CY01 height cylinder

					300 lb. Ca	bacity		All price	es are LIST
Model		Arm Options	Arm Pad Options		СОМ		stery Grade		
Model			(default pad in bold)	1	2	3	4	5	6
PRP03	posture back ratchet back	armless	-	655	695	735	790	845	900
Perfect for clerical use and tasking situations		DA drop away	BAP , BT	780	820	860	915	970	1025
for stools.	adjustability. Ideal control	VF fixed	-	760	800	840	895	950	1005
		AT/AW adj. T	BAP , BT	780	820	860	915	970	1025
Stool options available on PRP03		ATS adj. T	BAP, BT	780	820	860	915	970	1025
		ATS/AW adj. T	BAP, BT	800	840	880	935	990	1045
		MAT/AW multi-function	-	855	895	935	990	1045	1100

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18" seat depth 16" seat height from floor 15.5"-19"

back width 17" back height 19"-22" Weight: 47 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRP01	AT/AW	BAP	SB	SP	MOGULS	FLARE 2188	803

NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions	Arm Options	Arm Pad Options		Back Panel Options	
Basic Task			SB Stand	lard upholstered back panel. (DEFAULT)	
l paddle) wivels 360°, pneumatic cylinder seat			BB Ballis	tic nylon back – recommended (no upchar	ge)
ent.				per back trim – recommended (<i>no upcharg</i> se from 6 colors. Refer to web site for sele	
	DA drop away	BAP Buzz arm pad (default pad if none specified except for ATS)	regardless o BB or BP is additional up	g is not responsible for back panel we f option chosen. For additional back wear recommended. One option is provided v ocharge. If both options are ordered a 45 list er to web site for BP color selections.	protection
			DEFAULT IS	SB UNLESS SPECIFIED OTHERWISE	
				Additional Options	
	VF fixed chrome with soft urethane pad	BT bullet arm pad	MODEL#		ADD
<u>wivel Tilter</u> paddle)			CAL133	California Technical Bulletin 133	115
ivels 360°, pneumatic cylinder seat ight adjustment, seat and back tilt as it, tilt tension control, tilt free floats or			MF	1" layer memory foam over upgraded high density foam seat	105
ks in upright position, internal ratchet ck height adjustment.	\uparrow		EF	1" extra seat foam	46
sk neight aujustment.			GLBG	Stationary bell glides (set of 5)	41
	AT/AW adj. T includes		HC01	Hard floor/multisurface casters (set of	5) 41
	height and width adjustment		MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
			MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
<mark>sture Back</mark> addles)	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓		SP	Stool package (with PRP01, PRP03 controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	133 J
vels 360°, pneumatic cylinder seat ht adjustment, infinite back angle stment, internal ratchet back height istment.			XSP	Ext. stool package (with PRP01 , PRP03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	156
	¥		FR20	"Sure Grip" footring	92
				idth arm brackets) cannot be included with Pl s (sliding seat depth adjustment) is ordered.	RP03
	ATS/AW adj. T includes height and width adjustment		_		

MAT/AW multi-function (no arm pad option)

Pronto Petite Series



• Sized for the petite individual

- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

	4 ·				300 lb. Capacity				
			Arm Pad Options		СОМ	Uphol	Upholstery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRP04	synchro tilter ratchet back	armless	-	655	695	735	790	845	900
	nple ride. Synchronized	DA drop away	BAP , BT	780	820	860	915	970	1025
application.	ween seat and back. Any	VF fixed	-	760	800	840	895	950	1005
** AW (adj. widt	width arm brackets) cannot be PRP04 series if SS (sliding seat ment) is ordered.	AT/AW adj. T	BAP , BT	780	820	860	915	970	1025
		ATS adj. T	BAP, BT	780	820	860	915	970	1025
		ATS/AW adj. T	BAP, BT	800	840	880	935	990	1045
		MAT/AW multi-function	-	855	895	935	990	1045	1100

Ships with CC01 hooded carpet casters and CY01 height cylinder

					300 lb. Ca	All price	es are LIST		
			Arm Pad Options		СОМ	Upholstery Grade			
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRP08	multi tilter ratchet back	armless	-	795	835	875	930	985	1040
Use in applications that require maximum		DA drop away	BAP , BT	920	960	1000	1055	1110	1165
ergonomic contro	tipurpose full 6 function ol. Recommended for its	VF fixed	-	900	940	980	1035	1090	1145
infinite range and	ease of adjustments.	AT/AW adj. T	BAP , BT	920	960	1000	1055	1110	1165
		ATS adj. T	BAP, BT	920	960	1000	1055	1110	1165
		ATS/AW adj. T	BAP, BT	940	980	1020	1075	1130	1185
		MAT/AW multi-function	-	995	1035	1075	1130	1185	1240

Ships with CC01 hooded carpet casters and CY01 height cylinder

Most popula	ost popular (recommended)					300 lb. Capacity				
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Upholstery Grade 3 4		le 5	6	
PRP09	multi tilt ratchet back integrated seat slider	armless	-	820	860	900	955	1010	1065	
,	application. An all inclusive	DA drop away	BAP , BT	945	985	1025	1080	1135	1190	
ratchet back l	lue price. Includes an internal height adjustment and seat	VF fixed	-	925	965	1005	1060	1115	1170	
slider.		AT adj. T	BAP , BT	945	985	1025	1080	1135	1190	
		ATS adj. T	BAP, BT	945	985	1025	1080	1135	1190	
		MAT multi-function	-	1020	1060	1100	1155	1210	1265	

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18" seat depth 16" seat height from floor back width 17" 15.5"-19" back height 19"-22" Weight: 47 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRP08	DA	BAP	SB	EF	MOGULS	FLARE 2188	966

NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions Arm Options Arm Pad Options **Back Panel Options** Synchro Tilter SB Standard upholstered back panel. (DEFAULT) (2 paddles) BB Ballistic nylon back - recommended (no upcharge) Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt BP Bumper back trim - recommended (no upcharge) between seat and back, free floats in Choose from 6 colors. Refer to web site for selection. unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back Buzz Seating is not responsible for back panel wear or tear height adjustment. BAP Buzz arm pad regardless of option chosen. For additional back wear protection, (default pad if none DA drop away BB or BP is recommended. One option is provided without an specified except for ATS) additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections. DEFAULT IS SB UNLESS SPECIFIED OTHERWISE Additional Options VF fixed BT bullet arm pad MODEL# chrome with soft urethane pad ADD Multi Tilter CAL133 California Technical Bulletin 133 115 (3 paddles) Swivels 360°, pneumatic cylinder seat MF 1" layer memory foam over 105 height adjustment, seat and back upgraded high density foam seat tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt EF 1" extra seat foam 46 tension control, internal ratchet back height adjustment, infinite back angle GLBG Stationary bell glides (set of 5) 41 adiustment. HC01 Hard floor/multisurface casters (set of 5) 41 AT/AW adj. T includes height and width adjustment MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) MSRLC Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 "Sure Grip" footring 92 Multi Tilt w/Integrated FOOTNOTE: Seat Slider ATS adj. T height adjustment ** AW (adj. width arm brackets) cannot be included with PRP04 (4 paddles) series if SS (sliding seat depth adjustment) is ordered. Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan. ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Pronto Midback Series



- Accommodates most individuals as
- a mid-sized chair • Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

	<u> </u>		300 lb. Capacity					es are LIST	
			Arm Pad Options		СОМ	Upholstery Grade			
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB01	basic task fixed back	armless	-	565	605	645	700	755	810
Use for basic task and minimal use situations.		DA drop away	BAP , BT	690	730	770	825	880	935
Simple adjustme	nts.	VF fixed	-	670	710	750	805	860	915
Stool options a	vailable on PRMB01	AT/AW adj. T	BAP , BT	690	730	770	825	880	935
		ATS adj. T	BAP, BT	690	730	770	825	880	935
		ATS/AW adj. T	BAP, BT	710	750	790	845	900	955
		MAT/AW multi-function	-	765	805	845	900	955	1010

Ships with CC01 hooded carpet casters and CY02 height cylinder

			300 lb. Capacity					es are LIST
		Arm Pad Options		СОМ	Uphol	stery Grade		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB02 swivel tilter ratchet back	armless	-	610	650	690	745	800	855
Great for mid management, conference room	DA drop away	BAP , BT	735	775	815	870	925	980
and meeting applications. Simple adjust- ments.	VF fixed	-	715	755	795	850	905	960
	AT/AW adj. T	BAP , BT	735	775	815	870	925	980
	ATS adj. T	BAP, BT	735	775	815	870	925	980
	ATS/AW adj. T	BAP, BT	755	795	835	890	945	1000
	MAT/AW multi-function	-	810	850	890	945	1000	1055

Ships with CC01 hooded carpet casters and CY02 height cylinder

				300 lb. Capacity					es are LIST
			Arm Pad Options		СОМ	Upholstery Grade			
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB03	posture back ratchet back	armless	-	675	715	755	810	865	920
Perfect for clerical use and tasking situations		DA drop away	BAP , BT	800	840	880	935	990	1045
for stools.	adjustability. Ideal control	VF fixed	-	780	820	860	915	970	1025
		AT/AW adj. T	BAP , BT	800	840	880	935	990	1045
Stool options av	ailable on PRMB03	ATS adj. T	BAP, BT	800	840	880	935	990	1045
		ATS/AW adj. T	BAP, BT	820	860	900	955	1010	1065
		MAT/AW multi-function	-	875	915	955	1010	1065	1120

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" seat depth 19.5"

seat height from floor 16"-21"

back width 20" back height 20.5"-23.5" Weight: 49 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRMB02	VF	-	SB		MOGULS	FLARE 2188	715

Mechanism Functions

Basic Task

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.





Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)
- **BP** Bumper back trim recommended (*no upcharge*) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with PRMB01 , PRMB02 & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
SP	Stool package (with PRMB01 , PRMB03 controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	133
XSP	Ext. stool package (with PRMB01 , PRMB03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	156
FR20	"Sure Grip" footring	92
THORBACK	Thoracic back (with PRMB03 only)	105

Swivel Tilter

Posture Back (2 paddles)

adjustment.

(1 paddle) Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height


AT/AW adj. T includes height and width adjustment

VF fixed

chrome with soft urethane pad



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Pronto Midback Series



- Accommodates most individuals as
- a mid-sized chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

				300 lb. Caj	oacity		All price	es are LIST
		Arm Pad Options		СОМ	Uphol	stery Grade		
Model	Arm Options	Arm Options (default pad in bold)		2	3	4	5	6
PRMB04 synchro tilter ratchet back	armless	-	675	715	755	810	865	920
Smooth and simple ride. Synchronized	DA drop away	BAP , BT	800	840	880	935	990	1045
movement between seat and back. Any application.	VF fixed	-	780	820	860	915	970	1025
**AW (adj. width arm brackets) cannot be	AT/AW adj. T	BAP , BT	800	840	880	935	990	1045
included with PRMB04 series if SS (sliding seat depth adjustment) is ordered.	ATS adj. T	BAP, BT	800	840	880	935	990	1045
	ATS/AW adj. T	BAP, BT	820	860	900	955	1010	1065
	MAT/AW multi-function	-	875	915	955	1010	1065	1120

Ships with CC01 hooded carpet casters and CY02 height cylinder

					300 lb. Ca	pacity		All price	es are LIST
			Arm Pad Options		СОМ	Uphol	stery Grade		
		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB08		armless	-	815	855	895	950	1005	1060
Use in applications that require maximum adjustability. Multipurpose full 6 function		DA drop away	BAP , BT	940	980	1020	1075	1130	1185
ergonomic contro	ol. Recommended for its	VF fixed	-	920	960	1000	1055	1110	1165
infinite range and e	ease of adjustments.	AT/AW adj. T	BAP , BT	940	980	1020	1075	1130	1185
		ATS adj. T	BAP, BT	940	980	1020	1075	1130	1185
		ATS/AW adj. T	BAP, BT	960	1000	1040	1095	1150	1205
		MAT/AW multi-function	-	1015	1055	1095	1150	1205	1260

Ships with CC01 hooded carpet casters and CY02 height cylinder

Most popular (recommended)

Most popular ((recommended)				300 lb. Ca	pacity		All price	es are LIST
			Arm Pad Options		СОМ	Uphol	stery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB09	multi tilt ratchet back integrated seat slider	armless	-	840	880	920	975	1030	1085
Perfect for any application. An all inclusive		DA drop away	BAP , BT	965	1005	1045	1100	1155	1210
ratchet back hei	e price. Includes an internal ight adjustment and seat	VF fixed	-	945	985	1025	1080	1135	1190
slider.		AT/AW adj. T	BAP , BT	965	1005	1045	1100	1155	1210
		ATS adj. T	BAP, BT	965	1005	1045	1100	1155	1210
		ATS/AW adj. T	BAP, BT	985	1025	1065	1120	1175	1230
		MAT/AW multi-function	-	1040	1080	1120	1175	1230	1285

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" seat depth 19.5"

seat height from floor 16"-21

back width 20" back height 20.5"-23.5"

Weight: 49 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRMB09	ATS	ВТ	SB	MF	MOGULS	FLARE 2188	1070

Arm Pad Options

BAP Buzz arm pad

(default pad if none


specified except for ATS)

Mechanism Functions

Synchro Tilter

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.





VF fixed

chrome with soft urethane pad

AT/AW adj. T includes height and width adjustment



BT bullet arm pad

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)
- **BP** Bumper back trim recommended (*no upcharge*) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with PRMB08 & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92
LINBACK	Linear back shape width 20"/height 20.5"-23.5" (PRMB04 Only)	N/C
THORBACK	Thoracic back (with PRMB09 only)	105

Multi Tilter


adjustment.

(3 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

Multi Tilt w/Integrated Seat Slider (4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment

MAT/AW multi-function (no arm pad option)

Pronto Highback Series



• Designed for the larger sized

- individual as a high back chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

				300 lb. Caj	oacity		All price	es are LIST
Model		Arm Pad Options		СОМ	Uphol	stery Grade		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB01 basic task fixed back	armless	-	645	685	725	780	835	890
Use for basic task and minimal use situations.	DA drop away	BAP , BT	770	810	850	905	960	1015
Simple adjustments.	VF fixed	-	750	790	830	885	940	995
Stool options available on PRHB01	AT/AW adj. T	BAP , BT	770	810	850	905	960	1015
	ATS adj. T	BAP, BT	770	810	850	905	960	1015
	ATS/AW adj. T	BAP, BT	790	830	870	925	980	1035
	MAT/AW multi-function	-	845	885	925	980	1035	1090

Ships with CC01 hooded carpet casters and CY02 height cylinder

					300 lb. Ca	þacity		All pric	es are LIST
			Arm Pad Options		СОМ	Uphol	stery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB02	swivel tilter ratchet back	armless	-	690	730	770	825	880	935
Great for mid management, conference room		DA drop away	BAP , BT	815	855	895	950	1005	1060
and meeting ap ments.	oplications. Simple adjust-	VF fixed	-	795	835	875	930	985	1040
		AT/AW adj. T	BAP , BT	815	855	895	950	1005	1060
		ATS adj. T	BAP, BT	815	855	895	950	1005	1060
		ATS/AW adj. T	BAP, BT	835	875	915	970	1025	1080
		MAT/AW multi-function	-	890	930	970	1025	1080	1135

Ships with CC01 hooded carpet casters and CY02 height cylinder

					300 lb. Ca	þacity		All pric	es are LIST
			Arm Pad Options		СОМ	Uphol	stery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
	posture back ratchet back	armless	-	755	795	835	890	945	1000
Perfect for clerical use and tasking situations that require some adjustability. Ideal control		DA drop away	BAP , BT	880	920	960	1015	1070	1125
for stools.	ajustability. Ideal control	VF fixed	-	860	900	940	995	1050	1105
		AT/AW adj. T	BAP , BT	880	920	960	1015	1070	1125
Stool options avail	lable on PRHB03	ATS adj. T	BAP, BT	880	920	960	1015	1070	1125
		ATS/AW adj. T	BAP, BT	900	940	980	1035	1090	1145
		MAT/AW multi-function	-	955	995	1035	1090	1145	1200

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 23"

2" seat height from floor 5" 16"-21"

back width 21" back height 25.5"-28.5" Weight: 52 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify: EXAMPLE	model PRHB03	arm AT/AW	arm pad BT	back panel BB	options MSLC		abric pattern MOGULS	fabric color FLARE 2188	price 949
Mechanism Functions	Ar	m Options		Arm Pad Options			Back P	anel Options	
a<u>sic Task</u> paddle)						SB Stan	dard upholstered	d back panel. (DEFAULT)
vivels 360°, pneumatic cylinder seat	$\overline{\nabla}$					BB Balli	stic nylon back –	- recommended (no upo	harge)
ight adjustment, back depth adjust- ent.	€ 0		-1)				•	recommended (<i>no upch</i> s. Refer to web site for s	• /
	D	A drop away	-1	BAP Buzz arm pad (default pad if none specified except for AT	S)	regardless BB or BP i additional u	of option chosen s recommended upcharge. If both	nsible for back panel I. For additional back we I. One option is provide options are ordered a 43 r BP color selections.	ear protec ed withou
						DEFAULT IS	SB UNLESS SPE	CIFIED OTHERWISE	
		VF fixed		BT bullet arm pad			Additio	onal Options	
vivel Tilter	chrome w	th soft urethan	e pad			MODEL#			<u>AD</u>
paddle) vivels 360°, pneumatic cylinder seat						CAL133	California T	echnical Bulletin 133	11
ight adjustment, seat and back tilt as it, tilt tension control, tilt free floats locks in upright position, internal	\square					MF		mory foam over igh density foam seat	10
chet back height adjustment.	Ĵ)			EF	1" extra sea	at foam	46
		adj. T includes				SS		t depth adjustment ble with PRHB01, PRHB	98 02
	height an	d width adjustn	nent			GLBG	Stationary b	cell glides (set of 5)	41
						HC01	Hard floor/r	nultisurface casters (se	of 5) 41
						MSLC		g hard floor casters unoccupied (set of 5)	69
osture Back	ł	H				MSRLC		g hard floor casters occupied (set of 5)	75
paddles) ivels 360°, pneumatic cylinder seat ight adjustment, infinite back angle justment, internal ratchet back height justment.	ATS adj.	Г height adjustr	nent			SP	PRHB03 co cylinder and	age (with PRHB01 , Introls only). Includes 8 d "Sure Grip" footring. extends from 20"-28".	" "
	Ļ					XSP	PRHB03 co cylinder and	ackage (with PRHB01 , introls only). Includes 1 d "Sure Grip" footring. extends from 22"-32".	15) 0"
						FR20	"Sure Grip"	footring	92



MAT/AW multi-function (no arm pad option)

Pronto Highback Series



- Designed for the larger sized
- individual as a high back chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit

· Partial assembly required

				300 lb. Ca	bacity		All price	es are LIST
		Arm Pad Options		СОМ	Uphol	stery Grad	3	
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB04 synchro tilter ratchet back	armless	-	755	795	835	890	945	1000
Smooth and simple ride. Synchronized	DA drop away	BAP , BT	880	920	960	1015	1070	1125
movement between seat and back. Any application.	VF fixed	-	860	900	940	995	1050	1105
	AT/AW adj. T	BAP , BT	880	920	960	1015	1070	1125
	ATS adj. T	BAP, BT	880	920	960	1015	1070	1125
	ATS/AW adj. T	BAP, BT	900	940	980	1035	1090	1145
	MAT/AW multi-function	-	955	995	1035	1090	1145	1200

Ships with CC01 hooded carpet casters and CY02 height cylinder

					300 lb. Ca	pacity		All pric	es are LIST
			Arm Pad Options		СОМ	Uphol	stery Grade		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB08	multi tilter ratchet back	armless	-	895	935	975	1030	1085	1140
Use in applications that require maximum adjustability. Multipurpose full 6 function		DA drop away	BAP , BT	1020	1060	1100	1155	1210	1265
ergonomic contro	ol. Recommended for its	VF fixed	-	1000	1040	1080	1135	1190	1245
infinite range and o	ease of adjustments.	AT/AW adj. T	BAP , BT	1020	1060	1100	1155	1210	1265
		ATS adj. T	BAP, BT	1020	1060	1100	1155	1210	1265
		ATS/AW adj. T	BAP, BT	1040	1080	1120	1175	1230	1285
		MAT/AW multi-function	-	1095	1135	1175	1230	1285	1340

Ships with CC01 hooded carpet casters and CY02 height cylinder

Most nonular (recommended)

Most popular (recommended)				300 lb. Capacity				All price	es are LIST	
			Arm Pad Options		СОМ	Uphols	stery Grad	е		
Model		Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRHB09	multi tilt ratchet back integrated seat slider	armless	-	920	960	1000	1055	1110	1165	
Perfect for any application. An all inclusive		DA drop away	BAP , BT	1045	1085	1125	1180	1235	1290	
ratchet back he	e price. Includes an internal ight adjustment and seat	VF fixed	-	1025	1065	1105	1160	1215	1270	
slider.		AT/AW adj. T	BAP , BT	1045	1085	1125	1180	1235	1290	
		ATS adj. T	BAP, BT	1045	1085	1125	1180	1235	1290	
		ATS/AW adj. T	BAP, BT	1065	1105	1145	1200	1255	1310	
		MAT/AW multi-function	-	1120	1160	1200	1255	1310	1365	

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 23"

seat height from floor 16"-21

back width 21" back height 25.5"-28.5" Weight: 52 lbs. COM Requirements: 2 yards per chair





TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRHB08	MAT/AW	-	SB/BP06	-	MOGULS	FLARE 2188	1095

Mechanism Functions

Synchro Tilter

(2 paddles)

Multi Tilter (3 paddles)

adjustment.

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Seat Slider

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle



DA drop away




chrome with soft urethane pad



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment

MAT/AW multi-function (no arm pad option)

Arm	Pad	Opti	ions



BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- BB Ballistic nylon back - recommended (no upcharge)
- BP Bumper back trim - recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with PRHB08 & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92



• 24/7 Multi-shift intensive use environments

• Heavy duty components

- Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
- Built for extreme conditions
- Partial assembly required
- Memory foam seat

			350 lb	o. Capacity			All price	es are LIST	
		Arm Pad Options		СОМ	Uphol	stery Grad	е		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRMB01HD basic task fixed back	armless	-	885	925	965	1020	1075	1130	
Basic task situations that require minimal adjustments.	DA drop away	BAP , BT	1010	1050	1090	1145	1200	1255	
	VF fixed	-	990	1030	1070	1125	1180	1235	
Stool options available on PRMB01HD	AT/AW adj. T	BAP , BT	1010	1050	1090	1145	1200	1255	
	ATS adj. T	BAP, BT	1010	1050	1090	1145	1200	1255	
	ATS/AW adj. T	BAP, BT	1025	1065	1105	1160	1215	1270	
	MAT/AW multi-function	-	1085	1125	1165	1220	1275	1330	

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

			350 lb	o. Capacity			All pric	es are LIST
Model	Arm Options	Arm Pad Options		СОМ	Uphol	stery Grade		
	Annoptions	(default pad in bold)	1	2	3	4	5	6
PRMB08HD multi tilter ratchet back	armless	-	1015	1055	1095	1150	1205	1260
Use in applications that require maximum adjustability. Multipurpose full 6 function	DA drop away	BAP , BT	1140	1180	1220	1275	1330	1385
ergonomic control. Recommended for its in- finite range and ease of adjustments.	VF fixed	-	1120	1160	1200	1255	1310	1365
ninte range and ease of aujustments.	AT/AW adj. T	BAP , BT	1140	1180	1220	1275	1330	1385
	ATS adj. T	BAP, BT	1140	1180	1220	1275	1330	1385
	ATS/AW adj. T	BAP, BT	1155	1195	1235	1290	1345	1400
	MAT/AW multi-function	-	1215	1255	1295	1350	1405	1460

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

Most popular (recommended)	350 lb. Capacity				All price	All prices are LIST			
		Arm Pad Options		СОМ	Uphol	stery Grad	е		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRMB09HD <i>multi tilter ratchet back integrated seat slider</i>	armless	-	1035	1075	1115	1170	1225	1280	
Perfect for any application. An all inclusive control at a value price. Includes an internal	DA drop away	BAP , BT	1160	1200	1240	1295	1350	1405	
ratchet back height adjustment and seat slider.	VF fixed	-	1140	1180	1220	1275	1330	1385	
Sidei.	AT/AW adj. T	BAP , BT	1160	1200	1240	1295	1350	1405	
	ATS adj. T	BAP, BT	1160	1200	1240	1295	1350	1405	
	ATS/AW adj. T	BAP, BT	1175	1215	1255	1310	1365	1420	
	MAT/AW multi-function	-	1235	1275	1315	1370	1425	1480	

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 20.5" seat depth 17.5"

seat height from floor chair version 16.5"-20.5" stool version 23"-31"

back width 18" back height 20.5"-23.5" Weight: approx. 54-58 lbs. COM Requirements: 2 yards per chair




TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRMB01HD	DA	BAP	BB	HC01-HD	ANCHORAGE	ΟΝΥΧ	1085

Mechanism Functions

Basic Task -Heavy Duty Version

(1 paddle) Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.





Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad

I

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)
- **BP** Bumper back trim recommended (*no upcharge*) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	115
EF	1" extra seat foam	46
GLBG	Stationary bell glides (set of 5)	41
HC01-HD	Hard floor casters (set of 5)	75
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
SP-HD	Stool package (with PRMB01HD controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	196
XSP-HD	Ext. stool package (with PRMB01HD controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	219
FR20	"Sure Grip" footring	92

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

<u>Multi Tilter -</u> <u>Heavy Duty Version</u> (3 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment.

Multi Tilt w/Integrated Seat Slider Heavy Duty Version (4 paddles)


Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan. AT/AW adj. T includes height and width adjustment

VF fixed

chrome with soft urethane pad



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment

MAT/AW multi-function (no arm pad option)

Pronto Highback 24/7 Multi-Shift Series



- 24/7 Multi-shift intensive use environments
- Heavy duty components
- · Accommodates most individuals as a high-back chair
- Proportionally scaled seat and back
- Built for extreme conditions
- Partial assembly required
- Memory foam seat

			All price	All prices are LIST				
Model	Arm Options	Arm Pad Options		COM	-	stery Grad		
		(default pad in bold)	1	2	3	4	5	6
PRHB01HD basic task fixed back	armless	-	965	1005	1045	1100	1155	1210
Basic task situations that require minimal	DA drop away	BAP , BT	1090	1130	1170	1225	1280	1335
adjustments.	VF fixed	-	1065	1105	1145	1200	1255	1310
Stool options available on PRHB01HD	AT/AW adj. T	BAP , BT	1090	1130	1170	1225	1280	1335
	ATS adj. T	BAP, BT	1090	1130	1170	1225	1280	1335
	ATS/AW adj. T	BAP, BT	1105	1145	1185	1240	1295	1350
	MAT/AW multi-function	-	1165	1205	1245	1300	1355	1410

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

			350 lb	. Capacity			All price	es are LIST
		Arm Pad Options		СОМ	Uphol	stery Grade		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB08HD multi tilter ratchet back	armless	-	1095	1135	1175	1230	1285	1340
Use in applications that require maximum adjustability. Multipurpose full 6 function	DA drop away	BAP , BT	1220	1260	1300	1355	1410	1465
ergonomic control. Recommended for its in- finite range and ease of adjustments.	VF fixed	-	1195	1235	1275	1330	1385	1440
inite range and ease of adjustments.	AT/AW adj. T	BAP , BT	1220	1260	1300	1355	1410	1465
	ATS adj. T	BAP, BT	1220	1260	1300	1355	1410	1465
	ATS/AW adj. T	BAP, BT	1235	1275	1315	1370	1425	1480
	MAT/AW multi-function	-	1295	1335	1375	1430	1485	1540

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

Most popular (recommended)	350 lb. Capacity				All price	All prices are LIST		
	A mar O at i a ma	Arm Pad Options		СОМ	Uphol	stery Grade		
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB09HD multi tilter ratchet back integrated seat slider	armless	-	1115	1155	1195	1250	1305	1360
Perfect for any application. An all inclusive control at a value price. Includes an internal	DA drop away	BAP , BT	1240	1280	1320	1375	1430	1485
ratchet back height adjustment and seat slider.	VF fixed	-	1215	1255	1295	1350	1405	1460
Siluei.	AT/AW adj. T	BAP , BT	1240	1280	1320	1375	1430	1485
	ATS adj. T	BAP, BT	1240	1280	1320	1375	1430	1485
	ATS/AW adj. T	BAP, BT	1255	1295	1335	1390	1445	1500
	MAT/AW multi-function	-	1315	1355	1395	1450	1505	1560

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 20"

seat height from floor chair version 16.5"-20.5" stool version 23"-31"

back width 20" back height 23.5"-26.5" Weight: approx. 56-60 lbs. COM Requirements: 2 yards per chair




TO ORDER, please specify:	model	arm	arm pad	back panel	options	fabric pattern	fabric color	price
EXAMPLE	PRHB01HD	VF	-	BB	HC01-HD	ANCHORAGE	ONYX	1140

Mechanism Functions

Basic Task -Heavy Duty Version

(1 paddle) Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.



VF fixed

chrome with soft urethane pad

AT/AW adj. T includes height and width adjustment



Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad

I

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)
- **BP** Bumper back trim recommended (*no upcharge*) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	115
EF	1" extra seat foam	46
GLBG	Stationary bell glides (set of 5)	41
HC01-HD	Hard floor casters (set of 5)	75
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5))	75
SP-HD	Stool package (with PRHB01HD controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	196
XSP-HD	Ext. stool package (with PRHB01HD controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	219
FR20	"Sure Grip" footring	92

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

<u>Multi Tilter -</u> <u>Heavy Duty Version</u> (3 paddles)


Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment.

Multi Tilt w/Integrated Seat Slider Heavy Duty Version (4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment

MAT/AW multi-function (no arm pad option)

Arm Options



DA Drop Away Adjustable T-Arm

Adjustable 2.5" in height and can be dropped completely rearward with tension adjustment. Available with any arm pad option. **DA** add **125** list



VF Fixed Arm

Non-adjustable. Urethane pad with chromed uprights. Front sloped for under desk or table access. **VF** add **105** list



AT/AW Adjustable T-Arm

Traditional style. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad option. AT/AW add 125 list



ATS Adjustable T-Arm

Contemporary style. Adjustable 2.5" in height. Available with any arm pad option. **ATS** add **125** list

Casters

Definitions

Carpet Caster - Hard wheel for use on soft surfaces such as carpet

Hard Floor Caster – Soft wheel for use on tile, wood, vinyl, concrete or any other hard surface

Multi-Surface Caster - Hard wheel for use on all floor types

Locking Caster – Casters do not allow the chair to roll when nobody is seated in chair



Pronto/Snap/Melo Basic & Medical Stool Black hooded caster

CC01 – Carpet casters add 41 list / set of 5 HC01 – Hard floor casters add 41 list / set of 5

Jem/Caboodle

Large wheel black hooded caster **CC02** – Carpet casters add **46** list / set of 4 **HC02** – Hard floor casters add **46** list / set of 4

Rika/Melo/Pronto Mesh/Dandy/Nifty

Black non-hooded caster CC07 – Black carpet casters add 46 list / set of 5 CC07-SL – Black & silver carpet casters add 46 list / set of 5 HC07 – Hard floor casters add 46 list / set of 5

Jem/Melo Side

Small wheel black caster CC09 - Black carpet casters add 46 list / set of 4 HC09 - Hard floor casters add 46 list / set of 4

u(U)

Pronto HD/Shield/Big & Tall

Black non-hooded caster **CC01-HD** – Carpet casters add **75** list / set of 5 **HC01-HD** – Hard floor casters add **75** list / set of 5

Non-Hooded Caster

Shield HD/Big & Tall HD

Black non-hooded caster MSSHD – Multi-surface add 75 list / set of 6

Universal Chrome Caster

Chrome hooded caster CCCH – Carpet casters add 52 list / set of 5 HCCH – Hard floor casters add 52 list / set of 5

Universal Locking Caster

Black hooded caster **MSLC** – Multi-surface add **69** list / set of 5



ATS/AW Adjustable T-Arm including Width Adjustment Brackets

ATS contemporary style adjustable T-Arm includes AW adjustable width brackets. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad option. ATS/AW add 140 list

	\longleftrightarrow
\subset	
	\setminus (
Top	\sim
220	
/ 1	Λ
	\0\↓
\cup	1 1
$\leftarrow \rightarrow$	

MAT/AW Multi-Function Arm

Adjusts 2.5" in height. Pads have center pivot point and rotate 22" in and out (2 separate directions). Additionally, pads slide forward and rearward with 2" of travel. Width adjustable brackets included. MAT/AW add 200 list



AL Adjustable Loop Arm Urethane. Adjust 2.5" in height Use with Big & Tall, Shield, Pronto 24/7. AL add 185 list

Reverse Locking Caster – Casters do not allow the chair to roll when someone is seated in chair

Hooded Caster - Wheels are covered by a "Hood"

Non-Hooded Caster - Casters are exposed



Universal Reverse Locking Caster Black hooded caster MSRLC – Multi-surface casters add 75 list / set of 5

Flite

Black nylon glide caster **GL01** add **12** list / set of 4

Jem/Melo Side Black nylon caster GL07 add 29 list / set of 4

Start Black nylon glide caster GL04 add 12 list / set of 4

Universal Bell Glide Black nylon glide caster GLBG add 41 list / set of 5

Arm Pad Options



BAP Buzz arm pad profile (default pad if none specified except for ATS) add **35** list per pair



BT bullet arm pad profile (recommended and default for ATS) add **35** list per pair

Accessories



Ballistic nylon back

Can be applied for added strength. Prevents scratching or tearing of fabric. Black in color. Used in place of plastic backs. **BB** No upcharge

*ordered in conjunction with **BP** bumper guard add **45** list

Bumper back trim

Vinyl strip attached to the outer perimeter of the rear back panel of chair to protect against edge back wear. Available in 6 colors that can be color coordinated with fabric or vinyl. Refer to web site for color selections. **BP** No upcharge *ordered in conjunction with **BB** ballistic nylon

add 45 list




Thoracic back

Provides additional pronounced support throughout the thoracic area of the back. (On PRMB03, 09 only) **THORBACK** add **105** list Ordered separately contact **customer service**



Sliding seat pan

Allows the seat to be adjusted to different depth settings. Permits 2.5" of travel at multiple lock-in points. SS (MESH) add 87 list SS add 98 list *Not available on stools



1" Additional seat foam

Add for increased seat comfort. **EF** standard foam add **46-64** list depending on model **MF** 1" layer memory foam over upgraded high density foam seat add **105** list



Standard stool package

Extended stool package

travel cylinder included.

XSP add 156 list XSP-HD add 219 list

Seat height from floor ranges from 20" to 28". Actual seat heights can vary depending upon model. Footring and 8" travel cylinder included. SP add 133 list SP-HD add 196 list


Seat height from floor ranges from 22" to 32". Actual seat

heights can vary depending upon model. Footring and 10"

Fire blocker is upholstered over seat and back foam.







CAL 133

Headrest

Rika series

RAHR add 130 list



Parts List Customer is responsible for shipping cost for parts and upholstery.

		1 3
MODEL#	ITEM	LIST PRICE
ARMS		
DA	Drop away (complete) - specify pad	125 pair
VF	V shaped fixed	105 pair
AT/AW	Adjustable height & width (complete) - specify pad	125 pair
ATS	Contemporary adjustable height (complete) - specify pad	125 pair
ATS/AW	Contemporary adjustable height & width (complete) - specify pad	140 pair
MAT/AW	Multi-Function height & weight (complete)	200 pair
AW	Adjustable width brackets *when purchased separately	29 pair
AL	Adjustable height loop	185 pair
BAP	Buzz Arm Pad (replaced Diamond Pad)	35 pair
вт	Bullet Pad	35 pair
RMFA	Rika multi function height adjustable	115 pair
<u>CYLINDER</u>		
CY00	Specialty - 2.5" Travel	35 ea
CY01	Bantam/Petite - 3" Travel	35 ea
CY02	Pronto MB & HB - 5" Travel	41 ea
CY02-CH	Pronto MB & HB/Pronto Mesh/Melo/Medical Chrome - 5" Travel	52 ea
CY02-HD	Pronto Heavy Duty - 5" Travel	58 ea
CY02-HD2	Shield/Big & Tall - 5" Travel	58 ea
CY02-SHD	Shield/Big & Tall Super Heavy Duty - 5" Travel	127 ea
CY03	Chair/Stool - 7.5" Travel	46 ea
CY04	Stool - 8" Travel	41 ea
CY04-CH	Stool Chrome - 8" Travel	58 ea
CY04-HD	Stool Heavy Duty - 8″ Travel	104 ea
CY05	Extended Stool - 10" Travel	64 ea
CY05-CH	Extended Stool Chrome - 10" Travel	81 ea
CY05-HD	Extended Stool Heavy Duty - 10" Travel	127 ea
CY06	Melo/Pronto Mesh - 4" Travel	46 ea
CY06-CH	Melo/Pronto Mesh Chrome - 4" Travel	46 ea
CY06-HD	Melo/Pronto Mesh Heavy Duty - 4" Travel	58 ea
CY07	Rika Short / Nifty - 3" Travel	46 ea
CY08	Rika Standard - 4″ Travel	46 ea
CY09	Rika Tall - 5" Travel	46 ea
CY10	Dandy - 5" Travel	46 ea
CY13	Medical/Snap - 5" Travel	41 ea
CY14	Melo Basic - 5" Travel	41 ea
CY16	LOD20 - Auto Return	46 ea
CY17	LOD40 - 2.5" Travel	46 ea
CY18	Nifty - 4" Travel	46 ea
CY19	LOD50/60/70 - 5" Travel	46 ea
CY20	LOD80 - 2.75" Travel	46 ea
CY22	Rika Short Leather - 3.5" Travel	46 ea
COVER	Cylinder Cover Can	35 ea

MODEL#	ITEM	LIST PRICE
BASE		
BASE22	22" Poly Base in Blk, Dk Gray, Lt Gray, Sand Medical	52 ea
BASE22-A	22" Polished Aluminum Base Medical/Snap (not availabe on stools)	115 ea
BASE23	23" Poly Black Base Snap	52 ea
BASE24	24" Poly Black Base Bantam/Petite/Urethane	52 ea
BASE24-M	24" Poly Base in Blk, Dk Gray,Lt Gray, Sand Medical/Snap	52 ea
BASE25-TH	25" Thunder Poly Black Base Melo/Pronto Mesh	52 ea
BASE25-THA	25" Thunder Polished Aluminum Base Melo/Pronto Mesh	115 ea
BASE26	26" Poly Black Base Pronto MB/HB	52 ea
BASE26-A	26" Polished Aluminum Base Pronto MB/HB	115 ea
BASE27.5-HD	27.5" Poly Black Base Big & Tall/Shield	75 ea
BASE27.5-SHD	27.5" Steel Black Base Big & Tall HD/Shield HD	219 ea
BASE-PAB	Rika Polished Aluminum Base	115 ea
BASE-PBB	Rika Poly Black Base	52 ea
BACO	Base Collar (adds 3/4" to seat height	6 еа

MISCELLANEOUS

FR18	18" Sure Grip Foot Ring Medical Stool Only	92 ea
FR20	20" Sure Grip Foot Ring	92 ea

Contact Customer Service for parts not shown.



Customer is responsible for shipping cost for parts and upholstery.

Parts List Customer is responsible for shipping cost for parts and upholstery.

-		Se customer is responsible for ship	ping cos
	MODEL#	ITEM	LIST PRICE
	CARPET CAST	ERS	
	CC01	Hooded Carpet Caster (Black) Pronto/Urethane/Snap/Melo Basic	41 set of 5
	CC01-HD	Carpet Heavy Duty Caster (Black) Pronto HD/Big & Tall/ Shield	75 set of 5
	CC02	Hooded Carpet Caster (Black) Large Wheel Caboodle/Jem	46 set of 5
	CC07	Carpet Caster (Black) Dandy/Nifty/Melo/Pronto Mesh/Rika	46 set of 5
	CC07-SL	Carpet Caster (Black & Silver) Melo/Pronto Mesh	46 set of 5
	CC09	Carpet Caster (Black) Small Wheel Jem/Melo Side	46 set of 5
	СССН	Carpet Caster (Chrome)	52 set of 5
	HARD FLOOR	CASTERS	
	HC01	Hooded Hard Floor Caster (Black)	41
		Pronto/Urethane/Snap/Melo Basic	set of 5
	HC01-HD	Hard Floor Heavy Duty Caster (Black) Pronto HD/Big & Tall/Shield	75 set of 5
	HC02	Hooded Hard Floor Caster (Black) Large Wheel Caboodle/Jem	46 set of 5
	HC07	Hard Floor Caster (Black) Dandy/Nifty/Melo/Pronto Mesh/Rika	46 set of 5
	HC09	Hard Floor Caster (Black) Small Wheel Jem/Melo Side	46 set of 5
	нссн	Hard Floor Caster (Chrome)	52
			set of 5
	<u>GLIDES</u>		
	GL01	Glide (Black Nylon)	12
		Flite	set of 4
	GL02	Glide (Black Nylon) Jem (short)/Jem Arm Hole Covers	12 set of 4
	GL03	Glide (Black Nylon) Melo Side (short)	12 set of 4
	GL04	Glide (Black Nylon) Start	12 set of 4
	GL05	Glide (Black Nylon) LOD20	12 set of 4
	GL06	Glide (White Nylon) LOD151/157	12 set of 4
	GL07	Glide (Black Nylon) Jem/Melo Side (tall)	29 set of 4
	GLBG	Stationary Bell Glide	41 set of 5
	GLRF	Rubber Feet	35 set of 4

	· · · · ·)	
MODEL#	ITEM	LIST PRICE
MULTI-SU	RFACE CASTERS	
MS02	Multi-Surface Caster (Black) LOD40/LOD50	46 set of 5
MS03	Multi-Surface Caster (Black) LOD60/LOD70/LOD80	46 set of 5
MSLC	Multi-Surface Locking Caster (Black) *Breaks when not seated	69 set of 5
MSRLC	Multi-Surface Reverse Locking Caster (Black) *Breaks when seated	75 set of 5
MSSHD	Multi-Surface Super Heavy Duty Caster (Black) Big & Tall HD/Shield HD	75 set of 6
UPHOLST	RY Net P	rice
Grade 1	Specify Pattern/Color	35 per yd
Grade 2	Specity Pattern/Color	45 per yd
Grade 3	Specify Pattern/Color	50 per yd
Grade 4	Specify Pattern/Color	60 per yd
Grade 5	Specify Pattern/Color	75 per yd
Grade 6	Specify Pattern/Color	95 per yd
Ballistic N	ylon Specify Color	50 per yd

Contact Customer Service for parts not shown.



Customer is responsible for shipping cost for parts and upholstery.





1.877.263.5737



1.513.772.7328



www.buzzseating.com



Buzz Seating Inc.

PO Box 31379, Cincinnati, OH 45231

www.buzzseating.com