



DiskStation DS1815+

Synology DiskStation DS1815+ features an all-new quad core CPU with an AES-NI hardware encryption engine, providing outstanding performance and data encryption acceleration. With four built-in Gigabit LAN ports and scalability of up to 18 drives, Synology DS1815+ is the ideal storage solution for centralizing data backups, protecting critical assets and sharing files across different platforms. Synology DS1815+ is backed with Synology's 3-year limited warranty.

Highlights

- **Quad Core CPU with AES-NI Hardware Encryption Engine**
- **Outstanding Throughput at over 451.44 MB/s Reading, 413.14 MB/s Writing**
- **Astonishing Encryption Acceleration at over 451.35 MB/s Reading, 195.46 MB/s Writing**
- **Four Gigabit LAN Ports with Failover and Link Aggregation Support**
- **Scale up to 18 drives with Synology DX513**
- **Expandable RAM Module (Up to 6GB)**
- **VMware®, Citrix®, Microsoft® Hyper-V® Certified**
- **High Availability and SSD Read/Write Cache Support**
- **Running on Synology DiskStation Manager (DSM)**

Superior Performance

Synology DS1815+ is built for speed. With **quad core CPU** and **expandable RAM module up to 6GB**, DS1815+ is ideal for the mission critical tasks of small and medium-sized businesses as well as the most intensive applications from data-encryption to virtualization support. Through advanced flash technology, the combination of hard drives and **read/write-optimized SSD cache** boosts throughput efficiently while minimizing cost per gigabyte.

With link aggregation, Synology DS1815+ can deliver up to an average **451.44 MB/s reading** and **413.14 MB/s writing** speed under RAID 5 configuration in a Windows® environment.¹ Powered by its **AES-NI hardware encryption engine**, DS1815+ also delivers fast encrypted data transmission at over **451.35 MB/s reading** and **195.46 MB/s writing**.

Virtualization Certified

DS1815+ provides seamless storage solutions for virtualization environments, including **VMware**, **Citrix**, and **Hyper-V**. Being **VMware vSphere 5** and **VAAI** integration certified, DS1815+ helps offload specific storage operations and optimizes computation power for unparalleled performance and efficiency in VMware environments. As the centralized storage of a virtual environment, DS1815+ enables virtual machine migration, allowing movement from server to server whilst eliminating service downtime and disruption to user. **Windows Offloaded Data Transfer (ODX)** and **Synology Advanced LUN** support extremely improves the efficiency on massive data transfer and migration.



Figure 1) Reliability, Availability & Disaster Recovery

Synology High Availability ensures seamless transition between clustered servers in the event of server failure with minimal impact to businesses.



Figure 2) Superior Performance

Multiple LAN ports with link aggregation support allows DS1815+ to deliver superior performance.

Feature-Rich Business Applications

Put your data to work with Synology's DS1815+. With **Windows ACL** and **LDAP** support, DS1815+ fits easily into any existing workgroup environment, providing detailed access control and efficient privilege settings. SMB applications including **printer sharing**, **VPN Server**, **Mail Server**, **web server**, **anti-virus**, and **network video surveillance**, allow a single Synology DS1815+ to replace several traditional computing devices and help to maximize your productivity while keeping cost and effort to a minimum.

Resilient and Reliable

In addition to its superior performance, DS1815+ is built for reliability. **Four Gigabit LAN ports** provide redundancy in the event of unexpected hardware failure while hot swappable drives also help to minimize system downtime during drive replacement.

Uninterrupted availability is a critical goal for all businesses; however, many businesses worldwide still remain unprepared for disaster.

Synology High Availability (SHA) can ensure a seamless transition between clustered servers in the event of server failure with minimal impact to applications, thus decreasing the risk of unexpected interruptions and costly downtime.

Unparalleled Flexibility

As your data storage needs grow, Synology's DS1815+ can grow with you. DS1815+ can be connected to dedicated expansion units for additional storage on the fly, growing capacity with minimal effort. When paired with two DX513 expansion units² through specially designed eSATA connectors, raw capacity can be as high as 108TB.

Easy Backup Solutions


To protect your critical business data, DS1815+ can become a centralized backup target for consolidating fragmented and unstructured information across your network through a range of options. **Synology Hybrid RAID** allows you to optimize usage and get the most out of your hard drives, while also keeping your storage safe with data redundancy. Complete backup solutions including **LUN Snapshot**, **LUN clone** and **Backup & Replication** minimize the impact of disasters.

Energy Efficient Design

Synology DS1815+ is designed with energy efficiency in mind. Equipped with two 120 X 120 mm fans and a smart airflow design to keep the system running cool 24/7, while its noise dampening design makes it much quieter than PC counterparts. Hard drive hibernation further reduces power consumption and operation costs.

All Synology products are produced with RoHS compliant parts and packed with recyclable packing materials. Synology acknowledges the responsibility as a global citizen to continually work to reduce the environmental impact of every product produced.

Connections & Buttons



Technical Specifications

Hardware

CPU	Intel Atom C2538 Quad Core 2.4GHz
Hardware Encryption Engine	Yes (AES-NI)
Floating Point	Yes
RAM Size	DDR3 2 GB (Expandable up to 6 GB)
Internal HDD/SSD	3.5" or 2.5" SATA(III) X 8 (hard drives not included)
Max Internal Capacity	48 TB (6 TB HDD X 8) (The actual capacity will differ according to volume types)
Hot Swappable HDD	Yes
External Ports	USB 3.0 ports X 4, eSATA X 2
Size (HxWxD)	157 x 340 x 233 mm
Weight	5.29 kg
LAN	Gigabit X 4
Wake on LAN/WAN	Yes
Wireless Support	Yes (wireless dongles not included)
AC Input Power Voltage	100V to 240V
Power Frequency	50 Hz to 60 Hz, Single Phase
Operating Temperature	5°C to 35°C (40°F to 95°F)
Storage Temperature	-20°C to 60°C (-5°F to 140°F)
Relative Humidity	5% to 95% RH

General

Networking Protocols	CIFS, AFP, NFS, FTP, WebDAV, CalDAV, iSCSI, Telnet, SSH, SNMP, VPN (PPTP, OpenVPN™, L2TP)
File System	Internal: EXT4 External: EXT4, EXT3, FAT, NTFS, HFS+
Storage Management	Max File System Size: 108 TB, Max Internal Volume #: 512, Max iSCSI Target #: 32, Max iSCSI LUN#: 256; Raid Clone/Snapshot support; Supported RAID Type: Synology Hybrid RAID, Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10; Synology Expansion Unit Support : DX513, DX213
File Sharing Capability	Max User Account: 2048, Max Group: 256, Max Shared Folder: 512, Max Concurrent CIFS/AFP/FTP Connections: 512
Privilege	Windows Access Control List (ACL)
Directory Service	Windows AD Integration: Domain Users login via Samba (CIFS)/AFP/FTP/File Station, LDAP Integration
Virtualization	VMware vSphere 5, Microsoft Hyper-V, Citrix Ready
Security	FTP over SSL/TLS, IP Auto-Block, Firewall, Encrypted Network Backup over Rsync, HTTPS Connection
Utilities	Synology Assistant, Cloud Station, Evidence Integrity Authenticator
Supported Clients	Windows XP onward, Mac OS X 10.5 onward, Ubuntu 9.04 onward
Supported Browsers	Chrome®, Firefox® Internet Explorer®: 8 or onward, Safari® 5 or onward, Safari (iOS 5 or later on iPad®), Chrome (Android™ 4.0 on tablets)
Language	English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svensk, Nederlands, Русский, Polski, Mag Português do Brasil, Português Europeu, Türkçe, Český, 日本語, 한국어, 繁體中文, 简体中文

Applications

File Station	Virtual Drive, Remote Folder
Backup Solutions	Network Backup, Local Backup, Desktop Backup, Shared Folder Sync - Max Task Number: 8, Configuration Backup
Mail Server	Supported Mail Server Protocols: POP3, SMTP, IMAP
FTP Server	Bandwidth Control, Custom FTP Passive Port Range, Anonymous FTP, Transfer Log
Web Station	Virtual Host (up to 30 websites), PHP/MySQL®, 3rd-Party Applications Support
Printer Server	Max Printer #: 2, Printing Protocols: LPR, CIFS, IPP, Apple iOS Printing, Google Cloud Print™, Multi Functional Print Server (MFP functions are for Windows PC only)
Log Center	SSL Connection, Log Rotation: 6 months, 1 year, 2 years, 3 years, Email Notification
iOS/Android™ Applications	DS audio, DS cam, DS cloud, DS download, DS file, DS finder, DS photo+, DS video, DS note
Windows™ Phone Applications	DS audio, DS download, DS file, DS finder, DS photo+, DS video

Add-on Packages

Surveillance Station	Default IP cam #: 2, MAX IP cam # (licenses required): 40 (with two free licenses to install two IP cameras. Additional licenses can be purchased to expand the license quota.)
VPN Server	Maximum Connections : 20, VPN Method: PPTP, OpenVPN™
Mail Station	Webmail Interface for Mail Server, Receiving Mails from Multiple POP3 Mailboxes, Customizable SMTP Server
Antivirus Essential	Full System Scan, Scheduled Scan, White List Customization, Virus Definition Auto Update
Cloud Station	Maximum Concurrent File Transfers: 512, Retain Historical and Deleted File Versions
Cloud Sync	Data Sync with Public Cloud Services: Dropbox, Google Drive, Baidu, Microsoft OneDrive, Box.com and hubiC
DLNA®/UPnP® Media Server	DLNA compliant, PS3®/Xbox 360® supported
Download Station	Supported Download Protocols: BT/HTTP/FTP/NZB/eMule Maximum Concurrent Download Tasks: 80
Other Packages	Photo Station, Audio Station, iTunes® Server, 3rd-party packages

Environment and Packaging

Environment	RoHS Compliant
Package Content	DS1815+ Main Unit, Welcome Note, Accessory Pack, AC Power Cord, RJ-45 LAN Cable X 2
Optional Accessories	Remote, Camera License Pack, Expansion Unit (DX513, DX213), 4GB DDR3 RAM Module
Warranty	3 years

*Model specifications are subject to change without notice. Please refer to www.synology.com for the latest information.

1. Performance figures could vary on different environments.

2. DS1815+ supports up to two Synology DX513/DX213, sold separately.

SYNOLOGY INC.

Synology is dedicated to taking full advantage of the latest technologies to bring businesses and home users reliable and affordable ways to centralize data storage, simplify data backup, share and sync files across different platforms, and access data on-the-go. Synology aims to deliver products with forward-thinking features and the best in class customer services.

Copyright © 2014, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice. Printed in Taiwan.

DS1815+-2014-ENU-REV002

Headquarters

Synology Inc. 3F-3, No. 106, Chang An W. Rd., Taipei, Taiwan Tel: +886 2 2552 1814 Fax: +886 2 2552 1824

China

Synology Shanghai
20070, Room 516, No. 638,
Hengfeng Rd., Zhabei Dist.,
Shanghai

France

Synology France SARL
39 rue Louis Blanc,
92400 Courbevoie
France
Tel: +33 147 176288

North & South America

Synology America Corp.
13343 NE Bel-Red Road,
Bellevue, WA 98005
USA
Tel: +1 425 818 1587

United Kingdom

Synology UK Ltd.
Unit C, Denbigh West Business Park,
Third Avenue, Bletchley,
Milton Keynes, MK1 1DH, UK
Tel: +44 1908 366380

Germany

Synology GmbH
Grafenberger Allee 125
40237 Düsseldorf
Deutschland
Tel: +49 211 9666 9666