

2016



INTRODUCING...

In 2016 there will be many new enclosures from Antec. Here is a selection of the ones that are already or soon available.



NEW	Signature S10
A class of its own - with patented three chamber system	
Main Features	Elegant case with front panel and side panels made of anodised aluminum; no disturbing front drive bays; inside completely toolless drive bays for a total of 6x 3.5 and 8x 2.5"
Motherboards	XL-ATX, E-ATX, ATX, microATX, Mini-ITX
Expandability	6x 3.5" and 8x 2.5" tool-less drive bays (quick release); 10 expansion slots; Space for 360/ 280 und 240 mm water cooling radiators; Maximum graphic card length: 343 mm (12,5")
Cooling	Mainboard chamber: 2x 140 mm exhaust fans, 3x 120 mm intake fans, 1x 120 mm exhaust fan - drive chamber: 1x 120 mm exhaust fan, PSU chamber: fan mount for 1x 120 mm intake fan; Removable and washable dust filter: 1x central, 1x drive-, 1x PSU-chamber Rear water-cooling grommets
EAN-13	0-761345-80010-5



NEW	P9 WINDOW
Performance and silence, combined elegant	
Main Features	Up to 9 fans (three included); 2x dust filter; 2x fan control; cable management
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	11 drive bays (tool-less); 8 expansion slots; Max. graphic card length: 430 mm/16.9"
Cooling	3x 120 mm fan (included); 6x 120 mm fan mounts; 2x fan control Space for 240/ 280mm radiators
EAN-13	0-761345-81048-7



NEW	GX1000
Gaming to the next level	
Main Features	three fans included; 2x USB 3.0; 2x USB 2.0; cable management; tool-less drive bays
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	8 drive bays (tool-less); 8 expansion slots; Max. graphic card length: 420 mm/16.5"
Cooling	3x 120 mm fan (included); 3x 120 (or 1x120/2x140) mm fan mounts
EAN-13	0-761345-15104-7



NEW	VSK2000 U3
Inexpensive and beautiful: slim desktop case	
Main Features	Plenty of space but small size with 356x 338x 102 mm; 1x 5.25" tool-less, 1x 3.5", 1x 2.5"; incl. 92mm fan (temperature controlled)
Motherboards	Mini-ITX, microATX
Expandability	three drive bays; four expansion slots; Max. graphic card length: 200 mm/ 7,9" Requires SFX PSU
Cooling	1x 92 mm fan (temperature controlled)
EAN-13	0-761345- 92003-2



PERFORMANCE ONE SERIES

Antec's Performance One series packs all the features demanded by enthusiasts and professional users into attractive, quiet cases with cutting-edge design.



P380	
The ultimate ultra-quiet enclosure of the Performance One series	
Main Features	Stylish case with aluminum panel on the front and top; no interfering drive bays in front (a flexible, lateral slim drive bay behind front aluminum); three individually removable drive bays for a total of 9x 3.5" (tool-less); five 2.5" drive bays (tool-less)
Motherboards	SSI CEB, E-ATX, ATX, microATX, Mini-ITX
Expandability	9x 3.5" tool-less drive bays; 5x 2.5" tool-less drive bays; 1x flexible, lateral slim drive bay behind front panel; 9 expansion slots; Fittable for two 360 mm water cooling radiators; Maximum graphic card length: 399 mm (15.7")
Cooling	3x 120 mm or 2x 140 mm front intake fans included; one 120 mm rear exhaust fan included; Removable and washable dust filter at front and PSU; Rear water-cooling grommets
EAN-13	0-761345-83800-9



P280 /WINDOW/ WHITE	
Super Mid-tower	
Main Features	Removable/washable air intake filters; Cable routing compartment behind; motherboard; brushed aluminium; 270° hinged front panel
Motherboards	XL-ATX (345 mm x 262 mm), Standard ATX, microATX, Mini-ITX
Expandability	11 drive bays; 9 expansion slots
Cooling	Up to three TriCool™ fans
EAN-13	0-761345-82000-4 0-761345-82002-8 [window] 0-761345-82010-3 [white]



P100	
The epitome of cool, quiet sophistication.	
Main Features	A great price-to-feature ratio: the only economical case that delivers first class quiet performance.
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	9 drive bays; 7 expansion slots; GPUs up to 12.5" (317.5 mm)
Cooling	2 x 120 mm fans included 3 x additional 120/140 mm fan mounts
EAN-13	0-761345-81100-2




P50 WINDOW	
High-end Mini-ITX, microATX enclosure	
Main Features	fan control; cable management; external 5.25" drive bay; 3x 3.5" (tool-less); 2x 2.5" for SSDs, fittable for two 240 mm water cooling radiators
Motherboards	Mini-ITX, microATX
Expandability	6 drive bays; four expansion slots; Maximum graphic card length: 300 mm (11.8")
Cooling	2x 120 mm; 1x 80 mm fan included; 5x additional fan mounts
EAN-13	0-761345-81051-7

GAMING SERIES

Antec's line of Gaming chassis is the result of countless hours of collaboration between gamers and designers, to develop a series of cases that gives gamers the best combination of options.

Nineteen Hundred	
Super Big-tower	
Main Features	An unbeatable enclosure that delivers a combination of cooling, performance, and convenience. Dual-layer mesh provides unimpeded airflow to cool your components
Motherboards	SSI CEB, E-ATX, ATX, Micro ATX, Mini-ITX
Expandability	3 x 5.25" tool-less drive bays 12 x 3.5" / 2.5" drive bays ; 2 x dedicated 2.5" HDD bays 9 expansion slots; Maximum graphic card length: up to 330 mm (13")
Cooling	3 x 120 mm front intake fluid dynamic bearing (FDB) fans 1 x 120 mm rear exhaust FDB fans 2 x 120 mm top exhaust FDB fan mounts 2 x 120 mm HDD internal fan mounts Rear water-cooling grommets
EAN-13	0-761345-15991-3 [red] 0-761345-15990-6 [green]



One	
Entry-level gaming mid-tower	
Main Features	Lightweight, pressed steel case; All-black interior; Water cooling compatible
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	10 tool-less drive bays; 7 expansion slots; Maximum graphic card length: up to 266 mm (10.2")
Cooling	Includes two 120 mm fans; two additional 120 mm fan mounts and one 120/140 mm fan mount
EAN-13	0-761345-15970-8



Three Hundred Two	
Still the standard in affordable gaming cases	
Main Features	Rolled steel housing with perforated front bezel; Removable/washable air filters; Cable management compartment and fan mount behind motherboard; Water cooling compatible;
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	11 drive bays; 8 expansion slots; Maximum graphic card length: up to 318 mm (12.5")
Cooling	one 120 mm TwoCool™; one 140 mm TwoCool™; Four additional 120 mm fan mounts
EAN-13	0-761345-15320-1

GX SERIES

An extension of Antec's Gaming series with excellent price / performance ratio



NEU GX200/BLUE	
Why does a well thought Gaming case must be expensive?	
Main Features	Has everything a good gaming case constitutes incl. cable management and costs still not much. Just right for all gamers, which depend on the intrinsic values. At the end fps and skill is important ...
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	one 5,25" tool-less drive bay; four 3,5" tool-less drive bay; one dedicated 2,5" HDD/ SSD drive bay; 7 expansion slots; Maximum graphic card length: 380 mm (15")
Cooling	two 120mm blue LED intake fans included (only GX 200 Blue, GX200 opt.); one 120mm rear exhaust fan included (only GX 200), GX200 Blue optional); two washable dust filter; cable management
EAN-13	0-761345-15200-6 [GX200] 0-761345-15202-0 [GX200 Blue]



GX300/WINDOW	
Gaming enclosure with plenty of room inside	
Main Features	up to three fans; dust filter; fan control; cable management
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	9 drive bays (6 tool-less); 7 expansion slots; Maximum graphic card length: up to 399 mm (15.7")
Cooling	1 x 120 mm fan (standard GX300); 2 x 120 mm blue LED fans (window); 3 x (window)/ 4 x (standard) fan mounts
EAN-13	0-761345-15330-0 [black standard] 0-761345-15331-7 [black window]



GX500/WINDOW/WINDOW BLUE	
Designed to be efficient	
Main Features	3 fans included, washable dust filters, space for GPUs up to 15" (380 mm)
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	8 drive bays; 7 expansion slots
Cooling	2 x 120 mm top fans 1 x 120 mm rear fan 3 x additional 120 mm fan mounts 2 x fan controls
EAN-13	0-761345-15500-7 [standard] 0-761345-15501-4 [window] 0-761345-15502-1 [window blue]



GX505/WINDOW/WINDOW BLUE	
Pure Gaming – inside and outside	
Main Features	Cable management; accepts extra long GPUs (up to 15" / 380 mm); water- cooling support; SSD support; tool-less drive bays; removeable PSU and front intake filters; USB 3.0 ports
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	8 drive bays; 7 expansion slots
Cooling	3 x 120 mm fans included 3 x 120 mm additional fan mounts
EAN-13	0-761345-15506-9 [standard] 0-761345-15504-5 [window] 0-761345-15505-2 [window blue]

ISK SERIES

The ISK series is Antec's response to those who need a miniature case to fit all necessary stuff.



ISK600M	
Compact Mini-ITX, microATX case	
Main Features	Noble brushed aluminum front panel for a stylish appearance; suitable for 240 mm water cooling radiators; two separated thermal areas for best cooling features; the optimal case for building small form factor high-end PC's
Motherboards	Mini-ITX, microATX
Expandability	6 drive bays (one optical slim drive) four expansion slots; Maximum graphic card length: 317,5 mm (12.5")
Cooling	1x 120 mm; 1x 140 fan included; 3x 120 mm additional fan mounts fittable for watercooling
EAN-13	0-761345-15166-5



ISK600	
Versatile Mini-ITX case	
Main Features	Stylish, sturdy brushed aluminium panels; integrated front panel LEDs; exclusively for Mini-ITX motherboards.
Motherboards	Mini-ITX
Expandability	7 drive bays (1 slim optical bay); 2 expansion slots; GPUs up to 12.5" (317.5 mm)
Cooling	1 x 120 mm rear FDB fan Liquid-cooling-ready
EAN-13	0-761345-15165-8



ISK110 VESA	
Small, efficient builds without compromises	
Main Features	Includes clip-on base and VESA mount; includes external 90 watt power adapter; USB 2.0
Motherboards	Mini-ITX
Expandability	2 x 2.5" drive bays
Cooling	Perforated mesh sides
EAN-13	0-761345-08197-9



ISK 300-150 / 310-150	
An epic case of mini proportions	
Main Features	96 mm x 222 mm x 328 mm; Includes 150 watt power supply; USB 3.0
Motherboards	Mini-ITX
Expandability	3 drive bays; 1 low-profile expansion slot
Cooling	1 x 80 mm TriCool™ 3-speed exhaust fan
EAN-13	0-761345-08174-0 [ISK 300-150] 0-761345-08184-9 [ISK 310-150]

VALUE SOLUTION SERIES

The VSK series is designed with system integrators in mind, emphasizing durability and reliability in an affordable package.



NEW VSK 3350_{E-P-U3/U2} / VSK 3500_{E-U3/U2}	
Inexpensive combination with 350 or 500 Watt PSU	
Main Features	Constructed with durable, galvanized steel; meets Intel® Thermally Advantaged Chassis (TAC) 2.0 guidelines; Thermally Advantaged Chassis™ improves airflow; bottom closed (GS conform); 1x USB 3.0; 1x USB 2.0
Motherboards	microATX, Mini-ITX
Expandability	six drive bays; four expansion slots
Cooling	one 92 mm rear exhaust fan; one additional 92 mm front fan mount
EAN-13	0-761345-92037-7 [VSK 3350E-P-U3/U2 with Antec 350 Watt PSU] 0-761345-92029-2 [VSK 3500E-U3/U2 with Antec 500 Watt PSU]



VSK 3000_{B-U3/U2}	
office-friendly case for multiple builds	
Main Features	Durable, rolled steel chassis; Thermally Advantaged Chassis™ improves airflow; black interior; 1x USB 3.0, 1x USB 2.0
Motherboards	microATX, Mini-ITX
Expandability	6 drive bays; 4 expansion slots
Cooling	1 x 92 mm rear fan 1 x 92 mm front mount
EAN-13	0-761345-92025-4



VSK 3000_{E-U3}	
office-friendly case for multiple builds	
Main Features	Durable, rolled steel chassis; Thermally Advantaged Chassis™ improves airflow; 2x USB 3.0
Motherboards	microATX, Mini-ITX
Expandability	6 drive bays; 4 expansion slots
Cooling	1 x 92 mm rear fan 1 x 92 mm front mount
EAN-13	0-761345-92033-9



ESK 3000_{E-[R]-U3}	
Affordable office-friendly case	
Main Features	3-in-1 card reader [R-model]; meets Intel's TAC™ specification; 1 x USB 2.0; 1 x USB 3.0
Motherboards	microATX, Mini-ITX
Expandability	5 drive bays; 4 expansion slots
Cooling	1 x 92 mm rear fan 1 x 92 mm front mount
EAN-13	0-761345-92306-4 [ESK 3000E-R-U3] 0-761345-92302-6 [ESK 3000E-U3]



NEW VSK 4350_{B-P-U3/U2} / VSK 4500_{E-P-U3/U2}	
Inexpensive combination with 350 or 500 Watt PSU	
Main Features	Constructed with durable, galvanized steel; meets Intel® Thermally Advantaged Chassis (TAC) 2.0 guidelines; water cooling support – rear water cooling grommets; 1x USB 3.0; 1x USB 2.0; with black interior (VSK4350B)
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	9 drive bays; 7 expansion slots
Cooling	1 x 120 mm rear exhaust fan 1 x 120 mm front intake fan (optional)
EAN-13	0-761345-92049-0 [VSK 4350B-P-U3/U2 with Antec 350 Watt PSU] 0-761345-92046-9 [VSK 4500E-P-U3/U2 with Antec 500 Watt PSU]



VSK 4000_{E-U3 / B-U3/U2}	
Affordable, builder-friendly case with USB 3.0	
Main Features	Constructed with durable, galvanized steel; meets Intel® Thermally Advantaged Chassis (TAC) 2.0 guidelines; water cooling support – rear water cooling grommets; with black interior [B-U3/U2]; 2x USB 3.0 [E-U3]; 1x USB 3.0 + 1x USB 2.0 [B-U3/U2]
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	9 drive bays; 7 expansion slots
Cooling	1 x 120 mm rear exhaust fan 1 x 120 mm front intake fan (optional)
EAN-13	0-761345-92043-8 [VSK 4000E-U3] 0-761345-92048-3 [VSK 4000B-U3/U2]



ASK 4000_{B-U3}	
Affordable and thoughtfully constructed	
Main Features	Constructed with durable, galvanized steel; meets Intel® Thermally Advantaged Chassis (TAC) 2.0 guidelines; water cooling support – rear water cooling grommets; 1x USB 3.0; with black interior
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	9 drive bays; 7 expansion slots
Cooling	1 x 120 mm rear exhaust fan 1 x 120 mm front intake fan (optional)
EAN-13	0-761345-10425-8



VSP 5000	
Affordable enclosure with noise-dampening	
Main Features	Including three quiet 120 mm fans; fan controls, noise-dampening panels, removable and washable air filters; cable management; black interior
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	8 drive bays; 7 expansion slots
Cooling	2 x 120 mm top fans 1 x 120 mm rear fan 3 x additional 120 mm fan mounts 3 x fan control
EAN-13	0-761345-92070-4

NEW SOLUTION SERIES

Known for its efficiency, low noise and low environmental impact, the New Solution series was designed as a cost-effective solution for system integrators seeking a wide range of powerful cases that deliver strong performance while maintaining efficiency.



NSK 3100 / 3180	
Complement any home or office	
Main Features	Constructed with durable, cold-rolled steel; meets Intel® Thermally Advantaged Chassis (TAC) 2.0 guidelines; top-mount PSU bay; USB 3.0; <i>NSK 3180 includes EarthWatts™ 380D Green power supply</i>
Motherboards	microATX, Mini-ITX
Expandability	6 drive bays; 4 expansion slots; accepts GPUs up to 12.5" (317.5 mm)
Cooling	1 x 92 mm rear exhaust fan included 1 x 80 mm optional front fan mount
EAN-13	0-761345-93100-7 [NSK 3100] 0-761345-93380-3 [NSK 3180 EC] <i>PSU included</i> 0-761345-00311-7 [NSK 3180 UK] <i>PSU included</i>



NSK 3480	
The tiny eco-friendly wonder	
Main Features	Cold-rolled steel construction; includes EarthWatts™ 380 80 PLUS® PSU; 2x USB 3.0; 1x IEEE 1394 (FireWire®), i.Link®)
Motherboards	microATX, Mini-ITX
Expandability	4 drive bays; 4 expansion slots
Cooling	1 x 120 mm TriCool™ fan 2 x 92 mm fan mounts
EAN-13	0-761345-00390-2 [EC version] 0-761345-00391-9 [UK version]



NSK 4100	
Quiet and practical enclosure	
Main Features	Constructed with durable, cold-rolled steel; Top-mount PSU bay; USB 3.0
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	11 drive bays; 7 expansion slots; Maximum graphic card length: 280 mm/11,0"
Cooling	1 x 120 mm rear fan included 1 x 120 mm side fan mount 1 x 80/92/120 mm front intake fan mount Liquid cooling ready (for example Antec H600 Pro)
EAN-13	0-761345-94480-9

Minuet 350	
Piano-black slim-line PC case	
Hauptfeatures	Slimline piano black Micro PC case with chrome accents; its slender footprint and included bracket allow it to fit vertically or horizontally; flip out drive cage; includes efficient 350W PSU 80Plus Bronze; 2x USB 3.0; 1x eSATA
Motherboards	microATX, Mini-ITX
Expandability	3 drive bays
Cooling	1 x 80 mm TriCool™ fan
EAN-13	0-761345-08942-5 [EC version] 0-761345-08943-2 [UK version]



NSK 2480B HTPC	
An eye-catcher not only in the living room	
Main Features	Constructed with durable, cold-rolled steel; includes 380W 80 PLUS® Bronze certified PSU; USB 2.0
Motherboards	microATX, Mini-ITX
Expandability	4 drive bays; 4 expansion slots
Cooling	two 120 mm TriCool fans at side panel with three levels
EAN-13	0-761345-10425-8



Solo II	
The mid-tower case that is seen, not heard	
Main Features	Piano black exterior; Anodised aluminium front; QuietComputing™ noise-dampening top & side panels; 2x USB 3.0; 2x USB 2.0
Motherboards	Standard ATX, microATX, Mini-ITX
Expandability	8 drive bays; 7 expansion slots
Cooling	1 x 120 mm TrueQuiet™ rear fan 2 x front 120 mm fan mounts (optional)
EAN-13	0-761345-15131-3

HIGH CURRENT SERIES

The High Current Pro line of PSUs represents the pinnacle of quality. Each PSU is 80 PLUS[®] certified for efficiency, has hybrid- or fully-modular cables, boasts multiple +12V rails and heavy-duty Japanese capacitors.



High Current Pro Platinum	
Continuous, platinum-rated-efficient wattage.	
Wattage	750, 850, 1000, 1300
Efficiency	up to 94%
Cooling	Quiet 135 mm double ball bearing fan
Features	Fully modular cabling; Four +12V rails with high load tolerance; Innovative 20+8 pin connectors; OC Link; CircuitShield™ current protection suite; All Japanese heavy-duty capacitors; NVIDIA SLI [®] -Ready & AMD Crossfire certified
EAN-13	0-761345-23910-3 [850W EC] 0-761345-06251-0 [850W UK] 0-761345-06248-0 [1000W EC] 0-761345-06249-7 [1000W UK] 0-761345-23930-1 [1300W EC] 0-761345-06261-9 [1300W UK]



High Current Gamer	
Power for hardworking gaming rigs	
Wattage	520, 620
Efficiency	up to 88%
Cooling	Quiet 135 mm double ball bearing fan
Features	CircuitShield™ suite of industrial-grade protection; high-performance Japanese capacitors
EAN-13	0-761345-06204-6 [520W EC] 0-761345-06205-3 [520W UK] 0-761345-06208-4 [620W EC] 0-761345-06209-1 [620W UK]



High Current Gamer M	
Hybrid-modular, stable PSU for gaming	
Wattage	620, 750, 850
Efficiency	up to 87%
Cooling	Quiet 135 mm double ball bearing fan
Features	Hybrid-modular cabling; CircuitShield™ suite of industrial-grade protection; high-performance Japanese capacitors; NVIDIA SLI [®] -Ready & AMD Crossfire certified*
EAN-13	0-761345-06218-3 [620W EC] 0-761345-06219-0 [620W UK] 0-761345-23883-0 [750W EC] 0-761345-06223-7 [750W UK] 0-761345-23893-9 [850W EC] 0-761345-06225-1 [850W UK]

*750- and 850-Watt only

EDGE

EDGE series is the pinnacle of power supplies. EDGE is fully modular with a revolutionary 18+10-pin MBU socket for the needs of tomorrow. EDGE's innovative 16-pin sockets create a new level of flexibility by doubling the modular connectivity, supporting two different 8-pins connectors and even future connectors of 10, 12, 14 or 16-pins.

EDGE							
Innovative fully modular future proof PSU							
Wattage	550, 650, 750						
Efficiency	up to 92%						
Cooling	Leiser 135 mm FDB LED Lüfter (LED abschaltbar)						
Features	Fully modular cabling; two +12V rails with high load tolerance; Innovative 28(18+10) MBU socket for the needs of tomorrow; Flat Stealth Wires for minimal visibility in chassis (except MBU cable); CircuitShield™ suite of industrial-grade protections; Anti-Noise De-Couplers in black and red to reduce vibrations; high-performance Japanese capacitors						
EAN-13	<table border="0"> <tr> <td>0-761345-05055-5 [550W EC]</td> <td>0-761345-05056-2 [550W UK]</td> </tr> <tr> <td>0-761345-05065-4 [650W EC]</td> <td>0-761345-05066-1 [650W UK]</td> </tr> <tr> <td>0-761345-05075-3 [750W EC]</td> <td>0-761345-05076-0 [750W UK]</td> </tr> </table>	0-761345-05055-5 [550W EC]	0-761345-05056-2 [550W UK]	0-761345-05065-4 [650W EC]	0-761345-05066-1 [650W UK]	0-761345-05075-3 [750W EC]	0-761345-05076-0 [750W UK]
0-761345-05055-5 [550W EC]	0-761345-05056-2 [550W UK]						
0-761345-05065-4 [650W EC]	0-761345-05066-1 [650W UK]						
0-761345-05075-3 [750W EC]	0-761345-05076-0 [750W UK]						



TRUE POWER CLASSIC

Antec's TruePower Classic series sets new standards for power supplies. By using a PSU that is 80 PLUS® GOLD certified, operating up to 92% efficient, you can reduce your electricity bill by up to 20% when compared to many other power supplies.

True Power Classic							
Gold standard for power							
Wattage	550, 650, 750						
Efficiency	up to 92%						
Cooling	Quiet 120 mm double ball bearing fan						
Features	CircuitShield™ suite of industrial-grade protections; high-performance Japanese capacitors						
EAN-13	<table border="0"> <tr> <td>0-761345-07702-6 [550W EC]</td> <td>0-761345-07703-3 [550W UK]</td> </tr> <tr> <td>0-761345-07704-0 [650W EC]</td> <td>0-761345-07705-7 [650W UK]</td> </tr> <tr> <td>0-761345-07706-4 [750W EC]</td> <td>0-761345-07707-1 [750W UK]</td> </tr> </table>	0-761345-07702-6 [550W EC]	0-761345-07703-3 [550W UK]	0-761345-07704-0 [650W EC]	0-761345-07705-7 [650W UK]	0-761345-07706-4 [750W EC]	0-761345-07707-1 [750W UK]
0-761345-07702-6 [550W EC]	0-761345-07703-3 [550W UK]						
0-761345-07704-0 [650W EC]	0-761345-07705-7 [650W UK]						
0-761345-07706-4 [750W EC]	0-761345-07707-1 [750W UK]						





VPF | EARTHWATTS SERIES

For those who don't need loads of power, Antec has created a range of PSUs designed with efficiency in mind. The EarthWatts and VPF PSUs offer the same stable, dependable performance-but without all the extras.

VPF Serie	
Pure wattage – 80 PLUS® Bronze	
Wattage	450, 550, 650
Efficiency	up to 87%
Cooling	Quiet 120 mm fan
Features	Dual +12V rails with high load capabilities; CircuitShield™ industrial protection suite; High-performance capacitors; Active PFC
EAN-13	0-761345-06458-3 [450W EC] 0-761345-06459-0 [450W UK] 0-761345-06460-6 [550W EC] 0-761345-06461-3 [550W UK] 0-761345-06462-0 [650W EC] 0-761345-06463-7 [650W UK]



EarthWatts Green	
Saving the planet, one PSU at a time	
Wattage	380
Efficiency	Up to 88%
Cooling	80 mm double ball bearing fan
Features	2 fully-protected High Current +12V rails with high load capabilities; Active PFC; CircuitShield™ suite of industrial-grade protections; universal input; power cord NOT included
EAN-13	0-761345-27384-8 [380W EC + UK]



EarthWatts Green	
Saving the planet, one PSU at a time	
Wattage	430
Efficiency	Up to 88%
Cooling	Quiet 120 mm fan
Features	2 fully-protected High Current +12V rails with high load capabilities; Active PFC; CircuitShield™ suite of industrial-grade protections; universal input; ErP Lot 6: 2010; ErP Lot 26: 2014
EAN-13	0-761345-04647-3 [430W EC] 0-761345-04648-0 [430W UK]

VALUE POWER SERIES

There is only one promise: first-class wattage at an incredible price. The Value Power series convinces nevertheless with quiet fans and durable protection circuits. Only on elaborate finishes and flashing lights have we compromised, but is that really a compromise?



VP Series P									
All power, no frills									
Wattage	350, 450, 600, 700								
Efficiency	Up to 82%								
Cooling	Quiet 120 mm fan								
Features	Dual +12V rails with high load capabilities; CircuitShield™ industrial protection suite; High-performance capacitors ensure tightest DC stability and regulation; Active PFC								
EAN-13	<table border="0"> <tr> <td>0-761345-06430-9 [350W EC]</td> <td>0-761345-06431-6 [350W UK]</td> </tr> <tr> <td>0-761345-06450-7 [450W EC]</td> <td>0-761345-06451-4 [450W UK]</td> </tr> <tr> <td>0-761345-06424-8 [600W EC]</td> <td>0-761345-06425-5 [600W UK]</td> </tr> <tr> <td>0-761345-06426-2 [700W EC]</td> <td>0-761345-06427-9 [700W UK]</td> </tr> </table>	0-761345-06430-9 [350W EC]	0-761345-06431-6 [350W UK]	0-761345-06450-7 [450W EC]	0-761345-06451-4 [450W UK]	0-761345-06424-8 [600W EC]	0-761345-06425-5 [600W UK]	0-761345-06426-2 [700W EC]	0-761345-06427-9 [700W UK]
0-761345-06430-9 [350W EC]	0-761345-06431-6 [350W UK]								
0-761345-06450-7 [450W EC]	0-761345-06451-4 [450W UK]								
0-761345-06424-8 [600W EC]	0-761345-06425-5 [600W UK]								
0-761345-06426-2 [700W EC]	0-761345-06427-9 [700W UK]								



VP Series PC					
Our most affordable PSU					
Wattage	400, 500				
Efficiency	up to 82%				
Cooling	Quiet 120 mm fan				
Features	CircuitShield™ industrial protection suite; High-performance capacitors ensure tightest DC stability and regulation; Active PFC				
EAN-13	<table border="0"> <tr> <td>0-761345-06484-2 [400W EC]</td> <td></td> </tr> <tr> <td>0-761345-06485-9 [500W EC]</td> <td></td> </tr> </table>	0-761345-06484-2 [400W EC]		0-761345-06485-9 [500W EC]	
0-761345-06484-2 [400W EC]					
0-761345-06485-9 [500W EC]					



VP Series PM	
Affordable hybrid-modular PSU	
Wattage	650
Efficiency	up to 85%
Cooling	Quiet 120 mm fan
Features	Dual +12V rails with high load capabilities; CircuitShield™ industrial protection suite; High-performance capacitors ensure tightest DC stability and regulation; Active PFC
EAN-13	0-761345-06446-0 [650W EC]



LIQUID COOLER H₂O SERIES

Liquid CPU Coolers are the most advanced CPU cooling options available, with extra large integrated pump and fans, hassle-free installation, temperature-responsive LEDs and more.

NEW Liquid cooler H600 Pro	
Quality water cooling at an unbeatable price	
CPU Support	Intel LGA: 775, 1150, 1155, 1156, 1366, 2011 AMD: AM2, AM2+, AM3, AM3+, FM1, FM2
Fan(s)	120 mm blue LED fan with PWM
Tubes	Pre-filled cooling tube length: 12.4" / 315 mm
Features	20 mm deep heat fin array of radiator increases the surface area for a maximum heat dissipation; High-density array of thin Micro Heat Channels @ Cooper CPU Plate; quality pump with Graphite Pump and Ceramic Fan Bearing for an incredible lifetime
EAN-13	0-761345-10901-7




NEW Liquid cooler H1200 Pro	
New generation of Coolness	
CPU Support	Intel LGA: 775, 1150, 1155, 1156, 1366, 2011 AMD: AM2, AM2+, AM3, AM3+, FM1, FM2
Fan(s)	2x 120 mm blue LED fan with PWM
Tubes	Pre-filled cooling tube length: 12.4" / 315 mm
Features	20 mm deep heat fin array of radiator increases the surface area for a maximum heat dissipation; High-density array of thin Micro Heat Channels @ Cooper CPU Plate; quality pump with Graphite Pump and Ceramic Fan Bearing for an incredible lifetime
EAN-13	0-761345-10900-0



Liquid cooler H₂O 1250	
A double chill for your chips	
CPU Support	Intel LGA: 775, 1150, 1155, 1156, 1366, 2011 AMD: AM2, AM2+, AM3, AM3+, FM1, FM2
Fan(s)	Dual PWM controlled 120 mm fans
Tubes	Pre-filled cooling tube length: 11.8" / 300 mm
Features	27 mm thick radiator fits two 120 mm fans side by side; Includes Grid™ thermal management software; temperature-responsive LEDs
EAN-13	0-761345-77187-0

CASE FANS

With features like high airflow, low-noise, some with tool-less installation, rubberized mounting, innovative design and vivid LED lights, Antec's full line of case fans offers you all the best in case cooling and much more.

NEW	TrueQuiet™ 120 UFO	
	Low noise combined with outstanding appearance	
Sizes(s)	120 mm	
Speeds	Two-speed control: 600/1000 RPM	
Colours	black frame/ four colored LEDs and illuminated ring	
Features	Uniquely-designed fan blades increase air flow while reducing turbulence and noise; Silicone grommets to reduce vibration; tool-less mounting; Included 3-pin to Molex adapter	
EAN-13	0-761345-75291-6 [blue] 0-761345-75290-9 [red] 0-761345-75293-0 [green] 0-761345-75292-3 [white]	



TrueQuiet™ 120/140	
Ultra quiet fan with tool-less mounting	
Sizes(s)	120 mm oder 140 mm
Speeds	120 mm: 600/1000 U/min 140 mm: 500/800 U/min
Colours	Clear plastic; orange Silicone grommets
Features	Uniquely-designed fan blades increase air flow while reducing turbulence and noise; Silicone grommets to reduce vibration; tool-less mounting; Included 3-pin to Molex adapter
EAN-13	0-761345-75250-3 [120 mm] 0-761345-75260-2 [140 mm]



TrueQuiet™ LED	
Quiet, colourful LED Cooling Fan	
Sizes(s)	120 mm
Speeds	Two-speed control: 600/1000 RPM
Colours	Black frame, orange silicone grommets; LEDs white, red, green or blue
Features	Combines design with superior performance to deliver outstanding airflow-to-noise ratio
EAN-13	0-761345-75282-4 [white] 0-761345-75280-0 [red] 0-761345-75281-7 [blue]



TwoCool™ 120/140	
Ideal upgrade for underperforming stock fans	
Sizes(s)	120 mm or 140 mm
Speed(s)	120 mm: 600/ 1200 RPM 140 mm: 500/ 850 RPM
Colours	Black frame, LEDs in blue
Features	Quiet sleeve bearings; speed control switch
EAN-13	0-761345-75230-5 [140 mm] 0-761345-75246-6 [120 mm] 0-761345-75241-1 [120 mm blue]



TriCool	
The cooling solution for all your needs	
Size(s)	80 mm, 92 mm, 120 mm
Speeds	1500/2000/2600 RPM [80 mm] 1200/1600/2200 RPM [92 mm] 1200/1600/2000 RPM [120 mm]
Colours	Clear plastic
Features	Three-speed switch; 3- and 4-pin power connectors for motherboard or power supply
EAN-13	0-761345-75080-6 [80 mm] 0-761345-75120-9 [120 mm]



TriCool DBB	
Double ball-bearing, triple-speed	
Size(s)	80 mm, 92 mm, 120 mm
Speed(s)	1500/2000/2600 RPM [80 mm]
Colours	Clear plastic
Features	Double ball-bearing design for longer lasting performance;
EAN-13	0-761345-75081-3



TriCool LED	
Three time cooling with LED effect	
Size(s)	80 mm oder 120 mm
Speed(s)	1500/2000/2600 U/min [80 mm] 1200/1600/2000 U/min [120 mm]
Colours	Clear plastic
Features	Double ball-bearing design for longer lasting performance;
EAN-13	0-761345-75020-2 [80 mm blue] 0-761345-75022-6 [80 mm red] 0-761345-75024-0 [120 mm blue] 0-761345-75026-4 [120 mm red]



Pro 80 mm	
Standard case fans	
Size(s)	80 mm
Speeds	2600 RPM
Colours	Clear plastic
Features	Fan speed monitoring capability with compatible motherboards; 3-pin connector & 4-pin adapter with power pass-through
EAN-13	0-761345-75000-4



Pro DBB	
Double ball bearing for longer life	
Size(s)	80 mm, 92 mm, 120 mm
Speeds	2600 RPM [80/92 mm]; 2000 RPM [120 mm]
Colours	Clear plastic
Features	Fan speed monitoring capability with compatible motherboards; 3-pin connector & 4-pin adapter with power pass-through
EAN-13	0-761345-75001-1 [80 mm] 0-761345-75002-8 [92 mm] 0-761345-75003-8 [120 mm]



Big Boy 200™	
Powerful 200 mm three-speed fan	
Size(s)	200 mm
Speed(s)	400, 600, 800 RPM
Colours	Black frame
Features	Double ball bearing design for longer life; Three-speed switch
EAN-13	0761345-75200-8

ACCESSORIES

Antec offers a full range of products to help you get the most out of your PC. From LED lighting strips to advanced thermal compounds. If your PC needs it, you can find it here.

Bias Lighting & HDTV Bias Lighting	
Enhance your HDTV Experience	
Features	Bias lighting adds a subtle white backlight to your (HD)TV that enhances image contrast, improves picture quality and increases viewing comfort. Convenient on/off switch
Dimensions	Cable length: 1300 mm [Bias] 1300 mm [HDTV Bias] Light strip: 370 mm / 6 LEDs [Bias] 1400 mm / 22 LEDs [HDTV Bias]
Colours	White LEDs; Black cable
Requirements	Powered USB port or powered USB hub HDTV Light strip can be cut to accommodate HDTVs under 60"
EAN-13	0-761345-77020-0 [Bias] 0-761345-77021-7 [HDTV Bias]



Accent Lighting	
USB-Powered 6 LED Strip	
Features	Light up your PC, desk, or even keyboard. Convenient on/off switch
Dimensions	Cable length: 51" / 1300 mm 6-LED strip length: 14.5" / 370 mm
Colours	Blue or red LEDs; Black cable
Requirements	Powered USB port or powered USB hub
EAN-13	0-761345-77031-6 [red] 0-761345-77030-9 [blue]



Formula 6 Formula 7 Thermal Grease	
Diamond-caliber thermal compounds	
Features	Lighter, easier to spread; Stable composition won't crack or dry out; Formula 6 thermal conductivity: 5.3 W/mK Formula 7 thermal conductivity: 8.3 W/mK
Dimensions	Formula 6/7: 4g/syringe
Colours	Grey
EAN-13	0-761345-77060-6 [Formula 6] 0-761345-77061-3 [Formula 7] 0-761345-77064-4 [Silicone Thermal Grease / 1g packets]

CLEANING SOLUTIONS

A series of products designed to keep your electronic devices flawless and dust & debris-free. Cleaning Solutions come in a variety of forms including wipes, spray bottles and gel, and they are available in different sizes for home and on-the-go use.

100% NATURAL	
All natural cleaning spray and wipes	
Features	An all-natural, hypoallergenic version of our powerful cleaning solution is free of harsh chemical additives such as ammonia and alcohol. The solution leaves a fingerprint-resistant film that continues to keep dust off your device even after cleaning.
Dimensions	60 mL (TSA-approved) 240 mL + 60 mL pack 20-pack wipes
EAN-13	0-761345-77455-0 (60 mL) 0-761345-77456-7 (240 + 60 mL) 0-761345-77450-5 (20-pack)



3x Strength	
Cleaning wipes	
Features	Anti-bacterial; anti-static; alcohol & ammonia-free; fingerprint resistant
Dimensions	20-pack wipes 100-pack wipes
EAN-13	0-761345-77430-7 (20-pack) 0-761345-77432-1 (100-pack)



Deep-Cleaning Gel	
A cleaning agent that stays put	
Features	Specially designed, non-drip, deep cleaning gel kills 99.9 percent of germs while leaving a long-lasting protective film that repels dust and smudges; Ammonia and alcohol-free; environmentally-friendly formula
Dimensions	30 g TSA-approved bottle 20 cm ² microfiber cloth
EAN-13	0-761345-77415-4



XL Microfiber Cloth	
Touchscreen Polishing Cloth	
Features	A delicate but practical solution for keeping your touchscreen shiny and clear; Designed to polish and wipe smudges off your screen without the use of spray or gel.
Dimensions	30 cm ² microfiber cloth
EAN-13	0-761345-77410-9

SPOT SHOWER Water-resistant shower Bluetooth® Speaker



Made for the shower, but fun enough to take anywhere

The Spot Shower Bluetooth® Speaker is splash-resistant and boasts a 30 ft. (10 m) range, so you can have your music playing while your device stays safely away from water. The detachable suction cup is strong enough to stay put on your bathroom tiles or any smooth, flat surface. The built-in controls and microphone ensure you can pick up calls, adjust volume, and move through your playlist. And with a rechargeable battery for hours of continuous music playback, you'll have plenty of shower jam sessions while going about your daily routine.

- 0-761345-73060-0
- 0-761345-73061-7

- 0-761345-73064-8



SMARTBEAN

Bluetooth® Receiver

WEDGE Bluetooth® Speaker



Free yourself from wires and tangled cables.

This ultra-lightweight Bluetooth receiver provides Bluetooth connectivity at the touch of a button. Simply plug in and pair your SmartBean with any Bluetooth enabled device and in just a few seconds - your favourite non-Bluetooth product is connected. The 3.5 mm standard audio jack is compatible with most headphones, speakers, or automobile auxiliary input, giving you an instant hands-free device when on the go.

Speaker and holder in one

WEDGE is a triangular little Bluetooth speaker that boasts three nifty functions. Built-in suction cups grip onto smooth, flat surfaces, smartphones and tablets with up to 7.9" screens and angle your device comfortably for typing, browsing, watching movies, or reading. The 40 mm driver delivers clear, full sound, giving you a much better alternative to tinny-sounding and inadequate cell phone speakers. And with its built-in microphone you can handle phone calls. The 33-ft. (10 m) Bluetooth range means wireless freedom, making WEDGE the perfect companion for mobile devices.

- 0-761345-01341-3
- 0-761345-01340-6

- 0-761345-01343-7

- 0-761345-73061-7
- 0-761345-01350-5

- 0-761345-01353-6

SP1 Portable Wireless Bluetooth Speaker and Speakerphone



For your listening pleasure

Whether you're listening to music, watching a movie, or playing games, the SP1 portable Bluetooth speaker will bring your media to life and let it be heard the way it was intended. But don't sacrifice control! With the SP1's built-in microphone and controls, you can easily switch between audio and phone functions with the touch of a button, so you'll never miss a call. For even more convenience, pair the SP1 with your laptop and stay in touch through platforms like Skype or Google Voice, and on your smart phone with apps like Viber.








-  0-761345-01310-9
-  0-761345-01312-3
-  0-761345-01316-1
-  0-761345-01311-6
-  0-761345-01313-0
-  0-761345-01314-7
-  0-761345-01315-4



SPZERO Portable Wireless Bluetooth Speaker and Speakerphone

Maximum portability

The SPzero portable Bluetooth speaker is the ultimate accessory for audio portability. It pairs with any smartphone, laptop, or media player to create a premium audio experience to share with anyone, anywhere. With its integrated dBs1™ high-response driver technology, petite measurements (86 mm x 57 mm x 94 mm) and a battery life of 8 hours (continuous playback), the SPzero allows maximum mobility to music enthusiasts. The SPzero is also capable daisy chaining, allowing multiple units to be connected the via auxiliary port.

-  0-761345-01309-3
-  0-761345-01303-1
-  0-761345-01302-4
-  0-761345-01304-8
-  0-761345-01306-2
-  0-761345-01305-5
-  0-761345-01308-6

PULSE On-Ear Bluetooth Headphones



Free Yourself, Go Wireless





Designed for demanding audiophiles, the a.m.p pulse delivers the most accurate sound in the wireless market. Experience the future of advanced Bluetooth Audio technology with the pulse over the ear headphones from a.m.p. Engineered for optimal performance across all musical genres, media types, movies and video games; these ultra portable over-the-ear headphones isolate ambient sound and immerse your senses in an uninhibited audio environment.

-  0-761345-01432-8
-  0-761345-01434-2
-  0-761345-01431-1
-  0-761345-01433-5

DBS In-Ear Headphones

Upgrade your sound experience

Don't let its small size fool you; dBs in-ear headphones are packing extra-large, high-efficiency drivers that provide an exceptional, crystal clear listening while eliminating the distortion normally found at peak volume levels. Furthermore, the braided-nylon coated cables allow full flexibility while reducing tangles and knots. Soft and ergonomically-designed in-ear cushions come in three sizes, ensuring durability and comfort for prolonged daily use.

-  0-761345-01310-9
-  0-761345-01316-1
-  0-761345-01311-6
-  0-761345-01315-4
-  0-761345-01402-1



LIFECARD Slim Battery Charger

LifeCard keeps your device running with you while you go from the office to a night out. The USB port supplies power rapidly (1A) from 2000 mAh battery. The slim form factor and aluminium unibody make LifeCard a simple, functional accessory that fits comfortably in your pocket, at only about six credit cards thick. Its a must have - don't leave your home without your LifeCard.

LifeCard: 0-761345-01153-2



Power Banks

PowerUp 6200

2A USB port delivers quickest possible charge for tablets and smartphones. Contains high-capacity, long-lasting Japanese 6000 mAh battery cells.

[white only] 0-761345-01154-9



PowerUp Slim 2200

Slim design and three color options. Dual 1A USB ports deliver the quickest possible charge for smartphones. High Capacity, long-lasting 2200 mAh cells.

0-761345-01160-0

0-761345-01163-1

0-761345-01162-4



Chargers

Hub Charger

Rapid charge dual 2A USB ports and dual 1A USB ports allows you to charge your whole family's devices simultaneously and quickly. Two 2A ports provide fastest possible charge for tablets, while the two 1A ports provide the quickest possible charge for smartphones.

[white only] 0-761345-01130-3



Tour Charger

Rapid Charge 2A USB ports provide the fastest possible charging for tablets, or simultaneously charge two smartphones. Includes plug adaptors for US, UK, EU and AU.

[white only] 0-761345-01120-4



Go Charger





A lightweight, 2-port USB charger for your car's 12-volt cigarette lighter socket, with an in-line fuse to protect your devices. Simultaneously charge your tablet and smartphone quickly – the 1A and 2A ports provide the fastest possible charging times.

[white only] 0-761345-01110-5



i PowerUp models have a suite of industrial-grade circuit protection and auto-shut-off when devices are fully charged, ensuring no battery power is wasted.

i All Charger models have a suite of industrial-grade circuit protection.



© 1986 – 2016 Antec, Inc. All rights reserved.

Specifications are subject to change without prior notice.
Actual products and accessories may differ from illustrations.
Omissions and printing errors excepted. Content of delivery
might differ in different countries or regions. Some trademarks
may be claimed as the property of others.