



**U.S. Reference guide and pricebook**  
Prices effective September 17, 2021



*Powering Business Worldwide*

Switch  N to Eaton.

# RECEPTACLE CHART

## Input Plug and Output Receptacle Chart

|   |   |  |   |
|---|---|--|---|
| 5-15R<br>                  | 5-15P<br>                | 5-20R<br>                  | 5-20P<br>                |
| L5-20R<br>                 | L5-20P<br>               | L5-30R<br>                 | L5-30P<br>               |
| 6-15R<br>                  | 6-15P<br>                | L6-20R<br>                 | L6-20P<br>               |
| L6-30R<br>                | L6-30P<br>              | L14-30R<br>               | L14-30P<br>             |
| IEC-320-C13 (female)<br> | IEC-320-C14 (male)<br> | IEC-320-C19 (female)<br> | IEC-320-C20 (male)<br> |
| IEC-309, 16A<br>         | IEC-309, 32A<br>       |  |   |

R indicates receptacle  
P indicates plug  
L indicates locking plug or receptacle

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Metered Input ePDUs

Metered Input models provide input phase and branch circuit monitoring. These ePDUs feature an LED or pixel LCD display that shows current draw for branch circuit loading and phase balancing. All models offer remote monitoring over a network connection.

- Clearly labeled circuits simplify load balancing
- Local current meter display
- Remote monitoring with network connection



### Metered Input ePDUs

| Catalog Number                   | Max. kW | Function | Cord Length (ft) | Input Plug             | Output Receptacles           | MSRP    | Discount | DIR Discount Price        |
|----------------------------------|---------|----------|------------------|------------------------|------------------------------|---------|----------|---------------------------|
| <b>Horizontal Mount Models</b>   |         |          |                  |                        |                              |         |          |                           |
| EMIT00-10                        | 1.44    | MI       | 10               | 5-15P                  | (12) 5-15R                   | \$979   | 32.50%   | \$661                     |
| EMIT01-10                        | 1.92    | MI       | 10               | 5-20P                  | (12) 5-20R                   | \$979   | 32.50%   | \$661                     |
| EMIT02-10                        | 1.92    | MI       | 10               | L5-20P                 | (12) 5-20R                   | \$979   | 32.50%   | \$661                     |
| EMIT03-10                        | 2.88    | MI       | 10               | L5-30P                 | (12) 5-20R                   | \$1,030 | 32.50%   | \$695                     |
| EMIT04-10                        | 5.76    | MI       | 10               | L6-30P                 | (8) C13, (4) C19             | \$1,030 | 32.50%   | \$695                     |
| EMIT05-10                        | 5.76    | MI       | 10               | L6-30P                 | (16) C13                     | \$1,082 | 32.50%   | \$730                     |
| EMIT06-10                        | 5.76    | MI       | 10               | L6-30P                 | (10) C13, (4) C19            | \$922   | 32.50%   | \$622                     |
| EMIT07-10                        | 5.76    | MI       | 10               | L6-30P                 | (18) C13                     | \$934   | 32.50%   | \$630                     |
| EMIT08-10                        | 1.44    | MI       | 10               | 5-15P                  | (8) 5-15R                    | \$479   | 32.50%   | \$323                     |
| EMIT09-10                        | 1.92    | MI       | 10               | L5-20P (5-20P adapter) | (8) 5-20R                    | \$549   | 32.50%   | \$371                     |
| EMIT10-10                        | 3.84    | MI       | 10               | C20 (L6-20 adapter)    | (8) C13                      | \$549   | 32.50%   | \$371                     |
| EMIU05-10                        | 2.88    | MI       | 10               | L5-30P                 | (16) 5-20R                   | \$865   | 32.50%   | \$584                     |
| EMIU06-10                        | 5.76    | MI       | 10               | L6-30P                 | (12) C13, (4) C19            | \$865   | 32.50%   | \$584                     |
| EMIU00-10                        | 8.64    | MI       | 10               | L21-30p                | (12) C13, (6) C19            | \$1,459 | 32.50%   | \$985                     |
|                                  |         |          |                  |                        |                              |         |          | <b>DIR Discount Price</b> |
| <b>Vertical Models (ePDU G3)</b> |         |          |                  |                        |                              |         |          |                           |
| EMI100-10                        | 1.44    | MI       | 10               | 5-15P                  | (24) 5-15R                   | \$689   | 32.50%   | \$465                     |
| EMI101-10                        | 1.92    | MI       | 10               | 5-20P/L5-20P*          | (24) 5-20R                   | \$737   | 32.50%   | \$497                     |
| EMI128-10                        | 1.92    | MI       | 10               | L5-20P                 | (20) 5-20R                   | \$1,552 | 32.50%   | \$1,048                   |
| EMI102-10                        | 2.88    | MI       | 10               | L5-30P                 | (30) 5-20R                   | \$802   | 32.50%   | \$541                     |
| EMI103-10                        | 3.84    | MI       | 10               | C20 (L6-20 adapter)    | (18) C13, (2) C19            | \$740   | 32.50%   | \$500                     |
| EMI104-10                        | 4.99    | MI       | 10               | L6-30P                 | (36) C13, (6) C19            | \$855   | 32.50%   | \$577                     |
| EMI109-10                        | 4.99    | MI       | 10               | L6-30P                 | (12) C13, (2) C19            | \$1,384 | 32.50%   | \$934                     |
| EMI200-10                        | 5.76    | MI       | 10               | L14-30P                | (20) C13, (6) C19, (8) 5-20R | \$1,574 | 32.50%   | \$1,062                   |
| EMI201-10                        | 5.76    | MI       | 10               | L14-30P                | (24) 5-20R                   | \$1,641 | 32.50%   | \$1,108                   |
| EMI318-10                        | 5.76    | MI       | 10               | L21-20P                | (30) C13, (6) C19, (3) 5-20R | \$1,106 | 32.50%   | \$747                     |
| EMI331-10                        | 8.64    | MI       | 10               | L21-30P                | (24) C13, (3) C19, (6) 5-20R | \$2,014 | 32.50%   | \$1,359                   |
| EMI303-10                        | 8.64    | MI       | 10               | L15-30P                | (30) C13, (6) C19            | \$1,593 | 32.50%   | \$1,075                   |
| EMI310-10                        | 8.64    | MI       | 10               | L21-30P                | (30) C13, (6) C19, (1) 5-20R | \$1,330 | 32.50%   | \$898                     |
| EMI344-10                        | 8.64    | MI       | 10               | L21-30P                | (24) 5-20R                   | \$1,913 | 32.50%   | \$1,291                   |
| EMI105-06                        | 11.5    | MI       | 6                | IEC60309 360P9W        | (30) C13, (6) C19            | \$2,275 | 32.50%   | \$1,536                   |
| EMI105-10                        | 11.5    | MI       | 10               | IEC60309 360P9W        | (30) C13, (6) C19            | \$2,275 | 32.50%   | \$1,536                   |
| EMI143-10                        | 11.5    | MI       | 10               | IEC60309 360P9W        | (24) C13, (9) C19            | \$2,136 | 32.50%   | \$1,442                   |

\* These models will ship with an adapter allowing for 5-20P input plug

## EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

### Metered Input ePDUs

| Catalog Number | Max. kW | Function | Cord Length (ft) | Input Plug      | Output Receptacles     | MSRP    | Discount | DIR Discount Price |
|----------------|---------|----------|------------------|-----------------|------------------------|---------|----------|--------------------|
| EMI305-06      | 12.48   | MI       | 6                | CS8365          | (30) C13, (6) C19      | \$1,575 | 32.50%   | \$1,063            |
| EMI316-10      | 14.4    | MI       | 10               | CS8365          | (9) C13, (12) C19      | \$1,987 | 32.50%   | \$1,341            |
| EMI347-03      | 14.4    | MI       | 3                | CS8365          | (48) C13, (12) C19     | \$2,894 | 32.50%   | \$1,953            |
| EMI413-10      | 17.3    | MI       | 10               | L22-30P         | (30) SDG400 - Anderson | \$2,749 | 32.50%   | \$1,856            |
| EMI319-10      | 17.3    | MI       | 10               | IEC60309 532P6W | (24) C13, (6) C19      | \$2,233 | 32.50%   | \$1,507            |
| EMI323-06      | 17.3    | MI       | 6                | IEC60309 460P9W | (38) C13               | \$2,458 | 32.50%   | \$1,659            |
| EMI338-06      | 17.3    | MI       | 6                | IEC60309 460P9W | (48) C13, (12) C19     | \$2,834 | 32.50%   | \$1,913            |
| EMI359-06      | 17.3    | MI       | 6                | IEC 60309 460P9 | (48)C13, (12) C19      | \$2,391 | 32.50%   | \$1,614            |
| EMI356-10      | 17.3    | MI       | 10               | 309-532P6W      | (48)C13, (12) C19      | \$2,264 | 32.50%   | \$1,528            |
| EMI382-HW      | 22.2    | MI       | N/A              | Hardwired       | (6) L6-30R             | \$2,730 | 32.50%   | \$1,843            |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Metered Outlet ePDUs

Eaton ePDU G3 Metered Outlet models monitor and measure critical factors such as voltage, current and power consumption without the capability to switch outlets. ePDU G3 Metered Outlet models provide the necessary measurements to calculate Level 3 PUE and feature an advanced local display.

- Measurement of outlet-level power consumption
- Ability to deliver Level 3 PUE to increase accuracy and precision of energy analysis
- Remote monitoring of entire environment over the network from a single interface
- Single- and three-phase configurations provide solutions for multiple environment types
- ±1% billing grade accuracy
- Advanced LCD pixel display, hot-swap meter, IEC grip outlets and color-coded circuits
- The ability to daisy chain eight ePDUs to share the same network connection and IP address



### Metered Outlet ePDUs

| Catalog Number               | Max. kW | Function | Cord Length | Input Connection | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|------------------------------|---------|----------|-------------|------------------|--------------------|---------|----------|--------------------|
| <b>Vertical Mount Models</b> |         |          |             |                  |                    |         |          |                    |
| EMO330-10                    | 17.3    | MO       | 10          | IEC60309 460P9W  | (12) C13, (12) C19 | \$2,174 | 32.50%   | \$1,467            |

### Environmental Probes

| Catalog Number | Description   | MSRP  | Discount | DIR Discount Price |
|----------------|---|-------|----------|--------------------|
| EMP001         | Environmental Monitoring Probes for Rack PDU G3                                 | \$274 | 32.50%   | \$185              |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with Rack PDU G3 FW Version 4. | \$309 | 32.50%   | \$209              |

### Environmental Rack Monitors

| Description   | Part Number | Dimensions (H x W x D, inches) | MSRP  | Discount | DIR Discount Price |
|---|-------------|--------------------------------|-------|----------|--------------------|
| Environmental Rack Monitor Water Leak Detector, 3ft             | 103005780   | 0.6 x 7.9 x 8.2                | \$173 | 32.50%   | \$117              |
| Environmental Rack Monitor Water Leak Detector, 12ft            | 103005894   | 0.6 x 11.2 x 11.4              | \$299 | 32.50%   | \$202              |
| Environmental Rack Monitor Door Contact Sensor                  | 103005781   | 2.0 x 2.0 x 2.0                | \$35  | 32.50%   | \$24               |
| Environmental Rack Monitor Vibration Sensor                     | 103005782   | 2.0 x 3.0 x 2.0                | \$47  | 32.50%   | \$32               |
| Environmental Rack Monitor Smoke Detector/Alarm (220V, IEC C13) | 103005779   | 2.4 x 6.3 x 8.8                | \$173 | 32.50%   | \$117              |
| Environmental Rack Monitor Smoke Detector/Alarm (110V, 5-15)    | 103005890   | 2.4 x 6.3 x 8.8                | \$173 | 32.50%   | \$117              |

### Accessories

| Catalog Number | Description                   | MSRP | Discount | DIR Discount Price |
|----------------|-------------------------------|------|----------|--------------------|
| 010-0029       | 2-foot C13 to C14 jumper cord | \$12 | 32.50%   | \$8                |
| 010-0028       | 4-foot C13 to C14 jumper cord | \$16 | 32.50%   | \$11               |
| 010-0027       | 6-foot C13 to C14 jumper cord | \$18 | 32.50%   | \$12               |
| 010-0025       | 8-foot C13 to C14 jumper cord | \$20 | 32.50%   | \$14               |
| 035-0113       | C19 Outlet Cap                | \$6  | 32.50%   | \$4                |
| 035-0119       | C13 Outlet Cap                | \$7  | 32.50%   | \$5                |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Managed ePDUs

ePDU G3 Managed models include outlet switching and metered outlets. Switching allows you to power cycle (reboot) locked servers or turn off unused outlets. Outlet level monitoring of voltage, current, power and energy (KWH) provides necessary measurements to calculate Level 3 PUE and to run capacity /usage analytics.



- Monitor power consumption in kilowatt hours at the individual outlet level requirement
- Readings available via Ethernet connection over a network (utilizing Eaton's Intelligent Power Manager)
- Power consumption readings allow for Power Usage Effectiveness calculations

### Managed ePDUs

| Catalog Number                 | Max.kW | Function | Cord Length | Input Connection       | Output Receptacles           | MSRP    | Discount | DIR Discount Price |
|--------------------------------|--------|----------|-------------|------------------------|------------------------------|---------|----------|--------------------|
| <b>Horizontal Mount Models</b> |        |          |             |                        |                              |         |          |                    |
| EMAT08-10                      | 1.44   | MA       | 10          | 5-15P                  | (8) 5-15R                    | \$789   | 32.50%   | \$533              |
| EMAT09-10                      | 1.92   | MA       | 10          | L5-20P (5-20P adapter) | (8) 5-20R                    | \$920   | 32.50%   | \$621              |
| EMAT10-10                      | 3.84   | MA       | 10          | C20 (L6-20 adapter)    | (8) C13                      | \$920   | 32.50%   | \$621              |
| EMAU05-10                      | 2.88   | MA       | 10          | L5-30P                 | (16) 5-20R                   | \$1,213 | 32.50%   | \$819              |
| EMAT06-10                      | 4.99   | MA       | 10          | L6-30P                 | (10) C13, (4) C19            | \$1,517 | 32.50%   | \$1,024            |
| EMAU06-10                      | 4.99   | MA       | 10          | L6-30P                 | (12) C13, (4) C19            | \$1,309 | 32.50%   | \$884              |
| EMAU07-10                      | 4.99   | MA       | 10          | L6-30P                 | (16) C13                     | \$1,192 | 32.50%   | \$805              |
| EMAU13-10                      | 4.99   | MA       | 10          | L6-30P                 | (21) C13, (3) C19            | \$2,443 | 32.50%   | \$1,649            |
| EMAU25-10                      | 5.76   | MA       | 10          | IEC60309 332P6W        | (21) C13, (3) C19            | \$2,590 | 32.50%   | \$1,748            |
| <b>Vertical Mount Models</b>   |        |          |             |                        |                              |         |          |                    |
| EMA111-10                      | 1.44   | MA       | 10          | 5-15P                  | (8) 5-15R                    | \$960   | 32.50%   | \$648              |
| EMA112-10                      | 1.44   | MA       | 10          | 5-15P                  | (16) 5-15R                   | \$1,182 | 32.50%   | \$798              |
| EMA113-10                      | 1.92   | MA       | 10          | 5-20P/L5-20P*          | (8) 5-20R                    | \$1,031 | 32.50%   | \$696              |
| EMA114-10                      | 1.92   | MA       | 10          | 5-20P/L5-20P*          | (24) 5-20R                   | \$1,251 | 32.50%   | \$844              |
| EMA141-10                      | 1.92   | MA       | 10          | L5-20P                 | (24) 5-20R                   | \$2,565 | 32.50%   | \$1,731            |
| EMA108-10                      | 2.88   | MA       | 10          | L5-30P                 | (24) 5-20R                   | \$1,592 | 32.50%   | \$1,075            |
| EMA115-10                      | 3.84   | MA       | 10          | C20 (L6-20 adapter)    | (21) C13, (3) C19            | \$1,314 | 32.50%   | \$887              |
| EMA107-10                      | 4.99   | MA       | 10          | L6-30P                 | (20) C13, (4) C19            | \$1,741 | 32.50%   | \$1,175            |
| EMA135-10                      | 4.99   | MA       | 10          | L6-30P                 | (24) C13                     | \$2,496 | 32.50%   | \$1,685            |
| EMA140-10                      | 4.99   | MA       | 10          | L6-30P                 | (24) C13                     | \$2,780 | 32.50%   | \$1,877            |
| EMA142-10                      | 4.99   | MA       | 10          | L6-30P                 | (18) C13, (6) C19            | \$2,796 | 32.50%   | \$1,887            |
| EMA325-10                      | 5.76   | MA       | 10          | L21-20P                | (18) C13, (6) C19            | \$1,739 | 32.50%   | \$1,174            |
| EMA326-10                      | 8.64   | MA       | 10          | L15-30P                | (18) C13, (6) C19            | \$2,008 | 32.50%   | \$1,355            |
| EMA327-10                      | 8.64   | MA       | 10          | L21-30P                | (18) C13, (6) C19            | \$2,078 | 32.50%   | \$1,403            |
| EMA333-10                      | 8.64   | MA       | 10          | L21-30P                | (21) C13, (6) C19, (1) 5-20R | \$1,803 | 32.50%   | \$1,217            |
| EMA375-10                      | 8.64   | MA       | 10          | L21-30P                | (48) C13                     | \$4,212 | 32.50%   | \$2,843            |
| EMA376-10                      | 8.64   | MA       | 10          | L21-30P                | (24) C13                     | \$2,814 | 32.50%   | \$1,899            |
| EMA385-10                      | 8.64   | MA       | 10          | L21-30P                | (21) C13, (3) 5-20R          | \$3,088 | 32.50%   | \$2,084            |
| EMACPH36JA4A4K                 | 12.48  | MA       | 6           | CS8365                 | (12) C13, (12) C19           | \$3,346 |          | \$3,346            |
| 2                              |        |          |             |                        |                              |         |          |                    |
| EMACPH36JA5A5K                 | 12.48  | MA       | 6           | CS8365                 | (12) C13, (12) C39           | \$3,346 |          | \$3,346            |
| 2                              |        |          |             |                        |                              |         |          |                    |
| EMACFL36JA4A4K                 | 17.3   | MA       | 6           | IEC 60309 460P9        | (12) C13, (12) C19           | \$3,448 |          | \$3,448            |
| 2                              |        |          |             |                        |                              |         |          |                    |
| EMACFL36JA5A5K                 | 17.3   | MA       | 6           | IEC 60309 460P9        | (12) C13, (12) C39           | \$3,448 |          | \$3,448            |
| 2                              |        |          |             |                        |                              |         |          |                    |
| EMA374-10                      | 17.3   | MA       | 10          | IEC60309 532P6W        | (48) C13                     | \$4,212 | 32.50%   | \$2,843            |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Managed ePDUs

### Environmental Probes

| Catalog Number | Description  | MSRP  | Discount | Price |
|----------------|--|-------|----------|-------|
| EMP001         | Environmental  | \$274 | 32.50%   | \$185 |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with Rack PDU G3 FW Version 4.0+) | \$309 | 32.50%   | \$209 |

### Environmental Rack Monitors

| Description   | Part Number | Dimensions<br>(H x W x D, inches) | MSRP  | Discount | DIR<br>Discount<br>Price |
|---|-------------|-----------------------------------|-------|----------|--------------------------|
| Environmental Rack Monitor Water Leak Detector, 3ft                 | 103005780   | 0.6 x 7.9 x 8.2                   | \$173 | 32.50%   | \$117                    |
| Environmental Rack Monitor Water Leak Detector, 12ft                | 103005894   | 0.6 x 11.2 x 11.4                 | \$299 | 32.50%   | \$202                    |
| Environmental Rack Monitor Door Contact Sensor                      | 103005781   | 2.0 x 2.0 x 2.0                   | \$35  | 32.50%   | \$24                     |
| Environmental Rack Monitor Vibration Sensor                         | 103005782   | 2.0 x 3.0 x 2.0                   | \$47  | 32.50%   | \$32                     |
| Environmental Rack Monitor Smoke Detector/Alarm<br>(220V, IEC C-13) | 103005779   | 2.4 x 6.3 x 8.8                   | \$173 | 32.50%   | \$117                    |
| Environmental Rack Monitor Smoke Detector/Alarm<br>(110V, 5-15)     | 103005890   | 2.4 x 6.3 x 8.8                   | \$173 | 32.50%   | \$117                    |

### Accessories

| Catalog Number | Description                   | MSRP | Discount | Price |
|----------------|-------------------------------|------|----------|-------|
| 010-0029       | 2-foot C13 to C14 jumper cord | \$12 | 32.50%   | \$8   |
| 010-0028       | 4-foot C13 to C14 jumper cord | \$16 | 32.50%   | \$11  |
| 010-0027       | 6-foot C13 to C14 jumper cord | \$18 | 32.50%   | \$12  |
| 010-0025       | 8-foot C13 to C14 jumper cord | \$20 | 32.50%   | \$14  |
| 035-0113       | C19 Outlet Cap                | \$6  | 32.50%   | \$4   |
| 035-0119       | C13 Outlet Cap                | \$7  | 32.50%   | \$5   |

### Services

For detailed information on service plans, please refer to the Single-phase Service section.

# EATON POWER DISTRIBUTION, MONITORING AND

## Eaton Automatic Transfer Switches

eATS (Automatic Transfer Switch)—Designed for switching non-phase synchronized AC power sources, the automatic transfer switch ePDUs' intelligent circuitry monitors both inputs, providing a fast switch transfer from primary to secondary source power critical equipment without interruption. These ePDUs assure the highest level of redundancy to mission-critical applications.

- 1U configurations available
- Custom designs upon request



### Eaton Automatic Transfer Switches

| Catalog Number                  | Max. kW | Function | Cord Length (ft) | Input Plug          | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|---------------------------------|---------|----------|------------------|---------------------|--------------------|---------|----------|--------------------|
| <b>Horizontal Monitored ATS</b> |         |          |                  |                     |                    |         |          |                    |
| EATS115                         | 1.44    | AT       | 10               | (2) 5-15P           | (10) 5-15R         | \$1,164 | 32.50%   | \$786              |
| EATS120                         | 1.92    | AT       | 10               | (2) 5-20P           | (10) 5-20R         | \$1,336 | 32.50%   | \$902              |
| EATS220                         | 3.33    | AT       | 10               | C20 (L6-20 adapter) | (8) C13, (1) C19   | \$1,196 | 32.50%   | \$807              |
| EATS30H                         | 5.76    | AT       | -                | Terminal Block      | Terminal Block     | \$1,392 | 32.50%   | \$940              |
| EATS30P                         | 5.76    | AT       | 10               | (2) L6-30P          | (1) L6-30R         | \$1,684 | 32.50%   | \$1,137            |

### Horizontal Basic ATS - Test and Instrumentation

|                 |      |    |    |            |                  |         |        |         |
|-----------------|------|----|----|------------|------------------|---------|--------|---------|
| T2235-A1-CFB09S | 1.44 | AT | 9  | (2) 5-15P  | (8) 5-15R        | \$1,062 | 32.50% | \$717   |
| PWATSS515002    | 1.44 | AT | 9  | (2) 5-15P  | (8) 5-15R        | \$1,003 | 32.50% | \$677   |
| TPC2234-A       | 1.44 | AT | 9  | (2) 5-15P  | (8) 5-15R        | \$746   | 32.50% | \$504   |
| TPC2234-A-F     | 1.44 | AT | 9  | (2) 5-15P  | (8) 5-15R        | \$814   | 32.50% | \$549   |
| T2235-A2-CFB09S | 1.92 | AT | 9  | (2) 5-20P  | (8) 5-20R        | \$1,099 | 32.50% | \$742   |
| PWATSS520003    | 1.92 | AT | 9  | (2) 5-20P  | (8) 5-20 R       | \$1,306 | 32.50% | \$882   |
| TPC2234-A2      | 1.92 | AT | 9  | (2) 5-20P  | (8) 5-20R        | \$839   | 32.50% | \$566   |
| TPC2234-A2-F    | 1.92 | AT | 9  | (2) 5-20P  | (8) 5-20R        | \$871   | 32.50% | \$588   |
| PWATSL520004    | 1.92 | AT | 9  | (2) L5-20P | (8) 5-20R        | \$1,169 | 32.50% | \$789   |
| T2235-A2-CFB09L | 1.92 | AT | 9  | (2) L5-20P | (8) 5-20R        | \$1,113 | 32.50% | \$751   |
| PWATSL530005    | 2.88 | AT | 9  | (2) L5-30P | (8) 5-20R        | \$1,252 | 32.50% | \$845   |
| T2235-C2-CFB09L | 2.88 | AT | 9  | (2) L5-30P | (8) 5-20R        | \$1,253 | 32.50% | \$846   |
| T2235-C2-CNB15L | 2.88 | AT | 15 | (2) L5-30P | (8) 5-20R        | \$1,252 | 32.50% | \$845   |
| PWATSL530007    | 2.88 | AT | 9  | (2) L5-30P | (1) L5-30R       | \$1,196 | 32.50% | \$807   |
| T2235-5135      | 2.88 | AT | 12 | (2) L5-30P | (2) L5-30R       | \$1,682 | 32.50% | \$1,135 |
| PWATSL630006    | 5.76 | AT | 9  | (2) L6-30P | (12) C13         | \$1,334 | 32.50% | \$900   |
| PWATSL630008    | 5.76 | AT | 9  | (2) L6-30P | (1) L6-30R       | \$1,196 | 32.50% | \$807   |
| T2235-3209      | 5.76 | AT | 9  | (2) L6-30P | (6) C13, (3) C19 | \$1,466 | 32.50% | \$990   |

### Services

For detailed information on service plans, please refer to the Single-phase Service section.



# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Eaton HotSwap Maintenance Bypass (MBP)

HotSwap MBP—Facilitating hot-swappable UPS replacement from the rack—the HotSwap MBP is also ideal when exchanging a faulty unit or upgrading to a new UPS. The HotSwap MBP offers receptacles in 5-15R and 5-20R.

- Gain additional receptacles on UPSs
- Provide service continuity during battery replacement, UPS maintenance or upgrade
- Ease installation with flexible mounting options (rear panel, the top, on the left or on the right of the UPS (depending on the UPS model)
- Accommodate most space constraints with minimal depth 1U form factor



### Eaton HotSwap Maintenance Bypass (MBP)

| Catalog Number   | Max kW | Function | Cord   |                  | Output Receptacles | MSRP  | Discount | DIR   |
|------------------|--------|----------|--------|------------------|--------------------|-------|----------|-------|
|                  |        |          | Length | Input Connection |                    |       |          | Price |
| EHBPL1500R-PDU1U | 1.44   | BA       | 3'     | 5-15P            | (6) 5-15R          | \$331 | 32.50%   | \$223 |
| EHBPL2000R-PDU1U | 1.92   | BA       | 3'     | 5-20P            | (6) 5-20R          | \$396 | 32.50%   | \$267 |
| EHBPL3000R-PDU1U | 2.88   | BA       | 3'     | L5-30P           | (5) 5-20R          | \$574 | 32.50%   | \$387 |

### Services

For detailed information on service plans, please refer to the Single-phase Service section.

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Remote Emergency Power Off (REPO) Rack PDUs

Remote emergency power off (REPO) rack PDUs enable immediate and complete power off control from one button. These PDUs are hardwired and the power off switch can be housed anywhere in the data center for quick and easy access, should the need for immediate shutdown arise.

- EMI/RFI Filter\* and Surge Suppression\* (\*model specific)
- Remote interface capability utilizing remote control panels (RCPs)



### Remote Emergency Power Off (REPO) Rack PDUs

| Catalog Number  | Max. kW | Function | Cord Length (ft) | Input Plug      | Output Receptacles            | MSRP    | Discount | DIR Discount Price |
|---|---------|----------|------------------|-----------------|-------------------------------|---------|----------|--------------------|
| <b>Horizontal Mount Models - Test and Instrumentation</b> |         |          |                  |                 |                               |         |          |                    |
| TPC115-10A-LMR  | 1.44    | REPO     | 10               | 5-15P           | (10) 5-15R                    | \$1,083 | 32.50%   | \$731              |
| TPC115-10A-LTR  | 1.44    | REPO     | 10               | 5-15P           | (10) 5-15R                    | \$1,083 | 32.50%   | \$731              |
| TPC115-10A-MTR  | 1.44    | REPO     | 10               | 5-15P           | (10) 5-15R                    | \$1,248 | 32.50%   | \$842              |
| TPC115-10A-R  | 1.44    | REPO     | 10               | 5-15P           | (10) 5-15R                    | \$1,248 | 32.50%   | \$842              |
| PC125-A2-LTR  | 1.92    | REPO     | 10               | 5-20P           | (12) 5-20R                    | \$1,231 | 32.50%   | \$831              |
| TPC115-10A2-LMR   | 1.92    | REPO     | 10               | 5-20P           | (10) 5-20R                    | \$1,136 | 32.50%   | \$767              |
| TPC115-10A2-LTR   | 1.92    | REPO     | 10               | 5-20P           | (10) 5-20R                    | \$1,136 | 32.50%   | \$767              |
| TPC115-10A2-MTR   | 1.92    | REPO     | 10               | 5-20P           | (10) 5-20R                    | \$1,352 | 32.50%   | \$913              |
| TPC115-10A2-R   | 1.92    | REPO     | 10               | 5-20P           | (10) 5-20R                    | \$1,352 | 32.50%   | \$913              |
| TPC10-A-3060R   | 1.92    | REPO     | 10               | L5-20P          | (10) 5-15R                    | \$1,271 | 32.50%   | \$858              |
| TPC115-10C-LMR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-15R                    | \$1,174 | 32.50%   | \$792              |
| TPC115-10C-LTR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-15R                    | \$1,174 | 32.50%   | \$792              |
| TPC115-10C-MTR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-15R                    | \$1,350 | 32.50%   | \$911              |
| TPC115-10C-R  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-15R                    | \$1,350 | 32.50%   | \$911              |
| TPC115-10D-352R   | 2.88    | REPO     | 15               | L5-30P          | (8) 5-20R                     | \$1,723 | 32.50%   | \$1,163            |
| TPC115-10D-LMR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-20R                    | \$1,175 | 32.50%   | \$793              |
| TPC115-10D-LTR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-20R                    | \$1,175 | 32.50%   | \$793              |
| TPC115-10D-MTR  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-20R                    | \$1,352 | 32.50%   | \$913              |
| TPC115-10D-R  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-20R                    | \$1,466 | 32.50%   | \$990              |
| TPC2653-2R  | 2.88    | REPO     | 15               | L5-30P          | (10) 5-15R                    | \$2,906 | 32.50%   | \$1,962            |
| PC2651-1R   | 2.88    | REPO     | N/A              | Hardwired       | (4) L5-30R                    | \$4,161 | 32.50%   | \$2,809            |
| TPC2365-3731  | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$1,097 | 32.50%   | \$740              |
| TPC2365-5403-R  | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$1,311 | 32.50%   | \$885              |
| PC5916-7000R  | 3.33    | REPO     | N/A              | C20             | (8) C13                       | \$1,811 | 32.50%   | \$1,222            |
| TPC2365-5902-R  | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$1,436 | 32.50%   | \$969              |
| TPC2365-LTMTD-R   | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$990   | 32.50%   | \$668              |
| TPC2365-LT-R  | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$990   | 32.50%   | \$668              |
| TPC2365-MTD-R   | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$1,227 | 32.50%   | \$828              |
| TPC2365-R   | 3.33    | REPO     | N/A              | C20             | (12) C13                      | \$1,227 | 32.50%   | \$828              |
| PC125-F-LTR   | 5.76    | REPO     | 15               | L6-30P          | (12) 6-150R                   | \$1,448 | 32.50%   | \$977              |
| TPC115-10F-574R   | 5.76    | REPO     | 6                | L6-30P          | (10) 6-20R                    | \$1,558 | 32.50%   | \$1,052            |
| TPC115-10F-LTR  | 5.76    | REPO     | 15               | L6-30P          | (10) 6-15R                    | \$1,196 | 32.50%   | \$807              |
| TPC2365-3732R   | 5.76    | REPO     | 15               | L6-30P          | (12) C13                      | \$1,323 | 32.50%   | \$893              |
| PC2651-2R   | 5.76    | REPO     | N/A              | Hardwired       | (4) L6-30R                    | \$4,512 | 32.50%   | \$3,046            |
| PC5585-CF1-MTR  | 5.76    | REPO     | N/A              | Hardwired       | (14) C13                      | \$2,195 | 32.50%   | \$1,482            |
| PC5585-CF-2654R   | 5.76    | REPO     | N/A              | Hardwired       | (14) C13                      | \$2,798 | 32.50%   | \$1,889            |
| PC975-3387-LTR  | 8.64    | REPO     | 15               | L15-30P         | (6) 6-20R, (3) L15-30R        | \$3,153 | 32.50%   | \$2,128            |
| PC975-3387R   | 8.64    | REPO     | 15               | L15-30P         | (6) 6-20R, (3) L15-30R        | \$3,153 | 32.50%   | \$2,128            |
| PC2641-D-LMR  | 8.64    | REPO     | 15               | L21-30P         | (14) 5-20R                    | \$2,222 | 32.50%   | \$1,500            |
| PC2641-D-LTR  | 8.64    | REPO     | 15               | L21-30P         | (14) 5-20R                    | \$2,222 | 32.50%   | \$1,500            |
| PC2641-D-MTR  | 8.64    | REPO     | 15               | L21-30P         | (14) 5-20R                    | \$2,222 | 32.50%   | \$1,500            |
| PC2641-D-R  | 8.64    | REPO     | 15               | L21-30P         | (14) 5-20R                    | \$2,222 | 32.50%   | \$1,500            |
| PC6000R   | 8.64    | REPO     | 6                | L21-30P         | (23) C13                      | \$5,867 | 32.50%   | \$3,960            |
| PC726-D-R   | 8.64    | REPO     | 15               | L21-30P         | (18) 5-20R                    | \$3,175 | 32.50%   | \$2,143            |
| PC975-1969-LTR  | 8.64    | REPO     | 15               | L21-30P         | (8) 5-20R, (3) L21-30R        | \$2,346 | 32.50%   | \$1,584            |
| PC975-1969R   | 8.64    | REPO     | 15               | L21-30P         | (8) 5-20R, (3) L21-30R        | \$2,346 | 32.50%   | \$1,584            |
| PC975-2109-LTR  | 8.64    | REPO     | 15               | L21-30P         | (8) 5-15R, (6) L5-30R         | \$2,346 | 32.50%   | \$1,584            |
| PC975-2109R   | 8.64    | REPO     | 15               | L21-30P         | (8) 5-15R, (6) L5-30R         | \$2,346 | 32.50%   | \$1,584            |
| PC975-2235R   | 8.64    | REPO     | 15               | L21-30P         | (8) 5-20R, (6) L5-30R         | \$3,343 | 32.50%   | \$2,257            |
| PC975-LTR   | 8.64    | REPO     | 15               | L21-30P         | (8) 5-20R, (3) L6-20R         | \$2,356 | 32.50%   | \$1,590            |
| PC975-R   | 8.64    | REPO     | 15               | L21-30P         | (8) 5-20R, (3) L6-20R         | \$2,356 | 32.50%   | \$1,590            |
| PC2672-5906   | 8.64    | REPO     | 6                | L21-30P         | (15) C13, (4) C19             | \$4,774 | 32.50%   | \$3,222            |
| TPC4000-D-LTR   | 8.64    | REPO     | 15               | L21-30P         | (10) 5-20R                    | \$2,985 | 32.50%   | \$2,015            |
| PC302-I-MTR   | 8.64    | REPO     | N/A              | Hardwired       | (14) C13                      | \$2,060 | 32.50%   | \$1,391            |
| TPC2365-5812R   | 17.3    | REPO     | 15               | IEC60309 532P6W | (6) C13, (4) C19              | \$1,891 | 32.50%   | \$1,276            |
| PC2672-1R   | 17.3    | REPO     | 6                | IEC60309 532P6W | (1) 532R6W, (4) C19, (12) C13 | \$4,464 | 32.50%   | \$3,013            |
| PC6001R   | 22.2    | REPO     | N/A              | Hardwired       | (3) L15-20R, (15) C13         | \$6,184 | 32.50%   | \$4,174            |

## EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

### Remote Emergency Power Off (REPO) Rack PDUs

#### Remote Control Panels - Test and Instrumentation

| Catalog Number | Remote Type | Switch/EPO                 | Color | Input Plug | Output Receptacles | MSRP  | Discount | DIR            |
|----------------|-------------|----------------------------|-------|------------|--------------------|-------|----------|----------------|
|                |             |                            |       |            |                    |       |          | Discount Price |
| RCP100-BLK     | Standard    | 2 position/Normally Open   | Black | None       | None               | \$258 | 32.50%   | \$174          |
| RCP100-BLK-LT  | Latching    | 3 position/Normally Closed | Black | None       | None               | \$295 | 32.50%   | \$199          |
| RCP100-GRY     | Standard    | 2 position/Normally Open   | Gray  | None       | None               | \$257 | 32.50%   | \$173          |
| RCP100-GRY-LT  | Latching    | 3 position/Normally Closed | Gray  | None       | None               | \$295 | 32.50%   | \$199          |
| RCP200-BLK     | Standard    | 2 position/Normally Open   | Black | 5-15P      | (2) 5-15R          | \$462 | 32.50%   | \$312          |
| RCP200-BLK-LT  | Latching    | 3 position/Normally Closed | Black | 5-15P      | (2) 5-15R          | \$511 | 32.50%   | \$345          |
| RCP200-GRY     | Standard    | 2 position/Normally Open   | Gray  | 5-15P      | (2) 5-15R          | \$462 | 32.50%   | \$312          |
| RCP200-GRY-LT  | Latching    | 3 position/Normally Closed | Gray  | 5-15P      | (2) 5-15R          | \$511 | 32.50%   | \$345          |

#### Services

For detailed information on service plans, please refer to the Single-phase Service section.

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## ePDU Cables

- Adapters to enable equipment with disparate input/output receptacles to work together
- Jumpers to connect two pieces of equipment without cluttering up the cable arrangement
- Splitters to add extra equipment to a UPS or PDU without using up more outlets

All Eaton power cables are tested and certified for use with Eaton products, such as ePDUs, rack power modules (RPMs) and UPSs—proven to deliver the reliability and service life needed for the most rigorous data center applications.

- Choose from adapters, jumpers and splitters for any rack power distribution application
- Select from a broad range of input/output connectors
- Streamline cabling in Enclosures by deploying exactly the cable length needed
- Count on assured performance with pre-tested products that meet UL and Eaton standards

### Adapter Cables

| Catalog Number  | Description   | Leads | Input Plug | Output            | MSRP  | Discount | DIR Price |
|-----------------|---|-------|------------|-------------------|-------|----------|-----------|
| 010-0020        | 10 ft IEC320-C14 to IEC320-C13 Jumper Cable             | 1     | C14        | C13               | \$23  | 32.50%   | \$16      |
| 010-0021        | 7 ft IEC320-C14 to IEC320-C13 Jumper Cable              | 1     | C14        | C13               | \$19  | 32.50%   | \$13      |
| 010-0024        | 15 ft IEC320-C14 to IEC320-C13 Jumper Cable             | 1     | C14        | C13               | \$28  | 32.50%   | \$19      |
| 010-0025        | 8 ft IEC320-C14 to IEC320-C13 Jumper Cable              | 1     | C14        | C13               | \$20  | 32.50%   | \$14      |
| 010-0026        | 8 ft C19 TO Bare Wire Cable                             | 1     | Bare Wire  | C19               | \$21  | 32.50%   | \$14      |
| 010-0027        | 6 ft IEC320-C14 to IEC320-C13 Jumper Cable              | 1     | C14        | C13               | \$18  | 32.50%   | \$12      |
| 010-0028        | 4 ft IEC320-C14 to IEC320-C13 Jumper Cable              | 1     | C14        | C13               | \$16  | 32.50%   | \$11      |
| 010-0029        | 2 ft IEC320-C14 to IEC320-C13 Jumper Cable              | 1     | C14        | C13               | \$12  | 32.50%   | \$8       |
| 010-0032        | 1 ft IEC320-C14 to 5-15R Adapter Cable                  | 1     | C14        | 5-15R             | \$20  | 32.50%   | \$14      |
| 010-0034        | 8 ft IEC320-C19 to Bare Wire Adapter Cable              | 1     | C19        | Bare              | \$42  | 32.50%   | \$28      |
| 010-9332        | 8 ft IEC320-C13 to 5-15P Jumper Cable                   | 1     | 5-15P      | C13               | \$21  | 32.50%   | \$14      |
| 010-9334        | 8 ft IEC320-C19 to 5-15P Adapter Cable                  | 1     | 5-15P      | C19               | \$29  | 32.50%   | \$20      |
| 010-9335        | 8 ft IEC320-C19 to 5-20P Adapter Cable                  | 1     | 5-20P      | C19               | \$35  | 32.50%   | \$24      |
| 010-9336        | 8 ft IEC320-C19 to 6-15P Adapter Cable                  | 1     | 6-15P      | C19               | \$42  | 32.50%   | \$28      |
| 010-9337        | 8 ft IEC320-C19 to 6-20P Adapter Cable                  | 1     | 6-20P      | C19               | \$42  | 32.50%   | \$28      |
| 010-9338        | 8 ft IEC320-C19 to L5-15P Adapter Cable                 | 1     | L5-15P     | C19               | \$50  | 32.50%   | \$34      |
| 010-9339        | 8 ft IEC320-C19 to L5-20P Adapter Cable                 | 1     | L5-20P     | C19               | \$35  | 32.50%   | \$24      |
| 010-9341        | 8 ft IEC320-C19 to L6-20P Adapter Cable                 | 1     | L6-20P     | C19               | \$42  | 32.50%   | \$28      |
| 010-9342        | 8 ft IEC320-C19 to IEC320-C20 Adapter Cable             | 1     | C20        | C19               | \$42  | 32.50%   | \$28      |
| 010-9343        | 8 ft SCHUCKO to IEC320-C19 Adapter Cable                | 1     | C19        | SCHUCKO           | \$40  | 32.50%   | \$27      |
| 010-9351        | 8 ft British to IEC320-C19 Adapter Cable                | 1     | C19        | British Connector | \$35  | 32.50%   | \$24      |
| 010-9365        | 8 ft IEC320-C14 to IEC320-C19 Jumper Cable              | 1     | C19        | C14               | \$44  | 32.50%   | \$30      |
| CBL146          | 30 ft Power Cord Assembly 10/3 SOOW 2" Pigtails         | 2     | Pigtails   | Pigtails          | \$179 | 32.50%   | \$121     |
| CBL147          | Cable Assembly High Volt Cover, 15 ft 10/3 SOOW, L6-30P | 1     | L6-30P     |                   | \$191 | 32.50%   | \$129     |
| SUB-PWRCORD-908 | 8 ft L6-30R to L6-30P Adapter Cable                     | 1     | L6-30P     | L6-30R            | \$74  | 32.50%   | \$50      |

### Splitter Cables

| Catalog Number | Description  | Leads | Input Plug | Output | MSRP  | Discount | DIR Price |
|----------------|--|-------|------------|--------|-------|----------|-----------|
| CBL139         | Splitter Cable L14-30P to (2) L6-30R (4ft/2ft)     | 2     | L14-30P    | L6-30R | \$204 | 32.50%   | \$138     |
| CBL143         | Splitter Cable L14-30P to (2) L5-30R (4ft/2ft)     | 2     | L14-30P    | L5-30R | \$204 | 32.50%   | \$138     |
| CBL148         | Splitter Cable L14-20P to (2) L5-20R (4ft/2ft)     | 2     | L14-20P    | L5-20R | \$218 | 32.50%   | \$147     |
| CBL149         | Splitter Cable L21-30P to (3) L5-30R (4ft/2ft/1ft) | 3     | L21-30P    | L5-30R | \$203 | 32.50%   | \$137     |
| CBL150         | Splitter Cable L21-20P to (3) L5-20R (4ft/2ft/1ft) | 3     | L21-20P    | L5-20R | \$296 | 32.50%   | \$200     |

### Accessories

| Catalog Number  | Description  | MSRP | Discount | DIR Price |
|-----------------|--|------|----------|-----------|
| 010-0322        | C19 Receptacle Connector                           | \$19 | 32.50%   | \$13      |
| 035-0113        | C13 Outlet Cap                                     | \$6  | 32.50%   | \$4       |
| 001-0819-1      | Mounting Bracket Right                             | \$27 | 32.50%   | \$18      |
| 001-0819-2      | Mounting Bracket Left                              | \$27 | 32.50%   | \$18      |
| 001-1393-1      | Mounting Bracket Adjustable Black - RoHS Compliant | \$9  | 32.50%   | \$6       |
| 001-1928-1      | Side Mounting Bracket                              | \$34 | 32.50%   | \$23      |
| 001-1995-1      | Bracket  | \$41 | 32.50%   | \$28      |
| SUB-HRDWARE-017 | VPC Bracket - Standard, Offset                     | \$16 | 32.50%   | \$11      |
| SUB-HRDWARE-032 | Mounting Bracket                                   | \$40 | 32.50%   | \$27      |
| SUB-HRDWARE-038 | Toolless Mounting Kit                              | \$40 | 32.50%   | \$27      |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## ECLIPSE SURGE SUPPRESSORS

The Eclipse is Ideal for all uses—computer, peripheral, stereo and video—total protection against power surges, spikes, nearby lightning strikes and line noise.

- Up to 1020 joule rating
- Master on/off switch
- Instantaneous response time
- Visual alarm(s)
- Audible alarm (except personal)
- Circuit breaker and thermal fuse protection
- 360° rotating plug (except personal)



| Catalog Number  | Style Number | Description                           | Dimensions (H x W x D, inches) | MSRP | Discount | DIR Discount |
|-----------------|--------------|---------------------------------------|--------------------------------|------|----------|--------------|
| ECLL1800-PER    | 83500        | ECLIPSE Personal 120V 1800W (6) 5-15R | 2.00 x 1.25 x 11.00            | \$18 | 32.50%   | \$12         |
| ECLL1800-PRO    | 83501        | ECLIPSE Pro 120V 1800W (8) 5-15R      | 3.88 x 1.31 x 9.75             | \$33 | 32.50%   | \$22         |
| ECLL1800-PROTEL | 83502        | ECLIPSE ProTel 1800W (8) 5-15R        | 3.88 x 1.31 x 9.75             | \$36 | 32.50%   | \$24         |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## S-Series Enclosure

Designed for small and medium-sized businesses, the Eaton S-Series Enclosure supports and protects your critical IT equipment.

These standard configured enclosures are scalable and integrate an array of options including cable management, power distribution and backup power to provide a full network solution.

- Air flow/thermal management options include chimneys, blanking panels, and grommets for the enclosures.
- Split rear doors on most configurations provide easier access and maneuverability in data center environments.
- Guaranteed compatibility with EIA-310 standard size equipment.
- A wide range of cable management options enhance cable routing horizontally and vertically.
- Color: Black



### S-Series Enclosure

| Part Number     | Description   | Shipping                      |              | MSRP    | DIR Discount |         |
|-----------------|---|-------------------------------|--------------|---------|--------------|---------|
|                 |   | Dimensions (H x W x D Inches) | Installed    |         | Discount     | Price   |
| ETN-ENC422442SE | Enclosure 42Ux24x42 frame only w/top cover                  | 87 x 38 x 60                  | 81 x 24 x 42 | \$2,436 | 32.50%       | \$1,644 |
| ETN-ENC422448SE | Enclosure 42Ux24x48 frame only w/top cover                  | 87 x 38 x 60                  | 81 x 24 x 48 | \$2,673 | 32.50%       | \$1,804 |
| ETN-ENC423042SE | Enclosure 42Ux30x42 frame only w/top cover                  | 87 x 38 x 60                  | 81 x 30 x 42 | \$3,267 | 32.50%       | \$2,205 |
| ETN-ENC423048SE | Enclosure 42Ux30x48 frame only w/top cover                  | 87 x 38 x 60                  | 81 x 30 x 48 | \$2,910 | 32.50%       | \$1,964 |
| ETN-ENC442442SE | Enclosure 44Ux24x42 frame only w/top cover                  | 88 x 38 x 60                  | 84 x 24 x 42 | \$2,515 | 32.50%       | \$1,698 |
| ETN-ENC442448SE | Enclosure 44Ux24x48 frame only w/top cover                  | 88 x 38 x 60                  | 84 x 24 x 48 | \$2,476 | 32.50%       | \$1,671 |
| ETN-ENC443042SE | Enclosure 44Ux30x42 frame only w/top cover                  | 88 x 38 x 60                  | 84 x 30 x 42 | \$3,301 | 32.50%       | \$2,228 |
| ETN-ENC443048SE | Enclosure 44Ux30x48 frame only w/top cover                  | 88 x 38 x 60                  | 84 x 30 x 48 | \$3,551 | 32.50%       | \$2,397 |
| ETN-ENC482442SE | Enclosure 48Ux24x42 frame only w/top cover                  | 97 x 38 x 60                  | 91 x 24 x 42 | \$2,709 | 32.50%       | \$1,829 |
| ETN-ENC482448SE | Enclosure 48Ux24x48 frame only w/top cover                  | 97 x 38 x 60                  | 91 x 24 x 42 | \$2,845 | 32.50%       | \$1,920 |
| ETN-ENC512442SE | Enclosure 51Ux24x42 frame only w/top cover                  | 97 x 38 x 60                  | 91 x 24 x 42 | \$3,087 | 32.50%       | \$2,084 |
| ETN-ENC422442S  | Enclosure 42Ux24x42 w/doors/top/divider/casters             | 87 x 38 x 60                  | 81 x 24 x 42 | \$5,690 | 32.50%       | \$3,841 |
| ETN-ENC422448S  | Enclosure 42Ux24x48 w/doors/top/divider/casters             | 87 x 38 x 60                  | 81 x 24 x 48 | \$6,152 | 32.50%       | \$4,153 |
| ETN-ENC423042S  | Enclosure 42Ux30x42 w/doors/top/divider/casters             | 87 x 38 x 60                  | 81 x 30 x 42 | \$7,573 | 32.50%       | \$5,112 |
| ETN-ENC423048S  | Enclosure 42Ux30x48 w/doors/top/divider/casters             | 87 x 38 x 60                  | 81 x 30 x 48 | \$6,875 | 32.50%       | \$4,641 |
| ETN-ENC442442S  | Enclosure 44Ux24x42 w/doors/top/divider/casters             | 88 x 38 x 60                  | 84 x 24 x 42 | \$5,915 | 32.50%       | \$3,993 |
| ETN-ENC442448S  | Enclosure 44Ux24x48 w/doors/top/divider/casters             | 88 x 38 x 60                  | 84 x 24 x 48 | \$5,812 | 32.50%       | \$3,923 |
| ETN-ENC443042S  | Enclosure 44Ux30x42 w/doors/top/divider/casters             | 88 x 38 x 60                  | 84 x 30 x 42 | \$6,779 | 32.50%       | \$4,576 |
| ETN-ENC443048S  | Enclosure 44Ux30x48 w/doors/top/divider/casters             | 88 x 38 x 60                  | 84 x 30 x 48 | \$7,315 | 32.50%       | \$4,938 |
| ETN-ENC482442S  | Enclosure 48Ux24x42 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 24 x 42 | \$5,908 | 32.50%       | \$3,988 |
| ETN-ENC483042S  | Enclosure 48Ux30x42 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 30 x 42 | \$7,316 | 32.50%       | \$4,938 |
| ETN-ENC482448S  | Enclosure 48Ux24x48 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 24 x 48 | \$6,323 | 32.50%       | \$4,268 |
| ETN-ENC483048S  | Enclosure 48Ux30x48 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 30 x 48 | \$7,917 | 32.50%       | \$5,344 |
| ETN-ENC512442S  | Enclosure 51Ux24x48 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 24 x 48 | \$6,439 | 32.50%       | \$4,346 |
| ETN-ENC512448S  | Enclosure 51Ux24x48 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 24 x 48 | \$6,843 | 32.50%       | \$4,619 |
| ETN-ENC513042S  | Enclosure 51Ux30x42 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 30 x 42 | \$6,843 | 32.50%       | \$4,619 |
| ETN-ENC513048S  | Enclosure 51Ux30x48 w/doors/top/divider/casters             | 97 x 38 x 60                  | 91 x 30 x 48 | \$6,315 | 32.50%       | \$4,263 |
| ETN-ENC422442SB | Enclosure 42Ux24x42 w/doors/sides/top/levelers/casters      | 87 x 38 x 60                  | 81 x 24 x 42 | \$6,603 | 32.50%       | \$4,457 |
| ETN-ENC423042SB | Enclosure 42Ux30x42 w/doors/sides/top/levelers/casters      | 87 x 38 x 60                  | 81 x 30 x 42 | \$8,223 | 32.50%       | \$5,551 |
| ETN-ENC422448SB | Enclosure 42Ux24x48 w/doors/sides/top/levelers/casters      | 87 x 38 x 60                  | 81 x 24 x 48 | \$7,194 | 32.50%       | \$4,856 |
| ETN-ENC423048SB | Enclosure 42Ux30x48 w/doors/sides/top/levelers/casters      | 87 x 38 x 60                  | 81 x 30 x 48 | \$7,823 | 32.50%       | \$5,281 |
| ETN-ENC422442SC | Enclosure 42Ux24x42 w/doors/sides/top/levelers (no casters) | 87 x 38 x 60                  | 81 x 24 x 42 | \$6,354 | 32.50%       | \$4,289 |
| ETN-ENC423042SC | Enclosure 42Ux30x42 w/doors/sides/top/levelers (no casters) | 87 x 38 x 60                  | 81 x 30 x 42 | \$7,979 | 32.50%       | \$5,386 |
| ETN-ENC422448SC | Enclosure 42Ux24x48 w/doors/sides/top/levelers (no casters) | 87 x 38 x 60                  | 81 x 24 x 48 | \$6,982 | 32.50%       | \$4,713 |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES



|                 |   |              |              |         |        |         |
|-----------------|---|--------------|--------------|---------|--------|---------|
| ETN-ENC423048SC | Enclosure 42Ux30x48 w/doors/sides/top/levelers (no casters) | 87 x 38 x 60 | 81 x 30 x 48 | \$7,610 | 32.50% | \$5,137 |
|-----------------|---|--------------|--------------|---------|--------|---------|

## S-Series Enclosure

### S-Series Enclosure

| Part Number     | Description  | Shipping Dimensions (H x W x D Inches) |              | MSRP    | DIR Discount Price |         |
|-----------------|--|--|--------------|---------|--------------------|---------|
|                 |  | Installed                              | Discount     |         | Price              |         |
| ETN-ENC422442SD | Enclosure 42Ux24x42 w/doors/top (no sides/divider/casters) | 87 x 38 x 60                           | 81 x 24 x 42 | \$4,810 | 32.50%             | \$3,247 |
| ETN-ENC423042SD | Enclosure 42Ux30x42 w/doors/top (no sides/divider/casters) | 87 x 38 x 60                           | 81 x 30 x 42 | \$6,255 | 32.50%             | \$4,222 |
| ETN-ENC422448SD | Enclosure 42Ux24x48 w/doors/top (no sides/divider/casters) | 87 x 38 x 60                           | 81 x 24 x 48 | \$5,212 | 32.50%             | \$3,518 |
| ETN-ENC423048SD | Enclosure 42Ux30x48 w/doors/top (no sides/divider/casters) | 87 x 38 x 60                           | 81 x 30 x 48 | \$6,078 | 32.50%             | \$4,103 |
| ETN-ENC422442SL | Enclosure 42Ux24x42 w/doors/sides/top/casters/combo lock   | 87 x 38 x 60                           | 81 x 24 x 42 | \$7,601 | 32.50%             | \$5,131 |

Each side panel will add approximately 3/4" to the width of the rack  
 Note: Add approximately 65lb to product weight for packaging materials to determine

### S-Series Chimney Enclosures and Options

| Part Number     | Description   | Shipping Dimensions (H x W x D Inches) |              | MSRP    | DIR Discount Price |         |
|-----------------|---|--|--------------|---------|--------------------|---------|
|                 |   | Installed                              | Discount     |         | Price              |         |
| ETN-ETC422442S  | Chimney Enclosure 42Ux24x42 w/doors/top/divider/casters | 87 x 38 x 60                           | 81 x 24 x 42 | \$5,523 | 32.50%             | \$3,728 |
| ETN-ETC422442SB | Chimney Enclosure 42Ux24x42 w/doors/top/sides/casters   | 87 x 38 x 60                           | 81 x 24 x 42 | \$6,568 | 32.50%             | \$4,433 |
| ETN-ETC422448S  | Chimney Enclosure 42Ux24x48 w/doors/top/divider/casters | 87 x 38 x 60                           | 81 x 24 x 48 | \$5,493 | 32.50%             | \$3,708 |
| ETN-ETC422448SB | Chimney Enclosure 42Ux24x48 w/doors/top/sides/casters   | 87 x 38 x 60                           | 81 x 24 x 48 | \$6,425 | 32.50%             | \$4,337 |
| ETN-ETC423042S  | Chimney Enclosure 42Ux30x42 w/doors/top/divider/casters | 87 x 38 x 60                           | 81 x 30 x 42 | \$6,592 | 32.50%             | \$4,450 |
| ETN-ETC423042SB | Chimney Enclosure 42Ux30x42 w/doors/top/sides/casters   | 87 x 38 x 60                           | 81 x 30 x 42 | \$7,709 | 32.50%             | \$5,204 |
| ETN-ETC423048S  | Chimney Enclosure 42Ux30x48 w/doors/top/divider/casters | 87 x 38 x 60                           | 81 x 30 x 48 | \$6,780 | 32.50%             | \$4,577 |
| ETN-ETC423048SB | Chimney Enclosure 42Ux30x48 w/doors/top/sides/casters   | 87 x 38 x 60                           | 81 x 30 x 48 | \$7,823 | 32.50%             | \$5,281 |

Notes: Depth of enclosures includes front and rear doors. See the S-Series Enclosures brochure for detailed information.

### S-Series Chimneys, pick one with required height for "ETN-ETC" enclosures above

| Part Number   | Description   | Shipping Dimensions (H x W x D Inches) |               | MSRP    | DIR Discount Price |       |
|---------------|---|--|---------------|---------|--------------------|-------|
|               |   | Installed                              | Discount      |         | Price              |       |
| ETN-EXTTC1219 | Telescopic Chimney for enclosure to ceiling heights of 12 to 19in | 24 x 24 x 16                           | H x 23 x 19.5 | \$638   | 32.50%             | \$431 |
| ETN-EXTTC1728 | Telescopic Chimney for enclosure to ceiling heights of 17 to 28in | 24 x 24 x 20                           | H x 23 x 19.5 | \$756   | 32.50%             | \$510 |
| ETN-EXTTC2645 | Telescopic Chimney for enclosure to ceiling heights of 26 to 45in | 24 x 24 x 30                           | H x 23 x 19.5 | \$877   | 32.50%             | \$592 |
| ETN-EXTTC4376 | Telescopic Chimney for enclosure to ceiling heights of 43 to 76in | 24 x 24 x 48                           | H x 23 x 19.5 | \$1,053 | 32.50%             | \$711 |

### S-Series Seismic Enclosures

| Part Number     | Description  | Shipping Dimensions (H x W x D Inches) |              | MSRP    | DIR Discount Price |         |
|-----------------|--|--|--------------|---------|--------------------|---------|
|                 |  | Installed                              | Discount     |         | Price              |         |
| ETN-ENZ422440S  | Enclosure Seismic 42Ux24x40 w/doors/divider /lace(no casters)  | 90 x 38 x 60                           | 84 x 24 x 40 | \$7,768 | 32.50%             | \$5,243 |
| ETN-ENZ422440SB | Enclosure Seismic 42Ux24x40 w/doors/sides /lace (no casters)   | 90 x 38 x 60                           | 84 x 24 x 40 | \$7,875 | 32.50%             | \$5,316 |
| ETN-ENZ423040S  | Enclosure Seismic 42Ux30x40 w/doors/divider /lace (no casters) | 90 x 38 x 60                           | 84 x 30 x 40 | \$8,709 | 32.50%             | \$5,879 |
| ETN-ENZ423040SB | Enclosure Seismic 42Ux30x40 w/doors/sides /lace (no casters)   | 90 x 38 x 60                           | 84 x 30 x 40 | \$9,390 | 32.50%             | \$6,338 |

Note: 1.) Seismic racks tested to NEBS Zone 4 via Telecordia GR-63-CORE specification with 1300 lbs. added load weight, and 50 lbs. top of cabinet cable weight

### S-Series Small/Medium Enterprise Enclosures

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES



| Part Number   | Description  | Shipping Dimensions<br>(H x W x D Inches) | Installed    | MSRP    | DIR Discount |         |
|---------------|--|---|--------------|---------|--------------|---------|
|               |  |   |              |         | Discount     | Price   |
| ETN-VS2252440 | SME Enclosure 25Ux24x40 with doors/sides/top/casters | 60 x 30 x 48                              | 50 x 24 x 40 | \$3,726 | 32.50%       | \$2,515 |

## S-Series Enclosure

### S-SERIES ENCLOSURE OPTIONS/ACCESSORIES

#### Enclosure Panels and Doors

| Part Number   | Description  | Shipping Dimensions<br>(H x W x D Inches) | Installed       | MSRP    | DIR Discount |         |
|---------------|--|---|-----------------|---------|--------------|---------|
|               |  |   |                 |         | Discount     | Price   |
| ETN-VS2302440 | SME Enclosure 30Ux24x40 with doors/sides/top/casters | 65 x 30 x 48                              | 59 x 24 x 40    | \$4,046 | 32.50%       | \$2,731 |
| ETN-VS2362440 | SME Enclosure 36Ux24x40 with doors/sides/top/casters | 76 x 30 x 48                              | 70 x 24 x 40    | \$4,069 | 32.50%       | \$2,747 |
| ETN-ACC4242DP | S-Series Divider Panel 42U x 42D w/Pass-Thru (Qty-1) | 6 x 90 x 50                               | Side of rack    | \$438   | 32.50%       | \$296   |
| ETN-ACC4248DP | S-Series Divider Panel 42U x 48D w/Pass-Thru (Qty-1) | 6 x 90 x 50                               | Side of rack    | \$464   | 32.50%       | \$313   |
| ETN-ACC4842DP | S-Series Divider Panel 48U x 42D w/Pass-Thru (Qty-1) | 6 x 90 x 50                               | Side of rack    | \$455   | 32.50%       | \$307   |
| ETN-ACC4848DP | S-Series Divider Panel 48U x 48D w/Pass-Thru (Qty-1) | 6 x 90 x 50                               | Side of rack    | \$484   | 32.50%       | \$327   |
| ETN-ACC4242SP | S-Series Side Panel 42U x 42D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$873   | 32.50%       | \$589   |
| ETN-ACC4248SP | S-Series Side Panel 42U x 48D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$984   | 32.50%       | \$664   |
| ETN-ACC4442SP | S-Series Side Panel 44U x 42D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$642   | 32.50%       | \$433   |
| ETN-ACC4448SP | S-Series Side Panel 44U x 48D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$842   | 32.50%       | \$568   |
| ETN-ACC4842SP | S-Series Side Panel 48U x 42D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$586   | 32.50%       | \$396   |
| ETN-ACC4848SP | S-Series Side Panel 48U x 48D (Qty-1)                | 6 x 90 x 50                               | Add 3/4" width  | \$849   | 32.50%       | \$573   |
| ETN-ACC2442TP | S-Series Top Panel 24W x 42D                         | 5 x 32 x 51                               | No height added | \$610   | 32.50%       | \$412   |
| ETN-ACC2448TP | S-Series Top Panel 24W x 48D                         | 5 x 32 x 51                               | No height added | \$637   | 32.50%       | \$430   |
| ETN-ACC3042TP | S-Series Top Panel 30W x 42D                         | 5 x 32 x 51                               | No height added | \$648   | 32.50%       | \$437   |
| ETN-ACC3048TP | S-Series Top Panel 30W x 48D                         | 5 x 32 x 51                               | No height added | \$617   | 32.50%       | \$416   |
| ETN-ACC4224FD | S-Series Front Door 42U x 24W                        | 6 x 90 x 50                               | Add 1" depth    | \$746   | 32.50%       | \$504   |
| ETN-ACC4224RD | S-Series Rear Door Split 42U x 24W                   | 6 x 90 x 50                               | Add 1" depth    | \$1,191 | 32.50%       | \$804   |
| ETN-ACC4230FD | S-Series Front Door 42U x 30W                        | 6 x 90 x 50                               | Add 1" depth    | \$801   | 32.50%       | \$541   |
| ETN-ACC4230RD | S-Series Rear Door Split 42U x 30W                   | 6 x 90 x 50                               | Add 1" depth    | \$1,134 | 32.50%       | \$765   |
| ETN-ACC4824FD | S-Series Front Door 48U x 24W                        | 6 x 90 x 50                               | Add 1" depth    | \$882   | 32.50%       | \$595   |
| ETN-ACC4824RD | S-Series Rear Door Split 48U x 24W                   | 6 x 90 x 50                               | Add 1" depth    | \$1,169 | 32.50%       | \$789   |
| ETN-ACC4830FD | S-Series Front Door 48U x 30W                        | 6 x 90 x 50                               | Add 1" depth    | \$923   | 32.50%       | \$623   |
| ETN-ACC4830RD | S-Series Rear Door Split 48U x 30W                   | 6 x 90 x 50                               | Add 1" depth    | \$1,222 | 32.50%       | \$825   |
| ETN-ACC4224RL | S-Series Rails 42U x 24W                             | 8 x 88 x 5                                | Internal        | \$600   | 32.50%       | \$405   |
| ETN-ACC4230RL | S-Series Reducer Rails 42U x 30W                     | 4 x 88 x 8                                | Internal        | \$853   | 32.50%       | \$576   |
| ETN-ACC4824RL | S-Series Rails 48U x 24W                             | 8 x 88 x 5                                | Internal        | \$705   | 32.50%       | \$476   |
| ETN-ACC4830RL | S-Series Reducer Rails 48U x 30W                     | 4 x 88 x 8                                | Internal        | \$1,158 | 32.50%       | \$782   |
| ETN-ACC42VBP  | S-Series Vertical Blanking Panels 42U x 30W          | 5 x 9 x 49                                | Internal        | \$468   | 32.50%       | \$316   |
| ETN-ACC48VBP  | S-Series Vertical Blanking Panels 48U x 30W          | 5 x 9 x 49                                | Internal        | \$553   | 32.50%       | \$373   |

#### Rack and Raised Floor Air Management

| Part Number  | Description   | Shipping Dimensions<br>(H x W x D Inches) | Installed | MSRP    | DIR Discount |       |
|--------------|---|---|-----------|---------|--------------|-------|
|              |   |   |           |         | Discount     | Price |
| ETN-PBP1U10  | Eaton Blanking Panel 19" Tool-less Plastic 1U (Qty-10)  | 5 x 5 x 20                                | 1U x 19   | \$89    | 32.50%       | \$60  |
| ETN-PBP1U100 | Eaton Blanking Panel 19" Tool-less Plastic 1U (Qty-100) | 25 x 10 x 20                              | 1U x 19   | \$796   | 32.50%       | \$537 |
| ETN-PBP2U10  | Eaton Blanking Panel 19" Tool-less Plastic 2U (Qty-10)  | 5 x 9 x 20                                | 2U x 19   | \$143   | 32.50%       | \$97  |
| ETN-PBP2U100 | Eaton Blanking Panel 19" Tool-less Plastic 2U (Qty-100) | 25 x 18 x 20                              | 2U x 19   | \$1,062 | 32.50%       | \$717 |
| ETN-PBP8U10  | Eaton Blanking Panel 19" Tool-less Plastic 8U (Qty-10)  | 20 x 11 x 15                              | 8U x 19   | \$381   | 32.50%       | \$257 |



# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES



|              |  |              |             |         |        |         |
|--------------|--|--------------|-------------|---------|--------|---------|
| ETN-PBP8U100 | Eaton Blanking Panel 19" Tool-less Plastic 8U (Qty-100)  | 21 x 50 x 30 | 8U x 19     | \$2,864 | 32.50% | \$1,933 |
| ETN-JFT12440 | Top fan tray kit (4 fans) for S-Series 24" x 42", 120VAC | 5 x 32 x 51  | Top of rack | \$523   | 32.50% | \$353   |
| ETN-JFT12445 | Top fan tray kit (4 fans) for S-Series 24" x 48", 120VAC | 5 x 32 x 51  | Top of rack | \$570   | 32.50% | \$385   |

## S-Series Enclosure

### Rack and Raised Floor Air Management

| Part Number    | Description   | Shipping Dimensions (H x W x D Inches) | Installed     | MSRP    | Discount | DIR Discount Price |
|----------------|---|--|---------------|---------|----------|--------------------|
| ETN-JFT13040   | Top fan tray kit (4 fans) for S-Series 30" x 42", 120VAC  | 5 x 32 x 51                            | Top of rack   | \$544   | 32.50%   | \$367              |
| ETN-JFT13045   | Top fan tray kit (4 fans) for S-Series 30" x 48", 120VAC  | 5 x 32 x 51                            | Top of rack   | \$590   | 32.50%   | \$398              |
| ETN-FLRGR118   | Floor Grommet, 11"W x 8.25"D (Qty-1)                      | 2 x 12 x 17                            | 1 x 11 x 8.25 | \$189   | 32.50%   | \$128              |
| ETN-FLRGR11810 | Floor Grommet, 11"W x 8.25"D (Qty-10)                     | 20 x 12 x 17                           | 1 x 11 x 8.25 | \$1,770 | 32.50%   | \$1,195            |
| ETN-FLRGR76    | Floor Grommet, 7.5"W x 6.5"D (Qty-1)                      | 2 x 8 x 11                             | 1 x 7.5 x 6.5 | \$167   | 32.50%   | \$113              |
| ETN-FLRGR7610  | Floor Grommet, 7.5"W x 6.5"D (Qty-10)                     | 20 x 8 x 11                            | 1 x 7.5 x 6.5 | \$1,593 | 32.50%   | \$1,075            |
| ETN-VF01U100B  | 1U Steel Screw Attach Blanking Panels - Kit Of 100; Black |  |               | \$1,405 | 32.50%   | \$948              |
| ETN-VF01U10B   | 1U Steel Screw Attach Blanking Panels - Kit Of 10; Black  |  |               | \$205   | 32.50%   | \$138              |
| ETN-VF01U50B   | 1U Steel Screw Attach Blanking Panels - Kit Of 50; Black  |  |               | \$825   | 32.50%   | \$557              |
| ETN-VF02U100B  | 2U Steel Screw Attach Blanking Panels - Kit Of 100; Black |  |               | \$1,631 | 32.50%   | \$1,101            |
| ETN-VF02U10B   | 2U Steel Screw Attach Blanking Panels - Kit Of 10; Black  |  |               | \$234   | 32.50%   | \$158              |
| ETN-VF05U10B   | 5U Steel Screw Attach Blanking Panels - Kit Of 10; Black  |  |               | \$277   | 32.50%   | \$187              |

### Network Switch Air Deflectors for Front to Rear Air Flow

| Part Number   | Description  | Shipping Dimensions (H x W x D Inches) | Installed | MSRP    | Discount | DIR Discount Price |
|---------------|--|--|-----------|---------|----------|--------------------|
| ETN-6509CVK42 | Cisco 6509 Conversion Kit for S-Series Enclosures 42U x 30"W | 6 x 90 x 50                            | Internal  | \$1,566 | 32.50%   | \$1,057            |
| ETN-6509CVK48 | Cisco 6509 Conversion Kit for S-Series Enclosures 48U x 30"W | 6 x 90 x 50                            | Internal  | \$1,599 | 32.50%   | \$1,079            |
| ETN-6513CVK42 | Cisco 6513 Conversion Kit for S-Series Enclosures 42U x 30"W | 6 x 90 x 50                            | Internal  | \$1,581 | 32.50%   | \$1,067            |
| ETN-6513CVK48 | Cisco 6513 Conversion Kit for S-Series Enclosures 48U x 30"W | 6 x 90 x 50                            | Internal  | \$1,614 | 32.50%   | \$1,089            |

### Rack Shelves

| Part Number     | Description   | Shipping Dimensions (H x W x D Inches) | Installed | MSRP  | Discount | DIR Discount Price |
|-----------------|---|--|-----------|-------|----------|--------------------|
| ETN-FS19201U20  | Shelf Fixed 19" 1U x 20"D 200lbs                    | 3 x 22 x 33                            | 1U x 20   | \$216 | 32.50%   | \$146              |
| ETN-FS19201U40  | Shelf Fixed 19" 1U x 20"D 400lbs                    | 3 x 22 x 33                            | 1U x 20   | \$223 | 32.50%   | \$151              |
| ETN-FS19241U20  | Shelf Fixed 19" 1U x 24"D 200lbs                    | 3 x 22 x 33                            | 1U x 24   | \$216 | 32.50%   | \$146              |
| ETN-FS19241U40  | Shelf Fixed 19" 1U x 24"D 400lbs                    | 3 x 22 x 33                            | 1U x 24   | \$256 | 32.50%   | \$173              |
| ETN-FS19281U20  | Shelf Fixed 19" 1U x 28"D 200lbs                    | 3 x 22 x 33                            | 1U x 28   | \$224 | 32.50%   | \$151              |
| ETN-FS19281U40  | Shelf Fixed 19" 1U x 28"D 400lbs                    | 3 x 22 x 33                            | 1U x 28   | \$247 | 32.50%   | \$167              |
| ETN-RS19241U10  | Shelf Roll-Out 19" 1U x 24"D 100lbs                 | 3 x 22 x 33                            | 1U x 24   | \$868 | 32.50%   | \$586              |
| ETN-RS19242U20  | Shelf Roll-Out 19" 2U x 24"D 200lbs                 | 3 x 22 x 33                            | 1U x 24   | \$717 | 32.50%   | \$484              |
| ETN-RS19281U10  | Shelf Roll-Out 19" 1U x 28"D 100lbs                 | 3 x 22 x 33                            | 1U x 28   | \$759 | 32.50%   | \$512              |
| ETN-RS19282U20  | Shelf Roll-Out 19" 2U x 28"D 200lbs                 | 3 x 22 x 33                            | 1U x 28   | \$785 | 32.50%   | \$530              |
| ETN-CHASBKT2032 | Chassis Support Brackets Adj 19" (20"-32") 400 lbs. | 6 x 6 x 30                             | 2U x 19   | \$487 | 32.50%   | \$329              |
| EAUS192U1605    | 19" Utility Shelf, 2 post mounting, 50 lbs          | 12x24x9                                | 2U x 30   | \$191 | 32.50%   | \$129              |

### Rack Cable and PDU Management, Hardware

| Part Number    | Description          | Shipping Dimensions (H x W x D Inches) | Installed | MSRP  | Discount | DIR Discount Price |
|----------------|----------------------|--|-----------|-------|----------|--------------------|
| ETN-LACEB42U03 | Lacing Bar 42U x 3"W | 4 x 3 x 88                             | 42U x 3   | \$102 | 32.50%   | \$69               |
| ETN-LACEB42U08 | Lacing Bar 42U x 8"W | 5 x 15 x 88                            | 42U x 8   | \$269 | 32.50%   | \$182              |

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES



|                |                              |             |          |       |        |       |
|----------------|------------------------------|-------------|----------|-------|--------|-------|
| ETN-LACEB42U12 | Lacing Bar 42U x 12"W        | 5 x 15 x 88 | 42U x 12 | \$287 | 32.50% | \$194 |
| ETN-LACEB48U03 | Lacing Bar 48U x 3"W         | 4 x 3 x 88  | 48U x 3  | \$168 | 32.50% | \$113 |
| ETN-LACEB48U08 | Lacing Bar 48U x 8"W         | 5 x 15 x 88 | 48U x 8  | \$273 | 32.50% | \$184 |
| ETN-LACEB48U12 | Lacing Bar 48U x 12"W        | 5 x 15 x 88 | 48U x 12 | \$327 | 32.50% | \$221 |
| ETN-PWRBAR42U  | Power Mounting Bar 42U x 9"W | 5 x 15 x 88 | 42U x 9  | \$243 | 32.50% | \$164 |
| ETN-PWRBAR48U  | Power Mounting Bar 48U x 9"W | 5 x 15 x 88 | 48U x 9  | \$270 | 32.50% | \$182 |

## S-Series Enclosure

### Rack Cable and PDU Management, Hardware

| Part Number    | Description                        | Shipping Dimensions |                |       | DIR Discount |       |
|----------------|------------------------------------|---------------------|----------------|-------|--------------|-------|
|                |                                    | (H x W x D Inches)  | Installed      | MSRP  | Discount     | Price |
| ETN-CMDRNR031U | Cable D-Ring Kit 1U (Qty-4)        | 6 x 4 x 9           | 1U x .75 x 3.3 | \$53  | 32.50%       | \$36  |
| ETN-CMDRNR032U | Cable D-Ring Kit 2U (Qty-4)        | 6 x 4 x 9           | 2U x .75 x 3.3 | \$53  | 32.50%       | \$36  |
| ETN-STLDRING   | Cable D-Ring Kit, Plastic, (Qty-4) | 6 x 4 x 9           | 1U x .75 x 3.3 | \$228 | 32.50%       | \$154 |
| ETN-CMTUNR02   | Fiber Spool 2.5"H                  | 6 x 9 x 4           | 4 x 2.75 x 3.8 | \$115 | 32.50%       | \$78  |
| ETN-CMTUNR05   | Fiber Spool 5"H                    | 6 x 9 x 4           | 4 x 5 x 3.8    | \$118 | 32.50%       | \$80  |
| ETN-BX45V8     | Velcro Strap 8"L, (Qty-50)         | 5 x 5 x 10          | Internal       | \$154 | 32.50%       | \$104 |
| ETN-BX45V11    | Velcro Strap 11"L, (Qty-50)        | 5 x 5 x 10          | Internal       | \$154 | 32.50%       | \$104 |
| ETN-CMVBCKL    | Velcro Buckle Strap 9"L, (Qty-10)  | 6 x 9 x 4           | Internal       | \$148 | 32.50%       | \$100 |
| ETN-CMVBCKL12  | Velcro Buckle Strap 12"L, (Qty-10) | 6 x 9 x 4           | Internal       | \$155 | 32.50%       | \$105 |
| ETN-CMRB19022U | Cable Strain Relief Bar 2"D        | 3 x 21 x 8          | 3.5 x 19 x 3   | \$149 | 32.50%       | \$101 |
| ETN-CMRB19042U | Cable Strain Relief Bar 4"D        | 3 x 21 x 8          | 3.5 x 19 x 5   | \$156 | 32.50%       | \$105 |

### Rack and Raised Floor Air Management

| Part Number    | Description  | Shipping Dimensions |               |       | DIR Discount |       |
|----------------|--|---------------------|---------------|-------|--------------|-------|
|                |  | (H x W x D Inches)  | Installed     | MSRP  | Discount     | Price |
| ETN-CMRB19082U | Cable Strain Relief Bar 8"D                                      | 3 x 21 x 8          | 3.5 x 19 x 9  | \$170 | 32.50%       | \$115 |
| ETN-CMPD19031U | Horizontal Ring Manager 1U                                       | 3 x 21 x 8          | 1U x 19 x 4.2 | \$79  | 32.50%       | \$53  |
| ETN-CMPD19032U | Horizontal Ring Manager 2U                                       | 3 x 21 x 8          | 2U x 19 x 4.2 | \$85  | 32.50%       | \$57  |
| ETN-CMBPBRSH1U | Cable Pass-Thru Panel 1U w/Brush                                 | 6 x 9 x 4           | 1U x 19 x .5  | \$94  | 32.50%       | \$63  |
| ETN-CMBPBRSH2U | Cable Pass-Thru Panel 2U w/Brush                                 | 6 x 9 x 4           | 2U x 19 x .5  | \$100 | 32.50%       | \$68  |
| ETN-CMFD19041U | PatchLink Horizontal Cable Manager 1U                            | 2 x 4 x 22          | 1U x 19 x 4   | \$191 | 32.50%       | \$129 |
| ETN-CMFD19042U | PatchLink Horizontal Cable Manager 2U                            | 4 x 4 x 22          | 2U x 19 x 4   | \$203 | 32.50%       | \$137 |
| ETN-CMFP19032U | Upper Transition Tray 2U x 3.5"D                                 | 9 x 9 x 28          | 2U x 19 x 4   | \$192 | 32.50%       | \$130 |
| ETN-CMFP19052U | Upper Transition Tray 2U x 5.0"D                                 | 9 x 9 x 28          | 2U x 19 x 6   | \$202 | 32.50%       | \$136 |
| ETN-CMLT19032U | Lower Transition Tray 2U x 3.5"D                                 | 9 x 9 x 28          | 2U x 19 x 5   | \$242 | 32.50%       | \$163 |
| ETN-CMLT19052U | Lower Transition Tray 2U x 5.0"D                                 | 9 x 9 x 28          | 2U x 19 x 6   | \$243 | 32.50%       | \$164 |
| ETN-CMHD19242U | High Density Cable Organizer, w/rear transition tray 24" cabinet | 9 x 9 x 28          | 2U x 19 x 24  | \$843 | 32.50%       | \$569 |
| ETN-CMHD19302U | High Density Cable Organizer, w/rear transition tray 30" cabinet | 9 x 9 x 28          | 2U x 19 x 30  | \$886 | 32.50%       | \$598 |
| ETN-1032CAGE20 | Cage Nut #10-32 Hardware Kit(Qty-20)                             | 5 x 5 x 5           | Internal      | \$32  | 32.50%       | \$22  |
| ETN-M6CAGE20   | Cage Nut M6 Hardware Kit (Qty-20)                                | 5 x 5 x 5           | Internal      | \$33  | 32.50%       | \$22  |

### Top of Rack Cable Management

| Part Number   | Description                              | Shipping Dimensions |                |       | DIR Discount |       |
|---------------|--|---------------------|----------------|-------|--------------|-------|
|               |  | (H x W x D Inches)  | Installed      | MSRP  | Discount     | Price |
| ETN-LAD1006B  | Cable Ladder Rack 6"W x 10'L BLK         | 2 x 7 x 122         | 1.5 x 6 x 120  | \$266 | 32.50%       | \$180 |
| ETN-LAD1012B  | Cable Ladder Rack 12"W x 10'L BLK        | 2 x 13 x 122        | 1.5 x 12 x 120 | \$294 | 32.50%       | \$198 |
| ETN-JCMTLDRPD | Ladder Rack Bracket Perpendicular        | 6 x 10 x 5          | Internal       | \$196 | 32.50%       | \$132 |
| ETN-JCMTLDRPR | Ladder Rack Bracket Parallel             | 6 x 10 x 5          | Internal       | \$145 | 32.50%       | \$98  |
| ETN-JCMT24SP  | Data Cable Partition Panel 24" Solid     | 6 x 6 x 48          | 5 x 24 x 2.5   | \$144 | 32.50%       | \$97  |
| ETN-JCMT24PP  | Data Cable Partition Panel 24" Pass-Thru | 6 x 6 x 48          | 5 x 24 x 2.5   | \$152 | 32.50%       | \$103 |
| ETN-JCMT24PT  | Power Cable Trough 24"                   | 3 x 33 x 16         | 5 x 24 x 10    | \$266 | 32.50%       | \$180 |
| ETN-JCMT30SP  | Data Cable Partition Panel 30" Solid     | 6 x 6 x 48          | 5 x 30 x 2.5   | \$152 | 32.50%       | \$103 |
| ETN-JCMT30PP  | Data Cable Partition Panel 30" Pass-Thru | 6 x 6 x 48          | 5 x 30 x 2.5   | \$171 | 32.50%       | \$115 |
| ETN-JCMT30PT  | Power Cable Trough 30"                   | 6 x 6 x 48          | 5 x 30 x 10    | \$301 | 32.50%       | \$203 |

### Enclosure shipping and anchoring

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES



| Part Number    | Description   | Shipping Dimensions<br>(H x W x D Inches) |               | MSRP  | DIR Discount |       |
|----------------|---|---|---------------|-------|--------------|-------|
|                |   | Installed                                 |               |       | Discount     | Price |
| ETN-JANCHOR1   | Floor Anchor Brackets   | 6 x 10 x 5                                | 2.8 x 7 x 2.8 | \$254 | 32.50%       | \$171 |
| ETN-ENCMEDRAMP | Eaton Ramp for Medium Duty Pallet (Standard S-Series packaging) |   |               | \$370 | 32.50%       | \$250 |
| ETN-ACCJCSTR40 | Caster Kit - Qty 4 - for 42" Deep cabinet                       | 10 x 10 x 40                              | 4 x 31 x 6    | \$450 | 32.50%       | \$304 |
| ETN-ACCJCSTR45 | Caster Kit - Qty 4 - for 48" Deep cabinet                       | 10 x 10 x 40                              | 4 x 36 x 6    | \$503 | 32.50%       | \$340 |

Note: Call factory for heavy duty packaging options

# EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

## Eaton B-Line 2 & 4 Post Racks and Accessories

Maintain your critical applications with the first part of Eaton's Power Solution.

Available in three configurations to meet a variety of application requirements: three-inch upright, six-inch upright and Seismic Rack

- Simple, durable design holds up to repeated relocation
- Full range of accessories simplify cable management
- Flat black powder coat finish complements any data



### TWO POST RACKS

| Part Number    | Description  | Height (in./mm) | Width (in./mm) | Mounting       |                       | Base anchor spacing (in./mm) | MSRP  | DIR      |       |
|----------------|--|-----------------|----------------|----------------|-----------------------|------------------------------|-------|----------|-------|
|                |  |                 |                | width (in./mm) | Inside width (in./mm) |                              |       | Discount | Price |
| SB556084XUFB   | Two Post Rack with three-inch uprights (unassembled) | 84 / 2133       | 20.3 / 516     | 18.3 / 465     | 17.8 / 451            | 16 / 406                     | \$321 | 32.50%   | \$217 |
| SB55608419U6FB | Two Post Rack with six-inch uprights (unassembled)   | 84 / 2133       | 20.3 / 516     | 18.8 / 465     | 17.8 / 451            | 16 / 406                     | \$541 | 32.50%   | \$365 |
| SB588A         | Anchor Kit (Four anchors and hardware)               |                 |                |                |                       |                              | \$38  | 32.50%   | \$26  |

### TWO POST SEISMIC RACK

|              |                             |  |  |           |            |            |         |        |         |
|--------------|-----------------------------|--|--|-----------|------------|------------|---------|--------|---------|
| SB85219084FB | Two Post Seismic Relay Rack |  |  | 84 / 2133 | 20.3 / 516 | 18.3 / 465 | \$1,541 | 32.50% | \$1,040 |
|--------------|-----------------------------|--|--|-----------|------------|------------|---------|--------|---------|

### FOUR POST RACK

|             |                                 |  |  |    |    |       |         |        |       |
|-------------|---------------------------------|--|--|----|----|-------|---------|--------|-------|
| SB838084CFB | Four-post adjustable rack (45U) |  |  | 84 | 19 | 30-36 | \$1,015 | 32.50% | \$685 |
|-------------|---------------------------------|--|--|----|----|-------|---------|--------|-------|

### WALL MOUNT CABINETS

|               |                                    |      |    |    |    |      |       |        |       |
|---------------|------------------------------------|------|----|----|----|------|-------|--------|-------|
| SB708193025FB | Wall-mounted swing gate rack (13U) | 29.2 | 19 | 25 | 25 | 19.9 | \$755 | 32.50% | \$510 |
|---------------|------------------------------------|------|----|----|----|------|-------|--------|-------|

### CABLE MANAGEMENT

| Part Number                                | Description  | Fits rack (U) | Height (in./mm) | Depth (in./mm) | MSRP  | DIR      |       |  |
|--|--|---------------|-----------------|----------------|-------|----------|-------|--|
|  |  |               |                 |                |       | Discount | Price |  |
| <b>Cable managers</b>                      |  |               |                 |                |       |          |       |  |
| SB86083S084FB                              | Single-sided cable manager for Two Post Rack       | 84            | 80.38           | 3.13           | \$725 | 32.50%   | \$489 |  |
| SB86083D084FB                              | Double-sided cable manager for Two Post Rack       | 84            | 80.38           | 3.13           | \$961 | 32.50%   | \$649 |  |
| <b>Finger bracket</b>                      |  |               |                 |                |       |          |       |  |
| SB860FSFB                                  | Cable manager finger bracket                       |               | 11U             | 4              | \$34  | 32.50%   | \$23  |  |
| SB860FSKFB                                 | Replacement finger section, 11U, includes hardware |               |                 |                | \$26  | 32.50%   | \$18  |  |
| <b>Cable Trays</b>                         |  |               |                 |                |       |          |       |  |
| SB81319TT6FB                               | Top transition tray, 1 1/2 inch high               |               | 6               | 19             | \$202 | 32.50%   | \$136 |  |
| SB81319UT6FB                               | Upper transition tray                              |               | 6               | 19             | \$202 | 32.50%   | \$136 |  |
| <b>Horizontal rackmount cable managers</b> |  |               |                 |                |       |          |       |  |
| SB87019S1FB                                | 1U horizontal cable manager                        |               | 1U              | 19             | \$90  | 32.50%   | \$61  |  |
| SB87019S2FB                                | 2U horizontal cable manager                        |               | 2U              | 19             | \$130 | 32.50%   | \$88  |  |
| SB87019S3FB                                | 3U horizontal cable manager                        |               | 3U              | 19             | \$136 | 32.50%   | \$92  |  |

## Eaton B-Line 2 & 4 Post Racks and Accessories

### Vertical cable managers

| Part Number     | Description                  | Height (in./mm) | Depth (in./mm) | Width (in./mm) | MSRP  | DIR      |       |
|-----------------|------------------------------|-----------------|----------------|----------------|-------|----------|-------|
|                 |                              |                 |                |                |       | Discount | Price |
| SB57163S084FB   | Single-sided 84-inch cabling | 84              | 6.4            | 3.6            | \$562 | 32.50%   | \$379 |
| SB57163D084FB   | Double-sided 84-inch cabling | 84              | 12.8           | 3.6            | \$623 | 32.50%   | \$421 |
| SB571GROMMETKIT | Grommet kit                  |                 |                |                | \$32  | 32.50%   | \$22  |
| SB571BUSHINGKIT | Bushing kit                  |                 |                |                | \$29  | 32.50%   | \$20  |

### ACCESSORIES

#### ePDU brackets

## EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

|                            |  |      |      |       |        |       |
|----------------------------|--|------|------|-------|--------|-------|
| SB3010                     | Fixed ePDU support bracket                       | 4.82 | 1.75 | \$43  | 32.50% | \$29  |
| SB3011                     | Adjustable ePDU support bracket                  | 3.5  | 1.13 | \$189 | 32.50% | \$128 |
| <b>Double shelf</b>        |  |      |      |       |        |       |
| SB596S19103SFB             | Steel double-sided shelf for three-inch uprights | 4    | 20   | \$166 | 32.50% | \$112 |
| SB596S19106SFB             | Steel double-sided shelf for six-inch uprights   | 4    | 20   | \$167 | 32.50% | \$113 |
| <b>Single solid shelf</b>  |  |      |      |       |        |       |
| SB747S1915SFB              | Steel, 15-inch deep single vented shelf          | 3    | 15   | \$115 | 32.50% | \$78  |
| <b>Single vented shelf</b> |  |      |      |       |        |       |
| SB747V1915SFB              | Steel, 15-inch deep, single vented shelf         | 3    | 15   | \$185 | 32.50% | \$125 |

## Tanlock by Eaton

### Modular Access Control System for Eaton RS Enclosures

Eaton has partnered with best-in-class lock manufacturer Fath Mechatronics to provide our customers with the most versatile module access control system in the market. With two smart lock options available Tanlock 3 (PoE) and Tanlock Zero (12V/24V), Tanlock by Eaton gives users the options required to effectively secure their rack enclosure.

**Tanlock 3 - Provides Power of Ethernet (PoE) connectability - No peripherals required**

**Tanlock 0 - Provides connectivity via 5W/12W/24W**



**Multiple authentication technologies allows users to customize for their specific requirements:**

Keypad, RFID, Fingerprint, Hand Vein Scanner, Touch Display, Dual Authentication PIN/RFID and Barcode/QR Code options.

**Protocol support:** LDAP, SNMP, RESTful API, SysLog

**Configurable security by VLAN**

**Universal rack fit:** Retrofit to any enclosure with standard 25mm x 50mm (x2) / 25mm x 150mm universal door cutouts.

**Direct integration\* with Eaton VPM and VCOM software offerings for simplified remote management, logging and access.**

\*Tanlock 3 required for VPM/VCOM direct integration

| Catalog Number | Description   | MSRP    | Discount | DIR<br>Discount<br>Price |
|----------------|---|---------|----------|--------------------------|
| TL3-POE-KPAD   | TANLock 3, black powder coated, w Keypad                          | \$1,060 | 32.50%   | \$716                    |
| TL3-POE-RFID   | TANLock 3, black powder coated, w RFID Reader                     | \$1,092 | 32.50%   | \$737                    |
| TL3-POE-FNGR   | TANLock 3, black powder coated, w Fingerprint reader              | \$1,101 | 32.50%   | \$743                    |
| TL3-POE-PALM   | TANLock 3, black powder coated, w Vein scanner (Palmreader)       | \$4,186 | 32.50%   | \$2,826                  |
| TL3-POE-TCH    | TANLock 3, black powder coated, w Touch display                   | \$1,099 | 32.50%   | \$742                    |
| TL3-POE-DUAL   | TANLock 3, black powder coated, w Dual authentication PIN/RFID    | \$1,119 | 32.50%   | \$755                    |
| TL3-POE-CODE   | TANLock 3, black powder coated, for Bar Code / QR Code            | \$1,019 | 32.50%   | \$688                    |
| TLZ-REMOTE     | TANLock Zero, black powder coated, w remote opening               | \$687   | 32.50%   | \$464                    |
| TLZ-KPAD       | TANLock Zero, black powder coated, w Keypad                       | \$719   | 32.50%   | \$485                    |
| TLZ-TCH        | TANLock Zero, black powder coated, w Touch Display                | \$740   | 32.50%   | \$500                    |
| TLZ-RFID       | TANLock Zero, black powder coated, w RFID 13.56 Mhz               | \$780   | 32.50%   | \$527                    |
| TLZ-FNGR       | TANLock Zero, black powder coated, w Fingerprint                  | \$791   | 32.50%   | \$534                    |
| TLZ-DUAL       | TANLock Zero, black powder coated, w Dual authentication PIN/RFID | \$802   | 32.50%   | \$541                    |

## EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Branch and Subfeed Circuit Breakers **MUST** be purchased with an Accessory Cabinet

Eaton bolt-on branch circuit breakers can be installed in any 42-pole Eaton panelboard providing over-current and high interrupting current protection. Single-, double- and three-pole breakers can be provided from 10 to 100A trip rating and 10 or 22 kAIC.

### Single-pole Breakers

| Part Number | Trip Rating | kAIC | MSRP | DIR Discount |       |
|-------------|-------------|------|------|--------------|-------|
|             |             |      |      | Discount     | Price |
| BAB1010     | 10A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1015     | 15A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1020     | 20A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1025     | 25A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1030     | 30A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1035     | 35A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1040     | 40A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1045     | 45A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1050     | 50A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1055     | 55A         | 10   | \$17 | 32.50%       | \$11  |
| BAB1060     | 60A         | 10   | \$17 | 32.50%       | \$11  |
| QBHW1015    | 15A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1020    | 20A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1025    | 25A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1030    | 30A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1035    | 35A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1040    | 40A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1045    | 45A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1050    | 50A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1055    | 55A         | 22   | \$28 | 32.50%       | \$19  |
| QBHW1060    | 60A         | 22   | \$28 | 32.50%       | \$19  |
| GHB1010     | 10A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1015     | 15A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1020     | 20A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1025     | 25A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1030     | 30A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1035     | 35A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1040     | 40A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1045     | 45A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1050     | 50A         | 65   | \$80 | 32.50%       | \$54  |
| GHB1060     | 60A         | 65   | \$80 | 32.50%       | \$54  |

### Double-pole Breakers

| Part Number | Trip Rating | kAIC | MSRP | DIR Discount |       |
|-------------|-------------|------|------|--------------|-------|
|             |             |      |      | Discount     | Price |
| BAB2010     | 10A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2015     | 15A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2020     | 20A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2025     | 25A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2030     | 30A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2035     | 35A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2040     | 40A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2045     | 45A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2050     | 50A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2055     | 55A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2060     | 60A         | 10   | \$34 | 32.50%       | \$23  |
| BAB2070     | 70A         | 10   | \$51 | 32.50%       | \$34  |
| BAB2080     | 80A         | 10   | \$67 | 32.50%       | \$45  |
| BAB2090     | 90A         | 10   | \$67 | 32.50%       | \$45  |
| BAB2100     | 100A        | 10   | \$67 | 32.50%       | \$45  |
| QBHW2015    | 15A         | 22   | \$59 | 32.50%       | \$40  |
| QBHW2020    | 20A         | 22   | \$59 | 32.50%       | \$40  |
| QBHW2025    | 25A         | 22   | \$59 | 32.50%       | \$40  |
| QBHW2030    | 30A         | 22   | \$59 | 32.50%       | \$40  |

|          |      |    |       |        |       |
|----------|------|----|-------|--------|-------|
| QBHW2035 | 35A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2040 | 40A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2045 | 45A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2050 | 50A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2055 | 55A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2060 | 60A  | 22 | \$59  | 32.50% | \$40  |
| QBHW2070 | 70A  | 22 | \$82  | 32.50% | \$55  |
| QBHW2080 | 80A  | 22 | \$105 | 32.50% | \$71  |
| QBHW2090 | 90A  | 22 | \$105 | 32.50% | \$71  |
| QBHW2100 | 100A | 22 | \$105 | 32.50% | \$71  |
| GHB2015  | 15A  | 65 | \$116 | 32.50% | \$78  |
| GHB2020  | 20A  | 65 | \$116 | 32.50% | \$78  |
| GHB2030  | 30A  | 65 | \$116 | 32.50% | \$78  |
| GHB2035  | 35A  | 65 | \$116 | 32.50% | \$78  |
| GHB2040  | 40A  | 65 | \$116 | 32.50% | \$78  |
| GHB2050  | 50A  | 65 | \$116 | 32.50% | \$78  |
| GHB2060  | 60A  | 65 | \$116 | 32.50% | \$78  |
| GHB2070  | 70A  | 65 | \$191 | 32.50% | \$129 |
| GHB2080  | 80A  | 65 | \$191 | 32.50% | \$129 |
| GHB2090  | 90A  | 65 | \$191 | 32.50% | \$129 |
| GHB2100  | 100A | 65 | \$191 | 32.50% | \$129 |

**Three-pole Breakers**

| Part Number | Trip Rating | kAIC | MSRP  | DIR Discount |       |
|-------------|-------------|------|-------|--------------|-------|
|             |             |      |       | Discount     | Price |
| BAB3015H    | 15A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3020H    | 20A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3025H    | 25A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3030H    | 30A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3035H    | 35A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3040H    | 40A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3045H    | 45A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3050H    | 50A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3055H    | 55A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3060H    | 60A         | 10   | \$97  | 32.50%       | \$65  |
| BAB3070H    | 70A         | 10   | \$107 | 32.50%       | \$72  |
| BAB3080H    | 80A         | 10   | \$155 | 32.50%       | \$105 |
| BAB3090H    | 90A         | 10   | \$155 | 32.50%       | \$105 |
| BAB3100H    | 100A        | 10   | \$155 | 32.50%       | \$105 |
| QBHW3015H   | 15A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3020H   | 20A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3025H   | 25A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3030H   | 30A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3035H   | 35A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3040H   | 40A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3045H   | 45A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3050H   | 50A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3055H   | 55A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3060H   | 60A         | 22   | \$145 | 32.50%       | \$98  |
| QBHW3070H   | 70A         | 22   | \$167 | 32.50%       | \$113 |
| QBHW3080H   | 80A         | 22   | \$224 | 32.50%       | \$151 |
| QBHW3090H   | 90A         | 22   | \$224 | 32.50%       | \$151 |
| QBHW3100H   | 100A        | 22   | \$224 | 32.50%       | \$151 |
| GHB3015     | 15A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3020     | 20A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3025     | 25A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3030     | 30A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3035     | 35A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3040     | 40A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3045     | 45A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3050     | 50A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3060     | 60A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3070     | 70A         | 65   | \$199 | 32.50%       | \$134 |
| GHB3080     | 80A         | 65   | \$272 | 32.50%       | \$184 |
| GHB3090     | 90A         | 65   | \$272 | 32.50%       | \$184 |



---

|         |      |    |       |        |       |
|---------|------|----|-------|--------|-------|
| GHB3100 | 100A | 65 | \$272 | 32.50% | \$184 |
|---------|------|----|-------|--------|-------|

---

Note: Breakers cannot be purchased separately and have to be purchased with the Accessory Cabinets only.

# EATON 3S UPS

Eaton series

Now featuring a 3-year warranty with product registration!

## Standby UPS (350–750 VA)

The sleek Eaton 3S delivers high efficiency and energy-saving battery backup and surge protection for your premium home and office equipment —ready to go right out of the box.

- Ease of use: Plug-and-play capability — features HID-compliant USB port for automatic integration with Windows, Mac and Linux (no drivers required)
- EcoControl for 30% greater energy savings than a typical battery backup
- Attractive design and glossy finish make the 3S a perfect fit for the modern office environment
- Up to 10 receptacles — (5) battery backup and surge protection, (5) surge protection only
- Protection for devices connected to telephone, fax and Ethernet lines (10/100 Mbit only)
- User-replaceable battery
- Integrated graceful shutdown capability for connected devices
- Simulated sine wave output on battery
- Warranty (US and Canada): Three-year limited warranty on UPS and Battery (third year of warranty free with online product registration), \$25,000 load protection guarantee



## 3S NORTH AMERICAN MODELS: 120V, 50/60 Hz

| Model  | Part Number | Rating (VA/Watts) | Input Connection | Output Receptacles  | MSRP  | Discount | DIR Discount Price |
|--------|-------------|-------------------|------------------|---|-------|----------|--------------------|
| 3S 350 | 3S350       | 350/200           | 5-15P            | (8) 5-15R Outlets (4 Battery Backup & 4 Surge Protection only)  | \$78  | 32.50%   | \$53               |
| 3S 550 | 3S550       | 550/330           | 5-15P            | (8) 5-15R Outlets (4 Battery Backup & 4 Surge Protection only)  | \$90  | 32.50%   | \$61               |
| 3S 750 | 3S750       | 750/450           | 5-15P            | (10) 5-15R Outlets (5 Battery Backup & 5 Surge Protection only) | \$128 | 32.50%   | \$86               |

## SOFTWARE

To enable EcoControl functionality on the 750 VA unit, download Eaton UPS Companion software at [www.eaton.com/ManageSmarter](http://www.eaton.com/ManageSmarter); the Intelligent Power Software Suite is also available for download free of charge at the link. See the software and connectivity product sections for more detail.

## 3S BATTERY BACKUP TIMES (in minutes)

### 3S BATTERY BACKUP TIMES (in minutes)

| UPS model | Load | 50W | 100W | 150W | 200W | 250W | 300W | 350W | 400W | 450W |
|-----------|------|-----|------|------|------|------|------|------|------|------|
| 3S350     |      | 30  | 12   | 7    | 5    |      |      |      |      |      |
| 3S550     |      | 42  | 18   | 11   | 6    | 4    |      |      |      |      |
| 3S750     |      | 61  | 31   | 20   | 13   | 10   | 7    | 6    | 4    | 3    |

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## Services

For detailed information on service plans, please refer to the Single-phase Service section.

# EATON 5S UPS TOWER

Line-interactive UPS (550 – 1500 VA)

120V models not for sale or distribution in CO, VT or WA

Now featuring a  
3-year warranty with  
product registration!

- Power management: Enhance your power protection capabilities and ensure safe sys with the Eaton UPS Companion software. The 5S interface is auto-recognized when p computers with Windows, Macintosh and Linux environments
- LCD display: Access critical UPS information including battery time and load level in a single screen view with the user-friendly LCD
- Data protection: Safeguard your work and data with the UPS Companion software by down your equipment during power outages
- Eco-Control: Save up to 30 percent on energy consumption by shutting down non-es when the connected computer is turned off
- Convenient form factor: Fit the 5S easily into tight spaces with its slim form factor. Tt used as a tower or as a desktop monitor stand
- Simulated sine wave output on battery
- Warranty (US and Canada): Three-year limited warranty on UPS and Battery (third year of warranty fr online product registration)



## 5S NORTH AMERICAN MODELS: 120V, 50/60 Hz

| Catalog Number | Rating (VA/Watts) | Input Connection | Output Receptacles | LCD | Eco Control | MSRP  | Discount | DIR            |
|----------------|-------------------|------------------|--------------------|-----|-------------|-------|----------|----------------|
|                |                   |                  |                    |     |             |       |          | Discount Price |
| 5S550          | 550/330           | 5-15P (6ft)      | (8) 5-15R          | No  | No          | \$132 | 32.50%   | \$89           |
| 5S700          | 700/420           | 5-15P (6ft)      | (8) 5-15R          | No  | No          | \$146 | 32.50%   | \$99           |
| 5S700LCD       | 700/420           | 5-15P (6ft)      | (8) 5-15R          | Yes | Yes         | \$154 | 32.50%   | \$104          |
| 5S1000LCD      | 1000/600          | 5-15P (6ft)      | (10) 5-15R         | Yes | Yes         | \$185 | 32.50%   | \$125          |
| 5S1500LCD      | 1500/900          | 5-15P (6ft)      | (10) 5-15R         | Yes | Yes         | \$248 | 32.50%   | \$167          |

## 5S INTERNATIONAL MODELS: 208 or 230V, 50/60 HZ

| Catalog Number | Rating (VA/Watts) | Input Connection | Output Receptacles | LCD | Eco Control | MSRP  | Discount | DIR            |
|----------------|-------------------|------------------|--------------------|-----|-------------|-------|----------|----------------|
|                |                   |                  |                    |     |             |       |          | Discount Price |
| 5S700G         | 700/420           | C14              | (6) C13            | No  | No          | \$191 | 32.50%   | \$129          |
| 5S1500G        | 1500/900          | C14              | (8) C13            | No  | No          | \$339 | 32.50%   | \$229          |

## SOFTWARE

The UPS Companion software is available for download free of charge. See the software and connectivity product sections for more detail.

## 5S BATTERY BACKUP TIMES (in minutes)

| UPS model |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Load      | 30W  | 60W  | 90W  | 120W | 150W | 180W | 210W | 240W | 270W | 300W | 330W | 360W | 390W | 420W |
| 5S550     | 121  | 56   | 31   | 20   | 14   | 10   | 8    | 6    | 5    | 4    | 1    |      |      |      |
| 5S700     | 151  | 75   | 37   | 30   | 21   | 14   | 12   | 11   | 9    | 7    | 6    | 5    | 3    | 2    |
| 5S700G    | 151  | 75   | 37   | 30   | 21   | 14   | 12   | 11   | 9    | 7    | 6    | 5    | 3    | 2    |
| 5S700LCD  | 86   | 67   | 36   | 27   | 20   | 15   | 11   | 9    | 7    | 6    | 5    | 4    | 2    | 2    |
| UPS model |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| Load      | 120W | 180W | 240W | 300W | 360W | 420W | 480W | 540W | 600W | 660W | 720W | 780W | 840W | 900W |
| 5S1000LCD | 43   | 26   | 18   | 14   | 10   | 9    | 6    | 4    | 3    |      |      |      |      |      |
| 5S1500G   | 79   | 43   | 30   | 22   | 17   | 13   | 10   | 9    | 8    | 6    | 5    | 4    | 3    | 2    |
| 5S1500LCD | 71   | 42   | 31   | 22   | 16   | 13   | 10   | 8    | 7    | 6    | 5    | 4    | 3    | 2    |

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## SERVICES

For detailed information on service plans, please refer to the Single-phase

# EATON 5SC UPS

Line-interactive UPS (550 – 1500 VA)

120V models not for sale or distribution in CO, VT or WA

Now featuring a  
3-year warranty with  
product registration!

The 5SC offers flexible integration with a small form factor and adjustable input waveform sensitivity, making it ideal for protecting tower servers, network-attached storage (NAS), network equipment, ATMs, tickets machines and kiosks.

- LCD display: Enables you to customize UPS settings, view load and power consumption
- Advanced Battery Management (ABM) extends battery life and provides advanced warnir
- True sine wave output on battery for compatibility with PFC power supplies of computers
- Power management: Integrates with Intelligent Power Manager (IPM) for point-to-point power management (USB/serial) or network-based using server as a proxy
- User-replaceable batteries
- Warranty and service: Protects you with a three-year warranty, which includes the battery, \$150,000 load protection guarantee
- Reliable power protection: Corrects a wide range of input voltage variations with AVR; provides high quality, pure sine wave output on battery and ensures consistent voltage is provided to any sensitive connected equipment
- Convenient form factor: Fits easily into small spaces, making the 5SC ideal for protecting tower servers, Network-attached storage (NAS), network equipment, ATMs, ticket machines and kiosks



## 5SC NORTH AMERICAN MODELS: 120V, 50/60 Hz

| Catalog Number | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP  | Discount | DIR Discount Price |
|----------------|-------------------|------------------|--------------------|-------|----------|--------------------|
| 5SC500         | 500/350           | 5-15P (6 ft)     | (4) 5-15R          | \$264 | 32.50%   | \$178              |
| 5SC750         | 750/525           | 5-15P (6 ft)     | (6) 5-15R          | \$346 | 32.50%   | \$234              |
| 5SC1000        | 1000/700          | 5-15P (6 ft)     | (8) 5-15R          | \$395 | 32.50%   | \$267              |
| 5SC1500        | 1440/1080         | 5-15P (6 ft)     | (8) 5-15R          | \$509 | 32.50%   | \$344              |

## 5SC INTERNATIONAL MODELS: 208 or 230V, 50/60 Hz

| Catalog Number | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP  | Discount | DIR Discount Price |
|----------------|-------------------|------------------|--------------------|-------|----------|--------------------|
| 5SC750G        | 750/525           | C14              | (6) C13            | \$496 | 32.50%   | \$335              |
| 5SC1500G       | 1500/1050         | C14              | (8) C13            | \$731 | 32.50%   | \$493              |

## SOFTWARE

The Intelligent Power Software Suite is available for download free of charge. See the software and connectivity product sections for

## 5SC BATTERY BACKUP TIMES (in minutes)

| UPS model | 18  | 28  | 35 | 70   | 105  | 140  | 175  | 210  | 245 | 280 | 315 | 350 |
|-----------|-----|-----|----|------|------|------|------|------|-----|-----|-----|-----|
| 5SC500    | 118 | 89  | 64 | 29   | 19.6 | 16.3 | 12.1 | 10.4 | 8.9 | 7.1 | 5.3 | 4.7 |
| 5SC750    | 120 | 89  | 71 | 36   | 24   | 16.6 | 12.6 | 10.6 | 8.7 | 7   | 6   | 5   |
| 5SC750G   | 124 | 100 | 74 | 38   | 23   | 16.5 | 12.6 | 10.7 | 8.8 | 7   | 6   | 4.9 |
| 5SC1000   | 111 | 85  | 66 | 35.5 | 23   | 17   | 12.7 | 10.6 | 8.7 | 7   | 5.9 | 4.8 |
| 5SC1500   | 136 | 111 | 90 | 40.7 | 24.9 | 17.5 | 12.8 | 10.5 | 8.6 | 6.9 | 5.9 | 5   |
| 5SC1500G  | 144 | 109 | 90 | 41   | 24.7 | 17.3 | 12.7 | 10.4 | 8.4 | 6.8 | 5.8 | 4.8 |

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## SERVICES

For detailed information on service plans, please refer to the Single-phase Ser

# EATON 5P UPS RACKMOUNT

Line-interactive UPS (550–3000 VA)

≤1.5 kVA 120V and below models not for sale or distribution in CO, VT or WA

Now featuring a  
3-year warranty with  
product registration!

The Eaton 5P Rackmount UPS provides enhanced power conditioning with line-interactive topology and pure sinewave output for distributed IT equipment

- Compatible with the UL 2900-2-2 compliant Eaton Gigabit Network Card (Network-M2)
- Advanced Battery Management (ABM) extends battery life and provides advanced warning of battery failure
- Lithium-ion batteries (LFP chemistry) available in select 5P 1U rackmount models
- Fully integrates with Intelligent Power Software Suite for monitoring and management of server and graceful shutdown of virtualized environments
- Provides more real power (watts) to protect more equipment for expanding IT systems
- Warranty (US and Canada) - Lead acid UPS: Three-year limited warranty on UPS and batteries free with online product registration, five-year extended warranty plans available.
- Warranty (US and Canada) - Lithium-ion UPS: Five-year limited warranty on UPS and batteries standard
- \$150,000 load protection guarantee



## 5P RACKMOUNT COMPACT 2U MODELS: 120V, 50/60 Hz

| Catalog Number | Description                     | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP  | DIR Discount |       |
|----------------|---------------------------------|-------------------|------------------|--------------------|-------|--------------|-------|
|                |                                 |                   |                  |                    |       | Discount     | Price |
| 5P750RC        | 5P 750 VA 120V Rack Compact 2U  | 750/600           | 5-15P (6 ft)     | (10) 5-15R         | \$589 | 32.50%       | \$398 |
| 5P1000RC       | 5P 1000 VA 120V Rack Compact 2U | 1000/770          | 5-15P (6 ft)     | (10) 5-15R         | \$751 | 32.50%       | \$507 |
| 5P1500RC       | 5P 1500 VA 120V Rack Compact 2U | 1440/1100         | 5-15P (6 ft)     | (10) 5-15R         | \$959 | 32.50%       | \$647 |

## 5P RACKMOUNT 1U MODELS: 120V, 50/60 Hz

| Catalog Number | Description                       | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP    | DIR Discount |         |
|----------------|-----------------------------------|-------------------|------------------|--------------------|---------|--------------|---------|
|                |                                   |                   |                  |                    |         | Discount     | Price   |
| 5P550R         | 5P 550 VA 120V Rackmount 1U       | 550/420           | 5-15P (6 ft)     | (5) 5-15R          | \$496   | 32.50%       | \$335   |
| 5P750R         | 5P 750 VA 120V Rackmount 1U       | 750/600           | 5-15P (6 ft)     | (5) 5-15R          | \$734   | 32.50%       | \$495   |
| 5P1000R        | 5P 1000 VA 120V Rackmount 1U      | 1000/770          | 5-15P (6 ft)     | (5) 5-15R          | \$933   | 32.50%       | \$630   |
| 5P1500R        | 5P 1500 VA 120V Rackmount 1U      | 1440/1100         | 5-15P (6 ft)     | (5) 5-15R          | \$1,138 | 32.50%       | \$768   |
| 5P1500R-L      | 5P 1500 VA 120V RM 1U Lithium-ion | 1440/1100         | 5-15P (6 ft)     | (5) 5-15R          | \$2,059 | 32.50%       | \$1,390 |

## 5P RACKMOUNT 1U MODELS: 200-240V, 50/60 Hz

| Catalog Number | Description                       | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP    | DIR Discount |         |
|----------------|-----------------------------------|-------------------|------------------|--------------------|---------|--------------|---------|
|                |                                   |                   |                  |                    |         | Discount     | Price   |
| 5P850GR        | 5P 850 VA 208V Rackmount 1U       | 850/600           | C14              | (4) C13            | \$918   | 32.50%       | \$620   |
| 5P1550GR       | 5P 1550 VA 208V Rackmount 1U      | 1550/1100         | C14              | (6) C13            | \$1,198 | 32.50%       | \$809   |
| 5P1550GR-L     | 5P 1550 VA 208V RM 1U Lithium-ion | 1550/1100         | C14              | (6) C13            | \$2,240 | 32.50%       | \$1,512 |

## 5P RACKMOUNT 2U MODELS: 120V, 50/60 Hz

| Catalog Number | Description                     | Rating (VA/Watts) | Input Connection | Output Receptacles       | MSRP    | DIR Discount |         |
|----------------|---------------------------------|-------------------|------------------|--------------------------|---------|--------------|---------|
|                |                                 |                   |                  |                          |         | Discount     | Price   |
| 5P1500RT       | 5P 1500 VA 120V Rack / Tower 2U | 1440/1440         | 5-15P            | (8) 5-15R                | \$1,069 | 32.50%       | \$722   |
| 5P2200RT       | 5P 2200 VA 120V Rack / Tower 2U | 1950/1920         | 5-20P            | (8) 5-15/20R             | \$1,567 | 32.50%       | \$1,058 |
| 5P3000RT       | 5P 3000 VA 120V Rack / Tower 2U | 3000/2700         | L5-30P           | (6) 5-15/20R, (1) L5-30R | \$1,877 | 32.50%       | \$1,267 |

# EATON 5P UPS RACKMOUNT

Line-interactive UPS (550–3000 VA)

Now featuring a

## 5P OPTIONS

| Catalog Number           | Description                 | Rating (VA) | For use with 5PX model | Note                   | MSRP  | Discount | DIR Discount Price |
|--------------------------|-----------------------------|-------------|------------------------|------------------------|-------|----------|--------------------|
| <b>Two-post rail kit</b> |                             |             |                        |                        |       |          |                    |
| RK2PA                    | 2-post rack mounting kit 1U |             | All Models except      | *5P550R uses ears only | \$108 | 32.50%   | \$73               |
| 103007018-5591           | 2-post rack mounting kit RT |             | All RT Models          |                        | \$108 | 32.50%   | \$73               |

\*See user's manual for more detail on 2-post rack mounting

| Catalog Number                                   | Description                      | For use with 5P model | Input Connection | Output Receptacles | MSRP  | Discount | DIR Discount Price |
|--|----------------------------------|-----------------------|------------------|--------------------|-------|----------|--------------------|
| <b>Power distribution and maintenance bypass</b> |                                  |                       |                  |                    |       |          |                    |
| EBHPL1500R-PDU1U                                 | HotSwap Maintenance Bypass (MBP) | 5P1500RT              | 5-15P            | (6) 5-15R          | \$331 | 32.50%   | \$223              |
| EBHPL2000R-PDU1U                                 | HotSwap Maintenance Bypass (MBP) | 5P2200RT              | 5-20P            | (6) 5-20R          | \$396 | 32.50%   | \$267              |
| EBHPL3000R-PDU1U                                 | HotSwap Maintenance Bypass (MBP) | 5P3000RT              | L5-30P           | (5) 5-20R          | \$574 | 32.50%   | \$387              |

|  |  |  |  |  | MSRP  | Discount | DIR Discount Price |
|--|--|--|--|--|-------|----------|--------------------|
| <b>SOFTWARE AND CONNECTIVITY OPTIONS</b> |  |  |  |  |       |          |                    |
| NETWORK-M2                               | Eaton Gigabit Network Card   |  |  |  | \$435 | 32.50%   | \$294              |
| INDGW-M2                                 | Industrial Gateway Card  |  |  |  | \$492 | 32.50%   | \$332              |
| RELAY-MS                                 | Relay / Serial Interface Card                                      |  |  |  | \$148 | 32.50%   | \$100              |
| EM PDT1H1C2                              | Environmental Monitoring Probe Gen 2 (Compatible with Network-M2 o |  |  |  | \$309 | 32.50%   | \$209              |

See software and connectivity product sections for more detail.

## 5P RACKMOUNT BATTERY BACKUP TIMES (in minutes)

| UPS model    |     |     |     |     |     |     |     |      |      |      |  |
|--------------|-----|-----|-----|-----|-----|-----|-----|------|------|------|--|
| Load (watts) | 50  | 100 | 200 | 400 | 600 | 700 | 800 | 1000 | 1500 | 2500 |  |
| 5P550R       | 37  | 19  | 9   | 3   |     |     |     |      |      |      |  |
| 5P750R       |     | 40  | 19  | 8   | 4   |     |     |      |      |      |  |
| 5P850GR      |     | 45  | 20  | 8   | 4   |     |     |      |      |      |  |
| 5P1000R      |     | 51  | 25  | 11  | 7   | 6   |     |      |      |      |  |
| 5P1500R      |     |     | 47  | 20  | 12  | 10  | 8   | 5    |      |      |  |
| 5P1550GR     |     |     | 50  | 20  | 12  | 10  | 7   | 5    |      |      |  |
| 5P1500RT     |     |     | 56  | 26  | 15  | 11  | 9   | 7    | 3    |      |  |
| 5P2200RT     |     |     | 59  | 33  | 20  | 16  | 13  | 8    | 4    |      |  |
| 5P3000RT     |     |     |     | 41  | 27  | 22  | 18  | 14   | 9    | 4    |  |
| 5P750RC      | 60  | 45  | 20  | 8   | 5   |     |     |      |      |      |  |
| 5P1000RC     |     | 52  | 26  | 11  | 7   | 6   |     |      |      |      |  |
| 5P1500RC     |     |     | 50  | 21  | 12  | 10  | 8   | 6    |      |      |  |
| Load (watts) | 110 | 220 | 330 | 440 | 550 | 660 | 770 | 880  | 990  | 1100 |  |
| 5P1500R-L    | 70  | 34  | 21  | 15  | 11  | 9   | 7   | 6    | 5    | 4    |  |
| 5P1550GR-L   | 70  | 34  | 21  | 15  | 11  | 9   | 7   | 6    | 5    | 4    |  |

Note: Runtimes are displayed in minutes. Runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive graphs at [www.eaton.com/5Pm](http://www.eaton.com/5Pm).

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service se

# EATON 5PX G2 UPS RACK/TOWER


Extended runtime capable, Next-generation UPS

[UPS selector](#)

Line-interactive UPS (1000–3000 VA)

The Eaton 5PX G2 UPS provides secure, connected power protection with extended runtime capability for distributed IT

- Extended runtime available by adding up to (4) Extended Battery Modules (EBMs)
- 5PX G2 models use lead-acid batteries only at this time
- Up to 25% or more standard runtime with only the internal batteries for 1.5 kVA and 2 kVA models compared to legacy 5PX
- Compatible with the optional UL 2900-1 and IEC 62443-4-2 compliant Eaton Gigabit Network Card (NETWORK-M2) and Industrial Gateway Card (INDGW-M2) for enhanced cybersecurity
- Network Bundle models (with "RTN" in the part number) include a factory pre-installed Gigabit Network Card
- ABM technology extends battery life and provides advanced warning of battery failure
- Pure sinewave output in battery mode
- Displays critical UPS information in a next-generation graphical LCD and new LED light bar for easy UPS status identification
- Protects more devices with the highest possible watt output per VA rating (unity output PF)
- Compatible with Eaton Intelligent Power Manager (IPM) and Visual Power Manager (VPM) software
- Hot-swappable batteries (by qualified persons) allow you to replace batteries while the UPS stays on
- Load segments enable shutdown of connected devices for increased runtime via load shedding
- 4-post rail kit included (2-post rail kit optional); optional 4-post "ship-in-rack" rail kit available (RK4PRS)
- For TAA applications, see legacy 5PX TAA models; 5PX G2 does not offer TAA-compliant models at this time
- Warranty (US and Canada): Three-year limited warranty on the UPS and batteries, five-year extended warranty plans available, plus a \$150,000 load protection guarantee



## 5PX G2 NORTH AMERICAN MODELS: 120V, 50/60 Hz

| Catalog Number | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles      | MSRP Price | Discount | DIR Discount Price |
|----------------|--|-------------------|------------------|-------------------------|------------|----------|--------------------|
| 5PX1000RTG2    | Eaton 5PX G2 1000 VA 120V 2U Rack/Tower                            | 1000/1000         | 5-15P (10ft)     | (8) 5-15R               | \$825      | 32.50%   | \$557              |
| 5PX1000RTNG2   | Eaton 5PX G2 1000 VA 120V 2U Rack/Tower w/ NETWORK-M2              | 1000/1000         | 5-20P (10ft)     | (8) 5-15R               | \$1,229    | 32.50%   | \$830              |
| 5PX1500RTG2    | Eaton 5PX G2 1440 VA 120V 2U Rack/Tower                            | 1440/1440         | 5-20P (10ft)     | (8) 5-15R               | \$1,099    | 32.50%   | \$742              |
| 5PX1500RTNG2   | Eaton 5PX G2 1440 VA 120V 2U Rack/Tower w/ NETWORK-M2              | 1440/1440         | 5-20P (10ft)     | (8) 5-15R               | \$1,503    | 32.50%   | \$1,015            |
| 5PX2000RTG2    | Eaton 5PX G2 2000 VA 120V 2U Rack/Tower 2U                         | 1950/1950         | 5-20P (10ft)     | (1) L5-20R<br>(6) 5-20R | \$1,888    | 32.50%   | \$1,274            |
| 5PX2000RTNG2   | Eaton 5PX G2 2000 VA 120V 2U Rack/Tower w/ NETWORK-M2              | 1950/1950         | 5-20P (10ft)     | (1) L5-20R<br>(6) 5-20R | \$2,292    | 32.50%   | \$1,547            |
| 5PX2000RT3UNG2 | Eaton 5PX G2 2000 VA 120V 3U Rack/Tower w/ NETWORK-M2, Short Depth | 1950/1950         | 5-20P (10ft)     | (1) L5-20R<br>(6) 5-20R | \$2,216    | 32.50%   | \$1,496            |
| 5PX3000RTG2    | Eaton 5PX G2 3000 VA 120V 2U Rack/Tower                            | 3000/3000         | L5-30P (10ft)    | (1) L5-30R<br>(6) 5-20R | \$2,260    | 32.50%   | \$1,526            |
| 5PX3000RTNG2   | Eaton 5PX G2 3000 VA 120V 2U RT w/ NETWORK-M2                      | 3000/3000         | L5-30P (10ft)    | (1) L5-30R<br>(6) 5-20R | \$2,664    | 32.50%   | \$1,798            |
| 5PX3000RT3UNG2 | Eaton 5PX G2 3000 VA 120V 3U Rack/Tower w/ NETWORK-M2, Short Depth | 3000/3000         | L5-30P (10ft)    | (1) L5-30R<br>(6) 5-20R | \$2,550    | 32.50%   | \$1,721            |

## 5PX G2 GLOBAL MODELS: 208/230V, 50/60 Hz

| Catalog Number | Description   | Rating (VA/Watts) | Input Connection               | Output Receptacles | MSRP Price | Discount | DIR Discount Price |
|----------------|---|-------------------|--------------------------------|--------------------|------------|----------|--------------------|
| 5PX1500HRTG2   | Eaton 5PX G2 1500 VA 200-240V 2U Rack/Tower               | 1500/1500         | C14                            | (8) C13            | \$1,277    | 32.50%   | \$862              |
| 5PX2200HRTG2   | Eaton 5PX G2 2200 VA 200-240V 2U Rack/Tower               | 2200/2200         | L6-20P (6ft Detachable) or C20 | (2) C19<br>(8) C13 | \$2,213    | 32.50%   | \$1,494            |
| 5PX3000HRTG2   | Eaton 5PX G2 3000 VA 200-240V 2U Rack/Tower               | 3000/3000         | L6-20P (6ft Detachable) or C20 | (2) C19<br>(8) C13 | \$2,613    | 32.50%   | \$1,764            |
| 5PX3000HRTNG2  | Eaton 5PX G2 3000 VA 200-240V 2U Rack/Tower w/ NETWORK-M2 | 3000/3000         | L6-20P (6ft Detachable) or C20 | (2) C19<br>(8) C13 | \$3,017    | 32.50%   | \$2,036            |

## 5PX OPTIONS

| Extended Battery Modules (EBMs) | DC Voltage | For Use With | MSRP | DIR Discount |
|---------------------------------|------------|--------------|------|--------------|
|---------------------------------|------------|--------------|------|--------------|

|                 |                                 |        | <b>Models</b>   | <b>Price</b> | <b>Discount</b> | <b>Price</b> |
|-----------------|---------------------------------|--------|---|--------------|-----------------|--------------|
| 5PXEBM48RTG2    | Eaton 5PX 48V EBM 2U Rack/Tower | 48 Vdc | All 5PX G2 2U UPS models rated at 1 kVA and 1.5 kVA only        | \$730        | 32.50%          | \$493        |
| 5PXEBM72RTG2    | Eaton 5PX 72V EBM 2U Rack/Tower | 72 Vdc | All 5PX G2 2U UPS models rated at 2 kVA , 2.2 kVA or 3 kVA only | \$1,040      | 32.50%          | \$702        |
| 5PXEBM72RT3UAG2 | Eaton 5PX 72V EBM 3U Rack/Tower | 72 Vdc | 5PX G2 3U UPS models rated at 2 kVA or 3 kVA only               | \$1,040      | 32.50%          | \$702        |

| <b>Accessory Rack Mounting Kit Options</b> |   |  | <b>MSRP Price</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
|--|---|--|-------------------|-----------------|---------------------------|
| 103007018-5591                             | Two-post rack mounting rail kit (designed for 2U models only) |  | \$108             | 32.50%          | \$73                      |
| RK4PRS                                     | 4-post ship-in-rack rail kit (equipped to this 5PX G2 UPS or) |  | \$108             | 32.50%          | \$73                      |

**Power Distribution and Maintenance Bypass**

| <b>Catalog Number</b> | <b>Description</b>               | <b>For use with 5PX G2 models</b> | <b>Input Connection</b> | <b>Output Receptacles</b> | <b>MSRP Price</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
|-----------------------|----------------------------------|-----------------------------------|-------------------------|---------------------------|-------------------|-----------------|---------------------------|
| EHBPL1500R-PDU1U      | HotSwap Maintenance Bypass (MBP) | 1-1.5 kVA                         | 5-15P<br>120V models    | (6) 5-15R                 | \$331             | 32.50%          | \$223                     |
| EHBPL2000R-PDU1U      | HotSwap Maintenance Bypass (MBP) | 2 kVA 120V models                 | 5-20P                   | (6) 5-20R                 | \$396             | 32.50%          | \$267                     |
| EHBPL3000R-PDU1U      | HotSwap Maintenance Bypass (MBP) | 3 kVA 120V models                 | L5-30P                  | (5) 5-20R                 | \$574             | 32.50%          | \$387                     |

For detailed information on FlexPDU and HotSwap Maintenance Bypass products, please refer to the Eaton Power Distribution and Enclosures section.

**SOFTWARE AND CONNECTIVITY OPTIONS**

| <b>Catalog Number</b> | <b>Description</b>   | <b>MSRP Price</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
|-----------------------|--|-------------------|-----------------|---------------------------|
| NETWORK-M2            | Eaton Gigabit Network Card   | \$435             | 32.50%          | \$294                     |
| INDGW-M2              | Industrial Gateway Card  | \$492             | 32.50%          | \$332                     |
| RELAY-MS              | Relay / Serial Interface Card  | \$148             | 32.50%          | \$100                     |
| EMPDT1H1C2            | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309             | 32.50%          | \$209                     |

See software and connectivity product sections for more detail.

For battery runtime charts of each model, see [www.eaton.com/5PXG2](http://www.eaton.com/5PXG2) and view the specs for the model in question after launch.

**SERVICES**

For detailed information on service plans, please refer to the Single-phase Service section tab.



# EATON 5P UPS TOWER

Line-interactive UPS (750–3000 VA)

≤1.5 kVA 120V and below models not for sale or distribution in CO, VT or WA

Now featuring a  
3-year warranty with  
product registration!

The Eaton 5P Tower UPS provides enhanced power conditioning with line-interactive topology and pure sinewave output for distributed IT equipment

- Compatible with the UL 2900-2-2 compliant Eaton Gigabit Network Card (Network-M2)
- Advanced Battery Management (ABM) extends battery life and provides advanced warning of battery failure
- Customize UPS settings, view load and power consumption through the graphical interactive LCD screen interface
- Fully integrates with Intelligent Power Software Suite for monitoring and management of servers and graceful shutdown of virtualized environments
- Provides more real power (watts) to protect more equipment for expanding IT systems
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), five-year extended warranty plans available, \$150,000 load protection guarantee



## 5P TOWER MODELS: 120V, 50/60 Hz

| Catalog Number | Description        | Rating (VA/Watts) | Input Connection | Output Receptacles       | List Price | Discount | DIR Price |
|----------------|--------------------|-------------------|------------------|--------------------------|------------|----------|-----------|
| 5P750          | 5P 750 120V Tower  | 750/600           | 5-15P (6ft)      | (8) 5-15R                | \$439      | 32.50%   | \$296     |
| 5P1000         | 5P 1000 120V Tower | 1000/770          | 5-15P (6ft)      | (8) 5-15R                | \$589      | 32.50%   | \$398     |
| 5P1500         | 5P 1500 120V Tower | 1440/1100         | 5-15P (6ft)      | (8) 5-15R                | \$718      | 32.50%   | \$485     |
| 5P2200         | 5P 2200 120V Tower | 1950/1920         | 5-20P (6ft)      | (8) 5-15/20R             | \$1,219    | 32.50%   | \$823     |
| 5P3000         | 5P 3000 120V Tower | 3000/2700         | L5-30P (10 ft)   | (6) 5-15/20R, (1) L5-30R | \$1,658    | 32.50%   | \$1,119   |

## 5P TOWER MODELS: 200-240V, 50/60 Hz

| Catalog Number | Description           | Rating (VA/Watts) | Input Connection | Output Receptacles | List Price | Discount | DIR Price |
|----------------|-----------------------|-------------------|------------------|--------------------|------------|----------|-----------|
| 5P850G         | 5P 850 VA 208V Tower  | 850/600           | C14              | (6) C13            | \$486      | 32.50%   | \$328     |
| 5P1550G        | 5P 1550 VA 208V Tower | 1550/1100         | C14              | (8) C13            | \$852      | 32.50%   | \$575     |

## SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | DIR Price |
|----------------|--|-------|----------|-----------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294     |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332     |
| RELAY-MS       | Relay / Serial Interface Card  | \$148 | 32.50%   | \$100     |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with Network-M2 only) | \$309 | 32.50%   | \$209     |

See software and connectivity product sections for more detail.

## 5P TOWER BATTERY BACKUP TIMES (in minutes)

| UPS model | 50 | 100 | 200 | 400 | 600 | 700 | 800 | 1000 | 1500 | 2500 |
|-----------|----|-----|-----|-----|-----|-----|-----|------|------|------|
| 5P750     |    | 40  | 19  | 8   | 4   |     |     |      |      |      |
| 5P850G    |    |     |     |     |     |     |     |      |      |      |
| 5P1000    |    | 51  | 25  | 11  | 7   | 6   |     |      |      |      |
| 5P1500    |    |     | 47  | 20  | 12  | 10  | 8   | 5    |      |      |
| 5P1550G   |    |     |     |     |     |     |     |      |      |      |
| 5P3000    |    |     |     | 41  | 27  | 22  | 18  | 14   | 9    | 4    |

Note: Runtimes are displayed in minutes. Runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at [www.eaton.com/5P](http://www.eaton.com/5P).

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

# EATON 5PX UPS RACK/TOWER

Extended Run Capable

≤1.5 kVA 120V and below models not for sale or distribution in CO, VT or WA



Now featuring a 3-year warranty with product registration!

## Line-interactive UPS (1000–3000 VA)

The Eaton 5PX UPS provides enhanced power conditioning with line-interactive topology and pure sinewave output for distributed IT equipment with extended runtime options

- Extended runtime available by adding up to 4 External Battery Modules (EBMs)
- Compatible with the UL 2900-2-2 compliant Eaton Gigabit Network Card (Network-M2) for enhanced cybersecurity
- Advanced Battery Management (ABM) extends battery life and provides advanced warning of battery failure
- Meters energy consumption down to the outlet segments/groups
- Displays critical UPS information in a next-generation graphical LCD
- TAA-compliant models available
- Comes with free monitoring and management software, perfect for virtualized environments
- Hot-swappable batteries allow you to replace batteries while the UPS stays on
- Load segments enable shutdown of connected devices for increased runtime via load shedding
- 4-post rail kit included (2-post rail kit optional)
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), five-year extended warranty plans available, \$150,000 load protection guarantee



## 5PX NORTH AMERICAN MODELS: 120V, 50/60 Hz

| Catalog Number | Description                            | Rating (VA/Watts) | Input Connection | Output Receptacles       | MSRP    | Discount | DIR Discount Price |
|----------------|--|-------------------|------------------|--------------------------|---------|----------|--------------------|
| 5PX1000RT      | Eaton 5PX 1000 VA 120V Rack Tower 2U   | 1000/1000         | 5-15P (8ft)      | (8) 5-15R                | \$825   | 32.50%   | \$557              |
| 5PX1500RT      | Eaton 5PX 1500 VA 120V Rack Tower 2U   | 1440/1440         | 5-15P (8ft)      | (8) 5-15R                | \$1,099 | 32.50%   | \$742              |
| 5PX1500RTN     | Eaton 5PX 1500 VA with Network Card-M2 | 1440/1440         | 5-15P (8ft)      | (8) 5-15R                | \$1,503 | 32.50%   | \$1,015            |
| 5PX2200RT      | Eaton 5PX 2200 VA 120V Rack Tower 2U   | 1950/1920         | 5-20P (8ft)      | (8) 5-15/20R             | \$1,888 | 32.50%   | \$1,274            |
| 5PX2200RTN     | Eaton 5PX 2200 VA with Network Card-M2 | 1950/1920         | 5-20P (8ft)      | (8) 5-15/20R             | \$2,292 | 32.50%   | \$1,547            |
| 5PX3000RT2U    | Eaton 5PX 3000 VA 120V Rack Tower 2U   | 3000/2700         | L5-30P (10ft)    | (6) 5-15/20R, (1) L5-30R | \$2,260 | 32.50%   | \$1,526            |
| 5PX3000RTN     | Eaton 5PX 3000 VA with Network Card-M2 | 3000/2700         | L5-30P (10ft)    | (6) 5-15/20R, (1) L5-30R | \$2,664 | 32.50%   | \$1,798            |
| 5PX3000RT3U    | Eaton 5PX 3000 VA 120V Rack Tower 3U   | 3000/2700         | L5-30P (10ft)    | (6) 5-15/20R, (1) L5-30R | \$2,304 | 32.50%   | \$1,555            |

## 5PX TAA COMPLIANT MODELS\*

| Number       | Description                            | (VA/Watts) | Connection    | Receptacles              | MSRP    | Discount | Discount |
|--------------|--|------------|---------------|--------------------------|---------|----------|----------|
| 5PX1500RTUS  | Eaton 5PX 1500 VA 120V Rack / Tower 2U | 1440/1440  | 5-15P (8ft)   | (8) 5-15R                | \$1,482 | 32.50%   | \$1,000  |
| 5PX2200RTUS  | Eaton 5PX 2200 VA 120V Rack / Tower 2U | 1950/1920  | 5-20P (8ft)   | (8) 5-15/20R             | \$2,131 | 32.50%   | \$1,438  |
| 5PX3000RT2US | Eaton 5PX 3000 VA 120V Rack / Tower 2U | 3000/2700  | L5-30P (10ft) | (6) 5-15/20R, (1) L5-30R | \$2,590 | 32.50%   | \$1,748  |

\*Note: 5PX TAA EBM models are listed under 5PX options

## 5PX INTERNATIONAL MODELS: 208/230V, 50/60 Hz

| Catalog Number | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|----------------|--|-------------------|------------------|--------------------|---------|----------|--------------------|
| 5PX1500iRT     | Eaton 5PX 1500 VA 208/230V Rack / Tower 2U           | 1500/1350         | C14              | (8) C13            | \$1,277 | 32.50%   | \$862              |
| 5PX2200iRT     | Eaton 5PX 2200 VA 208/230V 2200/1980 Rack / Tower 2U | 2200/1980         | C20              | (1) C19, (8) C13   | \$2,213 | 32.50%   | \$1,494            |
| 5PX3000iRT2U   | Eaton 5PX 3000 VA 208/230V 3000/2700 Rack / Tower 2U | 3000/2700         | C20              | (1) C19, (8) C13   | \$2,613 | 32.50%   | \$1,764            |

**5PX OPTIONS**

| Catalog Number                  | Description                                    | Rating (VA) |                           |                                 | MSRP    | Discount | DIR Discount Price |
|---------------------------------|--|-------------|---------------------------|---------------------------------|---------|----------|--------------------|
| 5PX3000iRTN                     | Eaton 5PX 3000 VA with Network Card-M2         | 3000/2700   | C20                       | (1) C19, (8) C13                | \$3,017 | 32.50%   | \$2,036            |
| <b>Extended Battery Modules</b> |  |             | <b>For Use With Model</b> |                                 |         |          |                    |
| 5PXEBM48RT                      | Eaton 5PX 48V EBM Rack / Tower 2U              | 48V         |                           | 5PX1000RT, 5PX1500RT, 5PX2200RT | \$730   | 32.50%   | \$493              |
| 5PXEBM72RT2U                    | Eaton 5PX 72V EBM Rack / Tower 2U              | 72V         |                           | 5PX3000RT2U                     | \$1,040 | 32.50%   | \$702              |
| 5PXEBM72RT3U                    | Eaton 5PX 72V EBM Rack / Tower 3U, short depth | 72V         |                           | 5PX3000RT3U                     | \$1,071 | 32.50%   | \$723              |
| 5PXEBM48RTUS                    | Eaton 5PX 48V EBM TAA Rack / Tower 2U          | 48V         |                           | 5PX1000RT, 5PX1500RT, 5PX2200RT | \$1,039 | 32.50%   | \$701              |
| 5PXEBM72RT2US                   | Eaton 5PX 72V EBM TAA Rack / Tower 2U          | 72V         |                           | 5PX3000RT2U                     | \$1,263 | 32.50%   | \$853              |

|                          |   |  |  |  | MSRP  | Discount | DIR Discount Price |
|--------------------------|---|--|--|--|-------|----------|--------------------|
| <b>Two-post rail kit</b> |   |  |  |  |       |          |                    |
| 103007018-5591           | Two-post rack mounting rail kit (supports 2U models only) |  |  |  | \$108 | 32.50%   | \$73               |

**Power distribution and maintenance bypass**

| Catalog Number   | Description                      | For use with 5PX model | Input Connection | Output Receptacles | MSRP  | Discount | DIR Discount Price |
|------------------|----------------------------------|------------------------|------------------|--------------------|-------|----------|--------------------|
| EHBPL1500R-PDU1U | HotSwap Maintenance Bypass (MBP) | 5PX1000RT, 5PX1500RT   | 5-15P            | (6) 5-15R          | \$331 | 32.50%   | \$223              |
| EHBPL2000R-PDU1U | HotSwap Maintenance Bypass (MBP) | 5PX2200RT              | 5-20P            | (6) 5-15/20R       | \$396 | 32.50%   | \$267              |
| EHBPL3000R-PDU1U | HotSwap Maintenance Bypass (MBP) | 5PX3000RT2U            | L5-30P           | (5) 5-15/20R       | \$574 | 32.50%   | \$387              |

For detailed information on FlexPDU and HotSwap Maintenance Bypass products, please refer to the Eaton Power Distribution and Enclosures section.

**SOFTWARE AND CONNECTIVITY OPTIONS**

| Catalog Number | Description  | MSRP  | Discount | DIR Discount Price |
|----------------|--|-------|----------|--------------------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294              |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332              |
| RELAY-MS       | Relay / Serial Interface Card  | \$148 | 32.50%   | \$100              |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with Network-M2 only) | \$309 | 32.50%   | \$209              |

See software and connectivity product sections for more detail.

View interactive runtime graphs at [www.eaton.com/5PX](http://www.eaton.com/5PX)

**5PX BATTERY BACKUP TIMES (in minutes)<sup>1</sup>**

| Load (VA/Watts)   | Internal Batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|---|--------------------|--------|---------|---------|---------|
| <b>5PX1000RT (with 5PXEBM48RT)</b>                                    |                    |        |         |         |         |
| 100/70  | 120                | 462    | 796     | 1131    | 1466    |
| 250/175   | 69                 | 286    | 490     | 695     | 899     |
| 500/350   | 30                 | 145    | 254     | 364     | 473     |
| 750/525   | 17                 | 83     | 151     | 219     | 286     |
| 1000/700  | 11                 | 59     | 108     | 156     | 204     |
| 1000/1000 <sup>2</sup>  | 7                  | 39     | 71      | 103     | 135     |
| <b>5PX1500RT (with 5PXEBM48RT)</b>                                    |                    |        |         |         |         |
| 150/105   | 81                 | 334    | 550     | 765     | 981     |
| 375/262   | 43                 | 187    | 315     | 442     | 569     |
| 750/525   | 18                 | 87     | 150     | 214     | 277     |
| 1125/787  | 9                  | 50     | 89      | 129     | 169     |
| 1440/1050   | 6                  | 35     | 66      | 96      | 126     |
| 1440/1440 <sup>2</sup>  | 3                  | 21     | 41      | 62      | 82      |
| <b>5PX2200RT (with 5PXEBM48RT)</b>                                    |                    |        |         |         |         |
| 195/136   | 71                 | 274    | 465     | 656     | 847     |
| 488/341   | 39                 | 154    | 270     | 385     | 501     |
| 975/682   | 16                 | 67     | 123     | 179     | 236     |
| 1463/1045   | 8                  | 36     | 67      | 93      | 128     |
| 1950/1365   | 5                  | 26     | 48      | 65      | 93      |
| 2200/1920 <sup>2</sup>  | 3                  | 15     | 29      | 36      | 57      |
| <b>5PX3000RT2U or 5PX3000RT3U (with 5PXEBM72RT2U or 5PXEBM72RT3U)</b> |                    |        |         |         |         |
| 300/210   | 63                 | 273    | 470     | 667     | 864     |
| 750/525   | 31                 | 148    | 254     | 360     | 465     |
| 1500/1050   | 13                 | 64     | 111     | 158     | 206     |
| 2250/1575   | 8                  | 35     | 64      | 94      | 123     |
| 3000/2100   | 6                  | 26     | 48      | 70      | 91      |
| 3000/2700 <sup>2</sup>  | 4                  | 19     | 35      | 52      | 68      |

1. Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. International model runtimes are available; please visit [www.eaton.com/5PX](http://www.eaton.com/5PX) for details. 2. Runtimes shown at full load with maximum power factor.

**SERVICES**

For detailed information on service plans, please refer to the Single-phase Service section tab.

# Eaton 9SX UPS Tower

## Online UPS (700–3000 VA)

The Eaton 9SX UPS is ideal for critical applications with harsh electrical environments including IT, industrial automation and control, and healthcare. It's built for scalable deployment a graphical LCD interface that enables local access to configurations and settings, history, diagnostics, energy consumption and load segment control.

- 5-button graphical LCD menu provide access to settings, alerts and history for quick unit setup and first time issue resolution
- True tower form factor, perfect for OEM and industrial applications
- More real power (watts) to protect more equipment
- Increases battery service life and system uptime up to 50% with ABM battery-charging technology and user-replaceable batteries
- Maximizes runtimes with optional extended battery modules (available for all units except the 700 VA tower models)
- Ships with free monitoring and management software, perfect for virtualized environments
- Warranty (US and Canada): Two-year limited warranty, three and five-year extended warranty plans available, \$250,000 load protection guarantee



### 9SX NORTH AMERICAN TOWER MODELS: 120V, 50/60 Hz

| Catalog Number      | Description         | Rating (VA/Watts) | Input Connection <sup>1</sup> | Output Receptacles    | MSRP    | Discount | DIR Discount Price |
|---------------------|---------------------|-------------------|-------------------------------|-----------------------|---------|----------|--------------------|
| 9SX700 <sup>2</sup> | 9SX 700 120V TOWER  | 700/630           | 5-15P                         | (6) 5-15R             | \$1,174 | 32.50%   | \$792              |
| 9SX1000             | 9SX 1000 120V TOWER | 1000/900          | 5-15P                         | (6) 5-15R             | \$1,475 | 32.50%   | \$996              |
| 9SX1500             | 9SX 1500 120V TOWER | 1500/1350         | 5-15P                         | (6) 5-15R             | \$2,049 | 32.50%   | \$1,383            |
| 9SX2000             | 9SX 2000 120V TOWER | 1960/1770         | 5-20P                         | (1) L5-20, (6) 5-20R  | \$2,661 | 32.50%   | \$1,796            |
| 9SX3000             | 9SX 3000 120V TOWER | 3000/2700         | L5-30P                        | (1) L5-30R, (4) 5-20R | \$4,385 | 32.50%   | \$2,960            |
| 9SX3000HW           | 9SX 3000 120V TOWER | 3000/2700         | Hardwired                     | Hardwired             | \$4,385 | 32.50%   | \$2,960            |

1. Input cord length is 8 ft
2. 9SX700 does not have a compatible EBM

### 9SX GLOBAL TOWER MODELS: 208V<sup>6</sup>, 50/60 Hz

| Catalog Number | Description            | Rating (VA/Watts) | Input Connection    | Output Receptacles                | MSRP    | Discount | DIR Discount Price |
|----------------|------------------------|-------------------|---------------------|-----------------------------------|---------|----------|--------------------|
| 9SX1000G       | 9SX 1000 208V TOWER    | 1000/900          | C14 <sup>3</sup>    | (6) C13                           | \$1,475 | 32.50%   | \$996              |
| 9SX1500G       | 9SX 1500 208V TOWER    | 1500/1350         | C14 <sup>3</sup>    | (6) C13                           | \$2,049 | 32.50%   | \$1,383            |
| 9SX2000G       | 9SX 2000 208V TOWER    | 2000/1800         | L6-20P <sup>4</sup> | (8) C13                           | \$2,661 | 32.50%   | \$1,796            |
| 9SX3000G       | 9SX 3000 208V TOWER    | 3000/2700         | L6-20P <sup>5</sup> | (8) C13, (1) C19                  | \$4,385 | 32.50%   | \$2,960            |
| 9SX3000GL      | 9SX 3000 208V GL TOWER | 3000/2700         | L6-20P <sup>5</sup> | (1) L6-30R, (1) L6-20R, (2) 6-20R | \$4,385 | 32.50%   | \$2,960            |

3. Customer input cord required C14, UPS comes with (2) C13/C14 jumpers
4. Detachable C13 to L6-20P 8ft cord
5. Detachable C19 to L6-20P 8ft cord
6. 9SX "G" global models operate at 200, 208 (default), 220, 230, and 240V

### 9SX TOWER OPTIONS

| Catalog Number                  | Description   | MSRP    | Discount | DIR Discount Price |
|---------------------------------|---|---------|----------|--------------------|
| <b>Extended Battery Modules</b> |   |         |          |                    |
| 9SXEBM36 <sup>1</sup>           | Eaton 9SX 1000 Tower EBM  | \$944   | 32.50%   | \$637              |
| 9SXEBM48 <sup>2</sup>           | Eaton 9SX 1500 Tower EBM  | \$1,058 | 32.50%   | \$714              |
| 9SXEBM96 <sup>3</sup>           | Eaton 9SX 2000/3000 Tower EBM   | \$1,346 | 32.50%   | \$909              |
| EBMCBL36T                       | 9SX 1000 EBM 6ft extension cable  | \$144   | 32.50%   | \$97               |
| EBMCBL48T                       | 9SX 1500 EBM 6ft extension cable  | \$144   | 32.50%   | \$97               |
| EBMCBL96T                       | 9SX 3000 EBM 6ft extension cable  | \$144   | 32.50%   | \$97               |
| CBLADAPT36T                     | Adapter cable from Eaton 9SX UPS/EBM to Eaton 9130 1000VA UPS/EBM models  | \$141   | 32.50%   | \$95               |
| CBLADAPT48T                     | Adapter cable from Eaton 9SX UPS/EBM to Eaton 9130 1500VA UPS/EBM models  | \$141   | 32.50%   | \$95               |
| CBLADAPT96T                     | Adapter cable from Eaton 9SX UPS/EBM to Eaton 9130 2/3 kVA UPS/EBM models | \$141   | 32.50%   | \$95               |

1. This EBM works with 1000 VA models (9SX700 does not have an EBM)
2. This EBM works with 1500 VA models
3. This EBM works with 2000/3000 VA models

### 9SX Accessory Options

| Catalog Number | Description | MSRP  | Discount | DIR Discount Price |
|----------------|-------------|-------|----------|--------------------|
| SMKITA         | Seismic Kit | \$751 | 32.50%   | \$507              |

\*\*All 9SX units(except 9SX3000HW) tested and approved for OSHPD certification

# Eaton 9SX UPS Tower

Online UPS (700–3000 VA)

## SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | Discount | DIR |
|----------------|--|-------|----------|----------|-----|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294    |     |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332    |     |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309 | 32.50%   | \$209    |     |

See software and connectivity product sections for more detail.

## RUNTIME CHARTS

### 9SX TOWER MODELS BATTERY BACKUP TIMES (in minutes)

View interactive runtime graphs at [www.eaton.com/9SX](http://www.eaton.com/9SX)

#### Factor\*

| Load (VA/Watts)                | Internal Batteries | +1 EBM | +2 EBM | +3 EBM | +4 EBM |
|--------------------------------|--------------------|--------|--------|--------|--------|
| <b>9SX700</b>                  |                    |        |        |        |        |
| 700 / 630                      | 5.8                | N/A    | N/A    | N/A    | N/A    |
| 525 / 473                      | 9.4                | N/A    | N/A    | N/A    | N/A    |
| 350 / 315                      | 16.6               | N/A    | N/A    | N/A    | N/A    |
| 175 / 158                      | 35.8               | N/A    | N/A    | N/A    | N/A    |
| <b>9SX1000</b>                 |                    |        |        |        |        |
| 1000 / 900                     | 6.7                | 32     | 58     | 88     | 113    |
| 750 / 675                      | 10.5               | 44     | 82     | 122    | 165    |
| 500 / 450                      | 18.5               | 70     | 1289   | 191    | 269    |
| 250 / 225                      | 38.5               | 141    | 263    | -      | -      |
| <b>9SX1000G</b>                |                    |        |        |        |        |
| 1000 / 900                     | 5.9                | 29     | 53     | 83     | 108    |
| 750 / 675                      | 9.3                | 40     | 74     | 108    | 147    |
| 500 / 450                      | 16.2               | 62     | 115    | 168    | 232    |
| 250 / 225                      | 32.0               | 120    | 216    | 338    | -      |
| <b>9SX1500</b>                 |                    |        |        |        |        |
| 1500 / 1350                    | 5.9                | 29     | 53     | 81     | 105    |
| 1125 / 1013                    | 9.1                | 39     | 73     | 109    | 146    |
| 750 / 675                      | 16.5               | 64     | 117    | 171    | 239    |
| 375 / 338                      | 36.7               | 135    | 249    | 380    | -      |
| <b>9SX1500G</b>                |                    |        |        |        |        |
| 1500 / 1350                    | 5.3                | 28     | 51     | 79     | 104    |
| 1125 / 1013                    | 8.9                | 39     | 72     | 108    | 144    |
| 750 / 675                      | 16.2               | 62     | 115    | 168    | 234    |
| 375 / 338                      | 34.7               | 130    | 233    | 363    | -      |
| <b>9SX2000</b>                 |                    |        |        |        |        |
| 2000 / 1770                    | 10.4               | 44     | 81     | 117    | 160    |
| 1500 / 1350                    | 15.8               | 61     | 112    | 167    | 228    |
| 1000 / 900                     | 26.2               | 97     | 175    | 274    | 363    |
| 500 / 450                      | 53.8               | 199    | 374    | -      | -      |
| <b>9SX2000G</b>                |                    |        |        |        |        |
| 2000 / 1770                    | 10.5               | 44     | 83     | 115    | 160    |
| 1500 / 1350                    | 16.1               | 62     | 114    | 172    | 234    |
| 1000 / 900                     | 27.5               | 102    | 184    | 288    | 378    |
| 500 / 450                      | 55.7               | 206    | 390    | -      | -      |
| <b>9SX3000 &amp; 9SX3000HW</b> |                    |        |        |        |        |
| 3000 / 2700                    | 5.7                | 28     | 54     | 80     | 102    |
| 2250 / 2025                    | 9.2                | 40     | 71     | 109    | 147    |
| 1500 / 1350                    | 16.7               | 64     | 116    | 172    | 241    |
| 750 / 675                      | 37.7               | 138    | 261    | 389    | -      |
| <b>9SX3000G</b>                |                    |        |        |        |        |
| 3000 / 2700                    | 5.8                | 29     | 52     | 77     | 104    |
| 2250 / 2025                    | 8.7                | 39     | 72     | 108    | 142    |
| 1500 / 1350                    | 15.7               | 61     | 114    | 167    | 231    |
| 750 / 675                      | 35.3               | 131    | 235    | 366    | -      |

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

## EATON 9PX UPS RACK/TOWER (700-3000VA)

As a stand-alone, online double-conversion UPS, Eaton 9PX 2 and 3 kVA rack/tower models can withstand harsh electrical environments for a variety of critical applications including IT, edge networks, industrial automation, healthcare and K-12. It's built for scalable deployment and features a graphical LCD interface that enables local access to configurations and settings, history and diagnostics, energy consumption and load segment control.



- Graphical LCD screen lets you customize settings, diagnose UPS alarms and view load and power consumption locally
- Remote power off, remote on/off and output relay ports provide increased control capabilities
- Load segments allow for prioritized shutdown and automated restart protocols, daily or weekly reboot schedules and remote power cycling
- Up to 94% efficiency in online mode cuts energy usage and costs
- ABM charging technology keeps batteries cool and stretches their lifetime by up to 50 percent
- Seamlessly integrates with Intelligent Power Manager to monitor, manage and control physical and virtual environment
- PredictPulse remote monitoring service can be added to increase reliability and peace of mind—Eaton monitors your UF notifies you when there's an alarm and takes appropriate action
- Four-post rail kit is included (two-post rail kit is optional)
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee

### 9PX 700-3000 VA RACK/TOWER: 120/110/100V<sup>1</sup> OUTPUT, 50/60 Hz

| Catalog Number | Description             | Rating (VA/Watts) | Input Connection <sup>2</sup> | Output Receptacles    | MSRP    | Discount | DIR Discount Price |
|----------------|-------------------------|-------------------|-------------------------------|-----------------------|---------|----------|--------------------|
| 9PX700RT       | 9PX 700 120V RT         | 700/630           | 5-15P                         | (8) 5-15R             | \$1,289 | 32.50%   | \$870              |
| 9PX1000RT      | 9PX 1000 120V RT        | 1000/900          | 5-15P                         | (8) 5-15R             | \$1,613 | 32.50%   | \$1,089            |
| 9PX1500RT      | 9PX 1500 120V RT        | 1500/1350         | 5-15P                         | (8) 5-15R             | \$2,264 | 32.50%   | \$1,528            |
| 9PX1500RTN     | 9PX 1500 120V RT w/ NMC | 1500/1350         | 5-15P                         | (8) 5-15R             | \$2,808 | 32.50%   | \$1,895            |
| 9PX2000RT      | 9PX 2000 120V RT        | 2000/1800         | 5-20P                         | (6) 5-20R, (1) L5-20R | \$2,837 | 32.50%   | \$1,915            |
| 9PX2000RTN     | 9PX 2000 120V RT w/ NMC | 2000/1800         | 5-20P                         | (6) 5-20R, (1) L5-20R | \$3,381 | 32.50%   | \$2,282            |
| 9PX3000RT      | 9PX 3000 120V RT        | 3000/2700         | L5-30P                        | (6) 5-20R, (1) L5-30R | \$4,776 | 32.50%   | \$3,224            |
| 9PX3000RTN     | 9PX 3000 120V RT w/ NMC | 3000/2700         | L5-30P                        | (6) 5-20R, (1) L5-30R | \$5,320 | 32.50%   | \$3,591            |

1. Model voltages: 120V, 125V, 110V (20% output derating), 100V (20% output derating). The default nominal voltage is 120V.

2. Input linecords are 8ft long

### 9PX 700-3000 VA RACK/TOWER: 208/230/240V<sup>3</sup> OUTPUT, 50/60 Hz

| Catalog Number | Description               | Rating (VA/Watts)      | Input Connection           | Output Receptacles     | MSRP    | Discount | DIR Discount Price |
|----------------|---------------------------|------------------------|----------------------------|------------------------|---------|----------|--------------------|
| 9PX1000GRT     | 9PX 1000G 208V RT         | 1000/900               | C14                        | (8) C13                | \$1,613 | 32.50%   | \$1,089            |
| 9PX1500GRT     | 9PX 1500G 208V RT         | 1500/1350 <sup>3</sup> | C14                        | (8) C13                | \$2,264 | 32.50%   | \$1,528            |
| 9PX2200GRT     | 9PX 2000G 208V RT         | 2200/2000 <sup>4</sup> | C20 / L6-20P <sup>5</sup>  | (8) C13, (2) C19       | \$2,837 | 32.50%   | \$1,915            |
| 9PX3000GRT     | 9PX 3000G 208V RT         | 3000/3000 <sup>5</sup> | C20 / L6-20P <sup>5</sup>  | (8) C13, (2) C19       | \$4,776 | 32.50%   | \$3,224            |
| 9PX3000GLRT    | 9PX 3000GL 208V RT        | 3000/3000 <sup>6</sup> | C20 / L6-20P <sup>5</sup>  | (1) L6-30R, (2) L6-20R | \$4,776 | 32.50%   | \$3,224            |
| 9PX3K3UN       | 9PX 3000 3U 208V RT w/NMC | 3000/3000              | Terminal Block with L6-30P | (2) L6-30R, (2) L6-20R | \$5,581 | 32.50%   | \$3,767            |

3. 2U Global model voltages: 208V, 200V (derated to 1350W). The default nominal voltage is 208V.

4. 2U Global model voltages: 208V, 200V (derated to 2000W). The default nominal voltage is 208V.

6. 2U Global model voltages: 208V, 200V (derated to 2700W). The default nominal voltage is 208V.

4. Detachable L6-20P to C19 input linecords are 6ft long.

### 9PX 3 kVA RACK/TOWER: 208/240V to 120V<sup>6</sup> OUTPUT, 50/60 Hz BUNDLES

| Catalog Number | Description                                      | Rating (VA/Watts) | Input Connection <sup>7</sup> | Output Receptacles                 | MSRP    | Discount | DIR Discount Price |
|----------------|--|-------------------|-------------------------------|------------------------------------|---------|----------|--------------------|
| 9PX3K3UNTFS    | 9PX 3K 3U 208V RT UPS and 5kVA Transformer w/NMC | 3000/3000         | Terminal Block with L6-30P    | (2) L6-20R, (1) L6-30R (18) 5-20R  | \$6,806 | 32.50%   | \$4,594            |
| 9PX3K3UNP1     | 9PX 3K 3U 208V RT UPS and PPDMM1 w/NMC           | 3000/3000         | L6-30P                        | (1) L14-30R, (1) L6-30R, (6) 5-20R | \$7,100 | 32.50%   | \$4,793            |

## EATON 9PX UPS RACK/TOWER (700-3000VA)

### 9PX 3 KVA RACK/TOWER: 208/240V to 120V6 OUTPUT, 50/60 Hz BUNDLES

| Catalog Number | Description                           | Rating (VA/Watts) | Input Connection <sup>7</sup> | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|----------------|---------------------------------------|-------------------|-------------------------------|--------------------|---------|----------|--------------------|
| 9PX3K3UNP2     | 9PX 3K 3U 208V RT UPS and PPDM2 w/NMC | 3000/3000         | Hardwired                     | Hardwired          | \$7,100 | 32.50%   | \$4,793            |

6. See 9PX 5-6kVA page for transformer and PPDM individual listings.

7. L6-30P input cords are 6ft long.

### 9PX OPTIONS

| Catalog Number          | Description       | Rating (VA/Watts)                                   | Input Connection | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|-------------------------|-------------------|---|------------------|--------------------|---------|----------|--------------------|
| <b>Extended runtime</b> |                   |   |                  |                    |         |          |                    |
| 9PXEBM36RT              | 9PX 700-1K RT EBM | Use with 9PX700RT, 9PX1000RT                        |                  |                    | \$1,037 | 32.50%   | \$700              |
| 9PXEBM48RT              | 9PX 1.5K RT EBM   | Use with 9PX1000GRT, 9PX1500RT, 9PX1500GRT          |                  |                    | \$1,120 | 32.50%   | \$756              |
| 9PXEBM72RT              | 9PX 2-3K RT EBM   | Use with 9PX 2-3K 2U UPS (excludes 9PX3K3UN Models) |                  |                    | \$1,150 | 32.50%   | \$776              |
| 9PXEBM180RT             | 9PX 3K RT EBM     | Use with 9PX 9PX3K3UN Models                        |                  |                    | \$2,077 | 32.50%   | \$1,402            |

| Catalog Number | Description  | MSRP  | Discount | DIR Discount Price |
|----------------|--|-------|----------|--------------------|
| RK2PC          | 2-post rack mounting   | \$150 | 32.50%   | \$101              |
| BINTSYS        | Battery integration system- vertical mounting platform with wheels | \$678 | 32.50%   | \$458              |
| SMKITA         | Seismic Kit*   | \$751 | 32.50%   | \$507              |

\*Only 9PX3000GLRT and EBMs tested and approved for OSHPD certification

### Power distribution (PDU) and maintenance bypass (MBP) options

| Catalog Number   | Description                        | Input Connection | Output Receptacles | MSRP  | Discount | DIR Discount Price |
|------------------|------------------------------------|------------------|--------------------|-------|----------|--------------------|
| EBBPL1500R-PDU1U | HotSwap MBP for use with 9PX1500RT | 5-15P            | (6) 5-15R          | \$331 | 32.50%   | \$223              |
| EBBPL2000R-PDU1U | HotSwap MBP for use with 9PX2000RT | 5-20P            | (6) 5-20R          | \$396 | 32.50%   | \$267              |
| EBBPL3000R-PDU1U | HotSwap MBP for use with 9PX3000RT | L5-30P           | (5) 5-20R          | \$574 | 32.50%   | \$387              |

### SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | DIR Discount Price |
|----------------|--|-------|----------|--------------------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294              |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332              |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309 | 32.50%   | \$209              |

See software and connectivity product sections for more detail.



## EATON 9PX UPS RACK/TOWER (700-3000VA)

### 9PX 700-3000VA BATTERY BACKUP TIMES (in minutes)\*\*

| Load (Watts)      | Internal Batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|-------------------|--------------------|--------|---------|---------|---------|
| <b>9PX700RT</b>   |                    |        |         |         |         |
| 200               | 44.5               | 138    | 248     | 370     | 501     |
| 300               | 29.4               | 89     | 161     | 239     | 324     |
| 400               | 21.1               | 65     | 116     | 172     | 233     |
| 500               | 15.8               | 49.5   | 89      | 132     | 178     |
| 600               | 12.1               | 39.7   | 71      | 106     | 143     |
| 630               | 11.5               | 37.5   | 67      | 100     | 135     |
| <b>9PX1000RT</b>  |                    |        |         |         |         |
| 200               | 44.5               | 138    | 248     | 370     | 501     |
| 300               | 29.4               | 89     | 161     | 239     | 324     |
| 400               | 21.1               | 65     | 116     | 172     | 233     |
| 500               | 15.8               | 49.5   | 89      | 132     | 178     |
| 600               | 12.1               | 39.7   | 71      | 106     | 143     |
| 700               | 9.5                | 32.8   | 59      | 87      | 118     |
| 800               | 7.7                | 27.8   | 50      | 74      | 100     |
| 900               | 6.3                | 24.1   | 43      | 64      | 86      |
| <b>9PX1000GRT</b> |                    |        |         |         |         |
| 200               | 41.5               | 200    | 384     | 583     | 794     |
| 300               | 27.7               | 134    | 258     | 392     | 534     |
| 400               | 20.4               | 100    | 192     | 293     | 399     |
| 500               | 15.8               | 79     | 152     | 232     | 316     |
| 600               | 12.6               | 65     | 125     | 190     | 259     |
| 700               | 10.3               | 54     | 105     | 160     | 218     |
| 800               | 8.6                | 46.7   | 90      | 138     | 188     |
| 900               | 7.3                | 41     | 79      | 121     | 165     |
| <b>9PX1500RT</b>  |                    |        |         |         |         |
| 300               | 41.9               | 157    | 290     | 432     | 584     |
| 450               | 26.8               | 100    | 185     | 276     | 373     |
| 600               | 19.2               | 72     | 133     | 199     | 268     |
| 750               | 14.4               | 55.3   | 102     | 153     | 206     |
| 900               | 11.2               | 44.2   | 82      | 122     | 165     |
| 1050              | 8.8                | 36.5   | 68      | 101     | 137     |
| 1200              | 7.1                | 30.9   | 57      | 86      | 116     |
| 1350              | 5.8                | 26.7   | 49.5    | 74      | 100     |
| <b>9PX1500GRT</b> |                    |        |         |         |         |
| 300               | 38.3               | 143    | 263     | 393     | 530     |
| 450               | 25.8               | 95.7   | 176     | 263     | 356     |
| 600               | 18.5               | 71     | 131     | 195     | 264     |
| 750               | 13.9               | 55.6   | 102     | 153     | 207     |
| 900               | 10.7               | 45.2   | 83      | 124     | 168     |
| 1050              | 8.5                | 37.7   | 70      | 104     | 140     |
| 1200              | 6.9                | 32.2   | 60      | 89      | 120     |
| 1350              | 5.8                | 28.2   | 52      | 78      | 105     |
| <b>9PX2000RT</b>  |                    |        |         |         |         |
| 360               | 56                 | 209    | 384     | 573     | 772     |
| 540               | 36                 | 136    | 249     | 373     | 503     |
| 720               | 25.9               | 98     | 181     | 270     | 364     |
| 900               | 19.9               | 76     | 139     | 208     | 281     |
| 1080              | 16.6               | 61     | 113     | 168     | 227     |
| 1260              | 13.2               | 51     | 94      | 141     | 190     |
| 1440              | 10.8               | 43     | 80      | 120     | 162     |
| 1620              | 9.0                | 38     | 70      | 104     | 141     |
| 1800              | 7.7                | 33     | 61      | 91      | 123     |
| <b>9PX2200GRT</b> |                    |        |         |         |         |
| 400               | 46                 | 170    | 312     | 467     | 631     |
| 600               | 30                 | 112    | 206     | 308     | 416     |
| 800               | 22                 | 82     | 151     | 226     | 305     |
| 1000              | 16.6               | 64     | 118     | 176     | 238     |
| 1200              | 12.8               | 52     | 96      | 144     | 194     |
| 1400              | 10.3               | 44     | 81      | 121     | 163     |
| 1600              | 8.4                | 38     | 69      | 104     | 140     |
| 1800              | 7.0                | 33     | 60      | 90      | 121     |
| 2000              | 6.0                | 28.7   | 53      | 79      | 107     |
| <b>9PX3000RT</b>  |                    |        |         |         |         |
| 600               | 35                 | 132    | 242     | 362     | 489     |
| 900               | 22.2               | 84     | 156     | 232     | 314     |
| 1200              | 16.4               | 61     | 112     | 167     | 225     |
| 1500              | 11.8               | 47     | 86      | 129     | 174     |
| 1800              | 9.0                | 38     | 69      | 104     | 140     |
| 2100              | 7.2                | 31     | 58      | 87      | 117     |
| 2400              | 5.8                | 27     | 49      | 74      | 100     |
| 2700              | 4.8                | 23     | 43      | 64      | 86      |
| 3000              | 4.1                | 20.2   | 37      | 56      | 76      |

## EATON 9PX UPS RACK/TOWER (700-3000VA)

| 3000                           | 2400 | 1800 | 1200 | 900 | 600 |
|--------------------------------|------|------|------|-----|-----|
| <b>9PX3000GRT, 9PX3000GLRT</b> |      |      |      |     |     |
| 600                            | 34   | 125  | 231  | 345 | 466 |
| 900                            | 21.9 | 82   | 150  | 225 | 304 |
| 1200                           | 14.9 | 59   | 109  | 162 | 219 |
| 1500                           | 10.8 | 46   | 84   | 125 | 170 |
| 1800                           | 8.3  | 37   | 68   | 102 | 138 |
| 2100                           | 6.6  | 31   | 57   | 86  | 116 |
| 2400                           | 5.4  | 27   | 49   | 73  | 99  |
| 2700                           | 4.5  | 23   | 42   | 63  | 85  |
| 3000                           | 3.8  | 19.9 | 37   | 55  | 74  |

\*\* Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at [www.eaton.com/9PX](http://www.eaton.com/9PX)

### SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

## EATON 9PX Lithium-ion UPS (1-3 kVA)

[UPS selector](#)

The 9PX lithium ion UPS has the same incredible features as the lead acid UPS with the additional value add of 8-10 years life expectancy for batteries, allowing peace of mind, also increased runtime vs VRLA 9PX, lighter UPS and EBM, and a smaller footprint with the 1U EBM. It can withstand harsh electrical environments for a variety of critical applications including IT, edge networks, industrial automation, healthcare and K-12. It's built for scalable deployment and features a graphical LCD interface that enables local access to configurations and settings, history and diagnostics, energy consumption and load segment control.



- 8-10 year life expectancy for batteries and UPS allowing a set it and forget deployment
- Add up to 4 EBMs for additional runtime
- BMS (Battery Management System) improves reliability and performance by actively monitoring temperature and charge cycles
- Remote power off, remote on/off and output relay ports provide increased control capabilities
- Load segments allow for prioritized shutdown and automated restart protocols, daily or weekly reboot schedules and remote power cycling
- Up to 94% efficiency in online mode cuts energy usage and costs
- Seamlessly integrates with Intelligent Power Manager to monitor, manage and control physical and virtual environments
- PredictPulse remote monitoring service can be added to increase reliability and peace of mind—Eaton monitors your UPS, notifies you when there's an alarm and takes appropriate action
- Four-post rail kit is included (two-post rail kit is optional)
- Warranty (US and Canada) - Lithium-ion UPS: Five-year limited warranty on UPS and batteries standard

### 9PX 1500-3000 VA RACK/TOWER: 120/110/100V1 OUTPUT, 50/60 Hz

| Catalog Number | Description             | Rating (VA/Watts) | Input Connection <sup>2</sup> | Output Receptacles    | MSRP    | DIR Discount |         |
|----------------|-------------------------|-------------------|-------------------------------|-----------------------|---------|--------------|---------|
|                |                         |                   |                               |                       |         | Discount     | Price   |
| 9PX1500RT-L    | 9PX 1500 120V RT        | 1500/1350         | 5-15P                         | (8) 5-15R             | \$4,063 | 32.50%       | \$2,743 |
| 9PX1500RTN-L   | 9PX 1500 120V RT w/ NMC | 1500/1350         | 5-15P                         | (8) 5-15R             | \$4,576 | 32.50%       | \$3,089 |
| 9PX2000RT-L    | 9PX 2000 120V RT        | 2000/1800         | 5-20P                         | (6) 5-20R, (1) L5-20R | \$4,988 | 32.50%       | \$3,367 |
| 9PX2000RTN-L   | 9PX 2000 120V RT w/ NMC | 2000/1800         | 5-20P                         | (6) 5-20R, (1) L5-20R | \$5,501 | 32.50%       | \$3,713 |
| 9PX3000RT-L    | 9PX 3000 120V RT        | 3000/2400*        | L5-30P                        | (6) 5-20R, (1) L5-30R | \$7,530 | 32.50%       | \$5,083 |
| 9PX3000RTN-L   | 9PX 3000 120V RT w/ NMC | 3000/2400*        | L5-30P                        | (6) 5-20R, (1) L5-30R | \$8,074 | 32.50%       | \$5,450 |

1. Model voltages: 120V, 125V, 110V (20% output derating), 100V (20% output derating). The default nominal voltage is 120V.

2. Input linecords are 8ft long

\*2400W at 100% full load for UPS only, 2700W at 100% load for UPS + EBMs

### 9PX 700-3000 VA RACK/TOWER: 208/230/240V<sup>3</sup> OUTPUT, 50/60 Hz

| Catalog Number | Description       | Rating (VA/Watts)       | Input Connection          | Output Receptacles | MSRP    | DIR Discount |         |
|----------------|-------------------|-------------------------|---------------------------|--------------------|---------|--------------|---------|
|                |                   |                         |                           |                    |         | Discount     | Price   |
| 9PX1500GRT-L   | 9PX 1500G 208V RT | 1500/1350 <sup>3</sup>  | C14                       | (8) C13            | \$4,063 | 32.50%       | \$2,743 |
| 9PX2200GRT-L   | 9PX 2000G 208V RT | 2200/2000 <sup>4</sup>  | C20 / L6-20P              | (8) C13, (2) C19   | \$4,988 | 32.50%       | \$3,367 |
| 9PX3000GRT-L   | 9PX 3000G 208V RT | 3000/2400 <sup>5*</sup> | C20 / L6-20P <sup>5</sup> | (8) C13, (2) C19   | \$7,530 | 32.50%       | \$5,083 |

3. 2U Global model voltages: 208V, 200V (derated to 1350W). The default nominal voltage is 208V.

4. 2U Global model voltages: 208V, 200V (derated to 2000W). The default nominal voltage is 208V.

5. 2U Global model voltages: 208V, 200V (derated to 2400W). The default nominal voltage is 208V.

6. Detachable L6-20P to C19 input linecords are 6ft long.

\*2400W at 100% full load for UPS only, 2700W at 100% load for UPS + EBMs

### 9PX OPTIONS

| Catalog Number          | Description     | Rating (VA/Watts)                  | Input Connection | Output Receptacles | MSRP    | DIR Discount |         |
|-------------------------|-----------------|------------------------------------|------------------|--------------------|---------|--------------|---------|
|                         |                 |                                    |                  |                    |         | Discount     | Price   |
| <b>Extended runtime</b> |                 |                                    |                  |                    |         |              |         |
| 9PXEBM48RT-L            | 9PX 1.5K RT EBM | Use with 9PX1500RT-L, 9PX1500GRT-L |                  |                    | \$2,463 | 32.50%       | \$1,663 |
| 9PXEBM72RT-L            | 9PX 2-3K RT EBM | Use with 9PX 2-3K 2U UPS           |                  |                    | \$3,125 | 32.50%       | \$2,109 |

### Mounting Hardware (all modules include 4-post rail kits)

| Catalog Number | Description  | MSRP  | DIR Discount |       |
|----------------|--|-------|--------------|-------|
|                |  |       | Discount     | Price |
| RK2PC          | 2-post rack mounting rail kit (one kit required for each 2U UPS)   | \$150 | 32.50%       | \$101 |
| RK2PA          | 2-post rack mounting rail kit (one kit required for each 1U EBM)   | \$108 | 32.50%       | \$73  |
| BINTSYS        | Battery integration system- vertical mounting platform with wheels | \$678 | 32.50%       | \$458 |

### Power distribution (PDU) and maintenance bypass (MBP) options

| Catalog Number   | Description                        | Input Connection | Output Receptacles | MSRP  | DIR Discount |       |
|------------------|------------------------------------|------------------|--------------------|-------|--------------|-------|
|                  |                                    |                  |                    |       | Discount     | Price |
| EHBPL1500R-PDU1U | HotSwap MBP for use with 9PX1500RT | 5-15P            | (6) 5-15R          | \$331 | 32.50%       | \$223 |
| EHBPL2000R-PDU1U | HotSwap MBP for use with 9PX2000RT | 5-20P            | (6) 5-20R          | \$396 | 32.50%       | \$267 |
| EHBPL3000R-PDU1U | HotSwap MBP for use with 9PX3000RT | L5-30P           | (5) 5-20R          | \$574 | 32.50%       | \$387 |
| ePBZ78           | Basic 3kVA, 120V, 0U ePDU          | L5-30P           | (20) 5-20R         | \$333 | 32.50%       | \$225 |
| ePBZ93           | Basic 3kVA, 208V, 0U ePDU          | L6-20P           | (20) C13, (4) C19  | \$305 | 32.50%       | \$206 |
| ePBZ79           | Basic 3-6kVA, 208V, 1U ePDU        | L6-30P           | (16) C13, (4) C19  | \$360 | 32.50%       | \$243 |

### SOFTWARE AND CONNECTIVITY OPTIONS

## EATON 9PX Lithium-ion UPS (1-3 kVA)

| Catalog Number | Description                    | MSRP  | DIR Discount |       |
|----------------|--------------------------------|-------|--------------|-------|
|                |                                |       | Discount     | Price |
| NETWORK-M2     | Eaton Gigabit Network Card     | \$435 | 32.50%       | \$294 |
| INDGW-M2       | Industrial Gateway Card        | \$492 | 32.50%       | \$332 |
| EMPDT1H1C2     | Environmental Monitoring Probe | \$309 | 32.50%       | \$209 |

See software and connectivity product sections for more detail.

### 9PX Li-Ion 1-3kVA Battery Backup Times (in minutes)\*\*

| Load(Watts)                     | Internal batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|---------------------------------|--------------------|--------|---------|---------|---------|
| <b>9PX1500RT-L</b>              |                    |        |         |         |         |
| 1350                            | 11.2               | 30.0   | 47.1    | 64.3    | 81.4    |
| 1215                            | 12.6               | 33.5   | 52.7    | 71.9    | 91.0    |
| 1080                            | 14.2               | 38.0   | 59.7    | 81.4    | 103.0   |
| 945                             | 16.3               | 43.5   | 68.4    | 93.3    | 118.1   |
| 810                             | 19.1               | 50.8   | 79.8    | 108.9   | 137.9   |
| 675                             | 22.9               | 61.0   | 95.9    | 130.7   | 165.6   |
| 540                             | 28.1               | 74.8   | 117.6   | 160.3   | 203.1   |
| 405                             | 37.0               | 98.6   | 154.9   | 211.2   | 267.5   |
| 270                             | 54.4               | 145.2  | 228.1   | 311.0   | 394.0   |
| <b>9PX1500GRT-L</b>             |                    |        |         |         |         |
| 1350                            | 12.0               | 31.9   | 50.2    | 68.4    | 86.7    |
| 1215                            | 13.3               | 35.5   | 55.8    | 76.0    | 96.3    |
| 1080                            | 15.0               | 39.9   | 62.7    | 85.4    | 108.2   |
| 945                             | 17.0               | 45.2   | 71.0    | 96.9    | 122.7   |
| 810                             | 19.7               | 52.5   | 82.5    | 112.5   | 142.5   |
| 675                             | 23.4               | 62.5   | 98.2    | 133.9   | 169.6   |
| 540                             | 28.7               | 76.4   | 120.1   | 163.8   | 207.5   |
| 405                             | 37.1               | 99.0   | 155.6   | 212.1   | 268.7   |
| 270                             | 52.0               | 138.7  | 218.0   | 297.3   | 376.6   |
| <b>9PX2000RT-L</b>              |                    |        |         |         |         |
| 1800                            | 13.6               | 36.3   | 57.0    | 77.8    | 98.5    |
| 1620                            | 15.2               | 40.4   | 63.5    | 86.6    | 109.7   |
| 1440                            | 17.1               | 45.5   | 71.6    | 97.6    | 123.6   |
| 1260                            | 19.5               | 52.0   | 81.7    | 111.4   | 141.1   |
| 1080                            | 22.6               | 60.3   | 94.8    | 129.3   | 163.8   |
| 900                             | 27.1               | 72.3   | 113.6   | 154.8   | 196.1   |
| 720                             | 33.5               | 89.3   | 140.3   | 191.4   | 242.4   |
| 540                             | 43.8               | 116.7  | 183.4   | 250.1   | 316.8   |
| 360                             | 62.6               | 167.0  | 262.4   | 357.8   | 453.2   |
| <b>9PX2200GRT-L</b>             |                    |        |         |         |         |
| 2000                            | 12.3               | 32.8   | 51.5    | 70.2    | 88.9    |
| 1800                            | 13.6               | 36.3   | 57.1    | 77.8    | 98.6    |
| 1600                            | 15.2               | 40.6   | 63.8    | 87.0    | 110.2   |
| 1400                            | 17.3               | 46.2   | 72.6    | 99.0    | 125.4   |
| 1200                            | 20.2               | 53.8   | 84.5    | 115.3   | 146.0   |
| 1000                            | 23.9               | 63.8   | 100.3   | 136.7   | 173.2   |
| 800                             | 29.4               | 78.4   | 123.1   | 167.9   | 212.7   |
| 600                             | 38.2               | 101.8  | 159.9   | 218.1   | 276.2   |
| 400                             | 54.3               | 144.7  | 227.4   | 310.1   | 392.9   |
| <b>9PX3000RT-L (UPS + EBMs)</b> |                    |        |         |         |         |
| 2700                            | -                  | 24.1   | 37.9    | 51.7    | 65.5    |
| 2400                            | 10.2               | 26.9   | 42.2    | 57.6    | 72.9    |
| 2160                            | 11.3               | 30.3   | 47.7    | 65.0    | 82.3    |
| 1890                            | 12.9               | 34.7   | 54.5    | 74.3    | 94.1    |
| 1620                            | 14.8               | 40.4   | 63.5    | 86.5    | 109.6   |
| 1350                            | 18.0               | 48.3   | 75.9    | 103.5   | 131.1   |
| 1080                            | 23.0               | 59.9   | 94.2    | 128.4   | 162.6   |
| 810                             | 28.0               | 79.1   | 124.3   | 169.5   | 214.7   |
| 540                             | 43.0               | 114.3  | 179.5   | 244.8   | 310.1   |
| <b>9PX3000GRT-L(UPS+EBMs)</b>   |                    |        |         |         |         |
| 2700                            | -                  | 24.2   | 38.0    | 51.8    | 65.6    |
| 2430                            | 10.5               | 26.9   | 42.2    | 57.5    | 72.9    |
| 2160                            | 11.3               | 30.2   | 47.5    | 64.7    | 82.0    |
| 1890                            | 12.8               | 34.6   | 54.4    | 74.2    | 94.0    |
| 1620                            | 14.9               | 40.3   | 63.3    | 86.3    | 109.4   |
| 1350                            | 18.0               | 47.9   | 75.3    | 102.7   | 130.0   |
| 1080                            | 23.0               | 59.4   | 93.4    | 127.4   | 161.4   |
| 810                             | 30.0               | 77.6   | 121.9   | 166.3   | 210.6   |

\*\*Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive graphs at [www.eaton.com/9PX](http://www.eaton.com/9PX)

### SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

# Eaton 9PX UPS Rack/Tower

## 8-11 kVA Bundles

Delivering premium backup power and scalable battery runtimes for servers, voice/data networks and storage systems, the Eaton 9PX UPS is the ideal solution for both rack and stand-alone installations. With an advanced LCD screen interface and robust power management software, managing a UPS has never been easier with the 9PX—even in virtualized environments.



- Graphical LCD screen enables you to customize UPS settings, diagnose UPS alarms and view load and power consumption
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Delivers added runtime with extended battery modules and extends battery service life by 50% with ABM Technology
- Virtualization-ready UPS includes connectivity card
- Cuts energy usage and costs with 94% efficiency rating in default, online mode
- Maximizes availability with extended battery runtime options, hot-swappable batteries, internal bypass and optional maintenance bypass
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines. (Included)
- 4-post rail kit included
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee

### 9PX RACK/TOWER: 208/230V<sup>1</sup> OUTPUT, 50/60 Hz BUNDLES

| Catalog Number        | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles     | List Price | Discount | DIR Discount Price |
|-----------------------|--|-------------------|------------------|------------------------|------------|----------|--------------------|
| 9PX8KHW               | 8 kVA 9PX UPS power module and 11 kVA EBM              | 8000/7200         | Hardwired        | Hardwired              | \$9,194    | 32.50%   | \$6,206            |
| 9PX8K                 | 8 kVA 9PX UPS power module, 11 kVA EBM and 11 kVA MBP  | 8000/7200         | Hardwired        | Hardwired + (3) L6-30R | \$10,367   | 32.50%   | \$6,998            |
| 9PX11KHW <sup>2</sup> | 11 kVA 9PX UPS power module and 11 kVA EBM             | 11000/10000       | Hardwired        | Hardwired              | \$11,064   | 32.50%   | \$7,468            |
| 9PX11K <sup>2</sup>   | 11 kVA 9PX UPS power module, 11 kVA EBM and 11 kVA MBP | 11000/10000       | Hardwired        | Hardwired + (3) L6-30R | \$12,237   | 32.50%   | \$8,260            |

1. 9PX 8K, 11K operate at 200, 208 (default), 220, 230, 240, 250V
2. 11K models derated at 200, 208, 220, 250V (see technical specs)

### 9PX RACK/TOWER: 120/240V<sup>3</sup> OUTPUT, 50/60<sup>5</sup> Hz BUNDLES

| Catalog Number           | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles                             | List Price | Discount | DIR Discount Price |
|--------------------------|--|-------------------|------------------|--|------------|----------|--------------------|
| 9PX8KTF5                 | 8 kVA 9PX UPS power module, 11 kVA EBM, 11 kVA MBP and 5 kVA Transformer <sup>5</sup>  | 8000/7200         | Hardwired        | (2) L6-30R, (18) 5-20R                         | \$11,620   | 32.50%   | \$7,844            |
| 9PX11KTF5 <sup>3</sup>   | 11 kVA 9PX UPS power module, 11 kVA EBM, 11 kVA MBP and 5 kVA Transformer <sup>5</sup> | 11000/10000       | Hardwired        | (2) L6-30R, (18) 5-20R                         | \$13,490   | 32.50%   | \$9,106            |
| 9PX11KTF11 <sup>3</sup>  | 11 kVA 9PX UPS power module, 11 kVA EBM and 10 kW Transformer                          | 11000/10000       | Hardwired        | Hardwired + (2) L14-30R, (8) 5-20R             | \$14,715   | 32.50%   | \$9,933            |
| 9PX11KTF11M <sup>3</sup> | 11 kVA 9PX UPS power module, 11 kVA EBM, 11kVA MBP and 10 kW Transformer               | 11000/10000       | Hardwired        | Hardwired + (3) L6-30R, (2) L14-30R, (8) 5-20R | \$15,888   | 32.50%   | \$10,724           |

3. 11K models
5. Bundles with

### 9PX OPTIONS

| Catalog Number          | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles | List Price | Discount | DIR Discount Price |
|-------------------------|--|-------------------|------------------|--------------------|------------|----------|--------------------|
| <b>Extended runtime</b> |  |                   |                  |                    |            |          |                    |
| 9PXEBM240RT             | 8/11 kVA EBM (add up to 5 EBMs). Cable is 18" in length. |                   |                  |                    | \$2,118    | 32.50%   | \$1,430            |
| EBMCBL240               | 9PX 8/11 kVA 6ft EBM extension cable                     |                   |                  |                    | \$247      | 32.50%   | \$167              |

## 8-11 kVA Bundles

## Eaton 9PX UPS Rack/Tower

| Catalog Number | Description  | Rating (VA/Watts) | Input Connection | Output Receptacles | List Price | Discount | DIR Discount Price |
|----------------|--|-------------------|------------------|--------------------|------------|----------|--------------------|
| CBLADAPT180    | Adapter cable from Eaton EX RT UPS or EBM to 5/6 kVA 9PX UPS models        |                   |                  |                    | \$169      | 32.50%   | \$114              |
| BINTSYS        | Battery integration system - vertical mounting platform with wheels        |                   |                  |                    | \$678      | 32.50%   | \$458              |
| SC240RT        | 240V supercharger module to add up to 12 EBMs to 8 /11 kVA 9PX UPS models. |                   |                  |                    | \$1,174    | 32.50%   | \$792              |
| SMKITA         | Seismic Kit*   |                   |                  |                    | \$751      | 32.50%   | \$507              |

\*Only 9PX8K, 9PX11K and 9PXEbm180RT tested and approved for OSHPD certification

### Power distribution and maintenance bypass

|           |   |  |           |                              |         |        |         |
|-----------|---|--|-----------|------------------------------|---------|--------|---------|
| MBP11K208 | Rear-mount 3U, 208V maintenance bypass for 8/11               |  | Hardwired | Hardwired + (3) L6-          | \$1,179 | 32.50% | \$796   |
| ePBZ79    | Basic ePDU for additional output receptacles. 1U form factor. |  | L6-30P    | (16) C13, (4) C19            | \$360   | 32.50% | \$243   |
| EBA201-10 | Basic ePDU for additional output receptacles. 0U form factor. |  | L14-30P   | (24) 5-20R                   | \$986   | 32.50% | \$666   |
| EMI200-10 | Monitored Ethernet ePDU output receptacles. 0U form factor.   |  | L14-30P   | (8) 5-20R, (20) C13, (6) C19 | \$1,574 | 32.50% | \$1,062 |

### Additional modules

|                       |                                |             |           |                                    |         |        |         |
|-----------------------|--------------------------------|-------------|-----------|------------------------------------|---------|--------|---------|
| 9PXTFMR5              | 9PX 5 kVA stepdown transformer | 5000/5000   | L6-30P    | (18) 5-20R                         | \$1,259 | 32.50% | \$850   |
| 9PXTFMR11             | 9PX 10 kW stepdown transformer | 10000/10000 | Hardwired | Hardwired + (2) L14-30R, (8) 5-20R | \$3,669 | 32.50% | \$2,477 |
| 9PX8KPM <sup>4</sup>  | 9PX 8 kVA power module         | 8000/7200   | Hardwired | Hardwired                          | \$7,122 | 32.50% | \$4,807 |
| 9PX11KPM <sup>4</sup> | 9PX 11 kVA power module        | 11000/10000 | Hardwired | Hardwired                          | \$9,001 | 32.50% | \$6,076 |

4. These transformer accessories may be ordered a la cart but for best pricing they should be purchased as bundled solution.

### SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | DIR Discount Price |
|----------------|--|-------|----------|--------------------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294              |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332              |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309 | 32.50%   | \$209              |

See software and connectivity product sections for more detail.

### 9PX BATTERY BACKUP TIMES (in minutes)\*\*

| Load (Watts) | With Bundled EBM | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs | +5 EBMs |
|--------------|------------------|--------|---------|---------|---------|---------|
| 10000        | 3                | 10     | 18      | 25      | 34      | 42      |
| 7500         | 5.5              | 15     | 25      | 37      | 48      | 61      |
| 5000         | 10               | 25     | 42      | 61      | 80      | 98      |
| 2500         | 25               | 60     | 97      | 136     | 163     | 184     |

\*\* Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at [www.eaton.com/9PX](http://www.eaton.com/9PX)

### SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

## EATON 9PX

### 5-6 kVA Bundles

[UPS selector](#)

Delivering premium backup power and scalable battery runtimes for servers, voice/data networks and storage systems, the Eaton 9PX UPS is the ideal solution for both rack and stand-alone installations. With an advanced LCD screen interface and robust power management software, managing a UPS has never been easier with the 9PX—even in virtualized environments.



- Graphical LCD screen enables you to customize UPS settings, diagnose UPS alarms and view load and power consumption
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Delivers added runtime with extended battery modules and extends battery service life by 50% with ABM Technology
- Virtualization-ready UPS includes connectivity card
- Cuts energy usage and costs with 93% efficiency rating in default, online mode
- Maximizes availability with extended battery runtime options, hot-swappable batteries, internal bypass and optional maintenance bypass
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines.
- 4-post rail kit included (2-post rail kit optional)
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee



#### 9PX 5-6 kVA RACK/TOWER: 208/230V<sup>1</sup> OUTPUT, 50/60 Hz

| Catalog Number | Description                      | Rating (VA/Watts)      | Input Connection                     | Output Receptacles                 | List Price | DIR      |         |
|----------------|----------------------------------|------------------------|--------------------------------------|------------------------------------|------------|----------|---------|
|                |                                  |                        |                                      |                                    |            | Discount | Price   |
| 9PX5K          | 5 kVA 9PX UPS                    | 5000/4500              | Terminal block with L6-30P cord      | Hardwired + (2) L6-30R, (2) L6-20R | \$7,200    | 32.50%   | \$4,860 |
| 9PX6K          | 6 kVA 9PX UPS                    | 6000/5400 <sup>2</sup> | Terminal block with L6-30P cord      | Hardwired + (2) L6-30R, (2) L6-20R | \$7,769    | 32.50%   | \$5,244 |
| 9PX6K-10       | 6 kVA 9PX UPS w/ 10ft input cord | 6000/5400 <sup>2</sup> | Terminal block with 10ft L6-30P cord | Hardwired + (2) L6-30R, (2) L6-20R | \$8,076    | 32.50%   | \$5,451 |

1. 9PX 5K, 6K operate at 200, 208 (default), 220, 230, 240V
2. 6K models derated at 200, 208, 220V (see technical specs)

### 5-6 kVA Bundles

#### 9PX 5-6 kVA RACK/TOWER: 120/240V<sup>3</sup> OUTPUT, 50/60<sup>6</sup> Hz

| Catalog Number        | Description                              | Rating (VA/Watts)      | Input Connection                | Output Receptacles                 | List Price | DIR      |         |
|-----------------------|--|------------------------|---------------------------------|------------------------------------|------------|----------|---------|
|                       |  |                        |                                 |                                    |            | Discount | Price   |
| 9PX5KTF5 <sup>6</sup> | 5 kVA 9PX UPS w/ 5 kVA Transformer       | 5000/4500              | Terminal block with L6-30P cord | (1) L6-30R, (2) L6-20R, (18) 5-20R | \$8,417    | 32.50%   | \$5,681 |
| 9PX5KP1               | 5 kVA 9PX UPS w/ 6 kVA PPDM <sup>4</sup> | 5000/4500              | L6-30P                          | (1) L14-30R, (1) L6-30R, (6) 5-20R | \$8,711    | 32.50%   | \$5,880 |
| 9PX5KP2               | 5 kVA 9PX UPS w/ 6 kVA PPDM <sup>4</sup> | 5000/4500              | Hardwired                       | Hardwired                          | \$8,711    | 32.50%   | \$5,880 |
| 9PX6KTF5 <sup>6</sup> | 6 kVA 9PX UPS w/ 5 kVA Transformer       | 6000/5400 <sup>5</sup> | Terminal block with L6-30P cord | (1) L6-30R, (2) L6-20R, (18) 5-20R | \$8,983    | 32.50%   | \$6,064 |
| 9PX6KP1               | 6 kVA 9PX UPS w/ 6 kVA PPDM <sup>4</sup> | 6000/5400 <sup>5</sup> | L6-30P                          | (1) L14-30R, (1) L6-30R, (6) 5-20R | \$9,277    | 32.50%   | \$6,262 |
| 9PX6KP2               | 6 kVA 9PX UPS w/ 6 kVA PPDM <sup>4</sup> | 6000/5400 <sup>5</sup> | Hardwired                       | Hardwired                          | \$9,277    | 32.50%   | \$6,262 |

3. 9PX 5K, 6K operates at 200, 208 (default), 220, 230, 240V - See manuals for output voltage details
4. PPDM provides external, wrap-around maintenance bypass
5. 6K models derated at 200, 208, 220V (see technical specs)
6. Bundles with 9PXTFMR5 have output frequency of 60 Hz only

#### 9PX TAA COMPLIANT MODELS<sup>6</sup>

| Catalog Number | Description   | Rating (VA/Watts)      | Input Connection                | Output Receptacles                 | MSRP    | DIR      |         |
|----------------|---------------|------------------------|---------------------------------|------------------------------------|---------|----------|---------|
|                |               |                        |                                 |                                    |         | Discount | Price   |
| 9PX6KUS        | 6 kVA 9PX UPS | 6000/5400 <sup>2</sup> | Terminal block with L6-30P cord | Hardwired + (2) L6-30R, (2) L6-20R | \$8,941 | 32.50%   | \$6,035 |

6. Note: 9PX TAA EBM models listed under 9PX options

# EATON 9PX

| Catalog Number  | Description   | Rating (VA/Watts) | Input Connection | Output Receptacles | MSRP    | Discount | DIR Discount Price |
|---|---|-------------------|------------------|--------------------|---------|----------|--------------------|
| <b>Extended runtime</b>   |   |                   |                  |                    |         |          |                    |
| 9PXEBM180RT   | 5/6 kVA EBM (add up to 4 EBMs). Cable is 18" in length.                                 |                   |                  |                    | \$2,077 | 32.50%   | \$1,402            |
| 9PXEBM180RTUS   | 5/6 kVA TAA EBM (add up to 4 EBMs). Cable is 18" in length, TAA-compliant               |                   |                  |                    | \$2,590 | 32.50%   | \$1,748            |
| EBMCBL180   | 9PX 5/6 kVA 6ft EBM extension cable   |                   |                  |                    | \$229   | 32.50%   | \$155              |
| CBLADAPT180   | Adapter cable from Eaton 9135/MX UPS or EBM to 5/6 kVA 9PX UPS models                   |                   |                  |                    | \$169   | 32.50%   | \$114              |
| <b>Mounting Hardware</b> (all modules include 4-post rail kits) |   |                   |                  |                    |         |          |                    |
| RK2PC   | 2-post rack mounting rail kit(one kit required for each UPS, EBM, PPDM, or transformer) |                   |                  |                    | \$150   | 32.50%   | \$101              |
| BINTSYS   | Battery integration system - vertical mounting platform with wheels                     |                   |                  |                    | \$678   | 32.50%   | \$458              |
| SMKITA  | Seismic Kit*  |                   |                  |                    | \$751   | 32.50%   | \$507              |

\*Only 9PX5K, 9PX6K and 9PXEBM180RT tested and approved for OSHPD certification

| <b>Power distribution and maintenance bypass</b> |   |      |           |                                    |         |        |         |
|--|---|------|-----------|------------------------------------|---------|--------|---------|
| MBP6K208   | Rear-mount 3U, 208V maintenance bypass for 5 and 6 kVA 9PX UPS models |      | Hardwired | Hardwired + (2) L6-30R             | \$740   | 32.50% | \$500   |
| EMI200-10  | Monitored Ethernet ePDU output receptacles. 0U form factor.           |      | L14-30P   | (8) 5-20R, (20) C13, (6) C19       | \$1,574 | 32.50% | \$1,062 |
| <b>Transformer accessories<sup>7</sup></b>       |   |      |           |                                    |         |        |         |
| 9PXTFMR5   | 9PX 5 kVA stepdown transformer  | 5000 | L6-30P    | (18) 5-20R                         | \$1,259 | 32.50% | \$850   |
| 9PXPPDM1   | 9PX PowerPass Distribution Module (plug-and-play)                     | 6000 | L6-30P    | (1) L14-30R, (1) L6-30R, (6) 5-20R | \$1,554 | 32.50% | \$1,049 |
| 9PXPPDM2   | 9PX PowerPass Distribution Module (Hardwired)                         | 6000 | Hardwired | Hardwired                          | \$1,554 | 32.50% | \$1,049 |

7. These transformer accessories may be ordered a la cart but for best pricing they should be purchased as bundled solution.

## SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | DIR Discount |
|----------------|--|-------|----------|--------------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294        |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332        |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309 | 32.50%   | \$209        |

See software and connectivity product sections for more detail.

## 9PX BATTERY BACKUP TIMES (in minutes)\*\*

| Load (Watts) | Internal Batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|--------------|--------------------|--------|---------|---------|---------|
| 5400         | 3.0                | 16     | 28      | 47      | 58      |
| 4050         | 4.5                | 24     | 45      | 62      | 90      |
| 2700         | 8.5                | 38     | 71      | 104     | 133     |
| 1350         | 22.0               | 85     | 147     | 214     | 287     |
| 540          | 57.0               | 203    | 399     | 554     | 755     |

\*\* Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at [www.eaton.com/9PX](http://www.eaton.com/9PX)

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.



# EATON 9PX SP UPS RACK/TOWER SPLIT-PHASE

## 6-10 kVA Split-phase

Delivering premium backup power and scalable battery runtimes for servers, voice/data networks and storage systems, the Eaton 9PX SP UPS is the ideal solution for both rack and stand-alone installations. With an advanced LCD screen interface and robust power management software, managing a UPS has never been easier with the 9PX—even in virtualized environments.



- SP models offer both 120 and 208 output without a transformer saving, u space, weight and cost
- Graphical LCD screen enables you to customize UPS settings, diagnose UPS alarms and view load and power consumption
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Delivers added runtime with extended battery modules and extends battery service life by 50% with ABM Technology
- Virtualization-ready UPS includes connectivity card
- Cuts energy usage and costs with 93% efficiency rating in default, online mode
- Maximizes availability with extended battery runtime options, hot-swappable batteries, internal bypass and optional maintenance bypass
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines. (Included)
- 4-post rail kit included (2-post rail kit optional for 9PX6KSP)
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee

### 9PX SP 6-10 kVA RACK/TOWER<sup>1</sup>: 120/208V or 120/240V OUTPUT, 50/60 Hz, SPLIT-PHASE

| Catalog Number | Description      | Rating (VA/Watts)       | Input Connection                 | Output Receptacles                            | MSRP     | Discount | DIR Discount Price |
|----------------|------------------|-------------------------|----------------------------------|---|----------|----------|--------------------|
| 9PX6KSP        | 6kVA 9PX SP UPS  | 5500/4900 <sup>2</sup>  | Terminal block with L14-30P cord | (1) L14-30R, (1) L6-30R, (6) 5-20R, Hardwired | \$8,743  | 32.50%   | \$5,902            |
| 9PX8KSP        | 8kVA 9PX SP UPS  | 8000/7200               | Hardwired                        | (2) L14-30R, (1) L6-30R, Hardwired            | \$10,858 | 32.50%   | \$7,329            |
| 9PX10KSP       | 10kVA 9PX SP UPS | 10000/9000 <sup>2</sup> | Hardwired                        | (2) L14-30R, (1) L6-30R, Hardwired            | \$13,729 | 32.50%   | \$9,267            |

1. UPS and EBM ship with a 4-post rail kit, 9RK

2. 9PX SP models derated at 100/200, 120/208, 110/220V (see technical specs)

### 9PX SPLIT-PHASE OPTIONS

| Catalog Number  | Description   | Input Connection | Output Receptacles                   | MSRP    | Discount | DIR Discount Price |
|---|---|------------------|--------------------------------------|---------|----------|--------------------|
| <b>Extended runtime</b>   |   |                  |                                      |         |          |                    |
| 9PXEBM240SP   | 6K SP EBM (add up to 4 EBMs), Use with 9PX6KSP UPS          |                  |                                      | \$2,144 | 32.50%   | \$1,447            |
| EBMCBL240SP   | 9PX EBM Cable Extension 6kVA Split-Phase, 6ft               |                  |                                      | \$444   | 32.50%   | \$300              |
| 9PXEBM360SP   | 8/10K EBM (add up to 4 EBMs) Use with 9PX8KSP, 9PX10KSP UPS |                  |                                      | \$2,144 | 32.50%   | \$1,447            |
| EBMCBL360SP   | 9PX EBM Cable Extension 8/10kVA Split-Phase, 6ft            |                  |                                      | \$444   | 32.50%   | \$300              |
| <b>BYPASS POWER MODULE: Maintenance Bypass for Rackmount or Wall-Mount*</b> |   |                  |                                      |         |          |                    |
| BPM125HW  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | Hardwired                            | \$2,609 | 32.50%   | \$1,761            |
| BPM125AR  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (6) L14-30R + Hardwired              | \$3,845 | 32.50%   | \$2,595            |
| BPM125BR  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (3) L14-30R + (3) L6-20R + Hardwired | \$3,845 | 32.50%   | \$2,595            |
| BPM125CR  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (3) L14-30R + (6) C19 + Hardwired    | \$3,845 | 32.50%   | \$2,595            |
| BPM125DR  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (3) L14-30R + (6) 5-20R + Hardwired  | \$3,845 | 32.50%   | \$2,595            |
| BPM125ER  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (3) L6-30R, (6) 5-20R + Hardwired    | \$3,845 | 32.50%   | \$2,595            |
| BPM125FR  | BPM for 9PX6K**, 9PX8KSP, 9PX10K SP                         | Hardwired        | (6) L6-30R + Hardwired               | \$3,845 | 32.50%   | \$2,595            |

\*\*"R" models include 4-post rail kit, 125A "HW" model does not include 9RK 4-post rail kit

\*\*9PX6KSP is compatible with bypass modules. They are limited to current output of the UPS and cannot be loaded beyond 30A total.

### Power distribution

## EATON 9PX SP UPS RACK/TOWER SPLIT-PHASE

|           |   |         |                              |         |        |         |
|-----------|---|---------|------------------------------|---------|--------|---------|
| ePBZ79    | Basic ePDU for additional output receptacles. 1U form factor        | L6-30P  | (16) C13, (4) C19            | \$360   | 32.50% | \$243   |
| EBA201-10 | Basic ePDU for additional output receptacles. 0U form factor        | L14-30P | (24) 5-20R                   | \$986   | 32.50% | \$666   |
| EMI200-10 | Monitored Ethernet ePDU output receptacles. 0U form factor          | L14-30P | (8) 5-20R, (20) C13, (6) C19 | \$1,574 | 32.50% | \$1,062 |
| CBL139    | Splitter Cable L14-30P to (2) L6-30R (4ft/2ft)                      | L14-30P | (2) L6-30R                   | \$204   | 32.50% | \$138   |
| CBL143    | Splitter Cable L14-30P to (2) L5-30R (4ft/2ft)                      | L14-30P | (2) L5-30R                   | \$204   | 32.50% | \$138   |
| RK2PC     | 2-post rack mounting rail kit, works with 9PX6K UPS ONLY            |         |                              | \$150   | 32.50% | \$101   |
| 9RK       | 4-post rail kit for BPM125HW (included with 9PX UPS and EBM)        |         |                              | \$150   | 32.50% | \$101   |
| BINTSYS   | Battery integration system - vertical mounting platform with wheels |         |                              | \$678   | 32.50% | \$458   |

### SOFTWARE AND CONNECTIVITY OPTIONS

| Catalog Number | Description  | MSRP  | Discount | DIR Price |
|----------------|--|-------|----------|-----------|
| NETWORK-M2     | Eaton Gigabit Network Card   | \$435 | 32.50%   | \$294     |
| INDGW-M2       | Industrial Gateway Card  | \$492 | 32.50%   | \$332     |
| EMPDT1H1C2     | Environmental Monitoring Probe Gen 2 (Compatible with NETWORK-M2 only) | \$309 | 32.50%   | \$209     |

See software and connectivity product sections for more detail.

### 9PX 6 kVA BATTERY BACKUP TIMES (in minutes)\*\*

| Load (Watts) | Internal Batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|--------------|--------------------|--------|---------|---------|---------|
| 5400         | 6                  | 16     | 29      | 44      | 61      |
| 4860         | 7                  | 18     | 32      | 48      | 68      |
| 4320         | 8                  | 21     | 38      | 56      | 78      |
| 3780         | 10                 | 25     | 44      | 66      | 90      |
| 3240         | 12                 | 31     | 53      | 79      | 109     |
| 2700         | 15                 | 38     | 66      | 96      | 133     |
| 2160         | 20                 | 49     | 82      | 124     | 195     |
| 1620         | 27                 | 68     | 113     | 198     | 259     |

### 9PX 8/10 kVA BATTERY BACKUP TIMES (in minutes)\*\*

| Load (Watts) | Internal Batteries | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|--------------|--------------------|--------|---------|---------|---------|
| 9000         | 5                  | 13     | 22      | 33      | 47      |
| 8100         | 6                  | 15     | 25      | 38      | 52      |
| 7200         | 7                  | 17     | 30      | 44      | 61      |
| 6300         | 8                  | 20     | 35      | 51      | 71      |
| 5400         | 9                  | 24     | 43      | 62      | 86      |
| 4500         | 12                 | 30     | 53      | 77      | 105     |
| 3600         | 16                 | 40     | 68      | 99      | 135     |
| 2700         | 23                 | 55     | 95      | 148     | 193     |

\*\* Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at [www.eaton.com/9PX](http://www.eaton.com/9PX)

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

## EATON BATTERY PACKS

Use this UPS battery selector tool to find replacement batteries for your backup power devices and avoid business interruptions.

<http://upsselector.eaton.com/Replace>



| Part Number  | Description  | List Price | DIR Discount |       |
|--------------|--|------------|--------------|-------|
|              |  |            | Discount     | Price |
| 112-01097    | 3S350 LV Replacement Battery   | \$56       | 32.50%       | \$38  |
| 58700033     | 3S550 LV Replacement Battery   | \$56       | 32.50%       | \$38  |
| 112-00955-00 | 3S750 LV Replacement Battery   | \$77       | 32.50%       | \$52  |
| 744-A2091    | 5S550 Replacement Battery Pack   | \$58       | 32.50%       | \$39  |
| 744-A2093    | 5S700, 5S700LCD, 5S700G, 5SC500 Replacement Battery Pack   | \$66       | 32.50%       | \$45  |
| 744-A2165    | 5S1000LCD Replacement Battery Pack   | \$116      | 32.50%       | \$78  |
| 744-A2166    | 5S1500LCD, 5S1500G Replacement Battery Pack  | \$133      | 32.50%       | \$90  |
| EBP-0690     | 5115 500 Tower LV&HV Replacement Battery Pack  | \$115      | 32.50%       | \$78  |
| EBP-0691     | 5115 750 Tower LV&HV Replacement Battery Pack  | \$164      | 32.50%       | \$111 |
| EBP-0693     | 5115 1400 Tower LV&HV Replacement Battery Pack   | \$211      | 32.50%       | \$142 |
| 744-A2277    | 5SC750, 5SC750G Replacement Battery Pack   | \$136      | 32.50%       | \$92  |
| 744-A2278    | 5SC1000 Replacement Battery Pack   | \$158      | 32.50%       | \$107 |
| 744-A2279    | 5SC1500, 5SC1500G Replacement Battery Pack   | \$221      | 32.50%       | \$149 |
| 744-A2218    | 5P750, 5P850G Replacement Battery Pack   | \$152      | 32.50%       | \$103 |
| 744-A2219    | 5P1000 Replacement Battery Pack  | \$175      | 32.50%       | \$118 |
| 744-A2223    | 5P1500, 5P1550G Replacement Battery Pack   | \$255      | 32.50%       | \$172 |
| 744-A2217    | 5P550R Replacement Battery Pack  | \$222      | 32.50%       | \$150 |
| 744-A2220    | 5P750R, 5P850GR Replacement Battery Pack   | \$297      | 32.50%       | \$200 |
| 744-A2221    | 5P1000R Replacement Battery Pack   | \$352      | 32.50%       | \$238 |
| EBP-0807     | 5P1500R/5P1550GR 1U Rackmount Replacement Battery Pack   | \$420      | 32.50%       | \$284 |
| 744-A4058    | 5P750RC Replacement Battery Pack   | \$274      | 32.50%       | \$185 |
| 744-A4059    | 5P1000RC Replacement Battery Pack  | \$325      | 32.50%       | \$219 |
| 744-A4060    | 5P1500RC Replacement Battery Pack  | \$388      | 32.50%       | \$262 |
| EBP-1001     | 5P1500RT, 5PX1000, 5PX1500, 5PX1500i 2U Rackmount Replacement Battery Pack   | \$338      | 32.50%       | \$228 |
| EBP-1002     | 5PX 2200 2U Rackmount Replacement Battery Pack   | \$671      | 32.50%       | \$453 |
| EBP-1003     | 5PX 3000 2U Rackmount Replacement Battery Pack   | \$726      | 32.50%       | \$490 |
| FSBR-00200   | 5PX 3000 3U Replacement Battery Pack   | \$726      | 32.50%       | \$490 |
| EBP-1601     | PW9130 700 120V Tower Replacement Battery Pack   | \$388      | 32.50%       | \$262 |
| EBP-1602     | PW9130 1000 120V Tower Replacement Battery Pack  | \$441      | 32.50%       | \$298 |
| EBP-1603     | PW9130 1500 120V Tower Replacement Battery Pack  | \$510      | 32.50%       | \$344 |
| EBP-1604     | PW9130 2000/3000 120V Tower Replacement Battery Pack   | \$691      | 32.50%       | \$466 |
| 744-A4310    | 9SX 700 120V Tower Replacement Battery Pack  | \$388      | 32.50%       | \$262 |
| 744-A4311    | 9SX 1000 120V Tower Replacement Battery Pack   | \$441      | 32.50%       | \$298 |
| 744-A4312    | 9SX 1500 120V Tower Replacement Battery Pack   | \$523      | 32.50%       | \$353 |
| 744-A4313    | 9SX 2000/3000 120V Tower Replacement Battery Pack  | \$645      | 32.50%       | \$435 |
| EBP-1605     | PW9130 700/1000 Rackmount Replacement Battery Pack   | \$388      | 32.50%       | \$262 |
| EBP-1606     | PW9130 1500 Rackmount Replacement Battery Pack   | \$468      | 32.50%       | \$316 |
| EBP-1607     | PW9130 2000/3000 Rackmount Replacement Battery Pack  | \$632      | 32.50%       | \$427 |
| 744-A0687    | PW9130 2000/3000 EBM Replacement Battery Pack (Qty 2 per EBM)  | \$317      | 32.50%       | \$214 |
| 744-A3960    | 9PX700RT, 9PX1000RT Replacement Battery Pack   | \$441      | 32.50%       | \$298 |
| 744-A3296    | 9PX1000GRT Replacement Battery Pack  | \$441      | 32.50%       | \$298 |
| 744-A3959    | 9PXEBM36RT Replacement Battery Pack  | \$433      | 32.50%       | \$292 |
| 744-A3297    | 9PX1500RT, 9PX1500GRT, 9PXEBM48RT Replacement Battery Pack   | \$538      | 32.50%       | \$363 |
| 744-A3121    | 9PX2000RT, 9PX2200GRT, 9PXEBM72RT Replacement Battery Pack   | \$678      | 32.50%       | \$458 |
| 744-A3122    | 9PX3000RT, 9PX3000GRT, 9PX3000GLRT Replacement Battery Pack  | \$697      | 32.50%       | \$470 |
| 744-A1974    | 9PX3K3UN, 9PX5K, 9PX6K, 9SX5000, 9PXEBM180RT (Qty 2 per EBM), 9PXEBM360SP (Qty 2 per EBM), 9SX5000EBM (Qty 2 per EBM) Replacement Battery Pack | \$685      | 32.50%       | \$462 |
| 744-A1976    | 9PXEBM240RT Replacement Battery Pack (Qty 2 per EBM)   | \$685      | 32.50%       | \$462 |
| 744-A2517    | 9PX6KSP Replacement Battery Pack   | \$685      | 32.50%       | \$462 |
| 744-A2523    | 9PXEBM240SP Replacement Battery Pack   | \$685      | 32.50%       | \$462 |
| 744-A2519    | 9PX8KSP, 9PX10KSP Replacement Battery Pack   | \$838      | 32.50%       | \$566 |
| ASY-0529     | PW9170+ Battery Pack   | \$727      | 32.50%       | \$491 |

# EATON 9155 UPS & ACCESSORIES



## 9155-8kVA, 9155-10kVA, 9155-12kVA, 9155-15kVA MODELS

### Industry proven design delivers a robust system that performs above expectations year after year

- True double-conversion topology protects equipment from all nine of the most common power problems
- Output Power factor rated at 0.9 to deliver what todays high power loads require
- Flexible voltages with split-phase design for 100/200, 110/220, 120/240, 120/208 and 127/220V applications
- Use Eaton's patented Hot Sync paralleling technology to parallel up to 4 similar sized UPSs (4 x 15kVA)
- Optional rear-mounted maintenance bypass switch can be ordered with the UPS or installed in the field
- 8 to 15kVA available with configurable rear power distribution modules (PDMs) allowing 15 different output receptacle types
- Internal batteries to keep the UPS footprint smaller to allow customers to install more revenue generating equipment
- Different product heights allow for additional battery runtime in the same footprint
- Includes on-site 5x8 startup and operator training by Eaton field technician
- Includes one year of PredictPulse remote monitoring service (requires connectivity parts and self installation)
- Eaton startup is required all 9155 UPS systems



## 9155 UPS MODELS

| Catalog Number <sup>5</sup> | Description <sup>(1)</sup>                    | Rating <sup>2</sup><br>(kVA/kW) | Input<br>Voltage | Internal<br>Runtime | MSRP     | Discount | DIR Discount<br>Price |
|-----------------------------|---|---------------------------------|------------------|---------------------|----------|----------|-----------------------|
| K40811000000000             | 9155 8 kVA 32 Battery (2-high)                | 8/7.2                           | 200/208/220/240  | 4.6                 | \$14,770 | 32.50%   | \$9,970               |
| K40812000000000             | 9155 8 kVA 64 Battery (3-high)                | 8/7.2                           | 200/208/220/240  | 13.3                | \$17,590 | 32.50%   | \$11,873              |
| K40813000000000             | 9155 8 kVA 32 Battery w/Trans. Mod. (3-high)  | 8/7.2                           | 200/208/220/240  | 4.6                 | \$20,370 | 32.50%   | \$13,750              |
| K41011000000000             | 9155 10 kVA 32 Battery (2-high)               | 10/9                            | 200/208/220/240  | 4.6                 | \$17,010 | 32.50%   | \$11,482              |
| K41012000000000             | 9155 10 kVA 64 Battery (3-high)               | 10/9                            | 200/208/220/240  | 13.3                | \$20,250 | 32.50%   | \$13,669              |
| K41013000000000             | 9155 10 kVA 32 Battery w/Trans. Mod. (3-high) | 10/9                            | 200/208/220/240  | 4.6                 | \$23,280 | 32.50%   | \$15,714              |
| K41211000000000             | 9155 12 kVA 32 Battery (2-high)               | 12/10.8                         | 200/208/220/240  | 4.6                 | \$17,830 | 32.50%   | \$12,035              |
| K41212000000000             | 9155 12 kVA 64 Battery (3-high)               | 12/10.8                         | 200/208/220/240  | 13.3                | \$21,130 | 32.50%   | \$14,263              |
| K41213000000000             | 9155 12 kVA 32 Battery w/Trans. Mod. (3-high) | 12/10.8                         | 200/208/220/240  | 4.6                 | \$24,040 | 32.50%   | \$16,227              |
| K41511000000000             | 9155 15 kVA 32 Battery (2-high)               | 15/13.5                         | 200/208/220/240  | 4.6                 | \$19,450 | 32.50%   | \$13,129              |
| K41512000000000             | 9155 15 kVA 64 Battery (3-high)               | 15/13.5                         | 200/208/220/240  | 13.3                | \$23,130 | 32.50%   | \$15,613              |
| K41513000000000             | 9155 15 kVA 32 Battery w/Trans. Mod. (3-high) | 15/13.5                         | 200/208/220/240  | 4.6                 | \$26,150 | 32.50%   | \$17,651              |

1. 50/60 Hz auto-sensing. All models can be used for frequency/phase conversion with derated 80% load, please refer to manual for details. (Neutral required all models)
2. Input voltage 100/200, 110/220, 120/240, Vac 180° phase displacement, 120/208, 127/220 Vac 120° phase displacement. Input is hardwire connection on all models. Input neutral **REQUIRED** on all systems, unless an optional input isolation transformer is ordered. Output voltages are user-selectable 100/200, 110/220, 120/240 Vac 180° phase displacement, 120/208, 127/220 120o phase displacement
3. Weight is installed weight, add 47 lb. (2-modules high) or 50 lb. (3-modules high) to determine shipping weight. Add 6" to height for shipping. Pallet size 32"W x 44" L
4. For parallel systems, change CTO digit #5 to a "2" and add \$780 to MSRP. A hotsync parallel card is included, order a Parallel Tie Cabinet if needed.
5. 9155 models with transformers can use an attached PDM for bypassing the electronics and battery sections. You can also use an external bypass, (BPM or wall mount panelboard) which will also bypass **ONLY** the electronics and battery sections of the UPS. If you order a 9155 without a PDM it will arrive without any wiring between the transformer, and electronics module. Without the PDM, the customers electrician will be responsible for connecting the transformer to the UPS electronics section.

### CONNECTIVITY OPTIONS (factory added or to be ordered separately)

**Available X-Slot card options:** The UPS has two X-Slot bays available; one X-Slot card can be factory installed. If a second X-Slot card is required, it can be ordered separately and user-installed.

| Catalog Number if ordered separately | Value for UPS catalog # Digit 8 | Description                            | Material number | MSRP  | Discount | DIR Discount Price |
|--------------------------------------|---------------------------------|--|-----------------|-------|----------|--------------------|
|                                      | 0                               | NONE (No Pre-installed X-Slot card)    | -               |       |          |                    |
| INDGW-X2                             | 3                               | (NEW) Industrial Gateway Card (X-Slot) | 744-07538       | \$556 | 32.50%   | \$375              |
| 103003055                            | 6                               | Industrial Relay Card                  | 103003055       | \$480 | 32.50%   | \$324              |

Note: Parallel UPS systems use one of the two X-Slots for the HotSync paralleling card. When adding cards as factory option: add card MSRP to UPS MSRP

## 9155 UPS (8–15 kVA)

### OUTPUT RECEPTACLES AND MAINTENANCE BYPASS

| Catalog Number | Description   | MSRP    | Discount | DIR Discount Price |
|----------------|---|---------|----------|--------------------|
| See worksheet  | Power Distribution Module (PDM) with Mechanical Bypass Switch, mounted to rear of the UPS | \$1,100 | 32.50%   | \$743              |

Receptacle Codes Use code letters below in digits 9–12 in the Catalog number

| PDM Worksheet codes | Description (Qty) NEMA Type   | Voltage            | Price adder for bypass and for each receptacle code chosen | Discount | DIR Discount Price |
|---------------------|-------------------------------|--------------------|--|----------|--------------------|
| S                   | Mechanical Bypass Module only |                    | \$1,100  | 32.50%   | \$743              |
| A                   | (4) 5-15R                     | 120                | \$235  | 32.50%   | \$159              |
| B                   | (4) 5-20R UL                  | 120                | \$235  | 32.50%   | \$159              |
| D                   | (4) 6-15R                     | 208/240            | \$235  | 32.50%   | \$159              |
| E                   | (4) 6-20R                     | 208/240            | \$235  | 32.50%   | \$159              |
| F                   | (4) L5-15R                    | 120                | \$235  | 32.50%   | \$159              |
| G                   | (2) L5-20R*                   | 120                | \$235  | 32.50%   | \$159              |
| H                   | (2) L5-30R*                   | 120                | \$235  | 32.50%   | \$159              |
| I                   | (2) L6-15R                    | 208/240            | \$235  | 32.50%   | \$159              |
| J                   | (2) L6-20R*                   | 208/240            | \$235  | 32.50%   | \$159              |
| K                   | (2) L6-30R*                   | 208/240            | \$235  | 32.50%   | \$159              |
| L                   | (2) L14-20R*                  | 120/208 or 120/240 | \$235  | 32.50%   | \$159              |

# EATON 9155 UPS & ACCESSORIES



| M        | (2) L14-30R*                                | 120/208 or 120/240 | \$235 | 32.50% | \$159 |
|----------|---|--------------------|-------|--------|-------|
| X        | Blank Plate                                 | -                  | \$20  | 32.50% | \$14  |
| 0 (Zero) | Use with PDM when no receptacles are needed | -                  | -     | -      | -     |

Notes: If any output receptacles are chosen, the Maintenance Bypass module will be included and will add to the MSRP. Maximum 4 within CTO part number (digits 9-12). The combined quantities of LOCKING receptacles (denoted with a \*) must not exceed four. If only a mechanical bypass is chosen, remaining three slots should be populated with "0". If choosing any receptacle please use the "X" designation for any of the other slots (4 total) not populated. Please contact factory for custom configuration availability.

## 9155 OPTIONS

| Catalog Number | Description   | MSRP    | Discount | DIR Discount Price |
|----------------|---|---------|----------|--------------------|
| 103004194-5501 | Seismic/OSHPD mounting kit for UPS and battery cabinets           | \$2,820 | 32.50%   | \$1,904            |
| 124100017-001  | 9155 Parallel Tie Cabinet   | \$2,380 | 32.50%   | \$1,607            |
| 103004336      | CAN Bridge Card   | \$757   | 32.50%   | \$511              |
| P-103003557    | Remote Monitoring Device Kit w/ PXGX Card and 1 ft. network cable | \$2,770 | 32.50%   | \$1,870            |
| 103006244      | Wall-mount REPO switch  | \$610   | 32.50%   | \$412              |
| CTD9155        | Certified test data 9155  | \$320   | 32.50%   | \$216              |

| Catalog Number                      | Description         | Input Connection | Output Receptacles      | MSRP    | Discount | DIR Discount Price |
|-------------------------------------|---------------------|------------------|-------------------------|---------|----------|--------------------|
| <b>External Bypass Accessories*</b> |                     |                  |                         |         |          |                    |
| BPM125HW                            | Bypass Power Module | Hardwired        | Hardwired               | \$2,609 | 32.50%   | \$1,761            |
| BPM125AR                            | Bypass Power Module | Hardwired        | (6) L14-30R + Hardwired | \$3,845 | 32.50%   | \$2,595            |
| BPM125BR                            | Bypass Power Module | Hardwired        | (3) L14-30R + (3)       | \$3,845 | 32.50%   | \$2,595            |
| BPM125CR                            | Bypass Power Module | Hardwired        | (3) L14-30R + (6)       | \$3,845 | 32.50%   | \$2,595            |
| BPM125DR                            | Bypass Power Module | Hardwired        | (3) L14-30R + (6)       | \$3,845 | 32.50%   | \$2,595            |
| BPM125ER                            | Bypass Power Module | Hardwired        | (3) L6-30R, (6) 5-      | \$3,845 | 32.50%   | \$2,595            |
| BPM125FR                            | Bypass Power Module | Hardwired        | (6) L6-30R + Hardwired  | \$3,845 | 32.50%   | \$2,595            |

\*Notes: BPMs will not wrap around 9155 models equipped with transformers. Input to BPM will come from transformer output therefore bypassing electronics section only  
BPM can be installed in both rackmount and wall mount form factors  
"R" models include 4-post rail kit, 125A "HW" model does not include rail kit

## 9155 UPS (8-15 kVA)

### Extended Battery Modules

| Catalog Number | Description                         | Rating | Voltage | MSRP     | Discount | DIR Discount Price |
|----------------|-------------------------------------|--------|---------|----------|----------|--------------------|
| 103004192-5501 | 9355 10-15 kVA 2-High Line-up (EBM) | 15kVA  | 192 vdc | \$9,540  | 32.50%   | \$6,440            |
| 103004193-5501 | 9355 10-15 kVA 3-High Line-up (EBM) | 15kVA  | 192 vdc | \$13,640 | 32.50%   | \$9,207            |

1. Weight is installed weight, add 47 lb. (2-modules high) or 50 lb. (3-modules high) to determine shipping weight. Add 6" to height for shipping. Pallet size 32"W x 44" L  
Note: Up to (4) EBM 64 battery or (3) EBM 96 battery can be added for additional runtime.

### 9155 BATTERY BACKUP TIMES (in minutes) @ 0.9 POWER FACTOR

| Load (VA/Watts) | UPS + Internal |           |           | UPS + Internal |           |            |           |           |
|-----------------|----------------|-----------|-----------|----------------|-----------|------------|-----------|-----------|
|                 | 32 Battery     | +1 EBM 64 | +2 EBM 64 | +3 EBM 64      | +4 EBM 64 | 64 Battery | +2 EBM 96 | +3 EBM 96 |
| 15000/13500     | 4.6            | 23.0      | 43.0      | 65.1           | 88.6      | 13.3       | 76.7      | 113.0     |
| 14500/13050     | 4.9            | 24.1      | 45.2      | 68.3           | 93.0      | 14.1       | 80.5      | 119.0     |
| 14000/12600     | 5.2            | 25.2      | 47.3      | 71.5           | 97.4      | 14.9       | 84.2      | 125.0     |
| 13500/12150     | 5.5            | 26.4      | 49.4      | 74.7           | 102.0     | 15.8       | 88.1      | 130.0     |
| 13000/11700     | 5.8            | 27.6      | 51.6      | 78.1           | 106.0     | 16.7       | 92.0      | 136.0     |
| 12500/11250     | 6.1            | 28.8      | 54.0      | 81.6           | 111.0     | 17.6       | 96.2      | 142.0     |
| 12000/10800     | 6.5            | 30.2      | 56.5      | 85.5           | 116.0     | 18.6       | 101.0     | 149.0     |
| 11500/10350     | 6.9            | 31.6      | 59.3      | 89.7           | 122.0     | 19.2       | 106.0     | 156.0     |
| 11000/9900      | 7.3            | 33.3      | 62.4      | 94.4           | 129.0     | 20.2       | 111.0     | 164.0     |
| 10500/9450      | 7.8            | 35.1      | 65.9      | 99.6           | 136.0     | 21.4       | 117.0     | 174.0     |
| 10000/9000      | 8.4            | 37.2      | 69.8      | 106.0          | 144.0     | 22.6       | 124.0     | 184.0     |
| 9500/8550       | 9.1            | 39.6      | 74.2      | 112.0          | 153.0     | 24.1       | 132.0     | 196.0     |
| 9000/8100       | 9.9            | 42.3      | 79.4      | 120.0          | 163.0     | 25.7       | 141.0     | 209.0     |
| 8500/7650       | 10.8           | 45.5      | 85.2      | 129.0          | 175.0     | 27.6       | 152.0     | 225.0     |
| 8000/7200       | 11.9           | 49.1      | 91.9      | 139.0          | 189.0     | 29.8       | 164.0     | 242.0     |
| 7500/6750       | 13.1           | 53.2      | 99.7      | 151.0          | 205.0     | 32.3       | 178.0     | 263.0     |
| 7000/6300       | 14.6           | 58.0      | 109.0     | 164.0          | 224.0     | 35.2       | 194.0     | 286.0     |
| 6500/5850       | 16.3           | 63.5      | 119.0     | 180.0          | 245.0     | 38.6       | 212.0     | 314.0     |
| 6000/5400       | 18.4           | 70.0      | 131.0     | 198.0          | 270.0     | 42.5       | 234.0     | 346.0     |
| 5500/4950       | 20.1           | 77.6      | 145.0     | 220.0          | 300.0     | 47.2       | 259.0     | 383.0     |
| 5000/4500       | 22.4           | 86.6      | 162.0     | 245.0          | 334.0     | 52.6       | 289.0     | 428.0     |
| 4500/4050       | 25.2           | 97.4      | 182.0     | 276.0          | 376.0     | 59.2       | 325.0     | -         |
| 4000/3600       | 28.6           | 110.0     | 207.0     | 313.0          | 426.0     | 67.1       | 369.0     | -         |
| 3500/3150       | 32.8           | 127.0     | 238.0     | 359.0          | -         | 77.0       | 423.0     | -         |
| 3000/2700       | 38.3           | 148.0     | 277.0     | 418.0          | -         | 89.7       | -         | -         |
| 2500/2250       | 45.6           | 176.0     | 329.0     | -              | -         | 107.0      | -         | -         |

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## SERVICES

For detailed information on service plans, please contact your Eaton Service Sales Representative

# EATON 9PXM UPS RACK/TOWER

Online double-conversion UPS (4–20 kVA)



Reliable online, high-frequency, double-conversion power protection that provides flexible solutions for mission-critical applications.

- N + X power and logic redundancy eliminating all system level single point-of-failure
- Easily scalable to adapt to changing IT environments by simply adding power and/or battery modules
- Double-conversion, online design delivers the highest level of protection
- ABM technology significantly increases battery service life
- Hot-swappable battery and power modules, each weighing less than 30 pounds for easy handling and replacement
- Configurable output
- Warranty (US and Canada): Two-year limited warranty and \$250,000 load protection guarantee; optional service plans available

## 9PXM MODELS

| Model  | Part Number | MSRP    | Discount | DIR Discount Price |
|--|-------------|---------|----------|--------------------|
| <b>9PXM Modules</b>  |             |         |          |                    |
| Split-phase Power Module (120/208, 127/220, 110/220, 120/240V In & Out)  | 9PXMSPPM    | \$3,858 | 32.50%   | \$2,604            |
| Battery Module (two required per slot/string)                            | 9PXMBAT     | \$654   | 32.50%   | \$441              |
| Optional 20 Amp Charger Module (same form factor as 4 kVA power modules) | 9PXMCHGR    | \$3,713 | 32.50%   | \$2,506            |

Note: For 9PXM replacement modules, contact our Service Group at 800.356.5737 for pricing.

## UPS Enclosures

|  |             |         |        |         |
|--|-------------|---------|--------|---------|
| 8-slot enclosure (4, 8, 12 or 16 kVA), Hardwired Input/Output      | 9PXM08AAXXX | \$6,150 | 32.50% | \$4,151 |
| 12-slot enclosure (4, 8, 12, 16 or 20 kVA), Hardwired Input/Output | 9PXM12AAXXX | \$6,838 | 32.50% | \$4,616 |

## External Options

|   |              |         |        |         |
|---|--------------|---------|--------|---------|
| Rack Kit (same for 8 and 12-slot UPS's & EBC's)                           | 9PXM RK      | \$689   | 32.50% | \$465   |
| Floor Anchoring kit   | 9PXM FAK     | \$400   | 32.50% | \$270   |
| 8-slot Standard External Battery Enclosure: black                         | 9PXM08SEBM   | \$5,195 | 32.50% | \$3,507 |
| 12-slot Standard External Battery Enclosure: black                        | 9PXM12SEBM   | \$6,078 | 32.50% | \$4,103 |
| 8-slot Connected External Battery Enclosure: black                        | 9PXM08SEBM-C | \$6,566 | 32.50% | \$4,432 |
| 12-slot Connected External Battery Enclosure: black                       | 9PXM12SEBM-C | \$7,449 | 32.50% | \$5,028 |
| Network-M2 Network Card   | Network-M2   | \$435   | 32.50% | \$294   |
| Relay-MS Relay Card   | Relay-MS     | \$148   | 32.50% | \$100   |
| Bypass Power Module - Hardwired Input/Output                              | BPM125HW     | \$2,609 | 32.50% | \$1,761 |
| Bypass Power Module - Hardwired Input/(6) L14-30R + Hardwired             | BPM125AR     | \$3,845 | 32.50% | \$2,595 |
| Bypass Power Module - Hardwired Input/(3) L14-30R + (3) L6-20R +          | BPM125BR     | \$3,845 | 32.50% | \$2,595 |
| Bypass Power Module - Hardwired Input/(3) L14-30R + (6) C19 + Hardwired   | BPM125CR     | \$3,845 | 32.50% | \$2,595 |
| Bypass Power Module - Hardwired Input/(3) L14-30R + (6) 5-20R + Hardwired | BPM125DR     | \$3,845 | 32.50% | \$2,595 |
| Bypass Power Module - Hardwired Input/(3) L6-30R + (6) 5-20R + Hardwired  | BPM125ER     | \$3,845 | 32.50% | \$2,595 |
| Bypass Power Module - Hardwired Input/(6) L6-30R + Hardwired              | BPM125FR     | \$3,845 | 32.50% | \$2,595 |

\*BPM Notes: Not for use with 9155 models equipped with transformers

BPM can be installed in both rackmount and wallmount form factors

"R" models include 4-post rail kit, 125A "HW" model does not include rail kit

## PRE-CONFIGURED SYSTEMS: Hardwire Input and Output Options

| Model Number   | Input Connection                                   | MSRP     | Discount | DIR Discount Price |
|--|--|----------|----------|--------------------|
| <b>9PXM854K</b><br>Includes:<br>(1) 8-slot enclosure<br>(1) power module<br>(2) battery modules<br>(1) network card  | 4 kVA expandable to 16 kVA<br>Hardwired Hardwired  | \$11,918 | 32.50%   | \$8,045            |
| <b>9PXM858K</b><br>Includes:<br>(1) 8-slot enclosure<br>(2) power modules<br>(4) battery modules<br>(1) network card | 8 kVA expandable to 16 kVA<br>Hardwired Hardwired  | \$17,084 | 32.50%   | \$11,532           |
| <b>9PXM8512K</b><br>Includes:<br>(1) 8-slot enclosure<br>(3) power module<br>(6) battery modules<br>(1) network card | 12 kVA expandable to 16 kVA<br>Hardwired Hardwired | \$22,250 | 32.50%   | \$15,019           |

## PRE-CONFIGURED SYSTEMS: Hardwire Input and Output Options

| Model Number | Input Connection | MSRP | Discount | DIR Discount Price |
|--------------|------------------|------|----------|--------------------|
|--------------|------------------|------|----------|--------------------|

## EATON 9PXM UPS RACK/TOWER



### Online double-conversion UPS (4–20 kVA)

|   |   |           |           |          |        |          |
|---|---|-----------|-----------|----------|--------|----------|
| <b>9PXM8S16K</b><br>Includes:<br>(1) 8-slot enclosure<br>(4) power module<br>(8) battery modules<br>(1) network card    | 16 kVA                                  | Hardwired | Hardwired | \$27,416 | 32.50% | \$18,506 |
| <b>9PXM12S8K</b><br>Includes:<br>(1) 12-slot enclosure<br>(2) power modules<br>(4) battery modules<br>(1) network card  | 8 kVA<br>expandable<br>to 20 kVA (N+1)  | Hardwired | Hardwired | \$17,772 | 32.50% | \$11,996 |
| <b>9PXM12S12K</b><br>Includes:<br>(1) 12-slot enclosure<br>(3) power module<br>(6) battery modules<br>(1) network card  | 12 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | Hardwired | \$22,938 | 32.50% | \$15,483 |
| <b>9PXM12S16K</b><br>Includes:<br>(1) 12-slot enclosure<br>(4) power module<br>(8) battery modules<br>(1) network card  | 16 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | Hardwired | \$28,104 | 32.50% | \$18,970 |
| <b>9PXM12S20K</b><br>Includes:<br>(1) 12-slot enclosure<br>(5) power module<br>(10) battery modules<br>(1) network card | 20 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | Hardwired | \$33,270 | 32.50% | \$22,457 |

### PRE-CONFIGURED SYSTEMS WITH HARDWIRE INPUT AND OUTPUT RECEPTACLE OPTIONS

|   |  |           |  |          |        |          |
|---|--|-----------|--|----------|--------|----------|
| <b>9PXM8S4K-PD</b><br>Includes:<br>(1) 8-slot enclosure<br>(1) power module<br>(2) battery modules<br>(1) network card    | 4 kVA<br>expandable<br>to 16 kVA       | Hardwired | (4) 5-20<br>(2) L6-30                            | \$12,153 | 32.50% | \$8,203  |
| <b>9PXM8S8K-PD</b><br>Includes:<br>(1) 8-slot enclosure<br>(2) power modules<br>(4) battery modules<br>(1) network card   | 8 kVA<br>expandable<br>to 16 kVA       | Hardwired | (4) 5-20<br>(2) L6-30                            | \$17,319 | 32.50% | \$11,690 |
| <b>9PXM12S8K-PD</b><br>Includes:<br>(1) 12-slot enclosure<br>(2) power modules<br>(4) battery modules<br>(1) network card | 8 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | (8) 5-20<br>(2) L6-20<br>(2) L6-30<br>(2) L14-30 | \$18,307 | 32.50% | \$12,357 |

### PRE-CONFIGURED SYSTEMS WITH HARDWIRE INPUT AND OUTPUT RECEPTACLE OPTIONS

| Model Number   | Input Connection                        | MSRP      | Discount   | DIR Discount Price             |
|--|---|-----------|--|--------------------------------|
| <b>9PXM12S12K-PD</b><br>Includes:<br>(1) 12-slot enclosure<br>(3) power module<br>(6) battery modules<br>(1) network card  | 12 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | (8) 5-20<br>(2) L6-20<br>(2) L6-30<br>(2) L14-30 | \$23,473<br>32.50%<br>\$15,844 |
| <b>9PXM12S16K-PD</b><br>Includes:<br>(1) 12-slot enclosure<br>(4) power module<br>(8) battery modules<br>(1) network card  | 16 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | (8) 5-20<br>(2) L6-20<br>(2) L6-30<br>(2) L14-30 | \$28,639<br>32.50%<br>\$19,331 |
| <b>9PXM12S20K-PD</b><br>Includes:<br>(1) 12-slot enclosure<br>(5) power module<br>(10) battery modules<br>(1) network card | 20 kVA<br>expandable<br>to 20 kVA (N+1) | Hardwired | (8) 5-20<br>(2) L6-20<br>(2) L6-30<br>(2) L14-30 | \$33,805<br>32.50%<br>\$22,818 |

# EATON 9PXM UPS RACK/TOWER



## Online double-conversion UPS (4–20 kVA)

Notes: 60 Hz automatic frequency selection. Input/output voltages: 208–240 Vac or 110/220, 120/208, 120/240 and 127/220 Vac. All enclosures include a caster kit. Each pre-configured system includes a 6.5-minute runtime. Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. Split-phase Power Modules included.

### Customizable Receptacle Options

| Receptacle Type | # of outlets | # of Bays | CTO Digit | Maximum of two different types of receptacles for 8-slot enclosures and five different types for 12-slot enclosures | MSRP  |
|-----------------|--------------|-----------|-----------|---|-------|
| Blank           | 0            | 1         | A         | Bays available per enclosure:<br>8-slot has (2) bays<br>12-slot has (5) bays  | \$0   |
| 5-20R           | 4            | 1         | B         |   | \$85  |
| C13             | 8            | 1         | C         |   | \$100 |
| C19             | 4            | 1         | D         |   | \$100 |
| L5-20R          | 2            | 1         | E         |   | \$100 |
| L6-20R          | 2            | 1         | F         |   | \$135 |
| L5-30R          | 2            | 1         | G         |   | \$130 |
| L6-30R          | 2            | 1         | H         |   | \$150 |
| L14-30R         | 2            | 1         | J         |   | \$135 |
| IEC309          | 1            | 1         | K         |   | \$80  |

### SOFTWARE AND CONNECTIVITY OPTIONS

See software and connectivity product sections for more detail.

## 9PXM battery backup times (in minutes)

### Battery modules (part number 9PXMBAT).

You must order two battery modules to occupy one slot.

| Load   |         | Battery modules (part number 9PXMBAT).<br>You must order two battery modules to occupy one slot. |     |     |       |     |     |     |     |     |     |     |     |
|--------|---------|--|-----|-----|-------|-----|-----|-----|-----|-----|-----|-----|-----|
| kVA    | kW      | 2  | 4   | 6   | 8     | 10  | 12  | 14  | 16  | 18  | 20  | 22  | 24  |
| 4 kVA  | 3.6 kW  | 6  | 17  | 28  | 39    | 52  | 65  | 78  | 92  | 107 | 121 | 136 | 152 |
| 8 kVA  | 7.2 kW  |  | 6   | 11  | 17    | 22  | 28  | 33  | 39  | 45  | 52  | 58  | 65  |
| 12 kVA | 10.8 kW |  |     | 6   | 9     | 13  | 17  | 20  | 24  | 28  | 31  | 35  | 39  |
| 16 kVA | 14.4 kW |  |     |     | 6     | 8   | 11  | 14  | 17  | 19  | 22  | 25  | 28  |
| 20 kVA | 18.0 kW |  |     |     |       | 6   | 8   | 10  | 12  | 14  | 17  | 19  | 21  |
| 4 kVA  | 3.6 kW  | 26   | 28  | 30  | 32    | 34  | 36  | 38  | 40  | 42  | 44  | 46  | 48  |
| 8 kVA  | 7.2 kW  | 167  | 183 | 200 | 216   | 233 | 250 | 267 | 284 | 302 | 320 | 338 | 356 |
| 12 kVA | 10.8 kW | 71   | 78  | 85  | 92    | 99  | 107 | 114 | 121 | 129 | 136 | 144 | 152 |
| 16 kVA | 14.4 kW | 43   | 48  | 52  | 56    | 60  | 65  | 69  | 74  | 78  | 83  | 87  | 92  |
| 20 kVA | 18.0 kW | 30   | 33  | 36  | 39    | 42  | 45  | 49  | 52  | 55  | 58  | 61  | 65  |
| 4 kVA  | 3.6 kW  | 23   | 25  | 28  | 30    | 32  | 35  | 37  | 39  | 42  | 44  | 47  | 49  |
| 8 kVA  | 7.2 kW  | 50   | 52  | 54  | 56    | 58  | 60  | 62  | 64  | 66  | 68  | 70  | 72  |
| 12 kVA | 10.8 kW | 374  | 393 | 411 | 430   | 449 | 468 | 487 |     |     |     |     |     |
| 16 kVA | 14.4 kW | 160  | 167 | 175 | 183.4 | 192 | 200 | 208 | 216 | 224 | 233 | 241 | 250 |
| 20 kVA | 18.0 kW | 97   | 102 | 107 | 111   | 116 | 121 | 126 | 131 | 136 | 141 | 147 | 152 |
| 4 kVA  | 3.6 kW  | 68   | 71  | 75  | 78    | 82  | 85  | 89  | 92  | 96  | 99  | 103 | 107 |
| 8 kVA  | 7.2 kW  | 52   | 54  | 57  | 59    | 62  | 65  | 67  | 70  | 73  | 75  | 78  | 81  |
| 12 kVA | 10.8 kW | 74   | 76  | 78  | 80    | 82  | 84  | 86  | 88  | 90  | 92  | 94  | 96  |
| 16 kVA | 14.4 kW | 258  | 267 | 276 | 284   | 293 | 302 | 311 | 320 | 329 | 338 | 347 | 356 |
| 20 kVA | 18.0 kW | 157  | 162 | 16  | 173   | 178 | 183 | 189 | 194 | 200 | 205 | 211 | 216 |
| 4 kVA  | 3.6 kW  | 110  | 114 | 118 | 121   | 125 | 129 | 133 | 136 | 140 | 144 | 148 | 152 |
| 8 kVA  | 7.2 kW  | 84   | 87  | 89  | 92    | 95  | 98  | 101 | 104 | 107 | 109 | 112 | 115 |
| 12 kVA | 10.8 kW | 98   | 100 | 102 | 104   | 106 | 108 | 110 | 112 | 114 | 116 |     |     |
| 16 kVA | 14.4 kW | 365  | 374 | 383 | 393   | 402 | 411 | 421 | 430 | 440 | 449 |     |     |
| 20 kVA | 18.0 kW | 222  | 227 | 233 | 238   | 244 | 250 | 256 | 261 |     |     |     |     |
| 4 kVA  | 3.6 kW  | 156  | 160 | 163 | 167   | 171 | 175 | 179 |     |     |     |     |     |
| 8 kVA  | 7.2 kW  | 118  | 121 | 124 | 127   | 130 | 133 |     |     |     |     |     |     |

Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

For detailed information on service plans, please refer to the Single-phase Service section tab.



# EATON Ferrups FX Connected Industrial UPS

Ferrups series



## Ferroresonant UPS (1100–18,000 VA)

- Bulletproof power integrity and management for telecommunications, computer, and industrial applications
- Special configurations and options available—call sales support for details: 800.356.5794
- Added connectivity options provide guaranteed communications and security in mission critical industrial and manufacturing settings
- Warranty (US and Canada): Two-year limited warranty and \$250,000 load protection guarantee; optional service plans available

## FERRUPS FE 60 Hz MODELS

| Model                             | CTO Part Number         | Input/Output Voltage | Runtimes Full/Half Load | Input Plug | Output Receptacles | MSRP     | Discount | DIR Customer Price |
|-----------------------------------|-------------------------|----------------------|-------------------------|------------|--------------------|----------|----------|--------------------|
| FX1100                            | Coming Soon!            | 120/120              | 14/35 Min               | Hardwired  | HW                 | N/A      |          | N/A                |
| FX3100                            | FX310000AAA1            | 120/120              | 14/35 Min               | Hardwired  | HW                 | 13,160   | 32.50%   | \$8,883            |
| FX5300                            | Coming Soon!            | 120/120, 208,240     | 14/35 Min               | Hardwired  | HW                 | N/A      |          | N/A                |
| FX7000                            | Coming Soon!            | 120/120, 208,240     | 14/35 Min               | Hardwired  | HW                 | N/A      |          | N/A                |
| FX12K5                            | Coming Soon!            | 240/120,208,240      | 14/35 Min               | Hardwired  | HW                 | N/A      |          | N/A                |
| FX18K0                            | Coming Soon!            | 240/120,208,240      | 14/35 Min               | Hardwired  | HW                 | N/A      |          | N/A                |
| <b>Accessory</b>                  |                         |                      |                         |            |                    |          |          |                    |
| P-103004063                       | FX3100 Floor anchor kit |                      |                         |            |                    | \$348    | 32.50%   | \$235              |
| <b>Extendend Battery Modules</b>  |                         |                      |                         |            |                    |          |          |                    |
|                                   | <b>Description</b>      |                      |                         |            |                    |          |          |                    |
| FXEBM01                           | Ferrups FX 48VDC EBM    |                      |                         |            |                    | \$9,543  | 32.50%   | \$6,442            |
| FXEBM03                           | Ferrups FX 48VDC EBM    |                      |                         |            |                    | \$12,005 | 32.50%   | \$8,103            |
| FXEBM04                           | Ferrups FX 48VDC EBM    |                      |                         |            |                    | \$14,314 | 32.50%   | \$9,662            |
| FXEBM06                           | Ferrups FX 48VDC EBM    |                      |                         |            |                    | \$16,479 | 32.50%   | \$11,123           |
| <b>Maintenance Bypass Modules</b> |                         |                      |                         |            |                    |          |          |                    |
| BPEFXMBB02                        |                         |                      |                         |            |                    | \$1,673  | 32.50%   | \$1,129            |
| BPEFMBBM02                        |                         |                      |                         |            |                    | \$1,403  | 32.50%   | \$947              |
| <b>Connectivity Options</b>       |                         |                      |                         |            |                    |          |          |                    |
| NETWORK-M2                        |                         |                      |                         |            |                    | \$435    | 32.50%   | \$294              |
| RELAY-MS                          |                         |                      |                         |            |                    | \$148    | 32.50%   | \$100              |
| INDRELAY-MS                       |                         |                      |                         |            |                    | \$752    | 32.50%   | \$508              |
| INDGW-M2                          |                         |                      |                         |            |                    | \$492    | 32.50%   | \$332              |

## Configurable Outlet Panel

| Outlet Type              | Quantity per Panel | CTO Digit | MSRP  | Discount | DIR Customer Price |
|--------------------------|--------------------|-----------|-------|----------|--------------------|
| Hardwired/Not Available  | N/A                | A         |       |          |                    |
| 5-15R                    | 4                  | B         | \$70  | 32.50%   | \$47               |
| 5-20R                    | 4                  | C         | \$90  | 32.50%   | \$61               |
| L5-15R                   | 4                  | D         | \$100 | 32.50%   | \$68               |
| L5-20R                   | 4                  | E         | \$100 | 32.50%   | \$68               |
| L5-30R                   | 2                  | G         | \$130 | 32.50%   | \$88               |
| 6-15R (HIGH VOLT ONLY)   | 2                  | H         | \$95  | 32.50%   | \$64               |
| L6-20R (HIGH VOLT ONLY)  | 4                  | I         | \$135 | 32.50%   | \$91               |
| L6-30R (HIGH VOLT ONLY)  | 2                  | J         | \$150 | 32.50%   | \$101              |
| L14-30R (HIGH VOLT ONLY) | 2                  | K         | \$135 | 32.50%   | \$91               |
| L14-20R (HIGH VOLT ONLY) | 2                  | L         | \$125 | 32.50%   | \$84               |
| L6-15R                   | 2                  | M         | \$110 | 32.50%   | \$74               |
| 6-20R                    | 2                  | N         | \$115 | 32.50%   | \$78               |
| C13                      | 2                  | P         | \$100 | 32.50%   | \$68               |
| C19                      | 2                  | Q         | \$100 | 32.50%   | \$68               |
| TB w/15A 1P CB           | 1                  | R         | \$65  | 32.50%   | \$44               |
| TB w/20A 1P CB           | 1                  | S         | \$70  | 32.50%   | \$47               |
| TB w/30A 1P CB           | 1                  | T         | \$75  | 32.50%   | \$51               |
| TB w/15A 2P CB           | 1                  | U         | \$65  | 32.50%   | \$44               |
| TB w/20A 2P CB           | 1                  | V         | \$70  | 32.50%   | \$47               |
| TB w/30A 2P CB           | 1                  | X         | \$75  | 32.50%   | \$51               |

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

# Eaton BladeUPS

## Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

The Eaton BladeUPS is a revolutionary power quality solution, expanding power protection from 5 kW to 60 kW in a single industry standard 19-inch rack, and, most significantly, providing this robust, compact solution without generating the additional heat associated with legacy end-of-row, modular UPS products.



An Eaton Green Solution



- Up to three (3) busbar sizes available, six (6), four (4) and three (3) module configurations
- Preassembled systems NOW available in either black or white racks
- Achieves the highest power density in the marketplace
- Requires only six rack units (6U) per unit
- Reduces single points of failure with an intelligent bypass design that eliminates human error
- Provides the ultimate in reliability through a peer-to-peer paralleling relationship



### BLADEUPS (12 kW) MODELS: 208V

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions (H x W x D, inches) | Weight <sup>1</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|--------------------------------|--------------------------|------------|
| BladeUPS 12 kW 208V HW in/HW out Terminal Block  | ZC121TB00100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 380.0                    | \$14,800   |
| BladeUPS 12 kW 208V w/60A 5W in/5W out   | ZC1212200100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 322.0                    | \$14,800   |
| BladeUPS 12 kW 208V w/60A 5W in/4W out   | ZC1212600100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 321.0                    | \$14,800   |
| BladeUPS 12 kW 208V w/60A 5W in/RPM ONLY   | ZC1212000100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 321.0                    | \$14,600   |
| BladeUPS 12 kW 208V w/parallel cord  | ZC121P060100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 311.0                    | \$14,600   |
| BladeUPS 12 kW 208V w/60A 5W in/5W out w/ INDGW-X2 SNMP/ModBus                             | ZC1212208100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 322.0                    | \$15,300   |
| BladeUPS 12 kW 208V w/60A 5W in/4W out w/ INDGW-X2 SNMP/ModBus                             | ZC1212608100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 321.0                    | \$15,400   |
| BladeUPS 12 kW 208V w/60A 5W in/RPM ONLY w/ INDGW-X2 SNMP/ModBus                           | ZC1212008100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 321.0                    | \$15,200   |
| BladeUPS 12 kW 208V w/parallel cord w/ INDGW-X2 SNMP/ModBus                                | ZC121P068100000 | 12 kVA (12 kW) | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 311.0                    | \$15,800   |
| BladeUPS 8 kW 208V w/ NEMA L21-30P in/L21-30R out  | ZC0811100100000 | 8kVA (8kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 311.0                    | \$10,900   |
| BladeUPS 8 kW 208V w/ NEMA L21-30P in/L21-30R out w/ INDGW-X2 SNMP/ModBus                  | ZC0811108100000 | 8kVA (8kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 311.0                    | \$11,400   |
| BladeUPS 5kW 208V w/NEMA L21-20P in/L21-20R out, 1 Int batt string                         | ZC0517700100000 | 5kVA (5kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 218.0                    | \$9,200    |
| BladeUPS 5kW 208V w/NEMA L21-20P in/L21-20R out, 1 Int batt string w/ INDGW-X2 SNMP/ModBus | ZC0517708100000 | 5kVA (5kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 218.0                    | \$9,700    |
| BladeUPS 5kW 208V w/NEMA L21-20P in/L21-20R out, 2 Int batt string                         | ZC0517700100000 | 5kVA (5kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 308.0                    | \$9,900    |
| BladeUPS 5kW 208V w/NEMA L21-20P in/L21-20R out, 2 Int batt string w/ INDGW-X2 SNMP/ModBus | ZC0517708100000 | 5kVA (5kW)     | 208/208              | 10.5 (6U) x 17.3 x 28.0        | 308.0                    | \$10,400   |

1. All weights are installed weight, add 80 lb to determine shipping weight.
2. 5W in (wired input plug) is model IEC309-60 CH560P9W or similar
3. 5W out (output connector) is model IEC309-60 CH560C9W or similar
4. 4W out (output connector) is model IEC309-60 CH460C9W or similar

### BLADEUPS (12 kW) MODELS: 400V

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions (H x W x D, inches) | Weight <sup>1</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|--------------------------------|--------------------------|------------|
| BladeUPS 12kW 400V w/IEC 309-32A 5W in/5W out                                | ZC1224400100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0        | 318.0                    | \$14,800   |
| BladeUPS 12kW 400V w/IEC 309-32A 5W in/5W out w/ INDGW-X2 SNMP/ModBus        | ZC1224408100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0        | 314.0                    | \$15,300   |
| BladeUPS 12kW 400V w/IEC 309-32A 5W in/RPM ONLY out                          | ZC1224000100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0        | 317.0                    | \$14,600   |
| BladeUPS 12kW 400V w/ IEC 309-32A 5W in/RPM ONLY out w/ INDGW-X2 SNMP/ModBus | ZC1224008100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0        | 318.0                    | \$15,100   |

## Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

### BLADEUPS (12 kW) MODELS: 400V

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions <sup>1</sup> (H x W x D, inches) | Weight <sup>2</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|---|--------------------------|------------|
| BladeUPS 12kW 400V w/parallel cord                         | ZC122P060100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0                     | 314.0                    | \$14,800   |
| BladeUPS 12kW 400V w/parallel cord w/ INDGW-X2 SNMP/ModBus | ZC122P068100000 | 12 kVA (12 kW) | 400/400              | 10.5 (6U) x 17.3 x 28.0                     | 317.0                    | \$16,000   |

1. All weights are installed weight, add 80 lb to determine shipping weight.
  2. 5W in (wired input plug) is model IEC309-32 CH532P6W or similar
  3. 5W out (output connector) in model IEC309-32 CH532C6W or similar
- Note: BladeUPS EBM's are not TAA Compliant

# Eaton BladeUPS

## BUILT-IN CONNECTIVITY OPTIONS

| Option   | Select digit "8" in the Style Number      | Value for Style Number digit 8 | Price Adder |
|----------|---|--------------------------------|-------------|
| X-Slot 2 | Industrial Relay Card (5A @ 250 Vac)      | 4                              | \$480       |
|          | Hot Sync CAN Bridge Card                  | 6                              | \$780       |
| Option   | Select digit "9" in the Style Number      | Value for Style Number digit 9 | Price Adder |
| X-Slot 1 | Industrial Relay Card (5A @ 250 Vac)      | 4                              | \$480       |
|          | Industrial Gateway Card (X-Slot) INDGW-X2 | 8                              | \$556       |

Note: All parallel configured systems include a Hot Sync CAN Bridge card in the standard part number

## BLADEUPS (12-60 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models Factory Installed and Tested UPS Systems in 42U Rack. System capable of expansion to maximum of 60kW N+1 (6 modules)

### Bottom Entry

|  |                 |                    |         |                    |      |          |
|--|-----------------|--------------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V (Max config 60kW N+1)                                | ZP21110XXXXX000 | 12 kVA (12 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 683  | \$21,800 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1)     | ZP21115XXXXX000 | 12 kVA (12 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 683  | \$22,300 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V (Max config 60kW N+1)                                | ZP212100XXXX000 | 24 kVA (24 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 994  | \$35,700 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1)     | ZP212150XXXX000 | 24 kVA (24 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 994  | \$36,300 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V (Max config 60kW N+1)                                | ZP21310000XX000 | 36 kVA (36 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1316 | \$48,500 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1)     | ZP21315000XX000 | 36 kVA (36 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1316 | \$49,000 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V (Max config 60kW N+1)                                | ZP21410000XX000 | 48 kVA (48 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1638 | \$59,400 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1)     | ZP21415000XX000 | 48 kVA (48 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1638 | \$59,800 |
| BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V (Max config 60kW N+1)                                | ZP215100000X000 | 60 kVA (60 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1960 | \$74,000 |
| BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1)     | ZP215150000X000 | 60 kVA (60 kW)     | 208/208 | 81.0 x 24.0 x 42.0 | 1960 | \$74,600 |
| BladeUPS Pre-Assembled Bottom Entry 60 kW N+1, 208V (Max config 60kW N+1)                            | ZP2161000000000 | 60 kVA (60 kW) N+1 | 208/208 | 81.0 x 24.0 x 42.0 | 2282 | \$89,400 |
| BladeUPS Pre-Assembled Bottom Entry 60 kW N+1, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW N+1) | ZP2161500000000 | 60 kVA (60 kW) N+1 | 208/208 | 81.0 x 24.0 x 42.0 | 2282 | \$89,900 |

### Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

### Top Entry

| Model   | Part Number     | Rating         | Input/Output Voltage | Dimensions <sup>1</sup> (H x W x D, inches) | Weight <sup>2</sup> (lb) | List Price |
|---|-----------------|----------------|----------------------|---|--------------------------|------------|
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V (Max config 60kW N+1)              | ZP22110XXXXX000 | 12 kVA (12 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 683                      | \$21,800   |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP22115XXXXX000 | 12 kVA (12 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 683                      | \$22,300   |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V (Max config 60kW N+1)              | ZP222100XXXX000 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 994                      | \$35,700   |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP222150XXXX000 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 994                      | \$36,300   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V (Max config 60kW N+1)              | ZP22310000XX000 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1316                     | \$48,500   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP22315000XX000 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1316                     | \$49,000   |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V (Max config 60kW N+1)              | ZP22410000XX000 | 48 kVA (48 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1638                     | \$59,400   |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP22415000XX000 | 48 kVA (48 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1638                     | \$59,900   |
| BladeUPS Pre-Assembled Top Entry 60 kW, 208V (Max config 60kW N+1)              | ZP225100000X000 | 60 kVA (60 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1960                     | \$74,000   |
| BladeUPS Pre-Assembled Top Entry 60 kW, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP225150000X000 | 60 kVA (60 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1960                     | \$74,600   |

## Eaton BladeUPS

|   |                |                       |         |                    |      |          |
|---|----------------|-----------------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Top Entry 60 kW N+1, 208V (Max config 60kW N+1)              | ZP226100000000 | 60 kVA (60 kW)<br>N+1 | 208/208 | 81.0 x 24.0 x 42.0 | 2282 | \$89,400 |
| BladeUPS Pre-Assembled Top Entry 60 kW N+1, 208V, w/ INDGW-X2 (Max config 60kW N+1) | ZP226150000000 | 60 kVA (60 kW)<br>N+1 | 208/208 | 81.0 x 24.0 x 42.0 | 2282 | \$89,900 |

**BLADEUPS (12-60 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models**  
**Factory Installed and Tested UPS System. Systems with Maintenance Bypass included in the rack will NOT include factory wiring to MBM, and will require customer to install wiring between the UPS busbar and the MBM. System capable of expansion to maximum of 60kW (5 modules)**

### Bottom Entry

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack (Max config 60kW)                            | ZP21110XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 759  | \$28,400 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW) | ZP21115XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 759  | \$28,900 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack (Max config 60kW)                            | ZP212100XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1070 | \$42,300 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW) | ZP212150XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1070 | \$43,000 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack (Max config 60kW)                            | ZP2131000XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1392 | \$55,200 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW) | ZP2131500XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1392 | \$55,700 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V, MBM in rack (Max config 60kW)                            | ZP21410000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1714 | \$66,000 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW) | ZP21415000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1714 | \$66,600 |

### Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

#### Bottom Entry

| Model   | Part Number    | Rating         | Input/Output Voltage | Dimensions <sup>1</sup><br>(H x W x D, inches) | Weight <sup>2</sup><br>(lb) | List Price |
|---|----------------|----------------|----------------------|--|-----------------------------|------------|
| BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V, MBM in rack (Max config 60kW)                            | ZP21510000X100 | 60 kVA (60 kW) | 208/208              | 81.0 x 24.0 x 42.0                             | 2036                        | \$80,800   |
| BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 60kW) | ZP21515000X100 | 60 kVA (60 kW) | 208/208              | 81.0 x 24.0 x 42.0                             | 2036                        | \$81,400   |

#### Top Entry

|  |                 |                |         |                    |      |          |
|--|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack (Max config 60kW)              | ZP22110XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 759  | \$28,400 |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 60kW) | ZP22115XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 759  | \$28,900 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack (Max config 60kW)              | ZP222100XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1070 | \$42,300 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 60kW) | ZP222150XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1070 | \$43,000 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack (Max config 60kW)              | ZP2231000XXX100 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1392 | \$55,200 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 60kW) | ZP2231500XXX100 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1392 | \$55,700 |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, MBM in rack (Max config 60kW)              | ZP22410000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1714 | \$66,000 |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 60kW) | ZP22415000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1714 | \$66,600 |
| BladeUPS Pre-Assembled Top Entry 60 kW, 208V, MBM in rack (Max config 60kW)              | ZP22510000X100  | 60 kVA (60 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 2036 | \$80,800 |

## Eaton BladeUPS

BladeUPS Pre-Assembled Top Entry 60 kW, ZP22515000X100 60 kVA (60 kW) 208/208 81.0 x 24.0 x 42.0 2036 \$81,400  
 208V, MBM in rack, w/ INDGW-X2 (Max config 60kW)

Note: Maintenance Bypass does NOT include factory wiring to the UPS busbar, which must be completed by others before startup is scheduled or completed. MBM installed next to wireway in open UPS slot (Top entry MBM below wireway. Bottom entry MBM above wireway)

### BLADEUPS (12-48 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models Factory Installed and Tested UPS Systems in 42U Rack. System capable of expansion to maximum of 48kW

#### Bottom Entry

|  |                 |                |         |                    |      |          |
|--|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V (Max config 48kW)                            | ZP23110XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 661  | \$20,400 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP23115XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 661  | \$21,000 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V (Max config 48kW)                            | ZP23210XXXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 972  | \$34,500 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP23215XXXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 972  | \$35,000 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V (Max config 48kW)                            | ZP2331000XXX000 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1294 | \$47,200 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP2331500XXX000 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1294 | \$47,700 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V (Max config 48kW)                            | ZP23410000XX000 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1616 | \$58,200 |

#### Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

#### Bottom Entry

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions <sup>1</sup> (H x W x D, inches) | Weight <sup>2</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|---|--------------------------|------------|
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP23415000XX000 | 48 kVA (48 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1616                     | \$58,900   |

#### Top Entry

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V (Max config 48kW)              | ZP24110XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 661  | \$20,400 |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, w/ INDGW-X2 (Max config 48kW) | ZP24115XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 661  | \$21,000 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V (Max config 48kW)              | ZP24210XXXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 972  | \$34,500 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, w/ INDGW-X2 (Max config 48kW) | ZP24215XXXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 972  | \$35,000 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V (Max config 48kW)              | ZP2431000XXX000 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1294 | \$47,200 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, w/ INDGW-X2 (Max config 48kW) | ZP2431500XXX000 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1294 | \$47,700 |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V (Max config 48kW)              | ZP24410000XX000 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1616 | \$58,200 |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, w/ INDGW-X2 (Max config 48kW) | ZP24415000XX000 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1616 | \$58,900 |

### BLADEUPS (12-48 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models

Factory Installed and Tested UPS System. Systems with Maintenance Bypass included in the rack will **NOT** include factory wiring to MBM, and will require customer to install wiring between the UPS busbar and the MBM. System capable of expansion to maximum of 48kW

#### Bottom Entry

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack (Max config 48kW)                            | ZP23110XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 737  | \$27,200 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP23115XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 737  | \$27,800 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack (Max config 48kW)                            | ZP23210XXXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1048 | \$41,200 |

## Eaton BladeUPS

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP232150XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1048 | \$41,700 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack (Max config 48kW)                            | ZP2331000XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1370 | \$54,000 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP2331500XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1370 | \$54,500 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V, MBM in rack (Max config 48kW)                            | ZP23410000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1692 | \$64,900 |
| BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus (Max config 48kW) | ZP23415000XX100 | 48 kVA (48 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1692 | \$65,500 |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack (Max config 48kW)                               | ZP24110XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 737  | \$27,200 |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 48kW)                  | ZP24115XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 737  | \$27,700 |

### Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

#### Top Entry

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions <sup>1</sup> (H x W x D, inches) | Weight <sup>2</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|---|--------------------------|------------|
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack (Max config 48kW)              | ZP242100XXXX100 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1048                     | \$41,200   |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 48kW) | ZP242150XXXX100 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1048                     | \$41,700   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack (Max config 48kW)              | ZP2431000XXX100 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1370                     | \$54,000   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 48kW) | ZP2431500XXX100 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1370                     | \$54,500   |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, MBM in rack (Max config 48kW)              | ZP24410000XX100 | 48 kVA (48 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1692                     | \$64,900   |
| BladeUPS Pre-Assembled Top Entry 48 kW, 208V, MBM in rack, w/ INDGW-X2 (Max config 48kW) | ZP24415000XX100 | 48 kVA (48 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1692                     | \$65,500   |

**BLADEUPS (12-36 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models**  
**Factory Installed and Tested UPS Systems in 42U Rack. System capable of expansion to maximum of 36 kW**

#### Bottom Entry

|  |                 |                |         |                    |      |          |
|--|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V                            | ZP25110XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 651  | \$19,900 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V w/(1) INDGW-X2 SNMP/ModBus | ZP25115XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 651  | \$20,500 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V                            | ZP252100XXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 962  | \$34,100 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V w/(1) INDGW-X2 SNMP/ModBus | ZP252150XXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 962  | \$34,700 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V                            | ZP2531000XXX000 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1284 | \$46,800 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V w/(1) INDGW-X2 SNMP/ModBus | ZP2531500XXX000 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1284 | \$47,400 |

#### Top Entry

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V              | ZP26110XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 651  | \$19,900 |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, w/ INDGW-X2 | ZP26115XXXXX000 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 651  | \$20,500 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V              | ZP262100XXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 962  | \$34,500 |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, w/ INDGW-X2 | ZP262150XXXX000 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 962  | \$35,000 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V              | ZP2631000XXX000 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1284 | \$47,200 |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, w/ INDGW-X2 | ZP2631500XXX000 | 36 kVA (36 kW) | 208/208 | 80.0 x 24.0 x 42.0 | 1284 | \$47,700 |

# Eaton BladeUPS

**BLADEUPS (12-36 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK, Available in 208vac or 400vac models**

**Factory Installed and Tested UPS System. Systems with Maintenance Bypass included in the rack will NOT include factory wiring to MBM, and will require customer to install wiring between the UPS busbar and the MBM. System capable of expansion to maximum of 48kW**

## Bottom Entry

|   |                 |                |         |                    |     |          |
|---|-----------------|----------------|---------|--------------------|-----|----------|
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack                            | ZP25110XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 727 | \$26,800 |
| BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus | ZP25115XXXXX100 | 12 kVA (12 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 727 | \$27,400 |

## Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

## Bottom Entry

|   |                 |                |         |                    |      |          |
|---|-----------------|----------------|---------|--------------------|------|----------|
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack                            | ZP252100XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1038 | \$41,200 |
| BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus | ZP252150XXXX100 | 24 kVA (24 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1038 | \$41,700 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack                            | ZP2531000XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1360 | \$54,000 |
| BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V, MBM in rack w/(1) INDGW-X2 SNMP/ModBus | ZP2531500XXX100 | 36 kVA (36 kW) | 208/208 | 81.0 x 24.0 x 42.0 | 1360 | \$54,500 |

## Top Entry

| Model  | Part Number     | Rating         | Input/Output Voltage | Dimensions <sup>1</sup> (H x W x D, inches) | Weight <sup>2</sup> (lb) | List Price |
|--|-----------------|----------------|----------------------|---|--------------------------|------------|
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack              | ZP26110XXXXX100 | 12 kVA (12 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 727                      | \$26,800   |
| BladeUPS Pre-Assembled Top Entry 12 kW, 208V, MBM in rack, w/ INDGW-X2 | ZP26115XXXXX100 | 12 kVA (12 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 727                      | \$27,400   |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack              | ZP262100XXXX100 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1038                     | \$41,200   |
| BladeUPS Pre-Assembled Top Entry 24 kW, 208V, MBM in rack, w/ INDGW-X2 | ZP262150XXXX100 | 24 kVA (24 kW) | 208/208              | 81.0 x 24.0 x 42.0                          | 1038                     | \$41,700   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack              | ZP2631000XXX100 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1360                     | \$54,000   |
| BladeUPS Pre-Assembled Top Entry 36 kW, 208V, MBM in rack, w/ INDGW-X2 | ZP2631500XXX100 | 36 kVA (36 kW) | 208/208              | 80.0 x 24.0 x 42.0                          | 1360                     | \$54,500   |

Wireway and busbar will be shifted down 6U (Top) or up 6U (bottom) to allow the MBM to be installed to the top or the bottom of the enclosure. Maintenance Bypass is installed next to wireway for easier wiring. Factory wiring NOT provided between MBM and UPS busbar, which is the customers or electrical contractors responsibility.

- Shipping dimensions are 87"H x 37"W x 60"D. If more than 4 units are installed batteries for 5th and 6th units will ship on a separate pallet maximum 15"H x 32"W x 48"D. Total shipping weight for configurations of 4 UPS modules or less is installed weight plus 345 lbs. For configurations of 5 or 6 UPS modules add 391 lbs. to installed weight.
- All weights are installed weight. To determine shipping weight of pre-assembled systems add 368 lbs.
- For 400vac configurations, change digit six (6) in the part number from number "1" to number "2". If a maintenance bypass is in the configuration, also change digit 13 from number "1" to number "2". MSRP remains the same for either voltage.
- For configuration in built in WHITE S-Series rack change digit "3" in above Preassembled part numbers to a number 3. Cost is the same as systems with black racks.

**Additional notes:** Factory-installed connectivity for Pre-Assembled Systems:

Style Number digit 7 represents the communication card installed in the system.

0 = No connectivity, 2 = ModBus RTU, 3 = Standard relay card, 4 = Industrial relay card, 5 = Industrial Gateway Card (X-Slot)

For systems with more than one UPS module, additional cards are required. Please visit the Connectivity Products section for card information, including pricing.

## BladeUPS ASSEMBLIES

| Description   | Style Number | Part Number     | Nominal Voltage | Dimensions (H x W x D, inches) | Weight (lb) | List Price |
|---|--------------|-----------------|-----------------|--------------------------------|-------------|------------|
| S-Series Enclosure with 48kW BladeUPS Parallel bar Top w/wireway    | P-103000505  | ETN-BLADERACK4T | 208V or 400V    | 81.0 x 24.0 x 42.0             | 452         | \$7,099    |
| S-Series Enclosure with 48kW BladeUPS Parallel bar Bottom w/wireway | P-103000506  | ETN-BLADERACK4B | 208V or 400V    | 81.0 x 24.0 x 42.0             | 452         | \$7,099    |
| S-Series Enclosure with 60kW BladeUPS Parallel bar Top w/wireway    | P-103000503  | ETN-BLADERACK6T | 208V or 400V    | 81.0 x 24.0 x 42.0             | 466         | \$7,836    |
| S-Series Enclosure with 60kW BladeUPS Parallel bar Bottom w/wireway | P-103000504  | ETN-BLADERACK6B | 208V or 400V    | 81.0 x 24.0 x 42.0             | 466         | \$7,836    |

## BladeUPS OPTIONS

### Extended Battery Modules

|                                    |                |  |  |                        |     |         |
|------------------------------------|----------------|--|--|------------------------|-----|---------|
| Eaton BladeUPS 3U EBM <sup>1</sup> | 103005747-6591 |  |  | 5.2 (3U) x 17.2 x 26.0 | 170 | \$2,441 |
|------------------------------------|----------------|--|--|------------------------|-----|---------|

## Eaton BladeUPS

### S-Series Enclosure (Used to install extra EBMs or MBM)

|   |                 |                      |       |                                 |
|---|-----------------|----------------------|-------|---------------------------------|
| S-Series 42Ux24"x42" w/Side Panels, Castors | ETN-ENC422442SB | 80.5 (42U) x 24 x 42 | 2,200 | See S-Series Enclosure page for |
|---|-----------------|----------------------|-------|---------------------------------|

### Multi-mode three-phase rack mount UPS (5 to 60kW N+1)

#### BladeUPS ASSEMBLIES

| Description                             | Style Number   | Part Number | Nominal Voltage | Dimensions (H x W x D, inches) | Weight (lb) | List Price                      |
|---|----------------|-------------|-----------------|--------------------------------|-------------|---------------------------------|
| S-Series 42Ux24"x42" w/divider, Castors | ETN-ENC422442S |             |                 | 80.5 (42U) x 24 x 42           | 2200        | See S-Series Enclosure page for |

#### Extension Cable

|                                   |               |  |  |                 |     |       |
|-----------------------------------|---------------|--|--|-----------------|-----|-------|
| BladeUPS 3 Ft EBM Extension Cable | 103006348-001 |  |  | 2.4 x 8.5 x 9.7 | 2.0 | \$317 |
|-----------------------------------|---------------|--|--|-----------------|-----|-------|

- Shipped on pallet with dimensions of 5x40x48. Up to 8 EBMs can be shipped stacked on the same pallet. Contact Customer Care for more information
- BladeUPS EBMs are not TAA Compliant

#### Maintenance Bypass

|  |                |  |  |                         |      |         |
|--|----------------|--|--|-------------------------|------|---------|
| BladeUPS Maintenance Bypass Module, 208V | 103007415-5208 |  |  | 10.5 (6U) x 17.3 x 29.6 | 76.0 | \$7,451 |
| BladeUPS Maintenance Bypass Module, 400V | 103007415-5400 |  |  | 10.5 (6U) x 17.3 x 29.6 | 76.0 | \$7,451 |

#### UPS Paralleling

|                                      |                                |  |  |                         |      |         |
|--------------------------------------|--------------------------------|--|--|-------------------------|------|---------|
| BladeUPS 60 kW Bus Bar, Bottom Entry | 103007571-5591 <sup>1,2</sup>  |  |  | 71.9 x 6.0 x 5.7        | 54.0 | \$4,502 |
| BladeUPS 60 kW Bus Bar, Top Entry    | 103007573-5591 <sup>1,2</sup>  |  |  | 71.9 x 6.0 x 5.7        | 54.0 | \$4,502 |
| BladeUPS 60 kW Universal Wireway     | 103007569-5591 <sup>1,2</sup>  |  |  | 10.4 (6U) x 19.0 x 34.0 | 45.0 | \$1,498 |
| BladeUPS 48 kW BusBar, Top Entry     | 103007828-5591 <sup>1,2</sup>  |  |  | 51.0 x 6.0 x 5.7        | 40.0 | \$3,751 |
| BladeUPS 48 kW BusBar, Bottom Entry  | 103007830-5591 <sup>1,2</sup>  |  |  | 51.0 x 6.0 x 5.7        | 40.0 | \$3,751 |
| BladeUPS 36 kW BusBar, Top Entry     | P-103002755-591 <sup>1,2</sup> |  |  | 41.0 x 6.0 x 5.7        | 32.0 | \$3,387 |
| BladeUPS 36 kW BusBar, Bottom Entry  | P-103002756-591 <sup>1,2</sup> |  |  | 41.0 x 6.0 x 5.7        | 32.0 | \$3,387 |

- Additional assembly services (Part Number AS00N00-Wire) required for field installation of busbar assemblies. Contact Eaton service for pricing
- Please consult Application Engineering for correct rack sizing when purchasing above items.
- All bus bar assemblies are rated for 208 or 400V installations.
- Add 15 lbs for shipping material
- Busbars and wireways designed to fit into various manufacturers racks including Eaton RS series, 48U, 42U and smaller racks

#### RPM TOPSELLERS

Topseller RPMs are the most popular configurations.

| Part Number     | Input Cable         | Recep 1      | Recep 2      | Metering          | MSRP    | Discount | DIR Discount Price |
|-----------------|---------------------|--------------|--------------|-------------------|---------|----------|--------------------|
| Y03113011100000 | BladeUPS 208V 15'   | L21-20 (2)   | L21-20 (2)   | Power Equalizer   | \$3,405 | 32.50%   | \$2,298            |
| Y03113022100000 | BladeUPS 208V 15'   | L21-30 (2)   | L21-30 (2)   | Power Equalizer   | \$3,495 | 32.50%   | \$2,359            |
| Y03114022100000 | BladeUPS 208V 20'   | L21-30 (2)   | L21-30 (2)   | Power Equalizer   | \$3,570 | 32.50%   | \$2,410            |
| Y03113055100000 | BladeUPS 208V 15'   | L6-30 (3)    | L6-30 (3)    | Power Equalizer   | \$3,305 | 32.50%   | \$2,231            |
| Y03113047100000 | BladeUPS 208V 15'   | L6-20 (3)    | 5-20 (6)     | Power Equalizer   | \$3,305 | 32.50%   | \$2,231            |
| Y03113017100000 | BladeUPS 208V 15'   | L21-20 (2)   | 5-20 (6)     | Power Equalizer   | \$3,355 | 32.50%   | \$2,265            |
| Y03113027100000 | BladeUPS 208V 15'   | L21-30 (2)   | 5-20 (6)     | Power Equalizer   | \$3,400 | 32.50%   | \$2,295            |
| Y031220AA300000 | IEC309-60 (60A) 10' | IEC C13 (12) | IEC C13 (12) | Energy Management | \$4,660 | 32.50%   | \$3,146            |
| Y03100044100000 | Hardwire (208V)     | L6-20 (3)    | L6-20 (3)    | Power Equalizer   | \$3,205 | 32.50%   | \$2,163            |
| Y03100077100000 | Hardwire (208V)     | 5-20 (6)     | 5-20 (6)     | Power Equalizer   | \$3,205 | 32.50%   | \$2,163            |
| Y032420CD100000 | BladeUPS 400V 10'   | IEC C13 (12) | IEC C19 (6)  | Power Equalizer   | \$3,220 | 32.50%   | \$2,174            |
| Y032440CD100000 | BladeUPS 400V 20'   | IEC C13 (12) | IEC C19 (6)  | Power Equalizer   | \$3,380 | 32.50%   | \$2,282            |
| Y032000CC300000 | Hardwire (400V)     | IEC C13 (12) | IEC C13 (12) | Energy Management | \$4,230 | 32.50%   | \$2,855            |

#### RPM ACCESSORIES

| Part Number | Description                | MSRP  | Discount | DIR Discount Price |
|-------------|----------------------------|-------|----------|--------------------|
| 103006226   | RPM wall-mount bracket kit | \$227 | 32.50%   | \$153              |



# Eaton BladeUPS

## RACK POWER MODULE CONFIGURATOR

| Description                  | Quantity                            | Part Number Digit | Value | MSRP    | Discount | DIR Discount Price |       |
|------------------------------|-------------------------------------|-------------------|-------|---------|----------|--------------------|-------|
| Base 3U RPM Distribution Box | -                                   | 1                 | Y     |         |          |                    |       |
|                              |                                     | 2                 | 0     |         |          |                    |       |
|                              |                                     | 3                 | 3     |         |          |                    |       |
| Input Voltage                | 208V                                | 4                 | 1     | \$2,290 | 32.50%   | \$1,546            |       |
|                              | 400V                                |                   | 2     | \$2,290 | 32.50%   | \$1,546            |       |
| Input Cords: Connection      | Hardwired                           | -                 | 5     | 0       |          |                    |       |
|                              | BladeUPS Unit 208V                  |                   | 1     |         |          |                    |       |
|                              | IEC309-60 5 wire                    |                   | 2     |         |          |                    |       |
|                              | NEMA L21-30P                        |                   | 3     |         |          |                    |       |
|                              | BladeUPS Unit 400V                  |                   | 4     |         |          |                    |       |
| Input Cords: Length          | Hardwired                           | -                 | 6     | \$215   | 32.50%   | \$145              |       |
|                              | 6 feet                              | -                 | 1     | \$170   | 32.50%   | \$115              |       |
|                              |                                     |                   |       | \$640   | 32.50%   | \$432              |       |
|                              |                                     |                   |       | \$125   | 32.50%   | \$84               |       |
|                              |                                     |                   |       | \$170   | 32.50%   | \$115              |       |
|                              | 10 feet                             |                   | 2     | \$230   | 32.50%   | \$155              |       |
|                              |                                     |                   |       | \$645   | 32.50%   | \$435              |       |
|                              |                                     |                   |       | \$140   | 32.50%   | \$95               |       |
|                              |                                     |                   |       | \$230   | 32.50%   | \$155              |       |
|                              | 15 feet                             |                   | 3     | \$315   | 32.50%   | \$213              |       |
|                              |                                     |                   |       | \$705   | 32.50%   | \$476              |       |
|                              |                                     |                   |       | \$155   | 32.50%   | \$105              |       |
|                              |                                     |                   |       | \$315   | 32.50%   | \$213              |       |
|                              | 20 feet                             |                   | 4     | \$390   | 32.50%   | \$263              |       |
|                              |                                     |                   |       | \$765   | 32.50%   | \$516              |       |
|                              |                                     |                   |       | \$175   | 32.50%   | \$118              |       |
|                              |                                     |                   |       | \$390   | 32.50%   | \$263              |       |
| Future Option                | -                                   | 7                 | 0     | -       | -        | -                  |       |
| Output Receptacle Plate #1 & | L21-20R                             | 2                 | 8 & 9 | \$400   | 32.50%   | \$270              |       |
| Output Receptacle Plate #2   | L21-30R                             | 2                 |       | \$445   | 32.50%   | \$300              |       |
|                              | L6-15R                              | 3                 |       | \$350   | 32.50%   | \$236              |       |
|                              | L6-20R                              | 3                 |       | \$350   | 32.50%   | \$236              |       |
|                              | L6-30R                              | 3                 |       | \$350   | 32.50%   | \$236              |       |
|                              | 5-15R                               | 6                 |       | \$350   | 32.50%   | \$236              |       |
|                              | 5-20R                               | 6                 |       | \$350   | 32.50%   | \$236              |       |
|                              | L14-20R                             | 3                 |       | \$350   | 32.50%   | \$236              |       |
|                              | L14-30R                             | 3                 |       | \$350   | 32.50%   | \$236              |       |
|                              | IEC320-C13 (208V)                   | 12                | A     | \$350   | 32.50%   | \$236              |       |
|                              | IEC320-C19 (208V)                   | 6                 | B     | \$350   | 32.50%   | \$236              |       |
|                              | IEC320-C13 (230V)                   | 12                | C     | \$350   | 32.50%   | \$236              |       |
|                              | IEC320-C19 (230V)                   | 6                 | D     | \$350   | 32.50%   | \$236              |       |
|                              | L15-20                              | 2                 | E     | \$400   | 32.50%   | \$270              |       |
|                              | L15-30                              | 2                 | F     | \$445   | 32.50%   | \$300              |       |
| Metering Choices             | Power Equalizer                     | -                 | 10    | 1       |          |                    |       |
|                              | Energy Management System, NO card   | -                 |       | 2       | \$695    | 32.50%             | \$469 |
|                              | Energy Management System, with card | -                 |       | 3       | \$1,025  | 32.50%             | \$692 |
| Future Option                |                                     | -                 | 11    | 0       | -        | -                  |       |
|                              |                                     | -                 | 12    | 0       | -        | 0                  |       |
|                              | None                                | -                 | 13    | 0       | -        | -                  |       |
|                              |                                     | -                 | 14    | 0       | -        | -                  |       |
|                              |                                     | -                 | 15    | 0       | -        | -                  |       |

How to order: 1. Select base model voltage (208V or 400V), 2. Select input connector option, 3. Select input cord length (corded units only), 4. Select first receptacle  
 Example of configured model part number: Y03111022300000

## SOFTWARE AND CONNECTIVITY OPTIONS

Bundled with Intelligent Power Software Suite CD and communication cable. See the software and connectivity product sections for more detail.

### BLADEUPS 12 kW BATTERY BACKUP TIMES (in minutes)

| Load (kW) | %  | Internal Battery | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|-----------|----|------------------|--------|---------|---------|---------|
| 2         | 17 | 44.0             | 85     | 137     | 199     | 258     |
| 3         | 25 | 30.4             | 56     | 89      | 128     | 165     |
| 4         | 33 | 23.0             | 42     | 66      | 94      | 120     |
| 5         | 42 | 18.5             | 33     | 51      | 73      | 94      |
| 6         | 50 | 13.6             | 27     | 42      | 60      | 76      |
| 7         | 58 | 10.7             | 23     | 32      | 50      | 64      |
| 8         | 67 | 8.7              | 18     | 28      | 43      | 55      |

## Eaton BladeUPS

|    |     |     |      |    |    |    |
|----|-----|-----|------|----|----|----|
| 9  | 75  | 7.3 | 15   | 24 | 38 | 48 |
| 10 | 83  | 6.2 | 13   | 22 | 33 | 42 |
| 11 | 92  | 5.4 | 10.9 | 20 | 30 | 38 |
| 12 | 100 | 4.7 | 9.5  | 17 | 27 | 34 |

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

### BLADEUPS 8 kW BATTERY BACKUP TIMES (in minutes)

| Load (kW) | %   | Internal Battery | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|-----------|-----|------------------|--------|---------|---------|---------|
| 2         | 25  | 44.0             | 85     | 137     | 199     | 258     |
| 3         | 38  | 30.4             | 56     | 89      | 128     | 165     |
| 4         | 50  | 23.0             | 42     | 66      | 94      | 120     |
| 5         | 63  | 18.5             | 33     | 51      | 73      | 94      |
| 6         | 75  | 13.6             | 27     | 42      | 60      | 76      |
| 7         | 88  | 10.7             | 23     | 32      | 50      | 64      |
| 8         | 100 | 8.7              | 18     | 28      | 43      | 55      |

### BLADEUPS 5 kW BATTERY BACKUP TIMES (2 INTERNAL STRINGS) (in minutes)

| Load (kW) | %   | Internal 2 String | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|-----------|-----|-------------------|--------|---------|---------|---------|
| 2.5       | 50  | 36.0              | 85     | 137     | 199     | 258     |
| 3         | 60  | 30.4              | 56     | 89      | 128     | 165     |
| 4         | 80  | 23.0              | 42     | 66      | 94      | 120     |
| 5         | 100 | 18.5              | 33     | 51      | 73      | 94      |

### BLADEUPS 5 kW BATTERY BACKUP TIMES (1 INTERNAL STRING) (in minutes)

| Load (kW) | %   | Internal 1 String | +1 EBM | +2 EBMs | +3 EBMs | +4 EBMs |
|-----------|-----|-------------------|--------|---------|---------|---------|
| 2.5       | 50  | 16.5              | 47     | 82      | 124     | 166     |
| 3         | 60  |                   |        |         |         |         |
| 4         | 80  |                   |        |         |         |         |
| 5         | 100 | 6.1               | 22     | 38      | 57      | 76      |

### BLADEUPS BATTERY BACKUP TIMES (Parallel UPS, in minutes)

| Number of UPS Modules | Total Load (kW) | Internal Battery | +1 EBM per UPS |      | +2 EBMs per UPS |      | +3 EBMs per UPS |      | +4 EBMs per UPS |      | Configuration |            |     |
|-----------------------|-----------------|------------------|----------------|------|-----------------|------|-----------------|------|-----------------|------|---------------|------------|-----|
|                       |                 |                  | Min            | EBMs | Min             | EBMs | Min             | EBMs | Min             | EBMs | Load %        | kW per UPS |     |
| 2                     | 12              | 14               | 27             | 2    | 42              | 4    | 60              | 6    | 76              | 8    | N+1           | 50%        | 6   |
| 3                     | 24              | 8.7              | 18             | 3    | 28              | 6    | 43              | 9    | 55              | 12   | N+1           | 67%        | 8   |
| 4                     | 36              | 7.3              | 15             | 4    | 24              | 8    | 38              | 12   | 48              | 16   | N+1           | 75%        | 9   |
| 5                     | 48              | 6.7              | 13             | 5    | 23              | 10   | 35              | 15   | 44              | 20   | N+1           | 80%        | 9.6 |
| 6                     | 60              | 6.2              | 13             | 6    | 22              | 12   | 33              | 18   | 42              | 24   | N+1           | 83%        | 10  |

## SERVICES

For detailed information on service plans, please refer to the Single-phase Service section tab.

# EATON 9355 UPS & ACCESSORIES



## 9355-10kVA, 9355-15kVA, 9355-20kVA, 9355-30kVA MODELS

Industry proven design delivers a robust system that performs above expectations year after year

- True double-conversion topology protects equipment from all nine of the most common power problems
- Output Power factor rated at 0.9 to deliver what todays high power loads require
- Inherently scalable from 10 to 15kVA or from 20 to 30 kVA, allowing you to pay as you grow with no additional hardware
- Use Eaton's patented Hot Sync paralleling technology to parallel up to 4 similar sized UPSs (4 x 15kVA or 4 x 30kVA)
- Includes rear-mounted (10 & 15kVA) or internal (20 & 30kVA) maintenance bypass switch
- 10 to 15kVA available with configurable rear power distribution modules (PDMs) allowing 15 different output receptacle types
- 20 and 30kVA available with optional total system rated output breaker to connect direct to load panel
- Internal batteries to keep the UPS footprint smaller to allow customers to install more revenue generating equipment
- Different product heights allow for additional battery runtime in the same footprint
- Includes on-site 5x8 startup and operator training by Eaton field technician
- Includes one year of PredictPulse remote monitoring service (requires connectivity parts and self installation)
- Eaton startup is required all 9355 UPS systems



## 9355 (10-30 kVA) MODELS

| Catalog Number | Description <sup>(1,4)</sup>                                  | kVA/kW Rating  | Input/ Output Voltage <sup>2</sup> | Base Runtime (min) | MSRP     | Discount | DIR Discount Price |
|----------------|---|----------------|------------------------------------|--------------------|----------|----------|--------------------|
| KA101100000010 | 9355 10 kVA with 32-Battery (2-high) <sup>4</sup>             | 10 kVA/9 kW    | 208/208                            | 8                  | \$22,740 | 32.50%   | \$15,350           |
| KA101210000010 | 9355 10 kVA with 64-Battery (3-high) <sup>4</sup>             | 10 kVA/9 kW    | 208/208                            | 22                 | \$25,320 | 32.50%   | \$17,091           |
| KA101120000010 | 9355 10 kVA with 32-Battery (2-high) <sup>4</sup>             | 10 kVA/9 kW    | 220/220                            | 8                  | \$22,740 | 32.50%   | \$15,350           |
| KA101220000010 | 9355 10 kVA with 64-Battery (3-high) <sup>4</sup>             | 10 kVA/9 kW    | 220/220                            | 22                 | \$25,320 | 32.50%   | \$17,091           |
| KA101340000010 | 9355 10 kVA with 32-Battery and input isolation XFMR (3-high) | 10 kVA/9 kW    | 480/208                            | 8                  | \$28,950 | 32.50%   | \$19,541           |
| KA101360000010 | 9355 10 kVA with 32-Battery and input isolation XFMR (3-high) | 10 kVA/9 kW    | 600/208                            | 8                  | \$28,950 | 32.50%   | \$19,541           |
| KA151110000010 | 9355 15 kVA with 32-Battery (2-high) <sup>4</sup>             | 15 kVA/13.5 kW | 208/208                            | 4                  | \$24,700 | 32.50%   | \$16,673           |
| KA151210000010 | 9355 15 kVA with 64-Battery (3-high) <sup>4</sup>             | 15 kVA/13.5 kW | 208/208                            | 13                 | \$27,320 | 32.50%   | \$18,441           |
| KA151120000010 | 9355 15 kVA with 32-Battery (2-high) <sup>4</sup>             | 15 kVA/13.5 kW | 220/220                            | 4                  | \$24,700 | 32.50%   | \$16,673           |
| KA151220000010 | 9355 15 kVA with 64-Battery (3-high) <sup>4</sup>             | 15 kVA/13.5 kW | 220/220                            | 13                 | \$27,320 | 32.50%   | \$18,441           |
| KA151340000010 | 9355 15 kVA with 32-Battery and input isolation XFMR (3-high) | 15 kVA/13.5 kW | 480/208                            | 4                  | \$30,550 | 32.50%   | \$20,621           |
| KA151360000010 | 9355 15 kVA with 32-Battery and input isolation XFMR (3-high) | 15 kVA/13.5 kW | 600/208                            | 4                  | \$30,550 | 32.50%   | \$20,621           |
| KB201310000010 | 9355 20 kVA with Internal Batteries                           | 20 kVA/18 kW   | 208/208                            | 18                 | \$34,440 | 32.50%   | \$23,247           |
| KB201320000010 | 9355 20 kVA with Internal Batteries                           | 20 kVA/18 kW   | 220/220 <sup>2</sup>               | 18                 | \$34,440 | 32.50%   | \$23,247           |
| KB301310000010 | 9355 30 kVA with Internal Batteries                           | 30 kVA/27 kW   | 208/208                            | 11                 | \$36,290 | 32.50%   | \$24,496           |
| KB301320000010 | 9355 30 kVA with Internal Batteries                           | 30 kVA/27 kW   | 220/220 <sup>2</sup>               | 11                 | \$36,290 | 32.50%   | \$24,496           |
| KB203310000010 | 9355 20 kVA with Internal Batteries & Output Breaker          | 20 kVA/18 kW   | 208/208                            | 18                 | \$34,780 | 32.50%   | \$23,477           |
| KB203320000010 | 9355 20 kVA with Internal Batteries & Output Breaker          | 20 kVA/18 kW   | 220/220 <sup>2</sup>               | 18                 | \$34,780 | 32.50%   | \$23,477           |
| KB303310000010 | 9355 30 kVA with Internal Batteries & Output Breaker          | 30 kVA/27 kW   | 208/208                            | 11                 | \$36,620 | 32.50%   | \$24,719           |
| KB303320000010 | 9355 30 kVA with Internal Batteries & Output Breaker          | 30 kVA/27 kW   | 220/220 <sup>2</sup>               | 11                 | \$36,620 | 32.50%   | \$24,719           |
| KB202310000010 | 9355 20 kVA parallel system with Internal Batteries           | 20 kVA/18 kW   | 208/208                            | 18                 | \$35,100 | 32.50%   | \$23,693           |
| KB202320000010 | 9355 20 kVA parallel system with Internal Batteries           | 20 kVA/18 kW   | 220/220 <sup>2</sup>               | 18                 | \$35,100 | 32.50%   | \$23,693           |
| KB302310000010 | 9355 30 kVA parallel system with Internal Batteries           | 30 kVA/27 kW   | 208/208                            | 11                 | \$36,950 | 32.50%   | \$24,941           |
| KB302320000010 | 9355 30 kVA parallel system with Internal Batteries           | 30 kVA/27 kW   | 220/220 <sup>2</sup>               | 11                 | \$36,950 | 32.50%   | \$24,941           |
| KB204310000010 | 9355 20 kVA parallel system with Internal Batteries & breaker | 20 kVA/18 kW   | 208/208                            | 18                 | \$35,430 | 32.50%   | \$23,915           |
| KB204320000010 | 9355 20 kVA parallel system with Internal Batteries & breaker | 20 kVA/18 kW   | 220/220 <sup>2</sup>               | 18                 | \$35,430 | 32.50%   | \$23,915           |
| KB304310000010 | 9355 30 kVA parallel system with Internal Batteries & breaker | 30 kVA/27 kW   | 208/208                            | 11                 | \$37,270 | 32.50%   | \$25,157           |
| KB304320000010 | 9355 30 kVA parallel system with Internal Batteries & breaker | 30 kVA/27 kW   | 220/220 <sup>2</sup>               | 11                 | \$37,270 | 32.50%   | \$25,157           |

1. 50/60 Hz auto-sensing.
2. A center balanced input neutral is required for all configurations. 208V units are wye connected 208Y/120V - 220V units 220Y/127V, three-phase, 4-wire plus ground. If not available order unit with an input isolation delta/wye transformer, or have the customer supply the correct transformer
3. For 9355-10 and 15kVA models: add 47 lbs for 2-high configurations or 50 lbs for 3-high configurations to determine shipping weight. Add 6" to height for pallet. Pallet size 32"W x 44"L For 9355-20 and 30kVA models: add 60 lbs to determine shipping weight. Add 6" for pallet height. Pallet size 34" W x 40" L
4. For 9355-10 and 15kVA models: to order parallel setup system, change CTO digit #5 to a "2" (add \$780) includes HotSync card. Order a Parallel Tie Cabinet if required

### CONNECTIVITY OPTIONS (factory added or to be ordered separately)

Available X-Slot card options: The UPS has two X-Slot bays available; one X-Slot card can be factory installed.

If a second X-Slot card is required, it can be ordered separately and user-installed.

| Catalog Number if ordered separately | Value for UPS catalog # Digit 8 | Description                            | Material number | Weight (lb) | List Price | Discount | DIR Discount |
|--------------------------------------|---------------------------------|--|-----------------|-------------|------------|----------|--------------|
|                                      | 0                               | NONE (No Pre-installed X-Slot card)    | -               | -           | -          | -        | -            |
| INDGW-X2                             | 3                               | (NEW) Industrial Gateway Card (X-Slot) | 744-07538       | 2           | \$556      | 32.50%   | \$375        |
| 103003055                            | 6                               | Industrial Relay Card                  | 103003055       | 2           | \$480      | 32.50%   | \$324        |

Note: Parallel UPS systems use one of the two X-Slots for the HotSync paralleling card.

When adding cards as factory option: add card MSRP to UPS MSRP

### 9355-10kVA and 15kVA ONLY - OUTPUT RECEPTACLES

| Receptacle Codes | (QTY) NEMA Type      | Enter "Receptacle Code" into CTO DIGIT6MSRP Adder for EACH Receptacle Code Chosen | Receptacle Code Chosen | Discount | Price |
|------------------|----------------------|---|------------------------|----------|-------|
| 2                | (1) L15-30R          | 9, 10 or 11 only  | \$235                  | 32.50%   | \$159 |
| 3                | (1) L21-20R          | 9, 10 or 11 only  | \$235                  | 32.50%   | \$159 |
| 4                | (1) L21-30R          | 9, 10 or 11 only  | \$235                  | 32.50%   | \$159 |
| A                | (2) 5-15R            | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| B                | (2) 5-20R UL         | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| D                | (2) 6-15R            | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| E                | (2) 6-20R            | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| F                | (2) L5-15R           | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| G                | (1) L5-20R*          | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| H                | (1) L5-30R*          | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| I                | (2) L6-15R*          | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| J                | (1) L6-20R*          | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| K                | (1) L6-30R*          | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| L                | (1) L14-20R*         | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| M                | (1) L14-30R*         | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| X                | Blank Panel          | 9, 10, 11, 12   | \$20                   | 32.50%   | \$14  |
| N                | (2) IEC 320 C13 120V | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |
| P                | (2) IEC 320 C19 120V | 9, 10, 11, 12   | \$235                  | 32.50%   | \$159 |

Note: Arrange receptacle codes in numerical-alphabetical order in digits 9 through 12 of the CTO number

Example 1: a PDM with an L21-20, an L14-30, and Qty 2 IEC320-C19 would have digits 9 through 12 of the CTO arranged as "3MPP"

Example 2: a PDM with a 5-15R, and an L6-30, and an L14-30 would have digits 9 through 12 of the CTO arranged as "AKMX"

The combined quantities of LOCKING receptacles (denoted by \*) must not exceed 4 per unit.

Please be sure to utilize the "X" designation for any of the 4 total slots not populated.

# EATON 9355 UPS & ACCESSORIES



## 9355-15kVA and 30kVA MISC OPTIONS

| Catalog Number | Description   | MSRP    | Discount | DIR Discount |
|----------------|---|---------|----------|--------------|
| 103004194-5501 | 9355 10-15 kVA Seismic Mounting Kit for UPS or EBM UPS Wrap   | \$2,820 | 32.50%   | \$1,904      |
| 103004896      | 9355 20-30 kVA Seismic Mounting Kit for UPS and Options Cabinets (not compatible with battery cabinets) |         |          |              |
| 103006244      | Wall-mount REPO switch  | \$610   | 32.50%   | \$412        |
| P-103003557    | Remote Monitoring Display Panel w/ PXGX Card and 1 ft. network cable                                    | \$2,770 | 32.50%   | \$1,870      |
| 103004336      | CAN Bridge Parallel Card  | \$757   | 32.50%   | \$511        |
| CTD9355        | Certified test data 9355  | \$320   | 32.50%   | \$216        |

## 9355-15kVA WALL MOUNT BYPASS PANELS (Non matching)

| Catalog Number | Description   | Input/ Output Voltage | MSRP     | Discount | DIR Discount Price |
|----------------|---|-----------------------|----------|----------|--------------------|
| 124100027-001  | 9355 15 kVA 3-breaker Maintenance Bypass Panel (100A Bus, 200A Neutral, & 60A MBP, MIB, MIS, 65kAIC Rated)  | 208V/208V             | \$5,260  | 32.50%   | \$3,551            |
| 124100027-002  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with integrated 120kA SPD (100A Bus, 200A Neutral, & 60A MBP, MIB, MIS, 65kAIC)  | 208V/208V             | \$9,930  | 32.50%   | \$6,703            |
| 124100027-003  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution panel (Eaton GHB 65kAIC)   | 208V/208V             | \$5,850  | 32.50%   | \$3,949            |
| 124100027-004  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with integrated 120kA SPD & 36-Pole Distribution Provisions (Eaton GHB 65kAIC)   | 208V/208V             | \$10,770 | 32.50%   | \$7,270            |
| 124100027-006  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions (Eaton QHBW 22kAIC)   | 208V/208V             | \$5,850  | 32.50%   | \$3,949            |
| 124100027-007  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions (Eaton BAB 10kAIC)  | 208V/208V             | \$5,850  | 32.50%   | \$3,949            |
| 124100027-008  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with integrated 120kA SPD and 36-Pole Distribution Provisions (Eaton QBHW 22kAIC)  | 208V/208V             | \$10,250 | 32.50%   | \$6,919            |
| 124100027-009  | 9355 15 kVA 3-breaker Maintenance Bypass Panel with integrated 120kA SPD and 36-Pole Distribution Provisions (Eaton BAB 10kAIC)   | 208V/208V             | \$10,250 | 32.50%   | \$6,919            |
| 124100020-001  | 9355 15kVA Wall Mount Parallel Tie Cabinet, 1-Breaker MBP (225A Bus, 225A Neutral, (1) 225A MBP, & (4) 80A MOB) Does not include single maintenance isolation switch MIS <sup>2</sup> | 208V/208V             | \$2,630  | 32.50%   | \$1,775            |
| 124100020-002  | 9355 Wall Mount Parallel Tie Cabinet With MIS Breaker (225A MBP, 225A MIS, & (4) 80A MOB) <sup>2</sup>  | 208V/208V             | \$5,650  | 32.50%   | \$3,814            |

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.  
 2. Parallel tie cabinet can be installed as single unit two (2) breaker bypass until additional UPS systems are added.

## 9355-20kVA and 9355-30kVA MATCHING BYPASS AND TRANSFORMER CABINETS

| Catalog Number  | Description                                      | XFMR/ QTY | Rotary Bypass Included | Rating | Input/ Output Voltage | MSRP     | Weight (lbs) | List Price |
|-----------------|--|-----------|------------------------|--------|-----------------------|----------|--------------|------------|
| KBT000000000010 | 9355-30kVA bypass switch in match cabinet        | NO / 0    | YES                    | 30kVA  | 208/208               | \$4,730  | 205          | \$4,730    |
| KBT001100000010 | 9355-30kVA single feed or bypass input isolation | YES / 1   | YES                    | 30kVA  | 208/208               | \$8,480  | 535          | \$8,480    |
| KBT002100000010 | 9355-30kVA dual feed - rectifier input isolation | YES / 1   | NO                     | 30kVA  | 208/208               | \$7,980  | 535          | \$7,980    |
| KBT001200000010 | 9355-30kVA single feed or bypass input isolation | YES / 1   | YES                    | 30kVA  | 480/208               | \$8,480  | 535          | \$8,480    |
| KBT002200000010 | 9355-30kVA dual feed rectifier input isolation   | YES / 1   | NO                     | 30kVA  | 480/208               | \$7,980  | 535          | \$7,980    |
| KBT001300000010 | 9355-30kVA single feed or bypass input isolation | YES / 1   | YES                    | 30kVA  | 600/208               | \$7,980  | 535          | \$7,980    |
| KBT002300000010 | 9355-30kVA dual feed rectifier input isolation   | YES / 1   | NO                     | 30kVA  | 600/208               | \$7,980  | 535          | \$7,980    |
| KBT003200000010 | 9355-30kVA output transformer only               | YES / 1   | NO                     | 30kVA  | 208/480               | \$7,740  | 535          | \$7,740    |
| KBT004200000010 | 9355-30kVA single feed input-output isolation    | YES / 2   | YES                    | 30kVA  | 480/480               | \$16,930 | 792          | \$16,930   |

Dual feed applications require 2 transformer cabinets, one for the rectifier and one for the bypass

## 9355 20 & 30kVA WALL MOUNT MAINTENANCE BYPASS PANELS (Non matching)

| Catalog Number | Description  | Input/ Output Voltage | List Price | Discount | DIR Discount Price |
|----------------|--|-----------------------|------------|----------|--------------------|
| 124100026-001  | 9355 30 kVA Wall-mount Parallel Tie Cabinet 2-Breaker MBP (400A Bus, 200A Neutral, (1) 350A MBP, & 4 110A MOB)                               | 208/208               | \$4,850    | 32.50%   | \$3,274            |
| 124100026-002  | 9355 30 kVA Wall Mount Parallel Tie Cabinet With MIS Breaker (350A MBP, 350A MIS, & (4) 110A MOB)  | 208/208               | \$12,140   | 32.50%   | \$8,195            |
| 124100028-001  | 9355 20 & 30 kVA 3-breaker Maintenance Bypass Panel (225A Bus, 225A Neutral, & 125A MIB, 110A MIS and MBP, 65kAIC)                           | 208/208               | \$6,100    | 32.50%   | \$4,118            |
| 124100028-002  | 9355 20 & 30 kVA 3-breaker Maintenance Bypass Panel with integrated 120kA SPD (225A Bus, 225A Neutral, & 125A MIB, 110A MIS and MBP, 65kAIC) | 208/208               | \$11,580   | 32.50%   | \$7,817            |
| 124100028-003  | 9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Panel (Eaton GHB 65kAIC)  | 208/208               | \$7,040    | 32.50%   | \$4,752            |
| 124100028-004  | 9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with Integrated 120kA SPD and 36-pole Distribution Panel (Eaton GHB 65kAIC)              | 208/208               | \$12,100   | 32.50%   | \$8,168            |
| 124100028-006  | 9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Panel (Eaton QBHW 22kAIC)                                       | 208/208               | \$7,040    | 32.50%   | \$4,752            |
| 124100028-007  | 9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Panel (Eaton BAB 10 kAIC)                                       | 208/208               | \$7,040    | 32.50%   | \$4,752            |
| 124100028-008  | 9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with Integrated 120kA SPD and 36-pole Distribution Panel (Eaton QBHW 22kAIC)             | 208/208               | \$12,100   | 32.50%   | \$8,168            |

# EATON 9355 UPS & ACCESSORIES



|               |   |         |          |        |         |
|---------------|---|---------|----------|--------|---------|
| 124100028-009 | 9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with Integrated 120kA SPD and 36-pole Distribution Panel (Eaton BAB 10KAIC) | 208/208 | \$12,100 | 32.50% | \$8,168 |
|---------------|---|---------|----------|--------|---------|

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.  
 Note: Please specify preference for breakers.

## 9355-10 & 15kVA EXTENDED BATTERY BACKUP OPTIONS

| Catalog Number | Description  | Rating | Voltage | List Price | Discount | DIR Discount Price |
|----------------|--|--------|---------|------------|----------|--------------------|
| 103004192-5501 | 9355 10-15 kVA 2-High Line-up Extended Battery (EBM) | 15kVA  | 192 vdc | \$9,540    | 32.50%   | \$6,440            |
| 103004193-5501 | 9355 10-15 kVA 3-High Line-up Extended Battery (EBM) | 15kVA  | 192 vdc | \$13,640   | 32.50%   | \$9,207            |

## 9355-10 & 15kVA BATTERY BACKUP TIMES (in minutes) @ 0.9 POWER FACTOR

| Load (VA/Watts) | UPS with Internal |           |           |           | UPS with Internal |            |           |           |           |
|-----------------|-------------------|-----------|-----------|-----------|-------------------|------------|-----------|-----------|-----------|
|                 | 32 Battery        | +1 EBM 64 | +2 EBM 64 | +3 EBM 64 | +4 EBM 64         | 64 Battery | +3 EBM 96 | +2 EBM 96 | +3 EBM 96 |
| 15000/13500     | 4.6               | 23.0      | 43.0      | 65.1      | 88.6              | 13.3       | 113.0     | 76.7      | 113.0     |
| 14500/13050     | 4.9               | 24.1      | 45.2      | 68.3      | 93.0              | 14.1       | 119.0     | 80.5      | 119.0     |
| 14000/12600     | 5.2               | 25.2      | 47.3      | 71.5      | 97.4              | 14.9       | 125.0     | 84.2      | 125.0     |
| 13500/12150     | 5.5               | 26.4      | 49.4      | 74.7      | 102.0             | 15.8       | 130.0     | 88.1      | 130.0     |
| 13000/11700     | 5.8               | 27.6      | 51.6      | 78.1      | 106.0             | 16.7       | 136.0     | 92.0      | 136.0     |
| 12500/11250     | 6.1               | 28.8      | 54.0      | 81.6      | 111.0             | 17.6       | 142.0     | 96.2      | 142.0     |
| 12000/10800     | 6.5               | 30.2      | 56.5      | 85.5      | 116.0             | 18.6       | 149.0     | 101.0     | 149.0     |
| 11500/10350     | 6.9               | 31.6      | 59.3      | 89.7      | 122.0             | 19.2       | 156.0     | 106.0     | 156.0     |
| 11000/9900      | 7.3               | 33.3      | 62.4      | 94.4      | 129.0             | 20.2       | 164.0     | 111.0     | 164.0     |
| 10500/9450      | 7.8               | 35.1      | 65.9      | 99.6      | 136.0             | 21.4       | 174.0     | 117.0     | 174.0     |
| 10000/9000      | 8.4               | 37.2      | 69.8      | 106.0     | 144.0             | 22.6       | 184.0     | 124.0     | 184.0     |
| 9500/8550       | 9.1               | 39.6      | 74.2      | 112.0     | 153.0             | 24.1       | 196.0     | 132.0     | 196.0     |
| 9000/8100       | 9.9               | 42.3      | 79.4      | 120.0     | 163.0             | 25.7       | 209.0     | 141.0     | 209.0     |
| 8500/7650       | 10.8              | 45.5      | 85.2      | 129.0     | 175.0             | 27.6       | 225.0     | 152.0     | 225.0     |
| 8000/7200       | 11.9              | 49.1      | 91.9      | 139.0     | 189.0             | 29.8       | 242.0     | 164.0     | 242.0     |
| 7500/6750       | 13.1              | 53.2      | 99.7      | 151.0     | 205.0             | 32.3       | 263.0     | 178.0     | 263.0     |
| 7000/6300       | 14.6              | 58.0      | 109.0     | 164.0     | 224.0             | 35.2       | 286.0     | 194.0     | 286.0     |
| 6500/5850       | 16.3              | 63.5      | 119.0     | 180.0     | 245.0             | 38.6       | 314.0     | 212.0     | 314.0     |
| 6000/5400       | 18.4              | 70.0      | 131.0     | 198.0     | 270.0             | 42.5       | 346.0     | 234.0     | 346.0     |
| 5500/4950       | 20.1              | 77.6      | 145.0     | 220.0     | 300.0             | 47.2       | 383.0     | 259.0     | 383.0     |
| 5000/4500       | 22.4              | 86.6      | 162.0     | 245.0     | 334.0             | 52.6       | 428.0     | 289.0     | 428.0     |
| 4500/4050       | 25.2              | 97.4      | 182.0     | 276.0     | 376.0             | 59.2       | -         | 325.0     | -         |
| 4000/3600       | 28.6              | 110.0     | 207.0     | 313.0     | 426.0             | 67.1       | -         | 369.0     | -         |
| 3500/3150       | 32.8              | 127.0     | 238.0     | 359.0     | -                 | 77.0       | -         | 423.0     | -         |
| 3000/2700       | 38.3              | 148.0     | 277.0     | 418.0     | -                 | 89.7       | -         | -         | -         |
| 2500/2250       | 45.6              | 176.0     | 329.0     | -         | -                 | 107.0      | -         | -         | -         |

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## 9355-20 & 30kVA EXTENDED BATTERY BACKUP OPTIONS

| Catalog Number | Description   | Rating | Voltage | MSRP     | Discount | DIR Discount |
|----------------|---|--------|---------|----------|----------|--------------|
| 103005183      | 9355 20 & 30 kVA 2 String Line & Match Extended Battery Cabinet | 30kVA  | 216 vdc | \$13,480 | 32.50%   | \$9,099      |
| 103004868      | 9355 20 & 30 kVA 4 String Line & Match Extended Battery Cabinet | 30kVA  | 216 vdc | \$20,560 | 32.50%   | \$13,878     |

## 9355 BATTERY BACKUP TIMES (in minutes) @ 0.9 POWER FACTOR

| Load (VA/Watts) | UPS with Internal Battery | Internal Battery +EBC 36 | Internal Battery +EBC 72 | Internal Battery +2 EBC 72 |
|-----------------|---------------------------|--------------------------|--------------------------|----------------------------|
|                 | 30000/27000               | 11                       | 31                       | 56                         |
| 29000/26100     | 11                        | 33                       | 58                       | 90                         |
| 28000/25200     | 12                        | 35                       | 60                       | 93                         |
| 27000/24300     | 12                        | 38                       | 62                       | 95                         |
| 26000/23400     | 13                        | 40                       | 65                       | 98                         |
| 25000/22500     | 14                        | 43                       | 68                       | 101                        |
| 24000/21600     | 14                        | 46                       | 71                       | 103                        |
| 23000/20700     | 15                        | 48                       | 74                       | 106                        |
| 22000/19800     | 16                        | 51                       | 76                       | 109                        |
| 21000/18900     | 17                        | 53                       | 79                       | 111                        |
| 20000/18000     | 18                        | 56                       | 82                       | 114                        |
| 19000/17100     | 19                        | 58                       | 85                       | 117                        |
| 18000/16200     | 20                        | 62                       | 88                       | 120                        |
| 17000/15300     | 22                        | 66                       | 92                       | 130                        |
| 16000/14400     | 24                        | 71                       | 96                       | 142                        |
| 15000/13500     | 26                        | 75                       | 101                      | 154                        |
| 14000/12600     | 28                        | 79                       | 105                      | 166                        |
| 13000/11700     | 31                        | 84                       | 110                      | 178                        |
| 12000/10800     | 35                        | 88                       | 114                      | 201                        |
| 11000/9900      | 38                        | 94                       | 119                      | 226                        |
| 10000/9000      | 42                        | 101                      | 134                      | 251                        |
| 7500/6750       | 58                        | 117                      | 188                      | 347                        |
| 5000/4500       | 90                        | 118                      | 294                      | 543                        |

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

## SERVICES

For detailed information on service plans, please contact your Eaton Service Sales Representative or use online service configurator

# EATON EMERGENCY LIGHTING UPS



## 5.7kW to 27kW

Emergency Lighting product line offers a UPS system with matching battery cabinets to achieve UL 924 required 90 minutes of runtime.

The Eaton Emergency Lighting UPS line combines high capacity and a small footprint, making it a cost-effective solution to comply with Emergency Lighting requirements.

All solutions are fully tested to comply with UL 924.

- 90 minutes of runtime
- Allows for a manually operated and protected test switch
- 5.7-27KW
- 208, 240, 277 and 480V options



### 9155 SINGLE-PHASE EMERGENCY LIGHTING

| Catalog Number  | Description                         | QTY Needed | System Description                               | Rating (kVA/kW) | Input - Output Voltage             | Dimensions (HxWxD, inches) | Weight (lb) | List Price Ea. | System List Price | Discount | DIR Discount Price |
|-----------------|-------------------------------------|------------|--|-----------------|------------------------------------|----------------------------|-------------|----------------|-------------------|----------|--------------------|
| BH8KEL2081P100  | 5.7 kW UL 924 UPS                   | 1          | 9155 Emergency Lighting Single-phase 5.7 kW UPS  | 5.7/5.7         | 120/208-120/208<br>120/240-120/240 | 47.8 x 24.0 x 33.7         | 1,350       | \$20,060       | \$34,630          | 32.5%    | \$23,375           |
| BHEBM96EL600    | UL 924 Battery Cabinet              | 1          |  |                 |                                    |                            |             | \$14,570       |                   |          |                    |
| BH10KEL2081P100 | 6.8 kW UL 924 UPS                   | 1          | 9155 Emergency Lighting Single-phase 6.8 kW UPS  | 6.8/6.8         | 120/208-120/208<br>120/240-120/240 | 47.8 x 36.0 x 33.7         | 2,060       | \$22,770       | \$51,910          | 32.5%    | \$35,039           |
| BHEBM96EL600    | UL 924 Battery Cabinet              | 2          |  |                 |                                    |                            |             | \$14,570       |                   |          |                    |
| BH15KEL2081P100 | 10.7 kW UL 924 UPS                  | 1          | 9155 Emergency Lighting Single-phase 10.7 kW UPS | 10.7/10.7       | 120/208-120/208<br>120/240-120/240 | 47.8 x 48.0 x 33.7         | 2,770       | \$25,840       | \$69,550          | 32.50%   | \$46,946           |
| BHEBM96EL600    | UL 924 Battery Cabinet              | 3          |  |                 |                                    |                            |             | \$14,570       |                   |          |                    |
| BH10KEL2081P100 | 6.8 kW UL 924 UPS                   | 1          | 9155 Emergency Lighting Single-phase 6.8 kW UPS  | 6.8/6.8         | 277 - 277                          | 47.8 x 36.0 x 33.7         | 2,060       | \$22,770       | \$59,230          | 32.50%   | \$35,039           |
| BHEBM96EL600    | UL 924 Battery Cabinet              | 2          |  |                 |                                    |                            |             | \$14,570       |                   |          |                    |
| S27N11S15N      | 277V to 240V/120V input transformer | 1          |  |                 |                                    | 19 x 13.4 x 10.6           | 180         | \$3,530        |                   |          |                    |
| S24N27S15       | 240V to 277V output transformer     | 1          |  |                 |                                    | 19 x 13.4 x 10.6           | 180         | \$3,790        |                   |          |                    |
| BH15KEL2081P10T | 9 kW UL 924 UPS                     | 1          | 9155 Emergency Lighting Single-phase 9 kW UPS    | 9/9             | 277 - 277                          | 47.8 x 48.0 x 33.7         | 2,770       | \$24,610       | \$75,640          | 32.50%   | \$35,039           |
| BHEBM96EL600    | UL 924 Battery Cabinet              | 3          |  |                 |                                    |                            |             | \$14,570       |                   |          |                    |
| S27N11S15N      | 277V to 240V/120V input transformer | 1          |  |                 |                                    | 19 x 13.4 x 10.6           | 180         | \$3,530        |                   |          |                    |
| S24N27S15       | 240V to 277V output transformer     | 1          |  |                 |                                    | 19 x 13.4 x 10.6           | 180         | \$3,790        |                   |          |                    |

### 9355 THREE-PHASE EMERGENCY LIGHTING

| Catalog Number  | Description            | QTY Needed | System Description                              | Rating (kVA/kW) | Input - Output Voltage | Dimensions (HxWxD, inches) | Weight (lb) | List Price Ea. | System List Price | Discount | DIR Discount Price |
|-----------------|------------------------|------------|---|-----------------|------------------------|----------------------------|-------------|----------------|-------------------|----------|--------------------|
| BH10KEL2083P100 | 8.5 kW UL 924 UPS      | 1          | 9355 Emergency Lighting Three-phase 8.5 kW UPS  | 8.5/8.5         | 120/208-120/208        | 47.8 x 36.0 x 33.7         |             | \$28,300       | \$57,440          | 32.5%    | \$38,772           |
| BHEBM96EL600    | UL 924 Battery Cabinet | 2          |   |                 |                        |                            |             | \$14,570       |                   |          |                    |
| BH15KEL2083P100 | 13.1 kW UL 924 UPS     | 1          | 9355 Emergency Lighting Three-phase 13.1 kW UPS | 13.1/13.1       | 120/208-120/208        | 47.8 x 48.0 x 33.7         |             | \$30,760       | \$74,470          | 32.5%    | \$50,267           |
| BHEBM96EL600    | UL 924 Battery Cabinet | 3          |   |                 |                        |                            |             | \$14,570       |                   |          |                    |
| BH20KEL2083P100 | 18 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 18 kW UPS   | 18/18           | 120/208-120/208        | 66.0 x 60.0 x 34.1         |             | \$37,530       | \$82,750          | 32.5%    | \$55,856           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 2          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BH30KEL2085F100 | 24 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 24 kW UPS   | 24/24           | 120/208-120/208        | 66.0 x 60.0 x 34.1         |             | \$38,760       | \$83,980          | 32.5%    | \$56,687           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 2          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BH30KEL2083P100 | 27 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 27 kW UPS   | 27/27           | 120/208-120/208        | 66.0 x 80.0 x 34.1         |             | \$39,380       | \$107,210         | 32.5%    | \$72,367           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 3          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BH20KEL2083P100 | 18 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 18 kW UPS   | 18/18           | 480/277-480/277        | 66.0 x 80.0 x 34.1         |             | \$37,530       | \$99,980          | 32.5%    | \$67,487           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 2          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BHKBT004200     | 480/480V Transformer   | 1          |   |                 |                        |                            |             | \$17,230       |                   |          |                    |
| BH30KEL2085F100 | 24 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 24 kW UPS   | 24/24           | 480/277-480/277        | 66.0 x 80.0 x 34.1         |             | \$38,760       | \$101,210         | 32.5%    | \$68,317           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 2          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BHKBT004200     | 480/480V Transformer   | 1          |   |                 |                        |                            |             | \$17,230       |                   |          |                    |
| BH30KEL2083P100 | 27 kW UL 924 UPS       | 1          | 9355 Emergency Lighting Three-phase 27 kW UPS   | 27/27           | 480/277-480/277        | 66.0 x 100 x 34.1          |             | \$39,380       | \$124,440         | 32.5%    | \$83,997           |
| BHEBC72EL600    | UL 924 Battery Cabinet | 3          |   |                 |                        |                            |             | \$22,610       |                   |          |                    |
| BHKBT004200     | 480/480V Transformer   | 1          |   |                 |                        |                            |             | \$17,230       |                   |          |                    |

For 9155 and 9355 models up to 13.1kVA: add 47 lbs for 2-high configurations or 50 lbs for 3-high configurations to determine shipping weight.

Add 6" to height for pallet. Pallet size 32"W x 44"L

For 9355-20 and 30kVA models: add 60 lbs to determine shipping weight. Add 6" for pallet height. Pallet size 34" W x 40" L

### 9155 & 9355 EMERGENCY LIGHTING ACCESSORIES AND OPTIONS

#### Seismic Kits

| Catalog Number | Quantity                | Description  | MSRP    | Discount | DIR Discount Price |
|----------------|-------------------------|--|---------|----------|--------------------|
| 103004194-5501 | Order 1 kit per cabinet | Seismic/OSHPD kit, 9155 - UPS and battery cabinets only          | \$2,820 | 32.5%    | \$1,904            |
| 103004194-5501 | Order 1 kit per cabinet | Seismic/OSHPD kit, 9355 8-13.1 kW - UPS and battery cabinets     | \$2,820 | 32.5%    | \$1,904            |
| 103004896      | Order 1 kit per cabinet | Seismic/OSHPD kit, 9355 18-27 kW - UPS and options cabinets only | \$800   | 32.5%    | \$540              |

#### Notes:

1. 9155 seismic/OSHPD kits mount to UPS and battery cabinets only.
2. 9355 8.5-13.1 kW seismic/OSHPD kits mount to UPS and battery cabinets.
3. 9355 18-27 kW seismic/OSHPD kits mount to UPS only. Not compatible with battery cabinets.

### CONNECTIVITY OPTIONS (ordered separately)

Available X-Slot card options: The UPS has two X-Slot bays available

| Catalog Number | Description                            | Material number | Weight (lb) | MSRP  | Discount | DIR Discount Price |
|----------------|--|-----------------|-------------|-------|----------|--------------------|
| INDGW-X2       | (NEW) Industrial Gateway Card (X-Slot) | 744-07538       | 2           | \$556 | 32.5%    | \$375              |
| 103003055      | Industrial Relay Card                  | 103003055       | 2           | \$480 | 32.5%    | \$324              |

# POWER-SUPPRESS 100: 500 to 7500 VA

## Ultra-isolator Noise Suppressor and Isolation Provider

The Power-Suppress 100 offers the following advanced features:

- Traps unwanted harmonics
- Removes surge voltages and minimizes reflected THD
- Eliminates load generated feedback
- Available in both hardwired or line cord/receptacle models
- Fast and easy installation
- Long life operation
- Small footprint—saves valuable space
- Meets FCC Category A
- UL 1012, cUL, UL 1449

| Catalog Number                     | Style Number | Description                    | Input/Output Voltage      | MSRP    | Discount | DIR Discount Price |
|------------------------------------|--------------|--------------------------------|---------------------------|---------|----------|--------------------|
| <b>Line-cord/receptacle models</b> |              |                                |                           |         |          |                    |
| T100R-0500                         | T100R-0500   | PWR SUPPRESS T100 RCPT 500 VA  | 120V IN, 120V OUT         | \$1,103 | 32.50%   | \$745              |
| T100R-0750                         | T100R-0750   | PWR SUPPRESS T100 RCPT 750 VA  | 120V IN, 120V OUT         | \$1,183 | 32.50%   | \$799              |
| T100R-1000                         | T100R-1000   | PWR SUPPRESS T100 RCPT 1000 VA | 120V IN, 120V OUT         | \$1,209 | 32.50%   | \$816              |
| T100R-1800                         | T100R-1800   | PWR SUPPRESS T100 RCPT 1800 VA | 120V IN, 120V OUT         | \$1,846 | 32.50%   | \$1,246            |
| T100R-2400                         | T100R-2400   | PWR SUPPRESS T100 RCPT 2400 VA | 120V IN, 120V OUT         | \$2,052 | 32.50%   | \$1,385            |
| <b>Terminal style models</b>       |              |                                |                           |         |          |                    |
| T100H-0500                         | T100H-0500   | PWR SUPPRESS T100 HW 500 VA    | 120/240V IN, 120/240V OUT | \$1,195 | 32.50%   | \$807              |
| T100H-0750                         | T100H-0750   | PWR SUPPRESS T100 HW 750 VA    | 120/240V IN, 120/240V OUT | \$1,223 | 32.50%   | \$826              |
| T100H-1000                         | T100H-1000   | PWR SUPPRESS T100 HW 1000 VA   | 120/240V IN, 120/240V OUT | \$1,238 | 32.50%   | \$836              |
| T100H-1800                         | T100H-1800   | PWR SUPPRESS T100 HW 1800 VA   | 120/240V IN, 120/240V OUT | \$1,623 | 32.50%   | \$1,096            |
| T100H-2500                         | T100H-2500   | PWR SUPPRESS T100 HW 2500 VA   | 120/240V IN, 120/240V OUT | \$1,755 | 32.50%   | \$1,185            |
| T100H-5000                         | T100H-5000   | PWR SUPPRESS T100 HW 5000 VA   | 120/240V IN, 120/240V OUT | \$2,517 | 32.50%   | \$1,699            |
| T100H-5001*                        | T100H-5001   | PWR SUPPRESS T100 HW V 5000 VA | 240/480V IN, 120/240V OUT | \$3,043 | 32.50%   | \$2,054            |
| T100H-7500                         | T100H-7500   | PWR SUPPRESS T100 HW 7500 VA   | 120/240V IN, 120/240V OUT | \$3,053 | 32.50%   | \$2,061            |
| T100H-7501*                        | T100H-7501   | PWR SUPPRESS T100 HW 7500 VA   | 240/480V IN, 120/240V OUT | \$3,693 | 32.50%   | \$2,493            |

\* Please note the higher input voltage on these models

## Power-Suppress 600

The Power-Suppress 600 provides High Efficiency Isolation and Power Conditioning

- Traps unwanted harmonics
- Removes surge voltages and minimizes reflected THD
- Eliminates load generated feedback
- K Rated for high harmonic content Loads
- Triple shielded, computer grade transformer
- Highly efficient—97% typical
- IR Scanning Window for ease of maintenance and safety
- Transient protection and high frequency filter

| Catalog Number  | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | MSRP     | MSRP adder for NEMA 3R Option | MSRP adder for 3rd Shield option | MSRP adder for Int Surge Window option | MSRP for IR Window Discount | DIR Discount Price |
|-----------------|--------------|---------------------------------|---------------------------------|-------------|----------|-------------------------------|----------------------------------|--|-----------------------------|--------------------|
| <b>208/208V</b> |              |                                 |                                 |             |          |                               |                                  |  |                             |                    |
| T600BL-015N6    | T600BL-015N6 | PWRSURE 600<br>208/208V 15 kVA  | 23 x 20 x 28                    | 370         | \$9,513  | \$433                         | \$216                            | \$1,873                                | \$1,976                     | 32.50% \$6,421     |
| T600BL-030N6    | T600BL-030N6 | PWRSURE 600<br>208/208V 30 kVA  | 23 x 20 x 28                    | 495         | \$12,453 | \$432                         | \$216                            | \$1,759                                | \$1,974                     | 32.50% \$8,406     |
| T600BL-045N6    | T600BL-045N6 | PWRSURE 600<br>208/208V 45 kVA  | 23 x 20 x 28                    | 700         | \$16,479 | \$426                         | \$332                            | \$1,753                                | \$1,969                     | 32.50% \$11,123    |
| T600BL-075N6    | T600BL-075N6 | PWRSURE 600<br>208/208V 75 kVA  | 23 x 20 x 28                    | 830         | \$19,634 | \$432                         | \$392                            | \$1,759                                | \$1,975                     | 32.50% \$13,253    |
| T600BL-112N6    | T600BL-112N6 | PWRSURE 600<br>208/208V 112 kVA | 38 x 32 x 57                    | 1210        | \$29,340 | \$432                         | \$603                            | \$1,759                                | \$3,944                     | 32.50% \$19,805    |
| T600BL-150N6    | T600BL-150N6 | PWRSURE 600<br>208/208V 150 kVA | 38 x 32 x 57                    | 1470        | \$33,039 | \$432                         | \$713                            | \$2,279                                | \$3,944                     | 32.50% \$22,301    |

### 208/480V

| Catalog Number | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | List Price | MSRP adder for | MSRP adder for 3rd | MSRP adder for Int Surge Window | MSRP for IR Window Discount | DIR Discount Price |
|----------------|--------------|---------------------------------|---------------------------------|-------------|------------|----------------|--------------------|---------------------------------|-----------------------------|--------------------|
| T600BN-015N6   | T600BN-015N7 | PWRSURE 600<br>208/480V 15 kVA  | 23 x 20 x 28                    | 370         | \$9,513    | \$432          | \$216              | \$1,759                         | \$1,975                     | 32.50% \$6,421     |
| T600BN-030N6   | T600BN-030N7 | PWRSURE 600<br>208/480V30 kVA   | 23 x 20 x 28                    | 495         | \$12,453   | \$432          | \$216              | \$1,759                         | \$1,974                     | 32.50% \$8,406     |
| T600BN-045N6   | T600BN-045N7 | PWRSURE 600<br>208/480V 45 kVA  | 23 x 20 x 28                    | 700         | \$16,479   | \$426          | \$333              | \$1,752                         | \$1,969                     | 32.50% \$11,123    |
| T600BN-075N6   | T600BN-075N7 | PWRSURE 600<br>208/480V 75 kVA  | 23 x 20 x 28                    | 830         | \$19,634   | \$432          | \$392              | \$1,759                         | \$1,975                     | 32.50% \$13,253    |
| T600BN-112N6   | T600BN-112N6 | PWRSURE 600<br>208/480V 112 kVA | 38 x 32 57                      | 1210        | \$29,340   | \$432          | \$603              | \$1,759                         | \$3,945                     | 32.50% \$19,805    |
| T600BN-150N6   | T600BN-150N7 | PWRSURE 600<br>208/480V 150 kVA | 38 x 32 x 57                    | 1470        | \$33,039   | \$432          | \$713              | \$1,759                         | \$3,944                     | 32.50% \$22,301    |

### 240/208V

|              |              |                                 |              |      |          |       |       |         |         |                 |
|--------------|--------------|---------------------------------|--------------|------|----------|-------|-------|---------|---------|-----------------|
| T600CL-015N6 | T600CL-015N6 | PWRSURE 600<br>240/208V 15 kVA  | 23 x 20 x 28 | 370  | \$9,513  | \$432 | \$216 | \$1,759 | \$1,975 | 32.50% \$6,421  |
| T600CL-030N6 | T600CL-030N6 | PWRSURE 600<br>240/208V 30 kVA  | 23 x 20 x 28 | 495  | \$12,453 | \$432 | \$216 | \$1,759 | \$1,974 | 32.50% \$8,406  |
| T600CL-045N6 | T600CL-045N6 | PWRSURE 600<br>240/208V 45 kVA  | 23 x 20 x 28 | 700  | \$16,479 | \$426 | \$333 | \$1,753 | \$1,969 | 32.50% \$11,123 |
| T600CL-075N6 | T600CL-075N6 | PWRSURE 600<br>240/208V 75 kVA  | 23 x 20 x 28 | 830  | \$19,634 | \$432 | \$392 | \$1,759 | \$1,975 | 32.50% \$13,253 |
| T600CL-112N6 | T600CL-112N6 | PWRSURE 600<br>240/208V 112 kVA | 38 x 32 x 57 | 1210 | \$29,340 | \$432 | \$603 | \$1,759 | \$3,945 | 32.50% \$19,805 |
| T600CL-150N6 | T600CL-150N6 | PWRSURE 600<br>240/208V 150 kVA | 38 x 32 x 57 | 1470 | \$33,039 | \$432 | \$713 | \$2,279 | \$3,944 | 32.50% \$22,301 |

### 240/480V

|              |              |                                 |              |      |          |       |       |         |         |                 |
|--------------|--------------|---------------------------------|--------------|------|----------|-------|-------|---------|---------|-----------------|
| T600CN-015N6 | T600CN-015N6 | PWRSURE 600<br>240/480V 15 kVA  | 23 x 20 x 28 | 370  | \$9,513  | \$432 | \$216 | \$1,759 | \$1,975 | 32.50% \$6,421  |
| T600CN-030N6 | T600CN-030N6 | PWRSURE 600<br>240/480V 30 kVA  | 23 x 20 x 28 | 495  | \$12,453 | \$432 | \$216 | \$1,759 | \$1,974 | 32.50% \$8,406  |
| T600CN-045N6 | T600CN-045N6 | PWRSURE 600<br>240/480V 45 kVA  | 23 x 20 x 28 | 700  | \$16,479 | \$426 | \$333 | \$1,753 | \$1,969 | 32.50% \$11,123 |
| T600CN-075N6 | T600CN-075N6 | PWRSURE 600<br>240/480V 75 kVA  | 23 x 20 x 28 | 830  | \$19,634 | \$432 | \$392 | \$1,759 | \$1,975 | 32.50% \$13,253 |
| T600CN-112N6 | T600CN-112N6 | PWRSURE 600<br>240/480V 112 kVA | 38 x 32 x 57 | 1210 | \$29,340 | \$432 | \$603 | \$1,759 | \$3,945 | 32.50% \$19,805 |
| T600CN-150N6 | T600CN-150N6 | PWRSURE 600<br>240/480V 150 kVA | 38 x 32 x 57 | 1470 | \$33,039 | \$432 | \$713 | \$1,759 | \$3,944 | 32.50% \$22,301 |



**480/208V**

|              |              |                                 |                |      |           |       |         |         |         |        |          |
|--------------|--------------|---------------------------------|----------------|------|-----------|-------|---------|---------|---------|--------|----------|
| T600DL-015N6 | T600DL-015N6 | PWRSURE 600<br>480/208V 15 kVA  | 23 x 20 x 28   | 370  | \$9,860   | \$358 | \$220   | \$1,753 | \$1,629 | 32.50% | \$6,656  |
| T600DL-030N6 | T600DL-030N6 | PWRSURE 600<br>480/208V 30 kVA  | 23 x 20 x 28   | 495  | \$12,935  | \$357 | \$220   | \$1,752 | \$1,628 | 32.50% | \$8,731  |
| T600DL-045N6 | T600DL-045N6 | PWRSURE 600<br>480/208V 45 kVA  | 23 x 20 x 28   | 700  | \$17,912  | \$357 | \$366   | \$1,753 | \$3,257 | 32.50% | \$12,091 |
| T600DL-075N6 | T600DL-075N6 | PWRSURE 600<br>480/208V 75 kVA  | 23 x 20 x 28   | 830  | \$21,495  | \$357 | \$425   | \$1,752 | \$3,257 | 32.50% | \$14,509 |
| T600DL-112N6 | T600DL-112N6 | PWRSURE 600<br>480/208V 112 kVA | 38 x 32 x 57   | 1210 | \$32,149  | \$357 | \$657   | \$2,105 | \$3,257 | 32.50% | \$21,701 |
| T600DL-150N6 | T600DL-150N6 | PWRSURE 600<br>480/208V 150 kVA | 38 x 32 x 57   | 1470 | \$36,218  | \$357 | \$774   | \$2,105 | \$3,257 | 32.50% | \$24,447 |
| T600DL-225N6 | T600DL-225N6 | PWRSURE 600<br>480/208V 225 kVA | 38 x 32 x 57   | 1880 | \$47,952  | \$357 | \$983   | \$2,389 | \$3,257 | 32.50% | \$32,368 |
| T600DL-300N6 | T600DL-300N6 | PWRSURE 600<br>480/208V 300 kVA | 56 x 41.5 x 48 | 2656 | \$76,852  | STD   | \$1,546 | \$2,389 | \$3,973 | 32.50% | \$51,875 |
| T600DL-500N6 | T600DL-500N6 | PWRSURE 600<br>480/208V 500 kVA | 45 x 48 x 62.5 | 4820 | \$124,358 | STD   | \$2,508 | \$2,389 | \$4,886 | 32.50% | \$83,942 |

**480/480V**

|              |              |                                 |                |         |           |       |         |         |         |        |          |
|--------------|--------------|---------------------------------|----------------|---------|-----------|-------|---------|---------|---------|--------|----------|
| T600DN-015N6 | T600DN-015N6 | PWRSURE 600<br>480/480V 15 kVA  | 23 x 20 x 28   | 370     | \$9,510   | \$436 | \$220   | \$1,762 | \$1,979 | 32.50% | \$6,419  |
| T600DN-030N6 | T600DN-030N6 | PWRSURE 600<br>480/480V 30 kVA  | 23 x 20 x 28   | 495     | \$12,453  | \$432 | \$216   | \$1,759 | \$1,974 | 32.50% | \$8,406  |
| T600DN-045N6 | T600DN-045N6 | PWRSURE 600<br>480/480V 45 kVA  | 23 x 20 x 28   | 700     | \$16,479  | \$426 | \$332   | \$1,753 | \$1,969 | 32.50% | \$11,123 |
| T600DN-075N6 | T600DN-075N6 | PWRSURE 600<br>480/480V 75 kVA  | 23 x 20 x 28   | 830     | \$19,634  | \$432 | \$392   | \$1,759 | \$1,975 | 32.50% | \$13,253 |
| T600DN-112N6 | T600DN-112N6 | PWRSURE 600<br>480/480V 112 kVA | 38 x 32 x 57   | \$1,210 | \$29,340  | \$432 | \$603   | \$1,759 | \$3,945 | 32.50% | \$19,805 |
| T600DN-150N6 | T600DN-150N6 | PWRSURE 600<br>480/480V 150 kVA | 38 x 32 x 57   | \$1,470 | \$33,039  | \$432 | \$713   | \$2,279 | \$3,944 | 32.50% | \$22,301 |
| T600DN-225N6 | T600DN-225N6 | PWRSURE 600<br>480/480V 225 kVA | 38 x 32 x 57   | \$1,880 | \$43,965  | \$432 | \$905   | \$2,279 | \$3,944 | 32.50% | \$29,676 |
| T600DN-300N6 | T600DN-300N6 | PWRSURE 600<br>480/480V 300 kVA | 56 x 41.5 x 48 | \$2,656 | \$73,415  | STD   | \$1,479 | \$2,531 | \$3,973 | 32.50% | \$49,555 |
| T600DN-500N6 | T600DN-500N6 | PWRSURE 600<br>480/480V 500 kVA | 45 x 48 x 62.5 | \$4,820 | \$119,227 | STD   | \$2,402 | \$2,530 | \$4,886 | 32.50% | \$80,478 |

**600/208V**

| Catalog Number | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | MSRP      | MSRP adder for NEMA 3R Option | MSRP adder for 3rd Shield option | MSRP adder for Int Surge option | MSRP for IR Window option | MSRP for IR Discount | DIR Discount Price |
|----------------|--------------|---------------------------------|---------------------------------|-------------|-----------|-------------------------------|----------------------------------|---------------------------------|---------------------------|----------------------|--------------------|
| T600EL-015N6   | T600EL-015N6 | PWRSURE 600<br>480/480V 15 kVA  | 23 x 20 x 28                    | 370         | \$9,513   | \$432                         | \$216                            | \$1,759                         | \$1,975                   | 32.50%               | \$6,421            |
| T600EL-030N6   | T600EL-030N6 | PWRSURE 600<br>480/480V 30 kVA  | 23 x 20 x 28                    | 495         | \$12,453  | \$432                         | \$216                            | \$1,759                         | \$1,974                   | 32.50%               | \$8,406            |
| T600EL-045N6   | T600EL-045N6 | PWRSURE 600<br>480/480V 45 kVA  | 23 x 20 x 28                    | 700         | \$16,479  | \$426                         | \$333                            | \$1,753                         | \$1,969                   | 32.50%               | \$11,123           |
| T600EL-075N6   | T600EL-075N6 | PWRSURE 600<br>480/480V 75 kVA  | 23 x 20 x 28                    | 830         | \$19,634  | \$432                         | \$392                            | \$1,759                         | \$1,976                   | 32.50%               | \$13,253           |
| T600EL-112N6   | T600EL-112N6 | PWRSURE 600<br>480/480V 112 kVA | 38 x 32 x 57                    | 1210        | \$29,340  | \$432                         | \$603                            | \$1,759                         | \$3,945                   | 32.50%               | \$19,805           |
| T600EL-150N6   | T600EL-150N6 | PWRSURE 600<br>480/480V 150 kVA | 38 x 32 x 57                    | 1470        | \$33,039  | \$432                         | \$713                            | \$2,279                         | \$3,944                   | 32.50%               | \$22,301           |
| T600EL-225N6   | T600EL-225N6 | PWRSURE 600<br>480/480V 225 kVA | 38 x 32 x 57                    | 1880        | \$43,965  | \$432                         | \$906                            | \$2,279                         | \$3,944                   | 32.50%               | \$29,676           |
| T600EL-300N6   | T600EL-300N6 | PWRSURE 600<br>480/480V 300 kVA | 56 x 41.5 x 48                  | 2656        | \$73,415  | STD                           | \$1,479                          | \$2,531                         | \$3,973                   | 32.50%               | \$49,555           |
| T600EL-500N6   | T600EL-500N6 | PWRSURE 600<br>480/480V 500 kVA | 45 x 48 x 62.5                  | 4820        | \$119,227 | STD                           | \$2,402                          | \$2,530                         | \$4,886                   | 32.50%               | \$80,478           |

**600/480V**

|              |              |                                 |              |      |          |       |       |         |         |        |          |
|--------------|--------------|---------------------------------|--------------|------|----------|-------|-------|---------|---------|--------|----------|
| T600EN-015N6 | T600EN-015N6 | PWRSURE 600<br>600/480V 15 kVA  | 23 x 20 x 28 | 370  | \$9,513  | \$432 | \$216 | \$1,759 | \$1,975 | 32.50% | \$6,421  |
| T600EN-030N6 | T600EN-030N6 | PWRSURE 600<br>600/480V 30 kVA  | 23 x 20 x 28 | 495  | \$12,453 | \$432 | \$216 | \$1,759 | \$1,974 | 32.50% | \$8,406  |
| T600EN-045N6 | T600EN-045N6 | PWRSURE 600<br>600/480V 45 kVA  | 23 x 20 x 28 | 700  | \$16,479 | \$426 | \$333 | \$1,753 | \$1,969 | 32.50% | \$11,123 |
| T600EN-075N6 | T600EN-075N6 | PWRSURE 600<br>600/480V 75 kVA  | 23 x 20 x 28 | 830  | \$19,634 | \$432 | \$392 | \$1,759 | \$1,976 | 32.50% | \$13,253 |
| T600EN-112N6 | T600EN-112N6 | PWRSURE 600<br>600/480V 112 kVA | 38 x 32 x 57 | 1210 | \$29,340 | \$432 | \$603 | \$1,759 | \$3,945 | 32.50% | \$19,805 |
| T600EN-150N6 | T600EN-150N6 | PWRSURE 600<br>600/480V 150 kVA | 38 x 32 x 57 | 1470 | \$33,039 | \$432 | \$713 | \$2,279 | \$3,944 | 32.50% | \$22,301 |
| T600EN-225N6 | T600EN-225N6 | PWRSURE 600<br>600/480V 225 kVA | 38 x 32 x 57 | 1880 | \$43,965 | \$432 | \$906 | \$2,279 | \$3,944 | 32.50% | \$29,676 |

|              |              |                                 |                |      |                  |     |         |         |         |        |                 |
|--------------|--------------|---------------------------------|----------------|------|------------------|-----|---------|---------|---------|--------|-----------------|
| T600EN-300N6 | T600EN-300N6 | PWRSURE 600<br>600/480V 300 kVA | 56 x 41.5 x 48 | 2656 | <b>\$73,415</b>  | STD | \$1,479 | \$2,531 | \$3,973 | 32.50% | <b>\$49,555</b> |
| T600EN-500N6 | T600EN-500N6 | PWRSURE 600<br>600/480V 500 kVA | 45 x 48 x 62.5 | 4820 | <b>\$119,227</b> | STD | \$2,402 | \$2,530 | \$4,886 | 32.50% | <b>\$80,478</b> |

**Power-Suppress 600 OPTIONS**

| <b>Suffix</b> | <b>Description</b>                       |
|---------------|--|
| N             | NEMA 1/2 Enclosure                       |
| R             | NEMA 3R Enclosure                        |
| A             | Third Shield                             |
| B             | Surge Protector                          |
| C             | IR Window                                |
| D             | Third Shield, Surge Protector            |
| E             | Third Shield, IR Window                  |
| F             | Surge Protector, IR Window               |
| G             | Third Shield, Surge Protector, IR Window |

## Power-Sure 700

The Power-Sure 700 provides intelligent protection for transmitters & industrial controls.

- Fast microprocessor controlled voltage regulation
- Tight output voltage regulation
- Zero-current switching
- Wide input regulation range
- Triple shielded, computer grade transformer
- Highly efficient—97% typical
- High inrush capability
- Transient protection and high frequency filter
- Includes input circuit breaker
- Manual bypass switch

Optional 10-45 kVA

Standard 50+ kVA

| Catalog Number  | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | List Price | MSRP w/ B option | MSRP w/ STD Meter option | MSRP w/ Premium Meter option | MSRP w/ Int Surge option | Discount | DIR Discount Price |
|-----------------|--------------|---------------------------------|---------------------------------|-------------|------------|------------------|--------------------------|------------------------------|--------------------------|----------|--------------------|
| <b>208/208V</b> |              |                                 |                                 |             |            |                  |                          |                              |                          |          |                    |
| TBL-010K-6      | TBL-010K-6   | PWRSURE 700<br>208/208V 10 kVA  | 30.2 x 22.2 x 29.0              | 440         | \$22,176   | \$24,209         | \$27,920                 | \$29,667                     | \$24,426                 | 32.50%   | \$14,969           |
| TBL-015K-6      | TBL-015K-6   | PWRSURE 700<br>208/208V 15 kVA  | 30.2 x 22.2 x 29.0              | 520         | \$23,999   | \$26,033         | \$29,738                 | \$31,490                     | \$26,255                 | 32.50%   | \$16,199           |
| TBL-025K-6      | TBL-025K-6   | PWRSURE 700<br>208/208V 25 kVA  | 44.2 x 22.2 x 29.0              | 700         | \$34,604   | \$36,638         | \$40,349                 | \$42,101                     | \$36,854                 | 32.50%   | \$23,358           |
| TBL-030K-6      | TBL-030K-6   | PWRSURE 700<br>208/208V 30 kVA  | 44.2 x 22.2 x 29.0              | 720         | \$29,964   | \$31,998         | \$35,709                 | \$37,462                     | \$32,221                 | 32.50%   | \$20,226           |
| TBL-045K-6      | TBL-045K-6   | PWRSURE 700<br>208/208V 45 kVA  | 44.3 x 45.9 x 29.0              | 950         | \$38,698   | \$40,716         | \$43,078                 | \$44,837                     | \$39,589                 | 32.50%   | \$26,121           |
| TBL-050K-6      | TBL-050K-6   | PWRSURE 700<br>208/208V 50 kVA  | 66.0 x 29.0 x 35.5              | 970         | \$45,532   | STD              | \$51,281                 | \$53,029                     | \$47,787                 | 32.50%   | \$30,734           |
| TBL-075K-6      | TBL-075K-6   | PWRSURE 700<br>208/208V 75 kVA  | 76.0 x 34.4 x 35.5              | 1100        | \$56,069   | STD              | \$57,166                 | \$58,918                     | \$53,683                 | 32.50%   | \$37,847           |
| TBL-100K-6      | TBL-100K-6   | PWRSURE 700<br>208/208V 100 kVA | 76.0 x 34.4 x 35.5              | 1660        | \$69,878   | STD              | \$75,210                 | \$76,969                     | \$71,721                 | 32.50%   | \$47,168           |
| TBL-125K-6      | TBL-125K-6   | PWRSURE 700<br>208/208V 125 kVA | 76.0 x 34.4 x 35.5              | 1980        | \$78,500   | STD              | \$84,243                 | \$86,002                     | \$80,749                 | 32.50%   | \$52,988           |
| TBL-150K-6      | TBL-150K-6   | PWRSURE 700<br>208/208V 150 kVA | 76.0 x 34.4 x 35.5              | 2200        | \$93,406   | STD              | \$99,149                 | \$100,908                    | \$95,655                 | 32.50%   | \$63,049           |
| TBL-225K-6      | TBL-225K-6   | PWRSURE 700<br>208/208V 225 kVA | 77.4 x 56.0 x 41.5              | 3300        | \$144,365  | STD              | \$150,108                | \$151,867                    | \$146,619                | 32.50%   | \$97,446           |
| TBL-300K-6      | TBL-300K-6   | PWRSURE 700<br>208/208V 300 kVA | 77.4 x 56.0 x 41.5              | 4000        | \$210,352  | STD              | \$213,157                | \$214,560                    | \$212,129                | 32.50%   | \$141,988          |

### 240/208V

| Catalog Number | Style Number | Description                    | Dimensions* (H x W x D, inches) | Weight (lb) | List Price | MSRP w/ B option | MSRP w/ STD Meter option | MSRP w/ Premium Meter option | MSRP w/ Int Surge option | Discount | DIR Discount Price |
|----------------|--------------|--------------------------------|---------------------------------|-------------|------------|------------------|--------------------------|------------------------------|--------------------------|----------|--------------------|
| TCL-010K-6     | TCL-010K-6   | PWRSURE 700<br>240/208V 10 kVA | 30.2 x 22.2 x 29.0              | 440         | \$22,305   | \$24,344         | \$28,061                 | \$29,813                     | \$24,572                 | 32.50%   | \$15,056           |
| TCL-015K-6     | TCL-015K-6   | PWRSURE 700<br>240/208V 15 kVA | 30.2 x 22.2 x 29.0              | 520         | \$23,999   | \$26,033         | \$29,738                 | \$31,490                     | \$26,255                 | 32.50%   | \$16,199           |
| TCL-030K-6     | TCL-030K-6   | PWRSURE 700<br>240/208V 30 kVA | 44.2 x 22.2 x 29.0              | 720         | \$29,380   | \$31,082         | \$34,786                 | \$36,538                     | \$31,292                 | 32.50%   | \$19,832           |
| TCL-045K-6     | TCL-045K-6   | PWRSURE 700<br>240/208V 45 kVA | 44.3 x 45.9 x 29.0              | 950         | \$43,942   | \$47,325         | \$49,686                 | \$51,439                     | \$46,192                 | 32.50%   | \$29,661           |

### 240/208V

| Catalog Number | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | List Price | MSRP w/ B option | MSRP w/ STD Meter option | MSRP w/ Premium Meter option | MSRP w/ Int Surge option | Discount | DIR Discount Price |
|----------------|--------------|---------------------------------|---------------------------------|-------------|------------|------------------|--------------------------|------------------------------|--------------------------|----------|--------------------|
| TCL-050K-6     | TCL-050K-6   | PWRSURE 700<br>240/208V 50 kVA  | 66.0 x 29.0 x 35.5              | 970         | \$41,280   | STD              | \$44,158                 | \$45,917                     | \$40,670                 | 32.50%   | \$27,864           |
| TCL-075K-6     | TCL-075K-6   | PWRSURE 700<br>240/208V 75 kVA  | 76.0 x 34.4 x 35.5              | 1100        | \$56,069   | STD              | \$61,232                 | \$62,986                     | \$57,744                 | 32.50%   | \$37,847           |
| TCL-100K-6     | TCL-100K-6   | PWRSURE 700<br>240/208V 100 kVA | 76.0 x 34.4 x 35.5              | 1660        | \$72,095   | STD              | \$77,844                 | \$79,592                     | \$74,351                 | 32.50%   | \$48,664           |

### 480/208V

|            |            |                                |                    |     |          |          |          |          |          |        |          |
|------------|------------|--------------------------------|--------------------|-----|----------|----------|----------|----------|----------|--------|----------|
| TDL-010K-6 | TDL-010K-6 | PWRSURE 700<br>480/208V 10 kVA | 30.2 x 22.2 x 29.0 | 440 | \$24,573 | \$26,599 | \$30,310 | \$32,063 | \$26,822 | 32.50% | \$16,587 |
| TDL-015K-6 | TDL-015K-6 | PWRSURE 700<br>480/208V 15 kVA | 30.2 x 22.2 x 29.0 | 520 | \$27,178 | \$29,205 | \$32,922 | \$34,675 | \$29,428 | 32.50% | \$18,345 |
| TDL-025K-6 | TDL-025K-6 | PWRSURE 700<br>480/208V 25 kVA | 44.2 x 22.2 x 29.0 | 700 | \$29,215 | \$31,221 | \$34,932 | \$36,691 | \$31,444 | 32.50% | \$19,720 |

|                 |            |                                 |                    |      |           |          |           |           |           |        |          |
|-----------------|------------|---------------------------------|--------------------|------|-----------|----------|-----------|-----------|-----------|--------|----------|
| TDL-030K-6      | TDL-030K-6 | PWRSURE 700<br>480/208V 30 kVA  | 44.2 x 22.2 x 29.0 | 720  | \$30,450  | \$32,483 | \$36,194  | \$27,953  | \$32,706  | 32.50% | \$20,554 |
| TDL-045K-6      | TDL-045K-6 | PWRSURE 700<br>480/208V 45 kVA  | 44.3 x 45.9 x 29.0 | 950  | \$39,816  | \$43,201 | \$45,561  | \$47,320  | \$42,078  | 32.50% | \$26,876 |
| TDL-050K-6      | TDL-050K-6 | PWRSURE 700<br>480/208V 50 kVA  | 66.0 x 29.0 x 35.5 | 970  | \$41,280  | STD      | \$45,800  | \$47,553  | \$42,306  | 32.50% | \$27,864 |
| TDL-075K-6      | TDL-075K-6 | PWRSURE 700<br>480/208V 75 kVA  | 76.0 x 34.4 x 35.5 | 1100 | \$59,707  | STD      | \$65,451  | \$67,210  | \$61,957  | 32.50% | \$40,302 |
| TDL-100K-6      | TDL-100K-6 | PWRSURE 700<br>480/208V 100 kVA | 76.0 x 34.4 x 35.5 | 1660 | \$64,785  | STD      | \$70,529  | \$72,283  | \$67,035  | 32.50% | \$43,730 |
| TDL-125K-6      | TDL-125K-6 | PWRSURE 700<br>480/208V 125 kVA | 76.0 x 34.4 x 35.5 | 1980 | \$64,428  | STD      | \$70,173  | \$71,932  | \$66,679  | 32.50% | \$43,489 |
| TDL-150K-6      | TDL-150K-6 | PWRSURE 700<br>480/208V 150 kVA | 76.0 x 34.4 x 35.5 | 2200 | \$71,919  | STD      | \$77,664  | \$79,422  | \$74,169  | 32.50% | \$48,545 |
| TDL-225K-6      | TDL-225K-6 | PWRSURE 700<br>480/208V 225 kVA | 77.4 x 56.0 x 41.5 | 3300 | \$126,023 | STD      | \$131,772 | \$133,531 | \$128,284 | 32.50% | \$85,066 |
| TDL-300K-6      | TDL-300K-6 | PWRSURE 700<br>480/208V 300 kVA | 77.4 x 56.0 x 41.5 | 4000 | \$142,740 | STD      | \$145,545 | \$146,953 | \$144,522 | 32.50% | \$96,350 |
| <b>480/480V</b> |            |                                 |                    |      |           |          |           |           |           |        |          |
| TDN-010K-6      | TDN-010K-6 | PWRSURE 700<br>480/480V 10 kVA  | 30.2 x 22.2 x 29.0 | 440  | \$23,992  | \$24,724 | \$28,434  | \$30,193  | \$24,945  | 32.50% | \$16,195 |
| TDN-025K-6      | TDN-025K-6 | PWRSURE 700<br>480/480V 25 kVA  | 44.2 x 22.2 x 29.0 | 700  | \$31,987  | \$34,020 | \$37,731  | \$39,478  | \$34,237  | 32.50% | \$21,591 |
| TDN-030K-6      | TDN-030K-6 | PWRSURE 700<br>480/480V 30 kVA  | 44.2 x 22.2 x 29.0 | 720  | \$31,905  | \$33,932 | \$37,649  | \$39,402  | \$34,155  | 32.50% | \$21,536 |
| TDN-045K-6      | TDN-045K-6 | PWRSURE 700<br>480/480V 45 kVA  | 44.3 x 45.9 x 29.0 | 950  | \$41,003  | \$44,381 | \$46,746  | \$48,500  | \$43,258  | 32.50% | \$27,677 |
| TDN-075K-6      | TDN-075K-6 | PWRSURE 700<br>480/480V 75 kVA  | 76.0 x 34.4 x 35.5 | 1100 | \$50,758  | STD      | \$53,963  | \$55,710  | \$50,469  | 32.50% | \$34,262 |
| TDN-100K-6      | TDN-100K-6 | PWRSURE 700<br>480/480V 100 kVA | 76.0 x 34.4 x 35.5 | 1660 | \$63,435  | STD      | \$69,185  | \$70,938  | \$65,691  | 32.50% | \$42,819 |
| TDN-125K-6      | TDN-125K-6 | PWRSURE 700<br>480/480V 125 kVA | 76.0 x 34.4 x 35.5 | 1980 | \$65,199  | STD      | \$70,944  | \$72,697  | \$67,456  | 32.50% | \$44,009 |
| TDN-150K-6      | TDN-150K-6 | PWRSURE 700<br>480/480V 150 kVA | 76.0 x 34.4 x 35.5 | 2200 | \$78,750  | STD      | \$84,494  | \$86,247  | \$81,001  | 32.50% | \$53,156 |
| <b>600/208V</b> |            |                                 |                    |      |           |          |           |           |           |        |          |
| TEL-010K-6      | TEL-010K-6 | PWRSURE 700<br>600/208V 10 kVA  | 30.2 x 22.2 x 29.0 | 440  | \$23,105  | \$25,145 | \$28,849  | \$30,602  | \$25,361  | 32.50% | \$15,596 |
| TEL-015K-6      | TEL-015K-6 | PWRSURE 700<br>600/208V 15 kVA  | 30.2 x 22.2 x 29.0 | 520  | \$24,829  | \$26,863 | \$30,567  | \$32,321  | \$27,079  | 32.50% | \$16,760 |
| TEL-025K-6      | TEL-025K-6 | PWRSURE 700<br>600/208V 25 kVA  | 44.2 x 22.2 x 29.0 | 700  | \$30,076  | \$32,116 | \$35,832  | \$37,585  | \$32,344  | 32.50% | \$20,301 |
| TEL-030K-6      | TEL-030K-6 | PWRSURE 700<br>600/208V 30 kVA  | 44.2 x 22.2 x 29.0 | 720  | \$30,345  | \$32,385 | \$36,095  | \$37,841  | \$32,601  | 32.50% | \$20,483 |
| TEL-045K-6      | TEL-045K-6 | PWRSURE 700<br>600/208V 45 kVA  | 44.3 x 45.9 x 29.0 | 950  | \$40,157  | \$43,539 | \$45,905  | \$47,647  | \$42,411  | 32.50% | \$27,106 |
| TEL-050K-6      | TEL-050K-6 | PWRSURE 700<br>600/208V 50 kVA  | 66.0 x 29.0 x 35.5 | 970  | \$41,280  | STD      | \$46,607  | \$48,359  | \$43,112  | 32.50% | \$27,864 |
| TEL-075K-6      | TEL-075K-6 | PWRSURE 700<br>600/208V 75 kVA  | 76.0 x 34.4 x 35.5 | 1100 | \$62,442  | STD      | \$68,180  | \$69,933  | \$64,697  | 32.50% | \$42,148 |
| TEL-100K-6      | TEL-100K-6 | PWRSURE 700<br>600/208V 100 kVA | 76.0 x 34.4 x 35.5 | 1660 | \$74,205  | STD      | \$79,954  | \$81,707  | \$76,460  | 32.50% | \$50,088 |
| TEL-125K-6      | TEL-125K-6 | PWRSURE 700<br>600/208V 125 kVA | 76.0 x 34.4 x 35.5 | 1980 | \$67,513  | STD      | \$73,252  | \$75,010  | \$69,770  | 32.50% | \$45,571 |
| TEL-150K-6      | TEL-150K-6 | PWRSURE 700<br>600/208V 150 kVA | 76.0 x 34.4 x 35.5 | 2200 | \$91,471  | STD      | \$97,227  | \$98,980  | \$93,733  | 32.50% | \$61,743 |
| TEL-225K-6      | TEL-225K-6 | PWRSURE 700<br>600/208V 225 kVA | 77.4 x 56.0 x 41.5 | 3300 | \$126,023 | STD      | \$131,772 | \$133,531 | \$128,284 | 32.50% | \$85,066 |
| TEL-300K-6      | TEL-300K-6 | PWRSURE 700<br>600/208V 300 kVA | 77.4 x 56.0 x 41.5 | 4000 | \$141,705 | STD      | \$147,444 | \$149,202 | \$143,961 | 32.50% | \$95,651 |
| <b>600/480V</b> |            |                                 |                    |      |           |          |           |           |           |        |          |
| TEN-010K-6      | TEN-010K-6 | PWRSURE 700<br>600/480V 10 kVA  | 30.2 x 22.2 x 29.0 | 440  | \$24,923  | \$24,724 | \$28,434  | \$30,193  | \$24,945  | 32.50% | \$16,823 |
| TEN-015K-6      | TEN-015K-6 | PWRSURE 700<br>600/480V 15 kVA  | 30.2 x 22.2 x 29.0 | 520  | \$25,938  | \$27,564 | \$31,268  | \$33,027  | \$27,780  | 32.50% | \$17,508 |
| TEN-025K-6      | TEN-025K-6 | PWRSURE 700<br>600/480V 25 kVA  | 44.2 x 22.2 x 29.0 | 700  | \$29,595  | \$30,170 | \$33,875  | \$35,633  | \$30,385  | 32.50% | \$19,977 |
| TEN-030K-6      | TEN-030K-6 | PWRSURE 700<br>600/480V 30 kVA  | 44.2 x 22.2 x 29.0 | 720  | \$31,567  | \$33,606 | \$37,316  | \$39,069  | \$33,822  | 32.50% | \$21,308 |
| TEN-045K-6      | TEN-045K-6 | PWRSURE 700<br>600/480V 45 kVA  | 44.3 x 45.9 x 29.0 | 950  | \$38,698  | \$39,454 | \$41,821  | \$43,568  | \$38,327  | 32.50% | \$26,121 |

|            |            |                                 |                    |      |                 |     |          |          |          |        |                 |
|------------|------------|---------------------------------|--------------------|------|-----------------|-----|----------|----------|----------|--------|-----------------|
| TEN-075K-6 | TEN-075K-6 | PWRSURE 700<br>600/480V 75 kVA  | 76.0 x 34.4 x 35.5 | 1100 | <b>\$57,440</b> | STD | \$63,178 | \$64,937 | \$59,696 | 32.50% | <b>\$38,772</b> |
| TEN-100K-6 | TEN-100K-6 | PWRSURE 700<br>600/480V 100 kVA | 76.0 x 34.4 x 35.5 | 1660 | <b>\$67,449</b> | STD | \$73,194 | \$74,956 | \$69,699 | 32.50% | <b>\$45,528</b> |
| TEN-125K-6 | TEN-125K-6 | PWRSURE 700                     | 76.0 x 34.4 x 35.5 | 1980 | <b>\$69,757</b> | STD | \$75,495 | \$77,254 | \$72,007 | 32.50% | <b>\$47,086</b> |
| TEN-150K-6 | TEN-150K-6 | PWRSURE 700<br>600/480V 150 kVA | 76.0 x 34.4 x 35.5 | 2200 | <b>\$82,776</b> | STD | \$88,526 | \$90,279 | \$85,038 | 32.50% | <b>\$55,874</b> |

**600/480V**

| Catalog Number | Style Number | Description                     | Dimensions* (H x W x D, inches) | Weight (lb) | List Price       | MSRP w/ B option | MSRP w/ STD Meter option | MSRP w/ Premium Meter option | MSRP w/ Int Surge option | Discount | DIR Discount Price |
|----------------|--------------|---------------------------------|---------------------------------|-------------|------------------|------------------|--------------------------|------------------------------|--------------------------|----------|--------------------|
| TEN-225K-6     | TEN-225K-6   | PWRSURE 700<br>600/480V 225 kVA | 77.4 x 56.0 x 41.5              | 3300        | <b>\$119,519</b> | STD              | \$125,262                | \$127,010                    | \$121,769                | 32.50%   | <b>\$80,675</b>    |
| TEN-300k-6     | TEN-300k-6   | PWRSURE 700<br>600/480V 300 kVA | 77.4 x 56.0 x 41.5              | 4000        | <b>\$135,705</b> | STD              | \$141,448                | \$143,195                    | \$137,955                | 32.50%   | <b>\$91,601</b>    |

\*\* 10 & 15 KVA units utilize the next larger cabinet size when the meter option is included

**Power-Sure 700 OPTIONS**

| Suffix | Description                              | MSRP Adder | MSRP Adder                  |
|--------|--|------------|-----------------------------|
| W      | Extended Regulation range (+10% to -40%) |            | Contact Factory for pricing |

# Power-Sure 800

## Power Conditioners (500VA to 25 kVA)

Superior power conditioning for industrial, commercial and medical equipment. Power-Sure 800 power conditioners provide high quality power with inherent surge protection, noise and bi-directional harmonic filtering, as well as superior isolation. Power-Sure 800 units range from office models to floor or wall/panel mounted industrial models and provide an excellent solution for any application with noisy or poor power quality.

- Superior isolation
- Tight voltage regulation
- High immunity to distortion
- Lightning and surge protection
- Protection against power interruptions
- Power factor correction
- Bi-directional harmonic filtering
- Meets ANSI standards for computers with inputs as low as 50% of nominal
- UL 1012, UL 544 and cUL Listed
- K-30 rated design

| Catalog Number                                       | Style Number | Description                  | List Price | Discount | UIK Discount Price |
|--|--------------|------------------------------|------------|----------|--------------------|
| <b>60 Hz Models—Receptacle Style (Plug-and-play)</b> |              |                              |            |          |                    |
| T800R-01000  | T800R-01000  | PWRSURE 800 OFC/RCPT 1 kVA   | \$1,815    | 32.50%   | \$1,225            |
| T800R-01600  | T800R-01600  | PWRSURE 800 OFC/RCPT 1.6 kVA | \$2,340    | 32.50%   | \$1,580            |
| T800R-02100  | T800R-02100  | PWRSURE 800 OFC/RCPT 2.1 kVA | \$2,466    | 32.50%   | \$1,665            |
| T800R-02500  | T800R-02500  | PWRSURE 800 OFC/RCPT 2.5 kVA | \$2,620    | 32.50%   | \$1,769            |
| T800R-03500  | T800R-03500  | PWRSURE 800 OFC/RCPT 3.5 kVA | \$3,098    | 32.50%   | \$2,091            |
| T800R-03501  | T800R-03501  | PWRSURE 800 OFC/RCPT 3.5 kVA | \$3,274    | 32.50%   | \$2,210            |
| T800R-05000 *  | T800R-05000  | PWRSURE 800 OFC/RCPT 5 kVA   | \$4,846    | 32.50%   | \$3,271            |
| T800R-07500 *  | T800R-07500  | PWRSURE 800 OFC/RCPT 7.5 kVA | \$5,406    | 32.50%   | \$3,649            |
| T800R-10000 *  | T800R-10000  | PWRSURE 800 OFC/RCPT 10 kVA  | \$7,416    | 32.50%   | \$5,006            |
| T800R-15000 *  | T800R-15000  | PWRSURE 800 OFC/RCPT 15 kVA  | \$8,923    | 32.50%   | \$6,023            |
| <b>60 Hz Models—Hardwired Wall or Panel Mount</b>    |              |                              |            |          |                    |
| T800P-00500  | T800P-00500  | PWRSURE 800 PNL/HW 500 VA    | \$1,446    | 32.50%   | \$976              |
| T800P-00750  | T800P-00750  | PWRSURE 800 PNL/HW 750 VA    | \$1,869    | 32.50%   | \$1,262            |
| T800P-01000  | T800P-01000  | PWRSURE 800 PNL/HW 1 kVA     | \$1,855    | 32.50%   | \$1,252            |
| T800P-01500  | T800P-01500  | PWRSURE 800 PNL/HW 1.5 kVA   | \$2,671    | 32.50%   | \$1,803            |
| T800P-02000  | T800P-02000  | PWRSURE 800 PNL/HW 2 kVA     | \$2,615    | 32.50%   | \$1,765            |
| T800P-03000  | T800P-03000  | PWRSURE 800 PNL/HW 3 kVA     | \$4,001    | 32.50%   | \$2,701            |
| T800P-05000  | T800P-05000  | PWRSURE 800 PNL/HW 5 kVA     | \$7,194    | 32.50%   | \$4,856            |
| T800P-08000  | T800P-08000  | PWRSURE 800 PNL/HW 8 kVA     | \$9,429    | 32.50%   | \$6,365            |
| T800P-10000  | T800P-10000  | PWRSURE 800 PNL/HW 10 kVA    | \$10,799   | 32.50%   | \$7,289            |
| <b>60 Hz Models—Hardwired Floor Mount</b>            |              |                              |            |          |                    |
| T800F-05000  | T800F-05000  | PWRSURE 800 FLR/HW 5 kVA     | \$7,323    | 32.50%   | \$4,943            |
| T800F-08000  | T800F-08000  | PWRSURE 800 FLR/HW 8 kVA     | \$8,866    | 32.50%   | \$5,985            |
| T800F-10000  | T800F-10000  | PWRSURE 800 FLR/HW 10 kVA    | \$9,922    | 32.50%   | \$6,697            |
| T800F-15000  | T800F-15000  | PWRSURE 800 FLR/HW 15 kVA    | \$15,912   | 32.50%   | \$10,741           |
| T800F-20000  | T800F-20000  | PWRSURE 800 FLR/HW 20 kVA    | \$18,646   | 32.50%   | \$12,586           |
| T800F-25000  | T800F-25000  | PWRSURE 800 FLR/HW 25 kVA    | \$21,283   | 32.50%   | \$14,366           |

# Power-Sure 800

## POWER-SURE 800

### CUSTOM OUTPUT RECEPTACLES

| Suffix | NEMA        | Volts   | Output Panels used |
|--------|-------------|---------|--------------------|
| A      | (1) 5-15R   | 120     | 1                  |
| B      | (2) 5-15R   | 120     | 1                  |
| C      | (1) 5-20R   | 120     | 1                  |
| D      | (2) 5-20R   | 120     | 1                  |
| E      | (1) 5-30R   | 120     | 1.5                |
| F      | (1) 6-15R   | 208/240 | 1                  |
| G      | (2) 6-15R   | 208/240 | 1                  |
| H      | (1) 6-20R   | 208/240 | 1                  |
| I      | (2) 6-20R   | 208/240 | 1                  |
| J      | (1) 6-30R   | 208/240 | 1.5                |
| K      | (1) 6-50R   | 208/240 | 1.5                |
| L      | (1) 14-20R  | 120/240 | 1                  |
| M      | (1) 14-30R  | 120/240 | 1.5                |
| N      | (1) L5-15R  | 120     | 1                  |
| P      | (2) L5-15R  | 120     | 1                  |
| R      | (1) L5-20R  | 120     | 1                  |
| S      | (1) L5-30R  | 120     | 1                  |
| T      | (1) L6-15R  | 208/240 | 1                  |
| U      | (2) L6-15R  | 208/240 | 1                  |
| V      | (1) L6-20R  | 208/240 | 1                  |
| W      | (1) L6-30R  | 208/240 | 1                  |
| X      | (1) L14-30R | 120/240 | 1                  |
| Y      | (1) L14-20R | 120/240 | 1                  |

Example: T800R-100002B2Y Consists of 2 (2)5-15R receptacles and 2 (1)L14-30R receptacles

\* Contact factory for pricing of custom receptacles

# SOFTWARE

## UPS MANAGEMENT/SUPERVISORY SOFTWARE

### Intelligent Power Manager (IPM) version 2.X (NEW)

See notes below regarding new node definition and maintenance support requirement



| Description  | Catalog Number | MSRP     | Discount | DIR Discount Price |
|--|----------------|----------|----------|--------------------|
| <b>IPM MONITOR, Discounting available above 25 Monitored nodes - please contact your sales rep</b> |                |          |          |                    |
| IPM Monitor 1 Yr Maint., per node  | IPM-MO-M1      | \$9.00   | 32.5%    | \$6.08             |
| IPM Monitor 5 Yr Maint., per node  | IPM-MO-M5      | \$39.00  | 32.5%    | \$26.33            |
| IPM Monitor perpetual, and 1 Yr Maint bundle, per node   | IPM-MO-P1      | \$50.00  | 32.5%    | \$33.75            |
| IPM Monitor perpetual, and 5 Yr Maint bundle, per node   | IPM-MO-P5      | \$80.00  | 32.5%    | \$54.00            |
| IPM Monitor Subscription, 1 Yr, per node   | IPM-MO-SUB1    | \$20.00  | 32.5%    | \$13.50            |
| <b>IPM MANAGE, Discounting available above 25 Managed nodes - please contact your sales rep</b>    |                |          |          |                    |
| IPM Manage 1 Yr Maint., per node   | IPM-MA-M1      | \$23.00  | 32.5%    | \$15.53            |
| IPM Manage 5 Yr Maint., per node   | IPM-MA-M5      | \$109.00 | 32.5%    | \$73.58            |
| IPM Manage perpetual, and 1 Yr Maint bundle, per node  | IPM-MA-P1      | \$138.00 | 32.5%    | \$93.15            |
| IPM Manage perpetual, and 5 Yr Maint bundle, per node  | IPM-MA-P5      | \$214.00 | 32.5%    | \$144.45           |
| IPM Manage Subs., 1 Yr, per node   | IPM-MA-SUB1    | \$56.00  | 32.5%    | \$37.80            |
| <b>IPM OPTIMIZE, Discounting available above 5 Optimized nodes - please contact your sales rep</b> |                |          |          |                    |
| IPM Optimize 1 Yr Maint., per node   | IPM-OP-M1      | \$48.00  | 32.5%    | \$32.40            |
| IPM Optimize 5 Yr Maint., per node   | IPM-OP-M5      | \$228.00 | 32.5%    | \$153.90           |
| IPM Optimize perpetual, and 1 Yr Maint bundle, per node  | IPM-OP-P1      | \$288.00 | 32.5%    | \$194.40           |
| IPM Optimize perpetual, and 5 Yr Maint bundle, per node  | IPM-OP-P5      | \$468.00 | 32.5%    | \$315.90           |
| IPM Optimize Subs., 1 Yr, per node   | IPM-OP-SUB1    | \$117.00 | 32.5%    | \$78.98            |
| <b>IPM GRAPHITE / GRAFANA ADD-ON (Discounting available above 25 monitored nodes)</b>              |                |          |          |                    |
| IPM - Graphite / Grafana add-on, 1 Yr, per node  | IPM-GRAPHITE   | \$10.00  | 32.5%    | \$6.75             |

#### Notes - new for IPM version 2.X

A node equals a power device (UPS / rack PDU), a hypervisor, a non-virtualized server or a storage unit  
 A maintenance package must be purchased concurrently with a perpetual license

Customers buying/continuing use on IPM version 1.X will follow pricing shown below

## Intelligent Power Manager (IPM) version 1.X

| <b>IPM MONITOR - free up to 10 nodes</b>                           |                |             |       |             |
|--|----------------|-------------|-------|-------------|
| IPM Monitor - 11 to 15 nodes                                       | IPM-MON-15     | \$1,290.00  | 32.5% | \$870.75    |
| IPM Monitor - 16 to 25 nodes                                       | IPM-MON-25     | \$2,150.00  | 32.5% | \$1,451.25  |
| IPM Monitor - 26 to 35 nodes                                       | IPM-MON-35     | \$3,010.00  | 32.5% | \$2,031.75  |
| IPM Monitor - 36 to 50 nodes                                       | IPM-MON-50     | \$4,000.00  | 32.5% | \$2,700.00  |
| IPM Monitor - 51 to 100 nodes                                      | IPM-MON-100    | \$8,000.00  | 32.5% | \$5,400.00  |
| IPM Monitor - 101 to 250 nodes                                     | IPM-MON-250    | \$19,000.00 | 32.5% | \$12,825.00 |
| IPM Monitor - 251 to 500 nodes                                     | IPM-MON-500    | \$36,000.00 | 32.5% | \$24,300.00 |
| <b>IPM BASIC - free up to 10 nodes</b>                             |                |             |       |             |
| IPM Basic - 11 to 15 nodes   | IPM-BASIC-15   | \$1,800.00  | 32.5% | \$1,215.00  |
| IPM Basic - 16 to 25 nodes   | IPM-BASIC-25   | \$2,850.00  | 32.5% | \$1,923.75  |
| IPM Basic - 26 to 35 nodes   | IPM-BASIC-35   | \$3,780.00  | 32.5% | \$2,551.50  |
| IPM Basic - 36 to 50 nodes   | IPM-BASIC-50   | \$5,200.00  | 32.5% | \$3,510.00  |
| IPM Basic - 51 to 100 nodes  | IPM-BASIC-100  | \$9,800.00  | 32.5% | \$6,615.00  |
| IPM Basic - 101 to 250 nodes                                       | IPM-BASIC-250  | \$24,500.00 | 32.5% | \$16,537.50 |
| IPM Basic - 251 to 500 nodes                                       | IPM-BASIC-500  | \$49,000.00 | 32.5% | \$33,075.00 |
| <b>IPM GOLD - Trial License available - contact your sales rep</b> |                |             |       |             |
| IPM Gold - 1 to 5 nodes  | IPM-GOLD-5     | \$3,600.00  | 32.5% | \$2,430.00  |
| IPM Gold - 6 to 10 nodes   | IPM-GOLD-10    | \$5,000.00  | 32.5% | \$3,375.00  |
| IPM Gold - 11 to 15 nodes  | IPM-GOLD-15    | \$6,750.00  | 32.5% | \$4,556.25  |
| IPM Gold - 16 to 25 nodes  | IPM-GOLD-25    | \$10,000.00 | 32.5% | \$6,750.00  |
| IPM Gold - 26 to 35 nodes  | IPM-GOLD-35    | \$13,300.00 | 32.5% | \$8,977.50  |
| IPM Gold - 36 to 50 nodes  | IPM-GOLD-50    | \$18,000.00 | 32.5% | \$12,150.00 |
| IPM Gold - 51 to 100 nodes   | IPM-GOLD-100   | \$32,000.00 | 32.5% | \$21,600.00 |
| IPM Gold - 101 to 250 nodes  | IPM-GOLD-250   | \$60,000.00 | 32.5% | \$40,500.00 |
| IPM Gold - 251 to 500 nodes  | IPM-GOLD-500   | \$90,000.00 | 32.5% | \$60,750.00 |
| <b>IPM SUBSCRIPTIONS (for Version 1.X)</b>                         |                |             |       |             |
| IPM Monitor subscription per node for 1 year                       | IPM-MON-SUB-1Y | \$48.00     | 32.5% | \$32.40     |



## SOFTWARE

### UPS MANAGEMENT/SUPERVISORY SOFTWARE



|   |                  |          |       |          |
|---|------------------|----------|-------|----------|
| IPM Monitor subscription per node for 2 years | IPM-MON-SUB-2Y   | \$96.00  | 32.5% | \$64.80  |
| IPM Monitor subscription per node for 3 years | IPM-MON-SUB-3Y   | \$144.00 | 32.5% | \$97.20  |
| IPM Monitor subscription per node for 4 years | IPM-MON-SUB-4Y   | \$192.00 | 32.5% | \$129.60 |
| IPM Monitor subscription per node for 5 years | IPM-MON-SUB-5Y   | \$240.00 | 32.5% | \$162.00 |
| IPM Basic subscription per node for 1 year    | IPM-BASIC-SUB-1Y | \$96.00  | 32.5% | \$64.80  |
| IPM Basic subscription per node for 2 years   | IPM-BASIC-SUB-2Y | \$192.00 | 32.5% | \$129.60 |
| IPM Basic subscription per node for 3 years   | IPM-BASIC-SUB-3Y | \$288.00 | 32.5% | \$194.40 |
| IPM Basic subscription per node for 4 years   | IPM-BASIC-SUB-4Y | \$384.00 | 32.5% | \$259.20 |
| IPM Basic subscription per node for 5 years   | IPM-BASIC-SUB-5Y | \$480.00 | 32.5% | \$324.00 |
| IPM Gold subscription per node for 1 year     | IPM-GOLD-SUB-1Y  | \$180.00 | 32.5% | \$121.50 |
| IPM Gold subscription per node for 2 years    | IPM-GOLD-SUB-2Y  | \$342.00 | 32.5% | \$230.85 |
| IPM Gold subscription per node for 3 years    | IPM-GOLD-SUB-3Y  | \$513.00 | 32.5% | \$346.28 |
| IPM Gold subscription per node for 4 years    | IPM-GOLD-SUB-4Y  | \$684.00 | 32.5% | \$461.70 |
| IPM Gold subscription per node for 5 years    | IPM-GOLD-SUB-5Y  | \$855.00 | 32.5% | \$577.13 |

# SOFTWARE

## UPS MANAGEMENT/SUPERVISORY SOFTWARE



### Visual Power Manager (VPM)

#### POWER INFRASTRUCTURE MONITORING SOFTWARE

| VPM License Pricing (Rack Mounted Assets - RMAs) |          | MSRP      | Discount | DIR Discount Price |
|--|----------|-----------|----------|--------------------|
| Visual Power Manager (VPM)- 5 RMA License        | VPM-5    | \$562     | 32.5%    | \$379              |
| Visual Power Manager (VPM)- 10 RMA License       | VPM-10   | \$1,123   | 32.5%    | \$758              |
| Visual Power Manager (VPM)- 20 RMA License       | VPM-20   | \$2,246   | 32.5%    | \$1,516            |
| Visual Power Manager (VPM)- 30 RMA License       | VPM-30   | \$3,370   | 32.5%    | \$2,275            |
| Visual Power Manager (VPM)- 40 RMA License       | VPM-40   | \$4,493   | 32.5%    | \$3,033            |
| Visual Power Manager (VPM)- 50 RMA License       | VPM-50   | \$5,616   | 32.5%    | \$3,791            |
| Visual Power Manager (VPM)- 60 RMA License       | VPM-60   | \$6,739   | 32.5%    | \$4,549            |
| Visual Power Manager (VPM)- 70 RMA License       | VPM-70   | \$7,862   | 32.5%    | \$5,307            |
| Visual Power Manager (VPM)- 80 RMA License       | VPM-80   | \$8,986   | 32.5%    | \$6,066            |
| Visual Power Manager (VPM)- 90 RMA License       | VPM-90   | \$10,109  | 32.5%    | \$6,824            |
| Visual Power Manager (VPM)- 100 RMA License      | VPM-100  | \$10,368  | 32.5%    | \$6,998            |
| Visual Power Manager (VPM)- 125 RMA License      | VPM-125  | \$12,960  | 32.5%    | \$8,748            |
| Visual Power Manager (VPM)- 150 RMA License      | VPM-150  | \$15,552  | 32.5%    | \$10,498           |
| Visual Power Manager (VPM)- 175 RMA License      | VPM-175  | \$18,144  | 32.5%    | \$12,247           |
| Visual Power Manager (VPM)- 200 RMA License      | VPM-200  | \$20,736  | 32.5%    | \$13,997           |
| Visual Power Manager (VPM)- 250 RMA License      | VPM-250  | \$24,120  | 32.5%    | \$16,281           |
| Visual Power Manager (VPM)- 300 RMA License      | VPM-300  | \$28,944  | 32.5%    | \$19,537           |
| Visual Power Manager (VPM)- 350 RMA License      | VPM-350  | \$33,768  | 32.5%    | \$22,793           |
| Visual Power Manager (VPM)- 400 RMA License      | VPM-400  | \$38,592  | 32.5%    | \$26,050           |
| Visual Power Manager (VPM)- 450 RMA License      | VPM-450  | \$43,416  | 32.5%    | \$29,306           |
| Visual Power Manager (VPM)- 500 RMA License      | VPM-500  | \$43,920  | 32.5%    | \$29,646           |
| Visual Power Manager (VPM)- 600 RMA License      | VPM-600  | \$52,704  | 32.5%    | \$35,575           |
| Visual Power Manager (VPM)- 700 RMA License      | VPM-700  | \$61,488  | 32.5%    | \$41,504           |
| Visual Power Manager (VPM)- 800 RMA License      | VPM-800  | \$70,272  | 32.5%    | \$47,434           |
| Visual Power Manager (VPM)- 900 RMA License      | VPM-900  | \$79,056  | 32.5%    | \$53,363           |
| Visual Power Manager (VPM)- 1000 RMA License     | VPM-1000 | \$80,640  | 32.5%    | \$54,432           |
| Visual Power Manager (VPM)- 1500 RMA License     | VPM-1500 | \$120,960 | 32.5%    | \$81,648           |
| Visual Power Manager (VPM)- 2000 RMA License     | VPM-2000 | \$161,280 | 32.5%    | \$108,864          |
| Visual Power Manager (VPM)- 2500 RMA License     | VPM-2500 | \$190,800 | 32.5%    | \$128,790          |

This price does NOT include the first

Use these SKUs when quoting VPM for single phase Ups and rack PDUs

| VPM Annual Support Renewal (RMAs)                   |                  | MSRP     | Discount | DIR Discount Price |
|---|------------------|----------|----------|--------------------|
| Visual Power Manager (VPM)- 5 RMA Annual Support    | VPM-SUPPORT-5    | \$112    | 32.5%    | \$76               |
| Visual Power Manager (VPM)- 10 RMA Annual Support   | VPM-SUPPORT-10   | \$225    | 32.5%    | \$152              |
| Visual Power Manager (VPM)- 20 RMA Annual Support   | VPM-SUPPORT-20   | \$449    | 32.5%    | \$303              |
| Visual Power Manager (VPM)- 30 RMA Annual Support   | VPM-SUPPORT-30   | \$674    | 32.5%    | \$455              |
| Visual Power Manager (VPM)- 40 RMA Annual Support   | VPM-SUPPORT-40   | \$899    | 32.5%    | \$607              |
| Visual Power Manager (VPM)- 50 RMA Annual Support   | VPM-SUPPORT-50   | \$1,123  | 32.5%    | \$758              |
| Visual Power Manager (VPM)- 60 RMA Annual Support   | VPM-SUPPORT-60   | \$1,348  | 32.5%    | \$910              |
| Visual Power Manager (VPM)- 70 RMA Annual Support   | VPM-SUPPORT-70   | \$1,572  | 32.5%    | \$1,061            |
| Visual Power Manager (VPM)- 80 RMA Annual Support   | VPM-SUPPORT-80   | \$1,797  | 32.5%    | \$1,213            |
| Visual Power Manager (VPM)- 90 RMA Annual Support   | VPM-SUPPORT-90   | \$2,022  | 32.5%    | \$1,365            |
| Visual Power Manager (VPM)- 100 RMA Annual Support  | VPM-SUPPORT-100  | \$2,074  | 32.5%    | \$1,400            |
| Visual Power Manager (VPM)- 125 RMA Annual Support  | VPM-SUPPORT-125  | \$2,592  | 32.5%    | \$1,750            |
| Visual Power Manager (VPM)- 150 RMA Annual Support  | VPM-SUPPORT-150  | \$3,110  | 32.5%    | \$2,099            |
| Visual Power Manager (VPM)- 175 RMA Annual Support  | VPM-SUPPORT-175  | \$3,629  | 32.5%    | \$2,450            |
| Visual Power Manager (VPM)- 200 RMA Annual Support  | VPM-SUPPORT-200  | \$4,147  | 32.5%    | \$2,799            |
| Visual Power Manager (VPM)- 250 RMA Annual Support  | VPM-SUPPORT-250  | \$4,824  | 32.5%    | \$3,256            |
| Visual Power Manager (VPM)- 300 RMA Annual Support  | VPM-SUPPORT-300  | \$5,789  | 32.5%    | \$3,908            |
| Visual Power Manager (VPM)- 350 RMA Annual Support  | VPM-SUPPORT-350  | \$6,754  | 32.5%    | \$4,559            |
| Visual Power Manager (VPM)- 400 RMA Annual Support  | VPM-SUPPORT-400  | \$7,718  | 32.5%    | \$5,210            |
| Visual Power Manager (VPM)- 450 RMA Annual Support  | VPM-SUPPORT-450  | \$8,683  | 32.5%    | \$5,861            |
| Visual Power Manager (VPM)- 500 RMA Annual Support  | VPM-SUPPORT-500  | \$8,784  | 32.5%    | \$5,929            |
| Visual Power Manager (VPM)- 600 RMA Annual Support  | VPM-SUPPORT-600  | \$10,541 | 32.5%    | \$7,115            |
| Visual Power Manager (VPM)- 700 RMA Annual Support  | VPM-SUPPORT-700  | \$12,298 | 32.5%    | \$8,301            |
| Visual Power Manager (VPM)- 800 RMA Annual Support  | VPM-SUPPORT-800  | \$14,054 | 32.5%    | \$9,486            |
| Visual Power Manager (VPM)- 900 RMA Annual Support  | VPM-SUPPORT-900  | \$15,811 | 32.5%    | \$10,672           |
| Visual Power Manager (VPM)- 1000 RMA Annual Support | VPM-SUPPORT-1000 | \$16,128 | 32.5%    | \$10,886           |
| Visual Power Manager (VPM)- 1500 RMA Annual Support | VPM-SUPPORT-1500 | \$24,192 | 32.5%    | \$16,330           |
| Visual Power Manager (VPM)- 2000 RMA Annual Support | VPM-SUPPORT-2000 | \$32,256 | 32.5%    | \$21,773           |
| Visual Power Manager (VPM)- 2500 RMA Annual Support | VPM-SUPPORT-2500 | \$38,160 | 32.5%    | \$25,758           |

| VPM License Pricing (Floor Mounted Assets - FMAs) |         | MSRP     | Discount | DIR Discount Price |
|---|---------|----------|----------|--------------------|
| Visual Power Manager (VPM)- 5 FMA License         | VPMF-5  | \$1,163  | 32.5%    | \$785              |
| Visual Power Manager (VPM)- 10 FMA License        | VPMF-10 | \$2,325  | 32.5%    | \$1,569            |
| Visual Power Manager (VPM)- 20 FMA License        | VPMF-20 | \$4,650  | 32.5%    | \$3,139            |
| Visual Power Manager (VPM)- 30 FMA License        | VPMF-30 | \$6,975  | 32.5%    | \$4,708            |
| Visual Power Manager (VPM)- 40 FMA License        | VPMF-40 | \$9,300  | 32.5%    | \$6,278            |
| Visual Power Manager (VPM)- 50 FMA License        | VPMF-50 | \$11,550 | 32.5%    | \$7,796            |
| Visual Power Manager (VPM)- 60 FMA License        | VPMF-60 | \$13,860 | 32.5%    | \$9,356            |
| Visual Power Manager (VPM)- 70 FMA License        | VPMF-70 | \$16,170 | 32.5%    | \$10,915           |

This price does NOT include the first year's

## SOFTWARE

### UPS MANAGEMENT/SUPERVISORY SOFTWARE

|  |           |           |       |           |
|--|-----------|-----------|-------|-----------|
| Visual Power Manager (VPM)- 80 FMA License   | VPMF-80   | \$18,480  | 32.5% | \$12,474  |
| Visual Power Manager (VPM)- 90 FMA License   | VPMF-90   | \$20,790  | 32.5% | \$14,033  |
| Visual Power Manager (VPM)- 100 FMA License  | VPMF-100  | \$23,100  | 32.5% | \$15,593  |
| Visual Power Manager (VPM)- 125 FMA License  | VPMF-125  | \$27,375  | 32.5% | \$18,478  |
| Visual Power Manager (VPM)- 150 FMA License  | VPMF-150  | \$32,850  | 32.5% | \$22,174  |
| Visual Power Manager (VPM)- 175 FMA License  | VPMF-175  | \$38,325  | 32.5% | \$25,869  |
| Visual Power Manager (VPM)- 200 FMA License  | VPMF-200  | \$43,800  | 32.5% | \$29,565  |
| Visual Power Manager (VPM)- 250 FMA License  | VPMF-250  | \$52,125  | 32.5% | \$35,184  |
| Visual Power Manager (VPM)- 300 FMA License  | VPMF-300  | \$62,550  | 32.5% | \$42,221  |
| Visual Power Manager (VPM)- 350 FMA License  | VPMF-350  | \$72,975  | 32.5% | \$49,258  |
| Visual Power Manager (VPM)- 400 FMA License  | VPMF-400  | \$83,400  | 32.5% | \$56,295  |
| Visual Power Manager (VPM)- 450 FMA License  | VPMF-450  | \$93,825  | 32.5% | \$63,332  |
| Visual Power Manager (VPM)- 500 FMA License  | VPMF-500  | \$98,625  | 32.5% | \$66,572  |
| Visual Power Manager (VPM)- 600 FMA License  | VPMF-600  | \$118,350 | 32.5% | \$79,886  |
| Visual Power Manager (VPM)- 700 FMA License  | VPMF-700  | \$138,075 | 32.5% | \$93,201  |
| Visual Power Manager (VPM)- 800 FMA License  | VPMF-800  | \$157,800 | 32.5% | \$106,515 |
| Visual Power Manager (VPM)- 900 FMA License  | VPMF-900  | \$177,525 | 32.5% | \$119,829 |
| Visual Power Manager (VPM)- 1000 FMA License | VPMF-1000 | \$188,250 | 32.5% | \$127,069 |

Use these SKUs when quoting VPM for 3 phase

| VPM Annual Renewal (FMAs)                           |                   | MSRP     | Discount | DIR Discount Price |
|---|-------------------|----------|----------|--------------------|
| Visual Power Manager (VPM)- 5 FMA Annual Support    | VPMF-SUPPORT-5    | \$233    | 32.5%    | \$157              |
| Visual Power Manager (VPM)- 10 FMA Annual Support   | VPMF-SUPPORT-10   | \$465    | 32.5%    | \$314              |
| Visual Power Manager (VPM)- 20 FMA Annual Support   | VPMF-SUPPORT-20   | \$930    | 32.5%    | \$628              |
| Visual Power Manager (VPM)- 30 FMA Annual Support   | VPMF-SUPPORT-30   | \$1,395  | 32.5%    | \$942              |
| Visual Power Manager (VPM)- 40 FMA Annual Support   | VPMF-SUPPORT-40   | \$1,860  | 32.5%    | \$1,256            |
| Visual Power Manager (VPM)- 50 FMA Annual Support   | VPMF-SUPPORT-50   | \$2,310  | 32.5%    | \$1,559            |
| Visual Power Manager (VPM)- 60 FMA Annual Support   | VPMF-SUPPORT-60   | \$2,772  | 32.5%    | \$1,871            |
| Visual Power Manager (VPM)- 70 FMA Annual Support   | VPMF-SUPPORT-70   | \$3,234  | 32.5%    | \$2,183            |
| Visual Power Manager (VPM)- 80 FMA Annual Support   | VPMF-SUPPORT-80   | \$3,696  | 32.5%    | \$2,495            |
| Visual Power Manager (VPM)- 90 FMA Annual Support   | VPMF-SUPPORT-90   | \$4,158  | 32.5%    | \$2,807            |
| Visual Power Manager (VPM)- 100 FMA Annual Support  | VPMF-SUPPORT-100  | \$4,620  | 32.5%    | \$3,119            |
| Visual Power Manager (VPM)- 125 FMA Annual Support  | VPMF-SUPPORT-125  | \$5,475  | 32.5%    | \$3,696            |
| Visual Power Manager (VPM)- 150 FMA Annual Support  | VPMF-SUPPORT-150  | \$6,570  | 32.5%    | \$4,435            |
| Visual Power Manager (VPM)- 175 FMA Annual Support  | VPMF-SUPPORT-175  | \$7,665  | 32.5%    | \$5,174            |
| Visual Power Manager (VPM)- 200 FMA Annual Support  | VPMF-SUPPORT-200  | \$8,760  | 32.5%    | \$5,913            |
| Visual Power Manager (VPM)- 250 FMA Annual Support  | VPMF-SUPPORT-250  | \$10,425 | 32.5%    | \$7,037            |
| Visual Power Manager (VPM)- 300 FMA Annual Support  | VPMF-SUPPORT-300  | \$12,510 | 32.5%    | \$8,444            |
| Visual Power Manager (VPM)- 350 FMA Annual Support  | VPMF-SUPPORT-350  | \$14,595 | 32.5%    | \$9,852            |
| Visual Power Manager (VPM)- 400 FMA Annual Support  | VPMF-SUPPORT-400  | \$16,680 | 32.5%    | \$11,259           |
| Visual Power Manager (VPM)- 450 FMA Annual Support  | VPMF-SUPPORT-450  | \$18,765 | 32.5%    | \$12,666           |
| Visual Power Manager (VPM)- 500 FMA Annual Support  | VPMF-SUPPORT-500  | \$19,725 | 32.5%    | \$13,314           |
| Visual Power Manager (VPM)- 600 FMA Annual Support  | VPMF-SUPPORT-600  | \$23,670 | 32.5%    | \$15,977           |
| Visual Power Manager (VPM)- 700 FMA Annual Support  | VPMF-SUPPORT-700  | \$27,615 | 32.5%    | \$18,640           |
| Visual Power Manager (VPM)- 800 FMA Annual Support  | VPMF-SUPPORT-800  | \$31,560 | 32.5%    | \$21,303           |
| Visual Power Manager (VPM)- 900 FMA Annual Support  | VPMF-SUPPORT-900  | \$35,505 | 32.5%    | \$23,966           |
| Visual Power Manager (VPM)- 1000 FMA Annual Support | VPMF-SUPPORT-1000 | \$37,650 | 32.5%    | \$25,414           |

| VPM PROFESSIONAL SUBSCRIPTION (RMAs)                           |              | MSRP      | Discount | DIR Discount Price |
|--|--------------|-----------|----------|--------------------|
| Visual Power Manager (VPM) Professional -5 RMA Subscription    | VPM-SUB-5    | \$350     | 32.5%    | \$236              |
| Visual Power Manager (VPM) Professional -10 RMA Subscription   | VPM-SUB-10   | \$700     | 32.5%    | \$473              |
| Visual Power Manager (VPM) Professional -20 RMA Subscription   | VPM-SUB-20   | \$1,400   | 32.5%    | \$945              |
| Visual Power Manager (VPM) Professional -30 RMA Subscription   | VPM-SUB-30   | \$2,100   | 32.5%    | \$1,418            |
| Visual Power Manager (VPM) Professional -40 RMA Subscription   | VPM-SUB-40   | \$2,800   | 32.5%    | \$1,890            |
| Visual Power Manager (VPM) Professional -50 RMA Subscription   | VPM-SUB-50   | \$3,500   | 32.5%    | \$2,363            |
| Visual Power Manager (VPM) Professional -60 RMA Subscription   | VPM-SUB-60   | \$4,200   | 32.5%    | \$2,835            |
| Visual Power Manager (VPM) Professional -70 RMA Subscription   | VPM-SUB-70   | \$4,900   | 32.5%    | \$3,308            |
| Visual Power Manager (VPM) Professional -80 RMA Subscription   | VPM-SUB-80   | \$5,600   | 32.5%    | \$3,780            |
| Visual Power Manager (VPM) Professional -90 RMA Subscription   | VPM-SUB-90   | \$6,300   | 32.5%    | \$4,253            |
| Visual Power Manager (VPM) Professional -100 RMA Subscription  | VPM-SUB-100  | \$6,462   | 32.5%    | \$4,362            |
| Visual Power Manager (VPM) Professional -125 RMA Subscription  | VPM-SUB-125  | \$8,077   | 32.5%    | \$5,452            |
| Visual Power Manager (VPM) Professional -150 RMA Subscription  | VPM-SUB-150  | \$9,692   | 32.5%    | \$6,542            |
| Visual Power Manager (VPM) Professional -175 RMA Subscription  | VPM-SUB-175  | \$11,308  | 32.5%    | \$7,633            |
| Visual Power Manager (VPM) Professional -200 RMA Subscription  | VPM-SUB-200  | \$12,923  | 32.5%    | \$8,723            |
| Visual Power Manager (VPM) Professional -250 RMA Subscription  | VPM-SUB-250  | \$15,032  | 32.5%    | \$10,147           |
| Visual Power Manager (VPM) Professional -300 RMA Subscription  | VPM-SUB-300  | \$18,038  | 32.5%    | \$12,176           |
| Visual Power Manager (VPM) Professional -350 RMA Subscription  | VPM-SUB-350  | \$21,045  | 32.5%    | \$14,205           |
| Visual Power Manager (VPM) Professional -400 RMA Subscription  | VPM-SUB-400  | \$24,051  | 32.5%    | \$16,234           |
| Visual Power Manager (VPM) Professional -450 RMA Subscription  | VPM-SUB-450  | \$27,058  | 32.5%    | \$18,264           |
| Visual Power Manager (VPM) Professional -500 RMA Subscription  | VPM-SUB-500  | \$27,372  | 32.5%    | \$18,476           |
| Visual Power Manager (VPM) Professional -600 RMA Subscription  | VPM-SUB-600  | \$32,846  | 32.5%    | \$22,171           |
| Visual Power Manager (VPM) Professional -700 RMA Subscription  | VPM-SUB-700  | \$38,321  | 32.5%    | \$25,867           |
| Visual Power Manager (VPM) Professional -800 RMA Subscription  | VPM-SUB-800  | \$43,795  | 32.5%    | \$29,562           |
| Visual Power Manager (VPM) Professional -900 RMA Subscription  | VPM-SUB-900  | \$49,269  | 32.5%    | \$33,257           |
| Visual Power Manager (VPM) Professional -1000 RMA Subscription | VPM-SUB-1000 | \$50,256  | 32.5%    | \$33,923           |
| Visual Power Manager (VPM) Professional -1500 RMA Subscription | VPM-SUB-1500 | \$75,385  | 32.5%    | \$50,885           |
| Visual Power Manager (VPM) Professional -2000 RMA Subscription | VPM-SUB-2000 | \$100,513 | 32.5%    | \$67,846           |
| Visual Power Manager (VPM) Professional -2500 RMA Subscription | VPM-SUB-2500 | \$118,910 | 32.5%    | \$80,264           |

## SOFTWARE

### UPS MANAGEMENT/SUPERVISORY SOFTWARE

| VPM PROFESSIONAL SUBSCRIPTION (FMAs)                           |               | MSRP      | Discount | DIR Discount Price |
|--|---------------|-----------|----------|--------------------|
| Visual Power Manager (VPM) Professional -5 FMA Subscription    | VPMF-SUB-5    | \$725     | 32.5%    | \$489              |
| Visual Power Manager (VPM) Professional -10 FMA Subscription   | VPMF-SUB-10   | \$1,450   | 32.5%    | \$979              |
| Visual Power Manager (VPM) Professional -20 FMA Subscription   | VPMF-SUB-20   | \$2,900   | 32.5%    | \$1,958            |
| Visual Power Manager (VPM) Professional -30 FMA Subscription   | VPMF-SUB-30   | \$4,350   | 32.5%    | \$2,936            |
| Visual Power Manager (VPM) Professional -40 FMA Subscription   | VPMF-SUB-40   | \$5,800   | 32.5%    | \$3,915            |
| Visual Power Manager (VPM) Professional -50 FMA Subscription   | VPMF-SUB-50   | \$7,203   | 32.5%    | \$4,862            |
| Visual Power Manager (VPM) Professional -60 FMA Subscription   | VPMF-SUB-60   | \$8,644   | 32.5%    | \$5,835            |
| Visual Power Manager (VPM) Professional -70 FMA Subscription   | VPMF-SUB-70   | \$10,085  | 32.5%    | \$6,807            |
| Visual Power Manager (VPM) Professional -80 FMA Subscription   | VPMF-SUB-80   | \$11,525  | 32.5%    | \$7,779            |
| Visual Power Manager (VPM) Professional -90 FMA Subscription   | VPMF-SUB-90   | \$12,966  | 32.5%    | \$8,752            |
| Visual Power Manager (VPM) Professional -100 FMA Subscription  | VPMF-SUB-100  | \$14,406  | 32.5%    | \$9,724            |
| Visual Power Manager (VPM) Professional -125 FMA Subscription  | VPMF-SUB-125  | \$17,073  | 32.5%    | \$11,524           |
| Visual Power Manager (VPM) Professional -150 FMA Subscription  | VPMF-SUB-150  | \$20,487  | 32.5%    | \$13,829           |
| Visual Power Manager (VPM) Professional -175 FMA Subscription  | VPMF-SUB-175  | \$23,902  | 32.5%    | \$16,134           |
| Visual Power Manager (VPM) Professional -200 FMA Subscription  | VPMF-SUB-200  | \$27,316  | 32.5%    | \$18,438           |
| Visual Power Manager (VPM) Professional -250 FMA Subscription  | VPMF-SUB-250  | \$32,508  | 32.5%    | \$21,943           |
| Visual Power Manager (VPM) Professional -300 FMA Subscription  | VPMF-SUB-300  | \$39,010  | 32.5%    | \$26,332           |
| Visual Power Manager (VPM) Professional -350 FMA Subscription  | VPMF-SUB-350  | \$45,511  | 32.5%    | \$30,720           |
| Visual Power Manager (VPM) Professional -400 FMA Subscription  | VPMF-SUB-400  | \$52,013  | 32.5%    | \$35,109           |
| Visual Power Manager (VPM) Professional -450 FMA Subscription  | VPMF-SUB-450  | \$58,515  | 32.5%    | \$39,498           |
| Visual Power Manager (VPM) Professional -500 FMA Subscription  | VPMF-SUB-500  | \$61,508  | 32.5%    | \$41,518           |
| Visual Power Manager (VPM) Professional -600 FMA Subscription  | VPMF-SUB-600  | \$73,810  | 32.5%    | \$49,822           |
| Visual Power Manager (VPM) Professional -700 FMA Subscription  | VPMF-SUB-700  | \$86,111  | 32.5%    | \$58,125           |
| Visual Power Manager (VPM) Professional -800 FMA Subscription  | VPMF-SUB-800  | \$98,413  | 32.5%    | \$66,429           |
| Visual Power Manager (VPM) Professional -900 FMA Subscription  | VPMF-SUB-900  | \$110,715 | 32.5%    | \$74,733           |
| Visual Power Manager (VPM) Professional -1000 FMA Subscription | VPMF-SUB-1000 | \$117,403 | 32.5%    | \$79,247           |

| VPM Essential SUBSCRIPTION (RMAs Only)                      |              | MSRP     | Discount | DIR Discount Price |
|---|--------------|----------|----------|--------------------|
| Visual Power Manager (VPM) Essential -5 RMA Subscription    | VPM-ESS-5    | \$240    | 32.5%    | \$162              |
| Visual Power Manager (VPM) Essential -10 RMA Subscription   | VPM-ESS-10   | \$480    | 32.5%    | \$324              |
| Visual Power Manager (VPM) Essential -20 RMA Subscription   | VPM-ESS-20   | \$960    | 32.5%    | \$648              |
| Visual Power Manager (VPM) Essential -30 RMA Subscription   | VPM-ESS-30   | \$1,440  | 32.5%    | \$972              |
| Visual Power Manager (VPM) Essential -40 RMA Subscription   | VPM-ESS-40   | \$1,920  | 32.5%    | \$1,296            |
| Visual Power Manager (VPM) Essential -50 RMA Subscription   | VPM-ESS-50   | \$2,385  | 32.5%    | \$1,610            |
| Visual Power Manager (VPM) Essential -60 RMA Subscription   | VPM-ESS-60   | \$2,861  | 32.5%    | \$1,931            |
| Visual Power Manager (VPM) Essential -70 RMA Subscription   | VPM-ESS-70   | \$3,338  | 32.5%    | \$2,253            |
| Visual Power Manager (VPM) Essential -80 RMA Subscription   | VPM-ESS-80   | \$3,815  | 32.5%    | \$2,575            |
| Visual Power Manager (VPM) Essential -90 RMA Subscription   | VPM-ESS-90   | \$4,292  | 32.5%    | \$2,897            |
| Visual Power Manager (VPM) Essential -100 RMA Subscription  | VPM-ESS-100  | \$4,769  | 32.5%    | \$3,219            |
| Visual Power Manager (VPM) Essential -125 RMA Subscription  | VPM-ESS-125  | \$5,652  | 32.5%    | \$3,815            |
| Visual Power Manager (VPM) Essential -150 RMA Subscription  | VPM-ESS-150  | \$6,782  | 32.5%    | \$4,578            |
| Visual Power Manager (VPM) Essential -175 RMA Subscription  | VPM-ESS-175  | \$7,912  | 32.5%    | \$5,341            |
| Visual Power Manager (VPM) Essential -200 RMA Subscription  | VPM-ESS-200  | \$9,043  | 32.5%    | \$6,104            |
| Visual Power Manager (VPM) Essential -250 RMA Subscription  | VPM-ESS-250  | \$10,761 | 32.5%    | \$7,264            |
| Visual Power Manager (VPM) Essential -300 RMA Subscription  | VPM-ESS-300  | \$12,914 | 32.5%    | \$8,717            |
| Visual Power Manager (VPM) Essential -350 RMA Subscription  | VPM-ESS-350  | \$15,066 | 32.5%    | \$10,170           |
| Visual Power Manager (VPM) Essential -400 RMA Subscription  | VPM-ESS-400  | \$17,218 | 32.5%    | \$11,622           |
| Visual Power Manager (VPM) Essential -450 RMA Subscription  | VPM-ESS-450  | \$19,370 | 32.5%    | \$13,075           |
| Visual Power Manager (VPM) Essential -500 RMA Subscription  | VPM-ESS-500  | \$20,361 | 32.5%    | \$13,744           |
| Visual Power Manager (VPM) Essential -600 RMA Subscription  | VPM-ESS-600  | \$24,434 | 32.5%    | \$16,493           |
| Visual Power Manager (VPM) Essential -700 RMA Subscription  | VPM-ESS-700  | \$28,506 | 32.5%    | \$19,242           |
| Visual Power Manager (VPM) Essential -800 RMA Subscription  | VPM-ESS-800  | \$32,578 | 32.5%    | \$21,990           |
| Visual Power Manager (VPM) Essential -900 RMA Subscription  | VPM-ESS-900  | \$36,650 | 32.5%    | \$24,739           |
| Visual Power Manager (VPM) Essential -1000 RMA Subscription | VPM-ESS-1000 | \$38,865 | 32.5%    | \$26,234           |

### Software Installation Services for VCOM

INCLUDE SW-INSTALL-QS AT A MINIMUM WITH ALL SW DEALS

| VPM Software install  |                | MSRP     | Discount | DIR Discount Price |
|---|----------------|----------|----------|--------------------|
| Software Remote Start- 8 hours of remote assistance deploying VPM                         | SW-INSTALL-RS  | \$2,500  | 32.5%    | \$1,688            |
| Software Quick Start - 3 day, on-site professional services deploying VPM + user training | SW-INSTALL-QS  | \$9,500  | 32.5%    | \$6,413            |
| Custom Professional services  | SW-INSTALL-100 | \$100    | 32.5%    | \$68               |
| Custom Professional services  | SW-INSTALL-1K  | \$1,000  | 32.5%    | \$675              |
| Custom Professional services  | SW-INSTALL-10K | \$10,000 | 32.5%    | \$6,750            |

## SOFTWARE

### UPS MANAGEMENT/SUPERVISORY SOFTWARE



#### VCOM

##### DATA CENTER INFRASTRUCTURE MANAGEMENT (DCIM) SOFTWARE

| VCOM License Pricing (FMAs)                                   | MSRP      | DIR Discount |       |           |
|---|-----------|--------------|-------|-----------|
|   |           | Discount     | Price |           |
| Visual Capacity Optimization Manager (VCOM)- 5 FMA License    | VCOM-5    | \$2,053      | 32.5% | \$1,386   |
| Visual Capacity Optimization Manager (VCOM)- 10 FMA License   | VCOM-10   | \$4,107      | 32.5% | \$2,772   |
| Visual Capacity Optimization Manager (VCOM)- 20 FMA License   | VCOM-20   | \$8,213      | 32.5% | \$5,544   |
| Visual Capacity Optimization Manager (VCOM)- 30 FMA License   | VCOM-30   | \$12,320     | 32.5% | \$8,316   |
| Visual Capacity Optimization Manager (VCOM)- 40 FMA License   | VCOM-40   | \$16,427     | 32.5% | \$11,088  |
| Visual Capacity Optimization Manager (VCOM)- 50 FMA License   | VCOM-50   | \$20,533     | 32.5% | \$13,860  |
| Visual Capacity Optimization Manager (VCOM)- 60 FMA License   | VCOM-60   | \$23,030     | 32.5% | \$15,545  |
| Visual Capacity Optimization Manager (VCOM)- 70 FMA License   | VCOM-70   | \$26,868     | 32.5% | \$18,136  |
| Visual Capacity Optimization Manager (VCOM)- 80 FMA License   | VCOM-80   | \$30,707     | 32.5% | \$20,727  |
| Visual Capacity Optimization Manager (VCOM)- 90 FMA License   | VCOM-90   | \$34,545     | 32.5% | \$23,318  |
| Visual Capacity Optimization Manager (VCOM)- 100 FMA License  | VCOM-100  | \$38,383     | 32.5% | \$25,909  |
| Visual Capacity Optimization Manager (VCOM)- 125 FMA License  | VCOM-125  | \$47,979     | 32.5% | \$32,386  |
| Visual Capacity Optimization Manager (VCOM)- 150 FMA License  | VCOM-150  | \$57,575     | 32.5% | \$38,863  |
| Visual Capacity Optimization Manager (VCOM)- 175 FMA License  | VCOM-175  | \$67,171     | 32.5% | \$45,340  |
| Visual Capacity Optimization Manager (VCOM)- 200 FMA License  | VCOM-200  | \$76,767     | 32.5% | \$51,818  |
| Visual Capacity Optimization Manager (VCOM)- 250 FMA License  | VCOM-250  | \$89,600     | 32.5% | \$60,480  |
| Visual Capacity Optimization Manager (VCOM)- 300 FMA License  | VCOM-300  | \$107,520    | 32.5% | \$72,576  |
| Visual Capacity Optimization Manager (VCOM)- 350 FMA License  | VCOM-350  | \$125,440    | 32.5% | \$84,672  |
| Visual Capacity Optimization Manager (VCOM)- 400 FMA License  | VCOM-400  | \$143,360    | 32.5% | \$96,768  |
| Visual Capacity Optimization Manager (VCOM)- 450 FMA License  | VCOM-450  | \$161,280    | 32.5% | \$108,864 |
| Visual Capacity Optimization Manager (VCOM)- 500 FMA License  | VCOM-500  | \$167,417    | 32.5% | \$113,006 |
| Visual Capacity Optimization Manager (VCOM)- 600 FMA License  | VCOM-600  | \$200,900    | 32.5% | \$135,608 |
| Visual Capacity Optimization Manager (VCOM)- 700 FMA License  | VCOM-700  | \$234,383    | 32.5% | \$158,209 |
| Visual Capacity Optimization Manager (VCOM)- 800 FMA License  | VCOM-800  | \$267,867    | 32.5% | \$180,810 |
| Visual Capacity Optimization Manager (VCOM)- 900 FMA License  | VCOM-900  | \$301,350    | 32.5% | \$203,411 |
| Visual Capacity Optimization Manager (VCOM)- 1000 FMA License | VCOM-1000 | \$313,600    | 32.5% | \$211,680 |
| Visual Capacity Optimization Manager (VCOM)- 1500 FMA License | VCOM-1500 | \$470,400    | 32.5% | \$317,520 |
| Visual Capacity Optimization Manager (VCOM)- 2000 FMA License | VCOM-2000 | \$627,200    | 32.5% | \$423,360 |
| Visual Capacity Optimization Manager (VCOM)- 2500 FMA License | VCOM-2500 | \$732,667    | 32.5% | \$494,550 |

This price does NOT include the first year's support. Please add the coordinating annual support part number to any quote.

| VCOM Annual Renewal (1 year) (FMA)                               | MSRP              | DIR Discount |       |          |
|--|-------------------|--------------|-------|----------|
|  |                   | Discount     | Price |          |
| Visual Capacity Optimization Manager (VCOM)- 5 Annual Support    | VCOM-SUPPORT-5    | \$411        | 32.5% | \$277    |
| Visual Capacity Optimization Manager (VCOM)- 10 Annual Support   | VCOM-SUPPORT-10   | \$821        | 32.5% | \$554    |
| Visual Capacity Optimization Manager (VCOM)- 20 Annual Support   | VCOM-SUPPORT-20   | \$1,643      | 32.5% | \$1,109  |
| Visual Capacity Optimization Manager (VCOM)- 30 Annual Support   | VCOM-SUPPORT-30   | \$2,464      | 32.5% | \$1,663  |
| Visual Capacity Optimization Manager (VCOM)- 40 Annual Support   | VCOM-SUPPORT-40   | \$3,285      | 32.5% | \$2,217  |
| Visual Capacity Optimization Manager (VCOM)- 50 Annual Support   | VCOM-SUPPORT-50   | \$4,107      | 32.5% | \$2,772  |
| Visual Capacity Optimization Manager (VCOM)- 60 Annual Support   | VCOM-SUPPORT-60   | \$4,606      | 32.5% | \$3,109  |
| Visual Capacity Optimization Manager (VCOM)- 70 Annual Support   | VCOM-SUPPORT-70   | \$5,374      | 32.5% | \$3,627  |
| Visual Capacity Optimization Manager (VCOM)- 80 Annual Support   | VCOM-SUPPORT-80   | \$6,141      | 32.5% | \$4,145  |
| Visual Capacity Optimization Manager (VCOM)- 90 Annual Support   | VCOM-SUPPORT-90   | \$6,909      | 32.5% | \$4,664  |
| Visual Capacity Optimization Manager (VCOM)- 100 Annual Support  | VCOM-SUPPORT-100  | \$7,677      | 32.5% | \$5,182  |
| Visual Capacity Optimization Manager (VCOM)- 125 Annual Support  | VCOM-SUPPORT-125  | \$9,596      | 32.5% | \$6,477  |
| Visual Capacity Optimization Manager (VCOM)- 150 Annual Support  | VCOM-SUPPORT-150  | \$11,515     | 32.5% | \$7,773  |
| Visual Capacity Optimization Manager (VCOM)- 175 Annual Support  | VCOM-SUPPORT-175  | \$13,434     | 32.5% | \$9,068  |
| Visual Capacity Optimization Manager (VCOM)- 200 Annual Support  | VCOM-SUPPORT-200  | \$15,353     | 32.5% | \$10,363 |
| Visual Capacity Optimization Manager (VCOM)- 250 Annual Support  | VCOM-SUPPORT-250  | \$17,920     | 32.5% | \$12,096 |
| Visual Capacity Optimization Manager (VCOM)- 300 Annual Support  | VCOM-SUPPORT-300  | \$21,504     | 32.5% | \$14,515 |
| Visual Capacity Optimization Manager (VCOM)- 350 Annual Support  | VCOM-SUPPORT-350  | \$25,088     | 32.5% | \$16,934 |
| Visual Capacity Optimization Manager (VCOM)- 400 Annual Support  | VCOM-SUPPORT-400  | \$28,672     | 32.5% | \$19,354 |
| Visual Capacity Optimization Manager (VCOM)- 450 Annual Support  | VCOM-SUPPORT-450  | \$32,256     | 32.5% | \$21,773 |
| Visual Capacity Optimization Manager (VCOM)- 500 Annual Support  | VCOM-SUPPORT-500  | \$33,483     | 32.5% | \$22,601 |
| Visual Capacity Optimization Manager (VCOM)- 600 Annual Support  | VCOM-SUPPORT-600  | \$40,180     | 32.5% | \$27,122 |
| Visual Capacity Optimization Manager (VCOM)- 700 Annual Support  | VCOM-SUPPORT-700  | \$46,877     | 32.5% | \$31,642 |
| Visual Capacity Optimization Manager (VCOM)- 800 Annual Support  | VCOM-SUPPORT-800  | \$53,573     | 32.5% | \$36,162 |
| Visual Capacity Optimization Manager (VCOM)- 900 Annual Support  | VCOM-SUPPORT-900  | \$60,270     | 32.5% | \$40,682 |
| Visual Capacity Optimization Manager (VCOM)- 1000 Annual Support | VCOM-SUPPORT-1000 | \$62,720     | 32.5% | \$42,336 |
| Visual Capacity Optimization Manager (VCOM)- 1500 Annual Support | VCOM-SUPPORT-1500 | \$94,080     | 32.5% | \$63,504 |
| Visual Capacity Optimization Manager (VCOM)- 2000 Annual Support | VCOM-SUPPORT-2000 | \$125,440    | 32.5% | \$84,672 |
| Visual Capacity Optimization Manager (VCOM)- 2500 Annual Support | VCOM-SUPPORT-2500 | \$146,533    | 32.5% | \$98,910 |

| VCOM SUBSCRIPTION (FMAs)  | MSRP        | DIR Discount |       |          |
|---|-------------|--------------|-------|----------|
|   |             | Discount     | Price |          |
| Visual Capacity Optimization Manager (VCOM)- 5 FMA Annual Subscription  | VCOM-SUB-5  | \$1,312      | 32.5% | \$886    |
| Visual Capacity Optimization Manager (VCOM)- 10 FMA Annual Subscription | VCOM-SUB-10 | \$2,624      | 32.5% | \$1,771  |
| Visual Capacity Optimization Manager (VCOM)- 20 FMA Annual Subscription | VCOM-SUB-20 | \$5,248      | 32.5% | \$3,542  |
| Visual Capacity Optimization Manager (VCOM)- 30 FMA Annual Subscription | VCOM-SUB-30 | \$7,872      | 32.5% | \$5,314  |
| Visual Capacity Optimization Manager (VCOM)- 40 FMA Annual Subscription | VCOM-SUB-40 | \$10,496     | 32.5% | \$7,085  |
| Visual Capacity Optimization Manager (VCOM)- 50 FMA Annual Subscription | VCOM-SUB-50 | \$13,120     | 32.5% | \$8,856  |
| Visual Capacity Optimization Manager (VCOM)- 60 FMA Annual Subscription | VCOM-SUB-60 | \$14,736     | 32.5% | \$9,947  |
| Visual Capacity Optimization Manager (VCOM)- 70 FMA Annual Subscription | VCOM-SUB-70 | \$17,192     | 32.5% | \$11,605 |

## SOFTWARE

### UPS MANAGEMENT/SUPERVISORY SOFTWARE

|   |               |           |       |           |
|---|---------------|-----------|-------|-----------|
| Visual Capacity Optimization Manager (VCOM)- 80 FMA Annual Subscription   | VCOM-SUB-80   | \$19,648  | 32.5% | \$13,262  |
| Visual Capacity Optimization Manager (VCOM)- 90 FMA Annual Subscription   | VCOM-SUB-90   | \$22,104  | 32.5% | \$14,920  |
| Visual Capacity Optimization Manager (VCOM)- 100 FMA Annual Subscription  | VCOM-SUB-100  | \$24,560  | 32.5% | \$16,578  |
| Visual Capacity Optimization Manager (VCOM)- 125 FMA Annual Subscription  | VCOM-SUB-125  | \$30,700  | 32.5% | \$20,723  |
| Visual Capacity Optimization Manager (VCOM)- 150 FMA Annual Subscription  | VCOM-SUB-150  | \$36,840  | 32.5% | \$24,867  |
| Visual Capacity Optimization Manager (VCOM)- 175 FMA Annual Subscription  | VCOM-SUB-175  | \$42,980  | 32.5% | \$29,012  |
| Visual Capacity Optimization Manager (VCOM)- 200 FMA Annual Subscription  | VCOM-SUB-200  | \$49,120  |       | \$49,120  |
| Visual Capacity Optimization Manager (VCOM)- 250 FMA Annual Subscription  | VCOM-SUB-250  | \$57,200  |       | \$57,200  |
| Visual Capacity Optimization Manager (VCOM)- 300 FMA Annual Subscription  | VCOM-SUB-300  | \$68,640  |       | \$68,640  |
| Visual Capacity Optimization Manager (VCOM)- 350 FMA Annual Subscription  | VCOM-SUB-350  | \$80,080  |       | \$80,080  |
| Visual Capacity Optimization Manager (VCOM)- 400 FMA Annual Subscription  | VCOM-SUB-400  | \$91,520  |       | \$91,520  |
| Visual Capacity Optimization Manager (VCOM)- 450 FMA Annual Subscription  | VCOM-SUB-450  | \$102,960 |       | \$102,960 |
| Visual Capacity Optimization Manager (VCOM)- 500 FMA Annual Subscription  | VCOM-SUB-500  | \$106,800 |       | \$106,800 |
| Visual Capacity Optimization Manager (VCOM)- 600 FMA Annual Subscription  | VCOM-SUB-600  | \$128,160 |       | \$128,160 |
| Visual Capacity Optimization Manager (VCOM)- 700 FMA Annual Subscription  | VCOM-SUB-700  | \$149,520 |       | \$149,520 |
| Visual Capacity Optimization Manager (VCOM)- 800 FMA Annual Subscription  | VCOM-SUB-800  | \$170,880 |       | \$170,880 |
| Visual Capacity Optimization Manager (VCOM)- 900 FMA Annual Subscription  | VCOM-SUB-900  | \$192,240 |       | \$192,240 |
| Visual Capacity Optimization Manager (VCOM)- 1000 FMA Annual Subscription | VCOM-SUB-1000 | \$200,000 |       | \$200,000 |
| Visual Capacity Optimization Manager (VCOM)- 1500 FMA Annual Subscription | VCOM-SUB-1500 | \$300,000 |       | \$300,000 |
| Visual Capacity Optimization Manager (VCOM)- 2000 FMA Annual Subscription | VCOM-SUB-2000 | \$400,000 |       | \$400,000 |
| Visual Capacity Optimization Manager (VCOM)- 2500 FMA Annual Subscription | VCOM-SUB-2500 | \$442,080 |       | \$442,080 |

### Software Installation Services for VCOM

INCLUDE SW-INSTALL-QS AT A MINIMUM WITH ALL SW DEALS

| VPM Software install  | MSRP           | DIR Discount |       |         |
|---|----------------|--------------|-------|---------|
|   |                | Discount     | Price |         |
| Software Remote Start- 8 hours of remote assistance deploying VPM                         | SW-INSTALL-RS  | \$2,500      | 32.5% | \$1,688 |
| Software Quick Start - 3 day, on-site professional services deploying VPM + user training | SW-INSTALL-QS  | \$9,500      | 32.5% | \$6,413 |
| Custom Professional services  | SW-INSTALL-100 | \$100        | 32.5% | \$68    |
| Custom Professional services  | SW-INSTALL-1K  | \$1,000      | 32.5% | \$675   |
| Custom Professional services  | SW-INSTALL-10K | \$10,000     | 32.5% | \$6,750 |

# Connectivity Options

## WEB/SNMP PRODUCTS

| Description  | Part Number    | MSRP    | Discount | DIR Discount |
|--|----------------|---------|----------|--------------|
|  |                |         |          | Price        |
| Eaton Gigabit Network Card (Replaces NETWORK-MS and ConnectUPS-BD) | NETWORK-M2     | \$435   | 32.50%   | \$294        |
| Industrial Gateway Card  | INDGW-M2       | \$492   | 32.50%   | \$332        |
| Industrial Gateway Card (X-Slot)                                   | INDGW-X2       | \$556   | 32.50%   | \$375        |
| Ethernet SNMP/HTTP Adapter   | 116750225-001  | \$446   | 32.50%   | \$301        |
| Power Xpert Mini-Slot UPS Card (Web/SNMP/Modbus TCP)               | PXGMSUPS       | \$752   | 32.50%   | \$508        |
| Power Xpert Gateway PDP Card (Web/SNMP/Modbus TCP)                 | 103008064-5591 | \$1,211 | 32.50%   | \$817        |

## CONNECTIVITY AND ENVIRONMENTAL ACCESSORIES

| Description  | Part Number   | MSRP  | Discount | DIR Discount |
|--|---------------|-------|----------|--------------|
|  |               |       |          | Price        |
| Environmental Monitoring Probe (Compatible with PXG cards)       | 116750224-001 | \$282 | 32.50%   | \$190        |
| Environmental Monitoring Probe Gen 2 (Compatible with M2 cards)  | EMPDT1H1C2    | \$309 | 32.50%   | \$209        |
| Environmental Rack Monitor Water Leak Detector, 3ft              | 103005780     | \$173 | 32.50%   | \$117        |
| Environmental Rack Monitor Water Leak Detector, 12ft             | 103005894     | \$299 | 32.50%   | \$202        |
| Environmental Rack Monitor Door Contact Sensor                   | 103005781     | \$35  | 32.50%   | \$24         |
| Environmental Rack Monitor Vibration Sensor                      | 103005782     | \$47  | 32.50%   | \$32         |
| Environmental Rack Monitor Smoke Detector/Alarm (220V, IEC C-13) | 103005779     | \$173 | 32.50%   | \$117        |
| Environmental Rack Monitor Smoke Detector/Alarm (110V, 5-15)     | 103005890     | \$173 | 32.50%   | \$117        |












## RELAY INTERFACE/REMOTE MONITORING PRODUCTS

| Description   | Part Number | MSRP  | Discount | DIR Discount |
|---|-------------|-------|----------|--------------|
|   |             |       |          | Price        |
| Relay Card-MS   | RELAY-MS    | \$148 | 32.50%   | \$100        |
| Industrial Relay Card MS  | INDRELAY-MS | \$752 | 32.50%   | \$508        |
| Industrial Relay and Display Drive Card X-Slot. Replaces 1014018 card   | 103003055   | \$480 | 32.50%   | \$324        |
| Provides (4) Form-C Relay contacts (5A @ 250V) for UPS integration into security and alarm systems. Also provides signal information for the Remote Monitor Display Panel (part number 103002687-001) |             |       |          |              |
| Cable 10 ft DB9 - DB9 (compatible with AS/400 model 9406; for use with RELAY-MS)  | 66033       | \$129 | 32.50%   | \$87         |

## REMOTE MONITORING PANELS (FOR MONITORING OF UPS STATUS)

| Description  | Part Number   | MSRP  | Discount | DIR Discount |
|--|---------------|-------|----------|--------------|
|  |               |       |          | Price        |
| Remote Monitor Display Panel (Requires Industrial Relay and Display Drive Card Part # 103003055) | 103002687-001 | \$557 | 32.50%   | \$376        |

## CONNECTIVITY PRODUCTS

| Class      | Reference   | Part number                | List price           | Environmental monitoring probe  | Eaton UPS models |                |     |     |      |            |      |         |     |      |          |      |                 |   |
|------------|---|----------------------------|----------------------|---|------------------|----------------|-----|-----|------|------------|------|---------|-----|------|----------|------|-----------------|---|
|            |   |                            |                      |   | 5P               | 5PX UPS family | 5SX | 5PX | 5PXM | FERRUPS FX | 9130 | FERRUPS | 93E | 93PM | BladeUPS | 9x55 | 9395 UPS family |   |
| IT         |  Gigabit Network Card                  | NETWORK-M2<br>744-A3983    | \$410<br>(CANS720)   | Eaton EMP Gen 2<br>EMPDT1H1C2<br>744-A4025  | X                | X              | X   | X   | X    | X          | X    |         |     |      |          |      |                 |   |
| Industrial |  Industrial Gateway Card               | INDGW-M2<br>744-07774      | \$464<br>(CANS815)   |  | X                | X              | X   | X   | X    | X          |      |         | X   | X    |          |      |                 |   |
|            |  Gigabit Industrial Gateway X2 Card    | INDGW-X2<br>744-07538      | \$524<br>(CANS920)   |   |                  |                |     |     |      |            |      |         |     | X    | X        | X    |                 |   |
|            |  Power Xpert Gateway Minislot UPS Card | PXGMSUPS<br>P-116000035    | \$709<br>(CANS1,245) | Eaton EMP<br>116750224-001  |                  |                |     |     |      |            |      |         |     |      | X        |      |                 |   |
|            |  Power Xpert Gateway UPS X-Slot Card   | PXGXUPS<br>103007974-5591  | \$541<br>(CANS950)   |  |                  |                |     |     |      |            |      |         |     |      |          | X    | X               | X |
|            |  BestLink Web/SNMP Adapter             | 116750225-001              | \$420<br>(CANS738)   |   |                  |                |     |     |      |            |      |         | X   |      |          |      |                 |   |
| Relay      |  Relay Card - MS                       | RELAY-MS<br>744-99067-00P  | \$139<br>(CANS244)   |   | X                | X              | X   | X   | X    | X          |      |         |     | X    | X        |      |                 |   |
|            |  Industrial Relay Card - MS            | INDRELAY-MS<br>P-116000059 | \$709<br>(CANS1,245) |   |                  |                |     |     |      | X          |      |         |     | X    | X        |      |                 |   |
|            |  X-Slot Industrial Relay Card          | 103003055                  | \$452<br>(CANS794)   |   |                  |                |     |     |      |            |      |         |     |      | X        | X    | X               |   |

# SURGE PROTECTION

## PSPD SERIES

Eaton's PSPD series of surge protection devices ensure that critical equipment is protected with the safest, most reliable and most advanced UL 1449 3rd Edition certified surge protectors. The array of features, options, and configurations ensures there is a unit for all electrical applications, including service entrances, data centers, critical distribution switchboards and panelboards, and PDUs and RPPs.



- Common voltages and configurations as well as a variety of surge current capacity ratings from 50 through 400 kA provide application flexibility.
- UL 1449 3rd Edition recognized component for the United States and Canada, covered by Underwriters Laboratories certification and follow-up service.
- Utilizes self-protected protected metal oxide varistor (MOV) technology, which provides both high energy capacity and fail-safe operation.
- Side mount units offer factory-sealed assembly, which prevents arc flash and shock hazards.
- Standard units include EMI/RFI filtering to provide effective protection for sensitive electronic loads.
- Side mount units contain no replaceable parts or items that require periodic maintenance thus reducing maintenance costs.

| Voltage                                    | Part Number   | Dimensions (H x W x D, inches) | Weight (lb)                         | List Price | Part Number   | MSRP                            | Discount | DIR Discount Price |
|--|---------------|--------------------------------|-------------------------------------|------------|---------------|---------------------------------|----------|--------------------|
| <b>PSPD 050 (50 kA/phase surge rating)</b> |               |                                |                                     |            |               |                                 |          |                    |
| Standard with Surge Counter                |               |                                | 'K' Option - No Integral Disconnect |            |               | M' Option - Integral Disconnect |          |                    |
| Diagnostics                                |               |                                |                                     |            |               |                                 |          |                    |
| 208/120 Wye Three-phase (4W + G)           | PSPD050208Y3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,005    | PSPD050208Y3M | \$2,482                         | 32.50%   | \$1,675            |
| 120/240 Single Split-phase (3W + G)        | PSPD050240S3K | 10.5 x 7.5 x 3.5               | 7                                   | \$1,854    | PSPD050240S3M | \$2,636                         | 32.50%   | \$1,779            |
| 240 Delta (3W + G)                         | PSPD050240D3K | 10.5 x 7.5 x 3.5               | 7                                   | \$2,005    | PSPD050240D3M | \$2,772                         | 32.50%   | \$1,871            |
| 480 Delta (3W + G)                         | PSPD050480D3K | 10.5 x 7.5 x 3.5               | 7                                   | \$2,005    | PSPD050480D3M | \$2,772                         | 32.50%   | \$1,871            |
| 400/230 Wye Three-phase (4W + G)           | PSPD050400Y3K | 10.5 x 7.5 x 3.5               | 7                                   | \$2,005    | PSPD050400Y3M | \$2,772                         | 32.50%   | \$1,871            |
| 480/277 Wye Three-phase (4W + G)           | PSPD050480Y3K | 10.5 x 7.5 x 3.5               | 7                                   | \$2,005    | PSPD050480Y3M | \$2,772                         | 32.50%   | \$1,871            |
| <b>Standard Diagnostics</b>                |               |                                |                                     |            |               |                                 |          |                    |
| 208/120 Wye Three-phase (4W + G)           |               |                                | 'K' Option - No Integral Disconnect |            |               | M' Option - Integral Disconnect |          |                    |
| 120/240 Single Split-phase (3W + G)        |               |                                |                                     |            |               |                                 |          |                    |
| 240 Delta (3W + G)                         | PSPD050240D2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,706    | PSPD050240D2M | \$2,794                         | 32.50%   | \$1,886            |
| 480 Delta (3W + G)                         | PSPD050480D2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,706    | PSPD050480D2M | \$2,794                         | 32.50%   | \$1,886            |
| 400/230 Wye Three-phase (4W + G)           | PSPD050400Y2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,706    | PSPD050400Y2M | \$2,794                         | 32.50%   | \$1,886            |
| 480/277 Wye Three-phase (4W + G)           | PSPD050480Y2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,706    | PSPD050480Y2M | \$2,794                         | 32.50%   | \$1,886            |
| <b>Basic Diagnostics</b>                   |               |                                |                                     |            |               |                                 |          |                    |
| 208/120 Wye Three-phase (4W + G)           |               |                                | 'K' Option - No Integral Disconnect |            |               | M' Option - Integral Disconnect |          |                    |
| 120/240 Single Split-phase (3W + G)        |               |                                |                                     |            |               |                                 |          |                    |
| 240 Delta (3W + G)                         | PSPD050240D1K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,641    | PSPD050240D1M | \$2,411                         | 32.50%   | \$1,627            |
| 480 Delta (3W + G)                         | PSPD050480D1K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,641    | PSPD050480D1M | \$2,411                         | 32.50%   | \$1,627            |
| 400/230 Wye Three-phase (4W + G)           | PSPD050400Y1K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,641    | PSPD050400Y1M | \$2,411                         | 32.50%   | \$1,627            |
| 480/277 Wye Three-phase (4W + G)           | PSPD050480Y1K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$1,641    | PSPD050480Y1M | \$2,411                         | 32.50%   | \$1,627            |
| <b>PSPD SERIES</b>                         |               |                                |                                     |            |               |                                 |          |                    |
| Voltage                                    | Part Number   | Dimensions (H x W x D, inches) | Weight (lb)                         | List Price | Part Number   | MSRP                            | Discount | DIR Discount Price |
| <b>PSPD 080 (80 kA/phase surge rating)</b> |               |                                |                                     |            |               |                                 |          |                    |
| Standard with Surge Counter                |               |                                | 'K' Option - No Integral Disconnect |            |               | M' Option - Integral Disconnect |          |                    |
| Diagnostics                                |               |                                |                                     |            |               |                                 |          |                    |
| 208/120 Wye Three-phase (4W + G)           | PSPD080208Y3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,143    | PSPD080208Y3M | \$2,747                         | 32.50%   | \$1,854            |
| 120/240 Single Split-phase (3W + G)        | PSPD080240S3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,326    | PSPD080240S3M | \$2,932                         | 32.50%   | \$1,979            |
| 240 Delta (3W + G)                         | PSPD080240D3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,509    | PSPD080240D3M | \$3,114                         | 32.50%   | \$2,102            |
| 480 Delta (3W + G)                         | PSPD080480D3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,509    | PSPD080480D3M | \$3,114                         | 32.50%   | \$2,102            |
| 400/230 Wye Three-phase (4W + G)           | PSPD080400Y3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,509    | PSPD080400Y3M | \$3,114                         | 32.50%   | \$2,102            |
| 480/277 Wye Three-phase (4W + G)           | PSPD080480Y3K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,509    | PSPD080480Y3M | \$3,114                         | 32.50%   | \$2,102            |
| <b>Standard Diagnostics</b>                |               |                                |                                     |            |               |                                 |          |                    |
| 208/120 Wye Three-phase (4W + G)           |               |                                | 'K' Option - No Integral Disconnect |            |               | M' Option - Integral Disconnect |          |                    |
| 120/240 Single Split-phase (3W + G)        |               |                                |                                     |            |               |                                 |          |                    |
| 240 Delta (3W + G)                         | PSPD080240D2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,143    | PSPD080240D2M | \$2,747                         | 32.50%   | \$1,854            |
| 480 Delta (3W + G)                         | PSPD080480D2K | 10.5 x 7.5 x 3.5               | 7.0                                 | \$2,143    | PSPD080480D2M | \$2,747                         | 32.50%   | \$1,854            |



|   |  |                                       |                    |                   |  |                   |                 |                           |
|---|--|---------------------------------------|--------------------|-------------------|--|-------------------|-----------------|---------------------------|
| 400/230 Wye Three-phase (4W + G)  | PSPD080400Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,143           | PSPD080400Y2M                          | \$2,747           | 32.50%          | \$1,854                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD080480Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,143           | PSPD080480Y2M                          | \$2,747           | 32.50%          | \$1,854                   |
| <b>Basic Diagnostics</b>  | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD080208Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$1,684           | PSPD080208Y1M                          | \$2,289           | 32.50%          | \$1,545                   |
| 120/240 Single Split-phase (3W + G)   | PSPD080240S1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$1,858           | PSPD080240S1M                          | \$2,465           | 32.50%          | \$1,664                   |
| 240 Delta (3W + G)  | PSPD080240D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,040           | PSPD080240D1M                          | \$2,647           | 32.50%          | \$1,787                   |
| 480 Delta (3W + G)  | PSPD080480D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,040           | PSPD080480D1M                          | \$2,647           | 32.50%          | \$1,787                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD080400Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,040           | PSPD080400Y1M                          | \$2,647           | 32.50%          | \$1,787                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD080480Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,040           | PSPD080480Y1M                          | \$2,647           | 32.50%          | \$1,787                   |
| <b>Voltage</b>  | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>MSRP</b>       | <b>Discount</b> | <b>DIR Discount Price</b> |
| <b>PSPD 100 (100 kA/phase surge rating) Standard with Surge Counter Diagnostics</b> | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD100208Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,350           | PSPD100208Y3M                          | \$2,918           | 32.50%          | \$1,970                   |
| 120/240 Single Split-phase (3W + G)   | PSPD100240S3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,549           | PSPD100240S3M                          | \$3,117           | 32.50%          | \$2,104                   |
| 240 Delta (3W + G)  | PSPD100240D3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,744           | PSPD100240D3M                          | \$3,312           | 32.50%          | \$2,236                   |
| 480 Delta (3W + G)  | PSPD100480D3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,744           | PSPD100480D3M                          | \$3,312           | 32.50%          | \$2,236                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD100400Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,744           | PSPD100400Y3M                          | \$3,312           | 32.50%          | \$2,236                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD100480Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,744           | PSPD100480Y3M                          | \$3,312           | 32.50%          | \$2,236                   |
| <b>PSPD SERIES</b>  |  |                                       |                    |                   |  |                   |                 |                           |
| <b>Voltage</b>  | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>MSRP</b>       | <b>Discount</b> | <b>DIR Discount Price</b> |
| Standard Diagnostics  | 'K' Option - No Integral Disconnect        |                                       |                    |                   | M' Option - Integral Disconnect        |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD100208Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$1,951           | PSPD100208Y2M                          | \$2,520           | 32.50%          | \$1,701                   |
| 120/240 Single Split-phase (3W + G)   | PSPD100240S2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,151           | PSPD100240S2M                          | \$2,712           | 32.50%          | \$1,831                   |
| 240 Delta (3W + G)  | PSPD100240D2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,344           | PSPD100240D2M                          | \$2,908           | 32.50%          | \$1,963                   |
| 480 Delta (3W + G)  | PSPD100480D2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,344           | PSPD100480D2M                          | \$2,908           | 32.50%          | \$1,963                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD100400Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,344           | PSPD100400Y2M                          | \$2,908           | 32.50%          | \$1,963                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD100480Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,344           | PSPD100480Y2M                          | \$2,908           | 32.50%          | \$1,963                   |
| <b>Basic Diagnostics</b>  | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD100208Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$1,810           | PSPD100208Y1M                          | \$2,379           | 32.50%          | \$1,606                   |
| 120/240 Single Split-phase (3W + G)   | PSPD100240S1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$1,989           | PSPD100240S1M                          | \$2,557           | 32.50%          | \$1,726                   |
| 240 Delta (3W + G)  | PSPD100240D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,165           | PSPD100240D1M                          | \$2,733           | 32.50%          | \$1,845                   |
| 480 Delta (3W + G)  | PSPD100480D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,165           | PSPD100480D1M                          | \$2,733           | 32.50%          | \$1,845                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD100400Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,165           | PSPD100400Y1M                          | \$2,733           | 32.50%          | \$1,845                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD100480Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,165           | PSPD100480Y1M                          | \$2,733           | 32.50%          | \$1,845                   |
| <b>Voltage</b>  | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>List Price</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
| <b>PSPD 120 (120 kA/phase surge rating) Standard with Surge Counter Diagnostics</b> | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD120208Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,865           | PSPD120208Y3M                          | \$3,605           | 32.50%          | \$2,433                   |
| 120/240 Single Split-phase (3W + G)   | PSPD120240S3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,108           | PSPD120240S3M                          | \$3,847           | 32.50%          | \$2,597                   |
| 240 Delta (3W + G)  | PSPD120240D3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,357           | PSPD120240D3M                          | \$4,100           | 32.50%          | \$2,768                   |
| 480 Delta (3W + G)  | PSPD120480D3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,357           | PSPD120480D3M                          | \$4,100           | 32.50%          | \$2,768                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD120400Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,357           | PSPD120400Y3M                          | \$4,100           | 32.50%          | \$2,768                   |
| 480/277 Wye Three-phase (4W + G)  | PSPD120480Y3K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,357           | PSPD120480Y3M                          | \$4,100           | 32.50%          | \$2,768                   |
| <b>Standard Diagnostics</b>   | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |                   |                 |                           |
| 208/120 Wye Three-phase (4W + G)  | PSPD120208Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,447           | PSPD120208Y2M                          | \$3,189           | 32.50%          | \$2,153                   |
| 120/240 Single Split-phase (3W + G)   | PSPD120240S2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,687           | PSPD120240S2M                          | \$3,432           | 32.50%          | \$2,317                   |
| 240 Delta (3W + G)  | PSPD120240D2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,937           | PSPD120240D2M                          | \$3,680           | 32.50%          | \$2,484                   |
| 480 Delta (3W + G)  | PSPD120480D2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,937           | PSPD120480D2M                          | \$3,680           | 32.50%          | \$2,484                   |
| 400/230 Wye Three-phase (4W + G)  | PSPD120400Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$2,937           | PSPD120400Y2M                          | \$3,680           | 32.50%          | \$2,484                   |

| 480/277 Wye Three-phase (4W + G)            | PSPD120480Y2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,937    | PSPD120480Y2M                   | \$3,680 | 32.50%   | \$2,484            |
|---|-------------------------------------|--------------------------------|-------------|------------|---------------------------------|---------|----------|--------------------|
| <b>PSPD SERIES</b>                          |                                     |                                |             |            |                                 |         |          |                    |
| Voltage                                     | Part Number                         | Dimensions (H x W x D, inches) | Weight (lb) | List Price | Part Number                     | MSRP    | Discount | DIR Discount Price |
| Basic Diagnostics                           | 'K' Option - No Integral Disconnect |                                |             |            | M' Option - Integral Disconnect |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD120208Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,262    | PSPD120208Y1M                   | \$3,004 | 32.50%   | \$2,028            |
| 120/240 Single Split-phase (3W + G)         | PSPD120240S1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,485    | PSPD120240S1M                   | \$3,227 | 32.50%   | \$2,178            |
| 240 Delta (3W + G)                          | PSPD120240D1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,716    | PSPD120240D1M                   | \$3,458 | 32.50%   | \$2,334            |
| 480 Delta (3W + G)                          | PSPD120480D1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,716    | PSPD120480D1M                   | \$3,458 | 32.50%   | \$2,334            |
| 400/230 Wye Three-phase (4W + G)            | PSPD120400Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,716    | PSPD120400Y1M                   | \$3,458 | 32.50%   | \$2,334            |
| 480/277 Wye Three-phase (4W + G)            | PSPD120480Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,716    | PSPD120480Y1M                   | \$3,458 | 32.50%   | \$2,334            |
| Voltage                                     | Part Number                         | Dimensions (H x W x D, inches) | Weight (lb) | List Price | Part Number                     | MSRP    | Discount | DIR Discount Price |
| <b>PSPD 160 (160 kA/phase surge rating)</b> |                                     |                                |             |            |                                 |         |          |                    |
| Standard with Surge Counter Diagnostics     | 'K' Option - No Integral Disconnect |                                |             |            | M' Option - Integral Disconnect |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD160208Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,443    | PSPD160208Y3M                   | \$4,313 | 32.50%   | \$2,911            |
| 120/240 Single Split-phase (3W + G)         | PSPD160240S3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,747    | PSPD160240S3M                   | \$4,614 | 32.50%   | \$3,114            |
| 240 Delta (3W + G)                          | PSPD160240D3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,052    | PSPD160240D3M                   | \$4,917 | 32.50%   | \$3,319            |
| 480 Delta (3W + G)                          | PSPD160480D3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,052    | PSPD160480D3M                   | \$4,917 | 32.50%   | \$3,319            |
| 400/230 Wye Three-phase (4W + G)            | PSPD160400Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,052    | PSPD160400Y3M                   | \$4,917 | 32.50%   | \$3,319            |
| 480/277 Wye Three-phase (4W + G)            | PSPD160480Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,052    | PSPD160480Y3M                   | \$4,917 | 32.50%   | \$3,319            |
| <b>Standard Diagnostics</b>                 |                                     |                                |             |            |                                 |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD160208Y2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,052    | PSPD160208Y2M                   | \$3,922 | 32.50%   | \$2,647            |
| 120/240 Single Split-phase (3W + G)         | PSPD160240S2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,358    | PSPD160240S2M                   | \$4,222 | 32.50%   | \$2,850            |
| 240 Delta (3W + G)                          | PSPD160240D2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,661    | PSPD160240D2M                   | \$4,528 | 32.50%   | \$3,056            |
| 480 Delta (3W + G)                          | PSPD160480D2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,661    | PSPD160480D2M                   | \$4,528 | 32.50%   | \$3,056            |
| 400/230 Wye Three-phase (4W + G)            | PSPD160400Y2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,661    | PSPD160400Y2M                   | \$4,528 | 32.50%   | \$3,056            |
| 480/277 Wye Three-phase (4W + G)            | PSPD160480Y2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,661    | PSPD160480Y2M                   | \$4,528 | 32.50%   | \$3,056            |
| <b>Basic Diagnostics</b>                    |                                     |                                |             |            |                                 |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD160208Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$2,827    | PSPD160208Y1M                   | \$3,694 | 32.50%   | \$2,493            |
| 120/240 Single Split-phase (3W + G)         | PSPD160240S1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,107    | PSPD160240S1M                   | \$3,971 | 32.50%   | \$2,680            |
| 240 Delta (3W + G)                          | PSPD160240D1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,390    | PSPD160240D1M                   | \$4,259 | 32.50%   | \$2,875            |
| 480 Delta (3W + G)                          | PSPD160480D1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,390    | PSPD160480D1M                   | \$4,259 | 32.50%   | \$2,875            |
| 400/230 Wye Three-phase (4W + G)            | PSPD160400Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,390    | PSPD160400Y1M                   | \$4,259 | 32.50%   | \$2,875            |
| 480/277 Wye Three-phase (4W + G)            | PSPD160480Y1K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,390    | PSPD160480Y1M                   | \$4,259 | 32.50%   | \$2,875            |
| <b>PSPD SERIES</b>                          |                                     |                                |             |            |                                 |         |          |                    |
| Voltage                                     | Part Number                         | Dimensions (H x W x D, inches) | Weight (lb) | List Price | Part Number                     | MSRP    | Discount | DIR Discount Price |
| <b>PSPD 200 (200 kA/phase surge rating)</b> |                                     |                                |             |            |                                 |         |          |                    |
| Standard with Surge Counter Diagnostics     | 'K' Option - No Integral Disconnect |                                |             |            | M' Option - Integral Disconnect |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD200208Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,003    | PSPD200208Y3M                   | \$5,076 | 32.50%   | \$3,426            |
| 120/240 Single Split-phase (3W + G)         | PSPD200240S3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,365    | PSPD200240S3M                   | \$5,438 | 32.50%   | \$3,671            |
| 240 Delta (3W + G)                          | PSPD200240D3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,728    | PSPD200240D3M                   | \$5,802 | 32.50%   | \$3,916            |
| 480 Delta (3W + G)                          | PSPD200480D3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,728    | PSPD200480D3M                   | \$5,802 | 32.50%   | \$3,916            |
| 400/230 Wye Three-phase (4W + G)            | PSPD200400Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,728    | PSPD200400Y3M                   | \$5,802 | 32.50%   | \$3,916            |
| 480/277 Wye Three-phase (4W + G)            | PSPD200480Y3K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,728    | PSPD200480Y3M                   | \$5,802 | 32.50%   | \$3,916            |
| <b>Standard Diagnostics</b>                 |                                     |                                |             |            |                                 |         |          |                    |
| 208/120 Wye Three-phase (4W + G)            | PSPD200208Y2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,630    | PSPD200208Y2M                   | \$4,705 | 32.50%   | \$3,176            |
| 120/240 Single Split-phase (3W + G)         | PSPD200240S2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$3,994    | PSPD200240S2M                   | \$5,066 | 32.50%   | \$3,420            |
| 240 Delta (3W + G)                          | PSPD200240D2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,358    | PSPD200240D2M                   | \$5,432 | 32.50%   | \$3,667            |
| 480 Delta (3W + G)                          | PSPD200480D2K                       | 10.5 x 7.5 x 3.5               | 7.0         | \$4,358    | PSPD200480D2M                   | \$5,432 | 32.50%   | \$3,667            |

|   |  |                                       |                    |                   |  |             |                 |                           |
|---|--|---------------------------------------|--------------------|-------------------|--|-------------|-----------------|---------------------------|
| 400/230 Wye Three-phase (4W + G)            | PSPD200400Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,358           | PSPD200400Y2M                          | \$5,432     | 32.50%          | \$3,667                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD200480Y2K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,358           | PSPD200480Y2M                          | \$5,432     | 32.50%          | \$3,667                   |
| <b>Basic Diagnostics</b>                    | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD200208Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,358           | PSPD200208Y1M                          | \$4,430     | 32.50%          | \$2,990                   |
| 120/240 Single Split-phase (3W + G)         | PSPD200240S1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$3,697           | PSPD200240S1M                          | \$4,772     | 32.50%          | \$3,221                   |
| 240 Delta (3W + G)                          | PSPD200240D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,026           | PSPD200240D1M                          | \$5,101     | 32.50%          | \$3,443                   |
| 480 Delta (3W + G)                          | PSPD200480D1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,026           | PSPD200480D1M                          | \$5,101     | 32.50%          | \$3,443                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD200400Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,026           | PSPD200400Y1M                          | \$5,101     | 32.50%          | \$3,443                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD200480Y1K                              | 10.5 x 7.5 x 3.5                      | 7.0                | \$4,026           | PSPD200480Y1M                          | \$5,101     | 32.50%          | \$3,443                   |
| <b>Voltage</b>                              | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>MSRP</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
| <b>PSPD 250 (250 kA/phase surge rating)</b> | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| Standard with Surge Counter Diagnostics     |  |                                       |                    |                   |  |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD250208Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,026           | PSPD250208Y3M                          | \$6,294     | 32.50%          | \$4,248                   |
| 120/240 Single Split-phase (3W + G)         | PSPD250240S3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,493           | PSPD250240S3M                          | \$6,758     | 32.50%          | \$4,562                   |
| 240 Delta (3W + G)                          | PSPD250240D3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,955           | PSPD250240D3M                          | \$7,227     | 32.50%          | \$4,878                   |
| 480 Delta (3W + G)                          | PSPD250480D3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,955           | PSPD250480D3M                          | \$7,227     | 32.50%          | \$4,878                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD250400Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,955           | PSPD250400Y3M                          | \$7,227     | 32.50%          | \$4,878                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD250480Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,955           | PSPD250480Y3M                          | \$7,227     | 32.50%          | \$4,878                   |
| <b>PSPD SERIES</b>                          |  |                                       |                    |                   |  |             |                 |                           |
| <b>Voltage</b>                              | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>MSRP</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
| Standard Diagnostics                        | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD250208Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$4,648           | PSPD250208Y2M                          | \$5,914     | 32.50%          | \$3,992                   |
| 120/240 Single Split-phase (3W + G)         | PSPD250240S2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,110           | PSPD250240S2M                          | \$6,384     | 32.50%          | \$4,309                   |
| 240 Delta (3W + G)                          | PSPD250240D2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,575           | PSPD250240D2M                          | \$6,846     | 32.50%          | \$4,621                   |
| 480 Delta (3W + G)                          | PSPD250480D2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,575           | PSPD250480D2M                          | \$6,846     | 32.50%          | \$4,621                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD250400Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,575           | PSPD250400Y2M                          | \$6,846     | 32.50%          | \$4,621                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD250480Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,575           | PSPD250480Y2M                          | \$6,846     | 32.50%          | \$4,621                   |
| <b>Basic Diagnostics</b>                    | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD250208Y1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$4,300           | PSPD250208Y1M                          | \$5,568     | 32.50%          | \$3,758                   |
| 120/240 Single Split-phase (3W + G)         | PSPD250240S1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$4,731           | PSPD250240S1M                          | \$6,000     | 32.50%          | \$4,050                   |
| 240 Delta (3W + G)                          | PSPD250240D1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,162           | PSPD250240D1M                          | \$6,434     | 32.50%          | \$4,343                   |
| 480 Delta (3W + G)                          | PSPD250480D1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,162           | PSPD250480D1M                          | \$6,434     | 32.50%          | \$4,343                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD250400Y1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,162           | PSPD250400Y1M                          | \$6,434     | 32.50%          | \$4,343                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD250480Y1K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,162           | PSPD250480Y1M                          | \$6,434     | 32.50%          | \$4,343                   |
| <b>Voltage</b>                              | <b>Part Number</b>                         | <b>Dimensions (H x W x D, inches)</b> | <b>Weight (lb)</b> | <b>List Price</b> | <b>Part Number</b>                     | <b>MSRP</b> | <b>Discount</b> | <b>DIR Discount Price</b> |
| <b>PSPD 300 (300 kA/phase surge rating)</b> | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| Standard with Surge Counter Diagnostics     |  |                                       |                    |                   |  |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD300208Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,033           | PSPD300208Y3M                          | \$7,408     | 32.50%          | \$5,000                   |
| 120/240 Single Split-phase (3W + G)         | PSPD300240S3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,597           | PSPD300240S3M                          | \$7,984     | 32.50%          | \$5,389                   |
| 240 Delta (3W + G)                          | PSPD300240D3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$7,163           | PSPD300240D3M                          | \$8,542     | 32.50%          | \$5,766                   |
| 480 Delta (3W + G)                          | PSPD300480D3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$7,163           | PSPD300480D3M                          | \$8,542     | 32.50%          | \$5,766                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD300400Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$7,163           | PSPD300400Y3M                          | \$8,542     | 32.50%          | \$5,766                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD300480Y3K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$7,163           | PSPD300480Y3M                          | \$8,542     | 32.50%          | \$5,766                   |
| <b>Standard Diagnostics</b>                 | <b>'K' Option - No Integral Disconnect</b> |                                       |                    |                   | <b>M' Option - Integral Disconnect</b> |             |                 |                           |
| 208/120 Wye Three-phase (4W + G)            | PSPD300208Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$5,648           | PSPD300208Y2M                          | \$7,022     | 32.50%          | \$4,740                   |
| 120/240 Single Split-phase (3W + G)         | PSPD300240S2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,214           | PSPD300240S2M                          | \$7,589     | 32.50%          | \$5,123                   |
| 240 Delta (3W + G)                          | PSPD300240D2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,784           | PSPD300240D2M                          | \$8,155     | 32.50%          | \$5,505                   |
| 480 Delta (3W + G)                          | PSPD300480D2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,784           | PSPD300480D2M                          | \$8,155     | 32.50%          | \$5,505                   |
| 400/230 Wye Three-phase (4W + G)            | PSPD300400Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,784           | PSPD300400Y2M                          | \$8,155     | 32.50%          | \$5,505                   |
| 480/277 Wye Three-phase (4W + G)            | PSPD300480Y2K                              | 10.5 x 7.5 x 6.0                      | 11.5               | \$6,784           | PSPD300480Y2M                          | \$8,155     | 32.50%          | \$5,505                   |

PSPD SERIES

| Voltage  | Part Number                                | Dimensions (H x W x D, inches) | Weight (lb) | List Price | Part Number                             | MSRP     | Discount | DIR Discount Price |
|--|--|--------------------------------|-------------|------------|---|----------|----------|--------------------|
| <b>Basic Diagnostics</b>                       | <b>'K' Option - No Integral Disconnect</b> |                                |             |            | <b>'M' Option - Integral Disconnect</b> |          |          |                    |
| 208/120 Wye Three-phase (4W + G)               | PSPD300208Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$5,225    | PSPD300208Y1M                           | \$6,596  | 32.50%   | \$4,452            |
| 120/240 Single Split-phase (3W + G)            | PSPD300240S1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$5,749    | PSPD300240S1M                           | \$7,123  | 32.50%   | \$4,808            |
| 240 Delta (3W + G)                             | PSPD300240D1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$6,273    | PSPD300240D1M                           | \$7,648  | 32.50%   | \$5,162            |
| 480 Delta (3W + G)                             | PSPD300480D1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$6,273    | PSPD300480D1M                           | \$7,648  | 32.50%   | \$5,162            |
| 400/230 Wye Three-phase (4W + G)               | PSPD300400Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$6,273    | PSPD300400Y1M                           | \$7,648  | 32.50%   | \$5,162            |
| 480/277 Wye Three-phase (4W + G)               | PSPD300480Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$6,273    | PSPD300480Y1M                           | \$7,648  | 32.50%   | \$5,162            |
| <b>Standard with Surge Counter Diagnostics</b> | <b>'K' Option - No Integral Disconnect</b> |                                |             |            | <b>'M' Option - Integral Disconnect</b> |          |          |                    |
| 208/120 Wye Three-phase (4W + G)               | PSPD400208Y3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$7,924    | PSPD400208Y3M                           | \$9,391  | 32.50%   | \$6,339            |
| 120/240 Single Split-phase (3W + G)            | PSPD400240S3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,686    | PSPD400240S3M                           | \$10,145 | 32.50%   | \$6,848            |
| 240 Delta (3W + G)                             | PSPD400240D3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,436    | PSPD400240D3M                           | \$10,898 | 32.50%   | \$7,356            |
| 480 Delta (3W + G)                             | PSPD400480D3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,436    | PSPD400480D3M                           | \$10,898 | 32.50%   | \$7,356            |
| 400/230 Wye Three-phase (4W + G)               | PSPD400400Y3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,436    | PSPD400400Y3M                           | \$10,898 | 32.50%   | \$7,356            |
| 480/277 Wye Three-phase (4W + G)               | PSPD400480Y3K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,436    | PSPD400480Y3M                           | \$10,898 | 32.50%   | \$7,356            |
| <b>Standard Diagnostics</b>                    | <b>'K' Option - No Integral Disconnect</b> |                                |             |            | <b>'M' Option - Integral Disconnect</b> |          |          |                    |
| 208/120 Wye Three-phase (4W + G)               | PSPD400208Y2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$7,540    | PSPD400208Y2M                           | \$9,006  | 32.50%   | \$6,079            |
| 120/240 Single Split-phase (3W + G)            | PSPD400240S2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,299    | PSPD400240S2M                           | \$9,752  | 32.50%   | \$6,583            |
| 240 Delta (3W + G)                             | PSPD400240D2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,058    | PSPD400240D2M                           | \$10,512 | 32.50%   | \$7,096            |
| 480 Delta (3W + G)                             | PSPD400480D2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,058    | PSPD400480D2M                           | \$10,512 | 32.50%   | \$7,096            |
| 400/230 Wye Three-phase (4W + G)               | PSPD400400Y2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,058    | PSPD400400Y2M                           | \$10,512 | 32.50%   | \$7,096            |
| 480/277 Wye Three-phase (4W + G)               | PSPD400480Y2K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$9,058    | PSPD400480Y2M                           | \$10,512 | 32.50%   | \$7,096            |
| <b>Basic Diagnostics</b>                       | <b>'K' Option - No Integral Disconnect</b> |                                |             |            | <b>'M' Option - Integral Disconnect</b> |          |          |                    |
| 208/120 Wye Three-phase (4W + G)               | PSPD400208Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$6,973    | PSPD400208Y1M                           | \$8,439  | 32.50%   | \$5,696            |
| 120/240 Single Split-phase (3W + G)            | PSPD400240S1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$7,667    | PSPD400240S1M                           | \$9,128  | 32.50%   | \$6,161            |
| 240 Delta (3W + G)                             | PSPD400240D1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,373    | PSPD400240D1M                           | \$9,836  | 32.50%   | \$6,639            |
| 480 Delta (3W + G)                             | PSPD400480D1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,373    | PSPD400480D1M                           | \$9,836  | 32.50%   | \$6,639            |
| 400/230 Wye Three-phase (4W + G)               | PSPD400400Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,373    | PSPD400400Y1M                           | \$9,836  | 32.50%   | \$6,639            |
| 480/277 Wye Three-phase (4W + G)               | PSPD400480Y1K                              | 10.5 x 7.5 x 6.0               | 11.5        | \$8,373    | PSPD400480Y1M                           | \$9,836  | 32.50%   | \$6,639            |

## SERVICES

### Single-phase Service Plans

#### EATON PQ SINGLE-PHASE SERVICE RESPONSE TIME TOOL

Eaton offers world-class service for Eaton UPS products. Our factory-certified and trained service technicians deliver 7x24 support including on-site corrective and preventive maintenance. Next business day and faster response times are only available in certain zip codes. For the response times available in a given area, please check the Contract Service Response Time Tool found at the following link:

<http://powerquality.eaton.com/Products-services/services/responsetime/default.asp>

#### SELECTING A SERVICE PLAN

Eaton single-phase UPSs come with warranty coverage that typically includes parts and labor for electronics, 7x24 Customer Reliability Center triage and 7x24 technical support access. But to extend the term of the base factory warranty and expedite service delivery, you should recommend a service plan. The best service plans are essentially offered in two categories:

##### 1. Extended Warranty (recommended for UPSs below 5 kVA or non-hardwired units - return to factory for exchange)

When your customer notifies Eaton about a defective unit, Eaton ships a replacement unit overnight. Upon receipt of the new UPS, the customer returns the defective unit to Eaton via ground shipment. The freight for both units is paid by Eaton. There is a 7 year cap on depot exchange units from date of shipment, this effects all aftermarket depot exchange service

##### 2. Onsite service and repair (recommended for UPSs 5 kVA and above - upgrade 2 year factory warranty for 7x24 next day or 8-hour

Onsite service is a standard 7x24, next day or 8-hour (based on availability) response level of coverage – for detailed information, visit: [www.eaton.com/upsservices](http://www.eaton.com/upsservices).

Note: 9155 service uses 3 Phase service pricing and can be found in the 3 Phase price book or service configurator

#### The following features can be added to onsite service to guarantee unparalleled UPS performance:

- Comprehensive coverage of the UPS and batteries; if external (EBM) batteries exist coverage for EBM's must be purchased.
- Telephone technical support (included in the warranty)
- PredictPulse remote monitoring: To learn more, activate or arrange a 90-day free trial of PredictPulse, visit [Eaton.com/PredictPulse](http://Eaton.com/PredictPulse)
- Connectivity support (included in the warranty)
- Expedited delivery of replacement parts, modules and batteries
- Onsite startup
- Onsite corrective maintenance
- Next-day 24-hour or 8-hour response(where available)
- Annual UPS and/or battery preventive maintenance

#### EXTENDED WARRANTIES - DEPOT EXCHANGE (CONCURRENT)

| Style Number   | Description                                 | Range       | Applicable UPS Models | MSRP  | Discount | DIR<br>Discount<br>Price |
|--|---|-------------|-----------------------|-------|----------|--------------------------|
| <b>3 &amp; 5 Series 5-Year UPS Extended Warranties</b> |   |             |                       |       |          |                          |
| 3SW5Y-0750UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1 - 700     | 3S                    | \$22  | 32.50%   | \$15                     |
| 5SW5Y-0949UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1 - 950     | 5S, 5SC               | \$60  | 32.50%   | \$41                     |
| 5SW5Y-1399UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 951 - 1400  | 5S, 5SC               | \$120 | 32.50%   | \$81                     |
| 5SW5Y-1749UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1401 - 1750 | 5S, 5SC               | \$155 | 32.50%   | \$105                    |
| 5SW5Y-0950UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1 - 950     | 5P, 5PX               | \$61  | 32.50%   | \$41                     |
| 5SW5Y-1400UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 951 - 1400  | 5P, 5PX               | \$125 | 32.50%   | \$84                     |
| 5SW5Y-1750UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1401 - 1750 | 5P, 5PX               | \$159 | 32.50%   | \$107                    |
| 5SW5Y-2500UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 1751 - 2500 | 5P, 5PX               | \$332 | 32.50%   | \$224                    |
| 5SW5Y-3000UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 2501 - 3000 | 5P, 5PX               | \$381 | 32.50%   | \$257                    |
| <b>5 Series 5-Year EBM Extended Warranties</b>         |   |             |                       |       |          |                          |
| 5SW5Y-1750BC   | Ext Warranty-5YR EBM Adv Exchg, New Product | 1 - 2200    | EBM for 5PX           | \$386 | 32.50%   | \$261                    |
| 5SW5Y-3000BC   | Ext Warranty-5YR EBM Adv Exchg, New Product | 2201 - 3000 | EBM for 5PX           | \$603 | 32.50%   | \$407                    |

#### Single-phase Service Plans

##### 9 Series 3-Year & 5-Year UPS Extended Warranties

| Style Number  | Description                                 | Range        | Applicable UPS Models                           | MSRP    | Discount | DIR<br>Discount<br>Price |
|---------------|---|--------------|---|---------|----------|--------------------------|
| 9SW3Y-0700UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 1 - 700      | 9SX, 9PX, FERRUPS non hard-wired                | \$155   | 32.50%   | \$105                    |
| 9SW3Y-1000UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 701 - 1000   | 9SX, 9PX, FERRUPS non hard-wired                | \$202   | 32.50%   | \$136                    |
| 9SW3Y-1500UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 1001 - 1500  | 9SX, 9PX, FERRUPS non hard-wired                | \$255   | 32.50%   | \$172                    |
| 9SW3Y-2200UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 1501 - 2000  | 9SX, 9PX, FERRUPS non hard-wired                | \$339   | 32.50%   | \$229                    |
| 9SW3Y-2500UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 2001 - 2500  | 9SX, 9PX, FERRUPS non hard-wired                | \$447   | 32.50%   | \$302                    |
| 9SW3Y-3000UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 2501 - 3000  | 9SX, 9PX, FERRUPS non hard-wired,<br>Ferrups FX | \$565   | 32.50%   | \$381                    |
| 9SW3Y-6000UC  | Ext Warranty-3YR UPS Adv Exchg, New Product | 3001 - 6000  | 9PX, FERRUPS non hard-wired,                    | \$862   | 32.50%   | \$582                    |
| 9SW3Y-11000UC | Ext Warranty-3YR UPS Adv Exchg, New Product | 6001 - 11000 | 9PX, FERRUPS non hard-wired, 9PXM<br>8-slot     | \$1,156 | 32.50%   | \$780                    |
| 9SW3Y-18000UC | Ext Warranty-3YR UPS Adv Exchg, New Product | 11001-20000  | 9PX, FERRUPS non hard-wired, 9PXM<br>12-slot    | \$1,653 | 32.50%   | \$1,116                  |
| 9SW5Y-0700UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 1 - 700      | 9SX, 9PX, FERRUPS non hard-wired                | \$371   | 32.50%   | \$250                    |
| 9SW5Y-1000UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 701 - 1000   | 9SX, 9PX, FERRUPS non hard-wired                | \$475   | 32.50%   | \$321                    |
| 9SW5Y-1500UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 1001 - 1500  | 9SX, 9PX, FERRUPS non hard-wired                | \$607   | 32.50%   | \$410                    |
| 9SW5Y-2200UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 1501 - 2000  | 9SX, 9PX, FERRUPS non hard-wired                | \$808   | 32.50%   | \$545                    |
| 9SW5Y-2500UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 2001 - 2500  | 9SX, 9PX, FERRUPS non hard-wired                | \$1,070 | 32.50%   | \$722                    |
| 9SW5Y-3000UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 2501 - 3000  | 9SX, 9PX, FERRUPS non hard-wired,<br>Ferrups FX | \$1,349 | 32.50%   | \$911                    |
| 9SW5Y-6000UC  | Ext Warranty-5YR UPS Adv Exchg, New Product | 3001 - 6000  | 9SX, 9PX, FERRUPS non hard-wired                | \$2,064 | 32.50%   | \$1,393                  |

|   |   |                  |  |         |        |         |
|---|---|------------------|--|---------|--------|---------|
| 9SW5Y-11000UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 6001 - 11000     | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                             | \$2,779 | 32.50% | \$1,876 |
| 9SW5Y-18000UC   | Ext Warranty-5YR UPS Adv Exchg, New Product | 11001-20000      | 9PX, FERRUPS non hard-wired, 9PXM 12-slot                            | \$3,528 | 32.50% | \$2,381 |
| <b>9 Series 3-Year &amp; 5-Year EBM Extended Warranties</b> |   |                  |  |         |        |         |
| 9SW3Y-3000BC  | Ext Warranty-3YR EBM Adv Exchg, New Product | 1 - 3000         | EBMs for 9SX, 9PX, FERRUPS non hard-wired, Ferrups FX                | \$276   | 32.50% | \$186   |
| 9SW3Y-18000BC   | Ext Warranty-3YR EBM Adv Exchg, New Product | 3001-18000       | EBMs for 9PX, FERRUPS non hard-wired, 9PXM EBC-8-slot or EBC-12-slot | \$547   | 32.50% | \$369   |
| 9SW5Y-3000BC  | Ext Warranty-5YR EBM Adv Exchg, New Product | 1 - 3000         | EBMs for 9SX, 9PX, FERRUPS non hard-wired, Ferrups FX                | \$684   | 32.50% | \$462   |
| 9SW5Y-18000BC   | Ext Warranty-5YR EBM Adv Exchg, New Product | 3001-18000       | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot   | \$1,362 | 32.50% | \$919   |
| <b>Rack PDU 5-Year Extended Warranties</b>                  |   |                  |  |         |        |         |
| ESW5Y-0001-0400P  | Rack PDU, 5-Year-Total Warranty (Rack PDU)  | \$0 to \$400     | All Rack PDU products based on MSRP                                  | \$88    | 32.50% | \$59    |
| ESW5Y-0401-1000P  | Rack PDU, 5-Year-Total Warranty (Rack PDU)  | \$401 to \$1000  | All Rack PDU products based on MSRP                                  | \$214   | 32.50% | \$144   |
| ESW5Y-1001-2000P  | Rack PDU, 5-Year-Total Warranty (Rack PDU)  | \$1001 to \$2000 | All Rack PDU products based on MSRP                                  | \$422   | 32.50% | \$285   |
| ESW5Y-2001-5000P  | Rack PDU, 5-Year-Total Warranty (Rack PDU)  | \$2001 to \$5000 | All Rack PDU products based on MSRP                                  | \$1,054 | 32.50% | \$711   |

**Important Notes:**

- 1) Extended Warranty extends term of Factory Warranty and adds Advanced Exchange
- 2) Factory Warranty - Return
  - Customer returns unit to Eaton (customer pays freight)
  - Eaton ground ships replacement unit (on receipt of defective unit)
  - Eaton covers freight to customer
- 3) Advanced Exchange - Return Process
  - Eaton overnight ships replacement unit (on customer contact)
  - Customer returns defective unit in overnight packaging
  - Eaton covers freight in both directions
- 4) Advanced Exchange multiplier matches new product (hardware) multiplier
- 5) Prices apply to equipment installed in US 50 states
- 6) 9PXM uses the total KVA installed for service pricing (e. 4kVA N+1 = 8kVA)
- 7) Above prices are for concurrently sold services (with a new product sale); for non-concurrent service pricing and availability contact Eaton at 800-843-9433 opt. 4 or insideservicesales@eaton.com
- 8) Renewals beyond the initial warranty or extension must be purchased prior to any lapse in coverage or a new battery purchase is required (no grace period)
- 9) For on-site service plans on units that are 8kva and higher, a UPS PM is required every 4-Years (the fourth and fifth year on-site coverage must include one or more PMs).

**UPS & EBM Next Day Warranty Upgrade to Onsite Service Plan 2 Years**

|                  |   |             |  |         |        |         |
|------------------|---|-------------|--|---------|--------|---------|
| WFLN72XX-2509UC  | 2YR warranty upgrade to onsite 7x24 Next Day Resp 1- 2500VA | 1-2500      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$743   | 32.50% | \$502   |
| WFLN72XX-6009UC  | 2YR warranty upgrade to onsite 7x24 Next Day Resp 2.5-6kVA  | 2501-6000   | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$1,169 | 32.50% | \$789   |
| WFLN72XX-11000UC | 2YR warranty upgrade to onsite 7x24 Next Day Resp 6-11kVA   | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                           | \$1,527 | 32.50% | \$1,031 |
| WFLN72XX-18000UC | 2YR warranty upgrade to onsite 7x24 Next Day Resp 11-18kVA  | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot   | \$1,812 | 32.50% | \$1,223 |
| WEBN72XX-7000BC  | 2YR warranty upgrade to onsite 7x24 Next Day Resp 1-7000VA  | 1-7000      | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$463   | 32.50% | \$313   |
| WEBN72XX-11000BC | 2YR warranty upgrade to onsite 7x24 Next Day Resp 7-11kVA   | 7001-11000  | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$589   | 32.50% | \$398   |
| WEBN72XX-18000BC | 2YR warranty upgrade to onsite 7x24 Next Day Resp 11-18kVA  | 11001-20000 | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM EBC-12-slot                   | \$708   | 32.50% | \$478   |

**Single-phase Service Plans**

**UPS & EBM 8-Hour Warranty Upgrade to Onsite Service Plan 2 Years**

|                  |  |             |  |         |        |         |
|------------------|--|-------------|--|---------|--------|---------|
| WFL872XX-2509UC  | 2YR warranty upgrade to onsite 7x24 8hr Resp 1- 2500VA     | 1-2500      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$1,114 | 32.50% | \$752   |
| WFL872XX-6009UC  | 2YR warranty upgrade to onsite 7x24 8hr Resp 2.5-6kVA      | 2501-6000   | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$1,750 | 32.50% | \$1,181 |
| WFL872XX-11000UC | 2YR warranty upgrade to onsite 7x24 8hr Resp 6-11kVA       | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                           | \$2,290 | 32.50% | \$1,546 |
| WFL872XX-18000UC | 2YR warranty upgrade to onsite 7x24 8hr Resp 11-18kVA      | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot   | \$2,717 | 32.50% | \$1,834 |
| WEB872XX-7000BC  | 2YR EBM warranty upgrade to onsite 7x24 8hr Resp 1- 7000VA | 1-7000      | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$693   | 32.50% | \$468   |
| WEB872XX-11000BC | 2YR EBM warranty upgrade to onsite 7x24 8hr Resp 7- 11kVA  | 7001-11000  | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$883   | 32.50% | \$596   |
| WEB872XX-18000BC | 2YR EBM warranty upgrade to onsite 8hr Resp 11-18kVA       | 11001-20000 | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM 12-slot, 9PXM EBC-12-slot     | \$1,063 | 32.50% | \$718   |

**UPS & EBM Next Day Warranty Upgrade to Onsite Service Plan 3 Years**

|                 |  |          |  |         |        |       |
|-----------------|--|----------|--|---------|--------|-------|
| WFLN73XX-2509UC | 3YR warranty upgrade to onsite 7x24 Next Day Response 2500VA | 1 - 2500 | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX | \$1,340 | 32.50% | \$905 |
|-----------------|--|----------|--|---------|--------|-------|

|                  |   |              |  |         |        |         |
|------------------|---|--------------|--|---------|--------|---------|
| WFLN73XX-6009UC  | 3YR warranty upgrade to onsite, 7x24 Next Day Response 2.5-6KVA     | 2501 - 6000  | 5P, 5PX, 9PX, 9SX, FERRUPS, Ferrups FX                             | \$2,105 | 32.50% | \$1,421 |
| WFLN73XX-11000UC | 3YR warranty upgrade to onsite, 7x24 Next Day Response 6-11KVA      | 6001 - 11000 | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                           | \$2,751 | 32.50% | \$1,857 |
| WFLN73XX-18000UC | 3YR warranty upgrade to onsite, 7x24 Next Day Response 11-18KVA     | 11001-20000  | 9PX, FERRUPS, 9PXM 12-slot   | \$3,261 | 32.50% | \$2,201 |
| WEBN73XX-7000BC  | 3YR EBM warranty upgrade to onsite, 7x24 Next Day Response 1-7KVA   | 1 - 7000     | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$834   | 32.50% | \$563   |
| WEBN73XX-11000BC | 3YR EBM warranty upgrade to onsite, 7x24 Next Day Response 7-11KVA  | 7001 - 11000 | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$1,237 | 32.50% | \$835   |
| WEBN73XX-18000BC | 3YR EBM warranty upgrade to onsite, 7x24 Next Day Response 11-18KVA | 11001-20000  | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM 12-slot, 9PXM EBC-12-slot     | \$2,829 | 32.50% | \$1,910 |

**UPS & EBM 8-Hour Warranty Upgrade to Onsite Service Plan 3 Years**

|                  |  |            |  |         |        |         |
|------------------|--|------------|--|---------|--------|---------|
| WFL873XX-2509UC  | 3YR warranty upgrade to onsite, 7x24 8hr Response 2500VA   | 1-2500     | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX | \$2,008 | 32.50% | \$1,355 |
| WFL873XX-6009UC  | 3YR warranty upgrade to onsite, 7x24 8hr Response 2.5-6kVA | 2501-6000  | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX | \$3,152 | 32.50% | \$2,128 |
| WFL873XX-11000UC | 3YR warranty upgrade to onsite, 7x24 8hr Response 6-11KVA  | 6001-11000 | 9PX, FERRUPS non hard-wired, 9PXM      | \$4,121 | 32.50% | \$2,782 |

**Single-phase Service Plans**

**UPS & EBM 8-Hour Warranty Upgrade to Onsite Service Plan 3 Years (Cont.)**

| Style Number | Description | Range | Applicable UPS Models | MSRP | Discount | DIR Discount Price |
|--------------|-------------|-------|-----------------------|------|----------|--------------------|
|--------------|-------------|-------|-----------------------|------|----------|--------------------|

|                  |  |             |  |         |        |         |
|------------------|--|-------------|--|---------|--------|---------|
| WFL873XX-18000UC | 3YR warranty upgrade to onsite, 7x24 8hr Response 11-18kVA     | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot   | \$4,890 | 32.50% | \$3,301 |
| WEB873XX-7000BC  | 3YR EBM warranty upgrade to onsite, 7x24 8hr Response 1-7000VA | 1-7000      | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$1,249 | 32.50% | \$843   |
| WEB873XX-11000BC | 3YR EBM warranty upgrade to onsite, 7x24 8hr Response 7-11kVA  | 7001-11000  | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$1,855 | 32.50% | \$1,252 |
| WEB873XX-18000BC | 3YR EBM warranty upgrade to onsite, 7x24 8hr Response 11-18kVA | 11001-20000 | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM 12-slot, 9PXM EBC-12-slot     | \$4,244 | 32.50% | \$2,865 |

**UPS & EBM Next Day Warranty Upgrade to Onsite Service Plan 5 Years**

| Style Number | Description | Range | Applicable UPS Models | MSRP | Discount | DIR Discount Price |
|--------------|-------------|-------|-----------------------|------|----------|--------------------|
|--------------|-------------|-------|-----------------------|------|----------|--------------------|

|                  |   |              |  |         |        |         |
|------------------|---|--------------|--|---------|--------|---------|
| WFLN75XX-2509UC  | 5YR warranty upgrade to onsite 7x24 Next Day Response 2500VA        | 1 - 2500     | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$2,051 | 32.50% | \$1,384 |
| WFLN75XX-6009UC  | 5YR warranty upgrade to onsite, 7x24 Next Day Response 2.5-6KVA     | 2501 - 6000  | 5P, 5PX, 9PX, 9SX, FERRUPS, Ferrups FX                             | \$3,222 | 32.50% | \$2,175 |
| WFLN75XX-11000UC | 5YR warranty upgrade to onsite, 7x24 Next Day Response 6-11KVA      | 6001 - 11000 | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                           | \$4,214 | 32.50% | \$2,844 |
| WFLN75XX-18000UC | 5YR warranty upgrade to onsite, 7x24 Next Day Response 11-18KVA     | 11001-20000  | 9PX, FERRUPS, 9PXM 12-slot   | \$4,998 | 32.50% | \$3,374 |
| WEBN75XX-7000BC  | 5YR EBM warranty upgrade to onsite, 7x24 Next Day Response 1-7KVA   | 1 - 7000     | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$1,383 | 32.50% | \$934   |
| WEBN75XX-11000BC | 5YR EBM warranty upgrade to onsite, 7x24 Next Day Response 7-11KVA  | 7001 - 11000 | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$2,398 | 32.50% | \$1,619 |
| WEBN75XX-18000BC | 5YR EBM warranty upgrade to onsite, 7x24 Next Day Response 11-18KVA | 11001-20000  | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM 12-slot, 9PXM EBC-12-slot     | \$6,641 | 32.50% | \$4,483 |

**UPS & EBM 8-Hour Warranty Upgrade to Onsite Service Plan 5 Years**

|                  |  |             |  |         |        |         |
|------------------|--|-------------|--|---------|--------|---------|
| WFL875XX-2509UC  | 5YR warranty upgrade to onsite, 7x24 8hr Response 2500VA       | 1-2500      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$3,076 | 32.50% | \$2,076 |
| WFL875XX-6009UC  | 5YR warranty upgrade to onsite, 7x24 8hr Response 2.5-6kVA     | 2501-6000   | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                             | \$4,828 | 32.50% | \$3,259 |
| WFL875XX-11000UC | 5YR warranty upgrade to onsite, 7x24 8hr Response 6-11KVA      | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                           | \$6,317 | 32.50% | \$4,264 |
| WFL875XX-18000UC | 5YR warranty upgrade to onsite, 7x24 8hr Response 11-18kVA     | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot   | \$7,494 | 32.50% | \$5,058 |
| WEB875XX-7000BC  | 5YR EBM warranty upgrade to onsite, 7x24 8hr Response 1-7000VA | 1-7000      | EBMs for 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                        | \$2,073 | 32.50% | \$1,399 |
| WEB875XX-11000BC | 5YR EBM warranty upgrade to onsite, 7x24 8hr Response 7-11kVA  | 7001-11000  | EBMs for 9PX, FERRUPS non hard-wired, 9PXM 8-slot, 9PXM EBC-8-slot | \$3,596 | 32.50% | \$2,427 |
| WEB875XX-18000BC | 5YR EBM warranty upgrade to onsite, 7x24 8hr Response 11-18kVA | 11001-20000 | EBMs for 9PX, FERRUPS, 12 Slot, 9PXM 12-slot, 9PXM EBC-12-slot     | \$9,961 | 32.50% | \$6,724 |

**UPS Preventive Maintenance**

|                  |                                 |             |  |         |        |         |
|------------------|---------------------------------|-------------|--|---------|--------|---------|
| 0005NXXX-6009UC  | Onsite UPS PM 7x24, First Unit  | 1-6000      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX   | \$1,376 | 32.50% | \$929   |
| 0005NXXX-11000UC | Onsite UPS PM 7x24, First Unit  | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot | \$1,450 | 32.50% | \$979   |
| 0005NXXX-18000UC | Onsite UPS PM 7x24, First Unit  | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot               | \$1,595 | 32.50% | \$1,077 |
| 0005N2XX-6009UC  | Onsite UPS PM 7x24, Second Unit | 1-6000      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX   | \$961   | 32.50% | \$649   |
| 0005N2XX-11000UC | Onsite UPS PM 7x24, Second Unit | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot | \$1,018 | 32.50% | \$687   |
| 0005N2XX-18000UC | Onsite UPS PM 7x24, Second Unit | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot               | \$1,117 | 32.50% | \$754   |

**Assembly, \*Startup and Monitoring**

|                  |                                     |            |  |         |        |       |
|------------------|-------------------------------------|------------|--|---------|--------|-------|
| AS00NXXX-6009UC  | Scheduled UPS Assembly Service 7x24 | 1-6000     | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX | \$667   | 32.50% | \$450 |
| AS00NXXX-11000UC | Scheduled UPS Assembly Service 7x24 | 6001-11000 | 9PX, FERRUPS non hard-wired,           | \$1,092 | 32.50% | \$737 |

|                   |  |             |   |         |        |         |
|-------------------|--|-------------|---|---------|--------|---------|
| AS00NXXX-18000UC  | Scheduled UPS Assembly Service 7x24                                      | 11001-20000 | 9PX, FERRUPS FX   | \$1,092 | 32.50% | \$737   |
| SR05NXXX-18000UC  | Onsite 9PXM Rack Installation and Startup 7x24, First Unit               | 6001-20000  | 9PXM 8 and 12-slot  | \$3,125 | 32.50% | \$2,109 |
| SR052XXX-18000UC  | Onsite 9PXM Rack Installation and Startup 7x24, Second Unit              | 6001-20000  | 9PXM 8 and 12-slot  | \$2,151 | 32.50% | \$1,452 |
| SR05NXXX-9PXM EBC | Onsite 9PXM EBC-8-slot or EBC-12-slot Rack Installation and Startup 7x24 | 6001-20000  | 9PXM EBC-8-slot or EBC-12-slot (requires 9PXM UPS rack install service) | \$777   | 32.50% | \$524   |
| SU05NXXX-6009UC   | Onsite 1P UPS Startup 7x24, First Unit*                                  | 1-6000      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                                  | \$1,376 | 32.50% | \$929   |
| SU05NXXX-11000UC  | Onsite 1P UPS Startup 7x24, First Unit*                                  | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                                | \$1,702 | 32.50% | \$1,149 |
| SU05NXXX-18000UC  | Onsite 1P UPS Startup 7x24, First Unit*                                  | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot  | \$1,956 | 32.50% | \$1,320 |
| SU052XXX-6009UC   | Onsite 1P UPS Startup 7x24, Second Unit*                                 | 1-6000      | 5P, 5PX, 9SX, 9PX, FERRUPS, Ferrups FX                                  | \$690   | 32.50% | \$466   |
| SU052XXX-11000UC  | Onsite 1P UPS Startup 7x24, Second Unit*                                 | 6001-11000  | 9PX, FERRUPS non hard-wired, 9PXM 8-slot                                | \$853   | 32.50% | \$576   |
| SU052XXX-18000UC  | Onsite 1P UPS Startup 7x24, Second Unit*                                 | 11001-20000 | 9PX, FERRUPS, 9PXM 12-slot  | \$981   | 32.50% | \$662   |

## Single-phase Service Plans

### PredictPulse remote monitoring service

| Style Number     | Description                 | Range       | Applicable UPS Models               | MSRP    | Discount | DIR Discount Price |
|------------------|-----------------------------|-------------|-------------------------------------|---------|----------|--------------------|
| XXXXNEXX-6009UC  | PredictPulse monitoring 1YR | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM, Ferrups FX | \$297   | 32.50%   | \$200              |
| XXXXNEXX-11000UC | PredictPulse monitoring 1YR | 6001-11000  | 9PX, 9PXM                           | \$297   | 32.50%   | \$200              |
| XXXXNEXX-18000UC | PredictPulse monitoring 1YR | 11001-20000 | 9PX, 9PXM                           | \$526   | 32.50%   | \$355              |
| XXXXWEXX-6009UC  | PredictPulse Wireless 1YR   | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM, Ferrups FX | \$616   | 32.50%   | \$416              |
| XXXXWEXX-11000UC | PredictPulse Wireless 1YR   | 6001-11000  | 9PX, 9PXM                           | \$616   | 32.50%   | \$416              |
| XXXXWEXX-18000UC | PredictPulse Wireless 1YR   | 11001-20000 | 9PX, 9PXM                           | \$844   | 32.50%   | \$570              |
| XX3YNEXX-6009UC  | PredictPulse monitoring 3YR | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM, Ferrups FX | \$819   | 32.50%   | \$553              |
| XX3YNEXX-11000UC | PredictPulse monitoring 3YR | 6001-11000  | 9PX, 9PXM                           | \$819   | 32.50%   | \$553              |
| XX3YNEXX-18000UC | PredictPulse monitoring 3YR | 11001-20000 | 9PX, 9PXM                           | \$1,449 | 32.50%   | \$978              |
| XX3YWEXX-6009UC  | PredictPulse Wireless 3YR   | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM Ferrups FX  | \$1,406 | 32.50%   | \$949              |
| XX3YWEXX-11000UC | PredictPulse Wireless 3YR   | 6001-11000  | 9PX, 9PXM                           | \$1,406 | 32.50%   | \$949              |
| XX3YWEXX-18000UC | PredictPulse Wireless 3YR   | 11001-20000 | 9PX, 9PXM                           | \$2,035 | 32.50%   | \$1,374            |
| XX5YNEXX-6009UC  | PredictPulse monitoring 5YR | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM Ferrups FX  | \$1,261 | 32.50%   | \$851              |
| XX5YNEXX-11000UC | PredictPulse monitoring 5YR | 6001-11000  | 9PX, 9PXM                           | \$1,261 | 32.50%   | \$851              |
| XX5YNEXX-18000UC | PredictPulse monitoring 5YR | 11001-20000 | 9PX, 9PXM                           | \$2,231 | 32.50%   | \$1,506            |
| XX5YWEXX-6009UC  | PredictPulse Wireless 5YR   | 1-6000      | 5P, 5PX, 9SX, 9PX, 9PXM Ferrups FX  | \$1,804 | 32.50%   | \$1,218            |
| XX5YWEXX-11000UC | PredictPulse Wireless 5YR   | 6001-11000  | 9PX, 9PXM                           | \$1,804 | 32.50%   | \$1,218            |
| XX5YWEXX-18000UC | PredictPulse Wireless 5YR   | 11001-20000 | 9PX, 9PXM                           | \$2,772 | 32.50%   | \$1,871            |

\*To account for increased cost associated with a new law in WA State requiring a certified electrician to be present for onsite work performed on UPS's one year after startup, the following fees will apply for both 1 phase and 3 phase systems (effective January 1, 2018).

|                                | Electrician Required | WA State Electrician Fee |                    |
|--------------------------------|----------------------|--------------------------|--------------------|
| Startups                       | No                   |                          |                    |
| Warranties (UPS's < 1 yr. Old) | No                   |                          |                    |
| Contracts (UPS's > 1 yr. Old)  | Yes                  | \$299                    | per UPS & per Year |
| Modifications                  | Yes                  | \$299                    | per UPS            |
| Battery Replacements           | Yes                  | \$299                    | per UPS            |
| T&M                            | Yes                  | \$180                    | per Hour           |

### Ferrups EBM Reference Table (EBM Battery Coverage)

| Part Number      | VA Range    | Applicable UPS Model | Applicable EBM  | MSRP    | Discount | DIR Discount Price |
|------------------|-------------|----------------------|---|---------|----------|--------------------|
| EB871XXX-7000BC  | 1-7000      | FERRUPS              | EBPS12.5, EBPS18, 8FE, 2FE 9FE, 16FE 2re, 1rd, 8ME EBPS4.3R, 9ME EBPS10, 24ME 1FE, 25ME 1re | \$555   | 32.50%   | \$375              |
| EB873XXX-7000BC  | 1-7000      | FERRUPS              | EBPS12.5, EBPS18, 8FE, 2FE 9FE, 16FE 2re, 1rd, 8ME EBPS4.3R, 9ME EBPS10, 24ME 1FE, 25ME 1re | \$1,380 | 32.50%   | \$932              |
| EB871XXX-11000BC | 7001-11000  | FERRUPS              | 10ME 11ME, 12ME 3FE, 4FE 2rd, 13ME, 5FE, 3rd, 10FE, 17FE                                    | \$972   | 32.50%   | \$656              |
| EB873XXX-11000BC | 7001-11000  | FERRUPS              | 10ME 11ME, 12ME 3FE, 4FE 2rd, 13ME, 5FE, 3rd, 10FE, 17FE                                    | \$2,714 | 32.50%   | \$1,832            |
| EB871XXX-18000BC | 11001-20000 | FERRUPS              | 14ME, 6FE, 11FE, 12FE, 18FE, 19FE, 15ME, 7FE, 13FE, 20FE, 14FE, 21FE,                       | \$3,180 | 32.50%   | \$2,147            |
| EB873XXX-18000BC | 11001-20000 | FERRUPS              | 14ME, 6FE, 11FE, 12FE, 18FE, 19FE, 15ME, 7FE, 13FE, 20FE, 14FE, 21FE,                       | \$8,899 | 32.50%   | \$6,007            |