


PRODUCT CATALOGUE





MESSAGE FROM OUR FOUNDER AND CHIEF EXECUTIVE OFFICER

Merit Medical was founded on a strong desire to develop partnerships with healthcare providers. By working closely with you and listening to your challenges, we are able to design, manufacture, and deliver medical devices you can rely on to improve the health and well-being of the patients we mutually serve.

Our Peripheral Intervention catalogue is filled with feature-rich product options and the technical information you need to support your purchasing decisions. These products are designed to assist interventional and diagnostic procedures at every step, from access to closure. We are proud of this comprehensive, diverse product portfolio that has been developed to help healthcare providers deliver efficient, patient-focused, and cost-effective care.

Each day we strive to understand, innovate and deliver for our partners in healthcare and the patients we serve.

Fred Lampropoulos

Founder, Chairman & CEO

fun Jampyglu

Merit Medical Systems, Inc.



Understand. Innovate. Deliver.™



PERIPHERAL INTERVENTION

ACCESS		INTERVENTION	
NEEDLES Merit Advance® Angiographic Needles	3-4	DRAINAGE CATHETERS & ACCESSORIES MAK-NV™ Introducer Systems	59
INTRODUCERS & DILATORS Merit MAK™ - Mini Access Kit Merit S-MAK™ - Stiffened Mini Access Kit	5 6	Valve Adapter for MAK-NV ReSolve® Biliary Locking Drainage Catheters	60 61 62
Merit MAK & S-MAK Accessories Prelude® Dilators	7	ReSolve Locking Drainage Catheters ReSolve+™ Locking Drainage Catheters Resolve Locking Drainage Catheter Trays	62 63 64
Vessel Dilators Prelude Sheath Introducers with Marker Tip Prelude Short Sheath Introducers	7 8 9	ReSolve Non-Locking Drainage Catheters One-Step™ Centesis Catheters	65 66
A-S-K Merit Access Safety Kit®	10	Safety Paracentesis Procedure Trays Thoracentesis and Paracentesis Sets	67 68
ACCESSORIES	10	CATHETER ACCESSORIES	
BowTie™ Guide Wire Insertion Device Haemostasis Valve Adapter	10 10	Revolution™ Catheter Securement Device StayFIX® Fixation Device	69 69
ANGIOGRAPHY		DRAINAGE ACCESSORIES Merit Drainage Depot [™] Drainage Bags	70
DIAGNOSTIC GUIDE WIRES		Abscess Drainage Kit	70
InQwire® Diagnostic Guide Wires	13-14	Drainage Kits	70
InQwire Diagnostic	1.5	VacLok Vacuum Pressure Syringes	71
Guide Wires with Ringmaster™	15	Marquis® Series Stopcocks	72
HYDROPHILIC GUIDE WIRES		Drainage Tubing	72
Merit Laureate® Hydrophilic Guide Wires	15-16	Connecting Tubes	72
Tenor® Steerable Micro Guide Wires	17	CURRORT CATHETERS	
GUIDE WIRE ACCESSORIES		SUPPORT CATHETERS Merit SureCross® Support Catheters	73
H2O Torq™ Torque Devices	18	Ment SureCross* Support Catheters	/3
SeaDragon™ Torque Device	18	INFLATION DEVICES	
		BasixCOMPAK™ Inflation Device	74
DIAGNOSTIC PERIPHERAL CATHETERS	20	BasixTOUCH™ Inflation Device	74
Catheter Directory Catheter Shape Illustrations	20 21-22	BIG60™ Inflation Device	75
Impress® Catheters	23-32	Blue Diamond™ Inflation Device	75
Impress Hydrophilic Catheters	33-36	SNARES & ACCESSORIES	
Performa® Catheters	37-50	EN Snare® Endovascular Snare Systems	76
		FLO 30™ Tuohy Borst Valved Adapter	76
FLUID MANAGEMENT & TUBING	-1	ONE Snare® Endovascular Snare Systems	77
High Pressure Flow Control Switch CT Transfer Sets	51 51	,	
MICROCATHETERS Merit Maestro® Microcatheters	FO		
Merit Maestro Microcatheters	52		
SYRINGES			
Medallion® Syringes	53-55		
VacLok® Vacuum Pressure Syringes	56		

TABLE OF CONTENTS


INTERVENTION CONTINUED		COMPLETE PROCEDURAL	
HAEMODIALYSIS & PERITONEAL DIALYS	SIS	SOLUTIONS	
CATHETERS & ACCESSORIES	715	PROCEDURAL TRAYS, PACKS & KITS	
Merit Advance® Curved Needles	78	Biopsy Centesis Kits	103
Prelude® Short Sheath Introducers	79	Medication Delivery Packs	104
Impress® 30 cm Catheters	80	Myelogram Tray	105
Centros® & CentrosFLO® Catheters	81	Vein Closure Tray	106
ProGuide™ Chronic Dialysis		Vein Closure Syringe	106
Catheters & Kits	82-84	Patient Cover	107
OuTake® Catheter Extraction Tool	84	Drape Armour® – Scatter Radiation Drapes	107
Peritoneal Dialysis Catheters	85		
Peritoneal Dialysis Accessories & Implantation Systems	86	SAFETY & WASTE MANAGEMENT	
Slip-Not [®] Suture Retention Device	87	Merit Disposal Depot™ Waste Bags	108-110
Slip-Not Suture Retention Device	07	HAEMOSTASIS ACCESSORIES	
THERAPEUTIC INFUSION SYSTEMS		Clo-Sur P.A.D.® & Clo-Sur PLUS P.A.D.™	111
4 French Fountain® Infusion Systems	88	Haemostasis Valve Adapter	111
5 French Fountain Infusion Systems	89	SafeGuard® Pressure Assisted Devices	112
Fountain Infusion Catheters	90		
Fountain Occluding Wires	91		
Squirt® Fluid Dispensing System	91		
Pulse Infusion Kits	91-92	INDEXES	
Mistique® Infusion Catheters	92		
		Index by Catalogue Number	113
EMPOLOTUED ADV		Index by Product Name	129
EMBOLOTHERAPY			
MICROSPHERES			
EmboGold® Microspheres	95		
Embosphere® Microspheres	95		
Bearing nsPVA® Embolisation Particles	96		
DELIVERY SYSTEMS	07		
Merit Maestro® Microcatheters	97		
Tenor® Steerable Guide Wires	98		
Impress Uterine Artery Catheter	98		
ONCOLOGY			
MICROSPHERES			

100

 $\mathsf{HepaSphere}^{^{\mathsf{TM}}}\;\mathsf{Microspheres}$



ACCESS



NEEDLES

Merit Advance® Angiographic Needles	3-4
INTRODUCERS & DILATORS	
Merit MAK™- Mini Access Kit	5
Merit S-MAK™- Stiffened Mini Access Kit	6
Merit MAK & S-MAK Accessories	7
Prelude® Dilators	7
Vessel Dilators	7
Prelude Sheath Introducers with Marker Tip	8
Prelude Short Sheath Introducers	9
A-S-K Merit Access Safety Kit®	10
ACCESSORIES	
BowTie [™] Guide Wire Insertion Device	10
Haemostasis Valve Adapter	10

MERIT ADVANCE® ANGIOGRAPHIC NEEDLES

The Merit Advance angiographic needle has a unique hub design with an ergonomic feel and an arrow that clearly orients the bevel. Its increased sharpness facilitates entry into tissue and vessel walls and was designed for smooth guide wire insertion and removal of the needle over the wire.

Catalogue Number	Gauge	Wall Thickness	Accepts Guide Wire	Length (cm)	Length (inches)	Finish
	Oduge	THICKHESS	Guide Wife	(CIII)	(iliciles)	1 1111511
ONE-WALL ST	YLE NEEDLE			E		
AD18T51W	18	Thin	.038" (0.97 mm)	5.0	2	Smooth
AD18T71W	18	Thin	.038" (0.97 mm)	7.0	2 3/4	Smooth
AD18T71W-E	18	Thin	.038" (0.97 mm)	7.0	2 3/4	Echo
AD18T71WT	18	Thin	.038" (0.97 mm)	7.0	2 3/4	Smooth
AD18N91W	18	Normal	.038" (0.97 mm)	9.0	3 1/2	Smooth
AD19U41W	19	Ultra	.035" (0.89 mm)	4.0	1 1/2	Smooth
AD19U51W	19	Ultra	.035" (0.89 mm)	5.0	2	Smooth
AD19U71W	19	Ultra	.035" (0.89 mm)	7.0	2 3/4	Smooth
AD20T41W	20	Thin	.025" (0.64 mm)	4.0	1 1/2	Smooth
AD20T71W	20	Thin	.025" (0.64 mm)	7.0	2 3/4	Smooth
AD21T21W	21	Thin	.021" (0.53 mm)	2.5	1	Smooth
AD21T41W	21	Thin	.021" (0.53 mm)	4.0	1 1/2	Smooth
AD21T41W-E	21	Thin	.021" (0.53 mm)	4.0	1 1/2	Echo
AD21T71W	21	Thin	.021" (0.53 mm)	7.0	2 3/4	Smooth
AD21T71W-E	21	Thin	.021" (0.53 mm)	7.0	2 3/4	Echo
AD21T91W	21	Thin	.021" (0.53 mm)	9.0	3 1/2	Smooth
AD21T91W-E	21	Thin	.021" (0.53 mm)	9.0	3 1/2	Echo
AD21T91R*	21	Thin	.021" (0.53 mm)	9.0	3 1/2	Smooth
AD21T91RE*	21	Thin	.021" (0.53 mm)	9.0	3 1/2	Echo
ONE-WALL NE	EDLE WITH SE	ELDINGER SHIELD)			
AD18T51WS	18	Thin	.038" (0.97 mm)	5.0	2	Smooth
AD18T71WS	18	Thin	.038" (0.97 mm)	7.0	2 3/4	Smooth
AD19U71WS	19	Ultra	.035" (0.89 mm)	7.0	2 3/4	Smooth
ONE-WALL NE	EDLE WITH CO	DURNAND SHIELI	D			
AD18T71WC	18	Thin	.038" (0.97 mm)	7.0	2 3/4	Smooth
AD19U41WC	19	Ultra	.035" (0.89 mm)	4.0	1 1/2	Smooth
AD19U71WC	19	Ultra	.035" (0.89 mm)	7.0	2 3/4	Smooth
AD21T41WC	21	Thin	.021" (0.53 mm)	4.0	1 1/2	Smooth

^{*}Available 10 per box, 4 boxes per case; all other needles packaged 25 per box, 4 boxes per case.



AD21T71W-E

Merit Advance® Angiographic Needle One-wall style needle, 21 gauge, with echo-enhanced finish

AD18T51WS

Merit Advance® Angiographic Needle One-wall style needle with Seldinger shield, 18 gauge, with smooth finish

AD18T71WC

Merit Advance® Angiographic Needle One-wall style needle with Cournand shield, 18 gauge, with smooth finish

MERIT MAK™- MINI ACCESS KITS

The Merit MAK kit provides access to the vascular system and facilitates the placement of 0.035" (0.89 mm) or 0.038" (0.97 mm) guide wires. The MAK kits allow you to start small, minimising bleeding and trauma to the surrounding tissue. Kits are available in 4F and 5F and include the coaxial introducer/dilator pair, 21 gauge needle and 0.018" (0.46 mm) guide wire. For your convenience, all kit components are available separately. Merit MAK guide wires are available in many configurations to meet specific clinical needs. Guide wires are packaged in a fully enclosed hoop to ensure they are protected and ready for use.

KIT INCLUDES:

- Coaxial Introducer/Dilator Pair
- 21G Needle
- Guide Wire



Catalogue	French		Guide Wire	Guide Wire	Needle	
Number	Size	Length	Diameter/Length	Core/Tip	Gauge/Length	Qty/Box
STANDARD 7 CM	NEEDLE K	ITS				
MAK401	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS	21G x 7 cm	10
MAK501	5	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS	21G x 7 cm	10
MAK401N	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
MAK401NPD	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PD	21G x 7 cm	10
MAK501N	5	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
MAK501NPD	5	10 cm	0.018" (0.46 mm) x 40 cm	NT/PD	21G x 7 cm	10
MAK501N-15	5	15 cm	0.018" (0.46 mm) x 60 cm	NT/PT	21G x 7 cm	10
MAK405	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/PT	21G x 7 cm	10
MAK405PD	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/PD	21G x 7 cm	10
MAK505	5	10 cm	0.018" (0.46 mm) x 40 cm	SS/PT	21G x 7 cm	10
MAK505PD	5	10 cm	0.018" (0.46 mm) x 40 cm	SS/PD	21G x 7 cm	10
ECHO-ENHANCE	D 7 CM NE	EDLE KITS				
			0.019" (0.46 mags) v.40 mgs	CC/CC	21C v 7 em	10
MAK401-E	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS SS/SS	21G x 7 cm	10
MAK401-E MAK501-E	4 5	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS	21G x 7 cm	10
MAK401-E MAK501-E MAK401N-E	4 5 4	10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT	21G x 7 cm 21G x 7 cm	10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E	4 5 4 4	10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD	21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E	4 5 4 4 5	10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT	21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E	4 5 4 4 5 5	10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD	21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E	4 5 4 4 5 5 5	10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT	21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E MAK405-E	4 5 4 4 5 5	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E MAK405-E MAK505-E	4 5 4 4 5 5 5 4 5	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E MAK405-E	4 5 4 4 5 5 5 4 5	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E MAK501NPD-E MAK405-E MAK505-E	4 5 4 4 5 5 5 4 5	10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT SS/PT	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401NPD-E MAK501N-E MAK501NPD-E MAK505-E MAK505-E MAK405-E MAK405-E	4 5 4 4 5 5 5 4 5	10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT SS/PT	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401N-E MAK501N-E MAK501NPD-E MAK505-E MAK505-E ECHO-ENHANCE MAK401-PED MAK501-PED	4 5 4 4 5 5 4 5 5 4 5	10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT SS/PT SS/SS SS/SS	21G x 7 cm 21G x 4 cm	10 10 10 10 10 10 10 10
MAK401-E MAK501-E MAK401N-E MAK401N-E MAK501N-E MAK501NPD-E MAK505-E MAK505-E ECHO-ENHANCE MAK401-PED MAK501-PED MAK401N-PED	4 5 4 4 5 5 5 4 5 5 4 5 4 5	10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	SS/SS NT/PT NT/PD NT/PT NT/PD SS/PT SS/PT SS/SS SS/SS NT/PT	21G x 7 cm 21G x 4 cm 21G x 4 cm 21G x 4 cm	10 10 10 10 10 10 10 10

SS = Stainless Steel PT = Platinum Tip NT = Nitinol PD = Palladium Tip

MERIT S-MAK™- STIFFENED MINI ACCESS KITS

The Merit S-MAK provides access to the vascular system and facilitates the placement of $0.035^{\prime\prime}$ (0.89 mm) or $0.038^{\prime\prime}$ (0.97 mm) guide wires. The S-MAK kit allows you to start small, minimising bleeding and trauma to the surrounding tissue and is especially useful for access through difficult scar tissue. Kits are available in 4F and 5F sizes. For your convenience, all kit components are also available sterile, standalone.

KIT INCLUDES:

- Coaxial Introducer/Stiffened Dilator Pair
- 21G Echo-Enchanced Needle
- Guide Wire
- \bullet BowTie ${}^{\mathsf{\tiny{TM}}}\mathsf{Guide}$ Wire Insertion Device (not included with all kits)



Number	French Size	Introducer Length	Guide Wire Diameter/Length	Guide Wire Core/Tip	Needle Gauge/Length	Qty/Box
STIFFENED DILATOR	R KITS WIT	H ECHO-ENI	HANCED 7 CM NEEDLE			
S-MAK401	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS	21G x 7 cm	10
S-MAK501	5	10 cm	0.018" (0.46 mm) x 40 cm	SS/SS	21G x 7 cm	10
S-MAK401N	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
S-MAK401NPD	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PD	21G x 7 cm	10
S-MAK501NPD	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PD	21G x 7 cm	10
S-MAK501N	5	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
S-MAK501N-15	5	15 cm	0.018" (0.46 mm) x 60 cm	NT/PT	21G x 7 cm	10
S-MAK405	4	10 cm	0.018" (0.46 mm) x 40 cm	SS/PT	21G x 7 cm	10
S-MAK505	5	10 cm	0.018" (0.46 mm) x 40 cm	SS/PT	21G x 7 cm	10
			TE™ GUIDE WIRE INSERTION			
MAK401NBT	4	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
	<u>4</u> 5	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT NT/PT	21G x 7 cm 21G x 7 cm	10
MAK501NBT						
MAK501NBT MAK401NPDBT	5	10 cm	0.018" (0.46 mm) x 40 cm	NT/PT	21G x 7 cm	10
MAK501NBT MAK401NPDBT MAK501NPDBT	5	10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD	21G x 7 cm 21G x 7 cm	10
MAK401NBT MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT*	5 4 5	10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD	21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT*	5 4 5 4	10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT	21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT*	5 4 5 4 5	10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT NT/PT	21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm 21G x 7 cm	10 10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT* MAK401NPDEBT*	5 4 5 4 5 4	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT NT/PT NT/PD	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT* MAK401NPDEBT* MAK501NPDEBT*	5 4 5 4 5 4 5	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT NT/PT NT/PD NT/PD	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT* MAK401NPDEBT* MAK501NPDEBT* S-MAK401NBT*	5 4 5 4 5 4 5 4	10 cm 10 cm 10 cm 10 cm 10 cm 10 cm 10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT NT/PT NT/PD NT/PD NT/PD NT/PD	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10 10 10
MAK501NBT MAK401NPDBT MAK501NPDBT MAK401NEBT* MAK501NEBT* MAK401NPDEBT* MAK501NPDEBT* S-MAK401NBT*	5 4 5 4 5 4 5 4 5	10 cm	0.018" (0.46 mm) x 40 cm 0.018" (0.46 mm) x 40 cm	NT/PT NT/PD NT/PD NT/PT NT/PT NT/PD NT/PD NT/PD NT/PD NT/PT NT/PT	21G x 7 cm 21G x 7 cm	10 10 10 10 10 10 10 10 10

 $SS = Stainless \ Steel \quad \ PT = Platinum \ Tip \quad \ NT = Nitinol \quad \ PD = Palladium \ Tip$

*Echo-enhanced needle

MERIT MAK™ & S-MAK™ACCESSORIES

Catalogue	French	Introducer	Guide Wire	Guide Wire	Needle	
Number	Size	Length	Diameter/Length	Core/Tip	Gauge/Length	Qty/Box
		COD DAIDS (INID	IVIDUALLY POUCHED)			
MAK4F-10	4	10 cm	IVIDUALLI FOUCHED)		_	5
MAK4F-10 MAK5F-10	5	10 cm	-			5
MAK5F-15	5	15 cm	-	-		5
S-MAK4F-10	4	10 cm	(with stiffened dilator)	-	-	5
S-MAK4F-10	5	10 cm	(with stiffened dilator)	-	-	5
			, ,	-		
S-MAK5F-15	5	15 cm	(with stiffened dilator)	-	-	5
GLIIDE WIDES (CC	NITAINED IN		INDIVIDUALLY POUCHED)			
MAK001	-	-	0.018" (0.46 mm) x 40 cm	SS/SS	_	10
MAK001N	_	_	0.018" (0.46 mm) x 40 cm	NT/PT	_	10
MAK001N-60	_	_	0.018" (0.46 mm) x 60 cm	NT/PT	_	10
MAK001N-80	_	_	0.018" (0.46 mm) x 80 cm	NT/PT	_	10
MAKNTPD	_	-	0.018" (0.46 mm) x 40 cm	NT/PD	_	10
MAK005	_	-	0.018" (0.46 mm) x 40 cm	SS/PT	-	10
MAK005-60	_	-	0.018" (0.46 mm) x 60 cm	SS/PT	_	10
MAKSSPD	-	-	0.018" (0.46 mm) x 40 cm	SS/PD	-	10
NEEDLES (INDIVII	DUALLY POU	ICHED)				
AD21T21W	-	-	-	-	21G X 2.5 cm	25
AD21T41W	-	-	-	-	21G X 4 cm	25
AD21T71W	-	-	-	-	21G X 7 cm	25
AD21T91W	-	-	-	-	21G X 9 cm	25
AD21T41W-E*	-	-	-	-	21G X 4 cm	25
AD21T71W-E*	-	-	-	-	21G X 7 cm	25
AD21T91W-E*	-	-	-	-	21G X 9 cm	25

SS = Stainless Steel PT = Platinum Tip NT = Nitinol PD = Palladium Tip

PRELUDE® DILATORS

The Prelude Dilator may be used with any Prelude Sheath Introducer in lengths of 4 cm, 7 cm, and 11 cm. The dilators are packaged individually for your convenience; 10 per box.

Catalogue Number	French Size	Length	Maximum Guide Wire	Hub Colour
PD4F035	4	16 cm	0.035'' (0.89 mm)	red
PD5F038	5	16 cm	0.038'' (0.97 mm)	gray
PD6F038	6	16 cm	0.038'' (0.97 mm)	green
PD7F038	7	16 cm	0.038'' (0.97 mm)	orange
PD8F038	8	16 cm	0.038'' (0.97 mm)	blue

VESSEL DILATORS

Merit Medical's Vessel Dilators allow you to pre-dilate the access site when needed. Dilators are packaged individually for your convenience. Packaged in pouch; 10 per box.

Catalogue	French		Recommended
Number	Size	Length	Guide Wire
3339-21	5	20 cm	0.035" (0.89 mm)
3339-31	4	20 cm	0.035" (0.89 mm)
3339-41	6	20 cm	0.038" (0.97 mm)
3339-51	5	20 cm	0.038" (0.97 mm)



^{*} Echo-enhanced needle

PRELUDE® SHEATH INTRODUCERS WITH MARKER TIP

The Prelude Sheath Introducers with Marker Tip are available in 11 cm (comes with PreludePRO $^{\text{TM}}$ polypropylene tubing) and 23 cm (comes with standard Prelude tubing). The sheaths have a highly radiopaque marker tip allowing for increased visiblity of the sheath tip under fluoroscopy. Products are available with and without double ended, stainless steel guide wire.



Catalogue Number	French Size	Sheath Length	Guide Wire Diameter/Length	Hub Colour
Number	Jize	Length	Didnieter/Length	Coloui
PRO-4F-11-035MT	4	11 cm	0.035" (0.89 mm) x 50 cm	red
PRO-5F-11-035MT	5	11 cm	0.035" (0.89 mm) x 50 cm	gray
PRO-6F-11-035MT	6	11 cm	0.035" (0.89 mm) x 50 cm	green
PRO-7F-11-035MT	7	11 cm	0.035" (0.89 mm) x 50 cm	orange
PRO-8F-11-035MT	8	11 cm	0.035" (0.89 mm) x 50 cm	blue
PRO-5F-11-038MT	5	11 cm	0.038" (0.97 mm) x 50 cm	gray
PRO-6F-11-038MT	6	11 cm	0.038" (0.97 mm) x 50 cm	green
PRO-7F-11-038MT	7	11 cm	0.038" (0.97 mm) x 50 cm	orange
PRO-8F-11-038MT	8	11 cm	0.038" (0.97 mm) x 50 cm	blue
PRO-4F-11MT	4	11 cm	N/A	red
PRO-5F-11MT	5	11 cm	N/A	gray
PRO-6F-11MT	6	11 cm	N/A	green
PRO-7F-11MT	7	11 cm	N/A	orange
PRO-8F-11MT	8	11 cm	N/A	blue
PSI-4F-23-035MT	4	23 cm	0.035" (0.89 mm) x 80 cm	red
PSI-5F-23-035MT	5	23 cm	0.035" (0.89 mm) x 80 cm	gray
PSI-6F-23-035MT	6	23 cm	0.035" (0.89 mm) x 80 cm	green
PSI-7F-23-035MT	7	23 cm	0.035" (0.89 mm) x 80 cm	orange
PSI-8F-23-035MT	8	23 cm	0.035" (0.89 mm) x 80 cm	blue
PSI-5F-23-038MT	5	23 cm	0.038" (0.97 mm) x 80 cm	gray
PSI-6F-23-038MT	6	23 cm	0.038" (0.97 mm) x 80 cm	green
PSI-7F-23-038MT	7	23 cm	0.038" (0.97 mm) x 80 cm	orange
PSI-8F-23-038MT	8	23 cm	0.038" (0.97 mm) x 80 cm	blue
F 31-0F-Z3-U30/WT	0	23 (11)	0.030 (0.37 Hilli) x 60 CM	blue
PSI-4F-23MT	4	23 cm	N/A	red
PSI-5F-23MT	5	23 cm	N/A	gray
PSI-6F-23MT	6	23 cm	N/A	green
PSI-7F-23MT	7	23 cm	N/A	orange
PSI-8F-23MT	8	23 cm	N/A	blue

Packaged in holster; 5 per box.

PRELUDE® SHORT SHEATH INTRODUCERS

The Prelude Short Sheath Introducer provides access to dialysis fistulas and grafts. Can be used for declot, angioplasty, and thrombolysis procedures, as well as temporary haemodialysis. These sheaths offer excellent transitions and material characteristics for easy and smooth access. Will accommodate flow rates up to 600 mL/min. Includes removable stopcock.




Catalogue	French	Sheath	Guide Wire	Needle	Hub	
Number	Size	Length	Diameter/Length	Gauge/Length	Colour	Qty/Box
PSS-5F-4-018MT*	5	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	gray	5
PSS-6F-4-018MT	6	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	green	5
PSS-7F-4-018MT	7	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	orange	5
PSS-8F-4-018MT	8	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	blue	5
PSS-5F-4-035MT**	5	4 cm	0.035" (0.89 mm) x 50 cm	_	gray	5
PSS-6F-4-035MT	6	4 cm	0.035" (0.89 mm) x 50 cm	_	green	5
PSS-7F-4-035MT	7	4 cm	0.035" (0.89 mm) x 50 cm	_	orange	5
PSS-8F-4-035MT	8	4 cm	0.035" (0.89 mm) x 50 cm	_	blue	5
PSS-5F-4-038MT**	5	4 cm	0.038" (0.97 mm) x 50 cm	_	gray	5
PSS-6F-4-038MT	6	4 cm	0.038" (0.97 mm) x 50 cm	_	green	5
PSS-7F-4-038MT	7	4 cm	0.038" (0.97 mm) x 50 cm	_	orange	5
PSS-8F-4-038MT	8	4 cm	0.038" (0.97 mm) x 50 cm	_	blue	5
PSS-5F-4MT	5	4 cm	N/A	_	gray	5
PSS-6F-4MT	6	4 cm	N/A	_	green	5
PSS-7F-4MT	7	4 cm	N/A	_	orange	5
PSS-8F-4MT	8	4 cm	N/A	_	blue	5

 $^{^{\}star}$ 0.018 $^{\prime\prime}$ guide wire is stainless steel with straight stainless steel flexible tip.


^{** 0.035&#}x27;' and 0.038" guide wires are stainless steel; double ended (3 mm J and floppy).

A-S-K MERIT ACCESS SAFETY KIT®

The A-S-K Merit Access Safety Kit incorporates new shielded technology that helps minimise the risk of sharps injuries associated with gaining vascular access. Packaged 25 units per box, 4 boxes per case.



(1) 18G 2 3/4" (7 cm) Merit Advance® Safety Needle



(1) #11 Futura® Safety Scalpel

Catalogue Number ASK200

Not available in countries where CE mark is required.

In addition to a safety introducer needle and safety scalpel, the kit contains the following items:

- (1) 18G 1" (2.5 cm) shielded hypodermic needle
- (1) 25G 1" (2.5 cm) shielded hypodermic needle
- (1) 22G 1 1/2" (3.8 cm) shielded hypodermic needle

BOWTIE™ GUIDE WIRE INSERTION DEVICE

The BowTie Guide Wire Insertion Device is an elegant solution to the problem of aligning devices with micro guide wires. Simply insert your device, such as a mini access introducer, in one end of the BowTie and then place over your micro guide wire. After alignment, the BowTie is easily removed through a specially designed, tear-away slit. Packaged individually; 20 units per box.

Catalogue Number BT01



Easy – Insert the device halfway into the BowTie.

Quick – Place the BowTie and device over the proximal end of the auide wire.

Efficient – Remove the BowTie after "making ends meet."

HAEMOSTASIS VALVE ADAPTER

Minimises blood loss during the introduction of catheters or devices into the vasculature. Provides a side arm and 3-way stopcock to facilitate aspiration or infusion. May be used with devices that are 8F or smaller. Packaged 10 per box.

Catalogue Number HVA-100





ANGIOGRAPHY



DIAGNOSTIC GUIDE WIRES	
InQwire® Diagnostic Guide Wires	13
InQwire Diagnostic Guide Wires	
with Ringmaster™	15
HYDROPHILIC GUIDE WIRES	
Merit Laureate® Hydrophilic	15
Guide Wires	
Tenor® Steerable Guide Wires	17
GUIDE WIRE ACCESSORIES	
H2O Torq [™] Torque Devices	18
SeaDragon™ Torque Device	18
DIAGNOSTIC PERIPHERAL CATHET	reds
	20
Catheter Directory	21-22
Catheter Shape Illustrations	
Impress® Catheters	23-32
Impress Hydrophilic Catheters	33-36
Performa® Catheters	37-50
FLUID MANAGEMENT & TUBING	
High Pressure Flow Control Switch	51
CT Transfer Sets	51
MICROCATHETERS	
Merit Maestro® Microcatheters	52
Ment Muestro Microcuttleters	32
SYRINGES	
Medallion® Syringes	53
Medallion Sword Handle Syringes	54
Medallion Frosted Field Syringes & Pe	n 54
Custom Medallion Syringes	55
VacLok® Vacuum Pressure Syringes	56

INQWIRE® DIAGNOSTIC GUIDE WIRES

The InQwire guide wire is precoated with PTFE over the entire wire surface for smooth, consistent coverage that resists flaking. Less friction means increased trackability, lubricity, and durability. Its precise J-tip memory does not require reloading the J straightener and the tight guide wire tolerances ensure catheter and sheath compatibility. The InQwire is also available with heparin coating to minimise clot formation.

\$\frac{\text{STRAIGHT-IP WIRES}}{6676-A1} & \text{Straight} & \text{\$0.018"} & \text{\$0.018"} & \text{\$0.018"} & \text{\$0.018"} & \text{\$0.46 mm} & \text{\$1.50} & \text{\$F\$} & \text{\$1.00} & \text{\$676-C1} & \text{\$Straight} & \text{\$0.021"} & \text{\$0.53 mm} & \text{\$1.50} & \text{\$F\$} & \text{\$1.00} & \text{\$676-C1} & \text{\$Straight} & \text{\$0.021"} & \text{\$0.53 mm} & \text{\$1.50} & \text{\$F\$} & \text{\$1.00} & \text{\$676-D3} & \text{\$Straight} & \text{\$0.021"} & \text{\$0.53 mm} & \text{\$1.50} & \text{\$F\$} & \text{\$1.00}	Catalogue Number	Description	Size	Length cm	Core	Heparin Coated	# Per Box
6676-B3	STRAIGHT-TIP WIRES						
6676-B3	6676-A1	Straight	0.018" (0.46 mm)	150	F		10
6676-C1 Stroight 0.021" (0.53 mm) 150 F 10 6676-D3 Stroight 0.021" (0.53 mm) 180 F 5 1Q35F150S Stroight 0.035" (0.89 mm) 150 F 10 1Q435F150S Stroight 0.035" (0.89 mm) 150 F 10 1Q35F260S Stroight 0.035" (0.89 mm) 150 F 110 1Q35F260S Stroight 0.035" (0.89 mm) 150 F 110 1Q36F260S Stroight 0.035" (0.89 mm) 150 F 110 1Q36F260S Stroight 0.035" (0.89 mm) 150 M 10 1Q36F150S Stroight 0.036" (0.97 mm) 150 M 10 1Q38F150S Stroight 0.038" (0.97 mm) 150 F 110 1Q38F260S Stroight 0.038" (0.97 mm) 150 F 110 1Q38F260S Stroight 0.038" (0.97 mm) 260 F 110 1Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (18.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (18.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F150NL Newton; LT (10.5 cm) 0.035" (0.89 mm) 150 F 110 1Q35F1	6676-B3			180	F		5
6676-D3 Straight 0.021" (0.53 mm) 180 F 5 10 (Q35F150S Straight 0.035" (0.89 mm) 150 F 10 (Q435F150S Straight 0.035" (0.89 mm) 150 F 110 (Q35F260S Straight 0.035" (0.89 mm) 150 F 110 (Q35F260S Straight 0.035" (0.89 mm) 150 M 10 (Q35F260S Straight 0.035" (0.89 mm) 150 M 10 (Q36F260S Straight 0.035" (0.89 mm) 150 M 10 (Q36F260S Straight 0.036" (0.97 mm) 150 M 10 (Q38F150S Straight 0.038" (0.97 mm) 150 F 10 (Q38F260S Straight 0.038" (0.97 mm) 150 F 10 (Q38F260S Straight 0.038" (0.97 mm) 150 F 10 (Q38F260S Straight 0.038" (0.97 mm) 260 F 10 (Q38F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LLT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LLT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LLT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 110 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 (Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89					F		10
IQ35F150S Straight	6676-D3						
IQH35F150S Straight		-					10
Q35F260S						H**	10
6690.41 Straight 0.035" (0.89 mm) 150 M 10 6690.61 Straight 0.038" (0.97 mm) 150 M 10 1038F150S Straight 0.038" (0.97 mm) 150 F 10 10238F260S Straight 0.038" (0.97 mm) 260 F 10 10238F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150NLLT Newton; LT (18.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 1035F150RB Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 1035F150RB Bentson (23 cm) 0.035" (0.89 mm) 150 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
6690-61 Straight 0.038" (0.97 mm) 150 M 10 IQ38F150S Straight 0.038" (0.97 mm) 150 F 10 IQ38F260S Straight 0.038" (0.97 mm) 260 F 10 IQ35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F H** 10 IQ35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F H** 10 IQ35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F H** 10 IQ35F150NLLT Newton; LLT (23.5 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150R Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150B <t< td=""><td>-</td><td>-</td><td></td><td></td><td></td><td></td><td></td></t<>	-	-					
Q38F150S Straight 0.038" (0.97 mm) 150 F 10 Q38F260S Straight 0.038" (0.97 mm) 260 F 10 Q38F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LT (18.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LT (13.5 cm) 3 mm 0.035" (0.89 mm) 150 F H** 10 Q35F80B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F80BC Bentson C 0.035" (0.89 mm) 150 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q435F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q435F180B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 /10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 /10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 /10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 Q35F260B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 Q35F260B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 Q35F260B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BC Bentson (23 cm) 0.036" (0.97 mm) 150 F 10 Q35F150BC Bentson C (15 cm) 0.036" (0.89 mm) 150 F 10 Q35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BC Bentson C (0.35" (0.89 mm) 150 F 10 Q35F150BC Bentson C (0.35" (0.89 mm) 150 F 10 Q35F150BC Bentson C (0.35" (0.89 mm) 150 F 10 Q35F150BC Bentson C (0.35" (0.89 mm) 150 F 10 Q35F150BC Bentson C (0.93" (0.99 mm) 150 F 10 Q35F150BC Bentson C (0.93" (0.99 mm) 150 F 10 Q35F150BC Bentson C (0.93" (0.99 mm) 150 F 10 Q35F150BC Bentson C (0.99" mm) 150 F 10 Q35F150BC Bentson C (0.99" mm							
Q38F260S							
Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 Q35F150NLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F H** 10 Q35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F 10 Q135F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F 10 Q35F150NLLT Newton; LLT (18.5 cm) 0.035" (0.89 mm) 150 F 10 Q35F150NLLT Newton; LLT (13.5 cm) 0.035" (0.89 mm) 150 F 10 Q35F150NLLT Newton; LT (13.5 cm) 0.035" (0.89 mm) 150 F 10 Q35F80B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F80B Bentson (23 cm) 0.035" (0.89 mm) 80 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 /10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 /10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BC Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BC Bentson (215 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BST Super Stiff 0.	-	-					
OH35F150NLLT		-					
	-						
QH35F150NLLT	_					H**	
Newton; LLLT(23.5 cm)							
Newton; LT (13.5 cm) 3 mm J						H**	
Q35F80B							10
IQ35F80BC Bentson C 0.035" (0.89 mm) 80 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q435F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5/10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q435F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q435F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 Q35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 Q38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 Q38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 Q35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 Q35F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F180BC Bentson C 0.035" (0.89 mm) 150 F 10 Q35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 Q38F150BC Bentson C 0.035" (0.89 mm) 180 F 10 Q38F150BC Bentson C 0.035" (0.89 mm) 180 F 10 Q38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 Q38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 Q38F150BST Super Stiff 0.035" (0.89 mm) 150 F 5 Q38F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 150 F 5 Q35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 150 F 5 Q35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 150 F 10 Q35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 150	6677-B1	Newton; LT (13.5 cm) 3 mm J	0.035" (0.89 mm)	150	F		10
IQ35F80BC Bentson C 0.035" (0.89 mm) 80 F 10 Q35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 Q435F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5/10* Q35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q435F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 Q435F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 Q35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 Q38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 Q38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 Q35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 Q35F180BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q35F180BC Bentson C 0.035" (0.89 mm) 150 F 10 Q35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 Q38F150BC Bentson C 0.035" (0.89 mm) 180 F 10 Q38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 Q38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 Q48B150BST Super Stiff 0.035" (0.89 mm) 150 F 5 Q48B150BST Super Stiff 0.035" (0.89 mm) 150 F 5 Q58BN-TIP WIRES Q35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10	IQ35F80B	Bentson (23 cm)	0.035" (0.89 mm)	80	F		
IQ35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F 10 IQH35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5/10* IQ35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 IQH35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 IQ35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm)							10
IQH35F150B Bentson (23 cm) 0.035" (0.89 mm) 150 F H** 5 / 10* IQ35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 IQH35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 IQ35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ438F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ438F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BC Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F	-	Bentson (23 cm)					10
IQ35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F 10 IQH35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 IQ35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 5 IQ38F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 180 F 5	_					H**	5 /10*
IQH35F180B Bentson (23 cm) 0.035" (0.89 mm) 180 F H** 5 IQ35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQH38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BCT Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm)							
IQ35F260B Bentson (23 cm) 0.035" (0.89 mm) 260 F 10 IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQ438F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F H** 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 180 F 5 IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 100 F 5 IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F 10 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F I.0 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F I.0 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F I.0 IQ38F150BST I.5mm J (R) 0.035" (0.89 mm) 80 F I.0 IQ38F150BST I.5mm J (R) I.5mm J (R) I.5mm J (R) I.5mm J (R)						H**	
IQ38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F 10 IQH38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 IQ38F150BST Super Stiff 0.035" (0.89 mm) 80 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 150 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
IQH38F150B Bentson (23 cm) 0.038" (0.97 mm) 150 F H** 10 IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
IQ35F150BC Bentson C (15 cm) 0.035" (0.89 mm) 150 F 10 IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-31 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-43 Super Stiff 0.038" (0.97 mm) 150 F 10	-					H**	
IQ35F150BST Bentson ST (10 cm) 0.035" (0.89 mm) 150 F 10 IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-31 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-43 Super Stiff 0.038" (0.97 mm) 150 F 10 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F	_	. ,				• • • • • • • • • • • • • • • • • • • •	
IQ35F180BC Bentson C 0.035" (0.89 mm) 180 F 10 IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
IQ35F180BST Bentson ST (10 cm) 0.035" (0.89 mm) 180 F 10 IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10	-						
IQ38F150BC Bentson C 0.035" (0.89 mm) 150 F 10 IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
IQ38F150BST Bentson ST (10 cm) 0.038" (0.97 mm) 150 F 10 6680-61 Super Stiff 0.035" (0.89 mm) 80 F 10 6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10	-						
6680-51 Super Stiff 0.035" (0.89 mm) 100 F 10 6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10			0.035" (0.90)	٥n			10
6680-11 Super Stiff 0.035" (0.89 mm) 150 F 10 6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
6680-71 Super Stiff 0.035" (0.89 mm) 180 F 10 6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
6680-23 Super Stiff 0.035" (0.89 mm) 260 F 5 6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
6680-31 Super Stiff 0.038" (0.97 mm) 150 F 10 6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
6680-43 Super Stiff 0.038" (0.97 mm) 180 F 5 ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
ROSEN-TIP WIRES IQ35F80J105RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10							
IQ35F80J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 80 F 10	6680-43	Super Stiff	0.038" (0.97 mm)	180	ŀ		5
IQ35F150J1O5RS 1.5mm J (R) 0.035" (0.89 mm) 150 F 10	~						
IQ35F180J1O5RS* 1.5mm J (R) 0.035" (0.89 mm) 180 F 5/10*							
6609-33 1.5mm J (R) 0.035" (0.89 mm) 260 F 5							
IQ38F150J105RS 1.5mm J (R) 0.038" (0.97 mm) 150 F 10	IQ38F150J1O5RS	1.5mm J (R)	0.038" (0.97 mm)	150	F		10

All "J" tip fixed core wires are finger-straightenable. FB = Firm Body, LT = Long Taper, ST = Short Taper, ST = Short

^{*}New guide wire configurations packaged 10 per box. Original guide wires packaged 5 per box.

^{**}Heparin coated wires do not have CE Marking.

Catalogue Number	Description	Size	Length cm	Core	Heparin Coated	# Per Box
Number	Description		CIII	Core	Codied	DOX
J-TIP WIRES						
IQ35F150J1O5	1.5 mm J	0.035" (0.89 mm)	150	F		10
QH35F150J1O5	1.5 mm J	0.035" (0.89 mm)	150	F	H**	10
6693-A1	1.5 mm J	0.035" (0.89 mm)	150	М		10
Q35F180J1O5	1.5 mm J	0.035" (0.89 mm)	180	F		10
Q35F210J1O5	1.5 mm J	0.035" (0.89 mm)	210	F		10
		0.035" (0.89 mm)	260			10
Q35F260J1O5 Q35F260J1O5F	1.5 mm J Standard 1.5 mm J FB	0.035 (0.89 mm) 0.035" (0.89 mm)	260	F F		10
6682-K1	3 mm J	0.018" (0.46 mm)	150	F		10
6682-L3	3 mm J	0.018" (0.46 mm)	180	F		5
6682-M1	3 mm J	0.021" (0.53 mm)	150	F		10
6682-N3	3 mm J	0.021" (0.53 mm)	180	F		5
6682-E1	3 mm J	0.025" (0.64 mm)	150	F		10
Q35F80J3	3 mm J	0.035" (0.89 mm)	80	F		10
QH35F150J3	3 mm J	0.035" (0.89 mm)	150	F	H**	10
Q35F180J3*	3 mm J	0.035" (0.89 mm)	180	F	- 1 1	5/10*
Q35F260J3	3 mm J	0.035" (0.89 mm)	260	F		10
6693-41	3 mm J	0.035" (0.89 mm)	150	М		10
6693-71	3 mm J	0.035" (0.89 mm)	150	Μ	H**	10
6647-11	3 mm J 7 cm TC	0.035" (0.89 mm)	145	М		10
Q38F50J3	3 mm J	0.035" (0.89 mm)	50	F		10
Q38F80J3	3 mm J	0.035" (0.89 mm)	80	F		10
Q38F150J3	3 mm J	0.038" (0.97 mm)	150	F		10
QH38F150J3	3 mm J	0.038" (0.97 mm)	150	F	H**	10
					П""	
Q38F260J3	3 mm J	0.038" (0.97 mm)	260	F		10
6693-61	3 mm J	0.038" (0.97 mm)	150	М		10
6684-61	3 mm J TC	0.038" (0.97 mm)	150	М		10
Q35F150J3F	3 mm J FB	0.035" (0.89 mm)	150	F		10
QH35F150J3F	3 mm J FB	0.035" (0.89 mm)	150	F	H**	10
Q35F180J3F	3 mm J FB	0.035" (0.89 mm)	180	F		10
QH35F180J3F	3 mm J FB	0.035" (0.89 mm)	180	F	H**	5
			150		П	10
Q38F150J3F	3 mm J FB	0.038" (0.97 mm)		F		
Q38F150J3S	3 mm J	0.038" (0.97 mm)	150	F		10
QH38F150J3F	3 mm J FB	0.038" (0.97 mm)	150	F	H**	10
Q38F180J3F	3 mm J FB	0.038" (0.97 mm)	180	F		10
Q38F260J3F	3 mm J FB	0.038" (0.97 mm)	260	F		10
Q35F80J6	6 mm J	0.035" (0.89 mm)	80	F		10
Q35F150J6	6 mm J	0.035" (0.89 mm)	150	F		10
Q35F180J6F	6 mm J FB	0.035" (0.89 mm)	180	F		10
					H**	
QH35F70J6	6 mm J	0.035" (0.89 mm)	70	F	H^^	10
6694-21	6 mm J	0.035" (0.89 mm)	150	M		10
Q38F150J6	6 mm J	0.038" (0.97 mm)	150	F		10
QH38F70J6	6 mm J	0.038" (0.97 mm)	70	F	H**	10
Q35100J15	15 mm J	0.035" (0.89 mm)	100	F		10
Q35F150J15	15 mm J	0.035" (0.89 mm)	150	F		10
Q35F180J15	15 mm J	0.035" (0.89 mm)	180	F		10
QH35F150J15	15 mm J	0.035 (0.89 mm)	150	F	H**	10
					П	
Q38F150J15	15 mm J	0.038" (0.97 mm)	150	F		10
3820-B1	15 mm J	0.035" (0.89 mm)	150	М		10
IXED CORE, DOUBLE						
Q35F80J3SHD	3 mm J/Straight/Heavy Duty	0.035" (0.89 mm)	80	F		10
Q35F150J105S	1.5 mm J/Straight	0.035" (0.89 mm)	150	F		10
Q35F150J3S	3 mm J/Straight	0.035" (0.89 mm)	150	F		10
QH35F150J3S	3 mm J/Straight	0.035 (0.89 mm)	150	F	H**	10
					П	
Q35F150J3SHD	3 mm J/Straight/Heavy Duty	0.035" (0.89 mm)	150	F		10
Q35F180J3S	3 mm J/Straight/Double End	0.035" (0.89 mm)	180	F		10
Q38F150J3S	3 mm J	0.038" (0.97 mm)	150	F		10

All "J" tip fixed core wires are finger-straightenable. FB = Firm Body, LT = Long Taper, ST = Short Taper, H = Heparin Coating, R = Rosen, F = Fixed Core, M = Moveable Core, TC = Tapered Core

^{*}New guide wire configurations packaged 10 per box. Original guide wires packaged 5 per box.

^{**}Heparin coated wires do not have CE Marking.

INQWIRE® DIAGNOSTIC GUIDE WIRES WITH RINGMASTER™

Catalogue			Length		# Per		
Number	Description	Size	cm	Core	Вох		
STRAIGHT-TIP WI	RES						
IQR35F150B	Bentson (23 cm)	0.035" (0.89 mm)	150	F	10		
IQR35F150BST	Bentson Short Taper (10 cm)	0.035" (0.89 mm)	150	F	10		
J - TIP WIRES							
IQR35F150J3	J 3 mm	0.035" (0.89 mm)	150	F	10		
IQR35F260J3	J 3 mm	0.035" (0.89 mm)	260	F	10		
IQR35F150J3F	J 3 mm/Firm	0.035" (0.89 mm)	150	F	10		
IQR38F150J3	J 3 mm	0.035" (0.97 mm)	150	F	10		
IQR38F150J3F	J 3 mm/Firm	0.035" (0.97 mm)	150	F	10		
FIXED CORE: DOUBLE ENDED							
IQR35F150J3S	J 3 mm/Straight	0.035" (0.89 mm)	150	F	10		



Ringmaster™ Guide Wire Basin

Heparin coating not available with InQwire guide wires packaged in Ringmaster.

MERIT LAUREATE® HYDROPHILIC GUIDE WIRES

The Merit Laureate Hydrophilic Guide Wire facilitates the placement of devices during diagnostic and interventional procedures, navigating tortuous vessels. The hydrophilic coating offers enduring lubricity and consistent surface coating adhesion. The Merit Laureate was designed to reduce wire whipping, minimise friction, and to promote rapid catheter exchanges.

Catalogue			Length		
Number	Description	Size	cm	Core	# Per Box
STANDARD WIRES					
LWSTDA35150	Standard/Angled	0.035" (0.89 mm)	150	F	5
LWSTDA35180	Standard/Angled	0.035" (0.89 mm)	180	F	5
LWSTDA3880	Standard/Angled	0.038" (0.97 mm)	80	F	5
LWSTDA38120	Standard/Angled	0.038" (0.97 mm)	120	F	5
LWSTDA38150	Standard/Angled	0.038" (0.97 mm)	150	F	5
LWSTDA38180	Standard/Angled	0.038" (0.97 mm)	180	F	5
LWSTDS3580	Standard/Straight	0.035" (0.89 mm)	80	F	5
LWSTDS35150	Standard/Straight	0.035" (0.89 mm)	150	F	5
LWSTDS35180	Standard/Straight	0.035" (0.89 mm)	180	F	5
LWSTDS35220	Standard/Straight	0.035" (0.89 mm)	220	F	5
LWSTDS35260EX	Standard/Straight/Exchange	0.035" (0.89 mm)	260	F	5
LWSTDS38260EX	Standard/Straight/Exchange	0.038" (0.97 mm)	260	F	5
LWSTDS38150	Standard/Straight	0.038" (0.97 mm)	150	F	5
LWSTDS38180	Standard/Straight	0.038" (0.97 mm)	180	F	5
LWSTDA35260EX	Standard/Angled/Exchange	0.035" (0.89 mm)	260	F	5
LWSTDA38260EX	Standard/Angled/Exchange	0.038" (0.97 mm)	260	F	5
	, 31-4, -11-11-3	,,			

MERIT LAUREATE® HYDROPHILIC GUIDE WIRES

Catalogue			Length		
Number	Description	Size	cm	Core	# Per Box
STIFF WIRES					
LWSTFA3580	Stiff/Angled	0.035" (0.89 mm)	80	F	5
LWSTFA35150	Stiff/Angled	0.035" (0.89 mm)	150	F	5
LWSTFA35180	Stiff/Angled	0.035" (0.89 mm)	180	F	5
LWSTFA35220	Stiff/Angled	0.035" (0.89 mm)	220	F	5
LWSTFA35260EX	Stiff/Angled/Exchange	0.035" (0.89 mm)	260	F	5
LWSTFA3880	Stiff/Angled	0.038" (0.97 mm)	80	F	5
LWSTFA38150	Stiff/Angled	0.038" (0.97 mm)	150	F	5
LWSTFA38180	Stiff/Angled	0.038" (0.97 mm)	180	F	5
LWSTFS3580	Stiff/Straight	0.035" (0.89 mm)	80	F	5
LWSTFS35150	Stiff/Straight	0.035" (0.89 mm)	150	F	5
LWSTFS35180	Stiff/Straight	0.035" (0.89 mm)	180	F	5
LWSTFS35220	Stiff/Straight	0.035" (0.89 mm)	220	F	5
LWSTFS35260EX	Stiff/Straight/Exchange	0.035" (0.89 mm)	260	F	5
LWSTFS38150	Stiff/Straight	0.038" (0.97 mm)	150	F	5
LWSTFS38180	Stiff/Straight	0.038" (0.97 mm)	180	F	5





The Merit Laureate® Hydrophilic Guide Wire has an improved hydrophilic coating that offers enduring lubricity and consistent turn-for-turn responsiveness.


Catalogue			Length		
Number	Description	Size	cm	Core	# Per Box
SMALL DIAMETER SPE	CIALTY WIRE				
LWSTDA1880	Standard/Angled	0.018" (0.46 mm)	80	F	5
LWSTDA18150	Standard/Angled	0.018" (0.46 mm)	150	F	5
LWSTDA18180	Standard/Angled	0.018" (0.46 mm)	180	F	5
LWSTDA18260EX	Standard/Angled/Exchange	0.018" (0.46 mm)	260	F	5
LWSTDS18150	Standard/Straight	0.018" (0.46 mm)	150	F	5
LWSTDS18180	Standard/Straight	0.018" (0.46 mm)	180	F	5
LWSTDS18260EX	Standard/Straight/Exchange	0.018" (0.46 mm)	260	F	5
LWSTDA25150	Standard/Angled	0.025" (0.64 mm)	150	F	5
LWSTDA25180	Standard/Angled	0.025" (0.64 mm)	180	F	5
LWSTDA25260EX	Standard/Angled/Exchange	0.025" (0.64 mm)	260	F	5
LWSTDS25150	Standard/Straight	0.025" (0.64 mm)	150	F	5
LWSTDS25180	Standard/Straight	0.025" (0.64 mm)	180	F	5
LWSTDS25260EX	Standard/Straight/Exchange	0.025" (0.64 mm)	260	F	5


TENOR® STEERABLE GUIDE WIRES

The Tenor Steerable Guide Wire offers exceptional pushability and torqueability to facilitate precise navigation in challenging anatomy during embolic procedures. Packaged with an insertion tool and torque device.

Catalogue			Length	Tip		# Per
Number	Description	Size	cm	Material	Core	Box
TNR2411	Angled Tip	0.014" (0.36 mm)	165	Platinum Coiled	F	1
TNR2412	Straight Tip	0.014" (0.36 mm)	165	Platinum Coiled	F	1
TNR2811	Angled Tip	0.018" (0.46 mm)	165	Platinum Coiled	F	1
TNR2812	Straight Tip	0.018" (0.46 mm)	165	Platinum Coiled	F	1

Tenor Advanced Guide Wire Construction





H2O TORQ™ TORQUE DEVICE

The H2O Torq is an ergonomic torque device operable with one hand, designed to enhance manipulation of the guide wire tip. The single component plastic design can be used on hydrophilic or PTFE-coated wires and allows easy reposition and removal for rapid device exchanges. Packaged individually, 10 units per box.



Catalogue Number	Description
TD100	Orange device; Guide wires from 0.025" (0.64 mm) to 0.040" (1.02 mm)
TD200	Yellow device; Guide wires from 0.010" (0.25 mm) to 0.020" (0.51 mm)

SEADRAGON™ TORQUE DEVICE

The SeaDragon is an ergonomic torque device operable with one hand, designed to enhance manipulation of the guide wire tip. The single component plastic design can be used on hydrophilic or PTFE-coated wires and allows easy reposition and removal for rapid device exchanges. Packaged individually, 10 units per box.




Catalogue Number	Description
TD500	Guide wires from 0.018" (0.46 mm) to 0.038" (0.97 mm)

- +31 43 358 82 22 MeritEMEA.com

DIAGNOSTIC PERIPHERAL CATHETERS

DIAGNOSTIC PERIFTIERAL CA	AIIILILKS		
Catheter Shape Illustrations	21-22	KA2	34
		Mani	34
IMPRESS®		Multipurpose	34
Headhunter	23	RBI	35
Newton	23	Simmons	35
Bentson	24	Modified Hook	35
Mani	24	Straight Selective	36
Vertebral	24	Vertebral	36
Modified Cerebral	24		
Berenstein	25	PERFORMA®	
MW2	25	Headhunter	37
Simmons	25	Newton	38
Cobra	26	Bentson	39
Hook	26	Mani	39
Shepherd Hook	27	Vertebral	39
Renal Double Curve	27	Modified Cerebral	40
Amir Motarjeme®	27	Berenstein	40
Reuter	28	Straight Selective	40
Mikaelsson	28	MW2	41
KA2	28	Osborn	41
Uterine Artery Catheter	28	Hook	41
Hockey Stick	28	Modified Hook Selective	42
Modified Hook Selective	29	Simmons	42
RBI (Renal, Bifurcation, Iliac)	29	Cobra	43
RIM – Mini RIM Short-Tip	29	Shepherd Hook	44
Straight Selective	29	Renal Double Curve	44
Osborn	30	Hockey Stick	44
Multipurpose A1	30	Amir Motarjeme®	45
30 cm Catheters	30	Reuter	45
Shepherd Flush	30	Mikaelsson	46
Ultra Bolus Flush	31	KA, KA2	46
Modified Bolus Flush	31	DVS A1, DVS A2	46
Pigtail Flush	31	Shepherd Flush	47
Straight Flush	32	Ultra Bolus Flush	47
Modified Hook Flush	32	Ultra High Flow Pigtail	47
		Pigtail Flush	47
IMPRESS® HYDROPHILIC		Straight Flush	48
Bentson	33	Modified Hook Flush	48
Berenstein	33	Vessel-Sizing, Adult	49-50
Cobra	33		
Headhunter	34		


- a. HEADHUNTER 1
- b. HEADHUNTER 3
- c. HEADHUNTER 5
- d. HEADHUNTER 6








- a. SIMMONS 1
- b. SIMMONS 2
- c. SIMMONS 3
- d. SIMMONS 4
- e. MODIFIED SIMMONS 1.5
- f. MODIFIED SIMMONS








- a. NEWTON 1
- b. NEWTON 2
- c. NEWTON 3
- d. NEWTON 4
- e. NEWTON 5
- f. OSBORN 1
- g. OSBORN 2






- a. BENTSON 1
- b. BENTSON 2
- c. BENTSON 3
- d. MANI









- a. BERENSTEIN
- b. VERTEBRAL
- c. MODIFIED CEREBRAL
- d. MW2
- e. MODIFIED MW2
- f. DVS A1
- g. DVS A2
- h. HOCKEY STICK






- a. KA
- b. KA2
- c. HOOK 0.8
- d. HOOK 1.0
- e. SHEPHERD HOOK 0.8
- f. SHEPHERD HOOK 1.0
- g. SHEPHERD HOOK 1.0 MOD.
- h. RENAL DOUBLE CURVE





- a. STRAIGHT SELECTIVE
- b. AMIR MOTARJEME®
- c. AMIR MOTAJEME® CANE
- d. REUTER
- e. MIKAELSSON













- a. COBRA 1
- b. COBRA 2
- c. COBRA 3






- a. SHEPHERD FLUSH
- b. ULTRA BOLUS FLUSH
- c. MODIFIED BOLUS FLUSH
- d. STANDARD FLUSH
- e. STRAIGHT FLUSH
- f. MODIFIED HOOK FLUSH
- g. RBI
- h. RIM
- i. MINI RIM
- j. MINI RIM ST
- k. UTERINE ARTERY



- a. MODIFIED HOOK SELECTIVE 1
- b. MODIFIED HOOK SELECTIVE 2
- c. MODIFIED HOOK SELECTIVE 3



IMPRESS® DIAGNOSTIC PERIPHERAL CATHETERS

The Impress line of diagnostic peripheral catheters has been designed to deliver radiopaque media to selected sites in the vascular system. The tips are tapered to minimise vessel trauma, the accordion hubs are designed to minimise kinking, and the proprietary braid pattern shafts provide maximum flexibility without compromising steerability.

IMPRESS® HEADHUNTER CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
HEADHUNTER	l				
410035HH1	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	
410038HH1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	HEADHUNTER 1
412535HH1	4	.040"/1.02 mm	.035" (0.89 mm)	125 cm	TILADITONTER
510035HH1	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	2
510038HH1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	
512535HH1	5	.046"/1.17 mm	.035" (0.89 mm)	125 cm	
512538HH1	5	.046"/1.17 mm	.038" (0.97 mm)	125 cm	
HEADHUNTER 3	3				
410035HH3	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	
410038HH3	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	η HEADHUNTER 3
510035HH3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038HH3	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	

IMPRESS® NEWTON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length		
NEWTON 1						
						NEWTON 1
410038N1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm		
510038N1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
NEWTON 2						NEWTON 2
410038N2	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	•	NEWTON 2
510038N2	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
NEWTON 3						
410038N3	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm		NEWTON 3
510038N3	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
NEWTON 4						
410038N4	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm		NEW TON 4
510038N4	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		NEWTON 4
					5	

IMPRESS® BENTSON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	
Tumber	JIZC	Diameter	Guide Wile	Length	
BENTSON 1					
46535B1	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	BENTSON 1
410035B1	4	.040"/1.02 mm	.035" (0.89 mm	100 cm	
410038B1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
56535B1	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	
510035B1	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038B1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	BENTSON 2
BENTSON 2					
410035B2	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	//
510035B2	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
					\sim

IMPRESS® MANI CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
4100254441	4	0.40///1.00	025# (0.00	100	
410035MANI	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	***
410038MANI	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	MAN
510035MANI	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	1
510038MANI	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	

IMPRESS® VERTEBRAL CATHETERS

French Size	Internal Diameter	Recommended Guide Wire	Length		
4	.040"/1.02 mm	.038" (0.97 mm)	65 cm		
4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	_	
4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	N	VERTEBRAL
4	.040"/1.02 mm	.035" (0.89 mm)	125 cm		
5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	_	
5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	_	
5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	_	
5	.046"/1.17 mm	.035" (0.89 mm)	125 cm	_	
	4 4 4 5 5 5 5 5	Size Diameter 4 .040"/1.02 mm 4 .040"/1.02 mm 4 .040"/1.02 mm 4 .040"/1.02 mm 5 .046"/1.17 mm 5 .046"/1.17 mm 5 .046"/1.17 mm	Size Diameter Guide Wire 4 .040"/1.02 mm .038" (0.97 mm) 4 .040"/1.02 mm .035" (0.89 mm) 4 .040"/1.02 mm .038" (0.97 mm) 4 .040"/1.02 mm .035" (0.89 mm) 5 .046"/1.17 mm .038" (0.97 mm) 5 .046"/1.17 mm .035" (0.89 mm) 5 .046"/1.17 mm .038" (0.97 mm)	Size Diameter Guide Wire Length 4 .040"/1.02 mm .038" (0.97 mm) 65 cm 4 .040"/1.02 mm .035" (0.89 mm) 100 cm 4 .040"/1.02 mm .038" (0.97 mm) 100 cm 4 .040"/1.02 mm .035" (0.89 mm) 125 cm 5 .046"/1.17 mm .038" (0.97 mm) 65 cm 5 .046"/1.17 mm .035" (0.89 mm) 100 cm 5 .046"/1.17 mm .038" (0.97 mm) 100 cm	Size Diameter Guide Wire Length 4 .040"/1.02 mm .038" (0.97 mm) 65 cm 4 .040"/1.02 mm .035" (0.89 mm) 100 cm 4 .040"/1.02 mm .038" (0.97 mm) 100 cm 4 .040"/1.02 mm .035" (0.89 mm) 125 cm 5 .046"/1.17 mm .038" (0.97 mm) 65 cm 5 .046"/1.17 mm .035" (0.89 mm) 100 cm 5 .046"/1.17 mm .038" (0.97 mm) 100 cm

IMPRESS® MODIFIED CEREBRAL CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	
410035MC	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	MODIFIED CEREBRAL
410038MC	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
510035MC	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038MC	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	~ //

IMPRESS® BERENSTEIN CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
46535BER	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	DEDENISTE
46538BER	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	BERENSTE
410035BER	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	
410038BER	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
412538BER	4	.040"/1.02 mm	.038" (0.97 mm)	125 cm	
56535BER	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	
56538BER	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
510035BER	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038BER	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	
512538BER	5	.046"/1.17 mm	.038" (0.97 mm)	125 cm	

IMPRESS® MW2 CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
44038MW2	4	.040"/1.02 mm	.038" (0.97 mm)	40 cm	
56538MW2	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	MW2

IMPRESS® SIMMONS CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
SIMMONS 1					
46535SIM1	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	SIMMONS 1
46538SIM1	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	
410035SIM1	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	
410038SIM1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
56535SIM1	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	
56538SIM1	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
510035SIM1	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038SIM1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	
SIMMONS 2					
46538SIM2	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	
410035SIM2	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	SIMMONS 2
410038SIM2	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
56538SIM2	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
510035SIM2	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
510038SIM2	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	
MODIFIED SIM	MONS				MODIFIED COMPONS
48035MODS	4	.040"/1.02 mm	.035" (0.89 mm)	80 cm	MODIFIED SIMMONS
48038MODS	4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	

IMPRESS® COBRA CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	
COBRA 1 (SIE	DE HOLES)					
465352CB1	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	
465382CB1	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	2	
565352CB1	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	
565382CB1	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2	COBRA 1
COBRA 1 (WI	THOUT SI	DE HOLES)				
46538CB1	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	-	
410038CB1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	-	
56538CB1	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-	
510038CB1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	-	
COBRA 2 (SIE	DE HOLES))				
465352CB2	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	
465382CB2	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	2	
565352CB2	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	
565382CB2	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2	COBRA 2
COBRA 2 (WI	THOUT SI	DE HOLES)				
46535CB2	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	-	_
46538CB2	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	-	
410038CB2	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	_	
56538CB2	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-	
510038CB2	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	-	

IMPRESS® HOOK CATHETERS

Catalogue	French	Internal	Recommended		# of Side	•	
Number	Size	Diameter	Guide Wire	Length	Ports		
HOOK 0.8							
465352HK0-8	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	0	HOOK 0.8
565352HK0-8	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
HOOK 1.0							
465352HK1-0	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2		HOOK 1.0
565352HK1-0	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		

IMPRESS® SHEPHERD HOOK CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	
SHEPHERD HOOF	K 0.8					
465352SH0-8	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	SHEPHERD HOOK 0.8
565352SH0-8	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	<u></u>
SHEPHERD HOO	K 1.0					SHEPHERD HOOK 1.0
465352SH1-0	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	
565352SH1-0	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	

IMPRESS® RENAL DOUBLE CURVE CATHETERS

4 .040 /1.02 mm .003 (0.07 mm) 03 cm 2	Catalogue	French	Internal	Recommended		# of Side	
465352RC 4 .040"/1.02 mm .035" (0.89 mm) 65 cm 2 RENAL DOUBLE CURVE	Number	Size	Diameter	Guide Wire	Length	Ports	
465352RC 4 .040"/1.02 mm .035" (0.89 mm) 65 cm 2 RENAL DOUBLE CURVE							
4 .040 /1.02 mm .003 (0.07 mm) 03 cm 2	46535RC	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	-	
565352RC 5 046"/1 17 mm 035" (0.89 mm) 65 cm 2	465352RC	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	2	RENAL DOUBLE CURVE
303032RC 3 .040 /1.17 Hilli .003 (0.07 Hilli) 03 cm 2	565352RC	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	

IMPRESS® AMIR MOTARJEME® CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	
AMIR MOTARJEN		Diameter	Cuiuc ((iic	Length		
46535MOT	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	-	
410035MOT	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm		MOTARJEME
56535MOT	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm		
510035MOT	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	-	
AMIR MOTARJEA	ME CANE					
46535MOTC	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	-	
410035MOTC	4	.040"/1.02 mm	.035" (0.89 mm)	100 cm	_	
						MOTARJEME CANE
						C

IMPRESS® REUTER CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
48038RE	4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	. REUTER
58035RE	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	NEG TEX
58038RF	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	

IMPRESS® MIKAELSSON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length		
48038MIK	4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	Л	MIKAELSSON
58038MIK	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm		

IMPRESS® KA2 CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	
44038KA2	4	.040"/1.02 mm	.038" (0.97 mm)	40 cm	
46538KA2	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	KA2
54038KA2	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm	
56538KA2	5	046"/1 17 mm	038" (0.97 mm)	65 cm	

IMPRESS® UTERINE ARTERY CATHETER

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
59038UAC	5	.046"/1.17 mm	.038" (0.97 mm)	90 cm	UTERINE ARTERY

IMPRESS® HOCKEY STICK CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Tip Length
410038HS	4	.040"/1.02 mm	038" (0.97 mm)	100 cm	4.5 cm
510038HS	5	.046"/1.17 mm	038" (0.97 mm)	100 cm	4.5 cm



IMPRESS® MODIFIED HOOK SELECTIVE CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
MODIFIED HOO	OK 1				
48035MHK1	4	.040"/1.02 mm	.035" (0.89 mm)	80 cm	
58035MHK1	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 1
MODIFIED HOO	OK 2				
48035MHK2	4	.040"/1.02 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 2
58035MHK2	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	
MODIFIED HOO	OK 3				
48035MHK3	4	.040"/1.02 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 3
58035MHK3	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	

IMPRESS® RBI (RENAL, BIFURCATION, ILIAC) CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	:	
465354RBI	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	4		
565354RBI	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	4		RBI
56535RBI	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	_		RDI
510035RBI	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	_ (
5100354RBI	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	4		

IMPRESS® RIM - MINI RIM SHORT-TIP CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	
46535RIM	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	-	
56535RIM	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	_	
56535MRIMST	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	-	MINI RIM SHORT TIP
					C	RIM SHORT TIP

IMPRESS® STRAIGHT SELECTIVE CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
44035STS	4	.040"/1.02 mm	.035" (0.89 mm)	40 cm	
46538STS	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	STRAIGHT SELECTIVE
411035STS	4	.040"/1.02 mm	.035" (0.89 mm)	110 cm	
411038STS	4	.040"/1.02 mm	.038" (0.97 mm)	110 cm	
54038STS	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm	
56538STS	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
511035STS	5	.046"/1.17 mm	.035" (0.89 mm)	110 cm	
511038STS	5	.046"/1.17 mm	.038" (0.97 mm)	110 cm	

IMPRESS® OSBORN CATHETERS


Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	
410035OSB1	4	.040"/1.02 mm	0.035" (.089 mm)	100 cm	OSBORN
510035OSB1	5	.046"/1.17 mm	0.035" (.089 mm)	100 cm	

IMPRESS® MULTIPURPOSE A1 CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	
41002044041	4	0.40///1.00	020# (0.07	100	
410038MPA1	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	
412538MPA1	4	.040"/1.02 mm	.038" (0.97 mm)	125 cm	
56538MPA1	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	MULTI A1
510038MPA1	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	
512538MPA1	5	.046"/1.17 mm	.038" (0.97 mm)	125 cm	


IMPRESS® 30 CM CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
43035MODCB1	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	-	
43035BER	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	-	
43035KA2	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	-	
43035STR	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	-	
43035RIM	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	-	
4303510PIG-NB	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	10	non-braided
53035MODCB1	5	.046"/1.17 mm	.035" (0.89 mm)	30 cm	-	
53035BER	5	.046"/1.17 mm	.035" (0.89 mm)	30 cm	-	
53035KA2	5	.046"/1.17 mm	.035" (0.89 mm)	30 cm	-	
53035STR	5	.046"/1.17 mm	.035" (0.89 mm)	30 cm	-	
53035RIM	5	.046"/1.17 mm	.035" (0.89 mm)	30 cm	-	
5303510PIG-NB	5	.049"/1.25 mm	.035" (0.89 mm)	30 cm	10	non-braided




IMPRESS® SHEPHERD FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side	!
Number	Size	Diameter	Guide Wire	Length	Ports	Description
465356SHP-NB	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	6	non-braided
490356SHP-NB	4	.040"/1.02 mm	.035" (0.89 mm)	90 cm	6	non-braided
565356SHP-NB	5	.049"/1.25 mm	.035" (0.89 mm)	65 cm	6	non-braided




IMPRESS® ULTRA BOLUS FLUSH CATHETERS

Catalogue	French Size	Internal Diameter	Recommended		# of Side	
Number			Guide Wire	Length	Ports	Description
44505101105110	4	0.40#43.00	005# (0.00	<i>(</i> =	1.0	
4653510UBF-NB	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	10	non-braided
4903510UBF-NB	4	.040"/1.02 mm	.035" (0.89 mm)	90 cm	10	non-braided
5653510UBF-NB	5	.049"/1.25 mm	.035" (0.89 mm)	65 cm	10	non-braided
5903510UBF-NB	5	.049"/1.25 mm	.035" (0.89 mm)	90 cm	10	non-braided



IMPRESS® MODIFIED BOLUS FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side		
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
4/52010441 IDE NID	4	0.40#/1.00	020// (0.07	/ F	10	1 .1 .1	
4653810MUBF-NB	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	10	non-braided	
5653810MUBF-NB	5	.049"/1.25 mm	.038" (0.97 mm)	65 cm	10	non-braided	



IMPRESS® PIGTAIL FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
4202510DIC ND	4	0.40#/1.00	005# (0.00	20	1.0	
4303510PIG-NB	4	.040"/1.02 mm	.035" (0.89 mm)	30 cm	10	non-braided
4653510PIG-NB	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	10	non-braided
4903510PIG-NB	4	.040"/1.02 mm	.035" (0.89 mm)	90 cm	10	non-braided
41103510PIG-NB	4	.040"/1.02 mm	.035" (0.89 mm)	110 cm	10	non-braided
5303510PIG-NB	5	.049"/1.25 mm	.035" (0.89 mm)	30 cm	10	non-braided
5653510PIG-NB	5	.049"/1.25 mm	.035" (0.89 mm)	65 cm	10	non-braided
5903510PIG-NB	5	.049"/1.25 mm	.035" (0.89 mm)	90 cm	10	non-braided
51103510PIG-NB	5	.049"/1.25 mm	.035" (0.89 mm)	110 cm	10	non-braided
5653810PIG-NB	5	.049"/1.25 mm	.038" (0.97 mm)	65 cm	10	non-braided
5903810PIG-NB	5	.049"/1.25 mm	.038" (0.97 mm)	90 cm	10	non-braided
51103810PIG-NB	5	.049"/1.25 mm	.038" (0.97 mm)	110 cm	10	non-braided



IMPRESS® STRAIGHT FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side	•
Number	Size	Diameter	Guide Wire	Length	Ports	Description
4653510STF-NB	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	10	non-braided
4903510STF-NB	4	.040"/1.02 mm	.035" (0.89 mm)	90 cm	10	non-braided
5653510STF-NB	5	.049"/1.25 mm	.035" (0.89 mm)	65 cm	10	non-braided
5903510STF-NB	5	.049"/1.25 mm	.035" (0.89 mm)	90 cm	10	non-braided

STRAIGHT

IMPRESS® MODIFIED HOOK FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
465356MHK-NB	4	.040"/1.02 mm	.035" (0.89 mm)	65 cm	6	non-braided
490356MHK-NB	4	.040"/1.02 mm	.035" (0.89 mm)	90 cm	6	non-braided



IMPRESS® HYDROPHILIC DIAGNOSTIC PERIPHERAL CATHETERS

Impress hydrophilic catheters feature a hydrophilic coating designed to reduce friction for smoother navigation through tortuous anatomy. The hydrophilic coating is resistant to abrasion and is designed to maintain lubricity throughout the procedure. The tips are tapered to minimise vessel trauma, the accordion hubs are designed to minimise kinking, and the stainless steel braided shaft construction provides maximum flexibility without compromising steerability.

IMPRESS® HYDROPHILIC BENTSON

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
BENTSON 1						
410038B1-H	4	.40"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	BENTSON 1
510038B1-H	5	.40"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	^
BENTSON 2						
410038B2-H	4	.40"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	
510038B2-H	5	.40"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	BENTSON 2
						BEN130112

IMPRESS® HYDROPHILIC BERENSTEIN

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
46538BER-H	4	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	
410038BER-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	
412538BER-H	4	.040"/1.02 mm	.038" (0.97 mm)	125 cm	40 cm	BERENSTEIN
56538BER-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	7
510038BER-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	
512538BER-H	5	.038"/0.97 mm	.038" (0.97 mm)	125 cm	40 cm	

IMPRESS® HYDROPHILIC COBRA

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
COBRA 1						
46538CB1-H	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	25 cm	
56538CB1-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	COBRA 1
COBRA 2						
46538CB2-H	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	25 cm	
410038CB2-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	
56538CB2-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	COBRA 2
510038CB2-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	

IMPRESS® HYDROPHILIC HEADHUNTER 1

Catalogue	French	Internal	Recommended		Coating	
Number	Size	Diameter	Guide Wire	Length	Length	
		0.40%/2.00				
410038HH1-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	HEADHUNTER 1
412538HH1-H	4	.040"/1.02 mm	.038" (0.97 mm)	125 cm	40 cm	HEADHOINTER I
510038HH1-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	
512538HH1-H	5	.046"/1.17 mm	.038" (0.97 mm)	125 cm	40 cm	

IMPRESS® HYDROPHILIC KA2

Catalogue	French	Internal	Recommended		Coating	
Number	Size	Diameter	Guide Wire	Length	Length	
44038KA2-H	4	.040"/1.02 mm	.038" (0.97 mm)	40 cm	25 cm	KA2
46538KA2-H	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	25 cm	
54038KA2-H	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm	25 cm	
56538KΔ2_H	5	046"/1 17 mm	038" (0.97 mm)	65 cm	25 cm	

IMPRESS® HYDROPHILIC MANI

Catalogue	French	Internal	Recommended		Coating	
Number	Size	Diameter	Guide Wire	Length	Length	
410038MANI-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	MANI
510038MANI-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	7 ()

IMPRESS® HYDROPHILIC MULTIPURPOSE

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length
410038MPA1-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm
510038MPA1-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm

MULTI A1

IMPRESS® HYDROPHILIC RBI

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
56538RBI-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	RBI



Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
SIMMONS 1						
410038SIM1-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	 SIMMONS 1
510038SIM1-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	
SIMMONS 2						
410038SIM2-H	4	.040" (1.02 mm)	.038" (0.97 mm)	100 cm	40 cm	SIMMONS 2
510038SIM2-H	5	.046" (1.17 mm)	.038" (0.97 mm)	100 cm	40 cm	

IMPRESS® HYDROPHILIC MODIFIED HOOK

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
MODIFIED HOOK	< 1					
48038MHK1-H	4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	40 cm	
58038MHK1-H	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	40 cm	MODIFIED HOOK 1
MODIFIED HOOF 48038MHK2-H	< 2 4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	40 cm	
58038MHK2-H	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	40 cm	MODIFIED HOOK 2
MODIFIED HOOK						
48038MHK3-H	4	.040"/1.02 mm	.038" (0.97 mm)	80 cm	40 cm	MODIFIED HOOK 3
58038MHK3-H	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	40 cm	$\underline{\hspace{1cm}}$

IMPRESS® HYDROPHILIC STRAIGHT SELECTIVE

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Coating Length	
46538STS-H	4	.040"/1.02 mm	.038" (0.97 mm)	65 cm	25 cm	STRAIGHT SELECTIVE
410038STS-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	STRAIGHT SELECTIVE
412538STS-H	4	.040"/1.02 mm	.038" (0.97 mm)	125 cm	40 cm	
56538STS-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm	
510038STS-H	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	40 cm	

IMPRESS® HYDROPHILIC VERTEBRAL

Catalogue	French	Internal	Recommended		Coating		
Number	Size	Diameter	Guide Wire	Length	Length		
46538VER-H	Δ	.040"/1.02 mm	.038" (0.97 mm)	65 cm	25 cm		
410038VER-H	4	.040"/1.02 mm	.038" (0.97 mm)	100 cm	40 cm	Λ	VERTEBRAL
56538VER-H	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	25 cm		
510038VER-H	5	.046"/1.17 mm.	.038" (0.97 mm)	100 cm	40 cm		

PERFORMA® DIAGNOSTIC PERIPHERAL CATHETERS

Merit Medical's Performa diagnostic peripheral catheters are designed to provide superior torque, increased shaft strength for better pushability, and large inner lumens for improved flow rates.

PERFORMA® HEADHUNTER CATHETERS

Catalogue	French	Internal	Recommended			
Number	Size	Diameter	Guide Wire	Length	Description	
HEADHUNTER 1						
7715-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		HEADHUNTER 1
7715-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	
5575-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		n
5575-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
HEADHUNTER 3						
7715-B0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7715-30	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	n HEADHUNTER 3
5575-B3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm) HEADHONTER 3
5575-23	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
HEADHUNTER 5						
7715-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		HEADHUNTER 5
7715-50	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	neadhointer 3
5575-C3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		
5575-33	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
HEADHUNTER 6						
7715-D0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		LIEABUUN TTO C
7715-60	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	HEADHUNTER 6
5575-D3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		
5575-43	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		

PERFORMA® NEWTON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description		
NEWTON 1				-			
7722-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7722-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip		NEWTON 1
5577-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			
5577-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			
NEWTON 2							
7722-B0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7722-20	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip		NEWTON 2
5577-B3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			
5577-23	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			
NEWTON 3							
7722-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7722-30	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip		NEWTON 3
5577-C3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			112111011 0
5577-33	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		9	
NEWTON 4							
7722-D0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7722-40	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	15	
5577-D3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			NEWTON 4
5577-43	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			
NEWTON 5							
7722-E0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7722-50	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip		NEWTON 5
5577-E3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			
5577-53	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			

PERFORMA® BENTSON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description		
BENTSON 1							
7721-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		٨	
7721-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip		BENTSON 1
5578-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			BEITTOOTT
5578-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			
7721-B0 7721-20 5578-B3 5578-23	4 4 5 5	.042"/1.07 mm .042"/1.07 mm .046"/1.17 mm .046"/1.17 mm	.035" (0.89 mm) .038" (0.97 mm) .035" (0.89 mm) .038" (0.97 mm)	100 cm 100 cm 100 cm	bumper tip		BENTSON 2
BENTSON 3 7721-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7721-30	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	_	
5578-C3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	1, 2, 3,4		BENTSON 3
5578-33	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			

PERFORMA® MANI CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description		
7716-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm			
7716-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	η (
5579-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm			MANI
5579-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm			

PERFORMA® VERTEBRAL CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	Description
7717-A0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	
7717-10	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	bumper tip
7717-C0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm	
7717-30	4	.042"/1.07 mm	.038" (0.97 mm)	80 cm	bumper tip
7717-B0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	
7717-20	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip
5583-B3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	
5583-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
5583-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
5583-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	



PERFORMA® MODIFIED CEREBRAL CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description	
7723-A0	4	.042"/1.07 mm	.035" (0.89 mm)	90 cm		
7723-10	4	.042"/1.07 mm	.038" (0.97 mm)	90 cm	bumper tip	
5588-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	<u> </u>	MODIFIED CEREBRA
5588-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		MODIFIED GEREBION

PERFORMA® BERENSTEIN CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description
	JIZE	Didifferen	Oulde Wife	Lengin	Description
7718-C0	4	.042"/1.07 mm	.035" (0.89 mm)	40 cm	
7718-30	4	.042"/1.07 mm	.038" (0.97 mm)	40 cm	bumper tip
7718-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	
7718-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	bumper tip
7718-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	
7718-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip
5592-C3	5	.046"/1.17 mm	.035" (0.89 mm)	40 cm	
5592-33	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm	
5592-B3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	
5592-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
5592-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	
5592-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	

BERENSTEIN

PERFORMA® STRAIGHT SELECTIVE CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	Description
77.40.40	4	0.40"/3.07	005" (0.00	110	
7748-A0	4	.042"/1.07 mm	.035" (0.89 mm)	110 cm	
7748-13	4	.042"/1.07 mm	.038" (0.97 mm)	110 cm	bumper tip

STRAIGHT SELECTIVE

PERFORMA® MW2 CATHETERS

MW2

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Description
7745-10	4	.042"/1.07 mm	.038" (0.97 mm)	40 cm	2	bumper tip
5590-13	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm	-	
5590-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-	
5590-33	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	-	

MODIFIED MW2

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
7745-A0	4	.042"/1.07 mm	.035" (0.89 mm)	40 cm	2	
7745-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2	
7745-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	2	

MODIFIED MW2

MW2

PERFORMA® OSBORN CATHETERS

Catalogue	French	Internal	Recommended			
Number	Size	Diameter	Guide Wire	Length	Description	
OSBORN 1						
7746-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7746-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	
						OSBORN 1
OSBORN 2						
7746-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm		
7746-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	bumper tip	
7746-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7746-30	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	



PERFORMA® HOOK CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Description	
- Turnber	- JIZC	Diameter	Guide Wife	Lengui	10113	Description	
HOOK 0.8							
7711-A0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		
7711-10	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	
5585-A3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
5585-13	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		
HOOK 1.0							HOOK 0.8
7711-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		
7711-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	
5585-B3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
5585-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		



PERFORMA® MODIFIED HOOK SELECTIVE CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	
MODIFIED	HOOK 1				
	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 1
MODIFIED	НООК 2				
5585-D3	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 2
MODIFIED	НООК 3				
5585-E3	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	MODIFIED HOOK 3

PERFORMA® SIMMONS CATHETERS

Catalogue	French	Internal	Recommended			
Number	Size	Diameter	Guide Wire	Length	Description	
SIMMONS	1					simmons 1
7720-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7720-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	
5576-F3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm		
5576-A3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		
5576-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
SIMMONS	2					SIMMONS 2
7720-B0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7720-20	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	
5576-G3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm		
5576-B3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		
5576-23	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
SIMMONS	3					SIMMONS 3
7720-C0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		
7720-30	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	
5576-C3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		
5576-33	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
SIMMONS	4					
7720-D0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		\\\\\
7720-40	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	bumper tip	SIMMONS 4
5576-D3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	<u> </u>	
5576-43	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm		
MODIFIED	SIMMON	S				
7720-53	4	.042"/1.07 mm	.038" (0.97 mm)	80 cm	bumper tip	MODIFIED SIMMONS
MODIFIED	SIMMON	S 1.5				
7720-F0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm		<u> </u>
7720-E0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm		
7720-70	4	.042"/1.07 mm	.038" (0.97 mm)	110 cm	bumper tip	MODIFIIED SIMMONS 1.5
7720-80	4	.042"/1.07 mm	.038" (0.97 mm)	120 cm	bumper tip	7. MODII IILD SIMMOONS 1.3
5576-E3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm		

PERFORMA® COBRA CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Description	
COBRA 1							
7710-A0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		
7710-10	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	
7710-D0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-		
7710-40	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	-	bumper tip	
5584-A3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
5584-D3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	-		COBRA 1
5584-13	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-		CODICA
5584-43	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		

COBRA 2

	2	65 cm	.035" (0.89 mm)	.042"/1.07 mm	4	7710-B0
	-	65 cm	.035" (0.89 mm)	.042"/1.07 mm	4	7710-E0
bumper tip	2	65 cm	.038" (0.97 mm)	.042"/1.07 mm	4	7710-20
bumper tip	-	65 cm	.038" (0.97 mm)	.042"/1.07 mm	4	7710-50
	2	65 cm	.035" (0.89 mm)	.046"/1.17 mm	5	5584-B3
	-	65 cm	.035" (0.89 mm)	.046"/1.17 mm	5	5584-E3
	-	65 cm	.038" (0.97 mm)	.046"/1.17 mm	5	5584-23
	2	65 cm	.038" (0.97 mm)	.046"/1.17 mm	5	5584-53



COBRA 3

7710-C0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2	
7710-F0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-	
7710-30	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip
7710-60	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	-	bumper tip
5584-C3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	
5584-F3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	-	
5584-33	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-	
5584-63	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2	



PERFORMA® SHEPHERD HOOK CATHETERS

Catalogue	French	Internal	Recommended		# of Side		
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
SHEPHERD	НООК 0	.8					
7712-A0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		SHEPHERD HOOK 0.8
7712-10	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	P
5586-A3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
5586-13	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		
SHEPHERD	HOOK 1	.0					
7712-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		SHEPHERD HOOK 1.0
7712-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	SHEPHERD HOOK 1.0
5586-B3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		p
5586-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		
SHEPHERD	HOOK 1	.0 MODIFIED					
7712-C0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		
7712-D0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-		
7712-30	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	
7712-40	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	-	bumper tip	
5586-43	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		SHEPHERD HOOK 1.0 MOD.



Catalogue	French	Internal	Recommended		# of Side		
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
7713-A0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2		RENAL DOUBLE CURVE
7713-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-		RETURE BOODEE CORVE
7713-10	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	2	bumper tip	
7713-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	-	bumper tip	
5587-A3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2		
5587-13	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	-		
5587-23	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	2		

PERFORMA® HOCKEY STICK CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Tip Length	# of Side Ports	Description
7752-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	4.5 cm	-	bumper tip
7543-13	5	.046"/1.17 mm	.038" (0.97 mm)	100 cm	4.5 cm	-	
7541-13	6	.054"/1.37 mm	.038" (0.97 mm)	100 cm	4.5 cm	_	



PERFORMA® AMIR MOTARJEME® CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
AMIR MOTA	ARJEME					
7747-C0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-	
7747-D0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	-	
7747-E0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	2	
7747-F0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	2	
5591-A3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	-	
5591-B3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	-	
5591-C3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	2	
5591-D3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	2	

MOTARJEME

AMIR MOTARJEME CANE

7747-B0	4	.042"/1.07 mm	.035" (0.89 mm)	65 cm	-	
7747-20	4	.042"/1.07 mm	.038" (0.97 mm)	65 cm	-	bumper tip
7747-A0	4	.042"/1.07 mm	.035" (0.89 mm)	100 cm	-	
7747-10	4	.042"/1.07 mm	.038" (0.97 mm)	100 cm	-	bumper tip
5591-E3	5	.046"/1.17 mm	.035" (0.89 mm)	65 cm	-	
5591-F3	5	.046"/1.17 mm	.035" (0.89 mm)	100 cm	-	

MOTARJEME CANE

PERFORMA® REUTER CATHETERS

Catalogue French		Internal	Recommended		# of Sid	# of Side		
Number	Size	Diameter	Guide Wire	Length	Ports	Description		
7714-A0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm	2			
7714-10	4	.042"/1.07 mm	.038" (0.97 mm)	80 cm	2	bumper tip		
7714-B0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm	-			
7714-20	4	.042"/1.07 mm	.038" (0.97 mm)	80 cm	-	bumper tip		
5589-A3	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	-			
5589-B3	5	.046"/1.17 mm	.035" (0.89 mm)	80 cm	2			
5589-13	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	-			
5589-23	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	2			



PERFORMA® MIKAELSSON CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Description
7719-A0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm	
7719-10	4	.042"/1.07 mm	.038" (0.97 mm)	80 cm	bumper tip
5594-13	5	.046"/1.17 mm	.038" (0.97 mm)	80 cm	



PERFORMA® KA CATHETERS

Catalogue	French	Internal	Recommended		
Number	Size	Diameter	Guide Wire	Length	Description
5582-23		0.44"/1.17	039" (0.07)	4E	
5562-25	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm	
5582-33	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	high-flow, non-braided



PERFORMA® KA2 CATHETERS

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length
	_			
5582-13	5	.046"/1.17 mm	.038" (0.97 mm)	40 cm
5582-43	5	.046"/1.17 mm	.038" (0.97 mm)	65 cm
7514-13	6	.054"/1.37 mm	.038" (0.97 mm)	40 cm
7514-23	6	.054"/1.37 mm	.038" (0.97 mm)	65 cm



PERFORMA® DVS A1 CATHETERS (10 CM TAPER TIP)

5595-13 5 .046"/1.12 mm .035" (0.89 mm) 65 cm
5595-33 5 .046"/1.12 mm .035" (0.89 mm) 100 cm
5595-23 5 .046"/1.12 mm .038" (0.97 mm) 65 cm
5595-43 5 .046"/1.12 mm .038" (0.97 mm) 100 cm



PERFORMA® DVS A2 CATHETERS (15 CM TAPER TIP)

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length
5595-A3	5	.046"/1.12 mm	.035" (0.89 mm)	65 cm
5595-C3	5	.046"/1.12 mm	.035" (0.89 mm)	100 cm
5595-B3	5	.046"/1.12 mm	.038" (0.97 mm)	65 cm
5595-D3	5	.046"/1.12 mm	.038" (0.97 mm)	100 cm

DVS A2

PERFORMA® UHF SHEPHERD FLUSH CATHETERS

Catalogue Frenc		Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
7602-A1	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	non-braided
7602-B1	5	.052"/1.32 mm	.035" (0.89 mm)	90 cm	6	non-braided
7602-C1	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	6	non-braided
7602-D1	5	.052"/1.32 mm	.038" (0.97 mm)	90 cm	6	non-braided



PERFORMA® ULTRA BOLUS FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side		
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
7674-11	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	non-braided	
7674-21	5	.052"/1.32 mm	.035" (0.89 mm)	90 cm	10	non-braided	
7674-31	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	10	non-braided	
7674-41	5	.052"/1.32 mm	.038" (0.97 mm)	90 cm	10	non-braided	



PERFORMA® ULTRA HIGH FLOW PIGTAIL CATHETERS

Catalogue	French	Internal	Recommended		# of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description
7/00 /1	_	050#/1 00	005" (0.00	. F	10	
7602-41	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	non-braided
7602-51	5	.052"/1.32 mm	.035" (0.89 mm)	90 cm	10	non-braided
7602-61	5	.052"/1.32 mm	.035" (0.89 mm)	110 cm	10	non-braided
7602-71	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	10	non-braided
7602-81	5	.052"/1.32 mm	.038" (0.97 mm)	90 cm	10	non-braided
7602-91	5	.052"/1.32 mm	.038" (0.97 mm)	110 cm	10	non-braided



PERFORMA® PIGTAIL FLUSH CATHETER

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Description
7749-A0	4	.042"/1.07 mm	.035" (0.89 mm)	80 cm	10	braided



PERFORMA® STRAIGHT FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Sid	le	
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
7673-11	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	non-braided	
7673-21	5	.052"/1.32 mm	.035" (0.89 mm)	90 cm	10	non-braided	
7673-31	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	-	non-braided	
7673-41	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	10	non-braided	
7673-51	5	.052"/1.32 mm	.038" (0.97 mm)	90 cm	10	non-braided	
7673-61	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	-	non-braided	
							STRAIGH

PERFORMA® MODIFIED HOOK FLUSH CATHETERS

Catalogue	French	Internal	Recommended		# of Side	of Side	
Number	Size	Diameter	Guide Wire	Length	Ports	Description	
7603-A1	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	non-braided	
7603-B1	5	.052"/1.32 mm	.035" (0.89 mm)	90 cm	6	non-braided	
7603-C1	5	.052"/1.32 mm	.038" (0.97 mm)	65 cm	6	non-braided	
7603-D1	5	.052"/1.32 mm	.038" (0.97 mm)	90 cm	6	non-braided	

MODIFIED HOOK FLUSH

PERFORMA® VESSEL-SIZING CATHETERS

ALL SIDE PORTS BETWEEN TIP AND FIRST BAND

Vessel-Sizing Catheters (marker catheters) are designed to provide accurate measurement of the patient's anatomy and will take the guesswork out of selecting appropriate interventional devices. Making the correct sizing decisions save time and produces better patient outcomes.

					# of		
Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	Side Ports	Bands and Spacing	Description
2 BAND	0.20	Diameter	Cuiuc IIII		10115		Description
				.=	_		- ·
7742-2M65SH	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	5	2 (2 cm apart)	Pigtail
7742-2M100SH	4	.041"/1.04 mm	.035" (0.89 mm)	100 cm	5	2 (2 cm apart)	Pigtail
7744-2M65SH	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	5	2 (2 cm apart)	Straight
7744-2M100SH	4	.041"/1.04 mm	.035" (0.89 mm)	100 cm	5	2 (2 cm apart)	Straight
7743-2M65SH	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	5	2 (2 cm apart)	Ultra Bolus
7743-2M100SH	4	.041"/1.04 mm	.035" (0.89 mm)	100 cm	5	2 (2 cm apart)	Ultra Bolus
7755-2M65	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	6	2 (2 cm apart)	Mod. Hook
7755-2M100	4	.041"/1.04 mm	.035" (0.89 mm)	100 cm	6	2 (2 cm apart)	Mod. Hook
7602-2M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	2 (2 cm apart)	Pigtail
7602-2M	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	2 (2 cm apart)	Pigtail
7674-2M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	2 (2 cm apart)	Ultra Bolus
7674-2M	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	2 (2 cm apart)	Ultra Bolus
7673-2M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	2 (2 cm apart)	Straight
7673-2M	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	2 (2 cm apart)	Straight
7603-2M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	2 (2 cm apart)	Mod. Hook
7603-2M100	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	6	2 (2 cm apart)	Mod. Hook

		2 BAND PI	GTAIL			2 BAND STF	RAIGHT
		2 BAND ULTRA B	OLUS			2 BAND MOD. HOOK	FLUSH
11 BAND							
7602-11M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	11 (1 cm apart)	Pigtail
7602-11M	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	11 (1 cm apart)	Pigtail
7673-11M65SH	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	11 (1 cm apart)	Straight
7673-11M100SH	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	11 (1 cm apart)	Straight
7603-11M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	11 (1 cm apart)	Mod. Hook
7603-11M100	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	6	11 (1 cm apart)	Mod. Hook

		11	BANI) PIGTAIL
\bigcirc	 	 		

20 BAND

7742-20M65SH	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	5	20 (1 cm apart)	Pigtail
7742-20M100SH	4	.041"/1.04 mm	.035" (0.89 mm)	100 cm	5	20 (1 cm apart)	Pigtail
7602-20M65	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	20 (1 cm apart)	Pigtail
7602-20M	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	20 (1 cm apart)	Pigtail
7602-20M65SH	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	5	20 (1 cm apart)	Pigtail
7602-20M100SH	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	5	20 (1 cm apart)	Pigtail
7673-20M65SH	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	20 (1 cm apart)	Straight
7673-20M100SH	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	20 (1 cm apart)	Straight
7603-20M65SH	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	20 (1 cm apart)	Mod. Hook
7603-20M100SH	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	6	20 (1 cm apart)	Mod. Hook

20 BAND PIGTAIL


SH suffix identifies marker bands that are 16 mm closer to the distal end.

PERFORMA® VESSEL-SIZING CATHETERS

ALL SIDE PORTS BETWEEN BANDS

determine accurate vessel sizing.

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Bands and Spacing	Description
2 BAND**							
56535AVS2PIG	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	2 (2 cm apart)	Pigtail
510035AVS2PIG	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	2 (2 cm apart)	Pigtail
56535AVS2STR	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	2 (2 cm apart)	Straight
510035AVS2STR	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	2 (2 cm apart)	Straight
56535AVS2MHK	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	2 (2 cm apart)	Mod. Hook
510035AVS2MHK	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	6	2 (2 cm apart)	Mod. Hook



allowing bands to be visualised

closer to the vessel.

Catalogue Number	French Size	Internal Diameter	Recommended Guide Wire	Length	# of Side Ports	Bands and Spacing	Description
20 BAND**							
46535AVS20MHK	4	.041"/1.04 mm	.035" (0.89 mm)	65 cm	6	20 (1 cm apart)	Mod. Hook
56535AVS20PIG	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	10	20 (1 cm apart)	Pigtail
510035AVS20PIG	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	10	20 (1 cm apart)	Pigtail
56535AVS20MHK	5	.052"/1.32 mm	.035" (0.89 mm)	65 cm	6	20 (1 cm apart)	Mod. Hook
510035AVS20MHK	5	.052"/1.32 mm	.035" (0.89 mm)	100 cm	6	20 (1 cm apart)	Mod. Hook

^{**} Platinum marker bands have side ports placed between bands to allow quick contrast filling of the vessel while visualising the marker bands.

20 BAND PIGTAIL

quick contrast filling of the vessel

while visualising the marker bands.

HIGH PRESSURE FLOW CONTROL SWITCH

The Merit Medical High Pressure Flow Control Switch gives you the confidence you need when stopping and starting flow during critical procedures. This feature-rich, integrated, one-handed, single-channel device is designed with clinician and patient safety in mind. Packaged 24 units per box.



Catalogue Number

U1SHC


CT TRANSFER SETS

Merit Medical's line of CT Transfer Sets are interchangeable for use with either contrast or saline solutions. The CT Transfer Set features a wide base for insertion support when placing into the contrast bottle. Available with a large bore piercing spike and a large wing, swabbable valve. The saline transfer set has a longer, sharper spike tip for easier insertion into IV solution bags and a blue safety stripe for identification.

Catalogue Number

TS120


Contrast spike with 20" (50 cm) small bore tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 50/box, 4 boxes/case.



Catalogue Number

TS220


Saline spike with 20" (50 cm) small bore blue stripe tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 20/box, 4 boxes/case.



Catalogue Number

TS520L


Saline spike with 20" (50 cm) large bore tubing and HALKEY-ROBERTS® brand swabbable valve. Packaged 20/box, 4 boxes/case



Catalogue Number

K08-01961B

Vented, valved spike with 20" (50 cm) small bore tubing and nexus Luer. Packaged 25/box, 4 boxes/case.



Catalogue Number

K08-02195A


Vented, valved spike with 20" (50 cm) small bore blue stripe tubing and nexus Luer. Packaged 25/box, 4 boxes/case.



HALKEY-ROBERTS® is a registered trademark of Halkey-Roberts Corporation.

MERIT MAESTRO® MICROCATHETERS

The Merit Maestro is a multipurpose microcatheter designed for use in peripheral and coronary vasculature. It features a hydrophilic coating for smooth traction through tortuous anatomy, a radiopaque marker for easy identification of the distal tip, and an exclusive swan neck design to help seat the catheter in the vessel.




Catalogue			Length		Minimum	Recommended	Recommended
Number	Proximal	Distal	cm	Tip	Inner Diameter	Guide Wire	Guiding Catheter
2.8F TAPERED TO	O 2.4F						
28MC24110ST	2.8	2.4	110	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24130ST	2.8	2.4	130	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24150ST	2.8	2.4	150	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2411045	2.8	2.4	110	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2413045	2.8	2.4	130	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2415045	2.8	2.4	150	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24110SN	2.8	2.4	110	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24130SN	2.8	2.4	130	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24150SN	2.8	2.4	150	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
2.8F NO TAPER							
28MC28110ST	2.8	2.8	110	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28130ST	2.8	2.8	130	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28150ST	2.8	2.8	150	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2811045	2.8	2.8	110	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2813045	2.8	2.8	130	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2815045	2.8	2.8	150	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28110SN	2.8	2.8	110	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28130SN	2.8	2.8	130	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28150SN	2.8	2.8	150	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
2.9F NO TAPER							
29MC29110ST	2.9	2.9	110	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29130ST	2.9	2.9	130	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29150ST	2.9	2.9	150	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2911045	2.9	2.9	110	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2913045	2.9	2.9	130	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2915045	2.9	2.9	150	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29110SN	2.9	2.9	110	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29130SN	2.9	2.9	130	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29150SN	2.9	2.9	150	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)

All Merit Maestro Microcatheters are rated to 800 psi infusion dynamic pressure. Microcatheters sold individually; 1 per box.

MEDALLION® SYRINGES

Merit Medical's Medallion syringes come in seven colour options with custom printing, or a frosted field for writing information directly on the syringe barrel. The Medallion Syringe features a clear polycarbonate barrel, coloured plunger, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.




MEDALLION SYRINGES with clear polycarbonate barrel, coloured plunger, black medication printing, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.

Plunger		Se de la companya de		A CONTRACTOR OF THE PARTY OF TH	
Colours	NITRO (10 mL)	LIDOCAINE (10 mL)	HEPARIN (10 mL)	CONTRAST (10 mL)	SALINE (10 mL)
Light Blue	K01-60085	K01-60081	K01-60082	K01-60086	K01-60083
Yellow	K01-60101	K01-60097	K01-60098	K01-60102	K01-60099
Red	K01-60109	K01-60105	K01-60106	K01-60110	
White	K01-60077			K01-60078	K01-60075
Light Green	K01-60093	K01-60089	K01-60090	K01-60094	
Dark Green				K01-00786	
Plunger					
Colours	FENTANYL (3 m	L) XYLOCAINE (10	mL) VERSED (3 mL)	FLUSH (10 mL)	
Light Blue		K01-00917	K01-05185	K01-05093	
Red		K01-00953			
Light Green	K01-03243				

MEDALLION® SWORD HANDLE SYRINGES

Medallion Sword Handle Syringes feature sword handles, clear polycarbonate barrels, coloured plungers, and fixed male Luers. Packaged 25 units per box, 4 boxes per case.



Plunger Colours	10 mL	20 mL
N. 11		
White	MSSW11	MSSW21
Light Blue	MSSW11-LB	MSSW21-LB
Yellow	MSSW11-Y	MSSW21-Y
Red	MSSW11-R	MSSW21-R
Light Green	MSSW11-LG	MSSW21-LG
Dark Green	MSSW11-DG	MSSW21-DG
Purple	MSSW11-PR	MSSW21-PR




MSSW11-Y

MEDALLION® FROSTED FIELD SYRINGES & PEN

The Medallion Frosted Field Syringe allows doctors or clinicians to write additional pertinent information on the barrel. The syringe features a clear polycarbonate barrel, white plunger, white frosted field, and fixed male Luer. Packaged 25 units per box, 4 boxes per case.





PEN for labeling Medallion Frosted Field Syringes.



Catalogue Number K13-00476


Packaged 25 units per box, 4 boxes per case.


CUSTOM MEDALLION® SYRINGES

Merit Medical's signature Medallion Syringes can be custom ordered to your specifications. Medallion Syringes come with a clear polycarbonate barrel, coloured plunger, customised medication printing, and Luer options including fixed male or slip Luer styles.

Select one option from each category and identify your custom medication to be printed on the barrel. Your Merit Representative will provide you with the corresponding catalogue number.

Custom Medallion Syringes are packaged 25 units per box, 4 boxes per case.





PLUNGER COLOUR OPTIONS:

White Light Blue Light Green Dark Green Yellow Red Purple

SIZE OPTIONS

*60 mL plunger is only available in white, light blue or red.

PRINT COLOUR OPTIONS:

Black White

LUER OPTIONS:

Fixed Male Luer Slip Luer



VACLOK® VACUUM PRESSURE SYRINGES

The VacLok vacuum pressure syringe comes with a clear polycarbonate barrel, white plunger, four- or six-position locking mechanism and fixed male Luer. Packaged 20 or 25 units per box, 4 boxes per case.





INTERVENTION



DRAINAGE CATHETERS & ACCESSOR	IES	SNARES & ACCESSORIES	
MAK-NV™ Introducer System	59	EN Snare® Endovascular Snare Systems	76
Valve Adapter for MAK-NV	60	FLO 30™ Tuohy Borst Valved Adapter	76
ReSolve® Biliary Locking Drainage Catheters	61	ONE Snare® Endovascular Snare Systems	77
ReSolve Locking Drainage Catheters	62		
ReSolve+ [™] Locking Drainage Catheters	63	HAEMODIALYSIS & PERITONEAL	_
Resolve Locking Drainage Catheter Trays	64	DIALYSIS CATHETERS & ACCESSORIES	
ReSolve Non-Locking Drainage Catheters	65	Merit Advance® Curved Needles	78
One-Step™ Centesis Catheters	66	Prelude® Short Sheath Introducers	79
Safety Paracentesis Procedure Trays	67	Impress® 30 cm Catheters	80
Thoracentesis and Paracentesis Sets	68	Centros® & CentrosFLO® Catheters	81
		ProGuide™ Chronic Dialysis Catheters	82
CATHETER ACCESSORIES		ProGuide Basic Kits	82
Revolution [™] Catheter Securement Device	69	ProGuide Complete Kits	83
StayFIX® Fixation Device	69	ProGuide Complete Kits with Mini Access Kit	84
DRAINAGE ACCESSORIES		OuTake® Catheter Extraction Tool	84
	70	Peritoneal Dialysis Catheters	85
Merit Drainage Depot [™] Drainage Bags	70	Peritoneal Dialysis Accessories &	
Abscess Drainage Kit		Implantation Systems	86
Drainage Kits	70	Slip-Not® Suture Retention Device	87
VacLok® Vacuum Pressure Syringes	71		
Marquis® Series Stopcocks	72	THERAPEUTIC INFUSION SYSTEMS	
Drainage Tubing	72	4 French Fountain® Infusion Systems	88
Connecting Tubes	72	5 French Fountain Infusion Systems	89
		Fountain Infusion Catheters	90
SUPPORT CATHETERS	73	Fountain Occluding Wires	91
Merit SureCross® Support Catheters		Squirt® Fluid Dispensing System	91
		Pulse Infusion Kits 91	-92
INFLATION DEVICES		Mistique® Infusion Catheters	92
BasixCOMPAK™ Inflation Device	74	,	
BasixTOUCH™ Inflation Device	74		
BIG60™ Inflation Device	75		
Blue Diamond™ Inflation Device	75		

MAK-NV™ (MINI ACCESS KIT, NON-VASCULAR) INTRODUCER SYSTEMS

The MAK-NV introducer system is designed for easy visualisation and quick access into the drainage area. For enhanced visibility, the device features an echo-enhanced needle and radiopaque marker tip on the introducer. Excellent transitions decrease buckling for a smooth insertion. Packaged 5 or 10 units per box.



Coaxial Introducer with Dilator and Stiffening Cannula





Introducer Needle with Trocar Stylet



Introducer Needle with Chiba Stylet



0.038" (0.97 mm) 3 mm J Guide Wire Heavy Duty Double Ended

			Guide Wire	Guide Wire	
Catalogue			0.018" (0.46 mm)	Heavy Duty/Double Ended	
Number	Introducer	Dilator	x 60 cm	0.038" (0.97 mm) 3mm J	Needle
		4=	00/07	150	010 15 -
MAK-NV-001	6F x 20 cm	4F	SS/PT	150 cm	21G x 15 cm Trocar
MAK-NV-002	6F x 20 cm	4F	NT/PT	150 cm	21G x 15 cm Trocar
MAK-NV-003	6F x 20 cm	4F	SS/PT	_	21G x 15 cm Trocar
MAK-NV-004	6F x 20 cm	4F	NT/PT	_	21G x 15 cm Trocar
MAK-NV-005*	_	_	_	_	21G x 15 cm Trocar
MAK-NV-006*	6F x 20 cm	4F	_	_	21G x 15 cm Trocar
MAK-NV-007*	6F x 20 cm	4F	_	_	_
MAK-NV-008	6F x 20 cm	4F	SS/PT	80 cm	21G x 15 cm Trocar
MAK-NV-009	6F x 20 cm	4F	NT/PT	80 cm	21G x 15 cm Trocar
MAK-NV-010	6F x 20 cm	4F	SS/PT	150 cm	21G x 15 cm Chiba
MAK-NV-011	6F x 20 cm	4F	NT/PT	150 cm	21G x 15 cm Chiba
MAK-NV-012	6F x 20 cm	4F	SS/PT	_	21G x 15 cm Chiba
MAK-NV-013	6F x 20 cm	4F	NT/PT	_	21G x 15 cm Chiba
MAK-NV-014*	_	_	_	_	21G x 15 cm Chiba
MAK-NV-015*	6F x 20 cm	4F	_	_	21G x 15 cm Chiba
MAK-NV-016	6F x 20 cm	4F	SS/PT	80 cm	21G x 15 cm Chiba
MAK-NV-017	6F x 20 cm	4F	NT/PT	80 cm	21G x 15 cm Chiba
MAK-NV-018	6F x 20 cm	4F	SS/PT	150 cm	21G x 20 cm Trocar
MAK-NV-019	6F x 20 cm	4F	NT/PT	150 cm	21G x 20 cm Trocar
MAK-NV-020*	_	_	_	_	21G x 20 cm Trocar
MAK-NV-021*	_	_	_	_	21G x 20 cm Chiba


SS = Stainless Steel PT = Platinum Tip NT = Nitinol Packaged 10 per box.


^{*}Packaged 5 per box.

VALVE ADAPTER FOR MAK-NV™ INTRODUCER SYSTEM

Designed to be back-loaded over a guide wire and attached to the MAK-NV Introducer System to facilitate aspiration or infusion. Will accept devices up to 4F. Packaged 10 per box.

Catalogue Number VA-40





RESOLVE® BILIARY LOCKING DRAINAGE CATHETERS

The Resolve® Biliary Catheter's polyurethane material allows for long-term indwelling time; large drainage holes help maximise unimpeded drainage. Depth markers and radiopaque marker band help with fast and accurate positioning. Pigtail straightener allows for easy insertion of the stiffening cannula. Hydrophilic coating facilitates smooth insertion. Packaged 5 per box.

Catalogue Number	French Size	Drainage Location	Pigtail to Distal Shaft Drainage Hole	Drainage Holes
	5.2 0	2004.1011	age 11010	. 10105
RBC-8-038	8.5	14 cm	5 cm	17
RBC-10-038	10	14 cm	5 cm	17
RBC-12-038	12	14 cm	5 cm	18
RBC-14-038	14	14 cm	5 cm	18
RBDC-8-038	8.5	11 cm	2 cm	17
RBDC-10-038	10	11 cm	2 cm	17
RBDC-12-038	12	11 cm	2 cm	18
RBDC-14-038	14	11 cm	2 cm	18
WITH REVOLUTI				
RBC-8-REV	8.5	14 cm	5 cm	17
RBC-10-REV	10	14 cm	5 cm	17
RBC-12-REV	12	14 cm	5 cm	18
RBC-14-REV	14	14 cm	5 cm	18
RBDC-8-REV	8.5	11 cm	2 cm	17
RBDC-10-REV	10	11 cm	2 cm	17
RBDC-12-REV	12	11 cm	2 cm	18
RBDC-14-REV	14	11 cm	2 cm	18
WITH STAYFIX® I	FIXATION	DEVICE		
RBC-8-SFX	8.5	14 cm	5 cm	17
RBC-10-SFX	10	14 cm	5 cm	17
RBC-12-SFX	12	14 cm	5 cm	18
RBC-14-SFX	14	14 cm	5 cm	18
RBDC-8-SFX	8.5	11 cm	2 cm	17
RBDC-10-SFX	10	11 cm	2 cm	17
RBDC-12-SFX	12	11 cm	2 cm	18
RBDC-14-SFX	14	11 cm	2 cm	18



Components:


- ReSolve Biliary Locking Drainage Catheter
- Metal Stiffening Cannula
- Flexible Stiffening Cannula
- Repositioning Tool

RESOLVE® LOCKING DRAINAGE CATHETERS

The ReSolve Locking Drainage Catheters have a hydrophilic coating and tapered tip for smooth insertion. Maximum drainage is achieved via the large drainage holes. Features manual release with or without marker band. Packaged 5 per box.

Components:

- ReSolve Locking Catheter
- Metal Stiffening Cannula
- Trocar Stylet
- Plastic Stiffening Cannula (not included with 6.5F or 7.5F catheters)
- Repositioning Tool




Catalogue	French	Catheter	Accepts	Drainage	Marker	Tip
Number	Size	Length	Guide Wire	Holes	Band	Configuration
RLC-6-038	6.5	25 cm	0.038" (0.97 mm)	8		-::
RLC-7-038				 8		pigtail
	7.5	25 cm	0.038" (0.97 mm)		-	pigtail
RLC-8-038	8.5	25 cm	0.038" (0.97 mm)	8	-	pigtail
RLC-10-038	10	25 cm	0.038" (0.97 mm)	8	-	pigtail
RLC-12-038	12	25 cm	0.038" (0.97 mm)	9	-	pigtail
RLC-14-038	14	25 cm	0.038" (0.97 mm)	9	-	pigtail
RLC15-6-038MB	6.5	15 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC15-7-038MB	7.5	15 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC15-8-038MB	8.5	15 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC15-10-038MB	10	15 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC15-12-038MB	12	15 cm	0.038" (0.97 mm)	9	yes	pigtail
RLC15-14-038MB	14	15 cm	0.038" (0.97 mm)	9	yes	pigtail
RLC-6-038MB	6.5	25 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC-7-038MB	7.5	25 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC-8-038MB	8.5	25 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC-10-038MB	10	25 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC-12-038MB	12	25 cm	0.038" (0.97 mm)	9	yes	pigtail
RLC-14-038MB	14	25 cm	0.038" (0.97 mm)	9	yes	pigtail
RLC40-6-038MB	6.5	40 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC40-7-038MB	7.5	40 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC40-8-038MB	8.5	40 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC40-10-038MB	10	40 cm	0.038" (0.97 mm)	8	yes	pigtail
RLC40-12-038MB	12	40 cm	0.038" (0.97 mm)	9	yes	pigtail
RLC40-14-038MB	14	40 cm	0.038" (0.97 mm)	9	yes	pigtail



RESOLVE+™ LOCKING DRAINAGE CATHETERS


The ReSolve+ Locking Drainage Catheter provides the convenience of having the ReSolve Locking Drainage Catheter packaged with either the Revolution $^{\text{\tiny T}}$ or StayFIX $^{\text{\tiny B}}$ catheter fixation devices. Packaged 5 per box.



Catalogue	French	Marker	Catheter Fixation
Number	Size	Band	Device
RLC-6-REV	6.5	no	Revolution
RLCMB-6-REV	6.5	yes	Revolution
RLC-7-REV	7.5	no	Revolution
RLCMB-7-REV	7.5	yes	Revolution
RLC-8-REV	8.5	no	Revolution
RLCMB-8-REV	8.5	yes	Revolution
RLC-10-REV	10	no	Revolution
RLCMB-10-REV	10	yes	Revolution
RLC-12-REV	12	no	Revolution
RLCMB-12-REV	12	yes	Revolution
RLC-14-REV	14	no	Revolution
RLCMB-14-REV	14	yes	Revolution
RLC-6-SFX	6.5	no	StayFIX (small)
RLCMB-6-SFX	6.5	yes	StayFIX (small)
RLC-7-SFX	7.5	no	StayFIX (small)
RLCMB-7-SFX	7.5	yes	StayFIX (small)
RLC-8-SFX	8.5	no	StayFIX (small)
RLCMB-8-SFX	8.5	yes	StayFIX (small)
RLC-10-SFX	10	no	StayFIX (small)
RLCMB-10-SFX	10	yes	StayFIX (small)
RLC-12-SFX	12	no	StayFIX (small)
RLCMB-12-SFX	12	yes	StayFIX (small)
RLC-14-SFX	14	no	StayFIX (large)
RLCMB-14-SFX	14	yes	StayFIX (large)

RESOLVE® LOCKING DRAINAGE CATHETER TRAYS

The trays conveniently contain the ReSolve Locking Drainage Catheter, MAK-NV $^{\text{\tiny TM}}$ introducer system, Merit Drainage Depot $^{\text{\tiny TM}}$ drainage bag, and dilators.



Catalogue	French	20 cm Dilator	Marker	Securement
Number	Size	French Size	Band	Device
RLC-NV-6	6.5	_	no	_
RLC-NV-8	8.5	8F	no	
RLC-NV-10	10	8F, 10F	no	
RLC-NV-12	12	8F, 10F, 12F	no	
RLC-NV-14	14	8F, 10F, 12F, 14F	no	-
RLCMB-NV-6	6.5	-	yes	-
RLCMB-NV-8	8.5	8F	yes	-
RLCMB-NV-10	10	8F, 10F	yes	-
RLCMB-NV-12	12	8F, 10F, 12F	yes	-
RLCMB-NV-14	14	8F, 10F, 12F, 14F	yes	-
RLC-NV-6-REV	6.5	-	no	Revolution
RLC-NV-8-REV	8.5	8F	no	Revolution
RLC-NV-10-REV	10	8F, 10F	no	Revolution
RLC-NV-12-REV	12	8F, 10F, 12F	no	Revolution
RLC-NV-14-REV	14	8F, 10F, 12F, 14F	no	Revolution
RLCMB-NV-6-REV	6.5	-	yes	Revolution
RLCMB-NV-8-REV	8.5	8F	yes	Revolution
RLCMB-NV-10-REV	10	8F, 10F	yes	Revolution
RLCMB-NV-12-REV	12	8F, 10F, 12F	yes	Revolution
RLCMB-NV-14-REV	14	8F, 10F, 12F, 14F	yes	Revolution
DI C ADV (CEV				C: FD/// II)
RLC-NV-6-SFX	6.5	-	no	StayFIX (small)
RLC-NV-8-SFX	8.5	8F	no	StayFIX (small)
RLC-NV-10-SFX	10	8F, 10F	no	StayFIX (small)
RLC-NV-12-SFX	12	8F, 10F, 12F	no	StayFIX (small)
RLC-NV-14-SFX	14	8F, 10F, 12F, 14F	no	StayFIX (large)
RLCMB-NV-6-SFX	6.5	-	yes	StayFIX (small)
RLCMB-NV-8-SFX	8.5	8F	yes	StayFIX (small)
RLCMB-NV-10-SFX	10	8F, 10F	yes	StayFIX (small)
RLCMB-NV-12-SFX	12	8F, 10F, 12F	yes	StayFIX (small)
RLCMB-NV-14-SFX	14	8F, 10F, 12F, 14F	yes	StayFIX (large)

RESOLVE® NON-LOCKING DRAINAGE CATHETERS

For a smooth insertion, ReSolve catheters have a tapered tip and hydrophilic coating. Maximum drainage is achieved via the large drainage holes. Packaged individually with catheter, metal stiffening cannula and trocar stylet. Packaged 5 per box.




Catalogue	French	Catheter	Accepts	Drainage	Tip
Number	Size	Length	Guide Wire	Holes	Configuration
D) (0000		00	0.000" (0.07		
RNL-6-038S	6.5	20 cm	0.038" (0.97 mm)	4	straight
RNL-7-038S	7.5	25 cm	0.038" (0.97 mm)	4	straight
RNL-8-038S	8.5	25 cm	0.038" (0.97 mm)	4	straight
RNL-10-038S	10	25 cm	0.038" (0.97 mm)	4	straight
RNL-12-038S	12	25 cm	0.038" (0.97 mm)	5	straight
RNL-6-038J	6.5	20 cm	0.038" (0.97 mm)	4	J curve
RNL-7-038J	7.5	25 cm	0.038" (0.97 mm)	4	J curve
RNL-8-038J	8.5	25 cm	0.038" (0.97 mm)	4	J curve
RNL-10-038J	10	25 cm	0.038" (0.97 mm)	4	J curve
RNL-12-038J	12	25 cm	0.038" (0.97 mm)	5	J curve

ONE-STEP™ CENTESIS CATHETERS

The Valved One-Step has been designed to improve the comfort, efficiency, and safety of your aspiration, paracentesis, and thoracentesis procedures. The self-closing valve reduces the risk of pneumothorax and fluid leakage. The low profile, tapered tip and smooth transitions help decrease resistance and patient discomfort. An echo-enchanced needle ensures more accurate placement and four large drainage holes spiral around the catheter for more effective drainage. Available valved and non-valved. Packaged 5 units per box.



The Valved One-Step Centesis Catheter is designed with an integrated self-sealing valve to minimise the risk of air entering the pleural space.





OSC-4F-7L OSC-5F-7T

4F WITH 20G INTRODUCER NEEDLE

Catalogue Number	4F 7 cm	4F 10 cm	Description	
	000 (5.7)	000 (5.10)	5	
	OSC-4F-7L	OSC-4F-10L	Fixed Luer	
	OSC-4F-7LNH	OSC-4F-10LNH	Fixed Luer no side holes	
	OSC-4F-7S	OSC-4F-10S	Slip Fit	
	OSC-4F-7T	OSC-4F-10T	Slip Fit with valve	
	OSC-4F-7LT	OSC-4F-10LT	Fixed Luer with valve	

5F WITH 19G INTRODUCER NEEDLE

Catalogue Number	5F 7 cm	5F 10 cm	5F 15 cm	Description
	OSC-5F-7L	OSC-5F-10L	OSC-5F-15L	Fixed Luer
	OSC-5F-7LNH	OSC-5F-10LNH	OSC-5F-15LNH	Fixed Luer no side holes
	OSC-5F-7S	OSC-5F-10S	OSC-5F-15S	Slip Fit
	OSC-5F-7T	OSC-5F-10T	OSC-5F-15T	Slip Fit with valve
	OSC-5F-7LT	OSC-5F-10LT	OSC-5F-15LT	Fixed Luer with valve

SAFETY PARACENTESIS PROCEDURE TRAY

The Safety Paracentesis Procedure Tray is designed to fulfill clinical needs safely, easily, and in a time-saving way. The tray comes with or without a One-Step $^{\text{TM}}$ Centesis Catheter, as well as necessary products to complete a paracentesis procedure and contains three safety needles to ensure a safe working environment.

Quantity Description:

1	One-Step centesis catheter
	(not included in SPPT-100)
1	Fenestrated Drape with Adhesive Backing
1	Drape Tri Layer (18" x 26")
1	20 mL Lidocaine HCI Injection USP 1%
1	18G x 1" (25.4 mm) Shielded Needle
1	25G x 1" (25.4 mm) Shielded Needle
1	22G x 1.5" (38.1 mm) Shielded Needle
1	10 mL Luer Lock Syringe
10	Gauze Pads 4" x 4" (10 cm x 10 cm)
1	#11 Futura® Safety Scalpel
1	60 mL Luer Lock Syringe
2	Specimen Vials (10 mL)
1	Non-vented Universal Cap
1	Large Bore Stopcock (3-way)
1	Tubing set, 48" (122 cm)
	(with Pinch Clamp & Non-vented Spike)
1	Bandage Dressing (1"x3")
1	Kimquard wrap
1	10 mL Medallion® Syringe
1	3 mL ChloraPrep® brand tinted
1	Lidocaine Label



Packaged 5 per box.

Catalogue Number	Catheter Included	Length	Description
SPPT-100	-	-	without a centesis catheter
SPPT-5F-7L	5F	7 cm	fixed Luer
SPPT-5F-10L	5F	10 cm	fixed Luer
SPPT-5F-7S	5F	7 cm	slip fit
SPPT-5F-10S	5F	10 cm	slip fit


Safety Paracentesis Procedure Trays do not have CE Marking. ChloraPrep® is a registered trademark of CareFusion 2200, Inc.

THORACENTESIS AND PARACENTESIS SET

The Thoracentesis and Paracentesis Set from Merit Medical combines all the necessary components for centesis procedures in a convenient all-in-one set. Set includes the low-profile Valved One-Step™ Centesis Catheter and the components needed for drainage of fluid and specimen collection for diagnostic purposes. Merit Medical's Valved One-Step Centesis Catheter is designed with an integrated self-sealing valve to minimise the risk of air entering the pleural space and to prevent fluid leakage during thoracentesis and paracentesis.

Quantity Description:

Valved One-Step[™] Centesis Catheter 1 (not included in TAPS-100) Fenestrated Drape with Adhesive Backing Drape Tri Layer (18" x 26") 1 20 mL Lidocaine HCI Injection USP 1% 1 18G x 1" (25.4 mm) Shielded Needle 1 25G x 1" (25.4 mm) Shielded Needle 1 $22G \times 1.5$ " (38.1 mm) Shielded Needle 1 10 mL Luer Lock Syringe 1 10 Gauze Pads 4" x 4" (10 cm x 10 cm) #11 Futura® Safety Scalpel 1 60 mL Luer Lock Syringe 1 2 Specimen Vials (10 mL) Non-vented Female Cap Large Bore Stopcock (3-way) Tubing set, 48" (122 cm) (with Pinch Clamp & Non-vented Spike) Tubing Set, 48" (122 cm) 1 (with Roller Clamp & 16G X 1.5" needle) 1 Bandage Dressing (1"x 3") CSR wrap 1 1 10 mL Medallion® Syringe 3 mL ChloraPrep® brand tinted 1



Packaged 5 per box.

Lidocaine Label

Catheter		
Included	Length	Description
-	-	without a centesis catheter
5	7 cm	fixed Luer
5	10 cm	fixed Luer
5	7 cm	slip fit
5	10 cm	slip fit
	- 5 5 5	Length

Thoracentesis and Paracentesis Sets do not have CE Marking. Chlora $Prep^{\otimes}$ is a registered trademark of CareFusion 2200, Inc.

REVOLUTION™ CATHETER SECUREMENT DEVICE

The Revolution catheter securement device provides safe and secure fixation for up to seven days. Its efficient needleless design saves time (requires only four steps for securement) and provides an unobstructed view of the catheter site. Includes cap for added protection while showering.

Catalogue Number CFG624


Packaged 25 units per box.




STAYFIX® FIXATION DEVICE

The StayFIX fixation device is a cost-effective, time-saving, needleless device designed to stop migration, movement, and accidental removal of a percutaneous catheter.





Catalogue Number	Product Size	Catheter Or Tube Size	Quantity Per Box
680ME	SMALL	5F - 14F	25
685ME	LARGE	12F - 22F	20



MERIT DRAINAGE DEPOT™ DRAINAGE BAGS

The Merit Drainage Depot drainage bags have easy-to-read markings to identify fluid volume, a twist valve for easy disposal of fluids, and an internal anti-reflux valve. Available with adjustable length tubing and a VELCRO® brand leg strap to fit a variety of patient sizes. Packaged 20 units per box, 4 boxes per case.

Catalogue Number

MDD600	600 mL
FZ624	600 mL - with soft cloth backing




ABSCESS DRAINAGE KIT

Includes 1400 mL Merit Drainage Depot drainage bag, tubing and check relief valve. Packaged 15 units per box, 4 boxes to case.


Catalogue Number

K10-00230B



DRAINAGE KITS

16" (41 cm) connection tube with barbed male Luer.







Tubing Kit with Barbed Male Luer

Catalogue Number


K08-01907	Jackson-Pratt®100 mL Bulb	Packaged 10 units per box, 4 boxes per case	
K08-02027	Tubing Kit with Barbed Male Luer	Packaged 25 units per box, 4 boxes per case	

DRAINAGE KIT

MDD600 Drainage Bag with Jackson-Pratt 100 mL Bulb, 12" (30.5 cm) connection tube with barbed male Luer, 24" (61 cm) kink-resistant tubing, VELCRO® brand fasteners strap and additional barbed male Luer connector. Packaged 10 units per box, 4 boxes per case.


Catalogue Number K10-03450

Velcro[®] is a registered trademark of Velcro Industries B.V. Jackson-Pratt[®] is a registered trademark of Allegiance Corporation.



VACLOK® VACUUM PRESSURE SYRINGES

The VacLok vacuum pressure syringe comes with a clear polycarbonate barrel, white plunger, four- or six-position locking mechanism and fixed male Luer. Packaged 20 or 25 units per box, 4 boxes per case.



MARQUIS® SERIES STOPCOCKS

Merit Medical's larger, easy-grip handle makes a Marquis stopcock effortless to grip and turn. The large bore stopcock with swivel nut Luer is available in 50 psi pressure rating. Packaged 50 units per box, 4 boxes per case.

Catalogue Number

L3SNC	50 psi	3-way
L4SNC	50 psi	4-way

More options available through Merit's Cardiac Intervention catalogue. Ask for more details.



L3SNC

DRAINAGE TUBING


Packaged 25 units per box, 4 boxes per case.



Catalogue Number

FAS5248 48" length (122 cm) large bore tubing set with non-vented spike





Catalogue Number

K10-04750 48" length (122 cm) large bore tubing set with 16G x 1.5" (38.1 mm) needle

CONNECTING TUBES

Packaged 25 units per box, 4 boxes per case.






Catalogue Number

K10-04129	12" (30 cm)	K10-04131	12" (30 cm) with 1-way stopcock
K10-04130	16.5" (42 cm)	K10-04132	16.5" (42 cm) with 1-way stopcock

MERIT SURECROSS® SUPPORT CATHETERS

The Merit SureCross support catheter is engineered to optimise pushability and flexibility which maximises guide wire support, trackability, and lesion crossing. The SureCross has a translucent shaft for visualisation of blood to verify placement, three platinum marker bands to confirm position, 40 cm distal hydrophilic coating, and comes in multiple lengths.



Catalogue Number	Guide Wire Compatibility	Minimum Guiding Catheter	Minimum Sheath Introducer	Working Length	2nd & 3rd Marker Bands Spacing	Hydrophilic Coating Length	Strain Relief Colour	Crossing Profile
SC1465	0.014"	5F	4F	65 cm	15 mm	40 cm	Blue	1.5F (.020"/0.51 mm)
SC1490	0.014"	5F	4F	90 cm	5 mm	40 cm	Blue	1.5F (.020"/0.51 mm)
SC14135	0.014"	5F	4F	135 cm	15 mm	40 cm	Blue	1.5F (.020"/0.51 mm)
SC14150	0.014"	5F	4F	150 cm	15 mm	40 cm	Blue	1.5F (.020"/0.51 mm)
SC1865	0.018"	5F	4F	65 cm	15 mm	40 cm	Purple	1.7F (.022"/0.58 mm)
SC1890	0.018"	5F	4F	90 cm	15 mm	40 cm	Purple	1.7F (.022"/0.58 mm)
SC18135	0.018"	5F	4F	135 cm	15 mm	40 cm	Purple	1.7F (.022"/0.58 mm)
SC18150	0.018"	5F	4F	150 cm	15 mm	40 cm	Purple	1.7F (.022"/0.58 mm)
SC3565	0.035"	6F	5F	65 cm	50 mm	40 cm	Green	3.1F (.040"/1.04 mm)
SC3590	0.035"	6F	5F	90 cm	50 mm	40 cm	Green	3.1F (.040"/1.04 mm)
SC35135	0.035"	6F	5F	135 cm	50 mm	40 cm	Green	3.1F (.040"/1.04 mm)
SC35150	0.035"	6F	5F	150 cm	50 mm	40 cm	Green	3.1F (.040"/1.04 mm)

BowTie $^{\text{TM}}$ Guide Wire Insertion Device included in 0.014" and 0.018" configurations. Packaged 5 per box.

BASIXCOMPAK™ INFLATION DEVICE

The BasixCOMPAK is a 30 atm analogue inflation device that features an angled gauge for better viewing of pressure readings and a luminescent dial for low-light procedures. The 5 mL of safety space is intended to minimise air bubbles introduced into the balloon. Includes 13" (33 cm) extension tubing and 3-way stopcock. Packaged 5 units per box, 4 boxes per case.

Catalogue Number IN4130



BASIXTOUCH™ INFLATION DEVICE

The BasixTOUCH inflation device is an innovative device with an ergonomic handle that enables one-handed preparation and priming, 35 atm pressure capability and 30 mL fluid capacity. Features a quick-release handle for easy release even from high-pressure inflations, accelerating deflation time. Reaches high pressures rapidly—with less than three rotations of the handle. Comes with high pressure stopcock. Packaged 5 per box.

Catalogue Number IN8130



BIG60® INFLATION DEVICE

The BIG60 inflation device is designed to rapidly inflate and deflate non-vascular balloon dilators while accurately monitoring and displaying crucial inflation pressures. The ergonomically designed 60 mL inflation device is a one-piece, easy-to-use disposable device that pairs Merit Medical's market-leading inflation device experience with our non-vascular stent technology.

Catalogue Number ENDO-AN6012



BLUE DIAMOND™ INFLATION DEVICE

The 30 atm Blue Diamond inflation device combines the accuracy of a digital device with the simplicity of analogue systems. Features include one-button functionality for simplicity, a large dial face with oversized digits to enhance visibility, and last inflation marks to recall the highest pressure of the previous inflation. Comes with 13" (33 cm) extension tubing and 3-way stopcock. Packaged 5 units per box, 4 boxes per case.

Catalogue Number IN7130



EN SNARE® ENDOVASCULAR SNARE SYSTEMS

The EN Snare Endovascular Snare System features three interlaced loops to retrieve and manipulate foreign objects in the body. The EN Snare is designed to rotate and expand for excellent coverage and retrieval within a variety of vessel sizes. Platinum strands are incorporated into the EN Snare loops for excellent visualisation under fluoroscopy.




Catalogue Number	Snare Length	Snare Working Diameter	Snare Shaft Diameter	Snare Collapsed Diameter	Catheter Length	Catheter French Size	Catheter Inside Diameter
STANDARD SI	NARE KIT						
EN2006010	120 cm	6 mm - 10 mm	0.66 mm	1.14 mm	100 cm	6F	1.58 mm
EN2006015	120 cm	9 mm - 15 mm	0.66 mm	1.40 mm	100 cm	6F	1.58 mm
EN2006020	120 cm	12 mm - 20 mm	0.66 mm	1.40 mm	100 cm	6F	1.58 mm
EN2007030	120 cm	18 mm - 30 mm	0.66 mm	1.40 mm	100 cm	7F	1.88 mm
EN2007045	120 cm	27 mm - 45 mm	0.66 mm	1.40 mm	100 cm	7F	1.88 mm
MINI SNARE I	KIT						
EN1003004	175 cm	2 mm - 4 mm	0.46 mm	0.71 mm	150 cm	3.2F	0.76 mm
EN1003008	175 cm	4 mm - 8 mm	0.46 mm	0.71 mm	150 cm	3.2F	0.76 mm

Components:

- EN Snare
- Snare Delivery Catheter
- Torque Device
- Introducer





FLO 30™ TUOHY BORST VALVED ADAPTER

Merit Medical's FLO 30 Tuohy Borst is a single-use, proprietary valved adapter which provides a leak-proof seal during interventional and diagnostic procedures. Packaged 25 units per box.

Catalogue





Catalogue

Number

ONE SNARE® ENDOVASCULAR SNARE SYSTEMS

Working

Diameter

Snare

Length

Shaft

Diameter

The ONE Snare Endovascular Snare System is a single-loop snare designed to provide both accuracy and reliability for effective foreign body manipulation and retrieval. Superelastic Nitinol provides flexibility and kink resistance. Gold-plated tungsten is wrapped around the Nitinol loop for excellent visualisation under fluoroscopy. The ONE Snare is available in multiple configurations to provide retrieval options within a variety of vessel sizes.



STANDARD SN	IARE KIT						
ONE500	120 cm	5 mm	0.81 mm	_	100 cm	4F	1.02 mm
ONE1000	120 cm	10 mm	0.81 mm	_	100 cm	4F	1.02 mm
ONE1500	120 cm	15 mm	0.89 mm	_	100 cm	6F	1.42 mm
ONE2000	120 cm	20 mm	0.89 mm	_	100 cm	6F	1.42 mm
ONE2500	120 cm	25 mm	0.89 mm	_	100 cm	6F	1.42 mm
ONE3000	120 cm	30 mm	0.89 mm	_	100 cm	6F	1.42 mm
ONE3500	120 cm	35 mm	0.89 mm	_	100 cm	6F	1.42 mm
PETITE SNARE	KIT						
ONE1001	65 cm	10 mm	0.81 mm	_	48 cm	4F	1.02 mm
ONE2501	65 cm	25 mm	0.89 mm	_	48 cm	6F	1.42 mm
MICROSNARE	KIT						
ONE200	175 cm	2 mm	0.41 mm	_	150 cm	2.3-3F	0.48 mm
ONE201	200 cm	2 mm	0.41 mm	_	175 cm	2.3-3F	0.48 mm
ONE400	175 cm	4 mm	0.41 mm	_	150 cm	2.3-3F	0.48 mm
ONE401	200 cm	4 mm	0.41 mm	_	175 cm	2.3-3F	0.48 mm
ONE700	175 cm	7 mm	0.41 mm	_	150 cm	2.3-3F	0.48 mm
ONE701	200 cm	7 mm	0.41 mm	_	175 cm	2.3-3F	0.48 mm
CATHETER REI	PLACEMENT	ΓS					
ONE4000	_	_	_	_	100 cm	4F	1.02 mm

Collapsed

Diameter

Catheter

Length

Catheter

French Size

Inside

Diameter


1.42 mm

Components:

ONE6000

- ONE Snare
- Snare Delivery Catheter
- Torque Device
- Introducer

Snare systems sold individually.



Snare Catheter Length

100 cm

6F



MERIT ADVANCE® CURVED NEEDLES

The Merit Advance Curved needle is used to aid clinicians who want to place a tunneled dialysis catheter over a wire with a single stick.

Catalogue Number	Gauge	Wall Thickness	Accepts Guide Wire	Length (cm)	Length (Inch)	Finish
AD21T91R	21	Thin	0.021" (0.53 mm)	9	3.5	Smooth
AD21T91RE	21	Thin	0.021" (0.53 mm)	9	3.5	Echo

Packaged 10 per box, 4 boxes per case.



PRELUDE® SHORT SHEATH INTRODUCERS

The Prelude Short Sheath Introducer provides access to dialysis fistulas and grafts. Can be used for declot, angioplasty, and thrombolysis procedures, as well as temporary haemodialysis. Will accommodate flow rates up to 600 mL/min. Includes removable stopcock.



Catalogue	French		Guide Wire	Needle	Hub	
Number	Size	Length	Diameter/Length	Gauge/Length	Colour	Qty/box
PSS-5F-4-018MT*	5	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	gray	5
PSS-6F-4-018MT	6	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	green	5
PSS-7F-4-018MT	7	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	orange	5
PSS-8F-4-018MT	8	4 cm	0.018" (0.46 mm) x 40 cm	21G x 4 cm	blue	5
PSS-5F-4-035MT**	5	4 cm	0.035" (0.89 mm) x 50 cm	_	gray	5
PSS-6F-4-035MT	6	4 cm	0.035" (0.89 mm) x 50 cm	_	green	5
PSS-7F-4-035MT	7	4 cm	0.035" (0.89 mm) x 50 cm	_	orange	5
PSS-8F-4-035MT	8	4 cm	0.035" (0.89 mm) x 50 cm	_	blue	5
PSS-5F-4-038MT**	5	4 cm	0.038" (0.97 mm) x 50 cm	_	gray	5
PSS-6F-4-038MT	6	4 cm	0.038" (0.97 mm) x 50 cm	_	green	5
PSS-7F-4-038MT	7	4 cm	0.038" (0.97 mm) x 50 cm	_	orange	5
PSS-8F-4-038MT	8	4 cm	0.038" (0.97 mm) x 50 cm	_	blue	5
PSS-5F-4MT	5	4 cm	N/A	_	gray	5
PSS-6F-4MT	6	4 cm	N/A	_	green	5
PSS-7F-4MT	7	4 cm	N/A	_	orange	5
PSS-8F-4MT	8	4 cm	N/A	_	blue	5

 $^{^{\}star}$ 0.018 $\!\!^{\prime\prime}$ Guide wire is stainless steel with straight stainless steel flexible tip.

^{**} 0.035'' and 0.038'' Guide wires are stainless steel; double ended (3 mm J and floppy).

IMPRESS® 30 CM CATHETERS


Shorter catheter lengths enable the clinician to be closer to the working site on the forearm while providing excellent torque. Impress catheters feature tapered tips to minimise vessel trauma, accordion hubs to minimise kinking, and a proprietary braid pattern shaft to provide maximum flexibility without compromising steerability. Packaged 5 units per box.

Catalogue	French	Internal		# of Side		Recommended
Number	Size	Diameter	Length	Ports	Description	Guide Wire
43035MODCB1	4	.040"/1.02 mm	30 cm	-		0.035" (0.089 mm)
43035BER	4	.040"/1.02 mm	30 cm	-		0.035" (0.089 mm)
43035KA2	4	.040"/1.02 mm	30 cm	-		0.035" (0.089 mm)
43035STR	4	.040"/1.02 mm	30 cm	-		0.035" (0.089 mm)
43035RIM	4	.040"/1.02 mm	30 cm	-		0.035" (0.089 mm)
4303510PIG-NB	4	.040"/1.02 mm	30 cm	10	non-braided	0.035" (0.089 mm)
53035MODCB1	5	.046"/1.17 mm	30 cm	-		0.035" (0.089 mm)
53035BER	5	.046"/1.17 mm	30 cm	-		0.035" (0.089 mm)
53035KA2	5	.046"/1.17 mm	30 cm	-		0.035" (0.089 mm)
53035STR	5	.046"/1.17 mm	30 cm	-		0.035" (0.089 mm)
53035RIM	5	.046"/1.17 mm	30 cm	-		0.035" (0.089 mm)
5303510PIG-NB	5	.049"/1.25 mm	30 cm	10	non-braided	0.035" (0.089 mm)



CENTROS® & CENTROSFLO® CATHETERS

The highly innovative catheter design features preformed curved tips which automatically center the catheter ports within the middle of the vessel to maintain optimal blood flow and minimal recirculation rates, enhancing overall catheter performance.



CENFP19K

Catalogue Number	Description	Catheter Length Tip to Hub (cm)	Catheter Length Tip to Cuff (cm)	Side Holes
CENTROSFLO				
CENFP15K	Complete Kit	20	15	yes
CENFP17K	Complete Kit	22	17	yes
CENFP19K	Complete Kit	24	19	yes
CENFP23K	Complete Kit	28	23	yes
CENFP27K	Complete Kit	32	27	yes
CENFP31K	Complete Kit	36	31	yes
CENFP15C	Catheter Only	20	15	yes
CENFP17C	Catheter Only	22	17	yes
CENFP19C	Catheter Only	24	19	yes
CENFP23C	Catheter Only	28	23	yes
CENFP27C	Catheter Only	32	27	yes
CENFP31C	Catheter Only	36	31	yes
CENTROS				
CEN15K	Complete Kit	20	15	-
CEN17K	Complete Kit	22	17	-
CEN19K	Complete Kit	24	19	-
CEN23K	Complete Kit	28	23	-
CEN27K	Complete Kit	32	27	-
CEN31K	Complete Kit	36	31	-
CEN15C	Catheter Only	20	15	
CEN17C	Catheter Only	22	17	_
CEN19C	Catheter Only	24	19	_
CEN23C	Catheter Only	28	23	_
CEN27C	Catheter Only	32	27	_
CEN31C	Catheter Only	36	31	-

Centros and CentrosFLO catheters do not have CE Marking.

COMPLETE KIT INCLUDES:

- 1 15F Long-Term Haemodialysis Catheter
- 1 Stiffening Stylet
- 1 16F Valved Peelaway Sheath and Dilator
- $1 18G \times 2.75$ " (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" x 80 cm J-Tipped Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tunneler with Sleeve

PROGUIDE™ CHRONIC DIALYSIS CATHETERS

The ProGuide chronic dialysis catheter is designed for optimal patient comfort, ease of insertion and low maintenance. Multiple kit options are available for insertions through a valved peel-away sheath or over-the-wire placements. The ProGuide is available in various catheter lengths.

Catalogue Number	Catheter Length Tip to Hub (cm)	Catheter Length Tip to Cuff (cm)	Side Holes
63124	24	19	VOS
			yes
63128	28	23	yes
63132	32	27	yes
63136	36	31	yes
63140	40	35	yes
64124	24	19	no
64128	28	23	no
64132	32	27	no
64136	36	31	no
64140	40	35	no



CATHETER ONLY INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 2 Injection Caps



Catalogue Number	Catheter Length Tip to Hub (cm)	Catheter Length Tip to Cuff (cm)	Side Holes
61124	24	19	yes
61128	28	23	yes
61132	32	27	yes
61136	36	31	yes
61140	40	35	yes
62124	24	19	no
62128	28	23	no
62132	32	27	no
62136	36	31	no
62140	40	35	no

Packaged 5 per box.

BASIC KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tunneler with Sleeve



PROGUIDE™ CHRONIC DIALYSIS CATHETER - COMPLETE KITS

Catalogue Number	Catheter Length Tip to Hub (cm)	•	Side Holes
D. 003, 450, 430	0.4	10	
DC21452419	24	19	yes
DC21452823	28	23	yes
DC21453227	32	27	yes
DC21453631	36	31	yes
DC21454035	40	35	yes
DC21455550	55	50	yes
DC01452419	24	19	no
DC01452823	28	23	no
DC01453227	32	27	no
DC01453631	36	31	no
DC01454035	40	35	no
DC01455550	55	50	no

Packaged 5 per box.

COMPLETE KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 1 15F Valved Peel-away Sheath and Dilator
- 1 18G x 2.75" (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" (0.97 mm) J-Tipped Marker Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tri-Ball Tunneler with Sleeve



PROGUIDE™ CHRONIC DIALYSIS CATHETER - COMPLETE KITS (INCLUDES MINI ACCESS KIT)

Catalogue Number	Catheter Length Tip to Hub (cm)	Catheter Length Tip to Cuff (cm)	Side Holes
DC21452419-NE5	24	19	yes
DC21452823-NE5	28	23	yes
DC21453227-NE5	32	27	yes
DC01452419-NE5	24	19	no
DC01452823-NE5	28	23	no
DC01453227-NE5	32	27	no

Packaged 5 per box.

COMPLETE KIT INCLUDES:

- 1 14.5F ProGuide Chronic Dialysis Catheter
- 1 Guide Wire Stylet
- 1 15F Valved Peel-away Sheath and Dilator
- 1 18G x 2.75" (7 cm) Introducer Needle
- 1 #11 Futura® Safety Scalpel
- 1 0.038" (0.97 mm) J-Tipped Marker Guide Wire
- 2 Adhesive Dressings
- 2 Injection Caps
- 1 12F Vessel Dilator
- 1 14F Vessel Dilator
- 1 Tri-Ball Tunneler with Sleeve



MINI ACCESS KIT (MAK) INCLUDES:

- 1 5F (1.7 mm) x 10 cm Coaxial Introducer
- 1 21G x 7 cm Echo-Enhanced Needle
- 1 0.018" (0.46 mm) x 40 cm Nitinol Wire with

OUTAKE® CATHETER EXTRACTION TOOL

The OuTake catheter extraction tool is a convenient, simple, and cost-effective device used to remove tunneled, double lumen haemodialysis catheters with an in-growth cuff. Packaged 5 per box.

Catalogue Number

CET100	Standalone OuTake Catheter Extractor
CET200	Catheter Extraction Kit with OuTake
CET300	Catheter Extraction Kit without OuTake

Catheter Extraction Kits CET200 and CET300 do not have CE Marking.



PERITONEAL DIALYSIS CATHETERS

Merit Medical's line of Flex-Neck® Adult, Adolescent and Paediatric Peritoneal Dialysis (PD) Catheters have an internal diameter (ID) that is 35% larger than some competing catheters. Infant catheters are available in one-and two- cuff configurations. Each catheter kit contains a unique stenciling system for improved placement accuracy. Packaged 1 unit per box.




Catalogue Number	O.D. (mm)	I.D. (mm)	Distance Between Cuffs (cm)	Distance From Distal Cuff To Coil (cm)	Overall Length Straightened (cm)	Description
FLEX-NECK®	INFANT	COILED				
CF-4230	3.7	2.5	3	4.5	42	Classic, 2 cuffs
CF-4235	3.7	2.5	-	4.5	42	Classic, 1 cuff
CF-4430	3.7	2.5	3	4.5	42	ARC, 2 cuffs
FLEX-NECK	PAEDIAT	RIC COILE	ED			
CF-5242	5.3	3.5	4	6.5	52	Classic, 2 cuffs
CF-5247	5.3	3.5	-	6.5	52	Classic, 1 cuff
CF-5442	5.3	3.5	4.5	6.5	52	ARC, 2 cuffs
FLEX-NECK	ADOLES	CENT CO	ILED			
CF-5243	5.3	3.5	4.5	9.5	62	Classic Standard, 2 cuffs
CF-5244	5.3	3.5	-	9.5	62	Classic Standard, 1 cuff
CF-5249	5.3	3.5	-	13.5	62	Classic Large, 1 cuff
CF-5443	5.3	3.5	4.5	9.5	52	ARC, 2 cuffs
FLEX-NECK	CLASSIC	ADULT (COILED			
CF-5250	5.3	3.5	5	14	62	Small, 2 cuffs
CF-5260	5.3	3.5	6	15.5	62	Standard, 2 cuffs
CF-5270	5.3	3.5	7	16.5	62	Large, 2 cuffs
FLEX-NECK	CLASSIC	ADULT S	TRAIGHT			
CF-5161	5.3	3.5	6	15.5	52	Standard, cuffs
FLEX-NECK	ARC™ A	DULT CO	ILED			(Distal Cuff to Tip)
CF-5450	5.3	3.5	6	14	62	Small, 2 cuffs
CF-5460	5.3	3.5	6	15.5	62	Standard, 2 cuffs
CF-5470	5.3	3.5	6	16.5	62	Large, 2 cuffs
FLEX-NECK	EXXTEN	IDED™ CC	DILED ADULT			
CF-5560	5.3	3.5	_	16	62	


PERITONEAL DIALYSIS ACCESSORIES & IMPLANTATION SYSTEMS

Merit Medical offers a comprehensive line of Peritoneal Dialysis (PD) catheters, accessories, implantation systems, and an embedding tool to streamline your PD placement procedures.

Catalogue		Quantity
Number	Description	Per Box
CC-1301	PD Accessories, Plastic Catheter Connector and Cap, Adult/Adolescent/Paediatric	5
CC-1360	PD Accessories, Plastic Catheter Connector and Cap, Infant Only	5
CC-2300	PD Accessories, Titanium Catheter Connector, Adult	1
CE-1400	PD Accessories, Catheter Extender/Repair Kit, All Catheter Types	1
CS-242	PD Accessories, Catheter Implantation Stylet, Infant, Stainless Steel	1
CS-352	PD Accessories, Catheter Implantation Stylet, Adult Staight/Paediatric	1
CS-362	PD Accessories, Catheter Implantation Stylet, Adolescent/Adult	1
FT-1100	PD Accessories, Faller Trocar, Stainless Steel	1
IA-102	PD Accessories, Insufflation Kit	5
TE-1000	PD Accessories, Embedding® Tool	1
VP-210	Peritoneoscopic and Laparoscopic Implantation System	1
VP-511	Peritoneoscopic Implantation System	1




VP-511 Peritoneoscopic Implantation System




SLIP-NOT® SUTURE RETENTION DEVICE

The Slip-Not suture retention device helps manage bleeding by utilising a novel method to secure your purse-string suture. Suture tension adjustments are achieved at the push of a button. The Slip-Not provides clear visibility of the access site and enhanced patient comfort. Packaged 1 or 2 units per pouch, 10 pouches per box.


Easy, Step-by-Step Instructions



Place purse-string suture around the sheath; feed free ends of the suture through the snare loop of the device.



Depress the white button; pull the green tab to thread the free ends of the suture through the device. Discard green pull tab.



Depress the white button and slide the Slip-Not® forward to produce tension. Release the white button to secure the suture within the device.



Catalogue Number

SRD100	l per pouch	
SRD200	2 per pouch	

4 FRENCH FOUNTAIN® INFUSION SYSTEMS


The Fountain Infusion System consists of the 4 French Fountain Infusion Catheter, matching occluding wire, high pressure check relief valve, AccessPLUS $^{\text{TM}}$ haemostasis valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged and sold individually in tray, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion Length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		FIS4-45-10	FIS4-45-20			
90 cm	FIS4-90-5	FIS4-90-10	FIS4-90-20	FIS4-90-30	FIS4-90-40	FIS4-90-50
135 cm	FIS4-135-5	FIS4-135-10	FIS4-135-20	FIS4-135-30	FIS4-135-40	FIS4-135-50

4 FRENCH FOUNTAIN® INFUSION SYSTEMS WITH SQUIRT®


The Fountain Infusion System with Squirt consists of the 4 French Fountain Infusion Catheter, matching occluding wire, AccessPLUS haemostasis valve, 20 mL reservoir syringe and Squirt® fluid dispensing system. Packaged and sold individually in tray, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion Length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		FIS4-45-10SQ	FIS4-45-20SQ			
90 cm	FIS4-90-5SQ	FIS4-90-10SQ	FIS4-90-20SQ	FIS4-90-30SQ	FIS4-90-40SQ	FIS4-90-50SQ
135 cm	FIS4-135-5SQ	FIS4-135-10SQ	FIS4-135-20SQ	FIS4-135-30SQ	FIS4-135-40SQ	FIS4-135-50SQ

5 FRENCH FOUNTAIN® INFUSION SYSTEMS


The Fountain Infusion System consists of the 5 French Fountain Infusion Catheter, matching occluding wire, high pressure check relief valve, AccessPLUS $^{\text{TM}}$ haemostasis valve, wire protector cap, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged and sold individually in tray, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion Length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		FIS5-45-10	FIS5-45-20			
90 cm	FIS5-90-5	FIS5-90-10	FIS5-90-20	FIS5-90-30	FIS5-90-40	FIS5-90-50
135 cm	FIS5-135-5	FIS5-135-10	FIS5-135-20	FIS5-135-30	FIS5-135-40	FIS5-135-50

5 FRENCH FOUNTAIN® INFUSION SYSTEMS WITH SQUIRT®


The Fountain Infusion System with Squirt consists of the 5 French Fountain Infusion Catheter, matching occluding wire, AccessPLUS haemostasis valve, wire protector cap, 20 mL reservoir syringe and Squirt® fluid dispensing system. Packaged and sold individually in tray, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		FIS5-45-10SQ	FIS5-45-20SQ			
90 cm	FIS5-90-5SQ	FIS5-90-10SQ	FIS5-90-20SQ	FIS5-90-30SQ	FIS5-90-40SQ	FIS5-90-50SQ
135 cm	FIS5-135-5SQ	FIS5-135-10SQ	FIS5-135-20SQ	FIS5-135-30SQ	FIS5-135-40SQ	FIS5-135-50SQ


FOUNTAIN® INFUSION CATHETERS

FOUNTAIN INFUSION CATHETER (4 FRENCH) matching occluding wire and $AccessPLUS^{TM}$ haemostasis valve. Packaged and sold individually in a pouch, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion Length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		IS4-45-10	IS4-45-20			
90 cm	IS4-90-5	IS4-90-10	IS4-90-20	IS4-90-30	IS4-90-40	IS4-90-50
135 cm	IS4-135-5	IS4-135-10	IS4-135-20	IS4-135-30	IS4-135-40	IS4-135-50

FOUNTAIN INFUSION CATHETER (5 FRENCH) matching occluding wire, AccessPLUS haemostasis valve, and wire protector cap. Packaged and sold individually in a pouch, 5 units per box.



Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm	Infusion Length 20 cm	Infusion Length 30 cm	Infusion Length 40 cm	Infusion Length 50 cm
45 cm		IS5-45-10	IS5-45-20			
90 cm	IS5-90-5	IS5-90-10	IS5-90-20	IS5-90-30	IS5-90-40	IS5-90-50
135 cm	IS5-135-5	IS5-135-10	IS5-135-20	IS5-135-30	IS5-135-40	IS5-135-50

FOUNTAIN® OCCLUDING WIRES

The Fountain occluding wire effectively blocks off the end hole of the catheter so the therapeutic agent is directed out the side holes into the thrombus. Packaged and sold individually in a pouch, 5 units per box.




	Length 45 cm	Length 90 cm	Length 135 cm	
4F Wire	FW4-45	FW4-90	FW4-135	
5F Wire	FW5-45	FW5-90	FW5-135	

SQUIRT® FLUID DISPENSING SYSTEM

The Squirt fluid dispensing system for the pulsed injection of multiple-dose therapy. Packaged 10 units per box.

Catalogue Number FDS100



PULSE INFUSION KITS


Pulse Infusion Kits are designed to be used with the Fountain® and Mistique® infusion catheters. Products are available with 1 mL infusion syringe, 20 mL reservoir syringe, and check relief valve; some kits also contain a haemostasis valve.

PULSE INFUSION KIT consists of in-line check relief valve, AccessPLUS™ haemostasis valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.

Catalogue Number K12-00462

PULSE INFUSION KIT consists of in-line check relief valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.


Catalogue Number K12-00463



PULSE INFUSION KITS

PULSE INFUSION KIT consists of check relief valve, 1 mL infusion syringe and 20 mL reservoir syringe. Packaged 5 units per box.


Catalogue Number K12-00262



MISTIQUE® INFUSION CATHETERS

The Mistique infusion catheter is a 5 French catheter with side holes rotating around the catheter for a more uniform distribution of therapeutic solutions. One configuration to accommodate 0.035" (0.89 mm) guide wire. Packaged and sold individually, 5 units per box.

Catheter Length	Infusion Length 5 cm	Infusion Length 10 cm
	MAXIMUM GUIDE	WIRE 0.035" (0.89 mm)
45 cm	MIC5-45-5-035	MIC5-45-10-035
90 cm	MIC5-90-5-035	MIC5-90-10-035
135 cm	MIC5-135-5-035	MIC5-135-10-035





EMBOLOTHERAPY



MICROSPHERES

EmboGold® Micro	ospheres	95
Embosphere® Mi	crospheres	95
Bearing nsPVA®	Embolisation Particles	96

DELIVERY SYSTEMS

Merit Maestro® Microcatheters	97
Tenor® Steerable Guide Wires	98
Impress® Uterine Artery Catheter	98

EMBOGOLD® MICROSPHERES

EmboGold Microspheres bring visibility to Merit Medical's proven microsphere technology. Provided in a prefilled syringe for easy handling, procedural efficiency, and safety in the treatment of hypervascular tumours or arteriovenous malformations. EmboGold Microspheres are made from trisacryl cross-linked with gelatin and impregnated with 2% elemental gold for visibility. The microspheres can compress up to 33% to facilitate passage through various microcatheters and may minimise unwanted proximal embolisation and unpredictable distal embolisation.

Size Range (µm)	Colour Code	Pre-Filled Syringe 1 mL*	Pre-Filled Syringe 2 mL*
40 - 120	Orange	-	S120EG
100 - 300	Yellow	S210EG	S220EG
300 - 500	Blue	S410EG	S420EG
500 - 700	Red	S610EG	S620EG
700 - 900	Green	S810EG	S820EG
900 - 1200	Purple	S1010EG	S1020EG

Packaged 1 per box.

^{*} Volume of microspheres supplied in sterile saline.




EMBOSPHERE® MICROSPHERES

Embosphere Microspheres, the most clinically studied round embolic, provide results for effective embolisation in the treatment of uterine fibroids, hypervascular tumours or arteriovenous malformations. Embosphere Microspheres are made from trisacryl cross-linked with gelatin and can compress up to 33% to facilitate passage through various microcatheters and may minimise unwanted proximal embolisation and unpredictable distal embolisation.

Size Range (µm)	Colour Code	Pre-Filled Syringe 1 mL*	Pre-Filled Syringe 2 mL*	Vials 1 mL*	Vials 2 mL*
40 - 120	Orange	-	S120GH	V110GH	V120GH
100 - 300	Yellow	S210GH	S220GH	V210GH	V220GH
300 - 500	Blue	S410GH	S420GH	V410GH	V420GH
500 - 700	Red	S610GH	S620GH	V610GH	V620GH
700 - 900	Green	S810GH	S820GH	V810GH	V820GH
900 - 1200	Purple	S1010GH	S1020GH	V1010GH	V1020GH

Packaged 1 per box.

^{*}Volume of microspheres supplied in sterile saline.



BEARING NSPVA® EMBOLISATION PARTICLES

Bearing nsPVA Embolisation Particles are irregularly-shaped, biocompatible, hydrophilic, nonresorbable particles produced from polyvinyl alcohol. These embolisation particles are intended to provide vascular occlusion or reduction of blood flow within target vessels upon selective placement through a variety of catheters.



Catalogue Number	Size Range (µm)	Vial Content
V100EP	45 - 150	100 mg
V200EP	150 - 250	100 mg
V300EP	250 - 355	100 mg
V400EP	355 - 500	100 mg
V600EP	500 - 710	100 mg
V800EP	710 - 1000	100 mg
V1100EP	1000 - 1180	100 mg


Packaged 5 units per box.

MERIT MAESTRO® MICROCATHETERS

The Merit Maestro is a multipurpose microcatheter designed for use in peripheral and coronary vasculature. It features a hydrophilic coating for smooth traction through tortuous anatomy, a radiopaque marker for easy identification of the distal tip, and an exclusive swan neck design to help seat the catheter in the vessel reducing the recoiling effect as the embolic agent is introduced.



The Merit Maestro Swan Neck configuration is designed to access and maintain position in arteries with acute angles such as the haepatic artery.



Custom kits with Merit Maestro® Microcatheters and Tenor Steerable Guide Wires, along with additional products such as syringes and haemostasis valves, are available. Contact your Merit Medical Representative for more information.

Catalogue Number	Proximal	Distal	Length cm	Tip	Minimum Inner Diameter	Recommended Guide Wire	Recommended Guiding Catheter
2.8F TAPERED TO	O 2.4F						
28MC24110ST	2.8	2.4	110	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24130ST	2.8	2.4	130	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24150ST	2.8	2.4	150	Straight	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2411045	2.8	2.4	110	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2413045	2.8	2.4	130	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC2415045	2.8	2.4	150	45 degree	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24110SN	2.8	2.4	110	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24130SN	2.8	2.4	130	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
28MC24150SN	2.8	2.4	150	Swan Neck	.020" (0.52 mm)	.018" (0.46 mm)	.040" (1.02 mm)
2.8F NO TAPER							
28MC28110ST	2.8	2.8	110	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28130ST	2.8	2.8	130	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28150ST	2.8	2.8	150	Straight	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2811045	2.8	2.8	110	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2813045	2.8	2.8	130	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC2815045	2.8	2.8	150	45 degree	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28110SN	2.8	2.8	110	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28130SN	2.8	2.8	130	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
28MC28150SN	2.8	2.8	150	Swan Neck	.024" (0.62 mm)	.021" (0.53 mm)	.040" (1.02 mm)
2.9F NO TAPER							
29MC29110ST	2.9	2.9	110	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29130ST	2.9	2.9	130	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29150ST	2.9	2.9	150	Straight	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2911045	2.9	2.9	110	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2913045	2.9	2.9	130	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC2915045	2.9	2.9	150	45 degree	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29110SN	2.9	2.9	110	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29130SN	2.9	2.9	130	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)
29MC29150SN	2.9	2.9	150	Swan Neck	.027" (0.68 mm)	.021" (0.53 mm)	.042" (1.07 mm)

All Merit Maestro Microcatheters are rated to $800\ \mathrm{psi}$ infusion dynamic pressure.

^{(2) 3} mL Medallion $^{\circ}$ syringes are included for ease of mixing embolics/spheres. Microcatheters sold individually; 1 per box.

TENOR® STEERABLE GUIDE WIRES

The Tenor Steerable Guide Wire is designed to offer excellent pushability and torqueability to facilitate precise navigation in challenging anatomy during embolisation procedures. Packaged with an insertion tool and torque device.

Catalogue			Length	Tip		# Per
Number	Description	Size	cm	Material	Core	Box
TNR2411	Angled Tip	0.014" (0.36 mm)	165	Platinum Coiled	F	1
TNR2412	Straight Tip	0.014" (0.36 mm)	165	Platinum Coiled	F	1
TNR2811	Angled Tip	0.018" (0.46 mm)	165	Platinum Coiled	F	1
TNR2812	Straight Tip	0.018" (0.46 mm)	165	Platinum Coiled	F	1



IMPRESS® UTERINE ARTERY CATHETER

Designed to deliver radiopaque media, Impress catheters feature tapered tips to minimise vessel trauma, an accordion designed hub to minimise kinking, and a proprietary braid pattern shaft to provide maximum flexibility without compromising steerability.

Catalogue	French	Internal	Recommended		Quantity	
Number	Size	Diameter	Guide Wire	Length	Per Box	
59038UAC	5	.046"/1.17 mm	.038" (0.97 mm)	90 cm	5	





ONCOLOGY



HEPASPHERE™ MICROSPHERES


Doxorubicin-loaded HepaSphere Microspheres have demonstrated success in the treatment of Hepatocellular Carcinoma (HCC) with high-objective tumour response while minimising the impact to underlying healthy liver function. HepaSphere Microspheres are reconstituted with saline or non-ionic contrast media and swell to approximately 4X their dry state diameter. These highly compressible microspheres facilitate outstanding contact with the vessel intima.



Catalogue Number	Size Range Dry Particles (µm)	Size Range When Expanded (µm)	Colour Code	Quantity (mg)
V225HS	30 - 60	120 - 240	Orange	25 mg
V325HS	50 - 100	200 - 400	Yellow	25 mg
V525HS	100 - 150	400 - 600	Blue	25 mg
V725HS	150 - 200	600 - 800	Red	25 mg

Packaged 1 per box.

HepaSphere Microspheres are not approved or available for sale in the United States.



At the level of occlusion, the conforming nature of HepaSphere Microspheres allows them to adapt to the tortuous anatomy of the vessel lumen providing permanent occlusion.

¹Data on file.



COMPLETE PROCEDURAL SOLUTIONS



SOMPLETE PROCEDURAL SOLITIONS

PROCEDURAL TRAYS, PACKS & KITS

Biopsy Centesis Kits	103
Medication Delivery Pack 1	104
Medication Delivery Pack 2	104
Myelogram Tray	105
Vein Closure Tray	106
Vein Closure Syringe	106
Patient Cover	107
Drape Armour® - Scatter Radiation Drapes	107

SAFETY & WASTE MANAGEMENT

Merit Disposal Depot™ Waste Bags 108-110

HAEMOSTASIS ACCESSORIES

Clo-Sur P.A.D.® & Clo-Sur PLUS P.A.D.™ 111
Haemostasis Valve Adapter 111
SafeGuard® Pressure Assisted Devices 112


BIOPSY CENTESIS KITS

BIOPSY/CENTESIS - COMPLETE KIT

The complete kit is designed to provide many of the products needed for biopsy procedures.

Includes

Quantity	Description
1	Lidocaine, 2% 20 mL MDV (plastic)
1	Bandage, 0.75"x 3" Sheer
1	Medallion® Syringe10 mL L/L
1	Medallion Syringe 20 mL L/L
1	Safety Needle 25G x 1.5"
1	ChloraPrep®, 3 mL Tinted/Orange
1	Ruler, 6"
1	Drape, 22" x 22" w/3.5" Fenestration & Ripline
1	Tray, 3-Compartment
1	ShortStop® Temporary Sharps Holder
1	#11 Futura® Safety Scalpel
1	Safety Needle 18G x 1.5"
1	Towel
1	Lidocaine, Label, 0.5 x 1.75
10	Sponge Gauzes 4" X 4" 12 ply



Packaged 10 per case.


Catalogue Number K12T-04322

BIOPSY/CENTESIS - BASIC KIT

The basic kit is designed to provide commonly used products needed for biopsy procedures.

Includes

Quantity	Description
1	Bandage, 0.75"x 3"
1	Medallion® Syringe10 mL L/L
1	Medallion Syringe 20 mL L/L
1	ChloraPrep®, 3 mL Tinted/Orange
1	Drape, 22" x 22" w/3.5" Fenestration & Ripline
1	Tray, 9" x 5" x 1"
1	Safety Needle 22G x 1.5"
1	Safety Needle 18G x 1"
1	Label, Lidocaine (blue)
10	Sponge Gauzes 4" X 4" 12 ply



Packaged 30 per case.


Catalogue Number K12T-04321

Biopsy Centesis Kits do not have CE Marking. ChloraPrep $^{\scriptsize{\circledR}}$ is a registered trademark of CareFusion 2200, Inc.

MEDICATION DELIVERY PACK 1

Includes

Quantity	Description
1	Marquis® Series Stopcock
	3-Way, Rotator, 500 PSI
1	PAL™ (Pen and Labels)
	Blank Label Set of 12
1	Ultra Fine Point Permanent Marker
1	250 mL Solution Bowl
1	Tray 9" x 10" x 2"
1	Table Cover 44" x 78"
1	3-Way Metal Stopcock
2	Syringes (Glass) 10 mL L/L
3	Syringes (Glass) 5 mL L/L
1	Half Drape 44"x 55"




Packaged 6 per case.

Catalogue Number K12T-02843

MEDICATION DELIVERY PACK 2

Includes

Quantity	Description
1	250 mL Solution Bowl
1	Table Cover 44" x 78"
1	Ultra Fine Point Permanent Marker
3	Medallion® Syringes, 3 mL, L/L,
	Red with Frosted Cliché
2	Medallion Syringes, 10 mL, L/L,
	Yellow with Frosted Cliché
1	Marquis® Series Stopcock 3-Way,
	Rotator, 500 PSI
1	3-Way Metal Stopcock
1	Half Drape 44" x 55"



Packaged 6 per case.

Catalogue Number K12T-02844

Medication Delivery Packs do not have CE Marking.

MYELOGRAM TRAY

The tray is designed with all the necessary components to streamline myelogram procedures. Components are strategically placed in a clear form-fitted tray for easy access.


Includes


Quantity	Description
1	Lidocaine, 1% 5 mL
1	3 Swabsticks Package, PVP Solution
1	Bandage, 0.75" x 3"
2	Syringes 5 mL, L/L
1	Syringe 20 mL, L/L
2	Needles 19G x 1.5" Filtered
1	Needle 22G x 1.5"
1	Needle 25G x.625"
1	Needle, Spinal 22 G x 3.5"
2	Towels, 17" x 19" White
1	Fenestrated Drape w/Adhesive 18" x 26"
5	Sponges, Gauze 3" x 3" (12 Ply)
1	Tubing Set 20" M/F L/S
1	Tubing Set 6" M/F L/S
3	Transport Tubes 10 mL
3	Specimen Labels (White)



Catalogue Number K12T-02045

Myelogram tray does not have CE Marking.





Includes

Quantity	Description
1	Band Bag 50" x 50"
1	BD Syringe 5 mL L/L
1	BD Syringe 10 mL L/L
1	BD Syringe 20 mL L/L
1	BD Syringe 3 mL L/L
1	Needle 18G x 1.5"
1	Needle 20G x 1.5"
1	Needle 22G x 1.5"
1	Needle 25G x 1.5"
1	#11 Futura® Safety Scalpel
1	Clear Setup Cover 44" x 77"
1	Skin Marker
1	Bowl 8oz, 250 mL
1	Bowl 16oz, 500 mL
1	Bowl 32oz, 1000 mL
1	Tray 9" x 5" x 2"
1	Probe Cover 6" x 48" w/Gel
1	Steri Strip .5" x 4", 3's
2	Aquasonic Gels 20 mg
1	White Polylined Drape 18" x 26"
1	Curved Forceps Mosq. 5"
40	4" x 4" Gauze Pads (12 Ply)
4	Cloth Towels (Blue)
1	XL Shoe Covers (Pair)
2	Towel Clamps
3	Sponge Sticks 6"
1	XL (NRF) Gown
1	Table Cover 44" x 78"
1	Split Drape 77" x 117", 3.5" x 43"
1	Half Drape 44" x 55"
1	Vein Closure Syringe
1	ShortStop® Sharps Holder
1	Fluid Administration Set 108" Drip Pack

--

Packaged 3 per case.


Catalogue Number K12T-01822

VEIN CLOSURE SYRINGE

This proprietary valved system allows for controlled delivery with less hand fatigue.

Packaged 15 per box, 60 per case.

Catalogue Number K12-01575




PATIENT COVER

The Patient Cover is a standalone convenience product that Merit Medical has made available for clinical settings where a fenestrated drape outside of the procedure pack is necessary or desired.


Packaged 10 per case.

Catalogue Number K12T-06756



DRAPE ARMOUR® - SCATTER RADIATION DRAPES

These positional protection shields are designed to protect at the procedure site where scatter radiation is most prevalent. They can help protect surgeons and other members of the clinical staff, and offer substantial attenuation as demonstrated by direct beam studies.



K12T-07361


Drapes Armour® - Scatter Radiation Drapes do not have CE Marking. Drape Armour is a registered trademark of Microtek Medical, Inc.



Clear 1400 mL PVC bag, 72" (183 cm) large bore tubing and fixed male Luer. Packaged 20 units per box, 4 boxes per case.

Catalogue Number MDD100

easy disposal.



Catalogue Number MDD110

Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user selectable vented spike. Packaged 20 units per box, 4 boxes per case.

Catalogue Number MDD220 (With optional reflux valve)


Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user selectable vented spike. Packaged 20 units per box, 4 boxes per case.

Catalogue Number MDD200H

MDD220H (With optional reflux valve)

Clear 1400 mL PVC bag and 48" (122 cm) large bore tubing. Includes check relief valve with rotating Luer and a fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Packaged 20 units per box, 4 boxes per case.

Catalogue Number MDD300H





MERIT DISPOSAL DEPOT™ WASTE BAGS

Clear 1400 mL PVC bag and 48" (122 cm) large bore tubing. Includes check relief valve with rotating Luer and a fluid administration set with 72" (183 cm) small bore tubing, roller clamp and user-selectable vented drip chamber with micro filter. Packaged 20 units per box, 4 boxes per case.


Catalogue Number MDD400H



Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve and standard pressure 3-way Marquis® Stopcock, two fluid administration sets with 72" (183 cm) large bore tubing (green striped contrast line), roller clamps and user-selectable vented spikes. Packaged 20 units per box, 4 boxes per case.

Catalogue Number MDD500H

MDD520H (With optional reflux valve)




Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve, standard pressure 3-way Marquis® Stopcock, one fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Also includes a bonded Miser® Contrast Management System. Packaged 4 units per box, 4 boxes per case.



MERIT DISPOSAL DEPOT® WASTE BAGS

Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve, standard pressure 3-way Marquis® Stopcock, one fluid administration set with 72" (183 cm) large bore tubing, roller clamp and user-selectable vented spike. Also includes a bonded In-Line Contrast Management System (CMS). Packaged 15 units per box, 4 boxes per case.

Catalogue Number K10-00577



Clear 1400 mL PVC bag, 12" (30.5 cm) bifurcated large bore tubing, (right) 60" (152 cm) large bore tubing with check relief valve and male rotating Luer, (left) 60" (152 cm) large bore peel-away tubing with check relief valve, female Luer reflux valve and drape clip. Both lines connect to 12" (30.5 cm) large bore FAS line with roller clamp and user-selectable vented spike. Packaged 15 units per box, 4 boxes per case.

Catalogue Number K10-01103



Clear 1400 mL PVC bag, 48" (122 cm) large bore tubing and drape clip. Includes check relief valve with female Luer and 15" (38 cm) large bore tubing, and fixed male Luer. Packaged 20 units per box, 4 boxes per case.

Catalogue Number K10-01555



CLO-SUR P.A.D.® & CLO-SUR PLUS P.A.D.™

Clo-Sur P.A.D. and Clo-Sur PLUS P.A.D. are non-woven topical pads made with a proprietary polyprolate, a positively-charged material that reacts with negatively-charged red blood cells to accelerate clotting. The Clo-Sur P.A.D. promotes haemostasis and the Clo-Sur PLUS P.A.D. promotes haemostasis and is an antimicrobial barrier. Packaged 10 units per box.

Catalogue

Number	Description
MVP44	4 cm x 4 cm Clo-Sur P.A.D. Haemostasis Dressing
SCV22P-AB	4 cm x 4 cm Clo-Sur PLUS P.A.D. Haemostasis Dressing/Antimicrobial Barrier
HPAD22	SCV22P-AB with 3M™ Tegaderm™ Transparent Film*

^{* 3}M and Tegaderm are trademarks of 3M.



HAEMOSTASIS VALVE ADAPTER

Minimises blood loss during the introduction of catheters or devices into the vasculature. Provides a side arm and three way stopcock to facilitate aspiration or infusion. May be used with devices that are 8F or smaller. Packaged 10 per box.



SAFEGUARD® PRESSURE ASSISTED DEVICES

The SafeGuard pressure assisted device delivers passive compression and enables immediate pressure adjustment. It also maintains consistent pressure on the site when obtaining haemostasis with manual compression, and during patient recovery, positioning and transport. The SafeGuard pressure assisted device reduces demands on the clinical staff, maximises valuable resources, and enhances patient comfort.



Catalogue		
Number	Size	Description
82000	24 cm	SafeGuard Pressure Assisted Device
82050	12 cm	SafeGuard Pressure Assisted Device
0684-00-0504	24 cm	SafeGuard Pressure Assisted Device (Japan Only)

Packaged 10 units per box.



CATALOGUE NUMBER INDEX

61124	INTERVENTION	82
61128	INTERVENTION	82
61132	INTERVENTION	82
61136	INTERVENTION	82
61140	INTERVENTION	82
62124	INTERVENTION	82
62128	INTERVENTION	82
62132	INTERVENTION	82
62136	INTERVENTION	82
62140	INTERVENTION	82
63124	INTERVENTION	82
63128	INTERVENTION	82
63132	INTERVENTION	82
63136	INTERVENTION	82
63140	INTERVENTION	82
64124	INTERVENTION	82
64128	INTERVENTION	82
64132	INTERVENTION	82
64136	INTERVENTION	82
64140	INTERVENTION	82
82000	CPS	112
82050	CPS	112
0684-00-0504	CPS	112
28MC2411045	ANGIOGRAPHY	52
28MC2411045	EMBOLOTHERAPY	97
28MC24110SN	ANGIOGRAPHY	52
28MC24110SN	EMBOLOTHERAPY	97
28MC24110ST	ANGIOGRAPHY	52
28MC24110ST	EMBOLOTHERAPY	97
28MC2413045	ANGIOGRAPHY	52
28MC2413045	EMBOLOTHERAPY	97
28MC24130SN	ANGIOGRAPHY	52
28MC24130SN	EMBOLOTHERAPY	97
28MC24130ST	ANGIOGRAPHY	52
28MC24130ST	EMBOLOTHERAPY	97
28MC2415045	ANGIOGRAPHY	52
28MC2415045	EMBOLOTHERAPY	97
28MC24150SN	ANGIOGRAPHY	52
28MC24150SN	EMBOLOTHERAPY	97
28MC24150ST	ANGIOGRAPHY	52

28MC24150ST	EMBOLOTHERAPY	97
28MC2811045	ANGIOGRAPHY	52
28MC2811045	EMBOLOTHERAPY	97
28MC28110SN	ANGIOGRAPHY	52
28MC28110SN	EMBOLOTHERAPY	97
28MC28110ST	ANGIOGRAPHY	52
28MC28110ST	EMBOLOTHERAPY	97
28MC2813045	ANGIOGRAPHY	52
28MC2813045	EMBOLOTHERAPY	97
28MC28130SN	ANGIOGRAPHY	52
28MC28130SN	EMBOLOTHERAPY	97
28MC28130ST	ANGIOGRAPHY	52
28MC28130ST	EMBOLOTHERAPY	97
28MC2815045	ANGIOGRAPHY	52
28MC2815045	EMBOLOTHERAPY	97
28MC28150SN	ANGIOGRAPHY	52
28MC28150SN	EMBOLOTHERAPY	97
28MC28150ST	ANGIOGRAPHY	52
28MC28150ST	EMBOLOTHERAPY	97
29MC2911045	ANGIOGRAPHY	52
29MC2911045	EMBOLOTHERAPY	97
29MC29110SN	ANGIOGRAPHY	52
29MC29110SN	EMBOLOTHERAPY	97
29MC29110ST	ANGIOGRAPHY	52
29MC29110ST	EMBOLOTHERAPY	97
29MC2913045	ANGIOGRAPHY	52
29MC2913045	EMBOLOTHERAPY	97
29MC29130SN	ANGIOGRAPHY	52
29MC29130SN	EMBOLOTHERAPY	97
29MC29130ST	ANGIOGRAPHY	52
29MC29130ST	EMBOLOTHERAPY	97
29MC2915045	ANGIOGRAPHY	52
29MC2915045	EMBOLOTHERAPY	97
29MC29150SN	ANGIOGRAPHY	52
29MC29150SN	EMBOLOTHERAPY	97
29MC29150ST	ANGIOGRAPHY	52
29MC29150ST	EMBOLOTHERAPY	97
3339-21	ACCESS	7
3339-31	ACCESS	7
3339-41	ACCESS	7

3339-51	ACCESS	7
410035B1		
	ANGIOGRAPHY	24
410035B2	ANGIOGRAPHY	24
410035BER	ANGIOGRAPHY	25
410035HH1	ANGIOGRAPHY	23
410035HH3	ANGIOGRAPHY	23
410035MANI	ANGIOGRAPHY	24
410035MC	ANGIOGRAPHY	24
410035MOT	ANGIOGRAPHY	27
410035MOTC	ANGIOGRAPHY	27
410035OSB1	ANGIOGRAPHY	30
410035SIM1	ANGIOGRAPHY	25
410035SIM2	ANGIOGRAPHY	25
410035VER	ANGIOGRAPHY	24
410038B1	ANGIOGRAPHY	24
410038B1-H	ANGIOGRAPHY	33
410038B2-H	ANGIOGRAPHY	33
410038BER	ANGIOGRAPHY	25
410038BER-H	ANGIOGRAPHY	33
410038CB1	ANGIOGRAPHY	26
410038CB2	ANGIOGRAPHY	26
410038CB2-H	ANGIOGRAPHY	33
410038HH1	ANGIOGRAPHY	23
410038HH1-H	ANGIOGRAPHY	34
410038HH3	ANGIOGRAPHY	23
410038HS	ANGIOGRAPHY	28
410038MANI	ANGIOGRAPHY	24
410038MANI-H	ANGIOGRAPHY	34
410038MC	ANGIOGRAPHY	24
410038MPA1	ANGIOGRAPHY	30
410038MPA1-H	ANGIOGRAPHY	34
410038N1	ANGIOGRAPHY	23
410038N2	ANGIOGRAPHY	23
410038N3	ANGIOGRAPHY	23
410038N4	ANGIOGRAPHY	23
410038SIM1	ANGIOGRAPHY	25
410038SIM1-H	ANGIOGRAPHY	35
410038SIM2	ANGIOGRAPHY	25
410038SIM2-H	ANGIOGRAPHY	35
410038STS-H	ANGIOGRAPHY	36
410038VER	ANGIOGRAPHY	24
410038VER-H	ANGIOGRAPHY	36
41103510PIG-NB	ANGIOGRAPHY	31
411035STS	ANGIOGRAPHY	29
411038STS	ANGIOGRAPHY	29
412535HH1	ANGIOGRAPHY	23
412535VER	ANGIOGRAPHY	24
412538BER	ANGIOGRAPHY	25

412538BER-H	ANGIOGRAPHY	33
412538HH1-H	ANGIOGRAPHY	34
412538MPA1	ANGIOGRAPHY	30
412538STS-H	ANGIOGRAPHY	36
4303510PIG-NB	ANGIOGRAPHY	30
4303510PIG-NB	ANGIOGRAPHY	31
4303510PIG-NB	INTERVENTION	80
43035BER	ANGIOGRAPHY	30
43035BER	INTERVENTION	80
43035KA2	ANGIOGRAPHY	30
43035KA2	INTERVENTION	80
43035MODCB1	ANGIOGRAPHY	30
43035MODCB1	INTERVENTION	80
43035RIM	ANGIOGRAPHY	30
43035RIM	INTERVENTION	80
43035STR	ANGIOGRAPHY	30
43035STR	INTERVENTION	80
44035STS	ANGIOGRAPHY	29
44038KA2	ANGIOGRAPHY	28
44038KA2-H	ANGIOGRAPHY	34
44038MW2	ANGIOGRAPHY	25
4653510PIG-NB	ANGIOGRAPHY	31
4653510STF-NB	ANGIOGRAPHY	32
4653510UBF-NB	ANGIOGRAPHY	31
465352CB1	ANGIOGRAPHY	26
465352CB2	ANGIOGRAPHY	26
465352HK0-8	ANGIOGRAPHY	26
465352HK1-0	ANGIOGRAPHY	26
465352RC	ANGIOGRAPHY	27
465352SH0-8	ANGIOGRAPHY	27
465352SH1-0	ANGIOGRAPHY	27
465354RBI	ANGIOGRAPHY	29
465356MHK-NB	ANGIOGRAPHY	32
465356SHP-NB	ANGIOGRAPHY	30
46535AVS20MHK	ANGIOGRAPHY	50
46535B1	ANGIOGRAPHY	24
46535BER	ANGIOGRAPHY	25
46535CB2	ANGIOGRAPHY	26
46535MOT	ANGIOGRAPHY	27
46535MOTC	ANGIOGRAPHY	27
46535RC	ANGIOGRAPHY	27
46535RIM	ANGIOGRAPHY	29
46535SIM1	ANGIOGRAPHY	25
4653810MUBF-NB	ANGIOGRAPHY	31
465382CB1	ANGIOGRAPHY	26
465382CB2	ANGIOGRAPHY	26
46538BER	ANGIOGRAPHY	25
46538BER-H	ANGIOGRAPHY	33

46538CB1	ANGIOGRAPHY	26
46538CB1-H	ANGIOGRAPHY	33
46538CB2	ANGIOGRAPHY	26
46538CB2-H	ANGIOGRAPHY	33
46538KA2	ANGIOGRAPHY	28
46538KA2-H	ANGIOGRAPHY	34
46538SIM1	ANGIOGRAPHY	25
46538SIM2	ANGIOGRAPHY	25
46538STS	ANGIOGRAPHY	29
46538STS-H	ANGIOGRAPHY	36
46538VER	ANGIOGRAPHY	24
46538VER-H	ANGIOGRAPHY	36
48035MHK1	ANGIOGRAPHY	29
48035MHK2	ANGIOGRAPHY	29
48035MHK3	ANGIOGRAPHY	29
48035MODS	ANGIOGRAPHY	25
48038MHK1-H	ANGIOGRAPHY	35
48038MHK2-H	ANGIOGRAPHY	35
48038MHK3-H	ANGIOGRAPHY	35
48038MIK	ANGIOGRAPHY	28
48038MODS	ANGIOGRAPHY	25
48038RE	ANGIOGRAPHY	28
4903510PIG-NB	ANGIOGRAPHY	31
4903510STF-NB	ANGIOGRAPHY	32
4903510UBF-NB	ANGIOGRAPHY	31
490356MHK-NB	ANGIOGRAPHY	32
490356SHP-NB	ANGIOGRAPHY	30
5100354RBI	ANGIOGRAPHY	29
510035AVS20MHK	ANGIOGRAPHY	50
510035AVS20PIG	ANGIOGRAPHY	50
510035AVS2MHK	ANGIOGRAPHY	50
510035AVS2PIG	ANGIOGRAPHY	50
510035AVS2STR	ANGIOGRAPHY	50
510035B1	ANGIOGRAPHY	24
510035B2	ANGIOGRAPHY	24
510035BER	ANGIOGRAPHY	25
510035HH1	ANGIOGRAPHY	23
510035HH3	ANGIOGRAPHY	23
510035MANI	ANGIOGRAPHY	24
510035MC	ANGIOGRAPHY	24
510035MOT	ANGIOGRAPHY	27
510035OSB1	ANGIOGRAPHY	30
510035RBI	ANGIOGRAPHY	29
510035SIM1	ANGIOGRAPHY	25
510035SIM2	ANGIOGRAPHY	25
510035VER	ANGIOGRAPHY	24
510038B1	ANGIOGRAPHY	24
510038B1-H	ANGIOGRAPHY	33

510038B2-H	ANGIOGRAPHY	33
510038BER	ANGIOGRAPHY	25
510038BER-H	ANGIOGRAPHY	33
510038CB1	ANGIOGRAPHY	26
510038CB2	ANGIOGRAPHY	26
510038CB2-H	ANGIOGRAPHY	33
510038HH1	ANGIOGRAPHY	23
510038HH1-H	ANGIOGRAPHY	34
510038HH3	ANGIOGRAPHY	23
510038HS	ANGIOGRAPHY	28
510038MANI	ANGIOGRAPHY	24
510038MANI-H	ANGIOGRAPHY	34
510038MC	ANGIOGRAPHY	24
510038MPA1	ANGIOGRAPHY	30
510038MPA1-H	ANGIOGRAPHY	34
510038N1	ANGIOGRAPHY	23
510038N2	ANGIOGRAPHY	23
510038N3	ANGIOGRAPHY	23
510038N4	ANGIOGRAPHY	23
510038SIM1	ANGIOGRAPHY	25
510038SIM1-H	ANGIOGRAPHY	35
510038SIM2	ANGIOGRAPHY	25
510038SIM2-H	ANGIOGRAPHY	35
510038STS-H	ANGIOGRAPHY	36
510038VER	ANGIOGRAPHY	24
510038VER-H	ANGIOGRAPHY	36
51103510PIG-NB	ANGIOGRAPHY	31
511035STS	ANGIOGRAPHY	29
51103810PIG-NB	ANGIOGRAPHY	31
511038STS	ANGIOGRAPHY	29
512535HH1	ANGIOGRAPHY	23
512535VER	ANGIOGRAPHY	24
512538BER	ANGIOGRAPHY	25
512538BER-H	ANGIOGRAPHY	33
512538HH1	ANGIOGRAPHY	23
512538HH1-H	ANGIOGRAPHY	34
512538MPA1	ANGIOGRAPHY	30
5303510PIG-NB	ANGIOGRAPHY	30
5303510PIG-NB	ANGIOGRAPHY	31
5303510PIG-NB	INTERVENTION	80
53035BER	ANGIOGRAPHY	30
53035BER	INTERVENTION	80
53035KA2	ANGIOGRAPHY	30
53035KA2	INTERVENTION	80
53035MODCB1	ANGIOGRAPHY	30
53035MODCB1	INTERVENTION	80
53035RIM	ANGIOGRAPHY	30
53035RIM	INTERVENTION	80

53035STR	ANGIOGRAPHY	30
53035STR	INTERVENTION	80
54038KA2	ANGIOGRAPHY	28
54038KA2-H	ANGIOGRAPHY	34
54038STS	ANGIOGRAPHY	29
5575-13	ANGIOGRAPHY	37
5575-23	ANGIOGRAPHY	37
5575-33	ANGIOGRAPHY	37
5575-43	ANGIOGRAPHY	37
5575-A3	ANGIOGRAPHY	37
5575-B3	ANGIOGRAPHY	37
5575-C3	ANGIOGRAPHY	37
5575-D3	ANGIOGRAPHY	37
5576-13	ANGIOGRAPHY	42
5576-23	ANGIOGRAPHY	42
5576-33	ANGIOGRAPHY	42
5576-43	ANGIOGRAPHY	42
5576-A3	ANGIOGRAPHY	42
5576-B3	ANGIOGRAPHY	42
5576-C3	ANGIOGRAPHY	42
576-D3	ANGIOGRAPHY	42
576-E3	ANGIOGRAPHY	42
576-F3	ANGIOGRAPHY	42
576-G3	ANGIOGRAPHY	42
577-13	ANGIOGRAPHY	38
577-23	ANGIOGRAPHY	38
577-33	ANGIOGRAPHY	38
577-43	ANGIOGRAPHY	38
577-53	ANGIOGRAPHY	38
577-A3	ANGIOGRAPHY	38
577-B3	ANGIOGRAPHY	38
577-C3	ANGIOGRAPHY	38
577-D3	ANGIOGRAPHY	38
577-E3	ANGIOGRAPHY	38
5578-13	ANGIOGRAPHY	39
578-23	ANGIOGRAPHY	39
5578-33	ANGIOGRAPHY	39
578-A3	ANGIOGRAPHY	39
578-B3	ANGIOGRAPHY	39
578-C3	ANGIOGRAPHY	39
579-13	ANGIOGRAPHY	39
579-A3	ANGIOGRAPHY	39
582-13	ANGIOGRAPHY	46
582-23	ANGIOGRAPHY	46
5582-33	ANGIOGRAPHY	46
5582-43	ANGIOGRAPHY	46
5583-13	ANGIOGRAPHY	39
5583-23	ANGIOGRAPHY	39

5583-A3	ANGIOGRAPHY	39
5583-B3	ANGIOGRAPHY	39
5584-13	ANGIOGRAPHY	43
5584-23	ANGIOGRAPHY	43
5584-33	ANGIOGRAPHY	43
5584-43	ANGIOGRAPHY	43
5584-53	ANGIOGRAPHY	43
5584-63	ANGIOGRAPHY	43
5584-A3	ANGIOGRAPHY	43
5584-B3	ANGIOGRAPHY	43
5584-C3	ANGIOGRAPHY	43
5584-D3	ANGIOGRAPHY	43
5584-E3	ANGIOGRAPHY	43
5584-F3	ANGIOGRAPHY	43
5585-13	ANGIOGRAPHY	41
5585-23	ANGIOGRAPHY	41
5585-A3	ANGIOGRAPHY	41
5585-B3	ANGIOGRAPHY	41
5585-C3	ANGIOGRAPHY	42
5585-D3	ANGIOGRAPHY	42
5585-E3	ANGIOGRAPHY	42
5586-13	ANGIOGRAPHY	44
5586-23	ANGIOGRAPHY	44
5586-43	ANGIOGRAPHY	44
5586-A3	ANGIOGRAPHY	44
5586-B3	ANGIOGRAPHY	44
5587-13	ANGIOGRAPHY	44
5587-23	ANGIOGRAPHY	44
5587-A3	ANGIOGRAPHY	44
5588-13	ANGIOGRAPHY	40
5588-A3	ANGIOGRAPHY	40
5589-13	ANGIOGRAPHY	45
5589-23	ANGIOGRAPHY	45
5589-A3	ANGIOGRAPHY	45
5589-B3	ANGIOGRAPHY	45
5590-13	ANGIOGRAPHY	41
5590-23	ANGIOGRAPHY	41
5590-33	ANGIOGRAPHY	41
5591-A3	ANGIOGRAPHY	45
5591-B3	ANGIOGRAPHY	45
5591-C3	ANGIOGRAPHY	45
5591-D3	ANGIOGRAPHY	45
5591-E3	ANGIOGRAPHY	45
5591-F3	ANGIOGRAPHY	45
5592-13	ANGIOGRAPHY	40
5592-23	ANGIOGRAPHY	40
5592-33	ANGIOGRAPHY	40
5592-A3	ANGIOGRAPHY	40

5592-B3	ANGIOGRAPHY	40
5592-C3	ANGIOGRAPHY	40
5594-13	ANGIOGRAPHY	46
5595-13	ANGIOGRAPHY	46
5595-23	ANGIOGRAPHY	46
5595-33	ANGIOGRAPHY	46
5595-43	ANGIOGRAPHY	46
5595-A3	ANGIOGRAPHY	46
5595-B3	ANGIOGRAPHY	46
5595-C3	ANGIOGRAPHY	46
5595-D3	ANGIOGRAPHY	46
5653510PIG-NB	ANGIOGRAPHY	31
5653510STF-NB	ANGIOGRAPHY	32
5653510UBF-NB	ANGIOGRAPHY	31
565352CB1	ANGIOGRAPHY	26
565352CB2	ANGIOGRAPHY	26
565352HK0-8	ANGIOGRAPHY	26
565352HK1-0	ANGIOGRAPHY	26
565352RC	ANGIOGRAPHY	27
565352SH0-8	ANGIOGRAPHY	27
565352SH1-0	ANGIOGRAPHY	27
565354RBI	ANGIOGRAPHY	29
565356SHP-NB	ANGIOGRAPHY	30
56535AVS20MHK	ANGIOGRAPHY	50
56535AVS20PIG	ANGIOGRAPHY	50
56535AVS2MHK	ANGIOGRAPHY	50
56535AVS2PIG	ANGIOGRAPHY	50
56535AVS2STR	ANGIOGRAPHY	50
56535B1	ANGIOGRAPHY	24
56535BER	ANGIOGRAPHY	25
56535MOT	ANGIOGRAPHY	27
56535MRIMST	ANGIOGRAPHY	29
56535RBI	ANGIOGRAPHY	29
56535RIM	ANGIOGRAPHY	29
56535SIM1	ANGIOGRAPHY	25
5653810MUBF-NB	ANGIOGRAPHY	31
5653810PIG-NB	ANGIOGRAPHY	31
565382CB1	ANGIOGRAPHY	26
565382CB2	ANGIOGRAPHY	26
56538BER	ANGIOGRAPHY	25
56538BER-H	ANGIOGRAPHY	33
56538CB1	ANGIOGRAPHY	26
56538CB1-H	ANGIOGRAPHY	33
56538CB2	ANGIOGRAPHY	26
56538CB2-H	ANGIOGRAPHY	33
56538KA2	ANGIOGRAPHY	28
56538KA2-H	ANGIOGRAPHY	34
56538MPA1	ANGIOGRAPHY	30

56538MW2	ANGIOGRAPHY	25
56538RBI-H	ANGIOGRAPHY	35
56538SIM1	ANGIOGRAPHY	25
56538SIM2	ANGIOGRAPHY	25
56538STS	ANGIOGRAPHY	29
56538STS-H	ANGIOGRAPHY	36
56538VER	ANGIOGRAPHY	24
56538VER-H	ANGIOGRAPHY	36
58035MHK1	ANGIOGRAPHY	29
58035MHK2	ANGIOGRAPHY	29
58035MHK3	ANGIOGRAPHY	29
58035RE	ANGIOGRAPHY	28
58038MHK1-H	ANGIOGRAPHY	35
58038MHK2-H	ANGIOGRAPHY	35
58038MHK3-H	ANGIOGRAPHY	35
58038MIK	ANGIOGRAPHY	28
58038RE	ANGIOGRAPHY	28
5903510PIG-NB	ANGIOGRAPHY	31
5903510STF-NB	ANGIOGRAPHY	32
5903510UBF-NB	ANGIOGRAPHY	31
5903810PIG-NB	ANGIOGRAPHY	31
59038UAC	ANGIOGRAPHY	28
59038UAC	EMBOLOTHERAPY	98
6609-33	ANGIOGRAPHY	13
6647-11	ANGIOGRAPHY	14
6676-A1	ANGIOGRAPHY	13
6676-B3	ANGIOGRAPHY	13
6676-B3 6676-C1	ANGIOGRAPHY ANGIOGRAPHY	13
6676-C1	ANGIOGRAPHY	13
6676-C1 6676-D3	ANGIOGRAPHY ANGIOGRAPHY	13
6676-C1 6676-D3 6677-B1	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13
6676-C1 6676-D3 6677-B1 6680-11	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43	ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY ANGIOGRAPHY	13 13 13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 13 14 14
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-L3	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-L3 6682-M1 6682-N3	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14 14
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-L3 6682-M1 6682-N3 6684-61 6690-41	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14 14 14 14 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-K3 6682-M1 6682-N3 6684-61 6690-61	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14 14 14 13 13
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-L3 6682-M1 6682-N3 6684-61 6690-41 6690-61	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14 14 14 14 14 14 14 14 14 14
6676-C1 6676-D3 6677-B1 6680-11 6680-23 6680-31 6680-43 6680-51 6680-61 6680-71 6682-E1 6682-K1 6682-K3 6682-M1 6682-N3 6684-61 6690-61	ANGIOGRAPHY	13 13 13 13 13 13 13 13 13 14 14 14 14 14 14 13 13

6693-A1	ANGIOGRAPHY	14
6694-21	ANGIOGRAPHY	14
680ME	INTERVENTION	69
685ME	INTERVENTION	69
7514-13	ANGIOGRAPHY	46
7514-23	ANGIOGRAPHY	46
7541-13	ANGIOGRAPHY	44
7543-13	ANGIOGRAPHY	44
7602-11M	ANGIOGRAPHY	49
7602-11M65	ANGIOGRAPHY	49
7602-20M	ANGIOGRAPHY	49
7602-20M100SH	ANGIOGRAPHY	49
7602-20M65	ANGIOGRAPHY	49
7602-20M65SH	ANGIOGRAPHY	49
7602-2M	ANGIOGRAPHY	49
7602-2M65	ANGIOGRAPHY	49
7602-41	ANGIOGRAPHY	47
7602-51	ANGIOGRAPHY	47
7602-61	ANGIOGRAPHY	47
7602-71	ANGIOGRAPHY	47
7602-81	ANGIOGRAPHY	47
7602-91	ANGIOGRAPHY	47
7602-A1	ANGIOGRAPHY	47
7602-B1	ANGIOGRAPHY	47
7602-C1	ANGIOGRAPHY	47
7602-D1	ANGIOGRAPHY	47
7603-11M100	ANGIOGRAPHY	49
7603-11M65	ANGIOGRAPHY	49
7603-20M100SH	ANGIOGRAPHY	49
7603-20M65SH	ANGIOGRAPHY	49
7603-26M09511	ANGIOGRAPHY	49
7603-2M65	ANGIOGRAPHY	49
7603-A1	ANGIOGRAPHY	48
7603-A1	ANGIOGRAPHY	48
7603-C1	ANGIOGRAPHY	48
	ANGIOGRAPHY	48
7603-D1 7673-11	ANGIOGRAPHY	48
		48
7673-11M100SH 7673-11M65SH	ANGIOGRAPHY	49
	ANGIOGRAPHY ANGIOGRAPHY	49
7673-20M100SH		
7673-20M65SH	ANGIOGRAPHY	49
7673-21	ANGIOGRAPHY	48
7673-2M	ANGIOGRAPHY	49
7673-2M65	ANGIOGRAPHY	49
7673-31	ANGIOGRAPHY	48
7673-41	ANGIOGRAPHY	48
7673-51	ANGIOGRAPHY	48
7673-61	ANGIOGRAPHY	48

7674-11	ANGIOGRAPHY	47
7674-21	ANGIOGRAPHY	47
7674-2M	ANGIOGRAPHY	49
7674-2M65	ANGIOGRAPHY	49
7674-31	ANGIOGRAPHY	47
7674-41	ANGIOGRAPHY	47
7710-10	ANGIOGRAPHY	43
7710-20	ANGIOGRAPHY	43
7710-30	ANGIOGRAPHY	43
7710-40	ANGIOGRAPHY	43
7710-50	ANGIOGRAPHY	43
7710-60	ANGIOGRAPHY	43
7710-A0	ANGIOGRAPHY	43
7710-B0	ANGIOGRAPHY	43
7710-C0	ANGIOGRAPHY	43
7710-D0	ANGIOGRAPHY	43
7710-E0	ANGIOGRAPHY	43
7710-F0	ANGIOGRAPHY	43
7711-10	ANGIOGRAPHY	41
7711-20	ANGIOGRAPHY	41
7711-A0	ANGIOGRAPHY	41
7711-B0	ANGIOGRAPHY	41
7712-10	ANGIOGRAPHY	44
7712-20	ANGIOGRAPHY	44
7712-30	ANGIOGRAPHY	44
7712-40	ANGIOGRAPHY	44
7712-A0	ANGIOGRAPHY	44
7712-B0	ANGIOGRAPHY	44
7712-C0	ANGIOGRAPHY	44
7712-D0	ANGIOGRAPHY	44
7713-10	ANGIOGRAPHY	44
7713-20	ANGIOGRAPHY	44
7713-A0	ANGIOGRAPHY	44
7713-B0	ANGIOGRAPHY	44
7714-10	ANGIOGRAPHY	45
7714-20	ANGIOGRAPHY	45
7714-A0	ANGIOGRAPHY	45
7714-B0	ANGIOGRAPHY	45
7715-10	ANGIOGRAPHY	37
7715-30	ANGIOGRAPHY	37
7715-50	ANGIOGRAPHY	37
7715-60	ANGIOGRAPHY	37
7715-A0	ANGIOGRAPHY	37
7715-B0	ANGIOGRAPHY	37
7715-C0	ANGIOGRAPHY	37
7715-D0	ANGIOGRAPHY	37
7716-10	ANGIOGRAPHY	39
7716-A0	ANGIOGRAPHY	39

7717-10	ANGIOGRAPHY	39
7717-20	ANGIOGRAPHY	39
7717-30	ANGIOGRAPHY	39
7717-A0	ANGIOGRAPHY	39
7717-B0	ANGIOGRAPHY	39
7717-C0	ANGIOGRAPHY	39
7718-10	ANGIOGRAPHY	40
7718-20	ANGIOGRAPHY	40
7718-30	ANGIOGRAPHY	40
7718-A0	ANGIOGRAPHY	40
7718-B0	ANGIOGRAPHY	40
7718-C0	ANGIOGRAPHY	40
7719-10	ANGIOGRAPHY	46
7719-A0	ANGIOGRAPHY	46
7720-10	ANGIOGRAPHY	42
7720-20	ANGIOGRAPHY	42
7720-30	ANGIOGRAPHY	42
7720-40	ANGIOGRAPHY	42
7720-53	ANGIOGRAPHY	42
7720-70	ANGIOGRAPHY	42
7720-80	ANGIOGRAPHY	42
7720-A0	ANGIOGRAPHY	42
7720-B0	ANGIOGRAPHY	42
7720-C0	ANGIOGRAPHY	42
7720-D0	ANGIOGRAPHY	42
7720-E0	ANGIOGRAPHY	42
7720-F0	ANGIOGRAPHY	42
7721-10	ANGIOGRAPHY	39
7721-20	ANGIOGRAPHY	39
7721-30	ANGIOGRAPHY	39
7721-A0	ANGIOGRAPHY	39
7721-B0	ANGIOGRAPHY	39
7721-C0	ANGIOGRAPHY	39
7722-10	ANGIOGRAPHY	38
7722-20	ANGIOGRAPHY	38
7722-30	ANGIOGRAPHY	38
7722-40	ANGIOGRAPHY	38
7722-50	ANGIOGRAPHY	38
7722-A0	ANGIOGRAPHY	38
7722-B0	ANGIOGRAPHY	38
7722-C0	ANGIOGRAPHY	38
7722-D0	ANGIOGRAPHY	38
7722-E0	ANGIOGRAPHY	38
7723-10	ANGIOGRAPHY	40
7723-A0	ANGIOGRAPHY	40
7742-20M100SH	ANGIOGRAPHY	49
7742-20M65SH	ANGIOGRAPHY	49
7742-2M100SH	ANGIOGRAPHY	49

7742-2M65SH	ANGIOGRAPHY	49
7743-2M100SH	ANGIOGRAPHY	49
7743-2M65SH	ANGIOGRAPHY	49
7744-2M100SH	ANGIOGRAPHY	49
7744-2M65SH	ANGIOGRAPHY	49
7745-10	ANGIOGRAPHY	41
7745-A0	ANGIOGRAPHY	41
7745-B0	ANGIOGRAPHY	41
7745-C0	ANGIOGRAPHY	41
7746-10	ANGIOGRAPHY	41
7746-20	ANGIOGRAPHY	41
7746-30	ANGIOGRAPHY	41
7746-A0	ANGIOGRAPHY	41
7746-B0	ANGIOGRAPHY	41
7746-C0	ANGIOGRAPHY	41
7747-10	ANGIOGRAPHY	45
7747-20	ANGIOGRAPHY	45
7747-A0	ANGIOGRAPHY	45
7747-B0	ANGIOGRAPHY	45
7747-C0	ANGIOGRAPHY	45
7747-D0	ANGIOGRAPHY	45
7747-E0	ANGIOGRAPHY	45
7747-F0	ANGIOGRAPHY	45
7748-13	ANGIOGRAPHY	40
7748-A0	ANGIOGRAPHY	40
7749-A0	ANGIOGRAPHY	47
7752-10	ANGIOGRAPHY	44
7755-2M100	ANGIOGRAPHY	49
7755-2M65	ANGIOGRAPHY	49
8820-B1	ANGIOGRAPHY	14
AD18N91W	ACCESS	3
AD18T51W	ACCESS	3
AD18T51WS	ACCESS	3
AD18T71W	ACCESS	3
AD18T71WC	ACCESS	3
AD18T71W-E	ACCESS	3
AD18T71WS	ACCESS	3
AD18T71WT	ACCESS	3
AD19U41W	ACCESS	3
AD19U41WC	ACCESS	3
AD19U51W	ACCESS	3
AD19U71W	ACCESS	3
AD19U71WC	ACCESS	3
AD19U71WS	ACCESS	3
AD20T41W	ACCESS	3
AD20T71W	ACCESS	3
AD21T21W	ACCESS	3
AD21T21W	ACCESS	7

AD21T41W	ACCESS	3
AD21T41W	ACCESS	7
AD21T41WC	ACCESS	3
AD21T41W-E	ACCESS	3
AD21T41W-E	ACCESS	7
AD21T71W	ACCESS	3
AD21T71W	ACCESS	7
AD21T71W-E	ACCESS	3
AD21T71W-E	ACCESS	7
AD21T91R	ACCESS	3
AD21T91R	INTERVENTION	78
AD21T91RE	ACCESS	3
AD21T91RE	INTERVENTION	78
AD21T91W	ACCESS	3
AD21T91W	ACCESS	7
AD21T91W-E	ACCESS	3
AD21T91W-E	ACCESS	7
ASK200	ACCESS	10
BT01	ACCESS	10
CC-1301	INTERVENTION	86
CC-1360	INTERVENTION	86
CC-2300	INTERVENTION	86
CE-1400	INTERVENTION	86
CEN15C	INTERVENTION	81
CEN15K	INTERVENTION	81
CEN17C	INTERVENTION	81
CEN17K	INTERVENTION	81
CEN19C	INTERVENTION	81
CEN19K	INTERVENTION	81
CEN23C	INTERVENTION	81
CEN23K	INTERVENTION	81
CEN27C	INTERVENTION	81
CEN27K	INTERVENTION	81
CEN31C	INTERVENTION	81
CEN31K	INTERVENTION	81
CENFP15C	INTERVENTION	81
CENFP15K	INTERVENTION	81
CENFP17C	INTERVENTION	81
CENFP17K	INTERVENTION	81
CENFP19C	INTERVENTION	81
CENFP19K	INTERVENTION	81
CENFP23C	INTERVENTION	81
CENFP23K	INTERVENTION	81
CENFP27C	INTERVENTION	81
CENFP27K	INTERVENTION	81
CENFP31C	INTERVENTION	81
CENFP31K	INTERVENTION	81
CET100	INTERVENTION	84

CET200	INTERVENTION	84
CET300	INTERVENTION	84
CF-4230	INTERVENTION	85
CF-4235	INTERVENTION	85
CF-4430	INTERVENTION	85
CF-5161	INTERVENTION	85
CF-5242	INTERVENTION	85
CF-5243	INTERVENTION	85
CF-5244	INTERVENTION	85
CF-5247	INTERVENTION	85
CF-5249	INTERVENTION	85
CF-5250	INTERVENTION	85
CF-5260	INTERVENTION	85
CF-5270	INTERVENTION	85
CF-5442	INTERVENTION	85
CF-5443	INTERVENTION	85
CF-5450	INTERVENTION	85
CF-5460	INTERVENTION	85
CF-5470	INTERVENTION	85
CF-5560	INTERVENTION	85
CFG624	INTERVENTION	69
CS-242	INTERVENTION	86
CS-352	INTERVENTION	86
CS-362	INTERVENTION	86
DC01452419	INTERVENTION	83
DC01452419-NE5	INTERVENTION	84
DC01452823	INTERVENTION	83
DC01452823-NE5	INTERVENTION	84
DC01453227	INTERVENTION	83
DC01453227-NE5	INTERVENTION	84
DC01453631	INTERVENTION	83
DC01454035	INTERVENTION	83
DC01455550	INTERVENTION	83
DC21452419	INTERVENTION	83
DC21452419-NE5	INTERVENTION	84
DC21452823	INTERVENTION	83
DC21452823-NE5	INTERVENTION	84
DC21453227	INTERVENTION	83
DC21453227-NE5	INTERVENTION	84
DC21453631	INTERVENTION	83
DC21454035	INTERVENTION	83
DC21455550	INTERVENTION	83
EN1003004	INTERVENTION	76
EN1003008	INTERVENTION	76
EN2006010	INTERVENTION	76
EN2006015	INTERVENTION	76
EN2006020	INTERVENTION	76
EN2007030	INTERVENTION	76

EN2007045	INTERVENTION	76
ENDO-AN6012	INTERVENTION	75
FAS5248	INTERVENTION	72
FDS100	INTERVENTION	91
FIS4-135-10	INTERVENTION	88
FIS4-135-10SQ	INTERVENTION	88
FIS4-135-20	INTERVENTION	88
FIS4-135-20SQ	INTERVENTION	88
FIS4-135-30	INTERVENTION	88
FIS4-135-30SQ	INTERVENTION	88
FIS4-135-40	INTERVENTION	88
FIS4-135-40SQ	INTERVENTION	88
FIS4-135-5	INTERVENTION	88
FIS4-135-50	INTERVENTION	88
FIS4-135-50SQ	INTERVENTION	88
FIS4-135-5SQ	INTERVENTION	88
FIS4-45-10	INTERVENTION	88
FIS4-45-10SQ	INTERVENTION	88
FIS4-45-20	INTERVENTION	88
FIS4-45-20SQ	INTERVENTION	88
FIS4-90-10	INTERVENTION	88
FIS4-90-10SQ	INTERVENTION	88
FIS4-90-20	INTERVENTION	88
FIS4-90-20SQ	INTERVENTION	88
FIS4-90-30	INTERVENTION	88
FIS4-90-30SQ	INTERVENTION	88
FIS4-90-40	INTERVENTION	88
FIS4-90-40SQ	INTERVENTION	88
FIS4-90-5	INTERVENTION	88
FIS4-90-50	INTERVENTION	88
FIS4-90-50SQ	INTERVENTION	88
FIS4-90-5SQ	INTERVENTION	88
FIS5-135-10	INTERVENTION	89
FIS5-135-10SQ	INTERVENTION	89
FIS5-135-20	INTERVENTION	89
FIS5-135-20SQ	INTERVENTION	89
FIS5-135-30	INTERVENTION	89
FIS5-135-30SQ	INTERVENTION	89
FIS5-135-40	INTERVENTION	89
FIS5-135-40SQ	INTERVENTION	89
FIS5-135-5	INTERVENTION	89
FIS5-135-50	INTERVENTION	89
FIS5-135-50SQ	INTERVENTION	89
FIS5-135-5SQ	INTERVENTION	89
FIS5-45-10	INTERVENTION	89
FIS5-45-10SQ	INTERVENTION	89
FIS5-45-20	INTERVENTION	89
FIS5-45-20SQ	INTERVENTION	89
FIS5-90-10	INTERVENTION	89

FIS5-90-10SQ	INTERVENTION	89
FIS5-90-20	INTERVENTION	89
FIS5-90-20SQ	INTERVENTION	89
FIS5-90-30	INTERVENTION	89
FIS5-90-30SQ	INTERVENTION	89
FIS5-90-40	INTERVENTION	89
FIS5-90-40SQ	INTERVENTION	89
FIS5-90-5	INTERVENTION	89
FIS5-90-50	INTERVENTION	89
FIS5-90-50SQ	INTERVENTION	89
FIS5-90-5SQ	INTERVENTION	89
FLO30	INTERVENTION	76
FT-1100	INTERVENTION	86
FW4-135	INTERVENTION	91
FW4-45	INTERVENTION	91
FW4-90	INTERVENTION	91
FW5-135	INTERVENTION	91
FW5-45	INTERVENTION	91
FW5-90	INTERVENTION	91
FZ624	INTERVENTION	70
HPAD22	CPS	111
HVA-100	ACCESS	10
HVA-100	CPS	111
IA-102	INTERVENTION	86
IN4130	INTERVENTION	74
IN7130	INTERVENTION	75
IN8130	INTERVENTION	74
IQ35F150B	ANGIOGRAPHY	13
IQ35F150BC	ANGIOGRAPHY	13
IQ35F80BC	ANGIOGRAPHY	13
IQ35F80J3SHD	ANGIOGRAPHY	14
IQ35F80J6	ANGIOGRAPHY	14
IQ35F100J15	ANGIOGRAPHY	14
IQ35F150BST	ANGIOGRAPHY	13
IQ35F150J105S	ANGIOGRAPHY	14
IQ35F150J15	ANGIOGRAPHY	14
IQ35F150J1O5	ANGIOGRAPHY	14
IQ35F150J1O5RS	ANGIOGRAPHY	13
IQ35F150J3F	ANGIOGRAPHY	14
IQ35F150J3S	ANGIOGRAPHY	14
IQ35F150J3SHD	ANGIOGRAPHY	14
IQ35F150J6	ANGIOGRAPHY	14
IQ35F150NLLLT	ANGIOGRAPHY	13
IQ35F150NLLT	ANGIOGRAPHY	13
IQ35F150NLT	ANGIOGRAPHY	13
IQ35F150S	ANGIOGRAPHY	13
IQ35F180B	ANGIOGRAPHY	13
IQ35F180BC	ANGIOGRAPHY	13

IQ35F180BST	ANGIOGRAPHY	13
IQ35F180J3S	ANGIOGRAPHY	14
IQ35F180J6F	ANGIOGRAPHY	14
IQ35F180J15	ANGIOGRAPHY	14
IQ35F180J1O5	ANGIOGRAPHY	14
IQ35F180J1O5RS	ANGIOGRAPHY	13
IQ35F180J3	ANGIOGRAPHY	14
IQ35F180J3F	ANGIOGRAPHY	14
IQ35F210J1O5	ANGIOGRAPHY	14
IQ35F260B	ANGIOGRAPHY	13
IQ35F260J1O5	ANGIOGRAPHY	14
IQ35F260J1O5F	ANGIOGRAPHY	14
IQ35F260J3	ANGIOGRAPHY	14
IQ35F260S	ANGIOGRAPHY	13
IQ35F80B	ANGIOGRAPHY	13
IQ35F80J1O5RS	ANGIOGRAPHY	13
IQ35F80J3	ANGIOGRAPHY	14
IQ38F50J3	ANGIOGRAPHY	14
IQ38F80J3	ANGIOGRAPHY	14
IQ38F150B	ANGIOGRAPHY	13
IQ38F150BC	ANGIOGRAPHY	13
IQ38F150BST	ANGIOGRAPHY	13
IQ38F150J15	ANGIOGRAPHY	14
IQ38F150J1O5RS	ANGIOGRAPHY	13
IQ38F150J3	ANGIOGRAPHY	14
IQ38F150J3S	ANGIOGRAPHY	14
IQ38F150J3F	ANGIOGRAPHY	14
IQ38F150J6	ANGIOGRAPHY	14
IQ38F150S	ANGIOGRAPHY	13
IQ38F180J3F	ANGIOGRAPHY	14
IQ38F260J3	ANGIOGRAPHY	14
IQ38F260J3F	ANGIOGRAPHY	14
IQ38F260S	ANGIOGRAPHY	13
IQH35F150B	ANGIOGRAPHY	13
IQH35F150J15	ANGIOGRAPHY	14
IQH35F150J1O5	ANGIOGRAPHY	14
IQH35F150J3	ANGIOGRAPHY	14
IQH35F150J3F	ANGIOGRAPHY	14
IQH35F150J3S	ANGIOGRAPHY	14
IQH35F150NLLT	ANGIOGRAPHY	13
IQH35F150NLT	ANGIOGRAPHY	13
IQH35F150S	ANGIOGRAPHY	13
IQH35F180B	ANGIOGRAPHY	13
IQH35F180J3F	ANGIOGRAPHY	14
IQH35F70J6	ANGIOGRAPHY	14
IQH38F150B	ANGIOGRAPHY	13
IQH38F150J3	ANGIOGRAPHY	14
IQH38F150J3F	ANGIOGRAPHY	14

IQH38F70J6	ANGIOGRAPHY	14
IQR35F150B	ANGIOGRAPHY	15
IQR35F150BST	ANGIOGRAPHY	15
IQR35F150J3	ANGIOGRAPHY	15
IQR35F150J3F	ANGIOGRAPHY	15
IQR35F150J3S	ANGIOGRAPHY	15
IQR35F260J3	ANGIOGRAPHY	15
IQR38F150J3	ANGIOGRAPHY	15
IQR38F150J3F	ANGIOGRAPHY	15
IS4-135-10	INTERVENTION	90
IS4-135-20	INTERVENTION	90
IS4-135-30	INTERVENTION	90
IS4-135-40	INTERVENTION	90
IS4-135-5	INTERVENTION	90
IS4-135-50	INTERVENTION	90
IS4-45-10	INTERVENTION	90
IS4-45-20	INTERVENTION	90
IS4-90-10	INTERVENTION	90
IS4-90-20	INTERVENTION	90
IS4-90-30	INTERVENTION	90
IS4-90-40	INTERVENTION	90
IS4-90-5	INTERVENTION	90
IS4-90-50	INTERVENTION	90
IS5-135-10	INTERVENTION	90
IS5-135-20	INTERVENTION	90
IS5-135-30	INTERVENTION	90
IS5-135-40	INTERVENTION	90
IS5-135-5	INTERVENTION	90
IS5-135-50	INTERVENTION	90
IS5-45-10	INTERVENTION	90
IS5-45-20	INTERVENTION	90
IS5-90-10	INTERVENTION	90
IS5-90-20	INTERVENTION	90
IS5-90-30	INTERVENTION	90
IS5-90-40	INTERVENTION	90
IS5-90-5	INTERVENTION	90
IS5-90-50	INTERVENTION	90
K01-00786	ANGIOGRAPHY	53
K01-00917	ANGIOGRAPHY	53
K01-00953	ANGIOGRAPHY	53
K01-03243	ANGIOGRAPHY	53
K01-05093	ANGIOGRAPHY	53
K01-05185	ANGIOGRAPHY	53
K01-07736	ANGIOGRAPHY	56
K01-07736	INTERVENTION	71
K01-07738	ANGIOGRAPHY	56
K01-07738	INTERVENTION	71
K01-07739	ANGIOGRAPHY	56

K01-07739	INTERVENTION	71
K01-07740	ANGIOGRAPHY	56
K01-07740	INTERVENTION	71
K01-60075	ANGIOGRAPHY	53
K01-60077	ANGIOGRAPHY	53
K01-60078	ANGIOGRAPHY	53
K01-60081	ANGIOGRAPHY	53
K01-60082	ANGIOGRAPHY	53
K01-60083	ANGIOGRAPHY	53
K01-60085	ANGIOGRAPHY	53
K01-60086	ANGIOGRAPHY	53
K01-60089	ANGIOGRAPHY	53
K01-60090	ANGIOGRAPHY	53
K01-60093	ANGIOGRAPHY	53
K01-60094	ANGIOGRAPHY	53
K01-60097	ANGIOGRAPHY	53
K01-60098	ANGIOGRAPHY	53
K01-60099	ANGIOGRAPHY	53
K01-60101	ANGIOGRAPHY	53
K01-60102	ANGIOGRAPHY	53
K01-60105	ANGIOGRAPHY	53
K01-60106	ANGIOGRAPHY	53
K01-60109	ANGIOGRAPHY	53
K01-60110	ANGIOGRAPHY	53
K08-01907	INTERVENTION	70
K08-01961B	ANGIOGRAPHY	51
K08-02027	INTERVENTION	70
K08-02195A	ANGIOGRAPHY	51
K10-00230B	INTERVENTION	70
K10-00576	CPS	109
K10-00577	CPS	110
K10-01103	CPS	110
K10-01555	CPS	110
K10-03450	INTERVENTION	70
K10-04129	INTERVENTION	72
K10-04130	INTERVENTION	72
K10-04750	INTERVENTION	72
K12-00262	INTERVENTION	92
K12-00462	INTERVENTION	91
K12-00463	INTERVENTION	91
K12-01575	CPS	106
K12T-01822	CPS	106
K12T-02045	CPS	105
K12T-02843	CPS	104
K12T-02844	CPS	104
K12T-04321	CPS	103
K12T-04322	CPS	103
K12T-06756	CPS	107
K12T-07302	CPS	107

K12T-07303	CPS	107
K12T-07304	CPS	107
K12T-07361	CPS	107
K12T-07362	CPS	107
K12T-07363	CPS	107
K12T-07364	CPS	107
K13-00476	ANGIOGRAPHY	54
L3SNC	INTERVENTION	72
L4SNC	INTERVENTION	72
LWSTDA18150	ANGIOGRAPHY	16
LWSTDA18180	ANGIOGRAPHY	16
LWSTDA18260EX	ANGIOGRAPHY	16
LWSTDA1880	ANGIOGRAPHY	16
LWSTDA25150	ANGIOGRAPHY	16
LWSTDA25180	ANGIOGRAPHY	16
LWSTDA25260EX	ANGIOGRAPHY	16
LWSTDA35150	ANGIOGRAPHY	15
LWSTDA35180	ANGIOGRAPHY	15
LWSTDA35260EX	ANGIOGRAPHY	15
LWSTDA38120	ANGIOGRAPHY	15
LWSTDA38150	ANGIOGRAPHY	15
LWSTDA38180	ANGIOGRAPHY	15
LWSTDA38260EX	ANGIOGRAPHY	15
LWSTDA3880	ANGIOGRAPHY	15
LWSTDS18150	ANGIOGRAPHY	16
LWSTDS18180	ANGIOGRAPHY	16
LWSTDS18260EX	ANGIOGRAPHY	16
LWSTDS25150	ANGIOGRAPHY	16
LWSTDS25180	ANGIOGRAPHY	16
LWSTDS25260EX	ANGIOGRAPHY	16
LWSTDS35150	ANGIOGRAPHY	15
LWSTDS35180	ANGIOGRAPHY	15
LWSTDS35220	ANGIOGRAPHY	15
LWSTDS35260EX	ANGIOGRAPHY	15
LWSTDS3580	ANGIOGRAPHY	15
LWSTDS38150	ANGIOGRAPHY	15
LWSTDS38180	ANGIOGRAPHY	15
LWSTDS38260EX	ANGIOGRAPHY	15
LWSTFA35150	ANGIOGRAPHY	16
LWSTFA35180	ANGIOGRAPHY	16
LWSTFA35220	ANGIOGRAPHY	16
LWSTFA35260EX	ANGIOGRAPHY	16
LWSTFA3580	ANGIOGRAPHY	16
LWSTFA38150	ANGIOGRAPHY	16
LWSTFA38180	ANGIOGRAPHY	16
LWSTFA3880	ANGIOGRAPHY	16
LWSTFS35150	ANGIOGRAPHY	16
LWSTFS35180	ANGIOGRAPHY	16

LWSTFS35220	ANGIOGRAPHY	16
LWSTFS35260EX	ANGIOGRAPHY	16
LWSTFS3580	ANGIOGRAPHY	16
LWSTFS38150	ANGIOGRAPHY	16
LWSTFS38180	ANGIOGRAPHY	16
MAK001	ACCESS	7
MAK001N	ACCESS	7
MAK001N-60	ACCESS	7
MAK001N-80	ACCESS	7
MAK005	ACCESS	7
MAK005-60	ACCESS	7
MAK401	ACCESS	5
MAK401-E	ACCESS	5
MAK401N	ACCESS	5
MAK401NBT	ACCESS	6
MAK401N-E	ACCESS	5
MAK401NEBT	ACCESS	6
MAK401NPD	ACCESS	5
MAK401NPDBT	ACCESS	6
MAK401NPD-E	ACCESS	5
MAK401NPDEBT	ACCESS	6
MAK401N-PED	ACCESS	5
MAK401-PED	ACCESS	5
MAK405	ACCESS	5
MAK405-E	ACCESS	5
MAK405PD	ACCESS	5
MAK405-PED	ACCESS	5
MAK4F-10	ACCESS	7
MAK501	ACCESS	5
MAK501-E	ACCESS	5
MAK501N	ACCESS	5
MAK501N-15	ACCESS	5
MAK501NBT	ACCESS	6
MAK501N-E	ACCESS	5
MAK501NEBT	ACCESS	6
MAK501NPD	ACCESS	5
MAK501NPDBT	ACCESS	6
MAK501NPD-E	ACCESS	5
MAK501NPDEBT	ACCESS	6
MAK501N-PED	ACCESS	5
MAK501-PED	ACCESS	5
MAK505	ACCESS	5
MAK505-E	ACCESS	5
MAK505PD	ACCESS	5
MAK505-PED	ACCESS	5
MAK5F-10	ACCESS	7
MAK5F-15	ACCESS	7
MAKNTPD	ACCESS	7
MAK-NV-001	INTERVENTION	59

MAK-NV-002	INTERVENTION	59
MAK-NV-003	INTERVENTION	59
MAK-NV-004	INTERVENTION	59
MAK-NV-005	INTERVENTION	59
MAK-NV-006	INTERVENTION	59
MAK-NV-007	INTERVENTION	59
MAK-NV-008	INTERVENTION	59
MAK-NV-009	INTERVENTION	59
MAK-NV-010	INTERVENTION	59
MAK-NV-011	INTERVENTION	59
MAK-NV-012	INTERVENTION	59
MAK-NV-013	INTERVENTION	59
MAK-NV-014	INTERVENTION	59
MAK-NV-015	INTERVENTION	59
MAK-NV-016	INTERVENTION	59
MAK-NV-017	INTERVENTION	59
MAK-NV-018	INTERVENTION	59
MAK-NV-019	INTERVENTION	59
MAK-NV-020	INTERVENTION	59
MAK-NV-021	INTERVENTION	59
MAKSSPD	ACCESS	7
MDD100	CPS	108
MDD110	CPS	108
MDD200H	CPS	108
MDD220	CPS	108
MDD220H	CPS	108
MDD300H	CPS	108
MDD400H	CPS	109
MDD500H	CPS	109
MDD520H	CPS	109
MDD600	INTERVENTION	70
MIC5-135-10-035	INTERVENTION	92
MIC5-135-5-035	INTERVENTION	92
MIC5-45-10-035	INTERVENTION	92
MIC5-45-5-035	INTERVENTION	92
MIC5-90-10-035	INTERVENTION	92
MIC5-90-5-035	INTERVENTION	92
MSS011	ANGIOGRAPHY	53
MSS011-DG	ANGIOGRAPHY	53
MSS011-LB	ANGIOGRAPHY	53
MSS011-LG	ANGIOGRAPHY	53
MSS011-PR	ANGIOGRAPHY	53
MSS011-R	ANGIOGRAPHY	53
MSS011-Y	ANGIOGRAPHY	53
MSS031	ANGIOGRAPHY	53
MSS031-DG	ANGIOGRAPHY	53
MSS031-LB	ANGIOGRAPHY	53
MSS031-LG	ANGIOGRAPHY	53

MSS031-PR	ANGIOGRAPHY	53
MSS031-R	ANGIOGRAPHY	53
MSS031-Y	ANGIOGRAPHY	53
MSS061	ANGIOGRAPHY	53
MSS061-DG	ANGIOGRAPHY	53
MSS061-LB	ANGIOGRAPHY	53
MSS061-LG	ANGIOGRAPHY	53
MSS061-PR	ANGIOGRAPHY	53
MSS061-R	ANGIOGRAPHY	53
MSS061-Y	ANGIOGRAPHY	53
MSS111	ANGIOGRAPHY	53
MSS111-DG	ANGIOGRAPHY	53
MSS111-LB	ANGIOGRAPHY	53
MSS111-LG	ANGIOGRAPHY	53
MSS111-PR	ANGIOGRAPHY	53
MSS111-R	ANGIOGRAPHY	53
MSS111-Y	ANGIOGRAPHY	53
MSS121	ANGIOGRAPHY	53
MSS121-DG	ANGIOGRAPHY	53
MSS121-LB	ANGIOGRAPHY	53
MSS121-LG	ANGIOGRAPHY	53
MSS121-PR	ANGIOGRAPHY	53
MSS121-R	ANGIOGRAPHY	53
MSS121-Y	ANGIOGRAPHY	53
MSS131	ANGIOGRAPHY	53
MSS131-DG	ANGIOGRAPHY	53
MSS131-LB	ANGIOGRAPHY	53
MSS131-LG	ANGIOGRAPHY	53
MSS131-PR	ANGIOGRAPHY	53
MSS131-R	ANGIOGRAPHY	53
MSS131-Y	ANGIOGRAPHY	53
MSS160	ANGIOGRAPHY	53
MSSF011	ANGIOGRAPHY	54
MSSF031	ANGIOGRAPHY	54
MSSF061	ANGIOGRAPHY	54
MSSF111	ANGIOGRAPHY	54
MSSF121	ANGIOGRAPHY	54
MSSF131	ANGIOGRAPHY	54
MSSF160	ANGIOGRAPHY	54
MSSW11	ANGIOGRAPHY	54
MSSW11-DG	ANGIOGRAPHY	54
MSSW11-LB	ANGIOGRAPHY	54
MSSW11-LG	ANGIOGRAPHY	54
MSSW11-PR	ANGIOGRAPHY	54
MSSW11-R	ANGIOGRAPHY	54
MSSW11-Y	ANGIOGRAPHY	54
MSSW21	ANGIOGRAPHY	54
MSSW21-DG	ANGIOGRAPHY	54

MSSW21-LB	ANGIOGRAPHY	54
MSSW21-LG	ANGIOGRAPHY	54
MSSW21-PR	ANGIOGRAPHY	54
MSSW21-R	ANGIOGRAPHY	54
MSSW21-Y	ANGIOGRAPHY	54
MVP44	CPS	111
ONE1000	INTERVENTION	77
ONE1001	INTERVENTION	77
ONE1500	INTERVENTION	77
ONE200	INTERVENTION	77
ONE2000	INTERVENTION	77
ONE201	INTERVENTION	77
ONE2500	INTERVENTION	77
ONE2501	INTERVENTION	77
ONE3000	INTERVENTION	77
ONE3500	INTERVENTION	77
ONE400	INTERVENTION	77
ONE4000	INTERVENTION	77
ONE401	INTERVENTION	77
ONE500	INTERVENTION	77
ONE6000	INTERVENTION	77
ONE700	INTERVENTION	77
ONE701	INTERVENTION	77
OSC-4F-10L	INTERVENTION	66
OSC-4F-10LNH	INTERVENTION	66
OSC-4F-10LT	INTERVENTION	66
OSC-4F-10S	INTERVENTION	66
OSC-4F-10T	INTERVENTION	66
OSC-4F-7L	INTERVENTION	66
OSC-4F-7LNH	INTERVENTION	66
OSC-4F-7LT	INTERVENTION	66
OSC-4F-7S	INTERVENTION	66
OSC-4F-7T	INTERVENTION	66
OSC-5F-10L	INTERVENTION	66
OSC-5F-10LNH	INTERVENTION	66
OSC-5F-10LT	INTERVENTION	66
OSC-5F-10S	INTERVENTION	66
OSC-5F-10T	INTERVENTION	66
OSC-5F-15L	INTERVENTION	66
OSC-5F-15LNH	INTERVENTION	66
OSC-5F-15LT	INTERVENTION	66
OSC-5F-15S	INTERVENTION	66
OSC-5F-15T	INTERVENTION	66
OSC-5F-7L	INTERVENTION	66
OSC-5F-7LNH	INTERVENTION	66
OSC-5F-7LT	INTERVENTION	66
OSC-5F-7S	INTERVENTION	66
OSC-5F-7T	INTERVENTION	66

PD4F035	ACCESS	7
PD5F038	ACCESS	7
PD6F038	ACCESS	7
PD7F038	ACCESS	7
PD8F038	ACCESS	7
PRO-4F-11-035MT	ACCESS	8
PRO-4F-11MT	ACCESS	8
PRO-5F-11-035MT	ACCESS	8
PRO-5F-11-038MT	ACCESS	8
PRO-5F-11MT	ACCESS	8
PRO-6F-11-035MT	ACCESS	8
PRO-6F-11-038MT	ACCESS	8
PRO-6F-11MT	ACCESS	8
PRO-7F-11-035MT	ACCESS	8
PRO-7F-11-038MT	ACCESS	8
PRO-7F-11MT	ACCESS	8
PRO-8F-11-035MT	ACCESS	8
PRO-8F-11-038MT	ACCESS	8
PRO-8F-11MT	ACCESS	8
PSI-4F-23-035MT	ACCESS	8
PSI-4F-23MT	ACCESS	8
PSI-5F-23-035MT	ACCESS	8
PSI-5F-23-038MT	ACCESS	8
PSI-5F-23MT	ACCESS	8
PSI-6F-23-035MT	ACCESS	8
PSI-6F-23-038MT	ACCESS	8
PSI-6F-23MT	ACCESS	8
PSI-7F-23-035MT	ACCESS	8
PSI-7F-23-038MT	ACCESS	8
PSI-7F-23MT	ACCESS	8
PSI-8F-23-035MT	ACCESS	8
PSI-8F-23-038MT	ACCESS	8
PSI-8F-23MT	ACCESS	8
PSS-5F-4-018MT	ACCESS	9
PSS-5F-4-018MT	INTERVENTION	79
PSS-5F-4-035MT	ACCESS	9
PSS-5F-4-035MT	INTERVENTION	79
PSS-5F-4-038MT	ACCESS	9
PSS-5F-4-038MT	INTERVENTION	79
PSS-5F-4MT	ACCESS	9
PSS-5F-4MT	INTERVENTION	79
PSS-6F-4-018MT	ACCESS	9
PSS-6F-4-018MT	INTERVENTION	79
PSS-6F-4-035MT	ACCESS	9
PSS-6F-4-035MT	INTERVENTION	79
PSS-6F-4-038MT	ACCESS	9
PSS-6F-4-038MT	INTERVENTION	79
PSS-6F-4MT	ACCESS	9

PSS-6F-4MT	INTERVENTION	79
PSS-7F-4-018MT	ACCESS	9
PSS-7F-4-018MT	INTERVENTION	79
PSS-7F-4-035MT	ACCESS	9
PSS-7F-4-035MT	INTERVENTION	79
PSS-7F-4-038MT	ACCESS	9
PSS-7F-4-038MT	INTERVENTION	79
PSS-7F-4MT	ACCESS	9
PSS-7F-4MT	INTERVENTION	79
PSS-8F-4-018MT	ACCESS	9
PSS-8F-4-018MT	INTERVENTION	79
PSS-8F-4-035MT	ACCESS	9
PSS-8F-4-035MT	INTERVENTION	79
PSS-8F-4-038MT	ACCESS	9
PSS-8F-4-038MT	INTERVENTION	79
PSS-8F-4MT	ACCESS	9
PSS-8F-4MT	INTERVENTION	79
RBC-10-038	INTERVENTION	61
RBC-10-REV	INTERVENTION	61
RBC-10-SFX	INTERVENTION	61
RBC-12-038	INTERVENTION	61
RBC-12-REV	INTERVENTION	61
RBC-12-SFX	INTERVENTION	61
RBC-14-038	INTERVENTION	61
RBC-14-REV	INTERVENTION	61
RBC-14-SFX	INTERVENTION	61
RBC-8-038	INTERVENTION	61
RBC-8-REV	INTERVENTION	61
RBC-8-SFX	INTERVENTION	61
RBDC-10-038	INTERVENTION	61
RBDC-10-REV	INTERVENTION	61
RBDC-10-SFX	INTERVENTION	61
RBDC-12-038	INTERVENTION	61
RBDC-12-REV	INTERVENTION	61
RBDC-12-SFX	INTERVENTION	61
RBDC-14-038	INTERVENTION	61
RBDC-14-REV	INTERVENTION	61
RBDC-14-SFX	INTERVENTION	61
RBDC-8-038	INTERVENTION	61
RBDC-8-REV	INTERVENTION	61
RBDC-8-SFX	INTERVENTION	61
RLC-10-038	INTERVENTION	62
RLC-10-038MB	INTERVENTION	62
RLC-10-REV	INTERVENTION	63
RLC-10-SFX	INTERVENTION	63
RLC-12-038	INTERVENTION	62
RLC-12-038MB	INTERVENTION	62
RLC-12-REV	INTERVENTION	63

INTERVENTION	63
INTERVENTION	62
INTERVENTION	62
INTERVENTION	63
INTERVENTION	63
INTERVENTION	62
INTERVENTION	63
INTERVENTION	63
INTERVENTION	62
INTERVENTION	62
INTERVENTION	63
INTERVENTION	63
INTERVENTION	62
INTERVENTION	62
INTERVENTION	63
INTERVENTION	64
	INTERVENTION

RLCMB-NV-14-REV	INTERVENTION	64
RLCMB-NV-14-SFX	INTERVENTION	64
RLCMB-NV-6	INTERVENTION	64
RLCMB-NV-6-REV	INTERVENTION	64
RLCMB-NV-6-SFX	INTERVENTION	64
RLCMB-NV-8	INTERVENTION	64
RLCMB-NV-8-REV	INTERVENTION	64
RLCMB-NV-8-SFX	INTERVENTION	64
RLC-NV-10	INTERVENTION	64
RLC-NV-10-REV	INTERVENTION	64
RLC-NV-10-SFX	INTERVENTION	64
RLC-NV-12	INTERVENTION	64
RLC-NV-12-REV	INTERVENTION	64
RLC-NV-12-SFX	INTERVENTION	64
RLC-NV-14	INTERVENTION	64
RLC-NV-14-REV	INTERVENTION	64
RLC-NV-14-SFX	INTERVENTION	64
RLC-NV-6	INTERVENTION	64
RLC-NV-6-REV	INTERVENTION	64
RLC-NV-6-SFX	INTERVENTION	64
RLC-NV-8	INTERVENTION	64
RLC-NV-8-REV	INTERVENTION	64
RLC-NV-8-SFX	INTERVENTION	64
RNL-10-038J	INTERVENTION	65
RNL-10-038S	INTERVENTION	65
RNL-12-038J	INTERVENTION	65
RNL-12-038S	INTERVENTION	65
RNL-6-038J	INTERVENTION	65
RNL-6-038S	INTERVENTION	65
RNL-7-038J	INTERVENTION	65
RNL-7-038S	INTERVENTION	65
RNL-8-038J	INTERVENTION	65
RNL-8-038S	INTERVENTION	65
S1010EG	EMBOLOTHERAPY	95
S1010GH	EMBOLOTHERAPY	95
S1020EG	EMBOLOTHERAPY	95
S1020GH	EMBOLOTHERAPY	95
S120EG	EMBOLOTHERAPY	95
S120GH	EMBOLOTHERAPY	95
S210EG	EMBOLOTHERAPY	95
S210GH	EMBOLOTHERAPY	95
S220EG	EMBOLOTHERAPY	95
S220GH	EMBOLOTHERAPY	95
S410EG	EMBOLOTHERAPY	95
S410GH	EMBOLOTHERAPY	95
S420EG	EMBOLOTHERAPY	95
S420GH	EMBOLOTHERAPY	95
S610EG	EMBOLOTHERAPY	95

S610GH	EMBOLOTHERAPY	95
S620EG	EMBOLOTHERAPY	95
S620GH	EMBOLOTHERAPY	95
S810EG	EMBOLOTHERAPY	95
S810GH	EMBOLOTHERAPY	95
S820EG	EMBOLOTHERAPY	95
S820GH	EMBOLOTHERAPY	95
SC14135	INTERVENTION	73
SC14150	INTERVENTION	73
SC1465	INTERVENTION	73
SC1490	INTERVENTION	73
SC18135	INTERVENTION	73
SC18150	INTERVENTION	73
SC1865	INTERVENTION	73
SC1890	INTERVENTION	73
SC35135	INTERVENTION	73
SC35150	INTERVENTION	73
SC3565	INTERVENTION	73
SC3590	INTERVENTION	73
SCV22P-AB	CPS	111
S-MAK401	ACCESS	6
S-MAK401N	ACCESS	6
S-MAK401NBT	ACCESS	6
S-MAK401NPD	ACCESS	6
S-MAK401NPDBT	ACCESS	6
S-MAK405	ACCESS	6
S-MAK4F-10	ACCESS	7
S-MAK501	ACCESS	6
S-MAK501N	ACCESS	6
S-MAK501N-15	ACCESS	6
S-MAK501N15BT	ACCESS	6
S-MAK501NBT	ACCESS	6
S-MAK501NPD	ACCESS	6
S-MAK501NPDBT	ACCESS	6
S-MAK505	ACCESS	6
S-MAK5F-10	ACCESS	7
S-MAK5F-15	ACCESS	7
SPPT-100	INTERVENTION	67
SPPT-5F-10L	INTERVENTION	67
SPPT-5F-10S	INTERVENTION	67
SPPT-5F-7L	INTERVENTION	67
SPPT-5F-7S	INTERVENTION	67
SRD100	INTERVENTION	87
SRD200	INTERVENTION	87
TAPS-100	INTERVENTION	68
TAPS-5F-10LT	INTERVENTION	68
TAPS-5F-10T	INTERVENTION	68
TAPS-5F-7LT	INTERVENTION	68


TAPS-5F-7T	INTERVENTION	68
TD100	ANGIOGRAPHY	18
TD200	ANGIOGRAPHY	18
TD500	ANGIOGRAPHY	18
TE-1000	INTERVENTION	86
TNR2411	ANGIOGRAPHY	17
TNR2411	EMBOLOTHERAPY	98
TNR2412	ANGIOGRAPHY	17
TNR2412	EMBOLOTHERAPY	98
TNR2811	ANGIOGRAPHY	17
TNR2811	EMBOLOTHERAPY	98
TNR2812	ANGIOGRAPHY	17
TNR2812	EMBOLOTHERAPY	98
TS120	ANGIOGRAPHY	51
TS220	ANGIOGRAPHY	51
TS520L	ANGIOGRAPHY	51
VA-40	INTERVENTION	60
V100EP	EMBOLOTHERAPY	96
V1010GH	EMBOLOTHERAPY	95
V1020GH	EMBOLOTHERAPY	95
V1100EP	EMBOLOTHERAPY	96
V110GH	EMBOLOTHERAPY	95
V120GH	EMBOLOTHERAPY	95
V200EP	EMBOLOTHERAPY	96
V210GH	EMBOLOTHERAPY	95
V220GH	EMBOLOTHERAPY	95
V225HS	ONCOLOGY	100
V300EP	EMBOLOTHERAPY	96
V325HS	ONCOLOGY	100
V400EP	EMBOLOTHERAPY	96
V410GH	EMBOLOTHERAPY	95
V420GH	EMBOLOTHERAPY	95
V525HS	ONCOLOGY	100
V600EP	EMBOLOTHERAPY	96
V610GH	EMBOLOTHERAPY	95
V620GH	EMBOLOTHERAPY	95
V725HS	ONCOLOGY	100
V800EP	EMBOLOTHERAPY	96
V810GH	EMBOLOTHERAPY	95
V820GH	EMBOLOTHERAPY	95
VP-210	INTERVENTION	86
VP-511	INTERVENTION	86



PRODUCT NAME INDEX


30 cm Catheters	80
Access Safety Kit	10
Angiographic Needles	3
Biopsy Centesis Kits	103
Catheter Extraction Tool	84
Catheter Securement Devices	69
Centesis Catheters	66
Connecting Tubes	72
CT Transfer Sets	51
Curved Needles	78
Diagnostic Guide Wires	13-15
Diagnostic Peripheral Catheters	20-50
Dialysis Catheters & Kits	82-84
Dilators	7
Drainage Bags & Kits	70
Drainage Catheters	61-65
Drainage Tubing	72
Embolic Delivery Tools	97-98
Embolisation Particles	96
Fluid Dispensing Systems	91
Guide Wire Insertion Device	10
Haemostasis Pad	111
Haemostasis Pad with Antimicrobial Barrier	111
Haemostasis Valve Adapter	10, 111
High Pressure Flow Control Switch	51
Hydrophilic Guide Wires	15-17
Inflation Devices	74-75
Infusion Catheters	90
Infusion Systems	88-89
Introducers	5-9
Medication Delivery Packs	104
Microcatheters	52, 95
Microspheres	95-100
Myelogram Tray	105
Occluding Wires	91
Patient Cover	107
Peritoneal Dialysis Accessories & Implantation Systems	86
Peritoneal Dialysis Catheters	85
Pressure Assisted Devices	112
Safety Paracentesis Procedure Trays	67
Scatter Radiation Drapes	107
Sheath Introducers with Marker Tip	8

Short Sheath Introducers	9, 79
Snares	76-77
Stopcocks	72
Support Catheters	73
Suture Retention Device	87
Steerable Guide Wires	98
Syringes	53-55
Therapeutic Infusion Systems	88-89
Thoracentesis and Paracentesis Sets	68
Torque Devices	18
Vacuum Pressure Syringes	56, 71
Valved Adapter	76
Vein Closure Tray & Syringe	106
Waste Bags	108-110



UNDERSTAND. INNOVATE. DELIVER.

Merit Medical Systems is a worldwide leader in the development, manufacturing, and distribution of quality medical devices used in interventional and diagnostic procedures. With a global work force and cutting-edge manufacturing facilities equipped with the most advanced technology, Merit Medical consistently delivers quality products that are backed by excellent customer service and professional expertise.





European Corporate Headquarters, Maastricht, The Netherlands



Understand. Innovate. Deliver.

Merit Medical Systems, Inc. 1600 West Merit Parkway South Jordan, Utah 84095 1.801.208.4300 1.800.35.MERIT

Merit Medical Europe, Middle East, & Africa (EMEA) Amerikalaan 42, 6199 AE Maastricht-Airport The Netherlands

+31 43 358 82 22

Merit Medical Ireland Ltd.

Parkmore Business Park West Galway, Ireland +353 (0) 91 703 733

Austria 0800 295 374

Belgium

0800 72 906 (Dutch) 0800 73 172 (Français)

Denmark

80 88 00 24 Finland

0800 770 586 France 0800 91 60 30

Germany 0800 182 0871

Ireland (Republic) 1800 553 163

Italy 800 897 005

Luxembourg 8002 25 22

Netherlands 0800 022 81 84 Norway 800 11629

Portugal 308 801 034 Russia

+7 495 221 89 02

Spain +34 911238406

Sweden 020 792 445 Switzerland

(Deutsch) +41 225180252 (Français) +41 225948000 (Italiano) +41 225180035

UK

0800 973 115