



G.A. MURDOCK, INC.
CONNECTING YOUR WORLD



MUR-LOK
Connect with Confidence

2022 WHOLESALE PRICE LIST

WWW.GAMURDOCK.COM



U.S.A.

Terms & Conditions

Terms and Conditions of Sale

G.A. Murdock, Inc.'s (GAM) product sales, descriptions, quotations, offers, acknowledgments, and acceptances are subject to and shall be governed exclusively by the terms and conditions stated herein (Agreement). The Purchaser's acceptance of any offer to sell is limited to the terms and conditions in the Agreement. Any terms or conditions in addition to, or inconsistent with those stated in the Agreement shall become part of the agreement between the Purchaser and GAM unless expressly accepted in writing by GAM. GAM's acceptance of any offer to purchase by the Purchaser is expressly conditioned upon the Purchaser's assent to all the terms and conditions in this Agreement, irrespective of any terms in addition to, or inconsistent with those contained in the Purchaser's offer. Acceptance of GAM's products shall in all events constitute such assent.

Payment Terms

GAM requires a complete credit analysis prior to shipping on an open account basis. Credit approval and non-delinquent account status are necessary before shipping on an open account. Open account terms are Net 30 days or Net 30 ACH. Delinquent accounts are subject to a 1.5% per month service charge on the unpaid balance. Other payment terms include: COD, Prepayment, MasterCard/Visa/American Express/Discover, 2% ACH. International terms are Prepayment via Money Wire or MasterCard/Visa/American Express/Discover.

Documents

GAM reserves the right to correct clerical or technical errors in documents. Unless provided otherwise in the Agreement, all catalog descriptions, pictures, drawings and literature or other information on performance, weights, measurements or other specifications provided by GAM are approximations and GAM reserves the right to alter or amend them at any time.

Advice

All advice given in connection with GAM's products is provided at no charge to the Purchaser. Any advice and assistance given by GAM to the Purchaser is given at the Purchaser's risk and GAM shall not be liable for any loss, damage or claim arising there from.

Order Acceptance

GAM reserves the right to accept or reject all orders. Possession of a price sheet or catalog shall not be construed as an offer to sell the product listed. GAM sells wholesale only and does not sell directly to consumers.

Prices

GAM products are sold at prices in effect at time of shipment, and are F.O.B. shipping point. These prices generally coincide with dated, printed price sheets found within this price list. We reserve the right to change prices without notice. The prices in this listing are effective as of March 15, 2022.

Order Confirmations

GAM will attempt to confirm all orders by e-mail or fax. It is the customer's responsibility to review the order confirmation and immediately notify GAM of any order corrections. GAM will assume the order is correct and will package and ship the order with the first available carrier.

Shipping

Shipping method should be specified on customer's purchase order, otherwise GAM will ship best method. GAM's standard shipping methods are UPS Ground, FedEx Ground, or Speedee Delivery. All other UPS or FedEx, or LTL services are available upon request.

Delivery

Stock items are generally shipped within one day. Special orders, large orders, or items not in stock will require additional lead time. Items out of stock are automatically backordered and shipped when received. GAM shall not be responsible for delays due to conditions beyond GAM's control.

Inspection and Rejection

GAM is not responsible for damage, shortage, or loss incurred during transit. Check shipments for damage before acceptance. Consignee is responsible for filing a claim with the freight carrier for any and all damage, shortage, or loss. The Purchaser must inspect the goods on arrival from the carrier.

Test and Performance

GAM's products are, where practicable, submitted to GAM's standard quality assurance before shipping. Any special testing requirements required by the Purchaser may be subject to an extra charge. GAM accepts no liability for failure to attain any performance figures quoted by GAM unless GAM specifically has guaranteed them with an agreed sum as liquidation damages and the Purchaser has suffered actual loss by reason of the failure to attain the figures quoted.

Special Tooling

Where it is necessary for GAM to manufacture or purchase special tooling in order to execute a contract (including without limitation tools, dies, fixtures, molds, and patterns), the Purchaser will be charged with a proportion of the cost of such special tooling. Such special tooling shall be and remain GAM's property notwithstanding payment of any charges made by the Purchaser. In no event

will the Purchaser acquire any interest in such special tooling belonging to GAM which is utilized in the manufacture of the items sold hereunder. Unless otherwise agreed, GAM shall have the right to alter, discard or otherwise dispose of any special tooling or other property at its sole discretion at any time.

Purchaser's Property

Any designs, tools, materials, drawings, confidential information or equipment furnished to GAM by the Purchaser may be considered obsolete and may be destroyed by GAM after two consecutive years have passed without the Purchaser placing an order for the items which are manufactured using such property. GAM shall not be responsible for any loss or damage to such property while it is in GAM's possession.

Errors and Returned Merchandise

GAM will correct our errors at no charge to the Purchaser. Only new and marketable items with a copy of the invoice and a Return Merchandise Authorization number (RMA) will be accepted. RMA numbers are available by calling customer service and must be requested within 30 days of the invoice date. We reserve the right to assess a 25% restocking charge. Returned merchandise is to be returned freight prepaid. Non-stock items are not returnable if noted on the order acknowledgment.

Changed/Cancelled Orders

Orders are processed as they are received. Additions may delay the original shipment or may be shipped as a separate order. We reserve the right to assess a 15% cancellation charge for all orders cancelled prior to shipping. Non-stock items cannot be changed and are non-cancellable if noted on the order acknowledgment.

Modifications and Cancellations

A Purchaser's request for modification or cancellation will not be incorporated into the Agreement unless the request is accepted by GAM in a writing that amends the Agreement.

Taxes

No Federal Excise Tax is included. The purchaser will assume and pay any tax, duty, or assessment now or hereafter imposed on these products. Purchaser is responsible for payment of all applicable state and local taxes except in certain states where GAM has nexus and remits sales tax. Purchaser must provide a valid sales tax exemption certificate.

Warranty/Limited Remedy

GAM warrants that GAM'S products shall be free from defects in materials and workmanship under normal use within the operating specifications for a period of one (1) year from the date of purchase; provided that: A) The above warranty shall not apply to any such product or part thereof which is damaged as a result of neglect, misuse, alteration, accident, normal wear and tear, misapplication, fire, act of God, freezing, or hot water; B) Purchaser's exclusive remedies under the above warranty shall be limited to the repair or replacement of the non-conforming product or part(s) thereof, as determined by GAM, with replacement products being shipped F.O.B. Madison, S.D., U.S.A.; C) Any non-conforming product must be returned to GAM within one (1) year from its purchase, F.O.B. Madison, S.D., U.S.A.; D) The warranty contained above does not extend to any goods not manufactured by GAM even though supplied by GAM. Goods not manufactured by GAM carry only the warranty (if any) of their makers and the Purchaser is entitled to the benefit thereof only so far as GAM has the power to transfer it; E) GAM shall not be liable for any special, indirect, or consequential damages; F) There are no warranties whatsoever on items built wholly or partially to the Purchaser's designs or specifications. The warranty described above is in lieu of any other warranty, express or implied. Except as specifically set forth above, GAM makes no warranty whatsoever with respect to any product, and the implied warranty of merchantability, the implied warranty of fitness for a particular purpose, and all other warranties, express or implied shall not apply to any of the products sold.

Force Majeure

GAM shall be excused from performing any of its obligations under this Agreement which are prevented or delayed by any occurrence not within the reasonable control of GAM, including but not limited to, accidents, acts of God, damage to GAM's manufacturing plant, delays or failures in delivery of carriers or suppliers, strikes, fire, riots, explosions, or any regulations, rules, ordinances or orders of any governmental authority, whether such cause exists at the date of the order or not.

Governing Law

The parties acknowledge by submitting a credit application, guaranteeing payment of any credit account, or by ordering any products from GAM that all obligations and rights pertaining to the sale of products or extension of credit for the same bear a reasonable relation to the state of South Dakota, U.S.A., are performable in the state of South Dakota, U.S.A., and further agree and acknowledge that the laws of the state of South Dakota, U.S.A. will govern the rights and duties of GAM and the Customer.

G. A. Murdock 2022 Price List

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Mur-lok® R/O Pal

G.A. Murdock's Mur-lok® R/O Pal is your best choice for an easy, reliable access valve for your POU system.

- For use on Copper, Chrome, CPVC, PEX
- Easy installation in 5 minutes or less
- All plastic design eliminates corrosion
- 150 p.s.i. @ 70°F (10 Bar @ 20°C)



Part Number	Tube ID	Tube OD	Ball Valve End	List	1	25	50	100	250	500
A0630405	1/4"	3/8"	1/4" Female NPTF	\$17.45	10.47	10.30	10.12	9.77	8.90	7.68
A0630425	1/4"	3/8"	1/4" Mur-lok®	\$20.37	12.22	12.02	11.81	11.41	10.39	8.96
A0630625	1/4"	3/8"	3/8" Mur-lok®	\$20.80	12.48	12.27	12.06	11.65	10.61	9.15
A0630825	1/4"	3/8"	1/2" Mur-lok®	\$22.52	13.51	13.29	13.06	12.61	11.49	9.91
A0830405	3/8"	1/2"	1/4" Female NPTF	\$17.45	10.47	10.30	10.12	9.77	8.90	7.68
A0830425	3/8"	1/2"	1/4" Mur-lok®	\$20.37	12.22	12.02	11.81	11.41	10.39	8.96
A0830625	3/8"	1/2"	3/8" Mur-lok®	\$20.80	12.48	12.27	12.06	11.65	10.61	9.15
A0830825	3/8"	1/2"	1/2" Mur-lok®	\$22.52	13.51	13.29	13.06	12.61	11.49	9.91
A1030405	1/2"	5/8"	1/4" Female NPTF	\$17.72	10.63	10.45	10.28	9.92	9.04	7.80
A1030425	1/2"	5/8"	1/4" Mur-lok®	\$20.68	12.41	12.20	11.99	11.58	10.55	9.10
A1030625	1/2"	5/8"	3/8" Mur-lok®	\$21.12	12.67	12.46	12.25	11.83	10.77	9.29
A1030825	1/2"	5/8"	1/2" Mur-lok®	\$22.99	13.79	13.56	13.33	12.87	11.72	10.12
A1430405	3/4"	7/8"	1/4" Female NPTF	\$20.80	12.48	12.27	12.06	11.65	10.61	9.15
A1430425	3/4"	7/8"	1/4" Mur-lok®	\$23.75	14.25	14.01	13.78	13.30	12.11	10.45
A1430625	3/4"	7/8"	3/8" Mur-lok®	\$24.19	14.51	14.27	14.03	13.55	12.34	10.64
A1430825	3/4"	7/8"	1/2" Mur-lok®	\$26.18	15.71	15.45	15.18	14.66	13.35	11.52



In-line Ball Valves

- Exclusive 1/4 turn lever with safety collar
- Mur-lok® Fitting with Dual O-ring
- Standard materials: PVC with EPDM seals
- 150 p.s.i. @ 70°F (10 Bar @ 20°C)



Part Number	Side A	Side B	List	1	25	50	100	250	500
G0420405	1/4" Mur-lok®	1/4" Female NPTF	\$11.02	6.61	6.50	6.39	6.17	5.62	4.85
G0420415	1/4" Mur-lok®	1/4" Male NPTF	\$6.22	3.73	3.67	3.61	3.48	3.17	2.74
G0420425*	1/4" Mur-lok®	1/4" Mur-lok®	\$6.88	4.13	4.06	3.99	3.85	3.51	3.03
G0420625	1/4" Mur-lok®	3/8" Mur-lok®	\$7.19	4.31	4.24	4.17	4.03	3.67	3.16
G0420825	1/4" Mur-lok®	1/2" Mur-lok®	\$16.21	9.73	9.56	9.40	9.08	8.27	7.13
G0620405	3/8" Mur-lok®	1/4" Female NPTF	\$11.46	6.88	6.76	6.65	6.42	5.84	5.04
G0620415	3/8" Mur-lok®	1/4" Male NPTF	\$11.46	6.88	6.76	6.65	6.42	5.84	5.04
G0620615	3/8" Mur-lok®	3/8" Male NPTF	\$6.41	3.85	3.78	3.72	3.59	3.27	2.82
G0620625*	3/8" Mur-lok®	3/8" Mur-lok®	\$7.03	4.22	4.15	4.08	3.94	3.59	3.09
G0620825	3/8" Mur-lok®	1/2" Mur-lok®	\$16.65	9.99	9.82	9.66	9.32	8.49	7.33
G0820615	1/2" Mur-lok®	3/8" Male NPTF	\$13.90	8.34	8.20	8.06	7.78	7.09	6.12
G0820825	1/2" Mur-lok®	1/2" Mur-lok®	\$8.89	5.33	5.25	5.16	4.98	4.53	3.91
G0400405	1/4" Female NPTF	1/4" Female NPTF	\$8.28	4.97	4.89	4.80	4.64	4.22	3.64
G0400415	1/4" Female NPTF	1/4" Male NPTF	\$8.28	4.97	4.89	4.80	4.64	4.22	3.64
G0600605	3/8" Female NPTF	3/8" Female NPTF	\$8.89	5.33	5.25	5.16	4.98	4.53	3.91
G0600615	3/8" Female NPTF	3/8" Male NPTF	\$8.89	5.33	5.25	5.16	4.98	4.53	3.91

Other configurations available, call (800) 568-7565 for more information.

* Most popular configurations



90° Ball Valves

- Exclusive 1/4 turn lever with safety collar
- Mur-lok® Fitting with Dual O-ring
- Standard materials: PVC with EPDM seals
- 150 p.s.i. @ 70°F (10 Bar @ 20°C)



Part Number	Side A	Side B	List	1	25	50	100	250	500
I0400425*	1/4" Female NPTF	1/4" Mur-lok®	\$6.55	3.93	3.86	3.80	3.67	3.34	2.88
I0400625*	1/4" Female NPTF	3/8" Mur-lok®	\$6.76	4.06	3.99	3.92	3.79	3.45	2.97
I0600625	3/8" Female NPTF	3/8" Mur-lok®	\$12.56	7.54	7.41	7.28	7.03	6.41	5.53
I0210425	1/8" Male NPTF	1/4" Mur-lok®	\$11.75	7.05	6.93	6.82	6.58	5.99	5.17
I0210625	1/8" Male NPTF	3/8" Mur-lok®	\$12.29	7.37	7.25	7.13	6.88	6.27	5.41
I0410405	1/4" Male NPTF	1/4" Female NPTF	\$9.13	5.48	5.39	5.30	5.11	4.66	4.02
I0410425	1/4" Male NPTF	1/4" Mur-lok®	\$11.75	7.05	6.93	6.82	6.58	5.99	5.17
I0410625	1/4" Male NPTF	3/8" Mur-lok®	\$12.29	7.37	7.25	7.13	6.88	6.27	5.41
I0610625	3/8" Male NPTF	3/8" Mur-lok®	\$12.57	7.54	7.42	7.29	7.04	6.41	5.53
I0810425	1/2" Male NPTF	1/4" Mur-lok®	\$13.01	7.81	7.68	7.55	7.29	6.64	5.72
I0810625	1/2" Male NPTF	3/8" Mur-lok®	\$13.46	8.08	7.94	7.81	7.54	6.86	5.92
I1410625	3/4" Male NPTF	3/8" Mur-lok®	\$13.77	8.26	8.12	7.99	7.71	7.02	6.06
I1410825	3/4" Male NPTF	1/2" Mur-lok®	\$14.89	8.93	8.79	8.64	8.34	7.59	6.55

*Tank Valve for a standard undersink storage tank.

Other configurations available, call (800) 568-7565 for more information

"Stubby" Ball Valves

Compression fitting connects to Copper, PVC, Pex, or any rigid pipe.



Part Number	Tube ID	Tube OD	Ball Valve End	List	1	25	50	100	250	500
I0630425	1/4"	3/8"	1/4" Mur-lok®	\$14.66	8.80	8.65	8.50	8.21	7.48	6.45
I0630625	1/4"	3/8"	3/8" Mur-lok®	\$15.10	9.06	8.91	8.76	8.46	7.70	6.64
I0830625	3/8"	1/2"	3/8" Mur-lok®	\$15.10	9.06	8.91	8.76	8.46	7.70	6.64
I1030425	1/2"	5/8"	1/4" Mur-lok®	\$14.96	8.98	8.83	8.68	8.38	7.63	6.58
I1030625	1/2"	5/8"	3/8" Mur-lok®	\$15.40	9.24	9.09	8.93	8.62	7.85	6.78
I1030825	1/2"	5/8"	1/2" Mur-lok®	\$17.29	10.37	10.20	10.03	9.68	8.82	7.61



G. A. Murdock 2022 Price List

90° Stem Ball Valves

G.A. Murdock's line of 90° Stem Ball Valves quickly plug into any 3/8" Mur-lok® fitting, allowing for simple flow control at any connection.

- All plastic design eliminates corrosion
- 3/8" stem allows valve to swivel
- Mur-lok® fitting for quick installation
- 150 p.s.i. @ 70°F (10 Bar @ 20°C)
- 60 p.s.i. @ 140°F (4 Bar @ 60°C)
- Standard Material: PVC with EPDM Seals



Part Number	Side A	Side B	List	1	25	50	100	250	500
I0660425	3/8" Stem	1/4" Mur-lok®	\$12.06	7.24	7.12	6.99	6.75	6.15	5.31
I0660625	3/8" Stem	3/8" Mur-lok®	\$12.56	7.54	7.41	7.28	7.03	6.41	5.53
I0660825	3/8" Stem	1/2" Mur-lok®	\$14.67	8.80	8.66	8.51	8.22	7.48	6.45

John Guest® Polypropylene Shutoff Valves



Part #	Type	Dimensions	List	1	25	50	100	250	500
PPSV040808W	Inline Valve	1/4" QC x 1/4" QC	\$9.13	5.30	4.66	4.57	4.38	4.20	4.02
PPSV040808E	Inline Valve	1/4" QC x 1/4" QC - Black	\$9.13	5.30	4.66	4.57	4.38	4.20	4.02
PPSV041212W	Inline Valve	3/8" QC x 3/8" QC	\$9.63	5.59	4.91	4.82	4.62	4.43	4.24
PISV0416S	Inline Valve	1/2" QC x 1/2" QC - Long Handle	\$13.31	7.72	6.92	6.79	6.52	6.26	5.99
PPSV010822W	QC x Male	1/4" QC x 1/4" Male NPTF	\$9.13	5.30	4.75	4.66	4.47	4.29	4.11
PPSV011223W	QC x Male	3/8" QC x 3/8" Male NPTF	\$9.63	5.59	4.91	4.82	4.62	4.43	4.24
PPSV500822W	90° Tank Valve	1/4" QC x 1/4" Female NPTF	\$10.05	5.83	5.13	5.03	4.82	4.62	4.42
PPSV501222W	90° Tank Valve	3/8" QC x 1/4" Female NPTF	\$10.48	6.08	5.35	5.24	5.03	4.82	4.61
SVMC-10	Mounting Bracket	3/8"	\$2.27	1.70	1.29	1.25	1.20	1.09	1.04

⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

John Guest® Plumbing Shutoff Valves



Part Number	CTS (Tube ID)	CTS (Tube ID)	List	1	10	50	100	500
PSEISV20	1/2"	1/2"	\$21.71	21.71	17.80	17.37	16.93	15.20
PSEISV28	3/4"	3/4"	\$27.26	27.26	22.35	21.81	21.26	19.08

⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov
CTS: Copper Tube Size is the inner diameter of the pipe.

SeaTech / AquaLock Inline Valves

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F



Part Number	Model	CTS (Tube ID)	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3539R-1004	81902992	1/2"	1/4" OD	40	\$19.68	13.78	12.79	11.81	9.25
3555-1006	81903021	1/2"	1/4"	60	\$14.53	10.17	9.44	8.72	6.83
3555-1008	81903022	1/2"	3/8"	40	\$24.14	16.90	15.69	14.48	11.35
3539-10	81902988	1/2"	1/2"	40	\$13.90	9.73	9.04	8.34	6.53
3539-14	81902990	3/4"	3/4"	10	\$22.49	15.74	13.49	13.49	10.57
3539-18	81902991	1"	1"	8	\$27.44	19.21	16.46	16.46	12.90

⚠️ **WARNING:** This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Stem Valves

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F



Part Number	Model	CTS Stem	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3543-10	81902995	1/2"	1/2"	40	\$15.39	10.77	10.00	9.23	7.23
3543R-1004	81902996	1/2"	1/4" OD	40	\$16.81	11.77	10.93	10.09	7.90

⚠️ **WARNING:** This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock 3-way Valves

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F



Part #	Model	CTS	Description	Box Qty	List	1	10	1 box	10 box
3538-10	81902985	1/2"	Selector Valve - Water flows straight or in a 90°, only 2 ports open at a time.	20	\$22.20	15.54	14.43	13.32	10.43
3541-10	81902994	1/2"	Bypass Valve - Water flows through all 3 ports or in a 90°.	20	\$31.36	21.95	20.38	18.82	14.74

⚠️ **WARNING:** This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

John Guest® Check Valves

Acetal Construction, Buna Seals



Part Number	Description	Cracking Pressure	List	1	25	50	100	250	500
1/4SCV	1/4" Check Valve - White	0.3 psi	\$16.94	9.83	8.64	8.47	8.13	7.79	7.45
3/8SCV	3/8" Check Valve - White	0.3 psi	\$17.35	10.06	8.85	8.68	8.33	7.98	7.63

⚠️ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

G. A. Murdock 2022 Price List

Valves
EZ-Adapters

Drain Products
Regulators
Gauges
Fittings

Tubing
Systems

Pumps
Tanks

Housings

Filters

Membranes

Faucets

Tools

Chemicals

Instruments



SeaTech / AquaLock Check Valves

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F




Part #	Model	Description	Cracking Pressure	Box Qty	List	1	10	1 box	10 box
3540-10	81902993	1/2" ID (5/8" OD)	0.5 psi	50	\$8.83	6.18	5.74	5.30	4.15

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Mur-lok® Check Valves

- Polypropylene Body/Collets
- Acetal Check Valve Insert
- Dual EPDM O-rings


- 0-150 p.s.i. pressure rating
- 33°-140° F (1°-60° C) temperature rating
- 301 Stainless Steel Spring



Part Number	Description	Cracking Pressure	List	1	10	50	100	500
J0422426	1/4" Check Valve	0.3 psi	\$13.75	6.88	6.05	5.91	5.78	5.64
J0422426-03	1/4" Check Valve	2.75 psi	\$13.75	6.88	6.05	5.91	5.78	5.64
J0422426-05	1/4" Check Valve	5 psi	\$13.75	6.88	6.05	5.91	5.78	5.64
J0422426-PP	1/4" Check Valve (All Polypropylene)	0.3 psi	\$14.47	7.24	6.37	6.22	6.08	5.93
J0622626	3/8" Check Valve	0.3 psi	\$14.62	7.31	6.43	6.29	6.14	5.99
J0822826	1/2" Check Valve	0.3 psi	\$17.08	8.54	7.52	7.34	7.17	7.00

Certified by IAPMO R&T to NSF/ANSI 58 for material and structural integrity requirements only, and to NSF/ANSI 372 for lead free compliance. To order black check valves, add a "B" to the end of the part number.

Mur-lok® Elbow Check Valves



Part Number	Description	Cracking Pressure	List	1	10	50	100	500
SCV-P0420216	1/4" QC x 1/8" Male NPTF Elbow CV	0.75 psi	\$10.03	5.02	4.41	4.31	4.21	4.11

Minimum 100 pieces per order for black. To order black check valves, add a "B" to the end of the part number.

EZ Angle Stop Adapters

EZ Angle Stop Adapters are the simplest way to connect any water-using appliance.

- All plastic design eliminates corrosion
- Easily attaches to 3/8" Angle Stop & Flexible Supply Tube
- Mur-lok® Fitting for quick installation
- 150 p.s.i. @ 70° F (10 Bar @ 20° C)
- 60 p.s.i. @ 140° F (4 Bar @ 60° C)
- Chemical resistant polypropylene material



Part Number	Female	Male	Side Outlet	List	1	25	50	100	250	500
H0630426	3/8"	3/8"	1/4" Mur-lok®	\$5.44	3.26	3.10	2.99	2.88	2.72	2.45
H0630626	3/8"	3/8"	3/8" Mur-lok®	\$5.90	3.54	3.36	3.25	3.13	2.95	2.66
GAM GA090			Replacement Gasket	\$0.33	0.20	0.19	0.19	0.18	0.18	0.16

EZ Angle Stop Adapter Kits

Part Number	Female	Male	Ball Valve	List	1	25	50	100	250	500
H0730426	3/8"	3/8"	1/4" Mur-lok® 90° Ball Valve	\$17.21	10.33	9.81	9.47	9.12	8.61	7.74
H0730626	3/8"	3/8"	3/8" Mur-lok® 90° Ball Valve	\$17.64	10.58	10.05	9.70	9.35	8.82	7.94
H0730826	3/8"	3/8"	1/2" Mur-lok® 90° Ball Valve	\$19.60	11.76	11.17	10.78	10.39	9.80	8.82

Also available: Mur-lok® Male Angle Stop Connectors - Page 9
Mur-lok® Female Angle Stop Connectors - Page 12

EZ Faucet Adapters - PVC

The EZ Faucet Adapter provides a simple connection for installing any water system.

- All plastic design eliminates corrosion
- Mur-lok® Fitting for quick installation
- Easily connects between standard kitchen sink faucet and supply tube
- 150 p.s.i. @ 70° F (10 Bar @ 20° C)
- 60 p.s.i. @ 140° F (4 Bar @ 60° C)
- Adapts to corrugated, braided plastic/stainless steel supply tubes



Part Number	Female	Male	Side Outlet	List	1	25	50	100	250	500
H0830425	1/2" NPSM	1/2" NPSM	1/4" Mur-lok®	\$6.84	4.10	3.90	3.76	3.63	3.42	3.08
H0830625	1/2" NPSM	1/2" NPSM	3/8" Mur-lok®	\$7.28	4.37	4.15	4.00	3.86	3.64	3.28
GAM GA083			Replacement Gasket	\$0.37	0.22	0.22	0.21	0.21	0.20	0.18

EZ Faucet Adapter Kits

Part Number	Female	Male	Ball Valve	List	1	25	50	100	250	500
H0930425	1/2" NPSM	1/2" NPSM	1/4" Mur-lok® 90° Ball Valve	\$19.52	11.71	11.52	11.32	10.93	9.96	8.59
H0930625	1/2" NPSM	1/2" NPSM	3/8" Mur-lok® 90° Ball Valve	\$19.99	11.99	11.79	11.59	11.19	10.19	8.80

EZ Faucet Adapter II - Polypropylene

- All plastic design eliminates corrosion
- Mur-lok® Fitting for quick installation
- Easily connects between standard kitchen sink faucet and supply tube
- 150 p.s.i. @ 70° F (10 Bar @ 20° C)
- 60 p.s.i. @ 140° F (4 Bar @ 60° C)
- Adapts to corrugated, braided plastic/stainless steel supply tubes



Part Number	Female	Male	Side Outlet	List	1	25	50	100	250	500
H0830426	1/2" NPSM	1/2" NPSM	1/4" Mur-lok®	\$6.45	3.87	3.68	3.55	3.42	3.23	2.90
H0830626	1/2" NPSM	1/2" NPSM	3/8" Mur-lok®	\$6.88	4.13	3.92	3.78	3.65	3.44	3.10
GAM GA085			Replacement Gasket	\$0.37	0.22	0.22	0.21	0.21	0.20	0.18



John Guest® Angle Stop Valves



Part #	Female	Male	Side Outlet	List	1	20	40	80	160
ASVPP1LF	3/8" Compression	3/8" Compression	1/4" QC	\$19.39	11.25	9.89	9.70	9.31	8.92
ASVPP2LF	3/8" Compression	3/8" Compression	3/8" QC	\$19.64	11.39	10.02	9.82	9.43	9.03
ASVPP5LF*	1/2" NPS or 3/8" Compression	1/2" NPS or 3/8" Compression	1/4" QC	\$30.72	17.82	15.67	15.36	14.75	14.13
ASVPP6LF*	1/2" NPS or 3/8" Compression	1/2" NPS or 3/8" Compression	3/8" QC	\$33.22	19.27	16.94	16.61	15.95	15.28

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

* ASVPP5 and ASVPP6 include an adapter for converting 1/2" NPS threads to or from 3/8" Compression.



John Guest® Plastic Angle Stop Valves



Part #	Female	Male	Side Outlet	List	1	20	40	80	160
PASVPP1	3/8" Compression	3/8" Compression	1/4" QC	\$14.76	8.56	7.53	7.38	7.09	6.79
PASVPP2	3/8" Compression	3/8" Compression	3/8" QC	\$15.33	8.89	7.82	7.67	7.36	7.05
PASVPP5*	1/2" NPS or 3/8" Compression	1/2" NPS or 3/8" Compression	1/4" QC	\$23.95	13.89	12.22	11.98	11.50	11.02
PASVPP6*	1/2" NPS or 3/8" Compression	1/2" NPS or 3/8" Compression	3/8" QC	\$25.30	14.67	12.90	12.65	12.14	11.64

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

* PASVPP5 and PASVPP6 include an adapter for converting 1/2" NPS threads to or from 3/8" Compression.



SeaTech / AquaLock Stop Valve Adapters

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F



Part #	Model	Female	Male	Side Outlet	Box Qty	List	1	10	1 box	10 box
3561-0604	81903036	3/8" Comp.	3/8" Comp.	1/4" QC	50	\$30.85	21.60	20.05	18.51	14.50

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Drain II Air Gap Adapters

G.A. Murdock's Drain II Air Gap Adapter provides a splash-free dual air gap connection for installing up to 2 effluent producing water systems. The Drain II has the following features:

- Constructed of NSF approved PVC
- Mur-lok® Fitting for quick installation
- 45° Barb fittings for optimal drain line connections
- Connects to 3/8", 1/2", 5/8" ID water softener drain line
- Connects to 1/4", 3/8", 1/2" OD RO drain line
- Easily attaches to either 1.5" or 2" Standpipes



Barbed elbow ordered separately. See below.



Part Number	Material	Top Port	Side Port	List	1	25	50	100	250	500
M3208007	White PVC	1/2" Mur-lok®	None	\$17.30	10.38	10.03	9.69	9.34	9.00	8.65
M3208047	White PVC	1/2" Mur-lok®	1/4" Mur-lok®	\$20.20	12.12	11.72	11.31	10.91	10.50	10.10
M3208067	White PVC	1/2" Mur-lok®	3/8" Mur-lok®	\$20.65	12.39	11.98	11.56	11.15	10.74	10.33
M3208107	White PVC	1/2" Female NPT	None	\$17.30	10.38	10.03	9.69	9.34	9.00	8.65
M3208147	White PVC	1/2" Female NPT	1/4" Mur-lok®	\$20.20	12.12	11.72	11.31	10.91	10.50	10.10
M3208167	White PVC	1/2" Female NPT	3/8" Mur-lok®	\$20.65	12.39	11.98	11.56	11.15	10.74	10.33
M3208006	Black ABS	1/2" Mur-lok®	None	\$17.30	10.38	10.03	9.69	9.34	9.00	8.65
M3208046	Black ABS	1/2" Mur-lok®	1/4" Mur-lok®	\$20.20	12.12	11.72	11.31	10.91	10.50	10.10
M3208066	Black ABS	1/2" Mur-lok®	3/8" Mur-lok®	\$20.65	12.39	11.98	11.56	11.15	10.74	10.33

45° Barbed Elbows for Drain II



Part Number	Stem	Barb	List	1	25	50	100	250	500
N0860647	1/2"	3/8" Hose Barb	\$1.96	1.18	1.14	1.10	1.06	1.02	0.98
N0860847	1/2"	1/2" Hose Barb	\$1.96	1.18	1.14	1.10	1.06	1.02	0.98
N0861047	1/2"	5/8" Hose Barb	\$1.96	1.18	1.14	1.10	1.06	1.02	0.98

Straight barb connectors also available, see "Mur-lok Fittings - Tube to Hose Stems" - page 11.

PVC Drain Saddles

Fits Sanitary Drain Pipe Only



Part Number	Description	List	1	25	50	100	250	500
M1800427	1.25" Drain Saddle - 1/4" Mur-lok®	\$9.29	4.65	4.55	4.46	4.37	4.18	3.95
M1800627	1.25" Drain Saddle - 3/8" Mur-lok®	\$9.84	4.92	4.82	4.72	4.63	4.43	4.18
M2000407	1.5" Drain Saddle - 1/4" Female NPTF	\$7.12	3.56	3.49	3.42	3.35	3.20	3.03
M2000427	1.5" Drain Saddle - 1/4" Mur-lok®	\$9.29	4.65	4.55	4.46	4.37	4.18	3.95
M2000627	1.5" Drain Saddle - 3/8" Mur-lok®	\$9.84	4.92	4.82	4.72	4.63	4.43	4.18
N0840417	1/2" Barb x 1/4" Male NPTF Elbow-Nylon	\$2.18	1.31	----	----	1.22	1.18	1.11

G. A. Murdock 2022 Price List

SV-1LF SV-9LF



Lead Free Saddle Valves



Part Number	Description	List	1	25	50	100
SV-9LF	C-style Valve, fits 3/8"-5/8" with 1/4" Brass Compression	\$14.22	7.11	6.68	6.26	5.83
SV-1LF	Flat-style Valve, fits 3/8"-1" with 1/4" Brass Compression	\$9.33	4.67	4.39	4.11	3.83

WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
 Note: Some state and local plumbing codes prohibit saddle valve installations, please verify before installing.



DLA-G TAG



Eco-tech Air Gap Adapters

Part Number	Model	Description	List	1	10	25	50
ETG38QCP	DLA-G-38QCP	3/8" QC w/ PVC trap adapters	\$30.66	16.86	15.64	15.02	13.80
ETG50BP	DLA-G-50BP	1/2" Barb w/ PVC trap adapters	\$30.90	17.00	15.76	15.14	13.91
ETG50QCP	DLA-G-50QCP	1/2" QC w/ PVC trap adapters	\$32.87	18.08	16.76	16.11	14.79
ETG58JP	DLA-G-58JP	5/8" Jaco w/ PVC trap adapters	\$32.95	18.12	16.80	16.15	14.83
ETT25QC	DLA-TAG-25QC	1/4" QC outlet, Chrome cap	\$42.28	23.25	21.56	20.72	19.03

Eco-tech Drain Line Adapters




DLA-9



DLA-12



DLA-D WITH DISHWASHER HOSE



DLA-D WITHOUT DISHWASHER HOSE

Part #	Model	Description	List	1	10	25	50
ET938QC	DLA-9-38QC	For Single Sink with Disposal Unit - 1.5" Outlet - 3/8" QC	\$21.24	11.68	10.83	10.41	9.56
ET1214QC	DLA-12-14QC	For Drain Pipe - 1.5" Outlet Tee - 1/4" QC	\$21.13	11.62	10.78	10.35	9.51
ET1238QC	DLA-12-38QC	For Drain Pipe - 1.5" Outlet Tee - 3/8" QC	\$21.15	11.63	10.79	10.36	9.52
ETD25QC	DLA-D-25QC	For Disposal Unit with Dishwasher Hose Connection - 7/8" Barb - 1/4" QC	\$18.53	10.19	9.45	9.08	8.34
ETD38QC	DLA-D-38QC	For Disposal Unit with Dishwasher Hose Connection - 7/8" Barb - 3/8" QC	\$18.54	10.20	9.46	9.08	8.34

Norgren Pressure Regulators



- Maximum Supply Pressure: 150 psi
- Adjustable Pressure Knob
- 1/4" Female NPTF Inlet/Outlet
- 1/8" Female NPTF Gauge Ports
- Temperature Range: 35°-125° F
- NSF Approved Acetal Material w/ Stainless Steel and Food Grade EPDM Elastomer



Part Number	Description	Preset +/- 3%	Range	List	1	20	50	100
R91W2AS012	4 Port	3 PSI	0-10 PSI	\$125.65	64.08	60.31	56.17	52.77
R91S200AA	4 port - USP Class 6	3 PSI	0-10 PSI	\$143.16	73.01	68.72	63.99	60.13
R91W2AK015	4 Port	15 PSI	0-25 PSI	\$171.62	87.53	82.38	76.71	72.08
R91W2AK040	4 Port	40 PSI	5-50 PSI	\$128.06	65.31	61.47	57.24	53.79
R91W2AK050	4 Port	50 PSI	5-125 PSI	\$214.54	109.42	102.98	95.90	90.11
R9100296289	Plastic Nut			\$9.08	4.63	4.36	4.06	3.81
R9118025003	Bracket & Plastic Nut			\$29.36	14.97	14.09	13.12	12.33

Watts Pressure Regulators

1/4" Female NPTF Ports



Part Number	Description	Preset +/- 3%	Range	List	1	20	50
0354554	2 port	15 PSI	0-25 PSI	\$75.04	38.27	36.02	33.54
0354555	2 port	40 PSI	0-60 PSI	\$80.99	41.30	38.88	36.20
0354556	2 port	50 PSI	0-125 PSI	\$89.32	45.55	42.87	39.93
0354590	4 port	15 PSI	0-25 PSI	\$92.15	47.00	44.23	41.19
0354591	4 port	40 PSI	0-60 PSI	\$93.68	47.78	44.97	41.87
0354592	4 port	50 PSI	0-125 PSI	\$91.33	46.58	43.84	40.82
1057082	Panel Bracket			\$6.28	3.20	3.01	2.81
0351020	Panel Nut			\$23.64	12.06	11.35	10.57



SHOK BLOK™ Filter Protection Valves

Limits line water pressure to protect filters from hammering, single inlet and outlet.



Part Number	Model	Description	List	1	10	30
SB-FPV-60	IWSB-60	60 psi, 1/4" QC	\$18.47	11.08	10.16	9.24
SB-FPV-60/38	IWSB-60/38	60 psi, 3/8" QC	\$19.24	11.54	10.58	9.62
SB-FPV-70	IWSB-70	70 psi, 1/4" QC	\$17.83	10.70	9.81	8.92
SB-FPV-70/38	IWSB-70/38	70 psi, 3/8" QC	\$19.24	11.54	10.58	9.62



Liquid-Filled Pressure Gauges

Glycerin filled with a stainless case, Lead Free Brass (LFB) or Stainless Steel (SS) internals. Male NPT Connection.



Part Number	Range	Description	List	1	25	50	100
Lead Free Brass Internals							
B204L-BE-LF•	0-100 psi/bar	LFB, 1/4" NPT - 2" Dial	\$29.97	17.98	17.68	17.38	16.78
B204R-BE-LF•	0-100 psi	LFB, 1/4" NPT - 2" Dial, Back-Mount	\$13.27	7.96	7.83	7.70	7.43
B204R-BEU-LF•	0-100 psi/bar	LFB, 1/4" NPT - 2" Dial, Back-Mount, U-clamp	\$31.35	18.81	18.50	18.18	17.56
SE203L-254E-LF•	0-100 psi/bar	LFB, 1/4" NPT-2.5" Dial, Back-Mount, U-clamp	\$31.35	18.81	18.50	18.18	17.56
B204L-BF-LF•	0-160 psi	LFB, 1/4" NPT - 2" Dial	\$12.53	7.52	7.39	7.27	7.02
B202L-208F-LF•	0-160 psi/bar	LFB, 1/8" NPT - 2" Dial, Back-Mount	\$29.83	17.90	17.60	17.30	16.71
B204R-BF-LF•	0-160 psi/bar	LFB, 1/4" NPT - 2" Dial, Back-Mount	\$29.83	17.90	17.60	17.30	16.71
B204L-BG-LF•	0-200 psi	LFB, 1/4" NPT - 2" Dial	\$12.53	7.52	7.39	7.27	7.02
B204L-BH-LF•	0-300 psi/bar	LFB, 1/4" NPT - 2" Dial	\$29.93	17.96	17.66	17.36	16.76
Stainless Steel Internals							
B204L-BE-SS	0-100 psi/bar	SS, 1/4" NPT - 2" Dial	\$74.81	44.89	44.14	43.39	41.89
B204R-BE-SS	0-100 psi/bar	SS, 1/4" NPT - 2" Dial, Back-Mount	\$87.50	52.50	51.63	50.75	49.00
B204R-BEU-SS	0-100 psi/bar	SS, 1/4" NPT - 2" Dial, Back-Mount, U-clamp	\$100.77	60.46	59.45	58.45	56.43
B202L-208F-SS	0-160 psi	SS, 1/8" NPT - 2" Dial, Back-Mount	\$98.13	58.88	57.90	56.92	54.95
B204L-BF-SS	0-160 psi/bar	SS, 1/4" NPT - 2" Dial	\$74.81	44.89	44.14	43.39	41.89
B204R-BF-SS	0-160 psi/bar	SS, 1/4" NPT - 2" Dial, Back-Mount	\$87.50	52.50	51.63	50.75	49.00
B204L-BG-SS	0-200 psi/bar	SS, 1/4" NPT - 2" Dial	\$74.81	44.89	44.14	43.39	41.89
B254R-BH-SS	0-300 psi/bar	SS, 1/4" NPT - 2.5" Dial, Back-Mount	\$87.50	52.50	51.63	50.75	49.00

⚠️WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Air-Filled Pressure Gauges

Lead Free, 2" Dial



Part Number	Range	Description	List	1	25	50	100
M208LBC-PC-LF	0 - 30 psi	1/8" Male NPT	\$8.47	5.08	5.00	4.91	4.74
M208LBD-PC-LF	0 - 60 psi	1/8" Male NPT	\$8.47	5.08	5.00	4.91	4.74
M208LBDF-PC-LF	0 - 160 psi/bar	1/8" Male NPT	\$11.29	6.77	6.66	6.55	6.32
M204LB100-PCLF	0 - 100 psi	1/4" Male NPT	\$8.25	4.95	4.87	4.79	4.62

⚠️WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Hose Bib Pressure Gauges

Kit including a pressure gauge and hose bib for checking static water pressure.



Part Number	Description	List	1	5	10
B204L-BELF-KIT	0 - 100 psi - Glycerin Filled - Female Garden Hose	\$41.20	24.72	22.66	20.60
B204L-BGLF-KIT	0 - 200 psi - Glycerin Filled - Female Garden Hose	\$41.97	25.18	23.08	20.99
M204LB100LF-KIT	0 - 100 psi - Air Filled - Female Garden Hose	\$25.32	15.19	13.93	12.66

⚠️WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Flexible Water Softener Connectors - FIP

Stainless steel corrugated water connectors with large inner diameter.



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
FF-12	3/4" FIP	3/4" FIP	12"	25	\$12.86	7.72	7.33	7.07	6.82
FF-15	3/4" FIP	3/4" FIP	15"	25	\$14.04	8.42	8.00	7.72	7.44
FF-18	3/4" FIP	3/4" FIP	18"	25	\$14.27	8.56	8.13	7.85	7.56
FF-24	3/4" FIP	3/4" FIP	24"	25	\$16.43	9.86	9.37	9.04	8.71
FF-36	3/4" FIP	3/4" FIP	36"	25	\$28.85	17.31	16.45	15.87	15.29
FF-48	3/4" FIP	3/4" FIP	48"	25	\$34.12	20.47	19.45	18.77	18.08
SWC-134-18	1" FIP	3/4" FIP	18"	25	\$17.64	10.58	10.06	9.70	9.35
SWC-134-24	1" FIP	3/4" FIP	24"	25	\$20.08	12.05	11.45	11.04	10.64
SWC-1-12	1" FIP	1" FIP	12"	25	\$33.32	19.99	18.99	18.33	17.66
SWC-1-18	1" FIP	1" FIP	18"	25	\$41.66	25.00	23.75	22.91	22.08
SWC-1-24	1" FIP	1" FIP	24"	25	\$53.42	32.05	30.45	29.38	28.31
SWC-1-36	1" FIP	1" FIP	36"	25	\$79.98	47.99	45.59	43.99	42.39
SWC-1-48	1" FIP	1" FIP	48"	25	\$99.58	59.75	56.76	54.77	52.78
SWC-112-24	1.5" FIP	1.5" FIP	24"	25	\$82.65	49.59	47.11	45.46	43.81
SWC-2-18	2" FIP	2" FIP	18"	25	\$136.67	82.00	77.90	75.17	72.44
SWC-2-24	2" FIP	2" FIP	24"	25	\$155.81	93.49	88.81	85.70	82.58

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

G. A. Murdock 2022 Price List



Flexible Water Softener Connectors - ULTRA-FLEX™

Designed with added flexibility for frequent equipment change-outs.



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
SWC-340-06	3/4" FIP	3/4" FIP	6"	25	\$10.04	6.02	5.72	5.52	5.32
SWC-340-12	3/4" FIP	3/4" FIP	12"	25	\$12.84	7.70	7.32	7.06	6.81
SWC-340-15	3/4" FIP	3/4" FIP	15"	25	\$14.41	8.65	8.21	7.93	7.64
SWC-340-18	3/4" FIP	3/4" FIP	18"	25	\$16.86	10.12	9.61	9.27	8.94
SWC-340-24	3/4" FIP	3/4" FIP	24"	25	\$20.87	12.52	11.90	11.48	11.06

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Flexible Water Softener Connectors - FIP x PTC



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
PTCPTC34	3/4" PTC	3/4" PTC	18"	25	\$35.66	21.40	20.33	19.61	18.90
PTC34JG-18	3/4" PTC	3/4" FIP	18"	25	\$31.61	18.97	18.02	17.39	16.75
PTC34JG-24	3/4" PTC	3/4" FIP	24"	25	\$33.09	19.85	18.86	18.20	17.54
PTC34JG1N	3/4" PTC	1" Nylon FIP	18"	25	\$30.32	18.19	17.28	16.68	16.07
PTC34JG114N	3/4" PTC	1.25" Nylon FIP	18"	25	\$34.96	20.98	19.93	19.23	18.53
PTC34JG1N-24 NEW	3/4" PTC	1" Nylon FIP	24"	25	\$34.97	20.98	19.93	19.23	18.53
PTC1JG1N	1" PTC	1" Nylon FIP	18"	25	\$56.29	33.77	32.09	30.96	29.83
PTC1JG114N	1" PTC	1.25" Nylon FIP	18"	25	\$59.00	35.40	33.63	32.45	31.27
PTC1JG114N-24	1" PTC	1.25" Nylon FIP	24"	25	\$69.81	41.89	39.79	38.40	37.00

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PTC: Push-to-Connect



Flexible Water Softener Connectors - Clack



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
PTC34JGCQ-18	Clack Quick Connect	3/4" PTC	18"	25	\$39.19	23.51	22.34	21.56	20.77
PTC34JGCQ-24	Clack Quick Connect	3/4" PTC	24"	25	\$40.02	24.01	22.81	22.01	21.21
SWCC34-18	Clack Quick Connect	3/4" FIP	18"	25	\$27.49	16.49	15.67	15.12	14.57
PTC1JGCQ-18	Clack Quick Connect	1" PTC	18"	25	\$56.21	33.73	32.04	30.92	29.79
PTC1JGCQ-24	Clack Quick Connect	1" PTC	24"	25	\$61.28	36.77	34.93	33.70	32.48
SWCC1-18	Clack Quick Connect	1" FIP	18"	25	\$48.20	28.92	27.47	26.51	25.55
SWCC1-24	Clack Quick Connect	1" FIP	24"	25	\$57.27	34.36	32.64	31.50	30.35
SWCCQ-18	Clack Quick Connect	Clack Quick Connect	18"	25	\$52.63	31.58	30.00	28.95	27.89
SWCCQ-24	Clack Quick Connect	Clack Quick Connect	24"	25	\$60.24	36.14	34.34	33.13	31.93

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Clack QC (quick connect) ends plug directly into Clack bypass. Clack nut, clip and O-ring from tailpiece assembly required.



Flexible Water Softener Connectors - Culligan, Erie



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
SWCN-1141-12	1.25" Nylon FIP	1" FIP	12"	25	\$37.36	22.42	21.30	20.55	19.80
SWCN-1141-15	1.25" Nylon FIP	1" FIP	15"	25	\$41.75	25.05	23.80	22.96	22.13
SWCN-1141-18	1.25" Nylon FIP	1" FIP	18"	25	\$49.42	29.65	28.17	27.18	26.19
SWCN-1141-24	1.25" Nylon FIP	1" FIP	24"	25	\$57.85	34.71	32.98	31.82	30.66
SWCN-11434-15*	1.25" Nylon FIP	3/4" FIP	15"	25	\$21.66	13.00	12.35	11.91	11.48
SWCN-11434-18	1.25" Nylon FIP	3/4" FIP	18"	25	\$22.07	13.24	12.58	12.14	11.70
SWCN-11434-24	1.25" Nylon FIP	3/4" FIP	24"	25	\$25.72	15.43	14.66	14.15	13.63

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
* Marked item cannot be used with Hague units.



Flexible Water Softener Connectors-GE Autotrol 256/1256



Part Number	End	End	Length	Qty	List	< case	1 case	2 case	4 case
PTC34JG134N-24	1.75" Female Nylon GE	3/4" PTC	24"	25	\$39.00	23.40	22.23	21.45	20.67
SWCN13434-12	1.75" Female Nylon GE	3/4" FIP	12"	25	\$21.89	13.13	12.48	12.04	11.60
SWCN13434-18	1.75" Female Nylon GE	3/4" FIP	18"	25	\$24.47	14.68	13.95	13.46	12.97
PTC1JG134N-18	1.75" Female Nylon GE	1" PTC	18"	25	\$55.83	33.50	31.82	30.71	29.59
PTC1JG134N-24	1.75" Female Nylon GE	1" PTC	24"	25	\$61.05	36.63	34.80	33.58	32.36
SWCN1341-12	1.75" Female Nylon GE	1" FIP	12"	25	\$38.40	23.04	21.89	21.12	20.35
SWCN1341-18	1.75" Female Nylon GE	1" FIP	18"	25	\$51.00	30.60	29.07	28.05	27.03

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MUR-LOK®

Connect with Confidence


Mur-lok® Polypropylene Fittings


G.A. Murdock's line of Mur-lok® Polypropylene Fittings have a dual o-ring design at each tube connection, giving end users confidence in their fitting connections.

All Mur-lok® fittings are constructed of FDA approved materials and are suitable for food contact.

Fitting Features:


- ▶ Leak Resistant Dual EPDM O-rings
- ▶ Chemical Resistant Polypropylene
- ▶ 150 p.s.i. @ 70°F (10 Bar @ 20°C)
- ▶ 60 p.s.i. @ 140°F (4 Bar @ 60°C)
- ▶ For use with Plastic or Soft Metal Tubing

 Where indicated, Mur-lok Fittings and Tubing have been certified by IAPMO R&T to NSF/ANSI 58 for material and structural integrity requirements only, and to NSF/ANSI 372 for lead free compliance.

 Where indicated, product has been evaluated and determined to possess weighted average lead content of ≤ 0.25% and is in compliance with the US federal "Reduction of Lead in Drinking Water Act (2011)".

Note: Please refer to our online chemical compatibility chart to ensure the fitting and o-ring materials are compatible for your application:
<http://www.gamurdock.com/materials.htm>


Mur-lok® Fitting Installation Instructions



MAKE A CLEAN TUBE CUT

Cut the tube squarely and if using plastic tubing, ensure that the cut has not made the tube out of round.


Also ensure that the tube has a smooth outside diameter without any burrs or score marks prior to inserting it into the fitting.



INSERT TUBE INTO FITTING


Push the tubing through the collet and dual o-rings until it bottoms out against the tube stop.

The collet holds the tube in place and the dual o-rings provide a leak resistant seal.




TEST AND INSPECT

Push and pull the tubing toward and away from the fitting to ensure that it has been installed properly. Test and inspect the installation for any leaks. Use of Mur-lok® locking clips is recommended to secure tubing and prevent tampering.



TUBE REMOVAL

Relieve pressure from the tubing and fitting. Push uniformly around the collet flange against the fitting body while pulling the tubing away from the fitting to release it.



Fitting Options:

UV Resistant Black Polypropylene

Mur-lok® Fittings are also available in UV resistant black polypropylene.

To place an order for black fittings, simply add a "B" to the end of the Mur-lok fitting part number. For example: R0620626B.



Chemical Resistant Fluorocarbon O-rings

Mur-lok® White or Black Polypropylene Fittings can also be ordered with fluorocarbon o-rings for applications requiring higher chemical resistance.

To place an order for fittings with fluorocarbon o-rings, simply add a "V" to the end of the Mur-lok fitting part number. For example: R0620626V or R0620626BV.

NSF/ANSI certification does not cover the use of fluorocarbon o-rings in Mur-lok Fittings.



Bulk & Custom Packaging Options

Mur-lok® Fittings are normally packaged in Mur-lok branded 10-pack resealable bags. To order bulk packaging, add ".00" to the end of the part number. Minimum quantities required.

Contact us for additional kitting, labeling and bagging options.



Made in U. S. A.

G. A. Murdock 2022 Price List



Mur-lok® Fitting Kit

A collection of the most popular Mur-lok fittings for use during RO installations. Visit our website for a full listing of the included fittings.



Part Number	Description	List	1
MLFK-101	Mur-lok Fitting Kit	\$362.16	159.35



Mur-lok® Fittings - Male NPTF Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
O0420216	1/4"	1/8" Male NPTF	\$1.56	0.69	0.67	0.66	0.64	0.62
O0420416	1/4"	1/4" Male NPTF	\$1.70	0.75	0.73	0.71	0.70	0.68
O0420616	1/4"	3/8" Male NPTF	\$2.45	1.08	1.05	1.03	1.01	0.98
O0520416	5/16"	1/4" Male NPTF	\$1.89	0.83	0.81	0.79	0.78	0.76
O0620216	3/8"	1/8" Male NPTF	\$3.58	1.58	1.54	1.50	1.47	1.43
O0620416	3/8"	1/4" Male NPTF	\$2.69	1.18	1.16	1.13	1.10	1.08
O0620616	3/8"	3/8" Male NPTF	\$3.08	1.36	1.32	1.29	1.26	1.23
O0620816	3/8"	1/2" Male NPTF	\$4.78	2.10	2.06	2.01	1.96	1.91
O0820616	1/2"	3/8" Male NPTF	\$4.17	1.84	1.79	1.75	1.71	1.67
O0820816	1/2"	1/2" Male NPTF	\$4.49	1.98	1.93	1.89	1.84	1.80

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Male Angle Stop Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
O0420916	1/4"	9/16" Male UNEF	\$3.73	1.64	1.60	1.57	1.53	1.49
O0620916	3/8"	9/16" Male UNEF	\$4.34	1.91	1.87	1.82	1.78	1.74

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Fixed NPTF 90° Elbows

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
P0420206	1/4"	1/8" Female NPTF	\$3.32	1.46	1.43	1.39	1.36	1.33
P0420216	1/4"	1/8" Male NPTF	\$2.44	1.07	1.05	1.03	1.00	0.98
P0420416	1/4"	1/4" Male NPTF	\$2.76	1.21	1.19	1.16	1.13	1.10
P0420616	1/4"	3/8" Male NPTF	\$3.33	1.47	1.43	1.40	1.37	1.33
P0520416	5/16"	1/4" Male NPTF	\$3.47	1.53	1.49	1.46	1.42	1.39
P0620416	3/8"	1/4" Male NPTF	\$3.67	1.62	1.58	1.54	1.51	1.47
P0620616	3/8"	3/8" Male NPTF	\$3.76	1.65	1.62	1.58	1.54	1.50
P0820816	1/2"	1/2" Male NPTF	\$5.46	2.40	2.35	2.29	2.24	2.18

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Union & Reducing 90° Elbows

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Mur-lok	List	10	50	100	500	1000
Q0420426	1/4"	1/4"	\$2.76	1.21	1.19	1.16	1.13	1.10
Q0520426	5/16"	1/4"	\$3.53	1.55	1.52	1.48	1.45	1.41
Q0520526	5/16"	5/16"	\$3.19	1.40	1.37	1.34	1.31	1.28
Q0620426	3/8"	1/4"	\$4.59	2.02	1.97	1.93	1.88	1.84
Q0620526	3/8"	5/16"	\$4.59	2.02	1.97	1.93	1.88	1.84
Q0620626	3/8"	3/8"	\$4.17	1.84	1.79	1.75	1.71	1.67
Q0820626	1/2"	3/8"	\$5.42	2.39	2.33	2.28	2.22	2.17
Q0820826	1/2"	1/2"	\$4.95	2.18	2.13	2.08	2.03	1.98

To order black fittings, add a "B" to the end of the part number.



Where indicated, Mur-lok Fittings and Tubing have been tested and certified by IAPMO R & T against NSF/ANSI 58 for material and structural integrity requirements only and NSF/ANSI 372 for lead compliance.

G. A. Murdock 2022 Price List

Instruments Chemicals Tools Faucets Membranes Filters Housings Tanks Pumps Systems Tubing Fittings Gauges Regulators Drain Products EZ-Adapters Valves



Mur-lok® Fittings - Swivel NPTF 90° Elbows

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
Q0420216	1/4"	1/8" Male NPTF	\$3.98	1.75	1.71	1.67	1.63	1.59
Q0420416	1/4"	1/4" Male NPTF	\$3.98	1.75	1.71	1.67	1.63	1.59
Q0620416	3/8"	1/4" Male NPTF	\$5.57	2.45	2.40	2.34	2.28	2.23
Q0620616	3/8"	3/8" Male NPTF	\$5.85	2.57	2.52	2.46	2.40	2.34
Q0620816	3/8"	1/2" Male NPTF	\$7.94	3.49	3.41	3.34	3.26	3.18
Q0820616	1/2"	3/8" Male NPTF	\$7.47	3.29	3.21	3.14	3.06	2.99
Q0820816	1/2"	1/2" Male NPTF	\$7.47	3.29	3.21	3.14	3.06	2.99

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Union Connectors & Reducing Unions

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Mur-lok	List	10	50	100	500	1000
R0420426	1/4"	1/4"	\$2.44	1.07	1.05	1.03	1.00	0.98
R0520426	5/16"	1/4"	\$2.69	1.18	1.16	1.13	1.10	1.08
R0520526	5/16"	5/16"	\$2.60	1.14	1.12	1.09	1.07	1.04
R0620426	3/8"	1/4"	\$3.34	1.47	1.44	1.40	1.37	1.34
R0620526	3/8"	5/16"	\$3.37	1.48	1.45	1.42	1.38	1.35
R0620626	3/8"	3/8"	\$3.32	1.46	1.43	1.39	1.36	1.33
R0820626	1/2"	3/8"	\$4.49	1.98	1.93	1.89	1.84	1.80
R0820826	1/2"	1/2"	\$3.80	1.67	1.63	1.60	1.56	1.52

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Bulkhead Unions

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Hole Size	Max Panel Thickness	List	10	50	100	500	1000
R0420429	1/4"	0.75" - 1"	0.60"	\$4.46	1.96	1.92	1.87	1.83	1.78
R0620429	3/8" x 1/4"	1" - 1.125"	0.63"	\$5.56	2.45	2.39	2.34	2.28	2.22
R0620629	3/8"	1" - 1.125"	0.63"	\$5.56	2.45	2.39	2.34	2.28	2.22
R0820829	1/2"	1.125" - 1.25"	0.70"	\$7.18	3.16	3.09	3.02	2.94	2.87

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Reducers

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Stem	List	10	50	100	500	1000
S0420566	1/4"	5/16"	\$2.33	1.03	1.00	0.98	0.96	0.93
S0420666	1/4"	3/8"	\$2.69	1.18	1.16	1.13	1.10	1.08
S0520666	5/16"	3/8"	\$2.76	1.21	1.19	1.16	1.13	1.10
S0620866	3/8"	1/2"	\$5.10	2.24	2.19	2.14	2.09	2.04

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - NPTF Stem Adapters

Constructed of Polypropylene



Part Number	Stem	Thread	List	10	50	100	500	1000
S0460216	1/4"	1/8" Male NPTF	\$0.85	0.37	0.37	0.36	0.35	0.34
S0460416	1/4"	1/4" Male NPTF	\$0.85	0.37	0.37	0.36	0.35	0.34
S0660416	3/8"	1/4" Male NPTF	\$1.07	0.47	0.46	0.45	0.44	0.43
S0660616	3/8"	3/8" Male NPTF	\$1.31	0.58	0.56	0.55	0.54	0.52
S0860816	1/2"	1/2" Male NPTF	\$2.17	0.96	0.93	0.91	0.89	0.87

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Tube to Hose Stem 90° Elbows

Constructed of Polypropylene



Part Number	Stem	Barb	List	10	50	100	500	1000
S0460448	1/4"	1/4"	\$1.99	0.88	0.86	0.84	0.82	0.80

To order black fittings, add a "B" to the end of the part number.



Where indicated, Mur-lok Fittings and Tubing have been tested and certified by IAPMO R & T against NSF/ANSI 58 for material and structural integrity requirements only and NSF/ANSI 372 for lead compliance.

G. A. Murdock 2022 Price List

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Mur-lok® Fittings - Tube to Hose Stems

Constructed of Polypropylene



Part Number	Stem	Barb	List	10	50	100	500	1000
S0460446	1/4"	1/4"	\$1.56	0.69	0.67	0.66	0.64	0.62
S0660646	3/8"	3/8"	\$2.44	1.07	1.05	1.03	1.00	0.98
S0660846	3/8"	1/2"	\$3.32	1.46	1.43	1.39	1.36	1.33
S0860846	1/2"	1/2"	\$3.24	1.43	1.39	1.36	1.33	1.30

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Plug in 90° Elbows

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Stem	List	10	50	100	500	1000
T0420466	1/4"	1/4"	\$2.48	1.09	1.07	1.04	1.02	0.99
T0420666	1/4"	3/8"	\$3.36	1.48	1.45	1.41	1.38	1.34
T0520566	5/16"	5/16"	\$3.17	1.40	1.36	1.33	1.30	1.27
T0620666	3/8"	3/8"	\$4.26	1.87	1.83	1.79	1.75	1.70
T0820866	1/2"	1/2"	\$5.09	2.24	2.19	2.14	2.09	2.04

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Swivel Tees

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	End	End	Branch	List	10	50	100	500	1000
V0420216	1/4" ML	1/8" Male NPTF	1/4" ML	\$4.74	2.09	2.04	1.99	1.94	1.90
V0420218	1/4" ML	1/4" ML	1/8" Male NPTF	\$4.74	2.09	2.04	1.99	1.94	1.90
V0420416	1/4" ML	1/4" Male NPTF	1/4" ML	\$4.74	2.09	2.04	1.99	1.94	1.90
V0420418	1/4" ML	1/4" ML	1/4" Male NPTF	\$4.74	2.09	2.04	1.99	1.94	1.90
V0620416	3/8" ML	1/4" Male NPTF	3/8" ML	\$5.75	2.53	2.47	2.42	2.36	2.30
V0620418	3/8" ML	3/8" ML	1/4" Male NPTF	\$5.75	2.53	2.47	2.42	2.36	2.30
V0620616	3/8" ML	3/8" Male NPTF	3/8" ML	\$6.01	2.64	2.58	2.52	2.46	2.40
V0620618	3/8" ML	3/8" ML	3/8" Male NPTF	\$6.01	2.64	2.58	2.52	2.46	2.40
V0820618	1/2" ML	1/2" ML	3/8" Male NPTF	\$7.82	3.44	3.36	3.28	3.21	3.13
V0820816	1/2" ML	1/2" Male NPTF	1/2" ML	\$7.82	3.44	3.36	3.28	3.21	3.13
V0820818	1/2" ML	1/2" ML	1/2" Male NPTF	\$7.82	3.44	3.36	3.28	3.21	3.13

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Union Tees

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	List	10	50	100	500	1000
V0420426	1/4"	\$3.46	1.52	1.49	1.45	1.42	1.38
V0420526	1/4" x 1/4" x 5/16"	\$5.39	2.37	2.32	2.26	2.21	2.16
V0520526	5/16"	\$3.63	1.60	1.56	1.53	1.49	1.45
V0620426	3/8" x 3/8" x 1/4"	\$4.85	2.13	2.09	2.04	1.99	1.94
V0620626	3/8"	\$4.21	1.85	1.81	1.77	1.73	1.68
V0820426	1/2" x 1/2" x 1/4"	\$10.49	4.62	4.51	4.41	4.30	4.20
V0820626	1/2" x 1/2" x 3/8"	\$5.90	2.60	2.54	2.48	2.42	2.36
V0820826	1/2"	\$5.32	2.34	2.29	2.23	2.18	2.13
V0820866	1/2" x 1/2" x 1/2" Stem	\$5.32	2.34	2.29	2.23	2.18	2.13

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Dividers

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	List	10	50	100	500	1000
V0420006	1/4"	\$3.84	1.69	1.65	1.61	1.57	1.54
V0620006	3/8"	\$4.45	1.96	1.91	1.87	1.83	1.78

To order black fittings, add a "B" to the end of the part number.



Where indicated, Mur-lok Fittings and Tubing have been tested and certified by IAPMO R & T against NSF/ANSI 58 for material and structural integrity requirements only and NSF/ANSI 372 for lead compliance.



Mur-lok® Fittings - Faucet/Refrigerator Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420706	1/4"	7/16" - 24 UNS	\$3.30	1.45	1.42	1.39	1.35	1.32
U0520706	5/16"	7/16" - 24 UNS	\$3.89	1.71	1.67	1.63	1.60	1.56
U0620706	3/8"	7/16" - 24 UNS	\$3.63	1.60	1.56	1.53	1.49	1.45
U0420706-F050	1/4"	7/16" - 24 UNS - 0.5 gpm Flow Control	\$4.31	1.90	1.85	1.81	1.77	1.72
U0420706-F100	1/4"	7/16" - 24 UNS - 1.0 gpm Flow Control	\$4.31	1.90	1.85	1.81	1.77	1.72

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Female Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420206	1/4"	1/8" Female NPTF	\$3.51	1.54	1.51	1.47	1.44	1.40
U0420406	1/4"	1/4" Female NPTF	\$3.81	1.68	1.64	1.60	1.56	1.52
U0620406	3/8"	1/4" Female NPTF	\$4.39	1.93	1.89	1.84	1.80	1.76

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Female Flare Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420476	1/4"	1/4" Female Flare	\$3.07	1.35	1.32	1.29	1.26	1.23
U0620476	3/8"	1/4" Female Flare	\$3.41	1.50	1.47	1.43	1.40	1.36

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Female Flare Connectors - Lead Free Brass

Constructed of Lead Free Brass with Leak Resistant Dual EPDM O-rings.

- 160 psi @ 73°F
- 80 psi @ 200°F
- 100 psi @ 180°F
- Dual EPDM O-rings



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420478	1/4"	1/4" Female Flare	\$7.23	3.18	3.11	3.04	2.96	2.89

WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Not an NSF/ANSI certified product.



Mur-lok® Female Angle Stop Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420906	1/4"	9/16" Female UNEF	\$4.54	2.00	1.95	1.91	1.86	1.82
U0620906	3/8"	9/16" Female UNEF	\$5.10	2.24	2.19	2.14	2.09	2.04

To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - Garden Hose Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Garden Hose Thread	List	10	50	100	500	1000
U0421406	1/4"	3/4" Female	\$5.97	2.63	2.57	2.51	2.45	2.39
U0621406	3/8"	3/4" Female	\$6.21	2.73	2.67	2.61	2.55	2.48

Available Only in Black.



Mur-lok® Fittings - End Stops

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	List	10	50	100	500	1000
W0420006	1/4"	\$1.56	0.69	0.67	0.66	0.64	0.62
W0620006	3/8"	\$1.93	0.85	0.83	0.81	0.79	0.77
W0820006	1/2"	\$2.57	1.13	1.11	1.08	1.05	1.03

To order black fittings, add a "B" to the end of the part number.



Where indicated, Mur-lok Fittings and Tubing have been tested and certified by IAPMO R & T against NSF/ANSI 58 for material and structural integrity requirements only and NSF/ANSI 372 for lead compliance.

G. A. Murdock 2022 Price List

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Mur-lok® Fittings - Plugs

Constructed of Polypropylene



Part Number	Stem	List	10	50	100	500	1000
X0420006	1/4"	\$0.67	0.30	0.29	0.28	0.28	0.27
X0520006	5/16"	\$0.86	0.38	0.37	0.36	0.35	0.34
X0620006	3/8"	\$1.13	0.50	0.49	0.48	0.46	0.45
X0820006	1/2"	\$1.67	0.74	0.72	0.70	0.69	0.67

Certified by IAPMO R&T to NSF/ANSI 58 for material and structural integrity requirements only, and to NSF/ANSI 372 for lead free compliance. To order black fittings, add a "B" to the end of the part number.



Mur-lok® Fittings - O-rings



Part Number	Size	Material	Packaging	List	100
Z0400000/100	1/4"	EPDM	100/Bag	\$0.17	0.13
Z0410004/100	1/4"	Fluorocarbon	100/Bag	\$0.45	0.34
Z0500000/100	5/16"	EPDM	100/Bag	\$0.17	0.13
Z0510004/100	5/16"	Fluorocarbon	100/Bag	\$0.41	0.31
Z0600000/100	3/8"	EPDM	100/Bag	\$0.17	0.13
Z0610004/100	3/8"	Fluorocarbon	100/Bag	\$0.55	0.41
Z0800000/100	1/2"	EPDM	100/Bag	\$0.22	0.17
Z0810004/100	1/2"	Fluorocarbon	100/Bag	\$0.60	0.45

Can be ordered in bulk packaging with a minimum 500 o-rings.



Mur-lok® Fittings - Polypropylene Collets



Part Number	Size	Color	List	10	50	100	500	1000
Z0422401	1/4"	White	\$1.18	0.52	0.51	0.50	0.48	0.47
Z0422406	1/4"	Black	\$1.18	0.52	0.51	0.50	0.48	0.47
Z0422408	1/4"	Grey	\$1.18	0.52	0.51	0.50	0.48	0.47
Z0422409	1/4"	Red	\$1.18	0.52	0.51	0.50	0.48	0.47
Z0522401	5/16"	White	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0522406	5/16"	Black	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0622401	3/8"	White	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0622406	3/8"	Black	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0622408	3/8"	Grey	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0622409	3/8"	Red	\$1.32	0.58	0.57	0.55	0.54	0.53
Z0822401	1/2"	White	\$1.97	0.87	0.85	0.83	0.81	0.79
Z0822406	1/2"	Black	\$1.97	0.87	0.85	0.83	0.81	0.79
Z0822408	1/2"	Grey	\$1.97	0.87	0.85	0.83	0.81	0.79
Z0822409	1/2"	Red	\$1.97	0.87	0.85	0.83	0.81	0.79

Additional Colors are available, please call (800)568-7565.



Mur-lok® Acetal Locking Clips

Securely positions the collet to prevent an accidental disconnection of the tubing.



Part Number	Mur-lok	Color	Packaging	List	100	500	1000
Y0420001/100	1/4"	White	100/Bag	\$0.26	0.13	0.12	0.10
Y0420006/100	1/4"	Black	100/Bag	\$0.26	0.13	0.12	0.10
Y0420009/100	1/4"	Red	100/Bag	\$0.26	0.13	0.12	0.10
Y0620001/100	3/8"	White	100/Bag	\$0.16	0.08	0.07	0.06
Y0620006/100	3/8"	Black	100/Bag	\$0.26	0.13	0.12	0.10
Y0620009/100	3/8"	Red	100/Bag	\$0.26	0.13	0.12	0.10
Y0820001/100	1/2"	White	100/Bag	\$0.32	0.16	0.14	0.13
Y0820006/100	1/2"	Black	100/Bag	\$0.32	0.16	0.14	0.13
Y0820009/100	1/2"	Red	100/Bag	\$0.32	0.16	0.14	0.13

Prices shown per clip, must order in multiples of 100. Bulk packaging available for quantities of 500+.



Mur-lok® Collet Release Tool


Assists in holding the collet down to release tubing and removes collets from fittings.




Part Number	Description	List	1	10	50	100	500
L0TOOL3	Mur-lok® Release Tool - 1/4", 3/8", 1/2"	\$3.09	1.85	1.70	1.55	1.39	1.24

MUR-LOK FITTING AND TUBING DIMENSIONS

O-RING SIZES



MALE NPT FITTING SIZES



G. A. Murdock 2022 Price List



JOHN GUEST ACETAL FITTINGS

The PI range of Speedfit® fittings are suitable for applications involving foodstuff, potable liquids, pneumatic and vacuum applications.

- Acetal Construction
- Single Buna-N O-ring
- NSF 61 Approved
- FDA Approved Materials



Unless otherwise indicated, the wetted surface of the product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

Chemical Compatibility and Cleaning - John Guest® Acetal Fittings

It is the responsibility of the user/installer to ensure that John Guest® fittings are suitable for their application, that the installation is carried out correctly, and that the installation is properly maintained. For use with chemicals or other potentially aggressive liquids, please consult our Technical Support Department. Super Speedfit® fittings are not to be used with explosive gasses, petroleum spirits, and other fuels, or for central heating systems. For Acetal "PI", "PM", and "CI" Fittings, John Guest® recommends only the use of cleaners and sanitizing agents that are above pH4 and are low in hypochlorite levels. Acetal fittings and parts that are cleaned and/or sanitized should be rinsed immediately with copious amounts of clean, neutral tap water to remove all traces of the cleaners. John Guest® material suppliers recommend ECOLAB Oasis 133 as a suitable external cleaner.

Working Temp/Pressure				
Fitting Size	psi	°F	bar	°C
1/4" - 5/16"	230 @ 73°F 150 @ 158°F		16 @ 23°C 10 @ 70°C	
3/8" - 1/2"	150 @ 73°F 100 @ 158°F		10 @ 23°C 7 @ 70°C	

John Guest Super Speedfit® - Male NPTF Connectors



Part Number	Description	List	10	50	100	500	1000
PI010821S	1/4" QC x 1/8" Male NPTF	\$1.89	1.08	1.04	1.00	0.91	0.87
PI010822S	1/4" QC x 1/4" Male NPTF	\$2.16	1.23	1.19	1.15	1.04	0.99
PI010823S	1/4" QC x 3/8" Male NPTF	\$2.83	1.61	1.56	1.50	1.36	1.30
PI011221S	3/8" QC x 1/8" Male NPTF	\$4.10	3.36	3.28	3.20	1.97	1.89
PI011222S	3/8" QC x 1/4" Male NPTF	\$3.09	1.76	1.70	1.64	1.48	1.42
PI011223S	3/8" QC x 3/8" Male NPTF	\$3.54	2.02	1.95	1.88	1.70	1.63
PI011224S	3/8" QC x 1/2" Male NPTF	\$5.52	3.15	3.04	2.93	2.65	2.54
PI011623S	1/2" QC x 3/8" Male NPTF	\$4.78	2.73	2.63	2.53	2.29	2.20
PI011624S	1/2" QC x 1/2" Male NPTF	\$5.14	2.93	2.83	2.72	2.47	2.36
PI012026S	5/8" QC x 3/4" Male NPTF	\$7.12	4.06	3.92	3.77	3.42	3.28

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see above for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Male Flare Connectors



Part Number	Description	List	10	50	100	500	1000
PI0108F4S	1/4" QC x 1/4" Male Flare	\$2.26	1.85	1.81	1.76	1.09	1.04
PI0112F4S	3/8" QC x 1/4" Male Flare	\$3.52	2.89	2.82	2.75	1.69	1.62
PI0112F6S	3/8" QC x 3/8" Male Flare	\$4.18	2.38	2.30	2.22	2.01	1.92

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see above for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Fixed Elbows



Part Number	Description	List	10	50	100	500	1000
PI480821S	1/4" QC x 1/8" Male NPTF Elbow	\$2.80	2.30	2.24	2.18	1.34	1.29
PI480822S	1/4" QC x 1/4" Male NPTF Elbow	\$3.19	1.82	1.76	1.69	1.53	1.47
PI480823S	1/4" QC x 3/8" Male NPTF Elbow	\$3.80	3.12	3.04	2.96	1.82	1.75
PI481222S	3/8" QC x 1/4" Male NPTF Elbow	\$4.78	2.73	2.63	2.53	2.29	2.20
PI481223S	3/8" QC x 3/8" Male NPTF Elbow	\$5.22	2.98	2.87	2.77	2.51	2.40
PI482024S	5/8" QC x 1/2" Male NPTF Elbow	\$7.33	4.18	4.03	3.89	3.52	3.37

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see above for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Union Connectors & Reducing Unions



Part Number	Description	List	10	50	100	500	1000
PI0408S	1/4" QC x 1/4" QC Union	\$2.80	1.60	1.54	1.48	1.34	1.29
PM0408S	5/16" QC x 5/16" QC Union	\$2.99	2.45	2.39	2.33	1.44	1.38
PI201208S	3/8" QC x 1/4" QC Union	\$3.82	2.18	2.10	2.03	1.83	1.76
PI201210S	3/8" QC x 5/16" QC Union	\$3.86	2.20	2.12	2.05	1.85	1.78
PI0412S	3/8" QC x 3/8" QC Union	\$3.80	2.17	2.09	2.01	1.82	1.75
PI201612S	1/2" QC x 3/8" QC Union	\$5.14	2.93	2.83	2.72	2.47	2.36
PI0416S	1/2" QC x 1/2" QC Union	\$4.39	2.50	2.42	2.33	2.11	2.02

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see above for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Union & Reducing Elbows



Part Number	Description	List	10	50	100	500	1000
PI0308S	1/4" QC x 1/4" QC Union Elbow	\$3.19	1.82	1.76	1.69	1.53	1.47
PI211008S	5/16" QC x 1/4" QC Union Elbow	\$4.06	3.33	3.25	3.17	1.95	1.87
PI211208S	3/8" QC x 1/4" QC Union Elbow	\$5.29	3.02	2.91	2.80	2.54	2.43
PI211210S	3/8" QC x 5/16" QC Union Elbow	\$5.29	4.34	4.23	4.13	2.54	2.43
PI0312S	3/8" QC x 3/8" QC Union Elbow	\$4.78	2.73	2.63	2.53	2.29	2.20
PI211612S	1/2" QC x 3/8" QC Union Elbow	\$6.26	5.13	5.01	3.32	3.01	2.88
PI0316S	1/2" QC x 1/2" QC Union Elbow	\$5.75	3.28	3.16	3.05	2.76	2.65

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see above for chemical compatibility and cleaning information.

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments

John Guest Super Speedfit® - Union Tees



Part Number	Description	List	10	50	100	500	1000
PI0208S	1/4" QC Union Tee	\$4.06	2.31	2.23	2.15	1.95	1.87
PI301208S	3/8" x 3/8" x 1/4" QC Union Tee	\$6.48	3.69	3.56	3.43	3.11	2.98
PI0212S	3/8" QC Union Tee	\$5.03	2.87	2.77	2.67	2.41	2.31
PI0216S	1/2" QC Union Tee	\$6.10	3.48	3.36	3.23	2.93	2.81

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Dividers



Part Number	Description	List	10	50	100	500	1000
PI2308S	1/4" QC 2-Way Divider	\$4.56	3.74	3.65	3.56	2.19	2.10
PM2308S	5/16" QC 2-Way Divider	\$4.56	3.74	3.65	2.42	2.19	2.10
PI2312S	3/8" QC 2-Way Divider	\$5.09	2.90	2.80	2.70	2.44	2.34
PI2316S	1/2" QC 2-Way Divider	\$8.68	4.95	4.77	4.60	4.17	3.99

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Cross & U-Bend



Part Number	Description	List	10	50	100	500	1000
PI4712S	3/8" QC Cross	\$8.86	7.27	7.09	6.91	4.25	4.08
PIUB16S	1/2" QC U-Bend	\$12.39	10.16	6.82	6.57	5.95	5.70

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Bulkhead Unions



Part Number	Description	List	10	50	100	500	1000
PI1208S	1/4" Bulkhead Union	\$5.36	3.06	2.95	2.84	2.57	2.47
PI121208S	3/8" x 1/4" Bulkhead Union	\$6.97	5.72	5.58	5.44	3.35	3.21
PI1212S	3/8" Bulkhead Union	\$6.97	5.72	5.58	3.69	3.35	3.21
PI1216S	1/2" Bulkhead Union	\$11.91	6.79	6.55	6.31	5.72	5.48

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Plug in Elbows



Part Number	Description	List	10	50	100	500	1000
PI220808S	1/4" QC x 1/4" Stem Elbow	\$2.86	1.63	1.57	1.52	1.37	1.32
PI221208S	1/4" QC x 3/8" Stem Elbow	\$3.84	2.19	2.11	2.04	1.84	1.77
PI221212S	3/8" QC x 3/8" Stem Elbow	\$4.86	2.77	2.67	2.58	2.33	2.24
PI221616S	1/2" QC x 1/2" Stem Elbow	\$5.85	3.34	3.22	3.10	2.81	2.69

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Stem Reducers & Enlargers



Part Number	Description	List	10	50	100	500	1000
PI061208S	1/4" QC x 3/8" Stem Reducer	\$3.09	1.76	1.70	1.64	1.48	1.42
PI061612S	3/8" QC x 1/2" Stem Reducer	\$5.85	3.34	3.22	3.10	2.81	2.69
PI131216S	1/2" QC x 3/8" Stem Enlarger	\$3.82	2.18	2.10	2.03	1.83	1.76

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - NPTF Stem Adapters



Part Number	Description	List	10	50	100	500	1000
PI050822S	1/4" Stem x 1/4" Male NPTF	\$0.95	0.78	0.76	0.74	0.46	0.44
PI050823S	1/4" Stem x 3/8" Male NPTF	\$1.42	1.16	1.14	1.11	0.68	0.65
PI051223S	3/8" Stem x 3/8" Male NPTF	\$1.59	1.30	1.27	1.24	0.76	0.73
PI051623S	1/2" Stem x 3/8" Male NPTF	\$2.59	2.12	2.07	2.02	1.24	1.19
PI051624S	1/2" Stem x 1/2" Male NPTF	\$2.59	2.12	2.07	2.02	1.24	1.19

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

John Guest Super Speedfit® - Tube to Hose Stems



Part Number	Description	List	10	50	100	500	1000
PI251012S	5/16" Stem x 3/8" Hose Barb	\$2.53	2.08	2.02	1.97	1.21	1.16
PI251208S	3/8" Stem x 1/4" Hose Barb	\$2.59	1.48	1.43	1.37	1.24	1.19
PI251210S	3/8" Stem x 5/16" Hose Barb	\$2.59	2.12	2.07	2.02	1.24	1.19
PI251212S	3/8" Stem x 3/8" Hose Barb	\$2.80	2.30	2.24	2.18	1.34	1.29
PI251216S	3/8" Stem x 1/2" Hose Barb	\$3.80	3.12	3.04	2.96	1.82	1.75
PI251612S	1/2" Stem x 3/8" Hose Barb	\$3.04	1.73	1.67	1.61	1.46	1.40
PI251616S	1/2" Stem x 1/2" Hose Barb	\$3.91	2.23	2.15	2.07	1.88	1.80

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.

G. A. Murdock 2022 Price List

Instruments Chemicals Tools Faucets Membranes Filters Housings Tanks Pumps Systems Tubing Fittings Gauges Regulators Drain Products EZ-Adapters Valves



John Guest Super Speedfit® - Tube to Hose Stem Elbows

Part Number	Description	List	10	50	100	500	1000
PI290808S	1/4" Stem x 1/4" Hose Barb Elbow	\$2.41	1.98	1.93	1.88	1.16	1.11
PI291208S	3/8" Stem x 1/4" Hose Barb Elbow	\$3.04	2.49	2.43	2.37	1.46	1.40

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - Faucet/Refrigerator Connectors

Part Number	Description	List	10	50	100	500	1000
CI3208U7S	1/4" QC x 7/16"-24 UNS	\$3.57	2.04	1.96	1.89	1.71	1.64
CI3212U7S	3/8" QC x 7/16"-24 UNS	\$3.99	2.27	2.20	2.12	1.92	1.84

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - Female Flare Connectors

Part Number	Description	List	10	50	100	500	1000
PI4512F4S	3/8" QC x 1/4" Female Flare	\$3.94	2.25	2.17	2.09	1.89	1.81
PI4512F6S	3/8" QC x 3/8" Female Flare	\$4.80	2.74	2.64	2.54	2.30	2.21

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - Female Connectors

Part Number	Description	List	10	50	100	500	1000
PI450822S	1/4" QC x 1/4" Female NPTF	\$4.38	3.59	3.50	3.42	2.10	2.02
CI320814S	1/4" QC x 1/2" Female BSP	\$4.77	2.72	2.62	2.53	2.29	2.19
PI451222S	3/8" QC x 1/4" Female NPTF	\$5.05	2.88	2.78	2.68	2.42	2.32
CI321214S	3/8" QC x 1/2" Female BSP	\$5.11	2.91	2.81	2.71	2.45	2.35

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.
BSP - British standard pipe thread



John Guest Super Speedfit® - Brass Female Flare Connectors

Part Number	Description	List	10	50	100	500	1000
MI4508F4SLF	1/4" QC x 1/4" Female Flare - Lead Free Brass	\$9.13	7.49	7.30	7.12	4.38	4.20
MI4512F4SLF	3/8" QC x 1/4" Female Flare - Lead Free Brass	\$9.53	5.43	5.24	5.05	4.57	4.38
MI4512F6SLF	3/8" QC x 3/8" Female Flare - Lead Free Brass	\$13.92	7.93	7.66	7.38	6.68	6.40

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - Brass Female Garden Hose Connectors

Part Number	Description	List	1	10	50	100	500
NC2098LF	1/4" QC x 3/4" Female Garden Hose - Lead Free Brass	\$18.38	18.38	15.07	14.70	14.34	8.82

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - End Stops

Part Number	Description	List	10	50	100	500	1000
PI4608S	1/4" Grey	\$1.89	1.08	1.04	1.00	0.91	0.87
PI4612S	3/8" Grey	\$2.34	1.33	1.29	1.24	1.12	1.08

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



John Guest Super Speedfit® - Spare Parts

Part Number	Description	List	10	50	100	500	1000
PI2808S	1/4" Collet, Cartridge, & O-ring - Grey	\$1.43	0.82	0.79	0.76	0.69	0.66
PI2812S	3/8" Collet, Cartridge, & O-ring - Grey	\$1.68	0.96	0.92	0.89	0.81	0.77
PI2816S	1/2" Collet, Cartridge, & O-ring - Grey	\$3.10	1.77	1.71	1.64	1.49	1.43

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Please see page 14 for chemical compatibility and cleaning information.



JOHN GUEST CTS TWIST & LOCK FITTINGS

- Twist & Lock Function
- Single EPDM O-ring
- NSF 61 Approved
- Hot and cold water applications
- Not for use with gas, fuel oil or compressed air

Working Temp/Pressure				
Fitting Size	psi	°F	bar	°C
1/2" - 1" CTS	160 @ 73°F		11 @ 23°C	
	100 @ 180°F		6.8 @ 82°C	

John Guest Twist & Lock® - CTS Union & Reducing Connectors



Part Number	CTS (Tube ID)	CTS (Tube ID)	List	1	10	50	100	500
PEI0420	1/2"	1/2"	\$5.90	4.72	4.54	4.43	4.31	4.13
PEI202820	1/2"	3/4"	\$7.48	5.98	5.76	5.61	5.46	5.24
PEI0428	3/4"	3/4"	\$7.77	6.22	5.98	5.83	5.67	5.44
PEI203628	3/4"	1"	\$11.03	8.82	8.49	8.27	8.05	7.72
PEI0436	1"	1"	\$15.04	12.03	11.58	11.28	10.98	10.53

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

G. A. Murdock 2022 Price List

Valves - EZ-Adapters - Drain Products - Regulators - Gauges - Fittings - Tubing - Systems - Pumps - Tanks - Housings - Filters - Membranes - Faucets - Tools - Chemicals - Instruments

John Guest Twist & Lock® - CTS Union & Reducing Elbows



Part Number	CTS (Tube ID)	CTS (Tube ID)	List	1	10	50	100	500
PEI0320	1/2"	1/2"	\$6.75	5.40	5.20	5.06	4.93	4.73
PEI212820	1/2"	3/4"	\$11.92	9.54	9.18	8.94	8.70	8.34
PEI0328	3/4"	3/4"	\$10.15	8.12	7.82	7.61	7.41	7.11
PEI213628	3/4"	1"	\$21.07	16.86	16.22	15.80	15.38	14.75
PEI0336	1"	1"	\$17.05	13.64	13.13	12.79	12.45	11.94

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

John Guest Twist & Lock® - CTS Union & Reducing Tees



Part Number	End	End	Branch	List	1	10	50	100	500
PEI0220	1/2" CTS	1/2" CTS	1/2" CTS	\$6.92	5.54	5.33	5.19	5.05	4.84
PEI3028A	3/4" CTS	3/4" CTS	1/2" CTS	\$10.97	8.78	8.45	8.23	8.01	7.68
PEI0228	3/4" CTS	3/4" CTS	3/4" CTS	\$11.54	9.23	8.89	8.66	8.42	8.08
PEI3036A	1" CTS	1" CTS	3/4" CTS	\$13.01	13.01	10.67	10.41	10.15	9.11
PEI0236	1" CTS	1" CTS	1" CTS	\$21.65	17.32	16.67	16.24	15.81	15.16

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

John Guest Twist & Lock® - CTS Male NPTF Connectors



Part Number	CTS (Tube ID)	Male NPT	List	1	10	50	100	500
PSEI012024	1/2"	1/2"	\$5.84	4.67	4.50	4.38	4.26	4.09
PSEI012026	1/2"	3/4"	\$6.62	5.30	5.10	4.97	4.83	4.63
PSEI012826	3/4"	3/4"	\$7.44	5.95	5.73	5.58	5.43	5.21
PSEI013626	1"	3/4"	\$10.72	8.58	8.25	8.04	7.83	7.50
PSEI013628	1"	1"	\$12.18	9.74	9.38	9.14	8.89	8.53

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

John Guest Twist & Lock® - CTS Fixed Elbows



Part Number	CTS (Tube ID)	Male NPT	List	1	10	50	100	500
PSEI482024	1/2"	1/2"	\$6.12	6.12	5.02	4.90	4.47	4.28

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

John Guest Twist & Lock® - CTS Stem Reducers



Part Number	CTS Stem	CTS (Tube ID)	List	1	10	50	100	500
PEI062820	3/4"	1/2"	\$6.65	5.32	5.12	4.99	4.86	4.66
PEI063628	1"	3/4"	\$8.80	7.04	6.78	6.60	6.42	6.16

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.

John Guest Twist & Lock® - CTS Plug-in Elbows



Part Number	CTS Stem	CTS (Tube ID)	List	1	10	50	100	500
PEI222020	1/2"	1/2"	\$4.73	4.73	3.88	3.78	3.45	3.31
PEI222828	3/4"	3/4"	\$6.64	5.31	5.11	4.98	4.85	4.65

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTS: Copper Tube Size is the inner diameter of the pipe. To order black fittings, add an "E" to the end of the part number.



AquaLock (FORMERLY SEA TECH) POLYSULFONE FITTINGS AND VALVES

The majority of SeaTech 35 series fittings are certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, and IAPMO ASSE 1061-2006 and to the Uniform Plumbing Code.

- Off-white Polysulfone Construction
- Available in Sizes 3/8" to 1" CTS
- Single EPDM O-ring with O-ring Guide



Unless otherwise indicated, the wetted surface of this product contacted by consumable water contains less than one quarter of one percent (0.25%) of lead by weight.

AquaLock/SeaTech fittings are designed for low pressure fluids. For other applications please refer to our Customer Service Department. Tubing should be supported at a minimum of 36" to prevent excessive load to the connectors. Do not install tubing supports closer than 3 inches from the connector ends. We strongly recommend that new installations be thoroughly tested prior to use. Do not use with explosive gases, petroleum products or other fuels.

CAUTION! The polysulfone material in this AquaLock/SeaTech product can be compromised by exposure to volatile organic compounds (VOCs) and caustic chemicals. Therefore, DO NOT expose this product to any such chemical or foreign substance, including: Pipe dopes (liquid thread sealants), leak check compounds, bug sprays, lubricants, cleaners, paints, bleaches, acids, solder fluxes, plastic piping primers and cements, oxidizing agents, alkaline solutions, thinners, fuels, oil based caulk, hydrocarbons, spray foam or foaming agents (i.e. insulation). Thread sealing tape is acceptable for threaded connections. Failure to follow these instructions will void the warranty and possibly result in leaks and water damage.

Working Temp/Pressure			
psi	°F	bar	°C
250 @	75°F	17.25 @	24°C
100 @	180°F	6.8 @	82°C

SeaTech / AquaLock Male Connectors



Part Number	Model	CTS (Tube ID)	Male NPT	Box Qty	List	1	10	1 box	10 box
3501-1006	81902879	1/2"	3/8"	150	\$5.17	3.62	3.36	3.10	2.43
3501-1008	81902880	1/2"	1/2"	130	\$5.63	3.94	3.66	3.38	2.65
3501-1012	81902882	1/2"	3/4"	100	\$7.96	5.57	5.17	4.78	3.74
3501-1412	81902885	3/4"	3/4"	40	\$7.96	5.57	5.17	4.78	3.74
3501-1816	81902887	1"	1"	20	\$9.70	6.79	6.31	5.82	4.56

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

G. A. Murdock 2022 Price List

SeaTech / AquaLock Male Elbows

Polysulfone Construction, 250 psi @ 75° F / 100 psi @ 180° F

Part Number	Model	CTS (Tube ID)	Male NPT	Box Qty	List	1	10	1 box	10 box
3519-1006	81902947	1/2"	3/8"	100	\$9.53	6.67	6.19	5.72	4.48
3519-1008	81902948	1/2"	1/2"	100	\$6.27	4.39	4.08	3.76	2.95
3519-1816	81902949	1"	1"	25	\$14.53	10.17	9.44	8.72	6.83

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Male Thread Tees

Part #	Model	End	End	Branch	Box Qty	List	1	10	1 box	10 box
3530-1008	81902973	1/2" CTS	1/2" CTS	1/2" Male NPT	60	\$8.61	6.03	5.60	5.17	4.05

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Union & Reducing Elbows

Part Number	Model	CTS (Tube ID)	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3517-10	81902934	1/2"	1/2"	80	\$6.95	4.87	4.52	4.17	3.27
3517-14	81902936	3/4"	3/4"	30	\$11.22	7.85	7.29	6.73	5.27
3517-18	81902939	1"	1"	20	\$18.49	12.94	12.02	11.09	8.69

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Union & Reducing Tees

Part Number	Model	End	End	Branch	Box Qty	List	1	10	1 box	10 box
3524R-1004	81902967	1/2" CTS	1/2" CTS	1/4" OD	50	\$14.60	10.22	9.49	8.76	6.86
3523-10	81902961	1/2" CTS	1/2" CTS	1/2" CTS	50	\$9.29	6.50	6.04	5.57	4.37
3524R-1410	81902968	3/4" CTS	3/4" CTS	1/2" CTS	25	\$15.22	10.65	9.89	9.13	7.15
3526-1410	81902970	3/4" CTS	1/2" CTS	1/2" CTS	30	\$13.58	9.51	8.83	8.15	6.38
3523-14	81902963	3/4" CTS	3/4" CTS	3/4" CTS	20	\$15.31	10.72	9.95	9.19	7.20
3524R-1814	81902969	1" CTS	1" CTS	3/4" CTS	15	\$20.27	14.19	13.18	12.16	9.53
3523-18	81902965	1" CTS	1" CTS	1" CTS	15	\$23.44	16.41	15.24	14.06	11.02

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Union Connectors & Reducing Unions

Part Number	Model	CTS (Tube ID)	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3515R-1004	81902924	1/2"	1/4" OD	90	\$10.28	7.20	6.68	6.17	4.83
3515R-1006	2-PART KIT	1/2" Sea Tech	3/8" OD Mur-lok	90	\$12.64	8.85	8.22	7.58	5.94
3515R-1008	81902925	1/2"	3/8"	90	\$6.95	4.87	4.52	4.17	3.27
3515-10	81902914	1/2"	1/2"	90	\$8.22	5.75	5.34	4.93	3.86
3515R-1410	81902926	3/4"	1/2"	40	\$8.90	6.23	5.79	5.34	4.18
3515-14	81902916	3/4"	3/4"	40	\$10.38	7.27	6.75	6.23	4.88
3515R-1814	81902927	1"	3/4"	25	\$12.56	8.79	8.16	7.54	5.90
3515-18	81902918	1"	1"	20	\$16.16	11.31	10.50	9.70	7.60

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Stackable Tees

Part Number	Model	End	End	Branch	Box Qty	List	1	10	1 box	10 box
3533-08	81902974	3/8" CTS	3/8" CTS Stem	3/8" CTS	80	\$6.92	4.84	4.50	4.15	3.25
3533-10	81902975	1/2" CTS	1/2" CTS Stem	1/2" CTS	50	\$8.02	5.61	5.21	4.81	3.77
3533-14	81902977	3/4" CTS	3/4" CTS Stem	3/4" CTS	20	\$14.05	9.84	9.13	8.43	6.60
3533R-1004	81902980	1/2" CTS	1/2" CTS Stem	1/4" CTS	50	\$21.34	14.94	13.87	12.80	10.03
3533R-1410	81902981	3/4" CTS	3/4" CTS Stem	1/2" CTS	20	\$10.72	7.50	6.97	6.43	5.04
3534-10	81902983	1/2" CTS	1/2" CTS	1/2" CTS Stem	50	\$8.82	6.17	5.73	5.29	4.15

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Female Swivel Connectors

Part Number	Model	CTS (Tube ID)	Female	Box Qty	List	1	10	1 box	10 box
3510-0808	81902888	3/8"	1/2" NPS	120	\$7.13	4.99	4.63	4.28	3.35
3510-0814	81902890	3/8"	3/4" GHT	80	\$12.47	8.73	8.11	7.48	5.86
3510-1008	81902891	1/2"	1/2" NPS	100	\$7.25	5.08	4.71	4.35	3.41
3510-1012	81902894	1/2"	3/4" NPS	80	\$7.71	5.40	5.01	4.63	3.62
3510-1014	81902896	1/2"	3/4" GHT	80	\$11.89	8.32	7.73	7.13	5.59
3510-1412	81902897	3/4"	3/4" NPS	60	\$9.92	6.94	6.45	5.95	4.66
3510-1816	81902899	1"	1" NPS (non-swivel)	35	\$12.46	8.72	8.10	7.48	5.86

⚠WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
NPS thread is compatible with NPT, NPS, BSP, & most other threads without tools or sealant.

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



G. A. Murdock 2022 Price List

SeaTech / AquaLock Female Swivel Elbows



Part Number	Model	CTS (Tube ID)	Female	Box Qty	List	1	10	1 box	10 box
3520-0808	81902950	3/8"	1/2" NPS	80	\$7.78	5.45	5.06	4.67	3.66
3520-1008	81902952	1/2"	1/2" NPS	80	\$7.25	5.08	4.71	4.35	3.41
3520-1012	81902955	1/2"	3/4" NPS	60	\$7.75	5.43	5.04	4.65	3.64
3520-1014	81902957	1/2"	3/4" GHT	70	\$10.72	7.50	6.97	6.43	5.04

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
NPS thread is compatible with NPT, NPS, BSP, & most other threads without tools or sealant.

SeaTech / AquaLock Stem Reducers



Part Number	Model	CTS Stem	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3514-1008	81902908	1/2"	3/8"	100	\$5.28	3.70	3.43	3.17	2.48
3514-1410	81902909	3/4"	1/2"	100	\$5.94	4.16	3.86	3.56	2.79
3514-1810	81902911	1"	1/2"	70	\$8.97	6.28	5.83	5.38	4.22
3514-1814	81902912	1"	3/4"	50	\$9.94	6.96	6.46	5.96	4.67

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Male and Female Stems



Part Number	Model	NPT	CTS Stem	Box Qty	List	1	10	1 box	10 box
3527-1008	81902971	1/2" Male NPT	1/2"	200	\$2.89	2.02	1.88	1.73	1.36
3528-1008	81902972	1/2" Female NPS	1/2"	150	\$3.81	2.67	2.48	2.29	1.79

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
NPS thread is compatible with NPT, NPS, BSP, & most other threads without tools or sealant.

SeaTech / AquaLock Stackable Elbows



Part Number	Model	CTS Stem	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3518-10	81902941	1/2"	1/2"	100	\$6.58	4.61	4.28	3.95	3.09
3518-14	81902943	3/4"	3/4"	50	\$8.61	6.03	5.60	5.17	4.05
3518-18	81902945	1"	1"	25	\$13.22	9.25	8.59	7.93	6.21

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock End Stops



Part Number	Model	CTS (Tube ID)	Box Qty	List	1	10	1 box	10 box
3545-10	81902998	1/2"	100	\$5.94	4.16	3.86	3.56	2.79
3545-14	81903000	3/4"	90	\$6.05	4.24	3.93	3.63	2.84
3545-18	81903002	1"	50	\$10.91	7.64	7.09	6.55	5.13

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SeaTech / AquaLock Fitting Accessories



Part Number	Model	Description	Box Qty	List	1	10	1 box	10 box
35159-14	81902922	3/4" CTS Collet & O-ring	250	\$14.15	9.91	9.20	8.49	6.65
35159-18	81902923	1" CTS Collet & O-ring	100	\$16.90	11.83	10.99	10.14	7.94
3547-10	81903005	1/2" CTS Collet Clip	100	\$0.28	0.28	0.28	0.20	0.18
3547-14	81903007	3/4" CTS Collet Clip	100	\$0.17	0.17	0.17	0.12	0.11
3547-18	81903008	1" CTS Collet Clip	100	\$0.31	0.31	0.31	0.22	0.20
3560-10	81903033	1/2" CTS Tube Support	100	\$0.46	0.32	0.30	0.28	0.22
3560-14	81903034	3/4" CTS Tube Support	500	\$0.54	0.38	0.35	0.32	0.25
3560-18	81903035	1" CTS Tube Support	250	\$0.66	0.46	0.43	0.40	0.31

WARNING: This product can expose you to chemicals including Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Silicone Grease

Dow Corning 111 Equivalent - Food Grade



Part Number	Description	List	1	5	10	50	100
PST111	Silicone Grease - 6 g Packet	\$1.47	1.10	---	---	1.03	0.96
PST599-2	Silicone Grease - 2 oz Plastic Tube	\$17.28	10.37	9.94	9.50	8.64	---
PST599	Silicone Grease - 8 oz Plastic Tube	\$38.89	23.33	21.39	19.45	---	---

Thread Sealing Tape (PTFE)



Part Number	Description	List	1	10	20	50	100
T05521	PTFE Thread Sealing Tape 0.5" x 520"	\$4.07	2.04	1.93	1.83	1.73	1.63

G. A. Murdock 2022 Price List

Mur-lok® LLDPE Anti-Microbial Polyethylene Tubing

- All Materials certified to either NSF/ANSI 51 and 58
- High antimicrobial performance in ASTM testing
- Non-leaching: does not promote antimicrobial resistance
- Active against forms of unwanted fungi, algae, and bacteria



Part Number	OD	ID	Color	Length	List	1	3	6
B0405005	1/4"	0.170"	Light Blue	500'	\$351.34	154.59	140.54	126.48
B0605005	3/8"	0.250"	Light Blue	500'	\$440.72	193.92	176.29	158.66

Working Pressure: 230 psi @ 70°F and 120 psi @ 150°F



Mur-lok® LLDPE Polyethylene Tubing - Boxed Coil

Part Number	OD	ID	Color	Length	List	1	5	10
L0402501	1/4"	0.170"	White	250'	\$47.33	20.83	18.93	17.04
L0402502	1/4"	0.170"	Yellow	250'	\$47.33	20.83	18.93	17.04
L0402504	1/4"	0.170"	Green	250'	\$47.33	20.83	18.93	17.04
L0402505	1/4"	0.170"	Blue	250'	\$47.33	20.83	18.93	17.04
L0402506*	1/4"	0.170"	Black	250'	\$47.33	20.83	18.93	17.04
L0402507	1/4"	0.170"	Natural	250'	\$47.33	20.83	18.93	17.04
L0402508	1/4"	0.170"	Orange	250'	\$47.33	20.83	18.93	17.04
L0402509	1/4"	0.170"	Red	250'	\$47.33	20.83	18.93	17.04
L0502506*	5/16"	0.210"	Black	250'	\$66.76	29.37	26.70	24.03
L0502507	5/16"	0.210"	Natural	250'	\$66.76	29.37	26.70	24.03
L0602501	3/8"	0.250"	White	250'	\$100.15	44.07	40.06	36.05
L0602502	3/8"	0.250"	Yellow	250'	\$100.15	44.07	40.06	36.05
L0602504	3/8"	0.250"	Green	250'	\$100.15	44.07	40.06	36.05
L0602505	3/8"	0.250"	Blue	250'	\$100.15	44.07	40.06	36.05
L0602506*	3/8"	0.250"	Black	250'	\$100.15	44.07	40.06	36.05
L0602507	3/8"	0.250"	Natural	250'	\$100.15	44.07	40.06	36.05
L0602508	3/8"	0.250"	Orange	250'	\$100.15	44.07	40.06	36.05
L0602509	3/8"	0.250"	Red	250'	\$100.15	44.07	40.06	36.05
L0801001	1/2"	0.375"	White	100'	\$61.19	26.92	24.48	22.03
L0801002	1/2"	0.375"	Yellow	100'	\$61.19	26.92	24.48	22.03
L0801004	1/2"	0.375"	Green	100'	\$61.19	26.92	24.48	22.03
L0801005	1/2"	0.375"	Blue	100'	\$61.19	26.92	24.48	22.03
L0801006*	1/2"	0.375"	Black	100'	\$61.19	26.92	24.48	22.03
L0801007	1/2"	0.375"	Natural	100'	\$61.19	26.92	24.48	22.03
L0801009	1/2"	0.375"	Red	100'	\$61.19	26.92	24.48	22.03

Certified by IAPMO R&T to NSF/ANSI 58 for material and structural integrity requirements only, and to NSF/ANSI 372 for lead free compliance.

* Black tubing is UV resistant.



Mur-lok® LLDPE Polyethylene Tubing - Spool

Part Number	OD	ID	Color	Length	List	1	3	6
L0405001	1/4"	0.170"	White	500'	\$94.61	41.63	37.84	34.06
L0405002	1/4"	0.170"	Yellow	500'	\$94.61	41.63	37.84	34.06
L0405004	1/4"	0.170"	Green	500'	\$94.61	41.63	37.84	34.06
L0405005	1/4"	0.170"	Blue	500'	\$94.61	41.63	37.84	34.06
L0405006*	1/4"	0.170"	Black	500'	\$94.61	41.63	37.84	34.06
L0405007	1/4"	0.170"	Natural	500'	\$94.61	41.63	37.84	34.06
L0405008	1/4"	0.170"	Orange	500'	\$94.61	41.63	37.84	34.06
L0405009	1/4"	0.170"	Red	500'	\$94.61	41.63	37.84	34.06
L0410001	1/4"	0.170"	White	1000'	\$159.72	70.28	63.89	57.50
L0410005	1/4"	0.170"	Blue	1000'	\$159.72	70.28	63.89	57.50
L0410006*	1/4"	0.170"	Black	1000'	\$159.72	70.28	63.89	57.50
L0410007	1/4"	0.170"	Natural	1000'	\$159.72	70.28	63.89	57.50
L0410009	1/4"	0.170"	Red	1000'	\$159.72	70.28	63.89	57.50
L0505006*	5/16"	0.210"	Black	500'	\$166.94	73.45	66.78	60.10
L0505007	5/16"	0.210"	Natural	500'	\$166.94	73.45	66.78	60.10
L0605001	3/8"	0.250"	White	500'	\$200.34	88.15	80.14	72.12
L0605002	3/8"	0.250"	Yellow	500'	\$200.34	88.15	80.14	72.12
L0605004	3/8"	0.250"	Green	500'	\$200.34	88.15	80.14	72.12
L0605005	3/8"	0.250"	Blue	500'	\$200.34	88.15	80.14	72.12
L0605006*	3/8"	0.250"	Black	500'	\$200.34	88.15	80.14	72.12
L0605007	3/8"	0.250"	Natural	500'	\$200.34	88.15	80.14	72.12
L0605008	3/8"	0.250"	Orange	500'	\$200.34	88.15	80.14	72.12
L0605009	3/8"	0.250"	Red	500'	\$200.34	88.15	80.14	72.12
L0802501	1/2"	0.375"	White	250'	\$153.05	67.34	61.22	55.10
L0802502	1/2"	0.375"	Yellow	250'	\$153.05	67.34	61.22	55.10
L0802504	1/2"	0.375"	Green	250'	\$153.05	67.34	61.22	55.10
L0802505	1/2"	0.375"	Blue	250'	\$153.05	67.34	61.22	55.10
L0802506*	1/2"	0.375"	Black	250'	\$153.05	67.34	61.22	55.10
L0802507	1/2"	0.375"	Natural	250'	\$153.05	67.34	61.22	55.10
L0802509	1/2"	0.375"	Red	250'	\$153.05	67.34	61.22	55.10

Certified by IAPMO R&T to NSF/ANSI 58 for material and structural integrity requirements only, and to NSF/ANSI 372 for lead free compliance.

Custom cut lengths also available. *Black tubing is UV resistant.

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Systems Tubing
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Working Temp/ Pressure		
OD	psi	°F
1/4"	230 @ 70°F 120 @ 150°F	
5/16"		
3/8"		
1/2"	150 @ 70°F 90 @ 150°F	



Working Temp/ Pressure		
OD	psi	°F
1/4"	230 @ 70°F 120 @ 150°F	
5/16"		
3/8"		
1/2"	150 @ 70°F 90 @ 150°F	

G. A. Murdock 2022 Price List

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Mur-lok® LLDPE Polyethylene Drain Tubing

NSF/FDA Approved Materials



Working Temp/ Pressure		
OD	psi	°F
5/8"	100 @ 70°F	
3/4"	60 @ 70°F	

Part Number	OD	ID	Color	Length	List	1	5	10
L1001006*	5/8"	0.500"	Black	100' Coil	\$86.33	37.99	34.53	31.08
L1001007	5/8"	0.500"	Natural	100' Coil	\$86.33	37.99	34.53	31.08
L1001506*	5/8"	0.500"	Black	150' Spool	\$129.52	56.99	46.63	42.74
L1001507	5/8"	0.500"	Natural	150' Spool	\$129.52	56.99	46.63	42.74
L1005006*	5/8"	0.500"	Black	5 x 100' Coils	\$363.21	159.81	134.39	127.12
L1005007	5/8"	0.500"	Natural	5 x 100' Coils	\$363.21	159.81	134.39	127.12
L1221006*	3/4"	0.625"	Black	100' Coil	\$107.09	47.12	42.84	38.55
L1221007	3/4"	0.625"	Natural	100' Coil	\$107.09	47.12	42.84	38.55

* Black tubing is UV resistant. Not an NSF/ANSI certified product.



Mur-lok® Flexible PVC Tubing

Works great for drain line or other fluid handling.

- 1/8" Thick wall resists kinking
- 170°F Max operating temperature
- 40 PSI Working Pressure
- -20°F Brittle temperature



Working Temp/ Pressure		
OD	psi	°F
3/4"	45 @ 70°F	
7/8"	40 @ 70°F	


Part Number	OD	ID	Color	Length	List	1	6	12
L1201506*	3/4"	1/2"	Black	150'	\$202.76	89.21	81.10	72.99
L1201507	3/4"	1/2"	Clear	150'	\$237.23	104.38	94.89	85.40
L1401006*	7/8"	5/8"	Black	100'	\$175.73	77.32	70.29	63.26
L1401007	7/8"	5/8"	Clear	100'	\$205.61	90.47	82.24	74.02

* Black tubing is UV resistant. Not an NSF/ANSI certified product.



Mur-lok® Tubing Mounting Clips

- Secures 1 or 2 tubes
- Polypropylene Construction
- Includes two screws per clip
- FDA/NSF Materials



Part Number	Description	List	1 pack	5 packs	10 packs	50 packs
LTC04	1/4" Tubing Clips - 10 pack with screws	\$14.21	6.25	6.11	5.97	5.83
LTC05	5/16" Tubing Clips - 10 pack with screws	\$16.35	7.19	7.03	6.87	6.70
LTC06	3/8" Tubing Clips - 10 pack with screws	\$18.48	8.13	7.95	7.76	7.58
LTC08	1/2" Tubing Clips - 10 pack with screws	\$20.61	9.07	8.86	8.66	8.45



John Guest® Tools

Part Number	Description	List	1	5	10
TSNIPS	Tubing Cutter	\$18.16	11.80	10.53	10.17
BLADES	Tubing Cutter Replacement Blades	\$5.34	3.47	3.10	2.99
ICLT/2	Release Tool Set - 3/16", 5/16", 1/4", 3/8", 1/2"	\$19.91	12.94	11.55	11.15
PM2610S	3/8" QC Flow Bend	\$2.00	2.00	----	1.64

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISTRIBUTOR



Pentek® RO Systems

Includes tank and faucet

Part Number	Model	Description	Qty	List	< case	1 case	2 case	4 case
161079*	RO-2550	4 Stage RO 50 gpd Thin Film Membrane	1	\$405.04		Login or call for pricing		
161154	GRO-2550	4 Stage RO 50 gpd GRO Membrane	1	\$553.77	282.42	282.42	----	----
Replacement Components+			Qty	List	< case	1 case	2 case	4 case
155014	P5	GRO/RO-2550 Sediment Pre-filter	24	\$6.17		Login or call for pricing		
155634	EPM-10	GRO/RO-2550 Carbon Block Pre-filter	12	\$12.20		Login or call for pricing		
555583		RO-2550 50 GPD Membrane	25	\$66.31	36.47	29.84	----	27.85
555574		RO-2550 Carbon Post Filter	12	\$42.55	31.91	25.53	23.40	21.28
4004424	GRO-50EF	GRO-2550 50 GPD Membrane	16	\$120.96	76.20	62.90	----	59.27
255521		GRO-2550 Carbon Post Filter	12	\$15.88	11.91	9.05	8.26	7.46

*The RO-2550 is Tested and Certified by NSF International against NSF/ANSI Standard 58 for the reduction of Total Dissolved Solids, Fluoride, Turbidity, Lead, Selenium and Copper.

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PRF / Merlin® RO Replacement Components

Part Number	Description	Qty	List	< case	1 case	2 case	4 case
1266690	Sediment Pre-filter	15	\$22.25	17.80	15.58	14.46	13.35
3038333	High Capacity Carbon Pre-filter (10,000 Gal.)	20	\$46.22	36.98	36.98	32.35	30.04
255526	Carbon Post-filter	12	\$21.28	17.02	17.02	14.90	13.83
4000569	Membrane	8	\$156.60	125.28	109.62	101.79	93.96
M204LB100-PCLF-KIT	Pressure Gauge Kit	1	\$31.12	24.90	24.90	24.12	23.34
1240632	Booster Pump	1	\$482.53	313.64	313.64	301.58	289.52
4000445	Replacement Manifold Assembly	1	\$255.96	204.77	204.77	----	----
1239705	Housing Sump	1	\$42.44	33.95	33.95	29.71	27.59
1240326	Housing Sump O-ring	1	\$3.78	3.02	3.02	2.65	2.46

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Distributor
Residential Water Products



Pentek® Quick Change Filter Systems

Reduce Chlorine Taste & Odor and Particulate Class I. Standard 53 Atrazine, Cyst, Lead, Lindane and Turbidity.



DISTRIBUTOR



Part #	Model	Mic.	In/Out	Description	Qty	List	< case	1 case	2 case	4 case	8 case
155785	QC10-CBR-RP	0.5	Rep. Filter	Block w/ Lead Reduction	12	\$48.06	36.05	28.84	26.43	24.03	23.07

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® Drinking Water Systems

Point-of-use encapsulated cartridge system for multi-stage filtration. NSF 42 Certified. All systems include a faucet, monitored systems include a cartridge timer.



DISTRIBUTOR



Part #	Model	Description	Qty	List	< case	1 case	2 case	4 case
158837	F1000-DFB	System - 1 Stage, Chlorine, Taste and Odor	1			Login or call for pricing		
158838*	F1000-B1B	System - 1 Stage, Cyst and Lead	1			Login or call for pricing		
158839*	F2000-B2B	System - 2 Stage VOC	1			Login or call for pricing		
158853*	F2000-B2M	System - 2 Stage VOC, Monitored	1			Login or call for pricing		
158840*	F3000-B2B	System - 3 Stage, Sediment, VOC	1			Login or call for pricing		
158854*	F3000-B2M	System - 3 Stage, Sediment, VOC, Monitored	1			Login or call for pricing		

Replacement Components				For Use With		< case	1 case	2 case	4 case
655123	FDF1-RC	Filter - Chlorine Taste & Odor	F1000-DFB	12	\$42.55	31.91	25.53	23.40	21.28
655120	F1B1-RC	Filter - Cyst and Lead, 0.5 Mic	F1000-B1B	12	\$49.68	37.26	29.81	27.32	24.84
655116	F1S5-RC	Filter - Sediment, Polypro, 5 Mic.	F3000-B2B/M	12	\$28.40	21.30	17.04	15.62	14.20
655126	F2B2-RC2	Filter - Filter, 0.5 Mic, Twin Pack	F2000-B2B/M, F3000-B2B/M	12	\$99.25	74.44	59.55	54.59	49.63

*Marked items certified to NSF/ANSI Standard 53 to reduce cysts by mechanical means.

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Pentair's internet policy prohibits advertising the Freshpoint drinking water system and cartridge pricing online to the general public.



Pentek® FreshPoint RO Systems

Point-of-use encapsulated cartridge multi-stage RO system featuring GRO membranes. All systems include a faucet, installation kit and storage tank. Monitored systems include an internal TDS meter and magnetic timer badge to indicate filter replacement.

DISTRIBUTOR



Part #	Model	Description	Qty	List	< case	1 case	2 case	4 case
161110	GRO-350B	System - 3 Stage, 50 gpd	1			Login or call for pricing		
161113	GRO-350BP	System - 3 Stage, 50 gpd, Booster Pump	1			Login or call for pricing		
161111	GRO-475B	System - 4 Stage, 75 gpd	1			Login or call for pricing		
161151	GRO-475M	System - 4 Stage, 75 gpd, Monitored	1			Login or call for pricing		
161114	GRO-475BP	System - 4 Stage, 75 gpd, Booster Pump	1			Login or call for pricing		
161112	GRO-575B	System - 5 Stage, 75 gpd	1			Login or call for pricing		
161152	GRO-575M	System - 5 Stage, 75 gpd, Monitored	1			Login or call for pricing		

Replacement Components				For Use With		Qty	List	< case	1 case	2 case	4 case
655121	GRO50-RC	Membrane - 50 GPD GRO	GRO-350B	12	\$118.80		\$118.80	89.10	71.28	65.34	59.40
655122	GRO75-RC	Membrane - 75 GPD GRO	GRO-475B/M, GRO-575B/M	12	\$127.44		\$127.44	95.58	76.46	70.09	63.72
655123	FDF1-RC	Filter - Chlorine Taste & Odor	All Models	12	\$42.55		\$42.55	31.91	25.53	23.40	21.28
655120	F1B1-RC	Filter - Cyst and Lead, 0.5 Mic	GRO-475B/M	12	\$49.68		\$49.68	37.26	29.81	27.32	24.84
655126	F2B2-RC2	Filter - VOC, 0.5 Mic, Twin Pack	GRO-575B/M	12	\$99.25		\$99.25	74.44	59.55	54.59	49.63
655117	F1GC-RC	Filter - Post Filter	All Models	12	\$34.88		\$34.88	26.16	20.93	19.18	17.44

Certified by NSF International to the standards listed below for the reduction of the claims specified on the performance data sheet and at nsf.org:

* NSF/ANSI 42, 53, 58 and CSA B483.1

** NSF/ANSI 42, 58 and CSA B483.1

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Pentair's internet policy prohibits advertising the Freshpoint RO system and cartridge pricing online to the general public.



Water-On-Water RO System

Compact 3-stage RO System with integrated tank. Units can be stacked and installed in series for more capacity. Install kit with faucet sold separately.



Part Number	Description	List	1	5	10	20
20-210-001	RO 50 Base Unit with Filters and Leak Detection (No Install Kit)	\$456.98	274.19	265.05	255.91	246.77
20-215-001	RO 180 Conversion Kit with Filters (No Install Kit)	\$241.50	144.90	140.07	135.24	130.41
20-345-001	Installation Kit - Non-Air Gap Faucet	\$89.70	53.82	52.03	50.23	48.44
20-340-001	Installation Kit - Air Gap Faucet	\$109.25	65.55	63.37	61.18	59.00
20-365-001	Installation Kit - No Faucet	\$58.95	35.37	34.19	33.01	31.83
20-375-001	Additional Tank with Adapter	\$75.90	45.54	44.02	42.50	40.99
20-810-001	RO 50 - Leak Detection Tray	\$35.65	21.39	20.68	19.96	19.25
20-250-001	RO 50 - Membrane - 50 GPD	\$88.55	53.13	----	49.59	47.82
20-201-001	RO 50 - Pre-Filter - Sediment/Carbon	\$34.39	20.63	----	----	19.26
20-202-001	RO 50 - Post-Filter - Carbon	\$36.81	22.09	----	----	20.61
20-250-002	RO 180 - Membrane - 180 GPD - Long	\$90.85	54.51	----	50.88	49.06
20-201-002	RO 180 - Pre-Filter - Sediment/Carbon - Long	\$47.15	28.29	----	----	26.40
20-202-002	RO 180 - Post-Filter - Carbon - Long	\$50.60	30.36	----	----	28.34

Certified by IAPMO R&T against NSF/ANSI 58 for the reduction of claims specified in the performance data sheet.

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Aquatec Delivery, Booster & Permeate Pumps



Part Number	Description	QC	Qty	List	< case	1 case	3 case
AQ-5851-7E12-J574	Delivery - 70/60psi, 0.7gpm, 120V plug	3/8"	4	\$117.42	99.81	88.07	82.19
AQ-5852-7E12-J584	Delivery - 70/60psi, 1.2gpm, 120V plug	3/8"	4	\$117.42	99.81	88.07	82.19
AQ-5853-1E12-J574	Delivery - 130/60psi, 0.9gpm, 120V plug	3/8"	4	\$113.35	96.35	85.01	79.35
AQ-5853-GE12-V81D	Delivery - Variable, 60psi, 0.1-1gpm 115V	3/8"	4	\$253.07	215.11	189.80	177.15
AQ-ERP500-JG	Permeate Pump - Bracket, < 50 gpd	1/4"	8	\$59.44	42.80	41.61	40.42
AQ-ERP1000-JG	Permeate Pump - Bracket, > 50 gpd	1/4"	8	\$59.53	42.86	41.67	40.48
1240632	Booster Pump - Variable speed, 65 psi	1/2"	1	\$482.53	313.64	313.64	301.58
AQ-6840-2J03-B221*	Booster Pump - < 50 gpd	1/4"	12	\$85.34	72.54	64.01	59.74
AQ-8851-2J03-B423*	Booster Pump - 50-100 gpd	3/8"	4	\$97.21	82.63	77.77	72.91
AQ-TAS114-19EP	6800 Series Transformer - 120V		4	\$13.46	11.44	10.10	9.42
AQ-TACS114-48	8800 Series Transformer - 120V		4	\$22.45	19.08	16.84	15.72
AQ-PSW240-00	Tank Pressure Switch - 40 psi	1/4"	4	\$12.35	10.50	9.26	8.65
AQ-PSW260-00	Tank Pressure Switch - 60 psi	1/4"	4	\$12.35	10.50	9.26	8.65
AQ-PSW280-00	Tank Pressure Switch - 80 psi	1/4"	4	\$16.93	14.39	12.70	11.85
AQ-PSW340-00	Tank Pressure Switch - 40 psi	3/8"	4	\$13.46	11.44	10.10	9.42
AQ-PSW360-00	Tank Pressure Switch - 60 psi	3/8"	4	\$13.46	11.44	10.10	9.42
AQ-PSW380-00	Tank Pressure Switch - 80 psi	3/8"	4	\$13.46	11.44	10.10	9.42
AQ-ESODC-460	Electronic Shut-off Valve - 24V AC/DC	1/4"	4	\$27.38	23.27	20.54	19.17
AQ-21-127	Electronic SOV Wire Harness - F-MM - 11" Long		1	\$2.73	2.32	2.32	----

*Booster pumps require Tank Pressure Switch and Transformer.

PA-E RO Storage Tanks

White Finish, Plastic Lined



Part Number	Dimensions	Volume	Male NPT	List	1	10	50	100
RO120	9.0" Dia. X 13.0" H	2 Gal.	1/4"	\$93.63	42.13	39.79	37.45	36.05
RO122P (plastic)	9.4" Dia. X 14.3" H	2.5 Gal.	1/4"	\$86.12	38.75	36.60	34.45	33.16
RO122	9.0" Dia. X 14.0" H	3 Gal.	1/4"	\$99.70	44.87	42.37	39.88	38.38
RO132*	11.0" Dia. X 14.0" H	4 Gal.	1/4"	\$99.01	44.55	42.08	39.60	38.12
ROTP19P (plastic)	11.5" Dia. X 16.0" H	5 Gal.	1/4"	\$96.54	43.44	41.03	38.62	37.17
RO152	12.0" Dia. X 16.0" H	5.5 Gal.	1/4"	\$123.69	55.66	52.57	49.48	47.62

Part Number	Dimensions	Volume	Male NPT	List	1	5	10	25
ROTP35	12.5" Dia. X 19.7" H	9.2 Gal..	1/4"	\$188.94	94.47	89.75	85.02	80.30
RO1070-4	15.0" Dia. X 23.0" H	14 Gal.	1/4"	\$242.62	121.31	115.24	109.18	103.11
RO1070	15.0" Dia. X 23.0" H	14 Gal.	3/4"	\$265.76	132.88	126.24	119.59	112.95
RO2000	15.0" Dia. X 30.0" H	20 Gal.	3/4"	\$388.57	194.29	184.57	174.86	165.14
RO2800**	15.5" Dia. X 38.0" H	28 Gal.	1" BSP	\$576.73	288.37	273.95	259.53	245.11

Tested and Certified by NSF International against NSF/ANSI 58 for material and structural integrity requirements

*Standard size RO tank, stores approximately 3 gallons of water. Actual tank capacity dependant on inlet pressure and tank air pressure.

** RO2800 Tank includes fitting adapter with 3/8" compression valve outlet.

Structural® ROMate™ Vessels

High-density polyethylene liner, Fiberglass-wound and epoxy resin-sealed outer shell. Maximum operating temperature: 120°F



DISTRIBUTOR



Part Number	Dimensions	Volume	Male NPT	List	1	2	4	8
CH30834	16.00" Dia. X 26.50" H	14.5 Gallons	1"	\$627.75	439.43	408.04	376.65	357.82
CH30839	16.00" Dia. X 32.25" H	19.8 Gallons	1"	\$685.11	479.58	445.32	411.07	390.51
CH30853	16.00" Dia. X 44.00" H	29.5 Gallons	1"	\$993.39	695.37	645.70	596.03	566.23
CH30865	16.00" Dia. X 56.75" H	40.3 Gallons	1"	\$1,150.87	805.61	748.07	690.52	656.00
CH34394	24.25" Dia. X 41.50" H	60.0 Gallons	1-1/4"	\$1,506.37	1,054.46	979.14	903.82	858.63
CH31054	24.25" Dia. X 55.50" H	86.7 Gallons	1-1/4"	\$1,650.16	1,155.11	1,072.60	990.10	940.59
CH34395	24.25" Dia. X 74.25" H	119.7 Gallons	1-1/4"	\$2,059.87	1,441.91	1,338.92	1,235.92	1,174.13

Tested and Certified by the Water Quality Association (WQA) to NSF/ANSI Standard 61 section 8 and NSF/ANSI 372 for lead free compliance.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Call 800.568.7565 for replacement components.

RO Storage Tank Pressure Gauge



Part Number	Description	List	1	25	50	100
S20096	Low Pressure (0-20 psi) Tank Pressure Gauge	\$46.88	28.13	27.19	26.25	25.32

RO Tank Shut-Off Valves



Part Number	Tank Side	Line Side	Type	List	1	25	50	100
I0400425	1/4" Female NPTF	1/4" Mur-lok®	90° Valve	\$6.55	3.93	3.86	3.80	3.67
I0400625	1/4" Female NPTF	3/8" Mur-lok®	90° Valve	\$6.76	4.06	3.99	3.92	3.79
RTV1400425	3/4" Female NPTF	1/4" Mur-lok®	90° Valve Kit	\$19.90	11.94	10.95	9.95	8.96
RTV1400625	3/4" Female NPTF	3/8" Mur-lok®	90° Valve Kit	\$19.46	11.68	10.70	9.73	8.76
RTV1400825	3/4" Female NPTF	1/2" Mur-lok®	90° Valve Kit	\$21.37	12.82	11.75	10.69	9.62
RTV1600625	1" Female NPTF	3/8" Mur-lok®	90° Valve Kit	\$35.64	21.38	19.60	17.82	16.04
RTV2000425	1-1/4" Female NPTF	1/4" Mur-lok®	90° Valve Kit	\$66.59	39.95	36.62	33.30	29.97

G. A. Murdock 2022 Price List

Hydramatic Auto Shutoff Valves

- FDA approved ABS material
- Molded-in mounting bracket
- Shuts off at 60% of line pressure
- Made in the USA



Part Number	Description	List	1	10	50	100
ASV100	1/8" Female NPTF - White, < 50 gpd	\$8.07	6.46	5.65	5.25	5.04
ASV100HF	1/8" Female NPTF - White, 50-100 gpd	\$9.28	7.42	6.50	6.03	5.80
ASV2000M	1/4" Mur-lok® - White, < 150 gpd	\$10.19	8.15	7.13	6.62	6.37
ASV2000MB	1/4" Mur-lok® - Black, < 150 gpd	\$10.17	8.14	7.12	6.61	6.36
ASV300M	3/8" Mur-lok® - White, < 300 gpd	\$27.96	22.37	19.57	18.17	17.48
ASV300MB	3/8" Mur-lok® - Black, < 300 gpd	\$27.96	22.37	19.57	18.17	17.48
ASVERPUG	1/4" Mur-lok®, Permeate Pump Auto Shutoff at 80%	\$19.51	15.61	13.66	12.68	12.19

DISTRIBUTOR



Pentek® Slim Line® Housings



Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
158003	5"	3/8" FNPT	Blue/Black		12	\$27.76	20.82	16.66	15.27	13.88
158002	5"	3/8" FNPT	Blue/Black	w/pr	12	\$27.54	20.66	16.52	15.15	13.77
158203	5"	1/2" FNPT	Blue/Black		12	\$28.73	21.55	17.24	15.80	14.37
158114	10"	1/4" FNPT	Blue/Black		12	\$18.04	13.53	10.82	9.92	9.02
158115	10"	1/4" FNPT	Blue/Black	w/pr	12	\$19.66	14.75	11.80	10.81	9.83
158125	10"	1/4" FNPT	White		12	\$15.12	11.34	9.07	8.32	7.56
158006	10"	3/8" FNPT	Blue/Black		12	\$19.01	14.26	11.41	10.46	9.51
158005	10"	3/8" FNPT	Blue/Black	w/pr	12	\$19.66	14.75	11.80	10.81	9.83
158007	10"	3/8" FNPT	Clear/Blue	w/pr	12	\$29.38	22.04	17.63	16.16	14.69
158195	10"	1/2" FNPT	Blue/Black	w/pr	12	\$28.30	21.23	16.98	15.57	14.15
158214	10"	1/2" FNPT	Clear/Blue	w/pr	12	\$41.80	31.35	25.08	22.99	20.90
158204	20"	1/2" FNPT	Blue/Black	w/pr	8	\$60.48	45.36	36.29	33.26	30.24

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
For use with 244046 slimline mounting bracket. PR = Pressure Release Valve

DISTRIBUTOR



Pentek® Standard & Valve-in-Head Housings



Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
150067	10"	3/4" FNPT	Black/Blue	Mount Boss w/pr	12	\$44.74	33.56	26.84	24.61	22.37
150068	10"	3/4" FNPT	Black/Blue	Mount Boss	12	\$44.82	33.62	26.89	24.65	22.41
150164	10"	3/4" FNPT	Black/Blue	Valve-Head w/pr	12	\$81.65	61.24	48.99	44.91	40.83
150071	10"	3/4" FNPT	Clear/Blue	Mount Boss w/pr	12	\$57.02	42.77	34.21	31.36	28.51
150437	10"	3/4" FNPT	Clear/Blue	Valve-Head w/pr	12	\$97.31	72.98	58.39	53.52	48.66
150070	20"	3/4" FNPT	Black/Blue	Mount Boss	8	\$76.68	57.51	46.01	42.17	38.34
150069	20"	3/4" FNPT	Black/Blue	Mount Boss w/pr	8	\$76.36	57.27	45.82	42.00	38.18
150166	20"	3/4" FNPT	Black/Blue	Valve-Head w/pr	8	\$114.48	85.86	68.69	62.96	57.24

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PR = Pressure Release Valve, Valve-Head = Valve-in-Head, Mount Boss = With Mounting Boss for 244043 (standard) Bracket

DISTRIBUTOR



Pentek® High Temperature Housings



Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
158319	10"	1/2" FNPT	Black	Slimline High Temp	12	\$124.20	Login or call for pricing			
150015	10"	3/4" FNPT	Red	High Temp	12	\$231.12	173.34	138.67	127.12	115.56
150111	20"	3/4" FNPT	Red	High Temp	8	\$361.80	271.35	217.08	198.99	180.90

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISTRIBUTOR



Pentek® 3G Slim Line® Housings



Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
158598	10"	1/4" FNPT	Blue/Black	w/pr	12	\$28.94	21.71	16.50	15.05	13.60
158601	10"	1/4" FNPT	White		12	\$28.62	21.47	17.17	15.74	14.31
158739	10"	1/4" FNPT	White	Flat Cap	12	\$20.20	15.15	12.12	11.11	10.10
158785	10"	1/2" FNPT	White	Flat Cap	12	\$28.30	21.23	16.13	14.72	13.30

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
For use with 244046 slimline mounting bracket. PR = Pressure Release Valve

DISTRIBUTOR



Pentek® 3G Slim Line® Housings - Integrated Bracket



Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
158642	10"	3/8" FNPT	Blue/Black	w/pr	12	\$32.08	24.06	19.25	17.64	16.04
158647	10"	3/8" QC	White	w/pr	12	\$43.52	32.64	26.11	23.94	21.76

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PR = Pressure Release Valve, QC=Quick-Connect Fitting

DISTRIBUTOR

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments

G. A. Murdock 2022 Price List

DISTRIBUTOR



Pentek® 3G Standard Housings

Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
150546	10"	3/4" FNPT	Blue/Black		12	\$45.36	34.02	27.22	24.95	22.68
150542	10"	3/4" FNPT	Blue/Black	w/pr	12	\$46.12	34.59	27.67	25.37	23.06
150558	10"	3/4" FNPT	Clear/Blue	w/pr	12	\$58.43	43.82	35.06	32.14	29.22
150560	20"	3/4" FNPT	Clear/Blue	w/pr	8	\$112.32	84.24	67.39	61.78	56.16

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
For use with 244043 standard mounting bracket. PR = Pressure Release Valve

DISTRIBUTOR



Pentek® 3G Standard Housings - Integrated Bracket

Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
150550	10"	3/4" FNPT	Blue/Black	w/pr	12	\$51.41	38.56	30.85	28.28	25.71
150566	10"	3/4" FNPT	Clear/Blue	w/pr	12	\$63.50	47.63	38.10	34.93	31.75
150552	20"	3/4" FNPT	Blue/Black	w/pr	8	\$84.35	63.26	50.61	46.39	42.18

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PR = Pressure Release Valve

DISTRIBUTOR



Pentek® Bag Vessels

Part #	Model	Dimensions	Description	List	1	20	50	100
150360	PBH-410-1	10"	Bag Vessel, 1" in/out	\$268.92	174.80	153.28	139.84	126.39
150338	PBH-410-1.5	10"	Bag Vessel, 1.5" in/out	\$288.36	187.43	164.37	149.95	135.53
150367	PBH-420-1	20"	Bag Vessel, 1" in/out	\$308.88	200.77	185.33	169.88	154.44
150337	PBH-420-1.5	20"	Bag Vessel, 1.5" in/out	\$325.08	211.30	185.30	169.04	152.79

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISTRIBUTOR





Pentek® Big Blue®/Big Clear Housings

Part #	Length	In/Out	Color	Description	Qty	List	< case	1 case	2 case	4 case
150469	10"	3/4" FNPT	Blue	HFPP w/pr	6	\$63.83	47.87	38.30	35.11	31.92
150238	10"	1" FNPT	Blue	HFPP	6	\$58.00	43.50	34.80	31.90	29.00
150237	10"	1" FNPT	Blue	HFPP w/pr	6	\$60.51	45.38	36.31	33.28	30.26
166219	10"	1" FNPT	Clear	LX w/pr	6	\$207.36	155.52	124.42	114.05	103.68
655106	10"	1" FNPT	White	With Bypass	6	\$179.28	134.46	107.57	98.60	89.64
150239	10"	1.5" FNPT	Blue	HFPP w/pr	6	\$65.88	49.41	39.53	36.23	32.94
150467	20"	3/4" FNPT	Blue	HFPP w/pr	4	\$90.07	Login or call for pricing			
150234	20"	1" FNPT	Blue	HFPP	4	\$86.83	65.12	52.10	47.76	43.42
150233	20"	1" FNPT	Blue	HFPP w/pr	4	\$88.39	66.29	53.03	48.61	44.20
166201	20"	1" FNPT	Clear	LX w/pr	4	\$212.76	159.57	127.66	117.02	106.38
655107	20"	1" FNPT	White	With Bypass	6	\$204.12	153.09	122.47	112.27	102.06
150235	20"	1.5" FNPT	Blue	HFPP w/pr	4	\$93.85	70.39	56.31	51.62	46.93

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
PR = Pressure Release Valve, HFPP = High Flow Polypropylene, LX = Clear Lexan

DISTRIBUTOR



Brackets and Mounting Screws

Part #	For Use With	Description	List	1	20	50	100
244043**	Standard	Bracket ONLY	\$5.40	4.05	3.24	2.97	2.70
150578	Standard	Bracket Kit w/Screws	\$11.99	8.99	7.19	6.59	6.00
151011	Standard/High-Temp	U-Bracket w/Screws	\$12.31	9.23	7.39	6.77	6.16
244046*	Slim Line	Bracket ONLY	\$3.46	2.60	2.08	1.90	1.73
244047	Slim Line	Bracket Kit w/Screws	\$7.99	5.99	4.79	4.39	4.00
244627	Slim Line	Bracket - Two-Housing	\$49.79	37.34	29.87	27.38	24.90
B16204SS	Slim Line	Bracket - Two-Housing - Stainless Steel	\$34.35	25.76	22.33	20.61	18.89
B16412SS	Standard/Slim Line	Bracket - Three-Housing - Stainless Steel	\$95.14	71.36	61.84	57.08	52.33
B12403ZN***	Big Blue	Bracket ONLY - Zinc-coated	\$22.40	16.80	14.56	13.44	12.32
B12403	Big Blue	Bracket - Zinc-coated w/Screws	\$36.22	27.17	23.54	21.73	19.92
B12401	Big Blue	Bracket - Stainless Steel w/Screws	\$44.50	33.38	28.93	26.70	24.48
B12404	Big Blue	Bracket - Dual - Stainless Steel w/Screws	\$195.72	146.79	127.22	117.43	107.65
B12407	Big Blue	Bracket - Dual - Galvanized CRS w/Screws	\$92.04	69.03	59.83	55.22	50.62
144095	244043 Bracket	Screw - 1/4" - 20 x 3/4"	\$0.57	0.40	0.34	0.29	0.23
144093	244043/6 Bracket	Screw - Wall - #10 x 1"	\$0.37	0.26	0.22	0.19	0.15
144026	244046 Bracket	Screw - #10 x 3/4"	\$0.31	0.22	0.19	0.16	0.12
144090	Big Blue Bracket	Screw - 5/16" x 1.25"	\$1.56	1.09	0.94	0.78	0.62

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
* Requires 4 each - 144026 and 144093 ** Requires 4 each - 144095 and 144093 *** Requires 8 each of 144090




O-Rings and Accessories

Part #	Model	Description	For Use With	List	1	20	50	100
151121		O-ring - Buna-N #237	#5, #10, & #20 Slim Line®	\$3.56	2.67	2.14	1.96	1.78
151120		O-ring - Buna-N #241	#10, #12, & #20	\$3.46	Login or call for pricing			
151118		O-ring - Silicon #241	#10, #12, & #20	\$17.17	12.88	10.30	9.44	8.59
151122		O-ring - Buna-N	Big Blue®	\$11.02	8.27	6.61	6.06	5.51
151254		O-ring - Buna-N	#10 Big Clear®	\$11.02	8.27	7.16	6.61	6.06
151362		O-ring - Buna-N	#20 Big Clear®	\$11.02	8.27	7.16	6.61	6.06
150539	SW-1A	Housing Spanner Wrench	Slim Line®	\$6.48	Login or call for pricing			
150295	SW-2	Housing Spanner Wrench	Standard	\$6.48	4.86	3.89	3.56	3.24
150296	SW-3	Housing Spanner Wrench	#10 Big Blue®	\$6.91	5.18	4.15	3.80	3.46
144368	SW-4	Housing Spanner Wrench	#20 Big Blue®	\$6.91	5.18	4.15	3.80	3.46
144880	BW/BC	Housing Spanner Wrench	Big Clear®	\$10.48	7.86	6.29	5.76	5.24
155003		Cartridge Coupler	Standard Cartridges	\$3.46	2.60	2.08	1.90	1.73
144229		Cartridge Coupler	Big Blue® Cartridges	\$4.75	3.56	2.85	2.61	2.38
N0610617		Housing Nipple	3/8" Female NPT	\$0.91	0.55	0.53	0.51	0.49
N0810817		Housing Nipple	1/2" Female NPT	\$0.99	0.59	0.57	0.55	0.54
151039		Pressure Relief Button Kit	Standard	\$5.29	3.97	3.17	2.91	2.65

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Clack Hydro-Cure® Melt Blown Sediment Filters

Spun Polypropylene



Part Number	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case
31010988	2.5" x 10"	1	24	\$3.15	2.36	2.05	1.89	1.73
31050988	2.5" x 10"	5	24	\$3.15	2.36	2.05	1.89	1.73
31250988	2.5" x 10"	25	24	\$3.15	2.36	2.05	1.89	1.73
31500988	2.5" x 10"	50	24	\$3.15	2.36	2.05	1.89	1.73
31012000	2.5" x 20"	1	25	\$6.28	4.71	4.08	3.77	3.45
31052000	2.5" x 20"	5	25	\$6.28	4.71	4.08	3.77	3.45
31252000	2.5" x 20"	25	25	\$6.28	4.71	4.08	3.77	3.45
31502000	2.5" x 20"	50	25	\$6.28	4.71	4.08	3.77	3.45
Dual Gradient Spun Polypropylene								
DG25010988HC	4.5" x 10"	25/01	8	\$13.15	9.86	8.55	7.89	7.23
DG25050988HC	4.5" x 10"	25/05	8	\$13.15	9.86	8.55	7.89	7.23
DG50050988HC	4.5" x 10"	50/05	8	\$13.15	9.86	8.55	7.89	7.23
DG50250988HC	4.5" x 10"	50/25	8	\$13.15	9.86	8.55	7.89	7.23
DG75250988HC	4.5" x 10"	75/25	8	\$13.15	9.86	8.55	7.89	7.23
DG25012000HC	4.5" x 20"	25/01	6	\$26.16	19.62	17.00	15.70	14.39
DG25052000HC	4.5" x 20"	25/05	6	\$26.16	19.62	17.00	15.70	14.39
DG50052000HC	4.5" x 20"	50/05	6	\$26.16	19.62	17.00	15.70	14.39
DG50252000HC	4.5" x 20"	50/25	6	\$26.16	19.62	17.00	15.70	14.39
DG75252000HC	4.5" x 20"	75/25	6	\$26.16	19.62	17.00	15.70	14.39

Pentek® Melt Blown Sediment Filters

Spun Polypropylene

DISTRIBUTOR



Part #	Model	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case
155030	P5-478	2.5" x 5"	5	24	\$5.72	Login or call for pricing			
1013238	MB-01-10	2.5" x 10"	1	40	\$3.99	3.39	2.99	2.59	2.39
155225	P1	2.5" x 10"	1	24	\$6.70	Login or call for pricing			
255690	PS1-10C	2.5" x 10"	1	24	\$3.25	2.44	1.95	1.79	1.63
155014	P5	2.5" x 10"	5	24	\$6.17	Login or call for pricing			
155015	P25	2.5" x 10"	25	24	\$6.05	Login or call for pricing			
Dual Gradient Spun Polypropylene									
155359	DGD-2501	4.5" x 10"	25/1	8	\$22.46	16.85	13.48	12.35	11.23
155357	DGD-5005	4.5" x 10"	50/5	8	\$21.58	Login or call for pricing			
155355	DGD-7525	4.5" x 10"	75/25	8	\$21.49	16.12	12.89	11.82	10.75
155360	DGD-2501-20	4.5" x 20"	25/1	6	\$41.47	Login or call for pricing			
155358	DGD-5005-20	4.5" x 20"	50/5	6	\$39.78	Login or call for pricing			
155356	DGD-7525-20	4.5" x 20"	75/25	6	\$39.64	29.73	23.78	21.80	19.82

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

G. A. Murdock 2022 Price List



DISTRIBUTOR



Pentek® PolyDepth® High Temperature Filters

Part Number	Model	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case
155748	PD-1-934	2.5" x 10"	1	24	\$9.83	7.37	5.90	5.41	4.92
155749	PD-5-934	2.5" x 10"	5	24	\$9.61	7.21	5.77	5.29	4.81
155750	PD-10-934	2.5" x 10"	10	24	\$9.40	7.05	5.64	5.17	4.70
155751	PD-25-934	2.5" x 10"	25	24	\$9.29	6.97	5.57	5.11	4.65
155752	PD-50-934	2.5" x 10"	50	24	\$9.18	6.89	5.51	5.05	4.59
155755	PD-1-20	2.5" x 20"	1	20	\$17.82	13.37	10.69	9.80	9.27
155756	PD-5-20	2.5" x 20"	5	20	\$17.39	13.04	10.43	9.56	8.70
155757	PD-10-20	2.5" x 20"	10	20	\$16.74	12.56	10.04	9.21	8.37
155758	PD-25-20	2.5" x 20"	25	20	\$16.52	12.39	9.42	8.59	7.76
155759	PD-50-20	2.5" x 20"	50	20	\$16.52	12.39	9.91	9.09	8.26
155763	PD-5-30	2.5" x 30"	5	20	\$25.92	19.44	15.55	14.26	12.96
155765	PD-25-30	2.5" x 30"	25	20	\$25.60	19.20	14.59	13.31	12.03

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Polypropylene sediment filter. Recommended temperature range: 40° F - 175° F.



DISTRIBUTOR



Pentek® Pleated Sediment Filters

Part Number	Model	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case
Cellulose - Polyester									
155031	R30-478	2.5" x 5"	30	24	\$14.04	10.53	8.42	7.72	7.02
255481	ECP1-10	2.5" x 10"	1	24	\$11.45	Login or call for pricing			
255482	ECP5-10	2.5" x 10"	5	24	\$10.58	Login or call for pricing			
255486	ECP5-20	2.5" x 20"	5	14	\$20.84	Login or call for pricing			
155416	R30-20	2.5" x 20"	30	14	\$28.62	21.47	17.17	15.74	14.31
255490	ECP5-BB	4.5" x 10"	5	8	\$25.92	19.44	15.55	14.26	12.96
255491	ECP20-BB	4.5" x 10"	20	8	\$25.92	19.44	15.55	14.26	12.96
255494	ECP5-20BB	4.5" x 20"	5	6	\$48.49	Login or call for pricing			
Polyester - Reusable									
155017	R30	2.5" x 10"	30	24	\$14.90	11.18	8.94	8.20	7.45
155038	R50	2.5" x 10"	50	24	\$14.47	10.85	8.68	7.96	7.24
155101	R30-BB	4.5" x 10"	30	8	\$30.46	22.85	18.28	16.75	15.23
155053	R50-BB	4.5" x 10"	50	8	\$24.19	18.14	14.51	13.30	12.10
155430	R30-20BB	4.5" x 20"	30	6	\$60.48	45.36	36.29	33.26	30.24
Cellulose									
155001	S1	2.5" x 10"	20	24	\$7.45	5.59	4.47	4.10	3.73
155303	S1-20	2.5" x 20"	20	14	\$16.85	12.64	10.11	9.27	8.43
155405	S1-BB	4.5" x 10"	20	8	\$20.95	15.71	12.57	11.52	10.48
155305	S1-20BB	4.5" x 20"	20	6	\$37.26	27.95	22.36	20.49	18.63
Polypropylene									
P0.2-10E	P0.2-10E	2.5" x 10"	0.2	6	\$145.80	102.06	87.48	80.19	72.90
P0.2-20E	P0.2-20E	2.5" x 20"	0.2	6	\$288.36	201.85	173.02	158.60	144.18

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DISTRIBUTOR



Pentek® Polypropylene String-Wound Filters

Part Number	Model	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case
155071	WP5	2.5" x 10"	5	24	\$11.34	8.51	6.80	6.24	5.67
155187	CW-MF	2.5" x 10"	30	24	\$6.59	4.94	3.95	3.62	3.30
155214	CW-50	2.5" x 10"	50	24	\$8.42	6.32	5.05	4.63	4.21
355212	WP.5BB97P	4.5" x 10"	0.5	8	\$36.61	27.46	21.97	20.14	18.31
355213	WP1BB97P	4.5" x 10"	1	8	\$35.53	26.65	21.32	19.54	17.77
355214	WP5BB97P	4.5" x 10"	5	8	\$34.99	26.24	20.99	19.24	17.50
355215	WP10BB97P	4.5" x 10"	10	8	\$33.91	25.43	20.35	18.65	16.96
355216	WP25BB97P	4.5" x 10"	25	8	\$33.48	25.11	20.09	18.41	16.74
355220	WPX50BB97P	4.5" x 10"	50	8	\$38.02	28.52	22.81	20.91	19.01
355221	WPX100BB97P	4.5" x 10"	100	8	\$37.26	27.95	22.36	20.49	18.63
355222	WP1BB20P	4.5" x 20"	1	6	\$86.40	64.80	51.84	47.52	43.20
355223	WP5BB20P	4.5" x 20"	5	6	\$79.60	59.70	47.76	43.78	39.80
355225	WP25BB20P	4.5" x 20"	25	6	\$78.52	58.89	47.11	43.19	39.26

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments

DISTRIBUTOR



Pentek® Polypropylene Bag Filters

Part Number	Model	Dimensions	Micron	Qty	List	< case	1 case	2 case	4 case	8 case
155385	BP-410-5	10"	5	20	\$7.34	5.51	4.18	3.82	3.45	3.30
155391	BP-410-50	10"	50	20	\$7.02	5.27	4.21	3.86	3.51	3.37
155393	BP-410-100	10"	100	20	\$7.02	5.27	4.21	3.86	3.51	3.37
155386	BP-420-5	20"	5	20	\$9.18	6.89	5.23	4.77	4.31	4.13
155392	BP-420-50	20"	50	20	\$8.86	6.65	5.32	4.87	4.43	4.25
155394	BP-420-100	20"	100	20	\$8.86	6.65	5.32	4.87	4.43	4.25

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
For use with Pentek Bag Vessels PBH-410 and PBH-420

Omnipure Carbon Block Filters

Part Number	Dimensions	Micron	Description	Qty	List	< case	1 case	3 case	6 case	9 case
OMB934-0.5*	2.5" x 10"	0.5	Carbon Block	20	\$12.49	8.99	7.74	7.49	7.24	6.99
OMB934-1M*	2.5" x 10"	1	Carbon Block	20	\$12.27	8.83	7.61	7.36	7.12	6.87
OMB934-1ML	2.5" x 10"	1	CB w/Lead Reduction	20	\$20.55	14.80	12.74	12.33	11.92	11.51
OMB934-1MP	2.5" x 10"	1	CB w/Polyphosphate	20	\$12.98	9.35	8.05	7.79	7.53	7.27
OMB934-5M*	2.5" x 10"	5	Carbon Block	20	\$8.68	6.25	5.38	5.21	5.03	4.86
OMB934-10M*	2.5" x 10"	10	Carbon Block	20	\$7.46	5.37	4.63	4.48	4.33	4.18
OMB200-1M	2.5" x 20"	1	Carbon Block	9	\$24.23	17.45	15.02	14.54	14.05	13.57
OMB200-1ML*	2.5" x 20"	1	CB w/Lead Reduction	9	\$38.30	27.58	23.75	22.98	22.21	21.45
OMB200-1MP	2.5" x 20"	1	CB w/Polyphosphate	9	\$36.49	26.27	22.62	21.89	21.16	20.43
OMB200-5M	2.5" x 20"	5	Carbon Block	9	\$18.50	13.32	11.47	11.10	10.73	10.36
OMB200-10M	2.5" x 20"	10	Carbon Block	9	\$18.21	13.11	11.29	10.93	10.56	10.20

* Conforms to NSF/ANSI Standard 42 materials requirements only.

MATRIKX® CTO

Carbon block filters for chlorine taste and odor reduction.

See www.gamurdock.com/matrikx for improved chloramine performance.

Part Number	Chlorine	Chloramine	Mic	Dimensions	Qty	List	< case	1 case	3 case	6 case	9 case
32-250-10-MATRIKX	12,000 @ 1.0 gpm	1,000 @ 0.5 gpm	5	2.5" x 10"	20	\$8.06	6.05	4.03	3.79	3.63	3.47
32-250-20-MATRIKX	24,000 @ 2.0 gpm	2,000 @ 1.0 gpm	5	2.5" x 20"	20	\$25.84	19.38	12.92	12.14	11.63	11.11
32-450-10-MATRIKX	36,000 @ 3.0 gpm	3,000 @ 1.5 gpm	5	4.5" x 10"	6	\$33.61	25.21	16.81	15.80	15.12	14.45
32-450-20-MATRIKX	51,000 @ 7.0 gpm	6,000 @ 3.0 gpm	5	4.5" x 20"	4	\$66.92	50.19	33.46	31.45	30.11	28.78

The filter cartridge is tested and certified by NSF International against NSF/ANSI Standard 42 for material safety requirements only. This filter cartridge is certified by the Water Quality Association to WQA/ASPE/ANSI S-803 for sustainability.

MATRIKX® CTO PLUS

High chlorine removal and high VOC reduction capacity.

See www.gamurdock.com/matrikx for improved chloramine performance.

Part Number	Chlorine	VOC	Mic	Dimensions	Qty	List	< case	1 case	3 case	6 case	9 case
01-250-10-MATRIKX	30,000 @ 1.0 gpm	500 @ 0.5 gpm	1	2.5" x 10"	20	\$14.99	11.24	7.50	7.05	6.75	6.45
01-250-20-MATRIKX	67,500 @ 2.0 gpm	1,000 @ 1.0 gpm	1	2.5" x 20"	20	\$35.52	26.64	17.76	16.69	15.98	15.27
01-450-10-MATRIKX	120,000 @ 3.0 gpm	2,250 @ 1.5 gpm	1	4.5" x 10"	6	\$51.96	38.97	25.98	24.42	23.38	22.34
01-450-20-MATRIKX	240,000 @ 7.0 gpm	4,500 @ 2.0 gpm	1	4.5" x 20"	4	\$105.42	79.07	52.71	49.55	47.44	45.33

The filter cartridge is tested and certified by NSF International against NSF/ANSI Standard 42 for material safety requirements only. This filter cartridge is certified by the Water Quality Association to WQA/ASPE/ANSI S-803 for sustainability.

MATRIKX® PB1®

Formulated for cyst and heavy metal reduction.

See www.gamurdock.com/matrikx for improved chloramine performance.

Part Number	Chlorine	Lead	Mic	Dimensions	Qty	List	< case	1 case	3 case	6 case	9 case
06-250-10-MATRIKX	30,000 @ 1.0 gpm	3,750 @ 0.75 gpm	0.5	2.5" x 10"	20	\$21.10	15.83	10.55	9.92	9.50	9.07
06-250-20-MATRIKX	67,500 @ 2.0 gpm	7,500 @ 1.50 gpm	0.5	2.5" x 20"	20	\$56.29	42.22	28.15	26.46	25.33	24.20
06-450-10-MATRIKX	120,000 @ 3.0 gpm	12,000 @ 2.50 gpm	0.5	4.5" x 10"	6	\$73.89	55.42	36.95	34.73	33.25	31.77
06-450-20-MATRIKX	240,000 @ 7.0 gpm	25,500 @ 5.00 gpm	0.5	4.5" x 20"	4	\$159.77	119.83	79.89	75.09	71.90	68.70

The filter cartridge is tested and certified by NSF International against NSF/ANSI Standard 42 for material safety requirements only. This filter cartridge is certified by the Water Quality Association to WQA/ASPE/ANSI S-803 for sustainability.

MATRIKX® CHLORAGUARD®

Delivers 4x the capacity for monochloramine reduction vs. standard activated carbon. See gamurdock.com/matrikx for improved chloramine performance.

Part Number	Chlorine	Chloramine	Mic	Dimensions	Qty	List	< case	1 case	3 case	6 case	9 case
36-250-10-MATRIKX	45,000 @ 1.0 gpm	4,000 @ 0.5 gpm	1	2.5" x 10"	20	\$32.36	24.27	16.18	15.21	14.56	13.91
36-250-20-MATRIKX	90,000 @ 2.0 gpm	8,000 @ 1.0 gpm	1	2.5" x 20"	20	\$68.69	51.52	34.35	32.28	30.91	29.54
36-450-10-MATRIKX	180,000 @ 3.0 gpm	12,000 @ 1.5 gpm	1	4.5" x 10"	6	\$102.97	77.23	51.49	48.40	46.34	44.28
36-450-20-MATRIKX	360,000 @ 7.0 gpm	24,000 @ 3.0 gpm	1	4.5" x 20"	4	\$217.67	163.25	108.84	102.30	97.95	93.60

The filter cartridge is tested and certified by NSF International against NSF/ANSI Standard 42 for material safety requirements only. This filter cartridge is certified by the Water Quality Association to WQA/ASPE/ANSI S-803 for sustainability.

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments

G. A. Murdock 2022 Price List



Pentek® CBC Carbon Briquette Filters

- 99.95% reduction of Cryptosporidium, Giardia, Entamoeba, and Toxoplasma cysts
- Premium high capacity bad taste & odor and chlorine taste & odor reduction



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
155162	CBC-10	2.5" x 10"	0.5	20,000	3.7 psi @ 2 gpm	12	\$26.89	20.17	16.13	14.79	13.45
155309	CBC-20	2.5" x 20"	0.5	45,000	3 psi @ 2 gpm	12	\$51.84	38.88	31.10	28.51	25.92
155312	CBC-20BB	4.5" x 20"	0.5	150,000	8.5 psi @ 4 gpm	4	\$169.56	Login or call for pricing			

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® CBR2 Carbon Briquette Multimedia Filters

- Lead reduction through 2000 gallons
- VOC and MTBE reduction
- 99.95% reduction of Cryptosporidium, Giardia, Entamoeba and Toxoplasma cysts



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
155403	CBR2-10R	2.5" x 10"	0.5	20,000	12 psi @ 0.6 gpm	12	\$36.07	27.05	21.64	19.84	18.04
155268	CBR2-10	2.5" x 10"	0.5	20,000	15 psi @ 1 gpm	12	\$35.42	26.57	21.25	19.48	17.71

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® FloPlus Modified Molded Carbon Block Filters

- Fibredyne™ technology for high flow rates and low pressure drop similar to a nominal 10-micron cartridge
- 99.95% reduction of Cryptosporidium and Giardia cysts



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
455903	FloPlus 10	2.5" x 10"	0.5	10,000	2 psi @ 1 gpm	12	\$33.80	Login or call for pricing			
455904	FloPlus 20	2.5" x 20"	0.5	20,000	2 psi @ 2 gpm	12	\$65.66	Login or call for pricing			
455905	FloPlus 10BB	4.5" x 10"	0.5	25,000	4 psi @ 2 gpm	6	\$99.04	74.28	59.42	54.47	49.52
455906	FloPlus 20BB	4.5" x 20"	0.5	50,000	4 psi @ 4 gpm	6	\$166.32	124.74	99.79	91.48	83.16

These items are Tested and Certified by NSF International to NSF/ANSI Standard 53 for the reduction of Cysts.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® CFBC Modified Molded Block Filters

- Fibredyne™ Technology for high chlorine taste & odor and bad taste & odor reduction
- 99.95% reduction of Cryptosporidium and Giardia cysts



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
255679	CFBC-10	2.5" x 10"	0.5	20,000	10.7 psi @ 1 gpm	12	\$28.62	21.47	17.17	15.74	14.31

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® CCBC Coconut Based Carbon Block Filters

- Premium water-washed coconut-carbon formulation for high capacity bad taste & odor and chlorine taste & odor reduction



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
155713	CCBC-10	2.5" x 10"	1	20,000	3.3 psi @ 1 gpm	12	\$34.88	26.16	20.93	19.18	17.44

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® EP Carbon Briquette Filters

- High dirt-holding capacity maximizes utilization of the carbon block
- Highly effective bad taste & odor and chlorine taste & odor reduction



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
155531	EP-10	2.5" x 10"	5	6,000	3.4 psi @ 1 gpm	12	\$15.34	11.51	9.20	8.44	7.67
155529	EP-20	2.5" x 20"	5	12,000	3.4 psi @ 2 gpm	6	\$30.56	22.92	18.34	16.81	15.28
155548	EP-BB	4.5" x 10"	5	22,000	4.3 psi @ 2 gpm	4	\$59.62	44.72	35.77	32.79	29.81
155583	EP-20BB	4.5" x 20"	5	40,000	5.5 psi @ 5 gpm	4	\$113.40	Login or call for pricing			

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® CFB-Plus Modified Molded Block Filters

- Fibredyne™ Technology for premium dirt-holding capacity
- Premium chlorine taste & odor and bad taste & odor reduction



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
255674	CFB-Plus10	2.5" x 10"	5-10	10,000	1.6 psi @ 1 gpm	12	\$21.06	15.80	12.64	11.58	10.53
255675	CFB-Plus20	2.5" x 20"	5-10	20,000	1.6 psi @ 2 gpm	12	\$40.61	30.46	24.37	22.34	20.31
255678	255678-43	4.5" x 20"	5-10	50,000	2.5 psi @ 4 gpm	6	\$104.76	78.57	62.86	57.62	52.38

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Pentek® DFX Series Diamond Flow Filters

- Chlorine taste & odor reduction combined with superior sediment reduction
- Twice as resistant to particulate plugging than standard carbon blocks

DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case	8 case
655130	DFX-CB-10	2.5" x 10"	10	2,500	1 psi @ 1 gpm	12	\$10.58	7.94	6.03	5.50	4.97	4.76

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® CFB Modified Molded Block Filters

- FibreDyne™ Technology for high chlorine taste & odor and bad taste & odor reduction
- Economic choice for high sediment applications leading to premature plugging



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case
255671	CFB-10	2.5" x 10"	10	5,000	3.0 psi @ 1 gpm	12	\$18.79	14.09	10.71	9.77	8.83
255681	CFB-PB10	2.5" x 10"	10	5,000	8.1 psi @ 1 gpm	12	\$34.45	25.84	20.67	18.95	17.23
255672	CFB-20	2.5" x 20"	10	10,000	3.0 psi @ 2 gpm	12	\$36.61	27.46	21.97	20.14	18.31
255673	CFB-30	2.5" x 30"	10	15,000	3.0 psi @ 3 gpm	12	\$53.89	40.42	30.72	28.02	25.33

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® EPM Modified Epsilon Carbon Briquette Filters

- Enhanced dirt holding capacity for extended cartridge life
- Bad taste & odor and chlorine taste & odor reduction



DISTRIBUTOR



Part #	Model	Dimensions	Mic.	Chlorine	Flow Rate	Qty	List	< case	1 case	2 case	4 case	
155634	EPM-10	2.5" x 10"	10	3,000	1.5 psi @ 1 gpm	12	\$12.20	Login or call for pricing				
155635	EPM-20	2.5" x 20"	10	6,000	1 psi @ 2 gpm	6	\$26.24	19.68	15.74	14.43	13.12	
155782	EPM-BB	4.5" x 10"	10	15,000	5 psi @ 2 gpm	4	\$55.94	41.96	33.56	30.77	27.97	
155783	EPM-20BB	4.5" x 20"	10	30,000	4 psi @ 4 gpm	4	\$102.71	77.03	61.63	56.49	51.36	

These items are Tested and Certified by NSF International to NSF/ANSI Standard 42 for material requirements only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pentek® Hexametaphosphate Crystal Filters

Designed for the treatment of scale, corrosion and iron problems.

DISTRIBUTOR



Part #	Model	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case	8 case
155100	PCC-1	2.5" x 10"	Phosphate Crystal (24 oz.) 5 gpm	6	\$109.08	81.81	65.45	59.99	54.54	52.36
155251	PCC218	2.5" x 10"	Phosphate Crystal (18 oz.) 1.5 gpm	6	\$53.46	40.10	32.08	29.40	26.73	25.66

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PCC-1 is designed for use in Pentek 10" Standard housing only.

Siliphos Spheres for Carbon Block Filters

Ideal for use as a scale and corrosion inhibitor for commercial ice makers and OCS equipment.



Part #	Description	List	1	25	50	100	551b box
0112001	Siliphos Spheres - 3-5 per 10" cartridge	\$0.55	0.36	0.30	0.28	0.25	0.18
0112002	Siliphos Retainer Clip for 2.5" x 10" CB	\$1.27	0.83	0.70	0.64	0.57	----
0112005	Siliphos Sphere Dispenser - 5-8 lb capacity - 1" Female NPT	\$247.00	123.50	----	----	----	----

551b box = approximately 2,860 spheres

DISTRIBUTOR



Pentek® Chloramine Reduction Filters

Part #	Model	Dimensions	Micron	Description	Qty	List	< case	1 case	2 case	4 case
255416	ChlorPlus 10	2.5" x 10"	1	Carbon Block	12	\$39.74	29.81	23.84	21.86	19.87
255417	ChlorPlus 20	2.5" x 20"	1	Carbon Block	6	\$79.06	59.30	47.44	43.48	39.53
355752	ChlorPlus 10BB	4.5" x 10"	1	Carbon Block	4	\$115.56	86.67	69.34	63.56	57.78
355753	ChlorPlus 20BB	4.5" x 20"	1	Carbon Block	4	\$257.04	192.78	154.22	141.37	128.52
155967	CRFC20-BB	4.5" x 20"	25	Radial Flow Carbon	6	\$308.88	231.66	185.33	169.88	154.44

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Omnipure Nitrate Reduction Filter

Part Number	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case
XF934N	2.5" x 10"	Nitrate Reduction - 500 grains, 0.5 gpm	20	\$48.56	29.14	27.68	26.71	25.74



Aries 3-stage Arsenic Reduction System

- 1 GAC/KDF Cartridge
- 2 AF-10-3695 Arsenic Cartridges
- 3000 gallon Auto-Shutoff



Part Number	Description	List	1	2	4
AF-HY-111-AS	3-stage Arsenic reduction system, 3000 gallons	\$571.60	445.85	434.42	422.98
AF-HYK-003	Cartridge Replacement Kit	\$486.10	379.16	369.44	359.71



G. A. Murdock 2022 Price List

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments




Aries Mixed Bed DI Cartridges

Color changing media when indicated in description



Part Number	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case
AF-10-4030	2.5" x 10"	High Purity, Blue/Amber - 400 grains	12	\$52.69	40.57	35.30	32.67	30.03
AF-10-4040	2.5" x 10"	High Capacity, Purple/White - 520 grains	12	\$52.69	40.57	35.30	32.67	30.03
AF-20-4040	2.5" x 20"	High Capacity, Purple/White - 930 grains	9	\$105.36	81.13	70.59	65.32	60.06
AF-10-4011-BB	4.25" x 10"	Ultra High Purity - 1,050 grains	8	\$124.57	95.92	83.46	77.23	71.00
AF-10-4010-BB	4.25" x 10"	High Purity - 1,050 grains NEW	8	\$101.03	77.79	67.69	62.64	57.59
AF-20-4010-BB	4.25" x 20"	High Purity - 2,350 grains	4	\$193.21	148.77	129.45	119.79	110.13

For Industrial or lab use only. Not for use on potable water.



Aries Specialty Cartridges



Part Number	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case
AF-10-1053	2.5" x 10"	Catalytic Carbon Cartridge	12	\$32.48	25.01	21.76	20.14	18.51
AF-10-2010	2.5" x 10"	0.5 lb KDF-55 / Coconut GAC	12	\$29.70	22.87	19.90	18.41	16.93
AF-10-2210	2.5" x 10"	0.5 lb KDF-85 / Coconut GAC	12	\$34.88	26.86	23.37	21.63	19.88
AF-10-3003-BB	4.25" x 10"	Softening Resin, NSF 61 NEW	8	\$64.68	49.80	43.34	40.10	36.87
AF-10-3232	2.5" x 10"	Calcor pH Neutralization	12	\$18.81	14.48	12.60	11.66	10.72
AF-10-3232-BB	4.25" x 10"	Calcor pH Neutralization NEW	4	\$46.48	35.79	31.14	28.82	26.49
AF-10-3610	2.5" x 10"	Nitrate Removal - 475 grains, 0.1 gpm	12	\$61.86	47.63	41.45	38.35	35.26
AF-10-3690	2.5" x 10"	Resintech SIR-900 Fluoride Removal	12	\$57.15	44.01	38.29	35.43	32.58
AF-10-3695	2.5" x 10"	Arsenic Removal	12	\$122.49	94.32	82.07	75.94	69.82
AF-10-4080	2.5" x 10"	MBD-80 Heavy Metals Removal	12	\$39.44	30.37	26.42	24.45	22.48
AF-20-4210-BB	4.25" x 20"	Calcor / Coconut Shell GAC NEW	4	\$85.31	65.69	57.16	52.89	48.63

Call or visit website for additional sizes and configurations.



Alkaline Inline Cartridges

For use as a Post RO filter, increases pH and creates a negative ORP



Part Number	Dimensions	Description	Qty	List	< case	1 case	2 case
ALKA300	2.5" x 10"	Cartridge	20	\$244.97	110.24	97.99	88.19
ALKA301	2.5" x 12"	Inline - 1/4" Female NPTF	20	\$194.77	87.65	77.91	70.12

DISTRIBUTOR



Pentek® Taste & Odor Filters



Part #	Model	Dimensions	Micron	Description	Qty	List	< case	1 case	2 case	4 case
155022	C2	2.5" x 5"	5	Act. Carbon-Imp. Cellulose	24	\$11.23	8.42	6.74	6.18	5.62
155002*	C1	2.5" x 10"	5	Act. Carbon-Imp. Cellulose	24	\$12.42	9.32	7.45	6.83	6.21
155155*	CC-10	2.5" x 10"	20	Coconut GAC	12	\$20.63	15.47	12.38	11.35	10.32
155109*	GAC-10	2.5" x 10"	20	GAC	12	\$18.68	14.01	11.21	10.27	9.34
155111	GAC-20	2.5" x 20"	20	GAC	6	\$37.80	28.35	22.68	20.79	18.90
155153	GAC-BB	4.5" x 10"	20	GAC	8	\$48.28	36.21	28.97	26.55	24.14
155249*	GAC20-BB	4.5" x 20"	20	GAC	4	\$104.76	Login or call for pricing			
155382	NCP-20BB	4.5" x 20"	10	Pleated Polyester Carbon-Impregnated	6	\$78.73	59.05	47.24	43.30	39.37
155065	RFC-20	2.5" x 20"	7	Radial Flow GAC	6	\$64.91	48.68	38.95	35.70	32.46
155141	RFC-BB	4.5" x 10"	25	Radial Flow GAC	8	\$69.98	52.49	41.99	38.49	34.99
155247*	RFC20-BB	4.5" x 20"	25	Radial Flow GAC	6	\$138.24	103.68	82.94	76.03	69.12

* NSF 42 component

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DISTRIBUTOR



Pentek® Specialty Filters



Part #	Model	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case
155273	PCF1-10MB	2.5" x 10"	FDA Deionization Resin	6	\$59.51	44.63	35.71	32.73	29.76
155131	TSGAC-10	2.5" x 10"	Combo - Carbon/Phosphate	12	\$40.50	30.38	24.30	22.28	20.25
155319	WS-10	2.5" x 10"	Softening Resin	6	\$39.96	29.97	23.98	21.98	19.98
155165*	GAC-20 Shell	2.5" x 20"	GAC-20 Empty Shell	25	\$30.46	22.85	18.28	16.75	15.84
155274	PCF1-20MB	2.5" x 20"	FDA Deionization Resin	6	\$104.00	78.00	62.40	57.20	52.00
655005	RFFE10-BB	4.5" x 10"	Radial-Flow Iron Reduction	8	\$123.12	92.34	73.87	67.72	61.56
155281	BBF1-20MB	4.5" x 20"	FDA Deionization Resin	4	\$252.72	189.54	151.63	139.00	126.36
155263	RFFE20-BB	4.5" x 20"	Radial-Flow Iron Reduction	4	\$185.76	Login or call for pricing			
155321	WS-20BB	4.5" x 20"	Softening Resin	4	\$100.22	75.17	60.13	55.12	50.11

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

* May be subject to 144 piece minimum order

DISTRIBUTOR



Pentek® MicroGuard™ Membrane Filters

Absolute 0.15 micron particle retention for bacteria and protozoan cyst reduction.

Part #	Model	Description	For Use With	Qty	List	< case	1 case	2 case	4 case
255420*	MG-10MCB	Combination Carbon Block / Membrane	Standard 3G Housings Only	4	\$168.48	126.36	101.09	92.66	84.24

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
* 99.9999% Bacteria/Cyst reduction (>6 log)

Inline Filter Mounting Clips

Part Number	Description	Qty	List	< case	1 case	2 case	4 case
K12512	2" Mounting Clip - White	25	\$2.11	1.52	1.31	1.27	1.22
K12516	2" Mounting Clip - Black	25	\$1.57	1.13	0.97	0.94	0.91
K12522	2.5" Mounting Clip - White	25	\$2.20	1.58	1.36	1.32	1.28
K12532	2.5" Mounting Clip - Black	25	\$2.11	1.52	1.31	1.27	1.22
K12525	2" Double Mounting Clip	25	\$4.59	3.30	2.85	2.75	2.66
K12523	2" x 2.5" Double Mounting Clip	25	\$2.91	2.10	1.80	1.75	1.69

Omnipure E Series - Compatible Replacement Filters

Part #	Dimen.	Description	Vend/OCS	Qty	List	< case	1 case	2 case	4 case
E5720	2.5" x 14"	CB - 1M	MC, S-200	20	\$40.73	29.33	25.25	23.62	21.99
E5720P	2.5" x 14"	CB - 1M w/Phos	4H, BH, 4C, MH, H-200	20	\$44.87	32.31	27.82	26.02	24.23

Omnipure K Series Inline Filters - Sediment

Part #	Dimen.	Micron	End Connections	Qty	List	< case	1 case	2 case	4 case
K2305BB	2" x 6"	5	1/4" Female NPTF	50	\$9.68	6.97	6.00	5.81	5.61
K2305JJ	2" x 6"	5	1/4" QC	50	\$11.72	8.44	7.27	7.03	6.80
K2305KK	2" x 6"	5	3/8" QC	50	\$12.84	9.24	7.96	7.70	7.45
K2505BB	2" x 10"	5	1/4" Female NPTF	25	\$10.23	7.37	6.34	6.14	5.93
K2505JJ	2" x 10"	5	1/4" QC	25	\$12.53	9.02	7.77	7.52	7.27
K2505KK	2" x 10"	5	3/8" QC	25	\$13.61	9.80	8.44	8.17	7.89
K2505SS	2" x 10"	5	1/4" QC Elbow	25	\$12.75	9.18	7.91	7.65	7.40
K5505JJ	2.5" x 10"	5	1/4" QC	25	\$14.63	10.53	9.07	8.78	8.49
K5605JJ	2.5" x 12"	5	1/4" QC	25	\$17.62	12.69	10.92	10.57	10.22
K5605JS	2.5" x 12"	5	1/4" QC Elbow	25	\$18.20	13.10	11.28	10.92	10.56

Omnipure K Series Inline Filters - Carbon Block

Part #	Dimen.	Filter Type	Mic.	End Connections	Qty	List	< case	1 case	2 case	4 case
K2320JJ	2" x 6"	Block	1	1/4" QC	50	\$20.55	14.80	12.74	12.33	11.92
K2520SS	2" x 10"	Block	1	1/4" QC Elbow	25	\$22.64	16.30	14.04	13.58	13.13
K5520JJ	2.5" x 10"	Block	1	1/4" QC	25	\$26.17	18.84	16.23	15.70	15.18
K5521JJ	2.5" x 10"	Block	10	1/4" QC	25	\$22.22	16.00	13.78	13.33	12.89
K5522BB	2.5" x 10"	Block	5	1/4" Female NPTF	25	\$19.89	14.32	12.33	11.93	11.54
K5515JJ	2.5" x 10"	Block w/ Lead Red.	1	1/4" QC	25	\$29.14	20.98	18.07	17.48	16.90
K5615JJ	2.5" x 12"	Block w/ Lead Red.	1	1/4" QC	25	\$32.06	23.08	19.88	19.24	18.59

Omnipure K Series Inline Filters - Specialty

Part #	Dimen.	Filter Type	End Connections	Qty	List	< case	1 case	2 case	4 case
K2355JJ	2" x 6"	DI Resin	1/4" QC	50	\$17.95	12.92	11.13	10.77	10.41
K2305PJJ	2" x 6"	Sediment - 5 Micron w/ Polyphosphate	1/4" QC	50	\$11.72	8.44	7.27	7.03	6.80
K2546BB	2" x 10"	Corosex - pH Increase	1/4" Female NPTF	25	\$17.58	12.66	10.90	10.55	10.20
K2548BB	2" x 10"	Calcite - Neutralizer	1/4" Female NPTF	25	\$14.47	10.42	8.97	8.68	8.39
K2548JJ	2" x 10"	Calcite - Neutralizer	1/4" QC	25	\$14.79	10.65	9.17	8.87	8.58
K2555JJ	2" x 10"	DI Resin	1/4" QC	25	\$21.86	15.74	13.55	13.12	12.68
K2555KK	2" x 10"	DI Resin	3/8" QC	25	\$22.95	16.52	14.23	13.77	13.31
K5555BB	2.5" x 10"	DI Resin	1/4" Female NPTF	25	\$24.82	17.87	15.39	14.89	14.40
K5555JJ	2.5" x 10"	DI Resin	1/4" QC	25	\$27.13	19.53	16.82	16.28	15.74
K2685JJ	2" x 12"	Polyphosphate	1/4" QC	25	\$36.39	26.20	22.56	21.83	21.11
K5629JJ	2.5" x 12"	Aquabond - Chloramine Removal	1/4" QC	25	\$24.69	17.78	15.31	14.81	14.32

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Omnipure K Series Inline Filters - Coconut Shell GAC



Part #	Dimen.	Filter Type	End Connections	Qty	List	< case	1 case	2 case	4 case
K2336BB	2" x 6"	Water Washed	1/4" Female NPTF	50	\$8.29	5.97	5.14	4.97	4.81
K2340BB*	2" x 6"	Acid Washed	1/4" Female NPTF	50	\$8.29	5.97	5.14	4.97	4.81
K2340JJ*	2" x 6"	Acid Washed	1/4" QC	50	\$11.73	8.45	7.27	7.04	6.80
K2340KK*	2" x 6"	Acid Washed	3/8" QC	50	\$12.98	9.35	8.05	7.79	7.53
K2340KKNL	2" x 6"	Acid Washed - No label	3/8" QC	50	\$12.98	9.35	8.05	7.79	7.53
K2536JJ	2" x 10"	Water Washed	1/4" QC	25	\$12.72	9.16	7.89	7.63	7.38
K2536KK	2" x 10"	Water Washed	3/8" QC	25	\$13.48	9.71	8.36	8.09	7.82
K2540BB	2" x 10"	Acid Washed	1/4" Female NPTF	25	\$10.15	7.31	6.29	6.09	5.89
K2540CC	2" x 10"	Acid Washed	3/8" Female NPTF	25	\$11.13	8.01	6.90	6.68	6.46
K2540JJ	2" x 10"	Acid Washed	1/4" QC	25	\$12.45	8.96	7.72	7.47	7.22
K2540KK	2" x 10"	Acid Washed	3/8" QC	25	\$13.48	9.71	8.36	8.09	7.82
K2540SJ	2" x 10"	Acid Washed	1/4" QC St/EI	25	\$12.50	9.00	7.75	7.50	7.25
K5636KK	2" x 12"	Water Washed	3/8" QC	25	\$18.61	13.40	11.54	11.17	10.79
K5640JS	2.5" x 12"	Acid Washed	1/4" QC Elbow	25	\$18.47	13.30	11.45	11.08	10.71

* Recommended RO post filter



Omnipure K Series Inline Filters - GAC Specialty



Part #	Dimen.	Filter Type	End Connections	Qty	List	< case	1 case	2 case	4 case
K2386JJ	2" x 6"	GAC / Polyphosphate	1/4" QC	50	\$14.54	10.47	9.01	8.72	8.43
K2550JJ	2" x 10"	GAC / 0.25 lb KDF	1/4" QC	25	\$22.73	16.37	14.09	13.64	13.18
K2551BB	2" x 10"	GAC / Calcite - Neutralizer	1/4" Female NPTF	25	\$14.03	10.10	8.70	8.42	8.14
K2551JJ	2" x 10"	GAC / Calcite - Neutralizer	1/4" QC	25	\$16.23	11.69	10.06	9.74	9.41
K2554JJ	2" x 10"	GAC / Corosex / Calcite	1/4" QC	25	\$13.80	9.94	8.56	8.28	8.00
K2554KK	2" x 10"	GAC / Corosex / Calcite	3/8" QC	25	\$14.82	10.67	9.19	8.89	8.60
K2567JJ	2" x 10"	GAC / 0.5 lb KDF	1/4" QC	25	\$29.63	21.33	18.37	17.78	17.19
K2567KK	2" x 10"	GAC / 0.5 lb KDF	3/8" QC	25	\$27.26	19.63	16.90	16.36	15.81
K2586BB	2" x 10"	GAC / Polyphosphate	1/4" Female NPTF	25	\$12.56	9.04	7.79	7.54	7.28
K2586JJ	2" x 10"	GAC / Polyphosphate	1/4" QC	25	\$14.76	10.63	9.15	8.86	8.56
K2586KK	2" x 10"	GAC / Polyphosphate	3/8" QC	25	\$15.78	11.36	9.78	9.47	9.15
K2586SS	2" x 10"	GAC / Polyphosphate	1/4" QC Elbow	25	\$14.96	10.77	9.28	8.98	8.68
K5567JJ	2.5" x 10"	GAC / 0.5 lb KDF	1/4" QC	25	\$27.70	19.94	17.17	16.62	16.07
K5586BB	2.5" x 10"	GAC / Polyphosphate	1/4" Female NPTF	25	\$18.54	13.35	11.49	11.12	10.75
K5667JJ	2.5" x 12"	GAC / 0.5 lb KDF	1/4" QC	25	\$28.24	20.33	17.51	16.94	16.38
K5686JJ	2.5" x 12"	GAC / Polyphosphate	1/4" QC	25	\$21.37	15.39	13.25	12.82	12.39



Omnipure Q Series - Twist Tap™



Part #	Dimensions	Description	Qty	List	< case	1 case	2 case	4 case
Q0404		TT Head - 1/4" Female NPTF	25	\$14.27	10.27	8.85	8.42	7.99
Q0414		TT Head - With Valve - 1/4" Female NPTF	25	\$28.41	20.46	17.61	16.76	15.91
Q0416		TT Head - With Valve - 1/4" QC	25	\$30.38	21.87	18.84	17.92	17.01
Q0606		TT Head - 3/8" Female NPTF	25	\$14.27	10.27	8.85	8.42	7.99
Q0410		Mounting Bracket - Single	25	\$4.01	2.89	2.49	2.37	2.25
Q5486	2.5" x 8"	GAC/Polyphosphate	25	\$17.60	12.67	11.44	10.91	10.56
Q5515	2.5" x 10"	Carbon Block/Lead Red. - 1 micron	25	\$32.55	23.44	21.16	20.18	19.53
Q5540	2.5" x 10"	GAC - Coconut	25	\$15.99	11.51	10.39	9.91	9.59
Q5555	2.5" x 10"	DI Resin	25	\$24.74	17.81	16.08	15.34	14.84
Q5601	2.5" x 12"	Sediment - 1 micron	25	\$18.06	13.00	11.74	11.20	10.84
Q5605	2.5" x 12"	Sediment - 5 micron	25	\$17.64	12.70	11.47	10.94	10.58
Q5615	2.5" x 12"	Carbon Block/Lead Red. - 1 micron	25	\$36.48	26.27	23.71	22.62	21.89
Q5620	2.5" x 12"	Carbon Block - 1 micron	25	\$26.60	19.15	17.29	16.49	15.96
Q5621	2.5" x 12"	Carbon Block - 10 micron	25	\$24.18	17.41	15.72	14.99	14.51
Q5640	2.5" x 12"	GAC - Coconut	25	\$20.85	15.01	13.55	12.93	12.51
Q5655	2.5" x 12"	DI Resin	25	\$31.65	22.79	20.57	19.62	18.99
Q5686	2.5" x 12"	GAC/Polyphosphate	25	\$25.23	18.17	16.40	15.64	15.14
TQ56-50FC	2.5" x 12"	Membrane - 50 GPD w/ flow control	25	\$90.41	65.10	56.05	53.34	50.63
TQ56-36FC	2.5" x 12"	Membrane - 36 GPD w/ flow control	25	\$79.90	57.53	49.54	47.14	44.74
Q5672-S	2.5" x 12"	Membrane - 50 GPD w/ flow control, check valve	25	\$77.68	55.93	48.16	45.83	43.50
Q5754	2.5" x 14"	Softening Resin	25	\$23.15	16.67	15.05	14.35	13.89
Q5786	2.5" x 14"	GAC - Coconut/Polyphosphate	25	\$24.67	17.76	16.04	15.30	14.80

Omnipure ELF Series Inline Filters

Extra Large Format (ELF) inline filter with polypropylene body. Designed for use in commercial food service industries.



Part Number	Dimensions	Mic.	Description	Qty	List	< case	1 case	2 case	4 case
ELFDK7HEAD			Head - 3/8" Female NPT	12	\$18.87	13.59	11.70	10.94	10.19
Q0410			Mounting Bracket - Single	25	\$4.01	2.89	2.49	2.37	2.25
B16416SS			3-Housing Bracket - Stainless Steel	25	\$157.39	118.04	102.30	94.43	86.56
ELF1M	3.1" x 12.7"	1	Carbon Block	12	\$36.39	26.20	22.56	21.11	19.65
ELF1MLP	3.1" x 12.7"	1	Carbon Block w/Phosphate, Lead Reduction	12	\$36.61	26.36	22.70	21.23	19.77
ELF1MP	3.1" x 12.7"	1	Carbon Block w/Phosphate	12	\$33.88	24.39	21.01	19.65	18.30
ELF1MP-KDF	3.1" x 12.7"	1	Carbon Block w/Phosphate, KDF	12	\$35.61	25.64	22.08	20.65	19.23
ELF5MP	3.1" x 12.7"	5	Carbon Block w/Phosphate	12	\$29.35	21.13	18.20	17.02	15.85
ELF10M	3.1" x 12.7"	10	Carbon Block	12	\$31.22	22.48	19.36	18.11	16.86
ELF10M-KDF	3.1" x 12.7"	10	Carbon Block w/KDF	12	\$35.60	25.63	22.07	20.65	19.22
ELFC1M	3.1" x 12.7"	1	Carbon Block - Cuno Compatible	12	\$36.39	26.20	22.56	21.11	19.65
ELFC5M	3.1" x 12.7"	5	Sediment/GAC - Cuno AP510	12	\$40.46	29.13	25.09	23.47	21.85
ELFXL1M	3.1" x 17.5"	1	Carbon Block	12	\$42.97	30.94	26.64	24.92	23.20
ELFXL1MLW	3.1" x 17.5"	1	Carbon Block w/ Lead Reduction, wrapped	12	\$51.14	36.82	31.71	29.66	27.62
ELFXL10M	3.1" x 17.5"	10	Carbon Block	12	\$39.34	28.32	24.39	22.82	21.24
ELFXL5MSED	3.1" x 17.5"	5	Sediment	12	\$30.51	21.97	18.92	17.70	16.48
ELFXLT40	3.1" x 17.5"		GAC	12	\$33.96	24.45	21.06	19.70	18.34
ELFXLT40-PHOS	3.1" x 17.5"		GAC w/Phosphate	6	\$42.63	30.69	26.43	24.73	23.02

Hydrotech® / Clack Compatible Filters



Part Number	Description	Qty	List	< case	1 case	2 case	4 case
329625	5m Sediment Filter	36	\$10.86	8.15	5.43	5.10	4.89
329635	10m Carbon Block Filter	36	\$18.62	13.97	9.31	8.75	8.38
329645	1m Carbon Block Filter	36	\$23.98	17.99	11.99	11.27	10.79
329655	1m Lead Reduction Carbon Block	36	\$29.38	22.04	14.69	13.81	13.22

Culligan® Compatible Filters

For Use with A and H Series Systems



Part Number	Description	Qty	List	< case	1 case	2 case	4 case
328626	Pre-filter - Sediment - 5 micron	36	\$6.87	5.15	3.44	3.23	3.09
328635	Pre-filter - Carbon GAC	24	\$16.72	12.54	8.36	7.86	7.52
328636	Pre-filter - Carbon Block - 10 micron	36	\$13.35	10.01	6.68	6.27	6.01
328640	Pre-filter - Coconut Carbon Block - 10 micron	25	\$9.93	7.45	4.97	----	4.67
K2340JJ	Post-filter - Coconut GAC - 1/4" QC	50	\$11.73	8.45	7.27	7.04	6.80
K2340KK	Post-filter - Coconut GAC - 3/8" QC	50	\$12.98	9.35	8.05	7.79	7.53
OR010	O-ring - Parker Fast-n-Tite EPDM O-ring for H Series RO	100	\$0.25	0.25	0.11	----	----

Culligan® Compatible Membranes

Part Number	GPD	Brand	Description	Qty	List	< case	1 case	2 case	4 case
323035	36	CSM	TFC - AC/H Series	25	\$36.03	21.62	18.02	17.11	16.21
323050	50	CSM	TFC - AC/H Series	25	\$36.80	22.08	18.40	17.48	16.56
TW302026	225	Filmtec	TFC - B Series 2" x 26" TFC	1	\$226.80	181.44	181.44	176.90	172.37

CSM Membranes

Thin Film Composite



Part Number	GPD	Dimensions	Rejection	List	1	25	100
RE181224	24	1.8" x 11.75"	98.0%	\$19.87	14.90	11.92	10.93
RE181235	35	1.8" x 11.75"	98.0%	\$19.87	14.90	11.92	10.93
RE181250	50	1.8" x 11.75"	98.0%	\$20.30	15.23	12.18	11.17
RE181280	80	1.8" x 11.75"	98.0%	\$21.17	15.88	12.70	11.64
RE2012100	100	1.8" x 11.75"	98.0%	\$27.00	20.25	16.20	14.85
RE2012LP	50	1.8" x 11.75" - Low Pressure	93.0%	\$30.63	22.97	18.38	16.85

FilmTec® Residential RO Membranes

Thin Film Composite



Part Number	GPD	Dimensions	Rejection	List	1	12	25	50
TW30181250	50	1.75" x 11.75"	98.0%	\$68.89	34.45	28.24	22.04	19.98
BW60181275	75	1.75" x 11.75"	98.0%	\$73.29	36.65	30.05	23.45	21.25
TW301812100HR	100	1.75" x 11.75"	98.0%	\$87.19	43.60	35.75	27.91	25.29

These items are Tested and Certified by NSF International against ANSI/NSF Standard 58 for materials requirement only.

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Pentair® Water Membrane Elements

Thin Layer Composite



Part Number	Model	GPD	Dimensions	List	1	25	100
655006	TLC-24	24	1.75" x 11.75"	\$49.46	27.20	22.26	20.77
655007	TLC-36	36	1.75" x 11.75"	\$53.35	29.34	24.01	22.41
555694	TLC-50	50	1.75" x 11.75"	\$56.59	31.12	25.47	23.77
555693	TLC-75	75	1.75" x 11.75"	\$63.07	34.69	28.38	26.49
655045	TLC-100	100	1.75" x 11.75"	\$71.93	39.56	32.37	30.21

These items are Tested and Certified by NSF International against ANSI/NSF Standard 58 for materials and structural integrity requirement only.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Membrane Capillary Flow Restrictors

Part Number	Description	List	1	12	25	50	100	250
1200010	10 gpd (110 ml/min) - Red	\$4.08	2.45	2.41	2.37	2.28	2.20	2.08
1200018	18 gpd (189 ml/min) - Brown	\$3.36	2.02	1.98	1.95	1.88	1.81	1.71
1200024	25 gpd (260 ml/min) - Black	\$4.09	2.45	2.41	2.37	2.29	2.21	2.09
1200036	35 gpd (365 ml/min) - Yellow	\$3.83	2.30	2.26	2.22	2.14	2.07	1.95
1200050	50 gpd (525 ml/min) - Green	\$3.90	2.34	2.30	2.26	2.18	2.11	1.99
1200075	60 gpd (580 ml/min) - Blue	\$3.90	2.34	2.30	2.26	2.18	2.11	1.99
1200100	100 gpd (730 ml/min) - White	\$3.80	2.28	2.24	2.20	2.13	2.05	1.94



Pentek® Reverse Osmosis Membrane Housing

NSF Standard 42 Component



Part Number	Description	Qty	List	< case	1 case	2 case	4 case
161080	Reverse Osmosis Housing - 90° Outlet - 1/8" Female NPT	12	\$17.93	13.45	10.76	9.86	8.97
K12522	2.5" Mounting Clip	25	\$2.20	1.58	1.36	1.32	1.28

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Fits 11.75" standard residential membranes. Recommended fittings:

- O0420216 - 1/4" QC x 1/8" male NPT straight adapter - page 9

- P0420216 - 1/4" QC x 1/8" male NPT elbow adapter - page 9



Pentair GRO Encapsulated Membranes

Encapsulated dry membrane, 1/4" QC inlet/outlet. 96% Rejection.



Part Number	Model	GPD	Description	List	1	16	64
4002573	GRO-36EN	36	1:1 Brine Ratio	\$100.01	63.01	52.01	49.00
4002574	GRO-50EN	50	1:1 Brine Ratio	\$101.84	64.16	52.96	49.90
4002575	GRO-75EN	75	1:1 Brine Ratio	\$115.56	Login or call for pricing		
4004423	GRO-36EF	36	With Flow Restrictor - 1:1 Brine Ratio	\$120.96	76.20	62.90	59.27
4004424	GRO-50EF	50	With Flow Restrictor - 1:1 Brine Ratio	\$120.96	76.20	62.90	59.27
4004425	GRO-75EF	75	With Flow Restrictor - 1:1 Brine Ratio	\$132.84	83.69	69.08	65.09

Tested and Certified by NSF International against NSF/ANSI Standard 58 for materials and structural integrity requirements.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FilmTec® Commercial RO Membranes

Thin Film Composite, Average Rejection of 99%+



Part Number	PSI	GPD	Description	Rejection	List	1	6	12	25
TW302514	225	200	2.5" x 14"	99.5%	\$226.80	181.44	176.90	172.37	167.83
TW302521	225	325	2.5" x 21"	99.5%	\$252.00	201.60	196.56	191.52	186.48
XLE2540	100	850	2.5" x 40"	99.0%	\$254.48	203.58	198.49	193.40	188.32
TW302540	225	850	2.5" x 40"	99.5%	\$232.00	185.60	180.96	176.32	171.68
TW304021	225	900	4" x 21"	99.5%	\$369.60	295.68	288.29	280.90	273.50
TW304040*	225	2400	4" x 40"	99.5%	\$322.34	257.87	251.43	244.98	238.53
BW304040	225	2400	4" x 40" - Brackish Water	99.5%	\$341.32	273.06	266.23	259.40	252.58
XLE4040	100	2600	4" x 40"	99.0%	\$339.30	271.44	264.65	257.87	251.08

Specifications based on 2,000 ppm NaCl at 225 psi (15.5 bar), 77°F (25°C) and 10% recovery. Permeate flows for individual elements may vary ± 20%.

*Specifications based on 2,000 ppm NaCl at 225 psi (15.5 bar), 77°F (25°C) and 15% recovery. Permeate flows for individual elements may vary ± 20%.

CSM Commercial Membranes

Thin Film Composite, Average Rejection of 99%+



Part Number	PSI	GPD	Description	Rejection	List	1	6	12	25
RE2521BE	225	300	2.5" x 21" - Brackish Water	99.7%	\$209.34	136.07	125.60	115.14	104.67
RE2540BE	225	800	2.5" x 40" - Brackish Water	99.7%	\$252.39	164.05	151.43	138.81	126.20
RE2540BLF	100	800	2.5" x 40" - BW Ultra Low Energy	99.7%	\$265.82	172.78	159.49	146.20	132.91
RE4021BE	225	1050	4.0" x 21" - Brackish Water	99.7%	\$263.13	171.03	157.88	144.72	131.57
RE4021BLN	150	1050	4.0" x 21" - BW Low Energy	99.2%	\$281.93	183.25	169.16	155.06	140.97
RE4040BE	225	2400	4.0" x 40" - Brackish Water	99.7%	\$349.06	226.89	209.44	191.98	174.53
RE4040BLN	150	2600	4.0" x 40" - BW Low Energy	99.2%	\$362.48	235.61	217.49	199.36	181.24
RE4040FEN	225	2400	4.0" x 40" - Fouling Resistant	99.7%	\$362.48	235.61	217.49	199.36	181.24

BW: Brackish Water, SW: Sea Water

Stainless Steel Membrane Housings



Part Number	Dimensions	Description	List	1	6	12	25
SSM2540-375	2.5" x 40"	3/8" Ports	\$282.27	225.82	220.17	214.53	208.88
SSM4040-050	4.0" x 40"	1/2" Ports	\$328.72	262.98	256.40	249.83	243.25

QMP Faucet Colors



White Chrome Brushed Chrome Brushed Stainless Brushed Nickel Black Matte/Flat Black Oil Rubbed Bronze Venetian Bronze

Note: The above colors are for comparison purposes only and are not an exact representation of the actual product. Custom faucet displays and special order color finishes available, contact us for more information.

QMP Long Reach Non-Air Gap Faucets - Lead Free

7/16" UNS compression thread. 2.5" stud length. 1/4" Brass Compression Nut.



Part Number	Color	List	1	25	50	100
QMP102	Chrome	\$50.95	23.44	22.42	21.40	20.38
QMP102WP	Chrome - White Handle and Tip	\$63.92	29.40	28.12	26.85	25.57
QMP102D	Chrome - Dual Flow Faucet	\$113.05	52.00	49.74	47.48	45.22
QMP102C/BC	Brushed Chrome	\$60.72	27.93	26.72	25.50	24.29
QMP102C/BL	Black	\$60.72	27.93	26.72	25.50	24.29
QMP102C/BF	Matte/Flat Black	\$60.72	27.93	26.72	25.50	24.29
QMP102C/BN	Brushed Nickel	\$60.72	27.93	26.72	25.50	24.29
QMP102C/BS	Brushed Stainless	\$60.72	27.93	26.72	25.50	24.29
QMP102C/ORB	Oil Rubbed Bronze	\$60.72	27.93	26.72	25.50	24.29
QMP102C/VB	Venetian Bronze	\$60.72	27.93	26.72	25.50	24.29
QMP102W	White	\$63.92	29.40	28.12	26.85	25.57
QMP902/C/BS	Stainless Steel Faucet w/Brushed Finish - Dome Base	\$76.68	38.34	36.42	35.27	33.74

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Faucets require mounting hole size of 7/16" - 1.5"

QMP Long Reach Air Gap Faucets - Lead Free

7/16" UNS compression thread. 3.5" stud length. 1/4" Brass Compression Nut.



Part Number	Color	List	1	25	50	100
QMP102AG	Chrome	\$63.66	29.28	28.01	26.74	25.46
QMP102AG/C/BC	Brushed Chrome	\$73.34	33.74	32.27	30.80	29.34
QMP102AG/C/BL	Black	\$76.79	35.32	33.79	32.25	30.72
QMP102AG/C/BN	Brushed Nickel	\$76.79	35.32	33.79	32.25	30.72
QMP102AG/C/BS	Brushed Stainless	\$76.79	35.32	33.79	32.25	30.72
QMP102AG/C/ORB	Oil Rubbed Bronze	\$76.79	35.32	33.79	32.25	30.72
QMP102AG/C/VB	Venetian Bronze	\$76.79	35.32	33.79	32.25	30.72
QMP102AG/C/W	White	\$76.79	35.32	33.79	32.25	30.72
QMP902AG/BS/38	Stainless Steel Faucet w/Brushed Finish - Dome Base	\$107.44	53.72	51.03	49.42	47.27

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Faucets require mounting hole size of 7/8" - 1.5"

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



QMP Short Spout Faucets - Lead Free

7/16" UNS compression thread. 2.5" stud length. 1/4" Brass Compression Nut.



Part Number	Color	List	1	25	50	100
QMP100	Chrome	\$56.16	25.83	24.71	23.59	22.46
QMP100C/BN	Brushed Nickel	\$69.98	32.19	30.79	29.39	27.99
QMP100C/BM	Matte/Flat Black	\$69.98	32.19	30.79	29.39	27.99
QMP100W	White	\$69.98	32.19	30.79	29.39	27.99

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Faucets require mounting hole size of 7/16" - 1.5"



QMP Ceramic Disk Faucets - Lead Free

7/16" UNS compression thread. 2.75" stud length. 1/4" Brass Compression Nut.



Part Number	Color	List	1	25	50	100
QMP804	Chrome	\$72.83	36.42	34.59	33.50	32.05
QMP804/BF	Matte/Flat Black	\$88.64	44.32	42.10	40.77	39.00
QMP804/BL	Black	\$88.64	44.32	42.10	40.77	39.00
QMP804/BN	Brushed Nickel	\$88.64	44.32	42.10	40.77	39.00
QMP804/BSS	Brushed Stainless Steel	\$88.64	44.32	42.10	40.77	39.00
QMP804/ORB	Oil Rubbed Bronze	\$88.64	44.32	42.10	40.77	39.00
QMP804/VB	Venetian Bronze	\$88.64	44.32	42.10	40.77	39.00
QMP804/W	White	\$88.64	44.32	42.10	40.77	39.00
QMP804AG	Chrome - Air Gap	\$79.91	39.96	37.96	36.76	35.16
QMP804AG/BN	Brushed Nickel - Air Gap	\$93.48	46.74	44.40	43.00	41.13
QMP804AG/ORB	Oil Rubbed Bronze - Air Gap	\$93.48	46.74	44.40	43.00	41.13

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Non-air gap faucets require mounting hole size of 7/16" - 1.5"
Air gap faucets require a mounting hole size of 7/8" - 1.5"

QMP Faucet Accessories



Part Number	Description	List	1	25	50	100
QMP100/EXT	3.5" Faucet Stud Extension	\$20.07	9.23	8.83	8.43	8.03
QMP519	Faucet Repair Kit-Spring Poppet Assembly, Black Handle, Tip	\$11.48	5.74	5.45	5.28	5.05
QMP522	Faucet Washer Kit with escutcheon cover plate	\$19.06	9.53	9.05	8.77	8.39
QMP532C	Air Gap Faucet Kit with escutcheon cover plate	\$26.72	13.36	12.69	12.29	11.76
QMPHC20	Faucet Hole Cover, 2" Diameter	\$11.83	5.92	5.62	5.44	5.21

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Faucet Installation Wrench

Part Number	Description	List	1	5	10
NWDF-WRENCH	Long wrench for tightening compression and lock nuts	\$75.49	37.75	35.86	34.73



Mur-lok® Fittings - Faucet/Refrigerator Connectors

Constructed of Polypropylene with Leak Resistant Dual EPDM O-rings.



Part Number	Mur-lok	Thread	List	10	50	100	500	1000
U0420706	1/4"	7/16" - 24 UNS	\$3.30	1.45	1.42	1.39	1.35	1.32
U0520706	5/16"	7/16" - 24 UNS	\$3.89	1.71	1.67	1.63	1.60	1.56
U0620706	3/8"	7/16" - 24 UNS	\$3.63	1.60	1.56	1.53	1.49	1.45
U0420706-F050	1/4"	7/16" - 24 UNS - 0.5 gpm Flow Control	\$4.31	1.90	1.85	1.81	1.77	1.72
U0420706-F100	1/4"	7/16" - 24 UNS - 1.0 gpm Flow Control	\$4.31	1.90	1.85	1.81	1.77	1.72

To order black fittings, add a "B" to the end of the part number.

Tested and certified by IAPMO R & T against NSF/ANSI 58 for material and structural integrity requirements only and NSF/ANSI 372 for lead compliance.


G. A. Murdock 2022 Price List

Instruments Chemicals Tools Faucets Membranes Filters Housings Tanks Pumps Systems Tubing Fittings Gauges Regulators Drain Products EZ-Adapters Valves

Tomlinson Faucet Colors



Note: The above colors are for comparison purposes only and are not an exact representation of the actual product.



Tomlinson Designer Faucets - Lead Free

Optional air gap adapter included. 3" Stud.



Part Number	Color	List	1	15	75
1019299	Polished Chrome	\$163.47	81.74	76.83	71.93
1019301	Satin Nickel	\$187.78	93.89	88.26	82.62
1019303	White	\$179.54	89.77	84.38	79.00
1019305	Biscuit	\$179.54	89.77	84.38	79.00
1019307	Black	\$179.54	89.77	84.38	79.00
1026577	Matte Black	\$179.51	89.76	84.37	78.98
1019309	Polished Brass	\$196.13	98.07	92.18	86.30
1019311	Antique Bronze	\$187.78	93.89	88.26	82.62
1024293	Venetian Bronze	\$195.70	97.85	91.98	86.11
1019444	Bright Nickel	\$187.78	93.89	88.26	82.62
1020518	Brushed Stainless	\$187.78	93.89	88.26	82.62
1022305*	Hot/Cold Faucet - Polished Chrome, Non-air-gap	\$281.27	140.64	132.20	123.76
1020900*	Hot/Cold Faucet - Antique Bronze, Non-air-gap	\$305.52	152.76	143.59	134.43
1020899*	Hot/Cold Faucet - Satin Nickel, Non-air-gap	\$306.45	153.23	144.03	134.84
1020905*	Hot/Cold Faucet - Brushed Stainless, Non-air-gap	\$306.45	153.23	144.03	134.84

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Mounting hole size with air gap: 7/8" - 1.125" Without air gap: 1/2" - 1.125".

*Hot/Cold faucets do not include an air-gap, require a hot water tank, and are not compatible with InSinkErator products.



Tomlinson Contemporary Faucets - Lead Free

Optional air gap adapter included. 3" Stud.



Part Number	Color	List	1	15	75
1020587	Polished Chrome	\$204.25	102.13	96.00	89.87
1025810	Polished Nickel	\$215.40	107.70	101.24	94.78
1020889	Satin Nickel	\$215.40	107.70	101.24	94.78
1020891	Antique Bronze	\$215.40	107.70	101.24	94.78
1024294	Venetian Bronze	\$227.77	113.89	107.05	100.22
1020892	Bright Nickel	\$215.40	107.70	101.24	94.78
1020893	White	\$210.47	105.24	98.92	92.61
1020894	Black	\$210.47	105.24	98.92	92.61
1026576	Matte Black	\$210.47	105.24	98.92	92.61
1020896	Brushed Stainless	\$215.40	107.70	101.24	94.78
1022118*	Hot/Cold Faucet - Polished Chrome, Non-air-gap	\$320.98	160.49	150.86	141.23
1020890*	Hot/Cold Faucet - Satin Nickel, Non-air-gap	\$334.65	167.33	157.29	147.25
1020912*	Hot/Cold Faucet - Brushed Stainless, Non-air-gap	\$334.65	167.33	157.29	147.25

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Mounting hole size with air gap: 7/8" - 1.125" Without air gap: 1/2" - 1.125".

*Hot/Cold faucets do not include an air-gap, require a hot water tank, and are not compatible with InSinkErator products.



Tomlinson Vintage Faucets - Lead Free

Optional air gap adapter included. 3" Stud.



Part Number	Color	List	1	15	75
1024763	Polished Chrome	\$242.22	121.11	113.84	106.58
1024801	Antique Bronze	\$269.88	134.94	126.84	118.75
1024773	Satin Nickel	\$269.82	134.91	126.82	118.72
1024774	Venetian Bronze	\$269.88	134.94	126.84	118.75

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Mounting hole size with air gap: 7/8" - 1.125" Without air gap: 1/2" - 1.125"




Tomlinson PF500 Long Reach Faucets - Lead Free

3" Stud.



Part Number	Color	List	1	15	75
1025803	Polished Chrome	\$53.55	26.78	25.17	23.56

Mounting hole size without air gap: 7/8" - 1.125".



Tomlinson Ultra Contemporary Faucets - Lead Free

Optional air gap adapter included. 3" Stud.



Part Number	Color	List	1	15	75
1024852	Polished Chrome	\$228.34	114.17	107.32	100.47
1025115	Antique Bronze	\$297.49	148.75	139.82	130.90
1025114	Brushed Stainless	\$297.49	148.75	139.82	130.90
1025111	Satin Nickel	\$297.49	148.75	139.82	130.90
1025112	Venetian Bronze	\$297.49	148.75	139.82	130.90

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Mounting hole size with air gap: 7/8" - 1.125" Without air gap: 1/2" - 1.125"



Tomlinson Quadra Faucets - Lead Free

Optional air gap adapter included. 3" Stud.



Part Number	Color	List	1	12	60
1025101	Satin Nickel	\$386.06	193.03	181.45	169.87
1025102	Venetian Bronze	\$386.06	193.03	181.45	169.87

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Mounting hole size with air gap: 7/8" - 1.125" Without air gap: 1/2" - 1.125"



Tomlinson Faucet Displays


Part Number	Description	List	1	15	75
1020466	Tomlinson Faucet Color Kit	\$63.76	31.88	29.97	28.05

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCAN THIS BARCODE TO VIEW LARGER FAUCET FINISH COLOR SWATCHES ON OUR WEBSITE AT: WWW.GAMURDOCK.COM/COLORS

Tomlinson Valueline Faucet Colors




Polished Chrome



Satin Nickel


Note: The colors shown are for comparison purposes only and are not an exact representation of the actual product.



143 Series



603 Series



713 Series



802 Series



888 Series



905 Series

Tomlinson Valueline Faucets - Lead Free

3" Stud.



Part Number	Series	Type	Color	List	1	15	75
1024998*	143	Non-Air-Gap	Polished Chrome	\$123.96	61.98	58.26	54.54
1022280	603	Non-Air-Gap	Polished Chrome	\$81.89	40.95	38.49	36.03
1022282	603	Non-Air-Gap	Satin Nickel	\$95.06	47.53	44.68	41.83
1022281	603	Air-Gap	Polished Chrome	\$86.27	43.14	40.55	37.96
1022283	603	Air-Gap	Satin Nickel	\$103.82	51.91	48.80	45.68
1022298	713	Non-Air-Gap	Polished Chrome	\$93.58	46.79	43.98	41.18
1022300	713	Non-Air-Gap	Satin Nickel	\$111.12	55.56	52.23	48.89
1022299	713	Air-Gap	Polished Chrome	\$102.34	51.17	48.10	45.03
1022301	713	Air-Gap	Satin Nickel	\$119.91	59.96	56.36	52.76
1022387	802	Non-Air-Gap	Polished Chrome	\$65.83	32.92	30.94	28.97
1022386	802	Air-Gap	Polished Chrome	\$74.58	37.29	35.05	32.82
1022286	888	Non-Air-Gap	Polished Chrome	\$105.29	52.65	49.49	46.33
1022288	888	Non-Air-Gap	Satin Nickel	\$121.06	60.53	56.90	53.27
1022287	888	Air-Gap	Polished Chrome	\$109.68	54.84	51.55	48.26
1022289	888	Air-Gap	Satin Nickel	\$128.69	64.35	60.48	56.62
1022292	905	Non-Air-Gap	Polished Chrome	\$100.93	50.47	47.44	44.41
1022294	905	Non-Air-Gap	Satin Nickel	\$119.90	59.95	56.35	52.76
1022293	905	Air-Gap	Polished Chrome	\$102.34	51.17	48.10	45.03
1022295	905	Air-Gap	Satin Nickel	\$119.91	59.96	56.36	52.76

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
Non-Air Gap faucets require mounting hole size of 1/2" - 1.125". Air-Gap faucets require mounting hole size of 7/8" - 1.125".
*Model 143 does not include tubing.

G. A. Murdock 2022 Price List

Li Kuan Faucet Colors



Note: The above colors are for comparison purposes only and are not an exact representation of the actual product.



Li Kuan Lead Free Faucets

7/16" UNS compression thread with 1/4" brass compression nut. 3" stud.



Part Number	Series	Type	Color	List	1	25	50	100
N1033CP	103	Non-Air-Gap	Chrome	\$57.06	28.53	27.10	26.25	25.11
N1033NP	103	Non-Air-Gap	Brushed Nickel	\$62.70	31.35	29.78	28.84	27.59
N1033G	103	Non-Air-Gap	Gold Plated	\$169.16	84.58	80.35	77.81	74.43
N1033WT	103	Non-Air-Gap	White	\$59.75	29.88	28.38	27.49	26.29
N1033AL	103	Non-Air-Gap	Almond	\$59.27	29.64	28.15	27.26	26.08
N103AG3CP	103	Air-Gap	Chrome	\$71.18	35.59	33.81	32.74	31.32
N103AG3NP	103	Air-Gap	Brushed Nickel	\$83.36	41.68	39.60	38.35	36.68
N304CPW	304	Non-Air-Gap	Chrome (White Tip)	\$60.44	30.22	28.71	27.80	26.59
N304CPB	304	Non-Air-Gap	Chrome (Black Tip)	\$53.40	26.70	25.37	24.56	23.50
NCP6033CP	603	Non-Air-Gap	Chrome	\$73.45	36.73	34.89	33.79	32.32
NCP7033CP	703	Non-Air-Gap	Chrome	\$86.02	43.01	40.86	39.57	37.85
NCP7033NP	703	Non-Air-Gap	Brushed Nickel	\$101.59	50.80	48.26	46.73	44.70
NCP7033OB	703	Non-Air-Gap	Oil Rubbed Bronze	\$106.52	53.26	50.60	49.00	46.87
NCP7033MB	703	Non-Air-Gap	Matte Black	\$109.70	54.85	52.11	50.46	48.27
NCP8883CP	888	Non-Air-Gap	Chrome	\$94.07	47.04	44.68	43.27	41.39
NCP8883NP	888	Non-Air-Gap	Brushed Nickel	\$109.63	54.82	52.07	50.43	48.24
NCP8883AB	888	Non-Air-Gap	Antique Brass	\$119.29	59.65	56.66	54.87	52.49
NCP8883AW	888	Non-Air-Gap	Antique Wine	\$119.29	59.65	56.66	54.87	52.49
NCP8883OB	888	Non-Air-Gap	Oil Rubbed Bronze	\$118.40	59.20	56.24	54.46	52.10
NCP8883MB	888	Non-Air-Gap	Matte Black	\$117.80	58.90	55.96	54.19	51.83
NPHCD11MB	11	Non-Air-Gap	Matte Black - Hot/Cold Dual Flow	\$366.70	183.35	174.18	168.68	161.35
NCP9053CP	905	Non-Air-Gap	Chrome	\$92.53	46.27	43.95	42.56	40.71
NCP9053NP	905	Non-Air-Gap	Brushed Nickel	\$108.30	54.15	51.44	49.82	47.65
NCP9053MB	905	Non-Air-Gap	Matte Black	\$116.27	58.14	55.23	53.48	51.16
0-3SP2		Faucet Repair Kit - Poppet Assem, Black Handle, Tip		\$9.82	4.91	4.66	4.52	4.32
NWDF-HK14W		Faucet Hardware Kit - with escutcheon cover plate		\$4.85	2.43	2.30	2.23	2.16
NWDF-RING		Li Kuan Faucet Finish Color Ring Display		\$89.38	44.69	----	----	----

WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

NSF 61/AB1953 Compliant. Faucets require mounting hole size of 7/16" - 1.5" for Non-Air Gap Faucets and 7/8" - 1.5" for Air Gap Faucets.

Diamond Core Bits for Granite/Marble

Diamond Core Bits are the best value in drilling granite or marble countertops up to 2" in depth. Kit includes Diamond Core Bit, Water Ring, and 1/2" Shank (1/2" drill required).

Part #	Description	List	1	5	10
K0100008	1/2" (13mm)	\$231.31	122.59	117.97	113.34
K0100014	7/8" (22mm)	\$234.06	124.05	119.37	114.69
K0100016	1" (25mm)	\$236.36	125.27	120.54	115.82
K0100020	1.25" (32mm)	\$238.79	126.56	121.78	117.01
K0100126	Reconditioning Stone, 80 Grit	\$32.63	17.29	16.64	15.99
K0200016	1" (25mm) Fury Turbo Wet Only Bit (with 3/8" shank only)	\$182.41	96.68	93.03	89.38
K0200020	1.25" (32mm) Fury Turbo Wet Only Bit (with 3/8" shank only)	\$195.09	103.40	99.50	95.59
K0200122	Fury Turbo 3/8" Shank Adapter	\$30.78	16.31	15.70	15.08

Relton Thin-Gauge Hole Cutters & Replacement Parts

Designed for cutting stainless steel, 1/2" drill shank.



Part Number	Diameter	Description	List	1	5	10
K0400004	0.25"	Thin-Gauge - Replacement Bit	\$12.00	8.52	8.28	8.04
K0400014	0.875"	Thin-Gauge - Hole Cutter	\$63.00	44.73	43.47	42.21
K0400016	1.00"	Thin-Gauge - Hole Cutter	\$65.00	46.15	44.85	43.55
K0400020	1.25"	Thin-Gauge - Hole Cutter	\$74.00	52.54	51.06	49.58
K0400022	1.38"	Thin-Gauge - Hole Cutter	\$77.00	54.67	53.13	51.59

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
All Relton Cutters can be factory re-sharpened. Call (800)568-7565

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



Relton Porcelain Faucet Hole Kits

Kit includes: Pilot Bit, Porcelain Saw, Metal Finish Hole Saw, 3/8" drill shank.

Part Number	Diameter	Description	List	1	5	10
K0000014	0.875"	Porcelain Faucet Hole Cutter Kit	\$300.41	213.29	207.28	201.27
K0000016	1.00"	Porcelain Faucet Hole Cutter Kit	\$244.38	173.51	168.62	163.73
K0000020	1.25"	Porcelain Faucet Hole Cutter Kit	\$315.63	224.10	217.78	211.47

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
All Relton Cutters can be factory re-sharpened. Call (800)568-7565

Relton Porcelain Kit Replacement Parts



Part Number	Diameter	Description	List	1	5	10
K0000004	0.25"	Pilot Bit	\$15.00	10.65	10.35	10.05
K0P20000	1.25"	Porcelain Saw - Complete	\$129.70	92.09	89.49	86.90
K0F20HO	1.25"	Finish Hole Saw - Head Only	\$79.70	56.59	54.99	53.40

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
All Relton Cutters can be factory re-sharpened. Call (800)568-7565

Relton Specialty Cutters

3/8" Drill shank



Part Number	Diameter	Description	List	1	5	10
K0800020	1.25"	Ceramic/Marble Hole Saw	\$106.00	75.26	73.14	71.02
K0GRT-8-6	1/2"	Ceramic/Marble Bit	\$14.28	10.14	9.85	9.57

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
All Relton Cutters can be factory re-sharpened. Call (800)568-7565

RID O' RUST® - Liquid Rust Stain Preventor



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
RR1	64 oz. Rid O' Rust Stain Preventer for pH over 6	4	\$28.00	18.20	16.80	16.10	15.40
RR2	64 oz. Rid O' Rust Extreme Preventer for pH below 6	4	\$32.00	20.80	19.20	18.40	17.60

Now 2x concentrated vs. previous Rid O' Rust Formula 500

RUST OUT® - Water Softener Cleaner/Iron Remover



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
RO12N	Rust Out Water Softener Cleaner/Iron Remover, 1.5 lb	12	\$7.75	5.04	4.65	4.46	4.26
RO50N	Rust Out Water Softener Cleaner/Iron Remover, 50 lb	1	\$205.00	123.00	123.00	117.88	112.75
RO65N	Rust Out Water Softener Cleaner/Iron Remover, 5 lb	6	\$23.32	15.16	13.99	13.41	12.83

SANI-SYSTEM™ - Clean and Sanitize Kit

EPA approved water softener cleaner and sanitizer display



Part Number	Description	Qty	List	1	1 case	5 case	10 case
SSCS	Sani-System Clean & Sanitize Kit Display	8	\$12.99	8.44	7.79	7.47	7.14

Certified to NSF/ANSI/CAN 60 Standards

SANI-SYSTEM™ - Liquid Sanitizer Concentrate

EPA Approved



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
SS24RO	Sani-System RO Unit Sanitizer, 0.25 fl oz	24	\$3.19	2.07	1.91	1.83	1.75
SS24WS	Sani-System Water Softener Sanitizer, 0.5 fl oz	24	\$3.19	2.07	1.91	1.83	1.75

Certified to NSF/ANSI/CAN 60 Standards

NEUTRA SUL® - Powerful Oxidant



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
HP41N	Neutra Sul, Oxidant, 1 gal.	4	\$10.23	6.65	6.14	5.88	5.63
HP22N	Neutra Sul, Oxidant, 2.5 gal.	2	\$23.50	15.28	14.10	12.93	---

Certified to NSF/ANSI/CAN 60 Standards

POLY GUARD® - Corrosion Control and Sequestrant



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
GL41N	Poly Guard Liquid, 1 gal.	4	\$54.98	35.74	32.99	31.61	30.24
GP10C	Poly Guard Crystal Cartridge (#10), 1.5 lb	6	\$55.50	36.08	33.30	31.91	30.53
GP50N	Poly Guard Crystal (bulk), 50 lb	1	\$786.00	471.60	471.60	451.95	432.30

Certified to NSF/ANSI/CAN 60 Standards



POT PERM® PLUS - Greensand Iron Filter Regenerant



Part Number	Description	Qty	List	< case	1 case	5 case	10 case
KP02N	PotPerm Plus, 2 lb	6	\$25.67	16.69	15.40	14.76	14.12
KP65N	PotPerm Plus, 5 lb	6	\$58.66	58.66	35.20	33.73	32.26



RESCARE® Pro EasyFeeder™ - Automatic Softener Cleaning Feeder



Part #	Description	Qty	List	< case	1 case	5 case	10 case
RK32N*	ResCare Liquid Resin Cleaning Solution, 1qt	12	\$6.65	4.32	3.99	3.82	3.66
RK41N*	ResCare Liquid Resin Cleaning Solution, 1 gal	4	\$17.23	11.20	10.34	9.91	9.48
RK64N*	ResCare Liquid Resin Cleaning Solution, 64 oz	4	\$13.48	8.76	8.09	7.75	7.41
RF05N	ResCare Pro Easy Feeder - 0.5 oz	1	\$12.84	8.35	8.35	7.70	7.38
RF10N	ResCare Pro Easy Feeder - 1.0 oz	1	\$12.84	8.35	8.35	7.70	7.38
RK15K1	ResCare Pro Easy Feeder Starter Kit (0.5 oz. feeder, 64 oz ResCare)	6	\$28.67	18.64	17.20	16.49	15.77
RK11K1	ResCare Pro Easy Feeder Starter Kit (1 oz. feeder, 64 oz ResCare)	6	\$28.67	18.64	17.20	16.49	15.77

* Certified to NSF/ANSI/CAN 60 Standards

Spectrum Field Analysis Kits

Includes carrying case



Part Number	Model	Description	List	1	5	10
FK2403	192403	Basic Kit - Hardness	\$55.00	35.75	33.00	31.63
192401	192401	Standard Kit - Hardness, Iron, pH	\$140.86	91.56	84.52	80.99
192404	192404	Deluxe Kit - Hardness, Iron, pH, Chlorine, TDS	\$214.81	139.63	128.89	123.52

Refill solutions and packets also available.

TDS3



TDSEZ



AP1



COM100



COM300



COM360



FLM3



QC1



SM1



HM Digital Meters



Part Number	Description	List	1	5	10
Handheld Test Meters					
HMTDS3	TDS Meter - Handheld TDS/Temp with Vinyl Case	\$19.95	14.96	13.97	8.98
HMTDSEZ	TDS Meter - Handheld TDS	\$19.95	15.46	15.16	14.96
HMAP1	TDS Meter - Handheld TDS/Temp - AquaPro Water-resistant	\$29.95	23.21	22.76	22.46
HMCOM80	TDS Meter - Handheld TDS/Temp/EC (HydroTester)	\$39.95	30.96	30.36	29.96
HMCOM100	TDS Meter - Handheld TDS/Temp/EC	\$74.95	58.09	56.96	56.21
HMCOM300	TDS Meter - Handheld TDS/Temp/EC/pH	\$159.95	123.96	121.56	119.96
HMCOM360	TDS Meter - Handheld TDS/Temp/EC Side + pH/Temp Side	\$174.95	135.59	132.96	131.21
HMEC3	EC Meter - Handheld EC/Temp with Vinyl Case	\$24.95	19.34	18.96	18.71
HMORP200	ORP Meter - Handheld ORP/Temp - Waterproof	\$130.99	101.52	99.55	98.24
HMPH80	pH Meter - Handheld pH/Temp (HydroTester)	\$49.95	38.71	37.96	37.46
HMPH200	pH Meter - Handheld pH/Temp	\$99.95	77.46	75.96	74.96
HMTM1	Thermometer - Handheld digital probe with case	\$37.95	29.41	28.84	28.46
Inline Test Meters					
HMFLM3	Flow Monitor - Digital	\$52.95	41.04	40.24	39.71
HMQC1	TDS Meter - Quick Check TDS/Conductivity - 1/4" Tee	\$28.95	22.44	22.00	21.71
HMSM1	TDS Meter - Inline Single TDS - 1/4" Tee	\$35.92	27.84	27.30	26.94
HMSM1A	TDS Meter - Inline Single TDS - 3/8" Tee	\$46.14	35.76	35.07	34.61
HMSM1B	TDS Meter - Inline Single TDS - 1/2" Tee	\$48.38	37.49	36.77	36.29

Batteries, buffer solutions, calibration solutions, and replacement sensors also available.

HM Digital Dual/Triple Connection Meters



Part Number	Description	List	1	5	10
HMDM1	TDS Meter - Inline Dual with 1/4" Tee	\$41.02	31.79	31.18	30.77
HMDM1A	TDS Meter - Inline Dual with 3/8" Tee	\$51.23	39.70	38.93	38.42
HMTRM1	TDS Meter - Inline Triple with 1/4" Tee	\$59.43	46.06	45.17	44.57
HMDM2	TDS Meter - Commercial Dual with 1/4" Tee	\$61.75	47.86	46.93	46.31
HMDM2A	TDS Meter - Commercial Dual with 3/8" Tee	\$71.35	55.30	54.23	53.51
HMDM2B	TDS Meter - Commercial Dual with 1/2" Tee	\$73.77	57.17	56.07	55.33
HMDM2EC	Conductivity Meter - Commercial Dual with 1/4" Tee	\$59.95	46.46	45.56	44.96

HM Digital Panel Mount TDS Meters

Includes 1/2" Male NPT Sensor



Part Number	Description	List	1	5	10
HMP202	Dual Display TDS Controller	\$344.95	267.34	262.16	258.71
HMPSC-50	Panel Mount EC/TDS Mini-Controller	\$139.95	108.46	106.36	104.96
HMPSC-54	Panel Mount EC/TDS Mini-Controller w/ 4-20mA Outputs	\$179.95	139.46	136.76	134.96
HMPSC150	Panel-Mount TDS/Micro Siemen Controller	\$239.95	185.96	182.36	179.96



G. A. Murdock 2022 Price List



FLOWLOK™ Leak Detector

No power needed, highly compressed disc expands when it absorbs water to shut off the line.



Part Number	Description	List	1	10	30
FLK-14	Flow-lok Leak Detector - 1/4" QC	\$20.60	12.36	11.33	10.30
FLK-KIT	Flow-lok Kit - Leak Detector and Tray - 1/4" QC	\$29.80	17.88	16.39	14.90
FLK-PAD	Flow-lok Leak Detector Replacement Pad	\$4.68	2.81	2.57	2.34

Leak Detector

- Powered by 9V Battery (Included)
- Max Pressure: 80 psi
- 56" Cord from valve to sensor
- Operating Temp: 40°F-100°F



Part Number	Description	List	1	10	50
LD14JG	1/4" QC	\$64.82	38.89	35.65	32.41
LD38JG	3/8" QC	\$66.73	40.04	36.70	33.37

HM Digital LeakBlock Sensor

Inputs: 3/8" female NPT or 1/2" male BSP for applications up to 5 gpm. Low battery alarm and latches closed when battery dies. 38" sensor cord.



Part Number	Description	Qty	List	< case	1 case	2 case	3 case
LBS-10	HM Digital LeakBlock Sensor	40	\$55.74	33.44	30.66	29.26	27.87

Icon Mechanical Leak Detector

Utilizes a highly compressed disc that expands when it absorbs water to activate a valve to shut off the water feed line. Red swing door to replace the disc below the valve. No power needed.



Part Number	Description	Qty	List	1	10	30	100
WSV-1087	Icon Leak Detector, 1/4"	1	\$17.44	10.46	9.59	9.16	8.72
RT-1087	Icon Leak Detector Replacement Pad (10 Pk)	1	\$5.47	3.28	3.01	2.87	2.74

Includes: Valve, 2 screws, 2 adhesive pads, 2 compressed pads, 2 locking clips.

FloodStop™

Includes: Motorized full-port ball valve, control unit with battery backup (4 AA), water/leak sensor (1.25" X 7.5"), AC power adaptor. One year manufacturer's warranty.



Part Number	Description	List	1	6	12
FS14C	FloodStop - 1/4" Compression Valve	\$222.57	144.67	136.88	120.19
FS38C	FloodStop - 3/8" Compression Valve	\$234.79	152.61	144.40	126.79
FS12NPT	FloodStop - 1/2" NPT Valve	\$242.16	157.40	148.93	130.77
FS34C	FloodStop - 3/4" Compression Valve	\$266.01	172.91	163.60	154.29
FS34NPT	FloodStop - 3/4" NPT Valve	\$236.07	153.45	145.18	127.48
FS1NPT	FloodStop - 1" NPT Valve	\$321.26	208.82	197.57	173.48
FS125NPT	NEW FloodStop - 1.25" NPT Valve	\$335.23	217.90	206.17	181.02
FS15NPT	NEW FloodStop - 1.5" NPT Valve	\$480.48	312.31	295.50	259.46
FSXS-01	Extra "Wired" Sensor Pad	\$64.33	34.74	---	---

WARNING: This product can expose you to chemicals which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LeakSMART® Wireless Leak Sensing Shut-Off System

Wireless leak detection system with whole-house shut-off valve that can notify users via an app and integrate with other smart house systems.



Part #	Description	Qty	List	< case	1 case	2 case
8853001	Protect Flow Meter Kit - 1 Hub, 3 Sensors, 3/4" Valve	6	\$1,086.49	814.87	760.54	706.22
8853101	Protect Flow Meter Kit - 1 Hub, 3 Sensors, 1" Valve	6	\$1,106.55	829.91	774.59	719.26
8850830	Hub 3.0	6	\$206.81	155.11	149.94	144.77
8850700	Range Extender	6	\$122.60	98.08	95.02	91.95
8850600	Wireless Sensor	24	\$80.36	64.29	62.28	60.27
8855000	Outdoor Enclosure Box	6	\$114.20	91.36	88.51	85.65
8850000	Valve - 3/4"	6	\$325.96	244.47	228.17	211.87
8850100	Valve - 1"	6	\$366.06	274.55	256.24	237.94
8850200	Valve - 1.25"	6	\$444.63	333.47	311.24	289.01
8850300	Valve - 1.5"	6	\$544.92	408.69	381.44	354.20
8850310	Valve - 2"	6	\$641.87	481.40	449.31	417.22

WARNING: This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
System requires at least 1 Hub, 1 Sensor, and 1 Valve. Max 32 sensors.



Download electronic catalog:

<https://www.gamurdock.com/download>

Order online with pricing and availability:

<https://www.gamurdock.com>



California Proposition 65 Warnings

On August 30, 2018 updated California Proposition 65 regulations went into effect that require warnings for products that potentially expose users to chemicals that may cause cancer, birth defects or other reproductive harm to people in California. As a distributor and manufacturer of many products, we will have some items marked with these warnings. The California proposition 65 chemical limits are much stricter and harder to quantify than previous requirements, so many vendors are choosing to apply warnings for any amount potentially contained in their products. For additional information please visit: <https://www.P65Warnings.ca.gov> and <https://oehha.ca.gov/proposition-65>

© All trademarks and registered trademarks are the property of their respective owners.



G.A. MURDOCK, INC.

1200 S. Division Ave.
Madison, SD 57042-3108

Change Service Requested

Valves
EZ-Adapters
Drain Products
Regulators
Gauges
Fittings
Tubing
Systems
Pumps
Tanks
Housings
Filters
Membranes
Faucets
Tools
Chemicals
Instruments



WAREHOUSE LOCATIONS

MADISON, SD ■ TAMPA, FL



Order Online!

<https://www.gamurdock.com>

Easily order online from your computer or smart phone.

TELEPHONE: 605-256-9632
800-568-7565

FACSIMILE: 605-256-9682
800-568-4301

EMAIL: sales@gamurdock.com

WEB SITE: www.gamurdock.com

MEMBER

