













# accessory guide



Indoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<b>902-0100-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7982</li> </ul>	Multipurpose mounting bracket for 7982 supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.		(1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (2) Pipe clamps
<b>902-0108-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7352</li> <li>ZoneFlex 7372</li> <li>ZoneFlex 7372-E</li> </ul>	Multipurpose mounting bracket for 7352 and 7372 models. Supports mounting to hard wall, ceiling, electrical outlet box, pole or truss. Supports physical security with padlock or security Torx.		(1) Accessory mounting bracket with security options (1) Torx screw (4) Wood screws (1) Pipe clamp
<b>902-0110-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7982</li> <li>ZoneFlex 7352</li> <li>ZoneFlex 7372</li> </ul>	Acoustic ceiling rail clips for narrow T-bar. Converts in-box mounting hardware in supported APs for mounting to 9/16" ceiling rail.		(10) Narrow acoustic ceiling rail clips to support 5 APs
<b>902-0111-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7055</li> </ul>	Accessory bracket for off-centered mounting of the 7055 to electrical outlet boxes. Allows mounting the AP without interfering with adjacent outlets. Also used for 7055 mounting if there is no wall cavity.		(1) Adjacent wall plate mounting bracket



Indoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<p><b>902-0166-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7341</li> <li>• ZoneFlex 7343</li> <li>• ZoneFlex 7363</li> <li>• ZoneFlex 2741</li> <li>• ZoneFlex 7762</li> </ul>	<p>Multipurpose mounting bracket. Supports mounting to hard wall, ceiling, acoustic ceiling. Supports physical security with padlock or security screw.</p>		<ul style="list-style-type: none"> <li>(1) Wall/ceiling bracket</li> <li>(1) Unit bracket</li> <li>(2) Acoustical ceiling T-bar clip, 15/16" T-bar, 10mm M4 stud</li> <li>(2) M4 pal nuts</li> <li>(4) 4-16 pan-head tapping screw</li> <li>(4) M4 x 6mm L pan-head Phillips screws + flat washers + spring washers</li> <li>(1) M3x 6mm L thumb/Phillips screw</li> <li>(1) #4-20 x 0.75 L pan-head, thread-forming screw</li> <li>(4) M4 plastic wall anchors</li> </ul>
<p><b>902-0167-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7341</li> <li>• ZoneFlex 7343</li> <li>• ZoneFlex 7363</li> </ul>	<p>Aesthetic cable cover</p>		<ul style="list-style-type: none"> <li>(1) Plastic cover</li> </ul>
<p><b>902-0181-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7341</li> <li>• ZoneFlex 7343</li> <li>• ZoneFlex 7363</li> </ul>	<p>Low profile ceiling bracket. Mounts to standard 15/16" acoustic ceiling rail. Supports Kensington lock.</p>		<ul style="list-style-type: none"> <li>(1) Low Profile Bracket</li> <li>(2) Acoustical ceiling T-bar grips</li> <li>(4) M3 x 8mm L flat-head Phillips screws</li> </ul>
<p><b>902-7025-0024</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7025- WW02</li> </ul>	<p>Wall mount bracket to mount 7025 outside of an electrical outlet box</p>		<ul style="list-style-type: none"> <li>(24) Plastic mounting brackets</li> </ul>

Outdoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<p><b>902-0165-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762</li> <li>• ZoneFlex 7762-S</li> <li>• ZoneFlex 7762-T</li> </ul>	<p>7762-series outdoor AP mounting bracket (stainless steel), 90-degree elevation adjustment range. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> <li>(1) Static bracket part: stainless steel</li> <li>(1) Dynamics bracket part: stainless steel</li> <li>(4) M6 x 12mm L hex bolts + flat washers + spring washers</li> <li>(4) M4 x 8mm L pan-head Phillips machine screws + flat washers + spring washers</li> <li>(4) 0.25-20 thread 47mm L wall anchors + nuts</li> <li>(2) 2.5" diameter 0.5" wide steel clamps</li> </ul>
<p><b>902-0182-0003</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7762-AC</li> <li>• ZoneFlex 7762-S-AC</li> </ul>	<p>Outdoor AP mounting bracket (weatherized aluminum), 180-degree adjustment range in both azimuth and elevation. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> <li>(1) Mounting bracket: weatherized aluminum</li> <li>(1) Hanger mount: weatherized aluminum</li> <li>(1) Extension: weatherized aluminum</li> <li>(2) M8 hex bolts with spring locks &amp; washers</li> <li>(4) SAE32 steel clamps, 2.5"</li> <li>(4) M4 x 12mm machine screws with spring locks &amp; washers</li> <li>(4) 0.25-28 x 0.625" machine screws with spring locks &amp; washers</li> </ul>
<p><b>902-0168-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7731</li> </ul>	<p>Point-to-point, point-to-multipoint outdoor AP mounting bracket, 30-degree elevation adjustment range. Mounting support for solid wall or ceiling, vertical or horizontal pole 1" to 4" in diameter using enclosed mounting hardware. Pole diameter greater than 4" can be supported with user-supplied clamps.</p>		<ul style="list-style-type: none"> <li>(1) Static bracket part: stainless steel</li> <li>(1) Dynamic bracket part: stainless steel</li> <li>(5) M4 x 5.7mm L pan-head Phillips machine screws + flat washers + spring washers</li> <li>(2) 0.25-20 thread 47mm L wall anchors + nuts</li> <li>(2) M6 x 12mm L hex bolts + flat washers + spring washers</li> <li>(2) M6 x 12 mm L thumb screws</li> <li>(2) 2.5" diameter 0.5" wide steel clamps</li> </ul>

Outdoor AP Accessories	Compatible Products	Description	Picture	Kit Contents
<p><b>902-0101-0000</b></p>	<ul style="list-style-type: none"> <li>• Fiber Node</li> <li>• ZoneFlex 7781CM</li> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7762-AC</li> <li>• ZoneFlex 7761-CM</li> </ul>	<p>Outdoor product mounting bracket for overhead strand. Features a shroud to shield the mounted product from direct sunlight and falling debris as well as external antenna mounting.</p>		<ul style="list-style-type: none"> <li>(1) Strand bracket: coated aluminum</li> <li>(2) Strand clamps</li> <li>(4) 0.25-20 galvanized steel bolts + hex nuts + flat washers + spring washers</li> <li>(1) Spacer block</li> <li>(8) 0.25-28 stainless steel bolt + flat washers + spring washers</li> <li>(4) M4 stainless steel bolt + flat washers + spring washers</li> </ul>

# accessory guide



Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
<b>902-0103-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7761-CM</li> </ul>	Push button reset cable for 7761-CM. Mates with the 4-pin DC input of the 7761-CM and provides a push-button for reset and a barrel for user-supplied 12V DC power		(1) Cable assembly <ul style="list-style-type: none"> <li>4-pin female cable connector compatible with 7761-CM DC input</li> <li>Reset button</li> <li>Barrel for 12VDC power — accepts female plugs 2.5 x 5.5 mm (ID x OD)</li> <li>Cable length 1m</li> </ul>
<b>902-0152-XX01</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7341</li> <li>ZoneFlex 7343</li> <li>ZoneFlex 7363</li> </ul>	Regional Power Adapters (60)		(60) Country-specific power adapter <ul style="list-style-type: none"> <li>Input: 100-240VAC ~ 50/60Hz 0.4A</li> <li>Output: 12VDC 1.0A</li> <li>AC plug: country-specific</li> <li>DC plug: 2.1 x 5.5 x 9.5 mm (ID x OD x L) female, positive center</li> <li>DC cable length 1.8m</li> </ul>
<b>902-0159-XXYY</b>	<ul style="list-style-type: none"> <li>ZoneFlex 2741</li> <li>ZoneFlex 2942</li> </ul>	Power-over-Ethernet (PoE) adapter for products with 10/100-BaseT PoE inputs. Indoor-rated. Supports power up to 21W		(1) Country-specific power adapter <ul style="list-style-type: none"> <li>Input: 100-240VAC ~ 50/60Hz 0.6A</li> <li>Output: 48VDC 0.42A 21W max</li> <li>DC plug: 2.1 x 5.5 x 11 mm (ID x OD x L) female, positive center</li> <li>DC cable length 1.5m</li> </ul> (1) PoE module (10/100Mbps)

Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
<p><b>902-0162-XX10</b> (Qty. 10)  <b>902-0162-XX01</b> (Qty. 100)</p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7731</li> <li>• ZoneFlex 7982</li> <li>• ZoneFlex 7341</li> <li>• ZoneFlex 7343</li> <li>• ZoneFlex 7363</li> <li>• ZoneFlex 7352</li> <li>• ZoneFlex 7372</li> <li>• ZoneFlex 7372-E</li> <li>• ZoneFlex 7321</li> </ul>	Regional PoE Adapter (10/100/1000Mbps)		(Qty: 10 or 100) Country-specific power adapter <ul style="list-style-type: none"> <li>• Input: 100-240VAC ~ 50/60Hz 0.6A</li> <li>• Output: 48VDC 0.42A (21W)</li> <li>• DC plug: 2.1 x 5.5 x 11 mm (ID x OD x L) female, positive center</li> <li>• DC cable length 1.5m</li> </ul> (Qty: 10 or 100) PoE module (10/100/1000Mbps) <ul style="list-style-type: none"> <li>• Data port: RJ-45 jack</li> <li>• PoE/data port: RJ-45 jack</li> <li>• 48VDC input jack: 2.1 x 5.5 x 11 mm (ID x OD x L) male</li> <li>• Dimensions 83 x 48 x 25 mm</li> </ul>
<p><b>902-0169-XX10</b> (Qty. 10)  <b>902-0169-XX11</b> (Qty. 60)</p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7982</li> </ul>	Regional Power Adapter		(Qty: 10 or 60) Country-specific power adapter — right angle plug <ul style="list-style-type: none"> <li>• Input: 100-240VAC ~ 50/60Hz 0.6A</li> <li>• Output: 12VDC 1.5A</li> <li>• AC plug: country-specific</li> <li>• DC plug: Right-angle, 2.5 x 5.5 x 9.5 mm (ID x OD x L) female, positive center</li> <li>• DC cable length 1.8m</li> </ul>
<p><b>902-0170-XX10</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7025</li> <li>• ZoneFlex 7055</li> </ul>	Regional Power Adapter		(10) Country-specific power cord, IEC, 6ft (10) Power adapter <ul style="list-style-type: none"> <li>• Input: 100-240VAC ~ 50/60Hz 0.8A</li> <li>• Output: 48VDC 0.68A</li> <li>• DC plug: 0.7 x 2.35 x 13 mm (ID x OD x L) female, positive center</li> <li>• DC cable length 1.5m</li> </ul>

# accessory guide






Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
<b>902-0172-XX10</b>	<ul style="list-style-type: none"> <li>• ZoneFlex 7341</li> <li>• ZoneFlex 7343</li> <li>• ZoneFlex 7363</li> </ul>	Regional Power Adapters		(10) Country-specific power adapter <ul style="list-style-type: none"> <li>• Input: 100-240VAC ~ 50/60Hz 0.4A</li> <li>• Output: 12VDC 1.0A</li> <li>• AC plug: country-specific</li> <li>• DC plug: 2.1 x 5.5 x 9.5 mm (ID x OD x L) female, positive center</li> <li>• DC cable length 1.8m</li> </ul>
<b>902-0173-XX10</b>	<ul style="list-style-type: none"> <li>• ZoneFlex 7321</li> <li>• ZoneFlex 7372</li> <li>• ZoneFlex 7352</li> <li>• ZoneFlex 7372-E</li> </ul>	Regional Power Adapters		(10) Country-specific power adapter — right angle plug <ul style="list-style-type: none"> <li>• Input: 100-240VAC ~ 50/60Hz 0.4A</li> <li>• Output: 12VDC 1.0A</li> <li>• AC plug: country-specific</li> <li>• DC plug: Right-angle, 2.1 x 5.5 x 9.5 mm (ID x OD x L) female, positive center</li> <li>• DC cable length 1.8m</li> </ul>
<b>902-0174-XX00</b>	<ul style="list-style-type: none"> <li>• ZoneDirector 5000</li> <li>• SmartCell Gateway 200</li> </ul>	Regional IEC Power Chord for ZD5000 and SCG 200 Qty 1, MOQ 10		(1) Country-specific power cord, IEC, 6ft
<b>902-0175-DC00</b>	<ul style="list-style-type: none"> <li>• ZoneDirector 5000</li> </ul>	Spare DC Power Supply for ZD5000		(1) DC power supply
<b>902-0176-0000</b>	<ul style="list-style-type: none"> <li>• ZoneDirector 5000</li> </ul>	Spare Fan Set for ZD5000 (6 fans)		(2) 60mm fans (4) 80mm assembly fans Finger guard included

# accessory guide






Electrical Accessories	Compatible Products	Description	Picture (may differ by geography)	Kit Contents
<b>902-0179-AC00</b>	<ul style="list-style-type: none"> <li>ZoneDirector 5000</li> </ul>	Spare AC Power Supply for ZD5000 (use with 902-0174-XX00 Power Cord)		(1) AC power supply
<b>902-0180-XX00</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7762</li> <li>ZoneFlex 7762-S</li> <li>ZoneFlex 7762-T</li> <li>ZoneFlex 7782 Series</li> </ul>	Power-over-Ethernet (PoE) adapter for products with 10/100/1000-BaseT PoE inputs. Indoor-rated. Supports power up to 60W		(1) Country-specific power cord, IEC, 6ft (1) PoE module (10/100/1000Mbps) <ul style="list-style-type: none"> <li>Input: 100-240VAC ~ 50/60Hz 1.0A</li> <li>Output: 48VDC 1250mA (60W)</li> <li>Data port: RJ-45 jack</li> <li>PoE/data port: RJ-45 jack</li> <li>Dimensions 123 x 61 x 40 mm</li> </ul>
<b>902-0183-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7782</li> <li>ZoneFlex 7781CM</li> <li>ZoneFlex 7762-AC</li> <li>ZoneFlex 7762-S-AC</li> </ul>	Spare cable gland for weatherizing the RJ-45 ports on outdoor APs		(1) weatherizing cable gland
<b>902-0184-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7731</li> <li>ZoneFlex 7982</li> <li>ZoneFlex 7962</li> <li>ZoneFlex 7942</li> <li>ZoneFlex 7341</li> <li>ZoneFlex 7343</li> <li>ZoneFlex 7363</li> </ul>	Passive Power-over-Ethernet (PoE) injector for products with 10/100/1000-BaseT PoE inputs. Indoor-rated. Requires user-supplied 48V DC source.		(1) PoE module (10/100/1000Mbps) <ul style="list-style-type: none"> <li>Data port: RJ-45 jack</li> <li>PoE/data port: RJ-45 jack</li> <li>48VDC input jack: 2.1 x 5.5 x 11 mm (ID x OD x L) male</li> <li>Dimensions 83 x 48 x 25 mm</li> </ul>
<b>902-0185-0000</b>	<ul style="list-style-type: none"> <li>ZoneFlex 7762-AC</li> <li>ZoneFlex 7782 Series</li> </ul>	Spare Weatherized AC Connector for 7762-AC; contains 4-pin AC connector		(1) 4-pin female cable connector <ul style="list-style-type: none"> <li>strain relief with clamping ring</li> <li>compatible with cable diameter 6-12.5mm</li> </ul>



Fiber Accessories	Compatible Products	Description	Picture	Kit Contents
<p><b>902-0200-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	<p>Weather tight Fiber Node Enclosure Kit and mounting bracket</p>		<p>(1) IP-67 Fiber Node enclosure with fiber spools</p> <p>(1) Mounting kit includes:</p> <ul style="list-style-type: none"> <li>• (1) mounting base</li> <li>• (1) extension arm</li> <li>• (1) dual-side adapter bracket</li> <li>• (2) device mounting brackets</li> <li>• (4) 23mm M6 x 1 stainless steel captive socket cap screws</li> <li>• (4) .250-28 stainless steel flathead Phillips head screws</li> <li>• (2) sets stainless steel 40mm M8 x 1.25mm bolts and washers</li> <li>• (4) stainless steel pipe clamps 12.7mm wide x 63.5mm diameter</li> </ul> <p>(1) Cable shield bond</p> <p>(2) Weatherized cable glands</p> <p>(2) Optical mating sleeves for SC/UPC (duplex single and multi-mode)</p> <p>(6) Nylon cable ties</p>
<p><b>902-0201-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	<p>Managed industrial media converter kit for Fiber Node</p>		<p>(1) Fiber to Gigabit Ethernet media converter</p> <p>(1) Gigabit PoE splitter</p> <p>(1) Mounting cradle</p> <p>(2) Cat6 outdoor rated Ethernet cables (381mm length)</p>
<p><b>902-0202-0000</b></p>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	<p>EPON kit for Fiber Node</p>		<p>(1) EPON stick — pluggable SFP</p> <p>(1) Patch cable singlemode simplex SC/PC 203mm</p>

# accessory guide



Fiber Accessories	Compatible Products	Description	Picture	Kit Contents
<b>902-0202-1000</b>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	Complete Fiber Node Kit (EPON)		(1) 902-0200-0000 Kit (1) 902-0201-0000 Kit (1) 902-0202-0000 Kit
<b>902-0203-0000</b>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	1000Base-LX kit for Fiber Node		(1) Pluggable SFP transceiver — 1000Base-LX (1) Patch cable single mode duplex LC-LC 203mm
<b>902-0203-1000</b>	<ul style="list-style-type: none"> <li>• ZoneFlex 7762 Series</li> <li>• ZoneFlex 7782 Series</li> <li>• ZoneFlex 7761-CM</li> <li>• ZoneFlex 7781CM</li> </ul>	Complete Fiber Node Kit (1000Base-LX)		(1) 902-0200-0000 Kit (1) 902-0201-0000 Kit (1) 902-0203-0000 Kit