

3M

3M

MRO Solutions

Maintenance, Repair and Operations



Facilities Management



Equipment Repair, Maintenance and Installation



General Daily Use and Operations



Assessment and Monitoring

3M.com/MRO

3M MRO Solutions

Curbell Plastics is a proud supplier of 3M materials

CURBELL
PLASTICS

Nationwide
1.888.CURBELL
www.curbellplastics.com



This catalog includes a special "Tips, Test Results and Reference Guides" section!

Complete MRO solutions. One streamlined source.



Maintenance, Repair and Operations presents tough challenges. And 3M delivers comprehensive solutions. From lobby door to shipping floor, you'll find everything you need to maintain a smooth operation. Our full line of products includes MRO solutions that focus on specific needs of the MRO professional:

- Facilities Management
- Equipment Repair, Maintenance and Installation
- General Daily Use and Operations
- Assessment and Monitoring

Visit www.3M.com/MRO

You'll find lots of useful information, including:

- Online catalog
- MRO Essentials
- Where to buy
- Downloadable product literature, guides and data sheets
- Contest information
- News articles
- MRO industry links ... and more

About this catalog

The bulk of this book is a product catalog with product descriptions and ordering information. But don't forget about the other helpful information you'll find here, including an MRO Facilities Guide, a spotlight on "MRO Essentials," and a "Tips, Test Results and Reference Guides" section. The latter provides application tips, product selection guides, and other useful information to help you make the right product choices ... and get the most out of the products you choose.

Need help? Ask the 3M experts.

For technical information or product application recommendations, call a 3M Helpline ...

Industrial: 1-800-567-1639 Ext 4335

Electrical: 1-800-245-3573

MRO FACILITY GUIDE A1 – A2

MRO ESSENTIALS A3 – A11

PRODUCT SELECTION GUIDE A12 – A14

(NOTE: A detailed table of contents for this section is on page A12)

Abrasives 5 – 42

Adhesives 43 – 56

Automotive Products 57 – 63

Bumpers 64 – 65

Cleaners/Lubricants 66 – 67

Duct Tapes 68 – 69

Electrical Products 70 – 100

Facility Care Products 101 – 116

Fasteners 117 – 120

Fire Protection Products 121 – 125

Health Care Products 126 – 129

Marine Products 130 – 131

Masking Products 132 – 138

Matting & Treads 139 – 143

Packaging Products 144 – 154

Safety Products 155 – 180

Specialty Tapes 181 – 198

TIPS, TEST RESULTS AND REFERENCE GUIDES . . . B1 – B18

Abrasives

- Abrasive Grade Comparison Chart B1
- Abrasive/Tool Guide B2-B3

Adhesives

- 3M™ Scotch-Weld™ Structural Adhesive Selection Guide B4-B5
- 3M™ Scotch-Weld™ Anaerobic Adhesives Selection Guide B6

Facility Care Products

- Scotch-Brite™ High Performance Cloth Test Results B7
- Floor Pads Test Results and Selection Guide B7

Masking Tape

- Class I, II, III: Simplifying Masking Tape Selection B8
- Application Tips and Techniques B9

Bumpers

- 3M™ Bumpon™ Products in Blister Packs B10

Matting and Treads

- Entrance Matting B11
- Fatigue-Resistant Matting B12
- Slip-Resistant Tapes and Treads B13
- Drainage Matting B13

Safety Products

- Particulate Respirator Selection Guide B14-B15
- Sorbents: Five Ways to Reduce Sorbent Costs . . . B16-B17

Safety Tapes

- OSHA Regulations Color Compliance Guide B18
- Application Tips B18

UPC Index B20-B30



MRO Facility Guide

There are many places throughout your facility where 3M MRO solutions can help you run an efficient operation. But it's not just limited to what you see here. All the 3M products you'll find in this catalog have many uses throughout the building.

JANITORIAL CLOSET

- * 3M™ Citrus Base Cleaner
- * 3M™ Sharp Shooter™ Extra-Strength No-Rinse Cleaner
- * 3M™ Gum Remover
- * 3M™ Duct Tape 3900
- * 3M™ Maintenance Folded Sorbent
- * 3M™ Instant Adhesive for Permanent Bonding CA-40H
- * 3M™ Masking Tapes 231, 234, and 2307
- * 3M™ Super 77 Multipurpose Adhesive
- * 3M™ Scotch-Grip™ Rubber & Gasket Adhesive 1300
- * 3M™ Scotch-Grip™ Plastic Adhesive
- * 3M™ Vinyl Tape 471
- * 3M™ Safety Stripe Tapes 5700 and 5702
- * 3M™ Wire Marking Tape & Dispenser
- * 3M™ Utility Cloth for Surface Prep
- * 3M™ Concrete Maintenance and Repair Products
- * 3M™ Abrasives for Crud Removal
- Floor Pads & Brushes
- Hand Pads & Sponges
- High Performance Cleaning Cloth
- Mats & Treads
- Aerosol Cleaners
- Electrical Tapes

REPAIR SHOP/TOOL CRIB/REFURBISH

- Terminals
- Connectors
- Tapes
- Duct Tape
- Masking Tapes for Painting
- Sorbents
- Respirators
- Hearing Protection
- Wire Marking & Identification
- Aerosol Adhesives and Cleaners
- Cleaners
- Adhesives for Maintenance & Repair
- Mats & Treads
- Coated Abrasive Sheets, Discs, Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Rust Removal
- Floor Marking
- Electrical Tapes

FLOOR MAINTENANCE

- Lane Marking
- Safety Marking
- Concrete Repair Products

- Hazard Identification Tapes
- Safety-Walk™ Work Area Matting Products
- Safety-Walk Slip Resistant Products

OUTSIDE MAINTENANCE

- Concrete Maintenance Products
- Ulathron Insect Repellent
- Lane Marking Tapes

SAFETY

- Spill Control (Sorbents)
- Respirators
- Hearing Protection
- Matting & Treads
- Safety Marking Tapes

RECEPTION

- Safety Walk/Entrance Matting
- Concrete Repair Solutions/Products
- Lane Marking Tapes

OFFICE

- High Performance Cleaning Cloth
- Box Sealing Tapes & Dispensers
- Filament Tapes
- Label Protection Tapes
- Masking and Specialty Tapes
- Mats & Treads
- Cleaners for Grime, Gum & Glue

RESTROOMS

- Hand Pads & Sponges
- High Performance Cleaning Cloth
- Aerosol Cleaners
- Cleaners for Grime, Gum & Glue

CAFETERIA/KITCHEN

- Hand Pads & Sponges
- Stainless Steel Cleaner and Polish
- High Performance Cleaning Cloth

ENGINEERING LAB

- Respirators
- Hearing Protection
- Wire Marking & Identification
- Aerosol Adhesives
- Coated Abrasive Sheets, Discs, Belts, Bands and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Bristle Discs
- Mats & Treads
- Work Area Matting

POWER

- Terminals
- Connectors
- Electrical Tapes
- Wire Marking & Identification

HVAC

- Respirators
- Duct Tape
- Safety Marking Tapes
- Hazard Identification Tapes

FILTRATION

- Liquid Filter Bags

DOCKS

- Hearing Protection
- Mats & Treads

SHIPPING

- Box Sealing Tapes & Dispensers
- Filament Tapes
- Label Protection Tapes
- Masking, Hot Melts and Specialty Tapes

WELDING

- Eye Protection
- Face Shields
- Respirators
- Abrasives

PRODUCTION FLOOR

- Respirators & Masks
- Powered Air Purifying Respirators
- Hearing Protection
- Mats & Treads
- Sorbents
- Coated Abrasive Sheets, Discs, Belts, Bands and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Bristle Discs
- Aerosol Adhesives
- Mats & Treads

RAW MATERIALS INPUT

- Powered Air Purifying Respirators
- Hearing Protection
- Mats & Treads
- Bristle Discs
- Conspicuity Tapes
- Surface Conditioning Pads, Discs and Sponges

* MRO Essentials



MRO Essentials



Tough jobs become easier to tackle when you've got 3M industrial-strength solutions on hand for your Maintenance, Repair and Operations. 3M offers more than 20 MRO Essentials that most MRO teams rely on for the day-to-day operation of their facilities.

For your convenience... in addition to being included in the main catalog, each of these MRO Essentials is also featured in this special section.

- 3M Aerosol Chemicals to Loosen and Lubricate
- Scotch® Super 33+ Vinyl Electrical Tape for Insulation and More
- 3M Work Area Matting for Maintenance Operations
- 3M Cleaners for Grime, Gum and Glue
- 3M Vinyl Tapes for Floor and Hazard Marking
- Ultrathon™ Insect Repellent for Comfort and Safety on the Job
- 3M Concrete Repair Products for Fixes in Five Minutes
- Scotch-Brite™ Hand Pads for a Variety of Jobs
- 3M™ Bumpon™ Products for Noise and Vibration Protection
- 3M Easy Clean System for Faster, Easier Floor Care
- 3M Spray Adhesive for Light Duty Bonding
- 3M Tube Adhesives for Rubber and Plastic Bonding
- 3M Wire Marking Tape and Dispenser
- 3M Duct Tape for All-Around Maintenance
- 3M Personal Protection Products for Eyes, Ears and Lungs
- 3M Abrasive Products for Crud Removal
- 3M Utility Cloth for Surface Prep
- 3M Masking Tapes for Painting, Bundling and More
- 3M Instant Adhesives for Permanent Bonding
- 3M Folded Sorbent for Spills, Drips and Leaks
- 3M™ Scotch-Weld™ Threadlockers for Securing Nuts and Bolts
- 3M™ Scotch-Weld™ Retaining Compounds and Gasket Makers
- 3M™ Scotch-Weld™ Thread Sealants

These products have recently been selected as MRO Essentials:

3M™ Bumpon™ Products for Noise and Vibration Protection



Just peel and apply the self-stick bumpers to metal, wood, plastic, wallboard and more for a variety of uses.

3M Easy Clean System for Faster, Easier Floor Care



Helps you trap 6x more dust, scrub 10x easier, and shine 4x faster than traditional methods.

Scotch-Brite™ Hand Pads for a Variety of Jobs



No-rust pads for cleaning, blending, deburring, denibing and defuzzing.

3M Aerosol Chemicals to Loosen and Lubricate



A powerful duo that makes tough jobs finger-touch easy.



1 3M Aerosol Chemicals to Loosen and Lubricate

Rusted bolts and squeaky hinges have met their match.

In thousands of factories and plants, 3M aerosol chemicals are proven time savers. This powerful duo makes tough jobs finger-touch easy.

3M™ 5-Way Penetrant

- Cleans, lubricates, penetrates, demineralizes, and helps prevent rust.
- Frees rusted, frozen nuts and bolts.
- Displaces moisture and dries out electrical apparatus.
- Inhibits corrosion and pitting of molding dies and extension screws.

3M™ Silicone Lubricant

- Reduces squeaks caused by friction on locks, hinges, drawer guides and other sliding parts.
- Lubricates cutting tools and tables for smooth, cooler running.
- Prevents buildup of glue, grime, wax, ink and paint.
- Resists moisture; inhibits rust and corrosion.

Product	UPC #	Size
5-Way Penetrant	00-021200-21305-2	24 oz. can
Silicone Lubricant	00-021200-85822-2	24 oz. can

2 Scotch® Super 33+ Vinyl Electrical Tape for Insulation and More

Super stretchy, ultra versatile.

No wonder professionals choose Scotch® Super 33+ Vinyl Tape for electrical maintenance and repair. This MRO Essential delivers versatile performance for a variety of electrical jobs, including insulating, jacketing, splicing, wire/cable harnessing and more.

- Aggressive, rubber-based adhesive provides a fast, sure “grab.”
- Super-stretchy PVC backing conforms to irregular surfaces.
- Performs in extreme conditions from 0° F (-18° C) to 220° F (105° C).
- Excellent resistance to UV rays, moisture and copper corrosion.

Product	UPC #	Size
Super 33+	00-054007-06130-4	¾" x 20'
Super 33+	00-054007-10075-1	¾" x 44'
Super 33+	00-054007-06132-8	¾" x 66'

3 Work Area Matting for Maintenance Operations

Textured, cushioned support for fatigue resistance and safety.

Protect standing workers from leg and back fatigue with another MRO Essential: 3M™ Safety-Walk™ Cushion Matting 3270. It provides textured, cushioned support that promotes comfort, morale and productivity.

- Continuous coiled vinyl loops inside the mat provide even cushioning across the foot with less high-pressure spots than other mats.
- Textured top surface provides slip-resistance for safer footing.
- Ideal for many business areas, such as reception, assembly lines and packaging stations.

Product	UPC #	Description
3270	00-048011-34819-3	3' x 5'/Black
See product pages for additional sizes		





4 3M Cleaners for Grime, Gum and Glue

Ready-to-use cleaning power for many surfaces from the office to the shipping dock.

This trio of cleaners will take care of most of your cleaning needs throughout the entire facility.

- **3M™ Citrus Base Aerosol Cleaner** bites in and loosens dirt, grease, oil, and adhesive overspray for easy removal.
- **3M™ SharpShooter™ Cleaner** in a spray bottle readily removes tough stains like heel marks and crayon.
- **3M™ Gum Remover** in a squeeze bottle helps remove gum from carpeting easily and completely.

Product	UPC #	Size
Citrus Base Cleaner	00-021200-76394-6	24 oz. can
SharpShooter Cleaner	50-048011-16861-1	1 quart spray bottle
Gum Remover	50-048011-34854-9	8 oz. squeeze bottle

5 3M Vinyl Tapes for Floor and Hazard Marking

Bright colors are sure to get noticed by employees and visitors.

3M™ Vinyl Tapes stick on contact to most surfaces for marking, identifying and color-coding. Vinyl resists abrasion, scuffing, moisture, weathering and chemicals. The bright colors are locked in for permanent visibility in many applications:

- Identifying lanes and corridors.
- Marking hazardous areas.
- Highlighting first-aid and safety equipment.

Product (Color)	UPC #	Size
5700 (Black/White)	00-021200-04367-3	2" x 36 yds.
5702 (Black/Yellow)	00-021200-04585-1	2" x 36 yds.
5702 (Black/Yellow)	00-021200-03951-5	3" x 36 yds.
471 (Red)	00-021200-04305-5	2" x 36 yds.

See product pages for additional colors and sizes (471)

6 3M™ Ultrathon™ Insect Repellent for Comfort and Safety on the Job

Long-lasting protection for a full shift of outdoor protection.

Tested and proven in the jungles of Central America, Ultrathon insect repellent stands up to challenging outdoor situations and can help keep your outdoor work crews safe – and productive.

- Repels many biting insects, including mosquitoes and deer ticks, the two insects that may carry West Nile virus and Lyme disease.
- Protects up to 8 hours (spray); and up to 12 hours (lotion).
- Splash- and sweat-resistant.
- Choice of 6-oz. aerosol or 2-oz. squeeze tube to fit in any toolbox.

Product	UPC#	Size
Lotion	00-051131-67442-4	2 oz.
Aerosol	00-051131-67598-8	6 oz.



7 3M Concrete Repair Products for Fixes in Five Minutes

For fast, convenient crack and spall repair.

These adhesives/sealants make short work of concrete jobs that frequently go to outside contractors. Some harden in as little as five minutes and resist weathering, expansion, and contraction. Choice of formulations for vertical and horizontal surfaces.

- Crack and spall repairs.
- Custom threading and anchoring.
- Expansion joints.
- Step and ledge repair.

Product	UPC#	Description
DP-600 Gray, Self-Leveling	00-021200-56599-1	For horizontal surfaces
DP-600 Gray, Non-Sag	00-021200-56603-5	For vertical surfaces

8 Scotch-Brite™ Hand Pads for a Variety of Jobs

Performs similar to steel wool grade 1, but with no rust.

Scotch-Brite™ General Purpose Hand Pad 7447 provides similar performance to steel wool grade 1 and outperforms other grades for cleaning, blending, deburring, denibing and defuzzing. And it will never rust or stick a finger with a brush wire.

- Webbed nylon pad is coated inside and out with a very fine grade aluminum oxide.
- Works on metal, plastics, composites or wood.

- Durable – resists tearing, shredding and loading.
- Use with water or solvents, and rinse clean to use again and again.
- Can be used by hand, with a pad holder, or on an in-line sander.

Product	UPC#	Size
7447	00-048011-04029-5	6" x 9"

9 3M™ Bumpon™ Products for Noise and Vibration Protection

Cushion and quiet the sound of doors and drawers.

Bumpon products are handy little helpers for MRO professionals. Just peel and apply the self-stick bumpers to metal, wood, plastic, wallboard and more for a variety of uses.

- Stops noise and vibration when closing cabinet drawers/doors.
- Protects electronics and equipment from vibration and skidding; protects desktops and other surfaces from scratches.
- Helps keep frames from shifting on the wall.
- Can be used as spacers to maintain gap between electronic equipment and other surfaces for venting or stabilization.

Product	UPC#	Description
Bumpers (Blister Packs)		See <i>Bumpers</i> in “Tips, Test Results and Reference Guides” section for more product information.





10 3M™ Easy Clean System for Faster, Easier Floor Care

Helps you trap 6x more dust, scrub 10x easier, and shine 4x faster than traditional methods.

The Easy Clean System means three-way work savings in floor care for the MRO professional.

3M™ Easy Trap Duster System

- Holds up to 6x more dust, dirt, sand and hair than traditional mops and disposable dusting systems.
- Use both sides of duster surface without touching it.
- Low drag reduces worker fatigue.

3M™ Easy Scrub Flat Mop System

- Handle holds 15 ounces of solution; no mop buckets needed.
- Reduces cleaning time by up to 80% compared to mop and bucket.
- Can be reused after simple laundering.

3M™ Easy Shine Applicator System

- Handle control dispenses liquid to mop from 1.5-gallon backpack.
- 4x faster than traditional finishing.
- Reduces finish use by as much as 35%.

Product	UPC#	Description
Duster Holder	05-0048011-55652-4	4" x 23"
Duster Sheets	05-0048011-55654-3	250 8" x 6" sheets
Flat Mop Tool	05-0048011-55593-5	Lightweight aluminum
Flat Mop	05-0048011-55594-2	5' x 18"
Shine Applicator Kit	05-0048011-55433-4	Starter kit

* Other sizes available

11 3M Spray Adhesive for Light Duty Bonding

Compact aerosol covers over 220 square feet.

Aggressive tack of 3M™ Multipurpose Spray Adhesive 77 attaches fiberglass insulation, labels, fabric, paper, flexible foam, foils and other lightweight materials. Repositionable for at least 15 minutes.

- Attach insulation to sheet metal.
- Re-attach fabric to office partitions.
- Re-attach wall coverings.

Product	UPC #	Size
Super 77	00-021200-21210-9	24 oz. can

12 3M Tube Adhesives for Rubber and Plastic Bonding

Take-it-to-the-job versatility and convenience.

Each squeeze tube is its own lightweight applicator that goes where needed.

- **3M™ Scotch-Grip™ Rubber & Gasket Adhesive 1300** securely bonds and seals most rubber and gaskets to themselves, metal, wood and many plastics.
- **3M™ Scotch-Grip™ Plastic Adhesive 4693H** quickly bonds and seals many plastics to themselves, metal, wood, and ceramic.

Product	UPC#	Size
Rubber & Gasket Adhesive	00-021200-19868-7	5 oz.
Plastic Adhesive	00-021200-30088-2	5 oz.



13 3M Wire Marking Tape and Dispenser

For easy identification, so you don't get your wires crossed.

3M™ ScotchCode™ Tape Dispenser fits in a pocket, toolbox, or hangs on a tool pouch or belt. Stores and dispenses ten 8' rolls of pre-printed 3M tape. Non-smear polyester resists flagging, solvents, oil and water.

- Mark wire and cable.
- Identify terminal blocks and strips.
- Mark motor leads.

Product	UPC#	Description
STD-0-9	00-054007-12174-9	Pre-filled dispenser
SDR-0-9	00-054007-09368-8	Refill roll, 0 thru 9

14 3M Duct Tape for All-Around Maintenance

The tool no MRO professional should be without.

3M™ Duct Tape 3900 is an all-around performer for maintenance throughout a facility.

- Grips and conforms on contact for a tight seal on many surfaces.
- Waterproof backing resists wear, abrasion, moisture and weathering.
- Applications include bundling, reinforcing, patching splicing, wrapping, capping, holding, masking, color coding and more.

Product	UPC#	Description
3900	00-051131-06976-3	Silver, 2" x 60 yds.

See product pages for additional colors

15 3M Personal Protection Products for Eyes, Ears and Lungs

Giving workers the comfortable protection they need.

When safety products are comfortable and well-designed, workers are more likely to wear them. These MRO essentials provide comfortable safety to help with compliance.

- **3M Particulate Respirator 8511, N95** features a patented one-way 3M™ Cool Flow™ Exhalation Valve that provides easy breathing and cool, dry comfort during sweeping, sanding and other hot, dusty operations.
- **3M™ Protective Eyewear Series 1700** has a frameless, lightweight, low-profile design with sweep-around styling.
- **3M™ Corded Reusable Ear Plugs** feature multiple flexible flanges for a secure, comfortable fit in ear canal; 24dB Noise Reduction Rating.

Product	UPC#	Description
Respirator 8511	50-051138-54343-8	N95
Eyewear 1700	50-051131-37103-8	Black frame, clear lens
Eyewear 1701	50-051138-76800-8	Smoke frame/lens
Eyewear 1702	50-051138-76801-5	Clear frame/lens
Ear Plugs 1270	50-051131-52849-0	Ear plugs only
Ear Plugs 1271	50-051131-52850-0	With carrying case





16 3M Abrasive Products for Crud Removal

50-grit power for fast removal of paint, rust, burrs and tough crud.

These unique abrasives conform to contours and threads and eliminate the hazard of flying wires and harsh chemicals.

- **Scotch-Brite™ Bristle Disc** on a right angle grinder goes through paint, weld burns, burrs and rust to leave a clean, smooth surface.
- **Scotch-Brite™ Bristle Brush** on a bench motor is more aggressive for greater surface uniformity.

Product	UPC#	Description
Bristle Disc	00-048011-24241-5	Green; 4½" dia.; 12,000 rpm
Bristle Brush	00-048011-27605-2	Green; 6" x 0.5"; 10,000 rpm

17 3M Utility Cloth for Surface Prep

The grit and durability to work fast and long.

3M™ Utility Cloth Sheets and Rolls feature an aggressive-cutting aluminum oxide mineral bonded to a high-strength cloth backing. These versatile abrasives can help provide higher productivity for many MRO jobs:

- Blending metal.
- Cleaning metal prior to welding and painting.
- Removing rust and stamping marks.
- Hand deburring.

Product	UPC#	Description
304D (Sheet)	00-051111-60344-4	9" x 11", J weight, P120
304D (Roll)	00-051111-60686-5	1" x 50 yds., J weight, P80

See product pages for other sizes, weights and grades (sheets and rolls)

18 3M Masking Tapes for Painting, Bundling and More


Pick your tape to match your application.

With these three crepe tapes, you have the range of holding power, line sharpness and clean removal that you need for almost any MRO application.

- **3M™ Masking Tape 231** delivers optimal holding power for critical paint lines and removes cleanly.
- **3M™ Masking Tape 234** gives you reliable masking and clean removal. For functional coatings or paints, splicing and heavy-duty maintenance.
- **3M™ Masking Tape 2307** is a good choice for light-duty bundling, attaching and labeling. It removes cleanly as well.

Product	UPC#	Size
231	00-021200-03777-1	1" x 60 yds. (24mm x 55m)
234	00-021200-02982-0	1" x 60 yds. (24mm x 55m)
2307	00-021200-71118-3	1" x 60 yds. (24mm x 55m)

See product pages for other sizes of all three tapes.



19

3M Instant Adhesives for Permanent Bonding

Handling strength in seconds for rubber, metal, wood and more.

If you want it bonded fast, reach for 3M™ Scotch-Weld™ Instant Adhesives CA40 and CA40H.

- Reaches handling strength at room temperature in 1-40 seconds depending on the application.
- Cures without a catalyst, mixing or metering.
- Full strength provides almost a ton of holding power on steel.
- Bonds surfaces where other adhesives may fail, such as EPDM gasketing.

Product	UPC#	Size
CA40	00-21200-21063-1	1 oz.
CA40	00-21200-21064-8	1 lb.
CA40H (High Viscosity)	00-21200-21073-0	1 oz.
CA40H (High Viscosity)	00-21200-21074-7	1 lb.

20

3M Folded Sorbent for Spills, Drips and Leaks

Four-in-one solution makes for easy cleanup.

This high-capacity sorbent has a scrim on one side to increase strength and help eliminate linting. It's dispensed from a carrying/dispenser box in the form of a continuous roll with perforations every 16 inches. Can be used as a pillow, pad, roll or boom. Applications include:

- Containing leaks beneath machinery, work surfaces and fork lifts.
- Wiping down oily tabletops, tools and equipment.

- Placing pad beneath machined metal parts that are draining before being packed and shipped.

Product	UPC#	Size
M-FL550DD	00-051138-29071-9	5" x 50' (16" perforations)

21

3M™ Scotch-Weld™ Threadlockers for Securing Nuts and Bolts



Strengthens nut-and-bolt connections.

With machinery that rocks, shakes or vibrates, you typically rely on only 15% metal-to-metal contact in the threads of nuts and bolts. The other 85%? ... That's what Scotch-Weld Threadlockers are for.

- Anaerobic – cures in the absence of air when the threaded metal parts are joined.
- Fills and seals threads completely to help stop corrosion, rust and leaks.
- Prevents loosening from vibration and impact in applications like gear housings and motor mounts.

Product	UPC#	Description
---------	------	-------------

See *Adhesives* in "Tips, Test Results and Reference Guides" section for more product information.





22 3M™ Scotch-Weld™ Retaining Compounds and Gasket Makers



Fill voids completely to seal against moisture and corrosion.

These anaerobic adhesives cure in the absence of air for tight fits and seals to keep production machinery at optimum productivity.

3M™ Scotch-Weld™ Retaining Compounds

- Bonds and seals non-threaded cylindrical assemblies.
- Tightens tolerances in worn bearing seats, keys, splines, tapers, shims, gears and shafts.

3M™ Scotch-Weld™ Gasket Makers

- Eliminates pre-cut or compression gaskets; holds pre-cut gaskets in place during production.
- Allows maximum metal-to-metal clamping without shimming effect or creeping.
- Available in rigid or flexible formulas.

Product	UPC#	Description
---------	------	-------------

See *Adhesives* in “Tips, Test Results and Reference Guides” section for more product information.

23 3M™ Scotch-Weld™ Thread Sealants



For threads or compression fittings of most metal and plastic pipes.

A leak on a hydraulic, pneumatic, gas or chemical line means money lost forever and a potential problem for worker safety and regulatory compliance. These thread sealants can help.

- Anaerobic – cures in the absence of air when the threaded parts are joined.
- Seals completely without the cost and problems of tapes, pastes, O-rings and other mechanical sealants.
- Seals reliably in refrigeration and other high-vibration applications.
- Lubricates for easy threading.

Product	UPC#	Description
---------	------	-------------

See *Adhesives* in “Tips, Test Results and Reference Guides” section for more product information.

Product Selection Guide

Table of Contents

ABRASIVES5	ADHESIVES43
Belts5 - 7	Acrylic Adhesives43
Narrow Belts5 - 7	Aerosols43 - 46
Bench Area Products7 - 8	Concrete Repair Products46 - 48
Flap Brushes7 - 8	Concrete Repair Accessories48
Discs8 - 27	Contact Adhesive Products48 - 50
Bristle Discs8 - 11	Fastbond™48 - 49
Clean and Strip Discs11	Scotch-Grip™49 - 50
Coating Removal Discs11 - 12	Duct Sealers50
Cut and Polish Discs12	Epoxy Adhesives50 - 52
Fibre Discs13 - 15	EPX™ Applicators and Accessories51 - 52
Finesse-It™ Disc Rolls15	Instant Adhesives52 - 53
Flap Discs15 - 16	Plastic Adhesives53 - 54
High Strength Discs16	Rubber & Gasket Adhesives54
PSA Disc Rolls17	Sealants54 - 55
PSA Discs17	Urethane Adhesives55 - 56
Roloc™ Discs18 - 21	AUTOMOTIVE PRODUCTS57
Stikit™ Discs21 - 22	Car Care Products57 - 61
Stikit™ Disc Rolls22 - 24	Abrasives57
Surface Conditioning Discs24 - 27	Automotive Adhesives57
Wetordry™ Discs27	Cleaners, Lubricants, & Degreasers57 - 58
Hand Sanding Products27 - 35	Glazes & Waxes58 - 59
Blocks27	Pads59 - 60
Clean and Finish Rolls28	Rubbing Compounds60 - 61
Cut and Polish Rolls28	Weatherstrip Products61
Flexible Diamond Products28	Lubricants61 - 62
Hand Pads29 - 30	Protective Sheetings62
Multi-Flex Products31	Supplies62 - 63
Sanding Pads31	Bumpers64
Sheets & Rolls31 - 34	Protective Products64 - 65
Sponges34 - 35	Resilient Rollstock Products65
Steel Wool Products35	Cleaners/Lubricants66
Rolls35	Industrial Cleaners66
Wheels35 - 42	Lubricants66 - 67
Clean and Strip Wheels36	Duct Tapes68
Combi-S Wheels36	Cloth Tapes68 - 69
Cut and Polish Wheels36 - 37	Vinyl Tapes69
Cut-Off Wheels37		
Deburring Wheels37 - 38		
Flap Wheels39		
Grinding Wheels39		
Unitized Wheels40 - 42		

Table of Contents

Electrical Products	70	Fasteners	117
Cable Ties	70 - 73	Reclosable Fasteners	117 - 120
Assortment Packs	70	Fire Protection Products	121
Heavy Duty Ties	70	Cast-In Devices	121
Miniature Ties	70	Accessories	121
Stackers	71	Duct Wraps	121
Weather Resistant Ties	71 - 73	Fire Barrier Caulks	121 - 122
Cleaners	73	Fire Barrier Collars	122
Coatings	73	Fire Barrier Foams	122 - 123
Connectors	73 - 78	Fire Barrier Mortars	123
Copper Connectors	76 - 77	Fire Barrier Pillows	123
IDC Connectors	77	Fire Barrier Putties	123
Spring Connectors	78	Fire Barrier Sealants	123 - 124
Steel Connectors	78	Fire Barrier Sheets	124
Tools	78	Fire Barrier Sprays	124 - 125
Crimping Tools	78 - 79	Plastic Pipe Devices	125
Diagnostic and Detection Products	79	Wrap Strips	125
Heat Shrink Tubings	79 - 83	Health Care Products	126
Kits	79 - 80	Antacids	126
Thin Wall Tubings	80 - 83	Cold & Hot Therapies	126
Insulating Sprays	83	Creams	126
Pipe Primers	84	First Aid Products	126 - 129
Tapes	84 - 89	Insect Repellents	129
Corrosion Protection Tapes	84 - 85	Stethoscopes	129
Dispensers	85	Marine Products	130
Electricians Duct Tapes	85	Sealants	130
Friction Tapes	85 - 86	Supplies	130 - 131
Glass Cloth Tapes	86	Masking Products	132
Insulation Putty Products	86	Apron Tapers	132
Linerless Rubber Splicing Tapes	86 - 87	Masking Films	132 - 133
Mastic Products	87	Accessories	132 - 133
Moisture Sealants	87	Masking Papers	133
Proofing Tapes	87	Masking Tapes	133 - 138
Stress Control Tapes	88	Specialty Tapes	138
Varnished Cambric Tapes	88	Matting & Treads	139
Vinyl Tapes	88 - 89	Matting Products	139 - 142
Terminals	89 - 98	Accessories	142
Forks	95 - 97	Treads	142 - 143
Pins	97	Packaging Products	144
Rings	97 - 98	Box Sealing Tapes	144 - 148
Wire Markings	98 - 100	Acrylic Tapes	145
Facility Care Products	101	Bonus Packs	145
Cleaners	101 - 107	Cold Temperature Tapes	145 - 146
Floor Care Products	107 - 113		
Floor Brushes	108 - 109		
Floor Pads	109 - 113		
Sponges & Pads	113 - 116		
Accessories	116		
Wipes & Cloths	116		

Table of Contents

Dispensers	146 - 147	Safety Tapes	195 - 197
High Tack Tapes	147	Aisle Marking & Identification Tapes	195 - 197
Message Tapes	147 - 148	Single Coated Tape	197
Filament Tapes	148 - 150	Dispensers	197
Dispensers	150	Splicing Tapes	197 - 198
Film Tape - Bonus Packs	150	Thread Sealant Tapes	198
Label Protection Products	151 - 152	Vinyl Tapes	198
Dispensers	152	Foam Tapes	198
Labeling Products	152 - 153		
Packing List Envelopes	153		
Strapping Tapes	153		
Stretchable Tapes	154		
Safety Products	155		
Air Monitors	155		
Eye Protection Products	155 - 157		
Fit Testing Products	157 - 159		
Head Protection Products	159 - 160		
Hearing Protection Products	160 - 162		
Accessories	161 - 162		
Respirators	162 - 174		
Cartridges and Filters	164 - 168		
Cleaning Products	168		
Particulate Respirators	168 - 171		
Powered and Supplied Air Respirators	171 - 174		
Sorbents	174 - 180		
Chemical Products	174 - 176		
Maintenance Products	176 - 177		
Petroleum Products	177 - 180		
Specialty Tapes	181		
Adhesive Transfer Tapes	181		
Aluminum Foil Tapes	181		
Anti-Slip/Anti-Stick Tapes	181 - 182		
ATG Products	182 - 183		
ATG Adhesive Transfer Tapes	182		
ATG Applicators	183		
Cloth Tapes	183 - 184		
Glass Cloth Tapes	183 - 184		
Double Coated Tapes	184 - 187		
Dispensers	184		
Film Tapes	184		
Foam Tapes	184 - 187		
Very High Bond (VHB) Tapes	187		
Electroplating Tapes	188		
Film Tapes	188 - 189		
Foam Tapes	189 - 194		
Lead Foil Tapes	194		
Lithographers Tapes	195		
Removable Repositionable Tapes	195		

Table Of Contents

Abrasives	5
Belts	5 - 7
Narrow Belts	5 - 7
Bench Area Products	7 - 8
Flap Brushes	7 - 8
Discs	8 - 27
Bristle Discs	8 - 11
Clean and Strip Discs	11
Coating Removal Discs	11 - 12
Cut and Polish Discs	12
Fibre Discs	13 - 15
Finesse-It™ Disc Rolls	15
Flap Discs	15 - 16
High Strength Discs	16
PSA Disc Rolls	17
PSA Discs	17
Roloc™ Discs	18 - 21
Stikit™ Discs	21 - 22
Stikit™ Disc Rolls	22 - 24
Surface Conditioning Discs	24 - 27
Wetordry™ Discs	27
Hand Sanding Products	27 - 35
Blocks	27
Clean and Finish Rolls	28
Cut and Polish Rolls	28
Flexible Diamond Products	28
Hand Pads	29 - 30
Multi-Flex Products	31
Sanding Pads	31
Sheets & Rolls	31 - 34
Sponges	34 - 35
Steel Wool Products	35
Rolls	35
Wheels	35 - 42
Clean and Strip Wheels	36
Combi-S Wheels	36
Cut and Polish Wheels	36 - 37
Cut-Off Wheels	37
Deburring Wheels	37 - 38
Flap Wheels	39
Grinding Wheels	39
Unitized Wheels	40 - 42
Adhesives	43
Acrylic Adhesives	43
Aerosols	43 - 46
Concrete Repair Products	46 - 48

Table Of Contents

Concrete Repair Accessories	48
Contact Adhesive Products	48 - 50
Fastbond™	48 - 49
Scotch-Grip™	49 - 50
Duct Sealers	50
Epoxy Adhesives	50 - 52
EPX™ Applicators and Accessories	51 - 52
Instant Adhesives	52 - 53
Plastic Adhesives	53 - 54
Rubber & Gasket Adhesives	54
Sealants	54 - 55
Urethane Adhesives	55 - 56
Automotive Products	57
Car Care Products	57 - 61
Abrasives	57
Automotive Adhesives	57
Cleaners, Lubricants, & Degreasers	57 - 58
Glazes & Waxes	58 - 59
Pads	59 - 60
Rubbing Compounds	60 - 61
Weatherstrip Products	61
Lubricants	61 - 62
Protective Sheetings	62
Supplies	62 - 63
Bumpers	64
Protective Products	64 - 65
Resilient Rollstock Products	65
Cleaners/Lubricants	66
Industrial Cleaners	66
Lubricants	66 - 67
Duct Tapes	68
Cloth Tapes	68 - 69
Vinyl Tapes	69
Electrical Products	70
Cable Ties	70 - 73
Assortment Packs	70
Heavy Duty Ties	70
Miniature Ties	70
Stackers	71
Weather Resistant Ties	71 - 73
Cleaners	73
Coatings	73
Connectors	73 - 78
Copper Connectors	76 - 77
IDC Connectors	77

Table Of Contents

Spring Connectors.....	78
Steel Connectors	78
Tools.....	78
Crimping Tools.....	78 - 79
Diagnostic and Detection Products.....	79
Heat Shrink Tubings	79 - 83
Kits.....	79 - 80
Thin Wall Tubings	80 - 83
Insulating Sprays.....	83
Pipe Primers.....	84
Tapes.....	84 - 89
Corrosion Protection Tapes	84 - 85
Dispensers	85
Electricians Duct Tapes	85
Friction Tapes.....	85 - 86
Glass Cloth Tapes	86
Insulation Putty Products.....	86
Linerless Rubber Splicing Tapes	86 - 87
Mastic Products.....	87
Moisture Sealants	87
Proofing Tapes.....	87
Stress Control Tapes	88
Varnished Cambric Tapes.....	88
Vinyl Tapes	88 - 89
Terminals.....	89 - 98
Forks	95 - 97
Pins	97
Rings.....	97 - 98
Wire Markings	98 - 100
Facility Care Products	101
Cleaners	101 - 107
Floor Care Products.....	107 - 113
Floor Brushes.....	108 - 109
Floor Pads	109 - 113
Sponges & Pads.....	113 - 116
Accessories	116
Wipes & Cloths.....	116
Fasteners	117
Reclosable Fasteners	117 - 120
Fire Protection Products	121
Cast-In Devices	121
Accessories	121
Duct Wraps.....	121
Fire Barrier Caulks.....	121 - 122
Fire Barrier Collars.....	122

Table Of Contents

Fire Barrier Foams.....	122 - 123
Fire Barrier Mortars.....	123
Fire Barrier Pillows.....	123
Fire Barrier Putties.....	123
Fire Barrier Sealants.....	123 - 124
Fire Barrier Sheets.....	124
Fire Barrier Sprays.....	124 - 125
Plastic Pipe Devices.....	125
Wrap Strips.....	125
Health Care Products.....	126
Antacids.....	126
Cold & Hot Therapies.....	126
Creams.....	126
First Aid Products.....	126 - 129
Insect Repellents.....	129
Stethoscopes.....	129
Marine Products.....	130
Sealants.....	130
Supplies.....	130 - 131
Masking Products.....	132
Apron Tapers.....	132
Masking Films.....	132 - 133
Accessories.....	132 - 133
Masking Papers.....	133
Masking Tapes.....	133 - 138
Specialty Tapes.....	138
Matting & Treads.....	139
Matting Products.....	139 - 142
Accessories.....	142
Treads.....	142 - 143
Packaging Products.....	144
Box Sealing Tapes.....	144 - 148
Acrylic Tapes.....	145
Bonus Packs.....	145
Cold Temperature Tapes.....	145 - 146
Dispensers.....	146 - 147
High Tack Tapes.....	147
Message Tapes.....	147 - 148
Filament Tapes.....	148 - 150
Dispensers.....	150
Film Tape - Bonus Packs.....	150
Label Protection Products.....	151 - 152
Dispensers.....	152
Labeling Products.....	152 - 153
Packing List Envelopes.....	153

Table Of Contents

Strapping Tapes.....	153
Stretchable Tapes.....	154
Safety Products	155
Air Monitors.....	155
Eye Protection Products.....	155 - 157
Fit Testing Products.....	157 - 159
Head Protection Products.....	159 - 160
Hearing Protection Products.....	160 - 162
Accessories.....	161 - 162
Respirators.....	162 - 174
Cartridges and Filters.....	164 - 168
Cleaning Products.....	168
Particulate Respirators.....	168 - 171
Powered and Supplied Air Respirators.....	171 - 174
Sorbents.....	174 - 180
Chemical Products.....	174 - 176
Maintenance Products.....	176 - 177
Petroleum Products.....	177 - 180
Specialty Tapes.....	181
Adhesive Transfer Tapes.....	181
Aluminum Foil Tapes.....	181
Anti-Slip/Anti-Stick Tapes.....	181 - 182
ATG Products.....	182 - 183
ATG Adhesive Transfer Tapes.....	182
ATG Applicators.....	183
Cloth Tapes.....	183 - 184
Glass Cloth Tapes.....	183 - 184
Double Coated Tapes.....	184 - 187
Dispensers.....	184
Film Tapes.....	184
Foam Tapes.....	184 - 187
Very High Bond (VHB) Tapes.....	187
Electroplating Tapes.....	188
Film Tapes.....	188 - 189
Foam Tapes.....	189 - 194
Lead Foil Tapes.....	194
Lithographers Tapes.....	195
Removable Repositionable Tapes.....	195
Safety Tapes.....	195 - 197
Aisle Marking & Identification Tapes.....	195 - 197
Single Coated Tape.....	197
Dispensers.....	197
Splicing Tapes.....	197 - 198
Thread Sealant Tapes.....	198
Vinyl Tapes.....	198
Foam Tapes.....	198

3M™ Cloth Belt 240D

An aluminum oxide open coat, non-loading cloth belt constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-27423-9	P80	6" x 48"	20	BT

3M™ Cloth Belt 241D

An aluminum oxide cloth belt constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
07-891040-01450-7	P60	1" x 42"	100	BT
07-891040-01451-4	P80	1" x 42"	100	BT
07-891040-01453-8	P120	1" x 42"	100	BT
00-051144-26564-0	P60	2" x 48"	50	BT
00-051144-26562-6	P80	2" x 48"	50	BT
00-051144-33640-1	P60	2" x 60"	50	BT
00-051144-26316-5	P60	2" x 72"	50	BT
00-051144-33067-6	P80	2" x 72"	50	BT
00-051144-81752-8	P240	2" x 72"	50	BT
00-051144-26408-7	P36	2 1/2" x 60"	50	BT
07-891040-01426-2	P80	3" x 21"	40	BT
07-891040-01430-9	P40	3" x 24"	40	BT
07-891040-01433-0	P80	3" x 24"	40	BT
07-891040-01439-2	P60	4" x 24"	40	BT
07-891040-01440-8	P80	4" x 24"	40	BT
07-891040-01447-7	P80	4" x 36"	40	BT
07-891040-01457-6	P60	6" x 48"	20	BT
07-891040-10454-3	P80	6" x 48"	20	BT

3M™ Cloth Belt 241E

An aluminum oxide cloth belt constructed on a XE weight, firm rayon cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-72227-3	60	1/2" x 18"	200	BT
00-051144-72228-0	80	1/2" x 18"	200	BT
00-051144-26723-1	60	1/2" x 24"	200	BT
00-051144-26720-0	80	1/2" x 24"	200	BT
00-051144-26717-0	120	1/2" x 24"	200	BT
00-051144-14756-4	60	3/4" x 18"	200	BT
00-051144-14519-5	80	3/4" x 18"	200	BT
00-051144-26781-1	60	3/4" x 20 1/2"	200	BT
00-051144-26780-4	80	3/4" x 20 1/2"	200	BT

3M™ Cloth Belt 777F

A Cubitron™ abrasive grain cloth belt constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-80976-9	60	1/8" x 24"	200	BT
00-051144-85318-2	80	1/4" x 18"	200	BT
00-051144-84412-8	40	1/4" x 24"	200	BT
00-051144-80253-1	60	1/4" x 24"	200	BT
00-051144-77642-9	80	1/4" x 24"	200	BT
00-051144-85372-4	80	1/2" x 12"	200	BT
00-051144-84409-8	40	1/2" x 18"	200	BT
00-051144-80551-8	60	1/2" x 18"	200	BT
00-051144-80232-6	80	1/2" x 18"	200	BT
00-051144-77408-1	50	1/2" x 24"	200	BT
00-051144-77065-6	60	1/2" x 24"	200	BT
00-051144-77491-3	80	1/2" x 24"	200	BT
00-051144-84302-2	36	3/4" x 18"	200	BT
00-051144-84404-3	60	3/4" x 18"	200	BT
00-051144-77992-5	80	3/4" x 18"	200	BT
00-051144-84303-9	P120	3/4" x 18"	200	BT
00-051144-80486-3	60	3/4" x 20 1/2"	200	BT
00-051144-80686-7	80	3/4" x 20 1/2"	200	BT
00-051144-85319-9	80	1" x 18"	200	BT
00-051144-77407-4	80	1" x 30"	200	BT
00-051144-77512-5	60	1" x 42"	200	BT
00-051144-14895-0	80	1" x 42"	200	BT
00-051144-84416-6	60	1 1/2" x 60"	50	BT
00-051144-76519-5	60	2" x 48"	50	BT
00-051144-14896-7	80	2" x 48"	50	BT
00-051144-77152-3	60	2" x 60"	50	BT
00-051144-84296-4	80	2" x 60"	50	BT
00-051144-81767-2	P120	2" x 72"	50	BT
00-051144-76680-2	60	2 1/2" x 60"	50	BT
00-051144-76686-4	80	2 1/2" x 60"	50	BT
00-051144-77336-7	36	3 1/2" x 15 1/2"	50	BT
00-051144-77334-3	50	3 1/2" x 15 1/2"	50	BT
00-051144-77476-0	60	3 1/2" x 15 1/2"	50	BT
00-051144-77333-6	80	3 1/2" x 15 1/2"	50	BT
00-051144-84306-0	P100	3 1/2" x 15 1/2"	50	BT
00-051144-84307-7	P120	3 1/2" x 15 1/2"	50	BT
00-051144-77993-2	60	3" x 9 1/2"	200	BT
00-051144-82313-0	36	6" x 48"	20	BT
00-051144-80176-3	50	6" x 48"	20	BT
00-051144-76679-6	60	6" x 48"	20	BT
00-051144-76733-5	80	6" x 48"	20	BT
00-051144-82153-2	P120	6" x 48"	20	BT
00-051144-77443-2	60	6" x 60"	20	BT

Belts, Narrow Belts, cont'd

3M™ Cloth Belt 963G

A premium Cubitron™ abrasive grain cloth belt constructed on a YN weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-77998-7	60	1/2"x24"	200	BT
00-051144-74327-8	60	6"x48"	20	BT

Belts, Narrow Belts, Surface Conditioning Belts

Scotch-Brite™ SE Surface Conditioning Belt

A coarse, tough, aggressive non-woven belt for heavy duty deburring and finishing. The reinforced backing offers good flexibility.



UPC Number	ID	Grade	Size	Case Qty	UOM
00-048011-18495-1	SE-BS	ACRS	1/4"x18"	20	BT
00-048011-18087-8	SE-BS	ACRS	1/2"x18"	20	BT
00-048011-18088-5	SE-BS	ACRS	1/2"x24"	20	BT
00-048011-19697-8	SE-BS	ACRS	3/4"x18"	20	BT
00-048011-18089-2	SE-BS	ACRS	3 1/2"x15 1/2"	20	BT

Scotch-Brite™ Surface Conditioning Belt

A non-woven belt used for cleaning, finishing, blending and deburring applications. The reinforced backing offers good flexibility.




UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-14276-0	SC-BS	AMED	¼"x18"	Maroon	20	BT
00-048011-13132-0	SC-BS	ACRS	¼"x24"	Brown	20	BT
00-048011-13131-3	SC-BS	AMED	¼"x24"	Maroon	20	BT
00-048011-17515-7	SC-BS	AMED	½"x12"	Maroon	20	BT
00-048011-19688-6	SC-BS	AVFN	½"x12"	Blue	20	BT
00-048011-08858-7	SC-BS	ACRS	½"x18"	Brown	20	BT
00-048011-08857-0	SC-BS	AMED	½"x18"	Maroon	20	BT
00-048011-08856-3	SC-BS	AVFN	½"x18"	Blue	20	BT
00-048011-05741-5	SC-BS	ACRS	½"x24"	Brown	20	BT
00-048011-03998-5	SC-BS	AMED	½"x24"	Maroon	20	BT
00-048011-04299-2	SC-BS	AVFN	½"x24"	Blue	20	BT
00-048011-13639-4	SC-BS	ACRS	¾"x18"	Brown	20	BT
00-048011-15899-0	SC-BS	AMED	¾"x18"	Maroon	20	BT
00-048011-14543-3	SC-BS	AVFN	¾"x18"	Blue	20	BT
00-048011-14278-4	SC-BS	ACRS	1"x18"	Brown	10	BT
00-048011-04189-6	SC-BS	AMED	1"x42"	Maroon	10	BT
00-048011-08915-7	SC-BS	AMED	2"x48"	Maroon	10	BT
00-048011-08916-4	SC-BS	AMED	2"x60"	Maroon	10	BT
00-048011-00580-5	SC-BS	AMED	2"x72"	Maroon	10	BT
00-048011-14285-2	SC-BS	AMED	3"x18"	Maroon	10	BT
00-048011-08880-8	SC-BS	ACRS	3"x24"	Brown	10	BT
00-048011-00583-6	SC-BS	AMED	3"x24"	Maroon	10	BT

Bench Area Products, Flap Brushes

Scotch-Brite™ CFFB-S (HPFB-S)

Flaps of high performance finishing web on a ¼" shank for portable tools. Decorative scratch pattern to finish and blend. Also used for deburring and on inside diameters.




UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-05975-4	FF-ZS	ACRS	3"x1 ¾"x¼"	Maroon	MOS: 8,500 RPM	10	BH
00-048011-14781-9	FF-ZS	SFIN	3"x1 ¾"x¼"	Gray	MOS: 8,500 RPM	10	BH

Bench Area Products, Flap Brushes, cont'd

Scotch-Brite™ CPFB-R

Flaps of strong, durable cut and polish web, Roloc™ mounting system. Great for inside diameters and to create a uniform surface finish or blend surface imperfections.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-14588-4	PF-ZR	AMED	3"x1-3/8"	Tan	MOS: 8,000 RPM	10	BH

Scotch-Brite™ CPFB-S

Flaps of strong, durable cut and polish web on a 1/4" shank for portable tools. Excellent for inside diameters, to create a uniform surface finish or blend surface imperfections.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-16622-3	PF-ZS	AMED	2"x1"x1/4"	Tan	MOS: 12,000 RPM	25	BH
00-048011-05974-7	PF-ZS	AMED	3"x1 3/4"x1/4"	Tan	MOS: 8,500 RPM	10	BH

Scotch-Brite™ Finishing Flap Brush

Light duty for cleaning and finishing applications. Individual sheets adhered at a 90° angle to a steel core.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-01179-0	CF-FB	5AFIN	8"x2"x3"	Maroon	MOS: 3,200 RPM	2	BH
00-048011-04325-8	CF-FB	3AFIN	12"x2"x5"	Maroon	MOS: 2,500 RPM	1	BH

Discs, Bristle Discs

3M™ Radial Bristle Disc


Durable radial plastic disc for thin coating removal. Leaves a fine satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-27614-4	RB-ZB	120	9/16"x1/16"	White	MOS: 35,000 RPM	192	DC
00-048011-25755-6	RB-ZB	80	3/4"x1/16"	Yellow	MOS: 35,000 RPM	192	DC
00-048011-25757-0	RB-ZB	220	3/4"x1/16"	Red	MOS: 30,000 RPM	192	DC
00-048011-25758-7	RB-ZB	400	3/4"x1/16"	Blue	MOS: 35,000 RPM	192	DC
00-048011-25759-4	RB-ZB	Pumice	3/4"x1/16"	Pink	MOS: 35,000 RPM	192	DC
00-048011-27612-0	RB-ZB	80	1"x1/8"	Yellow	MOS: 35,000 RPM	96	DC
00-048011-24279-8	RB-ZB	50	3"x3/8"	Green	MOS: 25,000 RPM	40	DC

Scotch-Brite™ Radial Bristle Disc Thin Bristle

Durable radial plastic disc for thin coating removal. Leaves a fine satin finish. Gang multiple discs to form a brush. Fits portable hand tool or small bench motor.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-30002-3	RB-ZB	1 Micron	3/4"x1/16"	Light Green	192	DC
00-048011-30001-6	RB-ZB	6 Micron	3/4"x1/16"	Peach	192	DC
00-048011-30126-6	RB-ZB	80	3"x3/8"	Yellow	80	DC
00-048011-30127-3	RB-ZB	120	3"x3/8"	White	80	DC
00-048011-30129-7	RB-ZB	400	3"x3/8"	Blue	80	DC
00-048011-30130-3	RB-ZB	Pumice	3"x3/8"	Pink	80	DC

Scotch-Brite™ Roloc™ Radial Bristle Disc

Radial plastic disc works with Roloc™ system. Clean channels or hard-to-reach areas. Leaves a coarse satin finish. Minor surface abrasion. Fits high speed portable hand tools.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-24276-7	RR-ZB	50	3"	Green	MOS: 25,000 RPM	40	EA

3M™ SR Radial Bristle Disc

Bristles are idea for cleaning, blending and deburring.



UPC Number	ID	Size	Color	Case Qty	UOM
00-048011-30097-9	SS-ZB	2"x3/8"	Cream	40	DC
00-048011-30098-6	SS-ZB	3"x3/8"	Cream	40	DC

Scotch-Brite™ Bristle Brush Replacement Disc T-A Refill

Replacement discs for 6" Scotch-Brite™ Radial Bristle Brush.

UPC Number	ID	Grade	Size	Case Qty	UOM
00-048011-27622-9	BB-ZB	50	6"	80	PH
00-048011-27623-6	BB-ZB	80	6"	80	PH

Scotch-Brite™ Bristle Brush

Durable radial brush replaces wire brush, doesn't throw wires, cleans better. Many MRO and production applications. Includes universal bench motor adaptors. Works on a variety of coatings leaving satin finish. Abrasive material: aluminum oxide and Cubitron™ grains.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-27605-2	BB-ZB	50	6"x½"x1"	Green	MOS: 10,000 RPM	5	BH

Scotch-Brite™ Radial Bristle Brush

An industrial brush made of 8 individual radial bristle discs. Available in a variety of disc combinations, all perfect for irregular surfaces. Package contains adaptors for standard bench motors.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-33215-4	BB-ZB	80	6"x7/16"x1"	Yellow	5	BH
00-048011-33212-3	BB-ZB	120	6"x7/16"x1"	White	5	BH
00-048011-33213-0	BB-ZB	220	6"x7/16"x1"	Red	5	BH
00-048011-33214-7	BB-ZB	400	6"x7/16"x1"	Blue	5	BH
00-048011-33217-8	BB-ZB	1 Micron	6"x7/16"x1"	Light Green	5	BH
00-048011-33216-1	BB-ZB	6 Micron	6"x7/16"x1"	Peach	5	BH
00-048011-27603-8	BB-ZB	36	6"x½"x1"	Dark Brown	5	BH
00-048011-27606-9	BB-ZB	80	6"x½"x1"	Yellow	5	BH

Scotch-Brite™ Roloc™ Bristle Disc

Brush-like bristle disc removes coarse coatings from the large, open areas of a work piece. Works on right angle tools quickly and easily with little or no pressure.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-18698-6	RD-ZB	50	1"x5/8"	Green	80	EA
00-048011-18710-5	RD-ZB	80	1"x5/8"	White	80	EA
00-048011-18706-8	RD-ZB	80	1"x5/8"	Yellow	80	EA
00-048011-18730-3	RD-ZB	50	2"x5/8"	Green	40	EA
00-048011-18732-7	RD-ZB	80	2"x5/8"	Yellow	40	EA
00-048011-18733-4	RD-ZB	120	2"x5/8"	White	40	EA
00-048011-18734-1	RD-ZB	50	3"x5/8"	Green	40	EA
00-048011-18736-5	RD-ZB	80	3"x5/8"	Yellow	40	EA
00-048011-18737-2	RD-ZB	120	3"x5/8"	White	40	EA
00-048011-24241-5	BD-ZB	50	4½"	Green	10	EA
00-048011-24242-2	BD-ZB	80	4½"	Yellow	10	EA
00-048011-24243-9	BD-ZB	120	4½"	White	10	EA

Discs, Clean and Strip Discs

Scotch-Brite™ Clean and Strip Disc

Aggressive, open web disc for cleaning welds, removing rust and paint. May be mounted on a straight shaft tool or bench motor.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-07460-3	CS-DC	SXCS	4"x1/4"	Black	25	DC
00-048011-00941-4	CS-DC	SXCS	4"x1/2"	Black	25	DC
00-048011-00946-9	CS-DC	SXCS	6"x1/4"	Black	15	DC
00-048011-00948-3	CS-DC	SXCS	6"x1/2"	Black	15	DC
00-048011-00957-5	CS-DC	SXCS	8"x1/2"	Black	15	DC

Scotch-Brite™ Clean and Strip XT Disc

Durable, rigid, long lasting. Aggressive, open-web disc for cleaning welds, removing rust and paint. May be mounted on a straight shaft tool or bench motor.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-25790-7	CX-DC	SXCS	6"x1/2"	Purple	15	DC

Scotch-Brite™ CSD2

Two Clean and Strip Discs, Roloc™ mounting system. Open web offers rigidity, resists loading for maintenance and cleaning applications. Safe alternative to wire wheels.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-14780-2	CSD2-S	SXCS	4"x1"x1/4"	Black	MOS: 8,000 RPM	10	DC

Discs, Coating Removal Discs

3M™ Bristle Disc, SR Rotary Cutter

Plastic rotary cutting tool with an integral metal mandrel (for use on a power tool) used to remove sealant and adhesives. Runs on right angle drills at slow speeds (1,000 RPM). Removes the coating without damaging the underlying base material, i.e., paints, primers, alodine, metal, etc.



UPC Number	ID	Size	Desc	Case Qty	UOM
00-048011-30096-2	SS-AC	0.40"x0.975"	No. 3	40	EA
00-048011-30095-5	SS-AC	0.83"x1.015"	No. 8	40	EA

Discs, Coating Removal Discs, cont'd

Scotch-Brite™ Coating Removal Disc

Heavy duty, semi-open web used to clean rust and paint. Contains a backing that mounts to Hook-and-Loop pads.

UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-18424-1	CR-DH	SXCS	4½"xNH	Black	20	DC
00-048011-18482-1	CR-DH	SXCS	4½"xNH	Black	40	DC
00-048011-18355-8	CR-DH	SXCS	5"xNH	Black	20	DC
00-048011-18483-8	CR-DH	SXCS	5"xNH	Black	40	DC
00-048011-18485-2	CR-DH	SXCS	7"xNH	Black	20	DC
00-048011-18358-9	CR-DH	SXCS	7"xNH	Black	10	DC



Scotch-Brite™ Roloc™ TR Coating Removal Disc

Heavy duty, semi-open web used to clean rust and paint. A threaded attachment system secures the disc to the holder.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-18364-0	CR-DR	SXCS	2"xNH	Black	MOS: 18,000 RPM	60	DC
00-048011-18350-3	CR-DR	SXCS	3"xNH	Black	MOS: 15,000 RPM	40	DC



Discs, Cut and Polish Discs

Scotch-Brite™ CPD5

Five discs of strong, durable cut and polish web, Roloc™ mounting system. Great flexibility to access hard-to-reach areas. Use for satin or antique finishes, as well as cleaning.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-14593-8	CPD5-S	AMED	3"x1¼"x¼"	Tan	MOS: 8,500 RPM	10	DC
00-048011-14779-6	CPD5-S	AMED	4"x1¼"x¼"	Tan	MOS: 6,000 RPM	10	DC



Scotch-Brite™ Cut and Polish Disc

Tough, tight, and dense web for long life and durability. Excellent for aggressive blending and finishing. May be used on bench motor or straight shaft tool.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-00827-1	CP-DC	AMED	6"x¼"	Tan	MOS: 4,000 RPM	100	DC
00-048011-00828-8	CP-DC	AMED	6"x½"	Tan	MOS: 4,000 RPM	100	DC



3M™ Fibre Disc 281C

An aluminum oxide disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-85960-3	36	4½"x7/8"	25	DC
00-051144-85966-5	24	5"x7/8"	25	DC
00-051144-85967-2	36	5"x7/8"	25	DC
00-051144-85968-9	50	5"x7/8"	25	DC
00-051144-85973-3	24	7"x7/8"	25	DC
00-051144-85974-0	36	7"x7/8"	25	DC
00-051144-85977-1	80	7"x7/8"	25	DC

3M™ Fibre Disc 381C

An aluminum oxide disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-76444-0	36	4"x7/8"	200	DC
00-051144-77596-5	36	4½"x7/8"	100	DC
00-051144-81372-8	36	5"x7/8"	100	DC
00-051144-81375-9	50	5"x7/8"	100	DC
00-051144-01727-0	60	5"x7/8"	100	DC
00-051144-01741-6	60	7"x7/8"	100	DC

3M™ Fibre Disc 501C

An alumina zirconia disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-50413-0	36	4½"x7/8"	100	DC
00-051111-50410-9	24	5"x7/8"	100	DC
00-051111-50412-3	36	5"x7/8"	100	DC
00-051111-50420-8	50	5"x7/8"	100	DC
00-051111-50411-6	24	7"x7/8"	100	DC
00-051111-50426-0	36	7"x7/8"	100	DC

3M™ Fibre Disc 785C

A Cubitron™ abrasive grain disc constructed on a fibre backing. Features grinding aid for cooler grinding.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-80660-7	36	4½"x7/8"	100	DC
00-051144-80661-4	50	4½"x7/8"	100	DC
00-051144-80662-1	60	4½"x7/8"	100	DC
00-051144-80663-8	80	4½"x7/8"	100	DC
00-051144-13930-9	36	5"x7/8"	100	DC
00-051144-13928-6	50	5"x7/8"	100	DC
00-051144-13977-4	60	5"x7/8"	100	DC
00-051144-13926-2	80	5"x7/8"	100	DC
00-051144-80654-6	P100	5"x7/8"	100	DC
00-051144-80655-3	P120	5"x7/8"	100	DC
00-051144-13937-8	24	7"x7/8"	100	DC
00-051144-13936-1	36	7"x7/8"	100	DC
00-051144-13934-7	50	7"x7/8"	100	DC
00-051144-13933-0	60	7"x7/8"	100	DC
00-051144-13932-3	80	7"x7/8"	100	DC
00-051144-80656-0	P100	7"x7/8"	100	DC
00-051144-80657-7	P120	7"x7/8"	100	DC

3M™ Fibre Disc 983C

A premium Cubitron™ abrasive grain disc constructed on a fibre backing.




UPC Number	Grade	Size	Case Qty	UOM
00-051111-66907-5	36	4½"x7/8"	100	DC
00-051111-60897-5	60	5"x7/8"	100	DC
00-051111-66901-3	24	7"x7/8"	100	DC
00-051111-60309-3	24	7"x7/8"	100	DC
00-051111-66902-0	36	7"x7/8"	100	DC
00-051111-60805-0	50	7"x7/8"	100	DC
00-051111-60896-8	60	7"x7/8"	100	DC
00-051111-60902-6	80	7"x7/8"	100	DC

Discs, Fibre Discs, cont'd

3M™ Fibre Disc 985C


A premium Cubitron™ abrasive grain disc constructed on a fibre backing. Features grinding aid for cooler grinding.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-55767-9	36	5"x7/8"	100	DC
00-051111-55780-8	50	5"x7/8"	100	DC
00-051111-55776-1	60	5"x7/8"	100	DC
00-051111-55971-0	24	7"x7/8"	100	DC
00-051111-55972-7	36	7"x7/8"	100	DC
00-051111-55973-4	50	7"x7/8"	100	DC
00-051111-55975-8	80	7"x7/8"	100	DC
00-051111-55775-4	50	9-1/8"x7/8"	100	DC

3M™ Fibre Disc 988C

A premium Cubitron™ abrasive grain Roloc™ disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-60802-9	36	5"x7/8"	100	DC
00-051111-60803-6	50	5"x7/8"	100	DC
00-051111-55964-2	24	7"x7/8"	100	DC
00-051111-60316-1	36	7"x7/8"	100	DC
00-051111-60318-5	50	7"x7/8"	100	DC
00-051111-55744-0	24	9-1/8"x7/8"	100	DC
00-051111-55735-8	36	9-1/8"x7/8"	100	DC
00-051111-55733-4	50	9-1/8"x7/8"	100	DC

Discs, Fibre Discs, cont'd

3M™ Roloc™ Fibre Disc 983C

A premium Cubitron™ abrasive grain Roloc™ Disc constructed on a fibre backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-22352-7	36	2"	200	DC
00-051144-22353-4	60	2"	200	DC
00-051144-22349-7	36	3"	200	DC
00-051144-85890-3	50	3"	200	DC

3M™ Roloc™ Fibre Disc 785C

A Cubitron™ abrasive grain Roloc™ Disc constructed on a fibre backing. Features grinding aid for cooler grinding.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-85883-5	36	3"	200	DC
00-051144-85885-9	60	3"	200	DC
00-051144-85886-6	80	3"	200	DC
00-051144-85888-0	P120	3"	200	DC
00-051144-83690-1	36	4"	100	DC
00-051144-83691-8	50	4"	100	DC
00-051144-83692-5	60	4"	100	DC
00-051144-83693-2	80	4"	100	DC
00-051144-83695-6	P120	4"	100	DC

3M™ Disc Pad Face Plate - Ribbed

Ribbed face plate results in a cooler running disc. Higher pressure on the ribbed sections prolongs disc life when dulling is a problem.

UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-051144-80515-0	80515	7"	Black	Hard	10	PP
00-051144-80516-7	80516	7"	Gray	Medium	10	PP

**3M™ Disc Pad Hub 45205**

Disc pad hub has a 5/8-11 INT threaded metal insert and can be used on all face plates. Use with 4½" and 9" face plates.



UPC Number	Size	Case Qty	UOM
00-051144-45205-7	2½"	10	EA

Discs, Finesse-It™ Disc Rolls

3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA

For glass defect repair, corian and acrylic solid surface finishing. Precisely shaped pyramids wear away continually exposing fresh abrasive. Few processing steps, higher gloss level, effective surface leveling. Little water, easy touchup.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-56251-2	A5 Micron	1¼"xNHx500"	4	RL

Discs, Flap Discs

3M™ Abrasive Flap Disc 563D

An alumina zirconia abrasive flap disc constructed on a Y weight, strong, durable cloth backing. Resin bonded for heat resistance.

UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051111-50771-1	P60	4½"	5/8-11 INT	10	DC



Discs, Flap Discs, cont'd

3M™ Abrasive Flap Disc 747D

A Cubitron™ abrasive grain abrasive flap disc constructed on a X weight, durable cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. The new standard for off hand grinding and finishing of metals. Angled for better surface coverage. Provides a consistent rate of cut for a superior finish and it provides long-life performance that improves quality and lowers cost.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-49613-8	36	4½"×7/8"	10	DC
00-051111-49614-5	50	4½"×7/8"	10	DC
00-051111-49615-2	60	4½"×7/8"	10	DC
00-051111-49616-9	80	4½"×7/8"	10	DC
00-051111-49617-6	P120	4½"×7/8"	10	DC
00-051111-49608-4	36	7"×7/8"	5	DC
00-051111-49609-1	50	7"×7/8"	5	DC

Discs, High Strength Discs

Scotch-Brite™ High Strength Disc

Universal, durable, tough web is excellent to deburr, satin finish, denib/defuzz and clean. May be used individually or stacked on straight shaft tool or bench motor.



UPC Number	ID	Grade	Size	Case Qty	UOM
00-048011-00666-6	HS-DC	AVFN	6"×¼"	100	DC
00-048011-04188-9	HS-DC	AMED	6"×½"	100	DC
00-048011-00665-9	HS-DC	AVFN	6"×½"	100	DC

Discs, PSA Disc Rolls

Crystal Bay™ PSA Paper Disc Roll 316U

An aluminum oxide disc roll constructed on an A weight light paper backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051131-01237-0	80	5"xNH	6	RL
00-051131-01236-3	P100	5"xNH	6	RL
00-051131-01235-6	P120	5"xNH	6	RL
00-051131-01234-9	P150	5"xNH	6	RL
00-051131-01233-2	P180	5"xNH	6	RL
00-051131-01232-5	P220	5"xNH	6	RL
00-051131-01231-8	P240	5"xNH	6	RL
00-051131-01229-5	P320	5"xNH	6	RL
00-051131-01227-1	P400	5"xNH	6	RL
00-051131-01248-6	80	6"xNH	6	RL
00-051131-01247-9	P100	6"xNH	6	RL
00-051131-01246-2	P120	6"xNH	6	RL
00-051131-01245-5	P150	6"xNH	6	RL
00-051131-01244-8	P180	6"xNH	6	RL
00-051131-01243-1	P220	6"xNH	6	RL
00-051131-01242-4	P240	6"xNH	6	RL
00-051131-01240-0	P320	6"xNH	6	RL

Discs, PSA Discs

3M™ PSA Cloth Disc 248D

An aluminum oxide PSA Disc constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-20910-1	P60	2"xNH	200	DC
00-051144-20905-7	P180	2"xNH	200	DC
00-051144-01332-6	P80	3"xNH	200	DC
00-051144-20891-3	P36	5"xNH	250	DC
00-051144-20889-0	P50	5"xNH	250	DC
00-051144-20888-3	P60	5"xNH	250	DC
00-051144-20887-6	P80	5"xNH	250	DC
00-051144-20885-2	P120	5"xNH	250	DC
00-051144-20884-5	P150	5"xNH	250	DC
00-051144-20883-8	P180	5"xNH	250	DC
00-051144-20878-4	P60	6"xNH	250	DC
00-051144-20877-7	P80	6"xNH	250	DC
00-051144-20874-6	P36	8"xNH	250	DC
00-051144-88906-8	P36	12"xNH	10	DC
00-051144-88905-1	P40	12"xNH	10	DC
00-051144-88903-7	P60	12"xNH	10	DC
00-051144-88902-0	P80	12"xNH	10	DC
00-051144-88878-8	P36	20"xNH	10	DC
00-051144-88875-7	P60	20"xNH	10	DC

3M™ PSA Cloth Disc 777F

A Cubitron™ abrasive grain PSA Disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-88872-6	50	12"xNH	10	DC
00-051144-88871-9	60	12"xNH	10	DC
00-051144-88870-2	80	12"xNH	10	DC

3M™ Roloc™ Cloth Disc 361F


An aluminum oxide Roloc™ Disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051144-22397-8	60	1½"	TR	500	DC
00-051144-22407-4	80	1½"	TR	500	DC
00-051144-11000-1	24	2"	TR	200	DC
00-051144-22398-5	36	2"	TR	200	DC
00-051144-22399-2	50	2"	TR	200	DC
00-051144-22400-5	60	2"	TR	200	DC
00-051144-22401-2	80	2"	TR	200	DC
00-051144-22402-9	P100	2"	TR	200	DC
00-051144-22403-6	P120	2"	TR	200	DC
00-051144-14559-1	P150	2"	TR	200	DC
00-051144-13873-9	P180	2"	TR	200	DC
00-051144-11419-1	P240	2"	TR	200	DC
00-051144-22392-3	24	3"	TR	200	DC
00-051144-22393-0	36	3"	TR	200	DC
00-051144-22394-7	50	3"	TR	200	DC
00-051144-22395-4	60	3"	TR	200	DC
00-051144-22404-3	80	3"	TR	200	DC
00-051144-22405-0	P100	3"	TR	200	DC
00-051144-22406-7	P120	3"	TR	200	DC
00-051144-11418-4	P240	3"	TR	200	DC

3M™ Roloc™ Cloth Disc 777F

A Cubitron™ abrasive grain Roloc™ Disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. Can be run wet or dry.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051144-76626-0	36	1½"	TR	500	DC
00-051144-76628-4	60	1½"	TR	500	DC
00-051144-14660-4	80	1½"	TR	500	DC
00-051144-80511-2	P120	1½"	TR	500	DC
00-051144-76629-1	36	2"	TR	200	DC
00-051144-76630-7	50	2"	TR	200	DC
00-051144-76433-4	60	2"	TR	200	DC
00-051144-14661-1	80	2"	TR	200	DC
00-051144-80508-2	P100	2"	TR	200	DC
00-051144-80512-9	P120	2"	TR	200	DC
00-051144-76631-4	36	3"	TR	200	DC
00-051144-76632-1	50	3"	TR	200	DC
00-051144-76633-8	60	3"	TR	200	DC
00-051144-76634-5	80	3"	TR	200	DC
00-051144-80509-9	P100	3"	TR	200	DC
00-051144-80513-6	P120	3"	TR	200	DC

3M™ Roloc™ Cloth Disc 963G

A premium Cubitron™ abrasive grain Roloc™ Disc constructed on a YN weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051144-11112-1	36	2"	TR	200	DC
00-051144-76436-5	40	2"	TR	200	DC
00-051144-11111-4	50	2"	TR	200	DC
00-051144-11110-7	60	2"	TR	200	DC
00-051144-11109-1	80	2"	TR	200	DC
00-051144-11106-0	120	2"	TR	200	DC
00-051144-11108-4	24	3"	TR	200	DC
00-051144-11105-3	36	3"	TR	200	DC
00-051144-11104-6	50	3"	TR	200	DC
00-051144-11103-9	60	3"	TR	200	DC
00-051144-11102-2	80	3"	TR	200	DC

Discs, Roloc™ Discs, cont'd

3M™ Roloc™ Disc Pack 982S

Convenient introductory pack includes 2" diameter Roloc™ Surface Conditioning Discs, 3M coated abrasive discs and Roloc™ Disc Pad. An easy way to evaluate the right product, size and grade for your application.



UPC Number	Size	Case Qty	UOM
00-051144-82899-9	2"	5	PH

Discs, Roloc™ Discs, Accessories

3M™ Roloc™ Disc Pad


Backup pad designed to support 3M™ Roloc™ abrasive discs.



UPC Number	ID	Grade	Size	Desc	Case Qty	UOM
00-051144-45101-2	45101	Med	1"	¼-20 INT	5	PD
00-051144-45099-2	45099	Med	1½"	¼-20 INT	5	PD
00-051144-45096-1	45096	Hard	2"	¼-20 INT	5	PD
00-051144-45095-4	45095	Med	2"	¼-20 INT	5	PD
00-051144-45091-6	45091	Hard	3"	¼-20 INT	5	PD
00-051144-45092-3	45092	Med	3"	¼-20 INT	5	PD
00-051144-45090-9	83489	Soft	3"	¼-20 INT	5	PD
00-051144-83489-1	45179	Hard	4"	5/8-11 INT	5	PD

3M™ Roloc™ Disc Pad Assembly 45102

This shank has a ¼" diameter to fit ¼" collet chucks or drill chucks. It also has a ¼-20 external thread to fit Roloc™ Disc Pads with ¼-20 internal threads.



UPC Number	Size	Desc	Case Qty	UOM
00-051144-45102-9	¼" Shank	¼-20 EXT	100	EA

3M™ Roloc™ TS & TSM Disc Pad

Backup pad designed to support 3M™ Roloc™ TS & TSM abrasive discs. Pad has a ¼-20 INT thread which allows it to be mounted directly to tools with ¼-20 EXT threaded shafts or use with Roloc™ shank to fit collet chuck tools.



UPC Number	ID	Grade	Size	Desc	Case Qty	UOM
00-051144-14211-8	14211	Med	2"	¼-20 INT	5	PD
00-051144-14215-6	14215	Med	3"	¼-20 INT	5	PD

Discs, Roloc™ Discs, Accessories, cont'd

3M™ Roloc™+ Button Combination Pack 1 & 7

Pack contains one Roloc™+ Holder 1 and one Roloc™+ Button 7. Use with 3" diameter and smaller x ¼" wide x 3/8" center hole unitized wheels.



UPC Number	Case Qty	UOM
00-048011-14915-8	5	ST

Discs, Stikit™ Discs, Accessories

3M™ Stikit™ Disc Hand Pad 11063

Use with 5" diameter Stikit™ Discs. Made with soft density foam for conformability. Has 1" wide strap for holding the pad to the operator's hand.



UPC Number	Size	Case Qty	UOM
00-051144-11063-6	5"x1"	10	PD

Discs, Stikit™ Discs

3M™ Stikit™ Cloth Disc 300D

An aluminum oxide open coat, non-loading Stikit™ Disc constructed on a J weight, light and flexible cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-50450-5	80	5"xNH	250	DC
00-051111-50451-2	P100	5"xNH	250	DC
00-051111-50452-9	P120	5"xNH	250	DC
00-051111-50453-6	P150	5"xNH	250	DC
00-051111-50454-3	P180	5"xNH	250	DC
00-051111-50455-0	P220	5"xNH	250	DC

3M™ Stikit™ Disc Pad 05575

For use with 5" diameter Stikit™ Discs. Has medium density foam and a 45° tapered edge for flexibility. These lightweight, shock-resistant pads have a vinyl face (blue) that provides excellent disc adhesion yet allows quick, easy removal.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051144-05575-3	5"x¾"	Blue	5/16-24 EXT	10	PD

3M™ Stikit™ Disc Pad 05576

For use with 6" diameter Stikit™ Discs. Has medium density foam and a 45° tapered edge for flexibility. These lightweight, shock-resistant pads have a vinyl face (blue) that provides excellent disc adhesion yet allows quick, easy removal.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051144-05576-0	6"x¾"	Blue	5/16-24 EXT	10	PD

Discs, Stikit™ Discs, Accessories, cont'd

3M™ Stikit™ Disc Pad 82178

For use with 5" diameter Stikit™ Discs. These vinyl face (black) pads have a soft density foam and a tapered edge for flexibility. Used for sanding contoured parts.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051144-82178-5	5"x1 1/4"	Soft Black	5/16-24 EXT	10	PD

Discs, Stikit™ Disc Rolls

3M™ Stikit™ Paper Disc Roll 236U

Constructed of durable aluminum oxide; works well for most wood species. The open coat feature provides a more aggressive cut than a comparable closed coat abrasive of the same grade and a special loading resistant coating makes this disc a good choice when loading is a problem. The C weight, paper backing is more durable for extended disc life and harsher sanding applications.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-86488-1	P80	5"xNH	4	RL
00-051144-86489-8	P100	5"xNH	4	RL
00-051144-86490-4	P120	5"xNH	4	RL
00-051144-86491-1	P150	5"xNH	4	RL
00-051144-86492-8	P180	5"xNH	4	RL
00-051144-86493-5	P220	5"xNH	4	RL
00-051144-86494-2	P240	5"xNH	4	RL
00-051144-86495-9	P320	5"xNH	4	RL
00-051144-86468-3	P80	6"xNH	4	RL
00-051144-86469-0	P100	6"xNH	4	RL
00-051144-86470-6	P120	6"xNH	4	RL
00-051144-86471-3	P150	6"xNH	4	RL
00-051144-86472-0	P180	6"xNH	4	RL
00-051144-86473-7	P220	6"xNH	4	RL
00-051144-86474-4	P240	6"xNH	4	RL
00-051144-86475-1	P320	6"xNH	4	RL
00-051144-86476-8	P400	6"xNH	4	RL

3M™ Stikit™ Cloth Disc Roll 241D

An aluminum oxide Stikit™ Disc Roll constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-21752-6	P50	5"xNH	4	RL
00-051144-21749-6	P100	5"xNH	4	RL

3M™ Stikit™ Paper Disc Roll 363I

An aluminum oxide Stikit™ Disc Roll constructed on a F weight, extra heavy paper backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-21800-4	60	5"xNH	4	RL
00-051144-21799-1	80	5"xNH	4	RL
00-051144-21798-4	P100	5"xNH	4	RL
00-051144-21797-7	P120	5"xNH	4	RL
00-051144-21796-0	P150	5"xNH	4	RL
00-051144-21795-3	180	5"xNH	4	RL
00-051144-21794-6	60	6"xNH	4	RL
00-051144-21793-9	80	6"xNH	4	RL
00-051144-21792-2	P100	6"xNH	4	RL
00-051144-21791-5	P120	6"xNH	4	RL
00-051144-21788-5	60	8"xNH	2	RL
00-051144-21787-8	80	8"xNH	2	RL
00-051144-21786-1	P100	8"xNH	2	RL

3M™ Stikit™ Paper Disc Roll 415N

A silicon carbide Stikit™ Disc Roll constructed on a A weight, light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-77244-5	240	5"xNH	4	RL
00-051144-77247-6	280	5"xNH	4	RL
00-051144-77249-0	320	5"xNH	4	RL
00-051144-77251-3	320	6"xNH	4	RL

Discs, Stikit™ Disc Rolls, cont'd

3M™ Stikit™ Paper Disc Roll 415U


Constructed of silicon carbide and provides an excellent finish where a refined wood surface is desired; in most applications will be less durable than aluminum oxide. The open coat feature provides a more aggressive cut than a comparable closed coat abrasive of the same grade and a special loading resistant coating makes this disc a good choice when loading is a problem. The A weight, paper backing is light-weight and flexible and suitable for most general purpose sanding applications.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-77223-0	80	5"xNH	8	RL
00-051144-77227-8	100	5"xNH	8	RL
00-051144-77230-8	120	5"xNH	8	RL
00-051144-77234-6	150	5"xNH	4	RL
00-051144-77237-7	180	5"xNH	4	RL
00-051144-77241-4	220	5"xNH	4	RL
00-051144-77225-4	80	6"xNH	8	RL
00-051144-77229-2	100	6"xNH	8	RL
00-051144-77232-2	120	6"xNH	8	RL
00-051144-77236-0	150	6"xNH	4	RL
00-051144-77239-1	180	6"xNH	4	RL
00-051144-77243-8	220	6"xNH	4	RL

3M™ Stikit™ Paper Disc Roll 735U

A Cubitron™ abrasive grain Stikit™ Disc Roll constructed on a C weight, intermediate paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-51229-6	P80	5"xNH	4	RL
00-051111-51231-9	P120	5"xNH	4	RL
00-051111-51232-6	P150	5"xNH	4	RL
00-051111-51233-3	P180	5"xNH	4	RL
00-051111-51234-0	P220	5"xNH	4	RL

3M™ Stikit™ Paper Disc Roll 763U

A Cubitron™ abrasive grain Stikit™ Disc Roll constructed on a F weight, extra heavy paper backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-80942-4	60	5"xNH	4	RL
00-051144-80943-1	80	5"xNH	4	RL
00-051144-80944-8	P100	5"xNH	4	RL
00-051144-80945-5	P120	5"xNH	4	RL
00-051144-80947-9	80	6"xNH	4	RL
00-051144-80951-6	80	8"xNH	2	RL

Discs, Stikit™ Disc Rolls, cont'd

3M™ Stikit™ Gold Paper Disc 216U

An aluminum oxide disc constructed on an A weight light paper backing. Features an anti-loading stearate coating.

UPC Number	Grade	Size	Case Qty	UOM
00-051131-01027-7	P100	5"xNH	5	BX
00-051131-01026-0	P120	5"xNH	5	BX
00-051131-01025-3	P150	5"xNH	5	BX
00-051131-01038-3	P220	6"xNH	5	BX
00-051144-01437-8	P240	6"xNH	6	RL

3M™ Stikit™ Gold Paper Disc Roll 216U

Constructed of durable aluminum oxide; works well for most wood species. The open coat feature provides a more aggressive cut than a comparable closed coat abrasive of the same grade and a special loading resistant coating makes this disc a good choice when loading is a problem. The A weight, paper backing is light-weight and flexible and suitable for most general purpose sanding applications. Slightly more aggressive than 214U.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-01423-1	P220	5"xNH	6	RL
00-051144-01422-4	P240	5"xNH	6	RL
00-051144-01421-7	P280	5"xNH	6	RL
00-051144-01420-0	P320	5"xNH	6	RL
00-051144-96433-8	P320	5"xNH	6	RL
00-051131-01418-3	P360	5"xNH	6	RL
00-051131-01419-0	P400	5"xNH	6	RL
00-051144-96495-6	P400	5"xNH	6	RL
00-051144-01438-5	P220	6"xNH	6	RL
00-051144-01435-4	P320	6"xNH	6	RL
00-051144-96434-5	P320	6"xNH	6	RL
00-051131-01433-6	P360	6"xNH	6	RL
00-051144-96496-3	P400	6"xNH	6	RL
00-051131-01434-3	P400	6"xNH	6	RL
00-051131-01432-9	P500	6"xNH	6	RL
00-051131-01493-0	P80	8"xNH	4	RL
00-051131-01492-3	P100	8"xNH	4	RL
00-051131-01490-9	P150	8"xNH	4	RL
00-051131-01489-3	P180	8"xNH	4	RL
00-051131-01488-6	P220	8"xNH	4	RL
00-051131-01484-8	P400	8"xNH	4	RL

Discs, Stikit™ Disc Rolls, cont'd

3M™ Stikit™ Paper Vibrator Sander Roll 415N

A silicon carbide Stikit™ Vibrator Sander Roll constructed on a A weight, light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty	UOM
00-051115-00395-0	80	4½"x10yds	10	RL
00-051115-00396-7	100	4½"x10yds	10	RL
00-051115-00397-4	120	4½"x10yds	10	RL
00-051115-00643-2	150	4½"x10yds	10	RL
00-051115-00398-1	180	4½"x10yds	10	RL
00-051115-00399-8	220	4½"x10yds	10	RL

Discs, Surface Conditioning Discs

Scotch-Brite™ Light Deburring Disc

Dense, tight web construction used to deburr and finish. Moderately conformable, long lasting disc. Excellent on bench motors and straight shaft tools.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-00667-3	LD-DC	AVFN	6"x¼"	Maroon	MOS: 4,000 RPM	100	DC
00-048011-00675-8	LD-DC	AVFN	6"x½"	Maroon	MOS: 4,000 RPM	100	DC



Scotch-Brite™ Roloc™ Surface Conditioning Disc

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A metal attachment system screws onto the holder.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-25765-5	SC-DM	ACRS	2"xNH	Brown	TSM	200	DC
00-048011-25764-8	SC-DM	AMED	2"xNH	Maroon	TSM	200	DC
00-048011-25770-9	SC-DM	AVFN	2"xNH	Blue	TSM	200	DC
00-048011-25767-9	SC-DM	ACRS	3"xNH	Brown	TSM	100	DC
00-048011-25766-2	SC-DM	AMED	3"xNH	Maroon	TSM	100	DC
00-048011-25780-8	SC-DM	AVFN	3"xNH	Blue	TSM	100	DC



Scotch-Brite™ Roloc™ TR SE Surface Conditioning Disc

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-18081-6	SE-DR	ACRS	2"xNH	Brown/Blue	MOS: 25,000 RPM	200	DC
00-048011-18471-5	SE-DR	AMED	2"xNH	Maroon/Blue	MOS: 25,000 RPM	200	DC
00-048011-18082-3	SE-DR	ACRS	3"xNH	Brown/Blue	MOS: 18,000 RPM	100	DC
00-048011-18472-2	SE-DR	AMED	3"xNH	Maroon/Blue	MOS: 18,000 RPM	100	DC
00-048011-18243-8	SE-DR	ACRS	4"xNH	Brown/Blue	MOS: 12,000 RPM	100	DC

Scotch-Brite™ Roloc™ TR Surface Conditioning Disc

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A threaded attachment system secures the disc to the holder.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-08764-1	SC-DR	ACRS	1½"xNH	Brown	MOS: 30,000 RPM	200	DC
00-048011-08765-8	SC-DR	AMED	1½"xNH	Maroon	MOS: 30,000 RPM	200	DC
00-048011-08766-5	SC-DR	AVFN	1½"xNH	Blue	MOS: 30,000 RPM	200	DC
00-048011-05528-2	SC-DR	ACRS	2"xNH	Brown	MOS: 25,000 RPM	200	DC
00-048011-05523-7	SC-DR	AVFN	2"xNH	Blue	MOS: 25,000 RPM	200	DC
00-048011-05522-0	SC-DR	SSFN	2"xNH	Gray	MOS: 25,000 RPM	200	DC
00-048011-05532-9	SC-DR	ACRS	3"xNH	Brown	MOS: 18,000 RPM	100	DC
00-048011-05531-2	SC-DR	AMED	3"xNH	Maroon	MOS: 18,000 RPM	100	DC
00-048011-05530-5	SC-DR	AVFN	3"xNH	Blue	MOS: 18,000 RPM	100	DC
00-048011-05529-9	SC-DR	SSFN	3"xNH	Gray	MOS: 18,000 RPM	100	DC
00-048011-12954-9	SC-DR	ACRS	4"xNH	Brown	MOS: 12,000 RPM	100	DC
00-048011-12953-2	SC-DR	AMED	4"xNH	Maroon	MOS: 12,000 RPM	100	DC
00-048011-12952-5	SC-DR	AVFN	4"xNH	Blue	MOS: 12,000 RPM	100	DC

Scotch-Brite™ Roloc™ TS Surface Conditioning Disc

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. An attachment system screws onto the holder.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-13253-2	SC-DS	ACRS	2"xNH	Brown	MOS: 25,000 RPM	200	DC
00-048011-13254-9	SC-DS	AMED	2"xNH	Maroon	MOS: 25,000 RPM	200	DC
00-048011-13255-6	SC-DS	AVFN	2"xNH	Blue	MOS: 25,000 RPM	200	DC
00-048011-13257-0	SC-DS	ACRS	3"xNH	Brown	MOS: 18,000 RPM	100	DC
00-048011-13258-7	SC-DS	AMED	3"xNH	Maroon	MOS: 18,000 RPM	100	DC

Scotch-Brite™ SE Surface Conditioning Disc

A coarse, tough, aggressive non-woven disc for heavy duty deburring and finishing. Contains a backing that mounts to Hook-and-Loop Pads.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-18021-2	SE-DH	ACRS	4"xNH	Brown/Blue	MOS: 13,000 RPM	100	DC
00-048011-18079-3	SE-DH	ACRS	4½"xNH	Brown/Blue	MOS: 13,000 RPM	50	DC
00-048011-18080-9	SE-DH	ACRS	5"xNH	Brown/Blue	MOS: 10,000 RPM	50	DC
00-048011-17866-0	SE-DH	ACRS	7"xNH	Brown/Blue	MOS: 6,000 RPM	25	DC
00-048011-18477-7	SE-DH	AMED	7"xNH	Maroon/Blue	MOS: 6,000 RPM	25	DC

Scotch-Brite™ Surface Conditioning Disc

Scotch-Brite™ Surface Conditioning Discs are best for finishing, cleaning and light deburring on flat metal surface.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-07458-0	SC-DH	ACRS	2"xNH	Brown	MOS: 23,000 RPM	200	DC
00-048011-07459-7	SC-DH	AMED	2"xNH	Maroon	MOS: 23,000 RPM	200	DC
00-048011-04120-9	SC-DH	ACRS	3"xNH	Brown	MOS: 20,000 RPM	100	DC
00-048011-04124-7	SC-DH	AMED	3"xNH	Maroon	MOS: 20,000 RPM	100	DC
00-048011-04277-0	SC-DH	AVFN	3"xNH	Blue	MOS: 20,000 RPM	100	DC
00-048011-04128-5	SC-DH	SSFN	3"xNH	Gray	MOS: 20,000 RPM	100	DC
00-048011-07450-4	SC-DH	ACRS	4"xNH	Brown	MOS: 13,000 RPM	100	DC
00-048011-07451-1	SC-DH	AMED	4"xNH	Maroon	MOS: 13,000 RPM	100	DC
00-048011-04278-7	SC-DH	AVFN	4"xNH	Blue	MOS: 13,000 RPM	100	DC
00-048011-14101-5	SC-DH	ACRS	4½"xNH	Brown	MOS: 13,000 RPM	50	DC
00-048011-14100-8	SC-DH	AMED	4½"xNH	Maroon	MOS: 13,000 RPM	50	DC
00-048011-14099-5	SC-DH	AVFN	4½"xNH	Blue	MOS: 13,000 RPM	50	DC
00-048011-00750-2	SC-DH	ACRS	5"xNH	Brown	MOS: 10,000 RPM	50	DC
00-048011-00643-7	SC-DH	AMED	5"xNH	Maroon	MOS: 10,000 RPM	50	DC
00-048011-04303-6	SC-DH	AVFN	5"xNH	Blue	MOS: 10,000 RPM	50	DC
00-048011-03927-5	SC-DH	ACRS	6"xNH	Brown	MOS: 8,000 RPM	50	DC
00-048011-00751-9	SC-DH	ACRS	7"xNH	Brown	MOS: 6,000 RPM	25	DC
00-048011-00645-1	SC-DH	AMED	7"xNH	Maroon	MOS: 6,000 RPM	25	DC
00-048011-04305-0	SC-DH	AVFN	7"xNH	Blue	MOS: 6,000 RPM	25	DC
00-048011-16918-7	SC-DH	AVFN	27"xNH	Blue	MOS: 1,000 RPM	2	DC

3M™ Disc Pad Holder 914

Use with 4" or 4½" diameter 3M™ Hook-and-Loop Discs. Use on right angle grinders. Has 1/8" thick foam and T Hooks.



UPC Number	ID	Size	Desc	Case Qty	UOM
00-048011-05674-6	914	4"x1/8"x3/8"	5/8-11 INT	1	EA

3M™ Disc Pad Holders


Pads are designed to work with 3M surface conditioning products for better result.



UPC Number	ID	Size	Desc	Case Qty	UOM
00-048011-04132-2	923	3"	¼" Shank	10	EA
00-048011-05680-7	915	5"x1/8"x3/8"	5/8-11 EXT	1	EA
00-048011-09450-2	917	7"x5/16"x3/8"	5/8-11 INT	1	EA
00-048011-09451-9	918	8"x5/16"x3/8"	5/8-11 INT	1	EA

3M™ Wetordry™ Cloth Slashed Assembly 431W

A silicon carbide Wetordry™ Slashed Assembly constructed on a X weight, water resistant polyester cloth backing. Can be run wet or dry.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051144-40418-6	P120	4"x16"	S5	32	CA
00-051144-40414-8	P150	4"x16"	S16	32	CA

3M™ Insta-Lok™ Hand Block 952

Hand block with 3M™ Insta-Lok™ hook material to hold 4" x 6" non woven sheets.



UPC Number	Size	Case Qty	UOM
00-048011-04013-4	3-3/8"x5¾"	10	EA

Hand Sanding Products, Clean and Finish Rolls

Scotch-Brite™ Clean and Finish Roll

Flexible web for finishing, blending, and polishing. Conformable for access to hard-to-reach areas. Great for general use on a variety of materials. Use manually or on an in-line sander.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-00260-6	CF-RL	AVFN	2"x30'	Maroon	6	RL
00-048011-00262-0	CF-RL	T	4"x30'	White	3	RL
00-048011-00264-4	CF-RL	AMED	4"x30'	Maroon	3	RL
00-048011-00266-8	CF-RL	AVFN	4"x30'	Maroon	3	RL
00-048011-00263-7	CF-RL	FSFN	4"x30'	White	3	RL
00-048011-00267-5	CF-RL	SSFN	4"x30'	Gray	3	RL
00-048011-00270-5	CF-RL	SVFN	4"x30'	Gray	3	RL
00-048011-00276-7	CF-RL	AVFN	6"x30'	Maroon	2	RL

Hand Sanding Products, Cut and Polish Rolls

Scotch-Brite™ Cut and Polish Roll

Tough, tight, and dense web for long life and durability. Excellent for aggressive blending and finishing. May be used manually or on an in-line sander.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-04085-1	CP-RL	AMED	1"x30'	Tan	12	RL
00-048011-05206-9	CP-RL	AMED	2"x30'	Tan	6	RL
00-048011-05207-6	CP-RL	AMED	4"x30'	Tan	3	RL

Hand Sanding Products, Flexible Diamond Products

3M™ Flexible Diamond Hand Lap 6200J

For hard to grind material, stone, glass, ceramic, metal, carbide, composites. Metal plated bond securely anchors micron plated diamonds to backing. For wet or dry applications. Durability improves when used with water or oil lubricants.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-80099-5	M40 Micron	2¼"x3¾"	10	EA
00-051144-80098-8	M74 Micron	2¼"x3¾"	10	EA
00-051144-14999-5	M125 Micron	2¼"x3¾"	10	EA
00-051144-14998-8	M250 Micron	2¼"x3¾"	10	EA

3M™ Scotch-Brite™ Extra Duty Hand Pad 6444

Excellent intermediate hand pad for conformability in cleaning, finishing and graining. Also may be used to denib or defuzz. May be used by hand, with a hand block or on an in-line sander.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-16553-0	6444	FIN	6"x9"	Brown		60	CA



Scotch-Brite™ Blending Hand Pad 7446

Open, aggressive web that is excellent to grain, clean, denib, defuzz and finish. Resistant to loading. May be used by hand, on a hand pad block, or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-04051-6		MED	Gray		4	CA
00-048011-18453-1	7446B	MED	Gray	Bulk	40	CA



Scotch-Brite™ General Purpose Hand Pad 7447

Most universally used in a variety of applications. Excellent starting point to clean, finish, grain, denib and defuzz. May be used by hand, with a hand pad block, or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-04029-5		VFIN	Maroon		3	CA
00-048011-04229-9	7447B	VFIN	Maroon	Bulk	60	CA



Scotch-Brite™ Heavy Duty Hand Pad 7440

Tight and dense, this pad is the most aggressive and durable web. Excellent for heavy cleaning, deburring, and finishing. May be used by hand, with a hand pad block or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-04050-9		MED	Tan		4	CA
00-048011-18451-7	7440B	MED	Tan	Bulk	40	CA



Scotch-Brite™ Light Duty Cleansing Pad 7445

Conformable web and fine mineral are excellent for fine finishes, light cleaning. Among our least aggressive abrasive hand pad. May be used by hand, with a hand pad block or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-16976-7	7445	SFIN	White		3	CA
00-048011-17637-6	7445B	SFIN	White	Bulk	60	CA



Scotch-Brite™ Light Duty Hand Pad 6448

Durable web offers long life and conformability. Designed to clean, finish and buff. May be used by hand, with a hand pad block or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-16555-4	6448	UFIN	Dark Gray		3	CA



Scotch-Brite™ Production Hand Pad 8447

Precision web and mineral composition offers our most uniform finish. Excellent for use to clean, finish, grain, denib and defuzz. Use by hand, with a hand pad block, or in-line sander.

UPC Number	ID	Grade	Color	Case Qty	UOM
00-048011-24037-4	8447	VFIN	Maroon	3	CA



Scotch-Brite™ Ultra Fine Hand Pad 7448

Conformable web and finest silicon carbide hand pad available. Excellent for final finishing and light cleaning. May be used by hand, with a hand block, or on an in-line sander.

UPC Number	ID	Grade	Color	Desc	Case Qty	UOM
00-048011-04028-8	7448	UFIN	Light Gray		3	CA
00-048011-14049-0	7448B	UFIN	Light Gray	Bulk	60	CA



Hand Sanding Products, Multi-Flex Products

Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

Scotch-Brite™ Multiflex Sheets work quickly and economically in sealer sanding, denibbing, defuzzing, highlighting and top coat finishing applications (both solvent- and water-based). Extremely “scrunchable.” Can be folded, stacked, or rolled to accommodate application needs. For very fine finish applications.




UPC Number	Grade	Size	Color	Case Qty	UOM
00-051131-07521-4	AVFN	8"x20'	Purple	4	RL
00-051131-07522-1	SULF	8"x20'	Gray	4	RL

Hand Sanding Products, Sanding Pads

3M™ Flexible Sanding Pad

Use for either dry or wet sanding. Rinse and reuse. Ideal for sanding wood, paint, metal, plastic and drywall. Conformable, comfortable, flexible and convenient. Available in fine or medium grade with abrasive on two sides.



UPC Number	ID	Grade	Size	Case Qty	UOM
00-051115-02622-5	CPFSPM	MED	4¾"x3¾"x1½"	250	EA
00-051115-02623-2	CPFSPF	FIN	4¾"x3¾"x1½"	250	EA

Hand Sanding Products, Sheets & Rolls

3M™ Cloth Sheet 304D


An aluminum oxide abrasive product sheet constructed on a X weight, durable cloth backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-60333-8	P50	9"x11"	250	SH
00-051111-60334-5	P60	9"x11"	250	SH
00-051111-60342-0	P80	9"x11"	250	SH
00-051111-60343-7	P100	9"x11"	250	SH
00-051111-60344-4	P120	9"x11"	250	SH
00-051111-60345-1	P150	9"x11"	250	SH
00-051111-60346-8	P180	9"x11"	250	SH
00-051111-60347-5	P220	9"x11"	250	SH
00-051111-60348-2	P240	9"x11"	250	SH

3M™ Paper Sheet 130N

A garnet open coat, non-loading sheet constructed on a C weight, intermediate paper backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-10032-3	100	9"x11"	1,000	SH
00-051144-10031-6	120	9"x11"	1,000	SH
00-051144-10030-9	150	9"x11"	1,000	SH

3M™ Paper Sheet 210N

An aluminum oxide open coat, non-loading sheet constructed on an A weight, light paper backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02107-9	100	9"x11"	1,000	SH
00-051144-02106-2	120	9"x11"	1,000	SH
00-051144-02105-5	150	9"x11"	1,000	SH

Hand Sanding Products, Sheets & Rolls, cont'd

3M™ Cloth Sheet 211K

An aluminum oxide sheet constructed on a J weight, light and flexible cloth backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02408-7	120	9"x11"	250	SH
00-051144-02406-3	180	9"x11"	250	SH
00-051144-02404-9	240	9"x11"	250	SH

3M™ Paper Sheet 336U

An aluminum oxide sheet constructed on a C weight, intermediate paper backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02114-7	100	9"x11"	1,000	SH
00-051144-02113-0	120	9"x11"	1,000	SH
00-051144-02112-3	150	9"x11"	1,000	SH

3M™ Paper Sheet 346U

An aluminum oxide sheet constructed on a D weight, intermediate paper backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02119-2	36	9"x11"	250	SH
00-051144-02118-5	40	9"x11"	250	SH
00-051144-02116-1	60	9"x11"	500	SH
00-051144-02115-4	80	9"x11"	500	SH

Hand Sanding Products, Sheets & Rolls, cont'd

3M™ Paper Sheet 405N

A silicon carbide sheet constructed on an A weight, light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-10275-4	220	3-2/3"x9"	4,000	SH
00-051144-10273-0	280	3-2/3"x9"	4,000	SH
00-051144-10272-3	320	3-2/3"x9"	4,000	SH
00-051144-10364-5	320	4-7/16"x4-7/16"	6,000	SH
00-051144-10332-4	180	4 1/2"x5 1/2"	4,000	SH
00-051144-10331-7	220	4 1/2"x5 1/2"	4,000	SH
00-051144-10330-0	240	4 1/2"x5 1/2"	4,000	SH
00-051144-10329-4	280	4 1/2"x5 1/2"	4,000	SH
00-051144-10328-7	320	4 1/2"x5 1/2"	4,000	SH
00-051144-10248-8	150	9"x11"	1,000	SH
00-051144-10247-1	180	9"x11"	1,000	SH
00-051144-10246-4	220	9"x11"	1,000	SH
00-051144-10245-7	240	9"x11"	1,000	SH
00-051144-10244-0	280	9"x11"	1,000	SH
00-051144-10243-3	320	9"x11"	1,000	SH
00-051144-10242-6	360	9"x11"	1,000	SH
00-051144-10241-9	400	9"x11"	1,000	SH
00-051144-10240-2	500	9"x11"	1,000	SH

3M™ Paper Sheet 414N

A silicon carbide sheet constructed on an A weight light paper backing. Features an anti-loading stearate coating.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02352-3	80	9"x11"	500	SH
00-051144-02351-6	100	9"x11"	1,000	SH
00-051144-02350-9	120	9"x11"	1,000	SH
00-051144-02349-3	150	9"x11"	1,000	SH
00-051144-02348-6	180	9"x11"	1,000	SH
00-051144-02347-9	220	9"x11"	1,000	SH
00-051144-02346-2	240	9"x11"	1,000	SH
00-051144-02345-5	280	9"x11"	1,000	SH
00-051144-02344-8	320	9"x11"	1,000	SH
00-051144-02342-4	400	9"x11"	1,000	SH

Hand Sanding Products, Sheets & Rolls, cont'd

3M™ Paper Sheet 415N

A silicon carbide sheet constructed on an A weight, light paper backing. Features an anti-loading stearate coating.

UPC Number	Grade	Size	Case Qty	UOM
00-051144-14186-9	240	9"x11"	1,000	SH
00-051144-14188-3	280	9"x11"	1,000	SH
00-051144-14190-6	320	9"x11"	1,000	SH

3M™ Cloth Utility Roll 211K

An aluminum oxide utility roll constructed on a J weight, light and flexible cloth backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-05010-9	80	1"x50yds	5	RL
00-051144-05009-3	100	1"x50yds	5	RL
00-051144-05008-6	120	1"x50yds	5	RL
00-051144-05007-9	150	1"x50yds	5	RL
00-051144-05006-2	180	1"x50yds	5	RL
00-051144-05005-5	220	1"x50yds	5	RL
00-051144-05004-8	240	1"x50yds	5	RL
00-051144-05002-4	320	1"x50yds	5	RL
00-051144-05001-7	400	1"x50yds	5	RL
00-051144-05030-7	80	1½"x50yds	5	RL
00-051144-05029-1	100	1½"x50yds	5	RL
00-051144-05028-4	120	1½"x50yds	5	RL
00-051144-05026-0	180	1½"x50yds	5	RL
00-051144-05024-6	240	1½"x50yds	5	RL
00-051144-05022-2	320	1½"x50yds	5	RL
00-051144-05021-5	400	1½"x50yds	5	RL
00-051144-05050-5	80	2"x50yds	5	RL
00-051144-05048-2	120	2"x50yds	5	RL
00-051144-05046-8	180	2"x50yds	5	RL
00-051144-05044-4	240	2"x50yds	5	RL
00-051144-05042-0	320	2"x50yds	5	RL
00-051144-05041-3	400	2"x50yds	5	RL
00-051144-05040-6	500	2"x50yds	5	RL

Hand Sanding Products, Sheets & Rolls, cont'd

3M™ Wetordry™ Paper Sheet 413Q


A silicon carbide sheet constructed on an A weight light paper backing. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02007-2	220	9"x11"	500	SH
00-051144-02006-5	240	9"x11"	250	SH
00-051144-02005-8	280	9"x11"	250	SH
00-051144-02004-1	320	9"x11"	500	SH
00-051144-02003-4	360	9"x11"	250	SH
00-051144-02002-7	400	9"x11"	500	SH
00-051144-02000-3	600	9"x11"	500	SH

3M™ Wetordry™ Paper Sheet 431Q

A silicon carbide Wetordry™ abrasive product constructed on a C weight, intermediate paper backing. Can be run wet or dry.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02019-5	60	9"x11"	500	SH
00-051144-02018-8	80	9"x11"	250	SH
00-051144-02017-1	100	9"x11"	250	SH
00-051144-02016-4	120	9"x11"	250	SH
00-051144-02015-7	150	9"x11"	250	SH
00-051144-02014-0	180	9"x11"	250	SH
00-051144-10695-0	400	9"x11"	500	SH

Crystal Bay™ Cloth Sheet 011K

Sheet constructed on a J weight, light and flexible cloth backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-02431-5	FIN	9"x11"	250	SH
00-051144-02432-2	MED	9"x11"	250	SH
00-051144-02433-9	CRS	9"x11"	250	SH

Scotch-Brite™ High Strength Roll

Universal, durable, tough web is excellent to deburr, satin finish, denib, defuzz and clean. May be used manually or on an in-line sander.

UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-05359-2	HS-RL	AVFN	6"x30'	Maroon	2	RL

Hand Sanding Products, Sheets & Rolls, Accessories

3M™ Mini Mandrel 935

Use with 1" wide x 1 1/2" long sheets of Scotch-Brite™ material to fit into tight area.



UPC Number	ID	Size	Case Qty	UOM
00-048011-04020-2	MN-AC	2-7/8"x1/4"	5	EA

Hand Sanding Products, Sponges

3M™ Full Size Sanding Sponge

3M™ Full Size Sanding Sponge is ideal for dry or wet sanding of wood, paint, metal, plastic and drywall. When finished, simply rinse and reuse. Conformable, comfortable, flexible and convenient.



UPC Number	ID	Grade	Size	Case Qty	UOM
00-051115-00408-7	CP002	MED	3 3/4"x2-5/8"x1"	24	PH
00-051115-00409-4	CP001	FIN	3 3/4"x2-5/8"x1"	24	PH

3M™ High Flexibility Sanding Sponge

3M™ High Flexibility Sanding Sponge is ideal for sanding wood, paint, metal, plastic and drywall. Use for either dry or wet sanding, rinse and reuse. Conformable, comfortable, flexible and convenient.



UPC Number	ID	Grade	Size	Desc	Case Qty	UOM
00-051115-00630-2	CP037	MED	3 3/4"x2-5/8"x1 1/2"	Bulk	108	EA
00-051115-00631-9	CP036	FIN	3 3/4"x2-5/8"x1 1/2"	Bulk	108	EA

3M™ Softback Sanding Sponge

3M offers a broad selection of sanding sponges with different features and densities for both flat and contoured surfaces. Ideal for corners, contours, sealer and flat surfaces on wood, metal, plastic and paint.

UPC Number	ID	Grade	Size	Case Qty	UOM
00-051131-02606-3	02606	MED	4 1/2"x5 1/2"	6	BX
00-051131-02604-9	02604	FIN	4 1/2"x5 1/2"	6	BX
00-051131-02602-5	02602	SFIN	4 1/2"x5 1/2"	6	BX

Hand Sanding Products, Sponges, cont'd

3M™ Woodworking Sanding Sponge

3M offers a broad selection of sanding sponges with different features and densities for both flat and contoured surfaces. Ideal for corners, contours, sealer and flat surfaces on wood, metal, plastic and paint.



UPC Number	ID	Grade	Size	Desc	Case Qty	UOM
00-051111-51065-0	51065	MED	3¾" x 4¾" x ½"	Bulk	250	EA
00-051111-51066-7	51066	FIN	3¾" x 4¾" x ½"	Bulk	250	EA

Hand Sanding Products, Steel Wool Products

3M™ Synthetic Steel Wool Pads

3M™ Synthetic Steel Wool Pads won't shred, splinter or rust. Rinse and reuse. Compatible with water-based strippers and finishes. Replaces steel wool.



UPC Number	ID	Grade	Case Qty	UOM
00-051111-10115-5	10115NA	CRS	18	EA
00-051111-10116-2	10116NA	MED	18	EA
00-051111-10118-6	10118NA	FIN	18	EA
00-051111-10120-9	10120NA	EFIN	18	EA

Rolls

3M™ Cloth Roll 304D

An aluminum oxide abrasive product roll constructed on a J weight, durable cloth backing.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-60686-5	P80	1" x 50yds	5	RL
00-051111-60688-9	P120	1" x 50yds	5	RL
00-051111-60690-2	P180	1" x 50yds	5	RL
00-051111-60692-6	P240	1" x 50yds	5	RL
00-051111-60697-1	P80	1½" x 50yds	5	RL
00-051111-60699-5	P120	1½" x 50yds	5	RL
00-051111-60701-5	P180	1½" x 50yds	5	RL

Wheels

3M™ Green Corps™ Flexible Grinding Wheel

These 1/8" thick bonded wheels contain proprietary Cubitron™ abrasive grain and can be used in a wide variety of metals. When grinding, wheels produce less noise and vibration.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051111-51164-0	36	4½" x 1/8"	5/8-11 INT	100	WH
00-051111-50440-6	36	4½" x 1/8" x 7/8"	With Center Hole	200	EA
00-051111-50443-7	60	4½" x 1/8" x 7/8"	With Center Hole	200	EA
00-051111-50445-1	36	7" x 1/8" x 7/8"	With Center Hole	100	EA

Wheels, Clean and Strip Wheels

Scotch-Brite™ Clean and Strip Cup Wheel

Aggressive, open web wheel for cleaning welds, removing rust and paint. For use on right-angle tools. Hard 7 density with low conformability.



UPC Number	ID	Grade	Size	Color	Case Qty	UOM
00-048011-04153-7	CS-UC	7SXCS	4"x5/8"-11	Black	4	WH

Wheels, Combi-S Wheels

3M™ Combi-R Wheel

This unique wheel is a combination of aluminum oxide coated abrasive and Scotch-Brite™ material. They are designed for a variety of surface finishing and blending operations on a large variety of work-pieces.



UPC Number	ID	Grade	Size	Case Qty	UOM
00-051144-80802-1	CB-ZR	80	2½"x1¼"	10	WH
00-051144-80679-9	CB-ZR	P120	2½"x1¼"	10	WH
00-051144-80800-7	CB-ZR	P180	2½"x1¼"	10	WH

3M™ Combi-S Wheel

Wheels are made of alternating flaps of coated abrasive and Scotch-Brite™ web. Provides aggressive cut and fine finishes.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-051144-80801-4	CB-ZS	80	3"x1¾"	Maroon	¼" Shank	10	WH
00-051144-80678-2	CB-ZS	P120	3"x1¾"	Maroon	¼" Shank	10	WH
00-051144-80799-4	CB-ZS	P180	3"x1¾"	Maroon	¼" Shank	10	WH

Wheels, Cut and Polish Wheels

Scotch-Brite™ Cut and Polish Wheel

Long lasting, aggressive wheel for tough blending and finishing applications. Convolutely wound on a core.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-05182-6	CP-WL	SAFIN	6"x½"x1"	Tan	MOS: 6,000 RPM	4	WH
00-048011-02960-3	CP-WL	SAFIN	6"x1"x1"	Tan	MOS: 6,000 RPM	3	WH
00-048011-03262-7	CP-WL	7AMED	6"x1"x1"	Tan	MOS: 6,000 RPM	3	WH

3M™ General Purpose Cut Off Wheel

General purpose cut off wheel designed for cutting sheet metal, rusted bolts and more. Ideal for use on a wide variety of utility type cut-off tools. Do not use on tools without guards.



UPC Number	ID	Size	Desc	Case Qty	UOM
00-051131-01987-4	01987	3"x1/32"x3/8"	Bulk	50	WH
00-051131-01988-1	01988	3"x1/16"x3/8"	Bulk	50	WH

3M™ Green Corps™ Cut Off Wheel

Wheel is designed to provide high cut rates and long life on most all materials including fiberglass, stainless steel, mild steel and aerospace alloys. Ideal for use on a wide variety of utility type cut-off tools. Do not use on tools without guards.



UPC Number	ID	Size	Desc	Case Qty	UOM
00-051144-82238-6	82238	3"x1/32"x1/4"	Bulk	50	WH
00-051131-01989-8	01989	3"x1/32"x3/8"	Pack	10	PH
00-051131-01985-0	01985	3"x1/32"x3/8"	Bulk	50	WH
00-051131-01990-4	01990	3"x1/16"x3/8"	Pack	10	PH
00-051131-01986-7	01986	3"x1/16"x3/8"	Bulk	50	WH
00-051144-88755-2	88755	4"x1/32"x1/4"	Bulk	50	WH
00-051131-01994-2	01994	4"x1/32"x3/8"	Bulk	50	WH
00-051144-83488-4	83488	4"x1/16"x3/8"	Bulk	50	WH

3M™ Green Corps™ Depressed Center Wheel

These 1/4" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and produce very high cut rates on a wide variety of metals.



UPC Number	Grade	Size	Desc	Case Qty	UOM
00-051111-55960-4	24	4 1/2"x1/4"	5/8-11 INT	60	WH
00-051111-55956-7	24	9"x1/4"	5/8-11 INT	20	WH

Scotch-Brite™ Light Deburring Wheel

Designed for deburring and finishing. Convolutely wound on a core. Hard, long lasting density.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-03993-0	LD-WL	6SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-01662-7	LD-WL	7SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-03994-7	LD-WL	8SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-01660-3	LD-WL	6SFIN	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-01661-0	LD-WL	7SFIN	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-01675-7	LD-WL	8SFIN	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH

Scotch-Brite™ EX2 Deburring Wheel

Firm and durable wheel for tough deburring and finishing applications. Convolutely wound on a core. Hard, long lasting.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-17215-6	X2-WL	8AMED	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-17216-3	X2-WL	8SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-18286-5	X2-WL	8SMED	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH

Scotch-Brite™ EXL Deburring Wheel

High performance and durability for deburring and finishing applications. Convolutely wound on a core. Hard, long lasting.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-13616-5	XL-WL	8AMED	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-09548-6	XL-WL	8SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-05790-3	XL-WL	9SFIN	6"x1/2"x1"	Gray	MOS: 6,000 RPM	4	WH
00-048011-13617-2	XL-WL	8AMED	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-18278-0	XL-WL	8SMED	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-09549-3	XL-WL	8SFIN	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-05132-1	XL-WL	9SFIN	6"x1"x1"	Gray	MOS: 6,000 RPM	3	WH
00-048011-05133-8	XL-WL	9SFIN	6"x2"x1"	Gray	MOS: 6,000 RPM	2	WH
00-048011-18279-7	XL-WL	8SMED	8"x1"x3"	Gray	MOS: 4,500 RPM	3	WH
00-048011-05135-2	XL-WL	9SFIN	8"x1"x3"	Gray	MOS: 4,500 RPM	3	WH
00-048011-05137-6	XL-WL	9SFIN	10"x1"x5"	Gray	MOS: 3,600 RPM	2	WH
00-048011-09005-4	XL-WL	9SFIN	12"x1/2"x5"	Gray	MOS: 3,000 RPM	2	WH
00-048011-13621-9	XL-WL	8AMED	12"x1"x5"	Gray	MOS: 3,000 RPM	1	WH
00-048011-18281-0	XL-WL	8SMED	12"x1"x5"	Gray	MOS: 3,000 RPM	1	WH
00-048011-13622-6	XL-WL	8AMED	12"x2"x5"	Gray	MOS: 3,000 RPM	1	WH
00-048011-09555-4	XL-WL	8SFIN	12"x2"x5"	Gray	MOS: 3,000 RPM	1	WH
00-048011-13623-3	XL-WL	8AMED	14"x2"x8"	Gray	MOS: 2,550 RPM	1	WH

Wheels, Flap Wheels

3M™ Cloth Flap Wheel 244E

An aluminum oxide flap wheel constructed on a XE weight, firm rayon cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-35088-9	60	6"x2"x1"	5	WH

3M™ Cloth Flap Wheel 741A

A Cubitron™ abrasive grain flap wheel constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-82770-1	50	6"x1"x1"	5	WH
00-051144-81986-7	60	6"x1"x1"	5	WH

3M™ Cloth Flap Wheel Type 83 244E

An aluminum oxide Flap Wheel Type 83 constructed on a XE weight, firm rayon cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-35475-7	60	1"x1"x¼"	10	WH
00-051144-35476-4	80	1"x1"x¼"	10	WH
00-051144-14623-9	60	2"x1"x¼"	10	WH
00-051144-14624-6	80	2"x1"x¼"	10	WH
00-051144-14625-3	120	2"x1"x¼"	10	WH
00-051144-14655-0	60	3"x1"x¼"	10	WH
00-051144-14656-7	80	3"x1"x¼"	10	WH

Wheels, Flap Wheels, cont'd

3M™ Cloth Flap Wheel Type 83 747D

A Cubitron™ abrasive grain Flap Wheel Type 83 constructed on a X weight, durable cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-80762-8	60	1½"x1"x¼"	10	WH
00-051144-80759-8	80	2"x1"x¼"	10	WH
00-051144-80650-8	60	3"x1"x¼"	10	WH

3M™ Cloth Flap Wheel Type 84 20T 244E

An aluminum oxide Flap Wheel Type 84 20T constructed on a XE weight, firm rayon cloth backing. Resin bonded for heat resistance.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-14592-8	80	2½"x1"x¼"	10	WH

3M™ Cloth Flap Wheel Type 84 20T 747D

A Cubitron™ abrasive grain Flap Wheel Type 84 20T constructed on a X weight, durable cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding.



UPC Number	Grade	Size	Case Qty	UOM
00-051144-83272-9	60	2"x½"x¼"	10	WH

Wheels, Grinding Wheels

3M™ Green Corps™ Reinforced Weld Grinding Wheel 01991

Read all warnings supplied with wheels. Do not use on tools without guards.



UPC Number	Size	Case Qty	UOM
00-051131-01991-1	3"x3/16"x3/8"	10	PH

Scotch-Brite™ Clean and Strip Unitized Wheel

Aggressive, open web wheel for cleaning welds, removing rust and paint. A layered, durable unitized wheel construction. Hard 7 density with low conformability.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-01012-0	CS-UW	7SXCS	3"x1"x¼"	Black	MOS: 14,100 RPM	10	WH
00-048011-01021-2	CS-UW	7SXCS	4"x1"x¼"	Black	MOS: 10,000 RPM	5	WH



Scotch-Brite™ Cut and Polish Unitized Wheel

Long lasting, aggressive wheel for tough blending and finishing applications. A layered, durable unitized wheel construction.

UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-03701-1	CP-UW	7ACRS	1"x1"x3/16"	Tan/Blue	MOS: 35,100 RPM	50	WH
00-048011-08939-3	CP-UW	7AMED	2"x1/8"x1/8"	Tan/Blue	MOS: 22,100 RPM	60	WH
00-048011-03714-1	CP-UW	7AMED	2"x1/8"x¼"	Tan/Blue	MOS: 22,100 RPM	60	WH
00-048011-03716-5	CP-UW	7ACRS	2"x¼"x¼"	Tan/Blue	MOS: 22,100 RPM	60	WH
00-048011-03715-8	CP-UW	7AMED	2"x¼"x¼"	Tan/Blue	MOS: 22,100 RPM	60	WH
00-048011-03718-9	CP-UW	7AMED	2"x½"x¼"	Tan/Blue	MOS: 22,100 RPM	30	WH
00-048011-03727-1	CP-UW	7AMED	3"x1/8"x¼"	Tan/Blue	MOS: 18,100 RPM	40	WH
00-048011-03729-5	CP-UW	7ACRS	3"x¼"x¼"	Tan/Blue	MOS: 18,100 RPM	40	WH
00-048011-01565-1	CP-UW	SAFIN	3"x½" x¼"	Tan/Red	MOS: 15,100 RPM	20	WH
00-048011-08878-5	CP-UW	SAFIN	3"x½"x3/8"	Tan/Red	MOS: 15,100 RPM	20	WH
00-048011-03732-5	CP-UW	7AMED	3"x½"x3/8"	Tan/Blue	MOS: 15,100 RPM	20	WH
00-048011-03738-7	CP-UW	7AMED	3"x¾"x3/8"	Tan/Blue	MOS: 15,100 RPM	10	WH
00-048011-01578-1	CP-UW	SAFIN	4"x¼"x¼"	Tan/Red	MOS: 12,100 RPM	20	WH
00-048011-01581-1	CP-UW	SAFIN	6"x¼"x½"	Tan/Red	MOS: 7,500 RPM	8	WH



Scotch-Brite™ EXL Unitized Wheel

High performance and durability for deburring and finishing applications. A layered, durable unitized wheel construction.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-15516-6	XL-UW	8ACRS	1"x1/8"x1/8"	Tan/Orange	MOS: 35,100 RPM	100	WH
00-048011-13734-6	XL-UW	2SFIN	1"x1/4"x1/8"	Gray/Purple	MOS: 30,100 RPM	100	WH
00-048011-15527-2	XL-UW	2AMED	1"x1"x3/16"	Gray/Black	MOS: 25,100 RPM	50	WH
00-048011-13713-1	XL-UW	2SFIN	1"x1"x3/16"	Gray/Purple	MOS: 30,100 RPM	50	WH
00-048011-14063-6	XL-UW	6AMED	1"x1"x3/16"	Tan/Red	MOS: 35,100 RPM	50	WH
00-048011-13753-7	XL-UW	8AMED	1"x1"x3/16"	Tan/Orange	MOS: 35,100 RPM	50	WH
00-048011-13714-8	XL-UW	2SFIN	1 1/2"x1/4"x1/8"	Gray/Purple	MOS: 20,100 RPM	80	WH
00-048011-14746-8	XL-UW	2SFIN	1 1/2"x1/4"x3/16"	Gray/Purple	MOS: 20,100 RPM	80	WH
00-048011-15513-5	XL-UW	2SFIN	2"x1/4"x3/16"	Gray/Purple	MOS: 16,100 RPM	60	WH
00-048011-13932-6	XL-UW	2SFIN	2"x1/4"x1/4"	Gray/Purple	MOS: 16,100 RPM	60	WH
00-048011-13715-5	XL-UW	2SFIN	2"x1/2"x1/4"	Gray/Purple	MOS: 16,100 RPM	30	WH
00-048011-15462-6	XL-UW	8AMED	3"x1/8"x1/4"	Tan/Orange	MOS: 18,100 RPM	40	WH
00-048011-16054-2	XL-UW	2AMED	3"x1/4"x3/8"	Gray/Black	MOS: 12,100 RPM	40	WH
00-048011-15531-9	XL-UW	2AMED	3"x1/4"x1/4"	Gray/Black	MOS: 12,100 RPM	40	WH
00-048011-13716-2	XL-UW	2SFIN	3"x1/4"x1/4"	Gray/Purple	MOS: 12,100 RPM	40	WH
00-048011-14067-4	XL-UW	6AMED	3"x1/4"x1/4"	Tan/Red	MOS: 18,100 RPM	40	WH
00-048011-13763-6	XL-UW	8ACRS	3"x1/4"x1/4"	Tan/Orange	MOS: 18,100 RPM	40	WH
00-048011-13764-3	XL-UW	8AMED	3"x1/4"x1/4"	Tan/Orange	MOS: 18,100 RPM	40	WH
00-048011-14750-5	XL-UW	2SFIN	3"x1/4"x3/8"	Gray/Purple	MOS: 12,100 RPM	40	WH
00-048011-15118-2	XL-UW	6AMED	3"x1/4"x3/8"	Tan/Red	MOS: 18,100 RPM	40	WH
00-048011-14753-6	XL-UW	8AMED	3"x1/4"x3/8"	Tan/Orange	MOS: 18,100 RPM	40	WH
00-048011-15532-6	XL-UW	2AMED	3"x1/2"x1/4"	Gray/Black	MOS: 10,000 RPM	20	WH
00-048011-13717-9	XL-UW	2SFIN	3"x1/2"x1/4"	Gray/Purple	MOS: 10,000 RPM	20	WH
00-048011-13718-6	XL-UW	2SFIN	3"x3/4"x1/4"	Gray/Purple	MOS: 10,000 RPM	10	WH
00-048011-13739-1	XL-UW	2SFIN	4"x1/4"x1/4"	Tan/Orange	MOS: 8,500 RPM	20	WH
00-048011-17498-3	XL-UW	2AMED	6"x1/4"x1/2"	Gray/Black	MOS: 4,500 RPM	8	WH
00-048011-13741-4	XL-UW	2SFIN	6"x1/4"x1/2"	Gray/Purple	MOS: 5,000 RPM	8	WH
00-048011-25678-8	XL-UW	2SFIN	6"x1/4"x3/4"	Gray/Purple	MOS: 5,000 RPM	8	WH
00-048011-15534-0	XL-UW	2AMED	6"x1/2"x1/2"	Gray/Black	MOS: 4,500 RPM	4	WH
00-048011-13719-3	XL-UW	2SFIN	6"x1/2"x1/2"	Gray/Purple	MOS: 5,000 RPM	4	WH
00-048011-15831-0	XL-UW	2SFIN	6"x1/2"x5/8"	Gray/Purple	MOS: 5,000 RPM	4	WH
00-048011-16545-5	XL-UW	2AMED	6"x1/2"x1"	Gray/Black	MOS: 4,500 RPM	4	WH
00-048011-14379-8	XL-UW	2SFIN	6"x1/2"x1"	Gray/Purple	MOS: 5,000 RPM	4	WH
00-048011-13742-1	XL-UW	2SFIN	6"x1"x1/2"	Gray/Purple	MOS: 5,000 RPM	2	WH
00-048011-16544-8	XL-UW	2AMED	6"x1"x1"	Gray/Black	MOS: 4,500 RPM	2	WH
00-048011-13743-8	XL-UW	2SFIN	6"x1"x1"	Gray/Purple	MOS: 5,000 RPM	2	WH

Wheels, Unitized Wheels, cont'd

Scotch-Brite™ Roloc™ TR EXL Unitized Wheel

High performance and durability for deburring and finishing applications. Threaded attachment system secures the wheel to the holder.



UPC Number	ID	Grade	Size	Color	Desc	Case Qty	UOM
00-048011-17185-2	XL-UR	2AMED	2"xNH	Gray/Black	MOS: 22,100 RPM	60	WH
00-048011-17183-8	XL-UR	2SFIN	2"xNH	Gray/Purple	MOS: 22,100 RPM	60	WH
00-048011-17190-6	XL-UR	6AMED	2"xNH	Tan/Red	MOS: 22,100 RPM	60	WH
00-048011-17194-4	XL-UR	8ACRS	2"xNH	Tan/Orange	MOS: 22,100 RPM	60	WH
00-048011-17192-0	XL-UR	8AMED	2"xNH	Tan/Orange	MOS: 22,100 RPM	60	WH
00-048011-17186-9	XL-UR	2AMED	3"xNH	Gray/Black	MOS: 15,100 RPM	40	WH
00-048011-17184-5	XL-UR	2SFIN	3"xNH	Gray/Purple	MOS: 15,100 RPM	40	WH
00-048011-17191-3	XL-UR	6AMED	3"xNH	Tan/Red	MOS: 15,100 RPM	40	WH
00-048011-17189-0	XL-UR	6SFIN	3"xNH	Gray/Green	MOS: 15,100 RPM	40	WH
00-048011-17195-1	XL-UR	8ACRS	3"xNH	Tan/Orange	MOS: 15,100 RPM	40	WH
00-048011-17193-7	XL-UR	8AMED	3"xNH	Tan/Orange	MOS: 15,100 RPM	40	WH

Wheels, Unitized Wheels, Accessories

3M™ Mandrel 990

Use with unitized wheels 2" - 3" diameter x 1/8 - 1/2" wide x 3/8" CH. Use where high speed or easy loading is required. This mandrel comes with one silver cap for 1/8" and 1/4" wide wheels and one black cap for 3/8" and 1/2" wide wheels.



UPC Number	ID	Size	Case Qty	UOM
00-048011-15012-3	MN-AC	1 3/4"x1/4"	5	EA

3M™ Roloc™+ Holder 1

Rugged, plastic holder provides support for all Roloc™ products including discs and combi wheels. Holder has deeper internal thread to accept products with Roloc™+ Buttons. Use with Roloc™+ Buttons 6 and 7, Roloc™ Unitized Wheels 2" and 3".



UPC Number	ID	Size	Case Qty	UOM
00-048011-15408-4	ZR-AC	1"x1/4"	5	EA

Acrylic Adhesives

3M™ Scotch-Weld™ Acrylic Structural Plastic Adhesive DP8005

Two-part structural acrylic-based adhesive (10:1 mix ratio by volume), that can structurally bond many grades of polyethylene, polypropylene, and thermoplastic elastomers (TPE's) without any surface preparation at room temperature.



UPC Number	Size	Color	Case Qty	UOM
00-021200-45167-6	35 mL	Black	12	EA
00-021200-41547-0	35 mL	Translucent	12	EA
00-021200-41548-7	250 mL	Translucent	12	EA

3M™ Scotch-Weld™ Acrylic Adhesive DP805

Two-part, high performance, toughened acrylic adhesive. It has a 1:1 mix ratio and exhibits exceptional overlap shear and peel strength to both metallic and plastic surfaces. It also exhibits excellent environmental resistance with a 4 minute work life.



UPC Number	Size	Color	Case Qty	UOM
00-021200-83758-6	1.6 oz	Cream	12	EA

3M™ Scotch-Weld™ Acrylic Adhesive DP820

Two-part, high performance, toughened acrylic adhesive with a 1:1 mix ratio. It exhibits exceptional overlap shear and peel strength to both metallic and plastic surfaces. It also exhibits excellent environmental resistance with a 20 minute work life.



UPC Number	Size	Color	Case Qty	UOM
00-021200-89347-6	1.6 oz	Yellow	12	EA

Acrylic Adhesives, cont'd

3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP810 Duo-Pak

Toughened structural adhesive with less odor than most acrylic adhesives. Has excellent shear and peel strength along with good impact resistance and durability. Quickly bonds most metals, ceramics, wood and most plastics.



UPC Number	Size	Color	Case Qty	UOM
00-021200-31310-3	1.7 oz	Clear	12	EA
00-021200-31311-0	200 mL	Clear	12	EA

Aerosols

3M™ Adhesive Remover Citrus Base 6040

Citrus based adhesive remover.



UPC Number	Size	Case Qty	UOM
00-021200-39296-2	6.25 oz	6	CN

3M™ Adhesive Remover Citrus Base 6041

Citrus based adhesive remover.



UPC Number	Size	Case Qty	UOM
00-021200-49048-4	24 oz	6	CN

Aerosols, cont'd

3M™ Carpet & Padding 22 Spray Adhesive

3M™ Carpet & Padding 22 Repositionable Spray Adhesive bonds high density, foam-backed carpet to most surfaces, including concrete, hardwood, plywood and particle board.



UPC Number	Size	Case Qty	UOM
00-021200-30027-1	24 oz	12	CN

3M™ Drywall Corner Bead 61 Spray Adhesive

An economical, contractor grade aerosol adhesive that quickly bonds paper and plastic corner bead to drywall. Tinted adhesive helps provide better wall coverage in hard to see areas. Quick grab corner bead can be joined without delay. Longer open time allows assembly flexibility. Coverage: Approximately 100 square feet of applied adhesive per container.



UPC Number	Size	Case Qty	UOM
00-021200-45196-6	24 oz	12	CN

3M™ FoamFast 74 Spray Adhesive

For bonding flexible urethane or latex foam together or to many other materials like wood, metal, and non-vinyl plastics.



UPC Number	Size	Color	Case Qty	UOM
00-021200-50045-9	24 oz	Clear	12	CN
00-021200-82242-1	24 oz	Orange	12	CN

Aerosols, cont'd

3M™ Hi-Strength 90 Spray Adhesive

High strength, fast contact-type adhesive. Fast contact strength buildup for many decorative laminates. Only needs 1 minute of drying time.



UPC Number	Size	Case Qty	UOM
00-021200-30023-3	24 oz	12	CN

3M™ Industrial Spray Adhesive

Economical, industrial grade, general purpose aerosol adhesive. It bonds a wide variety of light weight materials including paper, cardboard, plastic films, foam, and fiberglass insulation.



UPC Number	Size	Case Qty	UOM
00-021200-87998-2	24 oz	12	CN

3M™ Photo Mount™ Spray Adhesive

Spray adhesive for mounting photos. Positions and repositions prints. Non-staining, resists heat and moisture. This product was developed especially for mounting black-and-white and color photos quickly, easily and permanently. It is also excellent for mounting art prints, maps, illustrations, etc.



UPC Number	ID	Size	Case Qty	UOM
00-021200-30070-7	6094	16 oz	12	CN

Aerosols, cont'd

3M™ Polystyrene Foam Insulation 78 Spray Adhesive

3M™ Polystyrene Foam Insulation 78 Spray Adhesive is a high solids aerosol. Adjustable lance spray minimizes overspray and cleanup. Ideal for attaching fiberglass, expanded polystyrene foam and extruded polystyrene foam insulation. Effective up to 140°F.



UPC Number	Size	Case Qty	UOM
00-021200-41593-7	24 oz	12	CN

3M™ Pressure Sensitive Spray Adhesive 72 Blue

It permits wide-area bonds to be made hours after spraying and easy repositioning of bonds. Provides strong bonds for adhering plastic, foam padding, carpet backing, polyethylene, polypropylene and many other materials to fiberglass, plastics, and particle board.



UPC Number	Size	Case Qty	UOM
00-021200-30025-7	24 oz	12	CN

3M™ ReMount™ Repositionable Adhesive

Used for temporary bonding of a variety of materials. The adhesive holds firmly yet allows for removal or repositioning of the materials bonded. Contains no methylene chloride, 1,1,1-trichloroethane or chlorofluorocarbons.



UPC Number	ID	Size	Case Qty	UOM
00-021200-83653-4	6091	16 oz	12	CN

Aerosols, cont'd

3M™ Repositionable 75 Spray Adhesive

This adhesive provides tape-like bonds on many light weight materials. It adheres in seconds, yet has an extra-long tack range that allows you to lift and reposition materials.



UPC Number	Size	Case Qty	UOM
00-021200-30067-7	16 oz	12	CN

3M™ Rubber & Vinyl 80 Spray Adhesive

First true contact adhesive in aerosol form. It has exceptional resistance to plasticizing oils. Bonds rubber and supported vinyls better than many typical bulk neoprene contact adhesives.



UPC Number	Size	Case Qty	UOM
00-021200-82618-4	24 oz	6	CN

3M™ Shipping-Mate™ Case Sealing Adhesive

3M™ Case Sealing Adhesive features a different spray concept which allows close control of the spray pattern, minimizes "soak-in" and provides good coverage. Resists heat and moisture.



UPC Number	Size	Case Qty	UOM
00-021200-30024-0	24 oz	12	CN

3M™ Shipping-Mate™ Labeling Adhesive

Nearly immediate tack that permits bags to be stacked on pallets without slipping. Easy separation after shipment. This product holds bags securely in place during storage and shipment.



UPC Number	Size	Case Qty	UOM
00-021200-76167-6	24 oz	12	CN

Aerosols, cont'd

3M™ Shipping-Mate™ Palletizing Adhesive

Great for palletizing plastic shipping bags. Holds bags securely in place on pallets during storage and shipment. When unstacking, bags separate easily with no bag tearing.



UPC Number	Size	Color	Case Qty	UOM
00-021200-85844-4	24 oz	Clear	12	CN

Aerosols, cont'd

3M™ Super 77 Multipurpose Adhesive

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood and hardboard.



UPC Number	Size	Case Qty	UOM
00-021200-76098-3	10 oz	12	CN
00-021200-21210-9	24 oz	6	CN

3M™ Spray-Mount™ Artist's Adhesive 6065

3M™ Spray Mount™ Artist's Adhesive is a one-surface, clear, long aging, quick tack, low soak-in, non-staining, non-wrinkling adhesive.



UPC Number	Size	Case Qty	UOM
00-021200-30060-8	16 oz	12	CN

Concrete Repair Products

3M™ Concrete Repair DP600 Gray, Non-Sag

Rapid setting two-component polyurethane.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-56603-5	12 oz	Gray	Cartridge	6	CQ



3M™ Concrete Repair DP600 Gray, Self-Leveling

Repair of cracks or spalls and setting anchors in floor or horizontal surfaces.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-56599-1	12 oz	Gray	Cartridge	6	CQ

**3M™ Scotch-Weld™ Urethane Adhesive DP601**

3M™ Scotch-Weld™ DP-601 is a self-leveling, gray, rapid setting, two-component polyurethane adhesive. It is packaged as 1:1 ratio liquids in duo-pak cartridges. With the squeeze of the trigger, the components are automatically mixed and easily dispensed as a bubble-free liquid.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-96411-4	12 oz	Gray	Cartridge	6	CQ
00-021200-96410-7	50 ml	Gray	Duo-Pak	12	EA

**3M™ Scotch-Weld™ Urethane Adhesive DP601NS**

3M™ Scotch-Weld™ DP-601NS is a non-sag, gray, rapid setting, two-component polyurethane adhesive. It is packaged as 1:1 ratio liquids in duo-pak cartridges. With the squeeze of the trigger, the components are automatically mixed and easily dispensed as a bubble-free liquid.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-96407-7	50 ml	Gray	Duo-Pak	12	EA

**3M™ Scotch-Weld™ Urethane Adhesive DP604NS**

Patented rapid setting two-component polyurethane. It is packaged as 1:1 ratio liquids in a dual cartridge. With the squeeze of the trigger, the components are automatically mixed and easily dispensed as a bubble-free non-sag paste.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-96412-1	50 ml	Black	Duo-Pak	12	EA



Concrete Repair Products, Concrete Repair Accessories

3M™ Blunt End Mix Tip for 12 oz Cartridge (356cc)

Produces heavy bead used for most repair and bonding situations. 12 tips/bag.



UPC Number	Size	Case Qty	UOM
00-051131-04901-7	12 oz	3	BG

3M™ Fast-Set Repair Kit, Self-Leveling 6702-1

3M™ Fast-Set Repair Kit, Self-Leveling

UPC Number	Case Qty	UOM
00-021200-96327-8	1	KT



3M™ Manual Dispenser

Manual dispenser for concrete repair and urethane products.



UPC Number	ID	Size	Case Qty	UOM
00-021200-96200-4	4943	12 oz	1	EA

Concrete Repair Products, Concrete Repair Accessories, cont'd

3M™ Scotch-Weld™ EPX™ Plus II Applicator W 2:1 and 1:1 Plunger

This Plunger is for the EPX Plus II Applicator. The EPX Plus II Applicator is used to Dispense 3M™ Scotch-Weld™ Adhesives in Duo-Pak Cartridges. The applicator is a low-cost portable, self contained metering, mixing and dispensing machine that simultaneously meters and mixes two-part adhesives as the material is applied.



UPC Number	Size	Case Qty	UOM
00-021200-50004-6	50 mL	10	EA

3M™ Scotch-Weld™ EPX™ Plus II Mixing Square Nozzle Gold

3M™ Scotch-Weld™ EPX™ Plus II Mixing Square Nozzle Gold, 5.3 mm, 12 per bag.

UPC Number	Size	Case Qty	UOM
00-021200-50008-4	50 mL	6	EA

3M™ Tapered Mixer Tip 04902

Applies a fine bead for use in bonding impact strips and sealing small seams as well as many other applications where a fine bead is required. Tip can be cut for desired bead thickness. 12 tips per bag.



UPC Number	Size	Case Qty	UOM
00-051131-04902-4	12 oz	72	BG

Contact Adhesive Products, Fastbond™

3M™ Fastbond™ Contact Adhesive 30NF

Water-dispersed, high strength contact adhesive. Has high coverage, a long bonding range, and good heat resistance.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-21185-0	1 qt	Green	Bulk	12	QT
00-021200-21186-7	1 gal	Green	Bulk	4	GA
00-021200-21181-2	1 gal	Neutral	Bulk	4	GA



Contact Adhesive Products, Fastbond™, cont'd

3M™ Fastbond™ Insulation Adhesive 49

3M™ Fastbond™ Insulation Adhesive 49 is a water-based, high solids, fast tacking, pressure sensitive adhesive.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-45163-8	5 gal	Pail	1	GA
00-021200-45164-5	55 gal	Drum	1	GA

Contact Adhesive Products, Scotch-Grip™

3M™ Scotch-Grip™ Contact Adhesive 10

A brushable, neutral-colored contact adhesive for bonding many decorative laminates, aluminum, steel, plywood, panels, wood and wood veneer, masonry, rubber, canvas and other porous and non-porous materials to each other or to themselves.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-20272-8	1 qt	Neutral	Bulk	12	QT
00-021200-20274-2	1 gal	Neutral	Bulk	4	GA



3M™ Scotch-Grip™ High Performance Contact Adhesive 1357 Neutral

A neutral colored, high performance contact adhesive that provides a long bonding range and excellent initial strength.



UPC Number	Size	Case Qty	UOM
00-021200-22586-4	1 gal	4	GA
00-021200-64963-9	5 gal	1	GA

3M™ Scotch-Grip™ High Performance Contact Adhesive 1357

A gray-olive colored, high performance contact adhesive that provides a long bonding range and excellent initial strength.



UPC Number	Size	Case Qty	UOM
00-021200-19887-8	5 oz	36	TB
00-021200-19890-8	1 pt	12	PT
00-021200-19892-2	1 qt	12	QT
00-021200-19894-6	1 gal	4	GA
00-021200-19897-7	5 gal	1	GA

Contact Adhesive Products, Scotch-Grip™, cont'd

3M™ Scotch-Grip™ High Performance Contact Adhesive 1357L

A lower viscosity adhesive for automatic spray applications that provides a long bonding range and excellent initial strength. Adheres exceptionally well to many decorative plastic laminates, paper honeycomb, rubber, cloth, metal, wood and foamed glass.



UPC Number	Size	Case Qty	UOM
00-021200-22590-1	5 gal	5	GA

3M™ Scotch-Grip™ Industrial Adhesive 4799

A brushable, heat resistant adhesive that develops strength rapidly and provides good creep resistance and low soak-in on porous surfaces. Bond rubber (including EPDM) and many materials such as canvas and linoleum to metal, wood and concrete.



UPC Number	Size	Color	Case Qty	UOM
00-021200-21354-0	5 oz	Black	36	TB
00-021200-21358-8	1 gal	Black	4	GA

Duct Sealers

3M™ Scotch-Seal™ Duct Sealer 900

An extremely smooth, easy handling knife or caulking grade sealant for sealing medium and high pressure heating and air conditioning ducts.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-87991-3	1/10 gal	Cartridge	12	CQ

Epoxy Adhesives

3M™ Scotch-Weld™ Epoxy Adhesive DP100

A very clear, fast setting, room temperature curing, two-part adhesive for bonding a variety of materials, such as many metals, ceramics, wood and many plastics.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87261-7	400 mL	Clear	6	EA

Epoxy Adhesives, cont'd

3M™ Scotch-Weld™ Epoxy Adhesive DP100 FR Duo-Pak

A flame retardant (self-extinguishing) off-white version of 3M™ Scotch-Weld™ DP100 Adhesive. It meets UL94VO burn test requirements, has a 1:1 mix ratio, and has a work life of 5-8 minutes. NOTE: Make-To-Order with a lead time of 30-45 days



UPC Number	Size	Color	Case Qty	UOM
00-021200-83533-9	1.7 oz	Off-White	12	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP100 NS Duo-Pak

A non-sag, translucent version of 3M™ Scotch-Weld™ DP100 Adhesive with a 1:1 mix ratio. Permits application on many vertical surfaces. NOTE: Make-To-Order with a lead time 30-45 days.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87264-8	200 mL	Translucent	12	EA
00-021200-82255-1	1.7 oz	Translucent	12	KT

3M™ Scotch-Weld™ Epoxy Adhesive DP100 Plus

Exhibits much higher shear and peel strengths compared to DP100 Adhesive. It has a 1:1 mix ratio, a 4 minute work life, and is slightly flexible when cured.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87195-5	1.7 oz	Clear	12	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP105 Duo-Pak

A water clear, fast cure, very flexible epoxy adhesive with excellent peel strength.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87270-9	200 mL	Clear	12	EA
00-021200-87203-7	1.7 oz	Clear	12	EA

Epoxy Adhesives, cont'd

3M™ Scotch-Weld™ Epoxy Adhesive DP110 Duo-Pak

Gray, fast setting, flexible, two-part adhesive with a 1:1 mix ratio for bonding many materials, such as metals, ceramics and many plastics. 9 minute work life with handling strength in 20 minutes.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87846-6	200 mL	Translucent	12	EA
00-021200-87847-3	400 mL	Translucent	6	EA
00-021200-82470-8	1.7 oz	Gray	12	EA
00-021200-82465-4	1.7 oz	Translucent	12	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP125 Duo-Pak

Two-part epoxy adhesive with a 1:1 mix ratio, 25 minute work life and exhibits very high peel strength. Moderately flexible and the gray version has exceptional shear adhesion. Use to bond rubber, metal, wood, plastics, and masonry products.



UPC Number	Size	Color	Case Qty	UOM
00-021200-87215-0	1.7 oz	Gray	12	EA
00-021200-87211-2	1.7 oz	Translucent	12	EA

3M™ Scotch-Weld™ Epoxy Adhesive DP190 Duo-Pak

A gray flexible, two-part adhesive that cures at room temperature and provides high strength bonds with good performance in shear and peel. Can be used to bond rubber, metal, wood, most plastics, and masonry products.



UPC Number	Size	Color	Case Qty	UOM
00-021200-22647-2	1.7 oz	Gray	12	EA
00-021200-87219-8	1.7 oz	Translucent	12	EA
00-021200-87840-4	200 mL	Gray	12	EA
00-021200-87841-1	400 mL	Gray	6	EA

Epoxy Adhesives, cont'd

3M™ Scotch-Weld™ Epoxy Potting Compound DP270

An electrical grade two-part epoxy for potting and bonding electronic components, and is electrolytically non-corrosive to copper. It has a 1:1 mix ratio and is a non-exotherming, high flow, opaque black product with a 70 minute work life.

UPC Number	Size	Color	Case Qty	UOM
00-021200-87836-7	200 mL	Black	12	EA
00-021200-87837-4	400 mL	Black	6	EA
00-021200-82262-9	1.7 oz	Black	12	EA
00-021200-82248-3	1.7 oz	Clear	12	EA

Epoxy Adhesives, EPX™ Applicators and Accessories

3M™ EPX™ 10:1 Mixing Nozzle

10:1 mixing ratio. Designed for the 3M™ Scotch-Weld™ EPX™ Plus Applicator.



UPC Number	Case Qty	UOM
00-021200-31381-3	72	EA

3M™ EPX™ Applicator Nozzle

Applicator nozzle designed for both the 200 mL and 400 mL applicators.



UPC Number	Size	Case Qty	UOM
00-021200-87982-1	6 mm	36	EA

Epoxy Adhesives, EPX™ Applicators and Accessories, cont'd

3M™ EPX™ Applicators and Accessories

Mixing nozzle will perform to your requirements. With consistent air pressure for easy uniform application, the Duo-Pak cartridge will give you the flow rate needed. Fast, convenient way to simultaneously meter, mix and apply two-part adhesives and potting compounds. System features handy 3M™ EPX™ Cartridges that snap quickly into the durable, lightweight EPX applicator. A slight squeeze on the trigger advances the plunger into the cartridge. Accurate measurement and the mixing nozzle provides thorough mixing and precise placement of material. Ideal system for assembly, maintenance and in-field service.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-21789-0	50 mL	EPX Metal Applicator w/Plunger	10	EA
00-021200-83528-5	50 mL	EPX Pneumatic Applicator	1	EA
00-021200-85801-7	50 mL	EPX Nozzle 9742 Bulk	1,200	EA
00-021200-21791-3	50 mL	EPX Mixing Nozzle 9742	72	EA

Instant Adhesives

3M™ Scotch-Weld™ Instant Adhesive CA100

One-part, high strength cyanoacrylate adhesive. High viscosity, gap-filling capability up to .020". High T-Peel strength, thermal shock and impact resistance.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-82334-3	1 oz	Bottle	12	BO
00-021200-82335-0	1 lb	Bottle	1	BO

Instant Adhesives, cont'd

3M™ Scotch-Weld™ Instant Adhesive CA40H

One-part, high strength, very fast setting adhesive cures at room temperature. Adheres to difficult to bond substrates such as EPDM rubber, aluminum, and flexible vinyl.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-21073-0	1 oz	Bottle	12	BO
00-021200-21074-7	1 lb	Bottle	1	BO

3M™ Scotch-Weld™ Instant Adhesive CA50 Gel

Non-sag gel consistency makes this instant adhesive ideal for vertical applications. Very slow setting time of 1 to 2 minutes allows time to reposition parts. Less sensitive to acid surfaces. A cyanoacrylate instant adhesive.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-82332-9	20 g	Tube	12	TB
00-021200-83737-1	200 g	Cartridge	12	CQ

3M™ Scotch-Weld™ Instant Adhesive CA7

This instant adhesive has an extremely fast set time of 1 to 30 seconds. Flows into close fitting pre-assembled parts using a wicking action. It is super strong with a shear strength of over a ton. Great for metal, plastic and rubber. Bonds resist shock and impacts. A cyanoacrylate adhesive.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-21061-7	1 oz	Bottle	12	BO

Instant Adhesives, cont'd

3M™ Scotch-Weld™ Instant Adhesive CA8

This instant adhesive has a fast set time of 5 to 40 seconds. Excellent adhesion on metal, plastic and rubber. Bonds resist shock and impacts. A cyanoacrylate adhesive.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-21066-2	1 oz	Bottle	12	BO
00-021200-21067-9	1 lb	Bottle	1	BO

3M™ Scotch-Weld™ Instant Adhesive CA9

One-part, high strength, rapid setting cyanoacrylate adhesive cures at room temperature. Adheres to many metals, plastics, and rubber.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-21068-6	1 oz	Bottle	12	BO

3M™ Scotch-Weld™ Instant Adhesive Surface Activator

Surface activator for 3M™ Cyanoacrylate Adhesives primes and accelerates cure on surfaces which cyanoacrylate adhesives are unable to cure or cure too slowly. Two ounce bottle with brush applicator and pump spray.



UPC Number	Size	Case Qty	UOM
00-021200-87937-1	2 oz	6	BO

Plastic Adhesives

3M™ Scotch-Grip™ Plastic Adhesive 1099

It is a light tan, fast drying adhesive with good resistance to plasticizer migration. Air dried bonds have high strength; resist weathering, water, oil and fuel. It is excellent for bonding most vinyl extrusions and sheeting.



UPC Number	Size	Color	Case Qty	UOM
00-021200-19808-3	5 oz	Tan	36	TB
00-021200-19811-3	1 qt	Tan	12	QT
00-021200-19813-7	1 gal	Tan	4	GA

3M™ Scotch-Grip™ Plastic Adhesive 2262

A clear, non-staining high strength adhesive with exceptional resistance to plasticizer migration. Develops tack very rapidly. Can be used to bond many flexible, rigid and extruded vinyls to metal and many other surfaces.



UPC Number	Size	Color	Case Qty	UOM
00-021200-20392-3	1 qt	Clear	12	QT

3M™ Scotch-Grip™ Plastic Adhesive 4475

A clear, general purpose adhesive that dries rapidly. Has excellent resistance to plasticizers, water, detergent, and soap solutions. Can be used to bond many ceramics, glass, leather, cloth and vinyls to themselves and a wide variety of substrates.



UPC Number	Size	Color	Case Qty	UOM
00-021200-21220-8	5 oz	Clear	36	TB
00-021200-21221-5	1 qt	Clear	12	QT

3M™ Scotch-Grip™ Plastic Adhesive 4693

A solvent-based, synthetic rubber adhesive, adheres to metal and plastics including polypropylene and linear polyethylene.



UPC Number	Size	Color	Case Qty	UOM
00-021200-83759-3	1 qt	Light Amber	12	QT
00-021200-83760-9	1 gal	Light Amber	4	GA

Plastic Adhesives, cont'd

3M™ Scotch-Grip™ Plastic Adhesive 4693H Clear

A clear, elastomeric adhesive with exceptional adhesion to metal and plastic. This adhesive is unique in its ability to bond hard-to-hold materials like polypropylene, polyethylene, and high-impact polystyrene.



UPC Number	Size	Color	Case Qty	UOM
00-021200-30088-2	5 oz	Clear	36	TB

Rubber & Gasket Adhesives

3M™ Scotch-Grip™ Rubber And Gasket Adhesive 1300

A premium quality, versatile, brushable, heat resistant adhesive that develops strength rapidly. Has excellent adhesion to metal, baked enamel, wood, most plastics, neoprene, reclaim, SBR, and butyl rubber. Not for EPDM rubber.



UPC Number	Size	Color	Case Qty	UOM
00-021200-85813-0	5 oz	Yellow	12	TB
00-021200-19868-7	5 oz	Yellow	36	TB
00-021200-19869-4	1 pt	Yellow	12	PT
00-021200-19871-7	1 qt	Yellow	12	QT
00-021200-19873-1	1 gal	Yellow	4	GA

3M™ Scotch-Grip™ Rubber And Gasket Adhesive 1300L

Lower viscosity, sprayable version of Scotch-Grip™ Rubber and Gasket Adhesive 1300. Has excellent adhesion to metal, baked enamel, wood, most plastics, and neoprene, reclaim, SBR, and butyl rubber. Not for EPDM rubber.



UPC Number	Size	Color	Case Qty	UOM
00-021200-19927-1	1 qt	Yellow	12	QT
00-021200-19931-8	1 gal	Yellow	4	GA

Rubber & Gasket Adhesives, cont'd

3M™ Scotch-Grip™ Rubber And Gasket Adhesive 2141

A light colored brushable adhesive with a medium bonding range and excellent water resistance. Can bond neoprene, nitrile and SBR rubber to themselves, metals and many other substrates.



UPC Number	Size	Color	Case Qty	UOM
00-021200-20242-1	1 qt	Light Yellow	12	QT
00-021200-20244-5	1 gal	Light Yellow	4	GA

3M™ Scotch-Grip™ Rubber And Gasket Adhesive 847

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil.



UPC Number	Size	Color	Case Qty	UOM
00-021200-19718-5	5 oz	Reddish-Brown	36	TB
00-021200-19721-5	1 qt	Reddish-Brown	12	QT
00-021200-19723-9	1 gal	Reddish-Brown	4	GA

Sealants

3M™ Scotch-Seal™ Industrial Sealant 800

This is a brushable sealant that air dries to a flexible, rubbery seal for aluminum, cold rolled steel, galvanized steel, glass, many plastics and other surfaces. Resists weather, water, oils, and fuel, detergent and soap solutions.



UPC Number	Size	Color	Case Qty	UOM
00-021200-19674-4	5 oz	Reddish-Brown	36	TB
00-021200-19677-5	1 gal	Reddish-Brown	4	GA

Sealants, cont'd

3M™ Scotch-Seal™ Metal Sealer 2084 Aluminum

This metal sealant bonds and seals aluminum to glass, other metals and wood. Excellent resistance to water, oils and fuel. Ideal for bedding glass in aluminum window channels. Aluminum color. Seals after extended aging and meets requirements of AAMA Specification 801.1.



UPC Number	Size	Case Qty	UOM
00-021200-20227-8	5 oz	36	TB

Sealants, cont'd

3M™ Scotch-Seal™ Tamper Proof Sealant 1252 White

A fast drying and fire retardant tamper-proof sealant. When applied over a movable part, tampering with the part can be detected by a break in the sealant.



UPC Number	Size	Color	Case Qty	UOM
00-021200-20193-6	5 oz	White	36	TB

3M™ Scotch-Weld™ Metal Primer 3901

A sprayable/brushable primer for metal surfaces which offers improved adhesion and resistance to environmental exposure.

UPC Number	Size	Color	Case Qty	UOM
00-021200-21087-7	½ pt	Red	12	CH

3M™ Weatherban™ Acrylic Sealant 606NF

A brilliant white, premium quality, water-based paintable sealant. Dries to provide a flexible, rubber-like, weather resistant seal.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-21537-7	1/10 gal	Brilliant White	Cartridge	12	CQ



Urethane Adhesives

3M™ Scotch-Weld™ Urethane Adhesive 3532 B/A

Two-part urethane adhesive kit (one full container base, one full container accelerator) cures at room temperature or with heat to produce impact-resistant, high peel strength bonds on primed or painted metal and plastics.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-20878-2	2 oz	Brown	Part B/A	6	KT
00-021200-20879-9	1 qt	Brown	Part B/A	6	KT

3M™ Scotch-Weld™ Urethane Adhesive 3549

Long work life, two-part urethane adhesive kit (one full container base, one full container accelerator) cures at room temperature or with heat to produce impact-resistant, high peel strength bonds on primed or painted metal and plastics.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-20901-7	2 oz	Brown	Part B/A	6	KT
00-021200-20902-4	1 qt	Brown	Part B/A	6	KT

Urethane Adhesives, cont'd

3M™ Scotch-Weld™ Urethane Adhesive DP605NS

A fast setting, urethane adhesive. Its non-sag properties make application on many vertical surfaces easy. Has a 5 minute work life and is excellent for filling gaps. Adheres to wood, plastic and primed metal. Reaches handling strength in 15 to 20 minutes.



UPC Number	Size	Color	Case Qty	UOM
00-021200-82252-0	1.7 oz	Off-White	12	EA
00-021200-87854-1	400 mL	Off-White	6	EA

Urethane Adhesives, cont'd

3M™ Scotch-Weld™ Urethane Adhesive DP640

This two-part, urethane adhesive cures at room temperature or with heat. Its non-sag feature makes it ideal for vertical applications and dries to a tough, impact-resistant bond. It has high peel strength with good adhesion to wood, plastic and primed or painted metal. 40 minute work life.



UPC Number	Size	Color	Case Qty	UOM
00-021200-89543-2	1.7 oz	12	Brown	EA

Car Care Products, Abrasives

3M™ Feathering Disc Adhesive Type 2

Especially formulated to allow multiple disc applications without adhesive buildup or paper delamination. Discs remove easily and cleanly.



UPC Number	Size	Case Qty	UOM
00-051135-08051-1	5 oz	6	TB

3M™ Spray Disc Adhesive 8054

A transparent, instant tack adhesive for bonding automotive feathering discs. Fan spray control. Instant tack. Many discs per adhesive application. Little pad buildup.



UPC Number	Size	Case Qty	UOM
00-051135-08054-2	8 oz	6	CN

3M™ Stripe Off Wheel

Solid wheel designed for removal of vinyl striping tapes, decals, graphics and double sided molding tapes. Use on tools with 4,000 RPM. M.O.S. - optimum speed is 2,000 RPM +/- 200. Includes 3/8" mandrel.



UPC Number	Size	Case Qty	UOM
00-051131-07498-9	4" x 5/8"	5	EA

Car Care Products, Automotive Adhesives

3M™ General Trim Adhesive 8088 — Clear

A high strength adhesive for bonding automotive materials (carpeting, jute pads, fabrics, plastics) to metal and other surfaces. Good heat and water resistance. Not recommended for bonding polystyrene foam. (For bonding polystyrene foam, use 3M™ Spray Trim Adhesive PN08074).



UPC Number	Size	Case Qty	UOM
00-051135-08088-7	18.1 oz	4	EA

Car Care Products, Cleaners, Lubricants, & Degreasers

3M™ Brake Lube/Anti-Seize 8945

Lubrication and corrosion protection of tight fitting or dissimilar metal parts to help prevent seizure. Withstands temperatures up to -1800°F range. Easy, controlled application. Convenient, cost-effective can size.



UPC Number	Size	Color	Case Qty	UOM
00-051135-08945-3	9 oz	6	Copper	CN

3M™ Choke and Carb Cleaner 75

New formula allows product to be used on hot or cold engine. Powerful penetrating ingredients loosen gum, oil and varnish. High delivery rate flushes away loosened deposits. Use on automatic chokes, carburetor assemblies. Oxygen sensor safe. 75% VOC formula meets consumer 75% VOC rule. Unique through-the-engine formula. Professional size. Handy snorkel tube.



UPC Number	Size	Case Qty	UOM
00-051135-08796-1	12.5 oz	12	CN

3M™ Dust Control Spray 6837

Designed to attract and trap dust and dirt found in paint booths. Creates a film which helps produce cleaner paint jobs. It is reapplied after every other car.



UPC Number	Size	Case Qty	UOM
00-051131-06837-7	1 gal	4	GA

Car Care Products, Cleaners, Lubricants, & Degreasers, cont'd

3M™ Foaming Engine Degreaser 8899

General purpose engine degreaser. For removal of grease, grime and dirt. Safe for rubber and plastic parts.



UPC Number	Size	Case Qty	UOM
00-051135-08899-9	16.5 oz	12	CN

3M™ High Power Brake Cleaner 8880

A non-chlorinated, General purpose degreaser. Designed to remove oil, grease, brake fluid and other contaminants from all types of brake assemblies and parts without disassembling the unit. Contains no ozone depleting ingredients.



UPC Number	Size	Case Qty	UOM
00-051135-08880-7	14 oz	12	CN

3M™ Rust Fighter-I 8892 (Internal Coating Compound)

Non-hardening compound. Designed to coat panels and other metal parts. Replaces protection which is applied at factory and destroyed in repair procedures. Low odor level permits use indoors. Rust inhibitors.



UPC Number	Size	Color	Case Qty	UOM
00-051135-08892-0	18.75 oz	Amber	6	CN

Car Care Products, Glazes & Waxes

3M™ Imperial™ Hand Glaze

Non-silicone, non-wax hand glaze. Excellent depth of shine. Excellent luster. Use by hand to refine and fill swirls after machine glazing refinish or factory applied paints. Specially formulated to work on all colors and can be painted over.



UPC Number	Size	Case Qty	UOM
00-051131-05990-0	32 oz	12	QT
00-051131-06000-5	1 gal	4	GA

3M™ Imperial™ Machine Glaze

Non-silicone, non-wax machine glaze. Possesses excellent scratch removal characteristics. Excellent depth of shine and luster. Use by machine to remove swirl marks after compounding acrylic lacquer. Formulated to work on all vehicle colors.



UPC Number	Size	Case Qty	UOM
00-051131-05991-7	32 oz	12	QT
00-051131-06001-2	1 gal	4	GA

3M™ Imperial™ Microfinishing Glaze 5992

Machine applied glaze. For use on automotive refinish acrylic enamel and urethane paints, air dried from 24 to 48 hours. Removes swirl marks left from compounding with microfinishing compounds. Use on base coat/clear coat paint systems.



UPC Number	Size	Case Qty	UOM
00-051131-05992-4	32 oz	12	QT

Car Care Products, Glazes & Waxes, cont'd

3M™ Perfect-It™ Foam Polishing Pad Glaze

Uniquely formulated to remove compound swirl marks. Leaves a mark free finish when applied with the 3M™ Perfect-It™ Foam Polishing Pad. Compatible with all types of paint; glazes contain no wax or silicones. Both glazes are clear coat safe. Identical performance characteristics. Provides easier detailing and clean up on dark colored paints.



UPC Number	Size	Color	Case Qty	UOM
00-051131-05995-5	32 oz	12	Light	QT
00-051131-05996-2	32 oz	12	Dark	QT

3M™ Perfect-It™ Show Car Paste Wax

Shines and protects new and like new paint finishes, producing a deep, rich, high-gloss, lustrous, durable, "wet-look" finish. Contains 3M™ A.S.F. (Acrylic Silicone Fluoropolymer) formulation. Provides exceptionally durable, ultra high-gloss finish. Excellent for hand or machine use. Retards UV light damage. Clear coat safe.



UPC Number	Size	Case Qty	UOM
00-051131-39526-8	10.5 oz	6	CN

3M™ Premium Liquid Wax

Clear coat safe wax. Use on all cured paint finishes. For use by hand or with an orbital polisher. Produces a high-gloss, deep-luster, durable finish on both new and used car paints. Special formulation is capable of removing road film or light oxidation from car finishes. Heavily oxidized finishes may require compounding with 3M™ Super Duty Rubbing Compound (PN39004) prior to applying wax.



UPC Number	Size	Case Qty	UOM
00-051131-06005-0	1 qt	12	QT
00-051131-06006-7	1 gal	4	GA

Car Care Products, Pads

3M™ Finesse-it™ Natural Buffing Pad 81470

Made with specially selected Lamb's Wool hide. Wool is natural color and trimmed to 20 mm in length. Pad has a Hookit™ attachment system. This 3" diameter buffing pad is designed for use with Finesse-it™ compounds.



UPC Number	Size	Case Qty	UOM
00-051144-81470-1	3"	50	PD

3M™ Perfect-it™ Foam Compounding Pad

Utilizes a 3M patented convoluted foam face. When used with 3M™ Perfect-It™ II Rubbing Compound (PNs 05973 or 05974), micro fine 2000 grade scratches are effectively removed from urethane paint finish leaving an extremely fine finish. Easily attaches to 3M™ Backup Pads (PNs 05717 or 05718). Fits all standard (5/8" shaft) slow-speed polishers.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-05723-4	8"	Waffle Face	12	BG

3M™ Perfect-It™ Hookit™ Foam Polishing Pad 05725

Utilizes a 3M patented convoluted foam face. Produces a wheel mark free automotive paint surface when used in conjunction with 3M™ Perfect-It™ Foam Polishing Pad Glazes. Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718). Fits all standard (5/8" shaft) slow-speed polishers.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-05725-8	8"	Waffle Face	12	BG

Car Care Products, Pads, cont'd

3M™ Perfect-It™ Plus Foam Polishing Pad 5738

Utilizes a 3M patented convoluted foam face. New reduced diameter loop attachment backing for added edge protection. Attaches to either 3M™ Hookit™ Backup Pad (PN05717) or 3M™ Perfect-It™ Backup Pad (PN05718). Fits all standard (5/8" shaft) slow-speed polishers.



UPC Number	Size	Case Qty	UOM
00-051131-05738-8	8"	6	PD

3M™ Superbuff™ Buffing Pads

Two-sided buffing pad with the backup pad built right in. Backup pad prevents slippage, means less weight. Gives twice the polishing surface. Handy 6" diameter can be used on 1/4" or 3/8" drill.



UPC Number	Size	Case Qty	UOM
00-051144-05720-7	6"	12	EA
00-051144-05700-9	9"	24	PD

3M™ Superbuff™ Polishing Pad 5705

A double-sided, soft edge polishing pad. Specially designed for use with a polisher and glaze. Made of extremely fine fibers. Produces a high gloss on paint surfaces. Features long life, flexibility, lightweight and balance. Fits all standard (5/8" shaft) slow-speed polishers.



UPC Number	Size	Case Qty	UOM
00-051144-05705-4	9"	24	PD

Car Care Products, Pads, Accessories

3M™ Perfect-It™ Backup Pad

Specially designed backup pad for use with the 3M™ Superbuff™ Adaptor (PN05710). Enables 3M™ Superbuff™ Compound Pad users to use the 3M™ Perfect-It™ Foam Polishing Pad without having to remove the 3M™ Superbuff™ Adaptor from the shaft of the polisher.



UPC Number	Size	Case Qty	UOM
00-051131-05718-0	7" x 3/4"	1	PD

Car Care Products, Rubbing Compounds

3M™ Finesse-it™ Final Finish 82876

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-82876-0	12 oz	6	BO

3M™ Finesse-it™ Final Finish 82877

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-82877-7	1 qt	12	QT

3M™ Finesse-it™ Final Finish 82878

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-82878-4	1 gal	4	GA

3M™ Finesse-it™ Finishing Material 13084

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-13084-9	1 gal	4	GA

Car Care Products, Rubbing Compounds, cont'd

3M™ Finesse-it™ Finishing Material 76504

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-76504-1	1 gal	4	GA

3M™ Finesse-it™ Finishing Material 81235

Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.



UPC Number	Size	Case Qty	UOM
00-051144-81235-6	1 qt	12	QT

3M™ Perfect-It™ II Rubbing Compound

Specially designed medium-cutting compound for removing grade 1200, 1500 and 2000 color sanding scratches in paints including clear coats. Unique formulation. Produces minimal compound swirl marks while buffing to a high gloss. When followed by the 3M™ Perfect-It™ Foam Polishing Pad Glaze, this two-step system delivers a show car luster in record time. Use with 3M™ Perfect-It™ Foam Compounding Pad (PN05723).



UPC Number	Size	Case Qty	UOM
00-051131-05973-3	1 qt	12	QT
00-051131-05974-0	1 gal	4	GA
00-051131-05983-2	1 gal	4	GA

Car Care Products, Rubbing Compounds, cont'd

3M™ Super Duty Rubbing Compound

Aggressive compound. Remains wet on the job with little or no mess. Maintains high rate of cut with constant pressure. Buffs to high gloss with minimum of swirl marks. Can be used by hand or machine.



UPC Number	Size	Case Qty	UOM
00-051144-05955-3	1 gal	4	GA

Car Care Products, Weatherstrip Products

3M™ Super Weatherstrip Adhesive

Bonds all types of gaskets to painted or unpainted metal surfaces. Adhesive stays permanently flexible and rubbery, never dries out or becomes hard. Easy to brush and spread. Extremely fast drying. Exceptional bonding strength. Waterproof, flexible (rubbery), resists oil, grease and solvents.



UPC Number	Size	Color	Case Qty	UOM
00-051135-08002-3	2 oz	Yellow	12	TB
00-051135-08001-6	5 oz	Yellow	6	TB
00-051135-08008-5	5 oz	Black	6	TB

Lubricants

3M™ White Grease 8875 (Lithium Lube)

Long-lasting lubrication, easy spray viscosity. Won't drip or run. Resists "washing out" if exposed to road spray.



UPC Number	Size	Case Qty	UOM
00-051135-08875-3	10.5 oz	12	CN

Protective Sheeting

3M™ Overspray Protective Sheeting Masker

Portable masker designed to dispense Overspray Protective Sheeting (PN06727). Can be used horizontally, vertically or wall mounted. Spring loaded end frame designed for easy loading of Overspray Protective Sheeting. Paper is not included with masker.



UPC Number	ID	Case Qty	UOM
00-051131-06780-6	PN6780	1	EA

Supplies

3M™ Acryl Green Spot Putty

Fast-drying, easy sanding putty. Designed for spot repairs. Spreads very easily. Loads paper less and can be sanded in 10 to 15 minutes.



UPC Number	Size	Case Qty	UOM
00-051144-05960-7	21 oz	12	TB

3M™ Creme Hardener

Removes hard water scale, rust stains, soap scum and heavy soil from stainless steel surfaces, bathroom fixtures and ceramic surfaces. Extra thick formula contains very fine grade abrasive particles for extra scrubbing power.



UPC Number	Size	Case Qty	UOM
00-051131-05830-9	2.75 oz	12	TB

3M™ Dry Guide Coat Cartridge and Kit

Method of identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking. No dry time involved. Can be used in both wet or dry sanding. Contains no solvents. Kit comes with applicator pad.



UPC Number	Size	Case Qty	UOM
00-051131-05860-6	50 g	10	CQ
00-051131-05861-3	50 g	6	KT

Supplies, cont'd

3M™ E-Z Sand Rigid Parts Repair

A two-part structural adhesive and filler designed to bond and fill SMC, fiberglass reinforced plastics and other rigid plastic parts. To be used when attaching bonding strips and making cosmetic repairs.



UPC Number	Size	Case Qty	UOM
00-051131-05883-5	5 oz	6	KT

3M™ Fiberglass Resins

Designed to be used with Fiberglass Cloth (PN05838) and/or Fiberglass Mat (PN05833). Waterproof when cured. Liquid Hardener (PN0536) included. For metal and fiberglass. Thick formulation resists sags or runs.



UPC Number	Size	Case Qty	UOM
00-051131-05833-0	1 qt	12	QT
00-051131-05834-7	1 gal	4	GA

3M™ Flowable Finishing Putty

Tack-Free and Stain Resistant. Two component, self-leveling putty designed for use as a "skin" coat over plastic filler to fill pinholes, sand scratches, low areas or other imperfections. Available in quart and handy squeeze dispenser — no mess. Fills pinholes in body fillers and small imperfections in metal and fiberglass. Cures tack-free in 30 minutes. Flowable, brushable. Easiest sanding 3M™ Polyester Putty. Minimizes staining that can occur with basecoat/clearcoat systems over body filler. Vacuum processed to minimize pinholes. Excellent adhesion to galvanized, aluminum and thoroughly cured and sanded factory-applied paint surfaces.



UPC Number	Size	Case Qty	UOM
00-051131-05824-8	24 oz	6	EA

Supplies, cont'd

3M™ Lightweight Body Filler

Cures tack-free in 15-20 minutes — reduces sandpaper loading. Creamy texture. Smooth spreading. Easy smoothing. Vacuum processed to minimize pinholes.



UPC Number	Size	Case Qty	UOM
00-051131-05800-2	1 qt	6	QT
00-051131-05801-9	1 gal	4	GA
00-051131-05805-7	5 gal	1	PA

3M™ Liquid Hardener

Fast-acting liquid hardening agent designed to be used with 3M™ Sprayable Polyester Filler (PN05825 or 05856), and/or 3M™ Fiberglass Resin (PN05833 or 05834).



UPC Number	Size	Case Qty	UOM
00-051131-05836-1	22 oz	12	TB

3M™ Long Strand Fiberglass Reinforced Filler

Contains long strands of fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Waterproof. Repairs larger holes, cracks and tears than 3M™ Short Strand Fiberglass Reinforced Filler (PNs 05815-05816).



UPC Number	Size	Case Qty	UOM
00-051131-05814-9	1 gal	4	GA

3M™ Professional Caulking Gun 8993

A high-performance gun, designed for the professional. Used for dispensing 11 oz. cartridges.



UPC Number	Case Qty	UOM
00-051135-08993-4	1	EA

Supplies, cont'd

3M™ Short Strand Fiberglass Reinforced Filler

Contains chopped fiberglass. Repairs holes, cracks and tears in fiberglass. Repairs holes in metal. Smooth spreading. Waterproof. Can be used with Fiberglass Mat (PN05837) or Fiberglass Cloth (PN05838) to reinforce large repair areas.



UPC Number	Size	Case Qty	UOM
00-051131-05815-6	1 qt	6	QT
00-051131-05816-3	1 gal	4	GA

3M™ Sprayable Polyester Filler

Fills grade 36 sand scratches. May be wet or dry sanded in 45 minutes. Easily applied with primer gun. Helps eliminate staining that can occur over body filler. Non-isocyanate.



UPC Number	Size	Case Qty	UOM
00-051131-05826-2	1 gal	4	GA

3M™ Spreaders

Designed for spreading body and fiberglass fillers, finishing putties, and resins. Sharp edge. Flexible. Durable. Easy to clean. Cured fillers pops off easily. Available in 4", 5" or Assortment (1 each 4", 5" and 6")




UPC Number	Size	Case Qty	UOM
00-051131-05842-2	4"	50	EA
00-051131-05844-6	Assorted Sizes	24	PH

Protective Products

3M™ Bumpon™ Protective Product - Concave

Concave top provides good load bearing. Non-slip spacers for medical tabletops, electronic assemblies or lids. Protect delicate circuit boards from vibration and heat buildup.



UPC Number	ID	Size	Color	Case Qty	UOM
00-021200-18434-5	SJ5009	0.88"x0.4"	Black	1,000	PC
00-021200-18477-2	SJ5532	1.880"x0.660"	Black	100	PC

3M™ Bumpon™ Protective Product - Cylindrical

Rubber adhesive backed polyurethane bumper. Most versatile cylindrical product.



UPC Number	ID	Size	Color	Case Qty	UOM
00-021200-23272-5	SJ5012	1/2"x0.14"	Brown	4	CT
00-021200-23269-5	SJ5312	1/2"x0.14"	Clear	4,000	CT

3M™ Bumpon™ Protective Product - Hemispheric


Hemispheric shape great for absorbing impact. Non-slip feet or spacers useful for circuit boards, delicate electronics or equipment that might be exposed to bumps or vibration.



UPC Number	ID	Size	Color	Case Qty	UOM
00-021200-23270-1	SJ5303	0.20"x0.44"	Clear	4	CT
00-021200-18456-7	SJ5027	0.63"x0.31"	Black	1,000	PC

3M™ Bumpon™ Protective Product - Square


Strong, bumpers stop noise and vibration on all types of cabinets. Self-sticking non-slip polyurethane with long lasting adhesive.



UPC Number	ID	Size	Color	Case Qty	UOM
00-021200-67388-7	SJ5023	0.81"x0.3"	Black	1,000	PC
00-021200-67387-0	SJ5523	0.81"x0.3"	Black	1,000	PC
00-021200-67468-6	SJ5023	0.81"x0.3"	Gray	1,000	PC
00-021200-67392-4	SJ5023	0.81"x0.3"	White	1,000	PC
00-021200-18469-7	SJ5514	0.81"x0.52"	Black	1,000	PC

3M™ Bumpon™ Resilient Rollstock

Pressure sensitive acrylic adhesive backed polyurethane foam roll material. Excellent skid resistance, cushioning and abrasion resistance.



UPC Number	ID	Size	Color	Case Qty	UOM
00-021200-67555-3	SJ5808	4½" x 36yds	Black	1	RL
00-021200-67556-0	SJ5816	4½" x 36yds	Black	1	RL
00-021200-67558-4	SJ5832	4½" x 72yds	Black	1	RL

Industrial Cleaners

3M™ Adhesive Remover Citrus Base

Provides easy clean up of most types of adhesives. Quickly removes waxes, road tars, grease, oil and similar materials. Will not harm paint, vinyl or fabrics when properly used.



UPC Number	Size	Case Qty	UOM
00-021200-49142-9	1 gal	4	GA

3M™ Citrus Base Cleaner

A liquid cleaner/degreaser that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.



UPC Number	Size	Case Qty	UOM
00-021200-76394-6	24 oz	12	CN

3M™ Prep Solvent 70

A water-based solvent used to remove oil, wax, grease and silicone from surfaces prior to coating. Effectively cleans metal, primed metal and painted surfaces prior to the application of primer or paint. Rated at 70 grams per liter of volatile organic compounds (VOC). Currently meets regulations governing VOC emissions of surface preparation solvents.



UPC Number	Size	Case Qty	UOM
00-051135-08983-5	1 gal	4	GA

Scotch® Adhesive Remover Pen

A pH neutral pen that is a citrus based adhesive remover.



UPC Number	ID	Case Qty	UOM
00-021200-50021-3	6042	12	EA

Lubricants

3M™ 5-Way Penetrant

Multi-purpose product that is effective as a demisterant - displaces moisture and "dries out" electrical apparatus.



UPC Number	Size	Case Qty	UOM
00-021200-21305-2	24 oz	12	CN

3M™ Silicone Lubricant

Dries fast to eliminate squeaks, prevents sticking, seals out moisture protecting against rust and corrosion, preserves plastic, rubber and leather. It prolongs machine and cutting tool life by helping to prevent glue, wax, ink and paint buildup. Does 101 tasks. The silicone polymer is effective between -28°F and 350°F. Adheres to parts exceptionally well, reducing reapplication. Ingredients FDA listed. Comes with a handy snorkel tube for small, hard-to-reach areas.



UPC Number	Size	Case Qty	UOM
00-021200-85822-2	24 oz	12	CN

3M™ Silicone Lubricant 8897 (Dry Type)

High quality silicone lubricant. Eliminates rubber squeaks and prevents sticking. Contains no petroleum oils to stain fabrics. Will not freeze at -28°F. Will not degrade at 350°F. Seals out moisture.



UPC Number	Size	Case Qty	UOM
00-051135-08897-5	16 oz	12	CN

3M™ Silicone Paste — Clear (Dielectric Grease)

Lubricates and conditions rubber products without potentially harmful solvents. No solvents to wash off. Good control of where product is being applied resulting in less clean up. Universal application where appearance is important. Convenient, cost-effective can size.



UPC Number	Size	Case Qty	UOM
00-051135-08946-0	8 oz	6	CN

Cloth Tapes

3M™ Duct Tape 3900

Polyethylene coated cloth with rubber adhesive. Economy grade duct tape. A good choice for general maintenance, wrapping, sealing and protecting.



UPC Number	Size	Color	Case Qty	UOM
00-021200-49833-6	48mmx54.8m	Black	24	RL
00-021200-49830-5	48mmx54.8m	Red	24	RL
00-051131-06976-3	48mmx54.8m	Silver	24	RL
00-021200-49829-9	48mmx54.8m	White	24	RL
00-021200-49828-2	48mmx54.8m	Yellow	24	RL

3M™ Duct Tape 3939

Economy grade duct tape. Polyethylene coated cloth backing with rubber adhesive. High tack, conformability, strength and easy tear make 3939 ideal for many duct and moisture sealing, holding, protecting and bundling applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-85561-0	24mmx54.8m	Silver	36	RL
00-051131-06975-6	48mmx54.8m	Silver	24	RL
00-021200-85562-7	72mmx54.8m	Silver	12	RL
00-021200-85563-4	96mmx54.8m	Silver	12	RL

3M™ Duct Tape 6969

General purpose grade duct tape. Polyethylene coated cloth backing with rubber adhesive. Ideal for color coding, sealing, holding, protecting from moisture, temporary repairs and general maintenance activities.



UPC Number	Size	Color	Case Qty	UOM
00-021200-22773-8	48mmx54.8m	Black	24	RL
00-021200-22780-6	48mmx54.8m	Olive Drab	24	RL
00-051131-06969-5	48mmx54.8m	Silver	24	RL
00-021200-85635-8	72mmx54.8m	Silver	12	RL

Cloth Tapes, cont'd

Scotch® Colored Duct Tape 330

Economical 9 mil thick tape. Constructed of polyethylene film bonded to a strong polycotton blend cloth. Conformable. Provides good weather and moisture resistance.

UPC Number	Size	Color	Case Qty	UOM
00-051131-58709-0	2"x60yds	Black	8	RL
00-051131-58711-3	2"x60yds	Blue	8	RL
00-051131-58727-4	2"x60yds	Brown	8	RL
00-051131-58710-6	2"x60yds	Green	8	RL
00-051131-58728-1	2"x60yds	Red	8	RL
00-051131-58729-8	2"x60yds	White	8	RL
00-051131-58708-3	2"x60yds	Yellow	8	RL

Scotch® General Purpose Cloth Duct Tape 393

Polyethylene coated cloth with rubber adhesive. Good moisture proofing and duct sealing and general purpose applications.

UPC Number	Size	Color	Case Qty	UOM
00-021200-03027-7	48mmx54.8m	Silver	24	RL

Scotch® Polyethylene Coated Cloth Tape 390

Polyethylene coated cloth with rubber adhesive for applications requiring good strength and moisture resistance. Possible applications include sealing containers for overseas shipment, duct sealing and holding insulation materials.



UPC Number	Size	Color	Case Qty	UOM
00-021200-06968-0	1"x60yds	Olive	36	RL
00-021200-06971-0	2"x60yds	Silver	24	RL
00-021200-06970-3	48mmx54.8m	Olive	24	RL

3M™ Vinyl Duct Tape 3903

Embossed vinyl film coated with rubber adhesive designed for general sealing, color coding, masking, wrapping and bundling, protecting and other light duty applications where easy unwind, easy tear and less adhesive transfer are important.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06995-4	2"x50yds	Black	24	RL
00-051131-06978-7	2"x50yds	Blue	24	RL
00-051131-06984-8	2"x50yds	Gray	24	RL
00-051131-06986-2	2"x50yds	Green	24	RL
00-051131-06992-3	2"x50yds	Red	24	RL
00-051131-06981-7	2"x50yds	White	24	RL
00-051131-06982-4	2"x50yds	Yellow	24	RL

Cable Ties, Assortment Packs

3M™ Cable Tie Assortment Pack 06220

Secure wire bundles and harnesses components quickly, without slipping. Self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Cable tie assortment pack contains 100 of the most commonly used ties. Contains three sizes, four lengths and two colors.




UPC Number	Case Qty	UOM
00-054007-06220-2	1,000	EA

Cable Ties, Heavy Duty Ties

3M™ Cable Tie Heavy Duty

Secure wire bundles and harnesses components quickly, without slipping. The self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C).



UPC Number	ID	Size	Color	Case Qty	UOM
00-054007-06206-6	06206	0.3"x8"x0.07"	Black	500	EA
00-054007-06229-5	06229	0.3"x8"x0.07"	Natural	500	EA

Cable Ties, Miniature Ties

3M™ Miniature Cable Tie 06200

Secure wire bundles, harnesses and components quickly, without slipping. The self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C).



UPC Number	Size	Color	Case Qty	UOM
00-054007-06200-4	0.1"x4"x0.04"	Black	1,000	EA

Cable Ties, Stackers

3M™ Cable Tie Mounting Bases

Designed to be screw-mounted. Adhesive backing makes it an easy application. Nylon unless noted. Packed: 100/bag, 500/case. Ivory is made of ABS Plastic.


Product ID: Package Information
Grade: Extra Description
Size: Large Buy



UPC Number	Stub-Tab Size	00054007062981	3M™ Cable Tie Mounting Bases
00-054007-06298-1	0.6"x0.385"x0.28"	Natural	EA
00-054007-06295-0	0.75"x0.75"	Black	EA
00-054007-06294-3	0.75"x0.75"	Natural	EA
00-054007-06299-8	0.875"x0.625"x0.39"	Natural	EA
00-054007-06292-9	1"x1"x0.115"	Ivory	EA
00-054007-06297-4	1"x1"x0.215"	Black	EA
00-054007-06296-7	1"x1"x0.215"	Natural	EA
00-054007-06290-5	2"x1"x0.315"	Ivory	EA

3M™ Furring Strip Cable Stacker SIFS-1

The 3M™ Furring Strip Cable Stacker SIFS-1 is made for round or flat cable. Ease of organization and identification is provided by the SIFS-1 furring strip combined with its versatility of use-routing, fastening and supporting CATV, telephone, security and instrumentation cables.



UPC Number	Case Qty	UOM
00-054007-49918-3	1	EA

Cable Ties, Weather Resistant Ties, Heavy Duty Mounting Ties

3M™ Weather Resistant Cable Ties - Heavy Duty Mounting

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 120 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06243-1	15"	Natural	500	EA
00-054007-06267-7	15"	Natural	2,500	EA

Cable Ties, Weather Resistant Ties, Extra Heavy Duty Ties

3M™ Weather Resistant Cable Ties - Extra Heavy Duty

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 175 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06207-3	15"	Black	500	EA
00-054007-06240-0	15"	Natural	500	EA
00-051128-53228-7	24"	Black	500	EA
00-051128-53227-0	24"	Natural	500	EA
00-051128-53185-3	32"	Black	500	EA
00-051128-53184-6	32"	Natural	500	EA
00-051128-53187-7	48"	Black	500	EA
00-051128-53186-0	48"	Natural	500	EA

Cable Ties, Weather Resistant Ties, Heavy Duty Ties

3M™ Weather Resistant Cable Ties - Heavy Duty

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 120 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06277-6	0.30"x15"	Black	2,500	EA
00-054007-06264-6	0.30"x15"	Natural	2,500	EA

Cable Ties, Weather Resistant Ties, Intermediate Ties

3M™ Weather Resistant Cable Ties - Intermediate

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 40 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06201-1	0.14"x6"	Black	1,000	EA
00-054007-06225-7	0.14"x6"	Natural	1,000	EA
00-054007-06271-4	0.14"x6"	Black	10,000	EA
00-054007-06249-3	0.14"x6"	Natural	10,000	EA

Cable Ties, Weather Resistant Ties, Mini Ties

3M™ Weather Resistant Cable Ties - Mini

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 18 lb.




UPC Number	Size	Color	Case Qty	UOM
00-054007-06224-0	0.1"x0.04"	Natural	1,000	EA
00-054007-06270-7	0.1"x0.04"	Black	10,000	EA
00-054007-06248-6	0.1"x0.04"	Natural	10,000	EA
00-051128-53169-3	0.1"x6"	Black	1,000	EA
00-051128-53168-6	0.1"x6"	Natural	1,000	EA
00-051128-53173-0	0.1"x8"	Black	1,000	EA
00-051128-53172-3	0.1"x8"	Natural	1,000	EA

Cable Ties, Weather Resistant Ties, Standard Mounting Ties

3M™ Weather Resistant Cable Ties - Standard Mounting

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 50 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06274-5	0.18"x15"	Black	2,500	EA
00-054007-06252-3	0.19"x15"	Natural	2,500	EA
00-054007-06205-9	0.18"x8"	Black	1,000	EA
00-054007-06232-5	0.18"x8"	Natural	1,000	EA
00-054007-06275-2	0.18"x8"	Black	10,000	EA
00-054007-06256-1	0.18"x8"	Natural	10,000	EA
00-054007-06258-5	0.18"x15"	Black	2,500	EA
00-054007-06234-9	0.19"x15"	Natural	2,500	EA

Cable Ties, Weather Resistant Ties, Standard Ties

3M™ Weather Resistant Cable Ties - Standard

Designed to meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Molded of one-piece nylon for durability with the locking head designed with a double tooth pawl for maximum security. Accommodates bundle diameters from 1/8" to 4" and has a tensile strength of 50 lb.



UPC Number	Size	Color	Case Qty	UOM
00-054007-06202-8	0.18"x8"	Black	1,000	EA
00-054007-06226-4	0.18"x8"	Natural	1,000	EA
00-054007-06272-1	0.18"x8"	Black	10,000	EA
00-054007-06250-9	0.18"x8"	Natural	10,000	EA
00-054007-06203-5	0.18"x11"	Black	1,000	EA
00-054007-06227-1	0.18"x11"	Natural	1,000	EA
00-054007-06273-8	0.18"x11"	Black	5,000	EA
00-054007-06251-6	0.18"x11"	Natural	5,000	EA
00-054007-06204-2	0.18"x15"	Black	500	EA
00-054007-06228-8	0.19"x15"	Natural	500	EA

Cleaners

3M™ General Purpose Contact Cleaner 16-101

Clean and remove contaminants from electrical equipment with this alcohol based solvent. Sprays on and quickly dries. Non-corrosive and ideal for cleaning electrical connections and terminals such as contacts, relays, switches, instruments and sensors. This general-purpose cleaner removes light oils and other contaminants, then evaporates quickly without leaving residue. No CFC's.



UPC Number	Size	Case Qty	UOM
00-054007-42817-6	16 oz	12	EA

3M™ Quick Drying Contact Cleaner 16-102

This aerosol contact cleaner is great where a very rapidly drying solvent is needed. It is perfect for precision cleaning jobs such as sensors, relays, motor switches, generators, electromechanical assemblies and terminals. Removes soil and other contaminants, then evaporates very quickly without leaving residue. Petroleum distillate alcohol based. No CFC's.



UPC Number	Size	Case Qty	UOM
00-054007-42818-3	16 oz	12	EA

3M™ Zinc Spray 16-501

3M™ Zinc Spray 16-501 provides an effective way to inhibit rust and corrosion with 97% pure zinc.



UPC Number	Size	Case Qty	UOM
00-054007-42828-2	16 oz	12	EA

Coatings

3M™ Scotchkote™ Electrical Coating

Brush onto vinyl tape for an extra protective layer of flexible material. Fast drying sealant resists oil, moisture and corrosion. Works great on electrical applications when a little extra protection is needed.



UPC Number	Size	Case Qty	UOM
00-054007-43906-6	4 oz	10	CN
00-054007-14853-1	15 oz	10	CN

Connectors

3M™ "Performance Plus" O/B+ Wire Connector

The improved 3M O/B+ Connector will help electricians do more with less. The O/B+ connector combines a very small shell with an increased wire range. The improved spring bites wire quickly with less effort and accommodates from two #22 AWG wires up to three #12 AWG (solid) or four #14 AWG.



UPC Number	Color	Case Qty	UOM
00-054007-43153-4	Orange/Blue	10,000	CONN

3M™ "Performance Plus" R/Y+ Wire Connector

R/Y + replaces both red and yellow wing style connectors. This simplifies selection of the right connector for a wide range of wiring jobs. There's also less inventory to manage, and a better chance you'll have the connector you need to do every job.




UPC Number	Color	Case Qty	UOM
00-054007-43154-1	Red/Yellow	1,000	CONN
00-054007-43155-8	Red/Yellow	4,000	CONN

Connectors, cont'd

3M™ Grounding Electrical Spring Connector 512G

This electrical spring connector is designed for making ground connections and bonding non-metallic sheathed cable. 2-5#14, 2-5#12, 2-3#10, 1#14 w/ 1-4#12, 2#14 w/1-3#12, 3#14 w/2 or 3#12, 4#14 w/1#12, 1#14 w/1-3#10, 2#14 w/1 or 2#10, 3#14 w/1#10, 1#12 w/1 or 2#10, 2#12 w/1#10 AWG. Nylon insulated grounding connector.



UPC Number	Color	Desc	Case Qty	UOM
00-054007-49950-3	Green	50/Inr	500	CONN

3M™ Highland™ Electrical Wire Connectors

For general wiring. Color code makes it easy (and fast) to match the right connector to the wire's sizes. UL listed. CSA approved. Works equally well with either solid or stranded wire.



UPC Number	ID	Color	Case Qty	UOM	Wire Range
00-054007-43117-6	H-31	Orange	1,000	CONN	18-14 AWG
00-054007-43133-6	H-29	Gray	1,000	CONN	22-16 AWG
00-054007-43122-0	H-30	Blue	1,000	CONN	20-16 AWG

3M™ Scotchlok™ Butt Connector, Vinyl Insulated Seamless

This butt connector uses chamfered barrel ends to provide fast easy wire insertion from both ends and a built in wire stop for correct positioning. It must be crimped at ends.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-24027-3	MV10BCX	500	EA	12-10 AWG
00-054007-02078-3	MV10BCK	500	EA	12-10 AWG
00-054007-23110-3	MV14BCX	500	EA	16-14 AWG
00-054007-01817-9	MV14BCK	500	EA	1-14 AWG
00-054007-22195-1	MV18BCX	500	EA	22-18 AWG
00-054007-01312-9	MV18BCK	500	EA	22-18 AWG

3M™ Scotchlok™ Non-Insulated Butt Connectors

High grade ETP (Electronic Touch Pitch) copper construction.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-02077-6	M10BCK	500	EA	12-10 AWG
00-054007-24019-8	M10BCX	500	EA	12-10 AWG
00-054007-23102-8	M14BCX	500	EA	16-14 AWG

3M™ Scotchlok™ Nylon Insulated Butt Connectors

Nylon insulated connector used to connect two wires. 600V max. for building and 1000V max. for signs, fixtures and luminaries.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-24043-3	MN10BCX	500	EA	12-10 AWG
00-054007-01821-6	MN10CEC	1,000	EA	18-10 AWG
00-054007-01819-3	MN14BCK	1,000	EA	16-14 AWG
00-054007-23136-3	MN14BCX	500	EA	16-14 AWG
00-054007-22211-8	MN18BCX	500	EA	22-18 AWG
00-054007-15967-4	MNG10BCK	500	EA	12-10 AWG
00-054007-24035-8	MNG10BCX	500	EA	12-10 AWG
00-054007-01818-6	MNG14BCK	1,000	EA	16-14 AWG
00-054007-23128-8	MNG14BCX	500	EA	16-14 AWG
00-054007-01313-6	MNG18BCK	1,000	EA	22-18 AWG
00-054007-22203-3	MNG18BCX	500	EA	22-18 AWG

3M™ Scotchlok™ Nylon Insulated Moisture Resistant with Insulation Grip Butt Connector

This butt connector uses chamfered barrel ends to provide fast easy wire insertion from both ends and a built in wire stop for correct positioning. It must be crimped at ends.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-11949-4	MNG18BCMX	500	EA	22-18 AWG
00-054007-11950-0	MNG14BCMX	500	EA	16-14 AWG

3M™ Scotchlok™ Seamless Butt Heat Shrink Connector

Terminals have durable, tough heat shrinkable tubing to protect connection for long term aging. UL Listed and CSA Certified.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-06342-1	MH18BCX	100	EA	22-18 AWG
00-054007-06343-8	MH18BCX	250	EA	22-18 AWG
00-054007-06318-6	MH14BCX	100	EA	16-14 AWG
00-054007-06319-3	MH14BCK	250	EA	16-14 AWG
00-054007-06300-1	MH10BCX	100	EA	12-10 AWG
00-054007-06301-8	MH10BCK	250	EA	12-10 AWG

3M™ Scotchlok™ T-Tap Nylon Insulated Self-Stripping Female QuickSlide Disconnect

Self-stripping T-Tap female disconnect for mid-span disconnectible tap.



UPC Number	ID	Desc	Case Qty	UOM
00-054007-12312-5	951	Box	500	EA
00-054007-12313-2	951	Bulk	1,000	EA
00-054007-08427-3	952	Box	500	EA
00-054007-08428-0	952	Bulk	1,000	EA
00-054007-12314-9	953	Box	500	EA
00-054007-12315-6	953	Bulk	1,000	EA

3M™ Scotchlok™ Vinyl Insulated Brazed Seam Butt Connector

This butt connector uses chamfered barrel ends to provide fast easy wire insertion from both ends and a built in wire stop for correct positioning. It must be crimped at ends.

UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-02144-5	MV8BCK	200	EA	8 AWG
00-054007-15678-9	MV8BCX	250	EA	8 AWG

Connectors, cont'd

3M™ Scotchlok™ Vinyl Insulated Butted Seam Butt Connector

This butt connector uses chamfered barrel ends to provide fast easy wire insertion from both ends and a built in wire stop for correct positioning. It must be crimped at ends.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-02081-3	MVU10BCK	500	EA	12-10 AWG
00-054007-11928-9	MVU14BCX	500	EA	16-14 AWG
00-054007-01820-9	MVU14BCK	1,000	EA	16-14 AWG
00-054007-01315-0	MVU18BCK	1,000	EA	22-18 AWG

3M™ Scotchlok™ Vinyl Insulated Butted Seam Female Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-01776-9	MVU14-187DFK	1,000	EA	16-14 AWG
00-054007-22880-6	MVU14-250DFX	500	EA	16-14 AWG
00-054007-01777-6	MVU14-250DFK	1,000	EA	16-14 AWG
00-054007-11820-6	MVU18-250DFX	500	EA	22-18 AWG

3M™ Scotchlok™ Vinyl Insulated Butted Seam Female Disconnect with Interlocking Barrel

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-09998-7	MV110-250DFX	500	EA	12-10 AWG
00-054007-69578-3	MV110-250DFK	1,000	EA	12-10 AWG

Connectors, cont'd

3M™ Scotchlok™ Vinyl Insulated Butted Seam Male Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-22997-1	MVU14-250DMX	500	EA	16-14 AWG

3M™ Scotchlok™ Vinyl Insulated Butted Seam Multi-Stack Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-01332-7	MVU18-250DMFK	1,000	EA	22-18 AWG

3M™ Wire Connector T/R+

Use a 3M™ Wire Connector T/R+ to electrically connect two or more conductor ends in a pigtail application and insulate the connection.



UPC Number	Color	Case Qty	UOM
00-051128-54455-6	Super Tan	750	CONN

Connectors, Copper Connectors

3M™ Scotchlok™ Copper Insulated Electrical Crimp Sleeve Connector S-11

These connectors are designed specifically for fast pigtail grounding. Their smooth flared entry makes wire insertion fast—simply twist conductors together and crimp. Connects 2#22, 2#18, 2#16 AWG stranded.

UPC Number	Desc	Case Qty	UOM
00-054007-16732-7	600 V	1,000	CONN

3M™ Scotchlok™ Copper Insulated Electrical Crimp Sleeve Connector S-60

These connectors are designed specifically for fast pigtail grounding. Their smooth flared entry makes wire insertion fast—simply twist conductors together and crimp. Connects 2#22, 2#18, 2#16 AWG stranded.

UPC Number	Desc	Case Qty	UOM
00-054007-16726-6	600 V	1,000	CONN
00-054007-16727-3	600 V	10,000	CONN

3M™ Scotchlok™ Insulation Displacement Connector (IDC)

3M™ IDC's are fast and easy alternatives for connecting wires. No wire stripping is necessary. Perfect for wire harnesses and/or maintenance applications.



UPC Number	ID	Color	Desc	Case Qty	UOM	Wire Range
00-054007-09230-8	314	Blue	Pigtail	500	CONN	22-14 AWG
00-054007-09231-5	314	Blue	Pigtail	1,000	CONN	22-14 AWG
00-054007-50419-1	316IR	Black	Pigtail	300	CONN	22-16 AWG
00-054007-09232-2	314U	White	Pigtail	500	CONN	22-14 AWG
00-054007-09233-9	314U	White	Pigtail	1,000	CONN	22-14 AWG
00-054007-21494-6	557	Red	Pigtail	1,000	CONN	22-16 AWG
00-054007-21502-8	557	Red	Pigtail	5,000	CONN	22-16 AWG
00-054007-14861-6	558	Red	Run and Tap	1,000	CONN	22-16 AWG
00-054007-14879-1	558	Red	Run and Tap	5,000	CONN	22-16 AWG
00-054007-00839-2	560	Light Blue	Double Run or Tap	1,000	CONN	18-16 AWG
00-054007-00840-8	560	Light Blue	Double Run or Tap	5,000	CONN	18-16 AWG
00-054007-20090-1	560B	Blue	Double Run or Tap	1,000	CONN	18-16 AWG
00-054007-20181-6	560B	Blue	Double Run or Tap	5,000	CONN	18-16 AWG
00-054007-11032-3	562	Yellow	Double Run or Tap	1,000	CONN	12-10 AWG
00-054007-11040-8	562	Yellow	Double Run or Tap	1,000	CONN	12-10 AWG
00-054007-06118-2	564	Beige	Double Run	5,000	CONN	18-14 AWG
00-054007-14887-6	567	Brown	Run and Tap	1,000	CONN	18-14 AWG
00-054007-14895-1	567	Brown	Run and Tap	1,000	CONN	18-14 AWG
00-054007-06134-2	804	Blue	Run and Tap	250	CONN	18-16 AWG
00-054007-06135-9	804	Blue	Run and Tap	5,000	CONN	18-16 AWG
00-054007-06128-1	905	Red	Double Run or Tap	500	CONN	22-18 AWG

Connectors, Spring Connectors

3M™ Scotchlok™ Electrical Spring Connectors

Insulated with a color-coded, pliable, vinyl skirt. They feature a “live spring” which assures a tight grip, even on small wire combinations. These premium grade connectors can be “backed off” to allow maintenance or modification of electrical systems.



UPC Number	Color	Desc	Case Qty	UOM
00-054007-42033-0	Blue	B Electrical	500	CONN
00-054007-21346-8	Green	G Electrical	1,000	CONN
00-054007-70488-1	Green	G Electrical	5,000	CONN
00-054007-20058-1	Red	R Electrical	1,000	CONN
00-054007-70489-8	Red	R Electrical	5,000	CONN
00-054007-20041-3	Yellow	Y Electrical	1,000	CONN
00-054007-15769-4	Yellow	Y Electrical	5,000	CONN

3M™ Spring Connector

Electrical spring connectors are insulated with a color-coded, pliable, vinyl skirt. They feature a “live-spring” which assures a tight grip, even on small wire combinations. These premium-grade connections can be “backed off” to allow maintenance or modification of electrical systems.



Cable Range (AWG): 5-7 #22, 3-6 #20, 2-6 #18, 2-6 #16, 1-4 #14, 1-3 #12 (1,5-10,0 mm2).

UPC Number	ID	Color	Case Qty	UOM
00-054007-08159-3	312	Yellow	1,000	CONN
00-054007-08160-9	312	Yellow	1,000	CONN
00-054007-08161-6	512	Red	1,000	CONN
00-054007-08162-3	512	Red	10,000	CONN

Connectors, Steel Connectors

3M™ Scotchlok™ Copper Insulated Electrical Crimp Sleeve Connector S-31

These connectors are designed specifically for fast pigtail grounding. Their smooth flared entry makes wire insertion fast simply twist conductors together and crimp.



UPC Number	Case Qty	UOM
00-054007-16735-8	5,000	CONN

Connectors, Tools

3M™ Scotchlok™ Hand Driver for Wire Connectors

Application tools for Spring Connectors. They quickly spin on the connector and position wire bundle in the box with ease. The WCD power driver uses a standard chuck.



UPC Number	ID	Desc	Case Qty	UOM
00-054007-49948-0	WCD-H	Hand Driver	10	EA
00-054007-49919-0	WCD-P	Drill Driver	10	EA

Crimping Tools

3M™ Crimping Tool Ratchet TR-482

A compact, high quality tool designed to perform the six most common electrical wiring functions. Made of 1.125” heat-treated carbon steel for maximum durability. It handles a variety of terminal and connector styles, insulated and non-insulated, over a range of 22-10 AWG.



UPC Number	Case Qty	UOM	Wire Range
00-054007-11902-9	1	EA	22-10 AWG

3M™ Crimping Tool Ratchet TR-490

Crimps barrel and insulation grip independently on No. 22-10 AWG insulated and non-insulated terminals and connectors: nylon or vinyl insulated, butted or brazed seam.



UPC Number	Case Qty	UOM	Wire Range
00-054007-70481-2	1	EA	22-10 AWG

3M™ Crimping Tool Scissors TH-450

Made of 1.40” high strength, heat-treated carbon steel. Lightweight without sacrificing strength. It handles a variety of terminal and conductor styles, including flags, closed end connectors, crimp sleeves and standard parts, insulated and non-insulated, over a broad range of 26-6 AWG.



UPC Number	Case Qty	UOM	Wire Range
00-054007-13760-3	10	EA	26-6 AWG

Crimping Tools, cont'd

3M™ Scotchlok™ Crimping Tool TH-440

High carbon heat-treated steel and unique design provide a high strength/weight ratio, durability, reliability and wide range of applications. Crimps a broad range of terminals and connectors.



UPC Number	Case Qty	UOM	Wire Range
00-054007-60825-7	10	PH	22-10 AWG

Diagnostic and Detection Products

3M™ IR-500 Infrared Thermometer

The IR-500 features single spot laser sighting, a 6:1 distance-to-spot ratio, fixed emissivity and a temperature range of 0°F (-18°C) to 500°F (260°C).



UPC Number	Case Qty	UOM
00-054007-43556-3	20	EA

Heat Shrink Tubings, Kits

3M™ Heat Shrink Tubing Assortment Pack FP-301

3M™ Heat Shrink Tubing FP-301 offers an outstanding balance of electrical, physical and chemical properties for a wide variety of applications. This assortment comes with 6 each of the 5 sizes and in a case quantity of 10.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051135-36612-7	3/64" to 3/16"	Black	6 each of 5 sizes	10	PH
00-051135-36618-9	3/32"x6"	Assorted	5 each of 7 colors	10	PH
00-051135-36619-6	1/8"x6"	Assorted	4 each of 7 colors	10	PH
00-051135-36620-2	3/16"x6"	Assorted	3 each of 7 colors	10	PH
00-051135-36621-9	1/4"x6"	Assorted	3 each of 7 colors	10	PH
00-051135-36622-6	3/8"x6"	Assorted	2 each of 7 colors.	10	PH
00-051135-36623-3	1/2"x6"	Assorted	2 each of 7 colors	10	PH

3M™ Heat Shrink Tubing Kit — Color Assortment FP-301

3M™ FP-301 Heat Shrink Tubing offers an outstanding balance of electrical, physical and chemical properties for a wide variety of applications. Each kit contains tubing in a size 3/32, size 1/8, size 3/16, size 1/4, size 3/8, and size 1/2.



UPC Number	Size	Case Qty	UOM
00-051135-37677-5	6"	5	EA

3M™ Heat Shrink Tubing Kit FP-301

3M™ FP-301 is a heat shrinkable flexible polyolefin tubing that offers an outstanding balance of electrical, physical and chemical properties for a wide variety of industrial and military applications. Rated for 275°F(135°C) continuous operation. FP-301 tubing is typically used as a shrink-fit electrical insulation over cable splices and terminations. It is also used for lightweight wire harness covering, wire marking, wire bundling, component packaging and fire resistant covering. FP-301 clear tubing provides excellent visibility for component packing. All FP-301 tubing is split resistant, mechanically tough, easily marked and resists cold flow.



UPC Number	Size	Color	Case Qty	UOM
00-051135-38139-7	6"	Black	5	EA

3M™ Heat Shrink Tubing Kit EPS-300

3M™ EPS 300 tubing is a thin-wall tubing offering the advantages of integral, dual wall construction. The tubing is made from flame-retardant, flexible polyolefin-lined with an internal layer of special thermo-plastic adhesive. The heat shrinkable outer wall is selectively irradiation cross-linked, while the adhesive maintains high flow and excellent adhesion characteristics.




UPC Number	Case Qty	UOM
00-051135-38444-2	5	KT

Heat Shrink Tubings, Thin Wall Tubings

3M™ Heat Shrink Thin Wall Tubing EPS-300

Thin walled tubing offering the advantages of integral, dual wall construction. The tubing is made from flame retardant, flexible, polyolefin lined with an internal layer of special thermoplastic adhesive.



The heat shrinkable outer wall is selectively irradiation cross-linked, while the adhesive maintains high flow and excellent adhesion characteristics. This tubing is an environmental protection sleeve and insulation. It offers superb environmental protection for electronic components, twisted pigtail and inline wire splices, crimp splices, wire bundles and wire harness breakouts in automotive, truck, fleet, marine and industrial applications. Applications specifications: MIL-I-23053/4, Class 3. A 3:1 shrink ratio polyolefin heat shrinkable tubing that is widely used in a variety of electronic and electrical applications.

UPC Number	Size	Color	Case Qty	UOM
00-051135-36875-6	3/16"x48"	Black	12	BX
00-051135-36876-3	1/4"x48"	Black	12	BX
00-051135-36877-0	3/8"x48"	Black	12	BX
00-051135-36878-7	1/2"x48"	Black	12	BX

Heat Shrink Tubings, Thin Wall Tubings, Pieces

3M™ Thin-Wall Tubing FP-301 - Pieces

3M™ Heat Shrink Tubing FP-301 offers an outstanding balance of electrical, physical and chemical properties for a wide variety of industrial and military applications.



UPC Number	Size	Color	Case Qty	UOM
00-051135-36490-1	1/8"x6"	Black	340	PH
00-051135-36492-5	3/16"x6"	Black	300	PH
00-051135-36494-9	1/4"x6"	Black	260	PH
00-051135-36496-3	3/8"x6"	Black	240	PH
00-051135-36498-7	1/2"x6"	Black	200	PH
00-051135-36500-7	3/4"x6"	Black	140	PH

3M™ Thin-Wall Tubing FP-301 - Spools

Heat Shrink Tubing Spools are a flexible polyolefin tubing which will shrink to 50% of its as-supplied internal diameter. Minimum shrink temperature is 212°F. Rated for 275°F continuous operation, the tubing is split resistant and mechanically tough.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051135-35550-3	1/16"x100'	Black	100' Spool/Inr	3	FT
00-051135-35553-4	1/16"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35555-8	1/16"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37591-4	1/16"x100'	Green	100' Spool/Inr	3	FT
00-051135-35552-7	1/16"x100'	Red	100' Spool/Inr	3	FT
00-051135-35551-0	1/16"x100'	White	100' Spool/Inr	3	FT
00-051135-35554-1	1/16"x100'	Yellow	100' Spool/Inr	3	FT
00-051138-36027-6	3/64"x100"	Black	100' Spool/Inr	3	FT
00-051138-36028-3	3/64"x100"	Clear	100' Spool/Inr	3	FT
00-051135-35556-5	3/32"x100'	Black	100' Spool/Inr	3	FT
00-051135-35559-6	3/32"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35548-0	3/32"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37592-1	3/32"x100'	Green	100' Spool/Inr	3	FT
00-051135-35558-9	3/32"x100'	Red	100' Spool/Inr	3	FT
00-051135-35557-2	3/32"x100'	White	100' Spool/Inr	3	FT
00-051135-35560-2	3/32"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35562-6	1/8"x100'	Black	100' Spool/Inr	3	FT
00-051135-35565-7	1/8"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35567-1	1/8"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37593-8	1/8"x100'	Green	100' Spool/Inr	3	FT
00-051135-35564-0	1/8"x100'	Red	100' Spool/Inr	3	FT
00-051135-35563-3	1/8"x100'	White	100' Spool/Inr	3	FT
00-051135-35566-4	1/8"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35568-8	3/16"x100'	Black	100' Spool/Inr	3	FT
00-051135-35571-8	3/16"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35573-2	3/16"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37594-5	3/16"x100'	Green	100' Spool/Inr	3	FT
00-051135-35570-1	3/16"x100'	Red	100' Spool/Inr	3	FT
00-051135-35569-5	3/16"x100'	White	100' Spool/Inr	3	FT
00-051135-35572-5	3/16"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35574-9	1/4"x100'	Black	100' Spool/Inr	3	FT
00-051135-35577-0	1/4"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35579-4	1/4"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37346-0	1/4"x100'	Green	100' Spool/Inr	3	FT
00-051135-35576-3	1/4"x100'	Red	100' Spool/Inr	3	FT
00-051135-35575-6	1/4"x100'	White	100' Spool/Inr	3	FT
00-051135-35578-7	1/4"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35580-0	3/8"x100'	Black	100' Spool/Inr	3	FT
00-051135-35583-1	3/8"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35585-5	3/8"x100'	Clear	100' Spool/Inr	3	FT
00-051135-37643-0	3/8"x100'	Red	100' Spool/Inr	3	FT
00-051135-35581-7	3/8"x100'	White	100' Spool/Inr	3	FT
00-051135-35584-8	3/8"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35586-2	1/2"x100'	Black	100' Spool/Inr	3	FT
00-051135-35589-3	1/2"x100'	Blue	100' Spool/Inr	3	FT
00-051135-35591-6	1/2"x100'	Clear	100' Spool/Inr	3	FT

Heat Shrink Tubings, Thin Wall Tubings, Spools, cont'd

3M™ Thin-Wall Tubing FP-301 - Spools (cont.)

UPC Number	Size	Color	Desc	Case Qty	UOM
00-051135-37347-7	½"x100'	Green	100' Spool/Inr	3	FT
00-051135-35588-6	½"x100'	Red	100' Spool/Inr	3	FT
00-051135-35587-9	½"x100'	White	100' Spool/Inr	3	FT
00-051135-35590-9	½"x100'	Yellow	100' Spool/Inr	3	FT
00-051135-35592-3	¾"x50'	Black	50' Spool/Inr	3	FT
00-051135-35595-4	¾"x50'	Blue	50' Spool/Inr	3	FT
00-051135-35597-8	¾"x50'	Clear	50' Spool/Inr	3	FT
00-051135-37348-4	¾"x50'	Green	50' Spool/Inr	3	FT
00-051135-35594-7	¾"x50'	Red	50' Spool/Inr	3	FT
00-051135-35593-0	¾"x50'	White	50' Spool/Inr	3	FT
00-051135-35596-1	¾"x50'	Yellow	50' Spool/Inr	3	FT
00-051135-35598-5	1"x50'	Black	50' Spool/Inr	3	FT
00-051135-35601-2	1"x50'	Blue	50' Spool/Inr	3	FT
00-051135-35603-6	1"x50'	Clear	50' Spool/Inr	3	FT
00-051135-37768-0	1"x50'	Green	50' Spool/Inr	3	FT
00-051135-35600-5	1"x50'	Red	50' Spool/Inr	3	FT
00-051135-35599-2	1"x50'	White	50' Spool/Inr	3	FT
00-051135-35602-9	1"x50'	Yellow	50' Spool/Inr	3	FT
00-051138-36026-9	1½"x50'	Black	50' Spool/Inr	2	FT
00-054007-38857-9	1½"x100'	Blue	100' Spool/Inr	2	FT
00-051138-36025-2	1½"x50'	Clear	50' Spool/Inr	2	FT
00-054007-38860-9	1½"x100'	Red	100' Spool/Inr	2	FT
00-054007-08515-7	1½"x100'	White	100' Spool/Inr	2	FT
00-054007-08516-4	1½"x100'	Yellow	100' Spool/Inr	2	FT
00-051138-36024-5	2"x50'	Black	50' Spool/Inr	2	FT
00-054007-38870-8	2"x100'	Blue	100' Spool/Inr	2	FT
00-051138-36023-8	2"x50'	Clear	50' Spool/Inr	2	FT
00-054007-08518-8	2"x100'	Red	100' Spool/Inr	2	FT
00-054007-08519-5	2"x100'	White	100' Spool/Inr	2	FT
00-054007-08520-1	2"x100'	Yellow	100' Spool/Inr	2	FT
00-054007-08521-8	3"x50'	Black	50' Spool/Inr	1	FT
00-054007-38880-7	3"x50'	Blue	50' Spool/Inr	1	FT
00-054007-38982-8	3"x50'	Clear	50' Spool/Inr	1	FT
00-054007-38881-4	3"x50'	Red	50' Spool/Inr	1	FT
00-054007-08522-5	3"x50'	White	50' Spool/Inr	1	FT
00-054007-38883-8	3"x50'	Yellow	50' Spool/Inr	1	FT
00-054007-38884-5	4"x50'	Black	50' Spool/Inr	1	FT
00-054007-58973-0	4"x50'	Blue	50' Spool/Inr	1	FT
00-054007-38986-6	4"x50'	Clear	50' Spool/Inr	1	FT
00-054007-38893-7	4"x50'	Red	50' Spool/Inr	1	FT
00-054007-38894-4	4"x50'	White	50' Spool/Inr	1	FT
00-054007-38895-1	4"x50'	Yellow	50' Spool/Inr	1	FT

Heat Shrink Tubings, Thin Wall Tubings, Sticks

3M™ Thin-Wall Tubing FP-301 - Sticks

3M™ Heat Shrink Tubing FP-301 offers an outstanding balance of electrical, physical and chemical properties for a wide variety of industrial and military applications.



UPC Number	Size	Color	Case Qty	UOM
00-051135-36673-8	3/32"x48"	Black	25	BX
00-051135-36680-6	1/8"x48"	Black	25	BX
00-051135-36687-5	3/16"x48"	Black	25	BX
00-051135-36791-9	1/4"x48"	Black	12	BX
00-051135-36694-3	1/4"x48"	Black	12	BX
00-051135-36695-0	1/4"x48"	Clear	12	BX
00-051135-36701-8	3/8"x48"	Black	12	BX
00-051135-36704-9	3/8"x48"	Red	12	BX
00-051135-36709-4	1/2"x48"	Black	12	BX
00-051135-36710-0	1/2"x48"	Clear	12	BX
00-051135-36716-2	3/4"x48"	Black	12	BX
00-051135-36720-9	3/4"x48"	Clear	12	BX
00-051135-36725-4	1"x48"	Black	5	BX
00-051135-36726-1	1"x48"	Clear	5	BX
00-051135-36731-5	1 1/2"x48"	Black	5	BX
00-051135-36732-2	1 1/2"x48"	Clear	5	BX
00-051135-36737-7	2"x48"	Black	5	BX
00-051135-36743-8	3"x48"	Black	2	BX
00-054007-08585-0	3"x48"	Black	5	FT

Insulating Sprays

Scotch® Insulating Sprays

Protects surfaces against weather, moisture, corrosion, oil, alkalis and acids. Use it over insulation on wire and cable splices. Also touch up insulation on motor windings and frames makes a great general purpose sealer.



UPC Number	ID	Size	Color	Case Qty	UOM
00-054007-50342-2	1601	16 oz	Clear	12	EA
00-054007-50343-9	1602	16 oz	Red	12	EA
00-054007-50344-6	1603	16 oz	Black	12	EA

Pipe Primers

3M™ Scotchrap™ Pipe Primer

A quick-drying, non-sag rubber base primer that permeates metal surface pits and irregularities, preparing the surface for tape application.



UPC Number	Size	Case Qty	UOM
00-054007-42768-1	1 gal	4	GA

Tapes

Scotch® Rubber Splicing Tape 23

This is a highly conformable, self-fusing Ethylene Propylene Rubber (EPR) base high-insulating voltage tape.



UPC Number	ID	Size	Case Qty	UOM
00-054007-15025-1	2828	3/4"x30'	50	RL
00-054007-00059-4	2830	1"x30'	50	RL
00-054007-15033-6	2834	2"x30'	50	RL

Scotch® Self-Fusing Silicone Rubber Electrical Tape 70

This is a high-temperature, arc-and track-resistant tape composed of self-fusing, inorganic silicone rubber with an easy-tear and easy-strip liner.



UPC Number	Size	Case Qty	UOM
00-054007-15603-1	1"x30'	50	RL

Tapes, Corrosion Protection Tapes

3M™ Scotchrap™ All-Weather Corrosion Protection Tape 50

This 10 mil polyvinyl chloride (PVC) tape with a high tack adhesive provides a corrosion and impact resistant seal for all-weather protection of metal piping systems above and below ground.



UPC Number	Size	Case Qty	UOM
00-054007-00014-3	1"x100'	48	RL
00-054007-11156-6	2"x100'	10	RL
00-054007-10638-8	2"x100'	24	RL
00-054007-10646-3	4"x100'	12	RL
00-054007-15785-4	6"x100'	8	RL

3M™ Scotchrap™ All-Weather Corrosion Protection Tape 51

This 20 mil polyvinyl chloride (PVC) tape with a high tack adhesive provides a corrosion and impact resistant seal for all-weather protection of metal piping systems above and below ground.



UPC Number	Size	Case Qty	UOM
00-054007-42807-7	2"x100'	12	RL

3M™ Scotchrap™ Printed All-Weather Corrosion Protection Tape 50

Printed with product name and thickness, this 10 mil polyvinyl chloride (PVC) tape with a high tack adhesive provides a corrosion and impact resistant seal for all-weather protection of metal piping systems above and below ground.



UPC Number	Size	Case Qty	UOM
00-054007-00013-6	2"x100'	24	RL

Tapes, Corrosion Protection Tapes, cont'd

3M™ Scotchrap™ Printed All-Weather Corrosion Protection Tape 51

This 20 mil polyvinyl chloride (PVC) tape with a high tack adhesive provides a corrosion and impact resistant seal for all-weather protection of metal piping systems above and below ground.



UPC Number	Size	Case Qty	UOM
00-054007-42803-9	2"x100'	12	RL

3M™ Temflex™ Corrosion Protection Tape 1100

This 10 mil, general purpose corrosion resistant tape has good abrasion resistance. UV resistant and temperature-rated to 176°F (80°C).



UPC Number	Size	Case Qty	UOM
00-054007-09061-8	2"x100'	24	RL

3M™ Temflex™ Printed Corrosion Protection Tape 1100

Printed with product name and thickness, this 10 mil, general purpose corrosion resistant tape has good abrasion resistance. UV resistant and temperature-rated to 176°F (80°C).



UPC Number	Size	Case Qty	UOM
00-054007-09065-6	2"x100'	24	RL

Tapes, Dispensers

Scotch® Super Vinyl Electrical Tape 33+D Dispenser Pack

A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.



UPC Number	Size	Case Qty	UOM
00-054007-10216-8	3/4"x66'	100	RL

Tapes, Electricians Duct Tapes

Scotch® Electricians Duct Tape 2000

This is a 6 mil general purpose easy tear vinyl duct tape. This tape is used for general holding and bundling.



UPC Number	Size	Case Qty	UOM
00-054007-43403-0	2"x50yds	12	RL

Tapes, Friction Tapes

3M™ Temflex™ Friction Tape 1755

Buy this versatile friction tape when you need to protect connections or bundle cables and wires. Thicker than vinyl or glass cloth tape. Splice connections with abrasion resistant cotton tape that has insulating rubber adhesive. Designed to provide protection against abrasion and cut-through.



UPC Number	Size	Case Qty	UOM
00-054007-50218-0	3/4"x60'	60	RL
00-054007-50216-6	3/4"x82 1/2'	60	RL
00-054007-50217-3	1 1/2"x82 1/2'	60	RL

Tapes, Glass Cloth Tapes

3M™ Glass Cloth Electrical Tape

Insulate hot spots. Provides heat-stable insulation for switches, oven and furnace controls and motor leads. 7 mil tape with pressure sensitive adhesive. Thermosetting and heat stable to 266°F. (Class B temperatures) CSA Certified for 130°F and UL Recognized Component listing for 150°F.



UPC Number	ID	Size	Case Qty	UOM
00-054007-15066-4	27	1/2"x66'	50	RL
00-054007-15074-9	27	3/4"x66'	50	RL

Scotch® Glass Cloth Tape 69

This is a 7 mil woven glass cloth tape with a silicone pressure sensitive adhesive. UL Recognized 180°C. Printable. Sold on a 1" core.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-054007-10083-6	1/2"x66'	White	Silicone Adhesive	50	RL
00-054007-09910-9	3/4"x66'	White	Silicone Adhesive	50	RL
00-054007-27494-0	1"x36yds	White	Silicone Adhesive	9	RL

Tapes, Insulation Putty Products

3M™ Scotchfil™ Electrical Insulation Putty

Wrap and stretch this electrical insulation putty around low-voltage connections (up to 600V). Moisture seal ground wires or smooth out irregularities. Electrical grade, rubber-based, elastic putty in a tape form is self-fusing. 125 mil thick for quick insulation build-up. Overwrap with Scotch® Super 33+ for best erosion protection. Use up to 176°F.



UPC Number	Size	Case Qty	UOM
00-054007-41750-7	1 1/2"x60"	12	RL

Tapes, Linerless Rubber Splicing Tapes

3M™ 2242 Linerless Electrical Rubber Splicing Tape

General, multi-purpose electrical rubber splicing tape. Securely splice all voltages or use for jacketing and general insulation. Terminate wires and cable ends or insulate connections. Highly conformable rubber tape provides quality moisture seal and lengthens cable life. Economical tape to create splices that last. Rated up to 194°F. 7 mil thick.



UPC Number	Size	Case Qty	UOM
00-054007-06165-6	3/4"x15'	24	RL
00-054007-41323-3	1 1/2"x15'	12	RL

Tapes, Linerless Rubber Splicing Tapes, cont'd

Scotch® Linerless Rubber Splicing Tape 130C

Scotch® Linerless Rubber Splicing Tape 130C is high voltage, insulating, thermally conductive and self-bonding. Typical applications include primary electrical insulation for splicing all solid dielectric cables through 69kV.



UPC Number	Size	Case Qty	UOM
00-054007-41717-0	¾"x30'	10	RL
00-054007-41753-8	1"x30'	24	RL
00-054007-41718-7	1½"x30'	12	RL
00-054007-41754-5	2"x30'	12	RL

Tapes, Mastic Products

3M™ Scotch-Seal™ Mastic Tape 2229

3M™ Scotch-Seal™ Mastic Tape is designed for quick and easy insulating, padding and sealing of electrical connections. It is conformable, durable, tacky mastic with an easy release liner for easy applications over irregular surfaces and provides excellent moisture resistance. It features superior self-healing characteristics after being punctured or cut.



UPC Number	Size	Desc	Case Qty	UOM
00-054007-50335-4	1"x10'		12	EA
00-054007-50336-1	3¾"x3¾"	Printed	40	EA
00-054007-49702-8	3¾"x10'		8	EA

Scotch® Rubber Mastic Tape 2228

This is a black 65 mil conformable self-fusing rubber electrical insulating and sealing tape.



UPC Number	Size	Case Qty	UOM
00-054007-50727-7	1"x10'	10	RL
00-054007-43478-8	2"x3'	48	RL
00-054007-09656-6	2"x10'	10	RL

Tapes, Mastic Products, cont'd

Scotch® Vinyl Mastic

Mold these flexible vinyl mastic pads around difficult electrical connections in cars and trucks. Durable self-fusing mastic pads are backed with rubber compound and provide an all-weather moisture seal or insulation to protect connections. Precut, 125 mil thick pads protect all connections up to 600V. Easy release liner.



UPC Number	ID	Size	Case Qty	UOM
00-054007-11008-8	2200	3¼"x4.5"	50	PD
00-054007-21296-6	2200	4½"x6.5"	50	PD
00-054007-11222-8	2210	4"x10"	10	RL

Tapes, Moisture Sealants

Scotch® Electrical Moisture Sealant 06147 and 06149, Vinyl Mastic

Seal out moisture with all-weather moisture sealant. Tough, conformable vinyl helps you wrap difficult shapes. Self-fusing, rubber based insulating compound is an excellent moisture sealant. Outstanding UV resistance for long term durability. Available in pads or rolls for various needs. 45 mil thick sealant for connections up to 600V.



UPC Number	ID	Size	Case Qty	UOM
00-054007-06147-2	06147	2.5"x10'	10	RL
00-054007-06149-6	06149	2.5"x2.5"	10	BX

Tapes, Proofing Tapes

Scotch® Fire-Retardant Electric Arc Proofing Tape 77

This 30 mil fire-retardant tape is designed to protect cable until limiting devices can interrupt faulted current.



UPC Number	Size	Case Qty	UOM
00-054007-42007-1	1½"x20'	10	RL
00-054007-42006-4	3"x20'	10	RL

Tapes, Stress Control Tapes

Scotch® Electrical Stress Control Tape 2220

.030" thick; 17 lbs/in tensile strength; 275% elongation at break. This tape is included in some tape termination kits.

UPC Number	Size	Color	Case Qty	UOM
00-054007-50428-3	¾"x15'	Gray	100	RL

Tapes, Varnished Cambric Tapes

Scotch® Electrical Insulating Varnished Cambric Tape 2510

This is a 7 mil, yellow, varnished coated cotton cloth without an adhesive.



UPC Number	Size	Case Qty	UOM
00-054007-41720-0	¾"x60'	20	RL
00-054007-10687-6	1"x36yds	36	RL
00-054007-10703-3	1½"x36yds	24	RL
00-054007-10711-8	2"x36yds	16	RL

Scotch® Electrical Insulating Varnished Cambric Tape 2520

This is an 8 mil, yellow, varnish coated cotton cloth with a pressure sensitive adhesive.



UPC Number	Size	Case Qty	UOM
00-054007-04836-7	¾"x60'	20	RL
00-054007-04835-0	¾"x36yds	48	RL
00-054007-04833-6	1"x36yds	36	RL
00-054007-04832-9	1½"x36yds	24	RL
00-054007-04834-3	2"x36yds	16	RL

Tapes, Vinyl Tapes

3M™ Temflex™ General Use Vinyl Electrical Tape 1700

The economical solution for less demanding indoor jobs. On a 1½" core, this black, 7 mil economy-grade vinyl tape serves as a general purpose tape. UL listed. CSA approved.



UPC Number	Size	Case Qty	UOM
00-054007-49700-4	¾"x36yds	100	RL
00-054007-69764-0	¾"x60'	100	RL
00-054007-49571-0	¾"x66'	100	RL
00-054007-43962-2	1"x66'	99	RL

Tapes, Vinyl Tapes, cont'd

Scotch® Premium Vinyl Electrical Tape Super 88

Scotch® Super 88 Premium Vinyl Electrical Tape offers better mechanical/abrasion resistance, and is thicker for quicker build-up. For professional use, this tape combines the flexibility of a PVC backing with excellent electrical insulating properties to provide primary electrical insulation for splices up to 600V and protective jacketing. UL Listed and CSA Certified. Excellent resistance to UV rays, abrasion, moisture, copper corrosion, alkalis and acids. Excellent all-weather performance in cold to 0°F (-18°C) or hot to 220°F (105°C).



UPC Number	Size	Case Qty	UOM
00-054007-10307-3	¾"x44'	100	RL
00-054007-06143-4	¾"x66'	100	RL
00-054007-10323-3	¾"x36yds	48	RL
00-054007-10364-6	1½"x44'	100	RL
00-054007-10356-1	2"x36yds	12	RL

Scotch® Vinyl Electrical Tape 35

Identify leads, splices and terminations. Abrasion and weather resistant 7 mil tape. Excellent mechanical and electrical insulation properties. Wraps smoothly and holds tightly over a wide range of temperatures. Mark safety areas. UL listed. CSA approved.



UPC Number	Size	Color	Case Qty	UOM
00-054007-10240-3	½"x20'	Blue	100	RL
00-054007-10299-1	½"x20'	Brown	100	RL
00-054007-10281-6	½"x20'	Gray	100	RL
00-054007-10265-6	½"x20'	Green	100	RL
00-054007-10273-1	½"x20'	Orange	100	RL
00-054007-10224-3	½"x20'	Red	100	RL
00-054007-10232-8	½"x20'	White	100	RL
00-054007-10257-1	½"x20'	Yellow	100	RL
00-054007-10836-8	¾"x66'	Blue	100	RL
00-054007-10885-6	¾"x66'	Brown	100	RL
00-054007-00072-3	¾"x66'	Gray	100	RL
00-054007-10851-1	¾"x66'	Green	100	RL
00-054007-10869-6	¾"x66'	Orange	100	RL
00-054007-10810-8	¾"x66'	Red	100	RL
00-054007-11271-6	¾"x66'	Violet	100	RL
00-054007-10828-3	¾"x66'	White	100	RL
00-054007-10844-3	¾"x66'	Yellow	100	RL

Scotch® Vinyl Electrical Tape Super 33+

The first and only 7 mil "one tape for all jobs". It wraps and holds in all weather and will continue to perform in sub-zero temperatures or in continuous temperature environment up to 105°C (220°F). Conforms remarkably well. Resists oil, water, wear, chemicals and solvents. UL listed. CSA approved.



UPC Number	Size	Case Qty	UOM
00-054007-06130-4	¾" x 20'	100	RL
00-054007-10075-1	¾" x 44'	100	RL
00-054007-06132-8	¾" x 66'	100	RL

Tartan™ 1710 Vinyl Electrical Tape

General use vinyl electrical tape is used for protective jacketing and harnessing. Abrasive- and UV-resistant. UL Listed and CSA Certified for 176°F+4093F (80°C).



UPC Number	Size	Case Qty	UOM
00-054007-49659-5	¾" x 36yds	100	RL

Terminals

3M™ Highland™ Block Fork Vinyl Terminals (BFV)

Highland terminals come in pre-packaged quantities in reclosable zipper bags. All are insulated with a high grade vinyl.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-70256-6	BFV10-8L	50	8	BG	12-10 AWG
00-054007-70257-3	BFV10-10L	50	10	BG	12-10 AWG
00-054007-70450-8	BFV10-8Q	25	8	BG	12-10 AWG
00-054007-70451-5	BFV10-10Q	25	10	BG	12-10 AWG
00-054007-70204-7	BFV14-10C	100	6	BG	16-14 AWG
00-054007-70258-0	BFV14-6L	50	6	BG	16-14 AWG
00-054007-70259-7	BFV14-8L	50	8	BG	16-14 AWG
00-054007-70260-3	BFV14-10L	50	10	BG	16-14 AWG
00-054007-70205-4	BFV18-6C	100	8	BG	22-18 AWG
00-054007-49899-5	BFV18-10C	100	10	BG	22-18 AWG
00-054007-70261-0	BFV18-6L	50	6	BG	22-18 AWG
00-054007-70262-7	BFV18-8L	50	8	BG	22-18 AWG



Terminals, cont'd

3M™ Highland™ Female Disconnects

Highland terminals come in pre-packaged quantities in reclosable zipper bags. All are insulated with a high grade vinyl.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-70217-7	FDI14-250C	100	BG	16-14 AWG
00-054007-70279-5	FDI14-250L	50	BG	16-14 AWG
00-054007-70219-1	FDI18-250C	100	BG	22-18 AWG
00-054007-70281-8	FDI18-250L	50	BG	22-18 AWG
00-054007-70282-5	FDV10-250L	250	BG	12-10 AWG
00-054007-70458-4	FDV10-250Q	255	BG	12-10 AWG
00-054007-70221-4	FDV14-250C	500	BG	16-14 AWG
00-054007-70284-9	FDV14-250L	500	BG	16-14 AWG
00-054007-70286-3	FDV18-250L	500	BG	22-18 AWG

3M™ Highland™ Fully Insulated Nylon Tab

Highland terminals come in pre-packaged quantities in reclosable zipper bags. All are insulated with a high grade nylon.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-70311-2	MTI14-250L	500	.250	BG	16-14 AWG
00-054007-70313-6	MTI18-250L	500	.250	BG	22-18 AWG

3M™ Highland™ Vinyl Butt Splices

Highland terminals come in pre-packaged quantities in reclosable zipper bags. All are insulated with a high grade vinyl.



UPC Number	ID	Case Qty	UOM
00-054007-70453-9	BSV10Q	25	BG
00-054007-70266-5	BSV10L	50	BG
00-054007-70267-2	BSV14L	50	BG
00-054007-70209-2	BSV14C	100	BG
00-054007-70268-9	BSV18L	50	BG
00-054007-70210-8	BSV18C	100	BG

3M™ Highland™ Vinyl Insulated Locking Fork

The spring-like tongue locks into place around the stud even when the mount screw is not tightened. Extra force is required to remove it from the stud.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-70468-3	LFV10-10Q	250	10	BG	12-10 AWG

3M™ Highland™ Vinyl Insulated Ring RV Terminal

A ring is the standard style of tongue. The safest and most reliable; it cannot be removed unless mounting screw is removed.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-70329-7	RV10-10L	5	10	BG	12-10 AWG
00-054007-70477-5	RV10-10Q	10	10	BG	12-10 AWG
00-054007-70478-2	RV10-14Q	10	¼	BG	12-10 AWG
00-054007-70243-6	RV14-10C	5	10	BG	16-14 AWG
00-054007-70333-4	RV14-8L	10	8	BG	16-14 AWG
00-054007-70334-1	RV14-10L	10	10	BG	16-14 AWG
00-054007-70336-5	RV18-6L	10	6	BG	22-18 AWG
00-054007-70337-2	RV18-8L	10	8	BG	22-18 AWG



3M™ Scotchlok™ Butted Seam Female Disconnect, Fully Insulated Nylon

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-02384-5	MNU14-187DFIK	1,000	EA	16-14 AWG
00-054007-02291-6	MNU14-250DFIK	1,000	EA	16-14 AWG
00-054007-02287-9	MNU14-250DFIX	500	EA	16-14 AWG
00-054007-02370-8	MNU18-187DFIK	1,000	EA	22-18 AWG
00-054007-02286-2	MNU18-250DFIX	500	EA	22-18 AWG
00-054007-02290-9	MNU18-250DFIK	1,000	EA	22-18 AWG

3M™ Scotchlok™ Fully Nylon Insulated Butted Seam Female Heat Shrink Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.

UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-06339-1	MNHU14-250DFIK	1,000	EA	16-14 AWG



Terminals, cont'd

3M™ Scotchlok™ Fully Nylon Insulated Butted Seam Male Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-02301-2	MNU10-250DMIK	1,000	EA	12-10 AWG
00-054007-02306-7	MNU14-250DMIX	500	EA	16-14 AWG
00-054007-02300-5	MNU14-250DMIK	1,000	EA	16-14 AWG
00-054007-02289-3	MNU18-250DMIX	500	EA	22-18 AWG
00-054007-02299-2	MNU18-250DMIK	1,000	EA	22-18 AWG

Terminals, cont'd

3M™ Scotchlok™ Fully Nylon Insulated with Insulation Grip Male Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-11723-0	MNG14-250DMIX	500	EA	16-14 AWG
00-054007-02249-7	MNG14-250DMIK	1,000	EA	16-14 AWG
00-054007-11711-7	MNG18-250DMIX	500	EA	22-18 AWG
00-054007-02302-9	MNG18-250DMIK	1,000	EA	22-18 AWG

3M™ Scotchlok™ Non-Insulated Brazed Seam Block Fork Terminal


Block forks have the same strength as the standard fork, but are designed to be used in a terminal block because their sides lie flat against the barrier portion of the terminal block.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-23680-1	M10-10FBX	500	10	EA	12-10 AWG

3M™ Scotchlok™ Non-Insulated Brazed Seam Ring Tongue Terminal

A ring is the standard style of tongue. The safest and most reliable; it cannot be removed unless mounting screw is removed.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-02149-0	M6-14R/SK	200	¼	EA	6 AWG
00-054007-24183-6	M6-14R/SX	200	¼	EA	6 AWG
00-054007-24126-3	M8-14R/SX	250	¼	EA	8 AWG
00-054007-23276-6	M10-10RX	500	10	EA	12-10 AWG



3M™ Scotchlok™ Nylon Fully Insulated Butted Seam Female Disconnect with Interlocking Barrel

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-69575-2	MNI14-250DFIK	1,000	EA	16-14 AWG
00-054007-09991-8	MNI10-250DFIX	500	EA	12-10 AWG
00-054007-69573-8	MNI10-250DFIK	1,000	EA	12-10 AWG

3M™ Scotchlok™ Nylon Fully Insulated w/Ins. Grip Butted Seam Female Disconnect w/Interlocking Barrel

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-69563-9	MNG110-250DFIK	1,000	EA	12-10 AWG

3M™ Scotchlok™ Nylon Insulated Brazed Seam Ring Tongue Terminal

A ring is the standard style of tongue. The safest and most reliable; cannot be removed unless mounting screw is removed.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-08267-5	MN8-10R/SK	200	10	EA	8 AWG
00-054007-08268-2	MN8-14R/SK	200	¼	EA	8 AWG
00-054007-15652-9	MN8-14R/SX	200	¼	EA	8 AWG
00-054007-08270-5	MN8-38RK	200	3/8	EA	8 AWG
00-054007-08273-6	MN6-14R/SK	200	¼	EA	6 AWG



3M™ Scotchlok™ Nylon Fully Insulated with Insulation Grip Female Disconnect

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-11716-2	MNG14-250DFIX	500	EA	16-14 AWG
00-054007-01841-4	MNG14-250DFIK	1,000	EA	16-14 AWG
00-054007-11816-9	MNG18-187DFIK	1,000	EA	22-18 AWG
00-054007-02293-0	MNG18-250DFIK	1,000	EA	22-18 AWG

Terminals, cont'd

3M™ Scotchlok™ Nylon Insulated with Insulation Grip Block Fork Terminal

Block forks have the same strength as the standard fork, but are designed to use in a terminal block because their sides lie flat against the barrier portion of the terminal block.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-22682-6	MNG14-8FBX	500	8	EA	16-14 AWG
00-054007-23748-8	MNG10-10FBX	500	10	EA	12-10 AWG

**3M™ Scotchlok™ Nylon Insulated with Insulation Grip Female Disconnect**

The disconnects are attached to mating part by tongue of female part slipping over male tab. The use of dents and rolled edges on female part provides excellent holding force while allowing easy and quick disconnect.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-22930-8	MNG14-250DFX	500	EA	16-14 AWG

3M™ Scotchlok™ Nylon Insulated with Insulation Grip Locking Fork Terminal

The spring-like tongue locks into place around the stud even when the mount screw is not tightened. Extra force is required to remove it from the stud.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-11720-9	MNG14-10FLX	500	10	EA	16-14 AWG

**3M™ Scotchlok™ Nylon Insulated with Insulation Grip Ring Tongue Terminal**


A ring is the standard style of tongue. The safest and most reliable; cannot be removed unless mounting screw is removed.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-01936-7	MNG10-8RK	500	8	EA	12-10 AWG
00-054007-01937-4	MNG10-10RK	500	10	EA	12-10 AWG
00-054007-23441-8	MNG10-10RX	500	10	EA	12-10 AWG
00-054007-01938-1	MNG10-14R/SK	500	¼	EA	12-10 AWG
00-054007-23458-6	MNG10-14R/SX	500	¼	EA	12-10 AWG
00-054007-22484-6	MNG14-10R/LX	500	10	EA	16-14 AWG
00-054007-16163-9	MNG18-6R/SK	1,000	6	EA	22-18 AWG



3M™ Scotchlok™ Seam Terminal

A ring is the standard style of tongue. The safest and most reliable; cannot be removed unless mounting screw is removed.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-06331-5	MH14-14R/SK	250	¼	EA	16-14 AWG
00-054007-06323-0	MH14-6FLK	250	6	EA	16-14 AWG
00-054007-06325-4	MH14-8R/LK	250	8	EA	16-14 AWG
00-054007-06327-8	MH14-10R/LK	250	10	EA	16-14 AWG
00-054007-15629-1	MU14-10RHTX	500	10	EA	16-14 AWG
00-054007-15637-6	MU10-10RHTX	500	10	EA	12-10 AWG

3M™ Scotchlok™ Terminal Boxes (Empty)

A red metal 17 slot or 24 slot box to hold your 3M™ Scotchlok™ Terminals. BOX ONLY.

UPC Number	Size	Desc	Case Qty	UOM
00-054007-11900-5	13.5"x9.5"x2"	17 Slot	6	EA



3M™ Scotchlok™ Terminal Kit STK-1

Filled with 3M's most frequently purchased low voltage termination products. Kit is constructed of durable metal with individual product compartments. While the compartments keep you organized, the rugged metal frame protects the contents even in the harshest conditions. Also includes crimping tool, Scotchcode™ Tape Dispenser and Cable Ties.



UPC Number	ID	Color	Case Qty	UOM
00-051138-25348-6	STK-1	Red	1	EA

Terminals, Forks

3M™ Highland™ FV10 Standard Forks Vinyl Insulated

Fork terminals allow rapid connection of wire, and are usually used on free-standing studs due to their wider tongues.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM
00-054007-70288-7	FV10-8L	50	8	BG
00-054007-70289-4	FV10-10L	50	10	BG

3M™ Scotchlok™ Vinyl Insulated Brazed Seam Block Fork Terminal

The standard fork allows rapid connection of wire. They are usually used on free-standing studs, because of their wider tongues.

UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-23706-8	MV10-8FBX	500	8	EA	12-10 AWG
00-054007-23714-3	MV10-10FBX	500	10	EA	12-10 AWG
00-054007-22641-3	MV14-6FBX	500	6	EA	16-14 AWG
00-054007-22658-1	MV14-8FBX	500	8	EA	16-14 AWG
00-054007-22666-6	MV14-10FBX	500	10	EA	16-14 AWG
00-054007-21999-6	MV18-8FBX	1,000	8	EA	22-18 AWG



Terminals, Forks, cont'd

3M™ Scotchlok™ Vinyl Insulated Brazed Seam Fork Terminal

The standard fork allows rapid connection of wire. They are usually used on free-standing studs, because of their wider tongues.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-23615-3	MV10-8FX	500	EA	12-10 AWG
00-054007-23623-8	MV10-10FX	500	EA	12-10 AWG
00-054007-22567-6	MV14-8FX	500	EA	16-14 AWG
00-054007-22575-1	MV14-10FX	500	EA	16-14 AWG

3M™ Scotchlok™ Vinyl Insulated Brazed Seam Locking Fork Terminal

The spring-like tongue locks into place around the stud even when the mount screws is not tightened.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-13864-8	MV18-6FLX	500	6	EA	22-18 AWG
00-054007-13872-3	MV18-8FLX	500	8	EA	22-18 AWG
00-054007-13906-5	MV14-6FLX	500	6	EA	16-14 AWG
00-054007-13914-0	MV14-8FLX	500	8	EA	16-14 AWG
00-054007-13915-7	MV14-8FLK	1,000	8	EA	16-14 AWG
00-054007-13922-5	MV14-10FLX	500	10	EA	16-14 AWG
00-054007-13923-2	MV14-10FLK	1,000	10	EA	16-14 AWG
00-054007-13971-3	MV10-14FLX	500	¼	EA	12-10 AWG
00-054007-13955-3	MV10-8FLX	500	8	EA	12-10 AWG
00-054007-13964-5	MV10-10FLK	500	10	EA	12-10 AWG
00-054007-13963-8	MV10-10FLX	500	10	EA	12-10 AWG

3M™ Scotchlok™ Vinyl Insulated Butted Seam Block Fork Terminal

Block forks have the same strength as the standard fork, but are designed to use in a terminal block because their sides lie flat against the barrier portion of the terminal block.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-01220-7	MVU18-8FBK	1,000	8	EA	22-18 AWG

3M™ Scotchlok™ Vinyl Insulated Butted Seam Locking Fork Terminal

The spring-like tongue locks into place around the stud even when the mount screw is not tightened. Extra force is required to remove it from the stud.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-01873-5	MVU14-8FLK	1,000	8	EA	16-14 AWG
00-054007-01361-7	MVU18-8FLK	1,000	8	EA	22-18 AWG

Terminals, Pins

3M™ Scotchlok™ Vinyl Insulated Pin Terminal

Pin terminals are used for installation in compression blocks.



UPC Number	ID	Case Qty	UOM	Wire Range
00-054007-49433-1	MVU14-47PX	500	EA	16-14 AWG
00-054007-49434-8	MVU18-47PX	500	EA	16-14 AWG
00-054007-49432-4	MVU10-55PX	500	EA	12-10 AWG

Terminals, Rings

3M™ Scotchlok™ Vinyl Insulated Brazed Seam Ring Tongue Terminal

The spring-like tongue locks into place around the stud even when the mount screws is not tightened.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-01923-7	MV10-10RK	500	10	EA	12-10 AWG
00-054007-23359-6	MV10-10RX	500	10	EA	12-10 AWG
00-054007-01924-4	MV10-14R/SK	500	¼	EA	12-10 AWG
00-054007-23367-1	MV10-14R/SX	500	¼	EA	12-10 AWG
00-054007-01421-8	MV14-10R/LK	1,000	10	EA	16-14 AWG
00-054007-22385-6	MV14-8R/LX	500	8	EA	16-14 AWG
00-054007-22393-1	MV14-10R/LX	500	10	EA	16-14 AWG
00-054007-22401-3	MV14-14R/SX	500	¼	EA	16-14 AWG
00-054007-21734-3	MV18-10R/LX	500	10	EA	22-18 AWG

Terminals, Rings, cont'd

3M™ Scotchlok™ Vinyl Insulated Butted Seam Ring Tongue Terminal

A ring is the standard style of tongue. The safest and most reliable; cannot be removed unless mounting screw is removed.



UPC Number	ID	Case Qty	Stub-Tab Size	UOM	Wire Range
00-054007-01080-7	MVU18-6R/SK	1,000	6	EA	22-18 AWG
00-054007-01453-9	MVU14-10R/LK	1,000	10	EA	16-14 AWG
00-054007-01452-2	MVU14-10RK	1,000	10	EA	16-14 AWG

Wire Markings

3M™ ScotchCode™ Preprinted Wire Marking Book

These handy books contain printed vinyl cloth wire and terminal markers with clearly printed letter, numbers and industry-standard legends. Including an alarm system book and a load center book.



UPC Number	ID	Desc	Case Qty	UOM
00-054007-49951-0	SPB-01	45 each 0-9, 15 each L1, L2, L3, T1, T2, T3	5	EA
00-054007-49952-7	SPB-02	10 each A-Z, 0-15, +, -, ,	5	EA
00-054007-49953-4	SPB-03	10 each 1-45	5	EA
00-054007-49958-9	SPB-08	6 each 1-15, 4 each 16-90, 2 each A-Z, +, -, ,	5	EA
00-054007-49960-2	SPB-11	15 each 1-30	5	EA
00-054007-49961-9	SPB-12	15 each A-Z, 8 each +, 6 each -, 21 each blank write on markers	5	EA
00-054007-49963-3	SPB-14	10 each 46-90	5	EA

3M™ ScotchCode™ Refill for Write-On Wire Marker Tape Dispenser SWD

Offer three marker sizes to fill your needs. Each of these durable, lightweight dispensers provides a flat, stable surface for writing on the marker. Dispenser is factory loaded and re-enterable, providing clean storage for the die-cut markers. The markers are transparent vinyl tape with acrylic, self-laminating, pressure sensitive adhesive that resists flagging, dirt, oil and heat. Write on tape markers are for use on 0.09" to 0.315" O.D. wire and cable and any other marking uses from control panels to golf clubs.



UPC Number	ID	Size	Color	Case Qty	UOM
00-054007-12201-2	SWD-R	¾"x1.4'	Transparent	10	RL

Wire Markings, cont'd

3M™ ScotchCode™ SDR Wire Marker Tape Refill Roll

The SDR Tape can be used for the following applications involving operating temperatures ranging from -40°F to 250°F (-40°C to 121°C): Marking all types of wire and cable including power, control, fiber optic, electronic, telecommunication and instrumentation; Phase identification on large or small gauge wire or cable;

Identification of terminal blocks, terminal strips, and wire in panel boards or a piece of switchgear; Automotive applications on tubing, hoses and replacement parts.



UPC Number	ID	Case Qty	UOM
00-054007-09369-5	SDR-0	10	RL
00-054007-09368-8	SDR-0-9	5	RL
00-054007-09370-1	SDR-1	10	RL
00-054007-09371-8	SDR-2	10	RL
00-054007-09372-5	SDR-3	10	RL
00-054007-09373-2	SDR-4	10	RL
00-054007-09374-9	SDR-5	10	RL
00-054007-09375-6	SDR-6	10	RL
00-054007-09376-3	SDR-7	10	RL
00-054007-09377-0	SDR-8	10	RL
00-054007-09378-7	SDR-9	10	RL

3M™ ScotchCode™ SDR-MC Wire Marker Tape Refill Roll

Multiple colors of wire marker rolls.



UPC Number	ID	Desc	Case Qty	UOM
00-054007-09404-3	SDR-MC	Multiple colors/Inr	50	PH

3M™ ScotchCode™ SLW-R Wire Marker Refill Roll

Refill for SLW dispenser. 70 labels per roll. Marker is 1" x 5", with a write-on area of 1" x 0.75". Recommended for wire with an outer diameter of 0.23" to 1.32".



UPC Number	ID	Size	Case Qty	UOM
00-054007-49651-9	SLW-R	1"x5"	10	EA

Wire Markings, cont'd

3M™ ScotchCode™ SMP Marker Pen

This pen performs well on nonporous surfaces, has an extra-fine point with permanent, quick-drying ink and is available in black ink. It has superior UV and water resistance.



UPC Number	ID	Color	Case Qty	UOM
00-054007-09963-5	SMP	Black	50	EA

3M™ ScotchCode™ STD-C Wire Marker Tape Dispenser

The 3M™ ScotchCode™ STD Tape Dispenser is a compact, carry-along dispenser with ten refillable compartments that hold eight-foot rolls of non-smear polyester tape. Used for marking binder groups, wire or cable, the tapes' high tack, acrylic adhesive resists solvents, oil and water, and adheres firmly to insulation surfaces. An end-loop hooks the dispenser easily to a tool pouch or belt.



UPC Number	ID	Case Qty	UOM
00-054007-12175-6	STD-C	25	EA

3M™ ScotchCode™ STD-TAG Wire Marker Dispenser

The tags are available in two sizes, STD-101 and STD-102. Applications for both types of tags include identifying wire, cable conduit and tubing as well as bundling wire, cable or any other objects with a circumference which can be handled with a miniature or standard width cable tie.



UPC Number	ID	Case Qty	UOM
00-054007-50345-3	STD-TAG	10	EA

3M™ ScotchCode™ SWD Wire Marker Write-On Dispenser

Regular sized dispenser with tape and SMP marking pen. 50 labels per roll. Marker is 0.75" x 1.375", with a write-on area of 0.75" x 0.312". Recommended for wire with an outer diameter of 0.09" to 0.31".



UPC Number	ID	Case Qty	UOM
00-054007-11954-8	SWD	10	EA

Wire Markings, cont'd

3M™ ScotchCode™ Wire Marking Tape Dispenser

Provides a fast, convenient system for marking wire, cable, or vacuum hoses and spark plug wires. Special end loop to hook on belt or tool pouch. Small size makes it easy to carry. Filled dispenser.



UPC Number	ID	Case Qty	UOM
00-054007-49517-8	STD-CX	10	EA
00-054007-49518-5	STD-0-9X	10	EA
00-054007-12174-9	STD-0-9	25	EA

Wire Markings, cont'd

3M™ ScotchCode™ Write-On Tape Wire Marker Dispenser SLW

Offers three marker sizes to fill your needs. This lightweight dispenser provides a flat, stable surface for writing on the marker. Dispenser is factory loaded and re-enterable, providing clean storage for the die-cut markers. The markers are transparent vinyl tape with acrylic, self-laminating, pressure sensitive adhesive that resists flagging, dirt, oil and heat. Write on tape markers are for use on 0.09" to 0.315" O.D. wire and cable and any other marking uses from control panels to golf clubs. Large dispenser with tape and SMP marker.



UPC Number	ID	Size	Case Qty	UOM
00-054007-12177-0	SLW	1"x5"	10	EA

Cleaners

3M™ 3-in-1 Floor Cleaner 24H

Versatile, low-foaming cleaner for use in automatic scrubbers or in mop-on applications. Formulated for scrubbing before recoating as well as cleaning before burnishing and daily cleaning. High flow for use in filling buckets.



UPC Number	Size	Case Qty	UOM
50-048011-23553-5	2 ltr	6	CA

3M™ All Purpose Cleaner Concentrate

A concentrated product designed to address general cleaning tasks including floors, walls, countertops, desks, many painted surfaces and other washable surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-34747-4	1 gal	1	CA
00-048011-34750-9	5 gal	1	CA

3M™ Bathroom Disinfectant Cleaner Concentrate 4L

Removes soap scum and scale from bathroom surfaces. Low flow for use in filling spray bottles.



UPC Number	Size	Case Qty	UOM
50-048011-19204-3	2 ltr	6	BO

3M™ Creme Cleanser

Removes hard water scale, rust stains, soap scum and heavy soil from stainless steel surfaces, bathroom fixtures and ceramic surfaces. Extra thick formula contains very fine grade abrasive particles for extra scrubbing power. Ready-To-Use Quarts.



UPC Number	Size	Case Qty	UOM
50-048011-34763-4	1 qt	12	CA

Cleaners, cont'd

3M™ Deodorizer

Long-lasting deodorizer leaves a pleasant scent. Effectively masks unpleasant odors. Low flow use in filling bottles.



UPC Number	Size	Desc	Case Qty	UOM
50-048011-20121-9	2 ltr	Fresh Scent	6	CA

3M™ Dose 'n Fill Cleaning System, Air Freshener - Fresh Scent Refill Cartridge

Long lasting deodorizer formulated to effectively control unpleasant odors. Leaves a fresh, clean scent in offices, washrooms, locker rooms, lounges, hotels, motels, meeting rooms, automobiles, nursing homes, animal kennels, garbage compactors, and vet clinics. Each cartridge contains enough concentrate for making eight quarts.



UPC Number	Size	Case Qty	UOM
50-048011-54114-8	140 mL	6	CA

3M™ Dose 'n Fill Cleaning System, Air Freshener - Fresh Scent Starter Kit

Long lasting deodorizer formulated to effectively control unpleasant odors. Leaves a fresh, clean scent in offices, washrooms, locker rooms, lounges, hotels, motels, meeting rooms, automobiles, nursing homes, animal kennels, garbage compactors, and vet clinics. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



UPC Number	Size	Case Qty	UOM
50-048011-54113-1	140 mL	4	CA

Cleaners, cont'd

3M™ Dose 'n Fill Cleaning System, All-Purpose Cleaner & Degreaser Refill Cartridge

Versatile cleaner that removes heavy dirt buildup, food soils, greases and oils from washable surfaces such as walls, desks, lockers, doors, machinery, stainless steel countertops and plastic. Each cartridge contains enough concentrate for making eight quarts.



UPC Number	Size	Case Qty	UOM
50-048011-54110-0	136 mL	6	CA

3M™ Dose 'n Fill Cleaning System, All-Purpose Cleaner & Degreaser Starter Kit

Versatile cleaner that removes heavy dirt buildup, food soils, greases and oils from washable surfaces such as walls, desks, lockers, doors, machinery, stainless steel countertops and plastic. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



UPC Number	Size	Case Qty	UOM
50-048011-54109-4	136 mL	4	CA

3M™ Dose 'n Fill Cleaning System, Glass Cleaner Refill Cartridge

Fast-drying, non-streaking cleaner. For cleaning windows glass and mirrors as well as stainless steel, chrome, aluminum, ceramic, marble and plastic. Non-ammoniated formula is compatible with Plexiglas™ and most other plastics. Each cartridge contains enough concentrate for making six quarts.



UPC Number	Size	Case Qty	UOM
50-048011-54112-4	139 mL	6	CA

Cleaners, cont'd

3M™ Dose 'n Fill Cleaning System, Glass Cleaner Starter Kit

Fast-drying, non-streaking cleaner. For cleaning windows glass and mirrors as well as stainless steel, chrome, aluminum, ceramic, marble and plastic. Non-ammoniated formula is compatible with Plexiglas™ and most other plastics. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making six more quarts and one free storage caddy.



UPC Number	Size	Case Qty	UOM
50-048011-54111-7	139 mL	4	CA

3M™ Dose 'n Fill Cleaning System, Restroom Cleaner Refill Cartridge

Mild acid restroom cleaner effectively removes soap scum and light bathroom scale from toilet bowls, urinals, sinks, showers, ceramic tile, countertops, plastics, fiberglass, porcelain and fixtures. Each cartridge contains enough concentrate for making eight quarts.



UPC Number	Size	Case Qty	UOM
50-048011-54108-7	138 mL	6	CA

3M™ Dose 'n Fill Cleaning System, Restroom Cleaner Starter Kit

Mild acid restroom cleaner effectively removes soap scum and light bathroom scale from toilet bowls, urinals, sinks, showers, ceramic tile, countertops, plastics, fiberglass, porcelain and fixtures. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



UPC Number	Size	Case Qty	UOM
50-048011-54106-3	138 mL	4	CA

3M™ Enzyme Digester 34862

Contains non-pathogenic enzyme producing bacteria. Digests waste material and odor from urine, vomit, feces and other organic waste. Eliminates odors from the source, doesn't mask them.



UPC Number	Size	Case Qty	UOM
50-048011-34862-4	8 oz	6	CA

3M™ Furniture Polish, Ready-to-Use

A ready-to-use product that cleans, polishes and helps protect a variety of surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-34752-8	1 qt	12	CA

3M™ General Purpose Cleaner 8L

High-performance, all-purpose cleaner. First choice for your everyday cleaning needs. For floors, walls and other non-porous surfaces. High flow for use in filling buckets.



UPC Number	Size	Case Qty	UOM
50-048011-19211-1	2 ltr	6	CA

3M™ General Purpose Cleaner Concentrate 8H

High-performance, all-purpose cleaner. First choice for your everyday cleaning needs. For floors, walls and other non-porous surfaces. High flow for use in filling buckets.



UPC Number	Size	Case Qty	UOM
50-048011-19212-8	2 ltr	6	CA

3M™ Glass & Surface Cleaner

Cleans soils, water spots, oils, lipstick, hair-spray, etc. on non-porous surfaces such as windows, mirrors, fixtures, display cases, table tops, glass, stainless steel, ceramic tile, chrome, marble, Plexiglas™, and acrylics. Not for use in freezing conditions.



UPC Number	Size	Case Qty	UOM
50-048011-34759-7	1 qt	12	CA

3M™ Glass Cleaner

Fast-drying, non-streaking cleaner. For cleaning windows glass and mirrors as well as stainless steel, chrome, aluminum, ceramic, marble and plastic. Non-ammoniated formula is compatible with Plexiglas™ and most other plastics.



UPC Number	Size	Case Qty	UOM
50-048011-35142-6	1 qt	12	CA

3M™ Gum Remover Ready-to-Use

Removes gum from carpet, walk-off mats, fabric and other surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-34854-9	8 oz	6	CA

Cleaners, cont'd

3M™ Heavy Duty All Purpose Cleaner & Degreaser with Foaming Action

Heavy Duty Aerosol Cleaner for walls and tables to remove dirt, graffiti, dry erase markers, crayons, inks, grease and oils, light industrial soils on equipment/machinery, food soil on non-food contact surfaces. Foaming action allows additional dwell time on vertical surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-35146-4	19 oz	12	CA

3M™ Heavy Duty All-Purpose Cleaner and Degreaser

Heavy Duty Cleaner for walls and tables to remove dirt, graffiti, markers, crayons, inks, grease and oils, light industrial soils on equipment/machinery, food soil on non-food contact surfaces. A spray and wipe cleaner that works well on a variety of surfaces and soils. Ready-to-use quarts.



UPC Number	Size	Case Qty	UOM
50-048011-35144-0	1 qt	12	CA

3M™ Heavy Duty Bowl Cleaner

A 23% HCL acid product formulated to help remove the most difficult rust stains and hard water mineral deposits from toilet bowls and urinals. Ready-To-Use Quarts.



UPC Number	Size	Case Qty	UOM
50-048011-34764-1	1 qt	12	CA

3M™ Heavy Duty Cleaner

A ready-to-use product that is safe for use on most washable surfaces. This product is a powerful cleaner combined with a citrus fragrance to leave the surface clean and pleasant-smelling.



UPC Number	Size	Case Qty	UOM
50-048011-34758-0	1 qt	12	CA

Cleaners, cont'd

3M™ Heavy Duty Degreaser Concentrate

A powerful degreaser concentrate developed for extremely tough jobs. Ideal for cleaning machinery, engines, factory floors, tools, trucks and metal parts. Quickly penetrates grease, oil and a variety of soils.



UPC Number	Size	Case Qty	UOM
50-048011-34782-5	1 gal	4	CA

3M™ Heavy Duty Foaming Cleaner - Aerosol

Clinging foam emulsifies grease and dirt for easy removal. Test painted surfaces to ensure no color transfer. Overspray on to the floor may dull floor finish.



UPC Number	Case Qty	UOM
50-048011-34772-6	1	CA

3M™ Heavy Duty Multi-Surface Cleaner 2L

Versatile cleaner removes most spots, stains and grease from washable surfaces. Use to clean carpets, marble, aluminum, stainless steel, chrome, etc.



UPC Number	Size	Case Qty	UOM
50-048011-19202-9	2 ltr	6	CA

3M™ Lemon Furniture Polish

A ready-to-use product that cleans, polishes and helps protect a variety of surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-35145-7	17 oz	12	CA

Cleaners, cont'd

3M™ TroubleShooter™ Liquid Finish Remover

Sprayable foam formula removes soil and finish buildup. Use on baseboards, floor edges, corners, stairways and ceramic tile. Ready-To-Use quarts.



UPC Number	Size	Desc	Case Qty	UOM
50-048011-29524-9	1 qt	1 trigger sprayer	6	CA

3M™ Neutral Cleaner Concentrate 3H

No-rinse, low-foaming formula won't harm floors or leave soapy residue that can dull or soften floor finish. Use with mop or automatic scrubber. Fresh scent.



UPC Number	Size	Case Qty	UOM
50-048011-20200-1	2 ltr	6	CA

3M™ Neutral Floor Cleaner

No-rinse, low-foaming formula won't harm floors or leave soapy residue that can dull or soften floor finish. Use with mop or automatic scrubber. Fresh scent.



UPC Number	Size	Case Qty	UOM
50-048011-08780-6	2.5 gal	2	CA

3M™ Neutral Quat Disinfectant Cleaner Concentrate

Rinse-free, EPA-registered, hospital grade quaternary disinfectant cleaner kills HBV, HIV-1, MRSA, VRE, Herpes Simplex I and II, and other pathogens. Low-foaming, neutral pH formula.



UPC Number	Size	Case Qty	UOM
50-048011-34746-7	1 gal	1	CA

Cleaners, cont'd

3M™ Non-Acid Foaming Restroom Cleaner & Disinfectant

Ready-to-use product formulated to quickly penetrate soap scum and soils found on restroom surfaces. Non-Acid product provides powerful foaming action making it an excellent choice for cleaning vertical surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-34765-8	1 qt	12	CA

3M™ Non-Acid Restroom Cleaner with Foaming Action

For removal of soap scum and other soils from sinks, fixtures, countertops, showers, toilets, urinals, bathtubs, ceramic tile, plastic, marble surfaces. Excellent soap scum cleaner. Non-acid formula is safe for use on most hard, washable surfaces. High pH makes it a great cleaner for soil removal. Powerful foaming action allows the cleaning of vertical surfaces. Great smell. Ready-to-use quarts.



UPC Number	Size	Case Qty	UOM
50-048011-35143-3	1 qt	12	CA

3M™ Odor Counteractant, Aerosol, Citrus Blend

For control of most organic, chemical and smoke odors in a number of facilities including restrooms, garbage compactors, closets, animal kennels, health care facilities, schools, office buildings, veterinary clinics and hotels.



UPC Number	Size	Case Qty	UOM
50-048011-34775-7	16 oz	12	CA

Cleaners, cont'd

3M™ Odor Counteractant, Aerosol, Ocean Mist

For control of most organic, chemical and smoke odors in a number of facilities including restrooms, garbage compactors, closets, animal kennels, health care facilities, schools, office buildings, veterinary clinics and hotels.



UPC Number	Size	Case Qty	UOM
50-048011-34774-0	16 oz	12	CA

3M™ Phosphoric Acid Restroom Cleaner

Ready-to-use product formulated to quickly remove mineral and lime deposits, scale, rust and soap scum from toilet bowls and urinals



UPC Number	Size	Case Qty	UOM
50-048011-34755-9	1 qt	12	CA

3M™ Quat Disinfectant Cleaner 5H

EPA-registered, hospital-grade quaternary disinfectant cleaner. Kills HIV-1, MRSA, VRE, Herpes Simplex I and II and other pathogens. Rinse-free, pleasant fragrance. High flow for dispensing into buckets.



UPC Number	Size	Case Qty	UOM
50-048011-23219-0	2 ltr	6	CA

3M™ Sharpshooter™ Extra Strength No-Rinse Cleaner

No-rinse formula cleaner for quick, easy removal of soil, grease and floor finish buildup. A powerful cleaner that penetrates and loosens buildup quickly. Convenient and proven effective.



UPC Number	Size	Case Qty	UOM
50-048011-16861-1	1 qt	12	CA
50-048011-13702-0	5 gal	1	CA

Cleaners, cont'd

3M™ Stainless Steel Cleaner and Polish

Ideally suited for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. Contains no petroleum distillates.



UPC Number	Size	Case Qty	UOM
50-048011-26564-8	21 oz	6	CA
50-048011-14002-0	21 oz	12	CA
50-048011-19930-1	1 gal	4	CA

3M™ Tarni-Shield™ Products

Water-based cleaner and protector used to remove tarnish. Also protects from retarnishing. Can be used on copper, brass or silver.



UPC Number	Size	Desc	Case Qty	UOM
50-021200-76547-1	10 oz	Copper & Brass Cleaner	6	CA
50-021200-76546-4	10 oz	Silver Cleaner	6	CA

3M™ Trouble Shooter™ Baseboard Stripper, 21 oz Aerosol

Heavy duty cleaner for quick and easy removal of soil, grease and floor finish build-up. Thick foam formulation clings to vertical surfaces—maximizes contact with soil and grime for faster, more thorough cleaning.



UPC Number	Size	Case Qty	UOM
00-048011-14001-8	21 oz	12	CA

Cleaners, cont'd

Scotchgard™ Carpet Extraction Cleaner

Liquid concentrate to be diluted with water for use in carpet restorative extraction cleaning.



UPC Number	Size	Case Qty	UOM
50-048011-05719-9	1 gal	4	CA

Scotchgard™ Spot Remover and Upholstery Cleaner

Designed to clean carpets and upholstery. Releases both oil and water-based soils from carpet and upholstery. Aerosol foam is sprayed directly on spot with minimum of over spray. Requires no rinsing. Wipe or blot area with a clean absorbent cloth.



UPC Number	Size	Case Qty	UOM
50-048011-14003-7	17 oz	12	CA

Scotchgard™ Heavy Duty Stain Remover

Ready-to-use aerosol formulated to remove the toughest stains from carpet. Includes a regular spray tip for surface applications and an extension tube spray tip for deeper applications.



UPC Number	Size	Case Qty	UOM
50-048011-14004-4	21 oz	12	CA

3M™ Doodleduster™ Holder

Rugged, yet lightweight holders for 3M™ Doodleduster™ Cloth. Flexible swivel and low profile for easy maneuverability. Convenient clips for easy cloth attachment and removal.

UPC Number	Size	Desc	Case Qty	UOM
50-048011-19150-3	25"x3.9375"x3"	Small	1	CA
50-048011-19151-0	38"x3.9375"x3"	Large	1	CA

Cleaners, cont'd

Scotchgard™ Liquid Carpet Stain Remover

Ready-to-Use product specialty formulated for daily use on common spots and spills.



UPC Number	Size	Case Qty	UOM
50-048011-34863-1	1 qt	12	CA

Scotchgard™ Tile & Grout Protector

Protects grout from dirt and soils to make routine cleaning easier.



UPC Number	Size	Case Qty	UOM
50-048011-29696-3	1 qt	6	CA

Floor Care Products

3M™ Doodleduster™ Cloth

Untreated, microfiber disposable cloth that leaves no slippery, sticky residue. Ideal for dusting floors before and after burnishing or prior to recoating.



UPC Number	Size	Color	Case Qty	UOM
50-048011-19152-7	7"x13.8"	White	1	CA
50-048011-08184-2	7"x13.8"	White	4	CA

Floor Care Products, cont'd

3M™ Floor Sweeper 4500

Super-efficient dual eight-bladed rotoblades easily pick up both large and small debris. Works on virtually any floor surface. Light weight and compact.



UPC Number	Size	Color	Desc	Case Qty	UOM
50-048011-15402-7	10"	Red	Small	1	CA

3M™ Floor Sweeper 6000


Super-efficient dual eight-bladed rotoblades easily pick up both large and small debris. Works on virtually any floor surface. Light weight and compact.



UPC Number	Size	Color	Desc	Case Qty	UOM
50-048011-15498-0	12.5"	Red	Large	1	CA

3M™ Sanding Screen Discs

Sanding screen discs are excellent for removing raised wood grain in the final sanding stage and scuffing between finish coats. The discs are manufactured with silicon carbide that is bonded to a uniform open mesh.



UPC Number	Size	Desc	Case Qty	UOM
00-048011-29829-0	19"xNH	80 Grit	12	CA
00-048011-29828-3	19"xNH	100 Grit	12	CA
00-048011-29822-1	20"xNH	120 Grit	12	CA

Scotch-Brite™ Quick Clean Griddle Liquid No. 700

A powerful, but safe, liquid cleaner that loosens and lifts burnt-on food soil from the hot griddle. It takes about half the time of other cleaners.



UPC Number	Size	Case Qty	UOM
50-048011-29603-1	3.2 oz	40	CA

Floor Care Products, Floor Brushes

3M™ TopLine Pre-Burnish Floor Conditioner

Use on floors protected with high quality floor finish. Use with 3M™ 5000 Pre-Burnish Pad to clean and condition floors prior to burnishing. Dilution 1:128



UPC Number	Size	Case Qty	UOM
50-048011-14185-0	1 gal	4	CA

3M™ Doodlebug™ General Purpose Brush 4020


Ideal for cleaning surfaces such as tile and grout, concrete, vinyl, brick and raised circular pattern rubber floors. It's excellent for cleaning 3M™ Safety-Walk™ Slip Resistant Matting and surfaces covered with 3M™ Safety-Walk™ Slip Resistant Material. Handle not included.



UPC Number	Size	Case Qty	UOM
50-048011-14020-4	3¾" x 9¼"	8	EA

3M™ Extra Duty Floor Brush 73


For heavy duty scrubbing or stripping of most floor surfaces, from tile, brick to stone, and smooth concrete. Aggressive bristle action and ultimate conformability ensure maximum cleaning action. Medium diameter nylon bristles filled with aggressive silicon carbide abrasive. For use on rotary 175-300 RPM auto scrubber.



UPC Number	Size	Case Qty	UOM
50-048011-20013-7	13"	2	CA
50-048011-20015-1	15"	1	CA
50-048011-20017-5	17"	1	CA
50-048011-20018-2	18"	1	CA
50-048011-20019-9	19"	1	CA
50-048011-20020-5	20"	1	CA

3M™ General Purpose Floor Brush 53

For medium duty scrubbing of most floor surfaces including tile, brick, vinyl, marble, stone or other uneven surfaces. Medium diameter nylon bristles filled with aggressive silicon carbide abrasive. For use on rotary 175-300 RPM or auto scrubber.



UPC Number	Size	Case Qty	UOM
50-048011-20034-2	12"	2	CA
50-048011-20035-9	13"	2	CA
50-048011-20036-6	14"	1	CA
50-048011-20037-3	15"	1	CA
50-048011-20038-0	16"	1	CA
50-048011-20039-7	17"	1	CA
50-048011-20040-3	18"	1	CA
50-048011-20041-0	19"	1	CA
50-048011-20042-7	20"	1	CA

3M™ Aqua Burnish Pad 3100

The problem solver for soft finishes. Produces a brilliant gloss. Exceptional durability and life. For use with ultra high speed machines (1,500-3,000 RPM).



UPC Number	Size	Case Qty	UOM
50-048011-08750-9	13"	5	CA
50-048011-08751-6	17"	5	CA
50-048011-08752-3	19"	5	CA
50-048011-08753-0	20"	5	CA
50-048011-08754-7	21"	5	CA
50-048011-14804-0	22"	5	CA
50-048011-17438-4	24"	5	CA
50-048011-20264-3	27"	5	CA
50-048011-20379-4	27¼"	5	CA
50-048011-20265-0	28"	5	CA

3M™ Beige Buffer Pad 4200

For dry buffing or spray buffing with high speed machines. Produces beautiful glossy finish while removing scuffs and black heel marks. Equipment type: Electric. Machine speed 600-1,500 RPM.



UPC Number	Size	Case Qty	UOM
50-048011-08265-8	19"	5	CA

Floor Care Products, Floor Pads, cont'd

3M™ Black Stripper Pad 7200


The industry standard against which all other stripping pads are compared. Maintains consistent high performance throughout the life of the pad.



UPC Number	Size	Case Qty	UOM
50-048011-14865-1	6½"	20	CA
50-048011-08370-9	7¾"	10	CA
50-048011-08369-3	8"	10	CA
50-048011-08092-0	9"	10	CA
50-048011-08372-3	10"	5	CA
50-048011-08373-0	11"	5	CA
50-048011-08374-7	12"	5	CA
50-048011-08375-4	13"	5	CA
50-048011-08376-1	14"	5	CA
50-048011-08377-8	15"	5	CA
50-048011-08378-5	16"	5	CA
50-048011-08379-2	17"	5	CA
50-048011-08380-8	18"	5	CA
50-048011-08381-5	19"	5	CA
50-048011-08382-2	20"	5	CA
50-048011-08383-9	21"	5	CA
50-048011-08384-6	22"	5	CA
50-048011-08385-3	23"	5	CA
50-048011-08386-0	24"	5	CA

3M™ Blue Cleaner Pad 5300

For heavy duty scrubbing prior to recoating. Can also be used for heavy duty spray cleaning or foam scrubbing. Removes dirt, spills, and scuffs, leaving a clean surface ready for recoating.




UPC Number	Size	Case Qty	UOM
50-048011-08418-8	7¾"	10	CA
50-048011-08082-1	10"	5	CA
50-048011-08421-8	11"	5	CA
50-048011-08405-8	12"	5	CA
50-048011-08406-5	13"	5	CA
50-048011-08407-2	14"	5	CA
50-048011-08408-9	15"	5	CA
50-048011-08409-6	16"	5	CA
50-048011-08410-2	17"	5	CA
50-048011-08411-9	18"	5	CA
50-048011-08412-6	19"	5	CA
50-048011-08413-3	20"	5	CA
50-048011-08414-0	21"	5	CA
50-048011-08415-7	22"	5	CA
50-048011-08416-4	23"	5	CA
50-048011-08417-1	24"	5	CA

Floor Care Products, Floor Pads, cont'd

3M™ Brown Stripper Pad 7100


For wet or dry stripping. Prepares floors for recoating. Quickly and easily cuts through old finish. Conforms to uneven floors.



UPC Number	Size	Case Qty	UOM
50-048011-08440-9	12"	5	CA
50-048011-08441-6	13"	5	CA
50-048011-08442-3	14"	5	CA
50-048011-08443-0	15"	5	CA
50-048011-08444-7	16"	5	CA
50-048011-08445-4	17"	5	CA
50-048011-08446-1	18"	5	CA
50-048011-08447-8	19"	5	CA
50-048011-08448-5	20"	5	CA
50-048011-08449-2	21"	5	CA
50-048011-08450-8	22"	5	CA

3M™ Doodlebug™ Cleaning Pads

Cleaning products team up to offer an efficient, durable and versatile way to handle your many cleaning jobs. Pads and brushes are designed for most cleaning tasks, from light-duty cleansing of delicate surfaces to heavy-duty cleaning of dirt and finish buildup. Long lasting bristles are an effective and efficient way to get those tough dirt areas clean.



UPC Number	Size	Color	Case Qty	UOM
50-048011-08003-6	4-5/8"x10"	White	20	CA
50-048011-08004-3	4-5/8"x10"	Brown	20	CA
50-048011-08005-0	4-5/8"x10"	Blue	20	CA
50-048011-05241-5	4-5/8"x10"	Black	40	CA

3M™ Doodlebug™ Handblock 6473

Convenient built-in handle puts cleaning versatility in the palm of your hand. Unique hook and loop bottom holds Doodlebug™ Pads without the use of adhesives or fasteners.



UPC Number	Case Qty	UOM
50-048011-08548-2	4	CA

3M™ Doodlebug™ Pad Holder 250

Use with Scotch-Brite™ Sheets 4" x 10" in a chemical environment, particularly with aircraft cleaning pads. Holder has a swivel attachment which accepts a threaded broom handle.



UPC Number	Size	Case Qty	UOM
00-048011-12929-7	4" x 9 1/4"	5	EA

3M™ Doodlebug™ Pad Holder 6472

Durable swivel lets holder twist and turn to reach hard-to-get at places. Holder features special grippers that hold pads firmly in place and provide for easy attachment and changing of pads.



UPC Number	Color	Case Qty	UOM
50-048011-08542-0	Orange	4	CA

3M™ Eraser Burnish Pad 3600


Removes black marks in fewer passes than other pads and retains excellent gloss and image clarity. Excellent durability, and minimal finish removal.



UPC Number	Size	Case Qty	UOM
50-048011-25852-7	13"	5	CA
50-048011-25855-8	17"	5	CA
50-048011-25857-2	19"	5	CA
50-048011-25858-9	20"	5	CA
50-048011-25859-6	21"	5	CA
50-048011-25860-2	22"	5	CA
50-048011-25861-9	24"	5	CA
50-048011-25863-3	27"	5	CA
50-048011-25866-4	27 1/4"	5	CA
50-048011-25865-7	31"	5	CA

3M™ High Productivity Stripper Pad 7300

Quickly and thoroughly removes old floor finish, dirt and buildup. Unique, open web construction allows stripping solution to flow through pad to rinse out dirt and reduce loading for increased pad-to-floor contact and more efficient stripping.



UPC Number	Size	Case Qty	UOM
50-048011-08270-2	12"	5	CA
50-048011-08271-9	13"	5	CA
50-048011-08272-6	14"	5	CA
50-048011-08273-3	15"	5	CA
50-048011-08274-0	16"	5	CA
50-048011-08275-7	17"	5	CA
50-048011-08276-4	18"	5	CA
50-048011-08277-1	19"	5	CA
50-048011-08278-8	20"	5	CA
50-048011-08279-5	21"	5	CA
50-048011-08280-1	22"	5	CA
50-048011-08281-8	23"	5	CA
50-048011-08282-5	24"	5	CA

3M™ Natural Blend Tan Pad 3500

Natural hair and synthetic fiber pad designed for best mark removal. For use on harder finishes or in high traffic areas. Removes marks and scratches while it polishes.




UPC Number	Size	Case Qty	UOM
50-048011-19001-8	13"	5	CA
50-048011-19002-5	14"	5	CA
50-048011-19005-6	17"	5	CA
50-048011-19006-3	18"	5	CA
50-048011-19007-0	19"	5	CA
50-048011-19008-7	20"	5	CA
50-048011-19009-4	21"	5	CA
50-048011-19010-0	22"	5	CA
50-048011-19012-4	24"	5	CA
50-048011-20317-6	27"	5	CA
50-048011-20382-4	27 1/4"	5	CA

Floor Care Products, Floor Pads, cont'd

3M™ Natural Blend White Pad 3300

Natural hair and synthetic fiber pad designed for best gloss. Provides excellent results on a wide variety of floor finishes and traffic conditions.



UPC Number	Size	Case Qty	UOM
50-048011-18205-1	13"	5	CA
50-048011-18206-8	16"	5	CA
50-048011-18207-5	17"	5	CA
50-048011-18208-2	18"	5	CA
50-048011-18209-9	19"	5	CA
50-048011-18212-9	22"	5	CA
50-048011-18213-6	24"	5	CA

3M™ Red Buffer Pad 5100


Specially designed for spray buffing. Cleans when damp; buffs when dry. Quickly cleans and removes scuff marks and enhances floor appearance.



UPC Number	Size	Case Qty	UOM
50-048011-08080-7	8"	10	CA
50-048011-08404-1	10"	5	CA
50-048011-08387-7	12"	5	CA
50-048011-08388-4	13"	5	CA
50-048011-08389-1	14"	5	CA
50-048011-08390-7	15"	5	CA
50-048011-08391-4	16"	5	CA
50-048011-08392-1	17"	5	CA
50-048011-08393-8	18"	5	CA
50-048011-08394-5	19"	5	CA
50-048011-08395-2	20"	5	CA
50-048011-08398-3	23"	5	CA
50-048011-08399-0	24"	5	CA

3M™ Superbuff™ Polishing Pad 4100

Double sided, soft edge polishing pad designed for use with 3M machine glaze. Made with extremely fine fibers to produce a high gloss on paint surfaces.




UPC Number	Size	Case Qty	UOM
50-048011-08480-5	16"	5	CA
50-048011-08481-2	17"	5	CA
50-048011-08483-6	19"	5	CA
50-048011-08484-3	20"	5	CA

Floor Care Products, Floor Pads, cont'd

3M™ Tan Burnish Pad 3400


For use with ultra high speed machines (1,500-3,000 RPM) on harder finishes or in high traffic areas. Produces brilliant wet-look in gloss. Designed for exceptional durability, life and best mark removal.



UPC Number	Size	Case Qty	UOM
50-048011-05603-1	13"	5	CA
50-048011-05604-8	17"	5	CA
50-048011-05623-9	18"	5	CA
50-048011-05605-5	19"	5	CA
50-048011-05606-2	20"	5	CA
50-048011-05607-9	21"	5	CA
50-048011-20322-0	27"	5	CA

3M™ TopLine Autoscrubber Pad 5000


For light scrubbing of floors with auto-scrubber prior to burnishing. Excellent daily cleaning pad, minimal finish removal. Open construction resists clogging and allows for easy cleaning.



UPC Number	Size	Color	Case Qty	UOM
50-048011-18044-6	12"	Green	5	CA
50-048011-18045-3	13"	Green	5	CA
50-048011-18046-0	14"	Green	5	CA
50-048011-18047-7	15"	Green	5	CA
50-048011-18048-4	16"	Green	5	CA
50-048011-18049-1	17"	Green	5	CA
50-048011-18050-7	18"	Green	5	CA
50-048011-18051-4	19"	Green	5	CA
50-048011-18052-1	20"	Green	5	CA

3M™ TopLine Speed Burnish Pad 3200

Restores gloss to dull floors in a single pass. Optimizes ultra high speed floor care on a wide variety of floor finishes. Minimizes finish removal.



UPC Number	Size	Case Qty	UOM
50-048011-18060-6	13"	5	CA
50-048011-18062-0	16"	5	CA
50-048011-18063-7	17"	5	CA
50-048011-18064-4	18"	5	CA
50-048011-18065-1	19"	5	CA
50-048011-18066-8	20"	5	CA
50-048011-18067-5	21"	5	CA
50-048011-18068-2	22"	5	CA
50-048011-18069-9	24"	5	CA
50-048011-20259-9	27"	5	CA

Floor Care Products, Floor Pads, cont'd

3M™ White Super Polish Pad 4100

For buffing very soft finishes or for polishing soft waxes on wood floors. Removes scuffs and black heel marks and enhances floor appearance.



UPC Number	Size	Case Qty	UOM
50-048011-20313-8	27"	5	CA

Sponges & Pads

3M™ Commercial Sponges

Commercial-sized for big jobs when you need a long-lasting, industrial product. Beige cellulose sponges are 10 times more absorbent than polyurethane sponges (water absorption by weight). Stronger, less likely to fall apart. A size for every clean-up need.



UPC Number	ID	Size	Desc	Case Qty	UOM
50-053200-07456-7	C-41	7.5"x4.375"x2.0625"	XL	24	CA

3M™ SandBlaster™ Bare Surfaces Sanding Sponges

These sanding sponges allow easy surface preparation for bare wood, metal or dry-wall. Made of an electrostatically coated ceramic aluminum oxide mineral blend for increased durability and worklife.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-50678-3	MED	4"x2¾"x1"	12	EA
00-051111-50690-5	MED	4"x2¾"x1"	12	EA

3M™ SandBlaster™ Between Coats Sanding Sponges

Sanding sponges that are ideal for fine sanding between paint or varnish coats. Comprised of an electrostatically coated, self-sharpening aluminum oxide mineral for increased durability and worklife.



UPC Number	Grade	Size	Case Qty	UOM
00-051111-50672-1	FIN	4"x2¾"x1"	12	EA
00-051111-50674-5	FIN	4"x2¾"x1"	12	EA
00-051111-50684-4	FIN	4"x2¾"x1"	12	EA
00-051111-50686-8	FIN	4"x2¾"x1"	12	EA


Niagara™ Heavy Duty Pot & Pan Pad 88N

Ideal for cleaning stubborn dirt, grime and baked-on food; Typical applications: stainless steel, chrome, copper, porcelain and ceramic.

UPC Number	Size	Case Qty	UOM
50-048011-19371-2	3½"x5"	20	EA

Niagra™ Medium Duty Scouring Pad 96N

Ideal for most common cleaning jobs. Typical applications: kitchen and cooking equipment, walls, railings, floors, desks, stairways, counters, maintenance equipment.



UPC Number	Size	Case Qty	UOM
50-048011-19369-9	6"x9"	20	CA

Sponges & Pads, cont'd

O-Cel-O™ Home, Car and Boat Sponge 7220-T

Cellulose sponge stays fresh longer. Resists sponge odors, staining and crumbling caused by bacteria. Lasts through hundreds of uses.



UPC Number	Size	Color	Case Qty	UOM
10-053200-07220-6	6½"x3-2/3"x15/16"	Yellow	12	EA

Scotch-Brite™ All Purpose Scouring Pad, No. 9488R

Ideal for cleaning, scuffing or deburring finishes by hand. Cuts fast and leaves a more consistent finish than other abrasives.



UPC Number	Size	Case Qty	UOM
00-048011-34738-7	4"x5.25"	40	CA

Scotch-Brite™ Dobie® All-Purpose Cleaning Pad 720


Trusted since 1958 Dobie™ cleans it all! This all-purpose pad scours without scratching.



UPC Number	Case Qty	UOM
50-021200-56855-3	24	CA

Scotch-Brite™ General Purpose Commercial Pad No. 105


Ideal for most common cleaning jobs. Typical applications: kitchen and cooking equipment, walls, railings, floors, desks, stairways, counters, maintenance equipment.



UPC Number	Size	Case Qty	UOM
50-048011-05542-3	4.5"x6"	40	EA

Scotch-Brite™ General Purpose Commercial Scouring Pad 96CC


It's the original synthetic scouring pad and a performance pacesetter. Use it for every day cleaning of most cooking utensils and equipment.



UPC Number	Size	Case Qty	UOM
50-048011-20501-9	6"x9"	60	EA

Scotch-Brite™ General Purpose Scouring Pad No. 96

Ideal for most common cleaning jobs. Typical applications: kitchen and cooking equipment, walls, railings, floors, desks, stairways, counters, maintenance equipment.



UPC Number	Size	Color	Case Qty	UOM
50-048011-08293-1	6"x9"	Green	60	CA

Scotch-Brite™ General Purpose Scrubbing Pad No. 9650

Thick, medium duty pad for everyday general purpose cleaning jobs. Convenient, hand-size eliminates the need to cut or fold the pad.



UPC Number	Size	Color	Case Qty	UOM
50-048011-15027-2	3½"x5"	Green	60	CA

Scotch-Brite™ Griddle Polishing Pad No. 46

Aggressively cleans griddle without scratching. Also polishes the griddle surface while it cleans.



UPC Number	Case Qty	UOM
50-048011-19970-7	60	CA

Sponges & Pads, cont'd

Scotch-Brite™ Heavy Duty Commercial Scouring Pad No. 86

Use to replace scrapers, steel wool and metal sponges. Make fast work of heavy duty cleaning jobs. Typical applications: remove scuff marks on floors.



UPC Number	Size	Case Qty	UOM
50-048011-05509-6	6"x9"	36	CA

Scotch-Brite™ Light Duty Cleansing Pad No. 98

Our premier light duty cleansing pad with soft, non-woven fibers and mild abrasive to gently, but thoroughly clean most surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-07445-5	6"x9"	60	CA

Scotch-Brite™ Light Duty Cleansing Sponge No. 63

Light duty cleansing sponge that will not scratch or mar most surfaces. Applications include stainless steel, glass, ceramic, fine china, porcelain, countertops and non-stick surfaces.



UPC Number	Size	Case Qty	UOM
50-048011-08251-1	3.6"x6.1"x0.7"	20	CA

Scotch-Brite™ Light Duty Scrubbing Pad No. 9030

Typical applications: glass, plastic, stainless steel, chrome, copper, fine china, porcelain, ceramic, Silverstone™ surfaces, Teflon™ surfaces, CorningWare™ cookware.



UPC Number	Size	Case Qty	UOM
50-048011-05683-3	3.5"x5"	40	CA

Sponges & Pads, cont'd

Scotch-Brite™ Medium Duty Scrub Sponge No. 74

Dual-action cleaning tool. It's a No. 96 scouring pad on one side for scrubbing and cleaning. The cellulose sponge on the other side quickly wipes up spills and messes and can carry cleaning solutions to the work surface.



UPC Number	Size	Case Qty	UOM
50-048011-20688-7	3.6"x6.1"x0.7"	20	CA

Scotch-Brite™ Pot 'N Pan Handler Pad 88

Ideal for cleaning stubborn dirt, grime and baked-on food; Typical applications: stainless steel, chrome, copper, porcelain and ceramic.



UPC Number	Size	Case Qty	UOM
50-048011-08292-4	3½"x5"	40	CA

Scotch-Brite™ Power Pad No. 2000

The Scotch-Brite™ Power Pad is designed to give you virtually all the scouring power you need for the toughest, dirtiest cleaning jobs, yet is gentle enough to use on most surfaces ... surfaces which many other heavy-duty scouring products may scratch.



UPC Number	Size	Case Qty	UOM
50-048011-23162-9	5.5"x3.9"	20	CA

Scotch-Brite™ Power Pad No. 2000BP

Scours up to four times faster than conventional commercial scouring products. Scratches surfaces up to eight times less than other medium/heavy-duty commercial scouring products. Unique bow-tie shape.



UPC Number	Size	Desc	Case Qty	UOM
50-048011-23379-1	5.5"x3.9"	3 Cases Bundled	1	CA

Sponges & Pads, cont'd

Scotch-Brite™ Power Sponge No. 3000


Two cleaning tools in one—combines the scour ability of the Scotch-Brite™ Power Pad with the moisture pick-up of a sponge that resists odor-causing bacteria in the sponge. Use in the kitchen and other messy areas.



UPC Number	Size	Case Qty	UOM
50-048011-23163-6	4.5"x2.8"x6"	20	CA

Scotch-Brite™ Soft Scour!™ Scrub Sponge No. 9489

Combines no-scratch scrubbing and moisture pick-up.



UPC Number	Size	Case Qty	UOM
50-048011-09489-7	3½"x5"	40	CA

Scotch-Brite™ Sponge A21

Pink cellulose sponge stays fresh longer. Resists sponge odors, staining and crumbling caused by bacteria. Lasts through hundreds of uses. 2 sponges/pack, 24 packs/case



UPC Number	Size	Color	Case Qty	UOM
50-021200-57196-6	6"x3.6"x.9"	Pink	48	CA

Scotch-Brite™ Stainless Steel Scrubber

Stainless steel scrubber for tough cleaning chores. Will not rust or splinter.



UPC Number	Size	Case Qty	UOM
50-048011-19083-4	1.25 oz	72	CA
50-048011-19084-1	1.75 oz	12	CA

Sponges & Pads, Accessories

3M™ Twist-Lok™ Pad Holder No. 961

Use with hand pads or roll material cut to 4" by 6". Provides increased leverage and eliminates "finger" marks.



UPC Number	Size	Case Qty	UOM
50-048011-09493-4	3½"x4¾"	10	CA

Scotch-Brite™ Conformable Applicator Cleaner Head 261

Flexible concave shaped Hook-and-Loop Holder designed to be used with chemical cleaners. Use with 6" x 12" sheets. Holder has a swivel attachment which accepts a threaded broom handle.

UPC Number	Desc	Case Qty	UOM
00-048011-05717-0	Curved Head	1	EA

Wipes & Cloths

3M™ Wood Refinishers Tack Cloth

Tack cloth for general use. Meets your needs for wood.



UPC Number	Size	Case Qty	UOM
00-051111-10132-2	17"x36"	48	EA

Scotch-Brite™ High Performance Cleaning Cloth

Ideal for cleaning of stainless steel, chrome, wood and enamel. Structured fiber. Perfect for delicate surfaces such as glass and plastic. Because of the innovative construction more of the fibers come into contact with the surface being cleaned. Reuse again and again, excellent value for money. Remove dirt, dust and grease quickly and efficiently.



UPC Number	Size	Color	Case Qty	UOM
50-048011-23652-5	32x36cm	Red	50	CA
50-048011-23651-8	32x36cm	Yellow	50	CA
50-048011-23589-4	32x36cm	Blue	50	CA
50-048011-23649-5	32x36cm	White	50	CA
50-048011-23650-1	32x36cm	Green	50	CA

3M™ Dual Lock™ Low Profile Reclosable Fastener SJ4570


3M™ Dual Lock™ Low Profile Reclosable Fastener SJ4570 is a clear low profile reclosable fastener that is thinner and more flexible than other reclosable fasteners. 300 LSE adhesive and 705 pins per square inch.



UPC Number	Size	Color	Case Qty	UOM
00-021200-45075-4	5/8"x50yds	Clear	3	RL
00-021200-44964-2	1"x25yds	Clear	2	RL
00-021200-44883-6	1"x50yds	Clear	2	RL
00-021200-46196-5	4"x75yds	Clear	1	RL

3M™ Dual Lock™ Reclosable Fastener Roll

Strips of flexible plastic covered with mushroom-shaped interlocking heads that fasten securely when pressed together.




UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-86347-9	SJ3542	½"x50yds	Black	Type 170	4	RL
00-021200-65815-0	SJ3550	½"x50yds	Black	Type 250	4	RL
00-021200-86280-9	SJ3560	½"x50yds	Clear	Type 250	4	RL
00-021200-86366-0	SJ3441	½"x50yds	Black	Type 400	4	RL
00-021200-86276-2	SJ3541	½"x50yds	Black	Type 400	4	RL
00-021200-86356-1	SJ3551	½"x50yds	Black	Type 400	4	RL
00-021200-86281-6	SJ3560	¾"x50yds	Clear	Type 400	2	RL
00-021200-86309-7	SJ3542	1"x50yds	Black	Type 170	2	RL
00-021200-86279-3	SJ3552	1"x50yds	Black	Type 170	2	RL
00-021200-65812-9	SJ3540	1"x50yds	Black	Type 250	2	RL
00-021200-86282-3	SJ3560	1"x50yds	Clear	Type 250	2	RL
00-021200-86277-9	SJ3541	1"x50yds	Black	Type 400	2	RL
00-021200-86278-6	SJ3551	1"x50yds	Black	Type 400	2	RL
00-021200-40821-2	SJ3560	1 ½"x50yds	Clear	Type 250	2	RL
00-021200-86372-1	SJ3442	2"x50yds	Black	Type 170	1	RL
00-021200-87340-9	SJ3542	2"x50yds	Black	Type 170	1	RL
00-021200-65813-6	SJ3540	2"x50yds	Black	Type 250	1	RL
00-021200-65817-4	SJ3550	2"x50yds	Black	Type 250	1	RL
00-021200-86283-0	SJ3560	2"x50yds	Clear	Type 250	1	RL
00-021200-86451-3	SJ3541	2"x50yds	Black	Type 400	1	RL
00-021200-86358-5	SJ3551	2"x50yds	Black	Type 400	1	RL
00-021200-86359-2	SJ3551	4"x50yds	Black	Type 400	1	RL

Reclosable Fasteners, cont'd

3M™ Dual Lock™ Reclosable Fastener Square


Strips of flexible plastic covered with mushroom-shaped interlocking heads that fasten securely when pressed together.

UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-24993-8	SJ3463	13/16"	Black	Type 400	1,000	PC

**3M™ Dual Lock™ Reclosable Fastener System**

Pressed together, hundreds of mushroom-shaped stems interlock. Mini pack is great for small jobs or as a starter kit. Replace screws, bolts, and mechanical fasteners on panels, doors, or any place where easy access will save time and money. Open and close instantly by simply pulling the interlocking strips apart. The adhesive on both strips attaches to metal, plastic, and most rigid or flexible surfaces. Resists solvents, moisture, and plasticizers. MP-3551 and MP-3560 resist heat up to 200°F.

UPC Number	ID	Size	Color	Case Qty	UOM
00-051131-06463-8	MP3560	1"x5yds	Clear	5	PH
00-051131-06484-3	MP3551/MP3552	1"x5yds	Black	5	PH
00-051131-06483-6	MP3541/MP3542	1"x5yds	Black	5	PH

**3M™ Scotchmate™ Hook-and Loop Reclosable Fastener SJ3532N/SJ3533N**


Medium performance PSA, nylon loop reclosable fastener.

UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-86257-1	SJ3532N	5/8"x50yds	Black	Hook	4	RL
00-021200-86263-2	SJ3533N	5/8"x50yds	Black	Loop	4	RL
00-021200-87353-9	SJ3532N	3/4"x50yds	Black	Hook	4	RL
00-021200-87363-8	SJ3532N	3/4"x50yds	White	Hook	4	RL
00-021200-86259-5	SJ3532N	1"x50yds	Black	Hook	3	RL
00-021200-86260-1	SJ3532N	1"x50yds	White	Hook	3	RL
00-021200-86266-3	SJ3533N	1"x50yds	Black	Loop	3	RL
00-021200-86267-0	SJ3533N	1"x50yds	White	Loop	3	RL
00-021200-86261-8	SJ3532N	2"x50yds	Black	Hook	2	RL
00-021200-86262-5	SJ3532N	2"x50yds	White	Hook	2	RL
00-021200-86268-7	SJ3533N	2"x50yds	Black	Loop	2	RL



3M™ Scotchmate™ Hook-and-Loop Reclosable Fastener SJ3526/SJ3527

Fastener consists of two woven strips, one covered with stiff hooks, the other with loops. Press together to fasten; pull apart to separate. Use again and again. Available with pressure-sensitive adhesive backing or plain backing for sewing or stapling.



UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-86240-3	SJ3526N	5/8"x50yds	Black	Hook	4	RL
00-021200-86241-0	SJ3526N	5/8"x50yds	White	Hook	4	RL
00-021200-45980-1	SJ3527N	5/8"x50yds	Black	Loop	4	RL
00-021200-86250-2	SJ3527N	5/8"x50yds	White	Loop	4	RL
00-021200-86243-4	SJ3526N	1"x50yds	Black	Hook	3	RL
00-021200-86244-1	SJ3526N	1"x50yds	White	Hook	3	RL
00-021200-86251-9	SJ3527N	1"x50yds	Beige	Loop	3	RL
00-021200-86252-6	SJ3527N	1"x50yds	Black	Loop	3	RL
00-021200-86253-3	SJ3527N	1"x50yds	White	Loop	3	RL
00-021200-86383-7	SJ3526N	1½"x50yds	Black	Hook	2	RL
00-021200-86246-5	SJ3526N	2"x50yds	Beige	Hook	2	RL
00-021200-86245-8	SJ3526N	2"x50yds	Black	Hook	2	RL
00-021200-86247-2	SJ3526N	2"x50yds	White	Hook	2	RL
00-021200-86254-0	SJ3527N	2"x50yds	Beige	Loop	2	RL
00-021200-86255-7	SJ3527N	2"x50yds	Black	Loop	2	RL
00-021200-86256-4	SJ3527N	2"x50yds	White	Loop	2	RL

3M™ Scotchmate™ Hook-and-Loop Reclosable Fastener SJ3530/SJ3531

General purpose PSA, nylon hook reclosable fastener.



UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-65613-2	SJ3530	1"x50yds	Black	Hook	3	RL
00-021200-65614-9	SJ3530	1"x50yds	White	Hook	3	RL
00-021200-65619-4	SJ3531	1"x50yds	Black	Loop	3	RL
00-021200-65620-0	SJ3531	1"x50yds	White	Loop	3	RL
00-021200-65615-6	SJ3530	2"x50yds	Black	Hook	2	RL
00-021200-65621-7	SJ3531	2"x50yds	Black	Loop	2	RL

Reclosable Fasteners, cont'd

3M™ Scotchmate™ Reclosable Fastener MP3526/MP3527


General purpose PSA rubber adhesive back with nylon Hook-and-Loop Fastener and white polypropylene film liner. Medium temperature resistance, medium shear and peel strength, high HSE and LSE. 100 mil to 160 mil engaged thickness, 3 mil printed liner.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06488-1	1"x5yds	White	5	PH
00-051131-06481-2	1"x5yds	Black	5	PH

3M™ Scotchmate™ Reclosable Fastener SJ3401/SJ3402

Consist of two strips of fabric which mate together with light finger pressure. The hood strip is covered with tiny, stiff hooks, about 300 hooks per square inch. The loop strip is covered with thousands of soft, pliable loops. When pressed together by hand, the hooks and loops mate to form a secure fastening attachment. Simply pull the strings apart by hand to unfasten. Application on equipment that can range from a simple household laundry iron to commercial press units. Performance will depend on the nature of the fabric or foam and other conditions within any specific applications.



UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-62538-1	SJ3401	1"x50yds	Black	Loop	12	RL
00-021200-62539-8	SJ3401	1"x50yds	White	Loop	12	RL
00-021200-62559-6	SJ3402	2"x50yds	Black	Hook	6	RL
00-021200-62544-2	SJ3401	2"x50yds	Black	Loop	6	RL

3M™ Scotchmate™ Reclosable Fastener SJ-3571/SJ-3572

Consist of two strips of fabric which mate together with light finger pressure. The hood strip is covered with tiny, stiff hooks, about 300 hooks per square inch. The loop strip is covered with thousands of soft, pliable loops. When pressed together by hand, the hooks and loops mate to form a secure fastening attachment. Simply pull the strings apart by hand to unfasten. Application on equipment that can range from a simple household laundry iron to commercial press units. Performance will depend on the nature of the fabric or foam and other conditions within any specific applications.



UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-86290-8	SJ3572	5/8"x50yds	Black	Hook	4	RL
00-021200-86286-1	SJ3572	1"x50yds	Black	Hook	3	RL
00-021200-86285-4	SJ3571	1"x50yds	Black	Loop	3	RL
00-021200-87277-8	SJ3571	1"x50yds	White	Loop	3	RL
00-021200-86377-6	SJ3572	2"x50yds	Black	Hook	2	RL
00-021200-87297-6	SJ3571	2"x50yds	Black	Loop	2	RL
00-021200-86467-4	SJ3571	2"x50yds	White	Loop	2	RL

3M™ Scotchmate™ Resistant Hook-and-Loop Reclosable Fastener SJ3522/SJ3523

Plastizier resistant nylon hook fastener with plasticizer resistant PSA acrylic adhesive on a clear 3.5 mil polyethylene film liner. high HSE, low LSE. 3.1 mm engaged thickness.



UPC Number	ID	Size	Color	Desc	Case Qty	UOM
00-021200-86236-6	SJ3522	1"x50yds	Black	Hook	3	RL
00-021200-86238-0	SJ3523	1"x50yds	Black	Loop	3	RL

Cast-In Devices

3M™ Fire Barrier Cast-In Device

Devices that adjust to any height. One-step firestopping, no need to core drill holes and firestop later. Up to 3 hour UL listed systems. Devices for both metal and plastic pipes.

UPC Number	Size	Desc	Case Qty	UOM
00-051115-16540-5	2"	Metal Pipes	12	EA
00-051115-16536-8	2"	Plastic Pipes	12	EA
00-051115-16537-5	3"	Plastic Pipes	12	EA
00-051115-16542-9	4"	Metal Pipes	6	EA
00-051115-16538-2	4"	Plastic Pipes	6	EA
50-051115-16543-1	6"	Metal Pipes	6	EA

Cast-In Devices, Accessories

3M™ Fire Barrier Cast-In Adaptor

Devices that adjust to any height. One-step firestopping, no need to core drill holes and firestop later. Up to three hour UL listed systems. Devices for both metal and plastic pipes.

UPC Number	Size	Desc	Case Qty	UOM
00-051115-16548-1	2"	Height	12	EA
00-051115-16544-3	2"	Metal Deck	12	EA
00-051115-16545-0	3"	Metal Deck	12	EA
00-051115-16550-4	4"	Height	12	EA
00-051115-16546-7	4"	Metal Deck	12	EA

Cast-In Devices, Accessories, cont'd

3M™ Fire Barrier Cast-In Tub Box Assembly

Devices that adjust to any height. One-step firestopping, no need to core drill holes and firestop later. Up to three hour UL listed systems. Devices for both metal and plastic pipes.



UPC Number	Desc	Case Qty	UOM
00-051115-16552-8	Tub Box	6	EA
00-051115-16586-8	Tub Box	6	EA

Duct Wraps

3M™ Fire Barrier Duct Wrap


Safer fiber construction. Shaft alternative for air and grease ducts. High flexibility for easy installation.



UPC Number	Size	Case Qty	UOM
00-051115-16553-5	1½"x24"x20'	1	RL
00-051115-16554-2	1½"x48"x20'	1	RL
00-051115-16555-9	2"x24"x20'	1	RL
00-051115-16556-6	2"x48"x20'	1	RL

3M™ Fire Barrier Plenum Wrap 5A

Fire resistant wrap consisting of a patented inorganic blanket encapsulated with a scrim-reinforced foil, provides a flexible, non-combustible enclosure for cables and pipe in return air plenums.



UPC Number	Size	Case Qty	UOM
00-051115-16513-9	½"x24"x50'	1	RL
00-051115-16514-6	½"x48"x25'	2	RL

Fire Barrier Caulks

3M™ Fire Barrier CP 25WB+ Caulk

Great for sealing around metal and small plastic pipes in both concrete or gypsum walls. Prevents both fire and smoke escaping to other areas in a building. Up to 4 hour fire rating in fire-rated assemblies.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-051115-11638-4	10.1 oz	Red-Brown	Cartridge	12	CQ
00-051115-11642-1	20 oz	Red-Brown	Sausage Pack	10	EA
00-051115-11641-4	27 oz	Red-Brown	Cartridge	6	CQ
00-051115-11639-1	2 gal	Red-Brown	Pail	1	PA
00-051115-11640-7	5 gal	Red-Brown	Pail	1	PA



Fire Barrier Caulks, cont'd

3M™ Fire Barrier IC 15WB Caulk

Cost effective intumescent latex for common pipe and cable penetrations seals against inadvertent water spills in the expanded state. Dries tack-free in just 8 to 12 minutes. Good UL testing.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051115-16557-3	10.1 oz	Yellow	Cartridge	12	CQ
00-051115-16560-3	20 oz	Yellow	Sausage Pack	10	EA
00-051115-16559-7	27 oz	Yellow	Cartridge	6	CQ
00-051115-16558-0	4.5 gal	Yellow	Pail	1	PA

3M™ FireDam 150+ Acrylic Latex Caulk

Joint and penetration sealant. One component — water-based. Tools easily to a smooth finish.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051115-11574-5	10.1 oz	Blue	Cartridge	12	CQ
00-051115-11634-6	20 oz	Blue	Sausage Pack	12	EA
00-051115-11602-5	28 oz	Blue	Cartridge	6	CQ
00-051115-11575-7	4.5 gal	Blue	Pail	1	PA

Fire Barrier Collars

3M™ Fire Barrier Restricting Collar 16520

A manufactured collar for installing over seams during installation of 3M™ Fire Barrier Duct Wrap 20A used in lieu of overlapping seams.



UPC Number	Size	Case Qty	UOM
00-051115-16520-2	2"x6"x20'	4	EA

3M™ Fire Barrier Restricting Collar RC-1

Works in conjunction with 3M™ FS-195+ Wrap/Strip or 3M™ Interam™ Ultra GS. No waste, roll out and cut as much as you need. Required for firestopping plastic pipes larger than 4" in diameter.



UPC Number	Size	Case Qty	UOM
00-054007-08324-5	2"x25'	1	EA

Fire Barrier Foams

3M™ Fire Barrier 2001 Silicone RTV Foam

Two-part silicone foam. No ampacity derating of cables. Ideal for large openings.



UPC Number	Size	Case Qty	UOM
00-051115-07502-5	7 oz	12	KT
00-051115-07503-2	36 oz	12	KT
00-051115-08370-9	128 oz	1	EA
00-051115-08371-6	128 oz	1	EA
00-051115-07505-6	640 oz	1	EA
00-051115-07551-3	640 oz	1	EA

Fire Barrier Mortars

3M™ Fire Barrier Mortar

This lightweight cementitious firestop with excellent adhesion bonds to concrete, metals, wood, plastic and cable jacketing. Superior chemical resistance. Bonds to itself. Ideal for large floor openings.



UPC Number	Size	Case Qty	UOM
00-051115-07559-9	44 lb	1	BG

Fire Barrier Pillows

3M™ Fire Barrier Pillows

Highly intumescent. Slides easily into and out of the opening. Just stack into place, no tools required.



UPC Number	Size	Case Qty	UOM
00-051115-16530-6	2" x 4" x 9"	24	EA
00-051115-16531-3	2" x 6" x 9"	16	EA
00-051115-16532-0	3" x 6" x 9"	20	EA

3M™ Fire Barrier Self-Locking Pillows

Self-contained, highly intumescent pillow creates a firestop for a wide variety of openings, such as cable trays and conduit, in fire-rated construction. Unique interlocking strips increase versatility and allow the proper combination of sizes to fit securely and conform to most openings.




UPC Number	Size	Case Qty	UOM
50-051115-16578-3	2" x 4" x 9"	24	EA
50-051115-16579-0	2" x 6" x 9"	16	EA
50-051115-16580-6	3" x 6" x 9"	20	EA

Fire Barrier Putties

3M™ Fire Barrier Moldable Putty+ Pads and Sticks

A synthetic elastomer designed for use as a one part, intumescent fire resistive putty used to restore the integrity of fire rated building construction. Stays pliable, allows easy access for cable mining at a later date.



UPC Number	Size	Case Qty	UOM
00-051115-16508-5	4" x 8"	100	EA
00-051115-16509-2	7" x 7"	20	EA
00-051115-16510-8	9½" x 9½"	20	EA

Fire Barrier Sealants

3M™ Fire Barrier 2000+ and 2000 Silicone Sealants

Premium silicone firestop sealant. Superior adhesion and movement capabilities. Weather-resistant.



UPC Number	Size	Case Qty	UOM
00-051115-11558-5	10.3 oz	12	CQ
00-051115-11556-1	10.3 oz	12	CQ
00-051115-11559-7	4.5 gal	1	PA

Fire Barrier Sealants, cont'd

3M™ Fire Barrier Water Tight 3000 WT Silicone Sealants

3M™ Fire Barrier Water Tight Sealant 3000 WT is a premium , ready-to-use, single component, neutral cure, non-slumping, intumescent silicone sealant. The sealant cures upon exposure to atmospheric humidity to form a flexible seal.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051115-16593-1	10.1 oz	Gray	Cartridge	12	CQ

3M™ Fire Block Sealant FB136

Ideal for use in residential (single, two-family and combustible) construction in areas that require sealing to maintain the integrity of a fireblock. Adheres to virtually any material, including wood, masonry, metal and plastic.




UPC Number	Size	Color	Desc	Case Qty	UOM
00-051115-16591-7	10.1 oz	Gray	Cartridge	12	CQ

Fire Barrier Sheets

3M™ Fire Barrier CS-195+ Composite Sheet

No mixing or damming required. UL testing up to 36 sq. ft. openings. Easy to install using common trade tools.



UPC Number	Size	Desc	Case Qty	UOM
00-051115-07437-0	16"x28"	Boxed	1	EA
00-051115-07454-7	16"x28"	Bulk	1	EA
00-051115-08260-3	28"x52"	Bulk	1	EA
00-051115-07220-8	3'x2'	Boxed	1	EA
00-051115-07219-2	3'x2'	Bulk	50	EA
00-051115-07222-2	3'x3'	Boxed	1	EA
00-051115-07221-5	3'x3'	Bulk	50	EA
00-051115-07224-6	3'x41"	Boxed	1	EA
00-051115-07223-9	3'x41"	Bulk	50	EA

Fire Barrier Sprays

3M™ FireDam Spray 100

One-part, water-based spray. Excellent movement capabilities. High coverage rates reduce installation time.



UPC Number	Size	Desc	Case Qty	UOM
00-051115-16534-4	5 gal	Pail	1	PA

Plastic Pipe Devices

3M™ Fire Barrier Ultra Plastic Pipe Device

Premium firestop device. Up to 4 hour UL tests. Ultra-fast anchoring system.



UPC Number	Size	Case Qty	UOM
00-051115-08378-5	1½"	10	EA
00-051115-08379-2	2"	10	EA
00-051115-08380-8	3"	10	EA
00-051115-08381-5	4"	10	EA
00-051115-08253-5	6"	5	EA

Wrap Strips

3M™ Fire Barrier FS-195+ Wrap/Strip

One-part, intumescent strip. Can be cut to fit irregular shapes. Re-enterable, no special tools required.



UPC Number	Size	Case Qty	UOM
00-051115-07115-7	2"x24"	10	EA

Wrap Strips, cont'd

3M™ Fire Barrier Ultra RC Pack

Economical firestop device. Ultra RC Pack consists of a one piece metal collar assembly encasing 3M's heat expanding 3M™ Interam Ultra GS intumescent material. Up to 2 hour UL tests. Good with most types of plastic pipe.

UPC Number	Size	Case Qty	UOM
00-051115-16504-7	2"	10	EA
00-051115-16505-4	3"	10	EA
00-051115-16506-1	4"	10	EA

3M™ Interam™ Ultra GS Wrap Strip

A firestop used with the 3M™ Fire Barrier RC-1 Restricting Collar. Intumescent and endothermic. No waste, roll out and cut as much as you need. Works with a wide variety of plastic pipes.



UPC Number	Size	Case Qty	UOM
00-051115-16507-8	2"x40'	5	RL

Antacids

3M™ Titalac™ Antacid

Provides instant relief from acid indigestion, heartburn, sour stomach and excess gas.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-76591-9	100	Regular	2	BT
00-051131-57232-4	100	Extra Strength	2	BT
00-051131-53937-2	100	Plus	2	BT

Cold & Hot Therapies

3M™ Cold and Hot Therapy Products

Cold/hot pack, reusable w/cover.



UPC Number	Size	Case Qty	UOM
30-707387-04398-9	4"x10"	10	BX
50-051131-62242-0	4¾"x10½"	100	CA

Cold & Hot Therapies, cont'd

3M™ Cold and Hot Therapy Products Instant & Reusable

Nexcare™ Instant and Reusable Cold Pack.



UPC Number	Size	Case Qty	UOM
00-051131-08311-0	5¾"x10¼"	12	DZ

Creams

3M™ Durable Barrier Cream

A concentrated, therapeutic cream that provides durable, long-lasting protection from body fluids while it moisturizes the skin.



UPC Number	Size	Case Qty	UOM
00-707387-36937-8	¾ oz	12	CA

First Aid Products

3M™ Nexcare™ Active™ Strips Brights Flex Foam Adhesive Bandages

Unique flexible foam strip conforms, stretches and bends as you move, even around fingers, knuckles, knees and elbows. Great for protecting minor cuts, scrapes and blisters during strenuous work or play.

UPC Number	Size	Color	Desc	Case Qty	UOM
50-707387-44623-4	¾"x3"	Asst. Colors	Strips	100	CA



3M™ Nexcare™ Active™ Strips Flex Foam Adhesive Bandages

Unique flexible foam strip conforms, stretches and bends as you move, even around fingers, knuckles, knees and elbows. Great for protecting minor cuts, scrapes and blisters during strenuous work or play.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051131-62030-8	¾"	Asst. Colors	Strips	24	BX
50-051131-62041-9	¾"x3"		Strips	100	CA
50-051131-62039-6	7/8"		Strips	100	CA
00-051131-62036-0	1"x3"		Strips	24	PH
50-051131-62040-2	1"x3"		Strips	100	CA
00-051131-62034-6	1-7/8"x4"		Strips, Knee & Elbow	24	BX

3M™ Nexcare™ Coban™ Self-Adherent Wrap

Self-adhering elastic support wrap.



UPC Number	Size	Color	Case Qty	UOM
00-051131-64120-4	1"x5yds	Tan	4	BX
00-051131-64135-8	2"x5yds	Tan	4	BX
00-051131-64119-8	3"x5yds	Tan	12	CA

3M™ Nexcare™ Comfort Strips Ultra Comfortable Bandages


Soft, velvety material stretches and conforms. Material "breathes" even between the holes to help keep skin dry and cool. This unique airflow pattern allows sweat and moisture to evaporate.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-65286-6	1"x3"	Strips	24	BX
50-051131-65439-1	1"x3"	Strips	100	CA
00-051131-65288-0	1-7/8"x4"	Knee & Elbow	2	BX
00-051131-65289-7	Assorted Sizes	Strips	2	BX

3M™ Nexcare™ First Aid Tapes

A strong cloth tape for general purpose bandaging and whenever extra strength is needed.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-00014-8	½"	Micropore™ Paper	24	RL
00-051131-00015-5	1"	Micropore™ Paper	24	RL
00-051131-00016-2	2"	Micropore™ Paper	6	RL
00-051131-66993-2	¾"x6yds	Durable Cloth	6	RL
00-051131-66992-5	¾"x8yds	Gentle Paper	6	RL
00-051131-83555-9	1"x3yds	High Cushion Premium Foam	12	DZ
00-051131-66775-4	1"x5yds	Absolute Waterproof Premium	6	RL
00-051131-66875-1	1"x5yds	No Hurt	6	RL
00-051131-66777-8	1"x6yds	Advanced Holding Power Premium	6	RL
00-051131-83545-0	1"x10yds	EZ Tear Premium Paper	6	RL
00-051131-91386-8	1"x10yds	Paper	6	PH
00-051131-91389-9	1"x10yds	Durable Cloth	6	PH
00-051131-56660-6	1"x10yds	Transpore™ Clear	12	RL
00-051131-91382-0	1"x10yds	Flexible Clear	6	PH
00-051131-00020-9	1"x360"	Durapore™ Cloth Tape.	12	RL
00-051131-62098-8	1½"x12½yds	Athletic Cloth Tape	6	RL
00-051131-56661-3	2"x360"	Transpore™ Clear First Aid Tape	6	RL
00-051131-00021-6	2"x360"	Durapore™ Cloth Tape.	6	RL

3M™ Nexcare™ Opticlude™ Orthoptic Eye Patches

Designed for comfortable vision-occlusive therapy.



UPC Number	Size	Case Qty	UOM
00-051131-00023-0	3¼"x2¼"	3	BX

3M™ Nexcare™ Opticlude™ Orthoptic Eye Patches

Unique flexible foam strip conforms, stretches, bends as you move. Even around fingers, knuckles, knees and elbows.



UPC Number	Size	Case Qty	UOM
00-051131-64068-9	7/8"	60	BX

First Aid Products, cont'd

3M™ Nexcare™ Steri-Strip™ Skin Closures

Elastic, 1/4" x 3", 3 strips per envelope



UPC Number	Size	Case Qty	UOM
00-051131-64125-9	1/4"x4"	12	BX
00-051131-64124-2	1/2"x4"	12	BX

3M™ Nexcare™ Waterproof Bandages

Superior waterproof protection. Adhesive seals around pad to provide an optimal healing environment that promotes healing and helps prevent infection.



UPC Number	Size	Case Qty	UOM
00-051131-66426-5	1-1/16"x2 1/4"	24	BX
00-051131-66424-1	2-3/8"x3 1/2"	13	BX
00-051131-66427-2	Assorted Sizes	24	EA

Insect Repellents

3M™ Ultrathon Insect Repellent

Unique, time-release technology allows you to enjoy the outdoors longer. Provides lasting protection — up to eight hours against mosquitoes, gnats, chiggers, biting flies and ticks. Helps reduce the risk of contracting West Nile Virus and Lyme Disease.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-67442-4	2 oz	Lotion	48	EA
00-051131-67598-8	6 oz	Aerosol	6	EA

Stethoscopes

3M™ Littmann® Stethoscopes

Littmann® stethoscopes - a trusted leader in auscultation technology and your assurance of excellence in precision, innovative design and exceptional performance.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-707387-50005-4	27"	Black	Master Classic II	3	EA
00-707387-46871-2	27"	Black	Cardiology III	3	EA
00-707387-44677-2	28"	Black	Classic II S.E.	3	EA



Sealants

3M™ Marine Adhesive/Sealant 5200

A fast curing version of 3M™ Marine 4200 Adhesive Sealant. The high performance polyurethane becomes tack free in one hour and fully cures in approximately 24 hours. The seal is extremely strong, retains its strength above or below the water line. Stays flexible and allows for structural movement. Has excellent resistance to weathering and salt water. Easy to apply with manual caulking gun.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051135-05206-8	1 oz	White	Tube	12	TB
00-051135-05205-1	3 oz	Black	Tube	6	TB
00-051135-05203-7	3 oz	White	Tube	6	TB
00-051135-05220-4	3 oz	White	Tube	6	TB
00-051135-06504-4	1/10 gal	Black	Cartridge	12	CQ
00-051135-06500-6	1/10 gal	White	Cartridge	12	EA
00-051135-06520-4	1/10 gal	White	Cartridge	12	EA

3M™ Marine Adhesive/Sealant Fast Cure 4200

A one-part general purpose polyurethane that chemically reacts with moisture to deliver flexible bonds with good adhesion to wood, fiberglass, gelcoat, certain plastics and metals. Forms watertight, weather-resistant seals on joints. This product is approximately half the strength of 3M™ Marine Adhesive/Sealant 5200, which allows for disassembly of parts. Tubes—Carded.



UPC Number	Size	Color	Case Qty	UOM
00-051135-05260-0	3 oz	White	6	TB
00-051135-06564-8	1/10 gal	Black	12	CQ
00-051135-06560-0	1/10 gal	White	12	CQ

3M™ Marine Metal Restorer and Polish

Designed to restore and polish stainless steel, brass, bronze, copper, chrome, and aluminum. Removes surface rust, oxidation, corrosion and tarnish. Restores luster.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-09019-4	18 oz	Paste	6	EA

Supplies

3M™ Aluminum Restorer and Polish

Designed to remove oxidation and stains to restore a lustrous appearance to bare aluminum. Use sparingly, a little bit goes a long way. Also removes heavy oxidation and restores shine to most painted aluminum surfaces.



UPC Number	Size	Desc	Case Qty	UOM
00-051131-09020-0	18 oz	Paste	6	EA

3M™ Black Streak Remover

3M™ Black Streak Remover is designed to remove black streaks. This product is safe for use on fiberglass, metal and painted surfaces.



UPC Number	Size	Case Qty	UOM
00-051131-09047-7	16 oz	6	BT

Supplies, cont'd

3M™ Clean and Shine Spray Wax

Quick and easy “spray on/wipe off” product recaptures a just waxed look and feel. Excellent for use as a final preparation step. Can be used on either wet or dry surfaces with no water needed. Works on a variety of substrates including fiberglass and painted surfaces.



UPC Number	Size	Case Qty	UOM
00-051131-09033-0	15 oz	6	BO

Supplies, cont'd

3M™ Mildew Block

Unique non-toxic formula blocks mildew growth on an invisible barrier. Works on virtually any surface including plastic, vinyl, rubber, glass, brick, ceramic and grout.



UPC Number	Size	Case Qty	UOM
00-051131-09065-1	16 oz	6	BT

3M™ Fiberglass Cleaner and Wax

Designed to remove light to medium oxidation, clean polish and protect fiberglass/gelcoat and certain paints. Unique liquid formulation combines a compound with a special blend of waxes which restores shine and protect in one application.



UPC Number	Size	Case Qty	UOM
00-051131-09011-8	1 gal	2	GA

3M™ Outdoor Vinyl Cleaner, Conditioner and Protector

Designed to clean, condition and protect vinyl and rubber components. Unique gel formula provides durable protection in exterior, as well as interior applications. Gel formula gives you better application control than liquids. A little bit goes a long way.



UPC Number	Size	Case Qty	UOM
00-051131-09023-1	8 oz	6	BT

3M™ Fiberglass Restorer and Wax

Designed to remove heavy oxidation, chalking, fading, minor scratches, rust and exhaust stains; plus provides protection on fiberglass/gelcoat and certain paints. Unique formulation combines a rubbing compound with a special blend of waxes which restore shine and protect in one application.



UPC Number	Size	Case Qty	UOM
00-051131-09005-7	16 oz	6	BT
00-051131-09007-1	1 gal	2	GA

3M™ Premium Mold and Tooling Compound

A unique formulation which aggressively removes sanding scratches in tooling gelcoat or industrial composites (P600 or finer with soft interface; 1000 or finer wet sanding), reducing sanding and compounding time while saving money. It contains no wax or silicone.



UPC Number	Size	Case Qty	UOM
00-051131-06027-2	1 gal	4	EA

Apron Tapers

Scotch® Apron Taper

Masking jobs are faster and easier. Dispenses masking paper. Adapts for any combination of two paper widths up through 18" with Scotch® Conversion Kit (PN06782). Paper is not included with masker.



UPC Number	ID	Size	Case Qty	UOM
00-021200-06865-2	PN6865	18"	1	EA
00-021200-06866-9	PN6866	36"	1	EA

Scotch® Multi-Mobile Masker

Designed to cut masking time. Two to three roll capacity when used with conversion kit, part number 06782. Note: Paper is not included with the masker.



UPC Number	ID	Size	Case Qty	UOM
00-021200-06869-0	PN6869	18"	1	EA

Scotch® Tray Masker

Dispenses single rolls of masking paper. Built into the top is a handy large storage tray. Can be wall mounted, easy assembly. With purchase of Scotch® Conversion Kit (PN06782), it becomes a two-roll masker. Paper is not included with masker.



UPC Number	ID	Size	Case Qty	UOM
00-051131-06784-4	PN6784	18"	1	EA
00-051131-06783-7	PN6783	36"	1	EA

Masking Films

3M™ High Temperature Paint Masking Film 7300

Translucent polypropylene film effectively masks trucks, motor homes, and other RVs during OEM painting and repair.



UPC Number	Size	Case Qty	UOM
00-021200-22834-6	6"x1500'	4	RL
00-021200-22835-3	12"x1500'	3	RL
00-021200-22836-0	15"x1500'	2	RL
00-021200-22837-7	18"x1500'	2	RL
00-021200-22839-1	36"x1500'	1	RL

Masking Films, Accessories

3M™ Hand-Masker™ Film Blade

Blade accessory for 3M™ Hand Masker M3000. Durable, sharp, stainless-steel blade with plastic blade guard. Also available in 6 inch size.



UPC Number	Size	Case Qty	UOM
00-051131-06802-5	12"	6	EA

3M™ Hand-Masker™ Kit M3000 KML

Tape guide pin molded into the M3000 KML frame. Guide pin aids tracking of the masking tape onto masking paper while dispensing. Tack-Down Tape Dispenser (PN06789) allows easy on-off mounting. Provides fingertip access to an extra roll of masking tape. Includes 12" cut-off blade. Making film is not included with dispenser.



UPC Number	Size	Case Qty	UOM
00-051131-06788-2	12"	6	EA

Masking Films, Accessories, cont'd

3M™ Hand-Masker™ Pre-Folded Masking Film

Pre-folded, high-density, nonporous film for paint masking and paint overspray protection. Flake resistant for multiple coat use. May be used with lacquers.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06848-3	48"x180'	White	12	RL

Masking Papers

3M™ Red Masking Paper

For utility applications. Acceptable conformability. 28 lbs. treated paper. 3M™ Red Masking Paper is primarily designed for non-critical masking applications. Conformable. Tightly bonded paper for little or no lint and fiber contamination.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06710-3	12"x750'	Red	3	RL

3M™ Scotchblok™ Masking Paper

Masking paper with excellent resistance to paint solvents, urethanes, base coats and clear coats. Has a polycoated backing to prevent solvent bleed-through.



UPC Number	Size	Case Qty	UOM
00-051131-06726-4	6"x180'	12	RL
00-051131-06729-5	9"x180'	12	RL
00-051131-06732-5	12"x180'	12	RL
00-051131-06712-7	12"x750'	3	RL
00-051131-06715-8	15"x750'	2	RL
00-051131-06738-7	18"x180'	12	RL
00-051131-06718-9	18"x750'	2	RL
00-051131-06736-3	36"x750'	1	RL

Masking Papers, cont'd

3M™ White Masking Paper

For utility applications. Acceptable conformability. 28 lbs. treated paper. 3M™ White Masking Paper has excellent resistance to paint solvents, urethanes, base coats and clear coats. Conformable. Tightly bonded paper for little or no lint and fiber contamination.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06537-6	6"x750'	White	6	RL
00-051131-06538-3	12"x750'	White	3	RL
00-051131-06539-0	18"x750'	White	2	RL
00-051131-06540-6	36"x750'	White	1	RL

Scotch® Steel Gray Masking Paper

Strong, flexible and pliable. Formulated to resist penetrations of solvents, lacquers or enamels. Comes in 1000' rolls.



UPC Number	Size	Case Qty	UOM
00-021200-06503-3	3"x1000'	6	RL
00-021200-06506-4	6"x1000'	6	RL
00-021200-06509-5	9"x1000'	4	RL
00-021200-06512-5	12"x1000'	3	RL
00-021200-06515-6	15"x1000'	2	RL
00-021200-06518-7	18"x1000'	2	RL
00-021200-06524-8	24"x1000'	1	RL
00-021200-06530-9	30"x1000'	1	RL
00-021200-06536-1	36"x1000'	1	RL

Masking Tapes

3M™ General Purpose Masking Tape 2020

This is a high adhesion tape for production masking applications such as taping paper or hanging poly.

UPC Number	Size	Case Qty	UOM
00-021200-71106-0	24mmx55m	36	RL
00-021200-71107-7	36mmx55m	24	RL

Masking Tapes, cont'd

3M™ Masking Tape 2307

A general purpose masking tape for holding, bundling, sealing, paint masking and a vast number of other jobs where a paper masking tape is needed. Tape 2307 is typically used at room temperature but will function up to 200°F (93°C).



UPC Number	Size	Case Qty	UOM
00-021200-71116-9	12mmx55m	72	RL
00-021200-71117-6	18mmx55m	48	RL
00-021200-71118-3	24mmx55m	36	RL
00-021200-71119-0	36mmx55m	24	RL
00-021200-71120-6	48mmx55m	24	RL
00-021200-71121-3	72mmx55m	12	RL
00-021200-73800-5	96mmx55m	8	RL

3M™ Paper Masking Tape 2214

Economical, quality, general purpose paper tape with rubber adhesive. Exceptional shear to corrugated boxes and exceptionally consistent adhesion. Use for bundling, sealing, holding and non-critical indoor jobs. 5.3 mil, pressure sensitive tape resists slivering. Use up to 150°F.



UPC Number	Size	Case Qty	UOM
00-021200-45587-2	12mmx55m	72	RL
00-021200-26074-2	18mmx55m	48	RL
00-021200-26075-9	24mmx55m	36	RL
00-021200-26076-6	36mmx55m	24	RL
00-021200-26077-3	48mmx55m	24	RL
00-021200-26078-0	72mmx55m	12	RL
00-021200-48119-2	96mmx55m	8	RL

3M™ Paper Tape 200

Natural colored, 5.5 mil (0.14 mm) crepe paper tape with rubber adhesive. Used for holding, bundling, sealing, non-critical masking, not to exceed 200°F, and a vast number of other jobs where a pressure sensitive tape is needed.




UPC Number	Size	Case Qty	UOM
00-048011-53466-4	48mmx55m	24	RL

Masking Tapes, cont'd

3M™ Scotch® High Performance Masking Tapes 232

A high performance paper masking tape to be used in the medium temperature paint bake operation. A smooth crepe paper tape that is treated with a heat and solvent resistant coating.



UPC Number	Size	Case Qty	UOM
00-021200-02852-6	12mmx55m	72	RL
00-021200-02853-3	18mmx55m	48	RL
00-021200-02854-0	24mmx55m	36	RL
00-021200-02855-7	36mmx55m	24	RL
00-021200-04240-9	48mmx55m	24	RL
00-021200-02858-8	72mmx55m	12	RL
00-021200-02859-5	96mmx55m	8	RL

Scotch® Safe-Release™ Painters' Masking Tape for Painted Surfaces & Glass 2090

Ideal for long-term masking projects when tape must be left on for up to a week. Removes cleanly and easily for up to seven days without leaving adhesive residue.



UPC Number	Size	Color	Case Qty	UOM
00-051115-06817-1	¾"x60yds	Blue	48	RL
00-051115-06818-8	1"x60yds	Blue	36	RL
00-051115-06819-5	1½"x60yds	Blue	24	RL
00-051115-06820-1	2"x60yds	Blue	24	RL

Scotch® Fine Line Tape 215

Copolymer plastic film tape with rubber adhesive. Very conformable film backed tape with a low profile to achieve an excellent paint line on highly contoured surfaces.



UPC Number	Size	Color	Case Qty	UOM
00-021200-60831-5	¼"x60yds	Blue	144	RL
00-021200-60832-2	½"x60yds	Blue	72	RL
00-021200-60753-0	¾"x60yds	Blue	48	RL
00-021200-60833-9	1"x60yds	Blue	36	RL

Scotch® Fine Line Tape 218

Polypropylene plastic film tape with rubber adhesive. A high performance film backed tape with low profile and high adhesion to achieve excellent paint line and for other masking and holding applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-16028-8	¼"x60yds	Green	144	RL
00-021200-18368-3	3/8"x60yds	Green	96	RL
00-021200-04698-8	½"x60yds	Green	72	RL
00-021200-04699-5	¾"x60yds	Green	48	RL
00-021200-04700-8	1"x60yds	Green	36	RL
00-021200-61264-0	1½"x60yds	Green	4	RL
00-021200-04701-5	2"x60yds	Green	24	RL
00-021200-44452-4	3"x60yds	Green	12	RL
00-021200-05500-3	4"x60yds	Green	8	RL

Scotch® General Purpose Masking Tape 234

A very high temperature resistant tape for use in masking and holding applications where temperatures reach 250°F (121°C) up to 1 hour. A general purpose paper masking tape designed to be used in medium temperature paint bake operation.



UPC Number	Size	Case Qty	UOM
00-021200-02978-3	6mmx55m	144	RL
00-021200-02980-6	12mmx55m	72	RL
00-021200-02981-3	18mmx55m	48	RL
00-021200-02982-0	24mmx55m	36	RL
00-021200-04243-0	30mmx55m	24	RL
00-021200-02983-7	36mmx55m	24	RL
00-021200-04244-7	48mmx55m	24	RL
00-021200-02985-1	72mmx55m	12	RL
00-021200-02987-5	96mmx55m	8	RL
00-021200-02988-2	144mmx55m	8	RL

Scotch® High Performance Masking Tape 213

A very high temperatures resistant tape for use in masking and holding applications where temperatures reach 350°F (177°C) up to 1 hour. Tape 213 is ideal for use on aluminum anodized surfaces for clean removal.



UPC Number	Size	Case Qty	UOM
00-021200-02818-2	½"x60yds	72	RL
00-021200-02820-5	1"x60yds	36	RL
00-021200-04404-5	2"x60yds	24	RL
00-021200-02822-9	3"x60yds	12	RL

Scotch® High Performance Masking Tape 214

A high temperature paper masking tape good for one hour at 350°F (177°C) on most surfaces. The adhesive of Tape 214 is sulfur free which makes it one of the few tapes that can be used on copper, silver, and other precious metals.



UPC Number	Size	Case Qty	UOM
00-021200-03850-1	¾"x60yds	48	RL
00-021200-03851-8	1"x60yds	36	RL
00-021200-04232-4	2"x60yds	24	RL

Scotch® High Performance Masking Tape 2693


Designed for automotive, truck and bus applications, where very aggressive room temperature and high temperature holding is required. Tan, 8.5 mils (0.21 mm) mini-crepe paper tape with rubber adhesive.



UPC Number	Size	Case Qty	UOM
00-021200-44557-6	12mmx55m	72	RL
00-021200-37629-0	24mmx55m	36	RL
00-021200-37630-6	48mmx55m	24	RL
00-021200-41121-2	36mmx55m	36	RL
00-021200-42979-8	72mmx55m	12	RL
00-021200-44556-9	100mmx55m	8	RL

Scotch® Masking Tape 2308

Natural colored crepe paper. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed.




UPC Number	Size	Case Qty	UOM
00-051131-06545-1	18mmx55m	48	RL
00-051131-06546-8	24mmx55m	36	RL
00-051131-06547-5	36mmx55m	24	RL
00-051131-06548-2	48mmx55m	24	RL
00-051131-06549-9	72mmx55m	12	RL

Masking Tapes, cont'd

Scotch® Mold Release Tape 249


Natural colored smooth crepe paper with a temperature and solvent resistant saturant. High performance paper masking tape designed to be used for masking application on low surface energy applications.



UPC Number	Size	Case Qty	UOM
00-051131-06360-0	1"x60yds	24	RL
00-051131-06363-1	2"x60yds	12	RL

Scotch® Paint Masking Tape 231

Natural colored crepe paper tape with rubber adhesive. Designed to perform well in most industrial painting situations, including the use of bake cycles up to 250°F. (121°C) for one hour.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03775-7	12mmx55m	Natural	72	RL
00-021200-03776-4	18mmx55m	Natural	48	RL
00-021200-03777-1	24mmx55m	Natural	36	RL
00-021200-04111-2	36mmx55m	Natural	24	RL
00-021200-04237-9	48mmx55m	Natural	24	RL
00-021200-04936-1	72mmx55m	Natural	12	RL

Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060

This tape features very high adhesion designed specifically for use with lacquer coatings. It sticks aggressively, making it ideal for rough surfaces such as stucco, concrete and wood. This tape is for interior and exterior use and can be cleanly removed for up to three days.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-71131-2	18mmx55m	Green	Individual	48	RL
00-021200-72065-9	18mmx55m	Green	Bulk Packaging	48	RL
00-021200-71132-9	24mmx55m	Green	Individual	36	RL
00-021200-72066-6	24mmx55m	Green	Bulk Packaging	36	RL
00-021200-71133-6	36mmx55m	Green	Individual	24	RL
00-021200-72067-3	36mmx55m	Green	Bulk Packaging	24	RL
00-021200-71134-3	48mmx55m	Green	Individual	24	RL
00-021200-72068-0	48mmx55m	Green	Bulk Packaging	24	RL



Masking Tapes, cont'd

Scotch® Paint Masking Tape 2311 and 2311B


Natural colored, 6.2 mil (0.15 mm) crepe paper tape with rubber adhesive. High performance masking tape designed with excellent holding capability.



UPC Number	Size	Case Qty	UOM
00-021200-70389-8	36mmx55m	24	RL
00-021200-70391-1	72mmx55m	12	RL

Scotch® Painters' Masking Tape 2050

Works well with most paint applications. Removes quickly and easily. Provides a superior paint line. Prevents seepage and paint bleed-through. Works well for general purpose applications such as sealing, bundling, and other jobs where a pressure-sensitive tape is needed.



UPC Number	Size	Case Qty	UOM
00-021200-05618-5	.94"x60yds	36	RL
00-021200-05619-2	1.42"x60yds	24	RL
00-021200-05620-8	1.89"x60yds	24	RL

Masking Tapes, cont'd

Scotch® Performance Masking Tape 2310M

A high temperature tape with high adhesion suitable for most paint masking applications. This strong, smooth masking tape embodies all the features that are desirable of a paint masking tape. Can be used at bake temperatures up to 325°F for up to one hour.



UPC Number	Size	Case Qty	UOM
00-021200-22934-3	48mmx55m	24	RL

Scotch® Performance Masking Tape 233+


Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results.



UPC Number	Size	Case Qty	UOM
00-051131-26330-7	6mmx55m	96	RL
00-021200-44543-9	3mmx55m	144	RL
00-051131-26332-1	12mmx55m	48	RL
00-051131-26334-5	18mmx55m	48	RL
00-051131-26336-9	24mmx55m	24	RL
00-051131-26338-3	36mmx55m	16	RL
00-051131-26340-6	48mmx55m	12	RL
00-051131-26341-3	72mmx55m	8	RL
00-021200-44608-5	96mmx55m	8	RL

Scotch® Performance Masking Tape 2364

3M technology gives this strong, smooth crepe paper masking tape good holding power in a broad range of temperatures up to 300°F. Clean removal from many surfaces make this an excellent tape for many industrial applications.




UPC Number	Size	Case Qty	UOM
00-021200-43351-1	18mmx55m	48	RL
00-021200-43352-8	24mmx55m	36	RL
00-021200-43353-5	36mmx55m	24	RL
00-021200-43354-2	48mmx55m	24	RL
00-021200-43355-9	72mmx55m	12	RL
00-021200-44542-2	100mmx55m	8	RL

Masking Tapes, cont'd

Scotch® Performance Masking Tape 2380

Designed for industrial paint masking applications. Provides excellent holding power and paint flake resistance. Can be removed hot, warm or cold from most surfaces without adhesive transfer.



UPC Number	Size	Case Qty	UOM
00-021200-44585-9	12mmx55m	72	RL
00-021200-44584-2	18mmx55m	48	RL
00-021200-44583-5	24mmx55m	36	RL
00-021200-44582-8	36mmx55m	24	RL
00-021200-44581-1	48mmx55m	24	RL
00-021200-44580-4	72mmx55m	12	RL
00-021200-44579-8	100mmx55m	8	RL

Scotch® Premium High Temperature Masking Tape 2393

Natural colored, 7.1 (0.18mm), mini-crepe paper tape with rubber adhesive. A smooth, heavy duty, mini-crepe high temperature masking tape.



UPC Number	Size	Color	Case Qty	UOM
00-021200-71302-6	24mmx55m	Natural	36	RL
00-021200-71304-0	48mmx55m	Natural	24	RL

Scotch® Premium High Temperature Masking Tape 2396

Natural colored, 7.5 mil (0.19 mm), mini-crepe paper tape with rubber adhesive. A high temperature automotive OEM masking tape.

UPC Number	Size	Color	Case Qty	UOM
00-021200-72016-1	24mmx55m	Natural	36	RL
00-021200-72018-5	72mmx55m	Natural	12	RL

Masking Tapes, cont'd

Scotch® Solvent Resistant Masking Tape 2040


This solvent resistant masking tape has a strong tape backing.



UPC Number	Size	Case Qty	UOM
00-021200-02991-2	18mmx55m	48	RL
00-021200-02992-9	24mmx55m	36	RL
00-021200-02993-6	36mmx55m	24	RL
00-021200-04365-9	48mmx55m	24	RL

Scotch® Solvent Resistant Masking Tape 226

Polyethylene film reinforced with a saturated crepe paper tape with rubber adhesive. For short or long-term outdoor masking. Provides up to three months of sustained performance on metal and painted surfaces.



UPC Number	Size	Case Qty	UOM
00-021200-61173-5	¾"x60yds	48	RL
00-021200-61174-2	1"x60yds	36	RL
00-021200-61176-6	2"x60yds	24	RL
00-021200-61177-3	3"x60yds	12	RL
00-021200-61178-0	4"x60yds	8	RL

Specialty Tapes

3M™ Photographic Tape 235

Hand tearable, paper masking tape provides a black, photographically opaque backing for a variety of camera work applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-02839-7	¾"x60yds	Black	48	RL
00-021200-02840-3	1"x60yds	Black	36	RL
00-021200-04246-1	2"x60yds	Black	24	RL

Matting Products

3M™ Clean-Walk Framed Mat 5840

An adhesive coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



UPC Number	Size	Color	Case Qty	UOM
00-021200-55723-1	31.5"x25.5"	White/White	1	CA

3M™ Clean-Walk Mat 5830

3M™ Clean-Walk Mats feature a multi-sheeted adhesive system that captures dirt on contact from shoe soles, wheels and other passing objects. Each sheet is individually tabbed and numbered for quick and easy removal exposing a fresh, ready-to-use sheet. Mats are available in a 30 or 60 layer format.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-55730-9	18"x36"	White	30 Sheets/Mat	4	CA
00-021200-55728-6	25"x45"	White	30 Sheets/Mat	4	CA

3M™ Clean-Walk Mat 5836

3M™ Clean-Walk Mats feature a multi-sheeted adhesive system that captures dirt on contact from shoe soles, wheels and other passing objects. Each sheet is individually tabbed and numbered for quick and easy removal exposing a fresh, ready-to-use sheet. Mats are available in a 30 or 60 layer format.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-55727-9	18"x36"	White	60 Sheets/Mat	4	CA
00-021200-55725-5	25"x45"	White	60 Sheets/Mat	4	CA

Matting Products, cont'd

3M™ Clean-Walk Replacement Pad 5842

An adhesive coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



UPC Number	Size	Color	Case Qty	UOM
00-021200-55722-4	30"x24"	White	2	CA

3M™ Nomad™ Carpet Matting 4000

Entrance carpet matting designed for light traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



UPC Number	Size	Color	Case Qty	UOM
50-048011-23764-5	2'x3'	Cranberry	1	CA
50-048011-23750-8	2'x3'	Light Gray	1	CA
50-048011-23766-9	3'x5'	Cranberry	1	CA
50-048011-23788-1	4'x6'	Cranberry	1	CA
50-048011-23796-6	4'x10'	Charcoal	1	CA

3M™ Nomad™ Carpet Matting 8850

Entrance carpet matting designed for heavy traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.




UPC Number	Size	Color	Case Qty	UOM
50-048011-20544-6	3'x5'	Dove	1	CA
50-048011-20583-5	3'x5'	Ebony	1	CA
50-048011-20559-0	3'x5'	Slate	1	CA
50-048011-20585-9	3'x10'	Ebony	1	CA
50-048011-23431-6	4'x6'	Burgundy	1	CA
50-048011-20545-3	4'x6'	Dove	1	CA
50-048011-20584-2	4'x6'	Ebony	1	CA
50-048011-20560-6	4'x6'	Slate	1	CA
50-048011-20590-3	4'x10'	Ebony	1	CA
50-048011-20566-8	4'x10'	Slate	1	CA
50-048011-23387-6	6'x10'	Blueberry	1	CA
50-048011-20555-2	6'x10'	Dove	1	CA
50-048011-20594-1	6'x10'	Ebony	1	CA
50-048011-20570-5	6'x10'	Slate	1	CA

Matting Products, cont'd

3M™ Nomad™ Extreme Traffic Z-Web Scraper Matting 9100


Entrance vinyl scraper matting designed for heavy traffic recessed well applications. The vinyl "Z" construction allows dirt and moisture to fall through becoming trapped in the well.



UPC Number	Size	Color	Case Qty	UOM
50-048011-09563-4	2'x20'	Granite	1	CA
50-048011-15389-1	3'x20'	Ebony	1	CA
50-048011-20242-1	3'x20'	Granite	1	CA
50-048011-20245-2	3'x20'	Mocha	1	CA

3M™ Nomad™ Heavy Traffic Backed Scraper Matting 8150


Entrance coiled vinyl scraper matting designed for heavy traffic applications. The solid vinyl backing retains dirt and moisture. Grease and oil resistant.



UPC Number	Size	Color	Case Qty	UOM
00-048011-34567-3	3'x20'	Red	1	CA

3M™ Nomad™ Heavy Unbacked Scraper Matting 8100

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracted back into the building. Grease and oil resistant. Without nosing.




UPC Number	Size	Color	Case Qty	UOM
00-048011-26299-4	3'x20'	Chestnut	1	CA
00-048011-26291-8	3'x20'	Gray	1	CA
00-048011-26293-2	3'x20'	Light Brown	1	CA
00-048011-34501-7	4'x20'	Light Brown	1	CA
00-048011-34635-9	4'x20'	Slate	1	CA

Matting Products, cont'd

3M™ Nomad™ Medium Traffic Backed Z-Web Scraper Matting 6250


Entrance vinyl scraper matting designed for medium traffic applications. The vinyl "Z" construction allows dirt and moisture to flow through becoming trapped at the backing.



UPC Number	Size	Color	Case Qty	UOM
50-048011-20236-0	3'x20'	Granite	1	CA
50-048011-20239-1	4'x20'	Granite	1	CA

3M™ Nomad™ Medium Traffic Carpet Matting 6500


Entrance carpet matting designed for medium traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



UPC Number	Size	Color	Case Qty	UOM
50-048011-13535-4	3'x5'	Light Brown	1	CA
50-048011-13514-9	3'x5'	Slate	1	CA
50-048011-26338-5	4'x6'	Ebony	1	CA
50-048011-13534-7	4'x6'	Light Brown	1	CA
50-048011-13528-6	4'x6'	Slate	1	CA

3M™ Nomad™ Medium Traffic Scraper Matting 6050

Entrance matting. Vinyl coiled construction scrapes dirt and moisture off shoes, allowing it to fall into the mat and not be tracked into the building. Designed for medium traffic conditions. Can be used both indoors and outdoors.




UPC Number	Size	Color	Case Qty	UOM
50-048011-26449-8	3'x5'	Blue	1	CA
50-048011-26448-1	3'x5'	Chestnut	1	CA
00-048011-26240-6	3'x20'	Dove	1	CA
00-048011-26239-0	3'x20'	Slate	1	CA
50-048011-26456-6	4'x6'	Blue	1	CA
50-048011-26458-0	4'x6'	Forest	1	CA
00-048011-26275-8	4'x20'	Dove	1	CA
00-048011-26269-7	4'x20'	Ebony	1	CA
00-048011-26276-5	4'x20'	Slate	1	CA

Matting Products, cont'd

3M™ Nomad™ Scraper Matting 8100

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracked back into the building. Grease and oil resistant. Nosing on width ends only.



UPC Number	Size	Color	Case Qty	UOM
50-048011-26519-8	4'x6'	Blue	1	CA
50-048011-26518-1	4'x6'	Chestnut	1	CA

3M™ Nomad™ Scraper Matting 8150

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The solid vinyl backing retains dirt and moisture. Grease and oil resistant. Without nosing.



UPC Number	Size	Color	Case Qty	UOM
50-048011-26464-1	3'x5'	Slate	1	CA
00-048011-29470-4	4'x6'	Ebony	1	CA
50-048011-26477-1	4'x6'	Slate	1	CA
00-048011-34562-8	3'x20'	Slate	1	CA
00-048011-34557-4	4'x20'	Slate	1	CA

3M™ Safety-Walk™ Cushion Matting 3270 & 3270E

Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort and less fatigue. Available in 3' and 4' widths by 2' to 30' lengths in 1' increments. 3270 without edging; 3270E has black integral 4-side edging.



UPC Number	Size	Color	Case Qty	UOM
00-048011-34819-3	3'x5'	Black	1	CA
00-048011-34821-6	3'x10'	Black	1	CA
00-048011-34823-0	3'x20'	Black	1	CA
00-048011-34820-9	4'x6'	Black	1	CA
00-048011-34822-3	4'x10'	Black	1	CA
00-048011-34824-7	4'x20'	Black	1	CA

Matting Products, cont'd

3M™ Safety-Walk™ Cushion Matting 3400


The closed-cell foamed vinyl, Z-web foundation gives your workers comfort while they work. The textured, solid vinyl top surface helps prevent slipping accidents. Choose from matting with no edging, or with black or yellow beveled edging on 2 or 4 sides.



UPC Number	Size	Color	Case Qty	UOM
00-048011-23925-5	34"x50'	Black	1	CA

3M™ Safety-Walk™ Cushion Matting 5100


Extended ridge design provides increased traction in wet areas, helping reduce slips and falls. Open Z-web design allows liquids and small debris to fall through to increase security of footing. Special grease and oil resistant coating keeps mat resilient over time. Chemically resistant for harsh environments. Recommended for wet or dry environments.



UPC Number	Size	Color	Case Qty	UOM
50-048011-20229-2	3'x5'	Ebony	1	CA
50-048011-05978-0	3'x5'	Red	1	CA
50-048011-20231-5	3'x10'	Ebony	1	CA
50-048011-05979-7	3'x10'	Red	1	CA
50-048011-20233-9	3'x20'	Ebony	1	CA
50-048011-05980-3	3'x20'	Red	1	CA

3M™ Safety-Walk™ Wet Area Matting 3200

(Also known as 3M™ Entrap™ Wet Area Matting). Open vinyl "Z" construction allows liquids and small debris to fall through, helping to reduce slips and falls.



UPC Number	Size	Color	Case Qty	UOM
50-048011-16107-0	3'x10'	Horizon Blue	1	CA
50-048011-16108-7	3'x10'	Wheat	1	CA
50-048011-13722-8	3'x20'	Horizon Blue	1	CA
50-048011-13723-5	3'x20'	Wheat	1	CA

Matting Products, Accessories

3M™ Safety-Walk™ Edge Sealing Compound 902

Liquid, solvent-based sealer protects exposed edges of slip-resistant tapes and treads from excessive moisture or liquids. One 5-ounce tube with convenient tube applicator seals approximately 75 to 100 linear feet.

UPC Number	Size	Case Qty	UOM
50-048011-19340-8	5 oz	1	CA

Treads

3M™ Safety-Walk™ Conformable Treads 500 Series

Ideal for use on diamond-grade safety plates, steps and other irregular surfaces. Mineral coated slip-resistant with aluminum backing.



UPC Number	Size	Color	Case Qty	UOM
50-048011-19280-7	2"x60'	Black	2	CA
50-048011-19288-3	2"x60'	Yellow	1	CA
50-048011-19281-4	4"x60'	Black	1	CA
50-048011-19289-0	4"x60'	Yellow	1	CA
50-048011-19279-1	6"x24"	Black	50	CA
50-048011-19282-1	6"x60'	Black	1	CA
50-048011-19283-8	12"x60'	Black	1	CA
50-048011-19284-5	18"x60'	Black	1	CA
50-048011-19285-2	24"x60'	Black	1	CA

3M™ Safety-Walk™ Fine Resilient Treads 200 Series

A high-friction resilient textured material. Consists of a fine-textured resilient surface. Reverse surface is coated with a pressure-sensitive adhesive covered by a removable protective liner.



UPC Number	Size	Color	Case Qty	UOM
50-048011-19304-0	2"x60'	Clear	2	CA
50-048011-19305-7	12"x60'	Clear	1	CA
50-048011-19316-3	2"x60'	White	2	CA
50-048011-19318-7	6"x60'	White	1	CA
50-048011-19319-4	12"x60'	White	1	CA

3M™ Safety-Walk™ General Purpose Tread

This mineral-coated, slip-resistant material features a highly durable surface.



UPC Number	Size	Color	Case Qty	UOM
50-048011-26417-7	1" x 60'	Clear	1	CA
50-048011-26419-1	2" x 60'	Clear	2	CA

3M™ Safety-Walk™ General Purpose Treads 600 Series

Mineral coated slip-resistant material for smooth, flat surfaces. Best for work and heavy-traffic areas. Available in a variety of sizes including custom sizes.



UPC Number	Size	Color	Case Qty	UOM
50-048011-19217-3	¾" x 24"	Black	50	CA
50-048011-19219-7	¾" x 60'	Black	4	CA
50-048011-19220-3	1" x 60'	Black	4	CA
50-048011-19221-0	2" x 60'	Black	2	CA
50-048011-26421-4	2" x 60'	Yellow	1	CA
50-048011-19223-4	4" x 60'	Black	1	CA
50-048011-26420-7	4" x 60'	Yellow	1	CA
50-048011-19216-6	5½" x 5½"	Black	50	CA
50-048011-19218-0	6" x 24"	Black	50	CA
50-048011-19224-1	6" x 60'	Black	1	CA
50-048011-19235-7	12" x 60'	Black	1	CA
50-048011-19238-8	18" x 60'	Black	1	CA
50-048011-19236-4	24" x 60'	Black	1	CA
50-048011-19239-5	36" x 60'	Black	1	CA
50-048011-19237-1	48" x 60'	Black	1	CA

3M™ Safety-Walk™ Medium Resilient Treads 300 Series

Medium-textured polymer for use on smooth, flat surfaces. Best for light and medium traffic and barefoot areas.



UPC Number	Size	Color	Case Qty	UOM
50-048011-19293-7	1" x 60'	Black	4	CA
50-048011-19321-7	1" x 60'	Gray	4	CA
50-048011-19294-4	2" x 60'	Black	1	CA
50-048011-19323-1	2" x 60'	Gray	2	CA
50-048011-19296-8	4" x 60'	Black	1	CA
50-048011-19322-4	4" x 60'	Gray	1	CA
50-048011-19292-0	6" x 24"	Black	50	CA
50-048011-19297-5	6" x 60'	Black	1	CA
50-048011-19324-8	6" x 60'	Gray	1	CA
50-048011-19298-2	12" x 60'	Black	1	CA
50-048011-19325-5	12" x 60'	Gray	1	CA
50-048011-19299-9	18" x 60'	Black	1	CA
50-048011-19326-2	18" x 60'	Gray	1	CA
50-048011-19300-2	24" x 60'	Black	1	CA
50-048011-19327-9	24" x 60'	Gray	1	CA
50-048011-19301-9	36" x 60'	Gray	1	CA
50-048011-19328-6	36" x 60'	Gray	1	CA
50-048011-19302-6	48" x 60'	Black	1	CA

Box Sealing Tapes

Scotch® Box Sealing Tape 371

Colored polypropylene tapes for single wall, low burst strength RSCs with high weight contents. More than 3,000 minutes adhesion to fiberboard. Tensile strength of 22 lb/in in machine direction; 44 lb/in cross direction.



UPC Number	Size	Color	Case Qty	UOM
00-021200-13679-5	48mmx50m	Clear	36	RL
00-021200-14105-8	48mmx50m	Tan	36	RL
00-021200-82883-6	48mmx100m	Blue	36	RL
00-021200-15873-5	48mmx100m	Clear	36	RL
00-021200-82881-2	48mmx100m	Red	36	RL
00-021200-15872-8	48mmx100m	Tan	36	RL
00-021200-13681-8	48mmx914m	Clear	6	RL
00-021200-19279-1	72mmx50m	Clear	24	RL
00-021200-18197-9	72mmx50m	Tan	24	RL
00-021200-19280-7	72mmx100m	Clear	24	RL

Scotch® Box Sealing Tape 372

Polypropylene tape with rubber resin adhesive to instantly seal single- and double-wall RSCs. More than 6,000 minutes adhesion to fiberboard. Tensile strength of 26 lb/in in machine direction; 52 lb/in cross direction.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72344-5	48mmx50m	Clear	36	RL
00-021200-72335-3	48mmx50m	Tan	36	RL
00-021200-73047-4	48mmx100m	Clear	36	RL
00-021200-72346-9	72mmx50m	Clear	24	RL
00-021200-73076-4	72mmx100m	Clear	24	RL

Box Sealing Tapes, cont'd

Scotch® Box Sealing Tape 373


Polypropylene tape for single and double wall cartons with high value contents. Rubber resin adhesive instantly seals with more than 8,000 minutes adhesion. Tensile strength of 30 lb/in in machine direction; 60 lb/in cross direction.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72380-3	36mmx50m	Red	48	RL
00-021200-72385-8	48mmx50m	Blue	36	RL
00-021200-72368-1	48mmx50m	Clear	36	RL
00-021200-72381-0	48mmx50m	Red	36	RL
00-021200-72359-9	48mmx50m	Tan	36	RL
00-021200-72389-6	48mmx50m	White	36	RL
00-021200-72399-5	48mmx50m	Yellow	36	RL
00-021200-73079-5	48mmx100m	Clear	36	RL
00-021200-73081-8	48mmx100m	Tan	36	RL
00-021200-72386-5	72mmx50m	Blue	24	RL
00-021200-69605-3	72mmx50m	Clear	24	RL
00-021200-72361-2	72mmx50m	Tan	24	RL
00-021200-72390-2	72mmx50m	White	24	RL
00-021200-73080-1	72mmx100m	Clear	24	RL
00-021200-73082-5	72mmx100m	Tan	24	RL

Scotch® Box Sealing Tape 375


Polypropylene film tape with synthetic rubber resin adhesive. Best performing polypropylene tape to seal heavy or highly recycled corrugated boxes. Rubber resin adhesive bonds with more than 12,000 minutes adhesion to fiberboard. Tensile strength of 35 lb/in in machine direction; 70 lb/in cross direction.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72406-0	48mmx50m	Clear	36	RL
00-021200-72401-5	48mmx50m	Tan	36	RL
00-021200-72407-7	72mmx50m	Clear	24	RL
00-021200-72402-2	72mmx50m	Tan	24	RL

Scotch® Security Message Box Sealing Tape 3779

Red print on clear backing. Message reads "CHECK SEAL BEFORE ACCEPTING". Printed with diagonal lines for slit indication.



UPC Number	Size	Color	Case Qty	UOM
00-021200-46447-8	48mmx100m	Clear	36	RL
00-021200-46449-2	72mmx100m	Clear	24	RL

Box Sealing Tapes, cont'd

Tartan™ Box Sealing Tape 369

General purpose packaging and sealing. Seal or bundle lightweight boxes with low value contents. Reliable, pressure sensitive box sealing tape can also be used with palletized loads.




UPC Number	Size	Color	Case Qty	UOM
00-021200-61551-1	48mmx50m	Clear	36	RL
00-021200-61547-4	48mmx50m	Tan	36	RL
00-021200-61553-5	48mmx100m	Clear	36	RL
00-021200-61549-8	48mmx100m	Tan	36	RL
00-021200-61554-2	72mmx100m	Clear	24	RL
00-021200-62481-0	72mmx100m	Tan	24	RL

Box Sealing Tapes, Acrylic Tapes

Scotch® Box Sealing Tape 311

General purpose box sealing tape designed specifically for utility type applications on light to medium weight boxes. Offers performance over broad temperature ranges; specifically in cold and damp applications such as refrigerated storage.



UPC Number	Size	Color	Case Qty	UOM
00-021200-69367-0	48mmx50m	Clear	36	RL
00-021200-88290-6	48mmx100m	Tan	36	RL
00-021200-69397-7	72mmx100m	Clear	24	RL

Tartan™ Box Sealing Tape 305

General purpose box sealing tape designed specifically for utility type applications on light weight boxes. The product offers performance over broad temperature ranges; specifically in cold and damp applications such as refrigerated storage.



UPC Number	Size	Color	Case Qty	UOM
00-021200-42318-5	48mmx50m	Clear	36	RL
00-021200-39809-4	48mmx100m	Clear	36	RL
00-021200-39823-0	48mmx100m	Tan	36	RL
00-021200-39810-0	48mmx914m	Clear	6	RL
00-021200-42316-1	48mmx1500m	Clear	6	RL
00-021200-39811-7	72mmx100m	Clear	24	RL
00-021200-39812-4	72mmx914m	Clear	4	RL

Box Sealing Tapes, Bonus Packs

Scotch® Box Sealing Tape with Dispenser PSD1

Combines hand-held Scotch® Box Sealing Tape Dispenser H122 with two rolls of Scotch® Box Sealing Tape 375. Conveniently and instantly seals boxes with high recycled content.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72308-7	48mmx50m	Clear	18	PH

Scotch® Box Sealing Tape with Dispenser PSD2

Four rolls of Scotch® Box Sealing Tape 375 on built-in plastic dispensers with metal cutting blades. Conveniently and instantly seal boxes with high recycled content. Tensile strength of 35 lb/in in machine direction; 70 lb/in cross direction.



UPC Number	Size	Case Qty	UOM
00-021200-45287-1	48mmx50m	24	RL

Scotch® Box Sealing Tape with Dispenser PSD3

Combines hand-held Scotch® Box Sealing Tape Dispenser H122 with 12 rolls of Scotch® Box Sealing Tape 375. Conveniently and instantly seal boxes with high recycled content.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72310-0	48mmx50m	Clear	3	TY

Box Sealing Tapes, Cold Temperature Tapes

Scotch® Cold Temperature Box Sealing Tape 3723

Conformable polypropylene for sealing of heavy duty corrugated boxes. Rubber resin adhesive bonds at 30-40°F, and maintains closure below 32°F. Environmental compliance with ASTM D1974-92. USDA acceptable.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72412-1	48mmx50m	Clear	36	RL

Box Sealing Tapes, Dispensers

Scotch® Box Sealing Tape Dispenser H122

Special braking system lets you control the amount of tape you use. Lightweight, plastic, compact hand held dispenser. Small and portable, yet allows you to dispense tape up to 2" wide on a 3" core.



UPC Number	Size	Case Qty	UOM
00-021200-06925-3	2"	6	EA

Scotch® Box Sealing Tape Dispenser H128

Durable, heavy duty metal dispenser provides a quick and easy method of applying H-seal and center-seam closures of RSCs. Handles up to 3" wide tape.



UPC Number	Size	Case Qty	UOM
00-021200-06909-3	2"	6	EA

Scotch® Box Sealing Tape Dispenser H129

Use one hand to quickly make "C" clips when you seal cartons. Cut and buff tape easily. Dispenser is a lightweight, hand held applicator for use with 2" minimum lengths and tape up to 2" wide.



UPC Number	Size	Case Qty	UOM
00-021200-06912-3	2"	6	EA

Scotch® Box Sealing Tape Dispenser H180

Portable, lightweight, easy to operate hand held tape dispenser. Accommodates up to a 60 yard roll of tape and up to 2" wide. It features an adjustable tape brake allowing control of tension and delivery.



UPC Number	Size	Case Qty	UOM
00-021200-19008-7	2"	6	EA
00-021200-96818-1	2"	40	EA

Box Sealing Tapes, Dispensers, cont'd

Scotch® Box Sealing Tape Dispenser H183

Hand-held portable dispenser features an adjustable tape break allowing the operator to chose comfortable tape tension and unwind. Provides a quick and easy method for dispensing up to 3" wide roll tape. Plastic and metal construction.



UPC Number	Size	Case Qty	UOM
00-021200-61850-5	3"	5	EA

Scotch® Box Sealing Tape Dispenser H190

Lightweight, pistol-grip dispenser ergonomically designed for user comfort. Unique pull-apart handle for easy tape loading. Uses Scotch® Box Sealing Tapes up to 48 mm (2") wide on 3" cores.



UPC Number	Size	Case Qty	UOM
00-021200-84768-4	2"	12	EA

Scotch® Box Sealing Tape Dispenser H192

Roll on box sealing tape with one hand and a minimum of wrist movement. Special design for hand comfort. Roll brake allows you to control tape tension as you seal carton center seams or make "C" clips. Accommodates tape up to 2" wide.



UPC Number	Size	Case Qty	UOM
00-021200-86512-1	2"	6	EA

Scotch® Box Sealing Tape Dispenser H320

Ultra-lightweight, economical dispenser for easy center seam closure of cases. Hand-held dispenser is also useful for packing household items and recouperage of boxes or plastic bags. Provides consistent seals using tapes up to 48 mm wide.



UPC Number	Size	Case Qty	UOM
00-021200-06908-6	2"	6	EA

Box Sealing Tapes, Dispensers, cont'd

Tartan™ Box Sealing Hand Dispenser HB933

Seals cartons easily and secures with a smooth, one-handed roll-on motion. The unique spring-loaded bar maintains constant tension during tape application. For tape rolls up to 3" wide on a 3" core.



UPC Number	Size	Case Qty	UOM
00-021200-22922-0	3"	6	EA

Tartan™ Hand Held Box Sealing Tape Dispenser HB902

This compact and lightweight dispenser fits in your hand making it easy to control. For tape rolls up to 2" wide by 60 yards on a 3" core.



UPC Number	Size	Case Qty	UOM
00-051131-06996-1	2"	12	EA

Tartan™ Pistol Grip Box Sealing Tape Dispenser HB903

Easy to use, refillable, one hand box sealing tape dispenser. Has an adjustable braking mechanism. Holds tape up to 2" wide on a 3" core.



UPC Number	Size	Case Qty	UOM
00-051131-06997-8	2"	1	EA

Box Sealing Tapes, High Tack Tapes

Scotch® High Tack Box Sealing Tape 3743

Hot melt synthetic rubber resin adhesive tape with high initial adhesion for applications involving hard-to-stick surfaces such as recycled corrugated, or coated polyethylene. Tensile strength of 30 lb/in in machine direction; 60 lb/in cross direction.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72421-3	48mmx50m	Clear	36	RL
00-021200-72422-0	72mmx50m	Clear	24	RL

Box Sealing Tapes, Message Tapes

Scotch® Printed Message Box Sealing Tape 3732

Alert handlers with printed message: "If Seal Is Broken Check Contents Before Accepting." Red print on tan background. A high performance box sealing tape with rubber adhesive that adheres quickly and strongly to medium weight boxes of single or double walls. Polypropylene backing that is tear and split resistant even under impact. Resists abrasion and moisture.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72415-2	48mmx50m	Red/Tan	36	RL

Scotch® Printed Message Box Sealing Tape 3734

Alert handlers with printed message: "Fragile Handle With Care." High performance box sealing tape with rubber adhesive that adheres quickly and strongly to medium weight boxes of single or double walls. Polypropylene backing that is tear and split resistant even under impact.



UPC Number	Size	Color	Case Qty	UOM
00-021200-72417-6	48mmx50m	Red/Tan	36	RL

Box Sealing Tapes, Message Tapes, cont'd

Scotch® Printed Message Box Sealing Tape 3771

Polypropylene backing for tear resistance. Pressure sensitive rubber adhesive offers quick, moisture proof seal. This tape offers a good, tight, general purpose seal. "If Seal Is Broken, Check Contents Before Accepting."



UPC Number	Size	Color	Case Qty	UOM
00-021200-72301-8	48mmx100m	Red/White	36	RL

Scotch® Printed Message Box Sealing Tape 3772

Polypropylene backing for tear resistance. Pressure sensitive rubber adhesive offers quick, moisture proof seal. This tape offers a good, tight, general purpose seal. "Fragile Handle With Care."



UPC Number	Size	Color	Case Qty	UOM
00-021200-72304-9	48mmx100m	Red/White	36	RL

Filament Tapes

Scotch® Bi-Directional Filament Tape 8959

High performance. Polypropylene backing reinforced with bi-directional continuous glass yarn across length and width. Typical tensile strengths of 150 lb/in width.



UPC Number	Size	Color	Case Qty	UOM
00-021200-88227-2	25mmx50m	Translucent	36	RL
00-021200-88229-6	75mmx50m	Translucent	12	RL

Scotch® Extreme Application Packaging Tape 8959

High performance backing reinforced with continuous glass yarn across length and width for added strength - resists tearing. For heavy weight packages and overseas, export shipments. Strong backing is abrasion, moisture and scuff resistant.



UPC Number	Size	Color	Case Qty	UOM
00-021200-88228-9	50mmx50m	Translucent	18	RL

Filament Tapes, cont'd

Scotch® Filament Tape 894

High performance. Black polypropylene backing reinforced with continuous glass filaments. Typical 300 lb/in width tensile strength. Good initial and long-term adhesion; high shear strength. Black backing protects tape from UV rays.



UPC Number	Size	Color	Case Qty	UOM
00-021200-88131-2	18mmx55m	Black	48	RL

Scotch® Filament Tape 896

High performance. White polypropylene backing for printing, reinforced with continuous glass filaments. Nick resistant. 240 lb/in width tensile strength with good initial adhesion and high shear strength. Low stretch for handling ease.



UPC Number	Size	Color	Case Qty	UOM
00-021200-39856-8	18mmx55m	White	48	RL

Scotch® Filament Tape 897

High performance. Polypropylene backing reinforced with glass filaments. Typical 170 lb/in width tensile strength for light to medium-duty bundling, reinforcing, and palletizing. Good initial and long-term adhesion with good shear strength.



UPC Number	Size	Color	Case Qty	UOM
00-021200-86522-0	9mmx55m	Clear	96	RL
00-021200-86523-7	12mmx55m	Clear	72	RL
00-021200-39510-9	36mmx55m	Clear	24	RL

Scotch® Filament Tape 898

High performance. Polypropylene backing reinforced with continuous glass yarn with stain resistant finish. Typical 380 lb/in width tensile strength with aggressive high shear adhesive for heavy duty closure, reinforcing, and banding.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-39865-0	6mmx55m	Clear	Bulk	144	RL
00-051131-06893-3	12mmx55m	Clear	Boxed	72	RL
00-051131-06896-4	12mmx55m	Clear	Bulk	72	RL
00-021200-39800-1	12mmx330m	Clear	Bulk	12	RL
00-051131-06894-0	18mmx55m	Clear	Boxed	48	RL
00-051131-06897-1	18mmx55m	Clear	Bulk	48	RL
00-051131-06895-7	24mmx55m	Clear	Boxed	36	RL
00-051131-06898-8	24mmx55m	Clear	Bulk	36	RL
00-021200-39868-1	36mmx55m	Clear	Bulk	24	RL
00-021200-39871-1	48mmx55m	Clear	Boxed	24	RL
00-021200-39869-8	48mmx55m	Clear	Bulk	24	RL
00-021200-39870-4	72mmx55m	Clear	Bulk	12	RL

Scotch® Filament Tape 8981

High performance. Polypropylene backing reinforced with continuous glass yarn along the length for a typical 380 lb/in width tensile strength. Instant adhesion for fast heavy-duty closure on fiberboard with high recycled content.



UPC Number	Size	Color	Case Qty	UOM
00-021200-88189-3	12mmx55m	Clear	72	RL
00-021200-88190-9	18mmx55m	Clear	48	RL
00-021200-88191-6	24mmx55m	Clear	36	RL
00-021200-88204-3	36mmx55m	Clear	24	RL
00-021200-88192-3	48mmx55m	Clear	24	RL

Scotch® Speciality Filament Tape 880

High performance. Polypropylene backing reinforced with polyester yarn. Typical 270 lb/inch width tensile strength with high cut and impact resistance for bundling heavy or sharp-edged objects. High shear adhesive with excellent aging.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-39827-8	24mmx55m	Translucent	Bulk	36	RL

Filament Tapes, cont'd

Tartan™ Filament Tape 8934

Clear polypropylene film backing reinforced with glass yarn filaments. Light-duty tensile strength, nick resistance, abrasion resistance and good handling for utility bundling, reinforcing, and pallet unitizing applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-86517-6	9mmx55m	Clear	96	RL
00-021200-86518-3	12mmx55m	Clear	72	RL
00-021200-86519-0	18mmx55m	Clear	48	RL
00-021200-86520-6	24mmx55m	Clear	36	RL
00-021200-73999-6	36mmx55m	Clear	24	RL
00-021200-86521-3	48mmx55m	Clear	24	RL
00-021200-39476-8	72mmx55m	Clear	12	RL

Filament Tapes, Dispensers

Scotch® Filament Tape Hand Dispenser H10

Portable, hand-held unit dispenses 1/2 to 1 inch Scotch(R) filament tapes. Used for bundling metal pipe, rods, and conduit; reinforcing boxes; palletization.



UPC Number	Size	Case Qty	UOM
00-021200-06910-9	1"	6	EA

Scotch® Filament Tape Hand Dispenser H12

Features a hand brake in the core that allows operator to add tension for tighter box reinforcement and bundling applications. Made from high-impact, durable plastic. Handles filament tapes up to 1" (24 mm) wide.




UPC Number	Size	Case Qty	UOM
00-021200-06953-6	1"	6	EA

Filament Tapes, Dispensers, cont'd

Scotch® Filament Tape Hand Dispenser H133

"L" clips and "C" clips of filament tape can be applied fast and economically. It cuts and buffs tape with one-hand motion. Hand brake in core allows the operator to add tension. Handles filament tape up to 3/4" wide.



UPC Number	Size	Case Qty	UOM
00-021200-06919-2	3/4"	6	EA

Tartan™ Hand Held Filament Tape Dispenser HB901

Streamlines strapping, bundling and closing tasks. Lightweight yet rugged construction with built-in serrated blade cuts time and frustration. For rolls up to 1" wide on 3" core.



UPC Number	Size	Case Qty	UOM
00-051131-06994-7	1"	12	EA

Film Tape - Bonus Packs

Scotch® Transparent Tape Bonus Pack BP7TC with Dispenser

Includes 4 rolls of Scotch® Film Tape 600 and Scotch® Heavy Duty Dispenser C25. Film tape has a tough backing that offers longevity and durability. Excellent holding power and instant adhesion. For light duty closing and bundling. Resists staining and sunlight. Scotch® Heavy Duty Dispenser C25 features a permanent core. Handles tape up to one inch wide. Made from high impact resistant plastic. Rubber base prevents slipping.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06590-1	3/4"x72yds	Clear	6	PH

3M™ ScotchPad™ Packaging Tape Pad 3750P


Pre-cut padded tape. Ideal for protecting labels, sealing envelopes and small packages, recoupage repair and for misc. packaging applications. 25 sheets per pad, 40 boxes per carton and 5 cartons per case.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-051131-06884-1	2"x6"	Clear		200	CA

3M™ ScotchPad™ Pouch Tape Pad 830


Polypropylene film and rubber resin adhesive. Clear with bright orange border printed "DOCUMENTS ENCLOSED". Non-tacky center section. 25 pre-cut individual tape sheets layered on a back sheet. 5" x 6".



UPC Number	Size	Case Qty	UOM
00-021200-62104-8	5"x6"	5,000	CA

Scotch® Label Protection Tape 3565

Clear label protection tape used for protecting labels on shipping cartons. Protects from smudging, moisture damage, and tearing.



UPC Number	Size	Color	Case Qty	UOM
00-021200-73154-9	96mmx100m	Clear	18	RL

3M™ ScotchPad™ Pouch Tape Pad 832

Polypropylene film and rubber resin adhesive. Clear with bright orange border printed "DOCUMENTS ENCLOSED". Non-tacky center portion. Pre-cut individual tape sheets layered 25 on a back sheet. 6" x 10".



UPC Number	Size	Case Qty	UOM
00-021200-62224-3	6"x10"	4,000	CA

Scotch® Packing List Tape 829

Polypropylene film. Rubber resin adhesive, clear with bright red border printed "PACKING LIST ENCLOSED". Non-tacky center section, 333 pouches/roll.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06961-9	5"x6"	Clear/Red	12	RL

3M™ ScotchPad™ Tape Pad 822

Pre-cut 4" x 6" tape pads keep labels dry, legible and secure. Transparent to make labels easy to read. Portable and convenient to use. 25 sheets/pad - 40 pads/carton - 5 cartons/case.



UPC Number	Size	Case Qty	UOM
00-021200-61618-1	4"x6"	200	CA

Scotch® Packing List Tape Pad 8240P

Attach and protect packing lists. With pre-cut, self-stick tape sheets. See-through, adhesive-free window. Clear with bright orange boarder printed "Packing List Enclosed." Non-tacky center section.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06954-1	5"x6"	Clear/Orange	200	CA

Label Protection Products, cont'd

Scotch® Pouch Tape 8240

This polypropylene film has a rubber resin adhesive and is clear with bright orange border printed "DOCUMENTS ENCLOSED." It has a non-tacky center portion measuring 5" x 6".



UPC Number	Size	Desc	Case Qty	UOM
00-021200-06947-5	5"x6"	500/Inr	8	RL
00-021200-22913-8	5"x6"	333/Inr	12	RL

Scotch® Pouch Tape 827

827 has the same features, quality, and reliability of Scotch® Pouch Tape 8240, and is offered in a variety of sizes to accommodate your shipping documents. Pouches are clear with bright orange borders.



UPC Number	Size	Color	Case Qty	UOM
00-021200-61840-6	5"x8"	Clear/Orange	8	RL
00-021200-61844-4	6"x8"	Clear/Orange	8	RL

Scotch® Prescription Label Tape 800

This acetate film has an acrylic adhesive and is highly transparent as well as UV-resistant. Guards labels against abrasion, moisture, and smudging. It is sold in bulk and boxed.




UPC Number	Size	Desc	Case Qty	UOM
00-021200-03551-7	1"x72yds	Bulk	36	RL
00-021200-07360-1	1"x72yds	Boxed	36	RL
00-021200-03552-4	1½"x72yds	Bulk	24	RL
00-021200-07361-8	1½"x72yds	Boxed	24	RL
00-021200-16403-3	1¾"x72yds	Bulk	24	RL
00-021200-07367-0	1¾"x72yds	Boxed	24	RL
00-021200-04344-4	2"x72yds	Bulk	24	RL
00-021200-07363-2	2"x72yds	Boxed	24	RL

Label Protection Products, Dispensers

Scotch® Label Protection Dispenser M707

Platform design allows shipping labels to be delivered flat and makes this compact dispenser easy to use. Labels are applied and protected in one time-saving operation. The M707 loads easily and can handle label protection tapes up to 4" wide.



UPC Number	Size	Case Qty	UOM
00-021200-06923-9	4"	6	EA

Labeling Products

Post-it® Removable Labeling Tape

A white, general purpose labeling tape that is easily removable. Use for shelf and bin marking and package identification. Works great for correction and coverup work.



UPC Number	Size	Case Qty	UOM
00-051131-06950-3	¾"x36yds	48	RL
00-051131-06951-0	2"x36yds	24	RL

Scotch® Printable Flatback Paper Tape 256

6.7 mil (0.17mm) flat stock paper tape with a rubber adhesive. High immediate adhesion. Excellent write-on label tape, shelf labeling, color coding and identification.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04121-1	3/8"x60yds	Red	96	RL
00-021200-02893-9	½"x60yds	White	72	RL
00-021200-02894-6	¾"x60yds	White	48	RL
00-021200-04968-2	1"x60yds	Light Green	36	RL
00-021200-02891-5	1"x60yds	Red	36	RL
00-021200-02895-3	1"x60yds	White	36	RL
00-021200-04258-4	2"x60yds	White	24	RL

Packing List Envelopes

3M™ Full Print Packing List Envelope F1


Pressure sensitive polyethylene envelope printed across the face with "Packing List/Invoice Enclosed."



UPC Number	ID	Size	Case Qty	UOM
00-021200-73711-4	PLE-F1	4½"x5½"	1,000	CA

3M™ Non Printed Perforated Packing List Envelope FED1


Pressure sensitive non-printed 6¾" x 10¾" envelope with perforated face for easy opening.



UPC Number	ID	Size	Case Qty	UOM
00-021200-73777-0	PLE-FED1	6¾"x10¾"	500	CA

3M™ Pressure Sensitive Clear Non Printed Packing List Envelope


Pressure sensitive clear non printed envelope.



UPC Number	ID	Size	Case Qty	UOM
00-021200-73778-7	PLE-NP2	4½"x6"	1,000	CA
00-021200-73706-0	PLE-NP4	5½"x10"	1,000	CA
00-021200-73779-4	PLE-NP5	7"x10"	1,000	CA
00-021200-73708-4	PLE-NP3	7"x5½"	1,000	CA
00-021200-73780-0	PLE-NP6	9½"x12"	1,000	CA

3M™ Top Print Packing List Envelope

High tack, hot-melt adhesive technology keeps the 3M™ Packing List Envelope in place even through a wide range of temperatures and conditions. An oil resistant and water-resistant polyethylene envelope for packing slips, invoices, cards and other shipping documents.



UPC Number	ID	Size	Case Qty	UOM
00-021200-73784-8	PLE-T2	4½"x6"	1,000	CA
00-021200-73785-5	PLE-T4	5½"x10"	1,000	CA
00-021200-73712-1	PLE-T3	7"x5½"	1,000	CA

Packing List Envelopes, cont'd

3M™ Top Print Packing List Envelope PLE-T1

Pressure sensitive polyethylene envelope top-printed with "Packing List Enclosed."



UPC Number	ID	Size	Case Qty	UOM
00-021200-73782-4	PLE-T1	4½"x5½"	1,000	BX
00-021200-37593-4	PLE-T1 PL	4½"x5½"	1,000	CA

3M™ Top Print Packing List Envelope PLE-T1 INV

Pressure sensitive polyethylene envelope top printed with "Invoice Enclosed."



UPC Number	ID	Size	Case Qty	UOM
00-021200-37594-1	PLE-T1INV	4½"x5½"	1,000	CA

Strapping Tapes

Scotch® Reinforced Strapping Tape 865

High performance. Polypropylene backing reinforced with continuous polypropylene ribbing. Typical 240 lb/in width tensile strength for the most demanding strapping and bundling on metallic or fiber-board surfaces. Unique clarity.



UPC Number	Size	Color	Case Qty	UOM
00-021200-71168-8	18mmx55m	Clear	48	RL

Stretchable Tapes

Scotch® Stretchable Tape

Low density polyethylene with 710% elongation at break and tensile strength for light to medium containment of A-and B-type pallets. Elastic memory tightly bundles load during shipment.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-69313-7	36mmx55m	Clear	20 lb/inch	24	RL
00-021200-69314-4	36mmx55m	Clear	28 lb/inch	24	RL

Air Monitors

3M™ Ethylene Oxide Monitor 3550

This monitor meets OSHA accuracy requirements for 8 hour TWA and 15 minute STEL sampling of ethylene oxide. Includes prepaid analysis.



UPC Number	Case Qty	UOM
50-021200-16911-8	5	CA

3M™ Ethylene Oxide Monitor 3551

This monitor meets OSHA accuracy requirements for 8 hour TWA and 15 minute STEL sampling of ethylene oxide. Analysis not included.



UPC Number	Case Qty	UOM
50-021200-60187-8	5	CA

3M™ Ethylene Oxide Monitor 3551B

This monitor meets OSHA accuracy requirements for 8 hour TWA and 15 minute STEL sampling ethylene oxide. Bulk packed. Analysis not included.



UPC Number	Case Qty	UOM
50-051138-66081-4	50	CA

3M™ Formaldehyde Monitor 3720

This monitor meets OSHA accuracy requirements of +/-25% for 8-hour TWA sampling of formaldehyde. Not for 15 minute STEL sampling. Includes prepaid analysis.



UPC Number	Case Qty	UOM
50-051138-08785-7	5	CA

3M™ Formaldehyde Monitor 3721

This monitor meets OSHA accuracy requirements of +/-25% for 8-hour TWA sampling of formaldehyde. Not for 15 minute STEL sampling. Analysis not included.



UPC Number	Case Qty	UOM
50-051138-08786-4	5	CA

Air Monitors, cont'd

3M™ Formaldehyde Monitor 3721B

This monitor meets OSHA accuracy requirements of +/-25% for 8-hour TWA sampling of formaldehyde. Not for 15 minute STEL sampling. Bulk packed. Analysis not included.



UPC Number	Case Qty	UOM
50-051138-66080-7	25	CA

3M™ Organic Vapor Monitors

This monitor is suited for compounds for which activated carbon shows limited capacity. Accuracy of +/-25% at a 95% confidence level for many workplace contaminants. Bulk packed.



UPC Number	ID	Desc	Case Qty	UOM
50-021200-13655-4	3500	Analysis Not Included	10	CA
50-051138-46488-7	3500B	Analysis Not Included	50	CA
50-021200-17309-2	3510	Pre-Paid Analysis	5	CA
50-021200-16952-1	3520	Backup Section	5	CA
50-051138-46489-4	3520B	Backup Section	50	CA
50-051138-28984-8	3530	Backup Section and Pre-Paid Analysis	5	CA

Eye Protection Products

3M™ 1620 Safety Goggles, Perforated

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Provides side protection. Hard-coated, polycarbonate lenses offer 99% UV protection. Soft and comfortable with flexible vinyl frames. General use goggles. Should not be worn in areas where chemical splashes and dusts may be present.




UPC Number	Case Qty	UOM
50-051131-37102-1	288	CA

Eye Protection Products, cont'd

3M™ Lens Cover L-133-25/37014(AAD)

Used with the 3M™ Wide View Lens. The cover fits over the lens and protects it from scratching or overspray of paint and chemicals. Up to five covers can be attached, one on top of the other.



UPC Number	Case Qty	UOM
50-051131-37014-7	25	CA

3M™ Protective Eyewear 1700 Series

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Stylish wrap around design helps provide side protection. Hard-coated, polycarbonate lenses offer 99% UV protection. Lightweight. Low profile frameless design.



UPC Number	ID	Color	Case Qty	UOM
50-051131-37103-8	1700	Black/Clear	24	CA
50-051138-76800-8	1701	Smoke/Smoke	24	CA
50-051138-76801-5	1702	Clear/Clear	24	CA

3M™ Protective Eyewear 1720 Series

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Stylish wrap around design helps provide side protection. Hard-coated, polycarbonate lenses offer 99% UV protection. Non-slip rubber head grip for added comfort. 5-position adjustable temple and a soft vinyl nose pad.



UPC Number	ID	Color	Case Qty	UOM
50-051138-76804-6	1720	Black/Clear	24	CA
50-051138-76805-3	1721	Black/Mirrored	24	CA
50-051138-76806-0	1722	Red/White/Blue/Clear	24	CA

Eye Protection Products, cont'd

3M™ Protective Eyewear 1710 Series

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Stylish wrap around design helps provide side protection. Hard-coated, polycarbonate lenses offer 99% UV protection. Contemporary styled frames. 4-position adjustable temples for enhanced fit.



UPC Number	ID	Color	Case Qty	UOM
50-051131-37104-5	1710	Black/Clear	24	CA
50-051138-76802-2	1711	Blue/Clear	24	CA
50-051138-76803-9	1712	Black/Smoke	24	CA

Eye Protection Products, cont'd

3M™ Protective Eyewear 1730 Series

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Hard-coated, polycarbonate lenses offer 99% UV protection. Stylish, one-piece wrap around design. 4-position temple adjustment and a vinyl nose pad for greater comfort.



UPC Number	ID	Color	Case Qty	UOM
50-051131-37105-2	1730	Black/Clear	24	CA
50-051138-76807-7	1731	Blue/Clear	24	CA
50-051131-37108-3	1733	Black/Amber	24	CA

3M™ Protective Eyewear 1740 Series

Meets the requirements of the American National Standard Practice for Occupational and Educational Eye and Face Protection, ANSI Z87.1-1989. Stylish wrap around design helps provide side protection. Hard-coated, polycarbonate lenses offer 99% UV protection. Comfortable and conformable. Offers 99% U.V. protection. Lightweight. Vinyl nose cushion enhances wearer comfort and fit.



UPC Number	ID	Color	Case Qty	UOM
50-051131-37110-6	1740	Black/Clear	24	CA
50-051131-37111-3	1741	Black/Mirrored	24	CA
50-051131-37112-0	1743	Black/Amber	24	CA

3M™ Protective Eyewear 1752

Stylish safety eyewear with a contemporary appearance. Lightweight and shaped to fit facial contours. Comfortable fit afforded by gel-like nose piece and soft temples. Polycarbonate lens offers 99% UV protection, and has anti-scratch coating. Meets ANSI Z87.1-2003.



UPC Number	Color	Case Qty	UOM
50-051131-37115-1	Blue/Mirrored	24	CA

3M™ Safety Goggles 1621, Splash Proof

Helps reduce exposure to a variety of eye hazards including impact, splash and dust. Vinyl frames allow for excellent fit. Polycarbonate lens.



UPC Number	Case Qty	UOM
50-051138-76798-8	288	CA

Eye Protection Products, cont'd

3M™ Visitor Specs, Clear

An economical alternative for short term eye protection. Can be worn alone or over prescription glasses. Polycarbonate Lens. Usually used by plant visitors.



UPC Number	Case Qty	UOM
50-051131-37101-4	300	CA

Fit Testing Products

3M™ Collar FT-15

Used with the 3M™ Qualitative Fit Test Apparatus FT-10 and FT-30 to provide a secure hood environment.



UPC Number	Case Qty	UOM
00-051138-16354-9	1	CA

3M™ Fit Test Adapter 601

Use to conduct quantitative fit testing on 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet style cartridge/filter holders. 3M™ Filters 2091 or 7093 not included.



UPC Number	Case Qty	UOM
00-051138-29018-4	1	CA

3M™ Fit Test Solution FT-12, Sweet

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Allows exercises to be performed in a test atmosphere. Replacement bottle of solution used to the 3M™ Qualitative Fit Test Apparatus FT-10 and FT-20 to test the facepiece to face seal.



UPC Number	Size	Desc	Case Qty	UOM
50-051138-16356-8	55 mL	Bottle	6	CA

Fit Testing Products, cont'd

3M™ Fit Test Solution FT-32, Bitter

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas negative pressure and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Allows exercises to be performed in a test atmosphere. Replacement bottle of solution used to the 3M™ Qualitative Fit Test Apparatus FT-30 to test the face to facepiece seal.



UPC Number	Size	Desc	Case Qty	UOM
50-051138-54205-9	55 mL	Bottle	6	CA

3M™ Nebulizer FT-13

Used with the 3M™ Qualitative Fit Test Apparatus FT-10, FT-30 and the 3M™ Training and Fit Testing Case FT-20.



UPC Number	Case Qty	UOM
50-051138-16357-5	3	CA

3M™ Qualitative Fit Test Apparatus FT-10, Sweet

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Determines employee's taste threshold to fit test solution. Allows exercises to be performed in a test atmosphere. Can be used with any particulate respirator or gas and vapor respirator with a particulate filter to test facepiece to face seal fit. Can be used to help satisfy OSHA requirements. Contains a laminated instruction booklet, sensitivity solution, fit test solution, two nebulizers, one hood, one collar assembly and two sets of replacement nebulizer inserts.



UPC Number	Case Qty	UOM
00-051138-16358-7	1	CA

Fit Testing Products, cont'd

3M™ Qualitative Fit Test Apparatus FT-30, Bitter

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any negative pressure gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use.



Determines employee's taste threshold to fit test solution. Allows exercises to be performed in a test atmosphere. Use to test the seal of any respirator with particulate prefilter. Meets OSHA requirements before issuing the respirator to a worker. Includes instruction booklet in English/Spanish, Portuguese, and French. Two nebulizers, one hood, one collar assembly, two sets of nebulizer inserts and sensitivity solution bitter are included.

UPC Number	Case Qty	UOM
00-051138-54203-0	1	CA

3M™ Sensitivity Solution FT-11, Sweet

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Determines employee's taste threshold to fit test solution. Replacement bottle of solution used to test the sensitivity of the respirator wearer to a saccharin solution. Use with the 3M™ Qualitative Fit Test Apparatus FT-10 and 3M™ Training and Fit Testing Case FT-20.



UPC Number	Size	Desc	Case Qty	UOM
50-051138-16359-9	55 mL	Bottle	6	CA

3M™ Sensitivity Solution FT-31, Bitter

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Determines employee's taste threshold to fit test solution. Replacement bottle of solution used to test the sensitivity of the respirator wearer to a bitter solution. Use with the 3M™ Qualitative Fit Test Apparatus FT-30.



UPC Number	Size	Desc	Case Qty	UOM
50-051138-54204-2	55 mL	Bottle	6	CA

3M™ Test Hood FT-14

Used with 3M™ Qualitative Fit Test Apparatus FT-10 and FT-30 and 3M™ Training and Fit Testing Case FT-20 as the test environment for sweet and bitter solution.



UPC Number	Case Qty	UOM
50-051138-16353-7	10	CA

3M™ Training and Fit Testing Case FT-20, Sweet

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any negative particulate respirator or any pressure gas and vapor respirator with a particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable, and economical to use. Determines employee's taste threshold to fit test solution. Allows exercises to be performed in a test atmosphere. Durable case. Includes all 3M™ Qualitative Fit Test Apparatus FT-10 materials and training materials, including videos, posters and literature.



UPC Number	Case Qty	UOM
00-051138-29137-2	1	EA

3M™ Bump Cap 1801

Easy to use adjustable 4-point suspension. Fully cushioned brow pad absorbs moisture and is washable and replaceable. Recommended for situations where hard hats are not required. Perforated sides allow for air circulation and ventilation. Bump caps do not provide protection against electrical hazards or impact from falling or glancing objects. Bump caps do not meet the requirements of ANSI Z89.1. When head protection is required, wear a protective hard hat or helmet which meets the requirements of ANSI Z89.1.



UPC Number	Color	Case Qty	UOM
50-051131-37100-7	Black	6	CA

3M™ Hard Hats

Lightweight and economical. Short peak and trim profile. Ideal for a wide range of jobs where safety and value are needed. Slide suspension adjusts to fit sizes 6½" to 7¾".



UPC Number	ID	Color	Case Qty	UOM
50-051131-52596-7	1926	Blue	30	CA
50-051138-76819-0	1923	Orange	30	CA
50-051131-52595-0	1925	Red	30	CA
50-051138-76817-6	1921	White	30	CA
50-051138-76818-3	1922	Yellow	30	CA

Head Protection Products, cont'd

3M™ Omega II™ Hard Hats

Features a 6 point suspension along with a lightweight, well-balanced design to enhance worker acceptance. Available with either a slide or ratchet head suspension position.



UPC Number	ID	Color	Desc	Case Qty	UOM
50-051131-52593-6	1916	Blue	Ratchet Suspension	30	CA
50-051138-76815-2	1913	Orange	Ratchet Suspension	30	CA
50-051131-52592-9	1915	Red	Ratchet Suspension	30	CA
50-051138-76813-8	1911	White	Ratchet Suspension	30	CA
50-051138-76814-5	1912	Yellow	Ratchet Suspension	30	CA
50-051131-52591-2	1906	Blue	Std Suspension	30	CA
50-051138-76811-4	1903	Orange	Std Suspension	30	CA
50-051131-52590-5	1905	Red	Std Suspension	30	CA
50-051138-76809-1	1901	White	Std Suspension	30	CA
50-051138-76810-7	1902	Yellow	Std Suspension	30	CA

Hearing Protection Products

3M™ Banded Hearing Protector 1310

Flexible band is easy to use and provides comfort for a wide range of head sizes. Replacement tips (sold separately) are designed for comfort and hygiene. Noise Reduction Rating: 20dB when worn under the chin.



UPC Number	Case Qty	UOM
50-051138-66003-6	50	CA

3M™ Corded Reusable Ear Plugs 1270 with Carrying Case 1271

Multi-flanged plugs stay securely in ear canal. Soft, cloth cord lays flat. Both models include storage case to keep plugs clean and protected. Plugs are washable and reusable. Bright orange color for visibility. Noise Reduction Rating: 24dB.



UPC Number	Case Qty	UOM
50-051131-52850-0	250	CA

3M™ Corded Foam Ear Plug 1110

Soft braided cord provides worker comfort and helps prevent loss of ear plugs. Smooth dirt resistant surface, tapered design to fit the ear canal, provide added comfort and hygiene. Hypo-allergenic material. Hearing protection in shop environments. Each box contains 100 pairs, and each package is easy to dispense. Noise Reduction Rating: 29dB.



UPC Number	Case Qty	UOM
50-051138-29009-7	500	CA

3M™ Corded Soft Foam Ear Plug 1130

Soft foam helps reduce pressure in the ear canal for improved comfort. Patented articulated shape for improved fit. Rolls down small for easier insertion and fit for small ear canals. Hypo-allergenic material. Bright orange color for visibility. Can be combined with ear muffs for additional protection. Soft braided polyester cord for convenience. Noise Reduction Rating: 28dB.



UPC Number	Case Qty	UOM
50-051131-37063-5	500	CA

3M™ Ear Muffs 1435

General purpose ear muffs. Wide, forked headband and multi-position large ear cup create a comfortable, secure fit. Economical, lightweight design. Replaceable, soft sealing cushions. Noise Reduction Rating: 23dB.



UPC Number	Case Qty	UOM
50-051138-29333-3	20	CA

3M™ Ear Muffs 1440

Lightweight. Padded headband. Tension adjustment. Contoured ear cushion in multi-position ear cup gives enhanced fit. Replaceable cushions and molded noise suppression inserts. Noise Reduction Rating: 24dB.



UPC Number	Case Qty	UOM
50-051138-29334-0	20	CA

3M™ Foam Ear Plug 1100

Smooth dirt resistant surface, tapered design to fit the ear canal, provide added comfort and hygiene. Hypo-allergenic material. Each box contains 200 pairs, and each package is easy to dispense. Noise Reduction Rating: 29dB.



UPC Number	Case Qty	UOM
50-051138-29008-0	1,000	CA

3M™ Hard Hat Mounted Ear Muff 1450

Cap mounted ear muffs lock into position on a variety of hats such as 3M™ Omega II™, MSA, Willson, Bullard. Flip up when not in use. Lightweight, multiposition ear cup with soft, contoured, replaceable cushions and molded inserts. Noise Reduction Rating: 23dB.



UPC Number	Case Qty	UOM
50-051138-29335-7	20	CA

3M™ Low Profile Ear Muffs 1425


Economical, dependable, lightweight ear muffs ideal for everyday use. Ear cups are easy to adjust for customized fit. Recommended for moderately high noise situations (up to 95 dBA TWA). Noise Reduction Rating: 22dB.



UPC Number	Case Qty	UOM
50-051138-76939-5	20	CA

3M™ Reusable Ear Plugs 1260


Multi-flanged plugs fit securely in ear canal. Washable and reusable. Bright orange color for visibility. Noise Reduction Rating: 24dB.



UPC Number	Case Qty	UOM
50-051131-52845-6	500	CA

3M™ Soft Foam Ear Plug 1120

Soft foam helps reduce pressure in the ear canal for improved comfort. Patented articulated shape for improved fit. Rolls down small for easier insertion and fit for small ear canals. Hypo-allergenic material. Bright orange color for visibility. Can be combined with ear muffs for additional protection. Noise Reduction Rating: 28dB.



UPC Number	Case Qty	UOM
50-051131-37062-8	1,000	CA

3M™ Three Position Ear Muffs 1427

Padded headband and adjustable head strap. Comfortable fit with the headband under the chin, over the head or behind the head. Noise Reduction Rating: 27dB with headband over and behind the head (26dB with headband worn under-the-chin).



UPC Number	Case Qty	UOM
50-051138-76981-4	20	CA

3M™ Ear Muff Replacement Parts Kit 1437

Use to replace ear cushions and/or molded inserts for 3M™ Ear Muffs 1435. Kit contains 1 pair of cushions and 1 pair of inserts.



UPC Number	Case Qty	UOM
50-051138-29341-8	10	CA

Hearing Protection Products, Accessories, cont'd

3M™ Ear Muff Replacement Parts Kit 1442


Use to replace ear cushions and/or molded noise suppression inserts for 3M™ Ear Muffs 1440 and 1450. Kit contains 1 pair of cushions and 1 pair of inserts.



UPC Number	Case Qty	UOM
50-051138-29342-5	10	CA

3M™ Replacement Pads 1311

Flexible band is easy to use and provides comfort for a wide range of head sizes. Replacement tips are designed for comfort and hygiene. Cost effective and easy to replace. Noise Reduction Rating: 20dB when worn under the chin.



UPC Number	Case Qty	UOM
50-051138-66004-3	100	CA

Respirators

3M™ Dual Cartridge Respirator Assembly, Multi Gas/Vapor/P100

3M™ Half Facepiece Respirators 5000 Series have permanently attached cartridges for ease of use and little or no maintenance. NIOSH approved against certain organic vapors, acid gases, and particulates. Use for a variety of applications, including petrochemical and chemical processing, utilities, pharmaceuticals, mining and primary metals. When properly fitted, helps provide respiratory protection from certain organic vapors and particulates, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde or hydrogen fluoride at concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are Immediately Dangerous to Life or Health (IDLH). OSHA requires that gas proof goggles be worn with half facepiece respirators when used against formaldehyde.



UPC Number	ID	Size	Case Qty	UOM
50-051138-66218-4	51916	Small	12	CA
50-051138-66219-1	52916	Medium	12	CA
50-051138-66220-7	53916	Large	12	CA

Respirators, cont'd

3M™ Dual Cartridge Respirator Assembly, Organic Vapor/P95

3M™ Half Facepiece Respirators 5000 Series have permanently attached cartridges for ease of use and little or no maintenance. NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation. When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are Immediately Dangerous to Life or Health (IDLH).



UPC Number	ID	Size	Case Qty	UOM
50-051138-66068-5	51P71	Small	12	CA
50-051138-66069-2	52P71	Medium	12	CA
50-051138-66070-8	53P71	Large	12	CA

3M™ Full Facepiece

3M™ Half and Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093 P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



UPC Number	ID	Size	Case Qty	UOM
50-051138-54145-8	6700	Small	4	CA
50-051138-54146-5	6800	Medium	4	CA
50-051138-54159-5	6900	Large	4	CA
50-051138-76701-8	6700DIN	Small	4	CA
50-051138-76702-5	6800DIN	Medium	4	CA
50-051138-76703-2	6900DIN	Large	4	CA
50-051138-76705-6	6800PD	Medium	4	CA
50-051138-76706-3	6900PD	Large	4	CA

Respirators, cont'd

3M™ Full Facepiece 7800S Series, Silicone, Ultimate Reusable

3M™ Half and Full Facepiece Respirators are made of silicone for increased comfort and durability and can accommodate many different cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Cartridges 6000 Series, 3M™ Cartridges and Filters 7000 Series, or a variety of powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals. Not for use with 3M™ SCBA systems. Use 3M™ Full Facepieces 7800S-BA or 7800S-AM with appropriate SCBA systems.



UPC Number	ID	Size	Case Qty	UOM
00-051138-54257-3	7800S-S	Small	1	CA
00-051138-54258-0	7800S-M	Medium	1	CA
00-051138-54259-7	7800S-L	Large	1	CA

3M™ Half Facepiece 6000 Series

3M™ Half and Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable cartridges and filters. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



UPC Number	ID	Size	Case Qty	UOM
50-051131-07024-5	6100	Small	24	CA
50-051131-07025-2	6200	Medium	24	CA
50-051131-07026-9	6300	Large	24	CA

3M™ Half Facepiece 7500 Series, Ultimate Reusable

This medium half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow™ Exhalation Valve, enhances wearer comfort and face fit. It's made from a durable silicone and can be used with any of the 3M™ Filters and Cartridges, Series 2000, 5000, 6000 and 7093.



UPC Number	ID	Size	Case Qty	UOM
50-051131-37081-9	7501	Small	10	CA
50-051131-37082-6	7502	Medium	10	CA
50-051131-37083-3	7503	Large	10	CA

Respirators, cont'd

3M™ Half Facepiece Respirator Assembly with 3M™ Particulate Filters

3M™ Half and Full Facepiece Respirators 6000 Series are low maintenance and allow the use of replaceable filters. NIOSH approved for environments containing certain oil and non-oil based particles. When properly fitted, use in a variety of applications including welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic, and MDA for concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are Immediately Dangerous to Life or Health (IDLH).



UPC Number	ID	Size	Case Qty	UOM
50-051131-07001-6	6191	Small	24	CA
50-051131-07002-3	6291	Medium	24	CA
50-051131-07003-0	6391	Large	24	CA

3M™ Mold Remediation Respirator Kit

Everything you need in full facepiece respiratory protection for mold remediation in one kit. Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097 P100, to help reduce exposure to mold and odors produced by mold. An additional chemical cartridge may be needed for exposure to disinfectants.



UPC Number	ID	Size	Case Qty	UOM
50-051131-52791-6	67097	Small	2	CA
50-051131-52792-3	68097	Medium	2	CA
50-051131-52793-0	69097	Large	2	CA

3M™ Professional Series Respirator Assembly

3M recommended for exposures to organic vapors and mists commonly associated with spray painting, lawn and garden pesticides, staining or refinishing decks and many other applications.



UPC Number	ID	Size	Desc	Case Qty	UOM
50-051131-52764-0	R7511ES	Small	P95 OV	4	CA
50-051131-52765-7	R7512ES	Medium	P95 OV	4	CA
50-051131-52766-4	R7513ES	Large	P95 OV	4	CA

Respirators, Cartridges and Filters

3M™ Acid Gas Cartridge 6002

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against chlorine, hydrogen chloride, sulfur dioxide, or chlorine dioxide, or hydrogen sulfide (escape only). Use in a variety of applications including chemical manufacturing, glass etching, pulp and paper, and laboratories.



UPC Number	Case Qty	UOM
50-051138-28880-3	60	CA

3M™ Cartridge/Filter Acid Gas/P100, 60922

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide and certain oil and non-oil based particles (escape only). Use in a variety of applications including chemical manufacturing, glass etching, pulp and paper, and laboratories.



UPC Number	Case Qty	UOM
50-051138-46466-5	60	CA

3M™ Adapter 502

Use to attach 3M™ Particulate Filters 2000 Series and 7093 to the 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series for a wide variety of applications.



UPC Number	Case Qty	UOM
50-051138-21511-3	100	CA

3M™ Cartridge/Filter Ammonia/Methylamine/P100 60924

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against ammonia, methylamine and certain oil and non-oil based particles. Use in a variety of applications including agriculture, chemical manufacturing, laboratories and the food industry.



UPC Number	Case Qty	UOM
50-051138-46468-9	60	CA

3M™ Ammonia Methylamine Cartridge 6004

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against ammonia and methylamine. Use in a variety of applications including agriculture, chemical manufacturing, laboratories and the food industry.



UPC Number	Case Qty	UOM
50-051138-28882-7	60	CA

3M™ Cartridge/Filter Formaldehyde/Organic Vapor/P100 60925

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against formaldehyde, certain organic vapors and certain oil and non-oil based particles. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Use in a variety of applications, including laboratories, wood processing, carpet manufacturing, and primary metals manufacturing. OSHA requires that gas proof goggles be worn with half facepiece respirators when used against formaldehyde.



UPC Number	Case Qty	UOM
50-051138-46469-6	60	CA

3M™ Cartridge/Filter Mercury Vapor/Chlorine Gas/P100 60929

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. IOSH approved against mercury vapor, chlorine and certain oil and non-oil based particles. Note: The mercury vapor end of service life indicator must be readily visible without manipulation when wearing the respirator. If not readily visible, do not use.



UPC Number	Case Qty	UOM
50-051138-46471-9	60	CA

3M™ Cartridge/Filter Methyl Bromide/ Radioiodine/P100 60928

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved for certain organic vapors, acid gases and certain oil and non-oil based particles. While NIOSH does not have a test procedure to certify air purifying filters against radioiodine or methyl bromide, this combination cartridge is recommended by 3M for use against radioiodine or methyl bromide at ambient concentrations up to 5 ppm and for not more than one shift as recommended by the California Department of Pesticide Regulation No.1-199 Methyl Bromide Field Fumigation. For more information, see Technical Data Bulletin #146 "Use recommendations for 3M 60928 Cartridge/Filter."



UPC Number	Case Qty	UOM
50-051138-46470-2	60	CA

3M™ Cartridge/Filter Multi Gas/Vapor/P100 60926

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde or hydrogen fluoride and certain oil and non-oil based particles. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Use in a variety of applications, including petrochemical and chemical processing, utilities, pharmaceuticals, mining and primary metals. OSHA requires that gas proof goggles be worn with half facepiece respirators when used against formaldehyde.



UPC Number	Case Qty	UOM
50-051138-54187-8	60	CA

Respirators, Cartridges and Filters, cont'd

3M™ Cartridge/Filter Organic Vapor/Acid Gas/ P100 60923

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, acid gases and certain oil and non-oil based particles. Use in a variety of applications including petrochemical, laboratories, pharmaceutical and chemical manufacturing. When properly fitted, helps provide respiratory protection from certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, or hydrogen sulfide (escape only) or hydrogen fluoride and particulates.



UPC Number	Case Qty	UOM
50-051138-46467-2	60	CA

3M™ Cartridge/Filter Organic Vapor/P100 60921

Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors and certain oil and non-oil based particles. Use in a variety of applications including petrochemical, construction, transportation and chemical manufacturing.



UPC Number	Case Qty	UOM
50-051138-46465-8	60	CA

3M™ Mercury Vapor or Chlorine Cartridge 6009

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against mercury vapor and chlorine. Note: The mercury vapor end of service life indicator must be readily visible without manipulation when wearing the respirator. If not readily visible, do not use.



UPC Number	Case Qty	UOM
50-051138-29148-3	60	CA

Respirators, Cartridges and Filters, cont'd

3M™ Multi Gas/Vapor Cartridge 6006

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde or hydrogen fluoride. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. Use in a variety of applications, including petrochemical and chemical processing, utilities, pharmaceuticals, mining and primary metals. OSHA requires that gas proof goggles be worn with half facepiece respirators when used against formaldehyde.



UPC Number	Case Qty	UOM
50-051138-54186-1	60	CA

3M™ Organic Vapor Cartridge 6001

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridge holders. NIOSH approved against certain organic vapors. Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics.



UPC Number	Case Qty	UOM
50-051138-21674-5	60	CA

3M™ Organic Vapor/Acid Gas Cartridge 6003

Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half 7500 Series and Full Facepiece 7800 Series with bayonet style cartridgeholders. Full facepieces must be quantitatively fit tested to claim assigned protection factor above 10 in negative pressure mode. NIOSH approved against certain organic vapors and chlorine, hydrogen chloride, sulfur dioxide, or hydrogen sulfide (escape only) or hydrogen fluoride. Use in a variety of applications, including pharmaceutical, petrochemical, utilities, aluminum reduction, chemical manufacturing, laboratories, and pulp and paper.



UPC Number	Case Qty	UOM
50-051131-07047-4	60	CA

3M™ Particulate Cartridge Hydrogen Fluoride/P95, with Nuisance Level Acid Gas Relief 2076HF

NIOSH approved for hydrogen fluoride and certain oil and non-oil based particles. 3M recommended for nuisance level acid gas relief. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051138-54369-8	100	CA

3M™ Particulate Filter 2071, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051138-54356-8	100	CA

3M™ Particulate Filter 2091, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051131-07000-9	100	CA

3M™ Particulate Filter 5N11, N95

NIOSH approved for environments containing certain non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501. Do not use for aerosols containing oil.



UPC Number	Case Qty	UOM
50-051138-46464-1	100	CA

3M™ Particulate Filter 7093

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders. Sold in bulk with 144 filters to a case.



UPC Number	Case Qty	UOM
50-051131-52705-3	60	CA
50-051131-52706-0	144	CA

3M™ Particulate Filter with Nuisance Level Acid Gas Relief 2096, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051138-54295-0	100	CA

Respirators, Cartridges and Filters, cont'd

3M™ Particulate Filter with Nuisance Level Organic Vapor Relief 2097, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051131-07184-6	100	CA

3M™ Particulate Filter with Nuisance Level Organic Vapor/Acid Gas Relief 2078, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Facepieces 6000 Series or 3M™ Facepieces 7000 Series with bayonet filter holders.



UPC Number	Case Qty	UOM
50-051138-54368-1	100	CA

3M™ Respirator Filter 5P71, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501. Do not use for aerosols containing oil.



UPC Number	Case Qty	UOM
50-051131-07194-5	100	CA

3M™ Retainer 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series.



UPC Number	Case Qty	UOM
50-051138-17668-1	100	CA

Respirators, Cleaning Products

3M™ Respirator Cleaning Wipe Alcohol-Free 504

Sanitary, alcohol-free cleaning wipes. Individually packaged. Will not damage the facepiece material. 8" x10" folded, individually wrapped towelettes stored in a convenient box dispenser.



UPC Number	Case Qty	UOM
50-051131-07065-8	500	CA

Respirators, Particulate Respirators

3M™ Maintenance Free Particulate Respirator Dispenser D100

Convenient because it can be placed in a location that reminds workers to use proper respiratory protection.



UPC Number	Case Qty	UOM
00-021200-60439-3	1	EA

3M™ Particle Respirator 8000

An economical choice for light duty or short duration applications.



UPC Number	Desc	Case Qty	UOM
50-051131-52967-5	N95	240	CA

3M™ Particulate Respirator 8210, N95

Helps provide worker protection against certain non-oil based particles. Comfortable, easy to use, and promotes greater worker acceptance increasing wear time. Features 3M's Advanced Electret Media and adjustable noseclip that helps provide a secure seal and helps reduce eye-wear fogging. Suggested applications: woodworking, grinding, sanding, sweeping, bagging, other dusty operations.



UPC Number	Case Qty	UOM
50-051138-46457-3	160	CA

3M™ Particulate Respirator 8211, N95

Uniquely designed to help provide comfortable, reliable worker protection. Ideally suited for work settings that involve heat, humidity, or long periods of wear. Features the 3M™ Cool Flow™ Exhalation Valve, adjustable M-noseclip, comfortable faceseal and durable braided headband to help provide a custom fit and secure seal.

Workplace applications: grinding, sanding, sweeping, bagging, other dusty operations.



UPC Number	Case Qty	UOM
50-051131-52750-3	80	CA

3M™ Particulate Respirator 8233, N100

Well suited for those who want NIOSH's highest rated filtration efficiency in a half facepiece respirator. Provides a minimum filter efficiency of 99.97% against non-oil based aerosol particles. An excellent choice for lead abatement, pharmaceutical manufacturing, welding, metal pouring and work involving OSHA substance specific particle exposure excluding asbestos. Features the 3M™ Cool Flow™ Exhalation Valve, comfortable faceseal, adjustable straps, and lightweight construction.



UPC Number	Case Qty	UOM
50-051138-54143-4	20	CA

3M™ Particulate Respirator 8271, P95

Combines P-series versatility with exceptional comfort and fit. An excellent choice for those who have work environments that may contain oil aerosols. Features the 3M™ Cool Flow™ Exhalation Valve, comfortable faceseal and M-noseclip to help provide a custom fit and secure seal. Workplace applications: grinding, sanding, sweeping, bagging, machining, other dusty/oily operations.



UPC Number	Case Qty	UOM
50-051138-54285-1	80	CA

3M™ Particulate Respirator 8293, P100

Well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance-free respirator. Workplace applications include OSHA substance specific particle exposure. Features the 3M™ Cool Flow™ Exhalation Valve, comfortable faceseal and adjustable straps.



UPC Number	Case Qty	UOM
50-051138-54336-0	20	CA

3M™ Particulate Respirator 8511, N95

Helps reduce exposure to dust from sanding on particle board, drywall, non-lead paints, fiberglass insulation dust. 3M™ Cool Flow™ Exhalation Valve helps make it comfortable when heat and humidity are present. Lightweight construction. M-noseclip.



UPC Number	Case Qty	UOM
50-051138-54343-8	80	CA

3M™ Particulate Respirator 8512, N95

Recommended for welding, brazing, metal pouring and torch cutting. Designed to help provide worker protection against a variety of airborne contaminants. Their innovative lightweight construction promotes greater worker comfort and acceptance and contributes to increased wear time. Features the 3M™ Cool Flow™ Exhalation Valve, a cake resistant media, a comfortable faceseal and fully adjustable straps.



UPC Number	Case Qty	UOM
50-051138-66298-6	80	CA

3M™ Particulate Respirator 9210, N95

Comfortable, lightweight and convenient. Three panel respirator, low profile and fits wide range of face sizes. Individually packaged for easier handling and storage.



UPC Number	Case Qty	UOM
50-051131-37021-5	240	CA

Respirators, Particulate Respirators, cont'd

3M™ Particulate Respirator 9211, N95

Comfortable, lightweight and convenient. Three panel respirator, low profile and fits wide range of face sizes. 3M™ Cool Flow™ Exhalation Valve. Individually packaged for easier handling and storage.



UPC Number	Case Qty	UOM
50-051131-37022-2	120	CA

3M™ Particulate Respirator with Faceseal and Nuisance Level Organic Vapor Relief, 8214, N95

Designed for applications such as welding, soldering and other operations in which metal fumes may be present, including those present with ozone (3M recommended for 10X OSHA PEL; not NIOSH approved for ozone) and nuisance levels of organic vapors (below OSHA PEL). Can also be used in grinding, sanding, sweeping, bagging and other dusty/hot operations. Especially well-suited for foundry operations, lab settings, undercoating and petrochemical operations. Features the 3M™ Cool Flow™ Exhalation Valve, a cake resistant media, a comfortable faceseal and fully adjustable straps.



UPC Number	Case Qty	UOM
50-051138-66192-7	80	CA

3M™ Particulate Respirator with Nuisance Level Acid Gas Relief 8246, R95

Helps provide protection against certain oil and non-oil based aerosol particles. Suggested applications: glass etching, chemical processing, paper processing, aluminum smelting, brewing operations. Its lightweight construction promotes greater worker comfort and contributes to increased wear time.



UPC Number	Case Qty	UOM
50-051138-54357-5	120	CA

Respirators, Particulate Respirators, cont'd

3M™ Particulate Respirator with Nuisance Level Acid Gas Relief 8576, P95

Designed to provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles. An excellent choice for work settings that involve heat, humidity and long wear periods. Lightweight construction promotes greater worker comfort and contributes to increased wear time. Features the 3M™ Cool Flow™ Exhalation Valve for cool, dry comfort, and M-noseclip to help provide a custom fit and secure seal. Suggested applications: glass etching, chemical processing, paper processing, aluminum smelting, brewing operations.



UPC Number	Case Qty	UOM
50-051138-54370-4	80	CA

3M™ Particulate Respirator with Nuisance Level Organic Vapor Relief 8247, R95

Designed to help provide comfortable protection against certain oil and non-oil based aerosol particles. Suggested applications include foundry operations, lab settings, agriculture, petrochemical manufacturing and undercoating. Its lightweight construction promotes greater worker comfort and contributes to increased wear time.



UPC Number	Case Qty	UOM
50-051138-54358-2	120	CA

3M™ Particulate Respirator with Nuisance Level Organic Vapor Relief 8577, P95

Designed to help provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles including those present with nuisance levels of organic vapors such as solvents, degreasers and resins. An excellent choice for work settings that involve heat, humidity and long wear periods. Features the 3M™ Cool Flow™ Exhalation Valve for cool, dry comfort, and M-noseclip to help provide a custom fit and secure seal. Suggested applications: foundry operations, lab settings, agriculture, undercoating, petrochemical manufacturing operations.



UPC Number	Case Qty	UOM
50-051138-54371-1	80	CA

3M™ Particulate Welding Respirator 8515, N95

Designed to help provide comfortable, reliable worker protection. Features the 3M™ Cool Flow™ Exhalation Valve, adjustable M-noseclip, and braided headband to help provide a custom fit and secure seal. Workplace applications: welding, brazing, soldering, torch cutting, metal pouring, grinding, sanding, sweeping, bagging, other dusty/hot operations.



UPC Number	Case Qty	UOM
50-051131-07189-1	80	CA

3M™ Particulate Welding Respirator with 8212, N95 Face Seal

Designed for applications such as welding, soldering and other operations where metal fumes may be present. Features the 3M™ Cool Flow™ Exhalation Valve, cake resistant filter media, a comfortable face-seal and fully adjustable straps. Workplace applications: welding, brazing, soldering, torch cutting, metal pouring, grinding, sanding, sweeping, bagging, other dusty/hot operations.



UPC Number	Case Qty	UOM
50-051138-54141-0	80	CA

3M™ Acid Gas/High Efficiency Cartridge GVP-442

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29221-3	6	CA

3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly

This NIOSH-approved respirator system includes a comfort belt-mounted PAPR assembly, breathing tube, lightweight headgear with wide-view lens and organic vapor/high efficiency cartridge. It is ideal for use when you need mobility.



UPC Number	ID	Case Qty	UOM
00-051138-29196-9	GVP-1	1	CA
00-051138-46227-7	GVP-1U	1	CA
00-051131-52772-0	GVP-CB	1	EA
00-051131-07190-2	GVP-PSK	1	CA

3M™ Breathe Easy™ Turbo Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly

This assembly is used on 3M™ Breathe Easy™ Systems. It includes 3M™ Motor Blower 022-00-03R01, Battery Pack 520-01-17R01, Belt 520-02-90R01 and Airflow Indicator 520-01-21.




UPC Number	ID	Case Qty	UOM
00-051138-72837-3	520-15-00	1	CA
00-051138-72838-0	520-17-00	1	CA

3M™ Breathing Tube GVP-123

This breathing tube is used on 3M™ GVP Systems that have 3M™ Half Facepieces 7000 Series and Full Facepieces 7800S.

UPC Number	Case Qty	UOM
00-051138-29215-7	1	CA



3M™ Supplied Air Hose

This hose is used on 3M™ Supplied Air Respirator Systems. 3M™ Supplied Air System approvals allow for 100' lengths of this hose to be combined up to a maximum of 300' (3 sections).



UPC Number	ID	Size	Desc	Case Qty	UOM
00-051138-16209-2	W-2929-25	3/8"x25'	Industrial fitting, coiled	1	EA
00-051131-07010-3	W-9435-25	3/8"x25'	Industrial fitting	1	EA
00-051138-16210-8	W-2929-50	3/8"x50'	Industrial fittings, coiled	1	EA
00-051131-07011-0	W-9435-50	3/8"x50'	Industrial fittings	1	EA
00-051138-72794-9	W-9445-50	3/8"x50'	Schrader fittings	1	CA
00-051131-07012-7	W-9435-100	3/8"x100'	Industrial fittings	1	EA
00-051138-72795-6	W-9445-100	3/8"x100'	Schrader fittings	1	CA
00-051138-16644-1	W-3020-50	1/2"x50'	Industrial fittings, low pressure	1	EA
00-051138-16418-8	W-3020-100	1/2"x100'	Industrial fittings, low pressure	1	EA

3M™ Supplied Air Hose 526-01-00

This 25' hose is used on 3M™ Supplied Air Systems BE-Series. It attaches to the air control device and air filter and regulator panel.



UPC Number	Size	Case Qty	UOM
00-051138-72044-5	25'	1	CA

3M™ Supplied Air Hose W-2929-100

Can be used on 3M™ High Pressure Compressed Air Systems. It has a 3/8" inner diameter and is equipped with MPT on both ends to accept 1/4" FPT fittings. Coiled hoses should be used in single length only. They cannot be combined.



UPC Number	Size	Case Qty	UOM
00-051138-16207-8	3/8"x100'	1	EA

3M™ Supplied Air Hose W-9445-25

This 25', 3/8" inner diameter (ID) hose is used on 3M™ Supplied Air Respirator Systems. Do not combine 25' or 50' lengths of this hose. Shipped with Schrader fittings.



UPC Number	Size	Case Qty	UOM
00-051138-72793-2	3/8"x25'	1	CA

3M™ Vorstream Cooling and Heating Assembly

Used on 3M™ Supplied Air Systems R-Series. This assembly includes the valve and belt and is used to heat or cool ambient air by as much as 45°F (25°C).



UPC Number	ID	Case Qty	UOM
00-051138-66309-4	529-01-24R01	1	CA

3M™ Vortemp™ Heating Assembly

Used to regulate the airflow and to heat the compressed air to 3M™ Hoods H-Series and Whitecap™ Helmets. This NIOSH approved assembly helps create a more comfortable work environment for the user.



UPC Number	ID	Case Qty	UOM
00-051138-66166-3	V-200	1	CA
00-051138-15929-0	W-2863	1	EA

3M™ Vortex Cooling Assembly

Used to regulate the flow and cool the compressed air to 3M™ Hoods H-Series and Whitecap™ Helmets. This NIOSH approved assembly helps create more comfortable positive pressure for the user.



UPC Number	ID	Case Qty	UOM
00-051131-37018-0	V-100	1	CA
00-051131-07028-8	W-2862	1	EA

3M™ Ammonia/High Efficiency Cartridge GVP-444

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29352-4	6	CA

3M™ Filters

This cartridge is 99.1% efficient against 0.4-0.6 micron particles and should be used Air Purification Panel, W-2806.



UPC Number	ID	Case Qty	UOM
50-051131-07007-8	W-2811-10	10	CA

3M™ Formaldehyde/Chlorine/Hydrogen Chloride/Sulfur Dioxide Cartridge 456-02-01R06

Used with 3M™ Breathe Easy™ Systems for protection against formaldehyde, chlorine, hydrogen chloride and sulfur dioxide.



UPC Number	Case Qty	UOM
50-051138-72077-8	6	CA

3M™ Formaldehyde/High Efficiency Cartridge GVP-445

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29353-1	6	CA

3M™ High Efficiency Filter GVP-440

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29219-0	8	CA

3M™ Organic Vapor Cartridge GVP-401

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29216-9	6	CA

3M™ Organic Vapor/Acid Gas Cartridge GVP-403

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29218-3	6	CA

3M™ Organic Vapor/Acid Gas/High Efficiency Cartridge GVP-443

This cartridge is used with the 3M™ Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems. It attaches to the motor blower and filters the air supplied to the headgear.



UPC Number	Case Qty	UOM
50-051138-29222-0	6	CA

Respirators, Powered and Supplied Air
Respirators, Replacement Parts and Accessories

3M™ Battery Pack GVP-111

This battery pack supplies the power to operate the motor blower. The nickel cadmium battery has overcharge protection and provides 8 hours of use per charge. It has a life of approximately 500 charge/discharge cycles.



UPC Number	Case Qty	UOM
00-051138-29208-9	1	CA

3M™ Comfort Belt

This adjustable belt is designed to evenly distribute the weight of a 3M™ GVP-Series Belt-Mounted Powered Air Purifying Respirator (PAPR). It can accommodate waist sizes from 26" to 54". The PAPR can be positioned in the back or on either side.



UPC Number	ID	Case Qty	UOM
00-051131-37054-8	CB-1000	1	EA

3M™ Headgear-Mounted Ear Muff Kit 1455

Designed to adapt to the 3M™ Airstream™ High Efficiency Headgear-Mounted PAPR System AS-200LBC, AS-400LBC, AS-600LBC and General Purpose and Welding Headgear R-Series. Fits securely to headgear shell to provide excellent hearing protection. NRR of 23dB. ANSI s 3.19-1974. Can also be worn in a swept-back position when hearing protection is not required.



UPC Number	Case Qty	UOM
50-051131-52837-1	6	CA

3M™ Power Cord GVP-110

Provides the necessary connection between the battery and the motor blower.



UPC Number	Case Qty	UOM
00-051138-29207-2	1	CA

Respirators, Powered and Supplied Air
Respirators, Replacement Parts and
Accessories, cont'd

3M™ Powered Air Purifying Respirator Unit GVP-100

Provides a level of air flow that surpasses NIOSH requirements. Depending on headgear and cartridge, the airflow ranges from 7.0-9.5 cfm. This unit weighs only 1.1 pounds and has a life of about 1000 hours.



UPC Number	Case Qty	UOM
00-051138-29206-5	1	CA

3M™ Waist Belt GVP-127/07152

This belt is supplied as part of the 3M™ Belt-Mounted Powered Air Purifying Respirator (PAPR) Assembly GVP-1. It is designed to hold the motor blower unit and battery pack in place.



UPC Number	Case Qty	UOM
00-051131-07152-0	1	CA

Sorbents, Chemical Products

3M™ Chemical Sorbent Folded

Easy-to-use solution for emergency chemical response situations. Has a scrim on one side to increase strength and eliminate linting. Dispenses from a carrying/dispenser box in the form of a continuous roll. Less waste, perforated every 16" so you can select the length required. Versatile, can be used in a pillow, pad, roll or boom configuration. Applications range from maintenance to spill response.



UPC Number	ID	Size	Case Qty	UOM
50-051138-29296-1	C-FL550DD	5'x50'	3	CA

3M™ Chemical Sorbent Folded Spill Kit

This spill kit combines the best of both worlds – chemical sorbent-folded (which can be used as boom, pillows or a roll) and high capacity chemical sorbent pads. Packaged in a 20 gallon drum, the kit can be placed in key locations throughout your facility and is easily identified by the bright yellow color. Includes handy, easy-to-grip handles around the drum. Each kit contains 2 rolls of folded sorbent (each 5" by 50'), 30 pads (each 17" by 19"), 3 temporary disposal bags and ties, and one 20 gallon yellow drum.



UPC Number	ID	Size	Case Qty	UOM
00-051138-46287-1	C-SKFL31	31 gal	1	EA

3M™ Chemical Sorbent Folded Spill Kit Chemroll

Compact for easy storage behind or under seats or lab benches. Ideal for rapid response. Can be squeezed and molded into confined areas such as behind truck seats and in the trunks of cars. Can be used for containing and sorbing most hazardous chemical spills of up to 5 gallons. Ideal for use in laboratory spills and transportation applications such as police, fire and hazardous material response. Versatile, can be used in a pillow, pad, roll or boom configuration. Includes containment bag and tie.



UPC Number	ID	Size	Case Qty	UOM
50-051138-46288-3	C-SKFL5	5 gal	3	CA

3M™ Chemical Sorbent Mini-Boom

Tube-like shape is ideal for placing around hazardous liquid spills and leaks to help contain and prevent spreading. Works quickly while providing time to ensure proper cleanup. 3" diameter scrim on the outside of the boom identifies the application.



UPC Number	ID	Size	Case Qty	UOM
50-051138-17596-7	P-200	3"x4'	12	CA
50-051138-21343-0	P-208	3"x8'	6	CA
50-051138-21344-7	P-212	3"x12'	4	CA

3M™ Chemical Sorbent Pad

Low-profile design, can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Has a scrim on one side to increase strength and eliminate linting. Conveniently sized, allows the user to quickly spread sorbent to and in the path of a spill. Can also be used on a work surface in anticipation of a spill or as a wipe.



UPC Number	ID	Size	Case Qty	UOM
50-051138-29096-7	C-PD914DD	9¼"x14½"	150	CA
50-051138-17593-6	P-110	11"x13"	200	CA

3M™ Chemical Sorbent Particulate P-500

This material may also be sprinkled over a spill or broadcast over a large area.



UPC Number	Case Qty	UOM
00-051138-17598-6	1	CA

3M™ Chemical Sorbent Pillow

Small and lightweight with a high capacity for holding liquid. Can be placed quickly at the source of a leak or thrown into the contaminated spill. Pillows are designed with a scrim that encases particulate sorbent material. More capacity than a sorbent pad.



UPC Number	ID	Size	Case Qty	UOM
50-051138-17597-4	P-300	7"x15"	16	CA

3M™ Chemical Sorbent Roll

This sorbent roll is used to cover and sorb large spills or in areas where spills may occur. They can be cut to the desired length and are the most economical way to purchase sorbent. Will sorb most aggressive chemicals and is used in spill response applications.



UPC Number	ID	Size	Case Qty	UOM
50-051138-17594-3	P-130	13"x100'	2	CA
50-051138-09095-6	P-190		2	CA

Sorbents, Chemical Products, cont'd

3M™ Chemical Sorbent Roll, High Capacity

Designed to cover large surfaces, can be easily cut to cover small areas or fit tight corners. May be used to cover bench tops in anticipation of a spill while also acting as a work surface.

UPC Number	ID	Size	Desc	Case Qty	UOM
00-051138-29097-9	C-RL15150DD	15¼"x150'	Absorb 31 Gallons/roll.	1	EA
00-051138-29098-6	C-RL38150DD	38"x150'	Absorb 76 Gallons/roll.	1	EA



3M™ Chemical Sorbent Spill Response Pack


Encased in a box for easy storage. Designed to be easily identifiable, and includes both mini-booms and pad styled sorbents. Ideal for use in laboratories, shipping docks or other areas where hazardous chemicals are shipped, stored or transferred.



UPC Number	ID	Case Qty	UOM
50-051138-28910-7	SRP-CHEM	3	CA

3M™ Maintenance Sorbent Folded

Easy-to-use solution for cleaning up spills, drips and fluid leaks. Versatile, can be used in pillow, pad, roll or boom configuration. Has a scrim on one side to increase strength and help eliminate linting. Dispenses from a carrying/dispenser box in the form of a continuous roll. Less waste, perforated every 16" so you can select the length required. Applications range from maintenance to spill response.




UPC Number	ID	Size	Case Qty	UOM
00-051138-29071-9	M-FL550DD	5"x50'	3	EA

Sorbents, Maintenance Products

3M™ Maintenance Sorbent Drum Cover, High Capacity

Use on a 55 gallon drum to catch drips and spills that occur during the dispensing of all types of non-aggressive liquids used in daily operations. Has a scrim on one side to increase strength and help eliminate linting. Cut-outs for dispensing bungs. Skirt fits neatly around the base of the drum to catch drips.



UPC Number	ID	Size	Case Qty	UOM
50-051138-28998-5	M-DC22DD	22"	25	CA

3M™ Maintenance Sorbent Mini-Boom

Tube-like shape is ideal for placing around machinery to contain spills and prevent leaks from spreading into adjacent work areas. 3" diameter scrim on the outside of the boom identifies the use while containing particulate sorbent material designed for the application.



UPC Number	ID	Size	Case Qty	UOM
50-051138-21526-7	M-MB304	3"x4'	12	CA
50-051138-21527-4	M-MB308	3"x8'	6	CA
50-051138-21528-1	M-MB312	3"x12'	4	CA

3M™ Maintenance Sorbent Pad, High Capacity


Use to clean up small spills and wipe down oily tools and equipment. Designed to be placed on machinery to catch leaks at the source. Has a scrim on one side to increase strength and help eliminate linting. Conveniently sized, allows the user to quickly spread sorbent on and in the path of a spill. Can also be used on a work surface in anticipation of a spill or as a wipe.



UPC Number	ID	Size	Case Qty	UOM
50-051138-28994-7	M-PD720GG	7½"x20½"	100	CA
50-051138-28995-4	M-PD1520DD	15½"x20½"	100	CA

3M™ Maintenance Sorbent Pillow, High Capacity

Small, lightweight, and tear-resistant. High capacity for holding liquid. Ideal for use in a drip pan, under equipment or at the source of a leak. Has a scrim that encases particulate sorbent material. Use in areas where greater capacity than a sorbent pad is desired.



UPC Number	ID	Size	Case Qty	UOM
50-051138-21531-1	M-PL715	7"x15"	16	CA

3M™ Maintenance Sorbent Rug, High Capacity

Use in areas where foot and vehicle traffic is a concern. Will sorb liquids while enduring the punishment of being tread upon. Durable and versatile. Use in industrial maintenance applications.



UPC Number	ID	Size	Case Qty	UOM
00-051138-29003-0	M-RGC36100E	36"x300'	1	CA
00-051138-29002-3	M-RG36300E	36"x300'	1	CA

3M™ Maintenance Sorbent Roll, High Capacity

Covers large surfaces and may be easily cut to desired length and to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Has a scrim on one side to increase the strength and help eliminate linting. 33" width, perfect for lining drawers, covering workbenches or masking larger areas from mist and overspray.



UPC Number	ID	Size	Case Qty	UOM
00-051138-28996-6	M-RL15150DD	15"x150'	1	CA
00-051138-29070-2	M-RL33150DD	33"x150'	1	CA
00-051138-28997-3	M-RL38150DD	38"x150'	1	CA

Sorbents, Petroleum Products

3M™ Petroleum Sorbent Boom

This boom is a 8 inches by 10' scrim encased tube of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.



UPC Number	ID	Size	Case Qty	UOM
00-021200-16054-7	T-270	8"x10'	4	EA

Sorbents, Petroleum Products, cont'd

3M™ Petroleum Sorbent Double Boom T-280

This boom is a double boom 10' long with two 4" scrim encased tubes of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.



UPC Number	Size	Case Qty	UOM
00-021200-16085-1	4"x10', 4"x10'	4	EA

3M™ Petroleum Sorbent Drum Cover

Will "sorb" hydrocarbon based liquids and repel aqueous based liquids. Has a scrim on one side to increase strength and eliminate linting. Use on a 55 gallon drum to catch drips and spills. Cut-outs for dispensing bungs. Skirt which fits neatly around the base of the drum to catch drips.



UPC Number	ID	Size	Case Qty	UOM
50-051138-29234-3	P-DC22DD	22"	25	CA

3M™ Petroleum Sorbent Folded

Easy-to-use solution for cleaning spills, drips and fluid leaks. Versatile, can be used in boom, pillow, pad or roll configuration. Dispenses from a carrying/dispenser box in the form of a continuous roll. Less waste, perforated every 16" so you can select the length required.



UPC Number	ID	Size	Case Qty	UOM
50-051138-29141-4	P-FL50DD	5"x50'	3	CA

Sorbents, Petroleum Products, cont'd

3M™ Petroleum Sorbent Mini-Boom

Tube-like shape used to encircle spills and to contain leaks. Selective sorbent, will "sorb" hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). 3" diameter scrim on the outside of the boom identifies the use while containing particulate sorbent material. 4" in length. Case weight: 12 pounds.



UPC Number	ID	Size	Case Qty	UOM
50-051138-21354-6	T-4	3"x4'	12	CA
50-051138-21355-3	T-8	3"x8'	6	CA
50-051138-21356-0	T-12	3"x12'	4	CA

3M™ Petroleum Sorbent Mini-Pillow

Small, lightweight, and tear-resistant. Can be used in areas where a greater capacity sorbent is desired. Has a scrim that encases particulate sorbent material. More capacity than a sorbent pad.



UPC Number	ID	Size	Case Qty	UOM
50-051138-21545-8	T-30	7"x15"	16	CA

3M™ Petroleum Sorbent Pad

The highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas.



UPC Number	ID	Size	Case Qty	UOM
50-051138-28911-4	HP-156	17"x19"	100	CA
50-051138-21543-4	HP-255	17"x19"	50	CA
50-051138-21544-1	HP-256	17"x19"	100	CA
00-021200-16050-9	T-156	17"x19"	100	EA
00-021200-16049-3	T-151	17"x19"	200	EA
50-051138-29116-2	HP-157	34"x38"	50	CA
00-021200-16051-6	T-157	34"x38"	50	EA

3M™ Petroleum Sorbent Pillow

Pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can be easily achieved by using a sorbent pad.



UPC Number	ID	Case Qty	UOM
00-021200-16053-0	T-240	10	EA

3M™ Petroleum Sorbent Roll

Designed to cover large surfaces, can be easily placed in tight areas. Ideal for cleaning small spills and wiping down contaminated areas.

UPC Number	ID	Size	Desc	Case Qty	UOM
00-051138-21648-1	T-190	19"x144'	Absorbs 42 gal	1	RL
00-021200-16047-9	T-100	38"x144'	Absorbs 84 gal	1	RL



3M™ Petroleum Sorbent Roll, High Capacity

Designed to cover large surfaces, can be easily placed in tight areas. Ideal for cleaning-up small spills and wiping down contaminated areas.



UPC Number	ID	Size	Case Qty	UOM
00-051138-21542-2	HP-100	38"x144"	1	RL

3M™ Petroleum Sorbent Spill Kit Petroll

Compact and conformable for easy storage in locations such as under seats. Ideal for rapid response. Use for containing and sorbing petroleum-based liquids of up to 5 gallons. Use in fuel dispensing applications and the transportation industry where immediate on-site response is needed. Versatile, can be used in pillow, pad, roll or boom configuration. Includes containment bag and tie.



UPC Number	ID	Case Qty	UOM
50-051138-46289-0	P-SKFL5	3	CA

3M™ Petroleum Sorbent Spill Response Pack SRP-PETRO

Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.



UPC Number	Case Qty	UOM
50-051138-28950-3	3	CA

3M™ Petroleum Sorbent Static Resistant Boom HP-500

Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.



UPC Number	ID	Case Qty	UOM
00-051138-29067-2	HP-500	1	RL

Sorbents, Petroleum Products, cont'd

3M™ Petroleum Sorbent Static Resistant Pad HP-556

Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.



UPC Number	ID	Case Qty	UOM
50-051138-29068-4	HP-556	100	CA

Sorbents, Petroleum Products, cont'd

3M™ Petroleum Sorbent Sweep T-126

Will sorb hydrocarbon based liquids and repel aqueous based liquids. The pack is encased in a cardboard box which can be used as a warning sign and includes both mini-booms and pads.



UPC Number	ID	Case Qty	UOM
00-021200-16048-6	T-126	1	EA

Adhesive Transfer Tapes

3M™ Adhesive Transfer Tape 463

2.0 mil, 400 high tack adhesive with 4.0 mil, 60 lb densified kraft liner. Medium temperature and solvent resistance, medium HSE and low LSE. Flexible to minus 60° F with excellent adhesion to most paper stocks.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03225-7	¼"x60yds	White	144	RL
00-021200-03227-1	½"x60yds	White	72	RL
00-021200-03228-8	¾"x60yds	White	48	RL

3M™ Adhesive Transfer Tape 950


Attaches gaskets and foams, bonds fabric to window blinds and office panels. This tape can be used to attach vinyl or rubber gaskets and seal pipe insulation. Excellent adhesion to most plastics and has a high tack.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04849-4	½"x60yds	Clear	72	RL
00-021200-04553-0	¾"x60yds	Clear	48	RL
00-021200-11702-2	3/8"x60yds	Clear	96	RL
00-021200-04850-0	1"x60yds	Clear	36	RL
00-021200-04851-7	2"x60yds	Clear	24	RL
00-021200-05457-0	3"x60yds	Clear	12	RL

3M™ ATG Adhesive Transfer Tape 987

3M™ double sided, utility grade tape for ATG glue gun. 2 mil thick.



UPC Number	Size	Case Qty	UOM
00-021200-38443-1	¼"x60yds	72	RL
00-021200-83857-6	½"x36yds	72	RL
00-021200-23051-6	½"x60yds	72	RL
00-021200-83858-3	¾"x36yds	48	RL

Aluminum Foil Tapes

3M™ Aluminum Foil Tape 425


Shiny Silver, 4.5 mil (0.11 mm) aluminum foil tape with acrylic blend adhesive. High chemical resistance. Dead-soft aluminum foil tape. Applications include masking of sensitive components to protect from damage during aircraft paint stripping. In white goods appliances, tape provides an excellent moisture barrier, helps reflect and dissipate heat.



UPC Number	Size	Color	Case Qty	UOM
00-021200-60596-3	½"x60yds	Silver	72	RL
00-021200-60600-7	¾"x60yds	Silver	48	RL
00-021200-60572-7	1"x60yds	Silver	36	RL
00-021200-60573-4	1½"x60yds	Silver	24	RL
00-021200-60574-1	2"x60yds	Silver	24	RL
00-021200-60599-4	2½"x60yds	Silver	12	RL
00-021200-60597-0	3"x60yds	Silver	12	RL
00-021200-83419-6	4"x60yds	Silver	2	RL
00-021200-83420-2	6"x60yds	Silver	2	RL

3M™ High Temperature Aluminum Foil Tape 433

Silver, 3.6 mil (0.09 mm) aluminum foil backing with silicone adhesive. Used in many high temperature applications. Good holding, splicing, patching or general protection tape on many applications involving high temperatures.



UPC Number	Size	Color	Case Qty	UOM
00-021200-05674-1	1"x60yds	Silver	36	RL

Anti-Slip/Anti-Stick Tapes

3M™ Anti-Slip/Anti-Stick Tape 5461

High friction roller tape. Unique rubber backing allows web to release easily from the roll for easy clean up, while still providing a friction surface which allows for the traction needed to drive and guide the web.



UPC Number	Size	Case Qty	UOM
00-021200-24884-9	2"x18yds	6	RL

ATG Products, ATG Adhesive Transfer Tapes

Scotch® ATG Adhesive Transfer Tape 924


Gives excellent adhesion to most paper stocks. No mess or clean up. Bond lines are thin and adhesive flows into surface irregularities. Seal pockets in folders, bond matte board in picture frames, or use it for general purpose bindery attaching. Use with Scotch® ATG Applicators. 2.0 mil.



UPC Number	Size	Desc	Case Qty	UOM
00-021200-67220-0	¼" x 36yds	Bulk	72	RL
00-021200-38442-4	¼" x 60yds	Bulk	72	RL
00-021200-05865-3	½" x 36yds	Boxed	72	RL
00-021200-03331-5	½" x 36yds	Bulk	72	RL
00-021200-15680-9	½" x 60yds	Bulk	72	RL
00-021200-05866-0	¾" x 36yds	Boxed	48	RL
00-021200-03332-2	¾" x 36yds	Bulk	48	RL
00-021200-15681-6	¾" x 60yds	Bulk	48	RL
00-021200-19260-9	2" x 60yds	Bulk	24	RL

Scotch® ATG Adhesive Transfer Tape 926

Offers high performance in meeting your needs for bonding fabric or trim to window blinds. Splice aluminum coils, bond foam insulation, or mount name plates on award plaques easily and quickly. Excellent temperature and solvent resistance. Use with Scotch® ATG Applicators. 5.0 mil.



UPC Number	Size	Case Qty	UOM
00-021200-67669-7	¼" x 18yds	72	RL
00-021200-63102-3	½" x 18yds	72	RL
00-021200-62735-4	½" x 36yds	72	RL
00-021200-63101-6	¾" x 18yds	48	RL
00-021200-62736-1	¾" x 36yds	48	RL
00-021200-62501-5	2" x 36yds	24	RL

ATG Products, ATG Adhesive Transfer Tapes, cont'd

Scotch® ATG Adhesive Transfer Tape 969

ATG applicator with 3M™ adhesive transfer tape of high performance 300 adhesive and 78 lb extensible polycoated kraft paper liner. High tack, medium temperature and solvent resistance. 5 mil thick with 6 mil tear resistant liner.



UPC Number	Size	Case Qty	UOM
00-021200-67667-3	¼" x 18yds	72	RL
00-021200-87399-7	¼" x 36yds	144	RL
00-021200-31493-3	½" x 18yds	24	RL
00-021200-05671-0	½" x 18yds	72	RL
00-021200-15682-3	½" x 36yds	72	RL
00-021200-05672-7	¾" x 18yds	48	RL
00-021200-15683-0	¾" x 36yds	48	RL
00-021200-19261-6	2" x 36yds	24	RL

Scotch® ATG Adhesive Transfer Tape 976

976 is a 2.0 mm acrylic adhesive transfer tape on a densified kraft paper liner.

UPC Number	Size	Color	Case Qty	UOM
00-021200-13269-8	½" x 36yds	Clear	72	RL
00-021200-15678-6	½" x 60yds	Clear	72	RL

Scotch® ATG Repositionable Double Coated Tissue Tape 928

Provides a secure seal that can be readily opened and closed many times. Attach temporary labels, or core start/end tab paper. Tape has a differential tack and is repositionable. Use with Scotch® ATG Applicators. 2.0 mil.



UPC Number	Size	Case Qty	UOM
00-021200-62775-0	½" x 18yds	72	RL
00-021200-83977-1	½" x 36yds	72	RL
00-021200-62776-7	¾" x 18yds	48	RL
00-021200-83978-8	¾" x 36yds	48	RL

Scotch® ATG Adhesive Applicator 700

Applies a strip of ATG Adhesive Transfer Tape exactly where needed and where you need the flexibility of a 0.50" (½") or 0.75" (¾") application.



UPC Number	Case Qty	UOM
00-051131-06505-5	6	EA

Cloth Tapes

3M™ Cloth Gaffers Tape 6910

A vinyl coated cloth tape for use in the entertainment industry as "gaffers" tape where light reflection is a concern. Matte finish.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06843-8	48mmx54.8m	Black	24	RL

Cloth Tapes, Glass Cloth Tapes

3M™ Glass Cloth Tape 361

7.5 mil (0.14 mm) thick, glass cloth tape with silicone adhesive. Used for many applications requiring high temperature resistance, high adhesion, and a very strong, abrasion resistant backing such as masking protection in thermal spray operations.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03016-1	¾"x60yds	White	48	RL
00-021200-03017-8	1"x60yds	White	36	RL
00-021200-05513-3	1½"x60yds	White	24	RL
00-021200-04275-1	2"x60yds	White	24	RL
00-021200-04994-1	3"x60yds	White	12	RL

3M™ PTFE Glass Cloth Tape 5453

8.3 mil (0.21 mm) glass cloth tape impregnated with PTFE and silicone adhesive. 5453 is a heat seal tape. Provides a high temperature release surface for protection and insulation such as the bar underneath where the hot wire seals plastic film.



UPC Number	Size	Color	Case Qty	UOM
00-021200-16158-2	½"x36yds	Brown	18	RL
00-021200-16160-5	1"x36yds	Brown	9	RL
00-021200-16162-9	2"x36yds	Brown	6	RL

3M™ Thermosettable Glass Cloth Tape 365

8.3 mil (0.20 mm), glass cloth tape with thermosettable rubber resin adhesive. For many applications requiring high adhesion and a very strong conformable backing.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03020-8	1"x60yds	White	36	RL
00-021200-04277-5	2"x60yds	White	24	RL
00-021200-03861-7	4"x60yds	White	8	RL
00-021200-03862-4	5"x60yds	White	8	RL

3M™ Thermosettable Glass Cloth Tape 3650

8.3 mil (0.20mm), glass cloth tape with thermosettable rubber resin adhesive. 3650 tape is a poly-lined version of 365 tape. Used for many applications requiring high adhesion and a very strong comfortable backing.



UPC Number	Size	Color	Case Qty	UOM
00-021200-85652-5	4"x60yds	White	8	RL

Double Coated Tapes, Dispensers

3M™ Bracket Dispenser M-73

Can be mounted on walls, equipment, or at your work station to easily dispense lighter weight 3M industrial tapes. Holds tapes that are ¼" to 1" wide.



UPC Number	Size	Case Qty	UOM
00-021200-11035-1	1"	6	EA

3M™ Bracket Dispenser M-75

Can be mounted on walls, equipment, or at your work station to easily dispense lighter weight 3M industrial tapes. Holds tapes that are ¼" to 2" wide.



UPC Number	Size	Case Qty	UOM
00-021200-11018-4	2"	1	EA

Double Coated Tapes, Film Tapes

3M™ Double Coated Film Tape 415

A medium-firm, acrylic, pressure sensitive adhesive that featuring an excellent balance of good initial adhesion ("quick stick") and good shear holding power. It is ideal for bonding together a wide variety and dissimilar materials such as metals, glass, wood, paints, and many plastics.



UPC Number	Size	Case Qty	UOM
00-021200-05051-0	¼"x36yds	144	RL
00-021200-03764-1	½"x36yds	72	RL
00-021200-03322-3	¾"x36yds	48	RL
00-021200-03323-0	1"x36yds	36	RL
00-021200-03324-7	1½"x36yds	24	RL
00-021200-04294-2	2"x36yds	24	RL
00-021200-03910-2	3"x36yds	12	RL
00-021200-03326-1	4"x35yds	8	RL

Double Coated Tapes, Film Tapes, cont'd

3M™ Double Coated Film Tape 444

A medium-firm, acrylic, pressure sensitive adhesive that features very high initial adhesion and good shear holding power to a wide variety of materials including many plastics. It is a general purpose holding and mounting tape.



UPC Number	Size	Case Qty	UOM
00-021200-04841-8	½"x36yds	72	RL
00-021200-04601-8	1"x36yds	36	RL

3M™ Double Coated Film Tape 9589

9.0 mil double coated high density polyethylene with rubber adhesive 760 on a 60 lb densified kraft liner.

UPC Number	Size	Color	Case Qty	UOM
00-021200-23207-7	2"x36yds	White	24	RL

Double Coated Tapes, Foam Tapes

3M™ Double Coated Polyethylene Foam Tape 4462

Combines a conformable closed cell foam with a rubber adhesive that provides high initial adhesion to a variety of surfaces including polyethylene and polypropylene.



UPC Number	Size	Color	Case Qty	UOM
00-021200-24313-4	½"x72yds	White	18	RL
00-021200-24312-7	¾"x72yds	White	12	RL
00-021200-30414-9	1"x72yds	Black	9	RL
00-021200-24311-0	1"x72yds	White	9	RL

3M™ Double Coated Polyethylene Foam Tape 4466

Combines a conformable closed cell foam with a rubber adhesive that provides high initial adhesion to a variety of surfaces including polyethylene and polypropylene.



UPC Number	Size	Color	Case Qty	UOM
00-021200-30413-2	1/2"x36yds	Black	18	RL
00-021200-24304-2	1/2"x36yds	White	18	RL
00-021200-24303-5	3/4"x36yds	White	12	RL
00-021200-24302-8	1"x36yds	White	9	RL

3M™ Double Coated Polyethylene Foam Tape 4492

Combines a conformable closed cell foam with a rubber high strength acrylic adhesive that provides good initial tack and offers high ultimate adhesion to a wide variety of surfaces.



UPC Number	Size	Color	Case Qty	UOM
00-021200-30422-4	1/2"x72yds	Black	18	RL
00-021200-24317-2	1/2"x72yds	White	18	RL
00-021200-30421-7	3/4"x72yds	Black	12	RL
00-021200-24316-5	3/4"x72yds	White	12	RL
00-021200-24315-8	1"x72yds	White	9	RL

3M™ Double Coated Polyethylene Foam Tape 4496

Combines a conformable closed cell foam with a rubber high strength acrylic adhesive that provides good initial tack and offers high ultimate adhesion to a wide variety of surfaces.



UPC Number	Size	Color	Case Qty	UOM
00-021200-24308-0	1/2"x36yds	White	18	RL
00-021200-24307-3	3/4"x36yds	White	12	RL
00-021200-30423-1	1"x36yds	Black	9	RL
00-021200-24306-6	1"x36yds	White	9	RL

3M™ Double Coated Urethane Foam Tape 4008

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4008 short term temperature resistance: 308°F (193°C), long term temperature resistance: 220°F (104°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-06450-0	1/2"x36yds	Off-White	18	RL
00-021200-06451-7	3/4"x36yds	Off-White	12	RL
00-051131-06439-3	1"x4yds	Off-White	5	RL
00-021200-06452-4	1"x36yds	Off-White	9	RL
00-021200-04862-3	2"x36yds	Off-White	6	RL

3M™ Double Coated Urethane Foam Tape 4016

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 225°F (107°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-06453-1	1/2"x36yds	Off-White	18	RL
00-021200-06454-8	3/4"x36yds	Off-White	12	RL
00-021200-06455-5	1"x36yds	Off-White	9	RL
00-021200-04865-4	2"x36yds	Off-White	6	RL

Double Coated Tapes, Foam Tapes, cont'd

3M™ Double Coated Urethane Foam Tape 4026

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 225°F (107°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-17054-6	½" x 36yds	Off-White	18	RL
00-021200-17056-0	¾" x 36yds	Off-White	12	RL
00-021200-10225-7	1" x 1"	Off-White	1,000	CA
00-051131-06440-9	1" x 6yds	Off-White	5	RL
00-021200-17057-7	1" x 36yds	Off-White	9	RL
00-021200-16992-2	3" x 36yds	Off-White	3	RL

3M™ Double Coated Urethane Foam Tape 4032

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 225°F (107°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-03358-2	3/8" x 72yds	Off-White	24	RL
00-021200-06456-2	½" x 72yds	Off-White	18	RL
00-021200-06457-9	¾" x 72yds	Off-White	12	RL
00-021200-06458-6	1" x 72yds	Off-White	9	RL

Double Coated Tapes, Foam Tapes, cont'd

3M™ Double Coated Urethane Foam Tape 4056

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 225°F (107°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-14668-8	½" x 36yds	Black	18	RL
00-021200-14619-0	¾" x 36yds	Black	12	RL
00-021200-14558-2	1" x 36yds	Black	9	RL

3M™ Double Coated Urethane Foam Tape 4085

This tape has a firm acrylic, pressure sensitive adhesive system. It features high ultimate bond strength, very good high temperature and solvent resistance and very high shear holding power. Bond strength increases substantially with natural aging. These urethane foams are soft, conformable and have high shear strength which makes them ideal for general purpose lightweight mounting and joining. 4016 short term temperature resistance: 380°F (193°C), long term temperature resistance: 225°F (107°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-17661-6	¾" x 72yds	Off-White	12	RL
00-021200-17662-3	1" x 72yds	Off-White	9	RL

Double Coated Tapes, Foam Tapes, cont'd

Double Coated Tapes, Foam Tapes, cont'd

3M™ Double Coated Vinyl Foam Tape 4408

Designed for general purpose mounting and joining, and may offer one piece removal in some applications. Surfaces and conditions for removal should be tested by the user to determine fitness for the user's particular purpose. The high degree of conformability of these tapes make them ideal for joining many rough irregular surfaces, and the closed cell foam can make good water and air seals in certain applications. Short term temperature resistance: 200°F (93°C), long term temperature resistance: 150°F (66°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-03289-9	1/2"x36yds	Black	18	RL
00-021200-03290-5	3/4"x36yds	Black	12	RL
00-021200-03291-2	1"x36yds	Black	9	RL

3M™ Double Coated Vinyl Foam Tape 4432

Designed for general purpose mounting and joining, and may offer one piece removal in some applications. Surfaces and conditions for removal should be tested by the user to determine fitness for the user's particular purpose. The high degree of conformability of these tapes make them ideal for joining many rough irregular surfaces, and the closed cell foam can make good water and air seals in certain applications. Short term temperature resistance: 200°F (93°C), long term temperature resistance: 150°F (66°C).



UPC Number	Size	Color	Case Qty	UOM
00-021200-03300-1	1/2"x72yds	Black	18	RL
00-021200-03301-8	3/4"x72yds	Black	12	RL
00-021200-03296-7	1"x72yds	White	9	RL
00-021200-03302-5	1"x72yds	Black	9	RL

3M™ Double Coated Vinyl Foam Tape 4416

1/16", closed cell vinyl foam carrier with 430 acrylic adhesive and 3.0 mil, 62 lb. densified kraft liner. Medium solvent resistance. High relative adhesion to HSE plastics and low adhesion to LSE plastics.




UPC Number	Size	Color	Case Qty	UOM
00-021200-03277-6	1/4"x36yds	Black	36	RL
00-021200-03279-0	1/2"x36yds	Black	18	RL
00-021200-03273-8	1/2"x36yds	White	18	RL
00-021200-03280-6	3/4"x36yds	Black	12	RL
00-021200-03274-5	3/4"x36yds	White	12	RL
00-021200-03281-3	1"x36yds	Black	9	RL
00-021200-03275-2	1"x36yds	White	9	RL

Double Coated Tapes, Very High Bond (VHB) Tapes

3M™ VHB™ Acrylic Foam Tape 5952

Closed cell acrylic foam carrier. Conformable, high strength foam; bonds to many lower energy surfaces including many plastics, most paints and most powder coatings, as well as bare metals.



UPC Number	Size	Case Qty	UOM
00-021200-59967-5	1/2"x36yds	18	RL
00-021200-56229-7	1"x36yds	9	RL

Electroplating Tapes

3M™ Electroplating Tape 470

7.1 mil, (0.18 mm) conformable and abrasion resistant vinyl tape with a rubber adhesive that has excellent resistance to most chemicals used in typical electroplating processes.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-85614-3	½"x36yds	Tan	Bulk	72	RL
00-021200-85615-0	¾"x36yds	Tan	Bulk	48	RL
00-021200-85616-7	1"x36yds	Tan	Bulk	36	RL
00-021200-86147-5	1½"x36yds	Tan	Bulk	24	RL
00-021200-85617-4	2"x36yds	Tan	Bulk	24	RL
00-021200-87663-9	4"x36yds	Tan	Bulk	8	RL
00-021200-87664-6	6"x36yds	Tan	Bulk	8	RL



Film Tapes

3M™ Super Bond™ Film Tape 396

4.1 mil (0.10 mm), thick polyester film tape with a very high tack rubber resin adhesive for adhering to polyesters, polyethylenes and many other difficult-to-adhere-to surfaces.



UPC Number	Size	Case Qty	UOM
00-021200-19083-4	¾"x36yds	48	RL
00-021200-19084-1	1"x36yds	36	RL
00-021200-19086-5	2"x36yds	24	RL

Scotch® Colored Film Tape 690


Colored film tape featuring a durable, moisture and chemical resistant film backing with a rubber resin adhesive. This decorative tape is excellent for various packaging, color coding, bag sealing and combinational attachment applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-61648-8	12mmx66m	Red	144	RL
00-021200-61655-6	12mmx66m	White	144	RL
00-021200-61635-8	24mmx66m	Black	72	RL
00-021200-61650-1	24mmx66m	Red	72	RL

Scotch® Labelgard™ Film Tape 821

Attach and protect address labels. Non-glare, matte finish with pink tint. Writable surfaces. Use with dispenser PN06944.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04563-9	2"x72yds	Pink	24	RL
00-021200-04133-4	4"x72yds	Pink	8	RL
00-021200-04134-1	5"x72yds	Pink	8	RL
00-021200-04135-8	6"x72yds	Pink	8	RL

Scotch® Transparent Film Tape 600

Excellent holding power and instant adhesion. For light duty closing and bundling. Resists staining and sunlight.



UPC Number	Size	Color	Case Qty	UOM
00-051131-06678-6	3/8"x72yds	Clear	96	RL
00-051131-06821-6	½"x72yds	Clear	72	RL
00-051131-06679-3	½"x72yds	Clear	72	RL
00-021200-06943-7	¾"x72yds	Clear	24	RL
00-051131-06680-9	¾"x72yds	Clear	48	RL
00-051131-06681-6	1"x72yds	Clear	36	RL
00-021200-07463-9	1"x72yds	Clear	36	RL
00-051131-06683-0	2"x72yds	Clear	24	RL

Film Tapes, cont'd

Scotch® Transparent Film Tape 605

Transparent 1.9 mil (0.05 mm) polyester film tape with acrylic adhesive. Used for splicing, holding, decorating, color coding and sealing. Scotchpro™ Polypropylene backing.



UPC Number	Size	Color	Case Qty	UOM
00-021200-71359-0	3/8"x72yds	Clear	96	RL
00-021200-71360-6	1/2"x72yds	Clear	72	RL
00-021200-71361-3	3/4"x72yds	Clear	48	RL

Scotch® Transparent Film Tape 6811

This tape is excellent for various packaging applications. It has synthetic rubber adhesive system, which provides long aging properties.



UPC Number	Size	Case Qty	UOM
00-021200-61576-4	1"x72yds	36	RL

Foam Tapes

3M™ Single Coated Foam Tape 4104

Urethane Foam Tape Series 4100 are firm, rigid, open cell that offers excellent cushioning characteristics while allowing air or gas vapors to pass through the open cells. This product is placed on a 1.5" wide common core when the tape is 3/4" or less in width. Skip slitting is also used for roll stability on these narrow sizes. This tape may turn yellow when exposed to light. Such yellowing affects only the appearance and not the physical performance of the tapes. The acrylic adhesive offers high initial quick stick to many types of surfaces along with excellent shear strength and high temperature performance.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03413-8	3/4"x18yds	Natural White	12	RL

Foam Tapes, cont'd

3M™ VHB™ Acrylic Foam Tape 4611

3M™ VHB™ Acrylic Foam Tape 4611 is a double coated 0.045" (1.1 mm), pressure sensitive adhesive tape for bonding metals and other high surface energy materials. UL 746C recognition is listed in UL File MH 17478.



UPC Number	Size	Color	Case Qty	UOM
00-021200-56375-1	1/2"x36yds	Dark Gray	18	RL
00-021200-56002-6	3/4"x36yds	Dark Gray	12	RL
00-021200-56146-7	1"x36yds	Dark Gray	9	RL


3M™ VHB™ Acrylic Foam Tape 4622

45.0 mil (1.1mm), white closed cell conformable acrylic foam carrier. Differential adhesive liner side: medium surface energy. Non-Liner Side: high surface energy.

UPC Number	Size	Case Qty	UOM
00-021200-26112-1	1"x36yds	9	RL

3M™ VHB™ Acrylic Foam Tape 4655

0.062" (1.55 mm), acrylic foam (closed cell) double coated, pressure sensitive adhesive tapes for bonding metals and other high surface energy materials. UL 746C recognition is listed in UL File MH 17478.



UPC Number	Size	Color	Case Qty	UOM
00-021200-56316-4	3/4"x36yds	Dark Gray	12	RL

3M™ VHB™ Acrylic Foam Tape 4905

20.0 mil, clear closed cell acrylic foam carrier with film liner and an acrylic adhesive. Use to join transparent material and replace rivets, screws and other mechanical fasteners.



UPC Number	Size	Color	Case Qty	UOM
00-021200-24391-2	1/2"x72yds	Clear	18	RL
00-021200-65744-3	3/4"x72yds	Clear	12	RL
00-021200-24390-5	1"x72yds	Clear	9	RL

Foam Tapes, cont'd

3M™ VHB™ Acrylic Foam Tape 4910

40.0 mil, clear closed cell acrylic foam carrier with red film liner and an acrylic adhesive. Use to join transparent material and replace rivets, screws and other mechanical fasteners.



UPC Number	Size	Color	Case Qty	UOM
00-021200-84151-4	½"x36yds	Clear	18	RL
00-021200-84152-1	¾"x36yds	Clear	12	RL
00-021200-84153-8	1"x36yds	Clear	9	RL

3M™ VHB™ Acrylic Foam Tape 4920


15.0 mil, white closed cell acrylic foam carrier with film liner and all purpose adhesive. High strength, handling convenience, cushioning, damping and impact resistance. UL listing 746C.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-84154-5	½"x72yds	White	Bulk	18	RL
00-021200-84155-2	¾"x72yds	White	Bulk	12	RL
00-021200-84156-9	1"x72yds	White	Bulk	9	RL

**3M™ VHB™ Acrylic Foam Tape 4926**

15.0 mil thick, dark gray closed cell acrylic foam carrier. Conformable. Good adhesion to many painted metals. Plasticizer resistant. UL Listing 746C.


UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-65746-7	½"x72yds	Dark Gray	Bulk	18	RL



3M™ VHB™ Acrylic Foam Tape 4929

25.0 mil thick, black closed cell acrylic foam carrier with film liner and all purpose adhesive. High strength, handling convenience, cushioning, damping and impact resistance.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-67491-4	½"x72yds	Black	Bulk	18	RL
00-021200-67493-8	1"x72yds	Black	Bulk	9	RL

**3M™ VHB™ Acrylic Foam Tape 4930**

25.0 mil thick, white closed cell acrylic foam carrier with printed paper liner and an acrylic adhesive. High strength, handling convenience, cushioning, damping and impact resistance. UL listing 746C.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-18086-6	½"x72yds	White	Bulk	18	RL
00-021200-18087-3	¾"x72yds	White	Bulk	12	RL
00-021200-18088-0	1"x72yds	White	Bulk	9	RL

**3M™ VHB™ Acrylic Foam Tape 4932**

25.0 mil thick, white closed cell acrylic foam carrier with synthetic adhesive and printed paper liner. Good adhesion to polypropylene and powder paints.

UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-67788-5	½"x72yds	White	Bulk	18	RL
00-021200-67789-2	¾"x72yds	White	Bulk	12	RL
00-021200-67790-8	1"x72yds	White	Bulk	9	RL

**3M™ VHB™ Acrylic Foam Tape 4936**

25.0 mil thick, closed cell acrylic gray foam carrier with printed paper liner and an acrylic adhesive. Conformable, good adhesion to painted metals and plasticizer resistant. UL listing 746C.



UPC Number	Size	Color	Case Qty	UOM
00-021200-65747-4	½"x72yds	Gray	18	RL
00-021200-24384-4	¾"x72yds	Gray	12	RL
00-021200-24383-7	1"x72yds	Gray	9	RL

Foam Tapes, cont'd

3M™ VHB™ Acrylic Foam Tape 4936F

25 mil thick, closed cell acrylic gray foam carrier with film liner. Conformable, good adhesion to painted metals and plasticizer resistant. UL listing 746C.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-46224-5	¾"x72yds	Gray	Bulk	12	RL
00-021200-24382-0	1"x72yds	Gray	Bulk	9	RL

3M™ VHB™ Acrylic Foam Tape 4941

Closed cell, dark gray acrylic foam carrier with paper liner and an acrylic adhesive. Conformable, high strength foam; bonds to medium energy surfaces including many plastics and paints, as well as bare metal.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-64628-7	½"x36yds	Gray	Small pack	4	RL
00-021200-64886-1	½"x36yds	Gray	Bulk	18	RL
00-021200-64629-4	¾"x36yds	Gray	Small pack	3	RL
00-021200-64887-8	¾"x36yds	Gray	Bulk	12	RL
00-021200-64630-0	1"x36yds	Gray	Small pack	2	RL
00-021200-64888-5	1"x36yds	Gray	Bulk	9	RL

3M™ VHB™ Acrylic Foam Tape 4941F

45 mil thick, closed cell gray acrylic foam carrier with film liner. Conformable, good adhesion to painted metals and plasticizer resistant. UL listing 746C.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-31422-3	¾"x36yds	Gray	Bulk	12	RL
00-021200-24379-0	1"x36yds	Gray	Bulk	9	RL

3M™ VHB™ Acrylic Foam Tape 4943F


45.0 mil thick, closed cell gray acrylic foam carrier with film liner and an acrylic adhesive. Conformable, good adhesion to painted metals. Plasticizer resistant, can be applied as low as 32°F. UL listing 746C.



UPC Number	Size	Color	Case Qty	UOM
00-021200-23248-0	¾"x36yds	Gray	12	RL
00-021200-23249-7	1"x36yds	Gray	9	RL

3M™ VHB™ Acrylic Foam Tape 4945

45.0 mil thick, white closed cell acrylic foam carrier with paper line and an acrylic adhesiver. Plasticizer resistant, UL listing 746C.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-16961-8	½"x36yds	White	Bulk	18	RL
00-021200-16954-0	¾"x36yds	White	Bulk	12	RL
00-021200-16955-7	1"x36yds	White	Bulk	9	RL

3M™ VHB™ Acrylic Foam Tape 4949

45.0 mil thick, black closed cell acrylic foam carrier with all purpose adhesive and film liner. High strength, handling convenience, cushioning, damping and impact resistance. Black version of 3M™ VHB™ Tape Acrylic Foam Tape 4950. UL listing 746C.



UPC Number	Size	Color	Case Qty	UOM
00-021200-67490-7	½"x36yds	Black	18	RL
00-021200-67497-6	¾"x36yds	Black	12	RL
00-021200-67496-9	1"x36yds	Black	9	RL

3M™ VHB™ Acrylic Foam Tape 4950

45.0 mil thick, white closed cell acrylic foam carrier with all purpose acrylic adhesive and paper liner. High strength, handling convenience, cushioning, damping and impact resistance. UL listing 746C.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-18090-3	½"x36yds	White	Bulk	18	RL
00-021200-18091-0	¾"x36yds	White	Bulk	12	RL
00-021200-64650-8	1"x36yds	White	Small pack	2	RL
00-021200-18092-7	1"x36yds	White	Bulk	9	RL
00-021200-39392-1	1½"x36yds	White	Bulk	6	RL
00-021200-63383-6	2"x36yds	White	Bulk	6	RL

3M™ VHB™ Acrylic Foam Tape 4951

42 mil thick, closed cell acrylic foam carrier with film liner. Can be applied as low as 32°F. UL listing 746C.

UPC Number	Size	Color	Case Qty	UOM
00-021200-67286-6	¾"x36yds	White	12	RL
00-021200-67287-3	1"x36yds	White	9	RL

Foam Tapes, cont'd

3M™ VHB™ Acrylic Foam Tape 4952

45.0 mil thick, closed cell acrylic foam carrier with paper liner and a synthetic adhesive. Good adhesion to polypropylene and many powder paints.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-67791-5	½"x36yds	White	Bulk	18	RL
00-021200-67792-2	¾"x36yds	White	Bulk	12	RL
00-021200-67793-9	1"x36yds	White	Bulk	9	RL

3M™ VHB™ Acrylic Foam Tape 4955

80.0 mil thick, white closed cell acrylic foam carrier with all purpose acrylic adhesive with film liner. High strength, handling convenience, cushioning, damping and impact resistance.



UPC Number	Size	Color	Case Qty	UOM
00-021200-67499-0	½"x36yds	White	18	RL
00-021200-67501-0	1"x36yds	White	9	RL

3M™ VHB™ Acrylic Foam Tape 4956

62.0 mil thick, closed cell gray acrylic foam carrier with paper liner and an acrylic adhesive. Conformable, good adhesion to painted metals. Plasticizer resistant, UL listing 746C.



UPC Number	Size	Color	Case Qty	UOM
00-021200-24376-9	½"x36yds	Gray	18	RL
00-021200-24375-2	1"x36yds	Gray	9	RL

3M™ VHB™ Acrylic Foam Tape 4959

120.0 mil thick, white closed cell acrylic foam carrier with all purpose acrylic adhesive with film liner. High strength, handling convenience, cushioning, damping and impact resistance.



UPC Number	Size	Color	Case Qty	UOM
00-021200-67503-4	½"x36yds	White	18	RL
00-021200-67504-1	¾"x36yds	White	12	RL
00-021200-67505-8	1"x36yds	White	9	RL

3M™ VHB™ Acrylic Foam Tape 4991F

4991 is a double coated 0.090" (2.3 mm), pressure sensitive adhesive tape for bonding many painted metals, as well as unpainted metals, and higher surface energy plastics.



UPC Number	Size	Case Qty	UOM
00-021200-74221-7	½"x36yds	18	RL
00-021200-56083-5	1"x36yds	9	RL

Lead Foil Tapes

3M™ Lead Foil Tape 420

6.8 mil (0.17 mm), lead foil backing with rubber adhesive and a clear, easy-release film liner. A lined tape used as a maskant in electroplating and as a moisture and radiation barrier in certain applications.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04921-7	½"x36yds	Dark Silver	18	RL
00-021200-04923-1	1"x36yds	Dark Silver	9	RL

3M™ Lead Foil Tape 421

6.3 mil (0.16 mm), lead foil backing with rubber adhesive. Excellent conformability in a variety of application conditions, indoors and out. Electrically and thermally conductive.

UPC Number	Size	Color	Case Qty	UOM
00-021200-04916-3	¾"x36yds	Dark Silver	12	RL

3M™ Lithographers Tape 616

Tape 616 is an optically transparent and photographically opaque tape. The ruby red UPVC film backing allows for accurate positioning. It resists effects of changing atmospheric conditions to allow repeated and extended "burn" times. Low caliper backing to minimize ghosting and provide sharper definition. Pin-hole free backing to provide continuous opacity to light source to help minimize retouching. Firm adhesive which is long aging and resistant to softening to resist oozing during application and storage.



UPC Number	Size	Color	Desc	Case Qty	UOM
00-021200-03469-5	¼"x72yds	Ruby Red	Bulk	144	RL
00-021200-03470-1	3/8"x72yds	Ruby Red	Bulk	96	RL
00-021200-03471-8	½"x72yds	Ruby Red	Bulk	72	RL
00-021200-03472-5	¾"x72yds	Ruby Red	Bulk	48	RL
00-021200-03473-2	1"x72yds	Ruby Red	Bulk	36	RL
00-021200-04335-2	2"x72yds	Ruby Red	Bulk	24	RL

Removable Repositionable Tapes

3M™ Removable Repositionable Tape 665

Has a strong permanent adhesive on one side and a removable or repositionable adhesive on the other. It seals bags during shipment and display, but allows customers to open and reclose them as necessary. The tape is linerless to help speed automatic dispensing. 3.5 mil.



UPC Number	Size	Case Qty	UOM
00-021200-04157-0	½"x72yds	72	RL
00-021200-04036-8	¾"x72yds	48	RL
00-021200-04158-7	1"x72yds	36	RL

Safety Tapes, Aisle Marking & Identification Tapes

3M™ General Purpose Vinyl Tape 764

Ideal for general purpose holding and color coding, temporary marking of parts or machines and protect parts, and equipment or products from abrasion.



UPC Number	Size	Color	Case Qty	UOM
00-021200-43440-2	1"x36yds	Transparent	36	RL
00-021200-43177-7	1"x36yds	Yellow	36	RL
00-021200-43435-8	2"x36yds	Green	24	RL
00-021200-43179-1	3"x36yds	Yellow	12	RL

3M™ Hazard Marking Vinyl Tape 766


A general purpose hazard marking vinyl tape for use in non-critical applications. Can be used to mark equipment pinch points, and temporary floor marking around equipment or spills.



UPC Number	Size	Color	Case Qty	UOM
00-021200-43181-4	2"x36yds	Black/Yellow	24	RL

3M™ Hazard Marking Vinyl Tape 767

Red and white stripe, 5.0 mil (0.125 mm) vinyl backing with rubber adhesive. Stripes promote employee safety by marking pinch points or gears on equipment. Provides temporary floor marking around equipment or spills. Mark risers on stairways or low-clearance areas.




UPC Number	Size	Color	Case Qty	UOM
00-021200-43186-9	2"x36yds	Red/White	24	RL

Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Safety Stripe Tape 5700


Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04367-3	2"x36yds	Black/White	24	RL

3M™ Safety Stripe Tape 5702

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



UPC Number	Size	Color	Case Qty	UOM
00-021200-04585-1	2"x36yds	Black/Yellow	24	RL
00-021200-03951-5	3"x36yds	Black/Yellow	12	RL

Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Vinyl Tape 471

Ideal for many color coding, abrasion protection, decoration, sealing, patching, splicing, wrapping and general purpose applications. Used in paint marking areas.



UPC Number	Size	Color	Case Qty	UOM
00-021200-61192-6	¼"x36yds	Blue	144	RL
00-021200-05108-1	¼"x36yds	Red	144	RL
00-021200-03113-7	½"x36yds	Black	72	RL
00-021200-03143-4	½"x36yds	Green	72	RL
00-021200-03105-2	½"x36yds	Red	72	RL
00-021200-03134-2	½"x36yds	White	72	RL
00-021200-03126-7	½"x36yds	Yellow	72	RL
00-021200-03114-4	¾"x36yds	Black	48	RL
00-021200-03144-1	¾"x36yds	Green	48	RL
00-021200-03106-9	¾"x36yds	Red	48	RL
00-021200-03135-9	¾"x36yds	White	48	RL
00-021200-03127-4	¾"x36yds	Yellow	48	RL
00-021200-03115-1	1"x36yds	Black	36	RL
00-021200-03121-2	1"x36yds	Blue	36	RL
00-021200-03140-3	1"x36yds	Orange	36	RL
00-021200-37741-9	1"x36yds	Purple	36	RL
00-021200-03107-6	1"x36yds	Red	36	RL
00-021200-03100-7	1"x36yds	Transparent	36	RL
00-021200-03136-6	1"x36yds	White	36	RL
00-021200-03128-1	1"x36yds	Yellow	36	RL
00-021200-03786-3	1½"x36yds	Blue	24	RL
00-021200-03137-3	1½"x36yds	White	24	RL
00-021200-04306-2	2"x36yds	Black	24	RL
00-021200-04308-6	2"x36yds	Blue	24	RL
00-021200-04309-3	2"x36yds	Brown	24	RL
00-021200-04313-0	2"x36yds	Green	24	RL
00-021200-04312-3	2"x36yds	Orange	24	RL
00-021200-04305-5	2"x36yds	Red	24	RL
00-021200-04314-7	2"x36yds	Transparent	24	RL
00-021200-04311-6	2"x36yds	White	24	RL
00-021200-04310-9	2"x36yds	Yellow	24	RL
00-021200-06467-8	3"x36yds	Black	12	RL
00-021200-06469-2	3"x36yds	Red	12	RL
00-021200-06466-1	3"x36yds	White	12	RL
00-021200-06470-8	3"x36yds	Yellow	12	RL
00-021200-03139-7	4"x36yds	White	8	RL
00-021200-03131-1	4"x36yds	Yellow	8	RL

Safety Tapes, Aisle Marking & Identification Tapes, cont'd

3M™ Vinyl Tape 472

10.4 mil total thickness, vinyl tape with rubber adhesive used in applications requiring abrasion and outdoor weathering protection. Designed for splicing, patching, sealing, electroplating, and sealing barrier films and containers. This tape can also help protect metal from corrosion on (above or below ground).



UPC Number	Size	Color	Case Qty	UOM
00-021200-03151-9	1"x36yds	Black	36	RL
00-021200-04316-1	2"x36yds	Black	24	RL
00-021200-03153-3	3"x36yds	Black	12	RL
00-021200-03154-0	4"x36yds	Black	8	RL

Single Coated Tape, Dispensers

Scotch® Heavy Duty Dispenser C-22

Film-backed or paper tape on rolls up to 5¼" in diameter is dispensed quickly and efficiently using the C-22. Can handle two 1" wide tape rolls or one 2" wide tape roll.



UPC Number	Size	Case Qty	UOM
00-021200-11206-5	2"	1	EA

Scotch® Heavy Duty Dispenser C-23

Handles a variety of materials including cellophane, acetate fibre, acetate film, paper and filament tape on rolls up to 5¾" in diameter and up to 1" wide.



UPC Number	Size	Case Qty	UOM
00-021200-11022-1	1"	1	EA

Scotch® Heavy Duty Dispenser C-25

The Scotch® Heavy Duty Dispenser C-25 is a weighted dispenser that delivers a variety of materials similar to the C-23. The C-25 features a permanent core that won't get lost or accidentally discarded during reloading. Handles tapes up to 1" wide.



UPC Number	Case Qty	UOM
00-021200-06924-6	3	EA

Splicing Tapes

3M™ Repulpable Double Coated Splicing Tape 405

Designed primarily for overlap splicing of coated grades of paper. A light weight tissue coated on both sides with a firm light green adhesive, supplied on a high strength non-repulpable liner.

UPC Number	Size	Case Qty	UOM
00-021200-03075-8	¾"x36yds	48	RL
00-021200-03076-5	1"x36yds	36	RL
00-021200-03077-2	1½"x36yds	24	RL

3M™ Repulpable Double Coated Splicing Tape 900 and 900B

Designed primarily for overlap splicing of coated grades of paper. A light weight tissue coated on both sides with a blue, repulpable adhesive.



UPC Number	ID	Size	Case Qty	UOM
00-021200-19023-0	900	¾"x36yds	48	RL
00-021200-19024-7	900	1"x36yds	36	RL

3M™ Splicing Tape 469

This tape is a high tack, high temperature, double coated tissue tape which is light red in color for visible splices. The medium firm adhesive features good quick stick for high speed flying splices on most grades of paper and excellent heat resistance for many high temperature drying ovens.



UPC Number	Size	Case Qty	UOM
00-021200-38393-9	¾"x60yds	48	RL
00-021200-38391-5	1"x60yds	36	RL
00-021200-38390-8	1½"x60yds	24	RL
00-021200-38389-2	2"x60yds	16	RL

Splicing Tapes, cont'd

3M™ Splicing Tape 9579

Hand tearable, double coated tape with a pressure sensitive adhesive on each side of carrier. The medium firm adhesive features very high adhesion to a variety of surfaces, very good shear holding power and offers one piece removal from most substrates.



UPC Number	Size	Color	Case Qty	UOM
00-021200-65873-0	½" x 36yds	White	72	RL
00-021200-65872-3	¾" x 36yds	White	48	RL
00-021200-65871-6	1" x 36yds	White	36	RL
00-021200-65869-3	2" x 36yds	White	24	RL

Thread Sealant Tapes

3M™ Pipe Thread Sealant Tape 48

2 mil, high temperature stable (PTFE) pipe thread sealant that provides a leak-proof seal with a temperature rated to 500°F (260°C).



UPC Number	Size	Case Qty	UOM
00-054007-06195-3	½" x 260"	12	RL
00-054007-06196-0	½" x 520"	12	RL

3M™ Pipe Thread Sealant Tape 547

This is 3 mil high-temperature-stable (PTFE) pipe thread sealant that provides a leak-proof seal with a temperature rated to 500°F (260°C).

UPC Number	Size	Case Qty	UOM
00-054007-26275-6	½" x 36yds	72	RL

Vinyl Tapes

3M™ Electroplating/Anodizing Tape 484

7.2 mil, conformable and abrasion resistant vinyl tape with rubber adhesive for masking various surfaces during electroplating and anodizing operations. Tape 484 is designed to provide lower adhesion and unwind than tape 470.

UPC Number	Size	Color	Case Qty	UOM
00-021200-03704-7	½" x 36yds	Tan	72	RL
00-021200-03706-1	1" x 36yds	Tan	36	RL

Vinyl Tapes, Foam Tapes

3M™ Single Coated Foam Tape 4504

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03319-3	¾" x 18yds	Black	12	RL

3M™ Single Coated Foam Tape 4508

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03314-8	1" x 36yds	Black	9	RL

3M™ Single Coated Foam Tape 4516

Vinyl Foam Tape Series 4500 are durable, flexible closed cell vinyls which can help seal out dust, light and moisture when placed under 30% compression. These vinyl tapes offer excellent aging characteristics and will remain flexible when exposed to elevated temperatures and UV light. Application ideas include: dust and moisture seal for applications, computers, copiers, and other electronic and transportation equipment.



UPC Number	Size	Color	Case Qty	UOM
00-021200-03308-7	¾" x 36yds	Black	12	RL
00-021200-03309-4	1" x 36yds	Black	9	RL

UPC Number Index

UPC Number	Page	UPC Number	Page	UPC Number	Page
00021200028182	135	00021200032899	187	00021200043161	197
00021200028205	135	00021200032905	187	00021200043352	195
00021200028229	135	00021200032912	187	00021200043444	152
00021200028397	138	00021200032967	187	00021200043659	138
00021200028403	138	00021200033001	187	00021200043673	196
00021200028526	134	00021200033018	187	00021200044045	135
00021200028533	134	00021200033025	187	00021200045530	181
00021200028540	134	00021200033087	198	00021200045639	188
00021200028557	134	00021200033094	198	00021200045851	196
00021200028588	134	00021200033148	198	00021200046018	184
00021200028595	134	00021200033193	198	00021200046988	135
00021200028915	152	00021200033223	184	00021200046995	135
00021200028939	152	00021200033230	184	00021200047008	135
00021200028946	152	00021200033247	184	00021200047015	135
00021200028953	152	00021200033261	184	00021200048418	184
00021200029783	135	00021200033315	182	00021200048494	181
00021200029806	135	00021200033322	182	00021200048500	181
00021200029813	135	00021200033582	186	00021200048517	181
00021200029820	135	00021200034138	189	00021200048623	185
00021200029837	135	00021200034695	195	00021200048654	185
00021200029851	135	00021200034701	195	00021200049163	194
00021200029875	135	00021200034718	195	00021200049217	194
00021200029882	135	00021200034725	195	00021200049231	194
00021200029912	138	00021200034732	195	00021200049361	136
00021200029929	138	00021200035517	152	00021200049682	152
00021200029936	138	00021200035524	152	00021200049941	183
00021200030161	183	00021200037047	198	00021200050510	184
00021200030178	183	00021200037061	198	00021200051081	196
00021200030208	183	00021200037641	184	00021200054570	181
00021200030277	68	00021200037757	136	00021200055003	135
00021200030758	197	00021200037764	136	00021200055133	183
00021200030765	197	00021200037771	136	00021200056185	136
00021200030772	197	00021200037863	196	00021200056192	136
00021200031007	196	00021200038501	135	00021200056208	136
00021200031052	196	00021200038518	135	00021200056710	182
00021200031069	196	00021200038617	183	00021200056727	182
00021200031076	196	00021200038624	183	00021200056741	181
00021200031137	196	00021200039102	184	00021200058653	182
00021200031144	196	00021200039515	196	00021200058660	182
00021200031151	196	00021200040368	195	00021200064500	185
00021200031212	196	00021200041112	136	00021200064517	185
00021200031267	196	00021200041211	152	00021200064524	185
00021200031274	196	00021200041334	188	00021200064531	185
00021200031281	196	00021200041341	188	00021200064548	185
00021200031311	196	00021200041358	188	00021200064555	185
00021200031342	196	00021200041570	195	00021200064562	186
00021200031359	196	00021200041587	195	00021200064579	186
00021200031366	196	00021200042324	135	00021200064586	186
00021200031373	196	00021200042379	136	00021200064661	196
00021200031397	196	00021200042409	134	00021200064678	196
00021200031403	196	00021200042430	135	00021200064692	196
00021200031434	196	00021200042447	135	00021200064708	196
00021200031441	196	00021200042461	138	00021200065033	133
00021200031519	197	00021200042584	152	00021200065064	133
00021200031533	197	00021200042751	183	00021200065095	133
00021200031540	197	00021200042775	183	00021200065125	133
00021200032257	181	00021200042942	184	00021200065156	133
00021200032271	181	00021200043055	196	00021200065187	133
00021200032288	181	00021200043062	196	00021200065248	133
00021200032738	187	00021200043086	196	00021200065309	133
00021200032745	187	00021200043093	196	00021200065361	133
00021200032752	187	00021200043109	196	00021200068652	132
00021200032776	187	00021200043116	196	00021200068669	132
00021200032790	187	00021200043123	196	00021200068690	132
00021200032806	187	00021200043130	196	00021200069086	146
00021200032813	187	00021200043147	196	00021200069093	146

UPC Number Index

UPC NumberPage

00021200069109	150
00021200069123	146
00021200069192	150
00021200069239	152
00021200069246	197
00021200069253	146
00021200069437	188
00021200069475	152
00021200069536	150
00021200069680	68
00021200069703	68
00021200069710	68
00021200073601	152
00021200073618	152
00021200073632	152
00021200073670	152
00021200074639	188
00021200102257	186
00021200110184	184
00021200110221	197
00021200110351	184
00021200112065	197
00021200117022	181
00021200132698	182
00021200136795	144
00021200136818	144
00021200141058	144
00021200145582	186
00021200146190	186
00021200146688	186
00021200156786	182
00021200156809	182
00021200156816	182
00021200156823	182
00021200156830	182
00021200158728	144
00021200158735	144
00021200160288	135
00021200160479	179
00021200160486	180
00021200160493	178
00021200160509	178
00021200160516	178
00021200160530	179
00021200160547	177
00021200160851	178
00021200161582	183
00021200161605	183
00021200161629	183
00021200164033	152
00021200169540	193
00021200169557	193
00021200169618	193
00021200169922	186
00021200170546	186
00021200170560	186
00021200170577	186
00021200176616	186
00021200176623	186
00021200180866	191
00021200180873	191
00021200180880	191
00021200180903	193
00021200180910	193
00021200180927	193
00021200181979	144

UPC NumberPage

00021200183683	135
00021200184345	64
00021200184567	64
00021200184697	64
00021200184772	64
00021200190087	146
00021200190230	197
00021200190247	197
00021200190834	188
00021200190841	188
00021200190865	188
00021200192609	182
00021200192616	182
00021200192791	144
00021200192807	144
00021200196744	54
00021200196775	54
00021200197185	54
00021200197215	54
00021200197239	54
00021200198083	53
00021200198113	53
00021200198137	53
00021200198687	54
00021200198694	54
00021200198717	54
00021200198731	54
00021200198878	49
00021200198908	49
00021200198922	49
00021200198946	49
00021200198977	49
00021200199271	54
00021200199318	54
00021200201936	55
00021200202278	55
00021200202421	54
00021200202445	54
00021200202728	49
00021200202742	49
00021200203923	53
00021200208782	55
00021200208799	55
00021200209017	55
00021200209024	55
00021200210617	52
00021200210662	53
00021200210679	53
00021200210686	53
00021200210730	52
00021200210747	52
00021200210877	55
00021200211812	48
00021200211850	48
00021200211867	48
00021200212109	46
00021200212208	53
00021200212215	53
00021200213052	66
00021200213540	50
00021200213588	50
00021200215377	55
00021200217890	52
00021200217913	52
00021200225864	49
00021200225901	50

UPC NumberPage

00021200226472	51
00021200227738	68
00021200227806	68
00021200228346	132
00021200228353	132
00021200228360	132
00021200228377	132
00021200228391	132
00021200229138	152
00021200229220	147
00021200229343	137
00021200230516	181
00021200232077	184
00021200232480	192
00021200232497	192
00021200232695	64
00021200232701	64
00021200232725	64
00021200243028	185
00021200243035	185
00021200243042	185
00021200243066	185
00021200243073	185
00021200243080	185
00021200243110	184
00021200243127	184
00021200243134	184
00021200243158	185
00021200243165	185
00021200243172	185
00021200243752	194
00021200243769	194
00021200243790	192
00021200243820	192
00021200243837	191
00021200243844	191
00021200243905	189
00021200243912	189
00021200248849	181
00021200249938	118
00021200260742	134
00021200260759	134
00021200260766	134
00021200260773	134
00021200260780	134
00021200261121	189
00021200300233	44
00021200300240	45
00021200300257	45
00021200300271	44
00021200300608	46
00021200300677	45
00021200300707	44
00021200300882	54
00021200304132	185
00021200304149	184
00021200304217	185
00021200304224	185
00021200304231	185
00021200313103	43
00021200313110	43
00021200313813	51
00021200314223	192
00021200314933	182
00021200375934	153
00021200375941	153

UPC Number Index

UPC Number	Page	UPC Number	Page	UPC Number	Page
00021200376290	135	00021200455872	134	00021200622243	151
00021200376306	135	00021200459801	119	00021200624810	145
00021200377419	196	00021200461965	117	00021200625015	182
00021200383892	197	00021200462245	192	00021200625381	120
00021200383908	197	00021200464478	144	00021200625398	120
00021200383915	197	00021200464492	144	00021200625442	120
00021200383939	197	00021200481192	134	00021200625596	120
00021200384424	182	00021200490484	43	00021200627354	182
00021200384431	181	00021200491429	66	00021200627361	182
00021200392962	43	00021200498282	68	00021200627750	182
00021200393921	193	00021200498299	68	00021200627767	182
00021200394768	150	00021200498305	68	00021200631016	182
00021200395109	148	00021200498336	68	00021200631023	182
00021200398001	149	00021200500046	48	00021200633836	193
00021200398094	145	00021200500084	48	00021200646287	192
00021200398100	145	00021200500213	66	00021200646294	192
00021200398117	145	00021200500459	44	00021200646300	192
00021200398124	145	00021200557224	140	00021200646508	193
00021200398230	145	00021200557231	139	00021200648861	192
00021200398278	149	00021200557255	139	00021200648878	192
00021200398568	148	00021200557279	139	00021200648885	192
00021200398650	149	00021200557286	139	00021200649639	49
00021200398681	149	00021200557309	139	00021200656132	119
00021200398698	149	00021200560026	189	00021200656149	119
00021200398704	149	00021200560835	194	00021200656156	119
00021200398711	149	00021200561467	189	00021200656194	119
00021200408212	117	00021200562297	187	00021200656200	119
00021200411212	135	00021200563164	189	00021200656217	119
00021200415470	43	00021200563751	189	00021200657443	189
00021200415487	43	00021200565991	47	00021200657467	190
00021200415937	45	00021200566035	46	00021200657474	191
00021200423161	145	00021200599675	187	00021200658129	117
00021200423185	145	00021200604393	168	00021200658136	117
00021200429798	135	00021200605727	181	00021200658150	117
00021200431777	195	00021200605734	181	00021200658174	117
00021200431791	195	00021200605741	181	00021200658693	198
00021200431814	195	00021200605963	181	00021200658716	198
00021200431869	195	00021200605970	181	00021200658723	198
00021200433511	137	00021200605994	181	00021200658730	198
00021200433528	137	00021200606007	181	00021200672200	182
00021200433535	137	00021200607530	134	00021200672866	193
00021200433542	137	00021200608315	134	00021200672873	193
00021200433559	137	00021200608322	134	00021200673870	64
00021200434358	195	00021200608339	134	00021200673887	64
00021200434402	195	00021200611735	138	00021200673924	64
00021200444524	135	00021200611742	138	00021200674686	64
00021200445422	137	00021200611766	138	00021200674907	193
00021200445439	137	00021200611773	138	00021200674914	191
00021200445569	135	00021200611780	138	00021200674938	191
00021200445576	135	00021200611926	196	00021200674969	193
00021200445798	137	00021200612640	135	00021200674976	193
00021200445804	137	00021200615474	145	00021200674990	194
00021200445811	137	00021200615498	145	00021200675010	194
00021200445828	137	00021200615511	145	00021200675034	194
00021200445835	137	00021200615535	145	00021200675041	194
00021200445842	137	00021200615542	145	00021200675058	194
00021200445859	137	00021200615764	189	00021200675553	65
00021200446085	137	00021200616181	151	00021200675560	65
00021200448836	117	00021200616358	188	00021200675584	65
00021200449642	117	00021200616488	188	00021200676673	182
00021200450754	117	00021200616501	188	00021200676697	182
00021200451638	49	00021200616556	188	00021200677885	191
00021200451645	49	00021200618406	152	00021200677892	191
00021200451676	43	00021200618444	152	00021200677908	191
00021200451966	44	00021200618505	146	00021200677915	194
00021200452871	145	00021200621048	151	00021200677922	194

UPC Number Index

UPC NumberPage

00021200677939	194
00021200693137	154
00021200693144	154
00021200693670	145
00021200693977	145
00021200696053	144
00021200703898	136
00021200703911	136
00021200711060	133
00021200711077	133
00021200711169	134
00021200711176	134
00021200711183	134
00021200711190	134
00021200711206	134
00021200711213	134
00021200711312	136
00021200711329	136
00021200711336	136
00021200711343	136
00021200711688	153
00021200713026	137
00021200713040	137
00021200713590	189
00021200713606	189
00021200713613	189
00021200720161	137
00021200720185	137
00021200720659	136
00021200720666	136
00021200720673	136
00021200720680	136
00021200723018	148
00021200723049	148
00021200723087	145
00021200723100	145
00021200723353	144
00021200723445	144
00021200723469	144
00021200723599	144
00021200723612	144
00021200723681	144
00021200723803	144
00021200723810	144
00021200723858	144
00021200723865	144
00021200723896	144
00021200723902	144
00021200723995	144
00021200724015	144
00021200724022	144
00021200724060	144
00021200724077	144
00021200724121	145
00021200724152	147
00021200724176	147
00021200724213	147
00021200724220	147
00021200730474	144
00021200730764	144
00021200730795	144
00021200730801	144
00021200730818	144
00021200730825	144
00021200731549	151
00021200737060	153

UPC NumberPage

00021200737084	153
00021200737114	153
00021200737121	153
00021200737770	153
00021200737787	153
00021200737794	153
00021200737800	153
00021200737824	153
00021200737848	153
00021200737855	153
00021200738005	134
00021200739996	150
00021200742217	194
00021200760983	46
00021200761676	45
00021200763946	66
00021200765919	126
00021200822421	44
00021200822483	51
00021200822520	56
00021200822551	50
00021200822629	51
00021200823329	52
00021200823343	52
00021200823350	52
00021200824654	51
00021200824708	51
00021200826184	45
00021200828812	144
00021200828836	144
00021200834196	181
00021200834202	181
00021200835285	52
00021200835339	50
00021200836534	45
00021200837371	52
00021200837586	43
00021200837593	53
00021200837609	53
00021200838576	181
00021200838583	181
00021200839771	182
00021200839788	182
00021200841514	190
00021200841521	190
00021200841538	190
00021200841545	190
00021200841552	190
00021200841569	190
00021200847684	146
00021200855610	68
00021200855627	68
00021200855634	68
00021200856143	188
00021200856150	188
00021200856167	188
00021200856174	188
00021200856358	68
00021200856525	183
00021200858017	52
00021200858130	54
00021200858222	66
00021200858444	46
00021200861475	188
00021200862366	120
00021200862380	120

UPC NumberPage

00021200862403	119
00021200862410	119
00021200862434	119
00021200862441	119
00021200862458	119
00021200862465	119
00021200862472	119
00021200862502	119
00021200862519	119
00021200862526	119
00021200862533	119
00021200862540	119
00021200862557	119
00021200862564	119
00021200862571	118
00021200862595	118
00021200862601	118
00021200862618	118
00021200862625	118
00021200862632	118
00021200862663	118
00021200862670	118
00021200862687	118
00021200862762	117
00021200862779	117
00021200862786	117
00021200862793	117
00021200862809	117
00021200862816	117
00021200862823	117
00021200862830	117
00021200862854	120
00021200862861	120
00021200862908	120
00021200863097	117
00021200863479	117
00021200863561	117
00021200863585	117
00021200863592	117
00021200863660	117
00021200863721	117
00021200863776	120
00021200863837	119
00021200864513	117
00021200864674	120
00021200865121	146
00021200865176	150
00021200865183	150
00021200865190	150
00021200865206	150
00021200865213	150
00021200865220	148
00021200865237	148
00021200871955	50
00021200872037	50
00021200872112	51
00021200872150	51
00021200872198	51
00021200872617	50
00021200872648	50
00021200872709	50
00021200872778	120
00021200872976	120
00021200873409	117
00021200873539	118
00021200873638	118

UPC Number Index

UPC Number	Page	UPC Number	Page	UPC Number	Page
00021200873997	182	00048011016757	37	00048011087665	25
00021200876639	188	00048011029603	36	00048011088563	7
00021200876646	188	00048011032627	36	00048011088570	7
00021200878367	51	00048011037011	40	00048011088587	7
00021200878374	51	00048011037141	40	00048011088785	40
00021200878404	51	00048011037158	40	00048011088808	7
00021200878411	51	00048011037165	40	00048011089157	7
00021200878466	51	00048011037189	40	00048011089164	7
00021200878473	51	00048011037271	40	00048011089393	40
00021200878541	56	00048011037295	40	00048011090054	38
00021200879371	53	00048011037325	40	00048011094502	27
00021200879821	51	00048011037387	40	00048011094519	27
00021200879913	50	00048011039275	26	00048011095486	38
00021200879982	44	00048011039930	37	00048011095493	38
00021200881312	148	00048011039947	37	00048011095554	38
00021200881893	149	00048011039985	7	00048011129297	111
00021200881909	149	00048011040134	27	00048011129525	25
00021200881916	149	00048011040202	34	00048011129532	25
00021200881923	149	00048011040288	30	00048011129549	25
00021200882043	149	00048011040295	29	00048011131313	7
00021200882272	148	00048011040509	29	00048011131320	7
00021200882289	148	00048011040516	29	00048011132532	25
00021200882296	148	00048011040851	28	00048011132549	25
00021200882906	145	00048011041209	26	00048011132556	25
00021200893476	43	00048011041247	26	00048011132570	25
00021200895432	56	00048011041285	26	00048011132587	25
00021200962004	48	00048011041322	27	00048011136165	38
00021200963278	48	00048011041537	36	00048011136172	38
00021200964077	47	00048011041889	16	00048011136219	38
00021200964107	47	00048011041896	7	00048011136226	38
00021200964114	47	00048011042299	29	00048011136233	38
00021200964121	47	00048011042770	26	00048011136394	7
00021200968181	146	00048011042787	26	00048011137131	41
00048011002606	28	00048011042992	7	00048011137148	41
00048011002620	28	00048011043036	26	00048011137155	41
00048011002637	28	00048011043050	26	00048011137162	41
00048011002644	28	00048011043258	8	00048011137179	41
00048011002668	28	00048011051321	38	00048011137186	41
00048011002675	28	00048011051338	38	00048011137193	41
00048011002705	28	00048011051352	38	00048011137346	41
00048011002767	28	00048011051376	38	00048011137391	41
00048011005805	7	00048011051826	36	00048011137414	41
00048011005836	7	00048011052069	28	00048011137421	41
00048011006437	26	00048011052076	28	00048011137438	41
00048011006451	26	00048011053592	33	00048011137537	41
00048011006659	16	00048011055220	25	00048011137636	41
00048011006666	16	00048011055237	25	00048011137643	41
00048011006673	24	00048011055282	25	00048011139326	41
00048011006758	24	00048011055299	25	00048011140018	106
00048011007502	26	00048011055305	25	00048011140490	30
00048011007519	26	00048011055312	25	00048011140636	41
00048011008271	12	00048011055329	25	00048011140674	41
00048011008288	12	00048011056746	27	00048011140995	26
00048011009414	11	00048011056807	27	00048011141008	26
00048011009469	11	00048011057170	116	00048011141015	26
00048011009483	11	00048011057415	7	00048011142760	7
00048011009575	11	00048011057903	38	00048011142784	7
00048011010120	40	00048011059747	8	00048011142852	7
00048011010212	40	00048011059754	7	00048011143798	41
00048011011790	8	00048011074504	26	00048011145433	7
00048011015651	40	00048011074511	26	00048011145884	8
00048011015781	40	00048011074580	26	00048011145938	12
00048011015811	40	00048011074597	26	00048011147468	41
00048011016603	37	00048011074603	11	00048011147505	41
00048011016610	37	00048011087641	25	00048011147536	41
00048011016627	37	00048011087658	25	00048011147796	12

UPC Number Index

UPC Number	Page	UPC Number	Page	UPC Number	Page
00048011147802	11	00048011184951	6	00048011345017	140
00048011147819	7	00048011186986	10	00048011345574	141
00048011149158	21	00048011187068	10	00048011345628	141
00048011150123	42	00048011187105	10	00048011345673	140
00048011151182	41	00048011187303	10	00048011346359	140
00048011154084	42	00048011187327	10	00048011347387	114
00048011154626	41	00048011187334	10	00048011347509	101
00048011155135	41	00048011187341	10	00048011348193	141
00048011155166	41	00048011187365	10	00048011348209	141
00048011155272	41	00048011187372	10	00048011348216	141
00048011155319	41	00048011196886	7	00048011348223	141
00048011155326	41	00048011196978	6	00048011348230	141
00048011155340	41	00048011239255	142	00048011348247	141
00048011158310	41	00048011240374	30	00048011534664	134
00048011158990	7	00048011242415	10	00051111101155	35
00048011160542	41	00048011242422	10	00051111101162	35
00048011165448	41	00048011242439	10	00051111101186	35
00048011165455	41	00048011242767	9	00051111101209	35
00048011165530	29	00048011242798	8	00051111101322	116
00048011165554	30	00048011256788	41	00051111496084	16
00048011166223	8	00048011257556	8	00051111496091	16
00048011169187	26	00048011257570	8	00051111496138	16
00048011169767	30	00048011257587	8	00051111496145	16
00048011171838	42	00048011257594	8	00051111496152	16
00048011171845	42	00048011257648	24	00051111496169	16
00048011171852	42	00048011257655	24	00051111496176	16
00048011171869	42	00048011257662	24	00051111504109	13
00048011171890	42	00048011257679	24	00051111504116	13
00048011171906	42	00048011257709	24	00051111504123	13
00048011171913	42	00048011257808	24	00051111504130	13
00048011171920	42	00048011257907	11	00051111504208	13
00048011171937	42	00048011262390	141	00051111504260	13
00048011171944	42	00048011262406	141	00051111504406	35
00048011171951	42	00048011262697	141	00051111504437	35
00048011172156	38	00048011262758	141	00051111504451	35
00048011172163	38	00048011262765	141	00051111504505	21
00048011174983	41	00048011262918	140	00051111504512	21
00048011175157	7	00048011262932	140	00051111504529	21
00048011176376	30	00048011262994	140	00051111504536	21
00048011178660	26	00048011276038	10	00051111504543	21
00048011180212	26	00048011276052	10	00051111504550	21
00048011180793	26	00048011276069	10	00051111506721	113
00048011180809	26	00048011276120	8	00051111506745	113
00048011180816	25	00048011276144	8	00051111506783	113
00048011180823	25	00048011276229	9	00051111506844	113
00048011180878	6	00048011276236	9	00051111506868	113
00048011180885	6	00048011294704	141	00051111506905	113
00048011180892	6	00048011298221	108	00051111507711	15
00048011182438	25	00048011298283	108	00051111510650	35
00048011182780	38	00048011298290	108	00051111510667	35
00048011182797	38	00048011300016	9	00051111511640	35
00048011182810	38	00048011300023	9	00051111512296	23
00048011182865	38	00048011300955	11	00051111512319	23
00048011183503	12	00048011300962	11	00051111512326	23
00048011183558	12	00048011300979	9	00051111512333	23
00048011183589	12	00048011300986	9	00051111512340	23
00048011183640	12	00048011301266	9	00051111557334	14
00048011184241	12	00048011301273	9	00051111557358	14
00048011184517	29	00048011301297	9	00051111557440	14
00048011184531	29	00048011301303	9	00051111557679	14
00048011184715	25	00048011332123	10	00051111557754	14
00048011184722	25	00048011332130	10	00051111557761	14
00048011184777	26	00048011332147	10	00051111557808	14
00048011184821	12	00048011332154	10	00051111559567	37
00048011184838	12	00048011332161	10	00051111559604	37
00048011184852	12	00048011332178	10	00051111559642	14

UPC Number Index

UPC NumberPage	UPC NumberPage	UPC NumberPage
00051111559710.....14	00051115083716.....122	00051131000162.....128
00051111559727.....14	00051115083785.....125	00051131000209.....128
00051111559734.....14	00051115083792.....125	00051131000216.....128
00051111559758.....14	00051115083808.....125	00051131000230.....128
00051111562512.....15	00051115083815.....125	00051131010253.....23
00051111603093.....13	00051115115561.....123	00051131010260.....23
00051111603161.....14	00051115115585.....123	00051131010277.....23
00051111603185.....14	00051115115597.....123	00051131010383.....23
00051111603338.....31	00051115115745.....122	00051131012271.....17
00051111603345.....31	00051115115757.....122	00051131012295.....17
00051111603420.....31	00051115116025.....122	00051131012318.....17
00051111603437.....31	00051115116346.....122	00051131012325.....17
00051111603444.....31	00051115116384.....121	00051131012332.....17
00051111603451.....31	00051115116391.....121	00051131012349.....17
00051111603468.....31	00051115116407.....121	00051131012356.....17
00051111603475.....31	00051115116414.....121	00051131012363.....17
00051111603482.....31	00051115116421.....121	00051131012370.....17
00051111606865.....35	000511151165047.....125	00051131012400.....17
00051111606889.....35	000511151165054.....125	00051131012424.....17
00051111606902.....35	000511151165061.....125	00051131012431.....17
00051111606926.....35	000511151165078.....125	00051131012448.....17
00051111606971.....35	000511151165085.....123	00051131012455.....17
00051111606995.....35	000511151165092.....123	00051131012462.....17
00051111607015.....35	000511151165108.....123	00051131012479.....17
00051111608029.....14	000511151165139.....121	00051131012486.....17
00051111608036.....14	000511151165146.....121	00051131014183.....23
00051111608050.....13	000511151165202.....122	00051131014190.....23
00051111608968.....13	000511151165306.....123	00051131014329.....23
00051111608975.....13	000511151165313.....123	00051131014336.....23
00051111609026.....13	000511151165320.....123	00051131014343.....23
00051111669013.....13	000511151165344.....124	00051131014848.....23
00051111669020.....13	000511151165368.....121	00051131014886.....23
00051111669075.....13	000511151165375.....121	00051131014893.....23
00051115003950.....24	000511151165382.....121	00051131014909.....23
00051115003967.....24	000511151165405.....121	00051131014923.....23
00051115003974.....24	000511151165429.....121	00051131014930.....23
00051115003981.....24	000511151165443.....121	00051131019850.....37
00051115003998.....24	000511151165450.....121	00051131019867.....37
00051115004087.....34	000511151165467.....121	00051131019874.....37
00051115004094.....34	000511151165481.....121	00051131019881.....37
00051115006302.....34	000511151165504.....121	00051131019898.....37
00051115006319.....34	000511151165528.....121	00051131019904.....37
00051115006432.....24	000511151165535.....121	00051131019911.....39
00051115026225.....31	000511151165542.....121	00051131019942.....37
00051115026232.....31	000511151165559.....121	00051131026025.....34
00051115068171.....134	000511151165566.....121	00051131026049.....34
00051115068188.....134	000511151165573.....122	00051131026063.....34
00051115068195.....134	000511151165580.....122	00051131049017.....48
00051115068201.....134	000511151165597.....122	00051131049024.....48
00051115071157.....125	000511151165603.....122	00051131057180.....60
00051115072192.....124	000511151165868.....121	00051131057234.....59
00051115072208.....124	000511151165917.....124	00051131057258.....59
00051115072215.....124	000511151165931.....124	00051131057388.....60
00051115072222.....124	00051128531686.....72	00051131058002.....63
00051115072239.....124	00051128531693.....72	00051131058019.....63
00051115072246.....124	00051128531723.....72	00051131058057.....63
00051115074370.....124	00051128531730.....72	00051131058149.....63
00051115074547.....124	00051128531846.....71	00051131058156.....63
00051115075025.....122	00051128531853.....71	00051131058163.....63
00051115075032.....122	00051128531860.....71	00051131058248.....62
00051115075056.....122	00051128531877.....71	00051131058262.....63
00051115075513.....122	00051128532270.....71	00051131058309.....62
00051115075599.....123	00051128532287.....71	00051131058330.....62
00051115082535.....125	00051128544556.....76	00051131058347.....62
00051115082603.....124	00051131000148.....128	00051131058361.....63
00051115083709.....122	00051131000155.....128	00051131058422.....63

UPC Number Index

UPC NumberPage

00051131058446	63
00051131058606	62
00051131058613	62
00051131058835	62
00051131059733	61
00051131059740	61
00051131059832	61
00051131059900	58
00051131059917	58
00051131059924	58
00051131059955	59
00051131059962	59
00051131060005	58
00051131060012	58
00051131060050	59
00051131060067	59
00051131060272	131
00051131063600	136
00051131063631	136
00051131064393	185
00051131064409	186
00051131064638	118
00051131064812	120
00051131064836	118
00051131064843	118
00051131064881	120
00051131065055	183
00051131065376	133
00051131065383	133
00051131065390	133
00051131065406	133
00051131065451	135
00051131065468	135
00051131065475	135
00051131065482	135
00051131065499	135
00051131065901	150
00051131066786	188
00051131066793	188
00051131066809	188
00051131066816	188
00051131066830	188
00051131067103	133
00051131067127	133
00051131067158	133
00051131067189	133
00051131067264	133
00051131067295	133
00051131067325	133
00051131067363	133
00051131067387	133
00051131067806	62
00051131067837	132
00051131067844	132
00051131067882	132
00051131068025	132
00051131068216	188
00051131068377	57
00051131068438	183
00051131068483	133
00051131068841	151
00051131068933	149
00051131068940	149
00051131068957	149
00051131068964	149
00051131068971	149

UPC NumberPage

00051131068988	149
00051131069503	152
00051131069510	152
00051131069541	151
00051131069619	151
00051131069695	68
00051131069756	68
00051131069763	68
00051131069787	69
00051131069817	69
00051131069824	69
00051131069848	69
00051131069862	69
00051131069923	69
00051131069947	150
00051131069954	69
00051131069961	147
00051131069978	147
00051131070103	172
00051131070110	172
00051131070127	172
00051131070288	172
00051131071520	174
00051131071902	171
00051131074989	57
00051131075214	31
00051131075221	31
00051131083110	126
00051131090057	131
00051131090071	131
00051131090118	131
00051131090194	130
00051131090200	130
00051131090231	131
00051131090330	131
00051131090477	130
00051131090651	131
00051131263307	137
00051131263321	137
00051131263345	137
00051131263369	137
00051131263383	137
00051131263406	137
00051131263413	137
00051131370180	172
00051131370548	174
00051131395268	59
00051131527720	171
00051131539372	126
00051131566602	128
00051131566613	128
00051131572324	126
00051131587083	68
00051131587090	68
00051131587106	68
00051131587113	68
00051131587274	68
00051131587281	68
00051131587298	68
00051131620308	127
00051131620346	127
00051131620360	127
00051131620988	128
00051131640689	128
00051131641198	127
00051131641204	127

UPC NumberPage

00051131641242	129
00051131641259	129
00051131641358	127
00051131652866	127
00051131652880	127
00051131652897	127
00051131664241	129
00051131664265	129
00051131664272	129
00051131667754	128
00051131667778	128
00051131668751	128
00051131669925	128
00051131669932	128
00051131674424	129
00051131675988	129
00051131835450	128
00051131835559	128
00051131913820	128
00051131913868	128
00051131913899	128
00051135052037	130
00051135052051	130
00051135052068	130
00051135052204	130
00051135052600	130
00051135065006	130
00051135065044	130
00051135065204	130
00051135065600	130
00051135065648	130
00051135080016	61
00051135080023	61
00051135080085	61
00051135080511	57
00051135080542	57
00051135080887	57
00051135087961	57
00051135088753	61
00051135088807	58
00051135088920	58
00051135088975	66
00051135088999	58
00051135089453	57
00051135089460	67
00051135089835	66
00051135089934	63
00051135355480	81
00051135355503	81
00051135355510	81
00051135355527	81
00051135355534	81
00051135355541	81
00051135355558	81
00051135355565	81
00051135355572	81
00051135355589	81
00051135355596	81
00051135355602	81
00051135355626	81
00051135355633	81
00051135355640	81
00051135355657	81
00051135355664	81
00051135355671	81
00051135355688	81

UPC Number Index

UPC Number	Page
00051135355695.....	81
00051135355701.....	81
00051135355718.....	81
00051135355725.....	81
00051135355732.....	81
00051135355749.....	81
00051135355756.....	81
00051135355763.....	81
00051135355770.....	81
00051135355787.....	81
00051135355794.....	81
00051135355800.....	81
00051135355817.....	81
00051135355831.....	81
00051135355848.....	81
00051135355855.....	81
00051135355862.....	81
00051135355879.....	82
00051135355886.....	82
00051135355893.....	81
00051135355909.....	82
00051135355916.....	81
00051135355923.....	82
00051135355930.....	82
00051135355947.....	82
00051135355954.....	82
00051135355961.....	82
00051135355978.....	82
00051135355985.....	82
00051135355992.....	82
00051135356005.....	82
00051135356012.....	82
00051135356029.....	82
00051135356036.....	82
00051135364901.....	80
00051135364925.....	80
00051135364949.....	80
00051135364963.....	80
00051135364987.....	80
00051135365007.....	80
00051135366127.....	79
00051135366189.....	79
00051135366196.....	79
00051135366202.....	79
00051135366219.....	79
00051135366226.....	79
00051135366233.....	79
00051135366738.....	83
00051135366806.....	83
00051135366875.....	83
00051135366943.....	83
00051135366950.....	83
00051135367018.....	83
00051135367049.....	83
00051135367094.....	83
00051135367100.....	83
00051135367162.....	83
00051135367209.....	83
00051135367254.....	83
00051135367261.....	83
00051135367315.....	83
00051135367322.....	83
00051135367377.....	83
00051135367438.....	83
00051135367919.....	83
00051135368756.....	80

UPC Number	Page
00051135368763.....	80
00051135368770.....	80
00051135368787.....	80
00051135373460.....	81
00051135373477.....	82
00051135373484.....	82
00051135375914.....	81
00051135375921.....	81
00051135375938.....	81
00051135375945.....	81
00051135376430.....	81
00051135376775.....	79
00051135377680.....	82
00051135381397.....	79
00051135384442.....	79
00051138159290.....	172
00051138162078.....	172
00051138162092.....	172
00051138162108.....	172
00051138163549.....	157
00051138163587.....	158
00051138164188.....	172
00051138166441.....	172
00051138175986.....	175
00051138215422.....	179
00051138216481.....	179
00051138253486.....	95
00051138289966.....	177
00051138289973.....	177
00051138290023.....	177
00051138290030.....	177
00051138290184.....	157
00051138290672.....	179
00051138290702.....	177
00051138290719.....	176
00051138290979.....	176
00051138290986.....	176
00051138291372.....	159
00051138291969.....	171
00051138292065.....	174
00051138292072.....	174
00051138292089.....	174
00051138292157.....	171
00051138360238.....	82
00051138360245.....	82
00051138360252.....	82
00051138360269.....	82
00051138360276.....	81
00051138360283.....	81
00051138462277.....	171
00051138462871.....	175
00051138542030.....	158
00051138542573.....	163
00051138542580.....	163
00051138542597.....	163
00051138661663.....	172
00051138663094.....	172
00051138720445.....	172
00051138727932.....	172
00051138727949.....	172
00051138727956.....	172
00051138728373.....	171
00051138728380.....	171
00051144013326.....	17
00051144014200.....	23
00051144014217.....	23

UPC Number	Page
00051144014224.....	23
00051144014231.....	23
00051144014354.....	23
00051144014378.....	23
00051144014385.....	23
00051144017270.....	13
00051144017416.....	13
00051144020003.....	33
00051144020027.....	33
00051144020034.....	33
00051144020041.....	33
00051144020058.....	33
00051144020065.....	33
00051144020072.....	33
00051144020140.....	33
00051144020157.....	33
00051144020164.....	33
00051144020171.....	33
00051144020188.....	33
00051144020195.....	33
00051144021055.....	31
00051144021062.....	31
00051144021079.....	31
00051144021123.....	32
00051144021130.....	32
00051144021147.....	32
00051144021154.....	32
00051144021161.....	32
00051144021185.....	32
00051144021192.....	32
00051144023424.....	32
00051144023448.....	32
00051144023455.....	32
00051144023462.....	32
00051144023479.....	32
00051144023486.....	32
00051144023493.....	32
00051144023509.....	32
00051144023516.....	32
00051144023523.....	32
00051144024049.....	32
00051144024063.....	32
00051144024087.....	32
00051144024315.....	33
00051144024322.....	33
00051144024339.....	33
00051144050017.....	33
00051144050024.....	33
00051144050048.....	33
00051144050055.....	33
00051144050062.....	33
00051144050079.....	33
00051144050086.....	33
00051144050093.....	33
00051144050109.....	33
00051144050215.....	33
00051144050222.....	33
00051144050246.....	33
00051144050260.....	33
00051144050284.....	33
00051144050291.....	33
00051144050307.....	33
00051144050406.....	33
00051144050413.....	33
00051144050420.....	33
00051144050444.....	33

UPC Number Index

UPC NumberPage

00051144050468	33
00051144050482	33
00051144050505	33
00051144055753	21
00051144055760	21
00051144057009	60
00051144057054	60
00051144057207	60
00051144059553	61
00051144059607	62
00051144100309	31
00051144100316	31
00051144100323	31
00051144102402	32
00051144102419	32
00051144102426	32
00051144102433	32
00051144102440	32
00051144102457	32
00051144102464	32
00051144102471	32
00051144102488	32
00051144102723	32
00051144102730	32
00051144102754	32
00051144103287	32
00051144103294	32
00051144103300	32
00051144103317	32
00051144103324	32
00051144103645	32
00051144106950	33
00051144110001	18
00051144110636	21
00051144111022	19
00051144111039	19
00051144111046	19
00051144111053	19
00051144111060	19
00051144111084	19
00051144111091	19
00051144111107	19
00051144111114	19
00051144111121	19
00051144114184	18
00051144114191	18
00051144130849	60
00051144138739	18
00051144139262	13
00051144139286	13
00051144139309	13
00051144139323	13
00051144139330	13
00051144139347	13
00051144139361	13
00051144139378	13
00051144139774	13
00051144141869	33
00051144141883	33
00051144141906	33
00051144142118	20
00051144142156	20
00051144145195	5
00051144145591	18
00051144145928	39
00051144146239	39

UPC NumberPage

00051144146246	39
00051144146253	39
00051144146550	39
00051144146567	39
00051144146604	19
00051144146611	19
00051144147564	5
00051144148950	5
00051144148967	5
00051144149988	28
00051144149995	28
00051144208746	17
00051144208777	17
00051144208784	17
00051144208838	17
00051144208845	17
00051144208852	17
00051144208876	17
00051144208883	17
00051144208890	17
00051144208913	17
00051144209057	17
00051144209101	17
00051144217496	22
00051144217526	22
00051144217861	22
00051144217878	22
00051144217885	22
00051144217915	22
00051144217922	22
00051144217939	22
00051144217946	22
00051144217953	22
00051144217960	22
00051144217977	22
00051144217984	22
00051144217991	22
00051144218004	22
00051144223497	14
00051144223527	14
00051144223534	14
00051144223923	18
00051144223930	18
00051144223947	18
00051144223954	18
00051144223978	18
00051144223985	18
00051144223992	18
00051144224005	18
00051144224012	18
00051144224029	18
00051144224036	18
00051144224043	18
00051144224050	18
00051144224067	18
00051144224074	18
00051144263165	5
00051144264087	5
00051144265626	5
00051144265640	5
00051144267170	5
00051144267200	5
00051144267231	5
00051144267804	5
00051144267811	5
00051144274239	5

UPC NumberPage

00051144330676	5
00051144336401	5
00051144350889	39
00051144354757	39
00051144354764	39
00051144404148	27
00051144404186	27
00051144450909	20
00051144450916	20
00051144450923	20
00051144450954	20
00051144450961	20
00051144450992	20
00051144451012	20
00051144451029	20
00051144452057	15
00051144722273	5
00051144722280	5
00051144743278	6
00051144764334	19
00051144764365	19
00051144764440	13
00051144765041	61
00051144765195	5
00051144766260	19
00051144766284	19
00051144766291	19
00051144766307	19
00051144766314	19
00051144766321	19
00051144766338	19
00051144766345	19
00051144766796	5
00051144766802	5
00051144766864	5
00051144767335	5
00051144770656	5
00051144771523	5
00051144772230	23
00051144772254	23
00051144772278	23
00051144772292	23
00051144772308	23
00051144772322	23
00051144772346	23
00051144772360	23
00051144772377	23
00051144772391	23
00051144772414	23
00051144772438	23
00051144772445	22
00051144772476	22
00051144772490	22
00051144772513	22
00051144773336	5
00051144773343	5
00051144773367	5
00051144774074	5
00051144774081	5
00051144774432	5
00051144774760	5
00051144774913	5
00051144775125	5
00051144775965	13
00051144776429	5
00051144779925	5

UPC Number Index

UPC Number	Page
00051144779932	5
00051144779987	6
00051144800988	28
00051144800995	28
00051144801763	5
00051144802326	5
00051144802531	5
00051144804863	5
00051144805082	19
00051144805099	19
00051144805112	19
00051144805129	19
00051144805136	19
00051144805150	15
00051144805167	15
00051144805518	5
00051144806508	39
00051144806546	13
00051144806553	13
00051144806560	13
00051144806577	13
00051144806607	13
00051144806614	13
00051144806621	13
00051144806638	13
00051144806782	36
00051144806799	36
00051144806867	5
00051144807598	39
00051144807628	39
00051144807994	36
00051144808007	36
00051144808014	36
00051144808021	36
00051144809424	23
00051144809431	23
00051144809448	23
00051144809455	23
00051144809479	23
00051144809516	23
00051144809769	5
00051144812356	61
00051144813728	13
00051144813759	13
00051144814701	59
00051144817528	5
00051144817672	5
00051144819867	39
00051144821532	5
00051144821785	22
00051144822386	37
00051144823130	5
00051144827701	39
00051144828760	60
00051144828777	60
00051144828784	60
00051144828999	20
00051144832729	39
00051144834884	37
00051144834891	20
00051144836901	14
00051144836918	14
00051144836925	14
00051144836932	14
00051144836956	14
00051144842964	5

UPC Number	Page
00051144843022	5
00051144843039	5
00051144843060	5
00051144843077	5
00051144844043	5
00051144844098	5
00051144844128	5
00051144844166	5
00051144853182	5
00051144853199	5
00051144853724	5
00051144858835	14
00051144858859	14
00051144858866	14
00051144858880	14
00051144858903	14
00051144859603	13
00051144859665	13
00051144859672	13
00051144859689	13
00051144859733	13
00051144859740	13
00051144859771	13
00051144864683	22
00051144864690	22
00051144864706	22
00051144864713	22
00051144864720	22
00051144864737	22
00051144864744	22
00051144864751	22
00051144864768	22
00051144864881	22
00051144864898	22
00051144864904	22
00051144864911	22
00051144864928	22
00051144864935	22
00051144864942	22
00051144864959	22
00051144887552	37
00051144888702	17
00051144888719	17
00051144888726	17
00051144888757	17
00051144888788	17
00051144889020	17
00051144889037	17
00051144889051	17
00051144889068	17
00051144964338	23
00051144964345	23
00051144964956	23
00051144964963	23
00054007000136	84
00054007000143	84
00054007000594	84
00054007000723	88
00054007008392	77
00054007008408	77
00054007010807	98
00054007012207	96
00054007013129	74
00054007013136	75
00054007013150	76
00054007013327	76

UPC Number	Page
00054007013617	97
00054007014218	97
00054007014522	98
00054007014539	98
00054007017769	76
00054007017776	76
00054007018179	74
00054007018186	75
00054007018193	75
00054007018209	76
00054007018216	75
00054007018414	93
00054007018735	97
00054007019237	97
00054007019244	97
00054007019367	94
00054007019374	94
00054007019381	94
00054007020776	74
00054007020783	74
00054007020813	76
00054007021445	75
00054007021490	92
00054007022497	92
00054007022862	91
00054007022879	91
00054007022893	92
00054007022909	91
00054007022916	91
00054007022930	93
00054007022992	92
00054007023005	92
00054007023012	92
00054007023029	92
00054007023067	92
00054007023708	91
00054007023845	91
00054007048329	88
00054007048336	88
00054007048343	88
00054007048350	88
00054007048367	88
00054007061182	77
00054007061281	77
00054007061304	89
00054007061328	89
00054007061342	77
00054007061359	77
00054007061434	88
00054007061472	87
00054007061496	87
00054007061656	86
00054007061953	198
00054007061960	198
00054007062004	70
00054007062011	72
00054007062028	72
00054007062035	72
00054007062042	72
00054007062059	72
00054007062066	70
00054007062073	71
00054007062202	70
00054007062240	72
00054007062257	72
00054007062264	72

UPC Number Index

UPC NumberPage

00054007062271	72
00054007062288	72
00054007062295	70
00054007062325	72
00054007062349	72
00054007062400	71
00054007062431	71
00054007062486	72
00054007062493	72
00054007062509	72
00054007062516	72
00054007062523	72
00054007062561	72
00054007062585	72
00054007062646	71
00054007062677	71
00054007062707	72
00054007062714	72
00054007062721	72
00054007062738	72
00054007062745	72
00054007062752	72
00054007062776	71
00054007062905	71
00054007062929	71
00054007062943	71
00054007062950	71
00054007062967	71
00054007062974	71
00054007062981	71
00054007062998	71
00054007063001	75
00054007063018	75
00054007063186	75
00054007063193	75
00054007063230	95
00054007063254	95
00054007063278	95
00054007063315	95
00054007063391	91
00054007063421	75
00054007063438	75
00054007081593	78
00054007081609	78
00054007081616	78
00054007081623	78
00054007082675	93
00054007082682	93
00054007082705	93
00054007082736	93
00054007083245	122
00054007084273	75
00054007084280	75
00054007085157	82
00054007085164	82
00054007085188	82
00054007085195	82
00054007085201	82
00054007085218	82
00054007085225	82
00054007085850	83
00054007090618	85
00054007090656	85
00054007092308	77
00054007092315	77
00054007092322	77

UPC NumberPage

00054007092339	77
00054007093688	99
00054007093695	99
00054007093701	99
00054007093718	99
00054007093725	99
00054007093732	99
00054007093749	99
00054007093756	99
00054007093763	99
00054007093770	99
00054007093787	99
00054007094043	99
00054007096566	87
00054007099109	86
00054007099635	99
00054007099918	93
00054007099987	76
00054007100751	89
00054007100836	86
00054007102168	85
00054007102243	88
00054007102328	88
00054007102403	88
00054007102571	88
00054007102656	88
00054007102731	88
00054007102816	88
00054007102991	88
00054007103073	88
00054007103233	88
00054007103561	88
00054007103646	88
00054007106388	84
00054007106463	84
00054007106876	88
00054007107033	88
00054007107118	88
00054007107118	88
00054007108108	88
00054007108283	88
00054007108368	88
00054007108443	88
00054007108511	88
00054007108696	88
00054007108856	88
00054007110088	87
00054007110323	77
00054007110408	77
00054007111566	84
00054007112228	87
00054007112716	88
00054007117117	92
00054007117162	93
00054007117209	94
00054007117230	92
00054007118169	93
00054007118206	76
00054007119005	95
00054007119029	78
00054007119289	76
00054007119494	75
00054007119500	75
00054007119548	99
00054007121749	100
00054007121756	99
00054007121770	100

UPC NumberPage

00054007122012	98
00054007123125	75
00054007123132	75
00054007123149	75
00054007123156	75
00054007137603	78
00054007138648	96
00054007138723	96
00054007139065	96
00054007139140	96
00054007139157	96
00054007139225	96
00054007139232	96
00054007139553	96
00054007139638	96
00054007139645	96
00054007139713	96
00054007148531	73
00054007148616	77
00054007148791	77
00054007148876	77
00054007148951	77
00054007150251	84
00054007150336	84
00054007150664	86
00054007150749	86
00054007156031	84
00054007156291	95
00054007156376	95
00054007156529	93
00054007156789	75
00054007157694	78
00054007157854	84
00054007159674	75
00054007161639	94
00054007167266	77
00054007167273	77
00054007167327	76
00054007167358	78
00054007200413	78
00054007200581	78
00054007200901	77
00054007201816	77
00054007212966	87
00054007213468	78
00054007214946	77
00054007215028	77
00054007217343	97
00054007219996	95
00054007221951	74
00054007222033	75
00054007222118	75
00054007223856	97
00054007223931	97
00054007224013	97
00054007224846	94
00054007225676	96
00054007225751	96
00054007226413	95
00054007226581	95
00054007226666	95
00054007226826	94
00054007228806	76
00054007229308	94
00054007229971	76
00054007231028	74

UPC Number Index

UPC Number	Page	UPC Number	Page	UPC Number	Page
00054007231103	74	00054007495710	88	00054007703365	91
00054007231288	75	00054007496519	99	00054007703372	91
00054007231363	75	00054007496595	89	00054007704508	89
00054007232766	92	00054007497004	88	00054007704515	89
00054007233596	97	00054007497028	87	00054007704539	90
00054007233671	97	00054007498995	89	00054007704584	90
00054007234418	94	00054007499183	71	00054007704683	91
00054007234586	94	00054007499190	78	00054007704775	91
00054007236153	96	00054007499480	78	00054007704782	91
00054007236238	96	00054007499503	74	00054007704812	78
00054007236801	92	00054007499510	98	00054007704881	78
00054007237068	95	00054007499527	98	00054007704898	78
00054007237143	95	00054007499534	98	00707387369378	126
00054007237488	94	00054007499589	98	00707387446772	129
00054007240198	74	00054007499602	98	00707387468712	129
00054007240273	74	00054007499619	98	00707387500054	129
00054007240358	75	00054007499633	98	07891040014262	5
00054007240433	75	00054007502166	85	07891040014309	5
00054007241263	92	00054007502173	85	07891040014330	5
00054007241836	92	00054007502180	85	07891040014392	5
00054007262756	198	00054007503354	87	07891040014408	5
00054007274940	86	00054007503361	87	07891040014477	5
00054007388579	82	00054007503422	83	07891040014507	5
00054007388609	82	00054007503439	83	07891040014514	5
00054007388708	82	00054007503446	83	07891040014538	5
00054007388807	82	00054007503453	99	07891040014576	5
00054007388814	82	00054007504191	77	07891040104543	5
00054007388838	82	00054007504283	88	10053200072206	114
00054007388845	82	00054007507277	87	30707387043989	126
00054007388937	82	00054007589730	82	50021200136554	155
00054007388944	82	00054007608257	79	50021200169118	155
00054007388951	82	00054007695639	93	50021200169521	155
00054007389828	82	00054007695738	93	50021200173092	155
00054007389866	82	00054007695752	93	50021200568553	114
00054007413233	86	00054007695783	76	50021200571966	116
00054007417170	87	00054007697640	88	50021200601878	155
00054007417187	87	00054007702047	89	50021200765464	106
00054007417200	88	00054007702054	89	50021200765471	106
00054007417507	86	00054007702092	90	50048011052415	110
00054007417538	87	00054007702108	90	50048011055096	115
00054007417545	87	00054007702177	90	50048011055423	114
00054007420064	87	00054007702191	90	50048011056031	112
00054007420071	87	00054007702214	90	50048011056048	112
00054007420330	78	00054007702436	91	50048011056055	112
00054007427681	84	00054007702566	89	50048011056062	112
00054007428039	85	00054007702573	89	50048011056079	112
00054007428077	84	00054007702580	89	50048011056239	112
00054007428176	73	00054007702597	89	50048011056833	115
00054007428183	73	00054007702603	89	50048011057199	107
00054007428282	73	00054007702610	89	50048011059780	142
00054007431176	74	00054007702627	89	50048011059797	142
00054007431220	74	00054007702665	90	50048011059803	142
00054007431336	74	00054007702672	90	50048011074455	115
00054007431534	73	00054007702689	90	50048011080036	110
00054007431541	73	00054007702795	90	50048011080043	110
00054007431558	73	00054007702818	90	50048011080050	110
00054007434030	85	00054007702825	90	50048011080807	112
00054007434788	87	00054007702849	90	50048011080821	110
00054007435563	79	00054007702863	90	50048011080920	110
00054007439066	73	00054007702887	95	50048011081842	107
00054007439622	88	00054007702894	95	50048011082511	115
00054007494324	97	00054007703112	90	50048011082658	109
00054007494331	97	00054007703136	90	50048011082702	111
00054007494348	97	00054007703297	91	50048011082719	111
00054007495178	100	00054007703334	91	50048011082726	111
00054007495185	100	00054007703341	91	50048011082733	111

UPC Number Index

UPC NumberPage

50048011082740	111
50048011082757	111
50048011082764	111
50048011082771	111
50048011082788	111
50048011082795	111
50048011082801	111
50048011082818	111
50048011082825	111
50048011082924	115
50048011082931	114
50048011083693	110
50048011083709	110
50048011083723	110
50048011083730	110
50048011083747	110
50048011083754	110
50048011083761	110
50048011083778	110
50048011083785	110
50048011083792	110
50048011083808	110
50048011083815	110
50048011083822	110
50048011083839	110
50048011083846	110
50048011083853	110
50048011083860	110
50048011083877	112
50048011083884	112
50048011083891	112
50048011083907	112
50048011083914	112
50048011083921	112
50048011083938	112
50048011083945	112
50048011083952	112
50048011083983	112
50048011083990	112
50048011084041	112
50048011084058	110
50048011084065	110
50048011084072	110
50048011084089	110
50048011084096	110
50048011084102	110
50048011084119	110
50048011084126	110
50048011084133	110
50048011084140	110
50048011084157	110
50048011084164	110
50048011084171	110
50048011084188	110
50048011084218	110
50048011084409	110
50048011084416	110
50048011084423	110
50048011084430	110
50048011084447	110
50048011084454	110
50048011084461	110
50048011084478	110
50048011084485	110
50048011084492	110
50048011084508	110

UPC NumberPage

50048011084805	112
50048011084812	112
50048011084836	112
50048011084843	112
50048011085420	111
50048011085482	110
50048011087509	109
50048011087516	109
50048011087523	109
50048011087530	109
50048011087547	109
50048011087806	105
50048011094897	116
50048011094934	116
50048011095634	140
50048011135149	141
50048011135286	141
50048011135347	141
50048011135354	141
50048011137020	106
50048011137228	142
50048011137235	142
50048011140020	106
50048011140037	107
50048011140044	107
50048011140204	108
50048011141850	108
50048011148040	109
50048011148651	110
50048011150272	114
50048011153891	140
50048011154027	108
50048011154980	108
50048011161070	142
50048011161087	142
50048011168611	106
50048011174384	109
50048011180446	112
50048011180453	112
50048011180460	112
50048011180477	112
50048011180484	112
50048011180491	112
50048011180507	112
50048011180514	112
50048011180521	112
50048011180606	112
50048011180620	112
50048011180637	112
50048011180644	112
50048011180651	112
50048011180668	112
50048011180675	112
50048011180682	112
50048011180699	112
50048011182051	112
50048011182068	112
50048011182075	112
50048011182082	112
50048011182099	112
50048011182129	112
50048011182136	112
50048011190018	111
50048011190025	111
50048011190056	111
50048011190063	111

UPC NumberPage

50048011190070	111
50048011190087	111
50048011190094	111
50048011190100	111
50048011190124	111
50048011190834	116
50048011190841	116
50048011191503	107
50048011191510	107
50048011191527	107
50048011192029	104
50048011192043	101
50048011192111	103
50048011192128	103
50048011192166	143
50048011192173	143
50048011192180	143
50048011192197	143
50048011192203	143
50048011192210	143
50048011192234	143
50048011192241	143
50048011192357	143
50048011192364	143
50048011192371	143
50048011192388	143
50048011192395	143
50048011192791	142
50048011192807	142
50048011192814	142
50048011192821	142
50048011192838	142
50048011192845	142
50048011192852	142
50048011192883	142
50048011192890	142
50048011192920	143
50048011192937	143
50048011192944	143
50048011192968	143
50048011192975	143
50048011192982	143
50048011192999	143
50048011193002	143
50048011193019	143
50048011193026	143
50048011193040	142
50048011193057	142
50048011193163	142
50048011193187	142
50048011193194	142
50048011193217	143
50048011193224	143
50048011193231	143
50048011193248	143
50048011193255	143
50048011193262	143
50048011193279	143
50048011193286	143
50048011193408	142
50048011193699	113
50048011193712	113
50048011199301	106
50048011199707	114
50048011200137	109
50048011200151	109

UPC Number Index

UPC NumberPage	UPC NumberPage	UPC NumberPage
50048011200175109	50048011258602111	50051131071891171
50048011200182109	50048011258619111	50051131071945168
50048011200199109	50048011258633111	50051131370147156
50048011200205109	50048011258657111	50051131370215169
50048011200342109	50048011258664111	50051131370222170
50048011200359109	50048011263385141	50051131370628161
50048011200366109	50048011264177143	50051131370635160
50048011200373109	50048011264191143	50051131370819163
50048011200380109	50048011264207143	50051131370826163
50048011200397109	50048011264214143	50051131370833163
50048011200403109	50048011264481141	50051131371007159
50048011200410109	50048011264498141	50051131371014157
50048011200427109	50048011264566141	50051131371021155
50048011201219101	50048011264580141	50051131371038156
50048011202001105	50048011264641141	50051131371045156
50048011202292142	50048011264771141	50051131371052157
50048011202315142	50048011265181141	50051131371083157
50048011202339142	50048011265198141	50051131371106157
50048011202360141	50048011265648106	50051131371113157
50048011202391141	50048011295249105	50051131371120157
50048011202421140	50048011296031108	50051131371151157
50048011202452140	50048011296963107	50051131525905160
50048011202599112	50048011347467105	50051131525912160
50048011202643109	50048011347474101	50051131525929160
50048011202650109	50048011347528103	50051131525936160
50048011203138113	50048011347559106	50051131525950159
50048011203176111	50048011347580104	50051131525967159
50048011203220112	50048011347597103	50051131527053167
50048011203794109	50048011347634101	50051131527060167
50048011203824111	50048011347641104	50051131527503169
50048011205019114	50048011347658105	50051131527640164
50048011205446140	50048011347726104	50051131527657164
50048011205453140	50048011347740106	50051131527664164
50048011205552140	50048011347757105	50051131527916163
50048011205590140	50048011347825104	50051131527923163
50048011205606140	50048011348549103	50051131527930163
50048011205668140	50048011348624103	50051131528371174
50048011205705140	50048011348631107	50051131528456161
50048011205835140	50048011351426103	50051131528500160
50048011205842140	50048011351433105	50051131529675168
50048011205859140	50048011351440104	50051131620396127
50048011205903140	50048011351457104	50051131620402127
50048011205941140	50048011351464104	50051131620419127
50048011206887115	50048011541063102	50051131622420126
50048011231629115	50048011541087102	50051131654391127
50048011231636116	50048011541094102	50051138087857155
50048011232190106	50048011541100102	50051138087864155
50048011233791115	50048011541117102	50051138090956175
50048011233876140	50048011541124102	50051138163537159
50048011234316140	50048011541131101	50051138163568157
50048011235535101	50048011541148101	50051138163575158
50048011235894116	50051115165431121	50051138163599158
50048011236495116	50051115165783123	50051138175936175
50048011236501116	50051115165790123	50051138175943175
50048011236518116	50051115165806123	50051138175967175
50048011236525116	50051131070009167	50051138175974175
50048011237508140	50051131070016163	50051138176681168
50048011237645140	50051131070023163	50051138213430175
50048011237669140	50051131070030163	50051138213447175
50048011237881140	50051131070078173	50051138213546178
50048011237966140	50051131070245163	50051138213553178
50048011258527111	50051131070252163	50051138213560178
50048011258558111	50051131070269163	50051138215113164
50048011258572111	50051131070474167	50051138215267176
50048011258589111	50051131070658168	50051138215274176
50048011258596111	50051131071846168	50051138215281176

UPC Number Index

UPC NumberPage

50051138215311	177
50051138215434	178
50051138215441	178
50051138215458	178
50051138216745	166
50051138288803	164
50051138288827	164
50051138289107	176
50051138289114	178
50051138289503	179
50051138289848	155
50051138289947	177
50051138289954	177
50051138289985	176
50051138290080	161
50051138290097	160
50051138290684	180
50051138290967	175
50051138291162	178
50051138291414	178
50051138291483	166
50051138292169	173
50051138292183	173
50051138292190	173
50051138292213	171
50051138292220	173
50051138292343	178
50051138292961	174
50051138293333	160
50051138293340	161
50051138293357	161
50051138293418	161
50051138293425	162
50051138293524	173
50051138293531	173
50051138462883	175
50051138462890	179
50051138464573	168
50051138464641	167
50051138464658	166
50051138464665	164
50051138464672	166
50051138464689	164
50051138464696	165
50051138464702	165
50051138464719	165
50051138464887	155
50051138464894	155
50051138541410	171
50051138541434	169
50051138541458	162
50051138541465	162
50051138541595	162
50051138541861	166
50051138541878	165
50051138542042	159
50051138542059	158
50051138542851	169
50051138542950	167
50051138543360	169
50051138543438	169
50051138543568	167
50051138543575	170
50051138543582	170
50051138543681	168
50051138543698	167

UPC NumberPage

50051138543704	170
50051138543711	171
50051138660036	160
50051138660043	162
50051138660685	162
50051138660692	162
50051138660708	162
50051138660807	155
50051138660814	155
50051138661927	170
50051138662184	162
50051138662191	162
50051138662207	162
50051138662986	169
50051138720778	173
50051138767018	162
50051138767025	162
50051138767032	162
50051138767056	162
50051138767063	162
50051138767988	157
50051138768008	156
50051138768015	156
50051138768022	156
50051138768039	156
50051138768046	156
50051138768053	156
50051138768060	156
50051138768077	157
50051138768091	160
50051138768107	160
50051138768114	160
50051138768138	160
50051138768145	160
50051138768152	160
50051138768176	159
50051138768183	159
50051138768190	159
50051138769395	161
50051138769814	161
50053200074567	113
50707387446234	126

Terms and Conditions

PRICING All prices are subject to change without notice. All orders are subject to final acceptance by an officer or authorized agent for XYZ Distributors, Inc.

TERMS Net 30 Days from the date of invoice. Interest charges of 1.5% are applied to all past due accounts.

MINIMUM ORDERS \$50.00 per order. A \$10.00 service charge will be added to all orders less than \$50.00

SHIPPING/HANDLING CHARGES All orders are shipped F.O.B. shipping point, freight collect or prepaid and added to the invoice. Unless a carrier is specified, we will ship the most economical method available. Special shipping is available at an additional charge.

RETURNED GOODS Goods may not be returned without written consent. If the reason for the return is our fault or that of the manufacturer, we will rectify cheerfully and promptly without expense to the customer. If the cause lies with the customer, we will do everything possible to minimize expenses or loss.

CANCELLATIONS Special ordered items, items of special design or items not regularly carried in stock, can not be cancelled or returned without first obtaining our permission and we in turn, the permission of the manufacturer.

WARRANTIES The goods we sell have been manufactured by others and may have limited warranties from the manufacturer. **XYZ Distributors, Inc. makes no guarantee of any kind whatsoever, expressed or implied, unless set forth in a written quotation.** While XYZ Distributors, Inc. makes no such warranty, XYZ Distributors, Inc. has chosen to represent manufacturers whose products we have found to be of high quality. XYZ Distributors, Inc. will do everything possible for the buyer to rectify any problems with the merchandise from XYZ Distributors, Inc. XYZ Distributors, Inc. shall not be liable for damages under any circumstances.

NOTE All terms and conditions subject to change without notice.

Mission Statement

Our mission is to provide the highest quality products at the lowest cost possible, at the same time honoring our suppliers by paying a fair price. We accomplish this by creating the most efficient and effective processes possible.

History

Here we describe how XYZ Distributors came into being, etc.

Any Headings Desired

Formatting: This page can be formatted as desired within standard guidelines.

Content: This page is completely customized based on client specifications.

3M MRO Solutions

Tips, Test Results and Reference Guides

This section of the catalog provides application tips, product selection guides, and other useful information to help you make the right products choices .and get the most out of the products you choose.

But with thousands of 3M MRO products in this catalog, we couldn't include supporting documentation for all of them. This is only a sample of the many tips, test results and reference guides available to you. Please consult your local 3M sales representative, visit 3m.com/mro, or call 1 (800) 567-1639 Ext 4335 (Industrial) or 1(800) 245-3573 (Electrical) if you'd like more information about a product or topic not included here.

What's Here

AbrasivesB1-B3
AdhesivesB4-B6
Facility Care ProductsB7
Masking ProductsB8-B9
BumpersB10
Matting and TreadsB11-B13
Safety ProductsB14-B17
Safety TapesB18

TIPS, TESTS RESULTS AND REFERENCE GUIDES



Abrasive Grade Comparison Chart

Ind'l Mesh-ANSI	FEPA "P"	Trizact™	Micron	Emery	Grade
12					
	P12				
	P16				
16					
	P20				
20					
	P24				
24					
30					
	P30				
36					
	P36			Coarse	
40					
	P40				
50					
	P50				
60					
	P60			Medium	
	P80				
80		A300	180		
	P100				
100				Fine	Ex Coarse
	P120	A160	150		
120					Coarse
	P150	A130			
150					Medium
180					
	P180				
220					
	P220	A90			
	P240				
240		A65	50		Fine
	P280				
	P320				
280					
	P360		40		
320					Very Fine
	P400	A45	35		
	P500		30		
360					
	P600	A35			
400		A30			
	P800	A25	22		
			20		
500					
	P1000	A20	18		
600					Super Fine
	P1200	A16			
			15		
800		A10	12		
1000		A6			Ultra Fine
	P2000		9		
			1		
1200		A5			
	P2500		6		
			5		Microfine

1 inch = 25.4 millimeters
 1 millimeters = 0.039370 inches
 1 micron (μ) = 0.000039 inches

ANSI – American National Standards Institute
 FEPA – Federation of European Producers of
 Abrasives Products

**Scotch-Brite™ Disc
Grade Guide**

Grade abbreviations


- ULF - Ultra Fine
- SFN - Super Fine
- VFN - Very Fine
- FIN - Fine
- MED - Medium
- CRS - Coarse
- XCS - Extra Coarse

**Mineral abbreviations
(prefix to grade)**

- A - Aluminum Oxide mineral
- S - Silicon Carbide mineral
- T - Talc mineral

(Example: AFIN = Aluminum Oxide mineral, fine grade.)


**Density number (prefix
to mineral)**



(Example: 2SMED = Soft density, Silicon Carbide mineral, medium grade.)

Abrasive/Tool Guide

Use the chart below to pair up your favorite tool or machine with the 3M abrasive that'll give you optimal results for your application.



Right Angled Grinder



Right Angled Die-Grinder




Random Orbital

Machine/Product	Grinding	Blending	Finishing	Deburring	Cleaning	Cutting
Right Angled Grinder						
3M™ 281C Fibre Disc	●					
3M™ 501C Fibre Disc	●					
3M™ 785C Fibre Disc	●					
3M™ 985C Fibre Disc	●					
3M™ 988C Fibre Disc	●					
Flexible Grinding Wheel	●					
Depressed Center Wheel	●					
3M™ 563D Flap Disc	●	●				
3M™ 747D Flap Disc	●	●				
Scotch-Brite™ Surface Conditioning Disc		●	●			
Scotch-Brite™ Coatings Removal Disc					●	
Right Angled Die-Grinder						
3M™ Roloc™ Disc 361F	●	●				
3M™ Roloc™ Disc 461F	●	●				
3M™ Roloc™ Disc 777F	●	●				
3M™ Roloc™ Disc 963G	●	●				
3M™ Roloc™ Disc 977F	●	●				
3M™ Roloc™ Fibre Disc 501C	●	●				
3M™ Roloc™ Fibre Disc 785C	●	●				
3M™ Roloc™ Fibre Disc 983C/988C	●	●				
Scotch-Brite™ Roloc™ Surface Conditioning Disc		●	●	●	●	
Scotch-Brite™ Roloc™ Bristle Discs					●	
Scotch-Brite™ Roloc™ EXL Unitized Wheel				●		
Random Orbital/Dual Action Sander						
Scotch-Brite™ Surface Conditioning Disc (Hook-and-Loop)			●	●	●	
3M™ Stikit™ Disc Roll 236U		●	●			
3M™ Stikit™ Disc Roll 363I		●	●			
3M™ Stikit™ Disc Roll 763U		●				
3M™ PSA Disc Roll 316U		●	●			
3M™ Stikit™ Disc Roll 241D		●				
3M™ Stikit™ Disc 300D		●				
3M™ PSA Disc 248D	●	●				
3M™ PSA Disc 778F	●	●				



Bench Motor



Die Grinder



Hand Sanding

Machine/Product	Grinding	Blending	Finishing	Deburring	Cleaning	Cutting
Bench Motor Machine						
Scotch-Brite™ High Strength Discs			●	●	●	
Scotch-Brite™ EXL Deburring Wheels			●	●	●	
Scotch-Brite™ Multi-Finishing Wheels			●			
Scotch-Brite™ Cut & Polish Wheels		●	●			
Flap Wheel 244E/241E/741A		●	●	●		
3M™ Radial Bristle Brush			●	●		
Die Grinder						
Scotch-Brite™ Clean & Strip Discs					●	
Scotch-Brite™ High Strength Discs			●	●	●	
Scotch-Brite™ EXL Unitized Wheels				●		
3M™ Flap Wheels 747D		●				
Mounted Flap Wheel 244E		●				
Scotch-Brite™ Stars			●	●	●	
Scotch-Brite™ Flap Brush CPFB-R & CPFB-S		●	●			
Scotch-Brite™ Flap Brush CFFB-R & CFFB-S		●	●			
Scotch-Brite™ Combi Wheel		●	●			
Scotch-Brite™ Clean & Strip Discs CSD1-R & CSD2-S					●	
Scotch-Brite™ CPD5-R & CPD5-S		●	●			
3M™ 241D Cartridge Rolls		●	●	●		
3M™ 747D Cartridge Rolls		●	●	●		
3M™ 241D Evenrun Bands	●	●				
3M™ 747D Evenrun Bands		●				
Cut-Off Tool						
3M™ Green Corps™ Cut-Off Wheels						●
Hand Sanding						
3M™ 304D Utility Cloth		●	●		●	
3M™ 211K Utility Cloth			●			
3M™ 011K Paper Sheets		●	●			
3M™ 346U Paper Sheets		●				
3M™ 336U Paper Sheets		●				
3M™ 210N Paper Sheets			●			
3M™ 431Q Paper Sheets		●				
3M™ 413Q Paper Sheets			●			
Scotch-Brite™ Hand Pads		●	●		●	
Scotch-Brite™ Multi-Flex Sheet Rolls		●	●		●	
Scotch-Brite™ Clean & Finish Rolls		●	●		●	
Scotch-Brite™ Cut & Polish Rolls		●	●		●	

TIPS, TESTS RESULTS AND REFERENCE GUIDES



With our wide range of adhesives, you're sure to find one that can bond your parts efficiently, reliably and economically.

3M™ Scotch-Weld™ Structural Adhesive Selection Guide

3M structural adhesive formulations include the following pastes and liquids:

- **Epoxy Adhesives** – Available in one- and two-part formulations, they provide the highest strength at elevated temperatures and best chemical resistance of all 3M adhesives.
- **Urethane Adhesives** – Generally lower cost. They cure quickly to an elastic bond in applications requiring flexibility between dissimilar materials. Impact resistance is a distinctive characteristic.

- **Acrylic Adhesives** – Bonds the widest variety of substrates, including hard-to-bond plastics and oily metal. The distinction is high-strength bonding without the surface preparation needed for epoxies and urethanes.
- **Cyanoacrylate Adhesives (Instant adhesives)** – These high-strength liquid formulations harden in seconds through reaction with surface moisture on rigid plastic, glass, metal, rubber and other low-porosity substrates.

Use this chart to help you find the right structural adhesive for your application based on which substrates you're bonding. This chart, however, is only a general guide, and the adhesives shown are among many 3M solutions that might be appropriate. Please consult your local 3M sales representative for more information for product selection and dispensing equipment.

	Wood	Metal	Rubber	EPDM	Glass	Plastics ¹	Nylon	Rigid Foam ²	LSE Materials ³
Wood	DP-100 DP-605 DP-640	EC-2216* DP-460 DP-810	DP-100+ EC-2216* DP-640	CA-40H DP-8010 DP-8010 NS	DP-125 EC-2216* DP-620 NS	DP-100+ EC-2216* DP-620 NS	DP-125 EC-2216* DP-460	DP-100+ EC-2216* DP-620 NS	DP-8005 DP-8010 DP-8010 NS
Metal	EC-2216* DP-420/460 DP-810	DP-100+ DP-420/460 DP-810	DP-100+ DP-125 EC-2216*	CA-40 CA-40H	DP-100+ DP-125 EC-2216*	DP-100+ EC-2216* DP-8010	DP-125 EC-2216* DP-460	DP-100+ DP-125 EC-2216*	DP-8005
Rubber	DP-100+ EC-2216* DP-640	DP-100+ DP-125 EC-2216*	DP-100+ EC-2216* DP-640	CA-40 CA-40H DP-8010	DP-100+ DP-125 EC-2216*	DP-100+ EC-2216* DP-640	DP-125 EC-2216*	DP-100+ EC-2216* DP-640	DP-8010 DP-8010 NS
EPDM	CA-40H DP-8010 DP-8010 NS	CA-40 CA-40H	CA-40 CA-40H DP-8010	CA-40 CA-40H DP-8010	DP-8010 DP-8010 NS	CA-40 CA-40h DP-8010	CA-40 CA-40H	CA-40H DP-8010 DP-8010 NS	DP-8010 DP-8010 NS
Glass	DP-125 EC-2216* DP-620 NS	DP-100+ DP-125 EC-2216*	DP-100+ DP-125 EC-2216*	DP-8010 DP-8010 NS	DP-100+ DP-125 DP-620 NS	DP-125 EC-2216* DEP-620 NS	DP-125 EC-2216*	DP-100+ DP-125 DP-620 NS	DP-8010 DP-8010 NS
Plastics ¹	DP-100+ EC-2216* DP-620 NS	DP-100+ EC-2216* DP-810	DP-100+ EC-2216* DP-640	CA-40 CA-40H DP-8010	DP-125 EC-2166* DP-620 NS	DP-100+ DP-125 EC-2216*	DP-125 EC-2166* DP-460	DP-100+ EC-2166* DP-640	DP-8005 DP-8010 DP-8010 NS
Nylon	DP-125 EC-2216* DP-460	DP-125 EC-2216* DP-460	DP-125 EC-2216*	CA-40 CA-40H	DP-125 EC-2216*	DP-125 EC-2216* DP-460	DP-125 EC-2216* DP-460	DP-125 EC-2216* DP-460	-
Rigid ² Foam	DP-100+ EC-2216* DP-620 NS	DP-100+ DP-125 EC-2216*	DP-100+ EC-2216* DP-640	CA-40H DP-8010 DP-8010 NS	DP-100+ DP-125 DP-620NS	DP-100+ EC-2216* DP-640	DP-125 EC-2216* DP-460	EC-2216* DP-620 NS DP-640	DP-8005 DP-8010 DP-810 NS
LSE ³ Materials	DP-8005 DP-8010 DP-8010 NS	DP-8005	DP-8010 DP-8010 NS	DP-8010 DP-8010 NS	DP-8010 DP-8010 NS	DP-8005 DP-8010 DP-8010 NS		DP-8005 DP-8010 DP-8010 NS	DP-8005 DP-8010 DP-8010 NS

- Epoxy Adhesive
- Acrylic Adhesive
- Urethane Adhesive
- Cyanoacrylate Adhesive

1. Plastics include ABS, PVC, acrylic, etc. (polyolefins are not included in this list)
 2. Rigid foam includes beadboard, styrene, and urethanes.
 3. LSE (low surface energy) materials include polyolefin, polypropylene, and polyethylene.

*Available in 43ml Duo-Pak Cartridges.

Approximate Coverages for 3M™ Scotch-Weld™ Adhesives in Duo-Pak Cartridges

Bead Size Dimension*	Linear Ft. per 35 ml (10:1 Cart.)	Linear Ft. per 37 ml (2:1 Cart)	Linear Ft. per 43 ml (3:2 Cart.)	Linear Ft. per 50 ml (1:1 Cart.)	Linear Ft. per 200 ml (1:1 & 2:1 Cart)	Linear Ft. per 250 ml (10:1 Cart)	Linear Ft. per 250 ml (1:1 Caulk Cart.)	Linear Ft. per 12 fl. oz. (355 ml) (1:1 & 2:1 Cart.)	Linear Ft. per 400 ml (1:1 & 2:1 Cart.)
1/2 in.	1.9	2.0	2.2	2.5	10	12.5	12.5	19	21
3/8 in.	3.3	3.5	3.9	4.5	18	22.5	22.5	33	37
1/4 in.	7.5	8.0	9.0	10.5	41	52	52	75	83
1/8 in.	29.3	31.0	35.7	41.5	165	205	205	298	331
1/16 in.	115.2	122.0	142.0	165.0	656	825	825	1182	1313

Approximate Coverages Per Gallon for 100% Solids Adhesives

Based on Thickness

Wet Thickness per 1000 sq. ft.	Square ft. per gal. (approx.)	Approx. gal. reqd. per 1000 sq. ft.
1/2 in.	3.2	312.8
1/8 in.	12.8	78.0
1/16 in.	25.6	39.0
1/32 in.	51.2	20.0
25 mil	64.0	16.0
1 mil	1600.0	0.62

Based on Bead Size

Bead Size Dimension*	Approx. Linear ft. per gal.	Approx. gal. per 1000 Linear ft.
1/2 in.	196	5.0
3/8 in.	350	3.0
1/4 in.	785	1.3
1/8 in.	3,130	0.32
1/16 in.	12,420	0.08

*Bead size is semi-circular bead with width equal to size noted and height at center of bead equal to 1/2 the width.

NOTE: The technical information and data provided here should be considered representative or typical only, and should not be used for specification purposes.



Need help? Ask the 3M experts.






Call your local 3M representative or the 3M technical hotline at 1 (800) 567-1639 Ext 4335 for more information about adhesive selection and dispensing equipment.

TIPS, TESTS RESULTS AND REFERENCE GUIDES

3M™ Scotch-Weld™ Anaerobic Adhesives

Who else but 3M could bring you the latest in adhesive technology: anaerobic adhesives. They cure quickly in the absence of air . perfect for threaded bolts, gaskets and more.

NOTE: These adhesives are not in the product pages of this 2005 catalog. They are available in late 2005. For more information, call your local 3M representative or the 3M technical hotline at 1-800-362-3550.

	PRODUCT NUMBER	STRENGTH	APPLICATION AND FEATURES	TECHNICAL DATA <small>(Data are typical values. Refer to TDS for actual data ranges.)</small>
 <p>Threadlockers Prevents corrosion Vibration resistant</p>	3493	LOW	Screw grade. Thixotropic. Hand tools required for disassembly.	Torque-Break/Prevail: 50/30 lb. in. Bolt Size: less than 5/16". Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3494	MEDIUM	Nut grade. Thixotropic. Hand tools required for disassembly.	Torque-Break/Prevail: 120/50 lb. in. Bolt Size: 1/4"-3/4". Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3495	MEDIUM HIGH	Permanent, controlled torque. High breakaway, reduced prevailing torque. Heat and hand tools required for disassembly.	Torque-Break/Prevail: 200/100 lb. in. Bolt Size: 1/2"-1". Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3496	HIGH	Permanent, low viscosity. High breakaway, high prevailing torque. Heat and hand tools required for disassembly.	Torque-Break/Prevail: 230/330 lb. in. Bolt Size: 1/2"-1". Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3497	HIGH	Permanent, high temp, high viscosity. High breakaway and prevailing torque. Heat and hand tools required for disassembly.	Torque-Break/Prevail: 130/225 lb. in. Bolt Size: 1/2"-1 1/2". Temp. Range: -65° F to 450° F (-55° C to 232° C)
	3498	MEDIUM	For pre-assembled bolts, penetrates by wicking. Also seals and welds porous metals. Locking and sealing small compression and ferrule fittings.	Torque-Break/Prevail: 85/250 lb. in. Bolt Size: greater than 1/4". Temp. Range: -65° F to 400° F (-55° C to 204° C)
 <p>Retaining Compounds For rigid cylinder assemblies</p>	3434	MEDIUM HIGH	For high temperature applications. High viscosity thixotropic compound. Suitable for cylinder and heat exchanger applications.	Max Gap Fill: 0.015" (0.38mm) Shear: 2500 psi. Temp. Range: -65° F to 450° F (-55° C to 232° C)
	3435	MEDIUM	General purpose, low viscosity retaining compound for rigid cylindrical assemblies. Augments press fits.	Max Gap Fill: 0.005" (0.13mm) Shear: 2500 psi. Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3436	MEDIUM	Non-running gel retaining compound. For repair of worn shafts, worn splines, worn keyways and worn housings.	Max Gap Fill: 0.020" (0.51mm) Shear: 3250 psi. Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3437	HIGH	Medium viscosity. For rigid assemblies. Suitable for slip fit assemblies.	Max Gap Fill: 0.015" (0.38mm) Shear: 3700 psi. Temp. Range: -65° F to 300° F (-55° C to 149° C)
 <p>Thread Sealants Seals instantly Won't stretch or shrink</p>	3477	LOW	Medium viscosity sealant. No Fillers. Fast curing. For all hydraulic and pneumatic fittings. Will not clog valve or filters. Hand tools disassembly under 1" diameter. Heat required over 1" diameter.	Max Pipe Diameter: up to 2" Breakaway Torque: 15 lb. in. Temp. Range: -65° F to 300° F (-55° C to 149° C)
	3478	LOW	Pipe sealant for stainless steel, Monel, and other inactive metal surfaces. Faster cure. High temperature applications. Dismantle using normal tools.	Breakaway Torque: 25 lb. in. Temp. Range: -65° F to 400° F (-55° C to 204° C)
	3479	MEDIUM	High lubricity/high temperature pipe thread sealant. Instant seal. Slow cure. Can re-adjust up to 24 hrs. later.	Breakaway Torque: 50 lb. in. Temp. Range: -65° F to 400° F (-55° C to 204° C)
		CURED STATE		
 <p>Gasket Makers Reduces inventory Replaces pre-cut gaskets</p>	3453	RIGID	High temperature, general purpose gasket maker for all types of metal parts. Hand dispensing or screen printing. Instant low pressure seal.	Unprimed Gap Fill: 0.010" (0.25mm) Primed Gap Fill: 0.020" (0.50mm) Temp. Range: -65° F to 400° F (-55° C to 204° C) Lap Shear: 1000 psi.
	3454	FLEXIBLE	For aluminum flanges. Does not shrink or relax. Provides an instant low pressure seal without use of activator.	Unprimed Gap Fill: 0.010" (0.25mm) Primed Gap Fill: 0.050" (1.27mm) Temp. Range: -65° F to 300° F (-55° C to 149° C) Lap Shear: 1250 psi.
	3455	FLEXIBLE	General purpose. Used on gearbox covers, pump flanges, fuel and water pumps. Provides instant low pressure seal for most gasket sealing applications.	Unprimed Gap Fill: 0.010" (0.25mm) Primed Gap Fill: 0.050" (1.27mm) Temp. Range: -65° F to 300° F (-55° C to 149° C) Breakaway Torque: 65 lb. in.
 <p>Anaerobic Activator For all anaerobics</p>	3989	N/A	Accelerates cure on all anaerobics and assures total curing on inactive metals. Solvent based.	Solvent: Acetone (Flammable) Dry Time: 30-60 sec. Lasts for 30 days on part




Facility Care

From glass cleaners to heavy-duty degreasers . from handheld sponges and wipes to floor pads, 3M offers a variety of products to help keep your facility clean. And they do it better than other products. Here are some test results to prove it.



Scotch-Brite™ High Performance Cloth

After 10 passes, the three leading competitors cannot achieve the 90%+ effectiveness that the Scotch-Brite™ High Performance Cloth achieves in just one pass.



3M™ Floor Pads

Tests prove that 3M floor pads can help reduce labor time compared to other pads.



3M Floor Pad Selection Guide

Maintenance Operation	Equipment Type	Machine Speed	3M™ Floor Pad (First choice pad for each operation.)
Strip To remove all finish, sealer and contaminants from the floor surface. Done at the start of a maintenance program and at times when scrubbing will not achieve the desired results.	Rotary or Automatic	Low speed 175-600 RPM	3M™ High Productivity Pad 7300 Quickly and thoroughly removes old finish, dirt and buildup. Unique, open web construction—stripping solution flows through pad to rinse out dirt and reduce loading for increased pad-to-floor contact, more efficient stripping. For heavy finish buildup, quick stripping and stain removal.
Scrub Done prior to replacing worn finish; provides a fresh new surface to maintain.	Rotary or Automatic	Low speed 175-600 RPM	3M™ Blue Cleaner Pad 5300 For heavy-duty scrubbing prior to recoating. Can also be used for heavy duty spray cleaning or foam scrubbing. Removes dirt, spills and scuffs, leaving a clean surface ready for recoating.
Clean To remove light soil and other contaminants.	Rotary or Automatic	Low speed 175-600 RPM	3M™ Red Buffer Pad 5100 For light scrubbing. Cleans without dulling floor finish.
Buff/Spray Buff To remove scuffs and black heel marks and enhance floor appearance.			3M™ Red Buffer Pad 5100 Specially designed for spray buffing. Cleans when damp, buffs when dry. Quickly cleans and removes scuff marks while polishing floor to a high gloss.
Burnish To repair finish and improve gloss and image clarity of floor surface.	Electric, Battery, Propane	Ultra high speed 1500 RPM and above	3M™ Eraser™ Burnish Pad 3600 Ideal for harder finishes and heavy-traffic floors. Removes black marks in fewer passes than other pads. Retains excellent gloss and image clarity. Excellent durability and minimal finish removal. Best for black mark removal.
Scuff & Mark Removal Best Gloss	Electric, Battery, Propane	Ultra high speed 1500 RPM and above	3M™ Aqua Burnish Pad 3100 For use on softer finishes. Produces a brilliant gloss. Exceptional durability and life. The problem solver for soft finishes.
Soft Finish			

TIPS, TESTS RESULTS AND REFERENCE GUIDES



Masking Tape

Whether you're painting, bundling or repairing, choosing the right tape — then using the right taping techniques — will help ensure you get the results you're looking for.

Masking Tape Selection is as Easy as Class I, II, III.

There are a lot of masking tapes to choose from in this catalog. But we've simplified things by narrowing them down to nine tapes that provide reliable performance for most MRO applications. You should be able to find the right 3M masking tape for your application just by answering five simple questions. If not, please consult your local 3M sales representative for more information about the many other 3M masking tapes available for more specialized requirements.

1. What is your application?
2. To what temperature will the tape be exposed during use?
3. Do you need maximum holding power during use?
4. Do you need maximum paint edge sharpness when the tape is removed?
5. Do you need the tape to remove cleanly without slivering or adhesive residue?

The following tapes all provide reliable masking, holding and clean removal on most surfaces.

Classification	Tape (and Temperature Performance)	Holding Strength*	Paint Line	Clean Removal
Class I Our best-in-class masking tapes for use on high-valued products and processes.	2693 (up to 325°F)	XXX	XXX	XXX
	231 (up to 300°F)	XX	XXX	XXX
	232 (up to 250°F)	XXX	XXX	XXX
Class II For functional coatings or paints, splicing, and heavy-duty maintenance.	2380 (up to 325°F)	XXX	XXX	XX
	2364 (up to 300°F)	XX	XX	XX
	234 (up to 250°F)	XXX	XX	XX
Class III For light-duty bundling, attaching and labeling.	2307 (up to 200°F)	XX	XX	X
	200 (up to 200°F)	XX	X	X
	2214 (up to 150°F)	X	X	X

Temperature performance based on 30-minute bake.

* Holding strength to common surfaces (i.e., steel, paint.)

X = Good XX = Better XXX = Best


Masking Tape Application and Removal Tips

Make the most of your 3M™ Masking Tape, and your time. It's easy to get a sharp paint line – with no adhesive residue or tape fragments left behind – when you follow these simple tips for putting tape on...and taking it off.

Surface Conditions

A clean surface improves masking tape adhesion and promotes clean removal. Simply wipe the surface with a dry, lint-free cloth to remove dust, dirt and moisture. To remove oil or grease, wash the surface with soap and water. Tougher cleaning jobs may require isopropanol or an industrial solvent like heptane to prepare the surface. (Always follow MSDS handling instructions.)

Surface temperatures between 50 - 90° F (10 - 32° C) are best. Colder surfaces may cause the adhesive to firm up so the tape doesn't stay on. Hot surfaces can cause the adhesive to soften and smear.



Thin crepe is better than thick. Thick crepe causes paint to build up along the tape edge, creating a visible paint ridge. Paint can seep in, leaving a fuzzy paint line. 3M masking tapes use a thin crepe backing that helps reduce these problems.

Tape Handling

Avoid stretching the tape. Pull at least a foot of tape from the roll, then press down small increments of tape, keeping a loose drop between the surface and the roll. Tape that is stretched may lift or break. Lay tape into depressions without forcing or stretching it. This helps ensure adhesion and a sharp paint line if the tape shrinks during painting or drying.



Firmly press down tape edges. After laying the tape into position, press down the edges to prevent seepage and jagged paint lines. (Use a plastic 3M™ P.A.-1 Tape Wiper or plastic scraper.)



Tip: Tab the end for easier removal. Fold over and stick the end of the tape to itself to create an easy starting point for tape removal. It also helps reduce paint slivering!

Tape Removal

Not too fast, not too hot.

To remove masking tape cleanly and without slivering, pull the tape at a moderate speed – not too fast, not too slow – keeping it at a 90 degree angle to the surface. Remove tape when the surface temperature ranges from 60 to 120° F (15 to 49° C). This helps prevent adhesive transfer and slivering.




Tip: If a small bit of adhesive transfers to the surface, rub the adhesive with your finger to roll it into a ball. Or dab up the adhesive with another piece of tape. If adhesive has hardened onto the surface, scrape it with a razor blade or sand it with fine grit sandpaper. Use caution to prevent surface damage.

Reminder: Always test tape application in an inconspicuous area before full scale application. Before using any cleaning agent, review manufacturer MSDS and test the surface in an inconspicuous area.

Technique Tip: Over-Tape Masking for Fine Paint Lines

When the finished job requires a very fine paint line, first apply a fine line masking tape – such as Scotch® Fine Line Tape 215 or 218 – to the surface. Next, apply a 3M crepe masking tape over the fine line tape. Set the edge of the crepe tape back from the edge of the fine line tape. The crepe holds gross masking paper or film in place.



Need help? Ask the 3M experts.

Call your local 3M representative or the 3M technical hotline at 1 (800) 567-1639 Ext 4335 for help with masking tape selection and application tips.

TIPS, TESTS RESULTS AND REFERENCE GUIDES



Looking for bumpers but only need a handful? 3M™ Bumpon™ Protective Products are now available in convenient blister packs that feature the most popular and versatile shapes, sizes and colors . for MRO customers who need bumpers in fewer numbers.

3M™ Bumpon™ Protective Products in Blister Packs

- Just peel and apply – no screw holes, no glue mess, no drying time needed.
- Stick to metal, wood, plastic, wallboard and more.
- Resist marring and staining of surfaces.
- Provide excellent skid and abrasion resistance.
- Multiple shapes, profiles and colors for design flexibility.

Applications:

- Stop noise and vibration when closing cabinet drawers/doors.
- Protect electronics and equipment from vibration and skidding; protect desktops and other surfaces from scratches.
- Help keep frames from shifting on the wall.
- Maintain gap between electronic equipment and other surfaces for venting or stabilization.

Point of contact



Select flat for increased load and wear resistance; hemisphere for increased sound damping and impact absorption

Profile



Select low for increased load and shear resistance; high for better heat dissipation.

	Blister Pack Number	Color	Adhesive*	Shape	Hardness (Shore A)	Width x Height in. (mm)	Items per Pad	Pad Size approx in.
	SJ5012	Black	R-30	Cylindrical	70	0.50 x 0.140 (12.7 x 3.6)	56	4.62 x 4.12
	SJ5018	Black	R-30	Tapered Square	70	0.50 x 0.230 (12.7 x 5.8)	80	5 x 4
	SJ5201 Roll Stock	Light Brown	R-25	Hexagon Die-Cut	25	0.433 x 0.125 (11.0 x 3.2)	132	4.50 x 4.18
	SJ5302	Transparent	A-20	Hemisphere	75	0.312 x 0.085 (7.9 x 2.2)	96	5.12 x 3.62
	SJ5312	Transparent	A-20	Cylindrical	75	0.50 x 0.140 (12.7 x 3.6)	56	4.62 x 4.12
	SJ5412	True White	A-20	Cylindrical	70	0.50 x 0.140 (12.7 x 3.6)	56	4.62 x 4.12
	SJ6553 Quiet Clear	Clear	R-25	Hexagonal Cone	55	0.433 x 0.120 (11.0 x 3.05)	132	5.75 x 4.37

***3M Pressure Sensitive Adhesives**

A-20: Acrylic for high strength adhesion to high surface energy materials

R-25: Synthetic rubber for reliable adhesion to low surface energy materials

R-30: Natural rubber for reliable adhesion to a wide variety of surfaces

Note: The above technical information and data should be considered representative or typical only, and should not be used for specification purposes.



Matting and Treads

Whether it's entrance matting or work area matting and treads, these application guides can help you choose the right flooring products for your facility.

Entrance Matting System

A 3M entrance matting system is designed to stop dirt and moisture at the door, helping keep floors clean throughout your entire facility. It's called a system because it's more than just a single mat. It consists of different types of mats, each doing its specific job to help keep your building clean. The matting is available in many sizes, colors and constructions to fit any décor and traffic level. 3M entrance matting systems provide:

- **Better looking floors**
Continually provides a cleaner floor at the entrance and throughout the facility.
- **Floors that stay cleaner longer**
Helps protect the floor from damage due to tracked-in soil and other debris.
- **Easier-to-maintain floors**
Reduces the time and effort needed to clean and maintain floors.
- **Safer floors**
Reduces dirt and water on hard floors, which can help reduce slips and falls.

There are two basic types of matting within the 3M entrance matting system:

Scraper Matting



This outdoor and foyer matting is your first line of defense, scraping dirt and moisture from shoes. 3M offers two types of scraper matting:



- Vinyl looped construction that allows dirt and moisture to fall below the matting surface, keeping shoes clean and dry. An ideal first mat for your matting system.
- Open "Z", vinyl construction with peaked edges that provide excellent scraping action. For foyers and recessed wells.

Carpet Matting




Carpet matting is the last line of defense in the 3M entrance matting system. Designed for indoor use, this matting removes moisture as well as dirt not removed by the outdoor scraper matting. 3M carpet matting has a patented dual-fiber design with:


- Course polypropylene fibers that scrape soil particles from shoes.
- Fine nylon or polypropylene fibers that help wick away water.



Vinyl loop scraper matting




Open "Z" scraper matting



Dual-fiber carpet matting

Fatigue-Resistant Matting



186975



3M™ Safety-Walk™ Cushion Matting is intended to reduce muscle discomfort and body aches due to fatigue. Available with solid top for dry areas, or an open construction that lets liquids flow through the mat. Use in areas where workers are standing or walking:

- Workstations
- Packaging areas
- Inspection stations
- Computer control areas




3M™ Safety-Walk™ Cushion Matting 3270

Coiled vinyl-loop construction with anti-slip solid top.





3M™ Safety-Walk™ Cushion Matting 5100

Rigid vinyl with open, “flow-through” Z-web construction.



3M™ Safety-Walk™ Cushion Matting 3400

Vinyl foam Z-web construction with anti-slip solid top.



Slip-Resistant Tapes and Treads




3M™ Safety-Walk™ Tapes and Trends feature a mineral surface intended to improve sure-footedness while reducing slips and falls in areas where additional traction is required for foot or cart traffic:

- Ramps
- Steps
- Greasy and oily areas
- Anywhere additional traction is needed




3M™ Safety-Walk™ Slip-Resistant General Purpose Treads, 600 Series

For heavy shoe, boot and cart traffic.




3M™ Safety-Walk™ Slip-Resistant Conformable Treads, 500 Series

Conforms around corners and irregular surfaces. For heavy shoe, boot and cart traffic.




3M™ Safety-Walk™ Medium Resilient Tapes and Treads, 300 Series

For barefoot- and shoe-traffic areas.



3M™ Safety-Walk™ Fine Resilient Tapes and Treads, 200 Series

For wet, barefoot-traffic areas.



Drainage Matting for Wet Areas


The open construction of 3M™ Safety-Walk™ Wet Area Matting allows liquid to pass through the mat to the floor underneath, providing a safer, drier walking surface in areas where water or other liquids are often present:

- Showers
- Locker rooms
- Washrooms/Wash areas
- Beverage stations



3M™ Safety-Walk™ Wet Area Matting 3200

Flexible vinyl with open, “flow-through” Z-web construction.



TIPS, TESTS RESULTS AND REFERENCE GUIDES



Particulate Respirators






These respirators accommodate a wide range of safety equipment, including eye and hearing protection.

Particulate Respirator Selection Guide



	PRODUCT #	CLASSIFICATION	SUGGESTED APPLICATIONS	3M™ COOL FLOW™ VALVE	M-NOSE CLIP	FACE-SEAL	ADVANCED ELECTRET MEDIA	CARBON FILTER MATERIAL	CAKE RESISTANT MEDIA	ADJUSTABLE STRAPS
Dusty Conditions		8110S	N95 (small)	Grinding, Sanding, Sweeping, Other dusty operations			x			
		8210	N95	Grinding, Bagging, Sanding, Sweeping, Other dusty operations			x			
		8211	N95	Grinding, Bagging, Sanding, Sweeping, Buffing, Cement, Poultry, Textile, Lime, Other dusty/hot operations	x	x	x			
		8240	N95	Grinding, Machining, Sanding, Sweeping, Other dusty/oily operations			x			
		8511	P95	Grinding, Bagging, Sanding, Sweeping, Other hot/dusty operations	x	x	x			
		8271	N95	Grinding, Machining, Sanding, Sweeping, Other dusty/hot/oily operations	x	x	x			
		9210	N95	Grinding, Bagging, Sanding, Sweeping, Other dusty operations			x			
		9211	N95	Grinding, Bagging, Sanding, Sweeping, Other dusty operations	x		x			
Dusty Conditions/Nuisance Odors		8246	R95	Aluminum smelting, Paper processing, Brewing operations, Glass etching, Chemical processing			x	AG		
		8247	R95	Foundry operations, Undercoating, Lab settings, Agriculture, Petrochemical processing			x	OV		
		8516	R95	Aluminum smelting, Paper processing, Brewing operations, Glass etching, Chemical processing	x	x	x	AG		
		8576	P95	Aluminum smelting, Paper processing, Brewing operations, Glass etching, Chemical processing	x	x	x	AG		
		8577	P95	Foundry operations, Undercoating, Lab settings, Agriculture, Petrochemical operations	x	x	x	OV		

AG = 3M recommended nuisance level acid gas relief (nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower).
 OV = 3M recommended nuisance level organic vapor relief (nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower).
 OZ = 3M recommended for ozone protection up to 10X OSHA PEL or applicable government occupational exposure limits, whichever is lower.

Welding and Metal Pouring

	PRODUCT #	CLASSIFICATION	SUGGESTED APPLICATIONS	3M™ COOL FLOW™ VALVE	M-NOSE CLIP	FACE-SEAL	ADVANCED ELECTRET MEDIA	CARBON FILTER MATERIAL	CAKE RESISTANT MEDIA	ADJUSTABLE STRAPS
	8212	N95	Welding, Torch cutting, Brazing, Soldering, Metal pouring	x		x	x		x	x
	8512	N95	Welding, Torch cutting, Brazing, Soldering, Metal pouring	x			x		x	x
	8214	N95	Welding, Torch cutting, Brazing, Soldering, Metal pouring, Stainless, Galvanized	x		x	x	OV OZ	x	x
	8514	N95	Welding, Torch cutting, Brazing, Soldering, Metal pouring, Stainless, Galvanized	x			x	OV OZ	x	x
	8515	N95	Welding, Torch cutting, Brazing, Soldering	x	x		x			

Class 100

	8233	N100	Lead, Arsenic, Cadmium, Welding, Pharmaceutical mfg.	x		x	x			x
	8293	N100	Lead, Arsenic, Cadmium, Welding, Pharmaceutical mfg.	x		x	x			x

Respirator Features




Cool Flow™ Exhalation Valve

Patented one-way valve for easy exhalation and cool, dry comfort.




Advanced Electret Media

Advanced electrostatically charged microfibers help make breathing easier and cooler.




Adjustable buckle straps

A single tug helps provide a comfortable, secure fit.



M-noseclip

Adjusts easily for fewer pressure points and greater comfort.




Carbon filter material

Carbon layers remove many nuisance odors for greater wearer comfort.




P-series filter

Featuring Advanced Electret Media, appropriate for prolonged use in both oil and non-oil containing environments.



Face seal

Soft and secure; conforms closely to face for long-lasting comfort.



Cake-resistant filter media

Specially designed filter layers provide longer respirator life and easier breathing.

TIPS, TESTS RESULTS AND REFERENCE GUIDES

Sorbents

Selecting the right sorbent is critical to controlling leaks, spills, drips – and costs.

Five Ways to Reduce Sorbent Costs

1. Consider all factors of the cost equation: Purchase Price + Labor + Disposal Cost

Synthetic sorbents cost more to buy, but they can greatly reduce labor and disposal costs in comparison to bulky organic (ground-up corn cobs, sawdust) and inorganic (silicates and clay kitty litter) sorbent materials. (See cost comparison vs. clay.)

2. Selective vs. non-selective

To absorb oil- and water-based fluids separately, use selective sorbents. (Selective sorbents are ideal for absorbing oil outdoors because they don't absorb rain water.) To pick up both oil- and water-based fluids at once, use a non-selective sorbent.

3. Choose the right “shape”

Synthetic sorbents come in rolls, pads, booms, pillows, rugs and drum covers. You make a selection for each application, or choose the multipurpose 3M™ Folded Sorbent to serve a variety of needs and save on inventory.







4. Allow sorbents to saturate

High capacity sorbents are most cost-effective when you let them absorb their full capacity. Leave them in place longer than you would a regular sorbent!

5. Separate, recycle and reuse

Use a centrifuge to separate absorbed fluids for reclaiming or recycling. Some 3M sorbents are reusable. An EPA study demonstrated savings of 51% to 75% when sorbents are reused from 2 to 8 times.

Cost Comparison: 3M™ Sorbents vs. Clay Granules
(for cleaning up 25 gallons of fluid)

Materials	
<p>2/3 case (66 pads) M-PD1520DD (1 case (100 pads) will absorb approximately 37.5 gallons)</p> 	<p>5.7 - 50-lb. bags (One 50-lb. bag will absorb approximately 4.4 gallons)</p> 
Labor	
<p>6.7 lbs. sorbent + 182.5 lbs. oil = 189.2 lbs. 189.2 lbs. at 6 lbs. per minute clean-up = 32 minutes of worker time</p> 	<p>285 lbs. clay + 182.5 lbs. oil = 467.5 lbs. 467.5 lbs. at 2 lbs. per minute clean-up = 234 minutes (plus breaks) of worker time</p> 
Drums and Disposal	
<p>0.5 drum to hold sorbent and fluid for disposal</p> 	<p>1.6 drums to hold clay granules and fluid for disposal</p> 

3M sorbent capacities are based on 3M laboratory data. Clay granule data was obtained from the Sorptive Mineral Institute. Labor savings are based on data collected by 3M and a major U.S. manufacturer and reflect an expected labor savings in most operations.




3M™ Maintenance Sorbents, High Capacity

High capacity maintenance sorbents are extremely lightweight and easy to carry to the spill site. Perforated sorbent strips offer a great deal of flexibility: Short or long sections can be selected and formatted into booms, pillows, pads or rolls – whatever shape fits the spill. This versatility makes them ideal for use on spill response carts, as well as regular mess containment around oily equipment and storage drums.




Convenient

Carry 3M™ Maintenance Sorbents to the spill site...then tear off then length you need. Sorbents are perforated in 16-in. lengths.



Carry

Tear



Unopened

Around Corner

Unfold

Open

Flexible

Folded sorbent strips offer a great deal of flexibility: Use them unopened for greater absorption under heavy leaks. Fold them around corners. Or unfold them to soak up larger spills.



3M™ Maintenance Sorbent – Folded M-FL550DD:

Offers excellent absorption performance, flexibility, convenience and value. Use to absorb cutting oil, coolants, aqueous- or petroleum-based liquids, and other non-aggressive fluids.

Need help? Ask the 3M experts.

Call your local 3M representative or the 3M technical hotline at 1 (800) 567-1639 Ext 4335 for help with sorbent selection and other cost-saving ideas.



Using brightly colored tape to mark on floors, physical hazards and dangerous equipment helps prevent accidents and injuries.

OSHA Regulations Color Guide

The colors and applications shown here comply with OSHA (Specification 1910-144, and are recommended by the American National Standards Institute, Inc. (Color scheme from booklets ANSI Z53.1-1979 and ANSI A13.1-1981)

Lane Marking

Black/white or black/yellow diagonal striped, and black and yellow solid colored tapes are the basic colors for lane marking

Fire Safety

Red immediately identifies fire protection equipment and apparatus, including fire alarm boxes, fire blanket boxes, fire extinguishers, and emergency stop bars, buttons and switches.

Physical Hazards

Yellow or Yellow/Black Stripes is used for marking physical hazards, such as low pipes, beams, handrails, pillars, posts and fixtures that extend into work areas. Yellow is also used to warn against using equipment under repair.

Danger

Orange identifies dangerous machine and equipment parts that may cause serious injury. Orange should be used to mark hazardous parts that are exposed when enclosure doors are open or guards are removed.

Safety/First Aid

Green designates safety and first-aid equipment, such as air tanks, eye washes and first-aid kits.

Application Tips




Surface Prep

- Surfaces to be marked should be as clean, dry and smooth as possible.
- 3M™ Rubber and Vinyl Spray Adhesive 80 may be used to help achieve better adhesion.
- Applying a chalk line can help you tape in a straight line.



Application

- 3M™ Vinyl Tapes can be applied by hand, or, for larger surfaces, with a walk-behind 3M™ Lane Marking Applicator M-77.
- On corners and curves, apply the tape along the outside of the guideline and proceed slowly around the arc of the curve. Use a narrower tape on tight curves.
- For heavy traffic areas, scoring the tape every foot or using the dash system will help make replacement of damaged tape easier.



Removal

- Lift tape gently and pull at a perpendicular angle.
- If any adhesive residue remains, use 3M™ Adhesive & Mark Remover.

Need help? Ask the 3M experts.

Call your local 3M representative or the 3M technical hotline at 1 (800) 567-1639 Ext 4335 for more information about any of our specialty tapes.

																Notes
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--------------

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-021200-02818-2	135	00-021200-03764-1	184	00-021200-06515-6	133
00-021200-02820-5	135	00-021200-03775-7	136	00-021200-06518-7	133
00-021200-02822-9	135	00-021200-03776-4	136	00-021200-06524-8	133
00-021200-02839-7	138	00-021200-03777-1	136	00-021200-06530-9	133
00-021200-02840-3	138	00-021200-03786-3	196	00-021200-06536-1	133
00-021200-02852-6	134	00-021200-03850-1	135	00-021200-06865-2	132
00-021200-02853-3	134	00-021200-03851-8	135	00-021200-06866-9	132
00-021200-02854-0	134	00-021200-03861-7	183	00-021200-06869-0	132
00-021200-02855-7	134	00-021200-03862-4	183	00-021200-06908-6	146
00-021200-02858-8	134	00-021200-03910-2	184	00-021200-06909-3	146
00-021200-02859-5	134	00-021200-03951-5	196	00-021200-06910-9	150
00-021200-02891-5	152	00-021200-04036-8	195	00-021200-06912-3	146
00-021200-02893-9	152	00-021200-04111-2	136	00-021200-06919-2	150
00-021200-02894-6	152	00-021200-04121-1	152	00-021200-06923-9	152
00-021200-02895-3	152	00-021200-04133-4	188	00-021200-06924-6	197
00-021200-02978-3	135	00-021200-04134-1	188	00-021200-06925-3	146
00-021200-02980-6	135	00-021200-04135-8	188	00-021200-06943-7	188
00-021200-02981-3	135	00-021200-04157-0	195	00-021200-06947-5	152
00-021200-02982-0	135	00-021200-04158-7	195	00-021200-06953-6	150
00-021200-02983-7	135	00-021200-04232-4	135	00-021200-06968-0	68
00-021200-02985-1	135	00-021200-04237-9	136	00-021200-06970-3	68
00-021200-02987-5	135	00-021200-04240-9	134	00-021200-06971-0	68
00-021200-02988-2	135	00-021200-04243-0	135	00-021200-07360-1	152
00-021200-02991-2	138	00-021200-04244-7	135	00-021200-07361-8	152
00-021200-02992-9	138	00-021200-04246-1	138	00-021200-07363-2	152
00-021200-02993-6	138	00-021200-04258-4	152	00-021200-07367-0	152
00-021200-03016-1	183	00-021200-04275-1	183	00-021200-07463-9	188
00-021200-03017-8	183	00-021200-04277-5	183	00-021200-10225-7	186
00-021200-03020-8	183	00-021200-04294-2	184	00-021200-11018-4	184
00-021200-03027-7	68	00-021200-04305-5	196	00-021200-11022-1	197
00-021200-03075-8	197	00-021200-04306-2	196	00-021200-11035-1	184
00-021200-03076-5	197	00-021200-04308-6	196	00-021200-11206-5	197
00-021200-03077-2	197	00-021200-04309-3	196	00-021200-11702-2	181
00-021200-03100-7	196	00-021200-04310-9	196	00-021200-13269-8	182
00-021200-03105-2	196	00-021200-04311-6	196	00-021200-13679-5	144
00-021200-03106-9	196	00-021200-04312-3	196	00-021200-13681-8	144
00-021200-03107-6	196	00-021200-04313-0	196	00-021200-14105-8	144
00-021200-03113-7	196	00-021200-04314-7	196	00-021200-14558-2	186
00-021200-03114-4	196	00-021200-04316-1	197	00-021200-14619-0	186
00-021200-03115-1	196	00-021200-04335-2	195	00-021200-14668-8	186
00-021200-03121-2	196	00-021200-04344-4	152	00-021200-15678-6	182
00-021200-03126-7	196	00-021200-04365-9	138	00-021200-15680-9	182
00-021200-03127-4	196	00-021200-04367-3	196	00-021200-15681-6	182
00-021200-03128-1	196	00-021200-04404-5	135	00-021200-15682-3	182
00-021200-03131-1	196	00-021200-04553-0	181	00-021200-15683-0	182
00-021200-03134-2	196	00-021200-04563-9	188	00-021200-15872-8	144
00-021200-03135-9	196	00-021200-04585-1	196	00-021200-15873-5	144
00-021200-03136-6	196	00-021200-04601-8	184	00-021200-16028-8	135
00-021200-03137-3	196	00-021200-04698-8	135	00-021200-16047-9	179
00-021200-03139-7	196	00-021200-04699-5	135	00-021200-16048-6	180
00-021200-03140-3	196	00-021200-04700-8	135	00-021200-16049-3	178
00-021200-03143-4	196	00-021200-04701-5	135	00-021200-16050-9	178
00-021200-03144-1	196	00-021200-04841-8	184	00-021200-16051-6	178
00-021200-03151-9	197	00-021200-04849-4	181	00-021200-16053-0	179
00-021200-03153-3	197	00-021200-04850-0	181	00-021200-16054-7	177
00-021200-03154-0	197	00-021200-04851-7	181	00-021200-16085-1	178
00-021200-03225-7	181	00-021200-04862-3	185	00-021200-16158-2	183
00-021200-03227-1	181	00-021200-04865-4	185	00-021200-16160-5	183
00-021200-03228-8	181	00-021200-04916-3	194	00-021200-16162-9	183
00-021200-03273-8	187	00-021200-04921-7	194	00-021200-16403-3	152
00-021200-03274-5	187	00-021200-04923-1	194	00-021200-16954-0	193
00-021200-03275-2	187	00-021200-04936-1	136	00-021200-16955-7	193
00-021200-03277-6	187	00-021200-04968-2	152	00-021200-16961-8	193
00-021200-03279-0	187	00-021200-04994-1	183	00-021200-16992-2	186
00-021200-03280-6	187	00-021200-05051-0	184	00-021200-17054-6	186
00-021200-03281-3	187	00-021200-05108-1	196	00-021200-17056-0	186
00-021200-03289-9	187	00-021200-05457-0	181	00-021200-17057-7	186
00-021200-03290-5	187	00-021200-05500-3	135	00-021200-17661-6	186
00-021200-03291-2	187	00-021200-05513-3	183	00-021200-17662-3	186
00-021200-03296-7	187	00-021200-05618-5	136	00-021200-18086-6	191
00-021200-03300-1	187	00-021200-05619-2	136	00-021200-18087-3	191
00-021200-03301-8	187	00-021200-05620-8	136	00-021200-18088-0	191
00-021200-03302-5	187	00-021200-05671-0	182	00-021200-18090-3	193
00-021200-03308-7	198	00-021200-05672-7	182	00-021200-18091-0	193
00-021200-03309-4	198	00-021200-05674-1	181	00-021200-18092-7	193
00-021200-03314-8	198	00-021200-05865-3	182	00-021200-18197-9	144
00-021200-03319-3	198	00-021200-05866-0	182	00-021200-18368-3	135
00-021200-03322-3	184	00-021200-06450-0	185	00-021200-18434-5	64
00-021200-03323-0	184	00-021200-06451-7	185	00-021200-18456-7	64
00-021200-03324-7	184	00-021200-06452-4	185	00-021200-18469-7	64
00-021200-03326-1	184	00-021200-06453-1	185	00-021200-18477-2	64
00-021200-03331-5	182	00-021200-06454-8	185	00-021200-19008-7	146
00-021200-03332-2	182	00-021200-06455-5	185	00-021200-19023-0	197
00-021200-03358-2	186	00-021200-06456-2	186	00-021200-19024-7	197
00-021200-03413-8	189	00-021200-06457-9	186	00-021200-19083-4	188
00-021200-03469-5	195	00-021200-06458-6	186	00-021200-19084-1	188
00-021200-03470-1	195	00-021200-06466-1	196	00-021200-19086-5	188
00-021200-03471-8	195	00-021200-06467-8	196	00-021200-19260-9	182
00-021200-03472-5	195	00-021200-06469-2	196	00-021200-19261-6	182
00-021200-03473-2	195	00-021200-06470-8	196	00-021200-19279-1	144
00-021200-03551-7	152	00-021200-06503-3	133	00-021200-19280-7	144
00-021200-03552-4	152	00-021200-06506-4	133	00-021200-19674-4	54
00-021200-03704-7	198	00-021200-06509-5	133	00-021200-19677-5	54
00-021200-03706-1	198	00-021200-06512-5	133	00-021200-19718-5	54

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-021200-19721-5	54	00-021200-26112-1	189	00-021200-48119-2	134
00-021200-19723-9	54	00-021200-30023-3	44	00-021200-49048-4	43
00-021200-19808-3	53	00-021200-30024-0	45	00-021200-49142-9	66
00-021200-19811-3	53	00-021200-30025-7	45	00-021200-49828-2	68
00-021200-19813-7	53	00-021200-30027-1	44	00-021200-49829-9	68
00-021200-19868-7	54	00-021200-30060-8	46	00-021200-49830-5	68
00-021200-19869-4	54	00-021200-30067-7	45	00-021200-49833-6	68
00-021200-19871-7	54	00-021200-30070-7	44	00-021200-50004-6	48
00-021200-19873-1	54	00-021200-30088-2	54	00-021200-50008-4	48
00-021200-19887-8	49	00-021200-30413-2	185	00-021200-50021-3	66
00-021200-19890-8	49	00-021200-30414-9	184	00-021200-50045-9	44
00-021200-19892-2	49	00-021200-30421-7	185	00-021200-55722-4	140
00-021200-19894-6	49	00-021200-30422-4	185	00-021200-55723-1	139
00-021200-19897-7	49	00-021200-30423-1	185	00-021200-55725-5	139
00-021200-19927-1	54	00-021200-31310-3	43	00-021200-55727-9	139
00-021200-19931-8	54	00-021200-31311-0	43	00-021200-55728-6	139
00-021200-20193-6	55	00-021200-31381-3	51	00-021200-55730-9	139
00-021200-20227-8	55	00-021200-31422-3	192	00-021200-56002-6	189
00-021200-20242-1	54	00-021200-31493-3	182	00-021200-56083-5	194
00-021200-20244-5	54	00-021200-37593-4	153	00-021200-56146-7	189
00-021200-20272-8	49	00-021200-37594-1	153	00-021200-56229-7	187
00-021200-20274-2	49	00-021200-37629-0	135	00-021200-56316-4	189
00-021200-20392-3	53	00-021200-37630-6	135	00-021200-56375-1	189
00-021200-20878-2	55	00-021200-37741-9	196	00-021200-56599-1	47
00-021200-20879-9	55	00-021200-38389-2	197	00-021200-56603-5	46
00-021200-20901-7	55	00-021200-38390-8	197	00-021200-59967-5	187
00-021200-20902-4	55	00-021200-38391-5	197	00-021200-60439-3	168
00-021200-21061-7	52	00-021200-38393-9	197	00-021200-60572-7	181
00-021200-21066-2	53	00-021200-38442-4	182	00-021200-60573-4	181
00-021200-21067-9	53	00-021200-38443-1	181	00-021200-60574-1	181
00-021200-21068-6	53	00-021200-39296-2	43	00-021200-60596-3	181
00-021200-21073-0	52	00-021200-39392-1	193	00-021200-60597-0	181
00-021200-21074-7	52	00-021200-39476-8	150	00-021200-60599-4	181
00-021200-21087-7	55	00-021200-39510-9	148	00-021200-60600-7	181
00-021200-21181-2	48	00-021200-39800-1	149	00-021200-60753-0	134
00-021200-21185-0	48	00-021200-39809-4	145	00-021200-60831-5	134
00-021200-21186-7	48	00-021200-39810-0	145	00-021200-60832-2	134
00-021200-21210-9	46	00-021200-39811-7	145	00-021200-60833-9	134
00-021200-21220-8	53	00-021200-39812-4	145	00-021200-61173-5	138
00-021200-21221-5	53	00-021200-39823-0	145	00-021200-61174-2	138
00-021200-21305-2	66	00-021200-39827-8	149	00-021200-61176-6	138
00-021200-21354-0	50	00-021200-39856-8	148	00-021200-61177-3	138
00-021200-21358-8	50	00-021200-39865-0	149	00-021200-61178-0	138
00-021200-21537-7	55	00-021200-39868-1	149	00-021200-61192-6	196
00-021200-21789-0	52	00-021200-39869-8	149	00-021200-61264-0	135
00-021200-21791-3	52	00-021200-39870-4	149	00-021200-61547-4	145
00-021200-22586-4	49	00-021200-39871-1	149	00-021200-61549-8	145
00-021200-22590-1	50	00-021200-40821-2	117	00-021200-61551-1	145
00-021200-22647-2	51	00-021200-41121-2	135	00-021200-61553-5	145
00-021200-22773-8	68	00-021200-41547-0	43	00-021200-61554-2	145
00-021200-22780-6	68	00-021200-41548-7	43	00-021200-61576-4	189
00-021200-22834-6	132	00-021200-41593-7	45	00-021200-61618-1	151
00-021200-22835-3	132	00-021200-42316-1	145	00-021200-61635-8	188
00-021200-22836-0	132	00-021200-42318-5	145	00-021200-61648-8	188
00-021200-22837-7	132	00-021200-42979-8	135	00-021200-61650-1	188
00-021200-22839-1	132	00-021200-43177-7	195	00-021200-61655-6	188
00-021200-22913-8	152	00-021200-43179-1	195	00-021200-61840-6	152
00-021200-22922-0	147	00-021200-43181-4	195	00-021200-61844-4	152
00-021200-22934-3	137	00-021200-43186-9	195	00-021200-61850-5	146
00-021200-23051-6	181	00-021200-43351-1	137	00-021200-62104-8	151
00-021200-23207-7	184	00-021200-43352-8	137	00-021200-62224-3	151
00-021200-23248-0	192	00-021200-43353-5	137	00-021200-62481-0	145
00-021200-23249-7	192	00-021200-43354-2	137	00-021200-62501-5	182
00-021200-23269-5	64	00-021200-43355-9	137	00-021200-62538-1	120
00-021200-23270-1	64	00-021200-43435-8	195	00-021200-62539-8	120
00-021200-23272-5	64	00-021200-43440-2	195	00-021200-62544-2	120
00-021200-24302-8	185	00-021200-44452-4	135	00-021200-62559-6	120
00-021200-24303-5	185	00-021200-44542-2	137	00-021200-62735-4	182
00-021200-24304-2	185	00-021200-44543-9	137	00-021200-62736-1	182
00-021200-24306-6	185	00-021200-44556-9	135	00-021200-62775-0	182
00-021200-24307-3	185	00-021200-44557-6	135	00-021200-62776-7	182
00-021200-24308-0	185	00-021200-44579-8	137	00-021200-63101-6	182
00-021200-24311-0	184	00-021200-44580-4	137	00-021200-63102-3	182
00-021200-24312-7	184	00-021200-44581-1	137	00-021200-63383-6	193
00-021200-24313-4	184	00-021200-44582-8	137	00-021200-64628-7	192
00-021200-24315-8	185	00-021200-44583-5	137	00-021200-64629-4	192
00-021200-24316-5	185	00-021200-44584-2	137	00-021200-64630-0	192
00-021200-24317-2	185	00-021200-44585-9	137	00-021200-64650-8	193
00-021200-24375-2	194	00-021200-44608-5	137	00-021200-64886-1	192
00-021200-24376-9	194	00-021200-44883-6	117	00-021200-64887-8	192
00-021200-24379-0	192	00-021200-44964-2	117	00-021200-64888-5	192
00-021200-24382-0	192	00-021200-45075-4	117	00-021200-64963-9	49
00-021200-24383-7	191	00-021200-45163-8	49	00-021200-65613-2	119
00-021200-24384-4	191	00-021200-45164-5	49	00-021200-65614-9	119
00-021200-24390-5	189	00-021200-45167-6	43	00-021200-65615-6	119
00-021200-24391-2	189	00-021200-45196-6	44	00-021200-65619-4	119
00-021200-24884-9	181	00-021200-45287-1	145	00-021200-65620-0	119
00-021200-24993-8	118	00-021200-45587-2	134	00-021200-65621-7	119
00-021200-26074-2	134	00-021200-45980-1	119	00-021200-65744-3	189
00-021200-26075-9	134	00-021200-46196-5	117	00-021200-65746-7	190
00-021200-26076-6	134	00-021200-46224-5	192	00-021200-65747-4	191
00-021200-26077-3	134	00-021200-46447-8	144	00-021200-65812-9	117
00-021200-26078-0	134	00-021200-46449-2	144	00-021200-65813-6	117

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-021200-65815-0	117	00-021200-73080-1	144	00-021200-86276-2	117
00-021200-65817-4	117	00-021200-73081-8	144	00-021200-86277-9	117
00-021200-65869-3	198	00-021200-73082-5	144	00-021200-86278-6	117
00-021200-65871-6	198	00-021200-73154-9	151	00-021200-86279-3	117
00-021200-65872-3	198	00-021200-73706-0	153	00-021200-86280-9	117
00-021200-65873-0	198	00-021200-73708-4	153	00-021200-86281-6	117
00-021200-67220-0	182	00-021200-73711-4	153	00-021200-86282-3	117
00-021200-67286-6	193	00-021200-73712-1	153	00-021200-86283-0	117
00-021200-67287-3	193	00-021200-73777-0	153	00-021200-86285-4	120
00-021200-67387-0	64	00-021200-73778-7	153	00-021200-86286-1	120
00-021200-67388-7	64	00-021200-73779-4	153	00-021200-86290-8	120
00-021200-67392-4	64	00-021200-73780-0	153	00-021200-86309-7	117
00-021200-67468-6	64	00-021200-73782-4	153	00-021200-86347-9	117
00-021200-67490-7	193	00-021200-73784-8	153	00-021200-86356-1	117
00-021200-67491-4	191	00-021200-73785-5	153	00-021200-86358-5	117
00-021200-67493-8	191	00-021200-73800-5	134	00-021200-86359-2	117
00-021200-67496-9	193	00-021200-73999-6	150	00-021200-86366-0	117
00-021200-67497-6	193	00-021200-74221-7	194	00-021200-86372-1	117
00-021200-67499-0	194	00-021200-76098-3	46	00-021200-86377-6	120
00-021200-67501-0	194	00-021200-76167-6	45	00-021200-86383-7	119
00-021200-67503-4	194	00-021200-76394-6	66	00-021200-86451-3	117
00-021200-67504-1	194	00-021200-76591-9	126	00-021200-86467-4	120
00-021200-67505-8	194	00-021200-82242-1	44	00-021200-86512-1	146
00-021200-67555-3	65	00-021200-82248-3	51	00-021200-86517-6	150
00-021200-67556-0	65	00-021200-82252-0	56	00-021200-86518-3	150
00-021200-67558-4	65	00-021200-82255-1	50	00-021200-86519-0	150
00-021200-67667-3	182	00-021200-82262-9	51	00-021200-86520-6	150
00-021200-67669-7	182	00-021200-82332-9	52	00-021200-86521-3	150
00-021200-67788-5	191	00-021200-82334-3	52	00-021200-86522-0	148
00-021200-67789-2	191	00-021200-82335-0	52	00-021200-86523-7	148
00-021200-67790-8	191	00-021200-82465-4	51	00-021200-87195-5	50
00-021200-67791-5	194	00-021200-82470-8	51	00-021200-87203-7	50
00-021200-67792-2	194	00-021200-82618-4	45	00-021200-87211-2	51
00-021200-67793-9	194	00-021200-82881-2	144	00-021200-87215-0	51
00-021200-69313-7	154	00-021200-82883-6	144	00-021200-87219-8	51
00-021200-69314-4	154	00-021200-83419-6	181	00-021200-87261-7	50
00-021200-69367-0	145	00-021200-83420-2	181	00-021200-87264-8	50
00-021200-69397-7	145	00-021200-83528-5	52	00-021200-87270-9	50
00-021200-69605-3	144	00-021200-83533-9	50	00-021200-87277-8	120
00-021200-70389-8	136	00-021200-83653-4	45	00-021200-87297-6	120
00-021200-70391-1	136	00-021200-83737-1	52	00-021200-87340-9	117
00-021200-71106-0	133	00-021200-83758-6	43	00-021200-87353-9	118
00-021200-71107-7	133	00-021200-83759-3	53	00-021200-87363-8	118
00-021200-71116-9	134	00-021200-83760-9	53	00-021200-87399-7	182
00-021200-71117-6	134	00-021200-83857-6	181	00-021200-87663-9	188
00-021200-71118-3	134	00-021200-83858-3	181	00-021200-87664-6	188
00-021200-71119-0	134	00-021200-83977-1	182	00-021200-87836-7	51
00-021200-71120-6	134	00-021200-83978-8	182	00-021200-87837-4	51
00-021200-71121-3	134	00-021200-84151-4	190	00-021200-87840-4	51
00-021200-71131-2	136	00-021200-84152-1	190	00-021200-87841-1	51
00-021200-71132-9	136	00-021200-84153-8	190	00-021200-87846-6	51
00-021200-71133-6	136	00-021200-84154-5	190	00-021200-87847-3	51
00-021200-71134-3	136	00-021200-84155-2	190	00-021200-87854-1	56
00-021200-71168-8	153	00-021200-84156-9	190	00-021200-87937-1	53
00-021200-71302-6	137	00-021200-84768-4	146	00-021200-87982-1	51
00-021200-71304-0	137	00-021200-85561-0	68	00-021200-87991-3	50
00-021200-71359-0	189	00-021200-85562-7	68	00-021200-87998-2	44
00-021200-71360-6	189	00-021200-85563-4	68	00-021200-88131-2	148
00-021200-71361-3	189	00-021200-85614-3	188	00-021200-88189-3	149
00-021200-72016-1	137	00-021200-85615-0	188	00-021200-88190-9	149
00-021200-72018-5	137	00-021200-85616-7	188	00-021200-88191-6	149
00-021200-72065-9	136	00-021200-85617-4	188	00-021200-88192-3	149
00-021200-72066-6	136	00-021200-85635-8	68	00-021200-88204-3	149
00-021200-72067-3	136	00-021200-85652-5	183	00-021200-88227-2	148
00-021200-72068-0	136	00-021200-85801-7	52	00-021200-88228-9	148
00-021200-72301-8	148	00-021200-85813-0	54	00-021200-88229-6	148
00-021200-72304-9	148	00-021200-85822-2	66	00-021200-88290-6	145
00-021200-72308-7	145	00-021200-85844-4	46	00-021200-89347-6	43
00-021200-72310-0	145	00-021200-86147-5	188	00-021200-89543-2	56
00-021200-72335-3	144	00-021200-86236-6	120	00-021200-96200-4	48
00-021200-72344-5	144	00-021200-86238-0	120	00-021200-96327-8	48
00-021200-72346-9	144	00-021200-86240-3	119	00-021200-96407-7	47
00-021200-72359-9	144	00-021200-86241-0	119	00-021200-96410-7	47
00-021200-72361-2	144	00-021200-86243-4	119	00-021200-96411-4	47
00-021200-72368-1	144	00-021200-86244-1	119	00-021200-96412-1	47
00-021200-72380-3	144	00-021200-86245-8	119	00-021200-96818-1	146
00-021200-72381-0	144	00-021200-86246-5	119	00-048011-00260-6	28
00-021200-72385-8	144	00-021200-86247-2	119	00-048011-00262-0	28
00-021200-72386-5	144	00-021200-86250-2	119	00-048011-00263-7	28
00-021200-72389-6	144	00-021200-86251-9	119	00-048011-00264-4	28
00-021200-72390-2	144	00-021200-86252-6	119	00-048011-00266-8	28
00-021200-72399-5	144	00-021200-86253-3	119	00-048011-00267-5	28
00-021200-72401-5	144	00-021200-86254-0	119	00-048011-00270-5	28
00-021200-72402-2	144	00-021200-86255-7	119	00-048011-00276-7	28
00-021200-72406-0	144	00-021200-86256-4	119	00-048011-00580-5	7
00-021200-72407-7	144	00-021200-86257-1	118	00-048011-00583-6	7
00-021200-72412-1	145	00-021200-86259-5	118	00-048011-00643-7	26
00-021200-72415-2	147	00-021200-86260-1	118	00-048011-00645-1	26
00-021200-72417-6	147	00-021200-86261-8	118	00-048011-00665-9	16
00-021200-72421-3	147	00-021200-86262-5	118	00-048011-00666-6	16
00-021200-72422-0	147	00-021200-86263-2	118	00-048011-00667-3	24
00-021200-73047-4	144	00-021200-86266-3	118	00-048011-00675-8	24
00-021200-73076-4	144	00-021200-86267-0	118	00-048011-00750-2	26
00-021200-73079-5	144	00-021200-86268-7	118	00-048011-00751-9	26

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-048011-00827-1	12	00-048011-09549-3	38	00-048011-18079-3	26
00-048011-00828-8	12	00-048011-09555-4	38	00-048011-18080-9	26
00-048011-00941-4	11	00-048011-12929-7	111	00-048011-18081-6	25
00-048011-00946-9	11	00-048011-12952-5	25	00-048011-18082-3	25
00-048011-00948-3	11	00-048011-12953-2	25	00-048011-18087-8	6
00-048011-00957-5	11	00-048011-12954-9	25	00-048011-18088-5	6
00-048011-01012-0	40	00-048011-13131-3	7	00-048011-18089-2	6
00-048011-01021-2	40	00-048011-13132-0	7	00-048011-18243-8	25
00-048011-01179-0	8	00-048011-13253-2	25	00-048011-18278-0	38
00-048011-01565-1	40	00-048011-13254-9	25	00-048011-18279-7	38
00-048011-01578-1	40	00-048011-13255-6	25	00-048011-18281-0	38
00-048011-01581-1	40	00-048011-13257-0	25	00-048011-18286-5	38
00-048011-01660-3	37	00-048011-13258-7	25	00-048011-18350-3	12
00-048011-01661-0	37	00-048011-13616-5	38	00-048011-18355-8	12
00-048011-01662-7	37	00-048011-13617-2	38	00-048011-18358-9	12
00-048011-01675-7	37	00-048011-13621-9	38	00-048011-18364-0	12
00-048011-02960-3	36	00-048011-13622-6	38	00-048011-18424-1	12
00-048011-03262-7	36	00-048011-13623-3	38	00-048011-18451-7	29
00-048011-03701-1	40	00-048011-13639-4	7	00-048011-18453-1	29
00-048011-03714-1	40	00-048011-13713-1	41	00-048011-18471-5	25
00-048011-03715-8	40	00-048011-13714-8	41	00-048011-18472-2	25
00-048011-03716-5	40	00-048011-13715-5	41	00-048011-18477-7	26
00-048011-03718-9	40	00-048011-13716-2	41	00-048011-18482-1	12
00-048011-03727-1	40	00-048011-13717-9	41	00-048011-18483-8	12
00-048011-03729-5	40	00-048011-13718-6	41	00-048011-18485-2	12
00-048011-03732-5	40	00-048011-13719-3	41	00-048011-18495-1	6
00-048011-03738-7	40	00-048011-13734-6	41	00-048011-18698-6	10
00-048011-03927-5	26	00-048011-13739-1	41	00-048011-18706-8	10
00-048011-03993-0	37	00-048011-13741-4	41	00-048011-18710-5	10
00-048011-03994-7	37	00-048011-13742-1	41	00-048011-18730-3	10
00-048011-03998-5	7	00-048011-13743-8	41	00-048011-18732-7	10
00-048011-04013-4	27	00-048011-13753-7	41	00-048011-18733-4	10
00-048011-04020-2	34	00-048011-13763-6	41	00-048011-18734-1	10
00-048011-04028-8	30	00-048011-13764-3	41	00-048011-18736-5	10
00-048011-04029-5	29	00-048011-13932-6	41	00-048011-18737-2	10
00-048011-04050-9	29	00-048011-14001-8	106	00-048011-19688-6	7
00-048011-04051-6	29	00-048011-14049-0	30	00-048011-19697-8	6
00-048011-04085-1	28	00-048011-14063-6	41	00-048011-23925-5	142
00-048011-04120-9	26	00-048011-14067-4	41	00-048011-24037-4	30
00-048011-04124-7	26	00-048011-14099-5	26	00-048011-24241-5	10
00-048011-04128-5	26	00-048011-14100-8	26	00-048011-24242-2	10
00-048011-04132-2	27	00-048011-14101-5	26	00-048011-24243-9	10
00-048011-04153-7	36	00-048011-14276-0	7	00-048011-24276-7	9
00-048011-04188-9	16	00-048011-14278-4	7	00-048011-24279-8	8
00-048011-04189-6	7	00-048011-14285-2	7	00-048011-25678-8	41
00-048011-04229-9	29	00-048011-14379-8	41	00-048011-25755-6	8
00-048011-04277-0	26	00-048011-14543-3	7	00-048011-25757-0	8
00-048011-04278-7	26	00-048011-14588-4	8	00-048011-25758-7	8
00-048011-04299-2	7	00-048011-14593-8	12	00-048011-25759-4	8
00-048011-04303-6	26	00-048011-14746-8	41	00-048011-25764-8	24
00-048011-04305-0	26	00-048011-14750-5	41	00-048011-25765-5	24
00-048011-04325-8	8	00-048011-14753-6	41	00-048011-25766-2	24
00-048011-05132-1	38	00-048011-14779-6	12	00-048011-25767-9	24
00-048011-05133-8	38	00-048011-14780-2	11	00-048011-25770-9	24
00-048011-05135-2	38	00-048011-14781-9	7	00-048011-25780-8	24
00-048011-05137-6	38	00-048011-14915-8	21	00-048011-25790-7	11
00-048011-05182-6	36	00-048011-15012-3	42	00-048011-26239-0	141
00-048011-05206-9	28	00-048011-15118-2	41	00-048011-26240-6	141
00-048011-05207-6	28	00-048011-15408-4	42	00-048011-26269-7	141
00-048011-05359-2	33	00-048011-15462-6	41	00-048011-26275-8	141
00-048011-05522-0	25	00-048011-15513-5	41	00-048011-26276-5	141
00-048011-05523-7	25	00-048011-15516-6	41	00-048011-26291-8	140
00-048011-05528-2	25	00-048011-15527-2	41	00-048011-26293-2	140
00-048011-05529-9	25	00-048011-15531-9	41	00-048011-26299-4	140
00-048011-05530-5	25	00-048011-15532-6	41	00-048011-27603-8	10
00-048011-05531-2	25	00-048011-15534-0	41	00-048011-27605-2	10
00-048011-05532-9	25	00-048011-15831-0	41	00-048011-27606-9	10
00-048011-05674-6	27	00-048011-15899-0	7	00-048011-27612-0	8
00-048011-05680-7	27	00-048011-16054-2	41	00-048011-27614-4	8
00-048011-05717-0	116	00-048011-16544-8	41	00-048011-27622-9	9
00-048011-05741-5	7	00-048011-16545-5	41	00-048011-27623-6	9
00-048011-05790-3	38	00-048011-16553-0	29	00-048011-29470-4	141
00-048011-05974-7	8	00-048011-16555-4	30	00-048011-29822-1	108
00-048011-05975-4	7	00-048011-16622-3	8	00-048011-29828-3	108
00-048011-07450-4	26	00-048011-16918-7	26	00-048011-29829-0	108
00-048011-07451-1	26	00-048011-16976-7	30	00-048011-30001-6	9
00-048011-07458-0	26	00-048011-17183-8	42	00-048011-30002-3	9
00-048011-07459-7	26	00-048011-17184-5	42	00-048011-30095-5	11
00-048011-07460-3	11	00-048011-17185-2	42	00-048011-30096-2	11
00-048011-08764-1	25	00-048011-17186-9	42	00-048011-30097-9	9
00-048011-08765-8	25	00-048011-17189-0	42	00-048011-30098-6	9
00-048011-08766-5	25	00-048011-17190-6	42	00-048011-30126-6	9
00-048011-08856-3	7	00-048011-17191-3	42	00-048011-30127-3	9
00-048011-08857-0	7	00-048011-17192-0	42	00-048011-30129-7	9
00-048011-08858-7	7	00-048011-17193-7	42	00-048011-30130-3	9
00-048011-08878-5	40	00-048011-17194-4	42	00-048011-33212-3	10
00-048011-08880-8	7	00-048011-17195-1	42	00-048011-33213-0	10
00-048011-08915-7	7	00-048011-17215-6	38	00-048011-33214-7	10
00-048011-08916-4	7	00-048011-17216-3	38	00-048011-33215-4	10
00-048011-08939-3	40	00-048011-17498-3	41	00-048011-33216-1	10
00-048011-09005-4	38	00-048011-17515-7	7	00-048011-33217-8	10
00-048011-09450-2	27	00-048011-17637-6	30	00-048011-34501-7	140
00-048011-09451-9	27	00-048011-17866-0	26	00-048011-34557-4	141
00-048011-09548-6	38	00-048011-18021-2	26	00-048011-34562-8	141

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-048011-34567-3	140	00-051111-66902-0	13	00-051128-53186-0	71
00-048011-34635-9	140	00-051111-66907-5	13	00-051128-53187-7	71
00-048011-34738-7	114	00-051115-00395-0	24	00-051128-53227-0	71
00-048011-34750-9	101	00-051115-00396-7	24	00-051128-53228-7	71
00-048011-34819-3	141	00-051115-00397-4	24	00-051128-54455-6	76
00-048011-34820-9	141	00-051115-00398-1	24	00-051131-00014-8	128
00-048011-34821-6	141	00-051115-00399-8	24	00-051131-00015-5	128
00-048011-34822-3	141	00-051115-00408-7	34	00-051131-00016-2	128
00-048011-34823-0	141	00-051115-00409-4	34	00-051131-00020-9	128
00-048011-34824-7	141	00-051115-00630-2	34	00-051131-00021-6	128
00-048011-53466-4	134	00-051115-00631-9	34	00-051131-00023-0	128
00-051111-10115-5	35	00-051115-00643-2	24	00-051131-01025-3	23
00-051111-10116-2	35	00-051115-02622-5	31	00-051131-01026-0	23
00-051111-10118-6	35	00-051115-02623-2	31	00-051131-01027-7	23
00-051111-10120-9	35	00-051115-06817-1	134	00-051131-01038-3	23
00-051111-10132-2	116	00-051115-06818-8	134	00-051131-01227-1	17
00-051111-49608-4	16	00-051115-06819-5	134	00-051131-01229-5	17
00-051111-49609-1	16	00-051115-06820-1	134	00-051131-01231-8	17
00-051111-49613-8	16	00-051115-07115-7	125	00-051131-01232-5	17
00-051111-49614-5	16	00-051115-07219-2	124	00-051131-01233-2	17
00-051111-49615-2	16	00-051115-07220-8	124	00-051131-01234-9	17
00-051111-49616-9	16	00-051115-07221-5	124	00-051131-01235-6	17
00-051111-49617-6	16	00-051115-07222-2	124	00-051131-01236-3	17
00-051111-50410-9	13	00-051115-07223-9	124	00-051131-01237-0	17
00-051111-50411-6	13	00-051115-07224-6	124	00-051131-01240-0	17
00-051111-50412-3	13	00-051115-07437-0	124	00-051131-01242-4	17
00-051111-50413-0	13	00-051115-07454-7	124	00-051131-01243-1	17
00-051111-50420-8	13	00-051115-07502-5	122	00-051131-01244-8	17
00-051111-50426-0	13	00-051115-07503-2	122	00-051131-01245-5	17
00-051111-50440-6	35	00-051115-07505-6	122	00-051131-01246-2	17
00-051111-50443-7	35	00-051115-07551-3	122	00-051131-01247-9	17
00-051111-50445-1	35	00-051115-07559-9	123	00-051131-01248-6	17
00-051111-50450-5	21	00-051115-08253-5	125	00-051131-01418-3	23
00-051111-50451-2	21	00-051115-08260-3	124	00-051131-01419-0	23
00-051111-50452-9	21	00-051115-08370-9	122	00-051131-01432-9	23
00-051111-50453-6	21	00-051115-08371-6	122	00-051131-01433-6	23
00-051111-50454-3	21	00-051115-08378-5	125	00-051131-01434-3	23
00-051111-50455-0	21	00-051115-08379-2	125	00-051131-01484-8	23
00-051111-50672-1	113	00-051115-08380-8	125	00-051131-01488-6	23
00-051111-50674-5	113	00-051115-08381-5	125	00-051131-01489-3	23
00-051111-50678-3	113	00-051115-11556-1	123	00-051131-01490-9	23
00-051111-50684-4	113	00-051115-11558-5	123	00-051131-01492-3	23
00-051111-50686-8	113	00-051115-11559-7	123	00-051131-01493-0	23
00-051111-50690-5	113	00-051115-11574-5	122	00-051131-01985-0	37
00-051111-50771-1	15	00-051115-11575-7	122	00-051131-01986-7	37
00-051111-51065-0	35	00-051115-11602-5	122	00-051131-01987-4	37
00-051111-51066-7	35	00-051115-11634-6	122	00-051131-01988-1	37
00-051111-51164-0	35	00-051115-11638-4	121	00-051131-01989-8	37
00-051111-51229-6	23	00-051115-11639-1	121	00-051131-01990-4	37
00-051111-51231-9	23	00-051115-11640-7	121	00-051131-01991-1	39
00-051111-51232-6	23	00-051115-11641-4	121	00-051131-01992-2	37
00-051111-51233-3	23	00-051115-11642-1	121	00-051131-02602-5	34
00-051111-51234-0	23	00-051115-16504-7	125	00-051131-02604-9	34
00-051111-55733-4	14	00-051115-16505-4	125	00-051131-02606-3	34
00-051111-55735-8	14	00-051115-16506-1	125	00-051131-04901-7	48
00-051111-55744-0	14	00-051115-16507-8	125	00-051131-04902-4	48
00-051111-55767-9	14	00-051115-16508-5	123	00-051131-05718-0	60
00-051111-55775-4	14	00-051115-16509-2	123	00-051131-05723-4	59
00-051111-55776-1	14	00-051115-16510-8	123	00-051131-05725-8	59
00-051111-55780-8	14	00-051115-16513-9	121	00-051131-05738-8	60
00-051111-55956-7	37	00-051115-16514-6	121	00-051131-05800-2	63
00-051111-55960-4	37	00-051115-16520-2	122	00-051131-05801-9	63
00-051111-55964-2	14	00-051115-16530-6	123	00-051131-05805-7	63
00-051111-55971-0	14	00-051115-16531-3	123	00-051131-05814-9	63
00-051111-55972-7	14	00-051115-16532-0	123	00-051131-05815-6	63
00-051111-55973-4	14	00-051115-16534-4	124	00-051131-05816-3	63
00-051111-55975-8	14	00-051115-16536-8	121	00-051131-05824-8	62
00-051111-56251-2	15	00-051115-16537-5	121	00-051131-05826-2	63
00-051111-60309-3	13	00-051115-16538-2	121	00-051131-05830-9	62
00-051111-60316-1	14	00-051115-16540-5	121	00-051131-05833-0	62
00-051111-60318-5	14	00-051115-16542-9	121	00-051131-05834-7	62
00-051111-60333-8	31	00-051115-16544-3	121	00-051131-05836-1	63
00-051111-60334-5	31	00-051115-16545-0	121	00-051131-05842-2	63
00-051111-60342-0	31	00-051115-16546-7	121	00-051131-05844-6	63
00-051111-60343-7	31	00-051115-16548-1	121	00-051131-05860-6	62
00-051111-60344-4	31	00-051115-16550-4	121	00-051131-05861-3	62
00-051111-60345-1	31	00-051115-16552-8	121	00-051131-05883-5	62
00-051111-60346-8	31	00-051115-16553-5	121	00-051131-05973-3	61
00-051111-60347-5	31	00-051115-16554-2	121	00-051131-05974-0	61
00-051111-60348-2	31	00-051115-16555-9	121	00-051131-05983-2	61
00-051111-60686-5	35	00-051115-16556-6	121	00-051131-05990-0	58
00-051111-60688-9	35	00-051115-16557-3	122	00-051131-05991-7	58
00-051111-60690-2	35	00-051115-16558-0	122	00-051131-05992-4	58
00-051111-60692-6	35	00-051115-16559-7	122	00-051131-05995-5	59
00-051111-60697-1	35	00-051115-16560-3	122	00-051131-05996-2	59
00-051111-60699-5	35	00-051115-16586-8	121	00-051131-06000-5	58
00-051111-60701-5	35	00-051115-16591-7	124	00-051131-06001-2	58
00-051111-60802-9	14	00-051115-16593-1	124	00-051131-06005-0	59
00-051111-60803-6	14	00-051128-53168-6	72	00-051131-06006-7	59
00-051111-60805-0	13	00-051128-53169-3	72	00-051131-06027-2	131
00-051111-60896-8	13	00-051128-53172-3	72	00-051131-06360-0	136
00-051111-60897-5	13	00-051128-53173-0	72	00-051131-06363-1	136
00-051111-60902-6	13	00-051128-53184-6	71	00-051131-06439-3	185
00-051111-66901-3	13	00-051128-53185-3	71	00-051131-06440-9	186

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-051131-06463-8	118	00-051131-56660-6	128	00-051135-35580-0	81
00-051131-06481-2	120	00-051131-56661-3	128	00-051135-35581-7	81
00-051131-06483-6	118	00-051131-57232-4	126	00-051135-35583-1	81
00-051131-06484-3	118	00-051131-58708-3	68	00-051135-35584-8	81
00-051131-06488-1	120	00-051131-58709-0	68	00-051135-35585-5	81
00-051131-06505-5	183	00-051131-58710-6	68	00-051135-35586-2	81
00-051131-06537-6	133	00-051131-58711-3	68	00-051135-35587-9	82
00-051131-06538-3	133	00-051131-58727-4	68	00-051135-35588-6	82
00-051131-06539-0	133	00-051131-58728-1	68	00-051135-35589-3	81
00-051131-06540-6	133	00-051131-58729-8	68	00-051135-35590-9	82
00-051131-06545-1	135	00-051131-62030-8	127	00-051135-35591-6	81
00-051131-06546-8	135	00-051131-62034-6	127	00-051135-35592-3	82
00-051131-06547-5	135	00-051131-62036-0	127	00-051135-35593-0	82
00-051131-06548-2	135	00-051131-62098-8	128	00-051135-35594-7	82
00-051131-06549-9	135	00-051131-64068-9	128	00-051135-35595-4	82
00-051131-06590-1	150	00-051131-64119-8	127	00-051135-35596-1	82
00-051131-06678-6	188	00-051131-64120-4	127	00-051135-35597-8	82
00-051131-06679-3	188	00-051131-64124-2	129	00-051135-35598-5	82
00-051131-06680-9	188	00-051131-64125-9	129	00-051135-35599-2	82
00-051131-06681-6	188	00-051131-64135-8	127	00-051135-35600-5	82
00-051131-06683-0	188	00-051131-65286-6	127	00-051135-35601-2	82
00-051131-06710-3	133	00-051131-65288-0	127	00-051135-35602-9	82
00-051131-06712-7	133	00-051131-65289-7	127	00-051135-35603-6	82
00-051131-06715-8	133	00-051131-66424-1	129	00-051135-36490-1	80
00-051131-06718-9	133	00-051131-66426-5	129	00-051135-36492-5	80
00-051131-06726-4	133	00-051131-66427-2	129	00-051135-36494-9	80
00-051131-06729-5	133	00-051131-66775-4	128	00-051135-36496-3	80
00-051131-06732-5	133	00-051131-66777-8	128	00-051135-36498-7	80
00-051131-06736-3	133	00-051131-66875-1	128	00-051135-36500-7	80
00-051131-06738-7	133	00-051131-66992-5	128	00-051135-36612-7	79
00-051131-06780-6	62	00-051131-66993-2	128	00-051135-36618-9	79
00-051131-06783-7	132	00-051131-67442-4	129	00-051135-36619-6	79
00-051131-06784-4	132	00-051131-67598-8	129	00-051135-36620-2	79
00-051131-06788-2	132	00-051131-83545-0	128	00-051135-36621-9	79
00-051131-06802-5	132	00-051131-83555-9	128	00-051135-36622-6	79
00-051131-06821-6	188	00-051131-91382-0	128	00-051135-36623-3	79
00-051131-06837-7	57	00-051131-91386-8	128	00-051135-36673-8	83
00-051131-06843-8	183	00-051131-91389-9	128	00-051135-36680-6	83
00-051131-06848-3	133	00-051135-05203-7	130	00-051135-36687-5	83
00-051131-06884-1	151	00-051135-05205-1	130	00-051135-36694-3	83
00-051131-06893-3	149	00-051135-05206-8	130	00-051135-36695-0	83
00-051131-06894-0	149	00-051135-05220-4	130	00-051135-36701-8	83
00-051131-06895-7	149	00-051135-05260-0	130	00-051135-36704-9	83
00-051131-06896-4	149	00-051135-06500-6	130	00-051135-36709-4	83
00-051131-06897-1	149	00-051135-06504-4	130	00-051135-36710-0	83
00-051131-06898-8	149	00-051135-06520-4	130	00-051135-36716-2	83
00-051131-06950-3	152	00-051135-06560-0	130	00-051135-36720-9	83
00-051131-06951-0	152	00-051135-06564-8	130	00-051135-36725-4	83
00-051131-06954-1	151	00-051135-08001-6	61	00-051135-36726-1	83
00-051131-06961-9	151	00-051135-08002-3	61	00-051135-36731-5	83
00-051131-06969-5	68	00-051135-08008-5	61	00-051135-36732-2	83
00-051131-06975-6	68	00-051135-08051-1	57	00-051135-36737-7	83
00-051131-06976-3	68	00-051135-08054-2	57	00-051135-36743-8	83
00-051131-06978-7	69	00-051135-08088-7	57	00-051135-36791-9	83
00-051131-06981-7	69	00-051135-08796-1	57	00-051135-36875-6	80
00-051131-06982-4	69	00-051135-08875-3	61	00-051135-36876-3	80
00-051131-06984-8	69	00-051135-08880-7	58	00-051135-36877-0	80
00-051131-06986-2	69	00-051135-08892-0	58	00-051135-36878-7	80
00-051131-06992-3	69	00-051135-08897-5	66	00-051135-37346-0	81
00-051131-06994-7	150	00-051135-08899-9	58	00-051135-37347-7	82
00-051131-06995-4	69	00-051135-08945-3	57	00-051135-37348-4	82
00-051131-06996-1	147	00-051135-08946-0	67	00-051135-37591-4	81
00-051131-06997-8	147	00-051135-08983-5	66	00-051135-37592-1	81
00-051131-07010-3	172	00-051135-08993-4	63	00-051135-37593-8	81
00-051131-07011-0	172	00-051135-35548-0	81	00-051135-37594-5	81
00-051131-07012-7	172	00-051135-35550-3	81	00-051135-37643-0	81
00-051131-07028-8	172	00-051135-35551-0	81	00-051135-37677-5	79
00-051131-07152-0	174	00-051135-35552-7	81	00-051135-37768-0	82
00-051131-07190-2	171	00-051135-35553-4	81	00-051135-38139-7	79
00-051131-07498-9	57	00-051135-35554-1	81	00-051135-38444-2	79
00-051131-07521-4	31	00-051135-35555-8	81	00-051138-15929-0	172
00-051131-07522-1	31	00-051135-35556-5	81	00-051138-16207-8	172
00-051131-08311-0	126	00-051135-35557-2	81	00-051138-16209-2	172
00-051131-09005-7	131	00-051135-35558-9	81	00-051138-16210-8	172
00-051131-09007-1	131	00-051135-35559-6	81	00-051138-16354-9	157
00-051131-09011-8	131	00-051135-35560-2	81	00-051138-16358-7	158
00-051131-09019-4	130	00-051135-35562-6	81	00-051138-16418-8	172
00-051131-09020-0	130	00-051135-35563-3	81	00-051138-16644-1	172
00-051131-09023-1	131	00-051135-35564-0	81	00-051138-17598-6	175
00-051131-09033-0	131	00-051135-35565-7	81	00-051138-21542-2	179
00-051131-09047-7	130	00-051135-35566-4	81	00-051138-21648-1	179
00-051131-09065-1	131	00-051135-35567-1	81	00-051138-25348-6	95
00-051131-26330-7	137	00-051135-35568-8	81	00-051138-28996-6	177
00-051131-26332-1	137	00-051135-35569-5	81	00-051138-28997-3	177
00-051131-26334-5	137	00-051135-35570-1	81	00-051138-29002-3	177
00-051131-26336-9	137	00-051135-35571-8	81	00-051138-29003-0	177
00-051131-26338-3	137	00-051135-35572-5	81	00-051138-29018-4	157
00-051131-26340-6	137	00-051135-35573-2	81	00-051138-29067-2	179
00-051131-26341-3	137	00-051135-35574-9	81	00-051138-29070-2	177
00-051131-37018-0	172	00-051135-35575-6	81	00-051138-29071-9	176
00-051131-37054-8	174	00-051135-35576-3	81	00-051138-29097-9	176
00-051131-39526-8	59	00-051135-35577-0	81	00-051138-29098-6	176
00-051131-52772-0	171	00-051135-35578-7	81	00-051138-29137-2	159
00-051131-53937-2	126	00-051135-35579-4	81	00-051138-29196-9	171

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-051138-29206-5	174	00-051144-05046-8	33	00-051144-21788-5	22
00-051138-29207-2	174	00-051144-05048-2	33	00-051144-21791-5	22
00-051138-29208-9	174	00-051144-05050-5	33	00-051144-21792-2	22
00-051138-29215-7	171	00-051144-05575-3	21	00-051144-21793-9	22
00-051138-36023-8	82	00-051144-05576-0	21	00-051144-21794-6	22
00-051138-36024-5	82	00-051144-05700-9	60	00-051144-21795-3	22
00-051138-36025-2	82	00-051144-05705-4	60	00-051144-21796-0	22
00-051138-36026-9	82	00-051144-05720-7	60	00-051144-21797-7	22
00-051138-36027-6	81	00-051144-05955-3	61	00-051144-21798-4	22
00-051138-36028-3	81	00-051144-05960-7	62	00-051144-21799-1	22
00-051138-46227-7	171	00-051144-10030-9	31	00-051144-21800-4	22
00-051138-46287-1	175	00-051144-10031-6	31	00-051144-22349-7	14
00-051138-54203-0	158	00-051144-10032-3	31	00-051144-22352-7	14
00-051138-54257-3	163	00-051144-10240-2	32	00-051144-22353-4	14
00-051138-54258-0	163	00-051144-10241-9	32	00-051144-22392-3	18
00-051138-54259-7	163	00-051144-10242-6	32	00-051144-22393-0	18
00-051138-66166-3	172	00-051144-10243-3	32	00-051144-22394-7	18
00-051138-66309-4	172	00-051144-10244-0	32	00-051144-22395-4	18
00-051138-72044-5	172	00-051144-10245-7	32	00-051144-22397-8	18
00-051138-72793-2	172	00-051144-10246-4	32	00-051144-22398-5	18
00-051138-72794-9	172	00-051144-10247-1	32	00-051144-22399-2	18
00-051138-72795-6	172	00-051144-10248-8	32	00-051144-22400-5	18
00-051138-72837-3	171	00-051144-10272-3	32	00-051144-22401-2	18
00-051138-72838-0	171	00-051144-10273-0	32	00-051144-22402-9	18
00-051144-01332-6	17	00-051144-10275-4	32	00-051144-22403-6	18
00-051144-01420-0	23	00-051144-10328-7	32	00-051144-22404-3	18
00-051144-01421-7	23	00-051144-10329-4	32	00-051144-22405-0	18
00-051144-01422-4	23	00-051144-10330-0	32	00-051144-22406-7	18
00-051144-01423-1	23	00-051144-10331-7	32	00-051144-22407-4	18
00-051144-01435-4	23	00-051144-10332-4	32	00-051144-26316-5	5
00-051144-01437-8	23	00-051144-10364-5	32	00-051144-26408-7	5
00-051144-01438-5	23	00-051144-10695-0	33	00-051144-26562-6	5
00-051144-01727-0	13	00-051144-11000-1	18	00-051144-26564-0	5
00-051144-01741-6	13	00-051144-11063-6	21	00-051144-26717-0	5
00-051144-02000-3	33	00-051144-11102-2	19	00-051144-26720-0	5
00-051144-02002-7	33	00-051144-11103-9	19	00-051144-26723-1	5
00-051144-02003-4	33	00-051144-11104-6	19	00-051144-26780-4	5
00-051144-02004-1	33	00-051144-11105-3	19	00-051144-26781-1	5
00-051144-02005-8	33	00-051144-11106-0	19	00-051144-27423-9	5
00-051144-02006-5	33	00-051144-11108-4	19	00-051144-33067-6	5
00-051144-02007-2	33	00-051144-11109-1	19	00-051144-33640-1	5
00-051144-02014-0	33	00-051144-11110-7	19	00-051144-35088-9	39
00-051144-02015-7	33	00-051144-11111-4	19	00-051144-35475-7	39
00-051144-02016-4	33	00-051144-11112-1	19	00-051144-35476-4	39
00-051144-02017-1	33	00-051144-11418-4	18	00-051144-40414-8	27
00-051144-02018-8	33	00-051144-11419-1	18	00-051144-40418-6	27
00-051144-02019-5	33	00-051144-13084-9	60	00-051144-45090-9	20
00-051144-02105-5	31	00-051144-13873-9	18	00-051144-45091-6	20
00-051144-02106-2	31	00-051144-13926-2	13	00-051144-45092-3	20
00-051144-02107-9	31	00-051144-13928-6	13	00-051144-45095-4	20
00-051144-02112-3	32	00-051144-13930-9	13	00-051144-45096-1	20
00-051144-02113-0	32	00-051144-13932-3	13	00-051144-45099-2	20
00-051144-02114-7	32	00-051144-13933-0	13	00-051144-45101-2	20
00-051144-02115-4	32	00-051144-13934-7	13	00-051144-45102-9	20
00-051144-02116-1	32	00-051144-13936-1	13	00-051144-45205-7	15
00-051144-02118-5	32	00-051144-13937-8	13	00-051144-72227-3	5
00-051144-02119-2	32	00-051144-13977-4	13	00-051144-72228-0	5
00-051144-02342-4	32	00-051144-14186-9	33	00-051144-74327-8	6
00-051144-02344-8	32	00-051144-14188-3	33	00-051144-76433-4	19
00-051144-02345-5	32	00-051144-14190-6	33	00-051144-76436-5	19
00-051144-02346-2	32	00-051144-14211-8	20	00-051144-76444-0	13
00-051144-02347-9	32	00-051144-14215-6	20	00-051144-76504-1	61
00-051144-02348-6	32	00-051144-14519-5	5	00-051144-76519-5	5
00-051144-02349-3	32	00-051144-14559-1	18	00-051144-76626-0	19
00-051144-02350-9	32	00-051144-14592-8	39	00-051144-76628-4	19
00-051144-02351-6	32	00-051144-14623-9	39	00-051144-76629-1	19
00-051144-02352-3	32	00-051144-14624-6	39	00-051144-76630-7	19
00-051144-02404-9	32	00-051144-14625-3	39	00-051144-76631-4	19
00-051144-02406-3	32	00-051144-14655-0	39	00-051144-76632-1	19
00-051144-02408-7	32	00-051144-14656-7	39	00-051144-76633-8	19
00-051144-02431-5	33	00-051144-14660-4	19	00-051144-76634-5	19
00-051144-02432-2	33	00-051144-14661-1	19	00-051144-76679-6	5
00-051144-02433-9	33	00-051144-14756-4	5	00-051144-76680-2	5
00-051144-05001-7	33	00-051144-14895-0	5	00-051144-76686-4	5
00-051144-05002-4	33	00-051144-14896-7	5	00-051144-76733-5	5
00-051144-05004-8	33	00-051144-14998-8	28	00-051144-77065-6	5
00-051144-05005-5	33	00-051144-14999-5	28	00-051144-77152-3	5
00-051144-05006-2	33	00-051144-20874-6	17	00-051144-77223-0	23
00-051144-05007-9	33	00-051144-20877-7	17	00-051144-77225-4	23
00-051144-05008-6	33	00-051144-20878-4	17	00-051144-77227-8	23
00-051144-05009-3	33	00-051144-20883-8	17	00-051144-77229-2	23
00-051144-05010-9	33	00-051144-20884-5	17	00-051144-77230-8	23
00-051144-05021-5	33	00-051144-20885-2	17	00-051144-77232-2	23
00-051144-05022-2	33	00-051144-20887-6	17	00-051144-77234-6	23
00-051144-05024-6	33	00-051144-20888-3	17	00-051144-77236-0	23
00-051144-05026-0	33	00-051144-20889-0	17	00-051144-77237-7	23
00-051144-05028-4	33	00-051144-20891-3	17	00-051144-77239-1	23
00-051144-05029-1	33	00-051144-20905-7	17	00-051144-77241-4	23
00-051144-05030-7	33	00-051144-20910-1	17	00-051144-77243-8	23
00-051144-05040-6	33	00-051144-21749-6	22	00-051144-77244-5	22
00-051144-05041-3	33	00-051144-21752-6	22	00-051144-77247-6	22
00-051144-05042-0	33	00-051144-21786-1	22	00-051144-77249-0	22
00-051144-05044-4	33	00-051144-21787-8	22	00-051144-77251-3	22

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-051144-77333-6	.5	00-051144-85890-3	.14	00-054007-06118-2	.77
00-051144-77334-3	.5	00-051144-85960-3	.13	00-054007-06128-1	.77
00-051144-77336-7	.5	00-051144-85966-5	.13	00-054007-06130-4	.89
00-051144-77407-4	.5	00-051144-85967-2	.13	00-054007-06132-8	.89
00-051144-77408-1	.5	00-051144-85968-9	.13	00-054007-06134-2	.77
00-051144-77443-2	.5	00-051144-85973-3	.13	00-054007-06135-9	.77
00-051144-77476-0	.5	00-051144-85974-0	.13	00-054007-06143-4	.88
00-051144-77491-3	.5	00-051144-85977-1	.13	00-054007-06147-2	.87
00-051144-77512-5	.5	00-051144-86468-3	.22	00-054007-06149-6	.87
00-051144-77596-5	.13	00-051144-86469-0	.22	00-054007-06165-6	.86
00-051144-77642-9	.5	00-051144-86470-6	.22	00-054007-06195-3	.198
00-051144-77992-5	.5	00-051144-86471-3	.22	00-054007-06196-0	.198
00-051144-77993-2	.5	00-051144-86472-0	.22	00-054007-06200-4	.70
00-051144-77998-7	.6	00-051144-86473-7	.22	00-054007-06201-1	.72
00-051144-80098-8	.28	00-051144-86474-4	.22	00-054007-06202-8	.72
00-051144-80099-5	.28	00-051144-86475-1	.22	00-054007-06203-5	.72
00-051144-80176-3	.5	00-051144-86476-8	.22	00-054007-06204-2	.72
00-051144-80232-6	.5	00-051144-86488-1	.22	00-054007-06205-9	.72
00-051144-80253-1	.5	00-051144-86489-8	.22	00-054007-06206-6	.70
00-051144-80486-3	.5	00-051144-86490-4	.22	00-054007-06207-3	.71
00-051144-80508-2	.19	00-051144-86491-1	.22	00-054007-06220-2	.70
00-051144-80509-9	.19	00-051144-86492-8	.22	00-054007-06224-0	.72
00-051144-80511-2	.19	00-051144-86493-5	.22	00-054007-06225-7	.72
00-051144-80512-9	.19	00-051144-86494-2	.22	00-054007-06226-4	.72
00-051144-80513-6	.19	00-051144-86495-9	.22	00-054007-06227-1	.72
00-051144-80515-0	.15	00-051144-88755-2	.37	00-054007-06228-8	.72
00-051144-80516-7	.15	00-051144-88870-2	.17	00-054007-06229-5	.70
00-051144-80551-8	.5	00-051144-88871-9	.17	00-054007-06232-5	.72
00-051144-80650-8	.39	00-051144-88872-6	.17	00-054007-06234-9	.72
00-051144-80654-6	.13	00-051144-88875-7	.17	00-054007-06240-0	.71
00-051144-80655-3	.13	00-051144-88878-8	.17	00-054007-06243-1	.71
00-051144-80656-0	.13	00-051144-88902-0	.17	00-054007-06248-6	.72
00-051144-80657-7	.13	00-051144-88903-7	.17	00-054007-06249-3	.72
00-051144-80660-7	.13	00-051144-88905-1	.17	00-054007-06250-9	.72
00-051144-80661-4	.13	00-051144-88906-8	.17	00-054007-06251-6	.72
00-051144-80662-1	.13	00-051144-96433-8	.23	00-054007-06252-3	.72
00-051144-80663-8	.13	00-051144-96434-5	.23	00-054007-06256-1	.72
00-051144-80678-2	.36	00-051144-96495-6	.23	00-054007-06258-5	.72
00-051144-80679-9	.36	00-051144-96496-3	.23	00-054007-06264-6	.71
00-051144-80686-7	.5	00-054007-00013-6	.84	00-054007-06267-7	.71
00-051144-80759-8	.39	00-054007-00014-3	.84	00-054007-06270-7	.72
00-051144-80762-8	.39	00-054007-00059-4	.84	00-054007-06271-4	.72
00-051144-80799-4	.36	00-054007-00072-3	.88	00-054007-06272-1	.72
00-051144-80800-7	.36	00-054007-00089-2	.77	00-054007-06273-8	.72
00-051144-80801-4	.36	00-054007-00840-8	.77	00-054007-06274-5	.72
00-051144-80802-1	.36	00-054007-01080-7	.98	00-054007-06275-2	.72
00-051144-80942-4	.23	00-054007-01220-7	.96	00-054007-06277-6	.71
00-051144-80943-1	.23	00-054007-01312-9	.74	00-054007-06290-5	.71
00-051144-80944-8	.23	00-054007-01313-6	.75	00-054007-06292-9	.71
00-051144-80945-5	.23	00-054007-01315-0	.76	00-054007-06294-3	.71
00-051144-80947-9	.23	00-054007-01332-7	.76	00-054007-06295-0	.71
00-051144-80951-6	.23	00-054007-01361-7	.97	00-054007-06296-7	.71
00-051144-80976-9	.5	00-054007-01421-8	.97	00-054007-06297-4	.71
00-051144-81235-6	.61	00-054007-01452-2	.98	00-054007-06298-1	.71
00-051144-81372-8	.13	00-054007-01453-9	.98	00-054007-06299-8	.71
00-051144-81375-9	.13	00-054007-01776-9	.76	00-054007-06300-1	.75
00-051144-81470-1	.59	00-054007-01777-6	.76	00-054007-06301-8	.75
00-051144-81752-8	.5	00-054007-01817-9	.74	00-054007-06318-6	.75
00-051144-81767-2	.5	00-054007-01818-6	.75	00-054007-06319-3	.75
00-051144-81986-7	.39	00-054007-01819-3	.75	00-054007-06323-0	.95
00-051144-82153-2	.5	00-054007-01820-9	.76	00-054007-06325-4	.95
00-051144-82178-5	.22	00-054007-01821-6	.75	00-054007-06327-8	.95
00-051144-82238-6	.37	00-054007-01841-4	.93	00-054007-06331-5	.95
00-051144-82313-0	.5	00-054007-01873-5	.97	00-054007-06339-1	.91
00-051144-82770-1	.39	00-054007-01923-7	.97	00-054007-06342-1	.75
00-051144-82876-0	.60	00-054007-01924-4	.97	00-054007-06343-8	.75
00-051144-82877-7	.60	00-054007-01936-7	.94	00-054007-08159-3	.78
00-051144-82878-4	.60	00-054007-01937-4	.94	00-054007-08160-9	.78
00-051144-82899-9	.20	00-054007-01938-1	.94	00-054007-08161-6	.78
00-051144-83272-9	.39	00-054007-02077-6	.74	00-054007-08162-3	.78
00-051144-83488-4	.37	00-054007-02078-3	.74	00-054007-08267-5	.93
00-051144-83489-1	.20	00-054007-02081-3	.76	00-054007-08268-2	.93
00-051144-83690-1	.14	00-054007-02144-5	.75	00-054007-08270-5	.93
00-051144-83691-8	.14	00-054007-02149-0	.92	00-054007-08273-6	.93
00-051144-83692-5	.14	00-054007-02249-7	.92	00-054007-08324-6	.122
00-051144-83693-2	.14	00-054007-02286-2	.91	00-054007-08427-3	.75
00-051144-83695-6	.14	00-054007-02287-9	.91	00-054007-08428-0	.75
00-051144-84296-4	.5	00-054007-02289-3	.92	00-054007-08515-7	.82
00-051144-84302-2	.5	00-054007-02290-9	.91	00-054007-08516-4	.82
00-051144-84303-9	.5	00-054007-02291-6	.91	00-054007-08518-8	.82
00-051144-84306-0	.5	00-054007-02293-0	.93	00-054007-08519-5	.82
00-051144-84307-7	.5	00-054007-02299-2	.92	00-054007-08520-1	.82
00-051144-84404-3	.5	00-054007-02300-5	.92	00-054007-08521-8	.82
00-051144-84409-8	.5	00-054007-02301-2	.92	00-054007-08522-5	.82
00-051144-84412-8	.5	00-054007-02302-9	.92	00-054007-08585-0	.83
00-051144-84416-6	.5	00-054007-02306-7	.92	00-054007-09061-8	.85
00-051144-85318-2	.5	00-054007-02370-8	.91	00-054007-09065-6	.85
00-051144-85319-9	.5	00-054007-02384-5	.91	00-054007-09230-8	.77
00-051144-85372-4	.5	00-054007-04832-9	.88	00-054007-09231-5	.77
00-051144-85883-5	.14	00-054007-04833-6	.88	00-054007-09232-2	.77
00-051144-85885-9	.14	00-054007-04834-3	.88	00-054007-09233-9	.77
00-051144-85886-6	.14	00-054007-04835-0	.88	00-054007-09368-8	.99
00-051144-85888-0	.14	00-054007-04836-7	.88	00-054007-09369-5	.99

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
00-054007-09370-1	.99	00-054007-15678-9	.75	00-054007-43478-8	.87
00-054007-09371-8	.99	00-054007-15769-4	.78	00-054007-43556-3	.79
00-054007-09372-5	.99	00-054007-15785-4	.84	00-054007-43906-6	.73
00-054007-09373-2	.99	00-054007-15967-4	.75	00-054007-43962-2	.88
00-054007-09374-9	.99	00-054007-16163-9	.94	00-054007-49432-4	.97
00-054007-09375-6	.99	00-054007-16726-6	.77	00-054007-49433-1	.97
00-054007-09376-3	.99	00-054007-16727-3	.77	00-054007-49434-8	.97
00-054007-09377-0	.99	00-054007-16732-7	.76	00-054007-49517-8	.100
00-054007-09378-7	.99	00-054007-16735-8	.78	00-054007-49518-5	.100
00-054007-09404-3	.99	00-054007-20041-3	.78	00-054007-49571-0	.88
00-054007-09656-6	.87	00-054007-20058-1	.78	00-054007-49651-9	.99
00-054007-09910-9	.86	00-054007-20090-1	.77	00-054007-49659-5	.89
00-054007-09963-5	.99	00-054007-20181-6	.77	00-054007-49700-4	.88
00-054007-09991-8	.93	00-054007-21296-6	.87	00-054007-49702-8	.87
00-054007-09998-7	.76	00-054007-21346-8	.78	00-054007-49899-5	.89
00-054007-10075-1	.89	00-054007-21494-6	.77	00-054007-49918-3	.71
00-054007-10083-6	.86	00-054007-21502-8	.77	00-054007-49919-0	.78
00-054007-10216-8	.85	00-054007-21734-3	.97	00-054007-49948-0	.78
00-054007-10224-3	.88	00-054007-21999-6	.95	00-054007-49950-3	.74
00-054007-10232-8	.88	00-054007-22195-1	.74	00-054007-49951-0	.98
00-054007-10240-3	.88	00-054007-22203-3	.75	00-054007-49952-7	.98
00-054007-10257-1	.88	00-054007-22211-8	.75	00-054007-49953-4	.98
00-054007-10265-6	.88	00-054007-22385-6	.97	00-054007-49958-9	.98
00-054007-10273-1	.88	00-054007-22393-1	.97	00-054007-49960-2	.98
00-054007-10281-6	.88	00-054007-22401-3	.97	00-054007-49961-9	.98
00-054007-10299-1	.88	00-054007-22484-6	.94	00-054007-49963-3	.98
00-054007-10307-3	.88	00-054007-22567-6	.96	00-054007-50216-6	.85
00-054007-10323-3	.88	00-054007-22575-1	.96	00-054007-50217-3	.85
00-054007-10356-1	.88	00-054007-22641-3	.95	00-054007-50218-0	.85
00-054007-10364-6	.88	00-054007-22658-1	.95	00-054007-50335-4	.87
00-054007-10638-8	.84	00-054007-22666-6	.95	00-054007-50336-1	.87
00-054007-10646-3	.84	00-054007-22682-6	.94	00-054007-50342-2	.83
00-054007-10687-6	.88	00-054007-22880-6	.76	00-054007-50343-9	.83
00-054007-10703-3	.88	00-054007-22930-8	.94	00-054007-50344-6	.83
00-054007-10711-8	.88	00-054007-22997-1	.76	00-054007-50345-3	.99
00-054007-10810-8	.88	00-054007-23102-8	.74	00-054007-50419-1	.77
00-054007-10828-3	.88	00-054007-23110-3	.74	00-054007-50428-3	.88
00-054007-10836-8	.88	00-054007-23128-8	.75	00-054007-50727-7	.87
00-054007-10844-3	.88	00-054007-23136-3	.75	00-054007-58973-0	.82
00-054007-10851-1	.88	00-054007-23276-6	.92	00-054007-60825-7	.79
00-054007-10869-6	.88	00-054007-23359-6	.97	00-054007-69563-9	.93
00-054007-10885-6	.88	00-054007-23367-1	.97	00-054007-69573-8	.93
00-054007-11008-8	.87	00-054007-23441-8	.94	00-054007-69575-2	.93
00-054007-11032-3	.77	00-054007-23458-6	.94	00-054007-69578-3	.76
00-054007-11040-8	.77	00-054007-23615-3	.96	00-054007-69764-0	.88
00-054007-11156-6	.84	00-054007-23623-8	.96	00-054007-70204-7	.89
00-054007-11222-8	.87	00-054007-23680-1	.92	00-054007-70205-4	.89
00-054007-11271-6	.88	00-054007-23706-8	.95	00-054007-70209-2	.90
00-054007-11711-7	.92	00-054007-23714-3	.95	00-054007-70210-8	.90
00-054007-11716-2	.93	00-054007-23748-8	.94	00-054007-70217-7	.90
00-054007-11720-9	.94	00-054007-24019-8	.74	00-054007-70219-1	.90
00-054007-11723-0	.92	00-054007-24027-3	.74	00-054007-70221-4	.90
00-054007-11816-9	.93	00-054007-24035-8	.75	00-054007-70243-6	.91
00-054007-11820-6	.76	00-054007-24043-3	.75	00-054007-70256-6	.89
00-054007-11900-5	.95	00-054007-24126-3	.92	00-054007-70257-3	.89
00-054007-11902-9	.78	00-054007-24183-6	.92	00-054007-70258-0	.89
00-054007-11928-9	.76	00-054007-26275-6	.198	00-054007-70259-7	.89
00-054007-11949-4	.75	00-054007-27494-0	.86	00-054007-70260-3	.89
00-054007-11950-0	.75	00-054007-38857-9	.82	00-054007-70261-0	.89
00-054007-11954-8	.99	00-054007-38860-9	.82	00-054007-70262-7	.89
00-054007-12174-9	.100	00-054007-38870-8	.82	00-054007-70266-5	.90
00-054007-12175-6	.99	00-054007-38880-7	.82	00-054007-70267-2	.90
00-054007-12177-0	.100	00-054007-38881-4	.82	00-054007-70268-9	.90
00-054007-12201-2	.98	00-054007-38883-8	.82	00-054007-70279-5	.90
00-054007-12312-5	.75	00-054007-38884-5	.82	00-054007-70281-8	.90
00-054007-12313-2	.75	00-054007-38893-7	.82	00-054007-70282-5	.90
00-054007-12314-9	.75	00-054007-38894-4	.82	00-054007-70284-9	.90
00-054007-12315-6	.75	00-054007-38895-1	.82	00-054007-70286-3	.90
00-054007-13760-3	.78	00-054007-38982-8	.82	00-054007-70288-7	.95
00-054007-13864-8	.96	00-054007-38986-6	.82	00-054007-70289-4	.95
00-054007-13872-3	.96	00-054007-41323-3	.86	00-054007-70311-2	.90
00-054007-13906-5	.96	00-054007-41717-0	.87	00-054007-70313-6	.90
00-054007-13914-0	.96	00-054007-41718-7	.87	00-054007-70329-7	.91
00-054007-13915-7	.96	00-054007-41720-0	.88	00-054007-70333-4	.91
00-054007-13922-5	.96	00-054007-41750-7	.86	00-054007-70334-1	.91
00-054007-13923-2	.96	00-054007-41753-8	.87	00-054007-70336-5	.91
00-054007-13953-3	.96	00-054007-41754-5	.87	00-054007-70337-2	.91
00-054007-13963-8	.96	00-054007-42006-4	.87	00-054007-70450-8	.89
00-054007-13964-5	.96	00-054007-42007-1	.87	00-054007-70451-5	.89
00-054007-13971-3	.96	00-054007-42033-0	.78	00-054007-70453-9	.90
00-054007-14853-1	.73	00-054007-42768-1	.84	00-054007-70458-4	.90
00-054007-14861-6	.77	00-054007-42803-9	.85	00-054007-70468-3	.91
00-054007-14879-1	.77	00-054007-42807-7	.84	00-054007-70477-5	.91
00-054007-14887-6	.77	00-054007-42817-6	.73	00-054007-70478-2	.91
00-054007-14895-1	.77	00-054007-42818-3	.73	00-054007-70481-2	.78
00-054007-15025-1	.84	00-054007-42828-2	.73	00-054007-70488-1	.78
00-054007-15033-6	.84	00-054007-43117-6	.74	00-054007-70489-8	.78
00-054007-15066-4	.86	00-054007-43122-0	.74	00-707387-36937-8	.126
00-054007-15074-9	.86	00-054007-43133-6	.74	00-707387-44677-2	.129
00-054007-15603-1	.84	00-054007-43153-4	.73	00-707387-46871-2	.129
00-054007-15629-1	.95	00-054007-43154-1	.73	00-707387-50005-4	.129
00-054007-15637-6	.95	00-054007-43155-8	.73	07-891040-01426-2	.5
00-054007-15652-9	.93	00-054007-43403-0	.85	07-891040-01430-9	.5

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
07-891040-01433-0	.5	50-048011-08410-2	.110	50-048011-19084-1	.116
07-891040-01439-2	.5	50-048011-08411-9	.110	50-048011-19150-3	.107
07-891040-01440-8	.5	50-048011-08412-6	.110	50-048011-19151-0	.107
07-891040-01447-7	.5	50-048011-08413-3	.110	50-048011-19152-7	.107
07-891040-01450-7	.5	50-048011-08414-0	.110	50-048011-19202-9	.104
07-891040-01451-4	.5	50-048011-08415-7	.110	50-048011-19204-3	.101
07-891040-01453-8	.5	50-048011-08416-4	.110	50-048011-19211-1	.103
07-891040-01457-6	.5	50-048011-08417-1	.110	50-048011-19212-8	.103
07-891040-10454-3	.5	50-048011-08418-8	.110	50-048011-19216-6	.143
10-053200-07220-6	.114	50-048011-08421-8	.110	50-048011-19217-3	.143
30-707387-04398-9	.126	50-048011-08440-9	.110	50-048011-19218-0	.143
50-021200-13655-4	.155	50-048011-08441-6	.110	50-048011-19219-7	.143
50-021200-16911-8	.155	50-048011-08442-3	.110	50-048011-19220-3	.143
50-021200-16952-1	.155	50-048011-08443-0	.110	50-048011-19221-0	.143
50-021200-17309-2	.155	50-048011-08444-7	.110	50-048011-19223-4	.143
50-021200-56855-3	.114	50-048011-08445-4	.110	50-048011-19224-1	.143
50-021200-57196-6	.116	50-048011-08446-1	.110	50-048011-19235-7	.143
50-021200-60187-8	.155	50-048011-08447-8	.110	50-048011-19236-4	.143
50-021200-76546-4	.106	50-048011-08448-5	.110	50-048011-19237-1	.143
50-021200-76547-1	.106	50-048011-08449-2	.110	50-048011-19238-8	.143
50-048011-05241-5	.110	50-048011-08450-8	.110	50-048011-19239-5	.143
50-048011-05509-6	.115	50-048011-08480-5	.112	50-048011-19279-1	.142
50-048011-05542-3	.114	50-048011-08481-2	.112	50-048011-19280-7	.142
50-048011-05603-1	.112	50-048011-08483-6	.112	50-048011-19281-4	.142
50-048011-05604-8	.112	50-048011-08484-3	.112	50-048011-19282-1	.142
50-048011-05605-5	.112	50-048011-08542-0	.111	50-048011-19283-8	.142
50-048011-05606-2	.112	50-048011-08548-2	.110	50-048011-19284-5	.142
50-048011-05607-9	.112	50-048011-08750-9	.109	50-048011-19285-2	.142
50-048011-05623-9	.112	50-048011-08751-6	.109	50-048011-19288-3	.142
50-048011-05683-3	.115	50-048011-08752-3	.109	50-048011-19289-0	.142
50-048011-05719-9	.107	50-048011-08753-0	.109	50-048011-19292-0	.143
50-048011-05978-0	.142	50-048011-08754-7	.109	50-048011-19293-7	.143
50-048011-05979-7	.142	50-048011-08780-6	.105	50-048011-19294-4	.143
50-048011-05980-3	.142	50-048011-09489-7	.116	50-048011-19296-8	.143
50-048011-07445-5	.115	50-048011-09493-4	.116	50-048011-19297-5	.143
50-048011-08003-6	.110	50-048011-09563-4	.140	50-048011-19298-2	.143
50-048011-08004-3	.110	50-048011-13514-9	.141	50-048011-19299-9	.143
50-048011-08005-0	.110	50-048011-13528-6	.141	50-048011-19300-2	.143
50-048011-08080-7	.112	50-048011-13534-7	.141	50-048011-19301-9	.143
50-048011-08082-1	.110	50-048011-13535-4	.141	50-048011-19302-6	.143
50-048011-08092-0	.110	50-048011-13702-0	.106	50-048011-19304-0	.142
50-048011-08184-2	.107	50-048011-13722-8	.142	50-048011-19305-7	.142
50-048011-08251-1	.115	50-048011-13723-5	.142	50-048011-19316-3	.142
50-048011-08265-8	.109	50-048011-14002-0	.106	50-048011-19318-7	.142
50-048011-08270-2	.111	50-048011-14003-7	.107	50-048011-19319-4	.142
50-048011-08271-9	.111	50-048011-14004-4	.107	50-048011-19321-7	.143
50-048011-08272-6	.111	50-048011-14020-4	.108	50-048011-19322-4	.143
50-048011-08273-3	.111	50-048011-14185-0	.108	50-048011-19323-1	.143
50-048011-08274-0	.111	50-048011-14804-0	.109	50-048011-19324-8	.143
50-048011-08275-7	.111	50-048011-14865-1	.110	50-048011-19325-5	.143
50-048011-08276-4	.111	50-048011-15027-2	.114	50-048011-19326-2	.143
50-048011-08277-1	.111	50-048011-15389-1	.140	50-048011-19327-9	.143
50-048011-08278-8	.111	50-048011-15402-7	.108	50-048011-19328-6	.143
50-048011-08279-5	.111	50-048011-15498-0	.108	50-048011-19340-8	.142
50-048011-08280-1	.111	50-048011-16107-0	.142	50-048011-19369-9	.113
50-048011-08281-8	.111	50-048011-16108-7	.142	50-048011-19371-2	.113
50-048011-08282-5	.111	50-048011-16861-1	.106	50-048011-19930-1	.106
50-048011-08292-4	.115	50-048011-17438-4	.109	50-048011-19970-7	.114
50-048011-08293-1	.114	50-048011-18044-6	.112	50-048011-20013-7	.109
50-048011-08369-3	.110	50-048011-18045-3	.112	50-048011-20015-1	.109
50-048011-08370-9	.110	50-048011-18046-0	.112	50-048011-20017-5	.109
50-048011-08372-3	.110	50-048011-18047-7	.112	50-048011-20018-2	.109
50-048011-08373-0	.110	50-048011-18048-4	.112	50-048011-20019-9	.109
50-048011-08374-7	.110	50-048011-18049-1	.112	50-048011-20020-5	.109
50-048011-08375-4	.110	50-048011-18050-7	.112	50-048011-20034-2	.109
50-048011-08376-1	.110	50-048011-18051-4	.112	50-048011-20035-9	.109
50-048011-08377-8	.110	50-048011-18052-1	.112	50-048011-20036-6	.109
50-048011-08378-5	.110	50-048011-18060-6	.112	50-048011-20037-3	.109
50-048011-08379-2	.110	50-048011-18062-0	.112	50-048011-20038-0	.109
50-048011-08380-8	.110	50-048011-18063-7	.112	50-048011-20039-7	.109
50-048011-08381-5	.110	50-048011-18064-4	.112	50-048011-20040-3	.109
50-048011-08382-2	.110	50-048011-18065-1	.112	50-048011-20041-0	.109
50-048011-08383-9	.110	50-048011-18066-8	.112	50-048011-20042-7	.109
50-048011-08384-6	.110	50-048011-18067-5	.112	50-048011-20121-9	.101
50-048011-08385-3	.110	50-048011-18068-2	.112	50-048011-20200-1	.105
50-048011-08386-0	.110	50-048011-18069-9	.112	50-048011-20229-2	.142
50-048011-08387-7	.112	50-048011-18205-1	.112	50-048011-20231-5	.142
50-048011-08388-4	.112	50-048011-18206-8	.112	50-048011-20233-9	.142
50-048011-08389-1	.112	50-048011-18207-5	.112	50-048011-20236-0	.141
50-048011-08390-7	.112	50-048011-18208-2	.112	50-048011-20239-1	.141
50-048011-08391-4	.112	50-048011-18209-9	.112	50-048011-20242-1	.140
50-048011-08392-1	.112	50-048011-18212-9	.112	50-048011-20245-2	.140
50-048011-08393-8	.112	50-048011-18213-6	.112	50-048011-20259-9	.112
50-048011-08394-5	.112	50-048011-19001-8	.111	50-048011-20264-3	.109
50-048011-08395-2	.112	50-048011-19002-5	.111	50-048011-20265-0	.109
50-048011-08398-3	.112	50-048011-19005-6	.111	50-048011-20313-8	.113
50-048011-08399-0	.112	50-048011-19006-3	.111	50-048011-20317-6	.111
50-048011-08404-1	.112	50-048011-19007-0	.111	50-048011-20322-0	.112
50-048011-08405-8	.110	50-048011-19008-7	.111	50-048011-20379-4	.109
50-048011-08406-5	.110	50-048011-19009-4	.111	50-048011-20382-4	.111
50-048011-08407-2	.110	50-048011-19010-1	.111	50-048011-20501-9	.114
50-048011-08408-9	.110	50-048011-19012-4	.111	50-048011-20544-6	.140
50-048011-08409-6	.110	50-048011-19083-4	.116	50-048011-20545-3	.140

UPC Number Index

UPC NUMBER	PAGE	UPC NUMBER	PAGE	UPC NUMBER	PAGE
50-048011-20555-2	140	50-051131-07025-2	163	50-051138-29219-0	173
50-048011-20559-0	140	50-051131-07026-9	163	50-051138-29221-3	171
50-048011-20560-6	140	50-051131-07047-4	167	50-051138-29222-0	173
50-048011-20566-8	140	50-051131-07065-8	168	50-051138-29234-3	178
50-048011-20570-5	140	50-051131-07184-6	168	50-051138-29296-1	174
50-048011-20583-5	140	50-051131-07189-1	171	50-051138-29333-3	160
50-048011-20584-2	140	50-051131-07194-5	168	50-051138-29334-0	161
50-048011-20585-9	140	50-051131-37014-7	156	50-051138-29335-7	161
50-048011-20590-3	140	50-051131-37021-5	169	50-051138-29341-8	161
50-048011-20594-1	140	50-051131-37022-2	170	50-051138-29342-5	162
50-048011-20688-7	115	50-051131-37062-8	161	50-051138-29352-4	173
50-048011-23162-9	115	50-051131-37063-5	160	50-051138-29353-1	173
50-048011-23163-6	116	50-051131-37081-9	163	50-051138-46288-3	175
50-048011-23219-0	106	50-051131-37082-6	163	50-051138-46289-0	179
50-048011-23379-1	115	50-051131-37083-3	163	50-051138-46457-3	168
50-048011-23387-6	140	50-051131-37100-7	159	50-051138-46464-1	167
50-048011-23431-6	140	50-051131-37101-4	157	50-051138-46465-8	166
50-048011-23553-5	101	50-051131-37102-1	155	50-051138-46466-5	164
50-048011-23589-4	116	50-051131-37103-8	156	50-051138-46467-2	166
50-048011-23649-5	116	50-051131-37104-5	156	50-051138-46468-9	164
50-048011-23650-1	116	50-051131-37105-2	157	50-051138-46469-6	165
50-048011-23651-8	116	50-051131-37108-3	157	50-051138-46470-2	165
50-048011-23652-5	116	50-051131-37110-6	157	50-051138-46471-9	165
50-048011-23750-8	140	50-051131-37111-3	157	50-051138-46488-7	155
50-048011-23764-5	140	50-051131-37112-0	157	50-051138-46489-4	155
50-048011-23766-9	140	50-051131-37115-1	157	50-051138-54141-0	171
50-048011-23788-1	140	50-051131-52590-5	160	50-051138-54143-4	169
50-048011-23796-6	140	50-051131-52591-2	160	50-051138-54145-8	162
50-048011-25852-7	111	50-051131-52592-9	160	50-051138-54146-5	162
50-048011-25855-8	111	50-051131-52593-6	160	50-051138-54159-5	162
50-048011-25857-2	111	50-051131-52595-0	159	50-051138-54186-1	166
50-048011-25858-9	111	50-051131-52596-7	159	50-051138-54187-8	165
50-048011-25859-6	111	50-051131-52705-3	167	50-051138-54204-2	159
50-048011-25860-2	111	50-051131-52706-0	167	50-051138-54205-9	158
50-048011-25861-9	111	50-051131-52750-3	169	50-051138-54285-1	169
50-048011-25863-3	111	50-051131-52764-0	164	50-051138-54295-0	167
50-048011-25865-7	111	50-051131-52765-7	164	50-051138-54336-0	169
50-048011-25866-4	111	50-051131-52766-4	164	50-051138-54343-8	169
50-048011-26338-5	141	50-051131-52791-6	163	50-051138-54356-8	167
50-048011-26417-7	143	50-051131-52792-3	163	50-051138-54357-5	170
50-048011-26419-1	143	50-051131-52793-0	163	50-051138-54358-2	170
50-048011-26420-7	143	50-051131-52837-1	174	50-051138-54368-1	168
50-048011-26421-4	143	50-051131-52845-6	161	50-051138-54369-8	167
50-048011-26448-1	141	50-051131-52850-0	160	50-051138-54370-4	170
50-048011-26449-8	141	50-051131-52967-5	168	50-051138-54371-1	171
50-048011-26456-6	141	50-051131-62039-6	127	50-051138-66003-6	160
50-048011-26458-0	141	50-051131-62040-2	127	50-051138-66004-3	162
50-048011-26464-1	141	50-051131-62041-9	127	50-051138-66068-5	162
50-048011-26477-1	141	50-051131-62242-0	126	50-051138-66069-2	162
50-048011-26518-1	141	50-051131-65439-1	127	50-051138-66070-8	162
50-048011-26519-8	141	50-051138-08785-7	155	50-051138-66080-7	155
50-048011-26564-8	106	50-051138-08786-4	155	50-051138-66081-4	155
50-048011-29524-9	105	50-051138-09095-6	175	50-051138-66192-7	170
50-048011-29603-1	108	50-051138-16353-7	159	50-051138-66218-4	162
50-048011-29696-3	107	50-051138-16356-8	157	50-051138-66219-1	162
50-048011-34746-7	105	50-051138-16357-5	158	50-051138-66220-7	162
50-048011-34747-4	101	50-051138-16359-9	158	50-051138-66298-6	169
50-048011-34752-8	103	50-051138-17593-6	175	50-051138-72077-8	173
50-048011-34755-9	106	50-051138-17594-3	175	50-051138-76701-8	162
50-048011-34758-0	104	50-051138-17596-7	175	50-051138-76702-5	162
50-048011-34759-7	103	50-051138-17597-4	175	50-051138-76703-2	162
50-048011-34763-4	101	50-051138-17668-1	168	50-051138-76705-6	162
50-048011-34764-1	104	50-051138-21343-0	175	50-051138-76706-3	162
50-048011-34765-8	105	50-051138-21344-7	175	50-051138-76798-8	157
50-048011-34772-6	104	50-051138-21354-6	178	50-051138-76800-8	156
50-048011-34774-0	106	50-051138-21355-3	178	50-051138-76801-5	156
50-048011-34775-7	105	50-051138-21356-0	178	50-051138-76802-2	156
50-048011-34782-5	104	50-051138-21511-3	164	50-051138-76803-9	156
50-048011-34854-9	103	50-051138-21526-7	176	50-051138-76804-6	156
50-048011-34862-4	103	50-051138-21527-4	176	50-051138-76805-3	156
50-048011-34863-1	107	50-051138-21528-1	176	50-051138-76806-0	156
50-048011-35142-6	103	50-051138-21531-1	177	50-051138-76807-7	157
50-048011-35143-3	105	50-051138-21543-4	178	50-051138-76809-1	160
50-048011-35144-0	104	50-051138-21544-1	178	50-051138-76810-7	160
50-048011-35145-7	104	50-051138-21545-8	178	50-051138-76811-4	160
50-048011-35146-4	104	50-051138-21674-5	166	50-051138-76813-8	160
50-048011-54106-3	102	50-051138-28880-3	164	50-051138-76814-5	160
50-048011-54108-7	102	50-051138-28882-7	164	50-051138-76815-2	160
50-048011-54109-4	102	50-051138-28910-7	176	50-051138-76817-6	159
50-048011-54110-0	102	50-051138-28911-4	178	50-051138-76818-3	159
50-048011-54111-7	102	50-051138-28950-3	179	50-051138-76819-0	159
50-048011-54112-4	102	50-051138-28984-8	155	50-051138-76939-5	161
50-048011-54113-1	101	50-051138-28994-7	177	50-051138-76981-4	161
50-048011-54114-8	101	50-051138-28995-4	177	50-053200-07456-7	113
50-051115-16543-1	121	50-051138-28998-5	176	50-707387-44623-4	126
50-051115-16578-3	123	50-051138-29008-0	161		
50-051115-16579-0	123	50-051138-29009-7	160		
50-051115-16580-6	123	50-051138-29068-4	180		
50-051131-07000-9	167	50-051138-29096-7	175		
50-051131-07001-6	163	50-051138-29116-2	178		
50-051131-07002-3	163	50-051138-29141-4	178		
50-051131-07003-0	163	50-051138-29148-3	166		
50-051131-07007-8	173	50-051138-29216-9	173		
50-051131-07024-5	163	50-051138-29218-3	173		

CONTACT US FOR ALL YOUR 3M MRO PRODUCT NEEDS:

3M can provide additional products and accessories to meet your needs. Please contact us in any of the following ways that you prefer:

- E-mail us at 3MIndustrial@mmm.com
- Call us at **Industrial** 1-800-567-1639 Ext 4335
Electrical 1-800-245-3573
- Visit us at www.3M.com/MRO
- Contact your *local 3M authorized distributor* directly.

For Additional Information

To request additional product information or to arrange for sales assistance, call 1-800-362-3550. Address correspondence to: 3M Industrial Business Customer Response Center, Building 21-1W-10, 900 Bush Avenue, St. Paul, MN 55106. Our fax number is 651-733-9175. In Canada, phone: 1-800-364-3577. In Puerto Rico, phone: 1-787-750-3000. In Mexico, phone: 52-70-04-00.

Product Use

All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

Warranty and Limited Remedy

Unless stated otherwise in 3M's product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. **3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.** User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to replace the product or refund the purchase price.

Limitation of Liability

Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal theory asserted, including warranty, contract, negligence, or strict liability.



3M.com/MRO

3M MRO Solutions

Curbell Plastics is a proud supplier
of 3M materials

CURBELL
PLASTICS

Nationwide
1.888.CURBELL
www.curbellplastics.com



MRO Maintenance Repair Operations

3M.com/MRO
Industrial 1-800-567-1639 Ext 4335
Electrical 1-800-245-3573



Minimum 10% Post-Consumer Fiber

© 3M 2005 78-6901-2115-3 IBDC5499