#### **Data sheet**

# HP LaserJet Enterprise MFP M630 series



## Full-featured Flow MFP that streamlines digital workflow and safeguards business information.

A full-featured HP Enterprise Flow MFP that streamlines digital workflow with advanced HP Flow solutions, safeguards business data and documents with a robust suite of top-flight security features, and offers simple, efficient mobile printing.



**HP LaserJet Enterprise MFP M630h** 



**HP LaserJet Enterprise MFP M630f** 



**HP LaserJet Enterprise Flow MFP M630z** 

#### Powerful performance to enhance workflow

- Finish faster—without missing a page—using single-pass, dual-head scanning, and the automatic document feeder.
- Increase efficiency and streamline workflow with a suite of HP Flow MFP features and scanning solutions.
- Easily tackle large jobs with a standard paper capacity of up to 3,100 sheets, and paper-finishing options.
- Quickly troubleshoot problems with cloud-based help services that are relevant and up to date.3

#### Protecting your business—now and in the future

- Safeguard and manage your printing with the HP Imaging and Printing Security Center and HP Web Jetadmin.<sup>4</sup>
- Confidently safeguard the sensitive data sent to your MFP with the encrypted hard drive.
- Securely store print jobs, then print only what you need via secure authentication—right at the MFP.5
- Safeguard security keys, passwords, and certificates with the HP Trusted Platform Module.<sup>6</sup>

#### Quick and easy mobile printing<sup>7</sup>

- Enable optional touch-to-print and touch-to-authenticate convenience from mobile devices.8
- Enable secure peer-to-peer direct-access mobile printing without connecting to the corporate network.9
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.

<sup>1</sup> Optional high-input paper trays must be purchased separately. <sup>2</sup> Paper-handling options vary by model and may require separate purchase. <sup>3</sup> Online help must be enabled on the printer or MFP. Mobile device must have an Internet connection to access online services. <sup>4</sup> HP Web Jetadmin is free and available for download at hp. com/go/webjetadmin. <sup>5</sup> Pull-printing is available at no charge and requires the MFP be connected to the Internet. For more information, see hpjetadvantage.com. <sup>6</sup> Use of the optional HP Trusted Platform Module accessory may require a firmware upgrade. <sup>7</sup> Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP eith account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. Some features require purchase of optional module. <sup>8</sup> HP bruch-to-print require spurities purchase of optional module. <sup>8</sup> MP bruch-to-print require spurities purchase of optional module. Mobile device needs to be connected directly to the Wi-Fi network of a wireless-direct capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. <sup>10</sup> Requires an Internet connection to an HP web-enabled printer and HP ePrint account registration. For a list of eligible printers, supported documents and image types, and other HP ePrint details, see hpconnected.com. Mobile devices require Internet connection

#### HP LaserJet Enterprise Flow MFP M630z

#### Product walkaround

- 1. Intuitive 8-inch (20.3 cm) touchscreen control panel
- 2. 100-sheet automatic document feeder (ADF) with singlepass, two-sided scanning and HP EveryPage (only for M630z)
- 3. Hardware Integration Pocket (for connecting accessory and third-party devices)
- 4. Easy access USB port to save and print files directly
- 5. 900-sheet, 3-bin stapling mailbox accessory
- 6. Pull-out keyboard for easy, accurate data entry
- 7. 100-sheet multipurpose tray
- 8. On/off button
- 9.500-sheet input tray
- 10. Lower-right door (access for clearing jams)
- 11.2 x 500-sheet and 1,500-sheet paper feeder with stand
- 12. Built-in automatic duplexer
- 13. Access port for optional Kensington-style lock
- 14.800 MHz processor, 1.5 GB RAM15
- 15. HP High-Performance Secure Hard Disk
- 16. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 17. Hi-Speed USB 2.0 printing port
- 18. HP Jetdirect Gigabit Ethernet print server
- 19. Foreign interface harness (for connecting external devices)
- 20. Fax port



Close-up of I/O ports

Front view

### Series at a glance







Model	HP LaserJet Enterprise MFP	HP LaserJet Enterprise MFP	HP LaserJet Enterprise Flow MFP
	M630h	M630f	M630z
Part number	J7X28A	B3G85A	B3G86A
100-sheet multipurpose tray, 500-sheet tray	Yes	Yes	Yes
2 x 500-sheet and 1,500-sheet paper feeders with stand	Optional		Yes
500-sheet input tray	Optional		
900-sheet, 3-bin stapling mailbox	Optional	Optional	Yes
100-sheet ADF with single-pass, two-sided scanning	Yes	Yes	Yes (Plus HP EveryPage)
Fax	Optional	Yes	Yes
HP High-Performance Secure Hard Disk	Yes	Yes	Yes
Pull-out keyboard	Not available	Not available	Yes
Touch-to-print/authenticate and wireless direct	Optional	Optional	Optional
HP LaserJet envelope feeder	Optional	Optional	Optional

#### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

#### **Business Priority Next Day Exchange:**

Support technician will arrange the shipment of a replacement printer to customer business site to arrive the next business day. Cost of shipping included in Care Pack.

#### **Business Priority Next Day Onsite Exchange:**

Support technician will arrange shipment of a replacement printer along with a visit from an HP Authorized Representative to install and exchange the device at customer business site.

For care pack availability visit: hp.com/go/cpc











#### **Top features**

Ramp up productivity, and keep work moving fast. This HP Flow MFP powers through tasks with super-fast scan speeds, and streamlines workflow with a robust HP Flow feature set.

Achieve comprehensive control of the information that matters most to your business—and manage MFP security settings with ease. Safeguard data, documents, and the MFP with a suite of more than 100 embedded and optional security features.

Keep working on pressing business demands—even when out of the office. Simple mobile printing from smartphones, tablets, and laptops saves time and helps keep business moving at top speed.7

HP Laser let 2x500/1500-sheet High-capacity Input Feeder with Stand

#### Accessories R3M75A

אכ זויוכם	The Education Exposite Figure Capacity input i ceder with Stand
B3M76A	HP 900-sheet 3-bin Stapling Mailbox
B3M77A	HP LaserJet 110V Maintenance Kit
B3M78A	HP LaserJet 220V Maintenance Kit
B3G87A	HP LaserJet Envelope Feeder
CC487A	HP LaserJet MFP Analog Fax Accessory 500
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server
J8026A	HP Jetdirect 2700w USB Wireless Print Server
J8029A	HP Jetdirect 2800w NFC/Wireless Direct Accessory
F5S62A	HP Trusted Platform Module Accessory
Supplies	
CF281A	HP 81A Black Original LaserJet Toner Cartridge

#### CF281X Services

HP LaserJet Enterprise Flow MFP M630 Series

U1ZU5E	HP 3 year Next business day + DMR LaserJet M630 Multifunction printer Support
U1ZU6E	HP 4 year Next business day + DMR LaserJet M630 Multifunction printer Support
U1ZU7E	HP 5 year Next business day + DMR LaserJet M630 Multifunction printer Support
U4PV5E	HP 3 year 4 hour 9x5 + DMR LaserJet M630 MFP Service
LIADVEE	HD 4 year 4 hour 9y5 + DMD Lacor lot M630 MED Sorvice

U4PV7E HP 5 year 4 hour 9x5 + DMR LaserJet M630 MFP Service HP 1 year Post Warranty Next business day + DMR LaserJet M630 Multifunction printer Support U1ZW4PE

U4PV8PE HP 1 year Post Warranty 4 hour 9x5 +DMR LaserJet M630 MFP Service

HP 81X High Yield Black Original LaserJet Toner Cartridge

<sup>7</sup> Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. Some features require purchase of optional module.

#### **HP LaserJet Enterprise MFP M630 series**

Technical Specifications AlO functions	HP LaserJet Enterprise MFP M630h(J7X28A)	HP LaserJet Enterprise MFP M630f(B3G85A)	HP LaserJet Enterprise Flow MFP M630z(B3G86A)			
	Print, copy, scan, digital send, print from Easy Access USB, scan to Easy	Print, copy, scan, fax, digital send, print from Easy Access USB, scan to Easy	Print, copy, scan, fax, digital send, print from Easy Access USB, print from Eas			
Print speed	Access USB; AIO multitasking supported: Yes	Access USB; AIO multitasking supported: Yes	Access USB, scan to SharePoint; AIO multitasking supported: Yes			
rint speed rint resolution	A4; Up to 57 ppm; Letter: Up to 60 ppm black; <sup>6</sup> P. First Page Out Black: As fast as 8.5 sec; <sup>9</sup>					
rint Technology	Lacor Dain	Black (best): Up to 1200 x 1200 dpi t Resolution Technologies: HP ProRes 1200, HP FastRes 1200, HP Ret, 600	dni 200 dni			
Print Cartridges Number	1 (black)					
Standard Print Languages	HP PCL 6. HP PCL 5 (HP PCL 5 d	river available from the Web only), HP postscript level 3 emulation, native PDF	printing (v 1.7). Apple AirPrint™			
Printer Smart Software Features	Online help, HP ePrint, Apple AirPrint <sup>™</sup> , Open Extensibility Platform, Future Smart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple					
Printer Management		HP Web Jetadmin; HP Utility (Mac)				
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)  Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD); HP EveryPa					
Scan Resolution		Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	reamology			
Scan File Format		(OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PD TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF				
Scan Input Modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications					
Scan Size	<b>ADF</b> : 216 x 356 mm; 8.5 x 14 in Maximum; 68 x 148 mm; 2.7 x 5.8 in Minimum; <b>Flatbed</b> : 216 x 356 mm; Up to 60 ppm (b&w), up to 45 ppm (color) <b>M630z</b> Up to 62 ppm (b&w), up to 60 ppm (color)					
Scan Speed	Normal: Up to 60 ppm (b&w), up to 45 ppm (color) 13 Duplex: Up to 60 ipm (b&w), up to 44 ipm (color)		Normal: Up to 62 ppm (b&w), up to 60 ppm (color) <sup>13</sup> ; <b>Duplex:</b> Up to 86 ipm (b&w), up to 63 ipm (color)			
Scanner Advanced Features	lmage preview & edit; Optimize text/picture; Image adjustments; Job build; O color; Auto content crop; Auto Blank page suppressi	Image preview & edit: HP EveryPage Technologies: Optimize text/picture: Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto pic notification; Auto Blank page suppression; Auto orientation; Auto page crop HP Quick Set)				
Bit depth / Grayscale levels		24-bit/ 256	Quich sets			
Digital Sending Standard Features	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to F	TP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SS	L; Scan to HP Flow CM; <b>M630z</b> also includes: Scan to SharePoint; OCR			
Copy Speed		Black (A4): Up to 57 cpm; Black (Letter): Up to 60 cpm <sup>6</sup>				
Copy Resolution	Black (text and Graphics): Un to 600 x	600 dpi (Flatbed), 300 x 600 dpi (ADF); <b>Color (text and Graphics):</b> Up to 600	× 600 dpi (Flatbed), 300 × 600 dpi (ADF)			
Maximum Number of Copies		Up to 9999 copies				
Copier Resize		25 to 400%				
Copier Settings	Two-Sided copying: Scalability: Image adjustments (darkness.	contrast, background cleanup, sharpness); N-up; N or Z-ordering content oriei	ntation: Collation: Booklet: Job build: Edge-to-edge: Job storage			
Fax Speed	, , , , , , , , , , , , , , , , , , ,	Up to: 33.6 kbps Letter: 3 se				
Fax Resolution		Black (best): Up to 300 x 300 dpi; Black (	· · · · ·			
Fax Smart Software Features	Stored faxes: Fax archiving: Fa:	x forwarding; Scale-to-fit; Fax address book; LAN/Internet fax; Fax number co				
Fax Features Standard Connectivity	Fax Memory: Incoming fax can be stored to disk; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forewarding Supported: Yes; Rew Rhone TAM Interface Supported: No; Fax Forewarding Supported: Yes; Rew Rhone TAM Interface Supported: No; Tax Polling Supported: No; Distinctive Ring Fax Telephone Mede Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 100 (each can contain 100 numbers); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No Hi-Speed USB 2.0 port; built-in Giaabit Etheriace Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No Hi-Speed USB 2.0 port; built-in Giaabit Etheriace TV/100/1000/Basez-TV network port; M6302 and M6307 disloinclude Fax					
Network Capabilities	•	supports: 10Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet a				
Wireless Capability	Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the same time.  Optional, wireless enabled with purchase of HP Jetdirect 2700W USB Wireless Print Server J8026A or HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; Wireless direct and NFC enabled with purchase of HP Jetdirect					
		2800w NFC/Wireless Direct Accessory J8029A  HD ePrint: Apple AirPrint™: Wireless Direct Printing: Mobile Apps Author	inticata <sup>5</sup>			
Mobile Printing Capability	HP ePrint; Apple AirPrint <sup>™</sup> ; Wireless Direct Printing; Mobile Apps5 Authenticate <sup>5</sup> Standard: 1.5 GB (System Memory); Maximum: 2.0 GB (System Memory); <sup>13</sup> / 800 Mhz					
Memory / Processor Speed	Monthly,	Letter: Up to 250,000 pages <sup>10</sup> ; Recommended Monthly Page Volume: 5,00				
Memory / Processor Speed Duty Cycle	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker, Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 1	10f; plus 500-sheet input tray; M630z; plus two 500-sheet input tray & 1500 dard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she ol, transparency, labels, letterhead, envelope, preprinted, prepunched, colorer etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No.	00 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bin et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630z</b> )d, rough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4)), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4; letter,			
Memory / Processor Speed Duty Cycle Paper Handling	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker, Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 1	100: plus 500-sheet input tray; M6302: plus two 500-sheet input tray & 1500 and and, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she. c), transparency, labels, letterhead, envelope, preprinted, prepunched, colorec	00 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bin et envelope feeder; <b>Standard Paper Trays</b> : 2 <b>(M630h)</b> , 3 <b>(M630f)</b> , 5 <b>(M630c)</b> , d, rough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4)), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4; letter,			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: L Oficio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal: M x x x x x x x x x x x x x x x x x x	IOf: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 dard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she o, transparency, labels, letterhad, envelope, preprinted, propunched, colores, etter, legal, statement, executive, Officio (8,5 x 13 in), envelopes [No. 9, No. Media Sizes Custom: legal, Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3, 4: 5.83 x 8. W x D x H; 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with	00 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630h</b> ); 5 ( <b>M630b</b> ; (rough; <b>M64d Weight Supported:</b> Tray 1: 15 to 53 lb bond (plain); 0, Monarch, (7 3/4)l, 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8.5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>Wx D x H:</b> 35,9 × 25,3 × 43.7 in; <b>Maximum:</b> 46,9 × 29,8 × 45 in (with			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions Product Weight	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5:16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: L Oficio (8,5 x 13 in), executive; Z model also includes: Tray 5: 1.6 tin (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser Jet Enterprise Flow MFP M630; Black print cartri	10f; plus 500-sheet input tray; M630z; plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, it ransparency, labels, letterhead, envelope, preprinted, propunched, colore, etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 'Aedia Sizes Custom: legal, Tray 1:3 x 5 to 8.5 x 14 in; Trays 2, 3, 4:5.83 x 8 W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb <sup>2</sup> dge; CD(s) with software and documentation; Getting Started Guide; Power co	on to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630c</b> ), rough; <b>Media Weight Supported:</b> Tray 1: 15 to 53 lb bond (plain); 0, Monarch, (7 3/4)), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8,5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>W x D x H:</b> 35.9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M6302)			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions Product Weight What's in the box Warranty Features	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, carbox Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: L Oficio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal; M W x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2	10f; plus 500-sheet input tray; M630z; plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, it ransparency, labels, letterhead, envelope, preprinted, propunched, colore, etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 'Aedia Sizes Custom: legal, Tray 1:3 x 5 to 8.5 x 14 in; Trays 2, 3, 4:5.83 x 8 W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb <sup>2</sup> dge; CD(s) with software and documentation; Getting Started Guide; Power co	on to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630c</b> ), rough; <b>Media Weight Supported:</b> Tray 1: 15 to 53 lb bond (plain); 0, Monarch, (7 3/4)), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8,5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>W x D x H:</b> 35.9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M6302)			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions Product Weight What's in the box Warranty Features	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5:16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: L Oficio (8,5 x 13 in), executive; Z model also includes: Tray 5: 1.6 tin (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser Jet Enterprise Flow MFP M630; Black print cartri	10f; plus 500-sheet input tray; M630z; plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, it ransparency, labels, letterhead, envelope, preprinted, propunched, colore, etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 'Aedia Sizes Custom: legal, Tray 1:3 x 5 to 8.5 x 14 in; Trays 2, 3, 4:5.83 x 8 W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb <sup>2</sup> dge; CD(s) with software and documentation; Getting Started Guide; Power co	on to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630c</b> ), rough; <b>Media Weight Supported:</b> Tray 1: 15 to 53 lb bond (plain); 0, Monarch, (7 3/4)), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8,5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>W x D x H:</b> 35.9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M6302)			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions Product Weight What's in the box Warranty Features Energy Efficiency Compliance	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardstock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: Officio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal: N W x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb <sup>2</sup> HP Laser Jet Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options	IOF: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 dard, 100 sheets; Envelope Feeder Ditional with the purchase of a 75-she, 0, transparency, labels, letterhead, envelope, perprinted, prepunched, colore, ctere, legal, statement, executive, Officio (8.5 x 13 in), envelopes [No. 9, No. Media Sizes Custom: legal, 173 13 x 5 to 8.5 x 14 in; Trays 2, 3, 4 5.83 x 8 W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2 dge; CD(s) with software and documentation; Getting Started Guide; Power cc, vary by product, country and local legal requirements. Go to hp.com/suppor	on to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f</b> ; 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630c</b> ), 5 ( <b>M630c</b> ), 6 ( <b>M630c</b> ), 7 ( <b>M610c</b> ), 7 ( <b>M610c</b> ), 8 ( <b>M630c</b> ), 8 ( <b>M630c</b> ), 8 ( <b>M630c</b> ), 9 ( <b>M630c</b> ), 10			
Memory / Processor Speed Duty Cycle Paper Handling  Product Dimensions  Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Software Included	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardsctok Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: U officio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal; M w x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP LaserJet Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options One-year, next-business day, onsite warranty. Warranty and Support options Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DXP (Device Experien Windows operating systems that lack), Se	Of: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 dard, 100 sheets; Envelope Feeder Dptional with the purchase of a 75-she, 0, transparency, labels, letterhead, envelope, perprinted, prepunched, colored, transparency, labels, letterhead, envelope, perprinted, prepunched, colored, etter, legal, statement, executive, Officio (8,5 x 13 in), envelopes [No. 9, No. 18edia Sizes Custom: Jegal, Tray 13 x 5 to 8,5 x 14 in; Trays 2, 3,4 5.83 x 8 W x X x H: 29 x 25,3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2 dge; CD(s) with software and documentation; Getting Started Guide; Power cervary by product, country and local legal requirements. Go to hp.com/supporENERGY STAR® qualified; Blue Angel; (ECP; EPEAT® Silver cesolution capacitive chuch display with gesture support M630z also include cel., HP Help & Learn Center, HP send Fax, HP Update, Product Registration Assetuty Scan To Folder and Email; Mac: Welcome Screen (Redirects users to HP.cc	20 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: MG30h &amp; MG30f</b> ; 500-sheet output bir sheet envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>MG30h</b> ), 3 ( <b>MG30f</b> ), 5 ( <b>MG30c</b> ), rough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4)], 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8.5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard)  Wx Dx H: 35.9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for MG302)  to learn about HP award winning service and support options in your region sextended keyboard  ist, HP Web Services Assist (HP Connected), NET 3.5 SP1 (only installed for old m, or OS App Source for Laser Jet Software)			
Memory / Processor Speed Duty Cycle Paper Handling Product Dimensions Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Software Included Fonts and Typefaces	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardsock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 1 Officio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal: N W x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb <sup>2</sup> HP Laser Jet Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options  8° SVGA 800 x 600 Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DXP (Device Experien Windows operating systems that lack), Si 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in Additional font solutions available via	Of: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 olderd, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, A transparency, labels, letterhead, envelope, preprinted, prepunched, colore, transparency, labels, letterhead, envelope, preprinted, prepunched, colore, deter, legal, statement, executive, Officio (8,5 x 13 in), envelopes (No. 9, No. 1 older Sizes Custom: legal, Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3, 4: 5.83 x 8. W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2  dge; CD(s) with software and documentation; Getting Started Guide; Power color vary by product, country and local legal requirements. Go to hp.com/supportentery by product, country and local legal requirements. Go to hp.com/supportentery by the product Registration and the color of the product Registration Assetup Scan To Folder and Email; Mac: Welcome Screen (Redirects users to HP.cot HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Font third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation availation availa	20 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ); <b>5(M630z</b> ), (ough; <b>M64di Weight Supported:</b> Tray 1: 15 to 53 lib bond (plain); 0, Monarch, (7 3/4h), 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 2 to 8.5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>W x D x H:</b> 35, 9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M6302) to learn about HP award winning service and support options in your region is the services Assist (HP Connected). NET 3.5 SP1 (only installed for old mn, or OS App Source for Laser let Software) s (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria ble at hp.com/go/laserjetfonts			
Memory / Processor Speed Duty Cycle Paper Handling  Product Dimensions  Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Software Included Fonts and Typefaces	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardsock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 1. Oficio (8, 5x. 13 in), executive, Z model also includes: Tray 5: Letter, legal; M x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser let Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options  8" SVGA 800 x 600  Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DXP (Device Experien Windows operating systems that lack), St 105 internal TrueType fonts scalable in HP PCL, 29 internal scalable fonts in Additional font solutions available will windows XP (SP3) (32-bit), Windows 8 Enterprise (32-bit), Windows 7 (Including (32-bit), Windows 8 Pro (32-bit), Windows 8 Enterprise (32-bit), Windows 7 (Including SWindows 10 (32-bit), Windows 8 Enterprise (32-bit), Windows 6 (32-bit), Windows 8 (32-bit), Windows 8 (32-bit), Windows 8 (32-bit), OS x 10.7 is worth of the standard print	Of: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, /i. transparency, labels, letterhead, envelope, preprinted, prepunched, colore, transparency, labels, letterhead, envelope, preprinted, prepunched, colore, etter, legal, statement, executive, Oftici (8.5 x 1.3 in), envelopes [No. 9, No. 1 olda Sizes Custom: legal, Tray 1: 3 x 5 to 8.5 x 1.4 in; Trays 2, 3, 4: 5.83 x 8.    W X D X H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2  dge; CD(s) with software and documentation; Getting Started Guide; Power colored to the control of the colored state o	20 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bin et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630f</b> ), 5 ( <b>M630z</b> ), rough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; Trays 2, 3, 4: letter, 27 to 8.5 x 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>Wx D x H:</b> 35.9 x 25.3 x 43.7 in; <b>Maximum:</b> 46.9 x 29.8 x 45 in (with multipurpose tray, keyboard and output bin fully extended)  20.1 ib 2  1rd; Telecom cable; Keyboard overlay kit (only for M630z)  1rd to learn about HP award winning service and support options in your region.  5 extended keyboard  1st, HP Web Services Assist (HP Connected), .NET 3.5 SP1 (only installed for olding, or O5 App Source for Laser let Software)  5 (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ble at hp.com/gol/Jaserjetfonts  Vista (Including Starter Edition 32-bit), Windows Vista (64-bit), Windows 8 Bar ws 8 Enterprise (64-bit), Windows 8 Bar ws 8 Enterprise (64-bit), Windows 8 To 164-bit), Windows 8 breating preading systems: Debian (50, 50, 11, 50.2, 50.3) (supported by the automa preading starter Edition 32-bit), Windows 8 Dates and the support of the suppor			
Paper Handling  Product Dimensions  Product Weight  What's in the box  Warranty Features Energy Efficiency Compliance Control Panel Software Included  Fonts and Typefaces  Compatible Operating Systems	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (pain, light, boan, recycled, cardiox Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: Officio (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal: M W x D x H: 29 x 25.3 x 22.4 in; Maximum: 39.2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser let Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options  8° SVGA 800 x 600  Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DNP (Device Experient Windows operating systems that lack), St. 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in Additional font solutions available via Windows XP (SP3) (32-bit), Windows XP (SP3) (64-bit), Windows 8 Brio (32-bit), Windows 8 Enterprise (	Of: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, / interparency, labels, letterhaed, envelope, preprinted, prepunched, colore, older statement, executive, Oftico (8,5 x 13 in), envelopes [No. 9, No. 1406] Sizes Custom: legal, tray 1:3 x 5 to 8.5 x 14 in; Trays 2, 3, 4:5.83 x 8.  W X D X H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2  dge; CD(s) with software and documentation; Getting Started Guide; Power colored states of the colored s	sheet input tray; <b>Output Capacities: M630h &amp; M630f:</b> 500-sheet output bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630h</b> ), 5 ( <b>M630h</b> ); fought bir et envelope feeder; <b>Standard Paper Trays:</b> 2 ( <b>M630h</b> ), 3 ( <b>M630h</b> ), 5 ( <b>M630h</b> ); (0.00) fought with weight <b>Supported:</b> Tray 1: 16 to 53 lb bond (plain); (0.00) morarch, (7.3/4)], 3 × 5, 4 × 6, 5 × 7, 5 × 8; Trays 2, 3, 4: letter, 27 to 8.5 × 14 in; <b>Duplex Print Options:</b> Automatic (standard) <b>Wx D X H:</b> 35.9 × 25.3 × 43.7 in; <b>Maximum:</b> 46.9 × 29.8 × 45 in (with multipurpose tray, keyboard and output bin fully extended)  20.1.1 b <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M6302)  to learn about HP award winning service and support options in your region. Sextended keyboard  st, HP Web Services Assist (HP Connected). NET 3.5 SP1 (only installed for oldim, or OS App Source for LaserJet Software)  s (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ble at hp.com/go/laserjetfonts  Vista (Including Starter Edition 32-bit), Windows Vista (64-bit), Windows 8 B ax 8 8 Enterprise (64-bit), Windows 8 Enterprise (64-bit), Windows 8.1 (64-bit) perating Systems: Debian (S.0, S.0.1, S.0.2, S.0.3) (supported by the automa ackage), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, S.0.3, Supported by the automatic installer), Fedora (9, 9.0, 10, 10.0, 11.0, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVE OS X 10.8 Mountain Lion, OS X 10.9 Mavericks; Internet; USB; 1 GB HD			
Memory / Processor Speed Duty Cycle Paper Handling  Product Dimensions  Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Software Included Fonts and Typefaces  Compatible Operating Systems  Minimum System Requirements	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardiock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 08 fice (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal; M x x x 2: 2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser Let Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options One-year, next-business day, onsite warranty. Warranty and support options Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DXP (Device Experien Windows operating systems that Lack), St 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in Additional font solutions available via Windows XP (SP3) (32-bit), Windows XP (SP3) (64-bit), Windows 7 (Including (32-bit), Windows 8 Pc (32-bit), Windows 8 Pc (32-bit), Windows 8 Pc (32-bit), Windows 7 (Including	Corp. plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 dard, 100 sheets; Envelope Feeder Ditional with the purchase of a 75-she ol, transparency, labels, letterhead, envelope, perprinted, prepunched, colored, transparency, labels, letterhead, envelope, perprinted, prepunched, colored, transparency, labels, letterhead, envelope, perprinted, prepunched, colored, and the statement, executive, Officio (8.5 x 1.3 in), envelopes [No. 9, No. 14edia Sizes Custom: legal, Tray 1:3 x 5 to 8.5 x 1.4 in; Trays 2, 3, 4 5.83 x 8 W x X x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  162.0 lb 2  dge; CD(s) with software and documentation; Getting Started Guide; Power covery by product, country and local legal requirements. Go to hp.com/supportental product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, country and local legal requirements. Go to hp.com/supportensely by product, local p	20 to 28,000 <sup>11</sup> sheet input tray; <b>Output Capacities:</b> M630h 8. M630f; 500-sheet output bin et envelope feeder; <b>Standard Paper Trays:</b> 2 (M630h), 3 (M630f), 5 (M630z), 1, ough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; Trays 2, 3, 4: letter, 27 to 8.5 x 14 in; <b>Duplex Print Options:</b> Automatic (standard)  Wx Dx H: 35.9 x 25.3 x 43.7 in; <b>Maximum:</b> 46.9 x 29.8 x 45 in (with multipurpose tray, keyboard and output bin fully extended)  Wx Dx H: 35.9 x 25.3 x 43.7 in; <b>Maximum:</b> 46.9 x 29.8 x 45 in (with multipurpose tray, keyboard and output bin fully extended)  dr. Telecom cable; Keyboard overlay kit (only for M630z)  to learn about HP award winning service and support options in your region.  sextended keyboard  ist, HP Web Services Assist (HP Connected), NET 3.5 SP1 (only installed for older, or OS App Source for Laser Jet Software)  s (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) blie at hp.com/go/laserjetfonts  Wista (Including Starter Edition 32-bit), Windows Vista (64-bit), Windows 8 Bax 8 Enterprise (64-bit), Windows 8 Earterprise (64-bit), Windows 8 Koole and Sood Standard Sood Stan			
Memory / Processor Speed Duty Cycle Paper Handling  Product Dimensions  Product Weight What's in the box Warranty Features Energy Efficiency Compliance Control Panel Software Included Fonts and Typefaces Compatible Operating Systems  Minimum System Requirements	Input Capacities: 100-sheet multipurpose tray, 500-sheet input tray; M63 M630z: 900-sheet stapler stacker; Auto Document Feeder Capacity: Star Media Types Supported: Paper (plain, light, bond, recycled, cardiock Trays 2, 3, 4, 5: 16 to 32 lb bond (plain); Media Sizes Supported: Tray 1: 08 fice (8.5 x 13 in), executive; Z model also includes: Tray 5: Letter, legal; M x x x 2: 2 x 25.3 x 23.6 in (with multipurpose tray and output bin fully extended)  113.7 lb 2  HP Laser Let Enterprise Flow MFP M630; Black print cartri One-year, next-business day, onsite warranty. Warranty and support options One-year, next-business day, onsite warranty. Warranty and support options Windows: HP Installer/Uninstaller, HP PCL 6 print driver, DXP (Device Experien Windows operating systems that Lack), St 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in Additional font solutions available via Windows XP (SP3) (32-bit), Windows XP (SP3) (64-bit), Windows 7 (Including (32-bit), Windows 8 Pc (32-bit), Windows 8 Pc (32-bit), Windows 8 Pc (32-bit), Windows 7 (Including	Of: plus 500-sheet input tray; M630z: plus two 500-sheet input tray & 1500 oldard, 100 sheets; Envelope Feeder: Optional with the purchase of a 75-she, v. transparency, labels, letterhad, envelope, perprinted, prepunched, colore, v. transparency, labels, letterhad, envelope, perprinted, prepunched, colore, dedia Sizes Custom: legal, Tray 1:3 x 5 to 8.5 x 14 in; Tray 52, 3, 4:5.83 x 8. W x D x H: 29 x 25.3 x 43.7 in; Maximum: 39.2 x 25.3 x 45 in (with multipurpose tray and output bin fully extended)  16.2.0 lb <sup>2</sup> dge; CD(s) with software and documentation: Getting Started Guide; Power cock vary by product, country and local legal requirements. Go to hp. com/suppor ENERGY STAR® qualified; Blue Angel; CECP; EPEAT® Silver resolution capacitive-touch display with gesture support M630z also include cell, HP Help & Learn Center, HP send Fax, HP Update, Product Registration Assetup Scan To Folder and Email; Mac: Welcome Screen (Redirects users to HP.Cc. HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Font third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation avails Starter Edition a52-bit), Windows 7 (Including Starter Edition a6-bit), Windows nterprise N (32-bit), Windows 8 Basic (64-bit), Windows Networks; Mobile Operating Systems: inux 5.0 (supported with a pre-built and Mows 8 & 13 (264-bit), Windows 9 (34, 101, 10, 11, 11, 11, 11, 11, 11, 11, 1	20 to 28,000 <sup>11</sup> Sheet input tray; <b>Output Capacities:</b> M630h & M630f; 500-sheet output bin et envelope feeder; <b>Standard Paper Trays:</b> 2 (M630h), 3 (M630f), 5 (M630z), 1, cough; <b>Media Weight Supported:</b> Tray 1: 16 to 53 lb bond (plain); 0, Monarch, (7 3/4l), 3 x 5, 4 x 6, 5 x 7, 5 x 8; Trays 2, 3, 4: letter, 27 to 8.5 x 14 in; <b>Duplex Print Options:</b> Automatic (standard)  Wx Dx H: 35.9 x 25.3 x 43.7 in; <b>Maximum:</b> 46.9 x 29.8 x 45 in (with multipurpose tray, keyboard and output bin fully extended)  201.1 lb <sup>2</sup> rd; Telecom cable; Keyboard overlay kit (only for M630z)  to learn about HP award winning service and support options in your region.  5, extended keyboard overlay kit (only for M630z)  to learn about HP award winning service and support options in your region.  5, extended keyboard sist, HP Web Services Assist (HP Connected), .NET 3.5 SP1 (only installed for olde km, or OS App Source for Laserlet Software)  5, (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ble at hp.com/go/laserjetfonts  Wista (Including Starter Edition 32-bit), Windows Vista (64-bit), Windows 8 Ba: ws 8 Enterprise (64-bit), Windows 8. Ba: ws 8 Enterprise (64-bit), Windows 8. 164-bit) potenting Systems: Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installier), Fedora (9, 9.0, 10, 10.0, 11.0, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVD OS X 10.8 Mountain Lion, OS X 10.9 Movericks; Internet; USB; 1 GB HD  D-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A (Not dual off), 1.60 watts (Auto Off/Wake on LAN), 0.1 watts (Auto-Off/Manual On <sup>3</sup> 7			

<sup>1</sup> Multipurpose tray closed, output bin not extended, control panel down <sup>2</sup> Includes print cartridge <sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. <sup>5</sup> IP ePrint: Requires an Internet connection to the printer. Feature works with any connected Internet: and e-mail-capable device. Requires IP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/printenter. IP Web Printer\* Supports the following ilst Q-z lor late reliable (Pare Print) and to the connection of later). Works with HP's AirPrint\* enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint Logo, iPad. iPhone, and iPod touch are trademarks of Apple\* Inc., registered in the U.S. and other countries. Mobile Apps: For additional solutions, see hp.com/go/prinoble-printing-solutions <sup>6</sup> First Copy Out and Copy Speed measured using ISO/IEC 24735. However, and document complexity. <sup>7</sup> Accounts to a subject to change. For current information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>9</sup> Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>9</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser/let or HP Color Laser/let devices, and enables appropriate deployment of printers and MPFs to satisfy the demands of connected individuals or groups. <sup>11</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warran

#### Learn more at hp.com

© Copyright 2014 - 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

