



**Views** 

**Specifications** 

Copyright © 2016 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell™ and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2016 - 04 Rev. A01

Regulatory model: W07C | Type: W07C003

Computer model: Inspiron 24-7459










Back



### **Front**



### **Right microphone**

Provides high-quality digital sound input for audio recording, voice calls, and so on.

#### Intel RealSense 3D Camera (optional)

Allows to capture and stream three-dimensional images. Enables enhanced interactivity during video conferencing, online gaming, and so on.

#### Camera

Allows you to video chat, capture photos, and record videos.

### Left microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

#### Camera-status light

Turns on when the camera is in use.









Back



## Left



### **USB 3.0 port (supports fast charging)**

Connect peripherals such as storage devices, printers, and so on. Provide data transfer speeds up to 5 Gbps.

#### 2 USB 3.0 port

Connect peripherals such as storage devices, printers, and so on. Provide data transfer speeds up to 5 Gbps.

## **Views**












Back



## **Right**



#### 1 Brightness-control buttons (2)

Press to increase or decrease the brightness of the screen.

## 2 Input source selection button/screen-off button

Press and release to switch between the input source. Press and hold to turn off the display.

### 3 Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.

#### 4 Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

Press to put the computer in Sleep state if it is turned on.

Press and hold for 4 seconds to force shut-down the computer.



#### 5 Media-card reader

Reads from and writes to media cards.

### 6 USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provide data transfer speeds up to 5 Gbps.

#### 7 Headset port

Connect a headphone, a microphone, or a headset (headphone and microphone combo).

## **Views**





Front








Back



### **Back**



### 1 Audio-out port

Connect audio-output devices such as speakers, amplifiers, and so on.

#### 2 Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.

The two lights next to the connector indicate the connectivity status and network activity.

#### 3 USB 2.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provide data transfer speeds up to 480 Mbps.

#### 4 HDMI-out port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

#### 5 HDMI-in port

Connect a gaming console, Blu-ray player, or other HDMI-out enabled devices.

### 6 Power-adapter port

Connect a power adapter to provide power to your computer.











Tilt





Transform









## **Dimensions and weight**

Height 430.83 mm (16.96 in)

Width 582.98 mm (22.95 in)

Depth 240.96 mm (9.49 in)

Weight (maximum):

Without stand 8.05 kg (17.75 lb)

With stand 9.48 kg (20.90 lb)

**NOTE**: The weight of your computer varies depending on the configuration

ordered and manufacturing variability.











Ports and connectors









nications Video















## **System information**

Computer model	Inspiron 24-7459
Processor	• 6 <sup>th</sup> Generation Intel Core i3
	6 <sup>th</sup> Generation Intel Core i5
	• 6 <sup>th</sup> Generation Intel Core i7
System chipset	Intel HM170

















Media-card













## Memory

Slots Two SODIMM slots

Type Dual-channel DDR4

Speed Up to 2133 MHz

Configurations supported 4 GB, 8 GB, 12 GB, and 16 GB



















Communications | Vid















### Ports and connectors

External:	
Network	One RJ45 port
USB	<ul><li>Two USB 2.0 ports</li><li>Four USB 3.0 ports</li></ul>
Audio/Video	<ul> <li>One headset port</li> <li>One audio-out port</li> <li>One HDMI-out port</li> <li>One HDMI-in port</li> </ul>
Internal:	
M.2	<ul> <li>One M.2 slot for WLAN and Bluetooth combo card</li> <li>One M.2 slot for SSD</li> </ul>































Wireless

## **Specifications**

### Communications

10/100/1000 Mbps Ethernet controller integrated on system board **Ethernet** 

- Wi-Fi 802.11b/g/n
- Wi-Fi 802.11ac
- Bluetooth 4.0
- Intel WiDi (optional)



















Media-card













### Video

Controller:

Integrated Intel HD Graphics 530

Discrete NVIDIA Ge Force 940M

Memory:

Integrated Shared system memory

4 GB DDR3 Discrete







information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Camera









### Audio

Controller Realtek Al C3661 Waves MaxxAudio Pro

Speakers Two

Speaker output:

Average 4 W Peak 4.5 W

Digital microphones Microphone

Volume controls Program menus











Memory



Ports and connectors







Video



Audio



Storage















## **Storage**

Interface SATA 6 Gbps

Hard drive One 2.5-inch drive (supports Intel Smart Response Technology)

SSD One 32 GB M.2 SSD (optional)









Ports and connectors



























### Media-card reader

Type One 4-in-1 slot

Cards supported

SD card

MultiMediaCard (MMC)

SD Extended Capacity (SDXC) card

SD High Capacity (SDHC) card









connectors









Memory

















## Display

Type 23.8-inch full HD touchscreen

Resolution (maximum) 1920 x 1080

Dimensions:

347.62 mm (13.69 in) Height Width 569.38 mm (22.42 in)

Refresh rate 60 Hz Pixel pitch 0.2652 mm

Controls Brightness can be controlled through the brightness-control buttons



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage

















### Camera

	Photo/Video	Infrared	Photo/Video
Resolution (maximum)	1920 x 1080 (FHD)	640 x 480 (VGA)	1920 x 1080 (FHD)
Aspect ratio	16:9	4:3	16:9
Diagonal viewing angle	77 degrees	90 degrees	74.9 degrees
Frame rate (varies with resolution)	30/60/120 fps	30/60/120 fps	30 fps
Field of view	77 x 43 x 70 degrees	90 x 59 x 73 degrees	74.9 x 40 x 67 degrees
Depth data types	N/A	Depth, texture mapping, infrared, and word mapping	N/A
Still image	2 megapixels		2 megapixels
Effective range	0.20 m-1.20 m		N/A
Effective range for gestures	<ul><li>20 cm-55 cm (FHD)</li><li>20 cm-60 cm (VGA)</li></ul>		N/A
Effective range for face tracking	<ul><li>2D face tracking: 35 cm-120 cm</li><li>3D face tracking: 35 cm-70 cm</li></ul>		N/A











Memory



Ports and connectors







Video







Storage

















### Stand

Width 267.30 mm (10.52 in)

Depth 240.96 mm (9.49 in)

Tilt • 5° forward

• 90° backward

































## Power adapter

Type • 90 W

Input voltage 100 VAC-240 VAC

Input frequency 50 Hz-60 Hz

Input current 2.50 A

Output current 4.62 A/6.7 A

Rated output voltage 19.50 VDC

Temperature range:

Operating 0°C to 40°C (32°F to 104°F)

Storage -40°C to 70°C (-40°F to 158°F)

• 130 W



Dimensions and weight



System information



Memory



Ports and connectors



Communications



Video



Audio



Storage















## **Computer environment**

Airborne contaminant level	G1 as defined by ISA-S71.04-1985		
	Operating	Storage	
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)	
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)	
Vibration (maximum)*	0.66 GRMS	1.30 GRMS	
Shock (maximum)	110 G <sup>†</sup>	160 G <sup>‡</sup>	
Altitude (maximum)	-15.2 m to 3048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)	

<sup>\*</sup> Measured using a random vibration spectrum that simulates user environment.



Dimensions and weight



System information



Memory



Ports and connectors



Communications



Video



Audio



Storage













<sup>†</sup> Measured using a 2 ms half-sine pulse when the hard drive is in use.

<sup>‡</sup> Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.