UN66

DDR4 2133 Qualified Vendors List (QVL)						
Vendors	Part No.	Size	SS/DS	Chip Brand		
Crucial	CT16G4SFD8213.16FA1	16GB	DS	-		
Crucial	CT4G4SFS8213.8FA2	4GB	DS	-		
Crucial	CT8G4SFD8213.16FA2	8GB	DS	-		
crucial	CT8G4TFD8213.18FA1	8GB	DS	-		
GelL	GS416GB2133C15DC	8GB	DS	-		
GelL	GS432GB2133C15DC	16GB	DS	-		
Kingston	KVR21S15D8/8	8GB	DS	-		
Kingston	KVR21S15S8/4	4GB	DS	-		
Kingston	KVR21SE15D8/8	8GB	DS	-		
Kingston	KVR21SE15S8/4	4GB	DS	-		
SK Hynix	HMA41GS6AFR8N-TF	8GB	DS	-		
SK Hynix	HMA451S6AFR8N-TFC	4GB	DS	-		
Team	TED44GM2133C15-SBK	4GB	DS	-		
Team	TED48GM2133C15-SBK	8GB	DS	-		

2 DIMM Slots

• 1 DIMM: Supports one module inserted in any slot as Single-

• 2 DIMM: Supports 2 modules inserted into both slots as two

⁻When installing total memory of 4GB capacity or more, Windows 32-bit operat

⁻It is recommended to install the memory modules from the slots for better ove

⁻The default DIMM frequency depends on its Serial Presence Detect (SPD), wh

⁻Memory module with memory frequency higher than 2133 MHz and its correst

⁻Always install DIMMs with the same CAS latency. For optimal compatibility, we

Chip NO.	Timing	Voltage	ocket su 1 DIMM	
D9SRJ	-	-	•	•
D9RGQ	-	-	•	•
D9RGQ	-	-	•	•
D9RGQ	-	1.2	•	•
K4A4G085WD	-	1.2	•	•
K4A8G085WBBCPB	-	1.2	•	•
H5AN4G8NMFRTF C	-	1.2		•
H5AN4G8NMFRTF C	-	1.2	•	•
H5AN4G8NMFRTF C	-	1.2	•	•
H5AN4G8NMFRTF C	-	1.2	•	•
H5AN4G8NAFRTFC	-	1.2	•	•
H5AN4G8NAFR	-	1.2	•	•
H4A4G085WD	-	1.2	•	•
K4A4G085WD	-	1.2	•	•

channel memory configuration pairs of Dual-channel memory configuration

ion system may only recognize less than 3GB. Hence, a total installed memory of less than 3GB is r irclocking capability.

nich is the standard way of accessing information from a memory module. Under the default state, so conding timing or the loaded XMP Profile is not the JEDEC memory standard. The stability and comparecommend that you install memory modules of the same version or date code (D/C) from the same



-marked value. levices.