

1 Port ExpressCard Laptop Parallel Adapter Card - SPP/EPP/ECP

Product ID: EC1PECPS



The EC1PECPS 1 Port ExpressCard Laptop Parallel Adapter Card turns an ExpressCard slot into an IEEE 1284 Parallel port, allowing you to connect parallel devices to a laptop computer. The ExpressCard Parallel card is PCI Express (x1) based, ensuring faster data transfer rates between host and peripheral as compared to a USB-based ExpressCard; providing a cost-effective way to bridge the compatibility gap between your laptop and legacy devices.

A convenient solution for adding a parallel printer or scanner, simply insert the adapter (EC1PECPS) into an available 34mm or 54mm ExpressCard slot and connect your parallel device to the adapter's SPP/EPP/ECP parallel port. The adapter card is WHQL certified, so driver installation is automated for a simple plug-and-play solution.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility







Applications

 Connects any parallel-based peripheral to your notebook, including printers, scanners, CD-R/RWs, Zip® drives, and memory card readers

Features

- Provides one IEEE 1284 SPP/EPP/ECP Parallel Port
- Fits into 34mm or 54mm ExpressCard slots
- 32-byte FIFO data buffer
- WHQL certified drivers
- Compatible with PCI Express lane bus (x1/x2/x4/x8/x16)



Data Sheet

Hardware		Warranty	2 Years
Chipset ID Interface Port Style Integrated on Card Ports Performance Maximum Data Transfer Rate Supported Protocols ECP/EPP/SPP Connector(s) External Ports I - ExpressCard (34mm) External Ports I - DB-25 (25 pin, D-Sub) Female Software Microsoft WHQL Certified Yes OS Compatibility Windows GCE 6.0 / 5.0, 95, 985E, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height Characteristics Product Length Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Length Package Length Package Width 14.5 cm [5.7 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD	Hardware	Bus Type	ExpressCard
Interface Port Style Integrated on Card		Card Type	34mm ExpressCard
Performance Maximum Data Transfer Rate 1.5Mbps Supported Protocols ECP/EPP/SPP Connector(s) Connector Type(s) 1 - ExpressCard (34mm) External Ports 1 - DB-25 (25 pin, D-Sub) Female Software Microsoft WHQL Certified Yes OS Compatibility Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Vindows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height 1.5 cm [4.5 in] Product Length 1.15 cm [4.5 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 1.5.5 cm [6.9 in] Shipping (Package) Weight 1.7.5 cm [6.9 in] Shipping (Package) Weight 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Chipset ID	PLX/Oxford - OXPCIe952
Performance Maximum Data Transfer Rate 1.5Mbps Supported Protocols ECP/EPP/SPP Connector(s) Connector Type(s) 1 - ExpressCard (34mm) External Ports 1 - DB-25 (25 pin, D-Sub) Female Software Microsoft WHQL Certified Yes OS Compatibility Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8, 1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height 2 cm [0.8 in] Product Length 11.5 cm [4.5 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Package Height 32 mm [1.3 in] Package Length 14.5 cm [5.7 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 213 g [7.5 oz] What's in the Box Included in Package 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Interface	Parallel
Performance Maximum Data Transfer Rate 1.5Mbps Supported Protocols ECP/EPP/SPP		Port Style	Integrated on Card
Supported Protocols Connector(s) Connector Type(s) External Ports 1 - DB-25 (25 pin, D-Sub) Female Software Microsoft WHQL Certified Yes OS Compatibility Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height 2 cm [0.8 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Package Height 17.5 cm [4.5 in] Package Height 17.5 cm [6.9 in] Shipping (Package) Weight 17.5 cm [6.9 in] Shipping (Package) Weight 17. Adapter Cable 1 - Adapter Cable 1 - Driver CD		Ports	1
Connector(s) Connector Type(s) External Ports 1 - DB-25 (25 pin, D-Sub) Female Software Microsoft WHQL Certified Yes Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Length Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 14.5 cm [4.5 in] Package Height 15.5 cm [6.9 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 213 g [7.5 oz] What's in the Box Included in Package Included in Package 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD	Performance	Maximum Data Transfer Rate	1.5Mbps
Software Microsoft WHQL Certified Software Microsoft WHQL Certified Ves Vista, 7, 8, 8.1, 10 Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height Product Length Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 14.5 cm [5.7 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 1- ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Supported Protocols	ECP/EPP/SPP
Software Microsoft WHQL Certified Ves Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height Product Width Product Width Product Width Weight of Product 11.5 cm [4.5 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 14.5 cm [5.7 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD	Connector(s)	Connector Type(s)	1 - ExpressCard (34mm)
OS Compatibility Windows® CE 6.0 / 5.0, 95, 98SE, 2000, XP, XP Embedded, Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Height 2 cm [0.8 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 14.5 cm [5.7 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 17.5 cm [6.9 in] Shipping (Package) Package Package Length 1 - Adapter Cable 1 - Adapter Cable 1 - Driver CD		External Ports	1 - DB-25 (25 pin, D-Sub) Female
Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019 Linux 2.4.x to 4.11.x LTS Versions only Physical Characteristics Product Length Product Width Product Width Weight of Product 11.5 cm [4.5 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Length Package Length Package Width 17.5 cm [5.7 in] Package Width Package Width Shipping (Package) Weight Package Packa	Software	Microsoft WHQL Certified	Yes
Product Length 11.5 cm [4.5 in] Product Width 44 mm [1.7 in] Weight of Product 111 g [3.9 oz] Packaging Information Package Height 14.5 cm [5.7 in] Package Length 17.5 cm [6.9 in] Package Width 17.5 cm [6.9 in] Shipping (Package) Weight 1- ExpressCard Parallel Adapter 1- Adapter Cable 1- Driver CD		OS Compatibility	Vista, 7, 8, 8.1, 10 Windows Server® 2003, 2008 R2, 2012, 2012 R2, 2016, 2019
Product Width Weight of Product Packaging Information Package Height Package Length Package Width Package Width Package Wight Shipping (Package) Weight Package Pa	-	Product Height	2 cm [0.8 in]
Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight Package Package Package Package Width Package Package Package Package Width Package Packag		Product Length	11.5 cm [4.5 in]
Packaging InformationPackage Height32 mm [1.3 in]Package Length Package Width Shipping (Package) Weight14.5 cm [5.7 in]213 g [7.5 oz]What's in the BoxIncluded in Package1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Product Width	44 mm [1.7 in]
Package Length Package Width Package) Weight Package Parallel Adapter		Weight of Product	111 g [3.9 oz]
Package Width Shipping (Package) Weight 213 g [7.5 oz] What's in the Box Included in Package 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Package Height	32 mm [1.3 in]
Shipping (Package) Weight 213 g [7.5 oz] What's in the Box Included in Package 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Package Length	14.5 cm [5.7 in]
What's in the Box Included in Package 1 - ExpressCard Parallel Adapter 1 - Adapter Cable 1 - Driver CD		Package Width	17.5 cm [6.9 in]
1 - Adapter Cable 1 - Driver CD		Shipping (Package) Weight	213 g [7.5 oz]
1 - Driver CD	What's in the Box	Included in Package	1 - ExpressCard Parallel Adapter
			1 - Adapter Cable
1 - Instruction Manual			1 - Driver CD
			1 - Instruction Manual

Product appearance and specifications are subject to change without notice.