

Micro SD to Micro USB / USB OTG Adapter Card Reader For Android Devices

Product ID: MSDREADU2OTG



The MSDREADU2OTG Micro SD to USB/Micro USB Adapter lets you turn a Micro SD card into an external USB storage solution that can interface with any USB-enabled computer or OTG-enabled device, such as Samsung Galaxy smartphones and tablets.

Expand the storage capabilities of your OTG-enabled smartphone or tablet, by creating an external storage device that you can also connect to your USB-enabled computer, and transfer files from one device to another with standard USB and Micro USB interface options.

Maximize portability by creating a compact, external storage solution that you can connect to your smartphone, tablet or laptop computer. For a hassle-free setup, the OTG adapter supports plug-and-play installation and is natively supported by any USB-enabled computer or any OTG-enabled mobile device.

The MSDREADU2OTG is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Expand the Storage Capability
of your OTG-enabled Smartphone or Tablet



Connect
to your Computer or Mobile Device



Certifications, Reports and Compatibility



Applications

- Expand available storage on your smartphone by adding an OTG storage drive
- Quickly transfer files to your smartphone or tablet without connecting to a computer or network
- Turn an unused Micro SD card into a ultra-portable USB storage solution
- Take your important data with you on an SD card and access it from your computer or smartphone when you need it

Features

- Converts Micro SD to standard USB or Micro USB
- Compatible with OTG-enabled Smartphones and USB-enabled computers
- Small, lightweight design
- Plug-and-play installation

Hardware	Warranty	2 Years
	Bus Type	USB 2.0
	Chipset ID	Genesys Logic - GL823
	Drive Installation	Fixed
	Number of Drives	1
Performance	Max Drive Capacity	Tested with MSD cards up to 64GB
	Maximum Data Transfer Rate	480 Mbps
	Memory Media Type	Mini-SD, Micro-SD (Mini/Micro Secure Digital)
	Type and Rate	USB 2.0 - 480 Mbit/s
	UASP Support	No
Connector(s)	Drive Connectors	1 - MicroSD Receptacle
	Host Connectors	1 - USB Type-A (4 pin) USB 2.0 Male
		1 - USB Micro-B (5 pin) Male
Software	OS Compatibility	OS independent; No software or drivers required
Environmental	Humidity	5% ~ 80% RH
	Operating Temperature	0°C to 50°C (32°F to 122°F)
	Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Physical Characteristics	Product Height	0.2 in [0.5 cm]
	Product Length	1.6 in [40 mm]
	Product Width	0.5 in [12 mm]
	Weight of Product	0.1 oz [4 g]
Packaging Information	Package Height	0.9 in [22 mm]
	Package Length	3 in [75 mm]
	Package Width	4 in [10.2 cm]
	Shipping (Package) Weight	1 oz [27 g]
What's in the Box	Included in Package	1 - Micro SD to USB / Micro USB OTG Adapter

Product appearance and specifications are subject to change without notice.