




Trex Decking & Fascia


PROFILE	DESCRIPTION	ITEM NUMBER	COLORS					
1" Square-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'  1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones Enhance Basics Enhance Basics Enhance Basics Enhance Naturals Enhance Naturals Enhance Naturals Select Select Select	XX010612TS01 XX010616TS01 XX010620TS01 XX010612T2S01 XX010616T2S01 XX010620T2S01 XX010612E2S01 XX010616E2S01 XX010620E2S01 XX010612E2S01 XX010616E2S01 XX010620E2S01 XX010612SS01 XX010616SS01 XX010620SS01	IM, TT, HG, SR, LR GP, RS, VL CS, BD, SD FW, RH, TS, CB PG, WG, SD, WB, MB				
	1" Grooved-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'  1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' 7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals Transcend Earth Tones Transcend Earth Tones Transcend Earth Tones Enhance Basics Enhance Basics Enhance Basics Enhance Naturals Enhance Naturals Enhance Naturals Select Select Select	XX010612TG01 XX010616TG01 XX010620TG01 XX010612T2G01 XX010616T2G01 XX010620T2G01 XX010612E2G01 XX010616E2G01 XX010620E2G01 XX010612E2G01 XX010616E2G01 XX010620E2G01 XX010612SG01 XX010616SG01 XX010620SG01	IM, TT, HG, SR, LR GP, RS, VL CS, BD, SD FW, RH, TS, CB PG, WG, SD, WB, MB			
		1" x 8" Fascia <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Tropicals Transcend Earth Tones Enhance Basics Enhance Naturals Select Universal White	XX010812TS01 XX010812T2S01 XX010812E2S01 XX010812E2S01 XX010812SS01 WW010812ES01	IM, TT, HG, SR, LR GP, RS, VL CS, BD, SD FW, RH, TS, CB PG, WG, SD, WB, MB WW		
			1" x 12" Fascia <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Transcend Tropicals Transcend Earth Tones Enhance Basics Enhance Naturals Select Universal White	XX011212TS01 XX011212T2S01 XX011212E2S01 XX011212E2S01 XX011212SS01 WW011212ES01	IM, TT, HG, SR, LR GP, RS, VL CS, BD, SD FW, RH, TS, CB PG, WG, SD, WB, MB WW	
				2" Square-Edge Board <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 2 x 4 x 16' 2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20' 2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals Transcend Tropicals Transcend Tropicals Transcend Tropicals Select Select Select	XX020416TS01 XX020612TS01 XX020616TS01 XX020620TS01 XX020612SS01 XX020616SS01 XX020620SS01	IM, TT, HG, SR, LR IM, TT, HG, SR, LR PG, SD, WB, MB

XX = COLOR PREFIX

IM Island Mist	GP Gravel Path	PG Pebble Grey	FW Foggy Wharf	CS Clam Shell
TT Tiki Torch	RS Rope Swing	WG Winchester Grey	RH Rocky Harbor	BD Beach Dune
HG Havana Gold	VL Vintage Lantern	SD Saddle	TS Toasted Sand	SD Saddle
SR Spiced Rum		WB Woodland Brown	CB Coastal Bluff	WW Wood Grain White
LR Lava Rock		MB Madeira		

RAILING— a lot easier than it looks

Selecting the right railing is pretty easy, but each Trex® railing line is a little different. Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart to the right depicts each railing system's components.



TREX POST COMPONENTS TREX SIGNATURE® RAILING TREX TRANSCEND® RAILING TREX SELECT® RAILING

Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.	4" x 4" x 39" Post Sleeve <i>[4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions]</i>	XX040439APS
		4" x 4" x 108" Post Sleeve <i>[4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]</i>	XX0404108APS
		6" x 6" x 39" Post Sleeve <i>[5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions]</i>	WT060639APS
		6" x 6" x 108" Post Sleeve <i>[5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]</i>	WT0606108APS
2a	Post Sleeve Cap Also available with LED lighting. See page 54.	Flat 4" x 4" Post Sleeve Cap <i>[4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	PXXSQCAP4X4
		Flat 6" x 6" Post Sleeve Cap <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSQCAP6X6
2b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt <i>[4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]</i>	PXXSKIRT4X4
		6" x 6" Post Sleeve Skirt <i>[5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]</i>	PWTSKIRT6X6
ACCESSORY			
	Surface Mount Post For use with 4x4 composite post sleeve	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT36
		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	ALPOSTMOUNT42
		Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK
	Joist Mount Post For use with 4x4 composite post sleeve	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) <i>Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)</i>	CPJMNTPOST63


XX = COLOR PREFIX

WT Classic White GP Gravel Path TH Tree House
 BK Charcoal Black RS Rope Swing VL Vintage Lantern

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
1+2	Aluminum Posts			
	Can only be used within the Trex Signature line. Trex Signature aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to page 49.		IRC Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts</i>	ALPOSTHWDECK
	2.5" x 2.5" x 37" Aluminum Post—Horizontal	XXAL252537RCAP	Concrete Post Mount Kit	ALPOSTHWCONC
	2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252543RCAP	2.5" x 2.5" x 63" Aluminum Joist Mount Post <i>Comes with cap and skirt.</i>	XXJMNTPOST63
	2.5" x 2.5" x 53" Aluminum Post—Stair	XXAL252553RCAP		
	<i>Comes with cap and skirt.</i>		Trex Signature Fascia Mount Kit - wood framing <i>For use with Joist Mount Trex Signature Railing Post only.</i>	XXFMNTWOOD
	2.5" x 2.5" x 36" Crossover Post—Horizontal	XXAL252536RCCP		
	2.5" x 2.5" x 42" Crossover Post—Horizontal	XXAL252542RCCP		
	<i>Comes with skirt.</i>			
	2.5" x 2.5" x 37" Line Post with Premounted Brackets	BKAL252537RCAPLINE		
	2.5" x 2.5" x 37" End Post with Premounted Brackets	BKAL252537RCAPEND		
	2.5" x 2.5" x 37" Corner Post with Premounted Brackets	BKAL252537RCAPCNR		
2.5" x 2.5" x 43" Line Post with Premounted Brackets	BKAL252543RCAPLINE			
2.5" x 2.5" x 43" End Post with Premounted Brackets	BKAL252543RCAPEND			
2.5" x 2.5" x 43" Corner Post with Premounted Brackets	BKAL252543RCAPCNR			
<i>Comes with cap and skirt.</i>				
		Dimensions above are nominals. See below for actuals and metrics. [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]		

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
3	Rail & Baluster Kit			
	<i>(includes top rail, bottom rail, balusters and mounting and support hardware)</i> <i>Available in WT, BZ, and BK.</i>		6' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0636HRK
	6' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636SRK	6' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636SRK
	8' x 36" Rail Kit w. Round Balusters—Horizontal	BKAR0836HRK	8' x 36" Rail Kit w. Square Balusters—Horizontal	XXAS0836HRK
	8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0836SRK	8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0836SRK
	6' x 42" Rail Kit w. Round Balusters—Horizontal	BKAR0642HRK	6' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0642HRK
	6' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642SRK	6' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642SRK
	8' x 42" Rail Kit w. Round Balusters—Horizontal	BKAR0842HRK	8' x 42" Rail Kit w. Square Balusters—Horizontal	XXAS0842HRK
	8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0842SRK	8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0842SRK
			4' x 36" Assembled Panel (Square)—Horizontal	BKAS0436HRPNL
			6' x 36" Assembled Panel (Square)—Horizontal	BKAS0636HRPNL
			8' x 36" Assembled Panel (Square)—Horizontal	BKAS0836HRPNL
		4' x 42" Assembled Panel (Square)—Horizontal	BKAS0442HRPNL	
		6' x 42" Assembled Panel (Square)—Horizontal	BKAS0642HRPNL	
		8' x 42" Assembled Panel (Square)—Horizontal	BKAS0842HRPNL	
		<i>Does not include hardware.</i>		
		Dimensions above are nominals. See below for actuals and metrics. [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]		

STEP	DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
3	Rail & Rod Kit			
	<i>(includes top rail, bottom rail, rods and mounting and support hardware)</i>		6' x 42" Black Rails & Black Rods Kit—Horizontal	BKBKROD0642HRK
	6' x 36" Black Rails & Platinum Rods Kit—Horizontal	BKPLROD0636HRK	6' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0642SRK
	6' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636SRK	8' x 42" Black Rails & Black Rods Kit—Horizontal	BKBKROD0842HRK
	8' x 36" Black Rails & Platinum Rods Kit—Horizontal	BKPLROD0836HRK	8' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0842SRK
	8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0836SRK	36" Rod Rail Vertical Kit—Horizontal	XX36RODHVERTK
	6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal	BZPLROD0636HRK	36" Rod Rail Vertical Kit—Stair	XX36RODSVERTK
	6' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0636SRK	42" Rod Rail Vertical Kit—Horizontal	XX42RODHVERTK
	8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal	BZPLROD0836HRK	42" Rod Rail Vertical Kit—Stair	XX42RODSVERTK
	8' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0836SRK	<i>Use as an accessory for cut rod rail sections.</i> <i>Available in BK and PL.</i>	
	6' x 36" Black Rails & Black Rods Kit—Horizontal	BKBKROD0636HRK		
	6' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0636SRK		
8' x 36" Black Rails & Black Rods Kit—Horizontal	BKBKROD0836HRK			
8' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0836SRK			
		Dimensions above are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]		



XX = COLOR PREFIX

- WT Classic White
- BZ Bronze
- BK Charcoal Black
- PL Platinum

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER		
3	Mesh Rail Kit (includes top rail, bottom rail, foot block, verticals, anti-rattle gaskets, hardware and bracket pack)	6' x 36" Mesh Railing Kit—Horizontal	XXA0636PNLHRK		
		6' x 36" Mesh Railing Kit—Stair	XXA0636PNLSRK		
		8' x 36" Mesh Railing Kit—Horizontal	XXA0836PNLHRK		
		8' x 36" Mesh Railing Kit—Stair	XXA0836PNLSRK		
		6' x 42" Mesh Railing Kit—Horizontal	XXA0642PNLHRK		
		6' x 42" Mesh Railing Kit—Stair	XXA0642PNLSRK		
		8' x 42" Mesh Railing Kit—Horizontal	XXA0842PNLHRK		
		8' x 42" Mesh Railing Kit—Stair	XXA0842PNLSRK		
		36" Mesh Railing Vertical Kit—Horizontal	XX36MSHHVERTK		
		36" Mesh Railing Vertical Kit—Stair	XX36MSHSVVERTK		
		42" Mesh Railing Vertical Kit—Horizontal	XX42MSHHVERTK		
		42" Mesh Railing Vertical Kit—Stair	XX42MSHSVVERTK		
		Available in BK and BZ. Mesh infill sold separately. Dimensions above are nominals. See below for actuals and metrics. [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]			



Glass Rail Kit

(includes top rail, bottom rail, foot block, verticals, hardware and bracket pack)



6' Glass Railing Kit—Horizontal

XXA06HGLRK

Available in BK and WT.
Glass infill not included. Utilizes readily available 1/4" tempered glass.

Glass can be sourced by contacting your local glazier or call **1-800 BUY-TREX** for more information.

Dimension above is nominal. See below for actual and metric.
[6': 72 in (182 cm) actual dimension]

4	Mesh Panel (includes stainless steel mesh panel) For use with Trex Signature Mesh Kit.	6' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0636HZ
		8' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0836HZ
		8' x 42" Stainless Steel Mesh Panel—Horizontal	SSMESH0842HZ
		Universal 316 Stainless Steel Mesh Panel—Stair	SSMESHUNIVST
		Dimensions above are nominals. See below for actuals and metrics. [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	



DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
-------------	-------------	-------------	-------------

ACCESSORY

Trex Signature Bracket Templates
 Bracket Template—Horizontal (36" and 42") - Composite Sleeve
 Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post



SIGTEMP4X4SLEEVE

SIGTEMPIRCPOST

Cocktail Rail Bracket (10/pack)	XXCTBKAL10PK
Fixed Bracket—Horizontal (4/pack)	XXFHBKTAL
Fixed Bracket—Stair (4/pack)	XXFSBKAL
Tabless Fixed Bracket—Horizontal (4/pack)	XXFHBKTALPNL
Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKTAL
Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKTAL
2.5" Crossover Bracket—Horizontal (1/pack)	XX25FHCBKTAL
2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKAL
Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKTAL
Aluminum Foot Block	XXALFTBLK
Touch-up Pen	XXTOUCHUPPEN

XX = COLOR PREFIX


WT Classic White BZ Bronze BK Charcoal Black SS Stainless Steel

Trex Transcend® Railing



Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).


STEP	COMPONENT	DESCRIPTION	ITEM NUMBER	COLOR
3	Rail & Square Composite Baluster Kit <i>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails and balusters.</i> 	6' x 36" Rail & Baluster Kit—Horizontal	XX0636HRK	WT, BK, VL
		6' x 36" Rail & Baluster Kit—Stair	WT0636SRK	WT
		8' x 36" Rail & Baluster Kit—Horizontal	XX0836HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Stair	XX0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal	XX0642HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Horizontal	XX0842HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Stair	XX0842SRK	WT, BK, VL

	Rail & Round Aluminum Baluster Kit <i>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails. Round aluminum balusters come in BK.</i> 	6' x 36" Rail & Baluster Kit—Horizontal	XXRD0636HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Horizontal	XXRD0836HRK	WT, BK, VL
		8' x 36" Rail & Baluster Kit—Stair	XXRD0836SRK	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal	XXRD0642HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Horizontal	XXRD0842HRK	WT, BK, VL
		8' x 42" Rail & Baluster Kit—Stair	XXRD0842SRK	WT, BK, VL

	Cocktail Rail & Round Aluminum Baluster Kit <i>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Round aluminum balusters come in BK. Only Trex Transcend and Select deck boards can be used for cocktail rail application.</i> 	6' x 36" Cocktail Rail & Baluster Kit—Horizontal	WTRD0636HRKCKTL	WT
		8' x 36" Cocktail Rail & Baluster Kit—Horizontal	WTRD0836HRKCKTL	WT
		8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0836SRKCKTL	WT
		Dimensions above are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)		

OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3a	Top Rail <i>Universal top rail is used for cocktail rail applications.</i> 	6' Crown Top Rail	XXCROWNTR06
		8' Crown Top Rail	XXCROWNTR08
		6' Universal Top/Bottom Rail	XXUNIVTBR06
		8' Universal Top/Bottom Rail	XXUNIVTBR08
3b	Bottom Rail 	6' Universal Top/Bottom Rail	XXUNIVTBR06
		8' Universal Top/Bottom Rail	XXUNIVTBR08
		<i>[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]</i>	

4	Balusters See chart below for number of balusters needed to complete each railing section.	Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK																		
		Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK																		
		Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK																		
		Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK																		
		Dimensions above are nominals. See below for actuals and metrics. 6' Rail: 67.5 in (171 cm) 8' Rail: 91.5 in (232 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)																			
		<table border="1"> <thead> <tr> <th>BALUSTER</th> <th>ORIENTATION</th> <th>6' SECTION</th> <th>8' SECTION</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Square composite</td> <td>Horizontal</td> <td>13</td> <td>18</td> </tr> <tr> <td>Stair</td> <td>11</td> <td>15</td> </tr> <tr> <td rowspan="2">Round aluminum</td> <td>Horizontal</td> <td>15</td> <td>20</td> </tr> <tr> <td>Stair</td> <td>12</td> <td>16</td> </tr> </tbody> </table>		BALUSTER	ORIENTATION	6' SECTION	8' SECTION	Square composite	Horizontal	13	18	Stair	11	15	Round aluminum	Horizontal	15	20	Stair	12	16
		BALUSTER	ORIENTATION	6' SECTION	8' SECTION																
		Square composite	Horizontal	13	18																
			Stair	11	15																
		Round aluminum	Horizontal	15	20																
Stair	12		16																		
Aluminum balusters are only available in BK, WT, BZ. 																					

XX = COLOR PREFIX


Composite Colors

WT Classic White GP Gravel Path TH Tree House
 BK Charcoal Black RS Rope Swing VL Vintage Lantern

Aluminum Colors




WT Classic White BK Charcoal Black
 BZ Bronze

Trex Transcend® Railing

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
5	Accessory Infill Kit <i>(includes, baluster spacers, adjustable foot block and mounting hardware)</i> 	6' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK06
		6' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK06
		8' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK08
		8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK08
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06
		6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06
		8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08
		8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08
		6' Glass Panel Accessory Infill Kit	XXGLIK06
<p>Dimensions above are nominals. See below for actuals and metrics. 6': 67.5 in (171 cm) 8': 91.5 in (232 cm)</p>			
DESCRIPTION	ITEM NUMBER	DESCRIPTION	ITEM NUMBER
ACCESSORY			
Trex Transcend Bracket Template Bracket Template—Horizontal (36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
		Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
		Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
		Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
		0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
		0 Degree Rail Gasket Pack—Stair	XX00SGASK
		22.5 Degree Gasket Pack	XX22HGASK
		45 Degree Birdsmouth Gasket Pack (for 4x4)	XX45RSBADAPK
		45 Degree Gasket Pack (for 6x6)	WT45HGASK
Foot Block	XXFTBLKPC		

Trex Select® Railing

Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
3	Rail & Round Aluminum Baluster Kit <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack)</i> 	6' x 36" Rail & Baluster Kit—Horizontal	WTRD0636HSELK
		6' x 36" Rail & Baluster Kit—Stair	WTRD0636SSELK
		8' x 36" Rail & Baluster Kit—Horizontal	WTRD0836HSELK
		8' x 36" Rail & Baluster Kit—Stair	WTRD0836SSELK
		6' x 42" Rail & Baluster Kit—Horizontal	WTRD0642HSELK
		8' x 42" Rail & Baluster Kit—Horizontal	WTRD0842HSELK
		8' x 42" Rail & Baluster Kit—Stair	WTRD0842SSELK
<p>Available in WT rails with aluminum balusters in BK.</p> <p>Dimensions above are nominals. See below for actuals and metrics. 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 1066 mm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 1066 mm)</p>			
ACCESSORY			
	Mounting Hardware for Cut Rails—Horizontal (10 kits/box)		BKENHZBKT
	Mounting Hardware for Cut Rails—Stair (10 kits/box)		BKENSTBKT
	Trex Select 8' Aluminum Rail Stiffener		SELALRAILSTIFFENER

XX = COLOR PREFIX

Composite Colors

WT Classic White	GP Gravel Path	TH Tree House
BK Charcoal Black	RS Rope Swing	VL Vintage Lantern

Aluminum Colors

WT Classic White	BK Charcoal Black
BZ Bronze	

COMPONENT & DESCRIPTION	ITEM NUMBER
<p>Flat Post Cap Light</p> <ul style="list-style-type: none"> » 4" x 4" LED Post Cap Light <i>[4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions]</i> Use with Trex 4 in Composite Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKSQLEDCAP4X4C WTSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C</p>
<p>Aluminum Post Cap Light</p> <ul style="list-style-type: none"> » 2.5" x 2.5" LED Aluminum Post Cap Light <i>[2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions]</i> Use with Trex 2.5 in Aluminum Railing Posts » 5.5 ft (1.67 m) Male LightHub Lead 	 <p>BKALCAPLED25 BZALCAPLED25 WTALCAPLED25</p>
<p>Aluminum Deck Rail Light</p> <ul style="list-style-type: none"> » LED Deck Rail Light <i>[2.75 in (69 mm) OD]</i> » 5.5 ft (1.67 m) Male LightHub Lead 	 <p>BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC</p>
<p>Aluminum Wedge Deck Rail Light</p> <ul style="list-style-type: none"> » LED Wedge Deck Rail Light <i>[1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions]</i> Compatible with all Trex Railing Posts » 5.5 ft (1.67 m) Male LightHub Lead 	 <p>BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED</p>
<p>Aluminum Stair Riser Light</p> <ul style="list-style-type: none"> » 4 LED Riser Lights <i>[1.25 in (31 mm) OD]</i> » 5.5 ft (1.67 m) Male LightHub Lead 	 <p>BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC</p>
<p>Recessed Deck Light</p> <ul style="list-style-type: none"> » 4 LED Recessed Lights <i>[1 in (25 mm) OD]</i> » 5.5 ft (1.67 m) Male LightHub Lead 	 <p>RECESSLED4PKC</p>
<p>ACCESSORIES</p>	
<p>Transformer with Timer</p> <ul style="list-style-type: none"> » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20 ft (6.09 m) LightHub Wire Extension Cable 	 <p>8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER</p>
<p>Multi-zone Transformer Adapter</p>	 <p>DL5TFSPPLIT1PK</p>
<p>Dimmer</p> <ul style="list-style-type: none"> » Single Channel with Remote 	 <p>DLDIMMER</p>
<p>Forstner Bit</p> <ul style="list-style-type: none"> » Pack of 6 » 1 in (25 mm) 	 <p>DLBIT6PK</p>
<p>LightHub Accessories</p> <ul style="list-style-type: none"> » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » 40 ft (12.19 m) Wire Extension Cable » 60 ft (18.28 m) Wire Extension Cable » Female to Female Adapter 	 <p>DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK</p>

Trex Aluminum ADA Compliant Handrail

COMPONENT	ITEM NUMBER
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA18OCCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Adjustable ADA Elbow	XXALADAADJELB
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACL

All Trex ADA handrail components are made of powder-coated aluminum.
For detailed installation instructions, visit [trex.com/2021](https://www.trex.com/2021)



- 1 36° Elbow
- 2 Wall Mount
- 3 Aluminum Collar



- 4 Wall Return 90°
- 5 Hand Rail



Trex Aluminum Gates


COMPONENT	DESCRIPTION	ITEM NUMBER
Gate Rail Kit	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening <i>[Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]</i>	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys Hardware for attachment to wood post with composite sleeve or aluminum posts	BKGATEHW

Available in all aluminum colors (Charcoal Black, Bronze and Classic White). When ordering, refer to prefix codes at the bottom of this page.



Trex Hideaway® Hidden Fastening System

COMPONENT	DESCRIPTION	ITEM NUMBER
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	Router Bit	ROUTBIT



XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black