

**ACTIVE REMEDIATION MONITORING REPORT
NAPLES #27510 (CYCLE SHOP)
5858 ASHEVILLE HIGHWAY
US HIGHWAY 25 AND INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
NCDENR INCIDENT NO. 24239
SHIELD PROJECT #1010067**

Period: October 1, 2013 through March 31, 2014

Responsible Party:
Petroleum World, Inc.
681 NC 120 Highway
Moorestown, NC 28114

Contact:
Debbie Potter
(828) 453-7351

Consultant:
Shield Engineering, Inc.
4301 Taggart Creek Road
Charlotte, NC 28208

Contact:
Flora J. D'Souza
(704) 394-6913

Property Owners:
Ronnie P. Gray
P.O. Box 1694
Hendersonville, NC 28793

Contact:
Ronnie P. Gray
(828) 606-8002

Site Risk Classification: High (H440E)

Release Discovered: September 19, 2001

Land Use Category: Commercial/Residential

Quantity Released: Unknown amount of low and high boiling point petroleum hydrocarbons

Site Latitude: 35° 23' 52" N


Suspected Release Source(s): Underground storage tank (UST) system consisting of three 6,000-gallon gasoline USTs and one 6,000-gallon diesel UST removed on January 22, 2004.

Site Longitude: 82° 30' 25" W

Release Cause: Unknown


Flora J. D'Souza
Project Manager




Michael D. Armour, M.S., L.G.
Principal
Registered, NC #1209

May 15, 2014

TABLE OF CONTENTS

	<u>Page No.</u>
1.0 DISCUSSION OF SAMPLING RESULTS.....	1
2.0 DISCUSSION OF REMEDIATION ACTIVITIES	4
3.0 CONCLUSIONS AND RECOMMENDATIONS.....	8
4.0 LIMITATIONS	10

FIGURES

Figure 1:	Site Location Map
Figure 2:	Site Map
Figure 3:	1500' Radius Map
Figure 4:	Groundwater Elevation Contour Map
Figure 5:	Benzene Isoconcentration Map
Figure 6:	Toluene Isoconcentration Map
Figure 7:	Total Xylenes Isoconcentration Map
Figure 8:	MTBE Isoconcentration Map
Figure 9:	Naphthalene Isoconcentration Map

TABLES

Table 1:	Water Supply Well and Receptor Information
Table 2:	Summary of Well Construction and Historical Groundwater Elevation Data
Table 3:	Summary of Analytical Results – Groundwater Samples
Table 4:	Summary of Historical Analytical Results – Groundwater Samples
Table 5:	Summary of Flow Data and Analytical Results (Soil Vapor Extraction System)
Table 6:	Summary of Remediation System Operation and Maintenance Costs

GRAPHS

Graph(s) of LPH/Hydrograph vs. Time
Graph(s) of Concentrations/Hydrographs vs. Time

APPENDICES

Appendix A:	Laboratory Report – Groundwater Samples and SVE Air Samples
-------------	---

1.0 DISCUSSION OF SAMPLING RESULTS

1.1 Site Monitoring Requirements:

Site Monitoring Requirements Based on CAP and/or NORR		
Sample Point Type	Total Quantity of Existing Sample Points and Their Identification	Required by NCDENR to be Monitored and Sampled per CAP and/or NORR, and/or TAF
Monitoring Wells	20 ⁽¹⁾ (MW-1 through MW-4, MW-6 through MW-20, and DMW-1)	20 (MW-1 through MW-4, MW-6 through MW-20, and DMW-1)
Water Supply Wells	19 ⁽²⁾ (WSW-1 through WSW-9, WSW-11 through WSW-17, WSW-19, WSW-20 and Tabor WSW)	4 ⁽²⁾⁽³⁾ (WSW-1, WSW-2, WSW-6, and WSW-9)

NOTES:

- (1) *Monitoring well MW-5 was destroyed by construction done on site.*
- (2) *Number of wells identified within 1,000 feet of site during Pre-CAP Monitoring Report, August 30, 2004.*
- (3) *The number of individual wells to be sampled as approved on Pre-Approval Task Authorization 24239-30 and contingent upon sampling access agreements and/or well operational status.*

1.1.1 Site Location:

Refer to Figure(s): Figure 1, Figure 2

1.2 Summary of Receptor Survey Update, Groundwater Flow, Free Product Thickness(s), and Analytical Results:

1.2.1 **Date(s) of Sampling Event:** March 26, 2014

1.2.2 Existing Area Receptors:

Based upon the last receptor update conducted in September 2006, twenty (20) water supply wells were identified within 1,000-feet of the release. Three of the 20 identified water supply wells are used for non-potable purposes (WSW-1, WSW-19 and WSW-20). One well is inactive/unused (WSW-Tabor) as the home has burned down. Although a municipal waterline is accessible to certain properties south of the site, several residences still use their wells for drinking purposes including two community-use wells (WSW-2 and WSW-3) serving numerous residences. Refer to the following table and figure for information and locations of area receptors.

Refer to Table(s): Table 1
Refer to Figure(s): Figure 3

1.2.3 Groundwater Flow Direction:

- Current Groundwater Elevation Data is included in the following table(s) and figure(s):

Refer to Table(s): Table 2
Refer to Figure(s): Figure 4

- Current groundwater flow direction is predominantly toward the south-southwest.

1.2.4 Free Product:

Free Product Detected during this Reporting Period?: No, free product was not detected during the March 2014 sampling event.

1.2.5 Groundwater Analytical Results:

Sampled Points and Analytical Methods:

The following monitoring wells and other points were sampled during this reporting period.

Sampled Points and Analytical Methods for this Reporting Period Based on CAP and Pre-Approval Task Authorization Sampling Requirements		
Type	Points Sampled during this Reporting Period	Analytical Method(s)
Monitoring Wells	19 (MW-1 through MW-4, MW-6 through MW-16, MW-18, MW-19, MW-20, and DMW-1)	<ul style="list-style-type: none"> • EPA Methods 6200B (+MTBE, IPE, EDB, naphthalene, xylenes) • EPA Method 3030C (Total Lead)
Water Supply Wells	4 (WSW-1, WSW-2, WSW-6, and WSW-9)	<ul style="list-style-type: none"> • EPA Method 6200B (+MTBE, IPE, naphthalene, xylenes) • EPA Method 3030C (Total Lead) • EPA Method 504.1 (EDB)

- In March 2014, MW-17 was not sampled due to insufficient water.

Laboratory Used: Pace Analytical Services, Inc., Huntersville, North Carolina

Current Groundwater Analytical Data:

Refer to the following table(s) and Appendix for current groundwater analytical data.

Refer to Table(s): Table 3

Refer to Appendix: Appendix A

Historical Groundwater Analytical Data:

Refer to the following table(s) and Graph(s) for historical groundwater analytical data.

Refer to Table(s): Table 4
Refer to Graph(s): Concentration/Hydrograph vs. Time Graph(s)

Dissolved Phase Plume Size and Location:

The dissolved phase benzene plume is elliptical in size and has an approximate length of 110 feet and width of 100 feet. The plume is located as shown on the following Figures.

Refer to Figure(s): Figure 5 through 9

Proximity of Plume to Nearest Receptor(s):

The dissolved phase benzene plume is approximately 120 feet from the nearest receptor (WSW-1). The nearest potable well (WSW-3) is approximately 180 feet from the benzene plume.

- **Predictive Rate of Contaminant Transport:**

Refer to the Comprehensive Site Assessment (CSA) dated February 28, 2003 and the Corrective Action Plan (CAP) dated July 1, 2003. Contaminant transport is typically in the same direction as groundwater flow, but with a slower velocity. The plume geometry appears consistent with the previous sampling event completed in December 2009. Refer to the following table(s) and figure(s):

Refer to Table(s): Table 2, Table 3 and Table 4
Refer to Figure(s): Figure 4 through 9

1.2.6 Other Field Data Collected:

- No other field data was collected during this sampling event.

2.0 DISCUSSION OF REMEDIATION ACTIVITIES

2.1 Summary of Remediation Activities to Date:

- The air sparge system construction/trenching was completed between June and September 2009. The system buildings, air compressors, SVE blowers, and controls used are from I-85 BP (GWID # 22544) on the Naples (Cycle Shop) property and from Jones Space (GWID # 10384) on the Citgo property.
- The air sparge and SVE systems were started on September 29, 2009 on the Naples (Cycle Shop) property.
- The SVE system was started on September 29, 2009 on the Citgo property. The air compressor on the Citgo property had not been serviced by September 29, 2009; therefore, the air compressor was not started until October 6, 2009, following compressor servicing.
- The air sparge and SVE systems are currently in operation at the Naples (Cycle Shop) and Citgo sites.

2.2 Remediation System Status and Sampling/Operational Data:

2.2.1 Air Sparge System

Cycle Shop Site

- Scheduled Operational Time (for Reporting Period): 189 days (September 17, 2013 through March 25, 2014)
- Actual Operational Time (for Reporting Period): 170 days (September 17, 2013 through March 25, 2014)
- Actual Operational Efficiency (for Reporting Period): 90%
- Summary of Down Time: The air compressor was found down on January 7 and January 21, 2014 likely due to area power outages. The air compressor restarted each time and operated as normal after being restarted.
- System Sampling Frequency: Not Required
- System Sampling Date(s): Not Applicable
- Laboratory Used: Not Applicable
- System Analytical Data: Not Applicable
- Remarks: The air sparge system operated at approximately 2 cubic feet per minute (CFM) to air sparge wells AS-1 through AS-7.

Citgo Site

- Scheduled Operational Time (for Reporting Period): 189 days (September 17, 2013 through March 25, 2014)
- Actual Operational Time (for Reporting Period): 134 days (September 17, 2013 through March 25, 2014)
- Actual Operational Efficiency (for Reporting Period): 71%

- **Summary of Down Time:** The air compressor was found down on January 7 and January 21, 2014 likely due to area power outages. The air compressor was also found down on March 13 and March 25, 2014 due to a high temperature alarm. The air compressor restarted each time and operated as normal after being restarted.
- **System Sampling Frequency:** Not Required
- **System Sampling Date(s):** Not Applicable
- **Laboratory Used:** Not Applicable
- **System Analytical Data:** Not Applicable
- **Remarks:** The air sparge system operated at approximately 2 cubic feet per minute (CFM) to air sparge wells AS-8 through AS-13.

2.2.2 SVE System

Cycle Shop Site

- **Scheduled Operational Time (for Reporting Period):** 189 days (September 17, 2013 through March 25, 2014)
- **Actual Operational Time (for Reporting Period):** 189 days (September 17, 2013 through March 25, 2014)
- **Actual Operational Efficiency (for Reporting Period):** 100%
- **Summary of Down Time:** Not Applicable
- **System Sampling Frequency:** Quarterly
- **System Sampling Date(s):** March 26, 2014
- **Laboratory Used:** Pace Analytical, Inc.
- **System Analytical Data:** The Naples (Cycle Shop) SVE system recovered 11.2 pounds of VOCs between September 24, 2013 and March 26, 2014. The SVE system has recovered a total of 47,834.4 pounds of VOCs since initial system start-up. Recovery calculations and analytical data are included in the following Tables(s) and Appendix.

Refer to Table(s): Table 5

Refer to Appendix: Appendix A

- **Remarks:** The December 2013 SVE air sampling event was inadvertently missed. The initial startup of the SVE system at the Naples (Cycle Shop) was on September 29, 2009. The SVE system operated at an applied vacuum of -4 to -5 inches of mercury with an average airflow rate of 760 cubic feet per minute (CFM).

Citgo Site

- **Scheduled Operational Time (for Reporting Period):** 189 days (September 17, 2013 through March 25, 2014)
- **Actual Operational Time (for Reporting Period):** 160 days (September 17, 2013 through March 25, 2014)

- Actual Operational Efficiency (for Reporting Period): 85%
- Summary of Down Time: The SVE system was found down on December 26, 2013 due to a broken motor belt. The belt was installed on January 7, 2014 and the SVE system was restarted.
- System Sampling Frequency: Quarterly
- System Sampling Date(s): March 26, 2014
- Laboratory Used: Pace Analytical, Inc.
- System Analytical Data: The SVE system recovered 31.9 pounds of VOCs between September 24, 2013 and March 26, 2014. The SVE system has recovered a total of 7,188.1 pounds of VOCs since initial system start-up. Recovery calculations and analytical data are included in the following Tables(s) and Appendix.

Refer to Table(s): Table 5

Refer to Appendix: Appendix A

- Remarks: The December 2013 SVE air sampling event was inadvertently missed. The initial startup of the SVE system at the Citgo was on September 29, 2009. The SVE system operated at an applied vacuum of -15 to -38 inches of water with an average airflow rate of 240 cubic feet per minute (CFM).

2.3 Monthly Operation and Maintenance Costs:

- The average operation and maintenance (O&M) cost for this reporting period was approximately \$4,500 per month (includes both remediation systems) for this reporting period. Total O&M costs to date are \$230,618.60 (see Table 6).

2.4 Mass of Contaminant Removed:

- The SVE system at the Naples (Cycle Shop) recovered 47,834.4 pounds of VOCs since the system startup on September 29, 2009.
- The SVE system at the Citgo site recovered 7,188.1 pounds of VOCs since the system startup on September 29, 2009.

2.5 Future Remediation Activities:

- Recommend continued operation of the remediation system pursuant to the Corrective Action Plan.

2.6 Gallons of Recovered Free Product:

No Free Product was recovered during this reporting period.

2.7 Discharge/Non-Discharge/POTW Permit:

The Air Sparge and SVE system does not require any permits for operation.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 Progress of Clean-up/Plume Status:

- Monitoring wells MW-5, MW-6, and MW-8 were previously believed to have been destroyed or buried by construction activities on site. Prior to the September 2009 sampling event, MW-8 was uncovered and raised to grade and MW-6 was found under a large concrete slab. This slab was cut and the protective pad for MW-6 reinstalled. MW-6 had soil inside it above the groundwater and was not able to be cleaned out prior to the September 2009 sampling event.
- Free Product was not detected in site wells during this sampling event. Free product has not been detected in monitoring wells (MW-9 and MW-10) since the September 2009 sampling event.
- Dissolved Phase petroleum constituent compounds were detected at concentrations above the 15A NCAC 2L .0202 standards (2L Standards) in five site wells (MW-1, MW-2, MW-9, MW-10, and MW-16) during this period.
- Of the above mentioned wells above 2L Standards, dissolved phase petroleum constituents of concern (COC) have decreased in wells MW-1, MW-2, MW-9, and MW-10 and increased in well MW-16.
- Of the 20 identified water supply wells within 1,000-feet of the release only four property owners granted Shield permission to sample their wells in September 2009 during the baseline sampling. Therefore WSW-1, WSW-2, WSW-6, and WSW-9 were the only wells requested to be sampled in Pre-Approval Task Authorization 24239-28. The only constituent identified was **tetrachloroethane in WSW-1 above the 2L Standard of 0.7 micrograms per liter (ug/L) at 9.6 ug/L.** Tetrachloroethane is a chlorinated solvent and not a constituent of concern related to this incident.
- Sixteen of the 20 identified water supply wells within 1,000-feet of the release appear to be using their wells for drinking purposes.
- Ms. Alverson, the property owner of WSW-3, WSW-4, WSW-5, and WSW-19, would not allow Shield to sample the wells on her properties.
- Tetrachloroethane was detected in DMW-1 at a concentration of 1.5 ug/L which is above the 2L Standard of 0.7 ug/L. This chemical is a chlorinated solvent and not associated with the petroleum release under this incident.

3.2 Performance and Efficiency of the Remediation System:

- The Naples (Cycle Shop) air sparge system operated for 170 days from September 17, 2013 through March 26, 2014 for an operational percentage of 90% and the Citgo site air sparge system operated for 134 days for an operational percentage of 71%.
- The Naples (Cycle Shop) SVE system operated for 189 days from September 17, 2013 through March 26, 2014 for operational percentage of 100% and the Citgo site SVE

system operated for 160 days for an operational percentage of 85%.

- The Naples (Cycle Shop) SVE system recovered 11.2 pounds of VOCs from September 24, 2013 and March 26, 2014. The SVE system has recovered a total of **47,834.4** pounds of VOCs since initial system start-up.
- The Citgo SVE system recovered 31.9 pounds of VOCs between September 24, 2013 and March 26, 2014. The SVE system has recovered a total of **7,188.1** pounds of VOCs since initial system start-up.

3.3 Recommended Modifications to the System:

- No modifications to the system are recommended.

3.4 Interpretations of Submitted Data:

- Free product was not detected in site monitoring wells during the March 2014 sampling event. Free product last was detected in two monitoring wells (MW-9 and MW-10) during the September 2009 sampling event.
- Dissolved phase petroleum plume size has remained fairly constant.
- The remedial systems continue to remove contaminants within soil and groundwater at the site.
- Shield completed monitoring well and water supply well sampling at the Naples site under pre-approval TAF 24239-30.



4.0 LIMITATIONS

Shield has performed environmental services at the subject site on behalf of Petroleum World, Inc. Shield has performed this scope of work as an independent contractor/consultant using reasonable care and skill in accordance and consistent with customary industry standards of engineering, geology, and hydrogeology practices. This standard of care is the sole and exclusive standard of care that can be applied to measure Shield's performance of the work. No other warranty, expressed or implied, is made or intended by Shield.


The report has been prepared for the exclusive use by Petroleum World, Inc. All recommendations, findings, and conclusions made by Shield have been made to the best of Shield's knowledge, opinion, and belief, based upon information obtained during this scope of work and is limited by the scope nature and type of services as agreed upon between Petroleum World, Inc. and Shield. Conclusions are provided with the understanding that Shield is presenting information and not rendering legal advice. If such advice is needed, legal counsel should be consulted. It is the responsibility of Petroleum World, Inc., under advice of its counsel, to notify the appropriate federal, state, or local public agencies as required by law; or otherwise to disclose in a timely manner, any information that may be necessary to prevent damage to human health, safety, or the environment.

Compliance with recommendations provided as part of this report in no way assures compliance with federal, state, and/or local laws, regulations, and/or requirements. Analytical data has been obtained from Pace Analytical Services, Inc. This information, to the extent that it was relied on to generate this report, is assumed to be correct and complete. The work performed in conjunction with this report and the data developed are intended as a description of available information at the dates and specific locations given. Shield is not responsible for inspecting, examining, or reporting findings or recommendations with respect to any conditions that were knowingly or unknowingly withheld, concealed, hidden, or in any way not disclosed or observable at the time of this scope of work.

FIGURES



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION
SKYLAND, NC
35082-D5-TF-024



SHIELD
ENGINEERING, INC.

4301 TAGGART CREEK ROAD
CHARLOTTE, NC 28208
704-394-0913
704-394-0908 fax
www.shieldengineering.com

SITE LOCATION MAP


NAPLES #27510
U. S. HIGHWAY 25 & INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
SHIELD PROJECT # 1010067

DATE :	07/20/04	DRAWN BY :	DE
SCALE :	AS SHOWN	FIGURE :	1

H:\PROJECTS\2001\1010067\FIGURES\1010067SL

UTM GRID AND 1987 MAGNETIC NORTH
DECLARATION AT CENTER OF SHEET

H:\PROJECTS\2001\1010067 NAPLES\FIGURES\1010067 ARMOR 04-14.DWG



LEGEND:

	PROPERTY BOUNDARY		PROPERTY BOUNDARY
	OVERHEAD POWER LINES AND POWER POLE		CONTOUR ELEVATION LINE
	6' CHAIN LINK FENCE LINE		PRODUCT LINE
	AIR SPARGE TRENCHING AND PIPING		SVE TRENCHING AND PIPING
	WATER SUPPLY WELL (ACTIVE)		TYPE II MONITORING WELL
	WATER SUPPLY WELL (INACTIVE)		TYPE III MONITORING WELL
	TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02		DESTROYED MONITORING WELL
	AIR SPARGE WELL (AS)		SOIL VAPOR EXTRACTION WELL (SVE)


NOTES:
 1- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 2- ALL LOCATIONS ARE APPROXIMATE.


4301 TAGGART CREEK ROAD
 CHARLOTTE, NC 28208
 704-304-6913
 704-304-0908 fax
 www.shieldengineering.com

SITE MAP

NAPLES #27510
 U. S. HIGHWAY 25 & INTERSTATE 26
 NAPLES, HENDERSON COUNTY, NORTH CAROLINA
 SHIELD PROJECT # 1010067

DATE : 04/03/14	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 2






LEGEND:

- 2298 PARCEL ID
- ◆ POTABLE WATER SUPPLY WELL
- NON-POTABLE WATER SUPPLY WELL
- * INACTIVE / UNUSED WATER SUPPLY WELL

NOTES:


- 1- REFERENCE: MAP BASED ON HENDERSON COUNTY TAX MAP 9651.02 AND 9651.01.
- 2- ALL LOCATIONS ARE APPROXIMATE.



	4301 TAGGART CREEK ROAD CHARLOTTE, NC 28208 704-394-6013 704-394-0959 fax www.shieldengineering.com
1,500' RADIUS MAP	
NAPLES #27510 U. S. HIGHWAY 25 & INTERSTATE 26 NAPLES, HENDERSON COUNTY, NORTH CAROLINA SHIELD PROJECT # 1010067	
DATE : 09/27/06	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 3

H:\PROJECTS\2001\1010067\FIGURES\1010067SV (09-06)


H:\PROJECTS\2001\1010067 NAPLES\FIGURES\1010067 ARMR 04-14.DWG



LEGEND:


	PROPERTY BOUNDARY		PROPERTY BOUNDARY
	OVERHEAD POWER LINES AND POWER POLE		6' CHAIN LINK FENCE LINE
	2088		PRODUCT LINE
	CONTOUR ELEVATION LINE		AIR SPARGE TRENCHING AND PIPING
	2' SVE		SVE TRENCHING AND PIPING
	WATER SUPPLY WELL (ACTIVE)		WATER SUPPLY WELL (INACTIVE)
	TYPE II MONITORING WELL		TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02
	TYPE III MONITORING WELL		DESTROYED MONITORING WELL
	AIR SPARGE WELL (AS)		SOIL VAPOR EXTRACTION WELL (SVE)
	FEET		FEET
	(2,069.62)		GROUNDWATER ELEVATION (ft)
	[2,069.86]		TYPE III MONITORING WELL NOT USED IN CONTOURING (ug/L)
	GROUNDWATER ELEVATION CONTOUR LINE (ft)		GENERALIZED GROUNDWATER FLOW DIRECTION

NOTES:
 1- DEPTHS TO GROUNDWATER MEASURED ON 03/26/14.
 2- CONTOUR INTERVAL = 2 FEET.
 3- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 4- ALL LOCATIONS ARE APPROXIMATE.



		4301 TAGGART CREEK ROAD CHARLOTTE, NC 28208 704-394-5913 704-394-6058 fax www.shieldengineering.com	
GROUNDWATER ELEVATION CONTOUR MAP			
NAPLES #27510 U. S. HIGHWAY 25 & INTERSTATE 26 NAPLES, HENDERSON COUNTY, NORTH CAROLINA SHIELD PROJECT # 1010067			
DATE :	04/03/14	DRAWN BY :	RBS
SCALE :	AS SHOWN	FIGURE :	4


H:\PROJECTS\2001\1010067 NA-2\LES\FIGURES\1010067 ARMW 04-14.DWG



LEGEND:

	PROPERTY BOUNDARY		PROPERTY BOUNDARY
	OVERHEAD POWER LINES AND POWER POLE		6' CHAIN LINK FENCE LINE
	CONTOUR ELEVATION LINE		PRODUCT LINE
	AIR SPARGE TRENCHING AND PIPING		SVE TRENCHING AND PIPING
	WATER SUPPLY WELL (ACTIVE)		TYPE II MONITORING WELL
	WATER SUPPLY WELL (INACTIVE)		TYPE III MONITORING WELL
	TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02		DESTROYED MONITORING WELL
	AIR SPARGE WELL (AS)		SOIL VAPOR EXTRACTION WELL (SVE)
	MICROGRAMS PER LITER		BENZENE CONCENTRATION (ug/L)
	BENZENE CONCENTRATION (ug/L)		BENZENE CONCENTRATION NOT USED IN CONTOURING (ug/L)
	BENZENE ISOCONCENTRATION LINE (ug/L)		BENZENE ISOCONCENTRATION LINE (ug/L)
	NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT		NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
	NOT SAMPLED		NOT SAMPLED

- NOTES:**
- 1- GROUNDWATER SAMPLES COLLECTED ON 03-26-14.
 - 2- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 - 3- ALL LOCATIONS ARE APPROXIMATE.
 - 4- CONTOURS = AS SHOWN.




4301 TAGGART CREEK ROAD
CHARLOTTE, NC 28208
704-394-6013
704-394-6068 fax
www.shieldengineering.com

BENZENE ISOCONCENTRATION MAP


NAPLES #27510
U. S. HIGHWAY 25 & INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
SHIELD PROJECT # 1010067

DATE : 04/09/14	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 5

H:\PROJECTS\20011\1010067_NA\2\LES\FIGURES\1010067_ARMR_04-14.DWG



- NOTES:**
- 1- GROUNDWATER SAMPLES COLLECTED ON 03/26/14.
 - 2- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 - 3- ALL LOCATIONS ARE APPROXIMATE.
 - 4- CONTOUR INTERVALS = AS SHOWN.



LEGEND:

	PROPERTY BOUNDARY	PROPERTY BOUNDARY
	OVHDPWR	OVERHEAD POWER LINES AND POWER POLE
	2000	CONTOUR ELEVATION LINE
		6' CHAIN LINK FENCE LINE
		PRODUCT LINE
		AIR SPARGE TRENCHING AND PIPING
		SVE TRENCHING AND PIPING
		WATER SUPPLY WELL (ACTIVE)
		WATER SUPPLY WELL (INACTIVE)
		TYPE II MONITORING WELL
		TYPE III MONITORING WELL
		TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02
		DESTROYED MONITORING WELL
		AIR SPARGE WELL (AS)
		SOIL VAPOR EXTRACTION WELL (SVE)
	(ug/L)	MICROGRAMS PER LITER
	(625)	TOLUENE CONCENTRATION (ug/L)
	[ND]	TOLUENE CONCENTRATION NOT USED IN CONTOURING (ug/L)
		TOLUENE ISOCONCENTRATION LINE (ug/L)
	(ND)	NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
	(NS)	NOT SAMPLED


4301 TAGGART CREEK ROAD
CHARLOTTE, NC 28208
704-394-0913
704-394-0908 fax
www.shieldengineering.com

TOLUENE ISOCONCENTRATION MAP

NAPLES #27510
U. S. HIGHWAY 25 & INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
SHIELD PROJECT # 1010067

DATE : 04/09/14	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 6


H:\PROJECTS\2001\1010067 NAPLES\FIGURES\1010067 ARMIR 04-14.DWG



LEGEND:

	PROPERTY BOUNDARY		PROPERTY BOUNDARY
	OVERHEAD POWER LINES AND POWER POLE		CONTOUR ELEVATION LINE
	2088		6' CHAIN LINK FENCE LINE
	PRODUCT LINE		AIR SPARGE TRENCHING AND PIPING
	SVE TRENCHING AND PIPING		WATER SUPPLY WELL (ACTIVE)
	WATER SUPPLY WELL (INACTIVE)		TYPE II MONITORING WELL
	TYPE III MONITORING WELL		TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02
	DESTROYED MONITORING WELL		AIR SPARGE WELL (AS)
	SOIL VAPOR EXTRACTION WELL (SVE)		MICROGRAMS PER LITER
	(ug/L)		TOTAL XYLENES CONCENTRATION (ug/L)
	(1,260)		TOTAL XYLENES CONCENTRATION NOT USED IN CONTOURING (ug/L)
	[ND]		TOTAL XYLENES ISOCONCENTRATION LINE (ug/L)
	(ND)		NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
	(NS)		NOT SAMPLED

- NOTES:**
- 1- GROUNDWATER SAMPLES COLLECTED ON 03/26/14.
 - 2- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 - 3- ALL LOCATIONS ARE APPROXIMATE.
 - 4- CONTOUR INTERVALS = AS SHOWN.



SHIELD
ENGINEERING, INC.


TOTAL XYLENES ISOCONCENTRATION MAP

NAPLES #27510
U. S. HIGHWAY 25 & INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
SHIELD PROJECT # 1010067

DATE : 04/09/14	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 7

4301 TAGGART CREEK ROAD
CHARLOTTE, NC 28208
704-304-8913
704-304-0008 fax
www.shieldengineering.com


H:\PROJECTS\20011010067 NAPLES\FIGURES\1010067 ARMR 04-14.DWG



LEGEND:

	PROPERTY BOUNDARY		PROPERTY BOUNDARY
	OVERHEAD POWER LINES AND POWER POLE		2008 CONTOUR ELEVATION LINE
	6' CHAIN LINK FENCE LINE		PRODUCT LINE
	AIR SPARGE TRENCHING AND PIPING		SVE TRENCHING AND PIPING
	WATER SUPPLY WELL (ACTIVE)		WATER SUPPLY WELL (INACTIVE)
	TYPE II MONITORING WELL		TYPE III MONITORING WELL
	TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02		DESTROYED MONITORING WELL
	AIR SPARGE WELL (AS)		SOIL VAPOR EXTRACTION WELL (SVE)
	(ug/L) MICROGRAMS PER LITER		MTBE
	(50.3) MTBE CONCENTRATION (ug/L)		[ND] MTBE CONCENTRATION NOT USED IN CONTOURING (ug/L)
	[ND] MTBE ISOCONCENTRATION LINE (ug/L)		(ND) NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
	(NS) NOT SAMPLED		

- NOTES:**
- 1- GROUNDWATER SAMPLES COLLECTED ON 03/26/14.
 - 2- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 - 3- ALL LOCATIONS ARE APPROXIMATE.
 - 4- CONTOUR INTERVAL = AS SHOWN.




4301 TAGGART CREEK ROAD
CHARLOTTE, NC 28208
704-304-6913
704-304-6908 fax
www.shieldengineering.com

MTBE ISOCONCENTRATION MAP


NAPLES #27510
U. S. HIGHWAY 25 & INTERSTATE 26
NAPLES, HENDERSON COUNTY, NORTH CAROLINA
SHIELD PROJECT # 1010067

DATE : 04/09/14	DRAWN BY : RBS
SCALE : AS SHOWN	FIGURE : 8

H:\PROJECTS\2001\1010067 NAPLES\FIGURES\1010067 ARMW 04-14.DWG



- NOTES:**
- 1- GROUNDWATER SAMPLES COLLECTED ON 03/26/14.
 - 2- SITE MAP BASED ON SURVEY BY HARRISBURG SURVEYING DATED 09/20/02.
 - 3- ALL LOCATIONS ARE APPROXIMATE.
 - 4- CONTOUR INTERVALS - AS SHOWN.



LEGEND:

—	PROPERTY BOUNDARY	—	PROPERTY BOUNDARY
—	OVERHEAD POWER LINES AND POWER POLE	—	CONTOUR ELEVATION LINE
—	2088	—	6' CHAIN LINK FENCE LINE
—	PRODUCT LINE	—	AIR SPARGE TRENCHING AND PIPING
—	SVE TRENCHING AND PIPING	—	WATER SUPPLY WELL (ACTIVE)
—	WATER SUPPLY WELL (INACTIVE)	—	WATER SUPPLY WELL (INACTIVE)
—	TYPE II MONITORING WELL	—	TYPE II MONITORING WELL
—	TYPE III MONITORING WELL	—	TEMPORARY TYPE II MONITORING WELL ABANDONED 12/10/02
—	DESTROYED MONITORING WELL	—	DESTROYED MONITORING WELL
—	AIR SPARGE WELL (AS)	—	AIR SPARGE WELL (AS)
—	SOIL VAPOR EXTRACTION WELL (SVE)	—	SOIL VAPOR EXTRACTION WELL (SVE)
(ug/L)	MICROGRAMS PER LITER	(214)	NAPHTHALENE CONCENTRATION (ug/L)
(214)	NAPHTHALENE CONCENTRATION (ug/L)	(ND)	NAPHTHALENE CONCENTRATION NOT USED IN CONTOURING (ug/L)
(ND)	NAPHTHALENE ISOCONCENTRATION LINE (ug/L)	(ND)	NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT
(NS)	NOT SAMPLED	(NS)	NOT SAMPLED

SHIELD ENGINEERING, INC.
 4301 TAGGART CREEK ROAD
 CHARLOTTE, NC 28208
 704-364-0613
 704-364-0988 fax
 www.shieldengineering.com

NAPHTHALENE ISOCONCENTRATION MAP
NAPLES #27510
 U. S. HIGHWAY 25 & INTERSTATE 26
 NAPLES, HENDERSON COUNTY, NORTH CAROLINA
 SHIELD PROJECT # 1010067

DATE :	04/09/14	DRAWN BY :	RBS
SCALE :	AS SHOWN	FIGURE :	9

TABLES

Table 1: Water Supply Well and Receptor Information
Naples # 27510 - 5858 Asheville Highway
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No. 1010067
Date Information/Survey Compiled: September 2006

Well #	County Tax Map # / Parcel Identification Number	Property Address	Well Owner, Address, Phone Number	Well Use (i.e. Potable, agricultural, etc...)	Distance from Source Area of Release (feet)	Alternative Water Supply or Protection Provided (i.e. Municipal Water, Bottled Water, POE Carbon Filters, Willing to Connect?)	Comments/Notes
WSW-1	9561.02 2945	R&P Cycle Shop 5858 Asheville Highway (US Hwy 25 & I-26)	Ronnie P. Gray P.O. Box 1694 Hendersonville, NC 28793 (828) 606-8002	NON-POTABLE	100	MUNICIPAL	Well used in garage only Not used for drinking
WSW-2	9651.01 5405	73 Cureton Place Hendersonville, NC 28791	Daryl & Sherry Thrift 76 Cureton Place Hendersonville, NC 28791 (828) 684-3274	POTABLE	650	NA	Community well serves 6 residences Sampled at well house
WSW-3	9651.01 8638	53 Cureton Place Hendersonville, NC 28791	Troy Alverson 56 Cureton Place Hendersonville, NC 28791 (828) 684-2371	POTABLE	300	NA	Community well serves 10 residences Sampled at well house
WSW-4	9651.01 5702	59 Cureton Place Hendersonville, NC 28791	Elizabeth Livingston 183 Bill Wilkie Dr. Zirconia, NC 28790	UNKNOWN	700	MUNICIPAL	Well likely not used City confirmed connection
WSW-5	9651.01 1646	56 Cureton Place Hendersonville, NC 28791	Troy and Carmelita Alverson 56 Cureton Place Hendersonville, NC 28791 (828) 684-2371	POTABLE	800	NA	Well has water softener system Sampled spigot outside door
WSW-6	9651.01 3501	72 Cureton Place Hendersonville, NC 28791	Shannon McCall 72 Cureton Place Hendersonville, NC 28791 (828) 684-1163	POTABLE	900	NA	Sampled well at back of house
WSW-7	9561.02 1824	244 Hickory Flats Dr. Fletcher, NC 28732	Tony Souther P.O. Box 1114 Fletcher, NC 28732 (828) 684-0877	POTABLE	980	NA	Will not allow sampling of their well
WSW-8	9561.02 1913	204 Hickory Flats Dr. (#5354 Carolina Hills)	Ralph Rice 88 Blake Drive Arden, NC 28704	UNKNOWN	1000	NA	No one home. Never had access to take sample
WSW-9	9561.02 2971	60 November Lane Fletcher, NC 28732	Creed Ball Jr 60 November Lane Fletcher, NC 28732	POTABLE	1000	NA	Sampled at well house
WSW-10	9561.02 3013	SR 1642 on Hickory Flats	Thomas and Ronda Flynn P.O. Box 1127 Fletcher, NC 28732	POTABLE	1100	NA	Well beyond 1,000 feet upgradient
WSW-11	9561.02 3955	42 November Lane Fletcher, NC 28732	Stoney Baker P.O. Box 391 Fletcher, NC 28732	POTABLE	1000	NA	Will not allow sampling of their well
	9561.02 6996	SR 1642 on Hickory Flats (#12 Carolina Hills)	Stoney Baker P.O. Box 391 Fletcher, NC 28732	UNKNOWN	1000	NA	WSW-12 not present during August 2006 visit
WSW-13	9561.02 3796	SR 1642 on Hickory Flats (#1516 Carolina Hills)	Ronnie Piercy 109 Fork Creek Rd. East Flat Rock, NC 28726	UNKNOWN	950	NA	Locked fence-could not access to sample
WSW-14	9561.02 4664	SR 1356 Old Hendersonville Hwy.	Jackie Fisher P.O. Box 692 Skyland, NC 28776	UNKNOWN	750	NA	House unoccupied
WSW-15	9561.02 5749	19 November Lane Fletcher, NC 28732	Boyd Ledford 19 November Lane Fletcher, NC 28732 (828) 684-7675	POTABLE	950	NA	Will not allow sampling of their well
WSW-16	9561.02 8507	SR 1356 Old Hendersonville Hwy.	Jimmy & Barbara Taylor 525 Old Hendersonville Rd. Fletcher, NC 28732	POTABLE	900	NA	Will not allow sampling of their well
WSW-17	9561.02 7615 and 8638	SR 1356 Old Hendersonville Hwy.	Jimmy & Barbara Taylor 525 Old Hendersonville Rd. Fletcher, NC 28732	POTABLE	975	NA	Will not allow sampling of their well
WSW-18	9561.02 7835	SR 1356 Old Hendersonville Hwy.	James & Gertrude Taylor 45 Pleasant Row Dr. Fletcher, NC 28732	UNKNOWN	1050	NA	Well beyond 1,000 feet upgradient
WSW-19	9651.01 8568	11 Cureton Place Hendersonville, NC 28791	Troy Alverson 11 Cureton Place Hendersonville, NC 28791 (828) 684-2371	NON-POTABLE	500	NA	No municipal hookup Well used for shop only. Sampled in shop storage area
WSW-20	9651.01 6004	39 Cureton Place Hendersonville, NC 28791	Wayne & Joyce Neal 39 Cureton Place Hendersonville, NC 28791	NON-POTABLE	600	MUNICIPAL	Connected to municipal water

Table 1: Water Supply Well and Receptor Information
Naples # 27510 - 5858 Asheville Highway
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No. 1010067
Date Information/Survey Compiled: September 2006

Well #	County Tax Map # / Parcel Identification Number	Property Address	Well Owner, Address, Phone Number	Well Use (i.e. Potable, agricultural, etc...)	Distance from Source Area of Release (feet)	Alternative Water Supply or Protection Provided (i.e. Municipal Water, Bottled Water, POE Carbon Filters, Willing to Connect?)	Comments/Notes
WSW-Tabor	9651.01 5746	Asheville Hwy.	Caroline P. Fishburn 2028 Fairview Road Raleigh, NC 27608	INACTIVE	400	NA	House burned down
WSW-21	9561.02 2767	November Lane Fletcher, NC 28732	Joe Cutsaw P.O.Box 1281 Fletcher, NC 28732	NA	950	NA	
NA	9561.02 0346		Admiral D. & Bertie Williams P.O. Box 162 Fletcher, NC 28732	NA	1400	NA	
NA	9561.02		Donald Sitton P.O. Box 201 Fletcher, NC 28732	NA	1250	NA	
NA	9561.02 5258		Carley Fender Rt. 2 Box 14C Fletcher, NC 28732	NA	1400	NA	
NA	9561.02 2164		Vernie Flynn P.O. Box 1127 Fletcher, NC 28732	NA	1100	NA	
NA	9561.02 4122		Anthony Killeen Rt. 2 Box 9 Fletcher, NC 28732	NA	1200	NA	
NA	9561.02 2256		Bruce Roland P.O. Box 14 Naples, NC 28760	NA	1250	NA	
NA	9561.02 2336		Bruce Roland P.O. Box 14 Naples, NC 28760	NA	1450	NA	
NA	9561.02 2929		Richard Welch P.O. Box 1103 Fletcher, NC 28732	NA	1500	NA	
NA	9561.02 4700		Deborah Johnson C/O Marie Pridmore Penrose, NC 28766	NA	1400	NA	
NA	9561.02 3858		James Lanning P.O. Box 275 Naples, NC 28760	NA	1450	NA	
NA	9561.02 0975		John Ballinger P.O. Box 275 Naples, NC 28760	NA	1300	NA	
NA	9651.01 2298		Richard Creasman 291 Cureton Place Hendersonville, NC 28791	NA	1100	NA	
NA	9651.01 1302		David & Barbara Georgia P.O. Box 800 Naples, NC 28760	NA	1150	NA	
NA	9651.01 0655		Cecil Cantrell P.O. Box 309 Naples, NC 28760	NA	1350	NA	
NA	9651.01 9005		Gregory Shotterick 5998 Asheville Highway Hendersonville, NC 28791	NA	1050	NA	
NA	9651.01 9149		Donald Sitton P.O. Box 201 Fletcher, NC 28732	NA	1250	NA	
NA	9651.01 6283		Gregory Shotterick 5998 Asheville Highway Hendersonville, NC 28791	NA	1300	NA	

Notes:
1 - NA = Not Applicable

Table 2 : Summary of Well Construction and Historical Groundwater Elevation Data

Naples #27510

US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina

NC DENR Incident#: 24239

Shield Project No. 1010067

Well ID	Date Installed	Top of Casing Elevation (feet)	As-built Depth (feet)	Screened Interval (feet)	Field Measurements				Field Calculations				
					Gauging Date	Total Depth (feet)	Depth to Static Water (feet)	Depth to Free Product (feet)	Diff. Between As-Built and Measured Total Depth (feet)	Measured Water Column in Well (feet)	Measured Free Product Thickness in Well (feet)	Ground-water Elevation (feet)	
MW-1	09/19/01	2087.28	30	15-30	09/19/01	NM	20.00	19.98	NM	NM	0.02	2067.30	
					05/07/03	NM	18.06	N/A	NM	NM	N/A	2069.22	
					01/22/04	NM	19.72	19.59	NM	NM	0.13	2067.66	
					03/26/04	30.03	19.56	19.55	-0.03	10.47	0.01	2067.73	
					08/24/06	NM	22.16	21.92	NM	7.87	0.24	2065.30	
					09/10/08	30.75	22.72	22.69	-0.75	8.03	0.03	2064.58	
					09/16/09	30.75	21.93	N/A	-0.75	8.82	N/A	2065.35	
					12/15/09	30.75	18.33	N/A	-0.75	12.42	N/A	2068.95	
					03/25/10	27.00	16.56	N/A	3.00	10.44	N/A	2070.72	
					09/08/10	26.98	20.83	N/A	3.02	6.15	N/A	2066.45	
					03/16/11	30.75	18.68	N/A	-0.75	12.07	N/A	2068.60	
					09/27/11	30.75	21.11	N/A	-0.75	9.64	N/A	2066.17	
					03/13/12	30.75	19.47	N/A	-0.75	11.28	N/A	2067.81	
					09/12/12	30.75	19.93	N/A	-0.75	10.82	N/A	2067.35	
					03/14/13	30.75	17.60	N/A	-0.75	13.15	N/A	2069.68	
					09/24/13	30.75	17.58	N/A	-0.75	13.17	N/A	2069.70	
					03/26/14	30.75	17.66	N/A	-0.75	13.09	N/A	2069.62	
MW-2	11/13/01	2086.43	30	15-30	11/13/01	NM	19.90	N/A	NM	NM	N/A	2066.53	
					05/07/03	NM	17.51	N/A	NM	NM	N/A	2068.92	
					01/22/04	NM	19.52	19.51	NM	NM	0.01	2066.92	
					03/26/04	29.82	19.30	N/A	0.18	10.52	N/A	2067.13	
					08/24/06	29.82	21.70	N/A	NM	8.12	N/A	2064.73	
					09/10/08	29.82	26.66	N/A	0.18	3.16	N/A	2059.77	
					09/16/09	29.82	21.68	N/A	0.18	8.14	N/A	2064.75	
					12/15/09	29.82	18.24	N/A	0.18	11.58	N/A	2068.19	
					03/25/10	29.82	16.61	N/A	0.18	13.21	N/A	2069.82	
					09/08/10	29.71	20.18	N/A	0.29	9.53	N/A	2066.25	
					03/16/11	29.52	18.62	N/A	0.48	10.90	N/A	2067.81	
					09/27/11	29.82	20.95	N/A	0.18	8.87	N/A	2065.48	
					03/13/12	29.82	19.27	N/A	0.18	10.55	N/A	2067.16	
					09/12/12	29.82	19.81	N/A	0.18	10.01	N/A	2066.62	
					03/14/13	29.82	17.53	N/A	0.18	12.29	N/A	2068.90	
					09/24/13	29.82	17.77	N/A	0.18	12.05	N/A	2068.66	
					03/26/14	29.82	17.75	N/A	0.18	12.07	N/A	2068.68	
MW-3	11/13/01	2087.45	30	15-30	11/13/01	NM	20.90	N/A	NM	NM	N/A	2066.55	
					05/07/03	NM	17.66	N/A	NM	NM	N/A	2069.79	
					01/22/04	NM	20.60	20.59	NM	NM	0.01	2065.84	
					03/26/04	29.80	20.32	N/A	0.20	9.48	N/A	2067.13	
					08/24/06	29.80	22.75	N/A	NM	7.05	N/A	2064.70	
					09/10/08	NM - Located under a Storage Unit							
					09/28/09	29.80	20.70	N/A	NM	9.10	N/A	2066.75	
					12/15/09	29.86	19.01	N/A	0.14	10.85	N/A	2068.44	
					03/25/10	29.86	17.86	N/A	0.14	12.00	N/A	2069.59	
					09/08/10	29.86	22.08	N/A	0.14	7.78	N/A	2065.37	
					03/16/11	29.86	19.34	N/A	0.14	10.52	N/A	2068.11	
					09/27/11	29.86	21.89	N/A	0.14	7.97	N/A	2065.56	
					03/13/12	29.86	20.20	N/A	0.14	9.66	N/A	2067.25	
					09/12/12	29.86	20.91	N/A	0.14	8.95	N/A	2066.54	
					03/14/13	29.86	18.42	N/A	0.14	11.44	N/A	2069.03	
					09/24/13	29.86	18.94	N/A	0.14	10.92	N/A	2068.51	
					03/26/14	29.86	18.80	N/A	0.14	11.06	N/A	2068.65	
MW-4	11/12/01	2088.52	32	17-32	11/12/01	NM	20.37	N/A	NM	NM	N/A	2068.15	
					05/07/03	NM	18.80	N/A	NM	NM	N/A	2069.72	
					01/22/04	NM	20.07	N/A	NM	NM	N/A	2068.45	
					03/26/04	32.01	20.05	N/A	-0.01	11.96	N/A	2068.47	
					08/24/06	32.01	22.52	N/A	NM	9.49	N/A	2066.00	
					09/10/08	32.01	23.26	N/A	-0.01	8.75	N/A	2065.26	
					09/16/09	32.01	22.41	N/A	-0.01	9.60	N/A	2066.11	
					12/15/09	32.01	18.82	N/A	-0.01	13.19	N/A	2069.70	
					03/25/10	32.01	17.80	N/A	-0.01	14.21	N/A	2070.72	
					09/08/10	31.86	21.20	N/A	0.14	10.66	N/A	2067.32	
					03/16/11	30.27	19.63	N/A	1.73	10.64	N/A	2068.89	
					09/27/11	32.01	21.90	N/A	-0.01	10.11	N/A	2066.62	
					03/13/12	32.01	20.13	N/A	-0.01	11.88	N/A	2068.39	
					09/12/12	32.01	20.80	N/A	-0.01	11.21	N/A	2067.72	
					03/14/13	32.01	18.84	N/A	-0.01	13.17	N/A	2069.68	
					09/24/13	32.01	17.75	N/A	-0.01	14.26	N/A	2070.77	
					03/26/14	32.01	18.53	N/A	-0.01	13.48	N/A	2069.99	
MW-5	02/05/02	2095.81	36	21-30	02/05/02	NM	24.52	N/A	NM	NM	N/A	2071.29	
					05/07/03	NM	22.46	N/A	NM	NM	N/A	2073.35	
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM	
					03/26/04	36.44	24.00	N/A	-0.44	12.44	N/A	2071.81	
					08/24/06	Well was destroyed							

Table 2 : Summary of Well Construction and Historical Groundwater Elevation Data

Naples #27510

US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina

NCDENR Incident#: 24239

Shield Project No. 1010067

Well ID	Date Installed	Top of Casing Elevation (feet)	As-built Depth (feet)	Screened Interval (feet)	Field Measurements				Field Calculations					
					Gauging Date	Total Depth (feet)	Depth to Static Water (feet)	Depth to Free Product (feet)	Diff. Between As-Built and Measured Total Depth (feet)	Measured Water Column in Well (feet)	Measured Free Product Thickness in Well (feet)	Ground-water Elevation (feet)		
MW-6	02/05/02	2089.87	30	15-30	02/05/02	NM	21.53	N/A	NM	NM	N/A	2068.34		
					05/07/03	NM	19.48	N/A	NM	NM	N/A	2070.39		
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM		
					03/26/04	30.1	21.09	N/A	-0.10	9.01	N/A	2068.78		
					08/24/06	Well was destroyed								
					09/16/09	Well found with soil above water table - could not be sampled at this time								
					12/15/09	21.05	19.84	N/A	8.95	1.21	N/A	2070.03		
					03/25/10	21.22	18.23	N/A	8.78	2.99	N/A	2071.64		
					09/08/10	21.24	>21.24	N/A	8.76	0.00	N/A	<2068.63		
					03/16/11	21.23	20.26	N/A	8.77	0.97	N/A	<2069.61		
					09/27/11	21.31	>21.31	N/A	8.69	0.00	N/A	<2068.56		
					03/13/12	21.31	20.75	N/A	8.69	0.56	N/A	<2069.12		
					09/12/12	21.31	21.33	N/A	8.69	0.00	N/A	<2068.54		
					03/14/13	21.31	19.15	N/A	8.69	2.16	N/A	2070.72		
					09/24/13	21.31	19.16	N/A	8.69	2.15	N/A	2070.71		
					03/26/14	21.31	19.30	N/A	8.69	2.01	N/A	2070.57		
					MW-7	02/06/02	2073.94	20	5-20	02/06/02	NM	8.20	N/A	NM
05/07/03	NM	3.63	N/A	NM						NM	N/A	2070.31		
01/22/04	NM	NM	N/A	NM						NM	N/A	NM		
03/26/04	20.44	7.65	N/A	-0.44						12.79	N/A	2066.29		
08/24/06	20.44	9.86	N/A	NM						10.58	N/A	2064.08		
09/10/08	20.44	10.61	N/A	-0.44						9.83	N/A	2063.33		
09/16/09	20.44	9.85	N/A	-0.44						10.59	N/A	2064.09		
12/15/09	20.44	6.02	N/A	-0.44						14.42	N/A	2067.92		
03/25/10	20.44	5.00	N/A	-0.44						15.44	N/A	2068.94		
09/08/10	20.44	9.22	N/A	-0.44						11.22	N/A	2064.72		
03/16/11	20.44	6.18	N/A	-0.44						14.26	N/A	2067.76		
09/27/11	20.44	9.08	N/A	-0.44						11.36	N/A	2064.86		
03/13/12	20.44	7.35	N/A	-0.44						13.09	N/A	2066.59		
09/12/12	20.44	8.08	N/A	-0.44						12.36	N/A	2065.86		
03/14/13	20.44	5.53	N/A	-0.44						14.91	N/A	2068.41		
09/24/13	20.44	6.30	N/A	-0.44						14.14	N/A	2067.64		
03/26/14	20.44	5.98	N/A	-0.44						14.46	N/A	2067.96		
MW-8	02/06/02	2077.51	23	8-23	02/06/02	NM	11.56	N/A	NM	NM	N/A	2065.95		
					05/07/03	NM	8.27	N/A	NM	NM	N/A	2069.24		
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM		
					03/26/04	23.11	10.91	N/A	-0.11	12.20	N/A	2066.60		
					08/24/06	23.11	13.30	N/A	NM	9.81	N/A	2064.21		
					09/10/08	NM - Could not be located								
					09/16/09	28.02	18.21	N/A	5.02	9.81	N/A	NM ¹		
					12/15/09	28.02	14.48	N/A	28.02	13.54	N/A	NM ¹		
					03/25/10	28.02	13.25	N/A	28.02	14.77	N/A	NM ¹		
					09/08/10	28.02	17.44	N/A	-5.02	10.58	N/A	NM ¹		
					03/16/11	28.02	15.00	N/A	-5.02	13.02	N/A	2067.45		
					09/27/11	28.02	17.55	N/A	-5.02	10.47	N/A	2064.90		
					03/13/12	28.02	15.72	N/A	-5.02	12.30	N/A	2066.73		
					09/12/12	28.02	16.49	N/A	-5.02	11.53	N/A	2065.96		
					03/14/13	28.02	14.56	N/A	-5.02	13.46	N/A	2067.89		
					09/24/13	28.02	14.37	N/A	-5.02	13.65	N/A	2068.08		
					03/26/14	28.02	14.30	N/A	-5.02	13.72	N/A	2068.15		
MW-9	02/06/02	2084.89	29	14-29	02/06/02	NM	19.21	19.06	NM	NM	0.15	2065.68		
					05/07/03	NM	16.21	16.18	NM	NM	0.03	2068.68		
					01/22/04	NM	18.18	17.82	NM	NM	0.36	2066.98		
					03/26/04	29	18.01	17.71	0.00	10.99	0.30	2067.11		
					08/24/06	NM	20.35	20.12	NM	8.65	0.23	2064.71		
					09/10/08	NM	21.21	20.86	NM	7.79	0.35	2063.94		
					09/16/09	NM	20.31	20.15	NM	NM	0.16	2064.70		
					12/15/09	28.92	16.61	N/A	0.08	12.39	N/A	2068.28		
					03/25/10	28.92	14.61	N/A	0.08	14.39	N/A	2070.28		
					09/08/10	28.89	19.02	N/A	0.11	9.98	N/A	2065.87		
					03/16/11	28.81	17.05	N/A	0.19	11.95	N/A	2067.84		
					09/27/11	28.92	19.32	N/A	0.08	9.68	N/A	2065.57		
					03/13/12	28.92	17.71	N/A	0.08	11.29	N/A	2067.18		
					09/12/12	28.92	18.14	N/A	0.08	10.86	N/A	2066.75		
					03/14/13	28.92	15.95	N/A	0.08	13.05	N/A	2068.94		
					09/24/13	28.92	16.07	N/A	0.08	12.85	N/A	2068.82		
					03/26/14	28.92	19.30	N/A	0.08	9.62	N/A	2065.59		

Table 2 : Summary of Well Construction and Historical Groundwater Elevation Data

Naples #27510

US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina

NCDENR Incident#: 24239

Shield Project No. 1010067

Well ID	Date Installed	Top of Casing Elevation (feet)	As-built Depth (feet)	Screened Interval (feet)	Field Measurements				Field Calculations			
					Gauging Date	Total Depth (feet)	Depth to Static Water (feet)	Depth to Free Product (feet)	Diff. Between As-Built and Measured Total Depth (feet)	Measured Water Column in Well (feet)	Measured Free Product Thickness in Well (feet)	Ground-water Elevation (feet)
MW-10	02/05/02	2085.56	30	15-30	02/05/02	NM	18.60	18.40	NM	NM	0.20	2066.96
					05/07/03	NM	16.42	16.41	NM	NM	0.01	2069.14
					01/22/04	NM	17.99	17.95	NM	NM	0.04	2067.60
					03/26/04	30.13	17.90	17.89	-0.13	12.23	0.01	2067.67
					08/24/06	NM	20.55	20.28	NM	9.58	0.27	2065.21
					09/10/08	NM	21.19	21.03	NM	8.94	0.16	2064.49
					09/16/09	NM	20.54	20.24	NM	NM	0.30	2065.25
					12/15/09	30.07	16.59	N/A	-0.07	13.48	N/A	2068.97
					03/25/10	30.07	14.95	N/A	-0.07	15.12	N/A	2070.61
					09/08/10	29.60	19.17	N/A	0.40	10.43	N/A	2066.39
					03/16/11	30.07	29.81	N/A	-0.07	0.26	N/A	2055.75
					09/27/11	30.07	19.39	N/A	-0.07	10.68	N/A	2066.17
					03/13/12	30.07	17.81	N/A	-0.07	12.26	N/A	2067.75
					09/12/12	30.07	18.26	N/A	-0.07	11.81	N/A	2067.30
					03/14/13	30.07	15.88	N/A	-0.07	14.19	N/A	2069.68
					09/24/13	30.07	12.68	N/A	-0.07	17.39	N/A	2072.88
					03/26/14	30.07	15.92	N/A	-0.07	14.15	N/A	2069.64
MW-11	02/05/02	2089.59	30	15-30	02/05/02	NM	21.15	N/A	NM	NM	N/A	2068.44
					05/07/03	NM	19.72	N/A	NM	NM	N/A	2069.87
					01/22/04	NM	20.84	N/A	NM	NM	N/A	2068.75
					03/26/04	29.65	20.75	N/A	0.35	8.90	N/A	2068.84
					08/24/06	29.65	23.35	N/A	NM	6.30	N/A	2066.24
					09/10/08	29.65	24.08	N/A	0.35	5.57	N/A	2065.51
					09/16/09	29.65	23.19	N/A	0.35	6.46	N/A	2066.40
					12/15/09	29.65	20.10	N/A	0.35	9.55	N/A	2069.49
					03/25/10	29.65	18.15	N/A	0.35	11.50	N/A	2071.44
					09/08/10	29.65	22.05	N/A	0.35	7.60	N/A	2067.54
					03/16/11	29.65	20.48	N/A	0.35	9.17	N/A	2069.11
					09/27/11	29.65	22.60	N/A	0.35	7.05	N/A	2066.99
					03/13/12	29.65	20.91	N/A	0.35	8.74	N/A	2068.68
					09/12/12	29.65	21.34	N/A	0.35	8.31	N/A	2068.25
					03/14/13	29.65	19.32	N/A	0.35	10.33	N/A	2070.27
					09/24/13	29.65	19.07	N/A	0.35	10.58	N/A	2070.52
					03/26/14	29.65	19.32	N/A	0.35	10.33	N/A	2070.27
MW-12	11/06/02	2073.75	22	7-22	11/06/02	NM	9.12	N/A	NM	NM	N/A	2064.63
					05/07/03	NM	6.31	N/A	NM	NM	N/A	2067.44
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/26/04	24.46	8.71	N/A	-2.46	15.75	N/A	2065.04
					08/24/06	24.46	10.88	N/A	NM	13.58	N/A	2062.87
					09/10/08	24.46	11.84	N/A	-2.46	12.62	N/A	2061.91
					09/28/09	24.45	8.39	N/A	-2.45	16.06	N/A	2065.36
					12/15/09	24.46	7.34	N/A	-2.46	17.12	N/A	2066.41
					03/25/10	24.46	6.91	N/A	-2.46	17.55	N/A	2066.84
					09/08/10	24.46	10.76	N/A	-2.46	13.70	N/A	2062.99
					03/16/11	24.46	9.14	N/A	-2.46	15.32	N/A	2064.61
					09/27/11	24.46	10.39	N/A	-2.46	14.07	N/A	2063.36
					03/13/12	24.46	8.89	N/A	-2.46	15.57	N/A	2064.86
					09/12/12	24.46	9.25	N/A	-2.46	15.21	N/A	2064.50
					03/14/13	24.46	7.59	N/A	-2.46	16.87	N/A	2066.16
					09/24/13	24.26	8.05	N/A	-2.26	16.21	N/A	2065.70
					03/26/14	24.26	7.26	N/A	-2.26	17.00	N/A	2066.49
MW-13	11/06/02	2074.96	22	7-22	11/06/02	NM	11.55	N/A	NM	NM	N/A	2063.41
					05/07/03	NM	8.95	N/A	NM	NM	N/A	2066.01
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/26/04	24.95	11.09	N/A	-2.95	13.86	N/A	2063.87
					08/24/06	24.95	12.70	N/A	NM	12.25	N/A	2062.26
					09/10/08	24.95	12.13	N/A	-2.95	12.82	N/A	2062.83
					09/16/09	24.95	12.84	N/A	-2.95	12.11	N/A	2062.12
					12/15/09	24.95	9.91	N/A	-2.95	15.04	N/A	2065.05
					03/25/10	24.95	9.03	N/A	-2.95	15.92	N/A	2065.93
					09/08/10	24.95	12.55	N/A	-2.95	12.40	N/A	2062.41
					03/16/11	24.95	9.87	N/A	-2.95	15.08	N/A	2065.09
					09/27/11	24.95	12.06	N/A	-2.95	12.89	N/A	2062.90
					03/13/12	24.95	10.87	N/A	-2.95	14.08	N/A	2064.09
					09/12/12	24.95	11.21	N/A	-2.95	13.74	N/A	2063.75
					03/14/13	24.95	9.30	N/A	-2.95	15.65	N/A	2065.66
					09/24/13	24.95	10.05	N/A	-2.95	14.90	N/A	2064.91
					03/26/14	24.95	9.08	N/A	-2.95	15.87	N/A	2065.88

Table 2 : Summary of Well Construction and Historical Groundwater Elevation Data

Naples #27510

US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina

NCDENR Incident#: 24239

Shield Project No. 1010067

Well ID	Date Installed	Top of Casing Elevation (feet)	As-built Depth (feet)	Screened Interval (feet)	Field Measurements				Field Calculations								
					Gauging Date	Total Depth (feet)	Depth to Static Water (feet)	Depth to Free Product (feet)	Diff. Between As-Built and Measured Total Depth (feet)	Measured Water Column in Well (feet)	Measured Free Product Thickness in Well (feet)	Ground-water Elevation (feet)					
MW-14	11/06/02	2078.94	29	14-29	11/06/02	NM	16.12	N/A	NM	NM	N/A	2062.82					
					05/07/03	NM	13.36	N/A	NM	NM	N/A	2065.58					
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM					
					03/26/04	29.01	15.71	N/A	-0.01	13.30	N/A	2063.23					
					08/24/06	29.01	17.14	N/A	NM	11.87	N/A	2061.80					
					09/10/08	29.01	18.24	N/A	-0.01	10.77	N/A	2060.70					
					09/16/09	29.01	17.63	N/A	-0.01	11.38	N/A	2061.31					
					12/15/09	29.01	14.19	N/A	-0.01	14.82	N/A	2064.75					
					03/25/10	29.01	16.61	N/A	-0.01	12.40	N/A	2062.33					
					09/08/10	23.53	16.60	N/A	5.47	6.93	N/A	2062.34					
					03/16/11	27.72	14.15	N/A	1.28	13.57	N/A	2064.79					
					09/27/11	29.01	22.20	N/A	-0.01	6.81	N/A	2056.74					
					03/13/12	29.01	17.92	N/A	-0.01	11.09	N/A	2061.02					
					09/12/12	29.01	24.34	N/A	-0.01	4.67	N/A	2054.60					
					03/14/13	29.01	18.74	N/A	-0.01	10.27	N/A	2060.20					
					09/24/13	29.01	12.93	N/A	-0.01	16.08	N/A	2066.01					
					03/26/14	29.01	6.50	N/A	-0.01	22.51	N/A	2072.44					
					MW-15	11/06/02	2076.90	29	14-29	11/06/02	NM	13.32	N/A	NM	NM	N/A	2063.58
										05/07/03	NM	7.66	N/A	NM	NM	N/A	2069.24
										01/22/04	NM	NM	N/A	NM	NM	N/A	NM
03/26/04	29.60	13.03	N/A	-0.60						16.57	N/A	2063.87					
08/24/06	28.60	16.59	N/A	NM						12.01	N/A	2060.31					
09/10/08	28.60	17.44	N/A	0.40						11.16	N/A	2059.46					
09/16/09	28.60	16.53	N/A	0.40						12.07	N/A	2060.37					
12/15/09	28.60	10.41	N/A	0.40						18.19	N/A	2066.49					
03/25/10	28.60	9.02	N/A	0.40						19.58	N/A	2067.88					
09/08/10	28.60	15.79	N/A	0.40						12.81	N/A	2061.11					
03/16/11	28.60	10.96	N/A	0.40						17.64	N/A	2065.94					
09/27/11	28.60	14.95	N/A	0.40						13.65	N/A	2061.95					
03/13/12	28.60	12.48	N/A	0.40						16.12	N/A	2064.42					
09/12/12	28.60	14.67	N/A	0.40						13.93	N/A	2062.23					
03/14/13	28.60	10.40	N/A	0.40						18.20	N/A	2066.50					
09/24/13	28.60	11.82	N/A	0.40						16.78	N/A	2065.08					
03/26/14	28.60	11.65	N/A	0.40						16.95	N/A	2065.25					
MW-16	12/18/02	2078.53	26	11-26						12/18/02	NM	17.62	N/A	NM	NM	N/A	2060.91
										05/07/03	NM	14.96	N/A	NM	NM	N/A	2063.57
										01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/25/04	22.59	15.82	N/A	3.41	6.77	N/A	2062.71					
					08/24/06	22.59	16.94	N/A	NM	5.65	N/A	2061.59					
					09/10/08	22.59	17.96	N/A	3.41	4.63	N/A	2060.57					
					09/16/09	22.59	17.81	N/A	3.41	4.78	N/A	2060.72					
					12/15/09	22.59	12.90	N/A	3.41	9.69	N/A	2065.63					
					03/25/10	22.59	11.90	N/A	3.41	10.69	N/A	2066.63					
					09/08/10	22.59	15.82	N/A	3.41	6.77	N/A	2062.71					
					03/16/11	22.59	13.74	N/A	3.41	8.85	N/A	2064.79					
					09/27/11	22.59	15.42	N/A	3.41	7.17	N/A	2063.11					
					03/13/12	22.59	17.08	N/A	3.41	5.51	N/A	2061.45					
					09/12/12	22.59	15.60	N/A	3.41	6.99	N/A	2062.93					
					03/14/13	22.59	13.03	N/A	3.41	9.56	N/A	2065.50					
					09/24/13	22.59	14.29	N/A	3.41	8.30	N/A	2064.24					
					03/26/14	22.59	13.60	N/A	3.41	8.99	N/A	2064.93					
					MW-17	01/20/03	2078.68	27	12-27	01/20/03	NM	18.20	N/A	NM	NM	N/A	2060.48
										05/07/03	NM	16.28	N/A	NM	NM	N/A	2062.40
										01/22/04	NM	NM	N/A	NM	NM	N/A	NM
03/25/04	26.93	17.42	N/A	0.07						9.51	N/A	2061.26					
08/24/06	26.93	18.90	N/A	NM						8.03	N/A	2059.78					
09/10/08	26.93	19.83	N/A	0.07						7.10	N/A	2058.85					
09/16/09	26.93	18.98	N/A	0.07						7.95	N/A	2059.70					
12/15/09	26.93	24.59	N/A	0.07						2.34	N/A	2054.09					
03/25/10	26.93	26.88	N/A	0.07						0.05	N/A	2051.80					
09/08/10	26.83	26.83	N/A	0.17						0.00	N/A	2051.85					
03/16/11	26.83	18.25	N/A	0.17						8.58	N/A	2060.43					
09/27/11	26.93	27.00	N/A	0.07						-0.07	N/A	< 2051.68					
03/13/12	26.76	26.76	N/A	0.24						0.00	N/A	< 2051.92					
09/12/12	26.93	26.86	N/A	0.07						0.07	N/A	< 2051.82					
03/14/13	26.93	26.84	N/A	0.07						0.09	N/A	< 2051.84					
09/24/13	26.93	26.82	N/A	0.07						0.11	N/A	< 2051.86					
03/26/14	26.93	26.79	N/A	0.07						0.14	N/A	< 2051.89					

Table 2 : Summary of Well Construction and Historical Groundwater Elevation Data

Naples #27510

US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina

NC DENR Incident#: 24239

Shield Project No. 1010067

Well ID	Date Installed	Top of Casing Elevation (feet)	As-built Depth (feet)	Screened Interval (feet)	Field Measurements				Field Calculations			
					Gauging Date	Total Depth (feet)	Depth to Static Water (feet)	Depth to Free Product (feet)	Diff. Between As-Built and Measured Total Depth (feet)	Measured Water Column in Well (feet)	Measured Free Product Thickness in Well (feet)	Ground-water Elevation (feet)
MW-18	01/20/03	2076.99	25	10-25	01/20/03	NM	19.85	N/A	NM	NM	N/A	2057.14
					05/07/03	NM	10.71	N/A	NM	NM	N/A	2066.28
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/25/04	24.95	12.83	N/A	0.05	12.12	N/A	2064.16
					08/24/06	24.95	13.38	N/A	NM	11.57	N/A	2063.61
					09/10/08	24.95	12.69	N/A	0.05	12.26	N/A	2064.30
					09/16/09	24.95	13.35	N/A	0.05	11.60	N/A	2063.64
					12/15/09	24.95	10.35	N/A	0.05	14.60	N/A	2066.64
					03/25/10	24.95	10.63	N/A	0.05	14.32	N/A	2066.36
					09/08/10	24.95	13.37	N/A	0.05	11.58	N/A	2063.62
					03/16/11	24.95	10.90	N/A	0.05	14.05	N/A	2066.09
					09/27/11	24.95	12.04	N/A	0.05	12.91	N/A	2064.95
					03/13/12	24.95	11.67	N/A	0.05	13.28	N/A	2065.32
					09/12/12	24.95	12.42	N/A	0.05	12.53	N/A	2064.57
					03/14/13	24.95	10.62	N/A	0.05	14.33	N/A	2066.37
					09/24/13	24.95	11.71	N/A	0.05	13.24	N/A	2065.28
					03/26/14	24.95	11.55	N/A	0.05	13.40	N/A	2065.44
MW-19	01/20/03	2077.06	25	10-25	01/20/03	NM	14.59	N/A	NM	NM	N/A	2062.47
					05/07/03	NM	9.85	N/A	NM	NM	N/A	2067.21
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/25/04	24.93	11.21	N/A	0.07	13.72	N/A	2065.85
					08/24/06	24.93	11.61	N/A	NM	13.32	N/A	2065.45
					09/10/08	24.93	11.91	N/A	0.07	13.02	N/A	2065.15
					09/16/09	24.93	11.67	N/A	0.07	13.26	N/A	2065.39
					12/15/09	24.93	10.94	N/A	0.07	13.99	N/A	2066.12
					03/25/10	24.93	9.27	N/A	0.07	15.66	N/A	2067.79
					09/08/10	24.93	10.97	N/A	0.07	13.96	N/A	2066.09
					03/16/11	24.93	9.95	N/A	0.07	14.98	N/A	2067.11
					09/27/11	24.93	11.03	N/A	0.07	13.90	N/A	2066.03
					03/13/12	24.93	10.26	N/A	0.07	14.67	N/A	2066.80
					09/12/12	24.93	10.61	N/A	0.07	14.32	N/A	2066.45
					03/14/13	24.93	9.62	N/A	0.07	15.31	N/A	2067.44
					09/24/13	24.93	9.78	N/A	0.07	15.15	N/A	2067.28
					03/26/14	24.93	9.96	N/A	0.07	14.97	N/A	2067.10
MW-20	01/20/03	2077.45	27	12-27	01/20/03	NM	17.05	N/A	NM	NM	N/A	2060.40
					05/07/03	NM	12.85	N/A	NM	NM	N/A	2064.60
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/25/04	27.15	14.01	N/A	-0.15	13.14	N/A	2063.44
					08/24/06	27.15	15.50	N/A	NM	11.65	N/A	2061.95
					09/10/08	27.15	16.36	N/A	-0.15	10.79	N/A	2061.09
					09/16/09	27.15	16.55	N/A	-0.15	10.60	N/A	2060.90
					12/15/09	27.15	12.81	N/A	-0.15	14.34	N/A	2064.64
					03/25/10	27.15	21.28	N/A	-0.15	5.87	N/A	2056.17
					09/08/10	27.15	18.26	N/A	-0.15	8.89	N/A	2059.19
					03/16/11	27.15	14.46	N/A	-0.15	12.69	N/A	2062.99
					09/27/11	27.15	26.81	N/A	-0.15	0.34	N/A	2050.64
					03/13/12	27.15	16.43	N/A	-0.15	10.72	N/A	2061.02
					09/12/12	27.15	20.60	N/A	-0.15	6.55	N/A	2056.85
					03/14/13	27.15	17.27	N/A	-0.15	9.88	N/A	2060.18
					09/24/13	27.15	21.40	N/A	-0.15	5.75	N/A	2056.05
					03/26/14	27.15	16.55	N/A	-0.15	10.60	N/A	2060.90
TMW-1*	12/18/02	N/A	25	10-25	12/18/02		N/A	N/A			N/A	N/A
DMW-1	11/12 & 11/13/01	2087.74	44	39-40	11/13/01	NM	19.97	N/A	NM	NM	N/A	2067.77
					05/07/03	NM	18.36	N/A	NM	NM	N/A	2069.38
					01/22/04	NM	NM	N/A	NM	NM	N/A	NM
					03/25/04	43.72	19.43	N/A	0.28	24.29	N/A	2068.31
					08/24/06	43.72	22.00	N/A	NM	21.72	N/A	2065.74
					09/10/08	43.72	22.80	N/A	0.28	20.92	N/A	2064.94
					09/16/09	43.72	21.92	N/A	0.28	21.80	N/A	2065.82
					12/15/09	43.72	18.43	N/A	0.28	25.29	N/A	2069.31
					03/25/10	43.72	16.87	N/A	0.28	26.85	N/A	2070.87
					09/08/10	43.64	20.96	N/A	0.36	22.68	N/A	2066.78
					03/16/11	43.70	19.03	N/A	0.30	24.67	N/A	2068.71
					09/27/11	43.72	21.19	N/A	0.28	22.53	N/A	2066.55
					03/13/12	43.72	19.52	N/A	0.28	24.20	N/A	2068.22
					09/12/12	43.72	20.03	N/A	0.28	23.69	N/A	2067.71
					03/14/13	43.72	17.77	N/A	0.28	25.95	N/A	2069.97
					09/24/13	43.72	17.82	N/A	0.28	25.90	N/A	2069.92
					03/26/14	43.72	17.88	N/A	0.28	25.84	N/A	2069.86

Notes:

Elevations relative to mean sea level.

Water Elevations in wells containing LPH were calculated by:

Water Elevation = (TOC elevation - Depth to water) + (Product thickness X 0.75) Where 0.75 is an assumed specific density for LPH

NM - Not Measured.

N/A - Not applicable.

* = Temporary well TMW-1 was backfilled with grout and abandoned on December 18, 2002.

Groundwater elevations corrected for LPH with an assumed density of 0.75.

1 - MW-8 had previously been covered with soil and was found and the well casing was raised in August 2009. MW-8 elevation was measured on 3/16/11.

Table 3 : Summary of Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No: 1010067

Analytical Method---->		EPA Method 601/602									6200B or 504.1*	EPA Method 3030C	Field Measurements				
		Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	1,2-Dichloroethane	Isopropylether (IPE)	Naphthalene	1,2-Dibromoethane (EDB)*	Total Lead	Dissolved Oxygen	PH	Specific Conductivity	Temperature	ORP	
15A NCAC 2L.0202 Standard----->		1	600	600	500	20	0.4	70	6	0.02	15	NE	NE	NE	NE	NE	
15A NCAC 2L.0115 Gross Contamination Levels----->		5,000	260,000	84,500	85,500	20,000	400	70,000	6,000	50	15,000	NE	NE	NE	NE	NE	
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	NE	ms/cm	°C	mV	
MW-1	03/26/14	69.4	106	110	430	14.1	ND	ND	194	ND	18.5	NM	NM	NM	NM	NM	
MW-2	03/26/14	ND	17.6	34.2	875	ND	ND	ND	207	ND	ND	NM	NM	NM	NM	NM	
MW-3	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-4	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.9	NM	NM	NM	NM	NM	
MW-5	03/26/14	No Sample, Well Destroyed															
MW-6	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-7	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-8	03/26/14	ND	ND	ND	ND	1	ND	ND	ND	ND	39.4	NM	NM	NM	NM	NM	
MW-9	03/26/14	270	603	425	1,260	16.3	ND	7.4	214	ND	7	NM	NM	NM	NM	NM	
MW-10	03/26/14	317	625	99.5	786	25.3	ND	41.3	49.1	ND	ND	NM	NM	NM	NM	NM	
MW-11	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-12	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-13	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2	NM	NM	NM	NM	NM	
MW-14	03/26/14	ND	ND	ND	ND	5.9	ND	2.3	ND	ND	187	NM	NM	NM	NM	NM	
MW-15	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-16	03/26/14	ND	5.8	1.6	5.8	50.3	ND	2.4	ND	ND	614	NM	NM	NM	NM	NM	
MW-17	03/26/14	Not Sampled - Well Dry - Insufficient Amount of Water for Sample															
MW-18	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-19	03/26/14	ND	ND	ND	ND	3.2	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
MW-20	03/26/14	ND	ND	ND	ND	5.2	ND	14	ND	ND	123	NM	NM	NM	NM	NM	
DMW-1	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
WSW-1	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
WSW-2	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
WSW-6	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
WSW-9	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	
Trip Blank	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NM	NM	NM	NM	NM	

Notes:

MW = Monitoring Well

WSW = Water Supply Well

ND = Not detected at or above the method detection limit specified in the laboratory report.

NM = Not Measured

NA = Not Analyzed

µg/l = Micrograms per liter or parts per billion.

15A, NCAC 2L.0202 = NCDENR Standard Statute for non-risked based maximum allowable containment concentration in groundwater

Values in bold exceed 15A NCAC 2L.0202 constituent standard.

Gross Contamination Levels = NCDENR Standard Statute for risked based maximum gross contamination levels for groundwater as presented in the

NCDENR Guideline for Assessment and Corrective Action dated April 2001, effective July 2001, updated February 1, 2006.

* = EDB for MWs analyzed by EPA Method 601/602, EDB for WSWs analyzed by EPA Method 504.1.

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method—>	EPA Method 601/602													EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7	
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethane	Bromomethane	Isopropylchloride (IPB)	Naphthalene	Naphthalene		C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C10 Aromatics	C11-C12 Aromatics				1,2-Dibromoethane (EDB)**
15A NCAC 2L#202 Standard—>	1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000	210	0.02	15					
15A NCAC 2L#115 Gross Contamination Levels—>	5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE	50	15,000					
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	09/19/01	1,650	1,960	684	3,320	1,650	7,614	ND	ND	ND	ND	124	250*	NR	14,600	6,700	485	ND	8,000	737	ND	57	NR	NR
	11/13/02																							
	01/21/03																							
	05/07/03				43.0	3.5	114.7	ND	ND	ND	NS	ND	4.2	NR	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS
	03/26/04	1.8	16	2.4	16	ND	36.2	ND	ND	ND	ND	ND	ND	1,700	NR	NR	5,600	62J	NR	3,700	ND	ND	ND	NR
	08/25/06																							
	09/11/08	361	2,370	758	5,320	2,590	8,809	ND	ND	ND	ND	ND	472	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR
	09/17/09	174	1,010	147	1,700	1,140	3,031	ND	NA	ND	ND	ND	301	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	12/15/09	1,040	6,840	591	10,200	574	16,671	29.7	ND	ND	ND	ND	39.2	837	NR	NR	NR	NR	NR	NR	197	244	NR	NR
	03/25/10	531	4,550	521	5,180	428	10,782	ND	ND	ND	ND	ND	386	NR	NR	NR	NR	NR	NR	NR	97	101	NR	NR
	09/08/10	369	2,790	310	2,312	482	5,781	2.8	ND	ND	ND	8.1	212	NR	NR	NR	NR	NR	NR	NR	24.9	24.5	NR	NR
	03/16/11	488	5,090	936	6,770	59	13,284	ND	ND	ND	ND	7.8	851	NR	NR	NR	NR	NR	NR	NR	25.5	57.6	NR	NR
	09/27/11	335	1,670	683	4,860	316	7,548	ND	ND	ND	ND	ND	381	NR	NR	NR	NR	NR	NR	NR	ND	26.8	NR	NR
	03/13/12	206	868	365	2,227	314	3,666	ND	ND	ND	ND	4.7	202	NR	NR	NR	NR	NR	NR	NR	ND	26.2	NR	NR
	09/12/12	208	817	511	2,632	110	4,169	ND	ND	ND	ND	ND	388	NR	NR	NR	NR	NR	NR	NR	ND	26.9	NR	NR
	03/14/13	44.4	132	118	716	92.8	1,010	ND	ND	ND	ND	ND	229	NR	NR	NR	NR	NR	NR	NR	ND	25.3	NR	NR
09/24/13	231	488	446	1,541	11.9	2,706	ND	ND	ND	ND	ND	305	NR	NR	NR	NR	NR	NR	NR	ND	17.1	NR	NR	
03/26/14	69.4	106	110	430	14.1	715	ND	ND	ND	ND	ND	184	NR	NR	NR	NR	NR	NR	NR	ND	18.5	NR	NR	
MW-2	11/13/01	1,500	14,000	2,100	11,600	ND	29,200	ND	ND	ND	ND	NR	NR	8,600	21,000	NR	NR	4,000	NR	ND	15	NR	NR	
	11/12/02	2,800	17,000	1,500	10,500	7,800	31,800	ND	ND	ND	ND	11,000	600	NR	NR	NR	NR	NR	NR	NR	29	NR	NR	
	05/07/03	2,000	12,000	1,100	7,700	ND	22,800	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	03/26/04	4,800	27,000	1,900	13,000	ND	46,700	ND	ND	ND	ND	ND	530	NR	NR	300	160	NR	980	ND	NR	NR	NR	
	08/25/06	1,900	14,000	1,000	7,400	ND	24,300	15	ND	ND	ND	49	580	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA
	09/11/08	1,369	17,800	1,650	13,600	ND	34,510	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/17/09	1,140	13,300	1,030	9,050	ND	24,520	ND	ND	ND	ND	ND	798	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	12/15/09	464	3,650	427	3,390	ND	6,131	ND	ND	ND	ND	ND	383	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/25/10	218	2,460	159	2,220	ND	5,057	ND	ND	ND	ND	ND	307	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/08/10	57.7	4,770	495	4,970	ND	10,293	ND	ND	ND	ND	ND	333	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/16/11	172	3,570	850	7,050	17.7	11,642	ND	ND	ND	ND	ND	385	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/27/11	30.2	1,730	741	5,790	ND	6,291	ND	ND	ND	ND	ND	294	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/13/12	19.2	823	472	3,570	ND	4,894	ND	ND	ND	ND	ND	335	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/12/12	5.6	336	378	2,940	ND	3,662	ND	ND	ND	ND	ND	399	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/14/13	3.3	132	157	1,350	ND	1,642	ND	ND	ND	ND	ND	229	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/24/13	ND	52.1	97.6	1,515	ND	1,665	ND	ND	ND	ND	ND	246	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
03/26/14	ND	17.6	34.2	875	ND	927	ND	ND	ND	ND	ND	207	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
MW-3	11/13/01	9.4	6.8	2.4	14.7	3.9	33.3	ND	ND	ND	ND	NR	NR	210	ND	NR	NR	ND	NR	ND	82	NR	NR	
	11/12/02	7.9	1	ND	1.6	4.4	10.5	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NR	24	NR	NR	
	05/07/03	5.8	ND	ND	ND	ND	5.8	ND	ND	ND	NS	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	03/26/04	24	ND	ND	1.5	1.5	26.5	ND	ND	ND	ND	ND	NR	NR	110	160	NR	13	ND	NR	NR	NR	NR	
	08/25/06	ND	ND	ND	ND	ND	ND	ND	ND	9.4	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA
	09/11/08																							
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	7	NR	NR
	12/15/09	ND	ND	ND	ND	ND	ND	ND	2.1	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/25/10	ND	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/08/10	ND	ND	ND	ND	ND	ND	ND	18.9	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	10.5	NR	NR
	03/16/11	ND	ND	ND	ND	ND	ND	ND	1.6	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/27/11	ND	ND	ND	ND	ND	ND	ND	10.3	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	7.5	NR	NR
	03/13/12	ND	ND	ND	ND	ND	ND	ND	0.89	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/12/12	ND	ND	ND	ND	ND	ND	ND	2.5	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method—>	EPA Method 601/602												EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7			
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethene	Bromomethane	Isopropylalcohol (IPE)	Naphthalene		Naphthalene	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C26 Aliphatics	C9-C10 Aromatics				C11-C12 Aromatics	1,2-Dibromoethane (EDB)**	Total Lead
15A NCAC 2L.0202 Standard	1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000	210		0.02	15					
15A NCAC 2L.0115 Gross Contamination Levels	5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE		50	15,000					
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-4	11/13/01	23	7.8	6.6	38.9	530	76	ND	ND	ND	5.5	NR	NR	230	110	NR	NR	ND	NR	ND	ND	NR	NR		
	11/12/02	10	1.8	4	32.1	670	48	ND	ND	ND	9.6	12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR		
	05/07/03	ND	ND	ND	ND	300	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	03/26/04	ND	ND	ND	ND	2000	ND	ND	ND	ND	ND	ND	ND	NR	NR	99J	110	NR	21J	ND	NR	NR	NR	NR	
	08/25/06	ND	1.2	ND	ND	250	1.2	ND	ND	ND	1.8	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	NA	NA	
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	
	09/17/09	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	8.3	NR	NR	NR	
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	7.3	NR	NR	NR
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	21.5	NR	NR	NR
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	59.5	NR	NR	NR
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	57.5	NR	NR	NR
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	21.1	NR	NR	NR
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	6.9	NR	NR	NR
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	21.9	NR	NR	NR
09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	NR	
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	17.9	NR	NR	NR	
MW-5	02/07/02	ND	4.4	ND	6.8	3.1	11	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR	NR	
	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.8	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	05/07/03	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	03/26/04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR	
	08/25/06												Well was destroyed												
	09/11/08																								
MW-6	02/07/02	ND	1.2	ND	1.4	ND	3	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR		
	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	NR	NR	NR	NR	NR	NR	NR	NR	ND	9.9	NR	NR	
	05/07/03	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	03/26/04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR	
	08/25/06												Well was destroyed												
	09/11/08																								
	09/17/09												Well was found with soil above the water table - could not be sampled at this time												
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	51.2	NR	NR	NR
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	54.5	NR	NR	NR
	09/08/10												Not Sampled - Well Dry - Insufficient Amount of Water for Sample												
	03/16/11												Not Sampled - Well Dry - Insufficient Amount of Water for Sample												
	09/27/11												Not Sampled - Well Dry - Insufficient Amount of Water for Sample												
	03/13/12												Not Sampled - Well Dry - Insufficient Amount of Water for Sample												
	09/12/12												Not Sampled - Well Dry - Insufficient Amount of Water for Sample												
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	4.4	NR	NR
09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	15.6	NR	NR	
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method—>		EPA Method 601/602														EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7	
		Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethane	Bromomethane	Isopropyl/ether (IPE)	Naphthalene:	Naphthalene	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C10 Aromatics	C11-C22 Aromatics	1,2-Dibromochloroethane (EDB)**	Total Lead	Dissolved Lead	Field Filtered Lead		
ISA NCAC 2L.0202 Standard—>		1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000		210	0.02	15					
ISA NCAC 2L.0115 Gross Contamination Levels—>		5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE	NE	NE	50	15,000				
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-10	02/07/02	4,200	8,800	1,100	5,600	3,100	19,800	ND	ND	ND	ND	290	NR	NR	13,000	38,000	NR	NR	4,400	NR	0.85	0.003	NR	NR		
	11/12/02	5,000	10,000	1,400	7,200	2,500	23,600	ND	ND	ND	ND	770	NR	NR	NR	NR	NR	NR	NR	NR	NR	11	NR	NR		
	01/21/03												NS - LPH													
	05/07/03	9,300	25,000	2,700	13,200	7,400	50,200	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	
	03/26/04	36,000	61,000	4,700	11,000,000	42,000	11,101,700	ND	ND	ND	ND	6,300	ND	1,500	NR	NR	NR	4,900	130	NR	4,300	ND	NR	NR	NR	
	08/25/06													NS - LPH												
	09/11/08													NS - LPH												
	09/17/09													NS - LPH												
	12/15/09	2,020	7,170	891	6,420	1,230	16,501	ND	ND	ND	ND	196	1,080	NR	NR	NR	NR	NR	NR	NR	NR	ND	11.7	NR	NR	
	03/25/10	1,030	3,770	370	2,900	430	8,070	ND	ND	ND	ND	133	215	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/08/10	1,470	2,980	502	2,723	102	7,675	56.7	1.2	ND	ND	60.6	273	NR	NR	NR	NR	NR	NR	NR	NR	ND	14.8	NR	NR	
	03/16/11	2,320	3,310	326	1,808	473	7,764	ND	ND	ND	ND	164	65.7	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/27/11	768	862	125	587	85.6	2,372	ND	ND	ND	ND	41.1	48.9	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/13/12	9,290	13,200	1,380	6,480	1,210	30,330	ND	ND	ND	ND	616	439	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
09/12/12	818	1,230	175	713	122	2,938	ND	ND	ND	ND	67.8	75.7	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
03/14/13	513	944	69.8	537	148	2,064	ND	ND	ND	ND	116	97.9	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
09/24/13	294	821	73.8	693	48.9	1,882	ND	ND	ND	ND	47.7	37.3	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
03/26/14	317	625	99.5	786	25.3	1,828	ND	ND	ND	ND	41.3	49.1	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
MW-11	02/07/02	ND	ND	ND	ND	2.7	ND	ND	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR		
	11/12/02	ND	ND	ND	ND	4.6	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	05/07/03	ND	ND	ND	ND	2.9	ND	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	
	03/26/04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	ND	ND	NR	ND	NR	ND	NR	NR	NR	
	08/25/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/17/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
MW-12	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR		
	05/07/03	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	ND	NS	NS		
	03/26/04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	ND	ND	NR	ND	ND	NR	NR	NR		
	08/25/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	NS	ND	NR	NR	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	10.3	NR	NR	
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	5.8	NR	NR	
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	8.6	NR	NR	
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR		

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method-->	EPA Method 601/602																	EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethene	Bromomethane	Isopropyl ether (IPE)	Naphthalene	Naphthalene	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics		C9-C10 Aromatics	C11-C22 Aromatics	1,2-Dibromochloroethane (EDB)**	Total Lead	Dissolved Lead	Field Filtered Lead			
15A NCAC 2L.0202 Standard-->	1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000	210		0.02	15							
15A NCAC 2L.0115 Gross Contamination Levels-->	5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE	50	15,000								
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			
MW-16	12/19/02	33	200	41	192	160	466	ND	ND	ND	5.8	NR	NR	520	1,100	NR	NR	320	NR	0.25	ND	NR	NR				
	05/07/03	880	3,000	1,000	5,000	5,700	9,850	ND	ND	NS	6.1	140	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	03/26/04	50	110	140	210	950	510	ND	ND	ND	ND	11	ND	NR	NR	340	1,900	NR	410	ND	NR	NR	NR				
	08/25/06	110	2.4	350	99	350	561	ND	ND	ND	30	160	NA	NA	NA	NA	NA	NA	NA	ND	11	NA	NA				
	09/11/08	56.5	1.5	11.6	24.4	188	94	ND	ND	ND	26.6	110	NR	NR	NR	NR	NR	NR	NR	ND	11	ND	NR				
	09/17/09	34.9	1.2	5.2	25.2	82.6	67	ND	ND	ND	23.5	73	NR	NR	NR	NR	NR	NR	NR	ND	11	NR	NR				
	12/15/09	1.5	ND	ND	4.6	20.6	6.1	ND	ND	ND	5.8	17.9	NR	NR	NR	NR	NR	NR	NR	ND	13.9	NR	NR				
	03/25/10	ND	ND	ND	ND	26.4	ND	ND	ND	ND	10.6	ND	NR	NR	NR	NR	NR	NR	NR	ND	75.1	NR	NR				
	09/08/10	ND	ND	ND	ND	3.6	ND	ND	ND	ND	2.6	4.7	NR	NR	NR	NR	NR	NR	NR	ND	164	NR	NR				
	03/16/11	ND	ND	ND	ND	4.9	ND	ND	ND	ND	0.72	ND	NR	NR	NR	NR	NR	NR	NR	ND	6.6	NR	NR				
	09/27/11	ND	ND	ND	ND	2.5	ND	ND	ND	ND	1.1	ND	NR	NR	NR	NR	NR	NR	NR	ND	108	NR	NR				
	03/13/12	3.6	23.9	6.6	26.6	110	60.9	ND	ND	ND	5.6	ND	NR	NR	NR	NR	NR	NR	NR	ND	102	NR	NR				
	09/12/12	1.6	11	2.5	9.2	112	24.3	ND	ND	ND	3.5	ND	NR	NR	NR	NR	NR	NR	NR	ND	111	NR	NR				
	03/14/13	0.97	5.8	1.5	4.8	58	13.1	ND	ND	ND	2.8	ND	NR	NR	NR	NR	NR	NR	NR	ND	398	NR	NR				
	09/24/13	ND	ND	ND	ND	17.2	ND	ND	ND	ND	1.3	ND	NR	NR	NR	NR	NR	NR	NR	ND	162	NR	NR				
	03/26/14	ND	5.8	1.6	5.8	50.3	13.2	ND	ND	ND	2.4	ND	NR	NR	NR	NR	NR	NR	NR	ND	614	NR	NR				
	MW-17	01/21/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	ND	NR	NR			
05/07/03		ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
03/26/04		ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	NR	NR	NR	ND	ND	ND	ND	ND	NR	NR	NR				
08/25/06		ND	ND	ND	ND	1.9	ND	ND	ND	ND	2.5	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA				
09/11/08		ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR				
09/17/09		ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
12/15/09		ND	ND	ND	ND	1	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	6.7	NR	NR				
03/25/10		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
09/08/10		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
03/16/11		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
09/27/11		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
03/13/12		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
09/12/12		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
03/14/13		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
09/24/13		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
03/26/14		Not Sampled - Well Dry - Insufficient Amount of Water for Sample																									
MW-18		01/21/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	ND	NR	NR			
	05/07/03	ND	ND	ND	1.7	1.9	1.7	ND	ND	NS	ND	ND	NR	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	03/26/04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	270	560	NR	48J	ND	NR	NR	NR				
	08/25/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA				
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR				
	09/17/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	03/13/12	ND	ND	ND	ND	0.83	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	09/12/12	ND	ND	ND	ND	0.62	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	03/14/13	ND	ND	ND	ND	0.64	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	09/24/13	ND	ND	ND	ND	0.93	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				
	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR				

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method—>		EPA Method 601/602											EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7			
		Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethene	Bromomethane	Isopropylether (IPE)	Naphthalene	Naphthalene	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C26 Aliphatics	C9-C10 Aromatics	C11-C22 Aromatics	1,2-Dibromochloroethane (EDB)**	Total Lead	Dissolved Lead	Field Filtered Lead	
15A NCAC 2L.0202 Standard—>		1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000	210		0.02	15				
15A NCAC 2L.0115 Gross Contamination Levels—>		5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE		50	15,000				
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-19	01/21/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	ND	NR	NR	ND	NR	ND	ND	NR	NR	NR	NR
	05/07/03	ND	ND	ND	ND	1.7	ND	ND	ND	NS	ND	ND	NR	NR	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS
	03/26/04	ND	ND	ND	ND	7.3	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	110	410	NR	6.6J	ND	NR	NR	NR	NR
	08/25/06	ND	ND	ND	ND	110	ND	ND	ND	ND	1.6	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA
	09/11/08	ND	ND	ND	ND	59.9	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	NR
	09/17/09	ND	ND	ND	ND	36.9	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	12/15/09	ND	ND	ND	ND	55.2	ND	ND	ND	ND	1.2	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/25/10	ND	ND	ND	ND	40.4	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/08/10	ND	ND	ND	ND	35	ND	ND	ND	ND	0.65	3.3	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/16/11	ND	ND	ND	ND	25.6	ND	ND	ND	ND	0.60	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/27/11	ND	ND	ND	ND	18.4	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/13/12	ND	ND	ND	ND	13.6	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/12/12	ND	ND	ND	ND	4.9	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/14/13	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
09/24/13	ND	ND	ND	ND	3.5	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	
03/26/14	ND	ND	ND	ND	3.2	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	
MW-20	01/21/03	ND	1.5	1.3	9.5	ND	12.3	1.2	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR	NR	NR
	05/07/03	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	NR	NR	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS
	03/26/04	ND	ND	ND	ND	1.4	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	100	110	NR	100	ND	NR	NR	NR	NR
	08/25/06	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA
	09/11/08	ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/17/09	ND	ND	ND	ND	1.8	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	12/15/09	ND	ND	ND	ND	3.2	ND	ND	ND	ND	15.9	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	12.6	NR	NR	NR
	03/25/10	6.5	ND	ND	ND	76.1	6.5	ND	ND	ND	76.7	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	36.1	NR	NR	NR
	09/08/10	0.65	ND	ND	ND	47.5	0.65	ND	ND	ND	66.7	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	21.3	NR	NR	NR
	03/16/11	ND	ND	ND	ND	0.74	ND	ND	ND	ND	8.4	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	60.5	NR	NR	NR
	09/27/11	Not Sampled - Well Dry - Insufficient Amount of Water for Sample																							
	03/13/12	ND	ND	ND	ND	3.6	ND	ND	ND	ND	71.1	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	10.7	NR	NR	NR
	09/12/12	ND	ND	ND	ND	20.6	ND	ND	ND	ND	35.3	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	37.8	NR	NR	NR
	03/14/13	ND	ND	ND	ND	13.8	ND	ND	ND	ND	11.2	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	42.2	NR	NR	NR
09/24/13	ND	ND	ND	ND	32.7	ND	ND	ND	ND	21.8	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	47.4	NR	NR	NR	
03/26/14	ND	ND	ND	ND	5.2	ND	ND	ND	ND	14	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	123	NR	NR	NR	
TMW-1	12/18/02	14,000	4600	ND	850	2,700	19,580	ND	ND	ND	510	NR	NR	11,000	7,100					NR	0.35	18	NR	NR	NR
	02/07/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	ND	ND	NR	NR	ND	NR	ND	ND	NR	NR	NR	NR
DMW-1	11/12/02	ND	2.1	ND	1.6	6.4	3.7	ND	1.7	2.4	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	NR
	05/07/03	ND	4.4	ND	3.0	5.2	7.4	ND	2.4	2.5	NS	ND	NR	NR	NS	NS	NS	NS	NS	NS	ND	NS	NS	NS	NS
	03/26/04	ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	ND	NR	NR	NR	83J	190	NR	26J	ND	NR	NR	NR	NR	NR
	08/25/06	ND	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/17/09	ND	ND	ND	ND	ND	ND	1.5	1.0	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	12/15/09	ND	ND	ND	ND	ND	ND	1.9	1.2	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/25/10	ND	ND	ND	ND	ND	ND	1.4	1.2	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/08/10	ND	ND	ND	ND	ND	ND	1.0	1.2	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/16/11	ND	ND	ND	ND	ND	ND	1.5	1.1	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/27/11	ND	ND	ND	ND	ND	ND	1.3	1.5	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/13/12	ND	ND	ND	ND	ND	ND	1.4	1.3	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	09/12/12	ND	ND	ND	ND	ND	ND	1.2	1.6	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
	03/14/13	ND	ND	ND	ND	ND	ND	1.5	1.4	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR
09/24/13	ND	ND	ND	ND	ND	ND	0.88	1.9	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	
03/26/14	ND	ND	ND	ND	ND	ND	1	1.5	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	NR	

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method-->	EPA Method 601/602														EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7
	Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethene	Bromomethane	Isopropylether (IPE)	Naphthalene	Naphthalene	C5-C8 Aliphatics		C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C10 Aromatics	C11-C12 Aromatics	1,2-Dibromochthane (EDB)**			
ISA NCAC 2LJ202 Standard-->	1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000	210		0.02	15				
ISA NCAC 2LJ115 Gross Contamination Levels-->	5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE	NE		50	15,000				
Location	Date Sampled	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
WSW-1	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR	
	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/08/10	ND	ND	ND	ND	0.50	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	WSW-2	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA
09/28/09		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
12/15/09		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
09/08/10		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
03/16/11		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	46.5	NA	NA	
09/27/11		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
03/13/12		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
09/12/12		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	6.1	NA	NA	
03/14/13		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
09/24/13		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA		
WSW-3	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	140	NR	NR	
	12/26/02	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	
	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	68	NA	NA	
	09/10/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	NR	
WSW-5	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
WSW-6	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	6.5	NA	NA	
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	5.6	NA	NA	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	7.0	NA	NA	
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	10.4	NA	NA	
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	5.2	NA	NA	
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	13.2	NA	NA	
	09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	6.3	NA	NA	
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA		
WSW-9	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	14	NA	NA	
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	12/15/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	22.2	NA	NA	
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	9.4	NA	NA	
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	7.5	NA	NA	
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	10.4	NA	NA	
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	11.8	NA	NA	
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	12.8	NA	NA	
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	
	03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	ND	NA	NA	

**Table 4 : Summary of Historical Analytical Results - Groundwater Samples
Naples #27510
US Highway 25 and Interstate 26, Naples, Henderson County, North Carolina
NCDENR Incident#: 24239
Shield Project No.: 1010067**

Analytical Method—>		EPA Method 601/602											EPA Method 625	MADEP - VPH/EPH						601/602 or 504.1**	EPA Method 3030C	EPA Method 200.7			
		Benzene	Toluene	Ethylbenzene	Total Xylenes	Methyl tert-butyl Ether	Total BTEX	1,2-Dichloroethane	1,2-Dichloropropane	Tetrachloroethene	Bromonethane	Isopropylether (IPE)	Naphthalene	Naphthalene	C5-C8 Aliphatics	C9-C12 Aliphatics	C9-C18 Aliphatics	C19-C36 Aliphatics	C9-C10 Aromatics	C11-C12 Aromatics	1,2-Dibromoethane (EDB)**	Total Lead	Dissolved Lead	Field Filtered Lead	
15A NCAC 2L.0202 Standard		1	600	600	500	20	N/A	0.4	0.6	0.7	NE	70	6	6	420	4,200	42,000		210	0.02	15				
15A NCAC 2L.0115 Gross Contamination Levels—>		5,000	260,000	84,500	85,500	20,000	N/A	400	600	700	NE	70,000	6,000	6,000	NE	NE	NE		NE		50	15,000			
Location	Date Sampled	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
WSW-15	08/24/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	ND	13	NA	NA	
WSW-Tabor	11/20/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
Spring	11/12/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
Trip Blank	3/26/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	NR	NR
	8/24/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	08/25/06	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	09/11/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	09/17/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	09/28/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	03/25/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	09/08/10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	03/16/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	09/27/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	03/13/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	09/12/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
	03/14/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR
09/24/13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR	
03/26/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR	NR	NR	ND	NR	NR	NR	

ND = Not detected at or above the method detection limit specified in the laboratory report.

NE = Not established.

NS = Not Sampled

NA = Not analyzed

NR = Not requested

µg/l = Micrograms per liter or parts per million.

MADEP-VPH/EPH = Massachusetts Department of Environmental Protection - Volatile Petroleum Hydrocarbons/Extractable Petroleum Hydrocarbons.

15A, NCAC 2L.0202 = NCDENR Standard Statute for non-risked based maximum allowable containment concentration in groundwater

Values in bold exceed 15A NCAC 2L.0202 constituent standard.

Gross Contamination Levels = NCDENR Standard Statute for risked based maximum gross contamination levels for groundwater as presented in the NCDENR

Guidelines for Assessment and Corrective Action dated April 2001, effective July 2001, update February 1, 2006.

* = Analyzed by EPA Method 625.

** = EDB analyzed by either EPA Method 601/602 or EPA Method 504.1.

Table 5 - Summary of Flow Data and Analytical Results (Soil Vapor Extraction System)

Naples #27510
 Cycle Shop
 Hendersonville, Henderson County, North Carolina
 NCDENR GWI #24239

Date	Available SVE System Operating Days (Days)	Actual SVE System Operating Days (Days)	Vacuum Pressure Reading before blower (Inches of Mercury)	Air Flow (cfm)	OVA Reading (ppm)	Method TO-14 SVES Effluent Concentrations					Hydrocarbons Recovery Rate (lb/hr)	Hydrocarbons Recovered since last Sampling Event (lbs)	Total Hydrocarbons Recovered To Date (lbs)
						Benzene (ppmv)	Toluene (ppmv)	Ethylbenzene (ppmv)	Xylenes (ppmv)	THC as Gas (ppmv)			
09/29/09	START	NA	5.5	630	NR	NA	NA	NA	NA	NA	0.0	0.0	0.0
09/29/09	0.1	0.1	5.5	630	NR	1.180	3.890	791	3.266	127.000	1,421.5	3,411.7	3,411.7
10/07/09	8	8	5.0	650	NR	46.3	306	67.9	330.8	4,500	52.0	9,977.9	13,389.6
10/15/09	8	8	5.0	650	NR	10.2	166.00	17.60	162.5	1,320	15.2	2,926.9	16,316.5
10/22/09	7	7	5.0	650	NR	59.4	530	118	617	7,020	81.1	13,619.9	29,936.4
11/05/09	14	14	5.0	650	NR	4.63	75.9	9.37	14.4	488	5.6	1,893.6	31,829.9
12/21/09	46	46	5.0	650	NR	0.535	13.2	2.72	16.91	100	1.2	1,275.0	33,104.9
03/25/10	94	94	5.0	650	NR	2.45	24.3	6.66	44.8	291	3.4	7,581.6	40,686.5
07/16/10	113	113	5.0	650	NR	0.343	4.030	0.588	2.94	51.1	0.6	1,600.4	42,286.9
09/08/10	54	54	5.0	650	NR	1.16	12.5	1.97	13.84	166	1.9	2,484.5	44,771.4
03/16/11	189	138	5.0	650	NR	ND	ND	ND	ND	0.439	0.005	16.8	44,788.2
09/27/11	195	186	5.0	650	NR	0.084	1.0	0.185	1.798	49.50	0.572	2,551.9	47,340.1
12/15/11	79	79	5.0	650	NR	0.0303	0.204	0.0268	0.234	9.63	0.111	210.9	47,550.9
03/13/12	89	89	5.0	650	NR	0.006	0.045	0.0113	0.123	2.73	0.032	67.3	47,618.3
06/29/12	108	108	5.0	650	NR	0.0022	0.0177	0.0055	0.04870	1.55	0.018	46.4	47,664.7
09/19/12	82	82	5.0	650	NR	0.0085	0.041	0.0113	0.134	3.77	0.044	85.7	47,750.3
03/14/13	176	176	5.0	650	NR	0.0024	0.0077	0.002	0.0297	0.786	0.009	38.3	47,788.7
06/18/13	96	96	5.0	650	NR	0.0024	0.0046	0.0011	0.0120	0.461	0.005	12.3	47,800.9
09/24/13	98	98	5.0	650	NR	0.00117	0.00332	0.00127	0.0078	0.820	0.009	22.3	47,823.2
03/26/14	183	183	5.0	650	NR	0	0.209	0	0.0038	0.221	0.003	11.2	47,834.4
	Total Available Operating Days	Total Actual Operating Days	Cumulative Operating Efficiency										
	1639	1579	96%										

- Notes:
- Air flow rate based on flowmeter reading at time of sampling.
 - Hydrocarbons Concentration (mg/m³) = TPH as Isooctane (PPM) x 114.2 (g/mole) / 24.04 (l/mole)
 - Hydrocarbons recovered (lb/hr) = [Hydrocarbon concentration (mg/m³) x Flow (l3/min) x 60 (min/hr) x 0.0283 (m3/l3)] / [454 (g/lb) x 1000 (mg/g)]
 (Calculation based on the Ideal Gas Law as referenced in Fundamentals of Air Sampling, by Gregory G. Wright, 1994)
 - Total hydrocarbons recovered to date (lbs) = Total hydrocarbons recovered (lb/hr) x 24 hrs/day x days of operation.
 - NA = Not analyzed for particular constituent
 - NR = No reading taken
 - H₂O = water
 - fpm = Feet per minute
 - cfm = Cubic feet per minute
 - ppm = Parts per million
 - ppmv = Parts per million volume
 - lb/hr = Pounds per hour
 - lbs = Pounds

Table 5 - Summary of Flow Data and Analytical Results (Soil Vapor Extraction System)

Naples #27510

Citgo

Hendersonville, Henderson County, North Carolina

NCDENR GWI # 24239

Date	Available SVE System Operating Days (Days)	Actual SVE System Operating Days (Days)	Vacuum Pressure Reading before blower (Inches of Mercury)	Air Flow (cfm)	OVA Reading (ppm)	Method TO-14 SVES Effluent Concentrations					Hydrocarbons Recovery Rate (lb/hr)	Hydrocarbons Recovered since last Sampling Event (lbs)	Total Hydrocarbons Recovered To Date (lbs)
						Benzene (ppmv)	Toluene (ppmv)	Ethylbenzene (ppmv)	Xylenes (ppmv)	THC as Gas (ppmv)			
09/29/09	START	NA	5.5	630	NR	NA	NA	NA	NA	NA	0.0	0.0	0.0
09/29/09	0.1	0.1	5.5	630	NR	0	0	0	0	346	3.9	9.3	9.3
10/07/09	8	8	5.0	650	NR	11.4	17.4	1.7	5.312	527	6.1	1,168.5	1,177.8
10/15/09	8	8	5.0	650	NR	16.5	99.6	3.28	13.95	755	8.7	1,674.1	2,851.9
10/22/09	7	7	5.0	650	NR	31.3	67	0	18.6	963	11.1	1,868.4	4,720.3
11/05/09	14	14	5.0	650	NR	4.11	10.7	0.369	0.665	174	2.0	675.2	5,395.4
12/21/09	46	40	5.0	650	NR	0.0107	0.0121	0.0034	0.0146	1.85	0.021	20.5	5,415.9
03/25/10	94	64	5.0	650	NR	0.111	0.257	0.0233	0.2472	7.45	0.086	132.2	5,548.1
07/16/10	113	113	5.0	650	NR	0.259	0.253	0.0302	0.376	30.6	0.353	958.4	6,506.5
09/08/10	54	45	5.0	650	NR	0.0559	0.203	0.0000	0.1290	48.9	0.565	609.9	7,116.4
02/01/12	0	0	0.0	0	NR	SVE motor was installed on 2/1/12							
03/13/12	41	41	5.0	650	NR	0	0.0026	0	0.00232	1.34	0.015	15.2	7,131.6
06/29/12	108	93	5.0	650	NR	0	0	0	0	0	0	0.0	7,131.6
09/19/12	82	82	5.0	650	NR	0.0015	0.0027	0	0.00262	0.30	0.0035	6.8	7,138.4
03/14/13	176	167	5.0	650	NR	0	0	0	0	0.32	0.0037	15.0	7,153.4
06/18/13	96	96	5.0	650	NR	0	0	0	0	0.0	0.0	0.0	7,153.4
09/24/13	98	98	5.0	650	NR	0.00037	0.000522	0.00104	0.004058	0.103	0.0012	2.8	7,156.2
03/26/14	183	154	5.0	650	NR	0.0033	3.79	0	0	0.747	0.0086	31.9	7,188.1
						Total Available Operating Days	Total Actual Operating Days	Cumulative Operating Efficiency					
						1128	1030	91%					

Notes:

- Air flow rate based on flowmeter reading at time of sampling.
- Hydrocarbons Concentration (mg/m³) = TPH as Isooctane (PPM) x 114.2 (g/mole) / 24.04 (l/mole)
Hydrocarbons recovered (lb/hr) = [Hydrocarbon concentration (mg/m³) x Flow (ft³/min) x 60 (min/hr) x 0.0283 (m³/ft³)] / [454 (g/lb) x 1000 (mg/g)]
(Calculation based on the Ideal Gas Law as referenced in Fundamentals of Air Sampling, by Gregory G. Wight, 1994)
- Total hydrocarbons recovered to date (lbs) = Total hydrocarbons recovered (lb/hr) x 24 hrs/day x days of operation.
- NA = Not analyzed for particular constituent
- NR = No reading taken.
- H₂O = water
- fpm = Feet per minute
- cfm = Cubic feet per minute
- ppm = Parts per million
- ppmv = Parts per million volume
- lbs/hr = Pounds per hour
- lbs = Pounds

Table 6: Summary of Remediation System Operation & Maintenance Costs
Naples #27510
US Highway 25 and Interstate 26
Naples, Henderson County, North Carolina
NCDENR GWI#: 24239

Month & Year	Cost for Scheduled Maintenance (Task 7.201)	Cost for Maintenance Supplies & Equipment (Task 7.250)	Cost for Operating Expenses (Task 7.260)	Required Consultant Travel (Task 12.010)	Total Cost (per Month)
October-09	\$ 3,720.00	\$ 286.08	\$ 1,875.12	\$ -	\$ 5,881.20
November-09	\$ 1,860.00	\$ 68.41	\$ 2,089.55	\$ -	\$ 4,017.96
December-09	\$ 1,860.00	\$ -	\$ 1,395.57	\$ -	\$ 3,255.57
January-10	\$ 2,248.50	\$ 196.66	\$ 1,734.14	\$ -	\$ 4,179.30
February-10	\$ 2,756.00	\$ 1,205.53	\$ 1,665.25	\$ -	\$ 5,626.78
March-10	\$ 790.50	\$ -	\$ 1,847.80	\$ -	\$ 2,638.30
April-10	\$ 2,790.00	\$ -	\$ 2,449.12	\$ -	\$ 5,239.12
May-10	\$ 1,333.75	\$ 1,265.30	\$ 2,114.11	\$ -	\$ 4,713.16
June-10	\$ 1,860.00	\$ -	\$ 2,103.94	\$ -	\$ 3,963.94
July-10	\$ 1,767.00	\$ 521.03	\$ 2,423.74	\$ -	\$ 4,711.77
August-10	\$ 930.00	\$ 11.25	\$ 2,088.57	\$ -	\$ 3,029.82
September-10	\$ 1,116.00	\$ -	\$ 2,023.87	\$ 720.00	\$ 3,859.87
October-10	\$ 1,934.00	\$ 592.81	\$ 1,553.03	\$ 1,310.00	\$ 5,389.84
November-10	\$ 558.00	\$ -	\$ 1,622.74	\$ 432.00	\$ 2,612.74
December-10	\$ 651.00	\$ 83.70	\$ 1,882.41	\$ 360.00	\$ 2,977.11
January-11	\$ 1,906.50	\$ 60.30	\$ 1,076.89	\$ 1,308.00	\$ 4,351.69
February-11	\$ 790.50	\$ 448.24	\$ 984.34	\$ 892.00	\$ 3,115.08
March-11	\$ 1,116.00	\$ -	\$ 1,461.00	\$ 878.00	\$ 3,455.00
April-11	\$ 1,264.50	\$ 2,465.97	\$ 1,644.01	\$ 1,120.00	\$ 6,494.48
May-11	\$ 1,116.00	\$ 26.82	\$ 1,855.66	\$ 720.00	\$ 3,718.48
June-11	\$ 1,116.00	\$ 170.13	\$ 1,904.80	\$ 723.60	\$ 3,914.53
July-11	\$ 558.00	\$ 21.29	\$ 2,392.75	\$ 361.80	\$ 3,333.84
August-11	\$ 1,674.00	\$ 40.32	\$ 2,247.54	\$ 1,085.40	\$ 5,047.26
September-11	\$ 1,209.00	\$ 716.41	\$ 2,443.09	\$ 739.80	\$ 5,108.30
October-11	\$ 1,116.00	\$ 100.00	\$ 2,065.05	\$ 739.80	\$ 4,020.85
November-11	\$ 1,116.00	\$ -	\$ 1,877.17	\$ 739.80	\$ 3,732.97

Table 6: Summary of Remediation System Operation & Maintenance Costs
Naples #27510
US Highway 25 and Interstate 26
Naples, Henderson County, North Carolina
NCDENR GWI#: 24239

Month & Year	Cost for Scheduled Maintenance (Task 7.201)	Cost for Maintenance Supplies & Equipment (Task 7.250)	Cost for Operating Expenses (Task 7.260)	Required Consultant Travel (Task 12.010)	Total Cost (per Month)
December-11	\$ 1,116.00	\$ 365.92	\$ 1,807.49	\$ 739.80	\$ 4,029.21
January-12	\$ 558.00	\$ 419.64	\$ 2,101.10	\$ 369.90	\$ 3,448.64
February-12	\$ 1,767.00	\$ -	\$ 1,987.68	\$ 1,109.70	\$ 4,864.38
March-12	\$ 1,116.00	\$ 345.12	\$ 2,338.98	\$ 739.80	\$ 4,539.90
April-12	\$ 1,116.00	\$ -	\$ 2,514.92	\$ 739.80	\$ 4,370.72
May-12	\$ 1,116.00	\$ 128.81	\$ 2,218.12	\$ 739.80	\$ 4,202.73
June-12	\$ 1,116.00	\$ -	\$ 2,300.99	\$ 739.80	\$ 4,156.79
July-12	\$ 558.00	\$ 92.73	\$ 2,533.77	\$ 369.90	\$ 3,554.40
August-12	\$ 1,116.00	\$ 152.26	\$ 2,471.78	\$ 739.80	\$ 4,479.84
September-12	\$ 1,116.00	\$ 20.96	\$ 2,666.70	\$ 739.80	\$ 4,543.46
October-12	\$ 1,116.00	\$ 32.05	\$ 2,037.39	\$ 739.80	\$ 3,925.24
November-12	\$ 1,116.00	\$ 563.82	\$ 1,766.42	\$ 739.80	\$ 4,186.04
December-12	\$ 1,116.00	\$ -	\$ 2,751.31	\$ 739.80	\$ 4,607.11
January-13	\$ 1,116.00	\$ 436.58	\$ 2,547.35	\$ 739.80	\$ 4,839.73
February-13	\$ 558.00	\$ 56.52	\$ 2,353.57	\$ 369.90	\$ 3,337.99
March-13	\$ 1,116.00	\$ 82.72	\$ 2,444.80	\$ 739.80	\$ 4,383.32
April-13	\$ 1,116.00	\$ 294.60	\$ 2,628.26	\$ 740.34	\$ 4,779.20
May-13	\$ 1,674.00	\$ 336.30	\$ 2,789.04	\$ 1,110.51	\$ 5,909.85
June-13	\$ 558.00	\$ -	\$ 2,651.56	\$ 371.70	\$ 3,581.26
July-13	\$ 1,116.00	\$ -	\$ 2,005.44	\$ 743.40	\$ 3,864.84
August-13	\$ 1,674.00	\$ -	\$ 3,134.27	\$ 1,115.10	\$ 5,923.37
September-13	\$ 558.00	\$ 54.75	\$ 2,493.93	\$ 371.70	\$ 3,478.38
October-13	\$ 1,674.00	\$ 64.24	\$ 2,361.88	\$ 1,115.10	\$ 5,215.22
November-13	\$ 1,116.00	\$ 80.30	\$ 2,624.43	\$ 743.40	\$ 4,564.13
December-13	\$ 1,116.00	\$ 81.48	\$ 2,538.27	\$ 743.40	\$ 4,479.15

Table 6: Summary of Remediation System Operation & Maintenance Costs

Naples #27510

US Highway 25 and Interstate 26


Naples, Henderson County, North Carolina

NCDENR GWI#: 24239


Month & Year	Cost for Scheduled Maintenance (Task 7.201)	Cost for Maintenance Supplies & Equipment (Task 7.250)	Cost for Operating Expenses (Task 7.260)	Required Consultant Travel (Task 12.010)	Total Cost (per Month)
January-14	\$ 1,348.50	\$ 362.28	\$ 1,686.33	\$ 956.10	\$ 4,353.21
February-14	\$ 976.50	\$ 344.72	\$ 2,623.94	\$ 743.40	\$ 4,688.56
March-14	\$ 1,116.00	\$ -	\$ 2,065.37	\$ 741.60	\$ 3,922.97
Total Cost	\$ 70,033.25	\$ 12,596.05	\$ 115,266.35	\$ 32,722.95	\$ 230,618.60
Average Cost (per Month)	\$ 1,296.91	\$ 233.26	\$ 2,134.56	\$ 761.00	\$ 3,664.73

GRAPH(S)


Graph: Concentration/Hydrograph vs. Time (MW-1)
Naples #27510




**Graph: Concentration/Hydrograph vs. Time (MW-2)
Naples #27510**




Graph: Concentration/Hydrograph vs. Time (MW-3)
Naples #27510




Graph: Concentration/Hydrograph vs. Time (MW-4)
Naples #27510




Graph: Concentration/Hydrograph vs. Time (MW-9)
Naples #27510




**Graph: Concentration/Hydrograph vs. Time (MW-10)
Naples #27510**



**Graph: Concentration/Hydrograph vs. Time (MW-14)
Naples #27510**



Graph: Concentration/Hydrograph vs. Time (MW-16)
Naples #27510



APPENDIX A

April 08, 2014

Ms. Flora D'Souza
Shield Engineering
4301 Taggart Creek Road
Charlotte, NC 28208

RE: Project: NAPLES #27510
Pace Project No.: 92195102

Dear Ms. D'Souza:

Enclosed are the analytical results for sample(s) received by the laboratory on March 27, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jon D Bradley
jon.bradley@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

CERTIFICATIONS

Project: NAPLES #27510

Pace Project No.: 92195102

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
A2LA Certification #: 2926.01
Alabama Certification #40770
Alabama Certification #40770
Alaska Certification #: UST-078
Alaska Certification #MN00064
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
Colorado Certification #Pace
Connecticut Certification #: PH-0256
EPA Region 8 Certification #: 8TMS-L
Florida/NELAP Certification #: E87605
Guam Certification #: Pace
Georgia Certification #: 959
Idaho Certification #: MN00064
Hawaii Certification #MN00064
Illinois Certification #: 200011
Indiana Certification#C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky Dept of Envi. Protection - DW #90062
Kentucky Dept of Envi. Protection - WW #90062
Louisiana DEQ Certification #: 3086
Louisiana DHH #: LA140001
Maine Certification #: 2013011
Maryland Certification #: 322
Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137
Mississippi Certification #: Pace
Montana Certification #: MT0092
Nebraska Certification #: Pace
New York Certification #: 11647
North Carolina Certification #: 530
North Carolina State Public Health #: 27700
North Dakota Certification #: R-036
Ohio EPA #: 4150
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Oregon Certification #: MN300001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification
Saipan (CNMI) #:MP0003
South Carolina #:74003001
Texas Certification #: T104704192
Tennessee Certification #: 02818
Utah Certification #: MN000642013-4
Virginia DGS Certification #: 251
Virginia/VELAP Certification #: Pace
Washington Certification #: C486
Wisconsin Certification #: 999407970
West Virginia Certification #: 382
West Virginia TO-15 Approval
West Virginia DHHR #:9952C

Charlotte Certification IDs

9800 Kinsey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

Asheville Certification IDs

2225 Riverside Dr., Asheville, NC 28804
Florida/NELAP Certification #: E87648
Massachusetts Certification #: M-NC030
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40
South Carolina Certification #: 99030001
West Virginia Certification #: 356
Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: NAPLES #27510

Pace Project No.: 92195102

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92195102001	MW-1	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102002	MW-2	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102003	MW-3	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102004	MW-4	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102005	MW-6	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102006	MW-7	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102007	MW-8	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102008	MW-9	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102009	MW-10	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102010	MW-11	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102011	MW-12	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102012	MW-13	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102013	MW-14	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102014	MW-15	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102015	MW-16	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102016	MW-18	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102017	MW-19	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102018	MW-20	EPA 200.7	JMW	1	PASI-A
		SM 6200B	CAH	42	PASI-C
92195102019	DMW-1	EPA 200.7	JMW	1	PASI-A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.:

SAMPLE ANALYTE COUNT

Project: NAPLES #27510

Pace Project No.: 92195102

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 6200B	CAH	42	PASI-C
92195102020	TRIP BLANK	SM 6200B	CAH	42	PASI-C
92195102021	WSW-1	EPA 504.1	EJK	2	PASI-C
		EPA 200.7	JMW	1	PASI-A
92195102022	WSW-2	SM 6200B	CAH	42	PASI-C
		EPA 504.1	EJK	2	PASI-C
		EPA 200.7	JMW	1	PASI-A
92195102023	WSW-6	SM 6200B	CAH	42	PASI-C
		EPA 504.1	EJK	2	PASI-C
		EPA 200.7	JMW	1	PASI-A
92195102024	WSW-9	SM 6200B	CAH	42	PASI-C
		EPA 504.1	EJK	2	PASI-C
		EPA 200.7	JMW	1	PASI-A
92195102025	SVE - Cycle	SM 6200B	CAH	42	PASI-C
		TO-15	JAM	7	PASI-M
92195102026	SVE - Citgo	TO-15	JAM	7	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

SUMMARY OF DETECTION

Project: NAPLES #27510
Pace Project No.: 92195102

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
92195102001	MW-1					
EPA 200.7	Lead	18.5 ug/L		5.0	03/28/14 15:59	
SM 6200B	Benzene	69.4 ug/L		5.0	04/05/14 16:26	
SM 6200B	Ethylbenzene	110 ug/L		5.0	04/05/14 16:26	
SM 6200B	Methyl-tert-butyl ether	14.1 ug/L		5.0	04/05/14 16:26	
SM 6200B	Naphthalene	194 ug/L		10.0	04/05/14 16:26	
SM 6200B	Toluene	106 ug/L		5.0	04/05/14 16:26	
SM 6200B	Xylene (Total)	430 ug/L		10.0	04/05/14 16:26	
SM 6200B	m&p-Xylene	274 ug/L		10.0	04/05/14 16:26	
SM 6200B	o-Xylene	157 ug/L		5.0	04/05/14 16:26	
92195102002	MW-2					
SM 6200B	Ethylbenzene	34.2 ug/L		5.0	04/05/14 16:43	
SM 6200B	Naphthalene	207 ug/L		10.0	04/05/14 16:43	
SM 6200B	Toluene	17.6 ug/L		5.0	04/05/14 16:43	
SM 6200B	Xylene (Total)	875 ug/L		10.0	04/05/14 16:43	
SM 6200B	m&p-Xylene	464 ug/L		10.0	04/05/14 16:43	
SM 6200B	o-Xylene	411 ug/L		5.0	04/05/14 16:43	
92195102004	MW-4					
EPA 200.7	Lead	17.9 ug/L		5.0	03/28/14 16:08	
92195102007	MW-8					
EPA 200.7	Lead	39.4 ug/L		5.0	04/01/14 21:05	
SM 6200B	Methyl-tert-butyl ether	1.0 ug/L		1.0	04/05/14 12:33	
92195102008	MW-9					
EPA 200.7	Lead	7.0 ug/L		5.0	04/01/14 21:15	
SM 6200B	Benzene	270 ug/L		5.0	04/07/14 23:22	
SM 6200B	Diisopropyl ether	7.4 ug/L		5.0	04/07/14 23:22	
SM 6200B	Ethylbenzene	425 ug/L		5.0	04/07/14 23:22	
SM 6200B	Methyl-tert-butyl ether	16.3 ug/L		5.0	04/07/14 23:22	
SM 6200B	Naphthalene	214 ug/L		10.0	04/07/14 23:22	
SM 6200B	Toluene	603 ug/L		5.0	04/07/14 23:22	
SM 6200B	Xylene (Total)	1260 ug/L		10.0	04/07/14 23:22	
SM 6200B	m&p-Xylene	766 ug/L		10.0	04/07/14 23:22	
SM 6200B	o-Xylene	494 ug/L		5.0	04/07/14 23:22	
92195102009	MW-10					
SM 6200B	Benzene	317 ug/L		5.0	04/05/14 16:09	
SM 6200B	Diisopropyl ether	41.3 ug/L		5.0	04/05/14 16:09	
SM 6200B	Ethylbenzene	99.5 ug/L		5.0	04/05/14 16:09	
SM 6200B	Methyl-tert-butyl ether	25.3 ug/L		5.0	04/05/14 16:09	
SM 6200B	Naphthalene	49.1 ug/L		10.0	04/05/14 16:09	
SM 6200B	Toluene	625 ug/L		5.0	04/05/14 16:09	
SM 6200B	Xylene (Total)	786 ug/L		10.0	04/05/14 16:09	
SM 6200B	m&p-Xylene	446 ug/L		10.0	04/05/14 16:09	
SM 6200B	o-Xylene	340 ug/L		5.0	04/05/14 16:09	
92195102012	MW-13					
EPA 200.7	Lead	8.2 ug/L		5.0	04/01/14 21:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

SUMMARY OF DETECTION

Project: NAPLES #27510
Pace Project No.: 92195102

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
92195102013	MW-14					
EPA 200.7	Lead	187 ug/L		5.0	04/01/14 21:41	
SM 6200B	Diisopropyl ether	2.3 ug/L		1.0	04/05/14 13:40	
SM 6200B	Methyl-tert-butyl ether	5.9 ug/L		1.0	04/05/14 13:40	
92195102015	MW-16					
EPA 200.7	Lead	614 ug/L		25.0	04/03/14 15:42	
SM 6200B	Diisopropyl ether	2.4 ug/L		1.0	04/05/14 14:13	
SM 6200B	Ethylbenzene	1.6 ug/L		1.0	04/05/14 14:13	
SM 6200B	Methyl-tert-butyl ether	50.3 ug/L		1.0	04/05/14 14:13	
SM 6200B	Toluene	5.8 ug/L		1.0	04/05/14 14:13	
SM 6200B	Xylene (Total)	5.8 ug/L		2.0	04/05/14 14:13	
SM 6200B	m&p-Xylene	2.3 ug/L		2.0	04/05/14 14:13	
SM 6200B	o-Xylene	3.5 ug/L		1.0	04/05/14 14:13	
92195102017	MW-19					
SM 6200B	Methyl-tert-butyl ether	3.2 ug/L		1.0	04/05/14 14:46	
92195102018	MW-20					
EPA 200.7	Lead	123 ug/L		5.0	04/01/14 22:08	
SM 6200B	Diisopropyl ether	14.0 ug/L		1.0	04/05/14 15:03	
SM 6200B	Methyl-tert-butyl ether	5.2 ug/L		1.0	04/05/14 15:03	
92195102019	DMW-1					
SM 6200B	1,2-Dichloropropane	1.0 ug/L		1.0	04/05/14 15:19	
SM 6200B	Tetrachloroethene	1.5 ug/L		1.0	04/05/14 15:19	
92195102021	WSW-1					
SM 6200B	Tetrachloroethene	9.6 ug/L		1.0	04/07/14 20:20	
92195102025	SVE - Cycle					
TO-15	THC as Gas	221 ppbv		46.9	04/07/14 04:24	
TO-15	Toluene	209 ppbv		9.0	04/07/14 15:48	
TO-15	m&p-Xylene	2.5 ppbv		1.3	04/07/14 04:24	
TO-15	o-Xylene	1.3 ppbv		0.67	04/07/14 04:24	
92195102026	SVE - Citgo					
TO-15	Benzene	3.3 ppbv		0.67	04/07/14 04:51	
TO-15	THC as Gas	747 ppbv		46.9	04/07/14 04:51	
TO-15	Toluene	3790 ppbv		107	04/07/14 16:13	A3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

PROJECT NARRATIVE

Project: NAPLES #27510
Pace Project No.: 92195102

Method: TO-15
Description: TO15 MSV AIR
Client: Shield
Date: April 08, 2014

General Information:

2 samples were analyzed for TO-15. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: AIR/19876

L3: Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

- LCS (Lab ID: 1651328)
- Naphthalene

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: AIR/19876

A3: This result is reported from a serial dilution.

- SVE - Citgo (Lab ID: 92195102026)
- Toluene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

PROJECT NARRATIVE

Project: NAPLES #27510
Pace Project No.: 92195102

Method: EPA 504.1
Description: 504 GCS EDB and DBCP
Client: Shield
Date: April 08, 2014

General Information:

4 samples were analyzed for EPA 504.1. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 504.1 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

PROJECT NARRATIVE

Project: NAPLES #27510
Pace Project No.: 92195102

Method: EPA 200.7
Description: 200.7 MET ICP
Client: Shield
Date: April 08, 2014

General Information:

23 samples were analyzed for EPA 200.7. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.7 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

PROJECT NARRATIVE

Project: NAPLES #27510
Pace Project No.: 92195102

Method: SM 6200B
Description: 601/602 Volatiles by SM 6200
Client: Shield
Date: April 08, 2014

General Information:

24 samples were analyzed for SM 6200B. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: MSV/26318

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-1 (Lab ID: 92195102001)
 - 1,1-Dichloroethane

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-1	Lab ID: 92195102001	Collected: 03/26/14 11:57	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	18.5 ug/L		5.0	1	03/28/14 09:20	03/28/14 15:59	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	69.4 ug/L		5.0	5		04/05/14 16:26	71-43-2	
Bromodichloromethane	ND ug/L		5.0	5		04/05/14 16:26	75-27-4	
Bromoform	ND ug/L		5.0	5		04/05/14 16:26	75-25-2	
Bromomethane	ND ug/L		25.0	5		04/05/14 16:26	74-83-9	
Carbon tetrachloride	ND ug/L		5.0	5		04/05/14 16:26	56-23-5	
Chlorobenzene	ND ug/L		5.0	5		04/05/14 16:26	108-90-7	
Chloroethane	ND ug/L		5.0	5		04/05/14 16:26	75-00-3	
Chloroform	ND ug/L		5.0	5		04/05/14 16:26	67-66-3	
Chloromethane	ND ug/L		5.0	5		04/05/14 16:26	74-87-3	
Dibromochloromethane	ND ug/L		5.0	5		04/05/14 16:26	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	5		04/05/14 16:26	106-93-4	
1,2-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:26	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:26	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:26	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	5		04/05/14 16:26	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:26	75-34-3	D3
1,2-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:26	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:26	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:26	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:26	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	5		04/05/14 16:26	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:26	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:26	10061-02-6	
Diisopropyl ether	ND ug/L		5.0	5		04/05/14 16:26	108-20-3	
Ethylbenzene	110 ug/L		5.0	5		04/05/14 16:26	100-41-4	
Methylene Chloride	ND ug/L		10.0	5		04/05/14 16:26	75-09-2	
Methyl-tert-butyl ether	14.1 ug/L		5.0	5		04/05/14 16:26	1634-04-4	
Naphthalene	194 ug/L		10.0	5		04/05/14 16:26	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	5		04/05/14 16:26	79-34-5	
Tetrachloroethene	ND ug/L		5.0	5		04/05/14 16:26	127-18-4	
Toluene	106 ug/L		5.0	5		04/05/14 16:26	108-88-3	
1,1,1-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:26	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:26	79-00-5	
Trichloroethene	ND ug/L		5.0	5		04/05/14 16:26	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	5		04/05/14 16:26	75-69-4	
Vinyl chloride	ND ug/L		5.0	5		04/05/14 16:26	75-01-4	
Xylene (Total)	430 ug/L		10.0	5		04/05/14 16:26	1330-20-7	
m&p-Xylene	274 ug/L		10.0	5		04/05/14 16:26	179601-23-1	
o-Xylene	157 ug/L		5.0	5		04/05/14 16:26	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	5		04/05/14 16:26	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	5		04/05/14 16:26	17060-07-0	
Toluene-d8 (S)	101 %		70-130	5		04/05/14 16:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample:	Lab ID:	Collected:	Received:	Matrix:				
MW-2	92195102002	03/26/14 12:00	03/27/14 17:15	Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND ug/L		5.0	1	03/28/14 09:20	03/28/14 16:02	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND ug/L		5.0	5		04/05/14 16:43	71-43-2	
Bromodichloromethane	ND ug/L		5.0	5		04/05/14 16:43	75-27-4	
Bromoform	ND ug/L		5.0	5		04/05/14 16:43	75-25-2	
Bromomethane	ND ug/L		25.0	5		04/05/14 16:43	74-83-9	
Carbon tetrachloride	ND ug/L		5.0	5		04/05/14 16:43	56-23-5	
Chlorobenzene	ND ug/L		5.0	5		04/05/14 16:43	108-90-7	
Chloroethane	ND ug/L		5.0	5		04/05/14 16:43	75-00-3	
Chloroform	ND ug/L		5.0	5		04/05/14 16:43	67-66-3	
Chloromethane	ND ug/L		5.0	5		04/05/14 16:43	74-87-3	
Dibromochloromethane	ND ug/L		5.0	5		04/05/14 16:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	5		04/05/14 16:43	106-93-4	
1,2-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:43	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:43	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:43	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	5		04/05/14 16:43	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:43	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:43	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:43	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:43	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	5		04/05/14 16:43	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:43	10061-02-6	
Diisopropyl ether	ND ug/L		5.0	5		04/05/14 16:43	108-20-3	
Ethylbenzene	34.2 ug/L		5.0	5		04/05/14 16:43	100-41-4	
Methylene Chloride	ND ug/L		10.0	5		04/05/14 16:43	75-09-2	
Methyl-tert-butyl ether	ND ug/L		5.0	5		04/05/14 16:43	1634-04-4	
Naphthalene	207 ug/L		10.0	5		04/05/14 16:43	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	5		04/05/14 16:43	79-34-5	
Tetrachloroethene	ND ug/L		5.0	5		04/05/14 16:43	127-18-4	
Toluene	17.6 ug/L		5.0	5		04/05/14 16:43	108-88-3	
1,1,1-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:43	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:43	79-00-5	
Trichloroethene	ND ug/L		5.0	5		04/05/14 16:43	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	5		04/05/14 16:43	75-69-4	
Vinyl chloride	ND ug/L		5.0	5		04/05/14 16:43	75-01-4	
Xylene (Total)	875 ug/L		10.0	5		04/05/14 16:43	1330-20-7	
m&p-Xylene	464 ug/L		10.0	5		04/05/14 16:43	179601-23-1	
o-Xylene	411 ug/L		5.0	5		04/05/14 16:43	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	99 %		70-130	5		04/05/14 16:43	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	5		04/05/14 16:43	17060-07-0	
Toluene-d8 (S)	101 %		70-130	5		04/05/14 16:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-3	Lab ID: 92195102003	Collected: 03/26/14 12:05	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	03/28/14 16:05	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 11:26	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 11:26	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 11:26	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 11:26	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 11:26	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 11:26	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 11:26	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 11:26	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 11:26	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 11:26	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 11:26	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:26	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:26	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:26	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 11:26	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 11:26	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 11:26	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:26	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:26	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:26	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 11:26	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 11:26	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 11:26	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 11:26	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 11:26	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 11:26	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 11:26	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 11:26	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 11:26	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 11:26	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 11:26	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 11:26	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 11:26	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 11:26	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 11:26	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 11:26	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 11:26	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 11:26	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 11:26	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	99 %		70-130	1		04/05/14 11:26	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 11:26	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 11:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-4	Lab ID: 92195102004	Collected: 03/26/14 12:06	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	17.9 ug/L		5.0	1	03/28/14 09:20	03/28/14 16:08	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 11:43	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 11:43	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 11:43	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 11:43	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 11:43	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 11:43	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 11:43	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 11:43	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 11:43	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 11:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 11:43	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:43	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:43	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 11:43	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 11:43	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 11:43	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 11:43	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:43	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 11:43	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 11:43	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 11:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 11:43	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 11:43	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 11:43	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 11:43	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 11:43	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 11:43	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 11:43	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 11:43	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 11:43	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 11:43	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 11:43	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 11:43	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 11:43	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 11:43	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 11:43	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 11:43	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 11:43	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 11:43	460-00-4	
1,2-Dichloroethane-d4 (S)	94 %		70-130	1		04/05/14 11:43	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/05/14 11:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW-6								
Lab ID: 92195102005								
Collected: 03/26/14 12:50 Received: 03/27/14 17:15 Matrix: Water								
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND ug/L		5.0	1	03/28/14 09:20	03/28/14 16:11	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND ug/L		1.0	1		04/05/14 12:00	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 12:00	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 12:00	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 12:00	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 12:00	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 12:00	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 12:00	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 12:00	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 12:00	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 12:00	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 12:00	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:00	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:00	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:00	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 12:00	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 12:00	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 12:00	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:00	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:00	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:00	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 12:00	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 12:00	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 12:00	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 12:00	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 12:00	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 12:00	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 12:00	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 12:00	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 12:00	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 12:00	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 12:00	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 12:00	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 12:00	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 12:00	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 12:00	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 12:00	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 12:00	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 12:00	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 12:00	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 12:00	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 12:00	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/05/14 12:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW-7								
Lab ID: 92195102006 Collected: 03/26/14 12:14 Received: 03/27/14 17:15 Matrix: Water								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND	ug/L	5.0	1	03/28/14 09:20	03/28/14 16:14	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND	ug/L	1.0	1		04/05/14 12:16	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/05/14 12:16	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/05/14 12:16	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/05/14 12:16	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/05/14 12:16	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/05/14 12:16	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/05/14 12:16	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/05/14 12:16	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/05/14 12:16	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/05/14 12:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/05/14 12:16	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:16	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/05/14 12:16	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/05/14 12:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/05/14 12:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/05/14 12:16	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 12:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 12:16	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/05/14 12:16	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/05/14 12:16	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/05/14 12:16	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/05/14 12:16	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/05/14 12:16	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/05/14 12:16	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/05/14 12:16	127-18-4	
Toluene	ND	ug/L	1.0	1		04/05/14 12:16	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/05/14 12:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/05/14 12:16	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/05/14 12:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/05/14 12:16	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/05/14 12:16	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/05/14 12:16	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/05/14 12:16	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/05/14 12:16	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 12:16	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 12:16	17060-07-0	
Toluene-d8 (S)	100 %		70-130	1		04/05/14 12:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-8		Lab ID: 92195102007	Collected: 03/26/14 12:20	Received: 03/27/14 17:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	39.4	ug/L	5.0	1	03/28/14 09:20	04/01/14 21:05	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND	ug/L	1.0	1		04/05/14 12:33	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/05/14 12:33	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/05/14 12:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/05/14 12:33	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/05/14 12:33	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/05/14 12:33	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/05/14 12:33	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/05/14 12:33	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/05/14 12:33	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/05/14 12:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/05/14 12:33	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 12:33	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/05/14 12:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/05/14 12:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/05/14 12:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 12:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/05/14 12:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 12:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 12:33	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/05/14 12:33	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/05/14 12:33	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/05/14 12:33	75-09-2	
Methyl-tert-butyl ether	1.0	ug/L	1.0	1		04/05/14 12:33	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/05/14 12:33	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/05/14 12:33	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/05/14 12:33	127-18-4	
Toluene	ND	ug/L	1.0	1		04/05/14 12:33	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/05/14 12:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/05/14 12:33	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/05/14 12:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/05/14 12:33	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/05/14 12:33	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/05/14 12:33	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/05/14 12:33	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/05/14 12:33	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97 %		70-130	1		04/05/14 12:33	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 12:33	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 12:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample:	Lab ID:	Collected:	Received:	Matrix:				
MW-9	92195102008	03/26/14 12:15	03/27/14 17:15	Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	7.0 ug/L		5.0	1	03/28/14 09:20	04/01/14 21:15	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	270 ug/L		5.0	5		04/07/14 23:22	71-43-2	
Bromodichloromethane	ND ug/L		5.0	5		04/07/14 23:22	75-27-4	
Bromoform	ND ug/L		5.0	5		04/07/14 23:22	75-25-2	
Bromomethane	ND ug/L		25.0	5		04/07/14 23:22	74-83-9	
Carbon tetrachloride	ND ug/L		5.0	5		04/07/14 23:22	56-23-5	
Chlorobenzene	ND ug/L		5.0	5		04/07/14 23:22	108-90-7	
Chloroethane	ND ug/L		5.0	5		04/07/14 23:22	75-00-3	
Chloroform	ND ug/L		5.0	5		04/07/14 23:22	67-66-3	
Chloromethane	ND ug/L		5.0	5		04/07/14 23:22	74-87-3	
Dibromochloromethane	ND ug/L		5.0	5		04/07/14 23:22	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	5		04/07/14 23:22	106-93-4	
1,2-Dichlorobenzene	ND ug/L		5.0	5		04/07/14 23:22	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	5		04/07/14 23:22	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	5		04/07/14 23:22	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	5		04/07/14 23:22	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	5		04/07/14 23:22	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	5		04/07/14 23:22	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	5		04/07/14 23:22	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	5		04/07/14 23:22	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	5		04/07/14 23:22	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	5		04/07/14 23:22	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		5.0	5		04/07/14 23:22	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	5		04/07/14 23:22	10061-02-6	
Diisopropyl ether	7.4 ug/L		5.0	5		04/07/14 23:22	108-20-3	
Ethylbenzene	425 ug/L		5.0	5		04/07/14 23:22	100-41-4	
Methylene Chloride	ND ug/L		10.0	5		04/07/14 23:22	75-09-2	
Methyl-tert-butyl ether	16.3 ug/L		5.0	5		04/07/14 23:22	1634-04-4	
Naphthalene	214 ug/L		10.0	5		04/07/14 23:22	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	5		04/07/14 23:22	79-34-5	
Tetrachloroethene	ND ug/L		5.0	5		04/07/14 23:22	127-18-4	
Toluene	603 ug/L		5.0	5		04/07/14 23:22	108-88-3	
1,1,1-Trichloroethane	ND ug/L		5.0	5		04/07/14 23:22	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	5		04/07/14 23:22	79-00-5	
Trichloroethene	ND ug/L		5.0	5		04/07/14 23:22	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	5		04/07/14 23:22	75-69-4	
Vinyl chloride	ND ug/L		5.0	5		04/07/14 23:22	75-01-4	
Xylene (Total)	1260 ug/L		10.0	5		04/07/14 23:22	1330-20-7	
m&p-Xylene	766 ug/L		10.0	5		04/07/14 23:22	179601-23-1	
o-Xylene	494 ug/L		5.0	5		04/07/14 23:22	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	101 %		70-130	5		04/07/14 23:22	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	5		04/07/14 23:22	17060-07-0	
Toluene-d8 (S)	101 %		70-130	5		04/07/14 23:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510

Pace Project No.: 92195102

Sample: MW-10	Lab ID: 92195102009	Collected: 03/26/14 12:34	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:19	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	317 ug/L		5.0	5		04/05/14 16:09	71-43-2	
Bromodichloromethane	ND ug/L		5.0	5		04/05/14 16:09	75-27-4	
Bromoform	ND ug/L		5.0	5		04/05/14 16:09	75-25-2	
Bromomethane	ND ug/L		25.0	5		04/05/14 16:09	74-83-9	
Carbon tetrachloride	ND ug/L		5.0	5		04/05/14 16:09	56-23-5	
Chlorobenzene	ND ug/L		5.0	5		04/05/14 16:09	108-90-7	
Chloroethane	ND ug/L		5.0	5		04/05/14 16:09	75-00-3	
Chloroform	ND ug/L		5.0	5		04/05/14 16:09	67-66-3	
Chloromethane	ND ug/L		5.0	5		04/05/14 16:09	74-87-3	
Dibromochloromethane	ND ug/L		5.0	5		04/05/14 16:09	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	5		04/05/14 16:09	106-93-4	
1,2-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:09	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:09	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	5		04/05/14 16:09	106-46-7	
Dichlorodifluoromethane	ND ug/L		5.0	5		04/05/14 16:09	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:09	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	5		04/05/14 16:09	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:09	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:09	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	5		04/05/14 16:09	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	5		04/05/14 16:09	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:09	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	5		04/05/14 16:09	10061-02-6	
Diisopropyl ether	41.3 ug/L		5.0	5		04/05/14 16:09	108-20-3	
Ethylbenzene	99.5 ug/L		5.0	5		04/05/14 16:09	100-41-4	
Methylene Chloride	ND ug/L		10.0	5		04/05/14 16:09	75-09-2	
Methyl-tert-butyl ether	25.3 ug/L		5.0	5		04/05/14 16:09	1634-04-4	
Naphthalene	49.1 ug/L		10.0	5		04/05/14 16:09	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	5		04/05/14 16:09	79-34-5	
Tetrachloroethene	ND ug/L		5.0	5		04/05/14 16:09	127-18-4	
Toluene	625 ug/L		5.0	5		04/05/14 16:09	108-88-3	
1,1,1-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:09	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	5		04/05/14 16:09	79-00-5	
Trichloroethene	ND ug/L		5.0	5		04/05/14 16:09	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	5		04/05/14 16:09	75-69-4	
Vinyl chloride	ND ug/L		5.0	5		04/05/14 16:09	75-01-4	
Xylene (Total)	786 ug/L		10.0	5		04/05/14 16:09	1330-20-7	
m&p-Xylene	446 ug/L		10.0	5		04/05/14 16:09	179601-23-1	
o-Xylene	340 ug/L		5.0	5		04/05/14 16:09	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	99 %		70-130	5		04/05/14 16:09	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	5		04/05/14 16:09	17060-07-0	
Toluene-d8 (S)	102 %		70-130	5		04/05/14 16:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-11	Lab ID: 92195102010	Collected: 03/26/14 12:40	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:22	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 12:50	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 12:50	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 12:50	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 12:50	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 12:50	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 12:50	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 12:50	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 12:50	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 12:50	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 12:50	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 12:50	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:50	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:50	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 12:50	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 12:50	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 12:50	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 12:50	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:50	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:50	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 12:50	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 12:50	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 12:50	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 12:50	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 12:50	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 12:50	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 12:50	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 12:50	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 12:50	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 12:50	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 12:50	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 12:50	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 12:50	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 12:50	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 12:50	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 12:50	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 12:50	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 12:50	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 12:50	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 12:50	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	99 %		70-130	1		04/05/14 12:50	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 12:50	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 12:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-12	Lab ID: 92195102011	Collected: 03/26/14 12:25	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:25	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 13:06	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 13:06	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 13:06	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 13:06	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 13:06	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 13:06	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 13:06	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 13:06	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 13:06	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 13:06	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 13:06	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:06	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:06	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:06	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 13:06	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:06	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:06	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:06	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:06	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:06	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 13:06	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:06	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:06	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 13:06	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 13:06	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 13:06	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 13:06	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 13:06	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 13:06	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 13:06	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 13:06	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:06	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:06	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 13:06	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 13:06	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 13:06	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 13:06	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 13:06	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 13:06	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97 %		70-130	1		04/05/14 13:06	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 13:06	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/05/14 13:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510

Pace Project No.: 92195102

Sample: MW-13	Lab ID: 92195102012	Collected: 03/26/14 12:23	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	8.2 ug/L		5.0	1	03/28/14 09:20	04/01/14 21:38	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 13:23	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 13:23	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 13:23	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 13:23	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 13:23	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 13:23	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 13:23	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 13:23	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 13:23	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 13:23	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 13:23	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:23	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:23	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:23	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 13:23	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:23	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:23	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:23	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:23	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:23	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 13:23	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:23	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:23	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 13:23	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 13:23	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 13:23	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 13:23	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 13:23	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 13:23	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 13:23	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 13:23	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:23	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:23	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 13:23	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 13:23	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 13:23	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 13:23	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 13:23	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 13:23	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 13:23	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 13:23	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 13:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-14	Lab ID: 92195102013	Collected: 03/26/14 14:54	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	187 ug/L		5.0	1	03/28/14 09:20	04/01/14 21:41	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 13:40	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 13:40	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 13:40	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 13:40	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 13:40	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 13:40	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 13:40	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 13:40	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 13:40	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 13:40	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 13:40	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:40	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:40	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:40	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 13:40	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:40	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:40	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:40	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:40	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:40	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 13:40	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:40	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:40	10061-02-6	
Diisopropyl ether	2.3 ug/L		1.0	1		04/05/14 13:40	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 13:40	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 13:40	75-09-2	
Methyl-tert-butyl ether	5.9 ug/L		1.0	1		04/05/14 13:40	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 13:40	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 13:40	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 13:40	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 13:40	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:40	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:40	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 13:40	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 13:40	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 13:40	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 13:40	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 13:40	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 13:40	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 13:40	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 13:40	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 13:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-15	Lab ID: 92195102014	Collected: 03/26/14 14:59	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:45	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 13:56	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 13:56	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 13:56	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 13:56	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 13:56	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 13:56	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 13:56	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 13:56	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 13:56	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 13:56	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 13:56	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:56	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:56	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 13:56	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 13:56	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:56	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 13:56	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:56	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:56	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 13:56	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 13:56	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:56	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 13:56	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 13:56	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 13:56	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 13:56	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 13:56	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 13:56	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 13:56	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 13:56	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 13:56	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:56	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 13:56	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 13:56	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 13:56	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 13:56	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 13:56	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 13:56	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 13:56	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 13:56	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 13:56	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 13:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: MW-16	Lab ID: 92195102015	Collected: 03/26/14 14:45	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	614 ug/L		25.0	5	03/28/14 09:20	04/03/14 15:42	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND ug/L		1.0	1		04/05/14 14:13	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 14:13	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 14:13	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 14:13	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 14:13	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 14:13	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 14:13	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 14:13	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 14:13	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 14:13	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 14:13	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:13	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:13	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:13	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 14:13	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:13	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:13	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:13	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:13	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:13	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 14:13	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:13	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:13	10061-02-6	
Diisopropyl ether	2.4 ug/L		1.0	1		04/05/14 14:13	108-20-3	
Ethylbenzene	1.6 ug/L		1.0	1		04/05/14 14:13	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 14:13	75-09-2	
Methyl-tert-butyl ether	50.3 ug/L		1.0	1		04/05/14 14:13	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 14:13	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 14:13	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 14:13	127-18-4	
Toluene	5.8 ug/L		1.0	1		04/05/14 14:13	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:13	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:13	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 14:13	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 14:13	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 14:13	75-01-4	
Xylene (Total)	5.8 ug/L		2.0	1		04/05/14 14:13	1330-20-7	
m&p-Xylene	2.3 ug/L		2.0	1		04/05/14 14:13	179601-23-1	
o-Xylene	3.5 ug/L		1.0	1		04/05/14 14:13	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97 %		70-130	1		04/05/14 14:13	460-00-4	
1,2-Dichloroethane-d4 (S)	95 %		70-130	1		04/05/14 14:13	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 14:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510

Pace Project No.: 92195102

Sample: MW-18	Lab ID: 92195102016	Collected: 03/26/14 14:37	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:54	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 14:29	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 14:29	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 14:29	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 14:29	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 14:29	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 14:29	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 14:29	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 14:29	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 14:29	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 14:29	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 14:29	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:29	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:29	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:29	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 14:29	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:29	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:29	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:29	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:29	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:29	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 14:29	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:29	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:29	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 14:29	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 14:29	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 14:29	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 14:29	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 14:29	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 14:29	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 14:29	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 14:29	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:29	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:29	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 14:29	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 14:29	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 14:29	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 14:29	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 14:29	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 14:29	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 14:29	460-00-4	
1,2-Dichloroethane-d4 (S)	97 %		70-130	1		04/05/14 14:29	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 14:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510

Pace Project No.: 92195102

Sample: MW-19	Lab ID: 92195102017	Collected: 03/26/14 14:50	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 21:57	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 14:46	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 14:46	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 14:46	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 14:46	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 14:46	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 14:46	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 14:46	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 14:46	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 14:46	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 14:46	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 14:46	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:46	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:46	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 14:46	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 14:46	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:46	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 14:46	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:46	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:46	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 14:46	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 14:46	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:46	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 14:46	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 14:46	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 14:46	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 14:46	75-09-2	
Methyl-tert-butyl ether	3.2 ug/L		1.0	1		04/05/14 14:46	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 14:46	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 14:46	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 14:46	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 14:46	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:46	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 14:46	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 14:46	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 14:46	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 14:46	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 14:46	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 14:46	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 14:46	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	96 %		70-130	1		04/05/14 14:46	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 14:46	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 14:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: NAPLES #27510
 Pace Project No.: 92195102

Sample: MW-20	Lab ID: 92195102018	Collected: 03/26/14 14:40	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	123 ug/L		5.0	1	03/28/14 09:20	04/01/14 22:08	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND ug/L		1.0	1		04/05/14 15:03	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 15:03	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 15:03	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 15:03	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 15:03	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 15:03	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 15:03	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 15:03	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 15:03	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 15:03	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 15:03	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:03	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:03	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:03	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 15:03	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 15:03	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 15:03	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:03	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:03	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:03	156-60-5	
1,2-Dichloropropane	ND ug/L		1.0	1		04/05/14 15:03	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 15:03	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 15:03	10061-02-6	
Diisopropyl ether	14.0 ug/L		1.0	1		04/05/14 15:03	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 15:03	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 15:03	75-09-2	
Methyl-tert-butyl ether	5.2 ug/L		1.0	1		04/05/14 15:03	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 15:03	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 15:03	79-34-5	
Tetrachloroethene	ND ug/L		1.0	1		04/05/14 15:03	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 15:03	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 15:03	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 15:03	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 15:03	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 15:03	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 15:03	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 15:03	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 15:03	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 15:03	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	97 %		70-130	1		04/05/14 15:03	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 15:03	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 15:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: DMW-1	Lab ID: 92195102019	Collected: 03/26/14 12:43	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND ug/L		5.0	1	03/28/14 09:20	04/01/14 22:11	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND ug/L		1.0	1		04/05/14 15:19	71-43-2	
Bromodichloromethane	ND ug/L		1.0	1		04/05/14 15:19	75-27-4	
Bromoform	ND ug/L		1.0	1		04/05/14 15:19	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/05/14 15:19	74-83-9	
Carbon tetrachloride	ND ug/L		1.0	1		04/05/14 15:19	56-23-5	
Chlorobenzene	ND ug/L		1.0	1		04/05/14 15:19	108-90-7	
Chloroethane	ND ug/L		1.0	1		04/05/14 15:19	75-00-3	
Chloroform	ND ug/L		1.0	1		04/05/14 15:19	67-66-3	
Chloromethane	ND ug/L		1.0	1		04/05/14 15:19	74-87-3	
Dibromochloromethane	ND ug/L		1.0	1		04/05/14 15:19	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		1.0	1		04/05/14 15:19	106-93-4	
1,2-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:19	95-50-1	
1,3-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:19	541-73-1	
1,4-Dichlorobenzene	ND ug/L		1.0	1		04/05/14 15:19	106-46-7	
Dichlorodifluoromethane	ND ug/L		1.0	1		04/05/14 15:19	75-71-8	
1,1-Dichloroethane	ND ug/L		1.0	1		04/05/14 15:19	75-34-3	
1,2-Dichloroethane	ND ug/L		1.0	1		04/05/14 15:19	107-06-2	
1,1-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:19	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:19	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		1.0	1		04/05/14 15:19	156-60-5	
1,2-Dichloropropane	1.0 ug/L		1.0	1		04/05/14 15:19	78-87-5	
cis-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 15:19	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		1.0	1		04/05/14 15:19	10061-02-6	
Diisopropyl ether	ND ug/L		1.0	1		04/05/14 15:19	108-20-3	
Ethylbenzene	ND ug/L		1.0	1		04/05/14 15:19	100-41-4	
Methylene Chloride	ND ug/L		2.0	1		04/05/14 15:19	75-09-2	
Methyl-tert-butyl ether	ND ug/L		1.0	1		04/05/14 15:19	1634-04-4	
Naphthalene	ND ug/L		2.0	1		04/05/14 15:19	91-20-3	
1,1,2,2-Tetrachloroethane	ND ug/L		1.0	1		04/05/14 15:19	79-34-5	
Tetrachloroethene	1.5 ug/L		1.0	1		04/05/14 15:19	127-18-4	
Toluene	ND ug/L		1.0	1		04/05/14 15:19	108-88-3	
1,1,1-Trichloroethane	ND ug/L		1.0	1		04/05/14 15:19	71-55-6	
1,1,2-Trichloroethane	ND ug/L		1.0	1		04/05/14 15:19	79-00-5	
Trichloroethene	ND ug/L		1.0	1		04/05/14 15:19	79-01-6	
Trichlorofluoromethane	ND ug/L		1.0	1		04/05/14 15:19	75-69-4	
Vinyl chloride	ND ug/L		1.0	1		04/05/14 15:19	75-01-4	
Xylene (Total)	ND ug/L		2.0	1		04/05/14 15:19	1330-20-7	
m&p-Xylene	ND ug/L		2.0	1		04/05/14 15:19	179601-23-1	
o-Xylene	ND ug/L		1.0	1		04/05/14 15:19	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 15:19	460-00-4	
1,2-Dichloroethane-d4 (S)	97 %		70-130	1		04/05/14 15:19	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 15:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: TRIP BLANK Lab ID: 92195102020 Collected: 03/26/14 00:00 Received: 03/27/14 17:15 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND	ug/L	1.0	1		04/05/14 15:36	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/05/14 15:36	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/05/14 15:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/05/14 15:36	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/05/14 15:36	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/05/14 15:36	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/05/14 15:36	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/05/14 15:36	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/05/14 15:36	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/05/14 15:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/05/14 15:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 15:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 15:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/05/14 15:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/05/14 15:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/05/14 15:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/05/14 15:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/05/14 15:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 15:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/05/14 15:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/05/14 15:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 15:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/05/14 15:36	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/05/14 15:36	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/05/14 15:36	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/05/14 15:36	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/05/14 15:36	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/05/14 15:36	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/05/14 15:36	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/05/14 15:36	127-18-4	
Toluene	ND	ug/L	1.0	1		04/05/14 15:36	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/05/14 15:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/05/14 15:36	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/05/14 15:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/05/14 15:36	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/05/14 15:36	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/05/14 15:36	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/05/14 15:36	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/05/14 15:36	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/05/14 15:36	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/05/14 15:36	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/05/14 15:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: WSW-1								
Lab ID: 92195102021								
Collected: 03/26/14 13:07 Received: 03/27/14 17:15 Matrix: Water								
504 GCS EDB and DBCP								
Analytical Method: EPA 504.1 Preparation Method: EPA 504.1								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	1	03/31/14 14:24	03/31/14 21:39	106-93-4	
Surrogates								
1-Chloro-2-bromopropane (S)	101	%	70-130	1	03/31/14 14:24	03/31/14 21:39	301-79-56	
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND	ug/L	5.0	1	03/28/14 09:20	04/01/14 22:24	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND	ug/L	1.0	1		04/07/14 20:20	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/07/14 20:20	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/07/14 20:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/14 20:20	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/07/14 20:20	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/07/14 20:20	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/07/14 20:20	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/07/14 20:20	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/07/14 20:20	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/07/14 20:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/07/14 20:20	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:20	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/07/14 20:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/07/14 20:20	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:20	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/07/14 20:20	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/07/14 20:20	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/07/14 20:20	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/07/14 20:20	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/07/14 20:20	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/07/14 20:20	79-34-5	
Tetrachloroethene	9.6	ug/L	1.0	1		04/07/14 20:20	127-18-4	
Toluene	ND	ug/L	1.0	1		04/07/14 20:20	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:20	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/07/14 20:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/07/14 20:20	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/07/14 20:20	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/07/14 20:20	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/07/14 20:20	179601-23-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-1		Lab ID: 92195102021	Collected: 03/26/14 13:07	Received: 03/27/14 17:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
o-Xylene	ND	ug/L	1.0	1		04/07/14 20:20	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/07/14 20:20	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/07/14 20:20	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/07/14 20:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-2		Lab ID: 92195102022	Collected: 03/26/14 15:35	Received: 03/27/14 17:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
504 GCS EDB and DBCP		Analytical Method: EPA 504.1 Preparation Method: EPA 504.1						
1,2-Dibromoethane (EDB)	ND	ug/L	0.019	1	03/31/14 14:24	03/31/14 22:00	106-93-4	
Surrogates								
1-Chloro-2-bromopropane (S)	102 %		70-130	1	03/31/14 14:24	03/31/14 22:00	301-79-56	
200.7 MET ICP		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7						
Lead	ND	ug/L	5.0	1	03/28/14 09:20	04/01/14 22:27	7439-92-1	
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
Benzene	ND	ug/L	1.0	1		04/07/14 20:36	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/07/14 20:36	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/07/14 20:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/14 20:36	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/07/14 20:36	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/07/14 20:36	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/07/14 20:36	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/07/14 20:36	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/07/14 20:36	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/07/14 20:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/07/14 20:36	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:36	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/07/14 20:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/07/14 20:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:36	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/07/14 20:36	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/07/14 20:36	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/07/14 20:36	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/07/14 20:36	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/07/14 20:36	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/07/14 20:36	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/07/14 20:36	127-18-4	
Toluene	ND	ug/L	1.0	1		04/07/14 20:36	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:36	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/07/14 20:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/07/14 20:36	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/07/14 20:36	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/07/14 20:36	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/07/14 20:36	179601-23-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-2		Lab ID: 92195102022	Collected: 03/26/14 15:35	Received: 03/27/14 17:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
o-Xylene	ND	ug/L	1.0	1		04/07/14 20:36	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	99 %		70-130	1		04/07/14 20:36	460-00-4	
1,2-Dichloroethane-d4 (S)	94 %		70-130	1		04/07/14 20:36	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/07/14 20:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510

Pace Project No.: 92195102

Sample: WSW-6	Lab ID: 92195102023	Collected: 03/26/14 15:37	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
504 GCS EDB and DBCP								
Analytical Method: EPA 504.1 Preparation Method: EPA 504.1								
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	1	03/31/14 14:24	03/31/14 22:21	106-93-4	
Surrogates								
1-Chloro-2-bromopropane (S)	103	%	70-130	1	03/31/14 14:24	03/31/14 22:21	301-79-56	
200.7 MET ICP								
Analytical Method: EPA 200.7 Preparation Method: EPA 200.7								
Lead	ND	ug/L	5.0	1	03/28/14 09:20	04/01/14 22:30	7439-92-1	
601/602 Volatiles by SM 6200								
Analytical Method: SM 6200B								
Benzene	ND	ug/L	1.0	1		04/07/14 20:53	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/07/14 20:53	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/07/14 20:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/14 20:53	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/07/14 20:53	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/07/14 20:53	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/07/14 20:53	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/07/14 20:53	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/07/14 20:53	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/07/14 20:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/07/14 20:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 20:53	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/07/14 20:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/07/14 20:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 20:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/07/14 20:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 20:53	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/07/14 20:53	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/07/14 20:53	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/07/14 20:53	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/07/14 20:53	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/07/14 20:53	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/07/14 20:53	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/07/14 20:53	127-18-4	
Toluene	ND	ug/L	1.0	1		04/07/14 20:53	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/07/14 20:53	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/07/14 20:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/07/14 20:53	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/07/14 20:53	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/07/14 20:53	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/07/14 20:53	179601-23-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-6		Lab ID: 92195102023	Collected: 03/26/14 15:37	Received: 03/27/14 17:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
601/602 Volatiles by SM 6200		Analytical Method: SM 6200B						
o-Xylene	ND	ug/L	1.0	1		04/07/14 20:53	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/07/14 20:53	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/07/14 20:53	17060-07-0	
Toluene-d8 (S)	102 %		70-130	1		04/07/14 20:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-9	Lab ID: 92195102024	Collected: 03/26/14 15:57	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
504 GCS EDB and DBCP	Analytical Method: EPA 504.1 Preparation Method: EPA 504.1							
1,2-Dibromoethane (EDB)	ND	ug/L	0.020	1	03/31/14 14:24	03/31/14 22:41	106-93-4	
Surrogates								
1-Chloro-2-bromopropane (S)	100 %		70-130	1	03/31/14 14:24	03/31/14 22:41	301-79-56	
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Lead	ND	ug/L	5.0	1	03/28/14 09:20	04/01/14 22:33	7439-92-1	
601/602 Volatiles by SM 6200	Analytical Method: SM 6200B							
Benzene	ND	ug/L	1.0	1		04/07/14 21:09	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/07/14 21:09	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/07/14 21:09	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/07/14 21:09	74-83-9	
Carbon tetrachloride	ND	ug/L	1.0	1		04/07/14 21:09	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/07/14 21:09	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/07/14 21:09	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/07/14 21:09	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/07/14 21:09	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/07/14 21:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		04/07/14 21:09	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 21:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 21:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/07/14 21:09	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		04/07/14 21:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/07/14 21:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/07/14 21:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/07/14 21:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 21:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/07/14 21:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/07/14 21:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 21:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/07/14 21:09	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		04/07/14 21:09	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		04/07/14 21:09	100-41-4	
Methylene Chloride	ND	ug/L	2.0	1		04/07/14 21:09	75-09-2	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		04/07/14 21:09	1634-04-4	
Naphthalene	ND	ug/L	2.0	1		04/07/14 21:09	91-20-3	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/07/14 21:09	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/07/14 21:09	127-18-4	
Toluene	ND	ug/L	1.0	1		04/07/14 21:09	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/07/14 21:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/07/14 21:09	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/07/14 21:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/07/14 21:09	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/07/14 21:09	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		04/07/14 21:09	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		04/07/14 21:09	179601-23-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: WSW-9	Lab ID: 92195102024	Collected: 03/26/14 15:57	Received: 03/27/14 17:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
601/602 Volatiles by SM 6200	Analytical Method: SM 6200B							
o-Xylene	ND	ug/L	1.0	1		04/07/14 21:09	95-47-6	
Surrogates								
4-Bromofluorobenzene (S)	98 %		70-130	1		04/07/14 21:09	460-00-4	
1,2-Dichloroethane-d4 (S)	96 %		70-130	1		04/07/14 21:09	17060-07-0	
Toluene-d8 (S)	101 %		70-130	1		04/07/14 21:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: SVE - Cycle		Lab ID: 92195102025	Collected: 03/26/14 13:05	Received: 03/27/14 17:15	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15						
Benzene	ND	ppbv	0.67	1.34		04/07/14 04:24	71-43-2	
Ethylbenzene	ND	ppbv	0.67	1.34		04/07/14 04:24	100-41-4	
Naphthalene	ND	ppbv	0.67	1.34		04/07/14 04:24	91-20-3	
THC as Gas	221	ppbv	46.9	1.34		04/07/14 04:24		
Toluene	209	ppbv	9.0	17.96		04/07/14 15:48	108-88-3	
m&p-Xylene	2.5	ppbv	1.3	1.34		04/07/14 04:24	179601-23-1	
o-Xylene	1.3	ppbv	0.67	1.34		04/07/14 04:24	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ANALYTICAL RESULTS

Project: NAPLES #27510
Pace Project No.: 92195102

Sample: SVE - Citgo		Lab ID: 92195102026	Collected: 03/26/14 15:12	Received: 03/27/14 17:15	Matrix: Air			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15							
Benzene	3.3	ppbv	0.67	1.34		04/07/14 04:51	71-43-2	
Ethylbenzene	ND	ppbv	0.67	1.34		04/07/14 04:51	100-41-4	
Naphthalene	ND	ppbv	0.67	1.34		04/07/14 04:51	91-20-3	
THC as Gas	747	ppbv	46.9	1.34		04/07/14 04:51		
Toluene	3790	ppbv	107	214.4		04/07/14 16:13	108-88-3	A3
m&p-Xylene	ND	ppbv	1.3	1.34		04/07/14 04:51	179601-23-1	
o-Xylene	ND	ppbv	0.67	1.34		04/07/14 04:51	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

QC Batch: AIR/19876 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR
Associated Lab Samples: 92195102025, 92195102026

METHOD BLANK: 1651327 Matrix: Air
Associated Lab Samples: 92195102025, 92195102026

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ppbv	ND	0.50	04/06/14 22:56	
Ethylbenzene	ppbv	ND	0.50	04/06/14 22:56	
m&p-Xylene	ppbv	ND	1.0	04/06/14 22:56	
Naphthalene	ppbv	ND	0.50	04/06/14 22:56	
o-Xylene	ppbv	ND	0.50	04/06/14 22:56	
THC as Gas	ppbv	ND	35.0	04/06/14 22:56	
Toluene	ppbv	ND	0.50	04/06/14 22:56	

LABORATORY CONTROL SAMPLE: 1651328

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ppbv	10	11.3	113	69-134	
Ethylbenzene	ppbv	10	13.0	130	73-139	
m&p-Xylene	ppbv	10	12.9	129	73-139	
Naphthalene	ppbv	10	17.0	170	61-150	L3
o-Xylene	ppbv	10	12.1	121	71-138	
THC as Gas	ppbv	720	869	121	65-136	
Toluene	ppbv	10	11.5	115	67-133	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

QC Batch: MPRP/15540 Analysis Method: EPA 200.7
QC Batch Method: EPA 200.7 Analysis Description: 200.7 MET
Associated Lab Samples: 92195102001, 92195102002, 92195102003, 92195102004, 92195102005, 92195102006

METHOD BLANK: 1166813 Matrix: Water
Associated Lab Samples: 92195102001, 92195102002, 92195102003, 92195102004, 92195102005, 92195102006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	5.0	03/28/14 14:38	

LABORATORY CONTROL SAMPLE: 1166814

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	500	473	95	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1166815 1166816

Parameter	Units	92194606001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Lead	ug/L	ND	500	500	480	449	95	89	70-130	7	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1166817 1166818

Parameter	Units	92194725001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Lead	ug/L	ND	500	500	452	458	90	92	70-130	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

QC Batch: MPRP/15541 Analysis Method: EPA 200.7
QC Batch Method: EPA 200.7 Analysis Description: 200.7 MET
Associated Lab Samples: 92195102007, 92195102008, 92195102009, 92195102010, 92195102011, 92195102012, 92195102013, 92195102014, 92195102015, 92195102016, 92195102017, 92195102018, 92195102019, 92195102021, 92195102022, 92195102023, 92195102024

METHOD BLANK: 1166819 Matrix: Water
Associated Lab Samples: 92195102007, 92195102008, 92195102009, 92195102010, 92195102011, 92195102012, 92195102013, 92195102014, 92195102015, 92195102016, 92195102017, 92195102018, 92195102019, 92195102021, 92195102022, 92195102023, 92195102024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	5.0	04/01/14 20:58	

LABORATORY CONTROL SAMPLE: 1166820

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	500	504	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1166821 1166822

Parameter	Units	92195102007 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result					
Lead	ug/L	39.4	500	500	442	446	81	81	70-130	1	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1166823 1166824

Parameter	Units	92195102017 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result					
Lead	ug/L	ND	500	500	477	486	95	97	70-130	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

METHOD BLANK: 1171668

Matrix: Water

Associated Lab Samples: 92195102001, 92195102002, 92195102003, 92195102004, 92195102005, 92195102006, 92195102007, 92195102009, 92195102010, 92195102011, 92195102012, 92195102013, 92195102014, 92195102015, 92195102016, 92195102017, 92195102018, 92195102019, 92195102020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2-Dichloroethane-d4 (S)	%	96	70-130	04/05/14 11:10	
4-Bromofluorobenzene (S)	%	99	70-130	04/05/14 11:10	
Toluene-d8 (S)	%	101	70-130	04/05/14 11:10	

LABORATORY CONTROL SAMPLE: 1171669

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.8	100	60-140	
1,1,2,2-Tetrachloroethane	ug/L	50	50.9	102	60-140	
1,1,2-Trichloroethane	ug/L	50	52.0	104	60-140	
1,1-Dichloroethane	ug/L	50	46.7	93	60-140	
1,1-Dichloroethene	ug/L	50	48.6	97	60-140	
1,2-Dibromoethane (EDB)	ug/L	50	53.3	107	60-140	
1,2-Dichlorobenzene	ug/L	50	53.5	107	60-140	
1,2-Dichloroethane	ug/L	50	48.5	97	60-140	
1,2-Dichloropropane	ug/L	50	49.4	99	60-140	
1,3-Dichlorobenzene	ug/L	50	52.2	104	60-140	
1,4-Dichlorobenzene	ug/L	50	51.5	103	60-140	
Benzene	ug/L	50	49.7	99	60-140	
Bromodichloromethane	ug/L	50	54.5	109	60-140	
Bromoform	ug/L	50	46.1	92	60-140	
Bromomethane	ug/L	50	52.0	104	60-140	
Carbon tetrachloride	ug/L	50	53.3	107	60-140	
Chlorobenzene	ug/L	50	49.9	100	60-140	
Chloroethane	ug/L	50	43.2	86	60-140	
Chloroform	ug/L	50	47.3	95	60-140	
Chloromethane	ug/L	50	45.5	91	60-140	
cis-1,2-Dichloroethene	ug/L	50	46.4	93	60-140	
cis-1,3-Dichloropropene	ug/L	50	52.7	105	60-140	
Dibromochloromethane	ug/L	50	49.1	98	60-140	
Dichlorodifluoromethane	ug/L	50	52.0	104	60-140	
Diisopropyl ether	ug/L	50	47.9	96	60-140	
Ethylbenzene	ug/L	50	50.3	101	60-140	
m&p-Xylene	ug/L	100	104	104	60-140	
Methyl-tert-butyl ether	ug/L	50	49.6	99	60-140	
Methylene Chloride	ug/L	50	52.1	104	60-140	
Naphthalene	ug/L	50	56.1	112	60-140	
o-Xylene	ug/L	50	52.1	104	60-140	
Tetrachloroethene	ug/L	50	49.7	99	60-140	
Toluene	ug/L	50	49.1	98	60-140	
trans-1,2-Dichloroethene	ug/L	50	45.6	91	60-140	
trans-1,3-Dichloropropene	ug/L	50	55.6	111	60-140	
Trichloroethene	ug/L	50	49.2	98	60-140	
Trichlorofluoromethane	ug/L	50	45.4	91	60-140	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

LABORATORY CONTROL SAMPLE: 1171669

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Vinyl chloride	ug/L	50	47.3	95	60-140	
Xylene (Total)	ug/L	150	156	104	60-140	
1,2-Dichloroethane-d4 (S)	%			94	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1171670 1171671

Parameter	92195102019		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
	Units	Result	Conc.	Conc.	Result	Result	% Rec	% Rec	Limits		
1,1,1-Trichloroethane	ug/L	ND	20	20	21.7	22.6	109	113	60-140	4	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	20.2	21.1	101	106	60-140	5	
1,1,2-Trichloroethane	ug/L	ND	20	20	21.0	22.2	105	111	60-140	5	
1,1-Dichloroethane	ug/L	ND	20	20	20.0	21.1	99	105	60-140	6	
1,1-Dichloroethene	ug/L	ND	20	20	22.4	23.2	111	115	60-140	4	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.6	22.2	108	111	60-140	3	
1,2-Dichlorobenzene	ug/L	ND	20	20	21.3	22.5	106	112	60-140	6	
1,2-Dichloroethane	ug/L	ND	20	20	19.6	21.0	98	105	60-140	7	
1,2-Dichloropropane	ug/L	1.0	20	20	20.8	22.4	99	107	60-140	7	
1,3-Dichlorobenzene	ug/L	ND	20	20	20.9	22.4	104	112	60-140	7	
1,4-Dichlorobenzene	ug/L	ND	20	20	21.1	22.2	105	111	60-140	5	
Benzene	ug/L	ND	20	20	20.5	21.6	103	108	60-140	5	
Bromodichloromethane	ug/L	ND	20	20	21.7	22.4	109	112	60-140	3	
Bromoform	ug/L	ND	20	20	18.9	19.2	95	96	60-140	1	
Bromomethane	ug/L	ND	20	20	24.9	26.7	125	133	60-140	7	
Carbon tetrachloride	ug/L	ND	20	20	22.4	23.6	112	118	60-140	5	
Chlorobenzene	ug/L	ND	20	20	20.4	21.2	102	106	60-140	4	
Chloroethane	ug/L	ND	20	20	21.1	21.6	105	108	60-140	3	
Chloroform	ug/L	ND	20	20	19.7	20.9	97	103	60-140	6	
Chloromethane	ug/L	ND	20	20	19.0	20.0	95	100	60-140	5	
cis-1,2-Dichloroethene	ug/L	ND	20	20	19.5	20.5	98	103	60-140	5	
cis-1,3-Dichloropropene	ug/L	ND	20	20	21.4	22.6	107	113	60-140	6	
Dibromochloromethane	ug/L	ND	20	20	19.8	20.2	99	101	60-140	2	
Dichlorodifluoromethane	ug/L	ND	20	20	21.2	22.7	106	113	60-140	7	
Diisopropyl ether	ug/L	ND	20	20	19.7	20.7	99	103	60-140	5	
Ethylbenzene	ug/L	ND	20	20	20.9	21.8	104	109	60-140	5	
m&p-Xylene	ug/L	ND	40	40	43.9	46.5	110	116	60-140	6	
Methyl-tert-butyl ether	ug/L	ND	20	20	20.2	21.5	100	107	60-140	6	
Methylene Chloride	ug/L	ND	20	20	19.5	20.4	97	102	60-140	4	
Naphthalene	ug/L	ND	20	20	21.8	23.1	109	115	60-140	6	
o-Xylene	ug/L	ND	20	20	21.1	22.3	105	111	60-140	6	
Tetrachloroethene	ug/L	1.5	20	20	23.0	24.1	108	113	60-140	5	
Toluene	ug/L	ND	20	20	20.2	21.5	101	107	60-140	6	
trans-1,2-Dichloroethene	ug/L	ND	20	20	20.4	21.3	102	106	60-140	4	
trans-1,3-Dichloropropene	ug/L	ND	20	20	22.2	23.3	111	116	60-140	5	
Trichloroethene	ug/L	ND	20	20	20.9	22.0	105	110	60-140	5	
Trichlorofluoromethane	ug/L	ND	20	20	22.9	23.8	115	119	60-140	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

Parameter	92195102019		MS		MSD		MS		MSD		% Rec Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Vinyl chloride	ug/L	ND	20	20	21.2	21.7	106	108	60-140	2			
1,2-Dichloroethane-d4 (S)	%						94	96	70-130				
4-Bromofluorobenzene (S)	%						102	100	70-130				
Toluene-d8 (S)	%						101	101	70-130				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

QC Batch: MSV/26348 Analysis Method: SM 6200B
QC Batch Method: SM 6200B Analysis Description: 601/602 Volatiles by SM 6200
Associated Lab Samples: 92195102008, 92195102021, 92195102022, 92195102023, 92195102024

METHOD BLANK: 1173106 Matrix: Water
Associated Lab Samples: 92195102008, 92195102021, 92195102022, 92195102023, 92195102024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	1.0	04/07/14 18:07	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	04/07/14 18:07	
1,1,2-Trichloroethane	ug/L	ND	1.0	04/07/14 18:07	
1,1-Dichloroethane	ug/L	ND	1.0	04/07/14 18:07	
1,1-Dichloroethene	ug/L	ND	1.0	04/07/14 18:07	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	04/07/14 18:07	
1,2-Dichlorobenzene	ug/L	ND	1.0	04/07/14 18:07	
1,2-Dichloroethane	ug/L	ND	1.0	04/07/14 18:07	
1,2-Dichloropropane	ug/L	ND	1.0	04/07/14 18:07	
1,3-Dichlorobenzene	ug/L	ND	1.0	04/07/14 18:07	
1,4-Dichlorobenzene	ug/L	ND	1.0	04/07/14 18:07	
Benzene	ug/L	ND	1.0	04/07/14 18:07	
Bromodichloromethane	ug/L	ND	1.0	04/07/14 18:07	
Bromoform	ug/L	ND	1.0	04/07/14 18:07	
Bromomethane	ug/L	ND	5.0	04/07/14 18:07	
Carbon tetrachloride	ug/L	ND	1.0	04/07/14 18:07	
Chlorobenzene	ug/L	ND	1.0	04/07/14 18:07	
Chloroethane	ug/L	ND	1.0	04/07/14 18:07	
Chloroform	ug/L	ND	1.0	04/07/14 18:07	
Chloromethane	ug/L	ND	1.0	04/07/14 18:07	
cis-1,2-Dichloroethene	ug/L	ND	1.0	04/07/14 18:07	
cis-1,3-Dichloropropene	ug/L	ND	1.0	04/07/14 18:07	
Dibromochloromethane	ug/L	ND	1.0	04/07/14 18:07	
Dichlorodifluoromethane	ug/L	ND	1.0	04/07/14 18:07	
Diisopropyl ether	ug/L	ND	1.0	04/07/14 18:07	
Ethylbenzene	ug/L	ND	1.0	04/07/14 18:07	
m&p-Xylene	ug/L	ND	2.0	04/07/14 18:07	
Methyl-tert-butyl ether	ug/L	ND	1.0	04/07/14 18:07	
Methylene Chloride	ug/L	ND	2.0	04/07/14 18:07	
Naphthalene	ug/L	ND	2.0	04/07/14 18:07	
o-Xylene	ug/L	ND	1.0	04/07/14 18:07	
Tetrachloroethene	ug/L	ND	1.0	04/07/14 18:07	
Toluene	ug/L	ND	1.0	04/07/14 18:07	
trans-1,2-Dichloroethene	ug/L	ND	1.0	04/07/14 18:07	
trans-1,3-Dichloropropene	ug/L	ND	1.0	04/07/14 18:07	
Trichloroethene	ug/L	ND	1.0	04/07/14 18:07	
Trichlorofluoromethane	ug/L	ND	1.0	04/07/14 18:07	
Vinyl chloride	ug/L	ND	1.0	04/07/14 18:07	
Xylene (Total)	ug/L	ND	2.0	04/07/14 18:07	
1,2-Dichloroethane-d4 (S)	%	98	70-130	04/07/14 18:07	
4-Bromofluorobenzene (S)	%	99	70-130	04/07/14 18:07	
Toluene-d8 (S)	%	103	70-130	04/07/14 18:07	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

LABORATORY CONTROL SAMPLE: 1173107

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.9	114	60-140	
1,1,2,2-Tetrachloroethane	ug/L	50	53.7	107	60-140	
1,1,2-Trichloroethane	ug/L	50	55.4	111	60-140	
1,1-Dichloroethane	ug/L	50	52.1	104	60-140	
1,1-Dichloroethene	ug/L	50	54.3	109	60-140	
1,2-Dibromoethane (EDB)	ug/L	50	57.1	114	60-140	
1,2-Dichlorobenzene	ug/L	50	56.8	114	60-140	
1,2-Dichloroethane	ug/L	50	53.5	107	60-140	
1,2-Dichloropropane	ug/L	50	52.0	104	60-140	
1,3-Dichlorobenzene	ug/L	50	55.6	111	60-140	
1,4-Dichlorobenzene	ug/L	50	55.1	110	60-140	
Benzene	ug/L	50	53.0	106	60-140	
Bromodichloromethane	ug/L	50	59.2	118	60-140	
Bromoform	ug/L	50	51.4	103	60-140	
Bromomethane	ug/L	50	58.6	117	60-140	
Carbon tetrachloride	ug/L	50	57.8	116	60-140	
Chlorobenzene	ug/L	50	52.7	105	60-140	
Chloroethane	ug/L	50	46.4	93	60-140	
Chloroform	ug/L	50	52.8	106	60-140	
Chloromethane	ug/L	50	46.7	93	60-140	
cis-1,2-Dichloroethene	ug/L	50	51.9	104	60-140	
cis-1,3-Dichloropropene	ug/L	50	59.3	119	60-140	
Dibromochloromethane	ug/L	50	53.1	106	60-140	
Dichlorodifluoromethane	ug/L	50	50.5	101	60-140	
Diisopropyl ether	ug/L	50	52.8	106	60-140	
Ethylbenzene	ug/L	50	53.8	108	60-140	
m&p-Xylene	ug/L	100	114	114	60-140	
Methyl-tert-butyl ether	ug/L	50	54.8	110	60-140	
Methylene Chloride	ug/L	50	55.4	111	60-140	
Naphthalene	ug/L	50	59.3	119	60-140	
o-Xylene	ug/L	50	55.5	111	60-140	
Tetrachloroethene	ug/L	50	54.7	109	60-140	
Toluene	ug/L	50	52.9	106	60-140	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	60-140	
trans-1,3-Dichloropropene	ug/L	50	63.0	126	60-140	
Trichloroethene	ug/L	50	53.0	106	60-140	
Trichlorofluoromethane	ug/L	50	51.4	103	60-140	
Vinyl chloride	ug/L	50	51.6	103	60-140	
Xylene (Total)	ug/L	150	169	113	60-140	
1,2-Dichloroethane-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			102	70-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510

Pace Project No.: 92195102

Parameter	92195102022		MS	MSD	1173108		1173109		% Rec	Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
1,1,1-Trichloroethane	ug/L	ND	20	20	23.3	23.3	116	116	60-140	0		
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	21.9	21.7	110	109	60-140	1		
1,1,2-Trichloroethane	ug/L	ND	20	20	22.7	22.5	114	112	60-140	1		
1,1-Dichloroethane	ug/L	ND	20	20	21.8	21.9	109	109	60-140	0		
1,1-Dichloroethene	ug/L	ND	20	20	23.6	23.7	118	119	60-140	1		
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	23.1	23.1	116	115	60-140	0		
1,2-Dichlorobenzene	ug/L	ND	20	20	23.0	23.1	115	116	60-140	1		
1,2-Dichloroethane	ug/L	ND	20	20	22.0	20.9	110	105	60-140	5		
1,2-Dichloropropane	ug/L	ND	20	20	22.5	22.1	113	111	60-140	2		
1,3-Dichlorobenzene	ug/L	ND	20	20	22.8	23.0	114	115	60-140	1		
1,4-Dichlorobenzene	ug/L	ND	20	20	22.7	22.5	113	113	60-140	1		
Benzene	ug/L	ND	20	20	22.7	22.3	113	112	60-140	2		
Bromodichloromethane	ug/L	ND	20	20	22.4	22.5	112	112	60-140	1		
Bromoform	ug/L	ND	20	20	18.7	18.8	94	94	60-140	0		
Bromomethane	ug/L	ND	20	20	17.9	19.6	90	98	60-140	9		
Carbon tetrachloride	ug/L	ND	20	20	23.2	23.5	116	117	60-140	1		
Chlorobenzene	ug/L	ND	20	20	22.7	22.3	113	111	60-140	2		
Chloroethane	ug/L	ND	20	20	22.7	22.0	114	110	60-140	3		
Chloroform	ug/L	ND	20	20	21.8	21.5	109	108	60-140	1		
Chloromethane	ug/L	ND	20	20	21.7	21.9	108	109	60-140	1		
cis-1,2-Dichloroethene	ug/L	ND	20	20	21.5	21.2	108	106	60-140	1		
cis-1,3-Dichloropropene	ug/L	ND	20	20	22.7	22.5	113	113	60-140	1		
Dibromochloromethane	ug/L	ND	20	20	19.6	20.0	98	100	60-140	2		
Dichlorodifluoromethane	ug/L	ND	20	20	26.6	26.9	133	134	60-140	1		
Diisopropyl ether	ug/L	ND	20	20	21.6	21.8	108	109	60-140	1		
Ethylbenzene	ug/L	ND	20	20	23.4	23.0	117	115	60-140	2		
m&p-Xylene	ug/L	ND	40	40	49.8	48.7	124	122	60-140	2		
Methyl-tert-butyl ether	ug/L	ND	20	20	22.2	22.1	111	110	60-140	0		
Methylene Chloride	ug/L	ND	20	20	20.6	22.3	103	111	60-140	8		
Naphthalene	ug/L	ND	20	20	23.7	23.2	118	115	60-140	2		
o-Xylene	ug/L	ND	20	20	23.3	23.5	117	117	60-140	1		
Tetrachloroethene	ug/L	ND	20	20	23.3	23.3	116	117	60-140	0		
Toluene	ug/L	ND	20	20	23.1	22.5	115	113	60-140	3		
trans-1,2-Dichloroethene	ug/L	ND	20	20	21.9	22.0	110	110	60-140	1		
trans-1,3-Dichloropropene	ug/L	ND	20	20	23.3	23.3	116	116	60-140	0		
Trichloroethene	ug/L	ND	20	20	22.8	22.4	114	112	60-140	2		
Trichlorofluoromethane	ug/L	ND	20	20	24.3	23.9	122	119	60-140	2		
Vinyl chloride	ug/L	ND	20	20	23.4	23.6	117	118	60-140	1		
1,2-Dichloroethane-d4 (S)	%						92	94	70-130			
4-Bromofluorobenzene (S)	%						100	101	70-130			
Toluene-d8 (S)	%						102	100	70-130			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

QUALITY CONTROL DATA

Project: NAPLES #27510
Pace Project No.: 92195102

QC Batch: OEXT/26766 Analysis Method: EPA 504.1
QC Batch Method: EPA 504.1 Analysis Description: GCS 504 EDB DBCP
Associated Lab Samples: 92195102021, 92195102022, 92195102023, 92195102024

METHOD BLANK: 1168196 Matrix: Water
Associated Lab Samples: 92195102021, 92195102022, 92195102023, 92195102024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	ND	0.020	03/31/14 17:34	
1-Chloro-2-bromopropane (S)	%	101	70-130	03/31/14 17:34	

LABORATORY CONTROL SAMPLE & LCSD: 1168197 1168198

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	.28	0.26	0.27	92	92	70-130	2	20	
1-Chloro-2-bromopropane (S)	%				102	103	70-130			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1168199 1168200

Parameter	Units	92195225010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,2-Dibromoethane (EDB)	ug/L	ND	.28	.28	0.25	0.25	90	90	65-135	0	
1-Chloro-2-bromopropane (S)	%						101	101	70-130		

SAMPLE DUPLICATE: 1168201

Parameter	Units	92195225011 Result	Dup Result	RPD	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	ND	ND		
1-Chloro-2-bromopropane (S)	%	103	102	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALIFIERS

Project: NAPLES #27510
Pace Project No.: 92195102

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-A Pace Analytical Services - Asheville
PASI-C Pace Analytical Services - Charlotte
PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

A3 This result is reported from a serial dilution.
D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NAPLES #27510

Pace Project No.: 92195102

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92195102025	SVE - Cycle	TO-15	AIR/19876		
92195102026	SVE - Citgo	TO-15	AIR/19876		
92195102021	WSW-1	EPA 504.1	OEXT/26766	EPA 504.1	GCSV/17115
92195102022	WSW-2	EPA 504.1	OEXT/26766	EPA 504.1	GCSV/17115
92195102023	WSW-6	EPA 504.1	OEXT/26766	EPA 504.1	GCSV/17115
92195102024	WSW-9	EPA 504.1	OEXT/26766	EPA 504.1	GCSV/17115
92195102001	MW-1	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102002	MW-2	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102003	MW-3	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102004	MW-4	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102005	MW-6	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102006	MW-7	EPA 200.7	MPRP/15540	EPA 200.7	ICP/14091
92195102007	MW-8	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102008	MW-9	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102009	MW-10	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102010	MW-11	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102011	MW-12	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102012	MW-13	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102013	MW-14	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102014	MW-15	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102015	MW-16	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102016	MW-18	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102017	MW-19	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102018	MW-20	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102019	DMW-1	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102021	WSW-1	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102022	WSW-2	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102023	WSW-6	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102024	WSW-9	EPA 200.7	MPRP/15541	EPA 200.7	ICP/14092
92195102001	MW-1	SM 6200B	MSV/26318		
92195102002	MW-2	SM 6200B	MSV/26318		
92195102003	MW-3	SM 6200B	MSV/26318		
92195102004	MW-4	SM 6200B	MSV/26318		
92195102005	MW-6	SM 6200B	MSV/26318		
92195102006	MW-7	SM 6200B	MSV/26318		
92195102007	MW-8	SM 6200B	MSV/26318		
92195102008	MW-9	SM 6200B	MSV/26348		
92195102009	MW-10	SM 6200B	MSV/26318		
92195102010	MW-11	SM 6200B	MSV/26318		
92195102011	MW-12	SM 6200B	MSV/26318		
92195102012	MW-13	SM 6200B	MSV/26318		
92195102013	MW-14	SM 6200B	MSV/26318		
92195102014	MW-15	SM 6200B	MSV/26318		
92195102015	MW-16	SM 6200B	MSV/26318		
92195102016	MW-18	SM 6200B	MSV/26318		
92195102017	MW-19	SM 6200B	MSV/26318		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NAPLES #27510
Pace Project No.: 92195102

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92195102018	MW-20	SM 6200B	MSV/26318		
92195102019	DMW-1	SM 6200B	MSV/26318		
92195102020	TRIP BLANK	SM 6200B	MSV/26318		
92195102021	WSW-1	SM 6200B	MSV/26348		
92195102022	WSW-2	SM 6200B	MSV/26348		
92195102023	WSW-6	SM 6200B	MSV/26348		
92195102024	WSW-9	SM 6200B	MSV/26348		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.,

