HP Color LaserJet Enterprise M653 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.

This HP Color LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security.



HP Color LaserJet Enterprise



M653x

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Choose and deploy over 175 HP and third-party security features.

High speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents at up to 60 images per minute.³
- This printer wakes up fast and prints your first page faster—in as quickly as 7.7 seconds.⁴
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner Cartridges with JetIntelligence supply 46% more pages per color cartridge vs predecessor.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Product walkaround

- 1. 500-sheet output bin
- 2. Front door access to toner cartridges
- 3. Wi-Fi Direct printing⁵/Bluetooth Low Energy⁷
- 4. 550-sheet tray 2
- 5. 550-sheet tray 3
- 6. 10.9 cm (4.3-inch) intuitive icon-based colour touchscreen
- 7. Hardware Integration Pocket¹
- 8. Easy-access USB port²
- 9. 100-sheet multipurpose tray 1
- 10. Lower right door (access to print path)
- 11. Built-in automatic two-sided printing
- 12. Slot for cable-type security lock
- 13. Built-in Gigabit Ethernet
- 14. Hi-Speed USB 2.0 printing port
- 15. USB port for connecting external USB devices



HP Color LaserJet Enterprise M653x



Series at a glance





Model	HP Color LaserJet Enterprise M653dn	HP Color LaserJet Enterprise M653x
Product number	J8A04A	J8A05A
Print speeds (A4) ³	Up to 56 ppm	Up to 56 ppm
Control panel	10.9 cm (4.3-inch) intuitive icon-based colour touchscreen	10.9 cm (4.3-inch) intuitive icon-based colour touchscreen
Automatic two-sided printing	Yes	Yes
100-sheet tray 1, 550-sheet tray 2	Yes	Yes
550-sheet tray⁴	Optional (up to two)	Yes (plus up to one optional)
550-sheet tray with stand and cabinet	Optional	Not available
3x550-sheet tray and stand	Optional	Not available
2,000-sheet HCl and 550-sheet tray with stand	Optional	Not available
Direct mobile printing	Optional wireless direct ^s /NFC ⁶	Embedded Wi-Fi Direct®5/Bluetooth Low Energy®7
Wireless networking	Optional [®]	Optional ⁸

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Top Features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds of up to 60 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Product

J8A04A HP Color LaserJet Enterprise M653dn J8A05A HP Color LaserJet Enterprise M653x

Accessories

B5L28A HP Internal USB Ports

B5L29A HP High-Performance Secure Hard Disk
E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
F5S62A HP Trusted Platform Module Accessory
J8030A HP Jetdirect 3000w NFC/Wireless Accessory
J8031A HP Jetdirect 2900nw Print Server
P1B09A HP Color LaserJet 550-sheet Media Tray

P1B10A HP Color LaserJet 550 Sheet Paper Tray with Stand P1B11A HP Color LaserJet 3x550 Sheet Feeder and Stand

P1B12A HP Color LaserJet 1x550/2000-sheet HCI Feeder and Stand

Supplies

CF450A HP 655A Black Original LaserJet Toner Cartridge (12,500 pages) CF451A HP 655A Cyan Original LaserJet Toner Cartridge (10,500 pages) CF452A HP 655A Yellow Original LaserJet Toner Cartridge (10,500 pages) CF453A HP 655A Magenta Original LaserJet Toner Cartridge (10,500 pages) CF460X HP 656X High Yield Black Original LaserJet Toner Cartridge (27,000 pages) CF461X HP 656X High Yield Cyan Original LaserJet Toner Cartridge (22,000 pages) **CF462X** HP 656X High Yield Yellow Original LaserJet Toner Cartridge (22,000 pages) CF463X HP 656X High Yield Magenta Original LaserJet Toner Cartridge (22,000 pages)

P1B91A HP LaserJet 110V Maintenance Kit (Up to 150,000 pages)
P1B92A HP LaserJet 220V Maintenance Kit (Up to 150,000 pages)
P1B93A HP LaserJet Image Transfer Belt Kit (Up to 150,000 pages)
P1B94A HP LaserJet Toner Collection Unit (Up to 100,000 pages)

HP Care Packs

U9NZ6E HP 3 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x U9NZ7E HP 4 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x HP 5 year Next Business Day Service w/Defective Media Retention for Color LaserJet Enterprise M65x **U9NZ8E** HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x U9NZ9E **U9PA0E** HP 4 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x U9PA1E HP 5 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet Enterprise M65x **U9PC0PE** HP 1 year Post Warranty NBD Service w/Defective Media Retention for Color LaserJet Enterprise M65x U9PC1PE HP 2 year Post Warranty NBD Service w/Defective Media Retention for Color LaserJet Enterprise M65x U9PC2PE HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise M65x

HP 2 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise M65x

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

U9PC3PE

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Enterprise M653 series

Model	HP Color LaserJet Enterprise M653dn	HP Color LaserJet Enterprise M653x		
roduct number	J8A04A	J8A05A		
unctions	Print			
Print				
Duplex print options	Automatic (standard)	No. 1 (AT and ATA Hard And Ata		
Print speed ⁸	Black (A4, normal): Up to 56 ppm; Black (letter, normal): Up to 60 ppm; Black (A5, landscape): Up to 74	ppm; Black (A5, portrait): Up to 4 ppm; Black (A4, duplex): Up to 56 ppm; Black (letter, duplex): Up to 60		
	Color (A4, normal): Up to 56 ppm; Color (Draft, A4): Up to 60 ppm; Color (A4, Duplex): Up to 56 ppm; Col	or (letter, Duplex): Up to 60 ppm		
First page out ¹⁰	Black (A4, ready): As fast as 5.8 sec; Black (A4, sleep): As fast as 7.8 sec			
	Color (A4, ready): As fast as 5.8 sec; Color (A4, sleep): As fast as 7.8 sec			
Print technology	Laser			
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi			
Print resolution technology	HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated			
Print cartridges number	4 (1 each black, cyan, magenta, yellow)			
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint) HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver			
Printer management	HP JELAGVANLAGE SECURITY MANAGER; HP SNMP Proxy Agent; HP Web JELAGMIIN SOTTWARE, HP WS PTO Proxy Ag	eni; Printer Administrator Resource Rit for AP Universal Print Driver		
Connectivity Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX		
Standard connectivity	network; Hardware Integration Pocket	network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy		
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Mopria-certified	HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified		
Wireless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w	Yes, Built-in Wi-Fi Direct, Bluetooth low energy; Optional, enabled with purchase of HP Jetdirect 2900nw		
vin cicss capability	NFC/Wireless Accessory J8030A	Print Server J8031A		
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx,	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx,		
	1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wirele networking (standard).		
Memory	Standard: 1 GB; Maximum: 3 GB	networking (standard).		
Processor speed	1.2 GHz			
Duty cycle (monthly)	Up to 120,000 pages; 2,000 to 17,000			
Paper handling				
Input	100-sheet multi-purpose tray, 550-sheet input tray 2; Optional 1x550-sheet paper feeder, optional	100-sheet multi-purpose tray, 550-sheet input tray 2, 3; Optional 1x550-sheet feeder		
	1x550-sheet Paper Feeder with Stand and Cabinet, optional 3x550-sheet Paper Feeder with Stand, optional			
	1x550/2000-sheet HCI Feeder and Stand			
Output	500-sheet output bin			
Media type	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched colored, rough, opaque film, user-defined			
Modia weight	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2 and automatic two-sided printing unit: 60 to	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Trays 2, 3 and automatic two-sided printing unit: 60		
Media weight	163 g/m² (plain), 120 to 220 g/m² (glossy); Optional Trays 3, 4, 5 1x550-sheet feeders: 60 to 163 g/m²	to 163 g/m² (plain), 120 to 220 g/m² (glossy); Optional Tray 4: 60 to 163 g/m² (plain), 120 to 220 g/m²		
	(plain), 120 to 220 g/m² (glossy); Optional Tray 4 2,000 high capacity input: 60-163 g/m² (plain)	(glossy)		
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 101.6 x 148 to 216 x 356 mm; Optional 550-sheet trays: 101.6 x	Tray 1: 76 x 127 to 216 x 356 mm; Trays 2, 3: 101.6 x 148 to 216 x 356 mm; Optional Tray 4: 101.6 x 148		
	148 to 216 x 356 mm; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray	to 216 x 356 mm 510 x 458 x 640 mm		
Dimensions (W x D x H)	510 x 458 x 510 mm 31.3 kg	37.5 kg		
Weight	HP Color LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and	HP Color LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and		
What's in the box ²	Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed);CD with software	Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software		
	drivers and documentation; Documentation (Hardware Install Guide); Power cord	drivers and documentation; Documentation (Hardware Install Guide); Power cord; 1x550-sheet paper feed		
Warranty features	1 Year Limited Warranty (Next Business Day On-Site)			
Systems				
Compatible operating systems		5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Red		
		(13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), ows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP		
	Home, XP Pro, etc.)			
Minimum system requirements	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com			
	Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info			
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption;			
	Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration			
	pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device			
	whiteusting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAd	Ivantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation	(Furo symbol built-in): 1 internal Unicode Fonts (Andale Mono WorldTyne): 2 Internal Windows Vista 8 Fonts		
ronts and Typeraces	(Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts a			
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button			
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)			
Power	Power supply type: Built in 115V or 220V Power Supply (not dual voltage, power supply varies by part num	ber with option code identifier); Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 -		
	60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz),			
	Off/Manual On), 0.1 (Manual Off); Typical electricity consumption (TEC) number: 2.27 kWh/Week (Blue Ar			
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Manuals	Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user		
Acoustics	Acoustic power emissions: 6.9 B(A); Acoustic power emissions (ready): 4.6 B(A); Acoustic pressure	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (ready): 4.6 B(A); Acoustic pressure		
ACOUSTICS	emissions bystander (active, printing): 54 dB(A); Acoustic pressure emissions bystander (ready): 31	emissions bystander (active, printing): 53 dB(A); Acoustic pressure emissions bystander (ready): 31		
	dB(A)	dB(A)		
Environmental ranges	Operating temperature range: 15 to 30°C; Recommended operating temperature: 17.5 to 25°C; Non-op	perating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended		
	operating humidity range: 30 to 70% RH	ECCORD 1.2005 (A1.2000 (A2.2012 (Laboration)) EUCORD 1.2005 (A1.2000 (A.2012 (Laboration))		
Safety approvals and requirements	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU): EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product): EN 62479:2010 / IEC	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC		
	62479:2010	62479:2010		
	Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed	EN 62311:2008 / IEC 62311:2007 Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate		
	and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries	(Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries		
Supported network protocols		Dort only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery:		
and has rea mersion y biororors		Pv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telne		
	TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x	vo (statetess Ellik Eocal and via Nodel), statetati via Brief vo), hanagement. Sivili vE/v3, 111 17/11 11 3, Tetric		

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims. ² HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep
- 5 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.
- 6 More names versus predecessor cartridges claim based on page-vield comparison of HP M647A and HP 648A Color Original Laser Jet Toner Cartridges with HP 656X High Yield Color Original Laser Jet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies
- ⁷ HP 656X High Yield Original LaserJet Toner Cartridges not included; please purchase separately

Product walkaround disclaimers

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use.
- 3 Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 4 All models come with 100-sheet multipurpose tray 1 and 550-sheet tray 2; the M653x model comes with an additional 550-sheet tray 3. The M653x model can add one more 550-sheet tray, but cannot add any other optional paper-handling accessories. All other models can add up to two optional 550-sheet trays or any of the other accessories
- * Wi-Fi Direct printing is embedded in the HP Color Laser Jet Enterprise M653x model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/qo/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance[®].
- ⁶ Touch-to-print capability is optional for all models (except the M653x) with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.
- ⁷ Bluetooth Low Energy is only available on the HP Color LaserJet Enterprise M653x. Bluetooth® is a trademark owned by its proprietor and used by HP Inc. under license.
- ⁸ All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications disclaimers

- ¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 ² Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- Based on the BA TEC method with the following possible exceptions; 1 minute or less sleep delay setting. Wi-Fi disabled.
- 6 Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see
- ${\rm http://www.hp.com/go/learnaboutsupplies.} \\ {\rm ^7May\ require\ a\ firmware\ upgrade\ to\ be\ compatible,\ download\ at\ http://www.hp.com/go/support\ above the compatible of the compatibl$
- 8 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 9 Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type
- ¹⁰ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ¹¹ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- 12 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

To learn more, visit hp.com





