

**YEIP
2007
-023
V. 1**

YMIP 07-023

TARGET EVALUATION

YUKON MINING INCENTIVE PROGRAM (YMIP) REPORT

ON THE SCOTT CLAIMS

(PART OF THE ANDREW PROPERTY),

MAYO MINING DISTRICT

YUKON TERRITORY

CLAIM NAME	GRANT NO.
Scott 1-2	YC02784-785
Scott 3-34	YC02457-488
Scott 35-36	YC02786-787

(OWNED BY 18526 YUKON INC. & OVERLAND RESOURCES YUKON LTD.)

**FOR WORK UNDERTAKEN IN JUNE-SEPTEMBER 2007
BY OVERLAND RESOURCES YUKON LTD.**

NTS MAP SHEET: 105K/16

~LAT./LONG.: 132° 18' 39" N / 62° 54' 23" W.

UTM CO-ORD: 6975000m N, 637500 E (NAD 83, Zone 8).

AUTHOR: Jo van Randen, B.Sc.

DATE: January 2008



**YUKON ENERGY, MINES
& RESOURCES LIBRARY**
P.O. Box 2703
Whitehorse, Yukon Y1A 2C6

V. 1



SUMMARY

This report documents geological and geochemical surveys undertaken in June through September 2007 on the Scott Claims of the Andrew Property, two separate groups of mineral claims in central Yukon Territory, owned jointly by Overland Resources Yukon Ltd. and Mr. Ron Berdahl. The work on the southern Scott claim block is described in the assessment report attached in Appendix VI of this YMIP report. The property was optioned in late 2006 after examinations and reviews of historical data confirmed its favorable geological setting and indications of significant zinc mineralization.

The property is underlain by fault-bounded slices of Devono-Mississippian Earn Group black clastics and Proterozoic to Lower Cambrian Hyland Group slate, sandstone, conglomerate, and limestone. The rocks have been folded along north-northwest trending axes, and faulting has been localized mostly within less competent, carbonaceous shale units. A few kilometers west of the property, these sediments are in contact with a Cretaceous granitic batholith. Evidence suggests that areas on the property have been intruded and effected by this batholith at depth.

Geological and geochemical surveys were undertaken to assess previously identified occurrences, soil geochemical anomalies, and targets detected by an airborne electromagnetic and magnetic survey commissioned by Noranda in early 2001 as well as Noranda's exploration and drill programs in 2001 and 2002 and anomalous rock and soil geochemistry outlined by Ron Berdahl on the Scott claim blocks. This work was designed to aid in identifying mineralized structures while mapping the Andrew property and planning of targets for future diamond drill testing.

In the Scott claims area, Overland Resources Yukon Ltd. conducted prospecting and rock sampling surveys concurrent with contour soils lines that were designed to help focus further exploration in the coming seasons. A total of 10 man-days were spent mapping/prospecting and rock sampling and 18 man-days were utilized to collect the soils. From the Scott Claims block, 23 rocks and 221 soils were obtained and sent into Eco Tech Laboratories for analysis (including the quality control/quality assurance samples).

Significant values for lead, zinc and copper were returned for both rock chip and soil samples in the Scott Claims area. Results up to 3750 ppm Zn, 1030 ppm Pb, and 309 ppm Cu in soil were returned and for rocks up to 41000 ppm Zn, 12100 ppm Pb, and 387 ppm Cu were returned from work in and within the Scott Claims block.

A program of continued mapping/prospecting and rock sampling is recommended along with site-specific follow up of the up-slope areas around the anomalous 2007 soil and rock samples. Air photo studies and possibly land sat imagery as well any geophysical surveys conducted in the area could assist in unraveling the geology of the Scott Claims area.

Extrapolating work from the Andrew deposit (~4km east) towards the Scott Claim block is recommended including continued detailed mapping, geophysical synthesis and reprocessing, identification of any metal zoning, geochemical signatures, etc.

Tapping into the expertise of the Yukon Geological Survey and Geological Survey of Canada regional-scale mappers is recommended as the Scott Claims area (and Andrew property in general) is a poorly constrained part of the metalliferous Selwyn Basin.

TABLE OF CONTENTS

TEXT

	Page
1.0 INTRODUCTION3
2.0 PROPERTY DESCRIPTION AND LOCATION3
3.0 ACCESS, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY6
4.0 HISTORY7
5.0 GEOLOGICAL SETTING8
6.0 DEPOSIT TYPES10
7.0 MINERALIZATION14
8.0 EXPLORATION14
8.1 Geology And Lithogeochemistry14
8.2 Soil Geochemistry17
9.0 SAMPLING METHODOLOGY24
9.1 Rock Samples24
9.2 Soil Samples24
10.0 SAMPLE PREPARATION, ANALYSIS, SECURITY25
10.1 Rock Samples25
10.1 Soil Samples25
11.0 DATA VERIFICATION25
11.1 Control Standards and Blanks25
12.0 INTERPRETATIONS AND CONCLUSIONS26
13.0 RECOMMENDATIONS26
14.0 REFERENCES27

TABLES

1 Claim Data3
2 Geological Formations8

FIGURES

1 Location Map4
2 Claim Map5
3 Andrew Property Regional Geology Map9
4 Scott Claims Area Regional geology and 2007 soil grids11
5 detailed geology and 2007 traverse lines (west half)12
6 preliminary geology & 2007 traverse lines (east half)13
7 Sample Location Map (west half)15
8 Sample Location Map (east half)16
9 Scott Claims Zinc Thematic Map (west half)18
10 Scott Claims Zinc Thematic Map (east half)19
11 Scott Claims Lead Thematic Map (west half)20
12 Scott Claims Lead Thematic Map (east half)21
13 Scott Claims Copper Thematic Map (west half)22
14 Scott Claims Copper Thematic Map (east half)23

APPENDICES

I Authors' Statement of Qualifications	
II Analytical Procedures	
III Certificates of Analysis	
IV Sample Descriptions	
V Statement of Costs	
VI Geological and Geochemical Assessment Report on the south Scott Claims By Jo van Randen; January 2008 (separate volume)	

1.0 INTRODUCTION

This report was prepared to document the geological and geochemical surveys undertaken in 2007 on the Scott Claims of the Andrew property to satisfy internal company good practices and government Yukon Mining Incentives Program (YMIP) funding requirements.

The southern block of Scott Claims were filed for assessment credit with the Mayo Mining Recorder and the geological and geochemical assessment report is attached as Appendix VI of this report. The geological findings of this assessment report are not discussed here however, the YMIP final submission form and statement of costs include the applicable figures from the south Scott Claims area report as both Scott Claim blocks were part of the original YMIP target evaluation application submitted on 26 February 2007.

All information and data documented in this report was obtained by employees of Overland Resources Yukon Ltd., except for geochemical and assay analyses, which were contracted to Eco Tech Laboratories Ltd. of Kamloops, B.C. The author was directly involved in the management of the field program and supervised the exploration team in the field. Conclusions and recommendations are those of the author, after discussion of findings with other geologists working on the project in 2007.

2.0 PROPERTY DESCRIPTION AND LOCATION

The Andrew property consists of two large groups of quartz mineral claims (and four smaller isolated blocks near the main claim groups) totaling 377 full and fractional quartz mineral claims. The Andrew property claims have an approximate total area in excess of 6900 hectares within a localized region near the prominent topographical feature of Mt. Selous. The property is located ~110 air kilometers north of the community of Ross River in the Mayo Mining District, Yukon, on NTS map sheet # 105K/16 (see figure 1). The center of the main claim block is located at lat./long. 62° 55' 33" N /132° 13' 7" W, or UTM co-ordinates 6980155 N, 641070 E (NAD 83, Zone 8). With the staking of the Bridge Claims in 2007, the main Scott Claim block is now contiguous with the main Andrew and AMB claim block in the center of the Andrew property.


At the time of the report writing, the Scott Claims consisted of the following claims:

Table1. Claim Data

Claim Name	Grant Number	Area	Owners	Recording Date	Expiry Date
Scott 1-2	YC02784-785	Clearwater Creek	Overland Resources Yukon Ltd.	26/07/2001	26/07/2012
Scott 3-34	YC02457-488	Clearwater Creek	& 18526 Yukon Inc.	20/09/2000	20/09/2010
Scott 35-36	YC02786-787	Clearwater Creek		26/07/2001	26/07/2012

Note that the indicated expiry dates are based on previous assessment work for the Scott 3-34 claims and the attached assessment report (Appendix VI) for the remainder of the Scott Claims (and 2007 diamond drilling filed for the majority of the rest of the claim block filed under separate reports). Figure 2 displays the main Scott Claim block individual claim locations with respect to topography and the adjoining Bridge claims.

Overland Resources Yukon Ltd. has the responsibility of permitting, claim maintenance, assessment filing and reporting, and all associated fees.



ARCTIC OCEAN
BEAUFORT SEA

Northern Yukon
Nat. Park

UNITED STATES
CANADA

ALASKA

YUKON TERRITORY

NORTHWEST TERRITORIES



Location Map



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

Claim Map

Scale 1:2000
JvR
January 2008

The claims lie on crown land, and surface rights belong to the crown. They do not lie within or near any park, special management zones, first nation settlement lands or land selections. However, they are situated within lands considered as traditional hunting and trapping areas by several first nation bands.

The Andrew property and Scott Claims have not been legally surveyed. The 2007 Ozzie and Bridge claims were staked using GPS handheld units to triangulate claim post locations designed on the Noranda digital representation of the existing Andrew and AMB claims. As a result of this a number of fractions and gaps within the now larger main claim block were plotted on the government idealized claim map. In the field, to the best of Overland Resources claim stakers knowledge, there are no gaps where the Ozzie or Bridge claims adjoin the main AMB/Andrew claim block and the Bridge claims adjoin the Scott Claims on the ground (this adjustment has been brought to the attention of the Mayo mining recorder and a more accurate depiction of the claims is pending on the government maps). Figure 2 shows the approximate position of the claims based on the best known data (both Noranda digital data and the 2007 GPS surveys). Note that the geology and geochemical maps in this report show the boundary of the claims as indicated in a compilation of existing data and GPS locations of the 2007 posts.

There has been no prior mineral extraction on the Andrew property. There are known mineral zones on the Andrew property which were partially exposed by previous operators using bulldozer and hand trenching. Some of these have been tested by diamond drilling. Locations and descriptions of these known mineralized zones are provided on Noranda assessment report maps.

Previous operators were responsible for construction of approximately 20 kilometers of bulldozer trails and trenches in the late 1960's. Other than a few areas on bare rock, these have revegetated naturally and no potential erosional problems were observed. A 1000-meter airstrip was also constructed by previous operators, and was rehabilitated to provide access by single and twin otter craft with large wheels for supporting the 2001 and 2002 Noranda work programs. More than 50 empty fuel drums that were abandoned by previous operators at various parts of the property were collected by Overland Resources Ltd. personnel and flown to Twin Creeks Airstrip where Mike Mickey with Esso agreed to remove and salvage the drums on the 2007 fuel backhauls from Twin Creeks to Ross River.

A tent camp accommodating up to 25 people, utilizing lumber frames and plywood floors was constructed adjacent to the airstrip for the current program in part utilizing the existing Noranda tent floors. The camp was left in place and secured for winter in anticipation of future exploration programs by Overland Resources Yukon Ltd.

This 2007 exploration program was conducted pursuant to the Yukon Quartz Mining Act and Regulations and conditions specified in Mining Land Use Permit No. LQ00203, granted on June 5, 2007 and expiring on June 4th, 2012.

3.0 ACCESS, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY

Access for the current program was provided by helicopter. A B2 AStar helicopter was onsite during the entire exploration program and was used to transport all equipment, camp supplies and personnel to and from the project. The existing airstrip (which saw single and twin otter traffic during Noranda's 2001/2002 exploration programs) next to camp was utilized as a landing strip for the helicopter and was cleared of small regeneration of saplings in 2007 but did not see use by wheeled aircraft during the 2007 exploration season. For the 2007 work program, personnel and equipment were transported by a helicopter chartered from Canadian Helicopters based in Edmonton, Alberta.

Previous operators to Noranda Inc., hauled fuel and heavy equipment into the property on a winter bulldozer trail constructed from the North Canol road at Dragon Lake, about 60 kilometers from the claims. This same winter route is currently under application for future permitted use in 2008.

Owing to its high latitude, central Yukon has short summers, and long, severe winters, which are slightly tempered by its proximity to the Gulf of Alaska. Permafrost is common on north and east facing slopes.

Vegetation below 1500 meters is typical of the northern boreal forest. In the valley immediately east of the claims, there are spruce trees with trunk diameters over 1 meter, unusually large for this latitude.

The property lies within the South Fork Range of the Yukon Plateau, east of the Tintina Trench and west of the Mackenzie Mountains. Elevations range from about 1000 to 1800 meters on the property, which can be described as the east facing side of a wide valley with moderate slopes, cut by several east flowing creek valleys.

Near Faro, the Anvil district was once a significant base metal producing district, and is the nearest community with sufficient infrastructure to support a large mining operation. Concentrate was shipped by truck to tidewater at Skagway, Alaska, a distance of about 500 kilometers.

4.0 HISTORY

Between 1967 and 1969, Atlas Exploration staked the area and undertook an exploration program consisting of 63 kilometers of linetcutting, evidence of which is still visible. Magnetic, electromagnetic, and soil geochemical surveys were completed on these gridlines, and the work was filed as assessment. A helicopter-borne airborne electromagnetic and magnetic survey with flight lines spaced at 305 meters was flown over the property in 1969. Bulldozer trenching exposed several mineral occurrences, but none were thought significant enough to warrant additional work and the claims were allowed to lapse. In 1977, Cima Exploration drilled two short holes in the "Lad" showing, one of which encountered sulfide mineralization assaying 4.7% Zn, 5.3% Pb, and 133.7 g/t Ag over 1.2 meters, but later abandoned the area.

There is no recorded production or evidence of production from the property.

Prospector Ron Berdahl's association with the property dates to 1996, when he staked the Andrew 1-10 claims to cover a prominent gossan associated with zinc and lead mineralization while on a Cominco funded grubstake. Cominco turned down a proposal to acquire the property. In 1999, Ron returned to the property to undertake assessment work consisting of hand and dynamite trenching and sampling of the gossan.

Noranda was invited to examine the data, and a visit to evaluate the property followed in the summer of 2000. Noranda entered into an option agreement and conducted two extensive exploration projects in 2001 and 2002 including drilling 23 diamond drill holes (totaling 4556m) as well as mapping, rock and soil sampling, and conducting airborne and ground magnetic and gravity geophysical surveys. Noranda Inc. returned the Andrew property to Ron Berdahl during a period of corporate takeover by Falconbridge Inc.

The previous work specifically conducted on the Scott Claim block is summarized in Ron Berdahl's assessment report titled "Scott Claim Group Prospecting and Geophysics Report" (assessment report #094378) dated February 2002. Atlas Exploration collected anomalous silt sample values in the area of the Scott claims and later Ron Berdahl collected cursory rock and soil samples in the claim area which culminated in the discovery of a devegetated zone (kill zone) with zinc in rock values up to 9.2% reported at this site. Ron's report outlines additional mineralized zones north of the kill zone in the creek draining into Clearwater Creek as well as values from the headwaters of a gossanous red creek northeast of the kill zone. As part of Noranda's work on the nearby Andrew property, airborne electromagnetic/resistivity/magnetics geophysical surveys were flown over the Scott claims and results are included in Yukon Government assessment report #094378.

In February, 2007 Overland Resources Yukon Ltd. secured an option to acquire a 90% interest in the Andrew project, which it exercised in July 2007, after completing data compilation, a JORC-compliant (Australian Stock Exchange code) resource calculation and commencing a program of infill and extensional drilling around the Andrew deposit. Overland Resources employees conducted a work program of property scale mapping and sampling in addition to the 10 hole (2859m) diamond drill program and collected >1932 soils and >270 rock chip samples from areas around the known mineralization at the Andrew deposit, including work on the Scott Claims.

5.0 GEOLOGICAL SETTING

The property lies within the ancestral North American Terrane of the northern Canadian Cordillera. This is composed of a thick prism of Proterozoic to Triassic sedimentary rocks that accumulated on and along the western margin of the Archean rocks of the Canadian Shield and known as the Selwyn Basin. This terrane has been divided into a series of fault and unconformably bounded assemblages or mappable sedimentary packages. In the area of the Andrew property, the following assemblages have been identified in the recent compilation of the regional geology of the Yukon, GSC Openfile 3754, released in January 2001:

Table 2. Geological Formations

AGE	MAP CODE	FORMATION OR GROUP NAME	LITHOLOGIES
Carboniferous to Permian	CPMC	Mount Christie	green cherty shale, shale and chert, black siltstone; minor quartzite, limestone, dolostone
Mississippian	MK	Keno Hill	quartz arenite, black shale, phyllite
Upper Devonian and Mississippian	DME	Earn	black shale and chert, chert pebble conglomerate, barite
Ordovician to Lower Devonian	ODR	Road River	black shale and chert, siltstone or limestone
Lower Cambrian	IEG1	Gull Lake	shale, siltstone, mudstone; minor sandstone, local volcanics
Upper Proterozoic to Lower Cambrian	PEH3	Hyland	maroon and green slate
Upper Proterozoic to Lower Cambrian	PEH2	Hyland	grey limestone
Upper Proterozoic to Lower Cambrian	PEH1	Hyland	brown to green shale, sandstone, grit, quartz pebble conglomerate; minor limestone, phyllite

Figure 3 shows the GSC geological Regional Geology for the Andrew Property area, with the Scott Claims south area outlined on the modified regional geology map.

The Andrew property area has not seen any detailed 1:50 000 scale regional mapping and the 1:250 000 sheet mapped by Gordey and Irwin in 1987 is currently being correlated with GSC geologist Charlie Root's mapping of the 1:250 000 scale map sheet directly north of the Andrew property area. Further work is required in the area to resolve several rock type correlation difficulties with units across the map sheet boundary. This part of Selwyn Basin is poorly understood according to Dr. Charlie Roots but it is uncertain when the area will receive any expert mapping efforts by either the Geological Survey of Canada or Yukon Geological Survey.

Noranda geologists reported that the rocks in general follow the regional strike of 120 to 160 degrees and dip steeply to the northeast, and Overland staff confirmed this. Folding along this regional trend was observable at several outcrops. Faulting is evident by the presence of linear gullies, creek trends, and rarely in outcrop. In addition, many structures are evident from airborne magnetics. There are two preferential trends; the strike parallel trend at about 140 degrees and a cross-cutting trend at about 100 degrees.

Legend


Ks=mid Cretaceous
Selwyn Plutonic Suite

DMe=Dev Mississippian
Earn Group

OSr=Ord Silurian
Road River Group

COr=Camro-Ordovician
Rabbitkettle Formation

PCh=Precambrian
Hyland Group



Geology modified after:
Gordey and Irwin 1987
GSC map 19-1987

Andrew Property Regional Geology Map

NTS Map Sheet 105K/16
(NE corner of 105K)
Scale 1:250 000

The sediments of the Hyland group are characterized by a weakly to moderately developed schistosity or phyllitic texture in pelitic units. Limestones are generally finely crystalline. Younger assemblages display only very weak regional metamorphic effects.

Following accretion of terranes in the cordillera, Cretaceous granitic plutons intruded these assemblages, and several are mapped within a few kilometers east and west of the property. Outcrops of a granodioritic to monzonitic porphyry body on the south end of the property are likely Cretaceous and related to the large Mount Sealous pluton to the west.

The absence of continuous outcrops along ridges or creek valleys, and the overall heavy vegetation and lack of outcrop hinders the assignment of a formation name any particular outcrop, as many of the formations contain similar lithologies. The government compilation is considered a reasonable interpretation given the vast area, remote location and finite resources of the GSC. Noranda's and Overland Resources detailed mapping work has determined that the assemblages identified in the compilation are present, but their aerial distribution is different though still uncertain. Work conducted in 2007 by Overland Resources is juxtaposed on the regional geology map on figure 4, along with the claim blocks for reference.

Location of preliminary mapped outcrops with lithologies described, for the Scott Claims area is shown on figures 5 and 6. Two figures were created as the mineralized areas on the Scott Claims are displayed as the west and east half respectfully to allow sufficient detail on page sized maps. Cursory mapping of the rough geologic units encountered during four brief geological traverses in the area was plotted on figure 4 along with the traverse lines by Overland Resources staff in 2007. Prospecting and rock sampling was the traverse objectives rather than trying to produce a complete detailed geological map of the area at this point. The terrain is fairly steep and a lack of significant outcrop exposures hinders mapping interpretation. As the shales on the Andrew property are recessive and quartzite outcrop forming, there is a preponderance of quartzite outcrops generally in the Andrew area, however, drilling indicates that the recessive, non-outcropping forming shaly units are the more abundant component of most assemblages.

Contrasting competencies amongst various rock types, especially between soft, fissile, often carbonaceous shales and hard, outcrop-forming quartzite results in different deformational behavior. The soft shales tend to accept most of the strain and movement during tectonic deformation. Faulting, shearing, and brecciation are present in these rocks to a greater degree. Quartzites tend to show only brittle fracturing in areas of structural deformation.

6.0 DEPOSIT TYPES

The property was acquired due to its favorable geological setting and the delineated mineralization in the Noranda drilling and the presence of under-explored and untested zinc occurrences and geochemical anomalies within the property boundaries and surrounding areas. The setting has similarities to sediment hosted, stratiform, zinc-rich, base metal massive sulfide deposits elsewhere in the North American terrane. Well known examples include the Red Dog deposit in Alaska, and Sullivan in southern British Columbia, as well as the large though sub-economic resources at Howard's Pass, Yukon, and Cirque (Stronsay) in northern British Columbia. The majority of the world's largest producing zinc mines are of the sediment hosted, stratiform type.

These deposits form along tectonically active continental margins, where the discharge of hydrothermal fluids from fault zones results in precipitation of dissolved metals in a second order basin. They usually display evidence of syndepositional tectonic activity such as fault scarp talus and slump breccias, and evidence of syndepositional geothermal activity such as the presence of chemical sediments (exhalites) including chert, barite, pyrite, sphalerite and galena. Typical host rocks are deep marine clastic sedimentary rocks. The form of the deposit is typically concordant, bedded, with large lateral extents.

LEGEND

Scott Claims

Scott Claims (south area)

AMB Andrew Claims


Ozzie Claims

Bridge Claims

Zone Name

2007 soil grid

For geology legend
see Figure # 3




NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

0 250 500
metres

Scale 1:10 000
JvR
January 2008


Scott Claims Area Regional geology and 2007 soil grids



NTS Map sheet 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

0 250 500 metres

Scale: 1:500
JvR
January 2008

LEGEND

Scott Claims

Scott Claims rocks by Zn (ppm)

- 15000 to 41000
- 2000 to 15000
- 400 to 2000
- 100 to 400
- 0 to 100

2007 geological traverse line



E638750m

N6978750m

SCOTT 34

SCOTT 4

SCOTT 3


SCOTT 33

black shale outcrop
with common calcite
stringersgossanous
dark red precipitate
coats rocks in creek bottom

69.4

rusted quartzite
subcrop with pyrite

39.1

area of rusty quartz stringers
in metasedimentary float

0 250 metres

500

Regional metamorphism and deformation often radically change the morphology of the deposit and texture of mineralization.

Noranda's exploration programs were designed to highlight features that may be indicative of stratiform massive sulfide mineralization. An airborne electromagnetic and magnetic survey was flown over the property and surrounding area at a line spacing of 200 meters to hopefully isolate areas with anomalous conductivity and magnetic susceptibility. Selected targets were further tested with ground magnetics and gravity surveys to distinguish sulfide-bearing sources from non-sulfide bearing sources. Mapping and prospecting attempted to identify favourable stratigraphy, structural settings, and mineralization but this work was hindered by lack of exposure. As these deposits often exhibit large geochemical haloes, limited soil geochemical surveys were undertaken over targets not previously covered by historical work. Selected areas were further investigated by Noranda but not systematically tested by diamond drilling.

MINERALIZATION

In the Scott Claims area, geologists with Overland Resources spent ~ eight days traversing the glacially scoured valleys to help identify the potential source of anomalous zinc and lead values reported by prospector and claim owner Ron Berdahl. A devegetated zone thought to be similar to the kill zone at the main Andrew deposit (located due east) was investigated and is displayed in the center of figure 5. The kill zone at the Scott Claims is composed of dominantly scree with limited outcrop exposure. Variably altered intrusive rocks in strongly hornfelsed metasedimentary Hyland group rusty grey and black shales with local sphalerite and galena as well as pyrite and lesser pyrrhotite are exposed at this kill zone on the Scott claims. Base metal sulphides at this zone generally occur along with thin calcite or quartz stringers sub-parallel to the well-developed foliation of the host shaly units.

Rare fine grained sphalerite and galena mineralization was documented in 2007 at the previously reported "Bordeleau" zone hosted in dark grey shale outcrop (with local quartz and calcite stringers along foliation planes) in the creek draining into Clearwater Creek from the cirque south of the Scott kill zone.

Earthy red coloured precipitate occurs near the headwaters of a spur creek located east of the Scott kill zone and is located on figure 6. The area was the site of a 2007 soil contour program and one geological traverse however, further geologic mapping traverses were planned but hampered by inclement weather.

7.0 EXPLORATION


8.1 Geology and Lithogeochemistry


Geological and prospecting work was focused towards evaluation in and around previously identified mineral occurrences, geochemical anomalies, and airborne geophysical anomalies. Noranda employee crews consisting of a geologist – prospector pair who were set out by helicopter or traversed from camp. Locations of outcrops and samples were determined by handheld GPS units. These crews also completed all rock and soil sampling reported in the Noranda 2001 and 2002 reports.

Overland Resources Yukon Ltd. continued the geological and prospecting work in 2007 to assist in understanding the geological environment and to aid in interpretations with the ongoing diamond drill program focused on the Andrew deposit. Crews consisting of one or more geologist with an assistant collected rock chip or grab samples from mineralized areas and delineated rare outcrop extents using handheld GPS units and plotting on field base maps. Outcrop and sample descriptions were entered into digital spreadsheets and eventually standardized in the project database using the Andrew project specific rock codes developed for correlation purposes. Mapping sheets were georeferenced and made digital using MapInfo software once an area was completed and all structural measurements were entered into a single Access database. Rock sample locations were marked in the field using industry

LEGEND

- Scott Claims
- Rock Sample, sample number
- Soil Sample, sample number
- no sample, insufficient soil





metres

Sample Location Map (east half)

NTS Map sheet 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

A horizontal scale bar with three numerical labels: 0, 250, and 500. The label 'metres' is centered below the bar.

Scale: 1:500
JvR
January 2008

Figure 8

standard coloured flagging tape and double sided aluminum tags with the sample number etched for future location with results.

The Scott Claims saw limited mapping and lithogeochemical sampling in June and July of 2007. The Scott Claims area had 23 rock samples collected during geological traverses. Mapping in the area was hindered by poor rock exposure in the mineralized area and restricted to limited outcrops along the top of the east facing slopes and locally along creek bottoms. Glacial drift is evident in the broad valley floor and masks bedrock units. Variably altered sedimentary rocks (and lesser intrusive rocks) were mapped without an effort to correlate to the regional rock groups (Hyland Group rocks versus Road River or Earn Group rocks) due to the lack distinct marker units (for example the chert pebble conglomerate of the Earn) and the overall lack of outcrop exposures. The significance of stratigraphic position of any mineralization is poorly understood at this point as this mineralization at Scott Claims area may be more of a result of the proximity to the large batholith centered at Mt Selous and regionally mapped to the immediate west of the claim block to structurally prepare the host rocks and drive mineralized fluids along fault structures.

Rock and soil sample locations and their associated sample numbers are displayed with respect to topography and the Scott claim boundaries on figures 7 and 8. Rock samples are in red while the soil samples are denoted in black. Following the initial traverse to the Scott kill zone, the apparent limited amount of outcrop exposure in the general area lead Overland Resources geologists to design a contour and grid soil sampling program centered on the known mineralization of the kill zone to help identify a trend or strike of the identified zinc mineralization. A separate contour soil program was initiated at the headwaters of the gossanous red precipitate creek shown on figure 8 as the limited geological traverse in that area did not reveal an observable source to the red iron rich gossanous material noted in the creek bottom.

Significant copper, lead and zinc in rock values were returned in areas of outcrop and subcrop within the Scott claim block. Figures 9-14 display thematically mapped results for Pb, Zn, and Cu rock geochemistry results in the Scott Claims area. The highest values in the claim block for coincident Zn and Pb in rock came from outcrop samples at the Scott kill zone and ranged up to 4.1% Zn and 1.2% Pb at sample number 24813 location. This sample returned the highest value for copper in rock of 386.9 ppm Cu. Near the southeast corner of the 2007 soil grid over the Scott kill zone, highly anomalous values for zinc and lead were also returned ranging up to 2955 ppm Zn and 691 ppm Pb in an area referred to as the "slump" area in Ron Berdahl's Scott Claims report. This area lacks outcrop exposure and likely is affected by freeze-thaw cycles and the glacial history of the area.

A cluster of coincident anomalous zinc and lead in rock numbers was reported from 2007 sampling near the creek which drains the Scott kill zone slope and was previously identified as the "Bordeleau" occurrence. Values up to 339 ppm Pb and 670 ppm Zn were reported from sample 24816 in dark grey shale outcrop.

8.2 Soil Geochemistry

During the 2007 exploration season, Overland Resources employees collected and analyzed over 1900 Auger type soil samples including 221 in the Scott Claims area. A total of 51 soils were collected over the red precipitate creek area east of the Scott Kill zone.

Several anomalous trends are evident from the thematically mapped values from the contour and grid soil sampling. Over the Scott kill zone, significant base metal values were returned and surrounding soil samples give a rough northeast apparent trend of high values however down slope dispersion affects should be considered. The northern portion of the grid yielded significant numbers for copper and zinc in soil but is only weakly anomalous for lead in soil. This east facing slope of the northern portion of the soil grid corresponds to an area above the Bordeleau occurrence in the creek and given the anomalous coincident path finder elements located here, grid extensions and further work is warranted.

LEGEND


Scott Claims

Scott Claims rocks by Zn (ppm)

- 15000 to 41000
- 2000 to 15000
- 400 to 2000
- 100 to 400
- 0 to 100

Scott Claims soils by Zn (ppm)

- 400 to 3750
- 250 to 400
- 150 to 250
- 100 to 150
- 1 to 100
- × no sample, insufficient soil



Scott Claims Zinc thematic map (west half)

LEGEND


Scott Claims

Scott Claims rocks by Zn (ppm)

- 15000 to 41000
- 2000 to 15000
- 400 to 2000
- 100 to 400
- 0 to 100

Scott Claims soils by Zn (ppm)

- 400 to 3750
- 250 to 400
- 150 to 250
- 100 to 150
- 1 to 100
- no sample, insufficient soil



LEGEND

Scott Claims

Scott Claims rocks by Pb (ppm)

500 to 12100

100 to 500

60 to 100

20 to 60

0 to 20

Scott Claims soils by Pb (ppm)

500 to 1030


100 to 500

60 to 100

25 to 60

1 to 25

X no sample, insufficient soil



LEGEND




Scott Claims rocks by Pb (ppm)



■	500 to 12100
■	100 to 500
■	60 to 100
■	20 to 60
■	0 to 20

Scott Claims soils by Pb (ppm)

●	500 to 1030
●	100 to 500
●	60 to 100
●	25 to 60
●	1 to 25
×	no sample, insufficient soil



LEGEND



LEGEND

Scott Claims

Scott Claims rocks by Cu (ppm)

- 100 to 387
- 50 to 100
- 30 to 50
- 15 to 30
- 0 to 15


Scott Claims soils by Cu (ppm)

- 125 to 309
- 75 to 125
- 50 to 75
- 25 to 50
- 1 to 25
- ✗ no sample, insufficient soil



N6978750m

E638750m



The southeast corner of the Scott kill zone soil grid is highly anomalous in lead (1029 ppm Pb in soil) and this site was also rock sampled which returned 690 ppm Pb in rock from sample number 24878 (soil sample number 25557).

At the red precipitate creek area of the Scott Claim block (figures 10, 12, 14) several highly anomalous values were returned for base metals in soils including up to 328 ppm Pb, 468 ppm Zn and 308 ppm Cu in soil. The upslope northern corner of the contour soil lines is rich in copper, lead and zinc and this corresponds to an area of little down slope dispersion so may be proximal to a mineralized host unit. The southern end of the third highest contour soil line in the center of the Scott 33 mineral claim is anomalous in both copper and zinc yet returned lower lead values. The southwestern contour line (the topographically lowest line) on the south side of the creek returned a cluster of elevated anomalies in zinc up to 468 ppm Zn and coincident copper numbers up to 112 ppm Cu however the lead values in this area are not as relatively high.

Significantly anomalous values for zinc, lead, and copper from soil samples collected in the Scott Claim area were returned and this area warrants further work to locate the up-slope source of high locally coincident copper, lead, zinc soil anomalies. Other ore deposit indicator elements (for example: Ag, As, Ba, Ge, Hg, Mn, etc) for the Scott Claims area soil and rock samples could prove to be a useful exploration tool when the values were thematically mapped and processed through a statistics manipulation to determine significant values in soil for the area.

9.0 SAMPLING METHODOLOGY

9.1 Rock Samples

Rock samples were collected from outcrop and boulders by chipping with a rock hammer. Between 0.5 to 2 kilograms of 2 to 10 centimeter sized chips were placed in a clear, heavy-duty plastic bag, labeled with a number written on the bag and a heavy paper sample tag placed inside. Notes on the sample type (rock chip, rock grab or float sample) were recorded in the corresponding tag book along with the GPS UTM NAD 83 Zone 8 coordinate at the sample site. A total of 23 rock samples were collected and analyzed from the Scott Claims area. The samples were packed in polyweave bags at the camp and shipped for analysis at Eco Tech Laboratories Ltd. in Kamloops, B.C.

9.2 Soil Samples

Soil samples were collected over selected areas based on initial mapping and prospecting of an area and the geologist designing the best orientation of grids or contours soil lines given the structures and trends of exposed mineralization of a given area. Soil geochemistry may provide an indication of enhanced metal concentrations in underlying rocks, providing the soil profile has been stable for a significant period of time. Samples were collected at ~50 meter intervals along contour lines spaced roughly 100 meters apart and 50 meter spacing for the lines and stations for the grid over the Scott kill zone. A total of 235 soil samples sites were attempted with 221 samples collected and analyzed from the area (including quality control/quality assurance samples). The soils were collected by auguring through the organic and leached layer with a extension auger designed for mineral exploration soil sample collection. An approximately 0.5 kilogram sample of "B" or "C" horizon material was placed in Kraft paper envelopes marked with the unique sample number and the corresponding number was written on tyvek labels and zap strapped to a nearby tree or brush for future site location. Results were entered into a digital spreadsheet and processed with commercial software.

10.0 SAMPLE PREPARATION, ANALYSES, SECURITY

10.1 Rock Samples

Rock samples were recorded, packed in polyweave bags at the camp and shipped for analysis to Eco Tech Laboratories Ltd. in Kamloops, B.C. (with a prep lab in Whitehorse, Yukon). Transportation was the same methodology as used for the soil samples. At the lab, the samples were oven dried, and sieved through a -150 micron mesh. A nitric-aqua regia digestion is performed, and a trace ICP-MS 50-element analysis performed. The sample preparation and analytical technique applied is specified on each lab report, and is described in Appendix II.

10.2 Soil Samples

Soil samples were air dried at camp, recorded on transmittal sheets, then packed in zap strapped plastic bags then polyweave (rice) bags and shipped for analysis to the prep lab in Whitehorse before analysis at Eco Tech Laboratories Ltd. in Kamloops, B.C. The samples were transported internally by the camp based helicopter to A1 delivery service in Faro or Ross River, who was responsible for delivering the bags by truck to the Whitehorse prep lab. At the lab, the samples were oven dried, and sieved through a -80 mesh. A nitric-aqua regia digestion is performed, and a trace ICP-MS 50-element analysis performed. The sample preparation and analytical technique applied is specified on each lab report, and is described in Appendix II.

11.0 DATA VERIFICATION

Overland Resources Yukon Ltd. implemented a quality assurance/quality control (QA/QC) program during rock and soil sampling. The established protocol calls for submission of blanks, control samples, and duplicates in all sample batches submitted to the lab. Pulp replicate analyses are also undertaken internally by the lab and reported on the Certificate of Analysis in Appendix III. Blanks and soil duplicates were monitored throughout the exploration season to ensure that duplicates did not return results of greater than 10% of each other or that blanks did not return significant values for elements of interest.

11.1 Control Standards, duplicates and Blanks

Commercial prepared pulps were used as Control Standards in the drill program portion of the 2007 Overland Resources exploration work but they are beyond the scope of this report and not included here. Duplicates were submitted and in the case of soil sampling, two separate samples with unique sample numbers were periodically collected at the same site. Soil blanks, consisting of Yukon River silt collected in Whitehorse Yukon, were periodically submitted into the soil sample batches sent to the laboratory. For the Scott Claims area, the duplicates were within the acceptable limits to the company representatives, and the blanks returned insignificant values for indicator elements. The rock sample population for the Scott Claims area in isolation is too small for meaningful statistical evaluation but Overland Resources complete project QA/QC results were satisfactory. Development of a rock "blank" similar to the soil Yukon River silt blank (and core Hyland Group maroon and green shale "blank") was recommended for future lithogeochemical programs.

12.0 INTERPRETATION AND CONCLUSIONS

At the Scott Claims area, structural and stratigraphic controls to the demonstrated mineralization are poorly constrained. The soil geochemistry contour and grid lines have significant anomalies along the outer borders which merit line extensions and further sample collection. The significant rock chip sample results warrant further mapping, prospecting and sampling. The spatial relationship to a large Cretaceous pluton mapped just NW of the claims needs to be delineated to help understand its role in any mineralizing event and to allow interpretation of the hornfelsing and possible mineralizing styles of the area. The structural complexity (and sites of favourable intersections of regional scale fault structures and possible dilational zones known elsewhere in Selwyn Basin to host mineralization) and distribution of rock units is poorly constrained at present in the Scott Claims area and anomalous values returned from the 2007 rock and soil programs warrant additional mapping and sampling.

Synthesis of the existing airborne geophysical survey with respect to current interpretations of structures and mineralization at the Andrew deposit located ~4km east of the Scott claim block is warranted to define any possible Andrew deposit extensions on the Scott Claims and/or aid in the understanding of the anomalous rock and soil geochemistry in the Scott claim block. Ground gravity surveys may prove useful in conjunction with work done over the Andrew deposit.

Continuous detail mapping from the Andrew to the Scott claim block is warranted, as structural lineaments are evident from the air when flying from the Andrew deposit past red precipitate creek towards the Scott kill zone. Delineation of the intrusive body limits which forms the steep cirque wall at the head of Gentian creek (south of the Scott kill zone) would assist the geological interpretation of the area and allow mapping of a limit of hornfeling of the metasedimentary rocks in the area. A detailed airphoto interpretation could aid in understanding the glacial history and define geologic structures (fault and/or contacts) in the Scott Claims area.

13.0 RECOMMENDATIONS

A program of continued mapping/prospecting and rock sampling in the Scott Claims area is recommended after further compilation and interpretation of the 2007 and earlier work is conducted. Site-specific follow up investigations are recommended for the anomalous soil and rock samples sites produced during the 2007 field season. The generation of additional element thematic maps and further manipulation of 2007 soil geochemistry are recommended to focus future exploration in the Scott Claims area.

An air photo interpretation and an examination of the gravity and other geophysical studies is recommended and could assist in unravelling the structural setting of the area, especially given the lack of outcrop exposure. Mapping to delineate the limits of the intrusive rocks in the area is suggested.

Detailed mapping and extrapolation of work conducted at the Andrew deposit toward the Scott claims is recommended to understand the geology and mineralizing styles on the Andrew property as a whole. A compilation of the geophysical picture of the entire Andrew property including the Scott Claims is warranted and recommended. This could allow for extrapolations of characteristic signatures from known mineralized zones across to under-explored portions of the property (and those masked by glacial drift) like the Scott claim block.

Since the regional geologic mapping of the Scott Claims area has not seen detailed work, it is recommended to tap into the vast knowledge base available for discussion (and possibly a field visits) of expert geologists from the Yukon Geological Survey and Geological Survey of Canada who have been involved in the mapping of similar rocks elsewhere in the Selwyn Basin and worked at the past producing Faro lead-zinc deposits.

14.0 REFERENCES

Atlas Explorations Ltd. Yukon Government Assessment Reports:

- ATLAS EXPLORATIONS LTD, Dec/67. Assessment Report #018947 by C.L. Smith.*
- ATLAS EXPLORATIONS LTD, Dec/67. Assessment Report #019032 by C.L. Smith.*
- ATLAS EXPLORATIONS LTD, Jun/68. Assessment Report #019809 by J.S. Brock.*
- ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #019010 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #019016 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #060719 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #060720 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Nov/68. Assessment Report #019013 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, 1968. Assessment Report #018941 by M.E. Coates.*
- ATLAS EXPLORATIONS LTD, Jan/69. Assessment Report #019009 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Jan/69. Assessment Report #019012 by T.J. Adamson.*
- ATLAS EXPLORATIONS LTD, Feb/69. Assessment Report #019011 by J.S. Brock.*
- ATLAS EXPLORATIONS LTD, Nov/69. Assessment Report #060718 by T.J. Adamson.*

Ascough, G.A.,

2001: Geophysical Survey Report
(Noranda Inc. internal report)

Bailes, R.J., Smee, B.W., Blackadar, D.W. and Gardner, H.D.,

1986: Geology of the Jason lead-zinc-silver deposits, Macmillan Pass, eastern Yukon. Mineral Deposits of Northern Cordillera, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p. 87-99.

Berdahl, R.S.

1997: Andrew Claim Area Assessment Report #093881.

Berdahl, R.S.

1999: YMIP Andrew Claim Group Report #99-050.

Berdahl, R.S.

1999: Trenching Report, Andrew Claim Group

Berdahl, R.S.

2002: Andrew Claim Area Assessment Report

Berdahl, R.S.

2002: Scott Claim group prospecting and geophysical report. #094378.

Deklerk, R. and Traynor, S..

2005: Yukon MINFILE 2005, Yukon Geological Survey, CD-ROM

- Goodfellow, W.D.,**
 2004: Geology, genesis and exploration of SEDEX deposits, with emphasis on the Selwyn Basin, Canada.
Sediment-hosted Lead-Zinc Sulphide Deposits, Attribute and Models of Some Major Deposits in India, M. Deb and W.D. Goodfellow (eds.), Australia and Canada, Narosa Publishing House, New Delhi, India, P.24-99.
- Goodfellow, W.D. and Jonasson, I.A.,**
 1986: Environment of formation of the Howards Pass (XY) Zn-Pb deposit, Selwyn Basin, Yukon. *Mineral Deposits of Northern Cordillera*, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p19-50.
- Goodfellow, W.D., Lydon, J.W., and Turner, R.W.,**
 1993: Geology and genesis of stratiform sediment hosted (SEDEX) Zn-Pb-Ag sulphide deposits. *Mineral Deposit Modeling*, R.V. Kirkham, W.D. Sinclair, R.I. Thorpe, and J.M. Duke (eds.), Geological Association of Canada, Special Paper 40, p.201-251.
- Jennings, D.S. and Jilson, G.A.,**
 1986: Geology and sulphide deposits of the Anvil Range, Yukon. *Mineral Deposits of Northern Cordillera*, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p339-361.
- Lapointe, D., Coulson, S. and Eastcott D.,**
 2001: *Geophysical Survey Logistical Report Regarding the Gravity Surveys over the Andrew Project* (Quantec Geoscience Inc.)
- Pigage, L.C.,**
 2004: Bedrock geology compilation of the Anvil District (parts of NTS 105K 2,3,5,6,7, and 11), Central Yukon. Yukon Geological Survey Bulletin 15.
- Findlay, R.B.,**
 1969: Mineralogical study and trend surface analysis of the Lad Group. Unpublished B.A.Sc. thesis, University of British Columbia
- Gordey, S.P. and Makepeace, A.J. (compilers),**
 2001: *Bedrock Geology, Yukon Territory*; Geological Survey of Canada, Open File 3754 and Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, Open File 2001-1, scale 1:1,000,000
- Gordey, S.P. and Makepeace, A.J.,**
 2003: *Yukon Digital Geology*, version 2.0, S.P Gordey and A.J. Makepeace (comp.); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9(D).
- Huard, A. and Sevell, M.,**
 2002: *Geochemistry and Diamond Drilling Report on the 2001 Assessment Work conducted on the Andrew Property by Noranda Inc.* Assessment Report #094274.
- Huard, A. and Sevell, M.,**
 2003: *Geochemistry and Diamond Drilling Report on the 2002 Assessment Work conducted on the Andrew Property by Noranda Inc.* Assessment Report #094363.
- Power, M.,**
 2001: *Total Magnetic Field Surveys at the Andrew Property* (Aurora Geosciences Ltd.)
- Read, W.S.,**
 1977: *CIMA Resources Ltd, Assessment Report #091710.*

Roots, C.F. Abbott, J.G. Cecile, M.P. Gordey, S.P.,
1995: Bedrock Geology of Lansing Range Map Area
(105N), East Half, Hess Mountains, Yukon; Exploration and Geological Services, Yukon Region,
and Indian and Northern Affairs Canada.

Smith, P.A.,
2001: DIGHEM^v Survey for Noranda Inc., Andrew Survey Area (Fugro Airborne Surveys)

Soloview, S.G., Schulze, C.M. and Baklyukov, O.E.,
2003: Structural settings and geochemistry of the Myschka gold prospect, Tintina Gold Belt, Mt. Selous
area (105K/16, 105N/1), Yukon. In: Yukon Exploration and Geology 2002, D.S. Emond and L.L.
Lewis (eds), Exploration and geological Services Division, Yukon Region, Indian and Northern
Affairs Canada, p. 295-306.

Traynor, S.(compiler),
2007: Yukon Mineral Deposits 2007. Yukon Geological Survey, p. 14.

Yukon Exploration,
1987: p. 181.

Yukon Exploration and Geology,
1999: p.25; 2001, p. 12, 25; 2002, p. 20, 24, 26.


Yukon Mineral Property Update 2007. K. Galambos, L.L. Lewis and S. Traynor (compilers),
2007: Yukon Geological Survey, p. 93.

APPENDIX I
STATEMENT OF QUALIFICATIONS

I, Jo van Randen, hereby certify that:

1. I am a practicing geologist employed with Overland Resources Yukon Inc, residing in Whitehorse, Yukon Territory.
2. I am a graduate of University of British Columbia with the degree of B.Sc. in Geology and have practiced my profession since 1982.
3. I was on the Andrew property undertaking in the work program described in this report during the period June 4th to October 15th, 2007, and prepared all pertinent text and figures in this report.
4. I do not have directly or indirectly, any interest in the properties of 18526 Yukon Inc. or Overland Resources Yukon Ltd.

Signature:



January 30/2008

Date:

APPENDIX II
ANALYTICAL PROCEDURES

Analytical Procedure Report

Eco Tech Laboratory LTD is registered for ISO 9001-2000 by QMI Quality registrars (CDN 52172-01) for the "provision of assay and geochemical analytical services". EcoTech also Participates in the Canadian Certified Reference Materials Project (CCRMP) testing program annually.

SAMPLE PREPARATION

Samples are catalogued and logged into the sample-tracking database. During the logging in process, samples are checked for spillage and general sample integrity. It is verified that samles match the sample shipment requisition provided by the clients. The samples are transferred into a drying oven and dried. Soils are prepared by sieving through an 80-mesh screen to obtain a minus 80-mesh fraction. Samples unable to produce adequate minus 80-mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh.

Rock samples are 2 stage crushed on a Terminator jaw crusher to minus 10 mesh ensuring that 70% passes through a Tyler 10 mesh screen.

Every 35 samples a resplit is taken using a riffle splitter to be tested to ensure the homogeneity of the crushed material.

A 250 gram sub sample of the crushed material is pulverized on a ring mill pulverizer ensuring that 95% passes through a 150 mesh screen. The sub sample is rolled, homogenized and bagged in a pre-numbered bag.

A barren gravel blank is prepared after each job in the sample prep to be analyzed for trace contamination along with the actual samples.

GEOCHEMICAL GOLD ANALYSIS

The sample is weighed to 30 grams and per worksheet there is a repeat sample for every 10 samples, plus one resplit per run of 35 or under. The samples are fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods. (Detection limit 1-5 ppb AA)

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.

ASSAY GOLD ANALYSIS

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument. (Detection limit 0.03 g/t AA)

Appropriate standards and repeat sample (Quality Control Components) accompany the samples on the data sheet.

ICP-MS EXTENDED PACKAGE ANALYSIS

Samples are digested in an aqua regia solution for 45 minutes. They are bulked to 10 ml with de-ionized water, and an aliquot of this is taken for analysis on the ICP-MS. All synthetic standards are purchased and verified by 3 independent analysts and are used for instrument calibration before each and every ICP-MS run.

A 2-3 point standardization curve is used to check the linearity (high and low). Certified reference material is used to check the performance of the machine and to ensure that proper digestion occurred in the wet lab. QC samples are run along with the client samples to ensure no machine drift or instrumentation issues occurred during the run procedure. Repeat samples (every 10 or less) and resplits (every 35 or less) are also run to ensure proper weighing and digestion occurred.

APPENDIX III

CERTIFICATES OF ANALYSIS

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 18
Sample Type: Soils & Silt
Project: Andrew
Submitted by: J. VanRanden

Values in ppm unless otherwise reported

El #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Cr	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr	
		ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
1	68459	2	<0.2	1.64	20.7	88.5	0.42	0.05	0.26	22.06	14.1	19.0	1.10	24.82	3.67	5.9	10.7	0.14	45	<0.02	0.03	11.0	26.2	0.34	1044	1.75	0.042	1.22	18.6	929.0	34.27	4.8	0.001	0.04	0.84	1.8	0.6	0.4	14.5	<0.05	0.04	8.8	0.012	0.12	1.0	38	0.1	84.8	4.9
2	1460	1	<0.2	1.34	10.6	87.5	0.16	0.37	0.28	35.54	13.8	17.0	0.50	22.88	2.73	5.1	8.6	0.10	15	<0.02	0.04	17.0	23.6	0.99	568	0.95	0.040	0.18	23.3	900.0	17.90	2.9	0.001	0.04	0.82	2.1	0.8	0.1	26.5	<0.05	0.02	5.4	0.003	0.08	0.8	18	<0.1	73.8	3.4
3	68461	4	1.2	0.99	16.8	45.5	0.18	0.75	1.82	17.42	9.9	17.5	2.32	128.10	2.66	3.7	7.1	0.34	65	<0.02	0.19	10.0	14.2	0.97	213	13.92	0.043	0.38	54.5	925.0	17.35	16.8	0.001	0.06	2.40	2.2	1.7	0.2	43.5	<0.05	0.06	4.4	0.007	0.34	1.7	84	<0.1	272.8	15.5
4	68462	3	0.5	1.29	14.7	107.0	0.16	0.51	1.02	29.21	9.3	19.0	1.82	88.43	2.30	4.8	6.9	0.16	25	<0.02	0.16	15.0	21.0	1.33	430	9.59	0.043	0.20	37.7	1481.0	17.64	12.8	0.001	0.04	2.04	2.1	1.4	0.2	32.0	<0.05	0.06	4.0	0.008	0.26	1.4	56	<0.1	166.6	5.3
5	68463	2	0.7	1.12	11.6	123.0	0.14	1.89	0.82	20.71	8.1	17.0	1.98	80.80	2.18	3.9	5.5	0.40	55	<0.02	0.15	11.6	18.3	1.30	207	5.21	0.044	0.20	34.3	1236.0	15.28	14.4	0.001	0.08	1.44	1.9	1.2	0.2	74.6	<0.05	0.06	3.9	0.008	0.24	1.5	40	<0.1	129.1	16.5
6	68464	10	0.6	1.13	10.3	112.5	0.16	1.32	0.82	20.74	8.3	16.0	1.68	78.96	2.10	4.0	5.5	0.34	50	<0.02	0.13	11.5	15.8	1.17	199	5.55	0.039	0.28	33.6	1308.0	14.89	12.8	0.001	0.08	1.28	1.8	1.0	0.2	63.0	<0.05	0.04	3.6	0.007	0.20	1.3	40	<0.1	138.7	13.1
7	68465	12	0.5	1.45	12.0	139.0	0.18	1.24	0.68	32.67	11.0	19.5	1.94	70.94	2.70	5.4	7.1	0.20	30	<0.02	0.17	17.0	19.4	1.46	243	5.46	0.042	0.34	36.3	1085.0	19.13	15.8	0.001	0.04	1.32	2.2	1.1	0.2	62.0	<0.05	0.06	4.7	0.007	0.22	1.1	42	<0.1	151.0	8.0
8	68466	14	0.5	1.22	13.6	118.5	0.16	1.19	0.77	24.89	9.1	17.5	1.80	89.28	2.33	4.6	5.9	0.14	30	<0.02	0.13	13.0	18.1	1.16	261	6.38	0.060	0.32	33.7	1089.0	15.63	12.2	0.001	0.04	1.50	2.0	1.0	0.2	64.0	<0.05	0.04	3.7	0.007	0.22	1.0	46	<0.1	151.0	5.8
9	68467	13	0.6	0.80	12.5	109.5	0.14	1.39	1.26	9.86	6.1	16.0	2.50	104.80	1.54	2.9	3.7	0.04	25	<0.02	0.22	5.6	14.2	1.11	138	9.31	0.037	0.08	36.8	1134.0	11.02	16.7	0.001	<0.02	1.52	2.1	0.9	0.2	58.0	<0.05	0.04	3.8	0.005	0.32	1.2	58	<0.1	185.8	2.0
10	24901	15	0.4	1.30	15.4	16.0	0.12	0.18	1.08	3.76	6.5	17.0	1.30	89.50	19.80	1.3	47.8	0.12	100	<0.02	0.06	1.5	1.6	0.04	243	8.41	0.041	0.26	29.5	718.0	9.06	4.0	0.007	1.22	2.02	6.0	2.9	0.2	28.0	<0.05	0.04	2.7	0.005	0.34	2.9	78	<0.1	146.7	3.6
11	24902	30	2.0	0.42	30.2	38.5	0.32	0.18	0.63	9.29	1.8	20.0	0.62	101.10	3.70	2.2	9.0	0.04	300	<0.02	0.10	4.5	1.7	0.04	74	17.31	0.036	0.12	16.0	3284.0	16.52	6.7	0.017	0.20	5.20	5.7	11.6	0.4	123.8	<0.05	0.20	1.7	0.001	0.50	4.1	84	<0.1	54.1	1.3
12	24903	18	1.9	0.47	18.2	25.0	0.18	0.08	0.58	6.89	3.4	18.0	1.64	105.80	3.48	2.0	8.5	0.02	356	<0.02	0.09	2.6	2.2	0.06	110	5.08	0.033	0.10	21.4	870.0	13.74	4.9	0.004	0.18	2.34	3.5	6.6	0.2	48.0	<0.05	0.16	1.7	0.005	0.34	1.4	50	<0.1	153.8	0.9
13	24904	20	1.5	0.27	20.3	79.0	0.14	0.08	0.23	3.99	2.2	17.0	1.04	135.50	3.84	1.9	9.1	0.02	250	<0.02	0.07	1.5	1.3	0.04	104	9.09	0.033	0.08	14.3	475.0	9.93	4.5	0.010	0.14	3.30	5.1	6.6	0.2	24.0	<0.05	0.12	1.3	0.005	0.30	3.0	44	<0.1	73.2	1.1
14	24905	26	1.1	0.72	25.9	58.5	0.28	0.17	0.91	10.43	8.0	12.0	0.48	44.96	1.67	3.4	4.6	0.02	155	<0.02	0.08	5.0	6.6	0.13	340	3.80	0.039	0.42	23.6	611.0	9.81	5.6	0.001	0.04	1.58	0.9	1.6	0.3	26.5	<0.05	0.06	0.5	0.003	0.20	1.1	48	<0.1	98.7	0.7
15	24914	30	0.9	0.57	30.2	40.0	0.44	0.20	0.35	14.24	4.9	15.5	0.70	50.98	2.28	2.7	5.2	0.02	210	<0.02	0.07	7.0	3.6	0.10	198	7.33	0.037	0.28	17.7	1256.0	14.53	4.2	0.004	0.10	3.46	1.4	4.4	0.3	42.6	<0.05	0.10	0.6	0.002	0.24	1.6	48	<0.1	65.8	0.8
16	24915	27	0.4	0.56	26.5	45.0	0.24	0.21	1.49	11.86	8.2	10.5	0.30	38.70	1.75	2.4	4.9	0.02	105	<0.02	0.05	8.0	7.7	0.20	287	3.65	0.034	0.22	35.2	805.0	9.57	3.5	0.007	0.04	1.44	1.4	1.5	0.2	26.5	<0.05	0.04	0.9	0.001	0.16	1.3	34	<0.1	182.4	0.8

JJ/N
dMSE-13768
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jobsthouse
B.C. Certified Assayer



Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dalles Drive, Kamloops, BC V2C 6T4
Phone (250) 573-6700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

28-Sep-07

2007 INVOICE

INVOICE #:AK07-1375

DESCRIPTION	PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>		
<u>2007 Quote</u>		
16 Sample Prep. (Soil & Silt)	2.90	46.40
16 Trace ICP-MS Pkg	18.90	302.40
16 Au Geochem (30g)	6.00	96.00
SUBTOTAL:		444.80
& 6% G.S.T:		26.69
TOTAL DUE & PAYABLE UPON RECEIPT:		<u>471.49</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



-Oct-07

ECH LABORATORY LTD.
1001 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1377
Extended Package

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 223
Sample Type: Soil
Project: Andrew
Submitted by: A. Richardson

Values in ppm unless otherwise reported

El #.	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Si ppm	Ca ppm	Cd ppm	Co ppm	Cr ppm	Ca ppm	Fe ppm	Ga %	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Br ppm	Ta ppm	Te ppm	Th ppm	Tl ppm	Tl %	U ppm	V ppm	W ppm	Zn ppm	Zr ppm		
1	68779	3	0.61	1.27	86.4	315.0	0.98	0.60	0.89	23.15	12.2	21.0	2.58	32.5	2.47	4.6	7.8	0.08	45	0.07	11.0	21.0	0.49	612	1.61	0.041	0.71	29.4	669	47.80	8.7	0.002	0.04	2.24	3.2	0.8	0.4	41.0	<0.05	0.05	2.6	0.004	0.18	1.0	34	0.1	189.8	2.85
2	68780	4	1.44	1.31	104.6	310.0	0.40	1.10	0.98	25.50	10.2	16.0	4.08	48.8	2.24	4.6	7.5	0.22	75	0.07	14.0	20.2	0.33	563	1.18	0.043	0.86	26.7	723	79.45	8.6	0.001	0.08	2.78	2.8	1.3	0.8	86.0	<0.05	0.04	5.5	0.006	0.18	1.8	28	<0.1	185.2	6.91
3	68781	4	1.30	1.13	80.0	367.5	0.98	0.86	1.29	23.71	9.9	14.5	4.88	41.9	2.00	4.2	6.7	0.16	60	0.06	12.5	15.2	0.29	560	1.08	0.049	0.78	21.8	799	50.03	8.8	0.001	0.08	2.04	2.1	1.1	0.8	79.0	<0.05	0.04	3.8	0.008	0.14	1.5	26	<0.1	117.1	4.86
4	68782	8	2.32	1.06	33.4	512.5	0.22	1.70	0.93	22.71	5.2	7.5	3.06	54.3	1.26	3.2	4.7	0.24	90	0.04	13.0	5.8	0.12	590	0.66	0.048	0.58	21.2	712	22.71	5.0	0.001	0.10	2.34	1.6	1.6	0.3	148.0	<0.05	0.06	2.8	0.010	0.16	1.6	26	<0.1	8.46	
5	68783	2	0.46	1.41	92.5	362.5	0.62	0.40	1.14	36.95	15.5	24.5	4.10	41.4	2.98	5.8	9.4	0.06	45	0.09	18.0	24.7	0.57	621	1.70	0.038	0.96	33.2	578	69.14	12.4	0.001	0.04	2.34	3.3	1.0	0.7	38.0	<0.05	0.04	3.8	0.016	0.18	1.0	44	<0.1	221.4	2.52
6	68784	3	0.74	1.02	71.7	362.0	0.32	0.86	0.71	21.19	9.7	16.0	2.04	62.4	2.18	3.9	6.7	0.12	60	0.06	11.5	13.5	0.29	502	1.23	0.041	0.66	27.8	574	42.02	5.8	0.001	0.04	2.26	2.2	1.2	0.4	60.5	<0.05	0.04	2.7	0.006	0.12	1.1	34	<0.1	117.1	3.57
7	68785	5	1.14	1.47	123.3	439.5	0.54	1.24	1.44	27.99	12.5	21.0	3.02	68.9	2.88	5.3	8.7	0.22	80	0.08	16.5	20.2	0.44	600	1.75	0.050	1.14	37.5	792	64.12	9.4	0.001	0.08	3.98	3.4	1.6	0.6	101.5	<0.05	0.10	3.8	0.010	0.18	1.5	40	<0.1	206.6	6.66
8	68786	3	1.12	1.20	94.8	443.0	0.36	1.38	1.56	22.98	9.4	17.5	4.98	59.8	2.21	4.0	6.8	0.20	80	0.08	14.0	14.2	0.37	506	1.38	0.040	0.90	31.2	682	61.44	10.5	0.001	0.08	3.98	2.6	1.1	0.6	108.5	<0.05	0.08	2.9	0.011	0.16	1.3	32	<0.1	173.8	6.04
9	68787	4	0.58	1.49	93.4	433.0	0.36	0.77	1.28	29.80	14.2	22.5	2.52	46.5	2.89	5.6	8.6	0.14	60	0.08	15.0	20.7	0.51	711	1.77	0.042	1.22	37.0	572	53.88	9.8	0.001	0.08	3.52	3.0	1.0	0.5	67.0	<0.05	0.08	3.1	0.014	0.18	1.1	44	<0.1	191.8	4.97
10	68788	3	0.72	1.22	89.9	368.5	0.56	1.05	1.35	19.94	9.8	17.0	3.78	39.1	2.15	4.4	6.5	0.12	60	0.07	10.5	15.5	0.38	489	1.40	0.047	0.98	24.8	644	41.94	9.5	0.001	0.08	3.36	2.0	0.8	0.5	82.5	<0.05	0.08	2.3	0.012	0.12	1.1	36	<0.1	185.0	4.02
11	68789	4	0.98	1.45	82.9	416.5	0.44	1.10	1.79	27.88	15.3	19.5	4.74	64.4	2.83	5.2	8.2	0.20	75	0.08	14.5	18.2	0.42	1096	2.06	0.041	1.18	40.9	719	44.41	10.1	0.001	0.08	5.14	2.8	1.4	0.5	87.5	<0.05	0.08	2.9	0.014	0.14	1.8	42	<0.1	194.1	5.62
12	68790	5	0.89	1.37	28.0	523.5	0.34	1.29	1.08	23.95	10.3	18.0	1.84	49.0	2.44	4.8	7.1	0.22	80	0.07	12.5	17.3	0.37	438	1.85	0.044	1.10	32.8	698	27.54	8.0	0.002	0.08	3.24	2.9	1.3	0.4	94.5	<0.05	0.08	2.9	0.009	0.14	1.7	36	<0.1	144.3	6.02
13	68791	3	0.80	1.22	51.1	314.0	0.34	2.25	0.86	29.21	12.2	20.0	1.78	55.3	2.98	4.2	7.9	0.20	100	0.06	11.0	12.3	0.37	783	1.38	0.042	0.98	26.7	894	32.88	6.3	0.002	0.12	3.26	2.7	2.4	0.5	174.0	<0.05	0.08	3.0	0.008	0.12	4.4	40	<0.1	134.4	6.53
14	68792	4	1.12	1.54	58.6	368.5	0.44	1.48	1.35	26.50	12.0	22.0	5.54	89.8	2.83	5.1	8.4	0.20	105	0.07	15.0	16.0	0.41	619	2.02	0.040	1.00	40.5	781	38.82	11.3	0.001	0.08	4.10	3.0	2.2	0.5	118.5	<0.05	0.08	2.9	0.008	0.16	3.2	36	<0.1	184.2	5.81
15	68793	2	0.62	1.57	52.3	396.5	0.44	0.48	1.42	25.62	15.1	27.0	1.82	43.5	2.97	5.5	8.4	0.10	50	0.08	13.0	23.1	0.60	633	1.67	0.035	0.98	32.4	649	40.49	8.8	<0.001	0.04	1.74	3.0	0.9	0.5	45.5	<0.05	0.04	2.8	0.006	0.12	1.2	48	<0.1	185.6	2.97
16	68794	2	0.34	1.86	66.3	416.5	0.48	0.41	1.72	38.50	16.7	28.0	3.94	48.3	3.29	6.4	9.6	0.14	40	0.09	19.5	22.8	0.62	798	2.15	0.038	1.06	36.0	725	53.82	11.9	0.001	0.04	2.84	3.5	1.0	0.6	42.5	<0.05	0.08	3.8	0.007	0.14	1.1	52	<0.1	207.1	3.92
17	68795	6	1.44	1.77	69.9	481.0	0.48	0.62	1.07	37.50	16.3	25.5	8.22	81.7	3.25	6.2	9.6	0.12	90	0.09	19.0	23.7	0.50	920	2.34	0.048	1.08	43.4	801	80.44	12.4	0.001	0.08	2.88	3.8	1.6	0.6	58.0	<0.05	0.08	3.1	0.008	0.18	2.1	48	<0.1	203.9	3.73
18	68796	4	1.10	1.67	68.4	363.0	0.48	0.41	2.15	33.07	13.4	27.0	10.20	63.1	2.86	6.0	8.7	0.14	70	0.09	17.5	20.9	0.47	599	1.92	0.044	0.98	33.9	690	57.93	14.0	0.001	0.08	2.86	3.5	1.3	0.7	44.0	<0.05	0.08	3.0	0.007	0.16	1.9	48	<0.1	220.2	3.77
19	68797	1	0.34	0.81	13.3	228.5	0.26	0.33	1.19	14.82	5.2	8.0	3.86	31.7	0.96	3.1	3.1	0.02	28	0.04	7.5	6.4	0.13	155	0.76	0.061	0.68	14.2	282	34.48	5.4	<0.001	0.04	0.70	0.8	0.5	0.2	30.5	<0.05	0.02	0.4	0.003	0.06	0.7	20	<0.1	88.4	0.52
20	68798	5	0.82	1.10	19.8	367.5	0.30	0.68	1.74	19.87	8.3	14.0	2.92	42.1	1.66	3.8	6.1	0.12	76	0.05	10.5	13.5	0.26	356	0.99	0.062	0.66	24.0	674	56.48	6.9	<0.001	0.06	1.84	1.8	1.1	0.3	80.0	<0.05	0.06	1.6	0.006	0.10	2.0	26	<0.1	191.1	3.56
21	68799	3	0.90	1.23	24.3	438.5	0.36	0.63	1.38	22.25	9.1	17.5	2.34	49.1	2.11	4.5	6.4	0.14	78	0.07	12.0	15.8	0.34	455	1.39	0.048	0.80	26.2	724	72.77	7.7	0.001	0.08	1.60	2.5	1.1	0.4	58.0	<0.05	0.04	2.2	0.005	0.10	1.7	32	<0.1	164.5	4.32
22	68800	4	1.00	1.84	46.9	541.5	0.44	0.77	1.00	27.05	12.8	26.0	2.78	63.9	2.88	6.1	8.4	0.20	85	0.09	15.5	21.5	0.54	508	1.75	0.061	1.06	37.7	685	64.84	10.5	0.001	0.08	3.18	3.7	1.1	0.6	80.5	<0.05	0.08	3.0	0.008	0.14	1.5	50	<0.1	209.2	5.71
23	68801	3	0.75	1.67	59.9	433.0	0.44	0.74	1.30	30.88	13.1	22.0	3.56	61.4	2.72	5.9	8.0	0.14	60	0.08	17.0	20.7	0.47	650	1.71	0.048	1.02	30.9	723	78.43</																		

#	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ca	Ca	Cr	Cs	Cu	Fe	Ga	Ga	Hf	Hg	K	La	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr		
#	ppb	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
41	68820	2	2.00	0.79	12.1	168.0	0.32	0.58	2.38	22.74	9.9	8.5	6.24	56.4	2.79	3.8	7.0	0.10	50	0.04	12.0	10.7	0.14	1180	0.73	0.059	0.58	18.6	552	418.10	6.1	<0.001	0.06	0.56	1.5	0.6	0.5	46.5	<0.05	0.02	2.1	0.006	0.08	1.1	24	<0.1	280.9	3.61	
42	68821	2	0.20	0.61	10.1	68.5	0.12	0.88	0.45	14.13	3.7	5.5	5.26	30.9	0.94	2.6	2.7	0.06	25	0.03	7.5	7.9	0.12	225	0.34	0.071	0.36	8.4	780	11.69	3.9	0.001	0.08	0.22	0.9	0.5	<0.1	45.0	<0.05	<0.02	0.8	0.014	0.06	1.6	24	<0.1	52.6	2.45	
43	68822	1	0.18	1.24	26.7	106.5	0.48	0.09	0.43	26.86	5.8	19.5	0.26	12.7	3.49	9.0	8.8	0.04	10	0.05	14.0	13.9	0.36	235	2.33	0.042	1.20	13.6	270	37.12	6.2	<0.001	<0.02	0.76	1.9	0.4	0.8	13.0	<0.05	0.02	3.0	0.024	0.10	0.5	96	<0.1	106.0	1.82	
44	68823	1	0.48	1.32	34.5	257.0	0.48	0.49	2.65	42.37	16.0	27.0	4.50	64.7	2.72	8.7	7.7	0.08	15	0.08	22.0	24.4	0.59	549	1.82	0.062	0.98	32.1	703	61.13	11.8	0.001	0.04	1.54	2.5	0.9	0.9	40.5	<0.05	0.04	2.7	0.022	0.06	1.6	48	<0.1	150.3	2.27	
45	68824	2	0.54	0.92	9.5	164.0	0.21	1.83	1.92	16.89	12.1	8.0	6.54	56.8	1.43	2.6	3.1	0.14	55	0.04	7.0	12.4	0.22	776	0.55	0.078	0.63	16.8	997	19.72	5.8	0.001	0.12	0.60	1.2	0.7	0.3	153.0	<0.05	0.04	1.9	0.018	0.08	1.7	24	<0.1	87.3	4.65	
46	68825	2	0.34	1.95	10.3	186.5	0.52	1.93	0.96	16.40	24.7	15.6	10.28	44.2	2.93	8.1	7.3	0.28	30	0.12	7.0	20.8	0.82	1867	0.49	0.126	1.82	20.6	869	68.14	21.4	<0.001	0.10	0.34	3.0	0.5	0.7	126.0	<0.05	0.08	3.1	0.031	0.52	0.8	28	<0.1	150.2	8.87	
47	68826	1	0.30	1.32	28.0	177.0	0.40	0.40	0.70	33.68	12.7	23.0	0.40	37.8	2.53	5.1	7.0	0.06	30	0.06	16.5	22.3	0.54	806	0.69	0.048	0.48	28.1	409	31.54	4.9	<0.001	<0.02	0.24	2.9	0.7	0.3	26.0	<0.05	0.02	2.8	0.002	0.10	1.4	32	<0.1	136.4	2.37	
48	68827	1	0.49	1.68	40.5	99.5	0.52	0.61	0.60	32.41	12.5	24.0	0.34	57.4	2.99	5.7	8.1	0.14	40	0.07	17.0	23.9	0.68	618	0.97	0.040	0.80	32.2	544	30.50	4.9	0.001	0.04	0.62	3.5	1.0	0.6	46.0	<0.05	0.02	3.8	0.001	0.12	1.8	34	<0.1	137.6	5.06	
49	68828	1	0.40	1.67	39.0	210.5	0.50	0.67	0.59	45.04	15.2	26.0	0.82	58.2	3.26	6.4	8.3	0.14	40	0.06	23.0	24.5	0.63	870	1.08	0.062	0.72	36.3	754	44.71	7.0	0.001	0.04	0.36	3.7	1.0	0.7	44.0	<0.05	0.04	4.8	0.005	0.12	1.1	38	<0.1	165.3	5.28	
50	68829	1	0.44	1.80	60.7	216.0	0.68	0.71	1.41	82.87	18.1	31.5	0.60	82.9	4.10	7.6	11.7	0.12	35	0.09	30.5	31.6	0.80	869	1.35	0.057	0.64	42.6	824	56.89	7.1	0.001	0.04	2.14	4.6	1.3	0.9	39.0	<0.05	0.04	7.2	0.008	0.18	1.2	44	<0.1	226.2	4.62	
51	68830	1	0.10	1.10	9.7	124.0	0.10	2.10	0.23	22.75	9.3	40.5	0.48	24.0	2.31	4.7	5.7	0.04	15	0.07	12.0	11.0	0.97	418	0.24	0.082	0.18	33.8	608	9.35	5.1	0.001	0.08	0.8	3.5	0.4	0.1	53.5	<0.05	0.02	4.1	0.024	0.08	1.1	28	<0.1	56.0	1.31	
52	68831	1	0.42	1.88	63.9	118.0	0.86	0.08	0.47	58.57	11.5	30.5	0.58	45.8	6.57	9.0	16.0	0.04	10	0.07	26.0	23.4	0.73	522	1.98	0.047	0.38	34.5	1296	94.70	4.5	0.001	0.04	1.94	3.3	1.2	1.3	13.5	<0.05	0.04	5.7	0.001	0.16	0.9	36	<0.1	211.5	1.27	
53	68832	1	0.70	2.24	61.3	168.5	0.82	0.62	0.57	58.67	10.5	31.0	0.60	40.8	7.07	12.6	17.1	0.10	20	0.06	28.0	23.6	0.48	513	3.04	0.045	0.94	25.8	671	99.58	6.4	0.001	0.02	3.18	3.1	1.0	1.8	9.0	<0.05	0.06	6.4	0.001	0.22	0.8	84	<0.1	214.8	4.79	
54	68833	1	0.27	1.81	37.1	102.5	0.80	0.06	0.84	41.89	13.9	24.5	0.30	35.4	7.5	11.8	0.02	10	0.06	19.5	20.2	0.67	900	2.17	0.048	1.20	29.4	795	101.33	8.3	0.001	0.02	1.80	2.1	0.8	1.1	11.0	<0.05	0.02	2.9	0.009	0.14	0.6	50	<0.1	248.2	0.85		
55	68834	1	0.40	1.34	28.7	78.5	0.48	0.07	0.81	37.90	11.7	18.5	0.96	42.6	3.49	5.7	8.9	0.10	15	0.08	19.0	19.1	0.47	978	0.79	0.050	0.68	26.1	924	99.45	5.5	0.001	0.04	0.84	2.1	0.8	1.2	9.5	<0.05	0.04	3.8	0.004	0.12	0.7	38	<0.1	202.3	3.90	
56	68835	1	0.64	2.02	64.5	93.5	0.74	0.06	0.88	47.76	11.7	28.0	0.66	48.7	6.08	8.8	14.9	0.06	15	0.06	24.5	32.5	0.82	486	1.68	0.047	0.40	35.3	678	100.90	6.7	0.001	0.04	1.24	3.3	0.9	0.9	8.0	<0.05	0.04	4.8	0.001	0.18	0.7	36	<0.1	25	3.76	
57	68836	1	0.30	1.87	82.1	147.0	0.78	0.09	0.72	63.72	13.3	29.5	2.58	50.3	6.10	10.0	16.4	0.06	26	0.10	31.5	23.8	0.71	760	2.77	0.048	1.10	33.0	1446	141.10	11.6	0.002	0.06	0.28	2.7	1.8	2.0	12.0	<0.05	0.06	4.3	0.008	0.24	1.0	82	<0.1	248.4	1.87	
58	68837	<1	0.20	1.58	34.4	111.5	0.58	0.17	0.78	47.38	18.5	24.0	0.58	30.3	3.98	8.9	10.3	0.02	15	0.07	23.5	20.3	0.69	1067	2.04	0.051	0.64	26.0	457	112.10	6.8	0.001	0.02	0.68	2.2	0.9	0.5	16.8	<0.05	0.02	2.3	0.007	0.14	0.8	58	<0.1	195.7	0.75	
59	68838	<1	0.36	1.57	79.9	81.6	0.84	0.12	0.59	45.36	12.2	24.0	0.88	41.4	4.76	7.6	12.0	0.04	10	0.08	23.0	23.4	0.66	469	1.68	0.047	0.58	29.9	665	158.50	6.5	0.001	0.04	1.44	2.3	0.9	1.8	14.5	<0.05	0.04	3.3	0.002	0.14	0.8	48	<0.1	288.2	1.22	
60	68839	2	2.04	1.68	93.1	173.0	0.74	0.63	0.93	29.13	14.0	21.5	2.58	2.96	110.3	3.44	6.3	8.9	8.5	1.42	134.1	1.30	0.01	0.07	707	1.70	0.061	1.02	44.9	864	64.41	12.0	0.001	0.08	0.88	4.6	1.0	0.7	7.5	<0.05	0.04	4.0	0.009	0.18	1.5	54	<0.1	528.8	10.23
61	68840	2	0.74	1.40	45.9	129.0	0.86	0.06	0.37	34.80	11.2	24.0	2.66	36.9	4.02	5.4	9.7	0.10	15	0.06	23.0	36.2	1.12	744	2.18	0.063	0.92	48.0	1173	70.31	11.0	0.001	0.04	2.72	4.5	1.3	1.0	54.0	<0.05	0.06	8.8	0.023	0.20	1.1	76	<0.1	367.7	4.06	
62	68841	3	1.15	1.93	148.5	0.78	0.41	2.10	0.94	48.7	2.76	5.7	7.8	0.12	38.6	17.5	22.4	0.54	497	1.65	0.064	0.86	29.0	883	65.02	6.2	0.001	0.06	1.80	2.5	1.8	0.7	34.0	<0.05	0.06	3.4	0.023	0.22	2.8	50	<0.1	115.0	9.22						
63	68842	2	0.74	1.05	25.3	196.0	0.40	0.22	0.34	35.69	12.1	20.5	1.32	54.2	2.63	3.8	4.3	0.18	55	0.06	11.5	8.1	0.31	381	0.54	0.063	0.74	47.2	616	40.06	8.																		

El #.	Tag #	Au	Ag	Al	As	Be	Bi	Ca	Cd	Co	Cr	Co	Cu	Fe	Ga	Ga	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Si	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr	
		ppb	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
96	68875	1	0.38	1.11	37.2	211.0	0.34	0.19	1.91	40.99	10.3	21.5	1.22	27.0	2.83	6.4	7.4	0.02	10	0.08	21.0	19.0	0.45	534	1.42	0.043	0.76	19.9	273	36.37	11.1	<0.001	<0.02	1.46	1.8	0.8	0.7	17.5	<0.05	0.04	2.3	0.008	0.10	0.5	44	<0.1	120.2	0.78
97	68876	2	0.34	1.83	56.4	603.0	0.46	0.45	2.84	41.94	17.3	31.0	2.04	55.8	3.63	6.7	9.4	0.14	55	0.09	18.5	10.1	0.61	1091	2.82	0.048	0.64	36.6	954	84.78	9.0	0.001	0.06	2.64	3.9	2.3	0.7	39.5	<0.05	0.06	3.9	0.002	0.14	2.9	46	<0.1	184.1	3.81
98	68877	2	0.50	1.12	59.8	216.0	0.68	0.44	1.96	57.80	10.9	18.5	4.84	45.0	3.92	7.1	8.1	0.02	15	0.08	28.5	10.3	0.33	685	1.96	0.041	0.84	21.9	990	127.25	8.4	0.001	0.04	5.04	1.2	1.4	2.5	29.5	<0.05	0.06	1.8	0.003	0.14	0.8	48	<0.1	187.2	1.28
99	68878	2	0.30	1.93	185.9	199.0	0.46	0.23	0.77	46.26	18.5	32.0	2.44	36.7	3.67	7.2	9.3	0.04	15	0.10	20.5	32.3	0.83	818	1.30	0.048	0.58	36.8	679	117.80	11.7	0.001	<0.02	2.32	3.2	1.0	0.8	19.0	<0.05	0.04	4.3	0.008	0.14	0.6	52	<0.1	323.6	1.41
100	68879	3	0.32	1.87	56.4	321.0	0.42	0.33	0.82	48.01	16.8	33.5	2.44	49.7	3.46	6.9	9.5	0.04	20	0.10	23.0	32.1	0.97	577	1.36	0.032	0.46	36.2	762	63.42	11.5	0.001	0.02	1.70	3.9	1.1	0.7	23.0	<0.05	0.04	6.0	0.021	0.18	0.9	52	<0.1	166.8	2.03
101	68880	4	0.06	0.75	9.8	84.5	0.08	1.36	0.15	15.83	6.2	27.5	0.52	16.7	1.59	3.4	3.5	0.06	15	0.05	8.5	7.4	0.67	265	0.42	0.046	0.16	23.4	496	5.41	4.0	<0.001	0.04	0.36	2.4	0.3	<0.1	34.5	<0.05	<0.02	3.3	0.029	0.06	0.7	32	<0.1	40.0	1.96
102	68881	2	0.36	1.44	30.2	300.0	0.34	0.29	0.96	41.15	12.1	26.5	1.44	25.8	2.83	5.7	7.5	0.06	25	0.08	19.5	24.6	0.71	469	1.43	0.032	0.40	26.2	711	74.05	7.7	0.001	0.02	1.80	2.8	1.3	0.8	22.5	<0.05	0.04	4.1	0.005	0.10	1.0	36	<0.1	167.3	1.84
103	68882	1	0.04	1.21	33.0	171.5	0.30	0.20	0.34	32.76	11.5	22.5	1.30	18.1	2.72	5.2	7.0	0.02	10	0.05	15.5	25.5	0.56	740	1.31	0.041	0.38	20.9	333	37.87	7.7	<0.001	<0.02	1.24	2.1	0.9	0.4	16.5	<0.05	0.04	3.3	0.005	0.08	0.5	36	<0.1	108.4	0.89
104	68883	2	4.18	1.51	52.8	236.0	5.46	0.32	7.21	35.49	16.9	22.5	5.44	90.6	3.81	5.4	9.3	0.08	40	0.10	16.5	24.8	0.89	1193	1.43	0.046	0.50	33.5	748	986.00	10.1	0.001	0.06	4.62	2.9	2.2	4.0	26.0	<0.05	0.06	3.4	0.007	0.14	1.7	34	<0.1	546.4	2.17
105	68884	1	0.38	1.87	69.2	187.8	0.52	0.28	0.23	33.05	36.3	24.5	8.30	74.7	6.40	6.0	12.6	0.08	15	0.16	15.0	25.3	0.76	718	2.71	0.046	0.58	32.9	510	182.20	18.4	0.001	0.06	2.86	3.0	1.9	1.0	23.0	<0.05	0.06	8.9	0.006	0.24	2.0	28	<0.1	350.7	3.04
106	68885	6	0.40	1.29	27.8	123.5	0.38	0.31	4.67	26.17	47.2	21.0	9.86	94.7	6.03	4.5	13.7	0.08	10	0.10	14.5	21.2	0.72	730	1.96	0.042	0.70	53.3	440	88.24	11.3	0.001	0.04	4.32	2.3	1.5	5.2	23.5	<0.05	0.04	8.7	0.022	0.20	2.5	16	<0.1	486.7	3.17
107	68886	3	0.08	1.43	44.9	137.5	0.78	0.22	1.42	33.47	29.2	27.5	5.04	36.4	4.09	6.5	9.8	0.04	5	0.10	15.5	23.6	0.70	883	1.20	0.042	0.68	28.9	308	35.90	12.8	0.001	0.02	1.74	1.9	1.0	0.9	20.0	<0.05	0.06	5.8	0.006	0.14	0.8	30	<0.1	193.8	1.88
108	68887	3	2.42	1.62	52.7	568.0	1.60	0.16	1.96	37.83	64.3	22.0	25.88	92.8	4.58	5.8	10.8	0.06	15	0.18	15.5	21.7	0.61	1163	0.87	0.044	0.76	48.2	583	843.90	20.9	0.001	0.08	4.50	3.2	1.8	3.9	137.5	<0.05	0.14	13.3	0.014	0.34	1.6	18	<0.1	236.0	3.66
109	68888	3	0.18	1.75	82.7	172.5	0.32	0.06	0.40	42.23	14.1	26.0	2.72	40.1	3.85	6.0	9.1	0.06	15	0.08	20.0	33.7	0.58	588	1.16	0.036	0.32	32.1	327	44.98	10.5	0.001	0.02	1.92	3.0	0.9	0.5	7.5	<0.05	0.04	5.6	0.002	0.14	0.5	36	<0.1	126.6	2.36
110	68889	2	0.14	1.47	36.8	383.5	0.52	0.11	0.34	38.88	21.3	18.5	22.22	46.0	3.91	6.2	9.4	0.06	15	0.11	19.0	27.1	0.45	899	0.88	0.042	0.38	31.9	681	68.28	13.3	0.001	0.06	1.90	2.1	0.9	0.5	45.0	<0.05	0.06	6.3	0.004	0.18	1.0	22	<0.1	115.5	2.77
111	68890	1	0.14	1.25	47.7	105.0	0.74	0.15	0.43	40.61	28.6	21.5	13.36	39.7	3.88	5.2	8.6	0.04	6	0.07	20.0	29.8	0.50	976	1.21	0.030	0.30	28.2	582	94.50	10.1	0.001	0.02	2.64	2.0	0.8	1.2	15.5	<0.05	0.04	4.6	0.002	0.12	0.6	28	<0.1	1	1.28
112	68891	2	0.12	1.04	57.2	163.5	0.52	0.14	0.46	45.57	14.3	18.5	1.36	60.8	2.50	4.5	6.9	0.02	15	0.05	20.5	20.5	0.48	717	0.91	0.038	0.20	27.2	614	26.51	6.0	0.001	0.02	1.76	2.3	0.9	0.5	13.0	<0.05	0.04	4.9	0.005	0.10	0.6	24	<0.1	164.0	0.90
113	68892	2	0.18	1.36	45.6	148.0	0.30	0.11	0.27	32.37	7.9	20.0	1.42	26.8	2.40	5.1	6.5	0.06	25	0.05	15.5	21.2	0.38	338	1.05	0.041	0.40	16.2	526	24.08	7.5	0.001	0.02	1.04	2.0	0.6	0.5	9.0	<0.05	0.04	3.4	0.002	0.10	0.5	34	<0.1	82.0	1.70
114	68893	2	0.18	0.95	36.2	217.5	0.22	0.17	0.29	40.10	11.4	17.5	1.00	31.7	2.28	4.3	6.2	0.02	25	0.04	18.5	24.5	0.40	584	0.89	0.040	0.22	24.4	530	32.00	4.9	0.001	0.02	1.84	2.2	1.0	0.3	12.5	<0.05	0.02	3.2	0.004	0.08	0.6	28	<0.1	80.8	0.84
115	68894	2	0.18	1.16	39.8	220.0	0.34	0.48	0.18	31.23	14.2	20.0	1.44	35.1	3.05	4.1	7.3	0.02	15	0.05	14.5	22.0	0.50	588	1.21	0.037	0.19	29.9	395	36.18	6.9	0.001	0.02	1.98	2.5	0.8	0.3	7.5	<0.05	0.02	4.4	0.003	0.10	0.6	30	<0.1	115.0	1.06
121	68900	2	0.08	1.47	40.2	222.5	0.90	0.18	0.46	53.91	14.4	26.5	2.20	37.7	3.28	6.1	8.6	0.04	16	0.07	25.0	26.5	0.71	867	1.23	0.040	0.30	31.1	658	38.87	8.5	0.001	0.02	2.46	2.9	1.0	0.6	17.0	<0.05	0.02	5.7	0.006	0.12	0.7	36	<0.1	120.8	1.57
122	68917	2	0.18	0.98	51.3	230.5	0.36	0.15	0.63	48.23	13.2	18.5	1.68	39.8	2.88	4.8	6.8	0.02	20	0.05	21.5	19.9	0.47	734	0.98	0.040	0.20	27.2	610	29.54	6.0	0.001	0.02	1.84	2.4	1.0	0.4	14.5	<0.05	0.04	4.9	0.007	0.12	0.6	24	<0.1	111.8	0.90
123	68949	1	0.28	1.63	48.8	363.5	0.62	0.35	1.18	44.02	41.5	27.2	22.5	4.98	2.57	5.6	8.4	0.06	20	0.11	17.5	29.0	0.38	1277	0.94	0.060	0																					

EI #	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	No	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr	
		ppb	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm							
151	53227	2	0.50	1.27	73.0	45.5	0.78	10.0	1.23	72.69	17.4	20.5	3.88	67.7	4.08	6.1	9.9	0.04	20	0.09	34.5	22.5	0.48	78.1	0.027	0.32	37.7	62.0	148.20	10.7	0.001	0.02	3.76	3.0	1.3	1.5	12.0	<0.05	0.04	6.4	0.005	0.16	1.0	32	<0.1	273.7	0.89	
152	53228	3	0.75	1.27	80.7	264.5	0.96	0.23	3.61	82.10	19.5	20.5	4.96	85.5	4.33	6.4	10.8	0.04	30	0.10	40.5	24.0	0.82	1004	1.69	0.027	0.18	45.3	630	203.60	10.7	0.001	<0.02	4.16	4.2	1.7	1.8	20.0	<0.05	0.04	8.7	0.004	0.18	1.2	28	<0.1	372.9	1.82
153	53229	2	1.00	1.30	50.9	132.5	0.72	0.10	1.13	51.34	11.6	20.0	2.90	60.3	3.26	6.5	8.9	0.04	38	0.08	23.5	14.5	0.39	558	1.98	0.035	0.58	26.4	809	155.40	12.6	0.001	0.02	3.28	1.7	1.2	1.3	12.5	<0.05	0.04	3.2	0.006	0.14	1.2	42	<0.1	184.4	1.05
154	53230	2	0.44	1.36	61.1	117.5	0.84	0.07	1.28	62.88	19.4	22.0	3.32	69.6	4.46	6.4	11.8	0.04	16	0.08	30.0	24.3	0.45	1014	2.06	0.025	0.36	36.3	704	427.40	10.8	0.001	0.04	5.08	2.7	1.5	1.4	12.0	<0.05	0.04	5.3	0.004	0.16	1.0	36	<0.1	272.2	1.18
155	53231	2	0.40	1.00	37.5	145.0	0.46	0.06	0.77	48.22	8.7	14.0	1.92	36.6	2.57	5.6	8.4	0.06	25	0.08	23.0	10.7	0.26	248	1.71	0.031	0.40	20.3	730	74.99	7.6	0.001	0.02	2.72	1.6	1.0	0.8	11.5	<0.05	0.04	2.9	0.002	0.10	0.8	32	<0.1	105.6	1.34
156	53232	2	0.36	0.91	34.6	125.5	0.42	0.06	0.74	43.64	6.0	12.5	1.82	35.3	2.38	5.1	5.8	0.04	26	0.05	21.0	8.7	0.22	220	1.53	0.032	0.38	18.4	665	64.34	7.1	<0.01	0.02	2.64	1.4	0.9	0.8	9.0	<0.05	0.02	2.1	0.003	0.10	0.8	28	<0.1	99.2	1.10
157	53233	2	0.50	1.21	48.1	107.0	0.86	0.05	0.99	67.10	18.9	18.5	2.84	56.8	3.68	5.7	6.8	0.04	15	0.07	32.0	22.8	0.42	988	1.61	0.023	0.30	33.2	540	138.70	9.6	0.001	<0.02	4.84	2.6	1.3	2.0	8.5	<0.05	0.04	5.8	0.004	0.14	1.0	26	<0.1	218.6	1.07
158	53234	8	0.92	1.24	82.5	171.5	0.84	0.15	3.08	69.21	19.8	21.0	2.78	67.4	3.79	5.9	9.3	0.04	16	0.08	32.5	20.9	0.56	890	1.29	0.026	0.28	36.7	695	191.80	8.7	0.001	<0.02	5.74	3.0	1.3	2.1	15.5	<0.05	0.04	8.6	0.008	0.14	1.4	30	<0.1	265.1	1.15
159	53235	2	0.34	0.67	7.2	78.5	0.08	1.18	14.86	8.0	25.5	0.56	16.2	1.53	3.2	2.9	0.08	10	0.04	8.0	7.1	0.62	271	0.41	0.036	0.16	23.0	466	5.12	3.8	<0.01	0.04	0.36	2.1	0.3	<0.1	32.5	<0.05	0.02	3.3	0.030	0.08	0.7	29	<0.1	38.8	2.15	
160	53236	5	0.08	1.89	29.8	99.5	0.38	0.09	0.20	46.88	35.7	26.0	2.54	40.8	3.89	8.9	9.0	0.08	30	0.03	22.0	47.8	0.80	823	1.59	0.030	0.54	35.1	484	41.63	4.4	0.001	<0.02	1.04	2.3	0.9	2.2	12.6	<0.05	0.02	7.4	0.010	0.08	1.0	36	<0.1	105.8	3.06
161	53237	34	0.12	1.73	90.5	114.0	0.32	0.09	22.46	18.8	24.3	21.0	1.98	30.1	3.49	6.2	8.4	0.08	140	0.04	20.5	35.3	0.74	781	1.32	0.028	0.46	34.7	519	22.21	5.5	0.028	<0.02	1.08	2.0	0.9	0.2	9.5	<0.05	0.04	6.4	0.008	0.08	0.8	32	4.1	92.3	2.36
162	53238	6	0.08	2.33	10.1	106.0	0.18	0.11	64.43	15.5	24.5	5.40	17.5	3.75	7.8	9.8	0.14	20	0.04	31.5	62.7	1.83	508	1.11	0.026	0.42	30.7	573	11.38	5.8	0.001	<0.02	0.62	2.0	1.0	0.2	15.6	<0.05	0.04	11.9	0.008	0.08	0.8	32	<0.1	73.8	5.99	
163	53239	4	0.08	1.78	19.0	72.5	0.42	0.08	22.49	10.4	23.0	1.88	27.8	4.27	8.8	9.8	0.10	30	0.04	22.0	29.9	0.59	361	1.47	0.029	0.94	26.0	573	26.68	6.5	0.001	0.02	1.12	1.9	0.9	0.2	13.5	<0.05	0.04	8.8	0.015	0.10	1.0	36	<0.1	101.5	3.61	
164	53240	10	0.14	1.35	54.4	137.5	0.28	0.24	0.34	29.26	17.3	20.5	1.40	114.5	4.24	4.8	9.1	0.10	15	0.05	18.0	26.7	1.03	2941	4.19	0.026	0.20	36.6	1812	22.88	6.5	0.001	<0.02	5.58	1.3	2.1	2.3	25.8	<0.05	0.04	3.1	0.004	0.08	1.2	30	<0.1	102.3	3.34
165	53241	6	0.68	1.10	11.8	126.0	0.24	1.46	1.15	30.82	19.8	16.5	1.00	66.6	4.00	4.2	8.3	0.14	175	0.06	16.0	11.6	0.73	1703	2.03	0.029	0.24	36.6	1627	15.54	5.7	0.001	0.08	1.58	1.6	1.5	0.1	90.5	<0.05	0.06	1.9	0.004	0.08	1.7	26	<0.1	106.4	4.11
166	53242	6	0.82	0.80	61.1	133.0	0.36	0.20	0.48	29.12	11.1	10.0	2.00	63.0	3.49	3.5	7.4	0.04	26	0.06	15.0	11.6	0.26	281	15.24	0.060	0.12	29.2	1740	33.92	5.0	0.003	0.14	5.98	1.0	2.8	0.1	108.5	<0.05	0.06	6.3	0.003	0.20	4.5	24	<0.1	1	1.13
167	53243	3	0.08	1.70	18.4	56.8	0.48	0.05	0.16	49.81	18.6	21.5	3.34	86.3	4.84	7.7	10.5	0.10	20	0.04	23.5	30.3	0.52	898	1.66	0.027	0.40	26.8	531	27.08	5.0	0.001	<0.02	0.82	1.3	0.7	0.2	9.0	<0.05	0.04	7.2	0.006	0.08	0.8	28	<0.1	35.9	
168	53244	4	0.12	1.85	21.5	89.0	0.52	0.05	0.13	58.82	27.7	18.0	4.22	37.5	4.36	7.2	10.1	0.08	20	0.03	26.0	49.5	0.93	904	1.36	0.027	0.18	31.8	516	37.11	3.6	0.001	<0.02	0.90	1.8	0.7	0.2	21.5	<0.05	0.04	11.2	0.003	0.08	1.9	20	<0.1	113.9	3.29
169	53245	4	0.12	1.87	55.1	90.0	0.52	0.02	0.11	58.85	28.8	28.0	6.74	43.2	6.73	6.7	14.8	0.06	10	0.03	26.5	43.0	0.47	1008	1.42	0.033	0.08	46.5	754	11.50	4.1	<0.01	0.04	2.18	1.8	1.0	0.1	41.5	<0.05	0.06	11.3	0.002	0.08	3.8	18	<0.1	142.6	4.75
170	53246	35	0.18	1.09	186.1	69.0	0.48	0.04	11.1	47.64	7.0	16.0	2.50	22.6	4.16	7.4	9.0	0.04	45	0.03	23.5	18.1	0.31	418	1.27	0.028	0.70	32.8	2467	24.58	8.8	0.001	0.12	5.08	1.3	2.3	0.2	51.5	<0.05	0.08	2.7	0.003	0.18	2.4	44	<0.1	170.5	9.32
171	53247	7	0.36	1.10	24.2	46.5	0.42	0.04	0.10	39.75	7.5	16.0	2.96	23.7	3.29	6.1	7.3	0.02	55	0.03	19.5	16.9	0.34	481	1.29	0.035	0.36	14.2	950	21.58	5.0	0.004	0.04	0.92	0.3	0.7	0.3	10.5	<0.05	0.02	1.5	0.008	0.08	0.6	32	0.5	59.3	0.79
172	53248	2	0.28	1.59	17.0	96.0	0.80	0.05	21.32	35.2	17.0	23.5	3.34	32.9	4.37	7.1	9.4	0.08	20	0.04	20.0	30.3	0.52	898	1.66	0.027	0.82	23.5	566	7.75	7.0	0.001	<0.02	0.96	1.4	0.7	0.3	12.0	<0.05	0.04	3.9	0.009	0.08	0.9	40	<0.1	195.7	2.21
173	53249	4	0.66	1.51	44.7	134.0	0.44	0.16	0.67	33.65	21.8	20.0	2.70	73.3	4.19	5.7	9.1	0.24	30	0.04	17.0	24.7	0.61	737	7.77	0.033	0.24	46.5	1343	32.10	4.8	0.002	0.08	2.65	1.4	1.8	0.3	63.0	<0.05	0.04	4.7	0.003	0.12	3.0	48	<0.1	180.2	7.02
174	53250	9	0.88	1.54	32.3	19.0	0.36	0.03	84.44	24.9	25.5	21.0	2.12	96.5	4.70	5.8	10.5	0.14	60	0.06	21.0	20.9	0.81	2427	3.67	0.030	0.22	46.8	1536	31.06	7.8	0.001	0.04	3.82	2.5	1.9	0.2	47.0	<0.05	0.04	2.6	0.006	0.08	1.8	36	<0.1	139.5	4.03
175	53251	8	1.08	1.92	42.2	197.5	0.26	0.09	30.25	16.1	17.6	1.88	22.6	3.59	4.8	6.1	0.08	20	0.03	16.0	32.0	1.03	766	3.52	0.027	0.34	43.1	1416	21.71	8.0	0.001	0.02	3.24	1.9	1.3	0.2	27.5	<0.05	0.04	3.6	0.007	0.14	0.8	46	<0.1	173.9	3.31	
176	53262	7	0.72	1.89	1																																											

It #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ca	Cc	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Pb	Re	S	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr		
		ppb	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
206	53262	4	0.26	1.85	43.6	45.0	0.68	0.04	0.16	38.65	9.9	22.5	1.90	38.2	5.50	7.4	10.9	0.36	55	0.03	18.0	38.9	0.71	630	1.44	0.027	0.32	20.9	1056	41.30	2.8	<0.001	0.06	2.32	1.3	0.8	<0.1	9.0	<0.05	0.04	6.6	0.003	0.04	2.3	22	<0.1	109.5	10.15	
207	53263	4	0.58	1.55	57.6	135.5	0.72	0.11	0.74	39.66	29.2	19.5	5.36	68.4	5.19	6.3	10.2	0.16	35	0.05	19.0	28.5	0.63	779	1.18	0.031	0.36	28.9	1065	328.10	5.6	<0.001	0.06	5.62	1.3	1.0	0.1	22.0	<0.05	0.06	5.9	0.003	0.06	3.1	26	<0.1	249.1	4.97	
208	53264	3	0.36	1.36	110.0	70.0	0.40	0.04	0.22	32.88	49.5	16.5	2.10	37.7	4.21	5.5	8.1	0.08	35	0.02	15.5	28.5	0.49	907	1.30	0.023	0.32	30.6	554	60.41	3.3	<0.001	<0.02	4.20	0.9	0.8	0.1	8.0	<0.05	0.04	4.5	0.003	0.06	1.6	20	<0.1	129.3	2.48	
209	53265	2	0.26	1.19	46.3	71.5	0.62	0.06	0.16	34.18	13.2	15.0	3.70	39.1	4.00	5.6	7.8	0.14	30	0.03	16.0	19.3	0.39	486	1.28	0.029	0.88	20.6	1001	38.41	3.8	<0.001	0.06	2.26	0.6	0.6	0.1	13.0	<0.05	0.04	3.5	0.004	0.06	1.9	20	<0.1	94.5	4.10	
210	53266	3	0.36	1.61	56.0	80.0	0.74	0.06	0.31	42.96	26.5	20.5	3.22	50.5	6.27	6.9	10.3	0.18	25	0.03	20.6	31.4	0.68	777	1.42	0.025	0.96	35.2	843	65.30	4.3	<0.001	0.04	2.80	1.2	0.8	0.2	17.0	<0.05	0.06	6.0	0.003	0.06	2.6	26	<0.1	151.3	5.76	
211	53267	10	0.98	1.89	83.8	301.0	0.54	0.81	1.37	59.67	47.0	38.5	5.22	121.7	5.86	7.2	11.6	0.20	46	0.08	31.0	29.8	1.21	1696	3.60	0.028	0.86	90.8	1340	249.50	10.8	0.001	0.04	7.86	4.4	2.3	0.2	59.5	<0.05	0.12	5.4	0.008	0.18	4.2	74	<0.1	392.0	6.18	
212	53268	14	0.54	1.41	72.3	132.0	0.52	0.43	1.04	40.44	37.8	20.5	3.44	126.0	5.64	5.2	11.0	0.12	15	0.03	19.0	28.5	0.95	1068	5.25	0.027	0.14	72.8	1541	149.40	4.3	0.001	0.06	14.02	3.4	1.9	<0.1	44.0	<0.05	0.12	6.8	0.003	0.10	3.3	36	<0.1	257.8	3.82	
213	53269	12	1.10	1.89	39.1	167.0	0.64	0.46	0.53	23.27	7.6	10.0	2.42	96.6	4.99	3.4	8.9	0.12	20	0.06	12.5	13.6	0.44	122.1	19.25	0.023	0.08	29.5	1839	81.26	4.5	0.002	0.10	13.96	1.4	5.4	0.1	123.0	<0.05	0.12	8.3	0.001	0.12	7.3	26	<0.1	207.2	4.79	
214	53270	6	0.88	1.05	25.4	137.0	0.42	1.39	0.54	31.03	10.7	14.0	1.22	74.8	3.55	4.1	6.7	0.24	55	0.02	19.0	17.6	0.76	366	4.51	0.025	0.12	28.9	1150	65.51	2.8	0.002	0.10	6.32	1.3	3.6	<0.1	69.0	<0.05	0.08	4.3	0.001	0.06	4.6	16	<0.1	123.7	6.61	
215	53271	6	0.70	1.23	50.7	159.5	0.46	0.76	0.55	30.11	17.6	26.0	2.38	68.7	4.06	4.7	7.8	0.16	30	0.04	16.0	24.4	0.86	479	7.21	0.028	0.80	36.8	963	77.33	5.1	0.002	0.06	6.82	1.7	2.7	0.1	58.5	<0.05	0.10	3.5	0.006	0.10	4.5	46	<0.1	168.2	5.33	
216	53292	5	1.02	1.14	54.9	116.5	0.40	0.75	0.63	32.09	22.2	12.5	2.30	77.9	3.38	4.0	6.8	0.18	45	0.02	19.5	17.9	0.83	555	1.38	0.028	0.26	47.6	807	147.40	3.0	0.001	0.04	5.40	1.8	1.9	<0.1	23.0	<0.05	0.06	3.4	0.002	0.06	3.2	18	<0.1	181.2	5.63	
217	53293	4	0.82	0.69	27.0	120.0	0.50	0.21	0.84	45.16	7.0	10.5	2.06	72.3	4.96	2.9	8.6	0.08	15	0.04	19.0	13.1	0.36	162	16.12	0.035	0.08	26.1	1785	46.19	3.7	0.001	0.12	5.64	1.2	2.5	<0.1	51.5	<0.05	0.06	9.9	0.001	0.06	9.0	22	<0.1	162.7	2.97	
218	53294	20	1.84	0.95	163.6	142.0	0.44	0.28	0.62	19.65	8.8	12.5	2.80	89.0	4.06	3.5	7.3	0.18	40	0.06	10.5	17.4	0.39	226	18.29	0.031	0.12	31.7	2189	35.49	6.7	0.002	0.06	6.88	0.7	3.4	0.3	52.5	<0.05	0.06	12.7	0.002	0.18	5.9	34	<0.1	166.3	4.97	
219	53295	11	1.60	1.19	182.3	156.0	0.30	0.62	1.27	45.87	42.4	16.0	2.10	126.4	4.45	4.9	9.0	0.18	28	0.06	24.0	24.6	1.00	1074	2.82	0.026	0.14	59.0	1531	41.82	6.3	0.001	<0.02	4.98	2.3	1.8	0.1	34.0	<0.05	0.06	4.1	0.004	0.10	3.0	32	<0.1	168.8	5.16	
220	53296	18	1.88	0.94	192.2	164.0	0.50	0.47	0.23	43.21	17.6	14.5	2.96	308.4	8.32	3.5	11.5	0.16	55	0.07	12.5	24.2	0.52	226	44.52	0.026	0.10	69.7	3631	76.59	7.2	0.002	0.10	19.0	18.6	2.3	5.3	0.1	121.5	<0.05	0.06	16.8	0.002	0.24	14.1	64	<0.1	407.8	5.87
221	53297	10	0.74	1.18	107.0	117.0	0.48	0.82	2.46	43.46	12.7	15.5	2.94	181.3	4.79	4.5	9.4	0.18	30	0.04	24.0	23.7	0.76	357	9.84	0.022	0.12	46.4	1760	44.96	5.3	0.002	0.06	6.18	1.2	3.4	<0.1	69.5	<0.05	0.06	12.7	0.003	0.10	9.1	36	<0.1	2.	5.84	
222	53298	14	1.28	0.60	123.0	0.44	0.36	2.40	48.05	19.7	16.5	4.58	216.0	4.75	5.2	9.4	0.10	30	0.08	25.5	24.5	1.12	619	12.31	0.027	0.16	73.8	2043	87.14	11.2	0.001	0.06	6.12	2.0	2.8	0.2	49.0	<0.05	0.06	12.0	6.0	0.008	0.22	7.3	62	<0.1	404.3	3.56	
223	53299	4	0.30	1.18	47.8	97.5	0.24	0.47	0.54	41.08	14.9	16.5	2.08	66.8	3.37	4.8	6.9	0.10	20	0.04	21.5	26.6	0.83	866	2.70	0.031	0.28	32.6	1070	32.65	7.0	0.002	0.04	2.30	1.6	1.5	0.1	37.0	<0.05	0.04	2.9	2.0	0.008	0.06	5.9	30	<0.1	116.2	2.90

Standard:

III 3	1.6	0.83	77.0	37.0	0.30	0.42	0.10	28.14	9.8	60.7	0.51	20.23	1.88	4.4	5.1	0.08	93	0.06	13.1	14.4	0.80	311	0.60	0.046	0.95	31.7	470.9	18.82	6.5	<0.001	0.02	0.45	2.9	0.8	1.1	14.7	<0.05	0.06	0.02	1.6	0.041	0.07	1.1	37	0.1	36.6	2.2
III 3	1.5	0.84	77.7	36.8	0.28	0.43	0.09	28.21	9.2	59.7	0.52	19.36	1.94	4.3	4.8	0.08	94	0.06	13.4	13.3	0.88	292	0.54	0.048	0.91	30.5	735.2	18.88	6.4	0.001	0.02	0.48	2.7	0.6	1.2	13.7	<0.05	0.06	0.02	1.6	0.039	0.08	1.1	36	0.1	39.2	2.1
III 3	1.4	0.86	78.6	37.4	0.29	0.44	0.09	28.66	9.8	59.5	0.52	19.33	1.85	4.3	4.8	0.06	95	0.06	13.4	16.5	0.88	303	0.58	0.042	0.91	31.4	444.6	17.58	6.5	<0.001	0.02	0.47	2.9	0.7	1.2	14.2	<0.05	0.06	0.02	1.6</td							


ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007- 1377


Overland Resources

El #.	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi %	Ca ppm	Cd ppm	Co ppm	Cr ppm	Ca ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
SE29	602																																													
SE29	608																																													
SE29	598																																													
SE29	614																																													
SE29	602																																													
SE29	613																																													
SE29	608																																													
SE29	607																																													
SE29	608																																													
SE29	603																																													
SE29	591																																													
SE29	601																																													

JK/JL
2007-1377
XLS/07



JK/JL
ECO TECH LABORATORY LTD.
Julia Jellicoe
B.C. Certified Assayer



Eco Tech Laboratory Ltd.

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

5-Oct-07

2007 INVOICE


INVOICE #:AK07-1377

DESCRIPTION	PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>		
2007 Quote		
223 Sample Prep. (Soil)	2.90	646.70
223 Trace ICP-MS Extended Pkg	18.90	4214.70
223 Au Geochem (30g)	6.00	1338.00
	SUBTOTAL:	6199.40
	& 6% G.S.T.:	371.96
	TOTAL DUE & PAYABLE UPON RECEIPT:	<u>6571.36</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



20-Dec-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1549
Extended Package

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 121
Sample Type: Soil
Project: Andrew
Submitted by: J. VanRanden

Values in ppm unless otherwise reported

Et #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ce	Co	Cr	Ca	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn
		ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm										
1	53300	12	0.9	1.06	75.0	185.0	0.42	0.30	0.39	19.70	8.2	16.0	2.90	69.08	3.22	3.3	4.1	0.14	35	<0.02	0.06	11.5	19.0	0.44	308	9.63	0.027	0.24	26.5	1622.0	41.61	7.1	0.001	0.08	4.12	1.0	1.9	0.2	41.5	<0.05	0.12	2.7	0.003	0.16	3.1	28	<0.1	156.1
2	53301	6	2.2	0.83	83.4	219.0	0.26	0.29	0.43	17.92	3.3	14.0	3.22	82.48	4.49	2.6	4.8	0.10	35	<0.02	0.09	10.5	12.7	0.34	237	33.49	0.032	0.16	19.4	4543.0	54.67	8.5	0.003	0.20	9.90	0.6	7.6	0.2	106.0	<0.05	0.20	2.9	0.003	0.32	6.2	40	<0.1	170.3
3	53302	5	0.5	1.51	76.4	165.5	0.70	0.34	0.36	32.89	11.6	21.5	2.06	65.49	3.95	4.1	5.5	0.20	20	<0.02	0.06	17.0	28.8	0.76	308	5.58	0.026	0.38	27.0	1176.0	104.30	6.2	0.001	0.08	5.04	2.0	1.5	0.1	52.5	<0.05	0.14	5.5	0.003	0.12	4.1	30	<0.1	182.0
4	53303	5	0.6	0.64	23.8	146.0	0.20	1.56	0.38	11.74	6.3	7.5	0.88	61.77	1.82	1.7	2.0	0.20	55	<0.02	0.03	8.0	9.1	0.28	291	3.99	0.028	0.16	14.6	1253.0	18.93	2.7	0.001	0.14	3.14	0.7	2.3	<0.1	83.0	<0.05	0.12	1.7	0.004	0.08	4.7	8	<0.1	58.3
5	53304	6	0.5	1.20	72.7	206.0	0.42	0.47	0.32	18.20	9.5	18.0	1.74	48.51	3.54	3.4	4.8	0.30	55	<0.02	0.05	10.0	19.1	0.46	266	5.38	0.025	0.30	23.6	1326.0	37.19	6.3	0.001	0.10	5.10	1.2	1.7	0.2	54.5	<0.05	0.14	3.6	0.003	0.10	4.6	22	<0.1	156.1
6	53305	11	0.3	1.24	459.5	120.5	0.44	0.05	0.38	29.12	12.4	16.5	2.84	57.76	3.65	4.0	5.0	0.08	25	<0.02	0.07	14.5	17.7	0.36	508	4.67	0.027	0.32	23.8	1109.0	50.71	9.1	0.001	0.10	3.14	0.6	1.3	0.3	40.0	<0.05	0.10	1.3	0.008	0.14	3.4	24	<0.1	126.3
7	53306	6	0.4	1.37	49.7	95.0	0.32	0.49	0.55	31.37	14.8	18.0	1.48	65.52	3.63	3.7	5.2	0.14	20	<0.02	0.05	16.5	22.5	0.78	463	3.17	0.026	0.26	33.4	1264.0	47.92	4.3	0.001	0.08	6.22	2.4	1.1	0.1	45.5	<0.05	0.14	4.4	0.003	0.04	2.9	24	<0.1	159.6
8	53307	3	0.3	1.66	88.9	222.5	0.28	0.47	0.37	44.59	11.0	24.0	2.12	46.08	3.55	4.8	5.7	0.18	20	<0.02	0.08	23.5	26.7	0.82	481	3.78	0.024	0.26	36.8	1453.0	31.25	6.3	0.001	0.08	7.04	2.1	1.2	0.2	39.0	<0.05	0.12	4.8	0.002	0.04	12.7	38	<0.1	169.7
9	53308	3	1.1	0.87	36.5	150.0	0.34	0.23	0.32	19.01	4.6	11.0	2.38	55.07	2.32	2.5	3.5	0.06	50	<0.02	0.04	11.0	10.4	0.26	117	6.47	0.029	0.18	17.5	1185.0	29.70	3.5	0.001	0.08	4.48	0.5	1.8	0.1	36.5	<0.05	0.10	1.9	0.002	0.08	3.5	14	<0.1	108.7
10	53309	4	0.4	1.06	61.3	100.0	0.40	0.08	0.33	27.44	5.0	13.5	2.62	48.08	3.51	2.9	4.3	0.04	26	<0.02	0.04	14.5	17.8	0.40	141	6.37	0.025	0.20	17.9	1240.0	49.34	4.0	0.001	0.08	4.96	0.6	1.7	0.2	47.5	<0.05	0.14	5.8	0.002	0.06	4.8	16	<0.1	135.6
11	53310	5	1.5	1.27	90.3	145.9	0.42	0.15	0.52	28.79	10.7	16.0	2.92	81.68	4.10	3.3	5.2	0.04	40	<0.02	0.06	15.0	20.4	0.46	244	10.63	0.025	0.24	30.4	1525.0	66.62	6.3	0.001	0.10	6.92	1.0	2.3	0.2	47.0	<0.05	0.14	4.8	0.002	0.10	6.2	26	<0.1	198.7
12	53311	3	0.7	1.53	128.5	82.0	0.40	0.08	0.69	23.51	14.8	18.0	1.80	68.73	4.29	3.9	5.4	0.04	10	<0.02	0.03	12.5	26.3	0.67	358	2.97	0.025	0.20	32.1	799.0	147.60	2.8	0.001	0.04	3.54	1.3	0.9	0.1	26.5	<0.05	0.16	7.9	0.001	0.04	3.5	16	<0.1	219.6
13	53312	4	0.7	1.12	87.8	135.5	0.38	0.15	0.68	19.87	8.8	15.0	2.08	84.82	3.94	3.0	4.6	0.10	20	<0.02	0.05	11.0	18.4	0.50	246	11.42	0.025	0.18	25.0	1455.0	67.77	4.9	0.001	0.08	3.94	1.2	1.8	0.1	36.5	<0.05	0.10	5.4	0.002	0.08	6.3	24	<0.1	179.6
14	53313	9	0.5	1.64	36.9	139.0	0.16	0.63	0.68	34.16	12.9	21.0	3.08	66.98	3.07	4.4	5.1	0.06	15	<0.02	0.19	19.5	25.2	1.55	347	3.11	0.022	0.16	34.0	1235.0	30.81	16.1	0.001	0.04	4.58	3.0	0.9	0.2	36.5	<0.05	0.08	8.7	0.014	0.28	1.8	32	<0.1	178.4
15	53314	11	0.4	1.56	31.8	148.5	0.14	0.57	0.73	36.24	8.2	17.5	2.10	32.52	2.55	4.3	5.1	0.12	20	<0.02	0.09	16.0	23.6	1.36	289	2.42	0.027	0.24	24.6	1182.0	29.82	11.1	<0.001	0.06	6.02	1.8	0.8	0.2	30.0	<0.05	0.06	3.1	0.007	0.16	1.5	26	<0.1	145.5
16	53315	7	0.5	1.29	66.9	83.5	0.20	0.22	0.50	35.39	11.3	17.0	1.76	77.38	3.23	3.3	4.9	0.10	25	<0.02	0.07	17.5	22.7	0.93	398	4.97	0.023	0.20	33.1	1511.0	30.11	6.7	0.001	0.08	3.16	1.2	1.3	0.1	25.5	<0.05	0.08	3.3	0.004	0.10	2.8	30	<0.1	164.1
17	53316	6	0.8	1.06	80.6	96.0	0.26	0.17	0.50	23.48	8.1	14.0	1.60	50.12	3.19	3.1	4.3	0.10	15	<0.02	0.05	13.0	16.1	0.54	301	6.17	0.024	0.18	27.2	1453.0	47.71	6.8	<0.001	0.08	4.68	0.7	1.4	0.1	30.5	<0.05	0.10	2.6	0.003	0.08	2.8	22	<0.1	179.2
18	53317	3	0.4	1.80	29.0	138.0	0.16	0.44	0.55	39.14	7.8	21.5	4.04	52.11	2.31	4.9	5.6	0.04	15	<0.02	0.16	20	22.5	1.87	313	3.40	0.028	0.18	27.8	1129.0	27.47	15.8	0.001	0.04	2.24	1.1	0.8	0.3	28.5	<0.05	0.06	1.2	0.010	0.28	1.8	58	<0.1	165.1
19	53318	9	0.3	2.41	22.7	169.5	0.14	0.28	0.61	66.71	18.2	27.5	4.72	118.40	3.20	5.9	7.2	0.04	20	<0.02	0.19	33.0	31.9	2.47	321	2.98	0.024	0.24	48.3	1192.0	18.16	16.7	0.001	0.04	2.30	2.4	1.0	0.3	24.5	<0.05	0.06	3.5	0.020	0.32	3.4	58	<0.1	271.1
20	53319	4	0.2	1.14	60.1	97.0	0.24	0.11	0.39	22.63	8.5	16.5	1.80	40.18	3.21	4.0	4.8	0.06	15	<0.02	0.06	12.0	15.3	0.56	513	4.63	0.022	0.20	21.4	1587.0	44.48	9.2	0.001	0.06	4.76	0.6	0.9	0.2	20.0	<0.05	0.06	1.4	0.005	0.10	1.3	30	<0.1	169.1
21	53320	1	0.1	1.02	34.7	113.5	0.36	0.12	0.31	32.49	6.4	12.0	0.98	27.08	2.29	3.6	4.0	0.02	15	<0.02	0.04	16.0	11.0	0.21	244	1.20	0.025	0.42	14.4	483.0	16.06	6.8	<0.001	0.04	1.40	1.2	0.4	0.4	17.5	<0.05	0.04	2.1	0.002	0.06	0.8	20	<0.1	80.1
22	53321	3	0.2	1.25	61.1	247.5	0.42	0.20	0.36	20.85	8.8	13.5	2.68	30.17	2.29	3.7	4.4	0.10	30	<0.02	0.06	10.0	10.7	0.17	1736	1.25	0.032	0.42	18.2	1206.0	14.36	16.3	<0.001	0.06	1.26	1.5	0.5	0.4										

ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1549

Overland Resources

El #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn
		ppb	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm								
41	53340	4	0.8	1.13	24.7	269.5	0.16	0.68	1.53	15.77	5.0	11.5	5.02	28.61	1.56	2.7	3.9	0.12	75	<0.02	0.07	8.0	17.5	0.19	529	1.04	0.049	0.42	23.7	992.0	13.07	8.9	0.003	0.10	1.12	2.1	2.6	0.3	61.5	<0.05	0.08	1.2	0.006	0.12	1.3	16	<0.1	107.3
42	53341	3	0.4	1.01	24.9	281.5	0.26	0.30	1.01	38.59	10.6	17.0	2.46	40.91	2.62	3.0	3.8	0.08	45	<0.02	0.09	19.5	12.9	0.26	781	1.87	0.025	0.28	30.5	894.0	26.17	9.4	0.001	0.06	1.90	3.1	1.1	0.4	38.5	<0.05	0.08	2.5	0.002	0.12	0.7	24	<0.1	185.3
43	53342	2	0.3	0.93	24.6	292.0	0.24	0.21	0.66	36.37	9.0	13.0	2.32	27.25	2.44	2.9	3.6	0.04	20	<0.02	0.06	17.5	19.9	0.23	575	1.61	0.030	0.28	25.3	536.0	22.32	7.4	0.001	0.04	1.68	2.2	0.8	0.3	21.5	<0.05	0.06	2.1	0.002	0.10	0.5	20	<0.1	132.2
44	53343	<1	0.4	0.48	12.8	102.6	0.06	0.04	0.38	8.56	1.4	6.5	1.22	8.27	0.88	1.6	2.6	<0.02	25	<0.02	0.03	3.0	1.7	0.03	69	0.45	0.046	0.16	4.6	386.0	4.93	2.8	<0.001	0.04	0.24	0.3	0.3	0.1	8.0	<0.05	0.02	0.2	0.004	0.04	0.2	10	<0.1	20.5
45	53344	<1	0.3	0.90	16.9	103.0	0.18	0.03	0.30	25.81	4.2	10.5	2.56	22.08	2.10	3.3	4.2	0.04	25	<0.02	0.06	13.0	3.6	0.09	135	1.80	0.033	0.42	14.8	702.0	10.72	6.0	<0.001	0.04	1.22	1.2	0.7	0.3	9.5	<0.05	0.04	0.9	0.004	0.12	0.3	28	<0.1	86.3
46	53345	2	0.2	0.55	15.1	146.0	0.18	0.01	0.53	32.49	9.7	7.0	3.82	44.32	2.76	1.3	3.3	<0.02	15	<0.02	0.06	17.0	2.2	0.08	510	5.94	0.022	0.14	31.2	455.0	24.97	6.6	0.002	0.04	3.88	2.3	1.5	0.2	6.5	<0.05	0.08	1.4	0.005	0.18	0.4	16	<0.1	325.4
47	53346	2	0.6	0.73	20.1	219.5	0.15	0.48	0.86	21.01	6.6	10.5	1.92	23.12	1.88	2.3	3.0	0.08	45	<0.02	0.09	19.5	12.9	0.26	781	1.87	0.025	0.28	30.5	894.0	26.17	9.4	0.001	0.06	1.90	3.1	1.1	0.4	38.5	<0.05	0.08	2.5	0.002	0.12	0.7	24	<0.1	185.3
48	53347	1	0.8	0.77	18.8	191.0	0.15	0.45	0.64	22.15	6.3	10.0	1.94	21.24	1.90	2.2	3.1	0.04	35	<0.02	0.06	10.5	9.1	0.17	480	1.11	0.036	0.32	16.7	729.0	17.31	5.5	0.001	0.06	1.20	1.2	1.1	0.2	31.0	<0.05	0.08	0.9	0.004	0.08	0.4	16	<0.1	107.9
49	53348	2	0.1	0.88	20.0	194.5	0.28	0.20	0.61	50.86	13.0	14.5	1.94	37.48	3.28	2.6	3.9	0.04	15	<0.02	0.08	25.0	11.7	0.24	812	1.75	0.025	0.20	31.4	559.0	26.03	6.5	0.001	0.04	2.04	3.0	0.9	0.4	13.5	<0.05	0.08	2.8	0.001	0.12	0.5	18	<0.1	191.1
50	53349	1	0.3	0.77	20.4	139.5	0.22	0.31	1.06	35.61	10.3	13.0	2.14	28.48	2.71	2.2	3.5	0.04	26	<0.02	0.08	17.5	12.9	0.22	631	1.81	0.025	0.22	26.5	601.0	27.99	5.9	0.001	0.04	1.78	2.3	0.8	0.3	13.5	<0.05	0.06	2.1	0.002	0.10	0.4	26	<0.1	167.6
51	53350	1	0.2	0.99	14.6	207.5	0.28	0.04	0.78	40.71	14.7	9.5	1.22	33.83	2.52	2.6	3.3	0.08	30	<0.02	0.06	20.0	7.5	0.16	2484	0.96	0.035	0.32	24.1	776.0	18.85	5.4	<0.001	0.08	1.36	2.7	0.8	0.3	31.0	<0.05	0.08	1.6	0.002	0.10	0.7	12	<0.1	86.7
52	53351	1	0.1	0.80	15.9	182.0	0.18	0.36	0.77	30.64	8.7	8.0	1.56	15.89	2.06	2.1	3.4	0.08	25	<0.02	0.07	14.5	5.3	0.13	867	0.56	0.038	0.30	16.2	743.0	24.43	5.9	0.001	0.06	1.08	1.3	0.4	0.2	17.5	<0.05	0.06	1.1	0.004	0.06	0.6	12	<0.1	90.6
53	53352	<1	0.2	0.66	7.9	304.5	0.18	0.27	0.66	15.42	7.4	6.5	0.66	15.14	1.44	1.7	1.7	0.10	75	<0.02	0.03	8.0	2.3	0.05	2156	0.33	0.033	0.34	8.2	971.0	13.37	3.8	<0.001	0.10	0.44	2.1	0.7	0.4	51.5	<0.05	0.08	1.9	0.008	0.16	1.5	10	<0.1	58.4
54	53353	1	0.1	0.72	8.8	77.5	0.08	0.33	0.13	13.83	4.8	24.0	0.46	12.88	1.42	2.5	2.1	0.08	15	<0.02	0.06	7.0	6.8	0.60	263	0.36	0.036	0.20	18.4	498.0	4.82	3.4	<0.001	0.06	0.36	2.3	0.2	0.2	34.5	<0.05	0.04	2.2	0.046	0.04	0.5	24	<0.1	36.4
55	53354	<1	<0.1	1.92	16.6	136.0	0.32	0.02	0.09	50.28	12.8	27.5	3.30	23.16	4.16	4.5	5.6	0.08	20	<0.02	0.09	30.7	0.45	0.649	0.74	0.028	0.66	23.3	486.0	22.27	12.4	<0.001	0.04	0.98	3.0	0.4	0.7	5.0	<0.05	0.04	4.8	0.002	0.10	0.6	26	<0.1	88.4	
56	53355	<1	0.1	1.47	14.5	91.0	0.34	0.02	0.08	48.34	13.7	22.5	3.82	20.70	4.05	6.1	5.2	0.06	15	<0.02	0.08	23.0	21.7	0.33	807	1.13	0.026	0.64	18.1	856.0	19.05	13.0	<0.001	0.04	0.86	2.7	0.4	0.7	5.0	<0.05	0.06	4.5	0.002	0.08	0.5	28	<0.1	89.2
57	53356	<1	<0.1	1.34	23.9	209.5	0.32	0.05	0.09	49.29	15.0	21.5	3.80	60.58	3.9	4.8	4.0	<0.02	10	<0.02	0.06	22.5	32.8	0.38	1013	1.81	0.025	0.32	24.3	253.0	24.29	8.7	0.001	0.02	1.18	3.1	0.4	0.5	12.0	<0.05	0.04	4.2	0.002	0.08	0.6	20	<0.1	84.0
58	53357	<1	0.1	1.84	12.5	135.0	0.44	0.09	0.12	84.43	17.8	24.5	5.24	23.48	3.61	4.7	5.9	0.04	5	<0.02	0.12	42.0	43.3	0.72	718	1.26	0.027	0.28	28.4	376.0	22.43	9.1	0.001	0.04	0.28	2.8	0.4	0.5	12.0	<0.05	0.06	5.2	0.002	0.08	0.3	16	<0.1	119.0
59	53358	1	<0.1	1.32	21.7	131.5	0.30	0.12	0.11	68.88	12.5	23.5	2.30	25.07	3.48	4.3	5.2	0.02	10	<0.02	0.08	33.5	31.1	0.41	455	1.02	0.023	0.34	25.7	314.0	26.88	8.4	0.001	0.04	1.72	2.5	0.4	0.4	15.5	<0.05	0.06	3.9	0.002	0.08	0.4	20	<0.1	106.8
60	53359	1	0.2	1.40	23.2	223.5	0.34	0.06	0.17	57.85	10.2	9.5	1.70	26.18	2.76	3.6	4.3	0.04	20	<0.02	0.06	29.0	7.8	0.13	738	1.77	0.031	0.36	19.0	519.0	19.38	7.0	<0.001	0.04	3.74	1.7	0.4	0.5	25.5	<0.05	0.06	2.2	0.002	0.08	0.5	26	<0.1	91.8
66	53365	1	0.1	1.16	35.5	138.0	0.42	0.14	0.17	115.70	18.4	10.5	3.12	38.63	3.91	3.7	5.3	0.02	10	<0.02	0.07	58.5	17.0	0.29	1337	0.83	0.024	0.20	29.1	499.0	24.85	6.1	0.001	0.02	2.48	2.4	0.5	0.3	17.5	<0.05	0.04	6.8	0.001	0.06	0.6	10	<0.1	113.1
67	53366	<1	<0.1	0.97	22.7	80.5	0.28	0.03	0.08	37.08	4.8	12.0	1.84	13.97	2.19	4.9	3.7	<0.02	15	<0.02	0.05	18.5	3.1	0.10	498	1.54	0.026	0.46	7.5	441.0	13.28	9.9	<0.001	0.04	1.04	0.4	0.4	0.6	7.0	<0.05	0.04	4.6	0.001	0.08	0.4	48	<0.1	46.1
68	53367	2	0.1	1.39	32.7	91.0	0.32	0.08	0.24	52.30	14.0	20.0	2.66	31.96	3.41	3.9	5.0	0.02	15	<0.02	0.0																											

ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1549

Et #.	Tag #	Overland Resources																																															
		Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	I	K	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Tc	Th	Tl	Tl	U	V	W	Zn
ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm							
96	53395	<1	0.1	1.08	20.2	61.0	0.32	0.06	0.08	62.91	10.5	15.0	1.22	28.07	3.75	3.4	4.9	0.02	10	<0.02	0.06	30.5	1.08	0.027	0.30	18.3	480.0	23.23	6.0	0.001	0.04	1.30	2.5	0.5	0.4	9.5	<0.05	0.04	4.0	0.005	0.08	0.4	16	<0.1	85.2				
97	53396	1	0.1	1.07	25.9	164.0	0.28	0.23	0.16	50.98	11.1	14.0	2.56	27.08	3.01	2.9	4.4	0.04	15	<0.02	0.06	24.5	23.3	0.26	796	0.97	0.033	0.28	19.7	530.0	22.79	5.4	0.001	0.04	1.26	2.5	0.6	0.3	28.5	<0.05	0.08	3.1	0.001	0.06	0.6	16	<0.1	98.1	
98	53397	1	0.1	0.95	15.7	55.5	0.26	0.03	0.06	79.55	7.8	10.5	1.76	32.73	3.37	4.4	4.3	<0.02	5	<0.02	0.07	37.5	3.3	0.08	593	1.33	0.026	0.26	12.9	435.0	16.02	9.8	0.001	0.04	1.26	2.5	0.4	0.5	7.5	<0.05	0.04	3.3	0.001	0.08	0.4	24	<0.1	79.3	
99	53398	<1	<0.1	0.97	32.3	52.5	0.34	0.03	0.08	67.53	12.3	12.0	1.22	28.50	3.39	2.9	4.2	0.02	10	<0.02	0.08	32.5	11.4	0.17	782	1.01	0.030	0.26	17.8	570.0	26.93	8.0	<0.001	0.04	1.54	2.3	0.5	0.3	7.5	<0.05	0.04	3.4	0.005	0.08	0.4	14	<0.1	89.5	
100	53399	1	0.1	1.03	39.2	75.0	0.38	0.04	0.14	69.36	15.2	14.0	1.72	36.93	3.65	2.9	4.4	0.02	10	<0.02	0.07	33.5	16.0	0.24	1111	1.07	0.030	0.18	22.5	523.0	31.18	5.2	0.001	0.04	1.10	2.9	0.5	0.3	8.0	<0.05	0.04	4.3	0.001	0.06	0.6	14	<0.1	108.5	
101	53400	2	0.1	1.19	51.0	91.5	0.32	0.06	0.18	64.64	13.3	16.0	0.76	34.26	3.45	3.1	4.6	<0.02	15	<0.02	0.08	31.0	18.7	0.32	714	1.27	0.030	0.22	25.2	476.0	45.08	5.0	0.001	0.04	1.72	2.8	0.6	0.3	9.0	<0.05	0.04	5.0	0.001	0.08	0.6	18	<0.1	117.0	
102	53401	1	0.2	1.30	45.1	149.5	0.32	0.11	0.17	53.46	11.2	15.0	1.28	27.37	3.15	3.6	4.7	0.04	15	<0.02	0.07	26.0	16.9	0.24	626	1.21	0.031	0.34	18.7	607.0	38.78	7.0	0.001	0.04	1.56	2.2	0.5	0.4	11.5	<0.05	0.04	3.3	0.001	0.08	0.6	24	<0.1	114.5	
103	53402	1	0.1	1.02	26.6	104.0	0.18	0.09	0.17	26.93	4.1	11.0	0.80	19.63	1.67	3.0	3.6	0.04	25	<0.02	0.08	12.5	6.8	0.10	245	0.88	0.041	0.49	9.7	832.0	17.34	5.8	<0.001	0.06	0.74	1.0	0.4	0.3	9.5	<0.05	0.04	1.2	0.003	0.08	0.5	24	<0.1	58.2	
104	53403	2	0.3	1.39	42.3	175.5	0.30	0.11	0.22	54.21	11.3	18.0	0.92	30.34	3.36	3.8	5.0	0.02	20	<0.02	0.07	27.0	20.9	0.34	659	1.34	0.032	0.38	23.0	547.0	41.80	8.1	<0.001	0.04	1.56	2.7	0.6	0.4	12.0	<0.05	0.04	4.2	0.001	0.08	0.6	26	<0.1	124.0	
105	53404	2	0.3	1.27	70.8	79.0	0.34	0.10	0.32	51.43	13.2	14.5	0.90	33.03	3.31	3.0	4.7	0.02	15	<0.02	0.06	25.0	21.9	0.43	849	0.97	0.028	0.22	25.8	570.0	67.30	5.1	0.001	0.04	1.68	2.2	0.6	0.2	9.0	<0.05	0.06	5.1	0.001	0.08	0.6	18	<0.1	137.6	
106	53405	12	0.1	0.24	4.7	91.5	0.02	1.08	0.49	3.13	1.8	0.5	0.16	12.17	0.46	0.5	0.5	0.04	25	<0.02	0.02	1.5	1.5	0.03	543	0.58	0.044	0.18	3.4	323.0	8.09	1.3	<0.001	0.08	0.26	0.2	0.8	-0.1	53.5	<0.05	0.04	0.3	0.008	<0.2	0.3	<2	<0.1	29.9	
107	53406	4	0.1	1.15	33.4	189.0	0.24	0.58	0.39	45.18	10.7	15.0	1.64	29.21	2.96	3.1	3.6	0.04	20	<0.02	0.08	21.5	17.8	0.28	1023	1.84	0.041	0.49	19.7	649.0	32.88	6.1	0.001	0.04	1.38	2.0	0.9	0.4	34.5	<0.05	0.08	1.9	0.003	0.08	0.9	24	<0.1	126.5	
108	53407	2	0.1	0.84	9.8	115.5	0.06	2.33	0.23	11.14	11.2	2.7	4.0	0.48	14.77	0.80	1.5	1.8	0.04	45	<0.02	0.04	6.0	3.4	0.09	298	0.35	0.082	0.38	6.0	656.0	5.41	2.4	<0.001	0.10	0.62	0.5	0.6	0.3	75.0	<0.05	0.06	0.6	0.008	0.14	1.5	8	<0.1	26.3
109	53408	1	0.1	1.46	16.8	187.5	0.38	0.44	0.11	94.10	14.1	19.5	1.48	31.07	3.67	3.8	4.6	0.04	15	<0.02	0.15	46.0	28.4	0.37	566	0.80	0.036	0.32	23.9	412.0	16.59	8.7	0.001	0.04	1.34	3.0	0.5	0.5	20.0	<0.05	0.06	4.0	0.001	0.08	0.5	18	<0.1	84.9	
110	53409	1	<0.1	1.39	16.4	171.5	0.34	0.37	0.11	86.79	13.9	18.0	1.70	30.32	3.36	3.8	5.0	0.02	10	<0.02	0.13	41.5	29.8	0.36	797	0.84	0.038	0.30	22.9	374.0	18.02	8.0	0.001	0.04	1.16	2.8	0.5	0.5	17.5	<0.05	0.06	3.7	0.001	0.08	0.5	18	<0.1	75.8	
111	53410	1	0.1	1.23	18.6	239.0	0.28	0.44	0.16	69.67	10.2	12.0	1.12	23.39	2.68	2.8	4.3	0.04	20	<0.02	0.10	31.0	11.6	0.18	1241	0.73	0.041	0.30	21.3	492.0	19.14	8.3	<0.001	0.08	1.44	3.1	0.5	0.3	23.5	<0.05	0.06	3.6	0.001	0.08	0.7	16	<0.1	72.0	
112	53411	1	<0.1	1.19	17.1	316.0	0.44	0.17	0.07	90.65	16.4	21.5	1.12	36.61	4.32	3.3	4.8	0.02	10	<0.02	0.14	44.5	18.4	0.24	802	1.02	0.031	0.22	35.7	474.0	14.97	8.3	<0.001	0.04	1.92	3.6	0.5	0.5	15.0	<0.05	0.06	3.4	0.001	0.08	0.6	22	<0.1	96.5	
113	53412	2	0.1	1.91	22.6	248.5	0.32	0.08	0.16	68.85	11.6	24.0	0.78	22.96	4.03	4.7	5.8	0.02	15	<0.02	0.15	34.0	29.3	0.35	726	1.28	0.032	0.60	21.7	511.0	26.35	10.1	0.001	0.04	0.98	2.9	0.5	0.6	14.6	<0.05	0.06	3.4	0.001	0.08	0.6	36	<0.1	98.5	
114	53413	1	0.1	1.75	23.5	171.0	0.32	0.07	0.13	69.74	16.1	23.5	1.68	28.48	4.21	4.2	5.6	0.02	15	<0.02	0.11	33.0	34.7	0.45	1204	1.16	0.034	0.34	28.5	372.0	33.02	8.8	<0.001	0.04	0.96	3.4	0.5	0.5	12.0	<0.05	0.06	4.0	0.001	0.08	0.5	24	<0.1	101.9	
115	53414	2	0.1	1.77	22.1	181.5	0.24	0.17	0.07	40.21	6.0	15.5	0.88	13.42	2.56	4.8	4.6	0.02	10	<0.02	0.05	20.0	10.3	0.17	600	1.18	0.037	0.60	10.3	344.0	17.28	11.4	<0.001	0.04	0.76	1.8	0.4	0.6	16.0	<0.05	0.06	1.9	0.002	0.10	0.3	40	<0.1	60.2	
121	53420	1	0.1	0.85	12.9	77.5	0.06	1.42	0.13	13.80	5.0	25.6	0.48	13.28	1.57	2.6	2.8	0.06	10	<0.02	0.06	7.0	8.1	0.67	288	0.38	0.046	0.28	18.4	511.0	5.34	3.5	<0.001	0.08	0.32	2.4	0.3	0.2	41.5	<0.05	0.04	2.4	0.060	0.04	0.6	30	<0.1	36.0	

Standard:

PB113A	11.3	0.31	68.1	45.0	0.78	1.68	32.92	4.07	1.5	4.5	0.18	2291.00	1.04	0.9	1.6	0.02	65	<0.02	0.19	2.0	0.9	0.14	1590	54.72	0.068</

13-Dec-07

GO TECH LABORATORY LTD.
5041 Dallas Drive
JANLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1754
Extended Package

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax: 250-573-4557

No. of samples received: 56
Sample Type: Rock
Project: Andrew
Shipment #: 34
Submitted by: A. Richardson


Values in ppm unless otherwise reported

St #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	U	V	W	Zn	Zr		
		ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
1	24982	55	>30	1.40	683.3	39.0	1.84	0.04	35.80	14.83	1.7	89.0	1.34	40.69	6.57	7.4	29.4	0.10	245	<0.02	0.08	6.5	28.8	1.44	535	1.60	0.024	0.16	7.2	1196.0	>10000	4.3	0.001	2.98	45.28	2.3	7.3	58.7	15.6	<0.06	0.12	5.6	0.003	0.12	0.5	24	<0.1	2066.0	4.0
2	24983	120	27.7	0.17	>10000	23.5	331.80	<0.01	0.25	10.50	14.1	106.0	0.46	344.10	3.35	2.0	13.4	<0.02	120	<0.02	0.17	3.0	1.1	<0.01	28	1.13	0.036	0.12	7.7	164.0	1582.0	5.2	<0.001	1.12	291.50	2.5	25.8	5.5	11.0	<0.06	0.74	1.4	0.001	0.24	0.6	4	<0.1	30.5	0.4
3	24984	30	0.4	0.68	46.5	579.5	0.84	<0.01	0.04	14.48	0.5	89.5	0.64	45.79	2.04	2.3	8.6	0.02	10	<0.02	0.04	6.5	4.8	0.08	14	0.49	0.021	0.06	11.8	116.0	26.92	2.7	<0.001	0.12	3.22	1.4	1.0	0.5	12.5	<0.05	0.06	1.3	0.005	0.04	0.2	8	<0.1	29.3	0.8
4	24985	105	7.2	0.17	2981.0	489.0	89.18	<0.01	0.56	6.13	0.4	107.0	0.76	43.44	2.70	1.2	10.2	0.02	85	<0.02	0.09	3.0	0.8	0.01	17	0.73	0.023	0.06	2.3	236.0	1205.00	4.8	<0.001	0.16	305.50	1.0	6.0	>100	6.0	<0.05	0.32	2.4	0.001	0.14	0.7	8	<0.1	13.3	0.9
5	24986	20	0.6	0.13	16.7	212.6	2.02	<0.01	0.10	11.43	0.4	160.0	0.34	18.20	1.15	1.1	5.0	0.08	5	<0.02	0.11	6.0	2.8	0.02	20	2.80	0.027	0.04	3.9	51.0	14.63	4.9	0.003	0.22	9.98	0.8	5.7	1.0	7.5	<0.05	0.14	1.5	0.001	0.26	0.6	12	<0.1	7.9	1.9
6	24987	5	5.7	1.37	33.4	133.0	13.58	0.17	0.49	12.85	0.9	95.5	1.24	36.98	6.81	6.5	25.8	0.08	10	<0.02	0.11	6.5	25.0	1.41	296	26.32	0.025	0.16	2.9	2346.0	657.80	6.2	0.002	0.44	8.80	2.4	6.2	23.1	12.5	<0.05	0.12	5.8	0.002	2.1	56	<0.1	63.3	3.4	
7	24988	15	0.5	0.16	42.8	92.0	1.86	0.02	1.93	11.36	0.5	158.5	0.30	90.65	3.03	3.1	11.2	0.04	5	<0.02	0.12	4.5	1.0	<0.01	24	3.42	0.035	0.10	3.8	1011.0	131.50	5.7	0.001	0.32	29.08	0.8	19.8	0.9	66.5	<0.05	0.14	1.3	0.001	0.40	1.1	30	<0.1	18.4	1.6
8	24989	10	1.0	0.18	12.3	143.0	0.82	1.44	17.92	23.73	3.5	129.0	1.42	117.40	1.42	1.2	5.0	0.08	15	<0.02	0.12	11.5	1.4	0.09	94.2	0.38	0.020	0.02	9.1	104.0	187.80	7.2	<0.001	0.10	1.36	1.0	0.4	3.7	80.0	<0.05	0.06	6.1	0.001	0.10	0.7	<2	<0.1	1062.0	1.9
9	24990	10	2.2	0.11	12.7	75.5	5.56	0.39	11.14	13.00	1.3	134.0	0.76	76.70	0.66	0.7	3.0	0.04	30	<0.02	0.08	6.0	1.8	0.01	473	0.39	0.019	0.02	5.7	69.0	163.80	3.9	0.005	0.12	8.32	0.5	0.3	4.1	13.0	<0.05	0.06	3.3	0.001	0.08	4.2	16	90.9	1.0	
10	24991	5	3.1	0.71	47.2	71.0	0.74	0.36	4.73	30.86	4.4	146.0	3.26	80.19	2.16	3.5	9.0	0.04	60	<0.02	0.11	14.5	16.2	0.33	80.9	0.41	0.022	0.10	16.1	82.0	764.70	7.4	0.001	0.20	57.22	1.7	0.5	6.3	10.5	<0.05	0.04	5.0	0.008	0.10	0.7	12	<0.1	443.3	2.0
11	24992	<5	0.7	0.48	10.5	102.0	0.44	2.25	2.07	31.29	5.1	79.0	5.80	42.49	2.19	2.3	7.8	0.12	10	<0.02	0.15	14.5	6.5	0.22	1188.0	0.44	0.020	0.08	13.6	156.0	281.00	9.8	<0.001	0.20	7.60	1.9	0.5	1.4	70.5	<0.05	0.04	12.2	0.002	0.12	0.8	4	<0.1	221.7	3.5
12	24993	<5	1.1	0.25	18.8	101.5	0.54	2.12	2.08	28.00	10.4	74.0	3.10	136.00	2.18	1.7	7.4	0.12	15	<0.02	0.13	13.5	3.9	0.34	1280.0	0.34	0.024	0.04	17.9	160.0	136.80	8.8	0.001	0.22	7.40	2.4	5.0	1.0	123.5	<0.05	0.06	8.5	0.001	0.10	0.9	4	<0.1	237.3	3.7
13	24994	<5	17.8	0.21	12.3	75.5	34.8	2.56	51.38	16.34	8.9	98.0	3.48	333.0	2.36	1.2	7.3	0.08	55	<0.02	0.12	7.5	3.8	0.21	1543.0	0.48	0.020	0.04	13.2	119.0	1497.00	9.1	0.001	0.70	9.48	1.8	2.3	4.2	79.5	<0.05	0.36	6.1	0.001	0.15	0.7	<2	<0.1	3906.0	2.6
14	24995	5	15.1	0.24	9.7	87.5	9.34	2.64	71.23	18.23	9.5	70.5	2.30	577.70	4.49	1.5	13.1	0.14	170	<0.02	0.17	8.0	3.7	0.58	2765.0	0.37	0.021	0.06	18.7	364.0	5428.00	11.3	0.001	0.60	24.72	3.1	2.1	9.2	89.0	<0.05	0.14	7.4	0.001	0.16	0.8	6	<0.1	8251.0	3.7
15	24996	10	>30	0.23	39.4	84.0	8.84	1.65	6.34	12.21	6.1	115.0	2.86	1207.00	2.58	1.1	7.5	0.12	40	<0.02	0.17	5.5	1.4	0.19	1163.0	0.38	0.023	0.04	14.6	12.0	>10000	10.8	<0.001	0.22	526.40	1.7	4.2	11.8	84.0	<0.05	0.22	6.7	0.001	0.22	0.8	<2	<0.1	624.3	3.4
16	24997	35	9.2	0.26	159.5	90.5	1.30	0.97	7.10	22.92	5.6	126.0	3.54	103.60	2.70	1.5	8.4	0.14	145	<0.02	0.19	11.0	2.6	0.10	702.0	0.48	0.024	0.04	13.4	164.0	3965.00	12.2	<0.001	0.48	119.10	1.5	0.9	7.0	38.5	<0.05	0.08	7.7	0.001	0.16	0.6	2	<0.1	824.9	3.0
17	24998	<5	1.5	0.27	139.0	132.0	0.16	1.01	49.80	26.79	7.4	124.0	2.52	224.70	1.89	1.9	6.3	0.10	15	<0.02	0.13	13.5	3.9	0.14	3244.0	0.56	0.020	0.02	14.3	127.0	366.70	11.6	0.001	0.20	40.50	1.7	0.5	2.9	48.0	<0.05	0.06	8.2	0.001	0.20	0.9	<2	<0.1	2833.0	3.2
18	24999	165	1.0	0.23	41.7	108.5	0.32	1.00	37.26	39.52	6.8	122.0	3.44	70.73	1.83	2.1	6.5	0.10	10	<0.02	0.16	18.5	4.4	0.10	2640.00	0.55	0.019	0.02	18.4	157.0	284.90	10.8	0.001	0.28	14.82	1.7	0.5	4.1	38.5	<0.05	0.04	8.9	0.001	0.14	0.9	<2	<0.1	3061.0	3.1
19	25000	<5	3.3	0.21	586.1	97.5	0.24	0.70	40.99	18.61	4.1	128.0	2.16	199.30	2.03	1.2	6.6	0.10	25	<0.02	0.15	8.5	2.2	0.09	1487.0	0.56	0.021	0.02	10.7	151.0	565.80	10.4	<0.001	0.26	50.70	1.4	0.4	8.7	26.5	<0.05	0.04	8.1	0.001	0.14	0.9	<2	<0.1	2981.0	2.7
20	25101	<5	0.7	1.30	39.2	122.5	0.22	0.36	9.55	66.40	13.3	98.0	17.34	47.01	3.85	6.8	15.5	0.24	5	<0.02	0.27	31.0	33.7	0.78	827.0	0.30	0.042	0.10	33.2	268.0	106.00	20.4	0.001	0.34	6.02	3.1	0.8	1.2	27.5	<0.05	0.08	11.8	0.001	0.16	1.3	8	<0.1	5931.0	5.5
21	25102	<5	0.8	0.68	63.3	136.0	0.26	0.97	37.02	84.71	13.2	64.5	12.36	136.60	2.87	6.3	13.1	0.14	15	<0.02	0.28	35.5	15.4	0.39	1412.0	0.40	0.034	0.06	26.3	1244.0	283.60	20.6	0.001	0.28	12.02	3.6	1.7	1.5	39.0	<0.05	0.08	16.8	0.002	0.24	1.8	12	<0.1	2603.0	6.5
22	25103	20	9.9	0.24	646.8	87.5	0.32	0.16	3																																								

EOO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007-1754

ID #	Tag #	Overland Resources																																															
		Au	Ag	Al	As	Ba	Bi	Ca	Cd	Cs	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Mg	Mn	Mo	Ne	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr			
41	25122	<5	3.9	0.20	20.9	113.0	0.56	1.07	7.31	27.71	5.3	135.5	0.78	499.20	1.16	1.5	4.1	0.08	15	<0.02	0.14	12.5	1.3	0.05	1105	0.51	0.020	<0.02	8.2	88.0	168.10	9.2	<0.001	0.20	8.70	0.8	0.4	4.0	24.5	<0.05	0.04	9.8	0.001	0.12	0.8	<2	<0.1	595.4	2.4
42	25123	5	1.4	0.21	21.0	118.0	0.50	0.76	4.79	27.77	3.3	156.5	0.76	84.97	1.06	1.5	3.7	0.10	15	<0.02	0.15	13.0	1.8	0.03	907	0.44	0.019	<0.02	8.3	79.0	122.70	9.5	0.001	0.22	7.02	0.8	0.4	5.9	17.0	<0.05	0.04	9.5	0.001	0.12	0.5	<2	<0.1	463.2	2.4
43	25124	5	1.0	0.32	11.8	114.5	0.34	1.43	2.92	29.88	4.1	121.0	1.32	40.36	1.21	2.2	4.5	0.12	10	<0.02	0.16	13.5	5.3	0.14	1157	0.50	0.020	0.02	10.7	104.0	196.80	11.7	<0.001	0.20	7.68	1.2	0.4	3.4	40.5	<0.05	0.04	9.8	0.001	0.14	0.7	2	<0.1	312.6	3.2
44	25125	5	3.0	0.35	35.1	103.6	0.20	0.47	15.57	31.25	7.2	123.0	2.18	99.10	2.12	2.1	7.5	0.14	16	<0.02	0.19	14.0	4.2	0.10	1408	0.42	0.022	0.04	15.4	136.0	558.20	13.9	<0.001	0.42	25.82	2.5	0.5	8.5	11.5	<0.05	0.04	10.4	0.001	0.20	0.8	4	<0.1	1192.0	4.0
45	25126	20	10.5	0.27	97.2	78.6	0.22	1.89	9.84	14.44	4.0	137.6	1.14	275.40	2.29	1.4	6.4	0.08	45	<0.02	0.19	8.5	3.2	0.13	1907	0.51	0.022	0.02	14.2	129.0	1022.00	15.8	0.001	0.70	29.70	1.8	0.3	13.0	27.5	<0.05	0.04	8.7	0.001	0.16	0.5	<2	<0.1	865.6	2.4
46	25127	5	2.7	0.30	46.2	85.5	0.28	1.92	8.77	15.73	4.6	119.5	1.36	75.06	2.37	1.8	6.9	0.10	20	<0.02	0.22	7.0	3.0	0.07	1744	0.50	0.022	0.04	15.9	216.0	362.70	19.0	0.001	1.10	12.92	1.8	0.4	15.8	33.5	<0.05	0.04	10.0	0.001	0.20	0.7	<2	<0.1	851.8	2.7
47	25128	55	>30	0.22	>10000	27.0	0.48	0.43	32.36	11.50	17.1	128.0	1.12	537.30	5.06	1.1	17.3	0.08	925	<0.02	0.16	5.5	1.5	0.03	604	0.67	0.023	0.12	6.7	117.0	>10000	10.3	<0.001	2.68	171.70	1.4	0.6	>100	18.0	<0.05	0.04	8.5	0.001	0.22	0.4	4	<0.1	3302.0	2.3
48	25129	5	3.8	0.29	2347.0	64.0	0.18	0.24	17.73	21.76	10.1	100.0	1.62	122.00	3.18	1.7	10.6	0.12	25	<0.02	0.21	10.5	1.9	0.08	1803	0.69	0.022	0.06	10.5	277.0	792.70	13.5	<0.001	0.92	20.76	1.8	0.4	12.9	11.0	<0.05	0.04	10.7	0.001	0.18	0.7	4	<0.1	1018.0	3.5
49	25130	<5	3.8	0.43	127.3	151.0	0.68	0.98	34.92	46.08	9.7	98.0	5.42	98.07	2.58	3.0	9.2	0.18	25	<0.02	0.20	22.5	6.7	0.28	1879	0.40	0.022	0.04	22.1	255.0	646.30	13.2	0.001	0.40	17.52	2.7	0.8	8.1	31.5	<0.05	0.04	11.6	0.001	0.18	1.1	4	<0.1	2101.0	5.2
50	25131	<5	2.4	0.36	84.6	116.5	0.26	1.63	15.26	28.28	4.5	136.0	1.18	39.77	2.30	2.1	7.4	0.12	25	<0.02	0.19	12.5	4.4	0.31	2051	0.36	0.022	0.02	15.2	371.0	757.00	12.6	0.001	0.66	5.78	1.9	0.6	8.2	47.5	<0.05	0.04	9.3	0.001	0.18	0.8	6	<0.1	1278.0	3.7
51	25132	10	1.4	0.47	30.4	131.0	0.32	0.36	14.71	37.80	8.3	123.0	3.10	66.21	2.73	2.9	8.9	0.16	20	<0.02	0.19	18.0	8.8	0.21	1289	0.44	0.022	0.04	21.5	174.0	281.50	11.6	<0.001	0.36	12.38	2.1	0.7	3.7	14.5	<0.05	0.04	9.3	0.001	0.14	0.7	6	<0.1	1291.0	4.6
52	25133	20	21.8	0.26	337.6	12.6	0.72	0.70	76.15	10.64	8.2	127.6	1.16	807.70	4.85	1.2	14.9	0.14	145	<0.02	0.18	5.0	2.0	0.10	1838	0.50	0.022	0.06	14.1	123.0	270.00	12.0	<0.001	3.68	16.22	1.4	0.6	19.8	15.0	<0.05	0.04	7.1	0.001	0.14	0.8	4	<0.1	7737.0	3.6
53	25134	<5	17.0	0.30	177.2	104.5	0.84	0.67	22.79	22.39	5.5	115.0	2.08	211.90	2.52	1.8	8.5	0.12	70	<0.02	0.20	10.5	3.3	0.18	1263	0.51	0.022	0.04	13.8	124.0	2386.00	12.4	0.001	0.50	17.30	1.8	0.6	12.9	16.5	<0.05	0.04	6.4	0.001	0.16	0.6	4	<0.1	1786.0	3.1
54	25135	30	2.9	0.37	39.6	164.0	0.24	1.07	23.68	40.41	10.4	78.0	4.84	56.89	3.42	2.5	10.9	0.16	25	<0.02	0.21	20.0	5.1	0.38	2613	0.48	0.022	0.04	28.5	223.0	578.70	14.2	0.001	0.42	10.44	3.4	0.6	5.5	32.5	<0.05	0.04	11.7	0.001	0.18	0.9	8	<0.1	1672.0	4.7
55	25136	<5	2.1	0.35	104.9	165.0	0.40	0.71	31.41	36.20	8.6	108.5	1.94	93.16	2.83	2.2	9.7	0.14	20	<0.02	0.19	17.0	5.7	0.15	2578	0.62	0.022	0.04	19.6	199.0	639.60	11.7	0.001	0.32	15.20	2.9	0.8	3.1	13.5	<0.05	0.04	10.8	0.001	0.14	0.8	6	<0.1	2491.0	3.6
56	25137	20	8.1	0.27	376.6	146.5	0.28	0.70	18.09	23.18	7.7	116.0	2.42	341.80	2.72	1.8	9.0	0.08	35	<0.02	0.18	11.0	2.0	0.06	1512	0.71	0.022	0.06	13.9	151.0	901.70	10.8	0.001	0.46	30.82	1.8	0.8	7.4	11.5	<0.05	0.04	8.0	0.001	0.14	0.7	2	<0.1	1679.0	3.0
57	24982	80	>30	1.42	672.0	37.5	1.88	0.04	36.80	15.37	1.7	80.5	1.36	40.95	8.66	7.5	29.6	0.12	245	<0.02	0.08	8.5	27.3	1.47	548	1.81	0.023	0.18	7.3	1208.0	>10000	4.3	<0.001	2.98	46.80	2.2	7.4	59.7	16.0	<0.05	0.14	7.8	0.003	0.12	0.5	24	<0.1	2096.0	4.9
10	24991	<5	3.1	0.70	46.5	72.0	0.74	0.35	4.78	30.54	4.3	143.0	3.32	59.41	2.12	3.4	8.2	0.10	55	<0.02	0.11	14.0	18.7	0.32	799	0.42	0.022	0.08	15.9	79.0	794.40	7.5	0.001	0.18	55.52	1.8	0.6	8.2	10.5	<0.05	0.04	6.3	0.006	0.10	0.7	12	<0.1	443.7	3.5
19	25000	<5	3.4	0.23	604.8	100.0	0.24	0.76	43.62	20.20	4.3	130.6	1.34	206.90	2.15	1.2	6.6	0.10	26	<0.02	0.18	9.5	2.7	0.09	1558	0.69	0.021	0.02	11.2	156.0	582.00	11.2	<0.001	0.26	50.60	1.5	0.4	7.3	28.0	<0.05	0.04	8.7	0.001	0.16	1.0	2	<0.1	2948.0	2.8
36	25117	<5	2.5	0.22	93.8	110.6	0.48	0.76	21.17	22.51	3.6	130.0	0.78	68.03	1.66	1.4	5.1	0.10	26	<0.02	0.18	10.0	1.6	0.04	1879	0.48	0.021	0.04	10.6	94.0	775.00	10.8	<0.001	0.24	12.06	1.3	0.4	8.7	15.5	<0.05	0.04	7.1	0.001	0.14	0.8	2	<0.1	1764.0	2.2
45	25126	5	10.2	0.28	94.1	80.5	0.22	1.84	9.36	16.99	4.0	132.0	1.21	263.87	2.20	1.4	6.6	0.09	40	<0.02	0.20	7.2	3.2	0.12	1822	0.51	0.023	0.02	14.1	119.9	979.11	15.9	0.001	0.68	133.98	1.7	0.3	12.7	25.9	<0.05	0.04	6.8	0.001	0.18	0.4	<2	<0.1	835.3	2.4
58	25117	40	>30	1.37	667.3	39.5	1.83	0.04	36.40	14.40	1.7	87.5	1.30	40.24	8.70	7.3	28.6	0.14	240	<0.02	0.08	8.0	28.2	1.40	531	1.55	0.024	0.16	8.8	1173.0	>10000	4.1	<0.001	3.00	46.32	2.2	7.5	59.1	15.5	<0.05	0.14	8.9	0.003	0.12	0.5	22	<0.1	2063.0	6.8
59	25117	2.5	0.23	89.5	106.5	0.50	0.73	19.65	21.96	3.4	136.5	0.76	68.07	1.55	1.4	5.0</																																	



CERTIFICATE OF ASSAY AK 2007-1754

ASSAYING, GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING
ISO 9001 Accredited Co.

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources

#1-151 Industrial Road

Whitehorse YT

Y1A 2V3

19-Dec-07

No. of samples received: 56

Sample Type: Rock

Project #: Andrew

Submitted by: A. Richardson

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Pb (%)
1	24982	120	3.50	1.40
15	24996	36.0	1.05	2.10
47	25128	236	6.88	1.40

QC DATA:

Repeat:

1 24982 116 3.38 1.40

Standard:

PB113 23.0 0.67 1.12

JJ/nl
XLS/07

ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

30-Jun-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AK 2007-7058

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 91
Sample Type: Soil
Project: Andrew
Shipment #: 2007-1
Submitted by: J. VanRanden

Values in ppm unless otherwise reported

El #.	Tag #	Au(ppb)	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Tl ppm	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
1	25501	<1	<0.1	1.67	29.2	160.2	0.52	0.12	0.24	42.76	76.1	21.1	9.26	88.79	3.63	5.2	5.0	0.04	15	0.08	18.7	34.0	0.69	1593	2.54	0.027	0.38	49.2	598.9	38.94	6.6	0.04	2.87	2.8	1.1	7.08	31.2	<0.05	0.06	8.8	0.017	0.19	5.1	28	0.1	154.3	1.9
2	25502	5	<0.1	2.11	28.8	154.5	0.30	0.13	0.18	31.27	11.4	25.5	2.58	22.24	2.78	7.4	4.1	0.04	24	0.08	14.9	26.5	0.52	301	0.89	0.024	2.02	22.5	567.7	20.15	8.8	0.04	1.89	2.3	0.8	0.977	29.2	<0.05	0.06	3.4	0.038	0.16	0.9	48	0.1	85.0	1.6
3	25503	30	0.8	1.37	75.3	191.8	0.36	0.21	0.10	18.21	8.0	17.8	3.71	73.58	3.73	3.3	6.0	0.09	35	0.12	10.6	17.8	0.85	240	7.98	0.029	0.99	22.3	2065.0	32.27	12.0	0.15	20.23	1.9	4.1	0.702	74.1	<0.05	0.23	3.0	0.019	0.33	1.7	35	0.1	50.4	5.7
4	25504	<1	<0.1	1.41	29.2	93.2	0.34	0.06	0.16	27.04	8.8	17.7	2.90	37.87	3.05	5.9	4.2	0.02	20	0.05	13.9	18.7	0.42	359	2.64	0.023	0.89	21.1	636.7	21.00	8.8	0.04	4.48	1.0	1.2	1.06	12.2	<0.05	0.06	0.7	0.016	0.18	0.6	52	0.1	78.6	0.9
5	25505	6	<0.1	1.14	57.0	99.3	0.31	0.17	0.16	27.88	10.9	11.7	2.65	99.09	3.25	3.4	4.5	0.06	18	0.04	14.4	16.1	0.32	407	3.14	0.029	0.32	28.1	1896.0	23.73	6.0	0.04	5.40	0.6	1.4	0.887	25.4	<0.05	0.06	1.9	0.087	0.12	1.3	29	0.1	69.4	2.1
6	25506	<1	0.3	0.78	9.9	100.6	0.22	0.07	0.16	20.66	2.6	8.4	1.36	24.54	1.36	4.7	2.0	0.02	22	0.03	10.9	2.3	0.07	210	0.73	0.032	0.18	4.8	1045.0	24.36	4.8	0.05	0.88	0.1	0.5	1.249	12.9	<0.05	0.03	0.1	0.004	0.15	0.5	36	0.1	26.6	0.4
7	25507	7	<0.1	1.17	58.9	88.5	0.19	0.12	0.17	27.67	13.6	14.5	1.71	48.44	3.39	4.0	4.7	0.03	14	0.05	13.9	12.4	0.85	863	1.68	0.023	0.24	21.3	1182.0	15.99	6.9	0.03	5.77	0.7	1.2	0.637	15.2	<0.05	0.06	0.6	0.008	0.12	0.8	31	<0.1	76.8	1.0
8	25508	<1	0.1	1.23	26.0	77.8	0.24	0.03	0.15	23.42	7.9	19.0	1.47	17.81	3.20	5.3	4.3	0.02	21	0.04	11.8	9.4	0.46	467	0.84	0.024	0.33	14.2	737.5	16.47	7.0	0.04	1.82	0.5	0.8	0.716	5.0	<0.05	0.04	0.3	0.009	0.09	0.4	38	0.1	63.8	0.5
9	25509	9	<0.1	1.82	81.4	91.8	0.29	0.12	0.40	36.68	23.8	18.8	2.50	64.00	4.62	4.4	8.2	0.08	13	0.05	17.4	22.8	0.82	1337	1.62	0.027	0.44	38.8	1041.0	26.88	7.0	0.03	4.80	2.3	1.5	0.885	15.5	<0.05	0.07	3.1	0.010	0.10	0.8	31	0.1	133.2	2.6
10	25510	5	0.8	1.42	82.3	84.0	0.38	0.10	2.58	33.66	21.8	19.1	1.65	38.68	4.20	4.6	5.8	0.08	26	0.04	14.8	25.3	0.80	2067	0.90	0.026	0.27	25.5	964.0	535.80	6.5	0.05	10.02	1.4	2.0	0.817	14.3	<0.05	0.08	4.8	0.005	0.07	0.9	22	<0.1	676.9	2.4
11	25511	6	1.9	0.92	148.1	38.8	0.22	0.10	59.03	39.02	20.5	8.6	2.26	118.90	3.74	2.8	5.3	0.12	81	0.04	21.8	20.4	0.84	981	0.41	0.026	0.04	23.8	708.7	477.50	3.0	0.06	22.81	1.5	2.2	0.487	8.2	<0.05	0.03	9.0	0.001	0.06	0.6	5	0.0	3745.0	7.2
12	25512	8	0.2	1.80	39.9	78.1	0.31	0.05	0.55	41.02	16.9	19.3	1.87	31.96	3.44	5.2	4.9	0.08	12	0.04	20.8	33.3	0.65	625	0.67	0.026	0.28	32.0	624.0	36.53	4.6	0.04	1.81	1.1	0.7	0.633	15.2	<0.05	0.05	4.9	0.008	0.06	1.1	20	0.1	132.9	2.2
13	25513	5	0.4	1.21	35.7	86.5	0.28	0.05	0.50	29.80	16.4	17.7	1.97	26.12	3.15	5.0	4.3	0.02	20	0.04	14.1	12.4	0.60	1720	0.97	0.023	0.23	20.8	1005.0	86.38	8.7	0.05	3.38	0.4	0.9	0.779	7.1	<0.05	0.06	0.6	0.007	0.11	0.7	32	0.1	116.1	0.7
14	25514	7	<0.1	1.00	31.2	58.1	0.32	0.03	0.19	35.89	8.0	14.5	1.48	21.98	3.06	5.3	4.3	0.02	26	0.03	18.1	11.3	0.24	358	0.71	0.023	0.55	17.1	840.4	19.98	6.2	0.04	1.20	0.4	0.7	0.743	10.2	<0.05	0.04	0.7	0.013	0.06	0.7	32	0.1	62.3	0.4
15	25515	5	<0.1	1.24	-19.0	100.6	0.23	0.11	0.20	34.63	12.6	12.6	1.43	34.72	2.61	4.1	3.8	0.08	-10	0.04	16.6	19.4	0.47	469	0.72	0.027	0.24	27.0	705.9	16.63	6.2	0.04	1.90	0.7	0.9	0.839	18.0	<0.05	0.08	1.2	0.007	0.07	1.1	23	0.1	93.4	2.0
16	25516	4	<0.1	1.35	24.5	111.8	0.27	0.18	0.29	32.23	14.0	18.6	1.53	32.48	2.96	4.6	4.2	0.03	17	0.04	15.1	23.2	0.46	479	0.73	0.026	0.41	23.8	744.0	22.38	6.0	0.05	1.27	0.7	0.7	0.864	28.1	<0.05	0.06	1.1	0.010	0.05	0.9	27	0.1	99.8	1.0
17	25517	6	<0.1	0.99	8.4	106.4	0.16	0.07	0.22	23.71	8.0	11.8	1.14	23.15	2.00	3.4	2.8	0.07	19	0.03	12.8	9.4	0.44	386	0.37	0.031	0.32	16.3	912.9	14.50	4.7	0.07	0.89	0.9	0.7	0.584	49.0	<0.05	0.03	1.2	0.007	0.06	0.9	18	<0.1	60.3	2.6
18	25518	2	0.3	1.10	13.5	107.7	0.18	0.08	0.26	42.98	10.8	14.0	0.93	19.70	2.68	3.8	3.5	0.10	25	0.05	23.8	10.7	0.79	374	<0.01	0.037	0.11	21.5	900.5	34.87	6.1	0.08	0.84	1.4	1.2	0.832	46.8	<0.05	0.02	2.3	0.003	0.06	0.6	9	<0.1	87.1	2.8
19	25519	4	0.3	1.04	14.0	103.4	0.18	0.07	0.32	29.99	10.4	12.2	1.26	25.88	2.27	3.5	2.9	0.09	21	0.04	16.0	12.2	0.53	502	0.70	0.042	0.26	19.8	982.5	26.84	4.3	0.08	1.23	1.1	1.1	0.739	51.9	<0.05	0.04	1.6	0.007	0.06	1.2	17	<0.1	65.9	3.0
20	25520	9	0.5	1.45	24.3	102.9	0.30	0.74	0.74	28.33	18.1	17.9	3.59	100.30	3.72	4.7	4.9	0.16	18	0.15	14.6	21.3	1.34	248	3.59	0.032	0.14	46.7	1522.0	33.37	14.2	0.14	2.29	2.0	1.6	0.598	89.0	<0.05	0.07	7.0	0.012	0.18	3.2	30	<0.1	144.4	9.7
21	25521	8	0.4	1.48	21.2	90.8	0.28	0.82	0.69	33.09	19.0	18.2	3.15	73.89	3.56	4.8	4.8	0.16	21	0.12	17.2	22.8	1.38	317	3.18	0.028	0.16	44.8	1238.0	32.31	11.2	0.11	1.95	2.0	1.6	0.614	78.5	<0.05	0.05	5.6	0.010	0.13	2.6	27	<0.1	138.4	8.3
22	25522	29	0.8	0.79	16.0	137.0	0.16	0.58	2.21	18.61	7.5	20.1	3.40	213.90	1.96	3.0	2.8	0.11	66	0.23	11.5	14.1	0.84	100	19.87	0.026	0.11	88.6	2523.0	12.98	21.1	0.04	4.57	2.8	2.5	0.867	34.8	<0.05	0.11	4.4	0.009	0.37	1.9	82	<0.1	336.7	10.1
23	25523	4	0.1	1.27	12.5	73.8	0.35	0.06	0.17	48.47	19.8	16.1	2.30	29.22	3.03	4.9	4.5	0.03	18	0.03	25.6	29.2	0.44	1562	0.27	0.036	0.26	22.4	590.4	32.88	4.2	0.04	0.92	0.6	0.7	0.756	8.7	<0.05	0.05	2.5	0.010	0.05	0.9	18	<0.1	78.7	1.2
24	25524	6	<0.1	1.51	17.7	70.1	0.38	0.04	0.15	41.72	14.8	20.4	2.44	27.38	3.84	5.7	5.2	0.05	16	0.04	21.7	27.9	0.47	611	0.75																						

ECO TECH LABORATORY LTD

ICP-MS CERTIFICATE OF ANALYSIS AK-2002-3059

Overland Resources

Et #.	Tag #	ICP-MS CERTIFICATE OF ANALYSIS - AN-2007-7005																				Overlaid Resources																										
		Ag	Al	As	Ba	Bi	Ca	Cd	Cr	Cr	Cr	Fe	Ge	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V	W	Zn	Zr				
		Au(ppb)	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppb	ppm	%	ppm	ppb	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm			
36	25536	25	<0.1	1.34	38.9	61.7	0.31	0.07	13.0	42.47	13.7	15.9	1.87	26.08	2.97	5.4	4.0	0.03	11	0.03	22.9	30.6	0.54	393	0.25	0.023	0.12	23.26	26.4	397.4	19.58	3.5	0.02	0.84	0.8	0.6	0.149	12.2	<0.05	0.03	2.9	0.010	0.03	0.9	18	1.1	82.9	1.0
37	25537	6	<0.1	1.35	17.6	85.8	0.30	0.08	0.28	41.42	14.6	15.9	1.60	28.71	2.84	4.4	4.2	0.06	14	0.03	20.3	25.6	0.51	494	0.58	0.026	0.26	25.1	26.7	21.17	4.8	0.03	1.28	0.9	0.7	0.162	15.4	<0.05	0.03	2.4	0.009	0.04	1.1	20	0.1	91.8	1.0	
38	25538	8	0.2	1.46	22.5	102.0	0.26	0.18	0.33	46.12	16.5	17.1	1.72	54.59	3.01	4.4	4.5	0.08	13	0.04	21.4	23.0	0.67	605	1.02	0.024	0.19	38.4	38.4	22.84	4.0	0.03	1.72	1.6	0.9	0.132	30.5	<0.05	0.04	4.4	0.007	0.05	1.3	22	0.1	110.5	2.6	
39	25539	10	0.5	1.52	24.7	129.6	0.24	0.33	0.45	39.48	17.8	21.4	2.02	82.74	3.21	4.6	4.7	0.08	27	0.04	21.4	23.7	0.82	637	1.94	0.024	0.28	40.5	40.5	22.20	4.8	0.03	2.08	3.1	1.3	0.168	42.6	<0.05	0.07	2.2	0.008	0.07	1.5	38	<0.1	109.6	2.7	
40	25540	6	0.2	1.26	16.6	105.4	0.26	0.32	0.28	43.43	13.7	18.6	2.31	35.74	2.62	4.2	3.8	0.08	22	0.04	22.3	20.6	0.84	558	1.14	0.028	0.23	28.9	28.9	23.24	4.7	0.03	1.60	2.6	1.1	0.163	39.8	<0.05	0.06	3.8	0.007	0.05	1.1	23	0.1	85.4	2.9	
41	25541	5	0.1	0.82	6.3	78.7	0.08	1.05	0.14	14.75	5.5	21.1	0.54	15.77	1.34	2.6	1.6	0.09	11	0.05	7.6	4.7	0.49	221	<0.01	0.031	0.28	21.5	21.5	398.8	4.94	3.7	0.03	0.48	2.0	0.3	0.215	35.1	<0.05	0.04	2.9	0.040	0.06	0.6	25	0.1	34.1	3.7
42	25542	16	0.7	0.86	17.7	99.7	0.17	1.35	0.17	34.20	11.8	15.0	3.20	100.70	2.59	3.3	3.0	0.12	47	0.17	13.2	18.9	1.37	202	0.53	0.022	0.22	47.2	47.2	87.05	20.74	18.1	0.06	5.98	1.9	1.4	0.208	62.8	<0.05	0.06	2.7	0.011	0.27	1.1	48	<0.1	219.1	5.6
43	25543	<1	0.3	1.23	13.6	75.1	0.16	0.56	0.38	36.47	10.7	15.8	1.66	45.21	2.62	4.1	3.3	0.10	21	0.07	18.7	16.3	0.01	275	1.26	0.031	0.20	31.6	31.6	92.62	20.23	8.8	0.04	1.88	1.2	1.1	0.149	39.5	<0.05	0.03	3.8	0.006	0.11	0.9	29	<0.1	107.5	2.7
44	25544	5	0.2	1.02	19.6	90.5	0.14	0.30	0.45	18.77	6.4	13.0	2.43	57.05	2.11	3.7	2.4	0.02	17	0.14	9.9	16.8	0.90	134	4.46	0.035	0.18	28.1	28.1	817.4	12.75	17.7	0.04	7.39	0.6	1.1	0.168	26.1	<0.05	0.08	1.6	0.011	0.20	1.0	33	<0.1	136.6	1.1
45	25546	6	0.8	1.28	26.2	164.9	0.21	0.60	0.87	33.92	10.7	19.8	2.56	81.71	2.61	4.1	3.4	0.12	38	0.06	18.5	28.9	1.04	491	4.09	0.022	0.28	35.9	35.9	373.0	30.15	8.1	0.06	5.17	2.1	1.7	0.171	56.2	<0.05	0.05	2.3	0.006	0.13	2.9	51	<0.1	149.3	4.5
46	25547	<1	0.2	1.13	19.9	131.0	0.17	0.38	0.52	32.62	11.7	14.1	1.40	30.36	2.52	3.6	3.2	0.08	16	0.03	16.1	19.0	0.58	484	1.67	0.028	0.25	27.4	27.4	832.8	31.98	5.8	0.04	2.18	1.3	1.0	0.15	38.8	<0.05	0.04	2.2	0.006	0.07	1.5	23	<0.1	121.6	2.7
47	25547	5	0.4	1.27	19.8	100.3	0.19	0.43	0.83	36.37	11.3	15.8	2.18	45.86	2.84	3.8	3.6	0.07	29	0.04	18.3	26.5	0.61	324	1.64	0.027	0.26	40.3	40.3	856.7	18.03	6.2	0.04	2.81	1.3	1.5	0.138	40.3	<0.05	0.03	2.5	0.017	0.10	2.3	23	<0.1	115.8	2.5
48	25548	6	0.5	0.89	12.3	91.9	0.13	0.43	0.37	23.67	12.3	9.1	1.53	46.00	2.40	2.8	2.8	0.08	21	0.06	12.0	12.8	0.50	340	1.68	0.035	0.19	36.5	36.5	723.0	11.95	5.9	0.04	3.21	1.0	0.9	0.101	32.6	<0.05	0.03	1.4	0.009	0.11	1.3	22	0.2	79.4	2.3
49	25549	11	0.4	1.11	25.1	156.4	0.16	0.37	0.35	21.54	7.9	17.6	3.08	87.46	1.99	3.6	2.5	0.16	40	0.14	11.3	20.9	1.04	269	22.6	0.028	0.19	36.0	36.0	19.53	16.68	0.03	0.6	6.80	1.5	1.2	0.228	24.6	<0.05	0.07	1.6	0.008	0.27	2.0	67	0.1	174.8	5.9
50	25550	25	0.7	0.99	22.7	153.7	0.18	1.54	1.44	19.82	10.1	14.4	3.90	92.58	2.31	3.1	2.4	0.11	53	0.20	10.5	16.2	1.38	174	6.63	0.028	0.19	45.8	45.8	101.0	18.82	20.0	0.03	4.36	2.5	2.2	0.205	67.3	<0.05	0.08	4.3	0.013	0.32	1.5	51	<0.1	212.9	7.9
51	25561	12	0.5	0.71	36.5	54.3	0.19	0.03	0.52	21.18	3.9	8.8	1.28	19.59	1.91	3.4	2.2	0.02	21	0.04	11.1	10.9	0.34	220	1.79	0.024	0.19	12.5	12.5	536.5	61.81	5.8	0.03	4.12	0.2	0.6	0.19	8.7	<0.05	0.05	0.4	0.008	0.07	0.5	24	<0.1	107.8	0.6
52	25562	5	0.1	0.68	44.1	112.7	0.19	0.18	0.48	42.84	13.8	12.0	2.90	36.78	2.68	3.3	3.7	0.07	19	0.04	20.8	15.8	0.48	633	1.18	0.027	0.23	32.8	32.8	1010.0	28.74	6.0	0.02	3.73	2.0	1.3	0.14	16.8	<0.05	0.03	3.6	0.006	0.07	0.9	17	<0.1	110.7	2.1
53	25563	<1	<0.1	0.96	34.9	85.5	0.14	0.49	0.13	24.11	7.1	10.3	1.36	12.2	2.01	3.0	2.5	0.02	21	0.04	12.0	11.8	0.49	421	0.01	0.032	0.33	13.8	13.8	719.0	18.63	7.0	0.03	1.88	0.9	0.7	0.184	36.8	<0.05	0.03	5.9	0.014	0.17	1.4	20	<0.1	284.0	4.0
54	25564	2	0.1	0.82	78.3	89.1	0.19	0.35	0.22	32.91	13.4	9.3	2.32	16.37	2.93	2.7	3.8	0.06	13	0.04	16.9	13.4	0.58	947	0.03	0.028	0.08	27.7	27.7	956.4	19.5	4.0	0.04	4.01	1.4	1.0	0.318	14.5	<0.05	0.03	3.2	0.012	0.09	0.7	26	0.1	95.1	1.3
55	25565	9	0.1	1.22	68.3	86.8	0.23	0.14	0.41	43.00	21.8	13.2	1.98	48.86	3.80	3.9	4.8	0.05	10	0.05	19.4	23.6	0.78	1221	0.59	0.022	0.20	29.8	29.8	959.0	38.34	3.0	0.04	6.73	1.7	1.2	0.129	14.0	<0.05	0.05	4.4	0.004	0.08	0.8	20	<0.1	113.7	4.8
56	25566	5	0.3	1.70	33.8	105.5	0.31	0.29	0.12	41.60	18.1	18.7	2.12	41.30	3.33	5.3	4.5	0.10	12	0.08	20.7	35.1	0.79	447	0.42	0.040	0.57	41.3	41.3	446.2	20.27	8.8	0.02	3.13	2.1	0.8	0.258	54.8	<0.05	0.06	7.1	0.016	0.06	2.0	23	<0.1	78.8	4.0
57	25567	40	1.1	1.13	33.9	83.3	0.36	0.41	7.7	17.8	13.0	24.6	8.34	18.61	6.36	4.6	7.4	0.03	196	0.06	8.5	20.0	0.88	628	0.94	0.041	1.15	11.9	11.9	755.5	1028.0	11.1	0.14	781.00	1.8	0.7	0.841	33.4	<0.05	0.19	5.9	0.014	0.17	1.4	20	<0.1	284.0	4.0
58	25568	3	0.1	1.36	37.3	76.6	0.24	0.08	0.29	37.27	10.8	17.2	2.02	25.90	2.72	4.3	3.7	0.04	13	0.04	18.2	20.4	0.51	359	0.86	0.028	0.62	24.6	24.6	475.3	28.30	7.3	0.02	9.95	1.4	1.0	0.318	14.5	<0.05	0.03	3.2	0.012	0.09	0.7	26	0.1	95.1	1.3
59	25569	>1000	<0.1	0.95	16.2	47.9	0.23	0.04	0.11	26.13	12.1	10.7	2.09	21.38	2.20	3.5	2.8	0.02	28	0.03	14.6	15.8	0.27	389	0.17	0.028	0.30	16.8	16.8	515.3	19.22	3.4	0.03	1.15	0.4	0.5	0.193	11.2	<0.05	0.02	0.9	0.010	0.04	0.7	18	0.1	61.0	0.7
60	25570	15	0.3	0.95	26.5	118.0	0.25	0.11	0.67	26.29	15.1	9.5																																				

ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007-7069


Et #.	Tag #	Au(ppb)	ICP MS CERTIFICATE OF ANALYSIS AK 2007-7069																						Overland Resources																						
			Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe ppm	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Tl % ppm	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
86	25588	16	<0.2	1.15	44.8	77.5	0.27	0.04	0.21	31.15	10.1	14.5	1.79	24.86	2.99	4.1	3.6	0.03	14	0.03	15.3	26.9	0.40	373	1.13	0.029	0.27	22.0	536.7	21.76	4.6	0.05	1.73	0.6	0.6	0.222	18.4	<0.06	0.05	1.5	0.009	0.08	1.1	20	0.1	79.6	1.1
87	25587	23	<0.2	1.35	56.8	86.6	0.31	0.07	0.27	39.24	14.2	16.8	1.82	30.19	3.03	4.6	4.0	0.03	17	0.04	19.7	26.6	0.49	601	0.52	0.026	0.22	27.9	506.0	21.32	4.6	0.03	1.20	0.8	0.7	0.218	15.9	<0.05	0.02	2.1	0.009	0.05	1.1	20	0.1	89.9	1.2
88	25588	16	0.4	0.88	36.8	63.6	0.20	0.08	0.63	31.80	11.2	12.8	2.17	101.00	3.16	3.1	4.1	0.03	24	0.08	17.2	12.7	0.45	452	7.50	0.027	0.28	47.3	836.7	72.84	8.6	0.02	10.43	0.6	1.9	0.187	8.9	<0.06	0.08	0.9	0.008	0.19	1.0	34	<0.1	277.8	1.1
89	25589	20	<0.2	0.32	12.1	60.9	0.14	0.04	0.28	20.72	3.9	5.6	2.05	79.74	1.84	1.6	2.1	0.02	10	0.12	11.1	3.6	0.20	122	8.67	0.026	0.11	31.6	741.3	16.49	11.4	<0.02	3.70	0.4	0.9	0.191	4.2	<0.05	0.03	1.0	0.004	0.19	1.0	19	<0.1	179.2	1.5
90	25590	30	0.3	0.80	22.2	124.2	0.20	0.25	0.69	25.86	10.2	12.6	1.97	52.23	2.30	3.2	2.6	0.02	20	0.06	12.5	7.8	0.34	787	5.07	0.026	0.13	27.2	1032.0	22.17	9.2	0.02	2.76	0.3	0.8	0.163	23.8	<0.05	0.05	0.4	0.005	0.11	1.3	34	0.1	139.2	0.8
91	25591	4	<0.2	1.57	24.6	101.1	0.30	0.21	0.17	41.14	14.1	19.1	1.86	27.06	3.01	4.9	4.0	0.08	7	0.06	19.4	30.6	0.79	378	0.66	0.027	0.58	29.1	415.1	18.62	7.3	0.02	2.38	1.8	0.7	0.222	32.1	<0.05	0.07	6.9	0.015	0.08	1.9	24	0.0	78.1	3.6

QC DATA:

Report:

1	25501	5	<0.2	1.58	27.5	155.8	0.47	0.12	0.21	40.47	71.4	20.3	9.06	85.14	3.42	4.9	4.8	0.05	14	0.06	15.5	31.1	0.64	1494	2.36	0.027	0.40	47.1	596.7	38.50	8.4	0.03	2.78	2.4	1.0	0.884	33.8	<0.06	0.05	7.7	0.016	0.16	5.0	27	0.1	144.2	1.8
10	25510	5	0.8	1.35	80.9	81.7	0.35	0.11	2.49	31.55	21.3	18.5	1.54	37.89	4.07	4.4	5.4	0.07	26	0.04	13.8	27.6	0.78	2010	1.01	0.028	0.25	24.5	925.9	529.10	6.0	0.05	10.41	1.3	2.0	0.595	14.3	<0.06	0.06	4.6	0.005	0.07	0.9	21	<0.1	860.1	2.5
19	25519	0.3	1.11	14.7	111.7	0.18	0.84	0.28	30.76	11.4	13.3	1.29	28.13	2.44	3.7	3.2	0.10	23	0.04	16.8	13.8	0.58	570	0.88	0.040	0.28	21.7	996.4	25.67	4.5	0.09	1.25	1.3	1.2	0.706	66.6	<0.06	0.03	1.8	0.006	0.06	1.4	18	<0.1	71.5	3.6	
20	25520	10	<0.2	1.33	24.3	43.4	0.31	0.03	0.13	39.12	9.5	14.5	1.57	23.81	3.00	4.5	4.4	0.03	10	0.02	19.5	28.5	0.46	288	0.20	0.021	0.21	24.0	402.1	18.58	2.8	0.02	1.10	0.9	0.8	0.654	10.2	<0.05	0.03	8.1	0.007	0.03	1.1	14	<0.1	75.8	1.7
28	25528	5	<0.2	1.33	24.3	43.4	0.31	0.03	0.13	39.12	9.5	14.5	1.57	23.81	3.00	4.5	4.4	0.03	10	0.02	19.5	28.5	0.46	288	0.20	0.021	0.21	24.0	402.1	18.58	2.8	0.02	1.10	0.9	0.8	0.654	10.2	<0.05	0.03	8.1	0.007	0.03	1.1	14	<0.1	75.8	1.7
36	25536	15	<0.2	1.36	39.6	56.2	0.32	0.08	0.12	41.41	14.0	16.9	1.64	26.92	3.01	4.9	4.1	0.03	11	0.03	20.9	33.0	0.55	404	0.32	0.022	0.25	26.9	434.3	21.18	3.5	0.02	1.22	0.8	0.8	0.174	13.2	<0.06	0.04	7.8	0.010	0.04	0.9	19	1.0	85.9	1.2
45	25545	<1	0.8	1.28	27.7	159.4	0.21	0.59	0.88	30.62	11.1	19.7	2.47	82.77	2.70	4.2	3.3	0.13	34	0.06	17.0	30.3	1.05	505	4.15	0.024	0.27	36.8	1360.0	31.05	7.8	0.05	5.30	2.1	1.8	0.17	54.8	<0.05	0.05	2.3	0.006	0.12	2.8	51	<0.1	153.4	4.6
46	25546	<1	<0.2	0.81	74.8	66.9	0.19	0.35	0.24	29.64	13.2	9.1	2.11	16.05	2.87	2.8	3.7	0.05	13	0.04	15.1	11.1	0.58	954	0.01	0.023	0.09	26.9	987.4	18.40	6.0	0.06	3.88	2.2	1.4	0.069	29.1	<0.05	0.01	4.8	0.003	0.07	0.6	7	<0.1	72.8	1.7
63	25563	10	0.2	1.24	16.7	131.8	0.21	0.37	0.34	32.66	10.9	13.2	2.07	46.44	2.54	4.1	3.2	0.06	28	0.10	16.9	24.2	0.89	379	2.05	0.028	0.24	28.0	719.4	17.00	10.4	0.04	3.38	1.2	0.8	0.278	29.3	<0.05	0.03	1.7	0.008	0.14	1.3	28	0.1	102.0	2.3
71	25571	5	0.9	1.22	37.2	83.2	0.15	0.40	1.34	25.17	8.8	19.6	3.46	119.50	2.20	3.9	2.7	0.08	33	0.10	12.9	30.5	1.33	393	7.32	0.027	0.12	57.8	1472.0	40.90	10.1	0.02	13.30	1.4	1.5	0.175	25.2	<0.06	0.08	1.8	0.008	0.22	2.0	72	0.1	398.8	2.9
80	25580	0.6	0.91	18.9	103.2	0.15	0.56	1.45	18.15	6.6	13.8	2.23	50.50	1.75	3.1	2.0	0.08	29	0.09	9.0	16.5	0.72	317	3.97	0.042	0.30	28.7	1004.0	43.60	12.3	0.06	4.76	0.8	0.8	0.212	39.0	<0.06	0.05	1.0	0.010	0.18	1.9	45	<0.1	271.8	3.0	
82	25582	5	0.2	0.33	11.7	64.2	0.14	0.06	0.30	21.07	3.9	5.9	2.10	78.93	1.83	1.6	2.1	0.02	16	0.12	11.3	3.1	0.20	120	8.73	0.026	0.15	31.8	814.9	16.87	11.7	<0.02	3.78	0.4	0.9	0.082	5.1	<0.05	0.05	1.0	0.004	0.19	1.0	19	<0.1	176.5	1.4
89	25589	600	0.2	0.33	11.7	64.2	0.14	0.06	0.30	21.07	3.9	5.9	2.10	78.93	1.83	1.6	2.1	0.02	16	0.12	11.3	3.1	0.20	120	8.73	0.026	0.15	31.8	814.9	16.87	11.7	<0.02	3.78	0.4	0.9	0.082	5.1	<0.05	0.05	1.0	0.004	0.19	1.0	19	<0.1	176.5	1.4

JJ/bp
d/7089m
XLS/07ECO TECH LABORATORY LTD.
Jules Jeannine
B.C. Certified Assayer



Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

12-Jul-07

2007 INVOICE

INVOICE #: AW07-7059

DESCRIPTION	PRICE/SAMPLE	AMOUNT
2007 Quote		
91 Sample Prep. (Soil)	1.90	172.90
91 Trace ICP-MS Pkg	15.10	1374.10
SUBTOTAL:		1547.00
& 6% G.S.T.:		92.82
TOTAL DUE & PAYABLE UPON RECEIPT:		<u>1639.82</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312
TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

POSTED

ECO TECH LABORATORY
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS AW 2007-7075

Overland Res:
#1-151 Indust.
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 38
Sample Type: Soil
Project: Andrew
Shipment #: 2007-3
Submitted by: J. VanRanden

Values in ppm unless otherwise reported

El #	Tag #	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Ca	Cu	Fe	Ge	Ge	Hg	Hg	Ir	K	La	Li	Mg	Min	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr	
1	3592	0.1	1.12	12.3	98.6	0.28	0.06	0.07	32.72	16.0	15.9	3.11	26.71	2.51	4.1	9.3	0.02	13	0.79	0.03	15.4	24.3	0.46	779	1.02	0.038	0.15	20.2	600.4	28.36	2.8	<0.001	0.04	0.64	0.2	0.6	0.2	16.2	<0.05	0.03	0.3	0.008	0.06	1.1	22	<0.1	56.7	0.4
2	25593	0.1	1.81	16.1	115.8	0.32	0.12	0.19	38.34	21.4	26.7	1.99	30.58	3.85	5.7	14.3	0.06	5	0.75	0.03	20.3	47.0	0.99	864	1.04	0.033	0.22	36.8	870.0	25.54	3.1	<0.001	0.03	0.55	1.6	0.8	0.2	20.3	<0.05	0.04	9.4	0.014	0.06	1.3	32	<0.1	91.7	3.6
3	25594	0.1	1.74	53.8	82.6	0.36	0.03	0.13	39.06	14.6	22.6	1.80	27.53	4.11	6.0	14.7	0.02	8	0.77	0.04	21.3	36.7	0.76	599	0.99	0.037	0.29	28.7	546.0	23.80	4.4	<0.001	0.06	0.85	0.8	0.7	0.2	15.8	<0.05	0.02	1.4	0.009	0.06	1.3	27	<0.1	87.1	0.8
4	25595	0.3	1.12	69.6	123.1	0.29	0.07	0.50	26.48	21.3	13.2	2.10	47.06	3.85	3.3	13.6	0.18	9	0.78	0.06	12.4	22.9	0.61	756	3.43	0.041	0.12	44.3	702.6	28.87	4.6	<0.001	0.08	4.06	1.7	1.5	0.1	31.0	<0.05	0.04	13.2	0.005	0.10	2.6	20	<0.1	97.2	8.8
5	25596	0.3	1.21	35.0	106.9	0.25	0.05	0.51	34.98	13.5	18.0	1.49	24.68	2.99	4.9	11.0	0.02	15	0.79	0.06	18.1	16.0	0.40	962	1.65	0.041	0.56	16.0	640.7	50.39	7.4	<0.001	0.04	2.91	0.4	1.2	0.5	8.1	<0.05	0.03	0.4	0.009	0.11	0.7	42	<0.1	114.0	0.6
6	25597	0.2	1.04	115.7	115.3	0.26	0.13	0.75	43.43	15.7	15.9	2.45	39.39	3.71	3.9	13.5	0.06	10	0.79	0.06	22.1	16.2	0.47	911	1.95	0.031	0.30	37.2	1157.0	52.14	8.4	<0.001	0.03	3.45	1.1	1.7	0.2	14.5	<0.05	0.06	2.6	0.004	0.13	1.0	23	<0.1	214.3	1.7
7	25598	0.2	1.02	103.0	110.4	0.24	0.12	0.73	41.78	14.6	15.7	2.37	37.57	3.56	3.9	13.0	0.06	9	0.80	0.07	21.2	17.5	0.46	839	1.80	0.031	0.28	34.9	1144.0	50.07	8.5	<0.001	0.03	3.39	1.1	1.8	0.2	14.1	<0.05	0.04	2.3	0.004	0.12	1.0	23	<0.1	202.0	1.7
8	25599	0.2	1.34	57.3	83.3	0.17	0.65	0.29	35.92	13.9	18.5	1.36	16.85	3.20	4.1	11.7	0.06	11	0.72	0.04	18.7	26.0	1.11	819	0.53	0.032	0.17	26.5	45.0	<0.001	0.04	1.68	2.3	1.2	0.1	42.8	<0.05	0.02	4.7	0.004	0.06	8.5	15	<0.1	63.9	1.9		
9	25600	0.3	2.17	19.8	142.9	0.41	0.35	0.24	36.32	19.4	26.9	3.17	41.79	3.87	6.8	13.9	0.21	7	0.74	0.06	20.8	50.8	1.21	316	1.09	0.059	0.54	40.2	740.2	22.50	9.5	<0.001	0.04	1.50	2.8	0.9	0.3	50.2	<0.05	0.07	11.8	0.027	0.11	1.6	37	<0.1	104.0	9.3
10	25601	0.1	1.92	12.4	98.8	0.35	0.11	0.17	36.94	31.7	25.9	3.02	33.48	4.10	6.0	15.2	0.07	22	0.75	0.04	18.8	53.6	1.03	924	1.19	0.037	0.28	38.3	798.6	22.21	3.0	<0.001	0.03	0.80	1.6	0.7	0.2	18.4	<0.05	0.03	8.8	0.012	0.04	1.5	27	<0.1	106.6	2.9
11	25602	0.1	2.27	100.8	158.7	0.48	0.07	0.17	36.44	24.6	26.6	3.06	39.71	5.04	6.7	18.4	0.08	6	0.74	0.05	17.8	62.3	1.16	900	1.09	0.045	0.13	36.1	639.3	32.15	3.3	<0.001	0.07	0.69	1.8	0.8	0.2	30.0	<0.05	0.04	12.4	0.007	0.05	2.0	25	0.1	117.8	4.3
12	25603	0.1	1.97	29.2	123.1	0.38	0.05	0.23	36.29	20.3	28.8	2.59	42.04	4.33	6.5	15.9	0.03	10	0.78	0.06	19.6	45.3	0.98	843	1.92	0.038	0.23	36.7	901.2	26.13	7.2	<0.001	0.04	1.62	0.5	0.9	0.3	21.3	<0.05	0.05	8.8	0.007	0.09	1.5	38	0.1	105.9	0.6
13	25604	0.1	1.78	220.4	100.0	0.19	0.21	0.95	45.35	36.3	23.8	2.81	89.25	6.50	5.4	23.6	0.12	15	0.75	0.06	23.9	31.9	1.34	3016	3.00	0.042	0.13	83.9	1572.0	101.50	5.4	<0.001	0.04	10.50	3.5	2.1	0.1	20.6	<0.05	0.09	4.2	0.004	0.06	1.3	42	<0.1	178.7	4.8
14	25605	0.1	1.36	34.0	112.9	0.30	0.07	0.32	34.13	12.4	22.0	2.88	22.80	3.60	6.4	13.1	0.02	11	0.79	0.06	18.3	17.7	0.60	1338	1.98	0.042	0.67	15.0	539.2	38.20	10.0	<0.001	0.04	1.48	0.6	1.1	0.6	12.3	<0.05	0.04	0.3	0.012	0.12	0.6	58	0.1	97.7	0.6
15	25606	0.6	1.45	187.0	76.3	0.23	0.24	0.71	42.84	43.9	13.6	1.75	49.14	7.98	4.4	27.8	0.11	14	0.75	0.06	20.4	32.1	1.10	2262	5.95	0.036	0.16	54.0	1794.0	59.89	4.0	0.001	0.04	9.75	2.5	2.8	0.1	19.0	<0.05	0.06	3.0	0.003	0.10	2.2	33	<0.1	135.6	4.1
16	25607	0.1	1.86	53.7	104.3	0.29	0.17	0.36	48.63	18.1	25.1	1.98	30.84	4.07	5.4	15.3	0.06	12	0.75	0.06	22.8	32.7	1.07	902	1.59	0.044	0.55	36.8	1073.0	31.94	8.3	<0.001	0.03	2.27	2.1	1.5	0.3	19.0	<0.05	0.04	8.2	0.010	0.11	1.1	37	<0.1	85.9	1.5
17	25608	0.2	2.03	37.5	121.6	0.40	0.32	0.25	44.16	21.2	28.4	3.29	38.32	4.38	6.2	16.3	0.13	6	0.74	0.08	24.3	49.9	1.07	806	1.18	0.060	0.67	36.8	788.2	28.24	8.2	<0.001	0.03	1.81	2.3	1.1	0.3	52.0	<0.05	0.03	10.7	0.019	0.10	1.4	29	<0.1	107.3	4.8
18	25609	0.1	1.86	16.1	109.7	0.46	0.10	0.17	49.67	20.7	28.4	2.90	34.49	4.14	6.3	15.8	0.05	6	0.76	0.04	27.0	48.3	0.84	733	1.00	0.038	0.26	36.6	667.4	26.93	3.2	<0.001	0.02	0.67	1.4	0.9	0.3	15.5	<0.05	0.02	9.8	0.011	0.06	1.6	26	<0.1	104.0	2.2
19	25610	0.2	1.72	36.7	117.2	0.39	0.11	0.30	35.81	19.5	24.1	2.86	41.82	4.03	5.0	14.9	0.06	9	0.77	0.06	16.8	37.8	0.83	774	2.91	0.040	0.48	34.0	937.0	42.26	6.4	<0.001	0.08	3.34	1.5	1.1	0.3	28.6	<0.05	0.08	6.0	0.012	0.10	1.7	33	<0.1	125.5	2.5
21	25611	0.1	1.91	72.1	125.6	0.36	0.10	0.34	40.37	23.1	27.2	2.38	41.02	5.14	6.4	18.8	0.03	10	0.77	0.05	20.2	34.9	0.69	1368	2.32	0.034	0.54	36.7	914.0	30.31	6.7	<0.001	0.04	1.92	1.0	1.1	0.3	16.1	<0.05	0.08	1.0	0.013	0.09	1.1	46	0.1	115.0	0.8
22	25613	0.3	1.33	157.5	66.2	0.30	0.10	0.25	44.06	30.4	16.4	2.63	53.57	5.58	4.5	20.1	0.05	10	0.77	0.06	23.0	19.7	0.82	2308	3.08	0.038	0.27	31.9	1616.0	25.13	7.2	<0.001	0.05	4.57	1.4	2.0	0.2	10.1	<0.05	0.08	1.0	0.007	0.12	1.4	34	<0.1	64.9	0.6
23	25614	0.5	1.46	70.8	80.5	0.24	0.58	0.70	52.58	18.9	19.4	1.73	21.82	3.98	4.6	14.7	0.07	10	0.74	0.06	26.1	25.5	1.15	1870	0.53	0.037	0.16	35.8	1176.0	90.18	4.8	<0.001	0.02	4.37	2.0	1.4	0.1	37.5	<0.05	0.04	10.8	0.004	0.07	0.8	15	<0.1	117.7	1.8
24	25615	0.2	1.17	25.8	45.4	0.33	0.04	0.11	35.47	9.1	17.2	1.47	18.80	3.16	4.9	11.7	0.02	13	0.79	0.04	19.5	27.3	0.60	881	1.58	0.041	0.36	16.8	878.6	37.04	8.3	<0.001	0.03	0.68	0.5	0.6	0.2	10.1	<0.05	0.02	1.9	0.007	0.04	8.0	20	0.1	72.4	0.7
25	25616	0.1	1.26	29.8	167.8																																											


ECO TECHNOLOGY LTD.		ICP MS CERTIFICATE OF ANALYSIS AW 2007-7075																								Overland Resources																				
Et #	Tag #	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tn	V	W	Zn	Zr
		ppm	%	ppm	ppm	%	ppm	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm																						


QC DATA:

Repeat:

1	25502	0.1	1.11	11.9	95.2	0.26	0.05	0.08	33.64	15.1	15.5	3.06	25.01	2.61	4.1	9.2	0.02	12	0.79	0.03	15.8	24.4	0.46	750	1.01	0.037	0.18	19.9	582.9	23.90	2.8	<0.001	0.03	0.4	0.006	0.06	1.1	22	0.1	56.7	0.5							
10	25601	0.1	2.05	13.2	104.0	0.38	0.12	0.18	40.19	32.4	27.2	3.22	34.49	4.35	6.4	16.9	0.07	9	0.77	0.04	21.2	57.3	1.11	979	1.16	0.042	0.29	39.5	757.0	23.48	3.2	<0.001	0.03	0.69	1.6	0.8	0.2	21.8	<0.05	0.03	9.4	0.013	0.05	1.6	28	<0.1	111.1	2.6
19	25810	0.2	1.74	38.1	116.4	0.34	0.09	0.31	38.18	19.9	23.6	2.82	40.22	4.03	5.1	14.8	0.07	10	0.78	0.06	17.8	43.0	0.83	784	2.80	0.038	0.46	34.3	877.6	41.51	6.5	<0.001	0.06	2.94	1.6	1.1	0.2	26.5	<0.05	0.05	6.0	0.012	0.10	1.7	32	<0.1	122.6	2.5
28	25619	0.1	1.51	44.6	90.5	0.30	0.12	0.32	42.81	18.0	24.0	2.08	27.11	3.02	5.1	14.6	0.03	10	0.78	0.06	20.5	21.7	0.72	1142	1.67	0.039	0.62	32.5	960.1	66.37	7.5	<0.001	0.03	1.74	1.3	1.6	0.4	13.2	<0.05	0.04	1.2	0.013	0.12	1.0	39	<0.1	83.5	0.6
36	25627	0.1	1.53	41.9	144.6	0.32	0.06	0.24	39.33	12.5	23.5	2.98	26.07	3.77	5.8	13.9	0.02	8	0.78	0.07	21.1	26.6	0.92	1858	2.08	0.030	0.44	23.8	727.8	28.62	9.9	<0.001	0.03	1.66	0.7	1.2	0.4	9.7	<0.05	0.04	0.6	0.012	0.13	1.2	43	<0.1	80.1	0.5
Standard:																																																
TII-3		1.3	1.01	78.1	36.6	0.30	0.43	0.08	30.79	10.9	63.2	0.62	20.77	1.89	4.2	2.4	0.07	101	0.75	0.08	15.9	13.5	0.58	304	0.61	0.048	0.94	32.0	411.3	19.65	7.6	<0.001	0.02	0.53	2.1	0.2	1.3	13.1	<0.05	0.04	1.2	0.053	0.07	1.2	39	0.1	37.0	2.2
TII-3		1.5	0.96	75.0	36.8	0.30	0.42	0.09	31.41	10.8	61.7	0.63	19.67	1.87	4.2	2.5	0.07	105	0.75	0.08	16.2	14.4	0.58	302	0.61	0.050	0.90	31.4	438.4	20.18	7.6	<0.001	0.02	0.49	2.1	0.2	1.3	12.9	<0.05	0.02	1.1	0.053	0.07	1.2	39	0.1	37.2	2.2

ECO TECHNOLOGY LTD.
Julie Jeppesen
B.C. Certified Assayer





ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

20-Jul-07

ATTENTION:

2007 INVOICE

INVOICE #:AW07-7075

DESCRIPTION	PRICE / SAMPLE	AMOUNT
<u>2007 Quote</u>		
38 Sample Prep. (Soil)	1.90	72.20
38 Trace ICP-MS Pkg	15.10	573.80
SUBTOTAL:		646.00
& 6% G.S.T.:		38.76
<u>TOTAL DUE & PAYABLE UPON RECEIPT:</u>		<u>684.76</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**

Values in ppm unless otherwise reported

Fire Assay		Au	Ag	Al	As	Ba	Bi	Ca	Cd	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr						
Et #	Tag #	ppb	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm													
1	25003	5	0.1	0.22	2.8	71.9	0.04	0.87	0.28	23.43	4.0	107.6	0.30	5.44	1.22	1.5	3.6	0.12	71	0.07	10.7	4.1	0.07	1087	0.50	0.031	0.03	7.8	55.8	17.17	3.2	<0.01	0.02	0.27	1.5	0.4	0.3	46.3	<0.05	0.03	4.1	<0.01	0.06	3.3	2	<0.1	79.8	3.2			
2	25004	5	0.1	1.78	1.4	87.9	0.14	0.05	0.07	48.61	10.2	69.8	1.74	12.63	4.95	7.3	14.3	0.15	59	0.13	25.3	73.7	0.81	407	0.27	0.030	0.09	28.8	131.6	14.62	8.2	<0.001	0.02	0.07	3.1	0.7	0.8	7.0	<0.07	0.07	7.0	<0.07	0.07	0.3	27	<0.1	90.5	3.8			
3	25005	5	0.1	0.36	1.0	44.3	0.03	0.90	0.13	34.16	1.7	100.1	0.25	2.95	1.14	2.3	3.6	0.09	55	0.08	16.4	10.9	0.14	771	0.30	0.025	0.02	7.2	117.0	13.91	3.9	<0.001	<0.02	0.06	0.9	0.5	0.3	42.0	<0.05	<0.02	8.6	0.001	0.06	3.4	4	<0.1	63.9	2.8			
4	25006	40	0.1	0.28	1.8	64.4	0.05	0.91	0.07	29.94	2.6	133.6	0.47	4.10	1.12	1.8	3.4	0.13	52	0.08	13.0	3.0	0.09	634	0.34	0.028	0.04	6.9	72.6	14.16	5.2	<0.001	<0.02	0.17	1.1	0.4	0.2	87.5	<0.05	0.02	4.6	0.002	0.05	0.3	2	<0.1	47.1	4.0			
5	25007	30	0.1	0.68	1.2	42.2	0.06	0.16	0.08	52.58	2.1	98.4	0.80	5.56	1.46	4.0	5.2	0.14	80	0.11	26.3	13.1	0.22	176	0.30	0.032	0.04	7.8	110.0	12.05	7.2	<0.001	<0.02	0.10	1.1	0.7	0.4	8.4	<0.05	0.02	6.7	0.001	0.06	0.4	7	<0.1	37.2	4.4			
6	25008	5	0.1	0.02	2.5	31.8	0.01	21.88	0.08	10.70	0.4	2.0	0.10	1.41	0.26	0.3	0.6	0.03	40	0.02	4.4	0.5	0.08	494	0.05	0.018	<0.02	0.6	49.4	7.20	1.0	<0.001	<0.02	0.06	0.7	0.1	0.1	583.4	<0.05	0.08	0.6	<0.01	0.03	0.5	2	<0.1	22.3	2.8			
7	25009	5	0.1	0.10	23.3	123.7	0.03	11.76	0.05	15.30	2.9	75.5	0.31	5.13	1.01	0.6	2.8	0.15	40	0.07	6.4	1.8	0.07	704	0.43	0.024	0.03	5.1	169.1	17.82	3.6	<0.001	0.01	0.21	4.2	1.0	0.3	0.2	439.7	<0.05	0.08	3.9	<0.01	0.04	0.5	2	<0.1	23.7	5.2		
8	25010	5	<0.1	0.46	1.1	31.3	0.07	2.02	0.09	11.38	3.2	93.7	0.30	1.85	1.36	1.8	3.8	0.11	43	0.08	6.1	16.1	0.18	536	0.28	0.028	0.02	10.0	44.9	13.36	3.3	<0.001	<0.02	0.04	0.8	0.2	0.3	158.4	<0.05	0.08	2.0	0.001	0.03	0.1	3	<0.1	38.0	2.5			
9	25011	45	0.1	0.20	1.4	47.3	0.12	0.38	0.18	25.05	2.4	100.4	0.98	5.01	0.76	1.6	2.3	0.08	41	0.07	10.6	2.4	0.08	336	0.42	0.025	0.05	7.0	64.6	12.94	4.6	<0.001	<0.02	0.14	0.7	0.3	0.3	32.8	<0.05	0.02	4.7	0.001	0.04	0.4	3	<0.1	67.1	2.0			
10	25012	5	0.1	0.12	1.6	50.3	0.04	0.30	0.47	16.93	1.4	111.8	0.32	7.71	0.38	0.9	1.2	0.10	38	0.08	8.7	1.2	0.02	496	0.38	0.021	0.02	3.7	36.4	8.74	3.4	<0.001	<0.02	0.20	0.5	0.3	0.2	16.1	<0.05	0.02	2.3	<0.001	0.04	0.1	2	<0.1	125.4	3.2			
11	25013	25	0.3	0.10	1.6	25.2	0.03	5.55	268.20	10.21	17.6	66.3	0.51	55.01	0.76	13.6	2.3	0.06	6246	0.08	2.6	0.7	0.10	1836	0.28	0.018	0.03	3.1	148.1	19.89	4.0	0.001	0.05	2.05	0.85	1.7	0.6	0.4	315.8	<0.05	0.07	1.6	<0.001	0.04	0.1	2	<0.1	>10000	2.1		
12	25014	5	0.2	0.21	1.4	43.7	0.04	2.01	24.71	11.62	3.5	102.9	0.84	9.90	1.02	2.7	0.7	0.12	643	0.08	4.9	3.6	0.08	946	0.28	0.023	0.03	4.1	70.3	11.20	6.9	0.001	0.05	0.30	0.24	1.0	0.3	0.2	93.5	<0.05	0.08	2.7	0.001	0.05	0.2	2	<0.1	6380.0	3.4		
13	25015	5	0.5	0.07	1.4	25.4	0.03	5.89	412.80	7.91	21.4	64.5	0.41	62.71	0.71	20.8	2.9	0.06	8224	0.08	0.6	1.9	1.2	0.10	1531	0.19	0.018	0.03	2.3	60.3	13.96	3.1	0.001	0.05	2.37	0.88	1.2	0.5	0.6	388.8	<0.05	0.08	1.1	<0.01	0.04	<0.1	2	<0.1	>10000	1.8	
14	25016	136	0.1	0.12	1.6	51.0	0.02	4.08	0.67	13.34	1.1	102.1	0.51	3.87	0.78	0.7	2.1	0.04	73	0.07	5.3	0.9	0.08	1495	0.27	0.018	0.02	3.7	122.2	9.67	4.3	<0.001	<0.02	0.13	0.8	0.6	0.3	146.9	<0.05	0.08	2.5	0.001	0.04	0.1	2	<0.1	246.0	1.7			
15	25017	20	1.0	0.06	1.6	16.0	0.04	6.77	605.30	9.51	38.9	49.0	0.33	95.47	0.82	42.6	4.7	0.05	20090	0.06	2.4	0.7	0.08	1889	0.18	0.021	0.03	2.4	83.0	22.64	2.9	<0.001	<0.02	0.95	3.75	1.62	1.5	0.6	1.0	485.8	<0.05	0.08	0.15	0.9	<0.001	0.04	0.1	2	<0.1	>10000	1.7
16	25018	5	0.3	0.04	4.1	64.4	0.02	28.07	0.79	15.97	1.5	14.3	0.15	1.72	0.40	0.4	0.9	0.03	103	0.04	7.1	1.0	0.11	1062	0.09	0.020	<0.02	2.2	198.9	10.21	2.1	<0.001	<0.02	0.02	0.13	1.1	0.2	802.0	<0.05	0.09	1.3	<0.01	0.02	0.5	2	<0.1	140.2	2.1			
17	25019	45	0.1	0.2	5.6	106.1	0.08	1.12	0.27	16.38	5.7	92.0	0.58	15.84	1.40	2.8	4.2	0.15	41	0.07	8.1	7.2	0.55	262	0.49	0.038	0.13	21.5	367.6	10.57	4.9	0.001	0.05	0.35	2.4	0.3	0.5	43.0	<0.05	0.08	0.02	2.5	0.046	0.07	0.6	27	0.1	85.1	4.6		
18	25020	5	0.2	0.19	4.8	106.6	0.08	0.02	0.10	0.98	1.0	120.7	0.47	5.57	0.80	1.0	2.2	0.08	200	0.12	0.4	0.7	0.02	27	1.44	0.017	0.04	6.1	134.0	10.12	6.7	0.002	0.04	0.74	0.8	0.8	0.3	5.4	<0.05	0.05	0.05	1.1	0.007	0.06	0.1	13	<0.1	64.8	1.8		
19	25021	5	0.5	0.23	2.4	239.1	0.10	0.01	0.15	1.25	0.8	136.7	0.52	8.74	0.89	0.9	2.5	0.08	195	0.14	0.6	0.7	0.02	17	1.01	0.021	0.03	4.8	99.0	11.24	6.3	<0.001	<0.02	0.14	0.70	0.5	1.0	0.3	9.4	<0.05	0.06	0.04	1.2	0.001	0.04	0.1	15	<0.1	50.7	2.1	
20	24830	30	>30	0.02	2.9	2.1	143	0.01	2.57	0.89	0.4	49.4	0.07	43.83	0.08	0.2	0.5	<0.02	173	0.02	0.5	<0.1	0.00	11	0.13	0.019	<0.02	12.9	6.3	>10000	0.5	<0.001	0.53	534.00	0.1	4.3	1.1	6.1	<0.005	<0.02	0.02	0.01	0.040	0.1	<0.1	77.9	0.6				
21	24831	50	0.4	1.68	83.0	26.0	0.19	0.27	0.07	19.17	1.0	16.8	0.84	18.53	4.90	5.9	19.9	0.10	6	0.22	8.9	31.3	1.37	188	2.38	0.027	0.10	18.7	1600.0	272.00	9.3	0.003	1.93	5.62	2.7	4.1	0.4	18.7	<0.05	0.08	4.0	0.006	0.08	0.3	44	<0.1	60.6	4.0			
22	24832	10	0.4	3.70	194.0	23.2	1.5	1.73	0.18	23.12	12.0	103.6	5.08	17.34	4.66	10.5	10.1	0.29	6	0.27	9.7	42.0	1.12	368	0.59	0.051	0.26	4.0	492.7	612.70	28.8	<0.001	2.67	3.40	10.2	4.6	1.3	114.4	<0.05	0.08	5.7	0.0									



ANALYTICAL
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 0T4
Phone (250) 573-6700 Fax (250) 573-4637
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

27-Jul-07

ATTENTION: Accounts Payable



2007 INVOICE

INVOICE #: AW07-7093

DESCRIPTION	PRICE / SAMPLE	AMOUNT
<u>2007 Quote</u>		
25 Sample Prep. (ROCK)	10.10 (9.10) should include Au	252.50
25 MS (Extended Package)	18.90	472.50
25 Au Geochem FA	6.00	150.00
1 Ag Assay (30g)	8.50 x 1 (3.00)	8.50
1 Pb Assay Assay	9.00 x 1	9.00
1 Zn Assay	9.00 x 3	9.00
SUBTOTAL:		901.50
8.6% G.S.T.:		54.09
TOTAL DUE & PAYABLE UPON RECEIPT:		<u>955.59</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER #BC0300 0912


TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

APPROVED FOR PAYMENT
JFB 100/07.
1-6558

POSTED

\$946.76 only
please singe
sample.

check ..



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

27-Jul-07

ATTENTION: Accounts Payable

2007 INVOICE

INVOICE #:AW07-7093


DESCRIPTION	PRICE / SAMPLE	AMOUNT
<u>2007 Quote</u>		
25 Sample Prep. (ROCK)	10.10	252.50
25 MS (Extended Package)	18.90	472.50
25 Au Geochem FA	6.00	150.00
1 Ag Assay (30g)	8.50	8.50
1 Pb Assay	9.00	9.00
1 Zn Assay	9.00	9.00
SUBTOTAL:		901.50
& 6% G.S.T.:		54.09
TOTAL DUE & PAYABLE UPON RECEIPT:		<u>955.59</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

POSTED



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AW 2007- 7093

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

26-Jul-07

No. of samples received: 25

Sample Type: Rock

Project: Andrew

Shipment #: 2007-5

Submitted by: J. VanRanden

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Pb (%)	Zn (%)
11	25013				6.90
13	25015				10.2
15	25017				16.6
20	24830	151.8	4.427	47.3	

QC DATA:

Repeat:
20 24830 151.8 4.427 48.3

Standard:
Pb113 22.7 0.662 1.13 1.44

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/jl
XLS/07


Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 15
Sample Type: Rock
Project: Andrew
Shipment #: 2007-12
Submitted by: A. Craven

Values in ppm unless otherwise reported

El #	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Cr	Co	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn				
1	24873	15	<0.1	0.16	21.9	79.2	0.09	0.54	0.13	18.72	4.9	104.8	0.81	8.08	1.18	1.6	2.1	0.07	8	0.10	6.8	1.0	0.06	471	0.54	0.049	0.04	10.8	74.8	13.84	4.3	<0.001	0.02	0.27	1.8	0.6	0.3	14.4	<0.05	0.02	3.1	<0.01	0.08	0.3	0.1	19.0	2		
2	24874	30	0.1	2.16	70.5	70.1	0.29	2.01	0.20	24.49	29.9	132.1	1.93	23.42	5.36	10.1	11.1	0.03	3	0.11	10.9	57.7	1.85	1756	0.50	0.041	0.05	57.2	333.5	8.68	8.2	<0.001	0.17	2.11	8.3	0.6	0.4	37.1	<0.05	<0.02	3.7	0.008	0.08	0.3	121	0.1	87.8	0	
3	24875	20	<0.1	0.24	5.2	98.3	0.09	0.04	0.26	34.59	3.8	120.9	0.43	8.50	0.72	2.2	3.2	0.10	9	0.10	17.7	3.4	0.03	430	0.33	0.051	0.02	8.2	91.6	7.93	8.8	<0.001	0.04	0.28	0.8	0.5	0.2	4.7	<0.05	<0.02	5.3	<0.01	0.06	0.3	4	0.1	47.0	3	
4	25022	15	0.8	0.60	9.1	202.4	0.45	0.03	0.06	27.89	5.1	145.1	0.73	4106.00	2.25	3.7	8.0	0.18	11	0.05	13.3	23.5	0.27	717	3.44	0.042	0.04	16.8	100.8	7.03	3.2	<0.001	0.17	0.09	1.1	0.6	0.3	6.7	<0.05	<0.02	4.3	0.001	0.07	0.4	12	0.1	20.6	5	
5	25023	5	0.2	0.25	69.4	101.8	0.10	0.07	0.04	17.87	3.3	120.6	0.81	7.21	1.91	2.1	4.4	0.19	4	0.10	8.4	2.5	0.08	318	0.37	0.068	0.04	7.2	116.3	19.24	8.7	<0.001	0.63	0.94	0.8	0.4	0.3	14.0	<0.05	<0.02	4.9	0.001	0.07	0.3	4	<0.1	20.2	5	
6	25024	10	0.3	0.35	74.3	127.1	0.09	2.24	2.37	31.32	6.2	107.1	0.81	16.15	1.88	3.1	4.6	0.17	8	0.12	14.2	5.5	0.24	4039	0.59	0.045	0.04	9.2	130.2	18.27	9.1	<0.001	0.60	1.06	2.5	0.7	0.2	105.2	<0.05	0.03	6.7	0.001	0.10	0.4	6	0.1	150.1	6	
7	25025	10	0.1	0.11	3.7	87.9	0.02	0.75	0.68	14.21	1.2	157.3	0.30	8.33	0.43	1.1	1.5	0.04	5	0.04	6.5	0.9	0.02	1051	0.39	0.032	0.03	5.3	171.0	7.58	3.4	<0.001	0.04	1.04	0.5	0.4	0.3	20.5	<0.05	<0.02	2.5	<0.01	0.06	0.1	<2	<0.1	145.4	1	
8	25026	5	0.1	0.11	22.7	186.2	0.06	0.88	1.33	26.02	4.3	166.6	0.40	2.99	0.82	1.5	2.3	0.10	6	0.07	11.9	0.5	0.02	3618	0.53	0.033	0.04	8.3	80.3	10.61	5.1	<0.001	0.09	1.17	0.9	0.4	0.2	71.0	<0.05	<0.02	4.6	0.001	0.08	0.3	<2	<0.1	241.0	3	
9	25027	45	0.7	0.21	4105.0	73.9	2.84	0.01	0.09	17.87	15.4	113.8	0.39	27.06	1.54	1.6	2.5	0.07	7	0.08	8.1	3.6	0.07	224	0.55	0.029	0.18	7.6	85.6	111.80	5.0	<0.001	0.34	7.79	0.4	0.6	0.5	5.2	<0.05	0.12	7.8	0.001	0.05	0.5	2	0.1	23.9	2	
10	25028	15	0.4	0.39	80.9	182.4	0.43	0.43	0.60	20.23	6.5	87.0	1.57	56.28	2.93	2.5	4.0	0.04	29	0.06	9.0	15.1	0.52	1426	0.80	0.032	0.05	24.3	239.9	130.50	4.1	0.002	<0.02	8.54	2.8	0.7	0.3	29.8	<0.05	0.03	3.2	0.001	0.05	0.3	19	<0.1	169.8	3	
11	25029	5	0.6	0.12	80.6	72.2	0.18	0.01	0.06	9.25	1.1	87.5	0.38	14.20	1.92	1.3	2.5	0.06	13	0.04	5.7	3.1	0.01	114	1.90	0.028	0.03	6.7	230.7	32.41	2.7	0.007	0.00	9.91	0.8	3.7	0.5	2.8	<0.05	0.06	0.08	1.0	<0.001	0.06	0.2	29	<0.1	166.7	2
12	25030	6	1.3	0.19	10.3	81.8	1.72	0.84	1.68	8.55	5.7	139.8	0.14	32.36	1.38	1.1	1.7	0.08	12	0.01	3.8	11.9	0.30	876	0.89	0.027	0.03	17.0	201.4	267.80	0.7	<0.001	0.11	2.01	0.9	0.8	0.2	27.3	<0.05	0.04	1.2	<0.001	0.03	0.7	2	<0.1	337.0	2	
13	25032	10	1.4	0.05	72.0	40.8	0.94	0.02	0.10	4.03	4.4	137.4	0.17	17.35	1.26	0.5	1.4	0.06	5	0.02	1.9	1.8	0.01	28	2.05	0.030	0.03	18.9	84.8	61.87	1.8	0.001	0.30	2.18	0.1	7.9	0.2	2.1	<0.05	0.07	1.1	<0.001	0.03	0.1	<2	<0.1	381.1	1	
14	25033	5	0.8	0.41	9.6	47.4	0.32	0.11	0.32	20.11	6.1	148.1	0.19	16.18	1.20	2.6	2.4	0.11	2	0.02	8.7	19.3	0.34	196	0.43	0.056	0.02	17.4	86.5	81.33	1.2	<0.001	0.07	1.77	1.1	0.5	0.1	9.8	<0.05	0.03	10.8	0.001	0.02	0.7	5	<0.1	69.4	3	
15	25034	15	0.1	0.40	71.7	430.6	0.08	1.06	0.13	30.21	5.0	97.4	1.02	22.19	1.17	2.8	2.5	0.16	4	0.06	14.8	18.1	0.32	294	2.95	0.031	0.03	11.3	365.9	7.78	5.1	<0.001	<0.02	4.18	1.2	1.1	0.2	30.4	<0.05	0.04	5.9	0.001	0.08	1.0	9	<0.1	38.0	6	

John Boen, P.Eng.
ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

2-Aug-07

ATTENTION: Accounts Payable

2007 INVOICE

Shipment #: 2007-12

INVOICE #: AW07-7150

DESCRIPTION		PRICE / SAMPLE	AMOUNT
<i>Project: Andrea</i>			
	<u>2007 Quote</u>		
15	Sample Prep. (ROCK)	10.10	151.50
15	ICP MS (Extended Package)	18.90	283.50
15	Au Geochem FA	6.00	90.00
	SUBTOTAL:		525.00
	& 6% G.S.T.:		31.50
	TOTAL DUE & PAYABLE UPON RECEIPT:		<u>556.50</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

Approved for payment
JFB 27/08/07

1-6558

POSTED

Phone: 250-573-6700
Fax : 250-573-4557


No. of samples received: 35
Sample Type: Rock
Project: Andrew
Shipment #: 2007-22
Submitted by: J. VanRenden

Values in ppm unless otherwise reported

Fire Assay		Au	Ag	Al	As	Ba	Bi	Cs	Cd	Ce	Ce	Cr	Cs	Cu	Fe	Ge	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	Zr		
Et #	Tag #	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
1	7R24876	<5	0.2	4.36	8.4	94.0	0.05	2.16	0.10	20.42	9.7	84.0	2.66	17.97	4.17	12.6	11.1	0.20	5	0.28	9.0	49.8	1.00	705	0.80	0.386	0.58	5.7	681.0	16.78	16.8	0.002	0.78	3.10	15.7	0.8	0.6	128.0	<0.06	0.04	5.0	0.132	0.18	0.3	100	0.1	5.5			
2	7R24877	<5	0.2	0.87	19.7	116.5	0.02	0.56	0.44	12.43	7.9	109.5	0.36	91.69	1.93	3.0	5.4	0.12	5	0.08	7.5	11.5	0.78	1480	2.40	0.047	0.06	18.8	1227.0	26.34	2.7	0.005	0.18	0.60	1.5	1.5	0.2	73.5	<0.05	0.04	2.5	0.002	0.06	0.9	24	<0.1	84.4	6.2		
3	7R24878	10	1.7	2.27	202.1	12.5	0.74	0.87	3.41	13.03	16.8	86.5	2.08	13.47	7.19	8.4	18.6	0.22	15	0.13	5.0	50.4	1.48	397	0.65	0.072	0.32	3.8	560.0	690.50	7.1	0.001	4.98	26.82	8.8	12.5	1.0	14.5	<0.06	0.28	5.6	0.072	0.10	0.5	74	<0.1	788.4	6.6		
4	7R24879	<5	<0.2	2.11	7.6	80.0	1.30	0.24	0.04	69.84	14.8	40.0	1.22	38.65	4.07	7.7	12.7	0.08	<5	0.14	34.0	45.1	0.95	469	0.34	0.060	0.08	35.0	999.0	32.57	6.1	0.001	0.04	0.28	1.6	1.3	0.1	24.0	<0.06	0.06	11.6	0.002	0.06	3.6	14	<0.1	82.6	2.8		
5	7R24880	<5	<0.2	0.36	6.1	30.5	0.08	0.14	0.02	21.53	1.7	149.5	0.12	3.75	0.91	2.2	3.0	0.08	<5	0.03	9.5	8.2	0.14	248	0.36	0.062	0.04	5.8	167.0	12.91	1.1	<0.001	0.04	0.14	0.5	0.4	0.1	9.0	<0.05	<0.02	6.2	0.001	0.04	0.3	6	<0.1	11.5	3.4		
6	7R24881	5	0.4	0.28	520.8	26.5	0.10	0.03	0.05	13.37	3.3	121.5	0.16	11.14	0.86	1.3	2.6	0.06	<5	0.02	6.0	4.8	0.13	58	0.51	0.068	0.04	8.3	156.0	3.85	1.0	<0.001	0.04	0.48	0.7	0.8	0.1	11.5	<0.06	0.18	3.2	0.001	0.04	1.0	6	<0.1	12.8	2.6		
7	7R24882	<5	<0.2	0.13	7.0	12.0	0.10	3.80	0.01	6.43	4.0	127.5	0.10	10.20	0.73	0.7	1.8	0.04	<5	0.01	4.0	1.2	0.10	171	0.57	0.042	0.02	8.6	247.0	12.77	0.4	<0.001	0.02	0.18	1.4	0.3	0.1	225.0	<0.06	0.04	6.8	0.005	<0.02	0.2	2	<0.1	6.1	<1.8		
8	7R24883	<5	0.5	0.19	7.5	16.0	<0.02	0.78	0.11	4.33	3.3	104.5	0.06	5.44	0.62	0.8	1.8	0.04	10	<0.01	2.0	1.1	0.10	240	0.69	0.072	0.06	7.5	218.0	4.85	0.4	<0.001	<0.02	0.16	1.7	0.2	0.1	72.5	<0.06	<0.02	0.2	10	<0.1	14.8	2.7					
9	7R24884	<5	0.3	0.84	7.8	64.0	0.10	3.61	0.02	12.00	6.5	101.5	0.40	11.33	1.43	3.0	3.6	0.08	5	0.09	6.0	11.7	0.84	183	0.37	0.057	0.02	20.2	749.0	18.78	3.7	<0.001	0.02	0.40	1.9	0.4	0.2	214.0	<0.06	0.02	2.7	0.002	0.04	0.3	14	<0.1	33.4	2.5		
10	7R24885	10	0.3	0.19	15.0	126.0	0.12	0.01	0.01	0.86	6.6	88.0	0.82	82.04	1.54	1.0	3.3	0.04	50	0.09	<0.5	0.1	0.01	256	0.69	0.036	0.04	25.8	115.0	2.49	4.1	0.001	0.04	1.32	2.0	0.7	0.2	5.0	<0.06	0.04	0.7	0.005	0.04	0.1	14	<0.1	75.7	1.9		
11	7R25036	<5	1.4	0.59	14.8	84.0	0.10	0.07	0.59	17.16	0.5	126.0	1.88	84.30	1.02	3.5	3.4	0.08	30	0.15	15.0	8.0	0.27	42	22.34	0.038	0.24	20.2	805.0	46.26	9.0	0.002	0.04	8.80	2.7	14.3	0.6	31.5	<0.06	0.10	3.1	0.025	0.84	6.9	1486	<0.1	86.1	6.4		
12	7R25036	5	<0.2	0.11	39.4	77.0	0.04	0.01	0.06	23.62	1.1	103.0	0.44	6.43	0.74	1.3	2.3	0.06	<5	0.08	10.5	6.6	<0.01	41	0.95	0.039	0.04	5.1	125.0	8.15	2.5	<0.001	0.04	0.90	0.4	0.5	0.1	15.0	<0.06	<0.02	3.9	0.005	0.04	0.3	4	<0.1	18.0	2.1		
13	7R25037	<5	<0.2	1.87	24.9	204.5	0.30	0.03	0.22	74.41	2.3	82.0	3.86	18.04	3.21	8.2	10.0	0.14	<5	0.15	38.5	22.3	0.72	150	3.45	0.066	0.06	11.2	365.0	13.00	7.8	0.001	0.06	2.62	1.8	0.2	0.2	12.5	<0.06	0.04	10.7	0.001	0.12	1.5	58	<0.1	59.5	7.0		
14	7R25038	<5	0.3	0.57	19.8	133.5	0.14	0.02	0.31	38.71	1.2	73.5	1.06	10.31	1.47	3.4	4.6	0.12	<5	0.20	18.5	7.2	0.17	50	6.01	0.048	0.04	11.5	277.0	11.31	5.8	<0.001	0.04	3.78	1.1	3.5	0.2	9.0	<0.06	0.02	5.4	0.001	0.10	1.2	32	<0.1	88.1	6.0		
15	7R25039	<5	3.7	0.59	70.3	151.5	0.30	0.08	66.29	29.00	14.04	4.3	237.5	3.78	47.90	4.21	8.2	2.8	15.4	0.06	50	0.24	17.0	5.6	0.14	101	68.39	0.044	0.12	140.5	4758.0	7.56	14.9	0.002	0.06	16.82	5.3	23.0	0.9	23.5	<0.05	0.12	2.5	0.005	0.06	24.1	794	<0.1	2003.0	4.4
16	7R25040	<5	1.3	0.46	9.9	144.0	0.14	0.28	2.67	12.01	0.8	244.0	1.74	46.77	0.75	2.2	2.9	0.08	15	0.20	12.5	2.7	0.25	43	11.68	0.036	0.10	45.4	1543.0	9.42	12.1	0.002	0.04	2.62	4.2	8.4	2.1	7.5	<0.06	0.06	2.2	0.012	0.72	10.2	546	<0.1	232.8	7.1		
17	7R25041	<5	0.9	0.30	9.7	220.5	0.42	0.04	0.76	13.03	1.1	105.0	2.38	16.40	1.05	2.0	3.3	0.10	10	0.14	9.5	2.3	0.06	23	63.22	0.038	0.08	30.1	342.0	13.85	9.5	0.003	0.06	3.66	1.7	8.1	0.4	5.5	<0.05	0.04	2.5	0.010	0.40	7.3	480	<0.1	235.3	6.8		
18	7R25042	10	1.5	0.70	241.8	77.5	0.12	0.03	10.14	16.2	0.4	95.8	1.45	40.32	2.00	4.2	6.2	0.14	5	0.11	9.5	13.9	0.83	78	6.83	0.038	0.12	5.0	428.0	128.90	8.1	0.002	0.10	9.84	1.9	2.2	1.15	6.5	<0.05	0.04	5.4	0.002	0.14	0.1	86	<0.1	27.9	6.0		
19	7R25043	<5	0.6	1.82	21.6	294.0	0.16	0.10	0.13	21.39	5.6	60.0	2.10	32.01	3.58	5.8	6.3	0.08	<5	0.20	11.0	37.4	1.08	181	1.07	0.047	0.56	17.6	831.0	10.33	9.1	0.002	0.04	1.56	2.4	1.7	0.4	14.5	<0.06	0.04	6.4	0.013	0.08	0.4	44	<0.1	65.8	2.5		
20	7R25070	<5	0.2	0.43	28.1	1041.0	0.20	0.02	0.05	4.99	0.6	24.5	1.16	28.68	1.60	1.7	4.1	0.22	22.15	0.11	2.0	0.9	0.02	22	19.41	0.039	0.04	9.6	362.0	6.30	5.1	0.014	0.06	2.22	2.5	3.1	0.4	34.5	<0.06	0.06	2.0	0.001	0.20	2.9	24	<0.1	11.2	1.1		
21	7R25071	<5	<0.2	0.55	7.2	800.0	0.08	0.02	<0.01	4.42	1.0	41.5	2.08	93.48	0.98	1.6	3.0	0.08	90	0.12	1.5	2.5	0.02	24	0.34	0.041	0.02	9.6	362.0	6.30	6.3	0.001	0.04	0.60	6.1	1.0	0.2	33.5	<0.05	0.04	1.1	0.005	0.06	6.8	24	<0.1	21.3	2.4		
22	7R25072	<5	0.3	0.24	30.7	307.5	0.10	<0.01	<0.01	11.41	0.2	64.0	0.86	54.71	1.05	2.0	3.1	0.04	280	0.08	6.0	0.9	<0.01	9	0.49	0.038	0.02	1.6	25.0	2.93	2.7	0.003	0.04	0.90	1.3	2.9	0.5	3.5	<0.06	0.06	1.0	0.005	0.04	0.1	16	<0.1	<0.1	1.7		
23	7R25073	5	0.2	0.26	45.7	338.0	0.12	<0.01	<0.01	5.86	5.3	60.5	1.64	88.85	3.59	1.5	8.6	0.04	305	0.09	2.5	1.4	0.01	63	1.34	0.																								

TECH LABORATORY LTD.		ICP MS CERTIFICATE OF ANALYSIS AW 2007-7328																				Overall Results																									
Fire Assay		Au	Ag	Al	A	Bi	Ca	Cd	Co	Cr	Cs	Cu	Fe	Ge	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	Zn	Zr			
Tag #		ppb	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm							
DATA:																																															
#1:																																															
7R24876	<5	0.2	4.29	8.9	91.0	0.06	2.17	0.09	19.22	9.7	84.0	2.62	17.73	4.22	12.6	10.8	0.18	<5	0.28	8.5	51.5	1.91	712	0.77	0.365	0.52	5.7	865.0	16.82	16.5	0.001	0.80	3.02	15.4	0.9	0.5	123.0	<0.05	0.03	4.4	0.126	0.14	0.3	100	<0.1	48.1	5.6
7R24886	10	0.3	0.20	15.9	125.0	0.12	0.01	0.01	0.87	7.0	91.0	0.59	66.16	1.60	1.0	3.7	0.04	55	0.09	<0.5	<0.1	0.01	260	0.71	0.039	0.04	27.4	122.0	2.39	4.1	0.001	0.04	1.26	2.1	0.7	0.2	5.0	<0.06	0.04	0.8	0.005	0.04	0.1	14	<0.1	76.7	2.1
7R26043	<6	0.6	1.60	21.5	284.5	0.14	0.09	0.12	20.10	5.6	58.5	2.04	31.51	3.54	5.7	8.9	0.06	<5	0.19	10.0	34.0	1.06	177	1.01	0.050	0.53	17.0	823.0	10.63	8.7	0.002	0.36	1.54	2.4	1.4	0.7	14.0	<0.06	0.08	6.2	0.012	0.08	0.4	42	<0.1	84.6	2.6
#2:																																															
Standard:																																															
9	595																																														
3		10.9	0.26	80.7	48.5	1.04	1.47	38.31	4.55	1.7	4.5	0.22	2384.00	1.08	1.3	2.4	0.04	60	0.17	2.5	1.1	0.11	1559	58.84	0.045	0.06	1.4	174.0	5593.00	5.0	0.052	1.02	10.70	0.4	0.4	0.8	98.5	<0.06	0.30	0.4	0.006	0.08	0.2	6	<0.1	6991.0	1.2

Jutta Jealouse
ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 8T4
Phone (250) 573-6700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

27-Sep-07

2007 INVOICE

Shipment #: 2007-22

INVOICE #:AW07-7328

DESCRIPTION		PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>			
	<u>2007 Quote</u>		
35	Sample Prep. (Core)	10.10	353.50
35	Trace ICP-MS Extended Pkg	18.90	661.50
35	Au Geochem (30g)	6.00	210.00
	SUBTOTAL:		1225.00
	& 6% G.S.T.:		73.50
	TOTAL DUE & PAYABLE UPON RECEIPT:		<u>1298.50</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



ECO TECH LABORATORY
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP MS CERTIFICATE OF ANALYSIS
Extended Package S AW 2007-7329

Overland
#1-151 Inlet Road
Whitehorse YT
Y1A 2V3

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 20
Sample Type: Rock
Project: Andrew
Shipment #: 2007-26
Submitted by: J. VanBrenden

Values in ppm unless otherwise reported

Fire Assay


El #	7-q #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn	
		ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm									
1	-975	<6	0.2	0.18	27.9	42.0	0.12	0.06	4.14	30.92	10.4	123.5	0.52	7.33	0.26	2.1	1.8	0.08	390	0.10	18.5	0.8	0.01	145	0.35	0.042	0.02	13.4	74.0	6.04	3.9	0.002	<0.02	0.70	0.4	0.5	0.2	2.5	<0.05	<0.02	2.3	0.006	0.08	0.2	2	0.3	2731.0	
2	7R24976	<6	0.1	0.17	35.8	82.5	0.06	0.04	33.48	26.81	47.2	128.5	0.68	7.91	0.37	2.3	2.2	0.10	735	0.09	15.0	1.5	<0.01	772	0.40	0.044	0.02	48.0	130.0	5.37	4.0	0.001	0.02	0.62	0.9	1.0	0.3	4.0	<0.05	<0.02	2.5	0.005	0.08	0.2	4	>2	>10000	
3	7R24977	<5	0.4	0.08	27.7	31.6	0.06	1.02	62.98	17.48	22.1	93.5	0.34	45.50	0.49	6.4	2.1	0.04	6100	0.05	9.5	1.0	<0.01	748	0.39	0.037	0.04	24.5	76.0	5.90	2.3	0.001	<0.02	0.96	0.7	0.8	1.5	27.5	<0.05	<0.02	1.8	0.005	0.08	0.1	<2	>10000		
4	7R24978	<5	0.3	0.02	163.1	133.5	0.24	0.36	66	14.81	2.9	136.0	0.50	25.05	1.81	3.0	4.5	0.12	60	0.08	7.5	15.9	0.49	170	2.00	0.047	0.04	11.1	1005.0	38.48	3.4	0.003	0.06	1.80	1.2	1.7	0.2	39.5	<0.06	0.08	3.9	0.001	0.08	1.2	30	<0.1	186.9	
5	7R24979	<5	0.5	0.84	65.6	152.5	0.26	0.06	0.64	30.01	3.1	82.5	0.76	12.30	2.86	3.5	7.8	0.12	35	0.17	15.0	10.4	0.40	96	4.65	0.040	0.02	18.3	456.0	21.22	6.5	0.003	0.04	3.92	0.9	3.8	0.2	9.5	<0.06	0.08	8.4	0.001	0.10	0.9	14	<0.1	122.8	
6	7R24980	<5	0.1	0.41	8.3	17.5	0.06	0.03	0.07	21.73	2.8	143.0	0.10	8.20	1.02	2.3	3.2	0.10	15	0.02	9.5	11.0	0.17	338	0.51	0.061	0.04	8.3	174.0	8.72	0.8	<0.01	0.04	0.18	0.8	0.4	0.1	4.0	<0.05	<0.02	5.9	0.001	0.02	0.4	6	<0.1	27.3	
7	7R24981	<5	0.2	0.49	8.9	33.5	0.08	0.05	0.08	29.95	7.8	113.5	0.32	7.77	0.04	2.8	3.3	0.12	15	0.07	13.5	7.9	0.19	382	0.54	0.053	0.02	9.7	107.0	12.07	3.0	<0.001	0.02	0.14	0.8	0.5	0.1	4.5	<0.05	<0.02	9.6	0.001	0.04	4	4	<0.1	46.1	
8	7R25084	<5	1.7	0.11	11.3	430.5	0.06	<0.01	1.34	1.98	0.9	196.0	0.44	14.13	0.57	0.6	1.8	0.08	60	0.06	1.0	0.2	<0.01	26	14.26	0.040	0.06	11.0	98.0	21.12	2.6	0.015	0.14	4.40	0.3	6.9	0.3	4.0	<0.06	0.02	8.0	0.001	0.12	0.6	140	<0.1	49.0	
9	7R25085	<5	0.6	0.40	10.1	411.5	0.08	0.08	0.19	10.80	0.7	106.5	1.92	25.95	1.24	1.9	3.5	0.10	20	0.14	6.5	7.8	0.11	52	1.81	0.045	0.04	5.3	98.0	7.62	9.2	0.004	0.12	2.48	1.2	2.3	0.2	22.0	<0.05	0.04	1.4	0.002	0.20	0.8	22	<0.1	38.1	
10	7R25086	<5	0.2	0.15	9.0	72.5	0.06	<0.01	13.16	26.8	2.9	146.0	0.48	5.81	1.37	1.1	3.8	0.10	5	0.06	7.5	9.0	0.02	242	0.45	0.040	0.04	6.6	84.0	6.54	2.4	<0.001	<0.02	1.28	0.4	0.3	0.2	2.0	<0.05	<0.02	3.4	0.001	0.04	0.4	4	<0.1	21.2	
11	7R25087	<5	0.5	0.28	6.9	297.0	0.10	<0.01	0.30	17.13	0.1	41.0	0.78	34.06	0.36	1.7	1.8	0.12	50	0.12	10.5	1.0	0.02	7	2.86	0.042	0.02	1.2	527.0	8.74	5.3	0.011	0.06	0.46	0.8	1.3	0.3	7.5	<0.05	<0.02	1.1	0.001	0.18	1.8	14	<0.1	6.7	
12	7R25088	<5	1.8	0.30	13.2	241.0	0.68	0.01	1.33	10.32	0.4	136.5	1.94	26.88	0.98	1.8	2.9	0.04	100	0.12	7.0	1.4	0.01	18	11.79	0.040	0.02	5.9	1486.0	21.95	6.8	0.023	0.18	1.98	1.1	14.4	0.4	9.0	<0.05	0.04	1.5	0.001	0.10	3.1	220	<0.1	80.5	
13	7R25089	<5	0.5	3.10	13.8	123.5	0.20	0.09	77.34	16.10	5.4	26.5	4.68	372.80	2.38	8.3	8.9	0.22	15	0.17	8.0	50.1	1.03	397	1.27	0.105	0.10	148.9	461.0	18.86	10.7	0.001	0.44	28.92	4.2	13.0	1.4	26.0	<0.05	0.02	10.1	0.026	4.76	4.9	64	<0.1	360.7	1
14	7R25090	<5	5.4	0.78	18.3	720.0	0.14	0.26	0.93	7.08	0.6	163.0	3.06	83.28	0.66	2.9	2.2	0.08	126	0.24	4.7	7.7	0.14	50	19.73	0.061	0.04	10.9	2241.0	20.87	17.4	0.043	0.12	5.26	1.8	13.6	0.6	26.0	<0.05	0.04	1.5	0.003	0.36	3.4	684	<0.1	19.9	
15	7R25091	<5	3.9	0.38	16.2	597.5	0.16	0.36	1.74	7.98	0.6	201.5	2.52	31.30	0.83	1.7	2.3	0.08	115	0.13	4.5	2.6	0.03	26	11.15	0.044	0.06	9.7	2909.0	25.86	9.3	0.007	0.14	6.64	1.3	9.2	0.4	48.0	<0.06	0.08	1.1	0.001	0.32	3.8	396	<0.1	46.2	
16	7R25092	<5	0.2	2.65	12.2	529.0	0.20	0.28	1.80	23.54	13.3	122.0	11.54	19.81	3.98	8.0	10.8	0.40	5	1.02	10.0	26.5	0.98	729	0.60	0.128	0.28	53.1	198.0	9.64	69.4	0.001	0.16	3.34	5.4	0.8	0.6	44.5	<0.05	0.04	7.2	0.078	0.82	1.0	44	<0.1	238.9	1
17	7R25093	<5	1.2	4.68	17.2	175.0	0.24	1.18	1.45	32.57	17.6	100.0	3.34	39.75	4.32	13.5	12.8	0.44	5	0.11	14.5	64.9	1.36	1104	0.62	0.258	0.24	163.7	826.0	42.30	6.2	0.001	0.46	6.28	10.9	1.2	1.8	108.0	<0.05	0.08	9.8	0.081	0.10	1.2	62	<0.1	281.7	1
18	7R25094	<5	0.7	0.81	21.0	122.0	0.08	0.02	0.58	25.83	2.4	124.0	0.90	18.38	2.89	3.2	7.9	0.16	<5	0.08	12.0	13.5	0.21	334	0.65	0.047	0.08	11.2	156.0	20.91	3.6	<0.001	0.04	3.22	1.0	0.8	0.2	5.5	<0.05	<0.02	5.4	0.002	0.08	0.3	12	<0.1	95.9	
19	7R25095	<5	0.1	0.22	12.2	36.5	0.06	<0.01	0.06	5.83	0.5	161.5	0.22	48.38	1.11	1.3	2.7	0.04	10	0.02	2.5	3.0	0.06	29	0.53	0.043	0.04	6.8	105.0	13.83	1.0	0.001	0.02	3.42	0.4	0.4	0.2	4.0	<0.05	<0.02	0.8	0.001	0.04	0.1	12	<0.1	9.1	
20	7R25096	<5	1.3	0.67	122.6	134.5	0.16	0.11	9.31	9.43	13.4	36.0	1.12	236.70	31.80	4.1	80.2	0.06	30	0.07	3.5	1.4	0.04	1638	4.32	0.065	0.26	131.5	1142.0	40.12	3.1	<0.001	0.12	21.18	4.7	0.8	0.2	8.0	<0.06	0.08	6.8	0.006	0.12	0.6	36	<0.1	1834.0	

Standard:

Pb113	11.7	0.29	60.4	50.0	1.14	1.48	40.42	4.78	1.7	4.5	0.22	2280.00	1.08	1.2	2.4	0.04	70	0.17	2.5	0.4	0.12	1543	61.97	0.051	0.06	1.4	780.0	5537.00	5.2	0.058	1.01	10.84	0.4	0.4	0.9	83.5	<0.05	0.30	0.9	0.008	0.08	0.3	6	<0.1	6996.0
-------	------	------	------	------	------	------	-------	------	-----	-----	------	---------	------	-----	-----	------	----	------	-----	-----	------	------	-------	-------	------	-----	-------	---------	-----	-------	------	-------	-----	-----	-----	------	-------	------	-----	-------	------	-----	---	------	--------

SE29

600



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

11-Oct-07

2007 INVOICE

Shipment #: 2007-26


INVOICE #:AW07-7329

DESCRIPTION		PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>			
<u>2007 Quote</u>			
20	Sample Prep. (Rock)	10.10	202.00
20	Trace ICP-MS Extended Pkg	18.90	378.00
20	Au Geochem (30g)	6.00	120.00
2	Zn Assay	9.00	18.00
SUBTOTAL:			718.00
& 6% G.S.T:			43.08
TOTAL DUE & PAYABLE UPON RECEIPT:			<u>761.08</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-6700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AW 2007-7329

Overland Resources

#1-151 Industrial Road

Whitehorse YT

Y1A 2V3

11-Oct-07

No. of samples received: 20

Sample Type: Rock

Project: Andrew

Shipment #: 2007-26

Submitted by: J. VanRanden

ET #.	Tag #	Zn (%)
2	7R24976	1.66
3	7R24977	2.79

QC DATA:

Standard:

PB113

1.43

ECO TECH LABORATORY LTD.
Jutta DeJalouse
B.C. Certified Assayer

JJ/dc
XLS/07

APPENDIX IV
SAMPLE DESCRIPTIONS

2007 Scott Claims rock sample descriptions and select analysis

Sample #	Coor Sys	Datum	Zone	Easting	Northing	Au (ppb)	Ag (ppm)	As (ppm)	Ba (ppm)	Bi (ppm)	Cu (ppm)	Fe%	Ge (ppm)	Hg (ppb)	Mn (ppm)	Mo (ppm)	Pb (ppm)	Zn (ppm)	Pb% Zn %	Lab File	Sample Type	Description	
24812	UTM	NAD83	8	636559	6978098	20	0.36	6	34.7	0.14	46	4.05	14.7	235.3	373	0.72	53	650		AW7-7058	Chip	sil-py alt meta sediment (hornfels) + stringers of py in contact with felsic intrusive. 3% py volume. 70cm chip channel	
24813	UTM	NAD83	8	636583	6978117	10	28.38	62	23.7	1.21	387	4.65	15.2	962.9	1816	0.34	10000	10000	1.21	4.1	AW7-7058	Float	calcite-pyrite sheared + altered grey slate. Later sph veinlets. 3% py, 5% sph volume. High grade float sample
24814	UTM	NAD83	8	636561	6978085	10	2.18	40	34.2	0.77	93	10.12	33.4	139.2	396	0.47	340	995		AW7-7058	Float	sil-py altered metaseds. Hand picked float.	
24815	UTM	NAD83	8	636853	6978610	25	0.24	53	51.1	0.27	36	1.88	6.4	71.4	80	2.96	19	121		AW7-7058	Grab	Black graphitic shale, cg euhedral py + qtz stringers. Py 10% volume	
24816	UTM	NAD83	8	636844	6978663	130	2.47	281	33.4	0.94	8	2.74	8.1	826.9	257	4.09	339	670		AW7-7058	Grab	Qtz vein & gossan X aspy, 30-80cm wide * 3m high pod in dark grey slate	
24831	UTM	NAD83	8	636671	6977785	50	0.36	83	26.0	0.19	20	4.90	19.9	5.6	158	2.38	272	51		AW7-7093	Float	Grey shale, probably close to intrusive. Foliated, rusty, calcite veinlets. Pyrite Stringers.	
24832	UTM	NAD83	8	636689	6977773	10	0.38	134	23.2	0.15	17	4.56	19.1	5.7	368	0.59	613	66		AW7-7093	Float	granodiorite? 10% dis py + stringers of pyrite. Mod silicified + limonite coated fractures	
24833	UTM	NAD83	8	636846	6978660	20	0.26	171	32.1	0.23	14	3.04	11.4	4.7	1323	4.07	66	257		AW7-7093	Chip	0-1m: Grey shale, 10% cal>>qtz veins 80/340 1-1.8m: Sheared calcite altered grey shales + semi gossanous in part. Py-aspy-tr sp+gal.	
24834	UTM	NAD83	8	636847	6977860	120	1.89	361	12.8	0.53	14	4.00	14.4	470.8	103	3.70	241	2955		AW7-7093	Chip	1.8-2.8m: Grey shales with 3% calcite veining.	
24835	UTM	NAD83	8	636848	6977860	5	0.19	33	152.1	0.20	23	2.71	9.9	4.1	575	3.13	25	122		AW7-7093	Chip	cherty grey shale, minor py, gossanous	
24876	UTM	NAD83	8	636571	6977783	3	0.24	8	94.0	0.05	18	4.17	11.1	5.0	705	0.80	17	49		AW7-7328	outcrop	brecciated cherty blk shale with pyrite in qtz veins	
24877	UTM	NAD83	8	636604	6977800	3	0.24	20	116.5	0.02	92	1.93	5.4	5.0	1480	2.40	26	84		AW7-7328	outcrop	quartzite, trace tetrhedrite? In vein and disseminated	
24878	UTM	NAD83	8	636733	6977843	10	1.68	202	12.5	0.74	13	7.19	18.6	15.0	397	0.65	691	788		AW7-7328	outcrop	silicified quartzite with sulphides in stringers	
24879	UTM	NAD83	8	636432	6978359	3	0.10	8	80.0	1.30	39	4.07	12.7	2.5	469	0.34	33	83		AW7-7328	outcrop	green shale at high 2007 Au in soil geochem showing	
24880	UTM	NAD83	8	636372	6978403	3	0.10	6	30.5	0.06	4	0.91	3.0	2.5	248	0.36	13	12		AW7-7328	outcrop	coarse grained quartzite	
24881	UTM	NAD83	8	636348	6978505	5	0.38	521	26.5	0.10	11	0.86	2.6	2.5	56	0.51	4	13		AW7-7328	outcrop	qtz vein in blk shale	
24882	UTM	NAD83	8	636346	6978623	3	0.10	7	12.0	0.10	10	0.73	1.8	2.5	171	0.57	13	6		AW7-7328	outcrop	qtz vein with black mineral? In vug, oxidized	
24883	UTM	NAD83	8	636343	6978579	3	0.48	8	15.0	0.01	5	0.82	1.8	10.0	240	0.69	5	15		AW7-7328	outcrop	calcite vein in grn grey shale. Oxidation along fracture surfaces, chloritized	
24884	UTM	NAD83	8	636611	6978457	3	0.28	8	64.0	0.10	11	1.43	3.5	5.0	163	0.37	19	33		AW7-7328	outcrop	Rusty fg intrusive with f.g. py + aspy?/scorodite; 30% of sample is carbonate altered shale + sphalerite	
25001	UTM	NAD83	8	636557	6978098	40	13.99	87	17.4	0.64	160	3.44	9.7	1216.0	1191	0.45	3629	10000		AW7-7058	Float	loose from base of creek, rusted with quartz veins, visible pyrite veins along red creek	
25032	UTM	NAD83	8	638059	6978417	10	1.36	72	40.8	0.94	17	1.26	1.4	5.4	28	2.05	62	39		AW7-7150	Grab	loose from 10m^2 area rusted quartzite with visible pyrite along red creek	
25033	UTM	NAD83	8	638281	6978513	5	0.76	10	47.4	0.32	16	1.20	2.4	2.2	196	0.43	61	69		AW7-7150	Grab	grab from outcropping black shales (almost phyllitic) with calcite veins running throughout above creek head	
25034	UTM	NAD83	8	638523	6978641	15	0.08	72	430.6	0.08	22	1.17	2.5	4.3	294	2.95	8	38		AW7-7150	Grab		

2007 Scott Claims Sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
25501	UTM	NAD83	8	636451	6977645	50	Brown	25	E	10	25	5	Very Wet	Quartz Tallus Outcrop
25502	UTM	NAD83	8	636477	6977690	30	Brown/Grey	50	S	15	15	5	Grey Clay over brown rocky dirt	None
25503	UTM	NAD83	8	636498	6977734	30	Brown/Grey	25	S	15	50	5		Quartzite Float
25504	UTM	NAD83	8	636498	6977780	20	Brown	20	NE	15	20	25	Permafrost	None
25505	UTM	NAD83	8	636466	6977823	15	Brown	25	S	25	20	20	Permafrost	None
25506	UTM	NAD83	8	636463	6977871	15	Brown	30	S	20	15	50	Permafrost	None
25507	UTM	NAD83	8	636481	6977920	15	Brown	15	SE	25	25	60	Permafrost	None
25508	UTM	NAD83	8	636502	6977964	15	Brown	25	SE	30	25	50	Permafrost	None
25509	UTM	NAD83	8	636542	6978061	40	Dark Brown	25	SE	35	50	25	Wet, Many root fragments	Shale Fragments
25510	UTM	NAD83	8	636520	6978013	20	Brown	30	SE	30	30	30	Permafrost	None
25511	UTM	NAD83	8	636560	6978105	60	dk gry/red brn	50	E	35	50	0	On Kill Zone	Shale Fragments
25512	UTM	NAD83	8	636579	6978147	120	Brown	30	E	45	70	0	Very Rocky	Shale Fragments
25513	UTM	NAD83	8	636592	6978197	50	Brown	40	E	30	40	10		Shale Fragments
25514	UTM	NAD83	8	636601	6978247	30	Brown	30	E	45	30	40		Shale Slab /w Quartz
25515	UTM	NAD83	8	636613	6978298	50	Brown	50	E	45	30	20		Shale Fragments
25516	UTM	NAD83	8	636612	6978348	40	Brown	10	E	35	40	50	Many Roots	Shale Fragments/Slab
25517	UTM	NAD83	8	636610	6978400	50	Dark Brown/Black	60	E	35	20	20		None
25518	UTM	NAD83	8	636604	6978446	30	Dark Brown/Black	25	E	45	15	60	Permafrost	Large Outcrop of Shale /w Calcite
25519	UTM	NAD83	8	636602	6978493	50	Dark Brown	40	E	50	20	40		Large Outcrop of Shale /w Calcite
25520	UTM	NAD83	8	636592	6978543	70	Grey	30	E	50	50	20		Large Outcrop of Shale /w Calcite
25522	UTM	NAD83	8	636583	6978590	50	Blue/Grey/Black	70	NE	40	20	10		Shale Float
25523	UTM	NAD83	8	636067	6977774	30	Greyish Brown	25	SE	10	60	15		Green Shale Fragments/Quartz Float
25524	UTM	NAD83	8	636107	6977810	50	gry brn/ red brn	40	SE	15	40	20		Blue Green Shale Fragments
25525	UTM	NAD83	8	636143	6977844	40	Rich Light Brown	30	SE	15	50	20		Green Shale Fragments
25526	UTM	NAD83	8	636181	6977883	25	Light Greyish Brown	40	SE	10	40	20		Grey Shale Fragments
25527	UTM	NAD83	8	636216	6977920	30	Rich Light Brown	40	S	15	30	30	Frost	Shale Fragments/Quartz Veined Float/Blue Shale Float
25528	UTM	NAD83	8	636254	6977958	20	Greyish Brown	30	SE	30	50	20		Quartzite Float
25529	UTM	NAD83	8	636292	6977989	60	Greyish Brown/Red Brown	20	SE	30	70	10		Shale Fragments
25530	UTM	NAD83	8	636333	6978018	50	Rich Light Brown/Red Brown	50	SE	30	30	20		Shale Floats/Fragments/Quartz Veined Float
25531	UTM	NAD83	8	636373	6978053	40	Rich Med Brown	30	SE	30	50	20		Quartz Veined Float/Blue, Gree, Red Shale Fragments and Float
25532	UTM	NAD83	8	636407	6978090	60	Blue Grey	20	SE	30	70	10		Shale Floats/Fragments
25533	UTM	NAD83	8	636442	6978129	30	Rich Med Brown	20	SE	35	70	10		Quartz Veined Float/Quartzite Float/Shale Floats/Fragments
25534	UTM	NAD83	8	636472	6978169	60	Blue Grey/Rich Brown	10	SE	40	80	10		Quartz Veined Fragments/Shale Fragments
25535	UTM	NAD83	8	636495	6978212	50	Blue Grey	15	E	40	70	15		Shale Fragments/Quartz Veined Float
25536	UTM	NAD83	8	636518	6978257	50	Blue Grey/Medium Brown	30	E	50	40	30		Green Shale Floats/Shale Fragments
25537	UTM	NAD83	8	636532	6978308	50	Dark Greyish Brown	230	E	45	50	20		Meta-Shale Float/Shale Frags/Quartz Veined Quartzite Float
25538	UTM	NAD83	8	636542	6978357	50	Blue Grey/Medium Brown	30	E	45	50	20		Shale Fragments/Floats/Quartz Veined Float

2007 Scott Claims soil sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
25539	UTM	NAD83	8	636541	6978408	60	Greyish Brown/Rich Brown	40	E	45	40	20		Shale Fragments/Floats/Quartz Veined Float/Quartzite Float
25540	UTM	NAD83	8	636535	6978457	40	Dark Grey	40	E	40	40	20	Line Ends Here Due to Cliffs	Shale Fragments/Floats/Quartz Veined Float/Fragments
25542	UTM	NAD83	8	636655	6978586	15	Dark Blue Grey	40	E	55	30	30		Dark Grey Shale Outcrop/Shale Floats
25543	UTM	NAD83	8	636667	6978538	40	Dark Grey	50	E	60	30	20		Shale Float/Fragments/Outcrop
25544	UTM	NAD83	8	636677	6978490	30	Blue Grey/Red Brown	40	E	50	30	30	High GPS Variation/Permafrost	Blue Shale Fragments
25545	UTM	NAD83	8	636679	6978438	50	Dark Grey/Brown	60	E	45	20	20		Small Shale Fragments
25546	UTM	NAD83	8	636683	6978387	25	Dark Brown/Grey	50	E	55	30	20		Shale Fragments
25547	UTM	NAD83	8	636685	6978337	30	Dark Brown	30	E	55	40	30	Permafrost	Shale Fragments
25548	UTM	NAD83	8	636689	6978292	10	Light Grey/Dark Grey/Tan	40	E	65	30	30	Shale Outcrop	Shale Fragments/Outcrop
25549	UTM	NAD83	8	636696	6978236	50	Dark Grey	70	E	30	10	20		None
25550	UTM	NAD83	8	636692	6978189	30	Dark Blue Grey	30	E	40	50	20		Shale Fragments
25551	UTM	NAD83	8	636687	6978137	15	Dark Brown/Medium Brown	40	E	30	20	40		Some Shale Fragments
25552	UTM	NAD83	8	636682	6978090	40	Med Brown	50	E	35	30	20		None
25553	UTM	NAD83	8	636692	6978042	40	Med Brown	40	E	40	20	40	Dark Blue Grey Shale Outcrop	Shale Fragments
25554	UTM	NAD83	8	636698	6977990	60	Med Brown	50	E	40	10	40	Permafrost/Near Creek	None
25555	UTM	NAD83	8	636709	6977939	70	Red Brown	60	E	20	10	30	Permafrost	None
25556	UTM	NAD83	8	636722	6977890	70	Light Brown	50	E	10	10	40	Very Wet	None
25557	UTM	NAD83	8	636733	6977843	30	Rusty/Grey Brown	50	E	10	20	30	Permafrost	
25558	UTM	NAD83	8	636753	6977797	30	Red Brown	60	NE	5	10	30	Permafrost	
25559	UTM	NAD83	8	636435	6978360	40	med-dark dull brown	25	ESE	40	50	25	At mineral soil outflow	green shale
25560	UTM	NAD83	8	636482	6978344	50	medium brown grey	30	ESE	40	50	20		vein quartz and green shale
25561	UTM	NAD83	8	636529	6978328	30	medium brown	25	ESE	45	60	15		shales and quartzite
25562	UTM	NAD83	8	636577	6978311	30	dull dark brown	50	ESE	40	15	35	Near avalanche chute	quartz and shale fragments
25563	UTM	NAD83	8	636671	6978279	50	med brn & blue grey	50	ESE	35	15	35	Below thick moss layer	shale
25564	UTM	NAD83	8	636719	6978262	70	medium greyish dull brown	50	ESE	40	25	25	No float	grey shale
25565	UTM	NAD83	8	636766	6978246	60	lightish tan brown	60	ENE	20	15	25	Valley bottom	shale
25566	UTM	NAD83	8	636813	6978230	50	dull bluey yellow	60	NE	10	10	30	Near creek	shale, rusty quartz
25567	UTM	NAD83	8	636419	6978313	80	Grey Brown	30	E	35	50	20		Shale Fragments/Float
25568	UTM	NAD83	8	636466	6978297	40	Red Brown	20	E	35	40	40		Green Shale Fragments
25569	UTM	NAD83	8	636513	6978280	40	Rich Brown	30	E	35	40	30		Green/Grey Shale Fragments/Float
25570	UTM	NAD83	8	636560	6978264	50	Rich Brown/Grey Brown	20	SE	40	40	40		Green/Grey Shale Fragments/Float
25571	UTM	NAD83	8	636655	6978231	50	Blue Grey	60	E	30	20	20		Blue/Grey Shale Fragments
25572	UTM	NAD83	8	636702	6978215	80	Blue Grey	50	E	45	20	30		Blue/Grey Shale Fragments
25573	UTM	NAD83	8	636797	6978183	80	Medium Brown	70	E	10	10	20	Near Creek	

2007 Scott Claims sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
25574	UTM	NAD83	8	636402	6978266	50	Light green tan	50	SE	35	25	25	buck brush growth over talus	shale and quartz veins in quartize
25575	UTM	NAD83	8	636450	6978249	30-50	medium browny grey	30	SE	40	50	20		shales
25576	UTM	NAD83	8	636497	6978233	40	medium rich brown	40	SE	40	30	30		shale+ vein quartz
25577	UTM	NAD83	8	636544	6978217	35	medium rich brown	50	SE	35	20	30	large grained quartzite (grit?) in float	quartzite, vein quartz, shale
25578	UTM	NAD83	8	636639	6978184	40	dark grey-brown black	30	SE	30	20	50		
25579	UTM	NAD83	8	636686	6978168	50	dark blue grey	40	ESE	40	20	40	in small wash channel	grey shale
25581	UTM	NAD83	8	636733	6978152	30	dark blue grey	50	ESE	30	10	40	just above valley floor	
25582	UTM	NAD83	8	636781	6978135	60	dull tan brown	50	E	10	25	25		
25583	UTM	NAD83	8	636386	6978218	50	Medium Brown	10	SE	35	70	20		Shale Fragments/Float
25584	UTM	NAD83	8	636433	6978202	60	Light Grey Brown	30	SE	25	60	10		Shale Fragments/Float
25586	UTM	NAD83	8	636481	6978186	50	Light Grey Brown	30	E	35	50	20		Quartz Veined Quartzite Float/Shale Fragments/Float
25587	UTM	NAD83	8	636528	6978169	50	Light Brown	30	SE	40	50	20		Quartz Veined Quartzite Float/Shale Fragments/Float
25588	UTM	NAD83	8	636622	6978137	60	dk gy/maroon brn	30	E	40	40	30		Shale Fragments/Float
25589	UTM	NAD83	8	636670	6978121	50	Dark Grey/Rusty	40	E	30	30	30		Rust On Quartz Crystals/Shale Fragments
25590	UTM	NAD83	8	636717	6978104	50	Grey Brown	40	NE	10	30	30	Permafrost	Shale Fragments
25591	UTM	NAD83	8	636764	6978088	60	Light Grey Brown	30	E	10	30	40	Permafrost	Shale Fragments
25592	UTM	NAD83	8	636370	6978171	40	light dull brown	50	SE	45	20	30	Lots of float	Large quartz veins and shale
25593	UTM	NAD83	8	636417	6978155	50	dull greeny light grey	40	SE	30	40	20	float	quartzite or grit and vein quartz through shale
25594	UTM	NAD83	8	636464	6978139	60	rich medium browny grey	40	SSE	35	40	20		vein quartz, quartzite, shale
25595	UTM	NAD83	8	636512	6978122	60	medium dull browny grey	50	SE	30	30	20		grey shales
25596	UTM	NAD83	8	636606	6978090	50	medium-dark rich brown	50	ESE	25	25	25	below and slightly south of kilzone	mostly grey shale
25597	UTM	NAD83	8	636653	6978073	40	medium rich brown	60	ESE	30	20	20		qtz and shale
25599	UTM	NAD83	8	636701	6978057	40	medium dull grey brown	50	ESE	30	20	30	thick mossy forest	grey shales
25600	UTM	NAD83	8	636748	6978041	60	pale grey blue	70	E	20	15	15	somewhat marshy	grey shale
25601	UTM	NAD83	8	636354	6978124	70	Grey Brown	30	SE	30	50	20		Shale Fragments/Quartz Veined Quartzite Float
25602	UTM	NAD83	8	636401	6978108	70	Grey Brown	30	SE	35	50	20		Shale Fragments/Green Shale Float
25603	UTM	NAD83	8	636448	6978091	80	Grey Brown	30	SE	30	40	30	Little Vegetation on Surface	Shale Fragments/Float/Quartz Veined Quartzite Float
25604	UTM	NAD83	8	636495	6978075	60	Maroon/Dark Brown	50	E	30	20	30		
25605	UTM	NAD83	8	636590	6978042	40	Medium Brown/Grey	60	E	30	20	20	Permafrost	
25606	UTM	NAD83	8	636637	6978026	20	Rusty/Reddish Brown	30	SE	30	20	50	Permafrost	
25607	UTM	NAD83	8	636684	6978010	30	Rusty/Grey Brown/Red Brown	40	SE	25	20	40	Permafrost	
25608	UTM	NAD83	8	636732	6977994	110	Grey Brown	60	E	10	30	10	Near Creek	
25609	UTM	NAD83	8	636337	6978077	40	Grey Brown	40	SE	30	40	20		Blue/Green Shale Fragments

2007 Scott Claims sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
25610	UTM	NAD83	8	636432	6978044	40	medium dull greeny grey	30	SSE	30	40	30		vein quartz and shale
25611	UTM	NAD83	8	636479	6978028	50	Rich Brown/Grey Brown	50	SE	20	40	20		Shale Fragments/Float
25612	UTM	NAD83	8	636574	6977995	30	dark brown	50	ESE	25	25	25	through frost layer	quartz and shale fragments
25613	UTM	NAD83	8	636621	6977979	25	Maroon Brown	40	E	15	30	30	Near Creek	Quartz Veined Quartzite Float/Shale Fragments/Float
25614	UTM	NAD83	8	636668	6977963	30	medium-dark dull brown	25	ESE	25	60	15	very rocky sample	many small shale fragments
25615	UTM	NAD83	8	636368	6978013	40	Grey Brown	20	SE	30	50	30		Blue/Green Shale Fragments
25616	UTM	NAD83	8	636416	6977997	40	Light Brown	60	SE	20	10	30		
25617	UTM	NAD83	8	636463	6977980	20	Light Brown/Maroon Brown	50	E	20	30	20		Shale Fragments
25618	UTM	NAD83	8	636557	6977948	30	Maroon Brown	50	E	10	20	30		
25619	UTM	NAD83	8	636605	6977932	25	Maroon Brown/Rusty	40	SE	15	30	30		Rust/Shale Fragments/Float/Quartz Veined Quartzite Float
25620	UTM	NAD83	8	636652	6977915	40	Maroon Brown/Blue Grey	50	SE	15	25	25		
25621	UTM	NAD83	8	636699	6977899	60	Maroon Brown/Blue Grey	60	SE	15	10	30		
25622	UTM	NAD83	8	636352	6977966	50	Dull brown	40	SE	20	30	30		grey shale, grit, quartz veins
25623	UTM	NAD83	8	636400	6977949	45	medium reddish brown	30	SE	20	40	30	through frost	small shale fragments
25624	UTM	NAD83	8	636447	6977933	30	dull medium brown	30	ESE	20	40	30		grey shale fragments, quartz in float
25625	UTM	NAD83	8	636541	6977901	40	medium-dark brown	40	SSE	5	40	20	grit in float	shale fragments
25627	UTM	NAD83	8	636589	6977884	30	med dull gry/brown some reddish	60	SE	15	20	60	shallow mineral soil outflow	quartz veins through grit quartzite in float, shale in sample.
25628	UTM	NAD83	8	636636	6977868	40	medium greyish brown	60	ESE	20	10	30		small grey shale fragments
25629	UTM	NAD83	8	636683	6977852	40	medium orangey brown	50	E	30	20	30		small grey shale fragments
53236	UTM	NAD83	8	636260	6978313	25	lt_brown	15	E	30	25	5		grey shale
53237	UTM	NAD83	8	636276	6978361	20	lt_brown	25	E	15	20	10		grey shale
53238	UTM	NAD83	8	636292	6978409	25	lt_brown	5	E	5	60	10		grey shale
53239	UTM	NAD83	8	636309	6978456	25	red_brown		E	5	45	10		grey shale
53240	UTM	NAD83	8	636341	6978552	25	red_brown	10	E	15	35	10		grey shale
53241	UTM	NAD83	8	636389	6978536	60	dk_brown	5	E	40	25	30		grey shale
53242	UTM	NAD83	8	636372	6978488	35	dk_brown	35	E	45	35	20		grey shale
53243	UTM	NAD83	8	636356	6978440	50	lt_rd_brown	25	E	45	25	10		grey shale
53244	UTM	NAD83	8	636340	6978392	50	lt_rd_brown	10	E	45	30	10		grey shale
53245	UTM	NAD83	8	636307	6978297	40	rd_brown	10	E	47	35	15		grey shale
53246	UTM	NAD83	8	636355	6978280.7	35	rd_brown	5	E	47	35	20		grey shale
53247	UTM	NAD83	8	636372	6978328.5	25	rd_brown	10	E	50	30	20		grey shale
53248	UTM	NAD83	8	636404	6978424.1	40	lt_brown	20	E	48	25	20		grey shale
53249	UTM	NAD83	8	636421	6978471.9	50	brown	15	E	50	20	15		grey shale
53250	UTM	NAD83	8	636437	6978519.7	45	lt_brown	5	E	52	50	5		grey shale
53251	UTM	NAD83	8	636485	6978503.4	40	dk_brown	5	E	58	35	20		grey shale

2007 Scott Claims sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
53252	UTM	NAD83	8	636468	6978455.6	70	dk_brn	5	E	55	30	10		gry shale
53253	UTM	NAD83	8	636452	6978407.8	45	dk_brn	10	E	52	25	10		gry shale
53254	UTM	NAD83	8	636775	6978307.8	45	dk_brn	10	E	15	30	20		gry shale
53255	UTM	NAD83	8	636777	6978356.9	30	brn	5	E	12	25	20		gry shale
53256	UTM	NAD83	8	636778	6978405.2	40	dk_brn	10	E	18	35	15		gry shale
53257	UTM	NAD83	8	636770	6978460	60	charcoal_brown	5	E	20	20	30		gry shale
53258	UTM	NAD83	8	636758	6978509	70	charcoal_brown	15	E	20	15	15		gry shale
53260	UTM	NAD83	8	636747	6978558	70	charcoal	40	E	20	5	5		gry shale
53261	UTM	NAD83	8	636736	6978604.6	60	charcoal	25	E	24	30	10		gry shale
53262	UTM	NAD83	8	636724	6978653.8	50	charcoal	30	E	12	15	10		gry shale
53263	UTM	NAD83	8	636698	6978753.6	40	charcoal_gry	10	E	48	25	10		gry shale
53264	UTM	NAD83	8	636684	6978800.5	15	dk_gry	15	E	48	20	30		gry shale
53265	UTM	NAD83	8	636668	6978848.1	45	black	40	E	48	15	10		gry shale
53266	UTM	NAD83	8	636654	6978896.5	70	black	15	E	50	10	40		gry shale
53267	UTM	NAD83	8	636640	6978943.8	40	dk_gry	20	E	45	5	30		gry shale
53269	UTM	Nad83	8	637934	6978580.9	40	gry_brown	30	SSW	15	30	20		
53270	UTM	Nad83	8	637975	6978548.5	40	dk_gry_brown	20	SSW	15	50	20		
53271	UTM	Nad83	8	637995	6978502.4	40	gry	20	SSW	10	30	30		
53272	UTM	Nad83	8	638029	6978468.9	80	gry	40	SW	10	30	20	Near Dry Creek Bed	
53273	UTM	Nad83	8	637990	6978405.2	40	dk_gry	40	NW	10	20	20		
53274	UTM	Nad83	8	637938	6978412.3	40	dk_gry	30	NW	5	20	20		
53275	UTM	Nad83	8	637891	6978419.5	40	dk_gry	30	NW	10	10	10		
53276	UTM	Nad83	8	638056	6978294.2	40	dk_gry	40	NW	15	20	10		
53277	UTM	Nad83	8	638120	6978356.3	50	dk_gry	30	NW	10	20	20		
53278	UTM	Nad83	8	638691	6978521.8	50	md_brown	10	S	15	10	20		
53279	UTM	Nad83	8	638643	6978539.5	40	md_brown	20	S	10	20	20		
53280	UTM	Nad83	8	638596	6978563.5	30	gry_brown	15	S	15	30	25		
53281	UTM	Nad83	8	638551	6978585.9	30	dk_brown	20	S	20	50	10		
53282	UTM	Nad83	8	638487	6978666.5	20	hazel_brown	10	S	40	20	40		
53283	UTM	Nad83	8	638450	6978701.6	35	dk_brown	15	S	30	30	20		
53284	UTM	Nad83	8	638426	6978741.9	50	md_gry	10	S	35	40	15		
53285	UTM	Nad83	8	638394	6978835.3	50	lt_brown	10	S	40	60	30		
53286	UTM	Nad83	8	638357	6978871.4	60	md_brown	15	S	45	40	25		
53287	UTM	Nad83	8	638324	6978812.4	60	gry	20	S	50	30	30		
53288	UTM	Nad83	8	638355	6978774.2	50	gry	10	S	50	10	20	sandy	
53289	UTM	Nad83	8	638350	6978725.9	100	dk_gry	10	S	45	40	10		
53290	UTM	Nad83	8	638351	6978678.1	40	dk_brown	20	S	40	20	20		
53291	UTM	Nad83	8	638378	6978635.7	50	gry	20	S	45	30	10		
53292	UTM	Nad83	8	638415	6978604.3	60	gry_brown	40	S	40	15	40		
53293	UTM	Nad83	8	638454	6978579.2	50	gry	10	S	35	40	10		
53294	UTM	Nad83	8	638453	6978527.7	80	dk_gry	0	S	45	50	15		
53295	UTM	Nad83	8	638451	6978480.5	60	gry	5	S	30	25	15		

2007 Scott Claims soil sample descriptions

Sample Number	Coord Syst	Datum	Zone	East	North	depth (cm)	soil colour	texture (%clay)	aspect	slope	% rx chips	organic %	notes	rock type
53296	UTM	Nad83	8	638446	6978294	50	md_gry	15	s	40	10	10		
53297	UTM	Nad83	8	638428	6978341.2	50	dk_gry	15	sww	35	25	20		
53298	UTM	Nad83	8	638411	6978387.9	50	dk_gry	20	sww	40	40	20		
53299	UTM	Nad83	8	638391	6978437.7	55	gry_brn	20	sww	40	35	15		
53300	UTM	Nad83	8	638379	6978485.4	50	gry	30	sww	40	30	20		
53301	UTM	Nad83	8	638377	6978535.9	40	gry	20		40	40	10		
53302	UTM	Nad83	8	638342	6978579.3	70	gry	20	sww	45	30	20		
53303	UTM	Nad83	8	638301	6978603.9	70	dk_brn	10	sww	40	5	50		
53304	UTM	Nad83	8	638270	6978638.9	40	gry	40	sww	45	20	15		
53305	UTM	Nad83	8	638256	6978690.9	50	lt_brn	20	wnw	30	25	20		
53306	UTM	Nad83	8	638261	6978741.8	50	md_brn	40	sww	40	25	20		
53307	UTM	Nad83	8	638134	6978622.6	65	lt_gry	30	sw	40	30	20		
53308	UTM	Nad83	8	638151	6978576	50	gry	35	sww	40	15	20		
53309	UTM	Nad83	8	638185	6978537.8	50	gry_brn	15	sww	35	40	25		
53310	UTM	Nad83	8	638226	6978509.5	60	gry	20	sww	35	50	10		
53311	UTM	Nad83	8	638255	6978465	60	lt_gry	10	sww	30	50	25		
53312	UTM	Nad83	8	638265	6978417.3	50	gry	25	sww	30	40	20		
53313	UTM	Nad83	8	638252	6978365.7	50	gry	50	w	25	30	10		
53314	UTM	Nad83	8	638232	6978319.4	50	gry_brn	45	w	25	5	10		
53315	UTM	Nad83	8	638128	6978408.9	50	gry_brn	10	w	5	30	10		
53316	UTM	Nad83	8	638127	6978459.3	50	gry	10	w	5	30	10		
53317	UTM	Nad83	8	638084	6978488	80	gry_brn	80	sww	20	35	10		
53318	UTM	Nad83	8	638061	6978531.5	40	gry	40	sww	25	5	10		
53319	UTM	Nad83	8	638050	6978579.3	60	grn_brn	20	sww	30	25	20		
68460	UTM	NAD83	8	636577	6978633			40			40	20		
68461	UTM	NAD83	8	636563	6978685	50	dk_gry	40			30	20		
68462	UTM	NAD83	8	636550	6978730			60			30	10		
68463	UTM	NAD83	8	636533	6978781	90		40			30	30		
68464	UTM	NAD83	8	636600	6978780	80		30			20	40		
68465	UTM	NAD83	8	636619	6978730	10		60			30	10		
68466	UTM	NAD83	8	636632	6978685	30		70			20	10		
68467	UTM	NAD83	8	636646	6978635	70		70			20	10		

APPENDIX V
STATEMENT OF COSTS

Scott Claims 2007 YMIP Project Expenses

Eligible Activity	Dates Activity occurred	Number man days/activity or number of samples etc	eligible YMIP rate per day/km/hour etc	Business Name where expense occurred	totals	
Travel to project (geos and soilers) (km charge Whitehorse to Faro)	June 1/2007 June 5/2007	356 km 356 km	\$0.48/km \$0.48/km	Norcan truck rental Norcan truck rental	\$170.88 \$170.88	
travel Faro to Scott Claims area (mob in to camp)	June 1/2007 June 5/2007	0.75 hours 0.75 hours	\$2000/hour \$2000/hour	Canadian Helicopters Canadian Helicopters	\$1,500.00 \$1,500.00	
travel Scott Claims area to Faro (mob out of camp)	October 14/2007 October 15/2007	356 km 356 km	\$0.48/km \$0.48/km	Norcan truck rental Norcan truck rental	\$170.88 \$170.88	
Return to Whitehorse (km charge Faro to Whitehorse)	October 14/2007 October 15/2007	0.45 hours 0.45 hours	\$2000/hour \$2000/hour	Canadian Helicopters Canadian Helicopters	\$1,500.00 \$1,500.00	
Geological (prospecting/mapping/rock sampling)	June 8/2007 June 8/2007 June 12/2007 June 19/2007 June 19/2007 July 10/2007 July 10/2007 July 22/2007 August 13/2007 August 13/2007 above dates	2 1 2 2 1 1 1 2 1 1 35	geologist prospector geologist geologist prospector geologist assistant geologist geologist assistant ave \$30/sample	Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Overland Payroll Ecotech Labs	\$700.00 \$300.00 \$700.00 \$700.00 \$300.00 \$350.00 \$250.00 \$700.00 \$350.00 \$250.00 \$1,050.00	
Geochemical soil sampling program	June 12/2007 June 13/2007 June 14/2007 June 15/2007 July 22/2007 July 23/2007 July 24/2007 July 25/2007 July 29/2007 August 19/2007 August 20/2007 August 21/2007 above dates	2 2 2 2 4 2 2 2 2 2 2 2 318	soilers soilers soilers soilers soilers soilers soilers soilers soilers soilers soilers soilers ave \$25/sample	Overland Payroll Overland Payroll Ecotech Labs	\$500.00 \$500.00 \$500.00 \$500.00 \$1,000.00 \$500.00 \$500.00 \$500.00 \$500.00 \$500.00 \$500.00 \$7,950.00	
Helicopter costs for geological and geochemical work described above	June 8 to August 21/2007 Scott Claims Scott Claims south area	36 flights (set outs & pick ups) 26 flights @ 0.2hours/trip 10 flights @ 0.35hours/trip	5.2 hours \$2000/hour	Canadian Helicopters Canadian Helicopters	\$10,400.00 \$7,000.00	
Camp cost	June 1 to October 15/2007	52 man days	groceries \$35/day	Ross River Service Centre	\$1,820.00	
Report costs (Scott Claims YMIP rpt & Scott Claims Assessment rpt)	January 20-January 31/2007 January 11-January 26/2007	>7 days/report >7 days/report	geologist geologist	"reasonable amount of time for rpt preparation"	Overland Payroll Overland Payroll	\$2,500.00 \$2,500.00
Note: Costs incurred on both Scott Claim blocks are tabulated here and further costs (for example WCB and equipment purchases like soil augers) are not included as the total costs are in excess of the \$40,000.00 mark required for the 50% YMIP contribution for the Target Evaluation Program					\$51,003.52	



January 30, 2008

To whom it may concern,

During the exploration season of 2007, Overland Resources Yukon Ltd. conducted an extensive program on the Andrew Project on NTS map sheet number 105K/16. Work included drilling on the main Andrew deposit as well as geological and geochemical surveys on the Scott Claim blocks (among others), which were the focus of Yukon Mining Incentive Program Target Evaluation application.

Overland Resources geologists and geological assistants worked from a central base camp supported by a contract Canadian Helicopter B2 Astar. Crew time and samples collected was recorded separately for work done on the Scott Claims however invoices for food and camp supplies were not separated out for the Scott Claims work. In particular, the daily flight tickets from Canadian Helicopters recorded the total hours flown during each day and if trips supported drilling versus geology crews but do not record each trip to the Scott Claims.

Documentation from camp indicates that flights were made to the Scott Claims on the following dates:

June 8, 12(x2 trips), 13, 14, 15, 19,
July 10, 22 (x2 trips), 23, 24, 25, 29,
August 19, 20, 21, and 29th, 2007.

This totals 18 set outs and 18 pick ups and these flights are included in the overall invoices from Canadian Helicopters. Every effort has been made to accurately reflect the true costs incurred during work on the Scott Claims versus the overall Andrew project.

If you require further details or documentation for expenses claimed under the Yukon Mining Incentive Program, please don't hesitate to contact me:

Overland Resources Yukon Ltd.

Ming Jiang, CGA
Financial Controller

**YEIP
2007
-023
V. 2**

YMIP 07-023

TARGET EVALUATION

YUKON MINING INCENTIVE PROGRAM (YMIP) REPORT

ON THE SCOTT CLAIMS

(PART OF THE ANDREW PROPERTY),

MAYO MINING DISTRICT

YUKON TERRITORY

CLAIM NAME	GRANT NO.
Scott 1-2	YC02784-785
Scott 3-34	YC02457-488
Scott 35-36	YC02786-787

(OWNED BY 18526 YUKON INC. & OVERLAND RESOURCES YUKON LTD.)

**FOR WORK UNDERTAKEN IN JUNE-SEPTEMBER 2007
BY OVERLAND RESOURCES YUKON LTD.**

**NTS MAP SHEET: 105K/16
~LAT./LONG.: 132° 18' 39" N / 62° 54' 23" W.
UTM CO-ORD: 6975000m N, 637500 E (NAD 83, Zone 8).**

**AUTHOR: Jo van Randen, B.Sc.
DATE: January 2008**

APPENDIX VI



**YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C8**

V.2

GEOLOGICAL AND GEOCHEMICAL ASSESSMENT REPORT
ON THE SCOTT CLAIMS (PART OF THE
ANDREW PROPERTY), MAYO MINING DISTRICT
YUKON TERRITORY

CLAIM NAME	GRANT NO.
Scott 1-2	YC2784-785
Scott 35-36	YC02786-787

(OWNED BY 18526 YUKON INC. & OVERLAND RESOURCES YUKON LTD.)

FOR WORK UNDERTAKEN IN JUNE-JULY 2007
BY OVERLAND RESOURCES YUKON LTD.

NTS MAP SHEET: 105K/16
~LAT./LONG.: 62° 52' N/132° 17'W
UTM CO-ORD: 6975750m N, 636000 E (NAD 83, Zone 8).

AUTHOR: Jo van Randen, B.Sc.

DATE: January 2008

SUMMARY

This report documents geological and geochemical surveys undertaken in June through July 2007 on the Scott South Claims area of the Andrew Property, a group of mineral claims in central Yukon Territory, owned jointly by Overland Resources Yukon Ltd. and Mr. Ron Berdahl. The property was optioned in late 2006 after examinations and reviews of historical data confirmed its favorable geological setting and indications of significant zinc mineralization.

The property is underlain by fault-bounded slices of Devono-Mississippian Earn Group black clastics and Proterozoic to Lower Cambrian Hyland Group slate, sandstone, conglomerate, and limestone. The rocks have been folded along north-northwest trending axes, and faulting has been localized mostly within less competent, carbonaceous shale units. A few kilometers west of the property, these sediments are in contact with a Cretaceous granitic batholith. Evidence suggests that areas on the property have been intruded and effected by this batholith at depth.

Geological and geochemical surveys were undertaken to assess previously identified occurrences, soil geochemical anomalies, and targets detected by an airborne electromagnetic and magnetic survey commissioned by Noranda in early 2001 as well as Noranda's exploration and drill programs in 2001 and 2002. This work was designed to aid in identifying mineralized structures while mapping the Andrew property and planning of targets for future diamond drill testing.

In the Scott (South) claims area, Overland Resources Yukon Ltd. conducted prospecting and rock sampling surveys concurrent with contour soils lines that were designed to help focus further exploration in the coming seasons. A total of 5 man-days were spent mapping and rock sampling and 12 man-days were utilized to collect the soils. From the Scott Claims south area, 12 rocks and 97 soils were obtained and sent into Eco Tech Laboratories for analysis (not including the quality control/quality assurance samples).

Significant values for lead, zinc and copper were returned for both rock chip and soil samples in the Scott Claims south area. Results up to 3490 ppm Zn, 830 ppm Pb, and 437 ppm Cu in soil were returned and for rocks up to 2010 ppm Zn, 129 ppm Pb, and 480 ppm Cu were returned from work in and near the southern Scott Claims block. A program of continued mapping/prospecting and rock sampling is recommended along with site-specific follow up of the up-slope areas around the anomalous 2007 soil and rock samples. Air photo studies and possibly land sat imagery as well any geophysical surveys conducted in the area could assist in unraveling the geology of the Scott Claims south area. Tapping into the expertise of the Yukon Geological Survey and Geological Survey of Canada regional-scale mappers is recommended as the Scott Claims south area (and Andrew property in general) is a poorly constrained part of the metalliferous Selwyn Basin.

TABLE OF CONTENTS

TEXT

	Page
1.0 INTRODUCTION.	.4
2.0 PROPERTY DESCRIPTION AND LOCATION	.4
3.0 ACCESS, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY	.7
4.0 HISTORY	.8
5.0 GEOLOGICAL SETTING	.8
6.0 DEPOSIT TYPES	.11
7.0 MINERALIZATION	.13
8.0 EXPLORATION	.13
8.1 Geology And Lithogeochemistry	.13
8.2 Soil Geochemistry	.18
9.0 SAMPLING METHODOLOGY	.18
9.1 Rock Samples	.18
9.2 Soil Samples	.18
10.0 SAMPLE PREPARATION, ANALYSIS, SECURITY	.22
10.1 Rock Samples	.22
10.1 Soil Samples	.22
11.0 DATA VERIFICATION	.22
11.1 Control Standards and Blanks	.22
12.0 INTERPRETATIONS AND CONCLUSIONS	.23
13.0 RECOMMENDATIONS	.23
14.0 REFERENCES	.23

TABLES

1 Claim Data	.4
2 Geological Formations	.9

FIGURES

1 Location Map	.5
2 Claim Map	.6
3 Andrew Property Regional Geology Map	.10
4 Scott Claims Detailed geology and 2007 traverses.	.12
5 Scott Claims Sample Location Map	.14
6 Scott Claims Zinc in rock Thematic Map	.15
7 Scott Claims Lead in rock Thematic Map	.16
8 Scott Claims Copper in rock Thematic Map	.17
9 Scott Claims Zinc in soil Thematic Map	.19
10 Scott Claims Lead in soil Thematic Map	.20
11 Scott Claims Copper in soil Thematic Map	.21

APPENDICES

- I Authors' Statement of Qualifications
- II Analytical Procedures
- III Certificates of Analysis
- IV Sample Descriptions
- V Statement of Costs

1.0 INTRODUCTION

This report was prepared to document the geological and geochemical surveys undertaken in 2007 on the Scott Claims south area of the Andrew property to satisfy internal company good practices and government assessment requirements.

For assessment purposes, only the geological and geochemical work completed up to July 26th was used in the application for a certificate of work for those claims filed on July 26th, however all data collected in the Scott Claims south area is discussed in this brief report.

All information and data documented in this report was obtained by employees of Overland Resources Yukon Ltd., except for geochemical and assay analyses, which were contracted to Eco Tech Laboratories Ltd. of Kamloops, B.C. The author was directly involved in the management of the field program and supervised the exploration team in the field. Conclusions and recommendations are those of the author, after discussion of findings with other geologists working on the project in 2007.

2.0 PROPERTY DESCRIPTION AND LOCATION

The Andrew property consists of a two large groups of quartz mineral claims (and four smaller isolated blocks near the main claim groups) totaling 377 full and fractional quartz mineral claims. The Andrew property claims have an approximate total area in excess of 6900 hectares within a localized region near the prominent topographical feature of Mt. Selous. The property is located ~110 air kilometers north of the community of Ross River in the Mayo Mining District, Yukon, on NTS map sheet # 105K/16 (see figure 1). The center of the main claim block is located at lat./long. 62° 55' 33" N /132° 13' 7" W, or UTM co-ordinates 6980155 N, 641070 E (NAD 83, Zone 8). The Scott Claims south area consists of an isolated block of four quartz claims north of the MacMillan River and located south of the main Andrew property claims.

At the time of the report writing, the Scott Claims south area consisted of the following claims:

Table1. Claim Data


Claim Name	Grant Number	Area	Owners	Recording Date	Expiry Date
Scott 1-2	YC02784-785	Clearwater Creek	Overland Resources Yukon Ltd. & 18526 Yukon Inc.	26/07/2001	26/07/2012
Scott 35-36	YC02786-787	Clearwater Creek		26/07/2001	26/07/2012

Note that the indicated expiry dates are based on assessment work with this report for the Scott 1-2 and Scott 35-36 claims (and diamond drilling filed on August 28th, 2007 for the majority of the rest of the claim block filed under a separate report). Figure 2 displays the Scott south area claim locations.


Overland Resources Yukon Ltd. has the responsibility of permitting, claim maintenance, assessment filing and reporting, and all associated fees.

The claims lie on crown land, and surface rights belong to the crown. They do not lie within or near any park, special management zones, first nation settlement lands or land selections. However, they are situated within lands considered as traditional hunting and trapping areas by several first nation bands.

Yukon Territory



Location Map



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

Scale 1:2000
JvR
January 2008

Claim Map

The Andrew property and Scott Claims south area have not been legally surveyed. There has been no prior mineral extraction on the property. There are several known mineral zones on the property which were partially exposed by previous operators using bulldozer and hand trenching. Some of these have been tested by diamond drilling. Locations and descriptions of these known mineralized zones are provided on Noranda assessment report maps.

Previous operators were responsible for construction of approximately 20 kilometers of bulldozer trails and trenches in the late 1960's. Other than a few areas on bare rock, these have revegetated naturally and no potential erosional problems were observed. A 1000-meter airstrip was also constructed by previous operators, and was rehabilitated to provide access by single and twin otter craft with large wheels for supporting the 2001 and 2002 Noranda work programs. More than 50 empty fuel drums that were abandoned by previous operators at various parts of the property were collected by Overland Resources Ltd. personnel and flown to Twin Creeks Airstrip where Mike Mickey with Esso agreed to remove and salvage the drums on the 2007 fuel backhauls from Twin Creeks to Ross River.

A tent camp accommodating up to 25 people, utilizing lumber frames and plywood floors was constructed adjacent to the airstrip for the current program in part utilizing the existing Noranda tent floors. The camp was left in place and secured for winter in anticipation of future exploration programs by Overland Resources Yukon Ltd.

This 2007 exploration program was conducted pursuant to the Yukon Quartz Mining Act and Regulations and conditions specified in Mining Land Use Permit No. LQ00203, granted on June 5, 2007 and expiring on June 4th, 2012.

3.0 ACCESS, CLIMATE, INFRASTRUCTURE AND PHYSIOGRAPHY

Access for the current program was provided by helicopter. A B2 AStar helicopter was onsite during the entire exploration program and was used to transport all equipment, camp supplies and personnel to and from the project. The existing airstrip (which saw single and twin otter traffic during Noranda's 2001/2002 exploration programs) next to camp was utilized as a landing strip for the helicopter and was cleared of small regeneration of saplings in 2007 but did not see use by wheeled aircraft during the 2007 exploration season. For the 2007 work program, personnel and equipment were transported by a helicopter chartered from Canadian Helicopters based in Edmonton, Alberta.

Previous operators to Noranda Inc., hauled fuel and heavy equipment into the property on a winter bulldozer trail constructed from the North Canol road at Dragon Lake, about 60 kilometers from the claims. This same winter route is currently under application for future permitted use in 2008.

Owing to its high latitude, central Yukon has short summers, and long, severe winters, which are slightly tempered by its proximity to the Gulf of Alaska. Permafrost is common on north and east facing slopes.

Vegetation below 1500 meters is typical of the northern boreal forest. In the valley immediately east of the claims, there are spruce trees with trunk diameters over 1 meter, unusually large for this latitude.

The property lies within the South Fork Range of the Yukon Plateau, east of the Tintina Trench and west of the Mackenzie Mountains. Elevations range from about 1000 to 1800 meters on the property, which can be described as the east facing side of a wide valley with moderate slopes, cut by several east flowing creek valleys.

Near Faro, the Anvil district was once a significant base metal producing district, and is the nearest community with sufficient infrastructure to support a large mining operation. Concentrate was shipped by truck to tidewater at Skagway, Alaska, a distance of about 500 kilometers.

4.0 HISTORY

Between 1967 and 1969, Atlas Exploration staked the area and undertook an exploration program consisting of 63 kilometers of linecutting, evidence of which is still visible. Magnetic, electromagnetic, and soil geochemical surveys were completed on these gridlines, and the work was filed as assessment. A helicopter-borne airborne electromagnetic and magnetic survey with flight lines spaced at 305 meters was flown over the property in 1969. Bulldozer trenching exposed several mineral occurrences, but none were thought significant enough to warrant additional work and the claims were allowed to lapse. In 1977, Cima Exploration drilled two short holes in the "Lad" showing, one of which encountered sulfide mineralization assaying 4.7% Zn, 5.3% Pb, and 133.7 g/t Ag over 1.2 meters, but later abandoned the area.

There is no recorded production or evidence of production from the property.

Prospector Ron Berdahl's association with the property dates to 1996, when he staked the Andrew 1-10 claims to cover a prominent gossan associated with zinc and lead mineralization while on a Cominco funded grubstake. Cominco turned down a proposal to acquire the property. In 1999, Ron returned to the property to undertake assessment work consisting of hand and dynamite trenching and sampling of the gossan.

Noranda was invited to examine the data, and a visit to evaluate the property followed in the summer of 2000. Noranda entered into an option agreement and conducted two extensive exploration projects in 2001 and 2002 including drilling 23 diamond drill holes (totaling 4556m) as well as mapping, rock and soil sampling, and conducting airborne and ground magnetic and gravity geophysical surveys. Noranda Inc. returned the Andrew property to Ron Berdahl during a period of corporate takeover by Falconbridge Inc.

In February, 2007 Overland Resources Yukon Ltd. secured an option to acquire a 90% interest in the Andrew project, which it exercised in July 2007, after completing data compilation, a JORC-compliant (Australian Stock Exchange code) resource calculation and commencing a program of infill and extensional drilling around the Andrew deposit. Overland Resources employees conducted a work program of property scale mapping and sampling in addition to the 10 hole (2859m) diamond drill program and collected >1932 soils and >270 rock chip samples from areas around the known mineralization at the Andrew deposit.

5.0 GEOLOGICAL SETTING

The property lies within the ancestral North American Terrane of the northern Canadian Cordillera. This is composed of a thick prism of Proterozoic to Triassic sedimentary rocks that accumulated on and along the western margin of the Archean rocks of the Canadian Shield and known as the Selwyn Basin. This terrane has been divided into a series of fault and unconformably bounded assemblages or mappable sedimentary packages. In the area of the Andrew property, the following assemblages have been identified in the recent compilation of the regional geology of the Yukon, GSC Openfile 3754, released in January 2001:

Table 2. Geological Formations

AGE	MAP CODE	FORMATION OR GROUP NAME	LITHOLOGIES
Carboniferous to Permian	CPMC	Mount Christie	green cherty shale, shale and chert, black siltstone; minor quartzite, limestone, dolostone
Mississippian	MK	Keno Hill	quartz arenite, black shale, phyllite
Upper Devonian and Mississippian	DME	Earn	black shale and chert, chert pebble conglomerate, barite
Ordovician to Lower Devonian	ODR	Road River	black shale and chert, siltstone or limestone
Lower Cambrian	IEG1	Gull Lake	shale, siltstone, mudstone; minor sandstone, local volcanics
Upper Proterozoic to Lower Cambrian	PEH3	Hyland	maroon and green slate
Upper Proterozoic to Lower Cambrian	PEH2	Hyland	grey limestone
Upper Proterozoic to Lower Cambrian	PEH1	Hyland	brown to green shale, sandstone, grit, quartz pebble conglomerate; minor limestone, phyllite

Figure 3 shows the GSC geological Regional Geology for the Andrew Property area, with the Scott Claims south area outlined as well on the modified regional geology map.

The Andrew property area has not seen any detailed 1:50 000 scale regional mapping and the 1:250 000 sheet mapped by Gordey and Irwin in 1987 is currently being correlated with GSC geologist Charlie Root's mapping of the 1:250 000 scale map sheet directly north of the Andrew property area. Further work is required in the area to resolve several rock type correlation difficulties with units across the map sheet boundary. This part of Selwyn Basin is poorly understood according to Dr. Charlie Roots but it is uncertain when the area will receive any expert mapping efforts by either the Geological Survey of Canada or Yukon Geological Survey.

Noranda geologists reported that the rocks in general follow the regional strike of 120 to 160 degrees and dip steeply to the northeast, and Overland staff confirmed this. Folding along this regional trend was observable at several outcrops. Faulting is evident by the presence of linear gullies, creek trends, and rarely in outcrop. In addition, many structures are evident from airborne magnetics (see Figure 4). There are two preferential trends; the strike parallel trend at about 140 degrees and a cross-cutting trend at about 100 degrees.

The sediments of the Hyland group are characterized by a weakly to moderately developed schistosity or phyllitic texture in pelitic units. Limestones are generally finely crystalline. Younger assemblages display only very weak regional metamorphic effects.

Following accretion of terranes in the cordillera, Cretaceous granitic plutons intruded these assemblages, and several are mapped within a few kilometers east and west of the property. Outcrops of a granodioritic to monzonitic porphyry body on the south end of the property are likely Cretaceous and related to the large Mount Sealous pluton to the west.

The absence of continuous outcrops along ridges or creek valleys, and the overall heavy vegetation and lack of outcrop hinders the assignment of a formation name any particular outcrop, as many of the formations contain similar lithologies. The government compilation is considered a reasonable interpretation given the vast area, remote location and finite resources of the GSC. Noranda's and Overland Resources detailed mapping work has determined that the assemblages identified in the compilation are present, but their aerial distribution is different though still uncertain.

Legend

Ks=mid Cretaceous
Selwyn Plutonic Suite

DMe=Dev Mississippian
Earn Group

OSr=Ord Silurian
Road River Group

COr=Camro-Ordovician
Rabbitkettle Formation

PCh=Precambrian
Hyland Group



Geology modified after:
Gordey and Irwin 1987
GSC map 19-1987

Andrew Property Regional Geology Map

NTS Map Sheet 105K/16
(NE corner of 105K)
Scale 1:250 000

Figure 3

Location of mapped outcrops with lithologies, for the Scott Claims south area and interpretation of faults and contacts is shown on figure 4. Cursory mapping of the rough geologic units encountered during two geological traverses in the area was plotted on figure 4 along with the traverse lines by Overland Resources staff in 2007. Prospecting and rock sampling was the traverse objectives rather than trying to produce a complete detailed geological map of the area at this point. The terrain is fairly steep south facing slopes with moderate vegetation cover (often part of recent forest fire burned area) aiding to the need to spend more time there to produce a workable geologic map. As the shales are recessive and quartzite outcrop forming, there is a preponderance of quartzite outcrops generally in the Andrew area, however, drilling indicates that the recessive, non-outcropping forming shaley units are the more abundant component of most assemblages. This feature also hinders mapping interpretation.


Contrasting competencies amongst various rock types, especially between soft, fissile, often carbonaceous shales and hard, outcrop-forming quartzite results in different deformational behavior. The soft shales tend to accept most of the strain and movement during tectonic deformation. Faulting, shearing, and brecciation are present in these rocks to a greater degree. Quartzites tend to show only brittle fracturing in areas of structural deformation.

6.0 DEPOSIT TYPES

The property was acquired due to its favorable geological setting and the delineated mineralization in the Noranda drilling and the presence of under-explored and untested zinc occurrences and geochemical anomalies within the property boundaries and surrounding areas. The setting has similarities to sediment hosted, stratiform, zinc-rich, base metal massive sulfide deposits elsewhere in the North American terrane. Well known examples include the Red Dog deposit in Alaska, and Sullivan in southern British Columbia, as well as the large though sub-economic resources at Howard's Pass, Yukon, and Cirque (Stronsay) in northern British Columbia. The majority of the world's largest producing zinc mines are of the sediment hosted, stratiform type.

These deposits form along tectonically active continental margins, where the discharge of hydrothermal fluids from fault zones results in precipitation of dissolved metals in a second order basin. They usually display evidence of syndepositional tectonic activity such as fault scarp talus and slump breccias, and evidence of syndepositional geothermal activity such as the presence of chemical sediments (exhalites) including chert, barite, pyrite, sphalerite and galena. Typical host rocks are deep marine clastic sedimentary rocks. The form of the deposit is typically concordant, bedded, with large lateral extents. Regional metamorphism and deformation often radically change the morphology of the deposit and texture of mineralization.

Noranda's exploration programs were designed to highlight features that may be indicative of stratiform massive sulfide mineralization. An airborne electromagnetic and magnetic survey was flown over the property and surrounding area at a line spacing of 200 meters to hopefully isolate areas with anomalous conductivity and magnetic susceptibility. Selected targets were further tested with ground magnetics and gravity surveys to distinguish sulfide-bearing sources from non-sulfide bearing sources. Mapping and prospecting attempted to identify favourable stratigraphy, structural settings, and mineralization but this work was hindered by lack of exposure. As these deposits often exhibit large geochemical haloes, limited soil geochemical surveys were undertaken over targets not previously covered by historical work. Selected areas were further investigated by Noranda but not systematically tested by diamond drilling.



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

Scott Claims (South Area) Detailed geology and 2007 traverses

Scale 1:750
JvR
January 2008

7.0 MINERALIZATION

In the Scott Claims south area, geologists with Overland Resources spent two days traversing the steep incised valleys to help identify the potential source of anomalous zinc and lead values reported by prospector and claim owner Ron Berdahl. A devegetated zone thought to be similar to the kill zone at the main Andrew deposit was briefly investigated on June 8th on the northeastern traverse line where 3 rock samples were collected from a creek below the devegetated zone. A contour soil sample program was then designed and 12 man-days were spent by Overland Resources crew collecting auger type soil samples in the area. A second geological traverse of primarily prospecting and rock sampling with limited outcrop mapping took place on July 22nd along with the first wave of soil sampling. In all, 101 soils and 12 rock samples were collected and analyzed from the Scott Claims south area. Mineralization in the rock samples was subtle with rusty locally pitted ± quartz veined, black and lesser grey Hyland group shales yielding anomalous coincident zinc-copper ± lead in rock values. Pyrite was locally observed as minute disseminations locally along the well developed foliation planes in the shale host rocks.

8.0 EXPLORATION

8.1 Geology and Lithogeochemistry

Geological and prospecting work was focused towards evaluation in and around previously identified mineral occurrences, geochemical anomalies, and airborne geophysical anomalies. Noranda employee crews consisting of a geologist – prospector pair who were set out by helicopter or traversed from camp. Locations of outcrops and samples were determined by handheld GPS units. These crews also completed all rock and soil sampling reported in the Noranda 2001 and 2002 reports.

Overland Resources Yukon Ltd. continued the geological and prospecting work in 2007 to assist in understanding the geological environment and to aid in interpretations with the ongoing diamond drill program focused on the Andrew deposit. Crews consisting of one or more geologist with an assistant collected rock chip or grab samples from mineralized areas and delineated rare outcrop extents using handheld GPS units and plotting on field base maps. Outcrop and sample descriptions were entered into digital spreadsheets and eventually standardized in the project database using the Andrew project specific rock codes developed for correlation purposes. Mapping sheets were georeferenced and made digital using MapInfo software once an area was completed and all structural measurements were entered into a single Access database. Rock sample locations were marked in the field using industry standard coloured flagging tape and double sided aluminum tags with the sample number etched for future location with results.


The Scott Claims south area saw mapping and lithogeochemical sampling in June and July of 2007. The Scott Claims south area had 12 rocks samples collected with 9 of those falling within the boundary of the claims worked in this assessment report. Mapping in the area was hindered by poor rock exposure and restricted to limited outcrops along the steep south facing slopes along creek gulls leading into the MacMillan River to the south of the claims. Variably altered sedimentary rocks were mapped into units without an effort to correlate to the regional rock groups (Hyland Group rocks versus Road River or Earn Group rocks) due to the lack distinct marker units (for example the chert pebble conglomerate of the Earn) and the overall lack of outcrop exposures. The significance of stratigraphic position of any mineralization is poorly understood at this point as this mineralization at Scott Claims south area may be more of a result of the proximity to the large batholith centered at Mt Selous and regionally mapped to the immediate NW of the claim block to structurally prepare the host rocks and drive mineralized fluids along fault structures.

Rock and soil sample location and sample numbers are displayed on figure 5. Figures 6 to 8 display thematically mapped significant results for Pb, Zn, and Cu rock geochemistry results in the Scott Claims south area. A cluster of coincident anomalous samples appears along the most northerly contour soil line

Legend

- Soil Sample Location, sample number
 - Rock Sample Location, sample number
 - ✗ no sample taken (no soil)

topographic contour (20m)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

A horizontal scale bar with tick marks at 0, 250, and 500. Below the bar, the word "metres" is written.

Scale 1:1000
JvR
January 2008

Scott Claims (South Area) Sample Location Map

LEGEND

 Scott Claims (south area)

Scott Claims rocks by Zn (ppm)


	2000 to 2010
	230 to 2000
	100 to 230
	60 to 100
	1 to 60

Scott Claims soils by Zn (ppm)

	1000 to 3490
	400 to 1000
	100 to 400
	0 to 100
	no sample (no soil)

Ks
Regional Geology Unit
Ks (Cretaceous Selwyn
plutonic suite)

PCh
Regional Geology Unit
PCh (Precambrian
Hyland group)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

0 250 500
metres

Scale 1:1000
JvR
January 2008

Scott Claims (South Area) Zinc in rock Thematic Map

LEGEND

Scott Claims (south area)

Scott Claims rocks by Pb (ppm)


- [Pink square] 128 to 129
- [Red square] 43 to 128
- [Yellow square] 12 to 43
- [Green square] 9 to 12
- [Black square] 0 to 9

Scott Claims soils by Pb (ppm)

- [Pink circle] 200 to 830
- [Red circle] 60 to 200
- [Yellow circle] 40 to 60
- [Green circle] 25 to 40
- [Black circle] 0 to 25
- [Black cross] no sample (no soil)

Ks
Regional Geology Unit
Ks (Cretaceous Selwyn
plutonic suite)

PCh
Regional Geology Unit
PCh (Precambrian Hyland
group)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

0 250 500
metres

Scott Claims (South Area) Lead in rock Thematic Map

Scale 1:1000
JvR
January 2008

LEGEND



Scott Claims (south area)

Scott Claims rocks by Cu (ppm)

[Color Box]	200 to 480
[Color Box]	50 to 200
[Color Box]	40 to 60
[Color Box]	25 to 40
[Color Box]	1 to 25

Scott Claims soils by Cu (ppm)

[Color Box]	125 to 437
[Color Box]	75 to 125
[Color Box]	50 to 75
[Color Box]	25 to 50
[Color Box]	1 to 25


× no sample (no soil)



Regional Geology Unit
Ks (Cretaceous Selwyn
plutonic suite)



Regional Geology Unit
PCh (Precambrian
Hyland group)



near the center of the Scott Claim block. Significant and highly anomalous values up to 2003 ppm Zn in rock were collected at sample number 25039 (and the highest copper number of 479 ppm Cu) in an area of folded black shale outcrop cut by a prominent gully /?fault structure? trending 050°. Thin calcite stringers occur locally along the foliation and fractures are coated with manganese and rusty blebs of fine grained pyrite was observed in this sample. A soil sample collected in this area returned significant values for zinc and copper (up to 3488ppm Zn and 437 ppm Cu) while the lead values were high in this area (68 and 71 ppm Pb) but higher lead values occurred elsewhere on the soil contour lines and did not appear to correlate with the other high base metal elements.

8.2 Soil Geochemistry

During the 2007 exploration season, Overland Resources employees collected and analyzed over 1900 Auger type soil samples including 97 in the Scott Claims south area with 41 of those falling just outside the boundary of claims used in this assessment report but they are part of the contiguous Scott Claims south contour soil lines so are displayed and discussed here. The quality control/quality assurance samples are not counted or displayed on the attached maps or spreadsheets.

Figures 9 to 11 display thematically mapped significant results for Pb, Zn, and Cu soil geochemistry in the Scott Claims south area. Several anomalous trends are evident from the thematically mapped values and the lines are along a steep south facing slope so down slope dispersion affects must be considered during any interpretation of results. Generally, zinc and copper anomalies are coincident in a rough belt that is northwest trending in the center of the Scott claim block as well as a rough "framing" of higher lead in soil numbers. Located just off the northeast tip of Scott Claim #35, is a site of the highest significant value for lead in soil of 830 ppm Pb (regionally significant anomaly considering 102 ppm Pb is the 98th%tile for all the Atlas Exploration soil data collected in the Selwyn Basin that was compiled and statistically massaged by Ron Berdahl). This anomalous area also yielded up to 1000 ppm Zn in soil but relatively low copper numbers.

Significantly anomalous values for zinc, lead, and copper from soil samples collected in the Scott Claim south area were returned and this area warrants further work to locate the up-slope source of high locally coincident copper, lead, zinc soil anomalies. Other ore deposit indicator elements (for example: Ag, As, Ba, Ge, Hg, Mn, etc) for the Scott Claims area soil and rock samples could prove to be a useful exploration tool when the values were thematically mapped and processed through a statistics manipulation to determine significant values in soil for the area.

9.0 SAMPLING METHODOLOGY

9.1 Rock Samples

Rock samples were collected from outcrop and boulders by chipping with a rock hammer. Between 0.5 to 2 kilograms of 2 to 10 centimeter sized chips were placed in a clear, heavy-duty plastic bag, labeled with a number written on the bag and a heavy paper sample tag placed inside. Notes on the sample type (rock chip, rock grab or float sample) were recorded in the corresponding tag book along with the GPS UTM NAD 83 Zone 8 coordinate at the sample site. A total of 12 rock samples were collected and analyzed from the Scott Claims south Area. The samples were packed in polyweave bags at the camp and shipped for analysis at Eco Tech Laboratories Ltd. in Kamloops, B.C.

9.2 Soil Geochemistry


Soil samples were collected over selected areas based on initial mapping and prospecting of an area and the geologist designing the best orientation of grids or contours soil lines given the structures and trends of exposed mineralization of a given area. Soil geochemistry may provide an indication of enhanced metal concentrations in underlying rocks, providing the soil profile has been stable for a significant period of time. Samples were collected at ~50 meter intervals along contour lines spaced roughly 200 meters

LEGEND

Scott Claims (south area)

Scott Claims soils by Zn (ppm)

-  1000 to 3490
 -  400 to 1000
 -  100 to 400
 -  0 to 100
 -  no sample (no soil)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8


A scale bar at the bottom of the figure, consisting of a horizontal line with tick marks and numerical labels. The labels are '0' on the left, '250' in the middle, and '500' on the right. Below the line, the word 'metres' is written.

Scale 1:1000
JvR
January 2008

Scott Claims (South Area) Zinc in soil Thematic Map

LEGEND

	Scott Claims (south area)
Scott Claims soils by Pb (ppb)	
	90 to 830
	50 to 90
	25 to 50
	0 to 25
	no sample (no soil)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8


0 250 500
metres

Scale 1:1000
JvR
January 2008

Scott Claims (South Area) Lead in soil Thematic Map

LEGEND

	Scott Claims (south area)
Scott Claims soils by Cu (ppm)	
	125 to 437
	75 to 125
	50 to 75
	25 to 50
	1 to 25
	no sample (no soil)



NTS Map 105K/16
Clear Water Creek Area
UTM NAD 83 Zone 8

0 250 500
metres

Scott Claims (South Area) Copper in soil Thematic Map

Scale 1:1000
JvR
January 2008

apart in the Scott Claims south area. A total of 116 soil samples sites were attempted with >100 samples collected and analyzed from the area (including quality control/quality assurance samples). The soils were collected by auguring through the organic and leached layer with a extension auger designed for mineral exploration soil sample collection. An approximately 0.5 kilogram sample of "B" or "C" horizon material was placed in Kraft paper envelopes marked with the unique sample number and the corresponding number was written on tyvek labels and zap strapped to a nearby tree or brush for future site location. Results were entered into a digital spreadsheet and processed with commercial software.

10.0 SAMPLE PREPARATION, ANALYSES, SECURITY

10.1 Rock Samples

Rock samples were recorded, packed in polyweave bags at the camp and shipped for analysis to Eco Tech Laboratories Ltd. in Kamloops, B.C. (with a prep lab in Whitehorse, Yukon). Transportation was the same methodology as used for the soil samples. At the lab, the samples were oven dried, and sieved through a -150 micron mesh. A nitric-aqua regia digestion is performed, and a trace ICP-MS 50-element analysis performed. The sample preparation and analytical technique applied is specified on each lab report, and is described in Appendix II.

10.2 Soil Samples

Soil samples were air dried at camp, recorded on transmittal sheets, then packed in zap strapped plastic bags then polyweave (rice) bags and shipped for analysis to the prep lab in Whitehorse before analysis at Eco Tech Laboratories Ltd. in Kamloops, B.C. The samples were transported internally by the camp based helicopter to A1 delivery service in Faro or Ross River, who was responsible for delivering the bags by truck to the Whitehorse prep lab. At the lab, the samples were oven dried, and sieved through a -80 mesh. A nitric-aqua regia digestion is performed, and a trace ICP-MS 50-element analysis performed. The sample preparation and analytical technique applied is specified on each lab report, and is described in Appendix II.

11.0 DATA VERIFICATION

Overland Resources Yukon Ltd. implemented a quality assurance/quality control (QA/QC) program during rock and soil sampling. The established protocol calls for submission of blanks, control samples, and duplicates in all sample batches submitted to the lab. Pulp replicate analyses are also undertaken internally by the lab and reported on the Certificate of Analysis in Appendix III. Blanks and soil duplicates were monitored throughout the exploration season to ensure that duplicates did not return results of greater than 10% of each other or that blanks did not return significant values for elements of interest.

11.1 Control Standards, duplicates and Blanks

Commercial prepared pulps were used as Control Standards in the drill program portion of the 2007 Overland Resources exploration work but they are beyond the scope of this report and not included here. Duplicates were submitted and in the case of soil sampling, two separate samples with unique sample numbers were periodically collected at the same site. Soil blanks, consisting of Yukon River silt collected in Whitehorse Yukon, were periodically submitted into the soil sample batches sent to the laboratory. For the Scott Claims south area, the duplicates were within the acceptable limits to the company representatives, and the blanks returned insignificant values for indicator elements. The rock sample population for the Scott Claims south area in isolation is too small for meaningful statistical evaluation but Overland Resources complete project QA/QC results were satisfactory. Development of a rock "blank" similar to the soil Yukon River silt blank (and core Hyland Group maroon and green shale "blank") was recommended for future lithogeochemical programs.

12.0 INTERPRETATION AND CONCLUSIONS

At the Scott Claims south area, structural and stratigraphic controls to the demonstrated mineralization are poorly constrained. The soil geochemistry contour soil lines have significant anomalies along the outer borders which merit line extensions and further sample collection. The significant rock chip sample results warrant further mapping, prospecting and sampling. The spatial relationship to a large Cretaceous pluton mapped just NW of the claims needs to be delineated to help understand its role in any mineralizing event and to allow interpretation of the hornfelsing and possible mineralizing styles of the area. The structural complexity (and sites of favourable intersections of regional scale fault structures and possible dilational zones known elsewhere in Selwyn Basin to host mineralization) and distribution of rock units is poorly constrained at present in the Scott Claims south area and anomalous values returned from the 2007 rock and soil programs warrant additional mapping and sampling.

13.0 RECOMMENDATIONS

A program of continued mapping/prospecting and rock sampling in the Scott Claims south area is recommended after further compilation and interpretation of the 2007 and earlier work is conducted. Site-specific follow up investigations are recommended for the anomalous soil and rock samples sites produced during the 2007 field season. The generation of additional element thematic maps and further manipulation of 2007 soil geochemistry are recommended to focus future exploration in the Scott Claims south area. An air photo interpretation and an examination of the gravity and other geophysical studies could assist in unravelling the structural setting of the area, especially given the lack of outcrop exposure. Since the regional geologic mapping of the Scott Claims south area has not seen detailed work, it is recommended to tap into the vast knowledge base available for discussion (and possibly a field visits) of expert geologists from the Yukon Geological Survey and Geological Survey of Canada who have been involved in the mapping of similar rocks elsewhere in the Selwyn Basin and worked at the past producing Faro lead-zinc deposits.

14.0 REFERENCES

Atlas Explorations Ltd. Yukon Government Assessment Reports:

ATLAS EXPLORATIONS LTD, Dec/67. Assessment Report #018947 by C.L. Smith.

ATLAS EXPLORATIONS LTD, Dec/67. Assessment Report #019032 by C.L. Smith.

ATLAS EXPLORATIONS LTD, Jun/68. Assessment Report #019809 by J.S. Brock.

ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #019010 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #019016 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #060719 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Oct/68. Assessment Report #060720 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Nov/68. Assessment Report #019013 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, 1968. Assessment Report #018941 by M.E. Coates.

ATLAS EXPLORATIONS LTD, Jan/69. Assessment Report #019009 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Jan/69. Assessment Report #019012 by T.J. Adamson.

ATLAS EXPLORATIONS LTD, Feb/69. Assessment Report #019011 by J.S. Brock.

ATLAS EXPLORATIONS LTD, Nov/69. Assessment Report #060718 by T.J. Adamson.

- Ascough, G.A.,
2001: Geophysical Survey Report
(Noranda Inc. internal report)
- Bailes, R.J., Smee, B.W., Blackadar, D.W. and Gardner, H.D.,
1986: Geology of the Jason lead-zinc-silver deposits, Macmillan Pass, eastern Yukon. Mineral Deposits of Northern Cordillera, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p. 87-99.
- Berdahl, R.S.
1997: Andrew Claim Area Assessment Report #093881.
- Berdahl, R.S.
1999: YMIP Andrew Claim Group Report #99-050.
- Berdahl, R.S.
1999: Trenching Report, Andrew Claim Group
- Berdahl, R.S.
2002: Andrew Claim Area Assessment Report
- Berdahl, R.S.
2002: Scott Claim group prospecting and geophysical report. #094378.
- Deklerk, R. and Traynor, S.,
2005: Yukon MINFILE 2005, Yukon Geological Survey, CD-ROM
- Goodfellow, W.D.,
2004: Geology, genesis and exploration of SEDEX deposits, with emphasis on the Selwyn Basin, Canada. Sediment-hosted Lead-Zinc Sulphide Deposits, Attribute and Models of Some Major Deposits in India, M. Deb and W.D. Goodfellow (eds.), Australia and Canada, Narosa Publishing House, New Delhi, India, P.24-99.
- Goodfellow, W.D. and Jonasson, I.A.,
1986: Environment of formation of the Howards Pass (XY) Zn-Pb deposit, Selwyn Basin, Yukon. Mineral Deposits of Northern Cordillera, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p19-50.
- Goodfellow, W.D., Lydon, J.W., and Turner, R.W.,
1993: Geology and genesis of stratiform sediment hosted (SEDEX) Zn-Pb-Ag sulphide deposits. Mineral Deposit Modeling, R.V. Kirkham, W.D. Sinclair, R.I. Thorpe, and J.M. Duke (eds.), Geological Association of Canada, Special Paper 40, p.201-251.
- Jennings, D.S. and Jilson, G.A.,
1986: Geology and sulphide deposits of the Anvil Range, Yukon. Mineral Deposits of Northern Cordillera, J.A. Morin (ed.), Canadian Institute of Mining and Metallurgy, Special Volume 37, p339-361.
- Lapointe, D., Coulson, S. and Eastcott D.,
2001: Geophysical Survey Logistical Report Regarding the Gravity Surveys over the Andrew Project (Quantec Geoscience Inc.)
- Pigage, L.C.,
2004: Bedrock geology compilation of the Anvil District (parts of NTS 105K 2,3,5,6,7, and 11), Central Yukon. Yukon Geological Survey Bulletin 15.

- Findlay, R.B.,
1969: Mineralogical study and trend surface analysis of the Lad Group. Unpublished B.A.Sc. thesis,
University of British Columbia
- Gordey, S.P. and Makepeace, A.J. (compilers),
2001: Bedrock Geology, Yukon Territory; Geological Survey of Canada, Open File 3754 and
Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada,
Open File 2001-1, scale 1:1,000,000
- Gordey, S.P. and Makepeace, A.J.,
2003: Yukon Digital Geology, version 2.0, S.P Gordey and A.J. Makepeace (comp.); Geological Survey
of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9(D).
- Huard, A. and Sevell, M.,
2002: Geochemistry and Diamond Drilling Report on the 2001 Assessment Work conducted on the
Andrew Property by Noranda Inc. Assessment Report #094274.
- Huard, A. and Sevell, M.,
2003: Geochemistry and Diamond Drilling Report on the 2002 Assessment Work conducted on the
Andrew Property by Noranda Inc. Assessment Report #094363.
- Power, M.,
2001: Total Magnetic Field Surveys at the Andrew Property
(Aurora Geosciences Ltd.)
- Read, W.S.,
1977: CIMA Resources Ltd, Assessment Report #091710.
- Roots, C.F. Abbott, J.G. Cecile, M.P. Gordey, S.P.,
1995: Bedrock Geology of Lansing Range Map Area
(105N), East Half, Hess Mountains, Yukon; Exploration and Geological Services, Yukon
Region, and Indian and Northern Affairs Canada.
- Smith, P.A.,
2001: DIGHEM^v Survey for Noranda Inc., Andrew Survey Area (Fugro Airborne Surveys)
- Soloview, S.G., Schulze, C.M. and Baklyukov, O.E.,
2003: Structural settings and geochemistry of the Myschka gold prospect, Tintina Gold Belt, Mt. Selous
area (105K/16, 105N/1), Yukon. In: Yukon Exploration and Geology 2002, D.S. Emond and L.L.
Lewis (eds), Exploration and geological Services Division, Yukon Region, Indian and Northern
Affairs Canada, p. 295-306.
- Traynor, S.(compiler),
2007: Yukon Mineral Deposits 2007. Yukon Geological Survey, p. 14.
- Yukon Exploration and Geology,
1999: p.25; 2001, p. 12, 25; 2002, p. 20, 24, 26.
- Yukon Mineral Property Update 2007. K. Galambos, L.L. Lewis and S. Traynor (compilers),
2007: Yukon Geological Survey, p. 93.

APPENDIX I

STATEMENT OF QUALIFICATIONS

I, Jo van Randen, hereby certify that:

1. I am a practicing geologist employed with Overland Resources Yukon Inc, residing in Whitehorse, Yukon Territory.
2. I am a graduate of University of British Columbia with the degree of B.Sc. in Geology and have practiced my profession since 1982.
3. I was on the Andrew property undertaking in the work program described in this report during the period June 4th to October 15th, 2007, and prepared all pertinent text and figures in this report.
4. I do not have directly or indirectly, any interest in the properties of 18526 Yukon Inc. or Overland Resources Yukon Ltd.

Signature:

Date:

January 21st /2008


APPENDIX II

ANALYTICAL PROCEDURES

Analytical Procedure Report

Eco Tech Laboratory LTD is registered for ISO 9001-2000 by QMI Quality registrars (CDN 52172-01) for the "provision of assay and geochemical analytical services". EcoTech also Participates int eh Canadian Certified Reference Materials Project (CCRMP) testing program annually.

SAMPLE PREPARATION

Samples are catalogued and logged into the sample-tracking database. During the logging in process, samples are checked for spillage and general sample integrity. It is verified that samles match the sample shipment requisition provided by the clients. The samples are transferred into a drying oven and dried. Soils are prepared by sieving through an 80-mesh screen to obtain a minus 80-mesh fraction. Samples unable to produce adequate minus 80-mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh.

Rock samples are 2 stage crushed on a Terminator jaw crusher to minus 10 mesh ensuring that 70% passes through a Tyler 10 mesh screen.

Every 35 samples a resplit is taken using a riffle splitter to be tested to ensure the homogeneity of the crushed material.

A 250 gram sub sample of the crushed material is pulverized on a ring mill pulverizer ensuring that 95% passes through a 150 mesh screen. The sub sample is rolled, homogenized and bagged in a pre-numbered bag.

A barren gravel blank is prepared after each job in the sample prep to be analyzed for trace contamination along with the actual samples.

GEOCHEMICAL GOLD ANALYSIS

The sample is weighed to 30 grams and per worksheet there is a repeat sample for every 10 samples, plus one resplit per run of 35 or under. The samples are fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods. (Detection limit 1-5 ppb AA)

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards). The data is faxed and/or mailed to the client.

ASSAY GOLD ANALYSIS

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer AA instrument. (Detection limit 0.03 g/t AA)

Appropriate standards and repeat sample (Quality Control Components) accompany the samples on the data sheet.

ICP-MS EXTENDED PACKAGE ANALYSIS

Samples are digested in an aqua regia solution for 45 minutes. They are bulked to 10 ml with de-ionized water, and an aliquot of this is taken for analysis on the ICP-MS. All synthetic standards are purchased and verified by 3 independent analysts and are used for instrument calibration before each and every ICP-MS run.

A 2-3 point standardization curve is used to check the linearity (high and low). Certified reference material is used to check the performance of the machine and to ensure that proper digestion occurred in the wet lab. QC samples are run along with the client samples to ensure no machine drift or instrumentation issues occurred during the run procedure. Repeat samples (every 10 or less) and resplits (every 35 or less) are also run to ensure proper weighing and digestion occurred.

APPENDIX III
CERTIFICATES OF ANALYSIS

1-Oct-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP MS CERTIFICATE OF ANALYSIS AK 2007- 1205
Extended Package

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

No. of samples received: 102
Sample Type: Soil
Project: Andrew
Shipment #: 2007-18
Submitted by: J. VanRanden

Values in ppm unless otherwise reported

Et #	Ag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Z
1	68401	3	2.38	1.81	73.1	122.0	0.32	0.12	3.28	9.4	46.0	132.6	5.76	8.0	75	0.10	17.5	0.38	348	42.19	0.036	87.8	1243	34.77	0.08	3.52	2.6	5.9	32.0	0.08	4.1	0.011	0.30	8.9	422	<0.1	457.0	1.
2	68402	4	1.54	1.27	88.0	181.5	0.28	0.18	2.81	6.6	35.5	81.5	3.12	4.9	45	0.09	21.0	0.28	136	38.91	0.025	104.4	1721	26.28	0.04	16.64	1.8	16.4	18.5	0.10	2.5	0.006	0.32	3.8	364	0.2	507.9	0.1
3	68403	3	0.84	1.18	7.6	126.5	0.24	0.06	0.99	5.5	18.0	23.1	3.30	4.9	10	0.05	14.5	0.39	250	3.97	0.026	17.8	629	19.48	0.04	0.30	1.2	0.7	14.5	0.04	3.9	0.004	0.10	0.7	50	<0.1	132.9	0.1
4	68404	4	0.50	2.51	28.0	140.0	0.32	0.15	1.52	28.4	24.5	49.4	6.08	6.2	45	0.10	12.0	0.40	387	6.21	0.034	106.6	1172	23.49	0.08	2.40	2.6	1.7	24.0	0.06	4.7	0.003	0.18	1.3	68	<0.1	419.5	2.
5	68405	2	0.42	1.41	18.3	89.0	0.22	0.06	1.13	7.2	19.0	26.4	3.02	4.6	20	0.08	10.0	0.35	187	4.29	0.027	27.1	617	16.01	0.06	1.72	1.8	1.9	13.5	0.02	3.0	0.001	0.14	0.8	56	<0.1	165.9	1.
6	68406	2	1.76	1.87	32.9	137.0	0.22	0.10	3.35	7.1	35.0	179.6	3.21	5.4	35	0.05	12.5	0.36	201	19.81	0.029	90.0	1098	18.83	0.04	12.96	2.3	5.3	11.5	0.04	3.2	0.001	0.28	3.8	238	<0.1	647.2	1.
7	68407	3	4.64	2.20	43.5	321.5	0.26	0.09	3.69	8.5	53.5	199.0	3.50	6.7	95	0.10	17.5	0.55	227	18.32	0.028	89.8	1173	19.80	0.06	5.28	3.4	7.0	19.0	0.06	4.7	0.003	0.64	4.0	242	<0.1	819.5	1.
8	68408	2	2.20	0.94	50.8	161.0	0.24	0.67	11.69	5.1	96.5	109.6	2.46	4.4	30	0.13	19.0	0.13	385	46.29	0.032	125.4	4326	21.41	0.04	26.22	3.4	30.3	43.5	0.12	2.4	0.009	0.56	8.4	656	0.1	1163.0	1.
9	68409	2	2.68	1.75	29.1	258.0	0.30	0.07	2.25	9.2	34.0	110.8	3.47	5.8	35	0.07	19.5	0.46	297	6.96	0.030	68.0	650	20.75	0.04	4.20	2.7	3.5	15.0	0.04	4.9	0.003	0.24	2.5	320	<0.1	414.7	1.
10	68410	1	0.22	1.50	16.5	151.0	0.28	0.09	3.30	6.0	21.0	20.7	3.05	6.6	10	0.10	12.5	0.36	191	3.93	0.031	20.4	868	17.46	0.06	1.62	1.9	1.5	16.0	0.04	3.2	0.006	0.16	0.9	78	<0.1	265.0	0.8
11	68411	3	0.24	2.01	30.7	95.0	0.28	0.07	0.51	8.2	25.0	35.4	4.29	6.0	15	0.11	12.0	0.48	254	3.76	0.034	28.5	607	20.91	0.08	2.28	2.3	1.2	22.5	0.06	4.8	0.008	0.14	1.0	58	<0.1	116.8	1.
12	68412	1	0.18	1.34	23.3	61.0	0.22	0.06	0.26	6.7	22.0	26.4	3.22	4.9	10	0.07	8.0	0.46	202	2.56	0.029	17.7	503	13.91	0.06	1.00	1.9	0.6	16.0	0.04	3.4	0.005	0.10	0.8	52	<0.1	70.6	2.
13	68413	<1	0.04	0.72	4.9	74.0	0.08	1.03	0.13	5.0	24.5	13.9	1.46	2.9	5	0.05	7.0	0.58	259	0.19	0.029	20.7	356	4.73	0.04	0.06	1.9	0.3	32.0	<0.2	2.1	0.012	0.06	0.7	14	<0.1	33.5	3.
14	68414	1	0.26	0.90	21.8	116.0	0.14	0.22	0.71	6.5	13.5	28.8	2.27	3.0	20	0.05	8.0	0.28	292	2.02	0.033	17.4	675	27.61	0.04	0.50	1.3	0.6	26.0	0.04	1.7	0.012	0.06	0.8	36	<0.1	93.7	0.1
15	68415	2	0.44	1.25	26.6	284.0	0.24	0.32	0.66	10.7	19.0	49.8	2.89	4.2	50	0.08	13.0	0.43	408	2.77	0.044	31.6	828	20.46	0.04	1.94	2.6	1.3	41.0	0.02	3.7	0.007	0.12	1.5	44	<0.1	129.4	1.
16	68416	3	1.20	1.18	122.1	80.5	0.28	0.51	2.40	11.6	20.0	103.1	3.01	4.2	45	0.08	12.0	0.55	907	4.62	0.040	51.9	1014	91.20	0.06	2.60	3.1	1.9	45.5	0.06	4.1	0.006	0.18	1.4	56	<0.1	269.9	2.
17	68417	2	1.00	1.10	90.3	75.0	0.18	0.62	1.32	12.8	14.5	59.4	2.94	3.7	25	0.05	10.5	0.44	712	2.64	0.040	34.1	1182	47.91	0.08	2.28	2.1	1.0	63.5	0.04	3.3	0.010	0.12	1.7	36	<0.1	148.3	0.8
18	68418	2	4.20	0.82	129.3	122.0	0.38	1.04	3.29	17.7	12.0	51.7	4.45	6.2	140	0.02	41.0	0.24	985	0.57	0.028	34.3	750	630.40	0.06	3.82	6.3	2.6	34.5	0.02	7.6	0.005	0.12	1.6	6	<0.1	999.5	1.
19	68419	2	0.66	1.63	94.5	210.5	0.14	1.58	1.40	12.2	26.5	18.1	2.84	7.6	25	0.05	21.0	0.60	2697	0.53	0.088	14.0	1410	80.05	0.12	2.24	3.3	1.0	113.5	0.02	6.8	0.027	0.12	1.3	44	<0.1	96.8	0.8
20	68420	<1	0.56	0.45	8.3	115.5	0.04	1.21	2.39	2.0	2.5	9.8	0.56	1.6	50	0.03	3.5	0.06	397	0.23	0.052	3.3	587	9.28	0.08	0.42	0.3	0.2	35.0	<0.2	0.4	0.015	0.04	0.3	14	<0.1	98.1	0.8
21	68421	3	5.12	1.25	176.9	73.5	0.16	1.72	1.54	14.5	16.0	21.0	2.29	6.0	340	0.02	37.5	0.48	1585	0.40	0.034	26.9	1207	163.00	0.10	13.52	2.5	1.8	91.0	<0.2	7.3	0.005	0.22	1.3	20	<0.1	198.3	1.
22	68422	1	0.32	1.73	35.9	165.0	0.20	0.33	0.23	9.9	22.5	25.5	2.99	6.9	20	0.07	11.5	0.54	389	1.74	0.044	17.8	430	16.19	0.06	1.20	1.5	0.6	45.5	0.02	1.6	0.032	0.08	0.6	50	<0.1	65.8	0.4
23	68423	3	0.12	1.35	40.6	177.0	0.30	0.24	0.32	10.6	20.5	23.9	3.95	6.0	20	0.10	18.5	0.44	353	2.40	0.030	24.3	534	20.09	0.06	2.30	1.5	0.9	29.0	0.02	2.9	0.018	0.08	0.9	48	<0.1	96.8	0.3
24	68424	3	0.14	1.83	21.2	280.0	0.20	0.47	0.13	12.3	30.0	32.5	3.29	6.2	15	0.04	14.0	0.57	397	2.03	0.044	38.4	428	14.98	0.06	0.94	2.9	0.8	46.5	<0.2	2.8	0.019	0.10	1.0	58	<0.1	96.1	0.4
25	68425	7	1.14	1.93	119.6	71.0	0.24	0.87	0.55	26.5	19.0	42.4	6.58	6.1	30	0.05	18.0	0.78	1120	2.11	0.043	37.1	847	31.75	0.12	8.26	3.9	2.0	149.0	0.04	3.7	0.018	0.20	1.4	52	<0.1	126.7	0.6
26	68426	4	0.18	2.17	35.8	217.5	0.24	0.19	0.38	8.6	24.5	41.9	4.00	6.3	30	0.07	17.0	0.53	286	3.40	0.039	26.6	896	18.30	0.12	1.10	2.2	1.2	40.0	0.06	3.1	0.023	0.12	1.9	62	<0.1	98.4	0.4
27	68427	4	0.44	1.98	52.0	167.0	0.22	0.81	0.80	9.5	24.0	75.0	3.61	6.6	30	0.07	21.0	0.54	389	3.29	0.057	33.9	1039	17.55	0.12	1.58	2.5	2.2	94.5	0.04	2.3	0.024	0.10	4.2	60	<0.1	126.0	0.5
28	68428	5	0.52	1.83	29.7	97.0	0.26	1.23	1.42	9.3	23.0	94.3	3.54	5.5	45	0.09	18.0	0.55	440	3.28	0.050	44.4	1415	22.04	0.18	1.96	2.2	2.3	104.5	0.06	3.2	0.019	0.14	4.6	50	<0.1	170.3	1.2
29	68429	2	0.24	1.90	31.7	52.0	0.24	0.26	0.28	6.8	27.0	53.8	3.88	6.6	15	0.11	16.5	0.59	280	4.83	0.041	21.0	1127	23.53	0.10	2.44	1.7	1.3	48.0	0.06	1.4	0.018	0.12	1.6	74	<0.1	87.3	0.4
30	68430	3	0.22	1.64	31.9	50.0	0.24	0.18	0.42	8.0	25.5	62.4	3.85	6.3	15	0.12	18.0	0.61	333	6.19	0.041	23.6	1287	23.79	0.14	4.3												

ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AK 2007- 1205

Overland Resources

Et #.	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Z ppm
31	68431	1	0.18	1.38	22.3	107.5	0.28	0.11	0.42	7.8	18.0	28.6	3.41	6.2	15	0.08	19.0	0.37	355	3.36	0.033	18.2	655	21.17	0.08	1.02	1.0	1.0	28.0	0.02	1.1	0.010	0.10	1.1	52	<0.1	73.8	0.
32	68432	9	0.54	2.84	40.9	185.5	0.30	0.72	0.63	23.0	37.5	62.8	6.20	9.7	15	0.08	13.5	1.10	861	2.82	0.046	53.3	1201	74.83	0.08	5.44	4.9	1.1	142.0	0.04	4.3	0.054	0.12	1.3	108	<0.1	190.6	1.
33	68433	3	0.18	1.53	21.1	226.0	0.22	0.65	0.65	12.3	17.5	28.3	3.34	5.2	30	0.08	10.0	0.38	536	2.75	0.046	22.6	970	21.61	0.10	1.08	2.1	0.7	88.0	0.02	2.7	0.022	0.08	1.1	48	<0.1	101.9	0.
34	68434	3	0.28	1.49	11.4	247.5	0.12	0.23	0.94	11.4	13.0	17.4	2.76	5.8	15	0.04	7.0	0.45	589	1.55	0.039	14.6	786	10.63	0.06	0.38	0.9	0.5	45.5	0.02	0.6	0.023	0.04	0.6	42	<0.1	118.1	0.
35	68441	1	0.34	2.31	55.1	360.0	0.26	0.70	0.38	13.7	33.0	37.2	3.97	7.9	25	0.15	22.0	0.92	653	2.24	0.041	35.4	1049	27.57	0.06	2.76	4.4	1.4	60.5	0.04	5.6	0.024	0.14	1.5	66	<0.1	103.7	0.
36	68442	2	0.74	1.64	115.4	290.0	0.32	2.04	1.12	21.7	24.0	109.0	6.11	5.5	25	0.13	16.0	0.78	1088	3.87	0.036	57.3	1407	37.43	0.08	6.36	5.4	1.6	86.0	0.02	8.1	0.002	0.28	2.1	46	<0.1	207.4	2.
37	68443	8	1.48	1.37	699.3	81.5	0.30	2.40	1.80	33.7	23.0	69.9	8.45	4.3	15	0.11	9.0	1.18	2121	2.69	0.032	74.9	702	89.06	0.18	27.76	5.4	2.3	190.5	0.04	6.1	0.001	0.40	2.4	42	<0.1	261.7	2.
38	68444	4	1.36	2.20	646.4	310.0	0.32	0.53	1.86	20.8	35.5	43.5	5.31	8.5	30	0.10	18.0	0.98	2393	2.40	0.043	34.5	616	107.30	0.08	3.40	3.9	1.2	65.5	0.06	4.3	0.026	0.18	1.1	66	<0.1	251.9	0.
39	68445	4	0.48	1.54	74.2	70.0	0.22	0.58	0.45	11.2	22.5	39.1	3.24	5.6	25	0.10	16.0	0.59	610	2.82	0.037	22.7	1129	35.93	0.10	3.44	2.1	1.1	56.0	<0.02	3.2	0.011	0.12	1.5	48	<0.1	105.3	0.
40	68446	3	0.36	1.73	38.1	73.5	0.26	0.46	0.56	11.9	27.5	86.9	4.10	6.0	20	0.13	16.0	0.69	401	6.20	0.044	29.7	1716	27.57	0.12	3.78	3.3	1.6	83.5	0.06	4.0	0.021	0.14	2.7	70	<0.1	117.6	0.
41	68447	3	0.34	1.28	27.7	54.5	0.24	0.26	0.55	10.6	19.0	62.0	3.31	4.8	15	0.11	16.5	0.48	398	4.68	0.035	23.9	1074	20.83	0.10	2.66	1.8	1.3	50.5	0.04	2.9	0.011	0.12	2.2	46	<0.1	95.8	0.
42	68448	1	0.22	1.01	29.8	49.0	0.22	0.20	0.34	3.8	16.5	37.3	2.94	4.2	10	0.09	16.5	0.39	150	4.68	0.032	16.3	738	19.90	0.08	1.62	0.9	0.9	36.5	0.02	1.6	0.011	0.10	1.7	44	<0.1	79.6	0.
43	68449	3	0.14	1.24	22.3	173.0	0.24	0.04	0.18	5.3	16.5	32.0	2.94	4.4	15	0.07	17.0	0.43	214	3.15	0.029	16.5	430	16.58	0.06	1.82	1.3	1.0	21.0	0.04	2.8	0.006	0.08	1.0	36	<0.1	60.1	0.
44	68450	3	0.42	2.19	31.3	326.5	0.28	0.86	0.54	16.4	31.5	119.3	4.47	7.2	20	0.11	15.0	0.94	634	4.82	0.068	42.1	1674	21.83	0.08	2.88	4.8	1.2	186.0	0.08	5.8	0.023	0.14	2.0	82	<0.1	136.6	2.
45	68451	<1	0.06	0.84	7.1	93.0	0.08	1.27	0.17	6.1	31.5	16.5	1.75	3.6	10	0.05	8.5	0.71	315	0.29	0.033	25.3	478	5.80	0.05	0.14	2.5	0.5	36.0	<0.02	2.9	0.024	0.06	0.7	30	<0.1	40.4	2.
46	68452	3	0.20	1.77	21.6	114.0	0.20	0.25	0.25	9.3	24.5	56.2	3.48	5.7	10	0.10	14.0	0.69	286	4.38	0.033	21.4	1108	14.85	0.08	2.42	2.6	1.1	50.0	0.04	3.4	0.033	0.10	1.5	62	<0.1	80.6	0.
47	68453	3	0.22	1.94	22.3	354.0	0.24	0.38	0.30	12.8	27.0	40.9	3.52	6.4	20	0.11	16.5	0.59	485	3.41	0.034	25.4	831	18.70	0.08	1.90	2.6	1.1	54.5	0.04	2.1	0.034	0.10	1.3	62	<0.1	83.1	0.
48	68454	1	0.12	1.21	17.3	282.0	0.28	0.10	0.16	8.6	15.5	22.2	2.88	5.0	10	0.06	15.0	0.33	367	2.46	0.030	17.3	335	14.61	0.04	1.14	1.4	0.7	27.0	0.04	2.2	0.004	0.08	0.8	36	<0.1	62.2	0.
49	68455	2	0.30	1.34	24.4	426.5	0.34	0.34	0.36	12.9	19.0	53.2	3.62	4.9	55	0.10	17.0	0.43	654	3.54	0.034	29.5	840	24.97	0.06	2.10	3.5	1.3	39.5	0.04	7.3	0.002	0.10	1.3	32	<0.1	106.7	1.
50	68456	1	0.16	1.29	24.1	199.0	0.28	0.24	0.22	10.8	18.5	38.8	3.42	5.0	25	0.08	22.0	0.45	508	3.25	0.033	23.6	800	21.93	0.08	1.80	2.2	1.4	35.0	0.04	5.7	0.006	0.08	1.3	34	<0.1	96.3	0.
51	25448	5	1.74	2.59	191.0	67.0	0.68	0.05	1.03	7.6	28.5	110.9	9.01	7.7	90	0.06	12.5	0.42	254	5.52	0.035	35.3	2635	41.51	0.16	6.38	3.0	2.9	16.0	0.04	5.2	0.008	0.16	2.6	86	<0.1	192.6	3.
52	25449	1	1.78	0.74	9.7	27.5	0.14	0.04	0.45	2.0	3.0	13.8	0.89	2.2	55	0.03	2.0	0.03	60	0.59	0.048	3.4	374	4.94	0.04	0.38	0.2	0.5	6.0	<0.02	0.3	0.017	0.04	0.5	18	<0.1	24.4	0.
53	25450	4	0.78	1.71	87.7	81.0	0.68	0.06	1.49	10.4	21.0	57.9	5.74	5.6	40	0.07	12.0	0.18	471	6.58	0.037	32.0	1709	13.85	0.12	3.92	1.8	2.6	20.0	0.08	3.3	0.009	0.24	2.3	74	<0.1	275.6	0.
54	25451	1	0.78	1.43	94.7	48.0	0.27	0.07	2.50	3.5	26.5	85.4	9.60	4.9	30	0.06	6.5	0.08	205	21.77	0.043	29.2	3064	39.65	0.15	12.94	1.0	7.6	32.5	0.06	2.2	0.011	0.20	2.8	170	<0.1	354.5	0.
55	25452	1	3.30	0.80	73.0	22.5	0.56	0.21	2.40	1.5	50.5	104.8	2.54	3.3	55	0.08	10.0	0.08	61	33.47	0.026	41.0	2363	68.25	0.08	3.64	1.8	9.1	60.0	0.10	2.8	0.004	0.68	10.8	882	0.1	301.1	1.
56	25453	3	5.52	1.51	71.6	62.0	0.32	0.37	53.68	12.1	141.0	436.7	3.25	5.7	60	0.10	36.0	0.52	531	75.13	0.033	412.4	3210	70.68	0.12	11.42	3.9	11.8	31.5	0.12	2.4	0.013	0.88	32.1	1164	0.2	3488.0	0.
57	25454	2	2.74	1.10	15.7	532.0	0.12	0.38	69.51	10.9	18.0	223.2	1.48	3.8	40	0.04	16.0	0.18	528	21.46	0.082	149.5	1026	22.59	0.08	4.32	0.6	6.1	38.0	0.04	0.3	0.016	0.20	6.8	310	<0.1	2883.0	0.
58	25455	1	2.44	0.84	12.1	164.5	0.10	0.33	75.05	8.5	13.0	182.1	1.25	2.9	30	0.03	10.5	0.12	438	14.40	0.056	134.9	912	24.84	0.06	2.20	0.6	3.8	30.0	0.04	0.3	0.014	0.14	5.9	190	<0.1	2391.0	0.
59	25456	1	2.02	0.67	24.6	92.0	0.16	0.05	8.14	7.4	14.5	78.9	1.44	2.2	25	0.03	8.5	0.10	269	18.07	0.028	101.9	442	21.47	0.02	1.76	1.4	2.3	8.0	<0.02	0.7	0.003	0.18	3.4	172	<0.1	832.9	0.
60	25457	2	1.08	1.29	79.5	245.5	0.26	0.14	1.02	9.9	24.5	62.5	4.00	4.9	10	0.08	14.5	0.45	395	3.21	0.031	73.1	727	51.13	0.04	4.60	2.1	1.8	17.5	0.04	2.8	0.004	0.10	1.0	36	<0.1	330.5	0.



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 5T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

30-Sep-07

2007 INVOICE

Shipment #: 2007-18

INVOICE #:AK07-1205

DESCRIPTION		PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>			
	2007 Quote		
101	Sample Prep. (Pulp)	2.90	292.90
101	Trace ICP-MS Extended Pkg	18.90	1908.90
101	Au Geochem (30g)	6.00	606.00
	SUBTOTAL:		2807.80
	& 6% G.S.T.:		168.47
	TOTAL DUE & PAYABLE UPON RECEIPT:		<u>2976.27</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312
TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.



27-Sep-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP MS CERTIFICATE OF ANALYSIS AW 2007-7328
Extended Package

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

No. of samples received: 35
Sample Type: Rock
Project: Andrew
Shipment #: 2007-22
Submitted by: J. VanRenden

Values in ppm unless otherwise reported

		Fire Assay																																															
Et #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V	W	Zn			
ppb	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm								
1	7R24878	<5	0.2	4.36	8.4	94.0	0.05	2.16	0.10	20.42	9.7	64.0	2.66	17.97	4.17	12.6	11.1	0.20	5	0.26	9.0	49.6	1.90	705	0.80	0.385	0.58	5.7	661.0	16.78	16.8	0.003	0.78	3.10	15.7	0.8	0.6	128.0	<0.05	0.04	5.0	0.132	0.18	0.3	100	0.1			
2	7R24877	<5	0.2	0.87	19.7	116.5	0.02	0.56	0.44	12.43	7.9	109.5	0.36	91.69	1.93	3.0	5.4	0.12	5	0.06	7.5	11.6	0.78	1480	2.40	0.047	0.06	18.8	1227.0	28.34	2.7	0.005	0.18	1.5	0.2	73.5	<0.05	0.04	2.5	0.002	0.08	0.9	24	<0.1	84.4	1			
3	7R24878	10	1.7	2.27	202.1	12.5	0.74	0.87	3.41	13.03	16.8	86.5	2.08	13.47	7.19	8.4	18.6	0.22	15	0.13	5.0	50.4	1.48	397	0.65	0.072	0.32	3.8	560.0	690.50	7.1	0.001	4.98	26.82	8.8	12.5	1.0	14.5	<0.05	0.28	5.6	0.072	0.10	0.5	74	<0.1	788.4	1	
4	7R24879	<5	<0.2	2.11	7.5	80.0	0.30	0.24	0.04	69.84	14.6	40.0	1.22	38.65	4.07	7.7	12.7	0.08	<5	0.14	34.0	45.1	0.96	469	0.34	0.060	0.08	35.0	999.0	32.57	8.1	0.001	0.04	0.28	1.6	1.3	0.1	24.0	<0.05	0.06	11.8	0.002	0.08	3.6	14	<0.1	82.6	1	
5	7R24880	<5	<0.2	0.38	6.1	30.5	0.06	0.14	0.02	21.53	1.7	149.5	0.12	3.75	0.91	2.2	3.0	0.08	<5	0.03	9.5	8.2	0.14	248	0.38	0.062	0.04	5.8	167.0	12.91	1.1	<0.001	0.04	0.14	0.5	0.4	0.1	9.0	<0.05	<0.02	8.2	0.001	0.04	0.3	6	<0.1	11.5	1	
6	7R24881	5	0.4	0.28	520.8	26.5	0.10	0.03	0.05	13.37	3.3	121.5	0.16	11.14	0.86	1.3	2.6	0.08	<5	0.02	6.0	4.8	0.13	66	0.51	0.058	0.04	8.3	158.0	3.85	1.0	<0.001	0.04	0.48	0.7	0.6	0.1	11.5	<0.05	0.18	3.2	0.001	0.04	1.0	6	<0.1	12.8	1	
7	7R24882	<5	<0.2	0.13	7.0	12.0	0.10	3.80	0.01	8.43	4.0	127.5	0.10	10.20	0.73	0.7	1.8	0.04	<5	0.01	4.0	1.2	0.10	171	0.57	0.042	0.02	8.6	247.0	12.77	0.4	<0.001	0.02	0.18	1.4	0.3	0.1	226.0	<0.05	0.04	6.0	0.005	<0.02	0.2	2	<0.1	6.1	1	
8	7R24883	<5	0.5	0.19	7.5	15.0	<0.02	0.78	0.11	4.33	3.3	104.5	0.06	5.44	0.82	0.8	1.8	0.04	10	<0.01	2.0	1.1	0.10	240	0.69	0.072	0.06	7.5	218.0	4.65	0.4	<0.001	<0.02	0.16	1.7	0.2	0.1	72.5	<0.05	<0.02	0.8	0.002	<0.02	0.2	10	<0.1	14.8	1	
9	7R24884	<5	0.3	0.84	7.6	64.0	0.10	3.51	0.02	12.00	6.5	101.5	0.40	11.33	1.43	3.0	3.6	0.08	5	0.09	8.0	11.9	0.84	163	0.37	0.057	0.02	20.2	749.0	18.78	3.7	<0.001	0.02	0.40	1.9	0.4	0.2	214.0	<0.05	0.02	2.7	0.002	0.04	0.3	14	<0.1	33.4	1	
10	7R24885	10	0.3	0.19	15.0	125.0	0.12	0.01	0.01	8.66	6.6	88.0	0.62	82.04	1.54	1.0	3.3	0.04	50	0.09	<0.6	0.1	0.01	258	0.69	0.036	0.04	25.8	115.0	2.49	4.1	0.001	0.04	1.32	2.0	0.7	0.2	5.0	<0.05	0.04	0.1	14	<0.1	75.7	1				
11	7R25035	<5	1.4	0.59	14.6	84.0	0.10	0.07	0.59	17.16	0.5	128.0	1.88	54.30	1.02	3.5	3.4	0.08	30	0.15	15.0	8.0	0.27	42	22.34	0.038	0.24	20.2	605.0	48.26	9.0	0.002	0.04	8.80	2.7	14.3	0.8	31.5	<0.05	0.10	3.1	0.025	0.84	6.8	1486	<0.1	85.1	1	
12	7R25036	5	<0.2	0.11	39.4	77.0	0.04	0.01	0.08	23.82	1.1	103.0	0.44	8.43	0.74	1.3	2.3	0.08	<5	0.05	10.5	0.8	<0.01	41	0.95	0.039	0.04	5.1	125.0	8.15	2.5	<0.001	0.04	0.80	0.4	0.5	0.1	15.0	<0.05	<0.02	3.9	0.005	0.04	0.3	4	<0.1	16.0	1	
13	7R25037	<5	<0.2	1.87	24.9	204.5	0.30	0.03	0.22	74.41	2.3	82.0	3.86	18.04	3.21	8.2	10.0	0.14	<5	0.15	38.5	22.3	0.72	150	3.45	0.085	0.08	11.2	356.0	13.00	7.8	0.001	0.02	0.86	2.6	1.8	0.2	12.5	<0.06	0.04	10.7	0.001	0.12	1.5	58	<0.1	69.5	1	
14	7R26038	<5	0.3	0.57	19.8	133.5	0.14	0.02	0.31	38.71	1.2	73.6	1.06	10.31	1.47	3.4	4.8	0.12	<5	0.10	18.5	7.2	0.17	50	8.01	0.048	0.04	11.5	277.0	11.31	5.8	<0.001	0.04	3.78	1.1	3.5	0.2	9.0	<0.05	0.04	5.4	0.001	0.10	1.2	32	<0.1	88.1	1	
15	7R25039	<5	3.7	0.59	70.3	151.5	0.30	0.66	29.90	14.04	4.3	237.5	3.78	479.40	6.21	2.8	15.4	0.06	50	0.24	17.0	5.5	0.14	101	68.39	0.044	0.12	140.5	4758.0	7.56	14.9	0.002	0.06	16.52	5.3	23.9	0.9	23.5	<0.05	0.12	2.5	0.005	0.06	0.98	24.1	794	<0.1	2003.0	1
16	7R25040	<5	1.3	0.46	9.9	144.0	0.14	0.28	2.67	12.01	0.8	244.0	1.74	46.77	0.76	2.2	2.9	0.08	15	0.20	12.5	2.7	0.25	43	11.68	0.036	0.10	45.4	1543.0	9.42	12.1	0.002	0.04	2.82	4.2	6.4	2.1	7.5	<0.06	0.06	2.2	0.012	0.72	10.2	546	<0.1	232.8	1	
17	7R25041	<5	0.9	0.30	9.7	220.5	0.42	0.04	0.76	13.33	1.1	105.0	2.38	16.40	1.06	2.0	3.3	0.10	10	1.14	9.5	2.3	0.08	23	63.22	0.038	0.08	30.1	342.0	13.85	9.5	0.003	0.06	3.66	1.7	6.1	0.4	5.5	<0.06	0.04	2.5	0.010	0.40	7.3	480	<0.1	235.3	1	
18	7R26042	10	1.5	0.70	241.8	77.5	0.12	0.03	0.10	14.62	0.4	98.5	1.46	40.32	2.00	4.2	5.2	0.14	5	0.11	13.9	0.83	78	6.83	0.038	0.12	5.0	428.0	128.90	8.1	0.002	0.10	9.84	1.9	2.2	1.5	6.5	<0.05	0.04	5.4	0.002	0.14	1.0	86	<0.1	27.9	1		
19	7R25043	<5	0.8	1.62	21.8	294.0	0.16	0.10	0.13	21.39	5.6	80.0	2.10	32.01	3.56	5.8	9.3	0.06	<5	0.20	11.0	37.4	1.06	181	1.07	0.047	0.56	17.6	831.0	10.33	9.1	0.002	0.34	1.56	2.4	1.4	0.7	14.5	<0.05	0.04	6.4	0.013	0.08	0.4	44	<0.1	65.8	1	
20	7R25070	<5	0.2	0.43	26.1	1041.0	0.20	0.02	0.05	4.99	0.6	24.6	1.16	28.88	1.60	1.7	4.1	0.22	22.15	0.11	2.0	0.9	0.02	22	19.41	0.039	0.04	4.5	263.0	12.88	5.1	0.014	0.06	2.22	2.6	3.1	0.4	34.5	<0.05	0.08	2.0	0.001	0.20	2.9	24	<0.1	1	1	
21	7R25071	<5	<0.2	0.55	7.2	800.0	0.08	0.02	<0.01	4.42	1.0	41.5	2.08	93.48	0.98	1.5	3.0	0.08	90	0.12	1.5	2.5	0.02	24	0.34	0.041	0.02	9.6	352.0	6.30	6.3	0.001	0.04	0.80	8.1	1.0	0.2	33.6	<0.05	0.04	1.1	0.005	0.06	0.6	24	<0.1	21.3	2	
22	7R25072	5	0.3	0.24	30.7	307.5	0.10	<0.01	<0.01	11.41	0.2	84.0	0.68	54.71	1.05	2.0	3.1	0.04	280	0.08	6.0	0.9	<0.01	9	0.49	0.038	0.02	1.6	250	2.93	2.7	0.003	0.04	0.90	1.3	2.9	0.5	3.5	<0.05	0.06	1.0	0.005	0.04	0.1	16	<0.1	5.1	1	
2																																																	

ECO TECH LABORATORY LTD.

ICP MS CERTIFICATE OF ANALYSIS AW 2007-7328

Overland Resources

Fire Assay

Et #.	Tag #	Au	Ag	Al	As	Ba	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V	W	Zn
		ppb	ppm	%	ppm	%	ppm	ppm	ppm	ppb	%	ppm	ppm	%	ppm	ppm	%	ppm																													

QC DATA:**Repeat:**

1	7R24876	<5	0.2	4.20	8.9	91.0	0.08	2.17	0.09	19.22	9.7	84.0	2.62	17.73	4.22	12.6	10.8	0.18	<5	0.28	8.5	51.5	1.91	712	0.77	0.385	0.52	5.7	665.0	16.82	16.5	0.001	0.80	3.02	15.4	0.9	0.5	123.0	<0.05	0.03	4.4	0.126	0.14	0.3	100	<0.1	46.1	5
10	7R24885	10	0.3	0.20	15.0	125.0	0.12	0.01	0.01	0.87	7.0	91.0	0.58	66.18	1.80	1.0	3.7	0.04	55	0.09	<0.5	0.01	260	0.71	0.039	0.04	27.4	122.0	2.39	4.1	0.001	0.04	1.28	2.1	0.7	0.2	5.0	<0.05	0.04	0.8	0.005	0.04	0.1	14	<0.1	76.7	2	
19	7R25043	<5	0.6	1.60	21.5	284.5	0.14	0.09	0.12	20.10	5.6	58.5	2.04	31.51	3.54	5.7	8.9	0.06	<5	0.19	10.0	34.0	1.06	177	1.01	0.050	0.53	17.0	823.0	10.83	8.7	0.002	0.36	1.54	2.4	1.4	0.7	14.0	<0.05	0.06	6.2	0.012	0.08	0.4	42	<0.1	64.5	2

Resplit:


1	7R24876	<5	0.2	4.30	9.4	87.0	0.04	2.28	0.11	19.42	10.1	60.5	2.58	18.87	4.30	12.7	11.2	0.18	<5	0.28	8.5	52.1	1.93	734	0.81	0.396	0.50	5.8	667.0	16.29	17.1	0.001	0.82	2.96	16.0	1.0	0.5	125.5	<0.05	0.04	4.3	0.131	0.12	0.3	104	<0.1	47.3	5
---	---------	----	-----	------	-----	------	------	------	------	-------	------	------	------	-------	------	------	------	------	----	------	-----	------	------	-----	------	-------	------	-----	-------	-------	------	-------	------	------	------	-----	-----	-------	-------	------	-----	-------	------	-----	-----	------	------	---

Standard:

SE29	595																																													
Pb113	10.9	0.26	80.7	46.5	1.04	1.47	38.31	4.55	1.7	4.5	0.22	2384.00	1.08	1.3	2.4	0.04	80	0.17	2.5	1.1	0.11	1559	58.84	0.045	0.06	1.4	174.0	5593.00	5.0	0.052	1.02	10.70	0.4	0.4	0.8	96.5	<0.05	0.30	0.4	0.006	0.08	0.2	6	<0.1	8991.0	1

JJ/nl
MSE-7328
XLS/07

Jutta Jealouse
ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ANALYTICAL
GEOCHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-6700 Fax (250) 573-4657
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

27-Sep-07

2007 INVOICE

Shipment #: 2007-22

INVOICE #: AW07-7328

DESCRIPTION		PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>			
	2007 Quote		
35	Sample Prep. (Core)	10.10	353.50
35	Trace ICP-MS Extended Pkg	18.90	661.50
35	Au Geochem (30g)	6.00	210.00
	SUBTOTAL:		1225.00
	& 6% G.S.T.:		73.50
TOTAL DUE & PAYABLE UPON RECEIPT:			<u>1298.50</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



APPENDIX IV
SAMPLE DESCRIPTIONS

2007 Scott Claims (so)rea rock descriptions

Sample Number	Coordinate System	Datum	Zone	Easting	Northing	Sample Type	Property	Date Collected	Geologists	Description
24801	UTM	NAD83	8	636599	6973081	Float	Scott South	08/06/2007	JvR/DR	Reconnaissance traverse, float in creek. Sil-py alt f.g. Hyland group? siltstone.
24802	UTM	NAD83	8	636599	6973081	Float	Scott South	08/06/2007	JvR/DR	Float in creek, silicified, pyrite altered siltstone. Trace very thin quartz pyrite stringers along laminations
24803	UTM	NAD83	8	636599	6973081	Float	Scott South	08/06/2007	JvR/DR	Float from devegated zone. Quartz-pyrite vein in siltstone host (20*10*10cm piece)
25035	UTM	NAD83	8	635734	6973144	Grab	Scott South	22/07/2007	JvR/AC	grab of black shale sucrop on helipad landing site; shales are locally rusty with <2mm white calcite stringers, trace pyrite
25036	UTM	NAD83	8	635745	6972926	Grab	Scott South	22/07/2007	JvR/AC	float grab of white weathering recrystallized quartzite 20cm round cobble in dominantly grey shale talus field (with distinctive tiny white calcite ?porphyry? disseminated throughout); sample is intensely qtz stockworked, rare open space, trace rusty cubic pits
25037	UTM	NAD83	8	635802	6972922	chip	Scott South	22/07/2007	JvR/AC	30cm chip across outcrop composed of dark grey thinly laminated shales, trace rusty pits ?pyrite blebs
25038	UTM	NAD83	8	635847	6972932	grab	Scott South	22/07/2007	JvR/AC	grab of subcrop; bright red rusty foliation along thinly bedded black shales (20% dull grey interbeds) trace very fine grained pyrite
25039	UTM	NAD83	8	635907	6972964	grab	Scott South	22/07/2007	JvR/AC	grab of rustiest black shale chips from outcrop in steep prominent gully trending 150°, possible fault?, common tight folds; iridescent manganese common, local f.g. thin calcite along foliation, trace py
25040	UTM	NAD83	8	635953	6972982	grab	Scott South	22/07/2007	JvR/AC	grab of black shale outcrop (folded and faulted) rusty graphitic slips common, 25% quartz sweats , trace fine grained pyrite
25041	UTM	NAD83	8	636007	6973022	grab	Scott South	22/07/2007	JvR/AC	grab of black shale subcrop with discontinuous calcite lenses stockwork, trace ?rusty sulphides?
25042	UTM	NAD83	8	636246	6973033	grab	Scott South	22/07/2007	JvR/AC	grab of rusty black shale chips in outcrop with orange/red oxide coating fractures, trace pyrite
25043	UTM	NAD83	8	636247	6972873	grab	Scott South	22/07/2007	JvR/AC	grab of rusty weathering blocky grey shale small knob, no sulphides observed in sample

2007 Scott claims (soil descriptions)

Sample Number	Coordinate System	Datum	Zone	Easting	Northing	Sample_Type	depth (cm)	colour	texture (%clay)	aspect	slope	% rx chips	% organics	notes	Property	Area	Date	Taken By	rock type
25448	UTM	NAD83	8	635552.34	6972958.8	Auger	40	reddish brown	20	SSW	43	20	10	steep, rocky fireweed	Scott	Scott South	22/07/2007	DP	Grey Shale
25449	UTM	NAD83	8	635751.58	6972922.0	Auger	20	light red brown	20	S	38	30	20	rocky w/ trees	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25450	UTM	NAD83	8	635798.85	6972927.5	Auger	40	brown swirl	10	SSW	50	10	15	rock outcrop	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25451	UTM	NAD83	8	635846.85	6972943.2	Auger	35	chocolate matt brown	10	SSE	49	20	10	firekill	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25452	UTM	NAD83	8	635899.06	6972958.8	Auger	50	charcoal black	10	SW	45	30	10	large rock face	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25453	UTM	NAD83	8	635947.89	6972976.1	Auger	30	charcoal black	15	SSW	44	20	10	large gully	Scott	Scott South	22/07/2007	DP	Grey Shale
25454	UTM	NAD83	8	635998.33	6972999.6	Auger	70	dark brown black	15	SW	52	10	10	large gully	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25455	UTM	NAD83	8	636035.54	6973034.1	Auger	60	brown	15	SW	43	40	5	firekill	Scott	Scott South	22/07/2007	DP	Grey Shale
25457	UTM	NAD83	8	636062.61	6973074.9	Auger	40	light brown	20	SW	47	10	15	fireweed burn	Scott	Scott South	22/07/2007	DP	None
25458	UTM	NAD83	8	636124.97	6973109.4	Auger	35	light brown	15	SW	46	15	10	heavy burn	Scott	Scott South	22/07/2007	DP	Rusty Grey Shale
25459	UTM	NAD83	8	636151.85	6973145.5	Auger	40	light brown	10	SW	40	15	15	fireweed and burn	Scott	Scott South	22/07/2007	DP	N/A
25460	UTM	NAD83	8	636201.85	6973137.7	Auger	60	light brown	20	SW	42	10	10	spruce trees	Scott	Scott South	22/07/2007	DP	None
25461	UTM	NAD83	8	636230.58	6973165.7	Auger	35	light brown	15	E	37	10	10	mossy mosies	Scott	Scott South	22/07/2007	DP	None
25462	UTM	NAD83	8	636264.81	6973178.5	Auger	40	black	5	SW	35	5	25	moss bush	Scott	Scott South	22/07/2007	DP	None/permfrost
25463	UTM	NAD83	8	636295.88	6973137.7	Auger	45	dark brown	5	SW	36	15	20	rock bluff behind	Scott	Scott South	22/07/2007	DP	light grey shale
25464	UTM	NAD83	8	636347.75	6973139.3	Auger	50	slitty brown	10	SE	32	20	20	heavy burn	Scott	Scott South	22/07/2007	DP	none
25465	UTM	NAD83	8	636382.27	6973178.5	Auger	30	light brown	15	E	35	20	10	fireweed	Scott	Scott South	22/07/2007	DP	none
25466	UTM	NAD83	8	636397.98	6973220.8	Auger	40	light brown	15	E	30	10	20	burn	Scott	Scott South	22/07/2007	DP	none
25467	UTM	NAD83	8	636397.98	6973282	Auger	35	light brown	20	E	22	15	10	fireweed	Scott	Scott South	22/07/2007	DP	none
25468	UTM	NAD83	8	635500.58	6972800.4	Auger	25	light brown red	20	S	28	10	10	fallen tree	Scott	Scott South	23/07/2007	DP	Rusty grey shale
25470	UTM	NAD83	8	635552.34	6972789.4	Auger	35	light brown	20	S	28	10	10	burn	Scott	Scott South	23/07/2007	DP	none
25471	UTM	NAD83	8	635599.4	6972783.1	Auger	30	red brown	15	S	24	15	5	willows	Scott	Scott South	23/07/2007	DP	none
25472	UTM	NAD83	8	635649.01	6972775.3	Auger	30	caramel brown	10	SSW	30	10	5	burn	Scott	Scott South	23/07/2007	DP	rusty grey shale
25473	UTM	NAD83	8	635701.38	6972775.3	Auger	50	reddish brown	20	SSW	32	10	5	fallen trees	Scott	Scott South	23/07/2007	DP	grey shale
25474	UTM	NAD83	8	635743.74	6972780	Auger	30	khaki brown	30	S	37	10	10	heavy burn	Scott	Scott South	23/07/2007	DP	grey shale
25476	UTM	NAD83	8	635853.58	6972800.4	Auger	50	light brown	10	SSE	50	20	20	rock outcrop	Scott	Scott South	23/07/2007	DP	Rusty Grey Shale
25477	UTM	NAD83	8	635957.1	6972839.6	Auger	40	charcoal black	10	SE	49	30	15	burn and fireweed	Scott	Scott South	23/07/2007	DP	Rusty Grey Shale
25478	UTM	NAD83	8	636007.31	6972863.1	Auger	30	charcoal black	10	SE	47	30	10	slide	Scott	Scott South	23/07/2007	DP	dark grey shale
25479	UTM	NAD83	8	636093.59	6972918	Auger	40	light grey	40	ESE	49	25	15	mossy burn	Scott	Scott South	23/07/2007	DP	none
25480	UTM	NAD83	8	636150.07	6972932.2	Auger	35	dark grey	5	SW	38	20	5	fallen trees and fireweed	Scott	Scott South	23/07/2007	DP	none
25481	UTM	NAD83	8	636168.9	6972980.4	Auger	30	dark grey	20	SW	52	20	15	big spruce	Scott	Scott South	23/07/2007	DP	none
25482	UTM	NAD83	8	636167.73	6972836.5	Auger	30	light grey/brown	10	WSW	50	20	15	heavy burn	Scott	Scott South	23/07/2007	DP	none
25483	UTM	NAD83	8	636219.1	6972975.7	Auger	30	light grey	15	SE	32	10	5	mossy burn	Scott	Scott South	23/07/2007	DP	none
25484	UTM	NAD83	8	636267.74	6972791	Auger	30	dark brown	10	S	37	10	15	fireweed	Scott	Scott South	23/07/2007	DP	none
25485	UTM	NAD83	8	636366.57	6972811.4	Auger	30	red brown	10	SE	47	20	20	heavy burn	Scott	Scott South	23/07/2007	DP	rusty shale
25486	UTM	NAD83	8	636390.11	6972850.6	Auger	25	red brown	15	E	46	15	10	thick poplars	Scott	Scott South	23/07/2007	DP	none
25487	UTM	NAD83	8	636396.97	6972897.7	Auger	25	red brown	10	E	48	20	25	bush	Scott	Scott South	23/07/2007	DP	none
25488	UTM	NAD83	8	636407.37	6972938.4	Auger	25	dark brown	10	SE	20	30	15	welcome to hell	Scott	Scott South	23/07/2007	DP	none
25489	UTM	NAD83	8	636456	6972957.3	Auger	25	auburn red	10	E	30	30	20	thick brush	Scott	Scott South	23/07/2007	DP	fireweed
25490	UTM	NAD83	8	636493.86	6972994.9	Auger	30	reddish brown	10	E	27	25	20	fireweed bush	Scott	Scott South	23/07/2007	DP	none
25491	UTM	NAD83	8	635497.43	6972579.2	pick	10	medium brown	25	S	40	5	40	talus slope	Scott	Scott South	25/07/2007	NE/JSB	dark shales
25492	UTM	NAD83	8	635552.34	6972588.6	Auger	30	red brown	40	S	32	20	10		Scott	Scott South	25/07/2007	NE/JSB	dark black shales
25493	UTM	NAD83	8	635597.84	6972594.9	Auger	70	brown orange	40	S	28	30	5		Scott	Scott South	25/07/2007	NE/JSB	dark shales
25495	UTM	NAD83	8	635751.58	6972587	Auger	20	orange brown	20	S	30	20	50		Scott	Scott South	25/07/2007	NE/JSB	
25496	UTM	NAD83	8	635790.81	6972610.6	Auger	60	reddish brown	40	S	28	20	5		Scott	Scott South	25/07/2007	NE/JSB	
25497	UTM	NAD83	8	635897.48	6972646.6	Auger	50	medium brown	40	SSE	28	30	20		Scott	Scott South	25/07/2007	NE/JSB	
25498	UTM	NAD83	8	635949.28	6972660.8	Auger	80	grey black	60	SE	40	20	10		Scott	Scott South	25/07/2007	NE/JSB	dark grey shales
25499	UTM	NAD83	8	636001.04	6972693.7	Auger	60	grey black	30	SSE	50	40	5		Scott	Scott South	25/07/2007	NE/JSB	grey black shales
25500	UTM	NAD83	8	636043.39	6972717.2	Auger	50	grey black	30	SE	30	40	5		Scott	Scott South	25/07/2007	NE/JSB	grey black shales
68401	UTM	NAD83	8	636057.51	6972879.6	Auger	40	grey black	20	W	52	30	10		Scott	Scott South	25/07/2007	NE/JSB	
68402	UTM	NAD83	8	636051.24	6972635.7	Auger	40	grey black	50	SW	30	20	0		Scott	Scott South	25/07/2007	NE/JSB	dark grey shale
68403	UTM	NAD83	8	636081.04	6972599.8	Auger	50	light brown	15	SW	30	20	20	ashy	Scott	Scott South	25/07/2007	NE/JSB	
68404	UTM	NAD83	8	636121.84	6972572.9	Auger	50	red brown	40	SSW	28	15	20		Scott	Scott South	25/07/2007	NE/JSB	

2007 Scott claims (soil descriptions)

Sample Number	Coordinate System	Datum	Zone	Easting	Northing	Sample Type	depth (cm)	colour	texture (%clay)	aspect	slope	% rx chips	% organics	notes	Property	Area	Date	Taken By	rock type
68405	UTM	NAD83	8	636179.88	6972577.6	Auger	40	light grey brown	60	S	20	10	20		Scott	Scott South	25/07/2007	NE/JSB	
68406	UTM	NAD83	8	636234.8	6972591.7	Auger	30	dark grey brown	40	S	34	30	5		Scott	Scott South	25/07/2007	NE/JSB	dark grey shale, quartz in float
68407	UTM	NAD83	8	636285	6972602.7	Auger	40	dark grey	40	S	28	20	10		Scott	Scott South	25/07/2007	NE/JSB	dark grey shales
68408	UTM	NAD83	8	636344.61	6972604.3	Auger	60	grey black	30	S	32	40	5		Scott	Scott South	25/07/2007	NE/JSB	
68409	UTM	NAD83	8	636397.98	6972610.6	Auger	80	medium grey brown	60	SSW	30	20	10		Scott	Scott South	25/07/2007	NE/JSB	
68410	UTM	NAD83	8	636451.3	6972610.8	Auger	20	medium reddish dull brown	40	S	38	20	10	above shale outcrop	Scott	Scott South	25/07/2007	NE/JSB	
68411	UTM	NAD83	8	636498.38	6972630.9	Auger	50	orange brown	50	ESE	40	10	5		Scott	Scott South	25/07/2007	NE/JSB	shales
68412	UTM	NAD83	8	636536.02	6972663.9	Auger	40	orange brown	30	SE	30	10	10		Scott	Scott South	25/07/2007	NE/JSB	
68414	UTM	NAD83	8	636553.28	6972716.8	Auger	80	light grey brown	50	NNE	36	5	20		Scott	Scott South	25/07/2007	NE/JSB	
68415	UTM	NAD83	8	636553.28	6972772.1	Auger	30	grey brown	40	SE	56	15	10		Scott	Scott South	25/07/2007	NE/JSB	
68416	UTM	NAD83	8	636539.15	6972825.5	Auger	100	dark grey	30	NE	36	50	10		Scott	Scott South	25/07/2007	NE/JSB	
68417	UTM	NAD83	8	636550.13	6972875.7	Auger	60	dark brown	30	SW	20	10	20		Scott	Scott South	25/07/2007	NE/JSB	
68418	UTM	NAD83	8	636438.74	6973319.7	Auger	70	light brown	20	SSE	42	20	10	firekill	Scott	Scott South	26/07/2007	DP/MM	none
68419	UTM	NAD83	8	636496.79	6973333.8	Auger	60	poo brown	10	S	38	10	30	fireweed	Scott	Scott South	26/07/2007	DP/MM	none
68420	UTM	NAD83	8	636532.88	6973368.3	Auger	40	dark brown	10	E	50	10	25	bugles	Scott	Scott South	26/07/2007	DP/MM	light grey shale
68421	UTM	NAD83	8	636536.76	6973411	Auger	25	light brown	20	S	52	20	10	pru crude	Scott	Scott South	26/07/2007	DP/MM	grey shale
68422	UTM	NAD83	8	636606.17	6973421.6	Auger	40	light brown	20	S	50	20	10	fireweed	Scott	Scott South	26/07/2007	DP/MM	grey shale
68423	UTM	NAD83	8	636652.83	6973415.3	Auger	60	brown	20	SE	48	20	10	firekill	Scott	Scott South	26/07/2007	DP/MM	none
68424	UTM	NAD83	8	636703.72	6973442.8	Auger	50	brown	30	SE	50	30	5	fireweed	Scott	Scott South	26/07/2007	DP/MM	none
68425	UTM	NAD83	8	636784.3	6973453.4	Auger	30	poo brown	10	W	63	10	15	cross creek on slide	Scott	Scott South	26/07/2007	DP/MM	rusty grey shale
68426	UTM	NAD83	8	636816.11	6973413.1	Auger	40	light brown	30	E	58	30	15	rocky cliff creek	Scott	Scott South	26/07/2007	DP/MM	rusty grey shale
68427	UTM	NAD83	8	636824.59	6973364.4	Auger	60	mocha brown	20	W	52	20	10	big tree stump	Scott	Scott South	26/07/2007	DP/MM	rusty grey cross creek shale
68428	UTM	NAD83	8	636828.84	6973305	Auger	35	chocolate brown	30	W	54	30	10	thick bush	Scott	Scott South	26/07/2007	DP/MM	none
68429	UTM	NAD83	8	636805.51	6973245.6	Auger	80	brown	30	SW	50	30	10	burn	Scott	Scott South	26/07/2007	DP/MM	none
68430	UTM	NAD83	8	636811.87	6973198.9	Auger	25	grey brown	20	W	42	20	5	fallen trees	Scott	Scott South	26/07/2007	DP/MM	none
68431	UTM	NAD83	8	636824.59	6973146	Auger	20	red brown	20	SW	38	20	10	fallen trees	Scott	Scott South	26/07/2007	DP/MM	none
68432	UTM	NAD83	8	636867.01	6973105.7	Auger	40	brown	30	SW	53	30	10	fallen trees	Scott	Scott South	26/07/2007	DP/MM	none
68433	UTM	NAD83	8	636805.18	6973076	Auger	40	khaki brown	30	SW	55	30	10	deep bush	Scott	Scott South	26/07/2007	DP/MM	none
68434	UTM	NAD83	8	636943.35	6973039.8	Auger	50	brown grey	30	S	30	30	10	fireweed	Scott	Scott South	26/07/2007	DP/MM	none
68441	UTM	NAD83	8	6366523.47	6973027.9	Auger	60	dull brown	60	E	30	20	10		Scott	Scott South	27/07/2007	MM/JSB	
68442	UTM	NAD83	8	636559.55	6973065.7	Auger	40	light brown	40	E	40	40	20	on slide	Scott	Scott South	27/07/2007	MM/JSB	
68443	UTM	NAD83	8	636587.78	6973103.2	Auger	40	light brown	40	E	45	40	10	on slide	Scott	Scott South	27/07/2007	MM/JSB	
68444	UTM	NAD83	8	636605.04	6973150.2	Auger	35	orange brown	30	E	40	30	20		Scott	Scott South	27/07/2007	MM/JSB	
68445	UTM	NAD83	8	636627.01	6973200.4	Auger	40	light brown	60	SE	35	10	30		Scott	Scott South	27/07/2007	MM/JSB	
68446	UTM	NAD83	8	636659.68	6973153.4	Auger	60	light brown	70	W	30	5	15		Scott	Scott South	27/07/2007	MM/JSB	
68447	UTM	NAD83	8	636650.54	6973101.6	Auger	80	medium brown grey	70	SW	28	10	15		Scott	Scott South	27/07/2007	MM/JSB	
68448	UTM	NAD83	8	636664.66	6973045.1	Auger	50	medium grey	30	SW	35	30	20		Scott	Scott South	27/07/2007	MM/JSB	
68449	UTM	NAD83	8	636696.04	6973001.2	Auger	50	light brown	60	SW	40	5	10		Scott	Scott South	27/07/2007	MM/JSB	
68450	UTM	NAD83	8	636738.4	6972958.8	Auger	80	medium grey	60	SW	40	10	20		Scott	Scott South	27/07/2007	MM/JSB	
68452	UTM	NAD83	8	636760.38	6972914.9	Auger	50	medium grey	60	S	37	5	10		Scott	Scott South	27/07/2007	MM/JSB	
68453	UTM	NAD83	8	636785.48	6972869.4	Auger	60	medium brown	70	S	30	0	10		Scott	Scott South	27/07/2007	MM/JSB	
68454	UTM	NAD83	8	636818.23	6972825.6	Auger	50	orange brown	60	S	25	20	10		Scott	Scott South	27/07/2007	MM/JSB	
68455	UTM	NAD83	8	636873.38	6972798.2	Auger	60	light brown	50	SE	27	25	5		Scott	Scott South	27/07/2007	MM/JSB	
68456	UTM	NAD83	8	636935.83	6972785.2	Auger	50	red dull brown	50	S	15	30	10		Scott	Scott South	27/07/2007	MM/JSB	



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 5T4
Phone (250) 573-3780 Fax (250) 573-4867
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

12-JU-07

2007 INVOICE

INVOICE # AW07-7059

DESCRIPTION	PRICE/SAMPLE	AMOUNT
<u>2007 Quote</u>		
91 Sample Prep. (Soil)	1.90	172.90
91 Trace ICP-MS Pkg	15.10	1374.10
<u>SUBTOTAL:</u>		<u>1547.00</u>
<u>& 6% G.S.T.:</u>		<u>92.82</u>
<u>TOTAL DUE & PAYABLE UPON RECEIPT:</u>		<u>1639.82</u>

THANK YOU!!

G.S.T. REGISTRATION NUMBER 1234567890
TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

ATTACHED FOR PAYMENT
JULY 24/07

1-6558

POSTED

6558 - 1908

Eco Tech Laboratory Ltd.

1000 1st Avenue
Whitehorse, YT Y1A 2V3
Phone (867) 633-6700 Fax (867) 633-6700
E-mail: info@ecotechlab.com
www.ecotechlab.com

Overland Resources
#1-151 Industrial Road
Whitehorse YT
Y1A 2V3

30-Sep-07

2007 INVOICE

Shipment #: 2007-18

INVOICE #:AK07-1205

DESCRIPTION	PRICE / SAMPLE	AMOUNT
<i>Project: Andrew</i>		
<u>2007 Quote</u>		
101 Sample Prep. (Pulp)	2.90	292.90
101 Trace ICP-MS Extended Pkg	18.90	1908.90
101 Au Geochem (30g)	6.00	606.00
SUBTOTAL:		2807.80
& 6% G.S.T.:		168.47
TOTAL DUE & PAYABLE UPON RECEIPT:		2976.27

THANK YOU!!

G.S.T. REGISTRATION NUMBER R88399 8312
TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)
WILL BE CHARGED ON OVERDUE ACCOUNTS.

APPROVED FOR PAYMENT
H.B. 16/10/07
1-6558

APPENDIX V
STATEMENT OF COSTS

Statement of costs

APPLICABLE EXPENDITURES FOR ASSESSMENT CREDITS

Scott Claims South Area Expenditures

<u>Description</u>	<u>Expenditure</u>
Labour (12 man days @ 250/day)	\$3000.00
(5 man days @ 350/day)	\$1750.00
Camp costs (17 man days @40/day)	\$680.00
Helicopter (3.5 hours @ 2000/hour)	\$7000.00
Geochemical Analyses (65 samples @ 20ea)	\$1300.00
Report Writing	<u>\$2500.00</u>
	\$16,230.00