



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH







FRONTIER
SURFACES



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH






BELMAR OAK
12WR01 / D3637

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



HOPEWELL ELM





12WR02 / D6800

12MM WATER RESISTANT



AMERICAN HEROES™


100% AMERICAN MADE / 100% TOUGH



GRAND FALLS OAK

12WR03 / D6801

12MM WATER RESISTANT



AMERICAN HEROES™


100% AMERICAN MADE / 100% TOUGH




WATER RESISTANT




ALL OVER TEXTURE



LENGTH (FT)



THICKNESS (MM)



WIDTH (IN)



SOUTH FORK HICKORY




12WR04 / D3614

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH






BUXTON HARBOUR OAK
12WR05 / D3972

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



KENNECOT MEDLEY






12WR06 / D3896

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



CABALLO MEDLEY





12WR07 / D3897

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



TOWNSEND BRUSHED OAK

12WR08 / D3611

12MM WATER RESISTANT

	BELMAR OAK	HOPEWELL ELM	GRAND FALLS OAK	SOUTH FORK HICKORY	BUXTON HARBOUR OAK	KENNECOT MEDLEY	CABALLO MEDLEY	TOWNSEND BRUSHED OAK
PRODUCT LINE	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection
SMART CODE	12WR01	12WR02	12WR03	12WR04	12WR05	12WR06	12WR07	12WR08
DECOR NAME / CODE	Belmar Oak / D3637	Hopewell Elm / D6800	Grand Falls Oak / D6801	South Fork Hickory / D3614	Buxton Harbour Oak / D3972	Kennecot Medley / D3896	Caballo Medley / D3936	Townsend Brushed Oak / D3611
UPC	816281000567	816281000598	816281000574	816281000055	816281005401	816281000581	816281000604	816281005364
OVERALL THICKNESS	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)
LENGTH	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)
WIDTH	190 mm (7.48 in)	154 mm (6.06 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	154 mm (6.06 in)	154 mm (5.06 in)	190 mm (7.48 in)
EDGE PROFILE	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge
EMBOSSING	No	No	No	No	No	No	No	No
AC RATING	4	4	4	4	4	4	4	4
LOCKING SYSTEM	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic
SF PER CARTON	18.42 sq ft	17.07 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	17.07 sq ft	17.07 sq ft	18.42 sq ft
CARTONS PER PALLET	4 across, 11 high = 44 cartons	5 across, 9 high = 45 cartons	4 across, 11 high = 44 cartons	4 across, 11 high = 44 cartons	4 across, 11 high = 44 cartons	5 across, 9 high = 45 cartons	5 across, 9 high = 45 cartons	4 across, 11 high = 44 cartons
SF PER PALLET	810.69 sq ft	768.15 sq ft	810.69 sq ft	810.69 sq ft	810.69 sq ft	768.15 sq ft	768.15 sq ft	810.69 sq ft
CARTON WEIGHT	38.41 lbs	35.60 lbs	38.41 lbs	38.41 lbs	38.41 lbs	35.60 lbs	35.60 lbs	38.41 lbs
PALLET WEIGHT	1,739.89 lbs	1,650.99 lbs	1,739.89 lbs	1,739.89 lbs	1,739.89 lbs	1,650.99 lbs	1,650.99 lbs	1,739.89 lbs
PALLET DIMENSIONS	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H
PALLETS PER TRUCK	25 / East · 24 / West	26 / East · 25 / West	25 / East · 24 / West	25 / East · 24 / West	25 / East · 24 / West	26 / East · 25 / West	26 / East · 25 / West	25 / East · 24 / West
ORIGIN	USA	USA	USA	USA	USA	USA	USA	USA



AMERICAN HEROESTM

100% AMERICAN MADE / 100% TOUGH



PRODUCT OVERVIEW

12MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



24 HOURS
WATER RESISTANT

ALL OVER
TEXTURE

PAD REQUIRED

OR

PAD ATTACHED

7 8 10 12
THICKNESS (MM)

6" 7.5" 9.5"
WIDTH (IN)



ABILENE OAK


12WR09 (NO PAD) 12WRP03 (W/PAD) / D6825

12MM WATER RESISTANT WITH PAD



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



WATER RESISTANT



ALL OVER TEXTURE





PAD REQUIRED

OR



PAD ATTACHED



BISCAYNE OAK

12WR10 (NO PAD) 12WRP01 (W/PAD) / D6816

12MM WATER RESISTANT WITH PAD




AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



OR



GULLS NEST OAK

12WR11 (NO PAD) 12WRP02 (W/PAD) / D6818

12MM WATER RESISTANT WITH PAD





AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



OR



SANTA CATALINA OAK

12WR12 (NO PAD) 12WRP04 (W/PAD) / D6319

12MM WATER RESISTANT WITH PAD

	ABILENE OAK NO PAD		ABILENE OAK WITH PAD		BISCAYNE OAK NO PAD		BISCAYNE OAK WITH PAD		GULLS NEST OAK NO PAD		GULLS NEST OAK WITH PAD		SANTA CATALINA OAK NO PAD		SANTA CATALINA OAK WITH PAD	
PRODUCT LINE	Water Resistant Collection with Pad				Water Resistant Collection with Pad				Water Resistant Collection with Pad				Water Resistant Collection with Pad			
SMART CODE	12WR09	12WRP03	12WR10	12WRP01	12WR11	12WRP02	12WR12	12WRP04	12WR12	12WRP04	12WR12	12WRP04	12WR12	12WRP04	12WR12	12WRP04
DECOR NAME / CODE	Abilene Oak / D6825	Abilene Oak / D6825	Biscayne Oak / D6816	Biscayne Oak / D6816	Gulls Nest Oak / D6818	Gulls Nest Oak / D6818	Santa Catalina Oak / D3619	Santa Catalina Oak / D3619	Gulls Nest Oak / D6818	Gulls Nest Oak / D6818	Santa Catalina Oak / D3619	Santa Catalina Oak / D3619	Gulls Nest Oak / D6818	Gulls Nest Oak / D6818	Santa Catalina Oak / D3619	Santa Catalina Oak / D3619
UPC	816281000635	816281000673	816281000642	816281000680	816281000611	816281000659	816281000628	816281000666	816281000611	816281000659	816281000628	816281000666	816281000611	816281000659	816281000628	816281000666
OVERALL THICKNESS	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)	12 mm (0.472 in)
LENGTH	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)
WIDTH	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)
EDGE PROFILE	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge
EMBOSSING	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No
AC RATING	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
LOCKING SYSTEM	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic	Uniclic
SF PER CARTON	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft	18.42 sq ft
CARTONS PER PALLET	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons	4 across, 11 high = 44 cartons	4 across, 9 high = 36 cartons
SF PER PALLET	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft	810.69 sq ft	663.12 sq ft
CARTON WEIGHT	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs	38.41 lbs	43.20 lbs
PALLET WEIGHT	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs	1,739.89 lbs	1,605.20 lbs
PALLET DIMENSIONS	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H
PALLETS PER TRUCK	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West	25 / East · 24 / West	27 / East · 26 / West
ORIGIN	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA	USA



AMERICAN HEROES™
 100% AMERICAN MADE / 100% TOUGH






PRODUCT OVERVIEW

12MM WATER RESISTANT WITH PAD



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



PACIFIC CITY OAK




8WR01 / D6823

8MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH





ROCKAWAY BEACH
8WR02 / D6807

8MM WATER RESISTANT



AMERICAN HEROES™
100% AMERICAN MADE / 100% TOUGH







COLT CREEK MAPLE
8WR03 / D6815

8MM WATER RESISTANT



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



HARMON OAK



SH06 / D3452

STONE HARBOR



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



ALL OVER
TEXTURE



LENGTH (FT)



THICKNESS (MM)



WIDTH (IN)







MATHESON OAK
SH10 / D2766

STONE HARBOR



AMERICAN HEROES™
100% AMERICAN MADE / 100% TOUGH






SMITH HONEY OAK
LY08 / D3404

LIBERTY



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH







BERRYHILL HICKORY
LY11 / D3024

LIBERTY



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



KERRISON PINE

LY10 / D3441

LIBERTY



AMERICAN HEROES
100% AMERICAN MADE / 100% TOUGH

	PACIFIC CITY OAK	ROCKAWAY BEACH OAK	COLT CREEK MAPLE	HARMON OAK	MATHESON OAK	SMITH HONEY OAK	BERRYHILL HICKORY	KERRISON PINE
PRODUCT LINE	Water Resistant Collection	Water Resistant Collection	Water Resistant Collection	Stone Harbor	Stone Harbor	Liberty	Liberty	Liberty
SMART CODE	8WR01	8WR02	8WR03	SH05	SH10	LY08	LY11	LY10
DECOR NAME / CODE	Pacific City Oak / D6823	Rockaway Beach Oak / D6807	Colt Creek Maple / D6815	Harmon Oak / D3452	Matheson Oak / D2766	Smith Honey Oak / D3404	Berryhill Hickory / D3024	Kerrison Pine / D3441
UPC	816281000536	816281000550	816281000543	81628100136	816281000161	816281000321	816281001670	816281003100
OVERALL THICKNESS	8 mm (0.315 in)	8 mm (0.315 in)	8 mm (0.315 in)	8 mm (0.315 in)	8 mm (0.315 in)	7 mm (0.276 in)	7 mm (0.276 in)	7 mm (0.276 in)
LENGTH	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,287 mm (50.66 in)	1,290 mm (50.78 in)	1,290 mm (50.78 in)	1,290 mm (50.78 in)	1,290 mm (50.78 in)	1,290 mm (50.78 in)
WIDTH	190 mm (7.48 in)	190 mm (7.48 in)	190 mm (7.48 in)	193 mm (7.59 in)	193 mm (7.59 in)	193 mm (7.59 in)	193 mm (7.59 in)	193 mm (7.59 in)
EDGE PROFILE	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge	Straight Edge
EMBOSSING	No	No	No	No	No	No	No	No
AC RATING	3	3	3	3	3	3	3	3
LOCKING SYSTEM	Uniclic	Uniclic	Uniclic	Angle Drop 5G	Angle Drop 5G	Angle Tap	Angle Tap	Angle Tap
SF PER CARTON	23.69 sq ft	23.69 sq ft	23.69 sq ft	24.12 sq ft	24.12 sq ft	26.80 sq ft	26.80 sq ft	26.80 sq ft
CARTONS PER PALLET	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons	4 across, 13 high = 52 cartons
SF PER PALLET	1,231.88 sq ft	1,231.88 sq ft	1,231.88 sq ft	1,254.19 sq ft	1,254.19 sq ft	1,500.74 sq ft	1,500.74 sq ft	1,500.74 sq ft
CARTON WEIGHT	33.50 lbs	33.50 lbs	33.50 lbs	29.15 lbs	32.79 lbs	31.57 lbs	31.40 lbs	31.40 lbs
PALLET WEIGHT	1,792.00 lbs	1,792.00 lbs	1,792.00 lbs	1,565.58 lbs	1,755.03 lbs	1,818.18 lbs	1,808.40 lbs	1,808.40 lbs
PALLET DIMENSIONS	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H	51.5" L x 33" W x 3.5" H
PALLETS PER TRUCK	24 / East · 23 / West	24 / East · 23 / West	24 / East · 23 / West	27 / East · 27 / West	24 / East · 24 / West	23 / East · 23 / West	24 / East · 23 / West	24 / East · 23 / West
ORIGIN	USA	USA	USA	USA	USA	USA	USA	USA



PRODUCT OVERVIEW

8MM WATER RESISTANT · STONE HARBOR · LIBERTY



AMERICAN HEROES™

100% AMERICAN MADE / 100% TOUGH



FRONTIER
SURFACES