HP PageWide Managed Color MFP E58650 series



Ultimate value, fastest speeds, and deepest security for today's enterprise.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

Dynamic security: Cartridges with non-HP chips might not work today or in the future.

Learn more at hp.com/go/learnaboutsupplies

Professional color, breakthrough total costResults you expect and lasting value—break

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.³
- Print professional-quality color on a variety of papers—perfect for office use.
- Print up to 2.5x more pages⁴ and replace less often than standard cartridges⁵ with high-yield options.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁶



- Wait less, print more with unmatched speeds—up to 75 ppm—and superfast first-page printing.
- Fast two-sided scanning—up to 70 ipm®—and HP EveryPage help workgroups capture
 data with confidence.
- Enter data quickly with the pull-out keyboard and transfer scans into editable text, using built-in OCR.9
- Queue jobs, embed solutions, and use multiple functions at once—scan, copy, or fax while someone is printing.



- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown
- Help protect data on the MFP and in transit, using embedded security features and 256-bit encryption.10
- Help build business efficiency with HP Web Jetadmin," plus deploy over HP and 180 third-party solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.¹²

Proven technology. Outstanding energy efficiency.

- Add a spot of color to documents without raising costs.¹⁴ Regulate color use with HP Color Access Control.
- Print up to 16,000 color pages and up to 21,000 black-and-white pages—and go longer between replacements.⁵
- Conserve with HP PageWide Technology—designed to use less energy than any MFP in its class.¹³
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.



HP PageWide Managed Color Flow MFP E58650z




HP PageWide Managed Color MFP E58650dn

Product walkaround

- 1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning—with HP EveryPage (586z only)
- 2. Intuitive 20.3 cm (8-inch) pivoting colour touchscreen
- 3. Flatbed scanner handles up to 216 x 356 mm paper
- 4. Hardware integration pocket¹ for solution integration
- 5. Easy-access USB port to save and print files directly
- 6. Pull-out keyboard for easy, accurate data entry (586z model only)
- 7. Front door access to ink cartridges
- 8. Built-in automatic two-sided printing
- 9. 50-sheet multipurpose tray 1
- 10.500-sheet input tray 2
- 11. 300-sheet output bin
- 12. HP High-Performance Secure Hard Disk
- 13. Fax port
- 14. Slot for cable-type security lock
- 15. Hi-Speed USB 2.0 printing port
- 16. Built-in Gigabit Ethernet
- 17. USB port for connecting external USB devices





Series at a glance

keyboard





Model	HP PageWide Managed Color Flow MFP E58650z	HP PageWide Managed Color MFP E58650dn
Product number	L3U43A	L3U42A
50-sheet multipurpose tray 1; 500-sheet tray 2	Yes	Yes
1x500-sheet paper tray	Optional	Optional
3x500-sheet paper tray and stand	Optional	Optional
Printer cabinet and stand	Optional	Optional
HP High-Performance Secure Hard Disk	Yes	Yes
Scan speed (single-pass, two-sided, A4) ^{2,3}	Up to 70 ipm, black and colour	Up to 44 images per minute (ipm), black; up to 40 ipm, colour
Wireless direct printing⁴/NFC⁵	Optional	Optional
Fax	Yes	Optional
Advanced workflow features, including pull-out	Yes	Not available

HP Services

Downtime can have serious consequences. so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















Top Features

Count on exceptional value and the results enterprises need to stay ahead—HP PageWide Technology is engineered to produce professional-quality color documents for the lowest total cost of ownership in its class.3

Help elevate workgroup productivity with best-in-class print speeds, blazing-fast first-page printing, and single-pass two-sided scanning. Built-in Gigabit Ethernet and wireless printing options help busy teams stay connected.7

Trust that this HP PageWide Managed MFP is secure from power-up to power-down. Count on strong protection for devices, data, and documents with deepest embedded printer security from HP,² and centrally manage your entire fleet with ease.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources with an MFP designed to use less energy than lasers. 13 HP PageWide Technology is ideal for today's busy office.

Product

L3U43A HP PageWide Managed Color Flow MFP E58650z L3U42A HP PageWide Managed Color MFP E58650dn

Accessories

B5L28A HP Internal USB Ports (Only for E58650z)

CC487A HP LaserJet MFP Analog Fax Accessory 500 (Only for E58650z)

E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM

F5S62A HP Trusted Platform Module Accessory (Only for E58650dn)

G1W43A HP PageWide Enterprise 500-sheet Paper Tray HP PageWide Enterprise Printer Cabinet and Stand **G1W44A** G1W45A HP PageWide Enterprise 3x500 sheet Paper Tray and Stand

J8030A HP Jetdirect 3000w NFC/Wireless Accessory

J8031A HP Jetdirect 2900nw Print Server

CZ028A HP Common Card Reader

Replacement cartridges

LOR20YC HP 981YC Extra High Yield Black Original PageWide Cartridge (~21,000 ISO yield) HP 981YC Extra High Yield Cyan Original PageWide Cartridge (~16,000 ISO yield) LOR17YC LOR18YC HP 981YC Extra High Yield Magenta Original PageWide Cartridge (~16,000 ISO yield) HP 981YC Extra High Yield Yellow Original PageWide Cartridge (~16,000 ISO yield) LOR19YC

B5L09A HP Officejet Enterprise Ink Collection Unit

HP Care Packs

U9DA1F HP 3-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies U9DA2E HP 4-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies HP 5-year Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies **U9DA3E** U9DA4E HP 1-year Post Warranty Next Business Day + DMR Color PageWide E58650 MFP Managed Hardware Supplies

U9DA5E HP 2-year Post Warranty Next Business Day + DMR Color PageWide E58650 MFP Managed

Hardware Supplies

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP PageWide Managed Color MFP E58650 series

Model	HP PageWide Managed Color Flow MFP E58650z	HP PageWide Managed Color MFP E58650dn	
Product number	L3U43A Print, copy, scan, fax	L3U42A Print, copy, scan	
Functions Print	Print, copy, scan, rax	Print, copy, Scan	
Duplex print options	Automatic (standard)		
Print speed ⁶	Black (normal, A4): Up to 50 ppm; Black (Draft, A4): Up to 75 ppm; Black (Duplex, A4): Up to 25 ipm; Black		
First page out ⁷	Color (normal, A4): Up to 50 ppm; Color (Draft, A4): Up to 75 ppm; Color (Duplex, A4): Up to 25 ipm; Color (Black (A4, ready): A5 fast as 7.1 sec	r (Duplex, letter): Up to 25 ipm	
Out-at to also also an	Color (A4, ready): As fast as 7.3 sec HP PageWide Technology		
Print technology Print resolution	Black (best): Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Pr	emium Inkiet Presentation Paper Matte, and HP Inkiet Brochure Paper Matte and 600 x 600 input doi)	
Filit resolution	Color (best): Up to 2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi)		
Print resolution technology	HP PageWide Technology		
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	ALIDO AND THE CONTRACTOR AND THE PROPERTY OF T	
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug a Pro Proxy Agent); HP JetAdvantage Security Manager		
Scan			
Scan type technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	M	
Scan speed	Normal, A4: Up to 45 ppm/70 ipm (b&w), up to 45 ppm/70 ipm (color) Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	Normal, A4: Up to 44 ppm/44 ipm (b&w), up to 40 ppm/40 ipm (color)	
Scan resolution Scan size	ADF: 216 x 356 mm Flatbed: 216 x 356 mm		
Scan input mode	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory,	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open	
	Save to SharePoint, Open Extensibility Platform (OXP) applications	Extensibility Platform (OXP) applications	
Scan file format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (,prn, ,pcl, ,cth)	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	
Сору			
Copy speed ⁴	Black (normal, A4): Up to 50 cpm; Black (normal, letter): Up to 50 cpm; Color (normal, A4): Up to 50 cpm	r; Color (normal, letter): Up to 50 cpm; Black Duplex (A4): Up to 25 cpm; Black Duplex (letter): Up to 25	
	cpm; Color (Duplex, A4): Up to 25 cpm; Color Duplex (letter): Up to 25 cpm		
First copy out	Black (Letter): As fast as 7 sec; Color (letter): As fast as 9 sec	2 to 500 v 500 do: (Flathad) 200 v 500 d-: (ADE)	
Copy resolution	Black (text and graphics): Up to 600 × 600 dpi (flatbed), 600 × 450 dpi (ADF); Color (text and graphics): Up to 9999 copies	ο το σύο χ σύο αρι (Flatibea), 300 χ σύο αβι (ADF)	
Max no of copies Copier resize	25 to 400%		
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-u	p, N or Z-ordering, content orientation, collation, booklet. ID Scan. iob build. edge-to-edge. iob storage	
Fax		,,	
Fax resolution	Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only)	Not available	
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	Not available	
Connectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Mobile print capability	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0		
Wireless capability	Optional, enabled with purchase of a hardware accessory		
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; E Standard: 2048 MB; Maximum: 2816 MB	(D2.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)	
Memory Processor speed	Standard: 2048 MB; Maximum: 2816 MB		
Duty cycle (monthly)	Up to 120,000 pages; Recommended monthly page volume ⁸ : 2000 to 15,000		
Paper handling	op to 120,000 pages, necommended monthly page rounce 12000 to 13,000		
Input	500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Optional 500 sheet tray 3; Optional integr	ated cart/stand with 500 sheet tray 3, 500 sheet tray 4, and 500 sheet tray 5	
Output	300 sheet face-down output bin		
Media type			
ricula type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain	n paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty	
	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet pla papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain); 120 to 180 g/m² (plain); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain); 120 to 180 g/m² (p	zi) rochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper);	
Media weight	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty pape Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 163 to 200 g/m² (card); 174 g/m² (card); 174 g/m² (card); 174 g/m² (card); 175 g/m² (card)	er) rochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card)	
Media weight	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1:60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3:60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5:60 to 120 g/m² (plain paper); 125 to 125 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5:60 to 120 g/m² (plain); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5:60 to 120 g/m² (plain); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); 170 to 216 x 356 mm; 170 z 210 to 216 x 356 mm; 170 z 210 to 216 x 356 mm; 170 z 210 to 216 x 356 mm	er) rochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card)	
Media weight Media sizes custom Dimensions (W x D x H)	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm	er) rochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/n 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card)	
Media weight Media sizes custom Dimensions (W x D x H) Weight	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (benvelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 330 x 564 x 529 mm 332.3 kg	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102	
Media weight Media sizes custom Dimensions (W x D x H) Weight	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty papi Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (photo); 13 to 100 g/m² (gard); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 530 x 564 x 529 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup -6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region.	er) cochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup -6000 pages CMYI installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) 17ray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 530 x 564 x 529 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and lore.	er) rochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (5250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYl installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, valuable from HP.com), Windows XP ilum, Professional, etc.), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-& 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.0 Nowerite, OS X 10.10 Yosemite, OS X 10.10 Yosemite, OS X 10.11 Yosemite, OS X 10.11 Windows 100.0 Representations of the delitions of the professional of the delitions	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems ¹¹	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (card); 176 x 127 to 216 x 356 mm; 17ay 2: 102 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/R 1 all 32- & 64-bit editions (SP3 32- & 64-bit editions (CP Home, XP Pro, etc.), Windows VS all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows VS 10 all 32- & 64-bit editions	er) croburel; 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup -6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XF, sium, Professional, etc.), Windows 7 all 32- & 64-bit editions. Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 on; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com)	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems ¹¹	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (plain); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain); 17 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 530 x 564 x 529 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions (VP Home, XP Pro, etc	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMY) Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord cal legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, excluding RT OS for Tablets), Windows 7 all 32-& 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Vosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.11 on; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com)	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 126 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 323 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckuld	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, excluding RT OS for Tablets), Windows 7 all 32-& 64-bit editions, Windows 80; indumy Professional, etc.), Windows 7 all 32-& 65 print Drivers available from HP.com and Apple Store), OS X 10.9 Mayericks, OS X 10.10 Vosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 on; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com)	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm; 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty, Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windividows 8/8.1 all 32- & 64-bit editions (KP Home, XP Pro, etc.), Windividows 8/8.1 all 32- & 64-bit editions (FP) and 132- & 64-bit e	er) crokurel; 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) oto 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup ~6000 pages CMVI installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows SC compatible with Universal Print Driver (From HP.com), Windows XF hium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Print Drivers available from HP.com and Apple Store (SX 10.9 Mg. SX 10.9 Mg. SX 10.1 12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 or; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-ini; 1 internal University (New Ports (Amardare Mono Wortd Sype); 2 Internal Windows Vista 8 Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 126 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 323 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckulding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (PH Beckuld	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 0 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions, excluding RT OS for Tablets), Windows 7 all 32-& 64-bit editions, Windows 80 is 183 2-& 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Vosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 on; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-ini; T internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts all Pios Emulation available at http://www.hp.com/goldaserjetfonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display Power	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ard); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 216 x 356 mm; 120 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 10 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windividows 98, 81 all 32-8 64-bit editions (excluding RT OS for Tablets), McGow 10 all 32-8 64-bit editions (PH Bel Capitan; Mobile OS (In-OS drivers) IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (*12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX PC: CD-ROM or DVD drive, or Internet Connection; dedicated USB or network connection or Wireless connection Mac; Internet, USB, 1 GB available hard drive space; OS compatible hardware; (See Apple.com) 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation: (Calibri, Cambria); additional font solutions available wist third-party flash memory cards; HP Laser Jet Fonts a 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) ot 0 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup -6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows 05 compatible with Universal Print Driver (From HP.com), Windows KP all 32- & 64-bit editions, Windows 87 all 32- & 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 sq.); 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts of IPDS Emulation available at http://www.hp.com/go/laserjetfonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 V/c (+/-108), S0/60 Hz (+/-3 Hz); Power consumption² 62 watts (printing), 24.0 watts (ready), 8.5 watts (sleep), 0.3 watts (salto-off/manual-on); Typical Electricity Consumption numbe	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Fonts and Typefaces Control panel Display Power	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 126 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (PP Home, XP Pro, etc.), Windows OS compatible with In-Box Driver, Windows VS Sall 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- &	crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/r 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) 20 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMY Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord 20 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMY Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord 20 tall legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and 20 ws Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XF, all the print Driver (From HP.com), Universal Apple Store), OS X 10.1 Mavericks, OS X 10.10 Yosemite, OS X 10.11 22.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1) 22.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1) 22.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1) 22.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 1	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display Power Software included Acoustics	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (plain paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (plain paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (plain) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 530 x 564 x 529 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows D/S. 1 all 32 - & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32 - & 64-bit editions (NP Home, XP Pro, etc.), Windows B/B. 110 RT; Inux D/S (in-OS HPLIP, SUSE Linux (12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser/let Fonts a 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: internal (Built-in) power supply; Power supply required: input voltage: 100 to 240 VAC (+/-10%), So/60 Hz (+/-3 Hz); Power consumption²; 62 watts (final), 26.5 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on); (Tippi), 26.5 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on); (Tippi), 26.5 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/	er) croturel; 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/r² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) oto 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMY installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XF inlum, Professional, etc.), Windows 7 all 32- & 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 acr); 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts of IPOS Emulation available at http://www.hp.com/go/laserjetfonts 8.0-in (20.3 om Color Graphics Display (CGD) with touchs:reer, rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 V/c/-19/6, S0/60 Hz (4/-3 Hz); Power consumption?: 62 watts (printing), 24.0 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-67), 0.3 watts (auto-off/manual-on); Typical Electricity Consumption numbe BA: 1.148 kWh/wk; ES: 1.869 kWh/wk and Fax, HP Update, Product	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display Power Software included Acoustics	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 126 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYk); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (SP3 32- & 64-bit editions (AP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10. all 32- & 64-bit editions (Home	cochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of the 180 g/m² (brochure); 163 to 200 g/m² (card) of the 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of the 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of the 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of the 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) of the 250 g/m² (photo); 120 to 180 g/m² (photo); 120 to 216 x 356 mm; 0ptional 500-sheet tray 5: 102 g/m² (photo); 120 to 216 x 356 mm; 0ptional 500-sheet tray 5: 102 g/m² (photo); 120 to 216 x 356 mm; 0ptional 500-sheet tray 5: 102 g/m² (photo); 120 to 216 x 356 mm; 0ptional 500-sheet tray 5: 102 g/m² (photo); 120 g/m² (photo); 1	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (ploto); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 126 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Wind Windows 8/8.1 all 32- & 64-bit editions (SP3 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (SP3 32- & 64-bit editions (VP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10, 13.1 a.8 a.4	er) croturel; 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) oto 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup -6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- 8.64-bit editions, excluding RT 05 rablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XF ilium, Professional, etc.), Windows 7 all 32- 8.64-bit editions, excluding RT 05 rablets), Windows OS compatible with Universal Print Driver (From HP.com), Windows XF ilium, Professional, etc.), Windows 7 all 32- 8.64-bit editions, Print Driver (and the professional), etc.), Windows 7 all 32- 8.64-bit editions, Windows 8/8.1 all 32- 8.64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 on; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Power supply type: Internal (Built-in) power supply; Power supply required: Input	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems 11 Minimum system requirements Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges Security management	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin) paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (ardi); Tray 3: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin) paper); 125 to 210 to 216 x 356 mm; 17ay 2: 102 x 210 to 216 x 297 mm; 0ptional 500-sheet tray 3: 102 x 21 10 to 216 x 356 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windividows B/R 1. all 32- & 64-bit editions (PHome, XP Pro, etc.), Windividows B/R 1. all 32- & 64-bit editions (PHome, XP Pro, etc.), Windividows B/R 1. all 32- & 64-bit editions (PHOR) (PHE I Capitan; Mobile OS (In-OS drivers) IOS, Android, Windows 8/R.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX PC: CD-ROM or DVD drive, or Internet Connection, dedicated USB or network connection or Wireless connection (Calibri, Cambria); additional fort solutions available with trid-party flash memory cards; HP Laser let Fonts a 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Illuminated Horne button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integratio	er) crochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/r² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) ot 0 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dm; HP Setup Ink Cartridges (yield after setup ~6000 pages CMY installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows 95 compatible with Universal Myindows 87 all 32- & 64-bit editions, excluding RT OS for Tablets), Windows 95 compatible with Universal Myindows 87 all 32- & 64-bit editions, Print Drivers available from HP.com and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 (2.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.1 sq.; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com) Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts of IPDS Emulation available at http://www.hp.com/gol/aserjetfonts B.O-in (20.3 and Tools Graphots Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 V/ (+/-108), 50/60 Hz (+/-3 Hz); Power consumption? 62 watts (printing), 24.0 watts (ready), 8.5 watts (sleep), 0.3 watts (manual-off), 0.3 watts (sluto-off/manual-on); Typical Electricity Consumption numbe Ba: 1.148 kWh/wk	
Media weight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper Tray 1: 60 to 120 g/m² (platin paper); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 3: 60 to 120 g/m² (platin paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin paper); 125 to 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (platin paper); 125 to 125 to 250 g/m² (photo); 120 to 1216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 21 210 to 216 x 356 mm 530 x 564 x 529 mm 32.3 kg HP PageWide Managed Color Flow MFP E58650z; HP Setup Ink Cartridges (yield after setup ~6000 pages CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and los support options in your region. Windows 0S: Compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows 8/8.1 all 32- & 64-bit editions (WR Home, XP Pro, etc.), Windows 8/8.1 all 32- & 64-bit editions (MR Home, XP Pro, etc.), Windows 8/8.1 all 32- & 64-bit editions (Softwers) iOS, Android, Windows Vista all 32- & 64-bit editions (Home Basic, Pren (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (MR Home, XP Pro, etc.), Windows 10 all 32- & 64-bit editions of Sirvers) iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP, SUSE Linux (12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection (2.04) and control in the prochagation bard drive space; OS compatible hardware; (See Apple.com) 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (2.03 cm) touchscreen, SVGA	er) cochure); 163 to 200 g/m² (card); Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 75 to 90 g/m² (250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (photo); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card) oto 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 5: 102 HP PageWide Managed Color MFP E58650dn; HP Setup Ink Cartridges (yield after setup –6000 pages CMYI Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord call legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and ows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT 05 for Tablets), Windows 05 compatible with Universal Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions, excluding RT 05 for Tablets), Windows 7 all 32- & 64-bit editions, windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions. Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 7 all 32- & 64-bit editions, windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows XP inium, Professional, etc.), Windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows 8/8.1 all 32- & 64-bit editions. Print Driver (From HP.com), Windows 8/8.1	

Footnotes

- 1 Comparison of Enterprise devices based on manufacturers' published specifications of fastest available color mode of color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at http://www.hp.com/go/printerspeeds
- ² Only HP Enterprise-class devices with FutureSmart offer a combination of security features for integrity checking down to the BIOS with self-healing capabilities. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printersthatprotect
- ³ Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims.and.http://www.hp.com/go/learnahoutsupplies.
- 4 Yield based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 981YC Extra High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies 5 Based on ISO 24711 cartridge yields for HP 981 series High Yield Original PageWide Cartridges compared with HP 981 series Original PageWide Cartridges. Learn more at
- http://www.hp.com/go/learnaboutsupplies

 6 Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class color laser printers and A4 MFPs \$1000-\$3000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at http://www.hp.com/go/pagewideclaims
- Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active
- **Scan speeds for E58650z are up to 70 images per minute (ipm) for A4 paper size; up to 74 ipm for letter size. Scan speeds for E58650dn are up to 44 ipm for A4 size; up to 46 ipm for letter size. Scan-to functions require an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com
- 9 Embedded OCR is intended for occasional use. For high-volume OCR usage, consider optional server-based HP Digital Sending Software.

 10 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 11 HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
- 12 Based on HP Internal research on competitor offerings (Device Security Comparison January 2015), and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Laboratory LLC, February 2015. Requires separate purchase. For details, see http://www.hp.com/go/securitymanager
- Table Processes and the processes of the
- 14 Available only as part of an HP Managed Print Services contract. Feature applies to pages with the equivalent of an approximately ½ x ½-inch or 12.7 mm x 12.7 mm square of color coverage. For details, contact your HP MPS account manager.

Product Walkaround disclaimers

- Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Scanning requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.

 Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi® network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/businessmobileprinting
- Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting.

Technical specification disclaimers

- 1 With ink installed, no media in trays
- 2 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ³ Average color composite (cyan/magenta/yellow) pages and black yields based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Upgradeable with 1GB DIMM
- ⁶ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see http://www.hp.com/go/printerclaims ⁷ Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 8 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁹ HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
- 10 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply
- 11 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from hp.com; The Mac printer drivers are installed for Mac operating systems
- ¹² Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

To learn more, visit hp.com

