

T.B. RGB



3 Fan Pack UCTBRGB12-BP3

6 Fan Pack UCTBRGB12-BP6



- ▶ **Stunning RGB Lighting Effects**
- ▶ **RGB Sync Ready**
- ▶ **Handy 3-in-1 Remote Control**

T.B.RGB applies exclusive ENERMAX LED LIGHTING Technology to deliver incredibly bright and even RGB lighting. With the patented Twister Bearing technology, the T.B. RGB fan can not only provide beautiful lighting effects, but also offer superior silent performance. The series comes with ENERMAX RGB control box that can support up to 8 x RGB fans and 2 x RGB LED devices. Furthermore, users can use the included 3-in-1 remote control to easily select preferred RGB lighting effects, colors and fan speed; no software or APP is required. T.B.RGB is the excellent RGB fan to light up your systems.



HALO
LED



RGB-Sync
Motherboards



REMOTE
Control



CONTROL
Box



TWISTER
BEARING
BEARING
Technology



DETACHABLE
Blade


Features



- ▶ **Unique halo arc-shaped frame shows gorgeous and vivid visual effect**

- ▶ **ENERMAX LED LIGHTING Technology provides consistent and uniform luminance**

T.B.RGB



Incredibly bright and even lighting
with no visible spots

Others




Uneven lighting with visible spots



▼ Synchronizable RGB lighting via motherboard (4-pin RGB header)


Compatible with the 4-pin RGB header(s) on motherboards.

▼ The 3-in-1 remote control enables users to easily select preferred RGB lighting effects, colors and fan speed



- | | | | |
|----------------------|--|--|--------------------------------------|
| Function | | | Brightness / Lighting Speed |
| | | | OFF/ON |
| | | | Fan Speed Fast/Slow |
| | | | Motherboard Sync switch |
| | | | Preset 10 colors with flash effect |
| Colors | | | RGB colors automatically rotate |
| | | | Fix your preferred color in RGB mode |
| | | | LED colors |
| Light Effects | | | Flash |
| | | | Sparkle |
| | | | Beat |
| | | | 3 modes repeated |

▼ ENERMAX RGB control box can support up to 8 x RGB fans and 2 x RGB LED devices



*RGB LED Pin Configuration

▼ Patented Twister Bearing technology



Long life and low noise



Detachable blade for easy cleaning

▼ Shockproof rubber pads minimize vibration during operation



Specifications

Model Number	UCTBRGB12-BP3	UCTBRGB12-BP6
Fans/Model	3 pcs	6 pcs
Dimension (mm)	120 (W) x 120 (H) x 25 (D)	
Speed (RPM)	1500 (±10%) *500-1500 (±10%) via remote-control	
Air Flow (CFM)	47.53 (max)	
Air Flow (m³/h)	80.75 (max)	
Static Pressure (mm-H ₂ O)	1.66 (max)	
Maximum Noise (dBA)	22	
Rated Current- Fan (A)	0.15	
Rated Current- RGB LED (A)	0.3	
Rated Voltage (V)	12	
MTBF (hours)	≥ 160,000 @ 25°C	
Connector	6-PIN	
Accessory	12 x Screw 1 x RGB control box 1 x Remote control	24 x Screw 1 x RGB control box 1 x Remote control

Shipping Information

Barcode	EAN	4713157723345	4713157723420
	UPC	819315023341	819315023426
Box Dimension	160 x 133 x 100 mm		210 x 133 x 135 mm
Gross Weight / Unit	730 g		1285 g
Carton Dimension	538 x 335 x 309 mm		435 x 423 x 302 mm
Q'ty / Carton	20 pcs		12 pcs
Gross Weight / Carton	16 kg		17 kg